



# SQL Server Data Model

*for use with Invantive SQL*

23.0



# Copyright

(C) Copyright 2004-2023 Invantive Software B.V., the Netherlands. All rights reserved.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of the publisher.

Despite all the care taken in the compilation of this text, neither the author nor the publisher can accept liability for any damage, which might result from any error, which might appear in this publication.

This manual is a reference guide intended to clarify usage. If data in the sample images match data in your system, the similarity is coincidental.

## Important Safety and Usage Information

**Intended Use and Limitations:** This software, developed by Invantive, is designed to support a variety of business and information technology data processing functions, such as accounting, financial reporting and sales reporting. It is important to note that this software is not designed, tested, or approved for use in environments where malfunction or failure could lead to life-threatening situations or severe physical or environmental damage. This includes, but is not limited to:

- Nuclear facilities: The software should not be used for operations or functions related to the control, maintenance, or operation of nuclear facilities.
- Defense and Military Applications: This software is not suitable for use in defense-related applications, including but not limited to weapon control, military strategy planning, or any other aspects of national defense.
- Aviation: The software is not intended for use in the operation, navigation, or communication systems of any aircraft or air traffic control environments.
- Healthcare and Medicine Production: This software should not be utilized for medical device operation, patient data analysis for critical health decisions, pharmaceutical production, or medical research where its failure or malfunction could impact patient health.
- Chemical and Hazardous Material Handling: This software is not intended for the management, control, or operational aspects of chemical plants or hazardous material handling facilities. Any malfunction in software used in these settings could result in dangerous chemical spills, explosions, or environmental disasters.
- Transportation and Traffic Control Systems: The software should not be used for the control, operation, or management of transportation systems, including railway signal controls, subway systems, or traffic light management. Malfunctions in such critical systems could lead to severe accidents and endanger public safety.
- Energy Grid and Utility Control Systems: This software is not designed for the control or operation of energy grid systems, including electrical substations, renewable energy control systems, or water utility control systems. The failure of software in these areas could lead to significant power outages, water supply disruptions, or other public utility failures, potentially endangering communities and causing extensive damage.
- Other High-Risk Environments: Any other critical infrastructure and environments where a failure of the software could result in significant harm to individuals or the environment.

**User Responsibility:** Users must ensure that they understand the intended use of the software and refrain from deploying it in any setting that falls outside of its designed purpose. It is the responsibility of the user to assess the suitability of the software for their intended application, especially in any scenarios that might pose a risk to life, health, or the environment.

**Disclaimer of Liability:** Invantive disclaims any responsibility for damage, injury, or legal consequences resulting from the use or misuse of this software in prohibited or unintended applications.

# Contents

|            |  |           |
|------------|--|-----------|
| <b>1</b>   | <b>SQL Driver for SQL Server</b>                 | <b>1</b>  |
| <b>2</b>   | <b>SQL Driver Attributes for SQL Server</b>      | <b>2</b>  |
| <b>3</b>   | <b>Catalog: Database</b>                         | <b>5</b>  |
| <b>3.1</b> | <b>Schemas</b> .....                             | <b>5</b>  |
| 3.1.1      | Schema: Invantive .....                          | 5         |
| 3.1.2      | Schema: Metadata .....                           | 10        |
| 3.1.3      | Schema: Native .....                             | 22        |
| <b>4</b>   | <b>Catalog: master</b>                           | <b>24</b> |
| <b>4.1</b> | <b>Schemas</b> .....                             | <b>24</b> |
| 4.1.1      | spt_fallback_db .....                            | 24        |
| 4.1.2      | spt_fallback_dev .....                           | 24        |
| 4.1.3      | spt_fallback_usg .....                           | 25        |
| 4.1.4      | spt_monitor .....                                | 25        |
| 4.1.5      | spt_values .....                                 | 26        |
| <b>5</b>   | <b>Catalog: msdb</b>                             | <b>27</b> |
| <b>5.1</b> | <b>Schemas</b> .....                             | <b>27</b> |
| 5.1.1      | autoadmin_backup_configuration_summary .....     | 27        |
| 5.1.2      | backupfile .....                                 | 27        |
| 5.1.3      | backupmediafamily .....                          | 28        |
| 5.1.4      | backupmediaset .....                             | 29        |
| 5.1.5      | backupset .....                                  | 29        |
| 5.1.6      | dm_hadr_automatic_seeding_history .....          | 31        |
| 5.1.7      | logmarkhistory .....                             | 32        |
| 5.1.8      | restorefile .....                                | 32        |
| 5.1.9      | restorefilegroup .....                           | 33        |
| 5.1.10     | restorehistory .....                             | 33        |
| 5.1.11     | suspect_pages .....                              | 34        |
| 5.1.12     | sysdac_instances .....                           | 34        |
| 5.1.13     | syspolicy_conditions .....                       | 35        |
| 5.1.14     | syspolicy_configuration .....                    | 35        |
| 5.1.15     | syspolicy_object_sets .....                      | 36        |
| 5.1.16     | syspolicy_policies .....                         | 36        |
| 5.1.17     | syspolicy_policy_categories .....                | 37        |
| 5.1.18     | syspolicy_policy_category_subscriptions .....    | 37        |
| 5.1.19     | syspolicy_policy_execution_history .....         | 38        |
| 5.1.20     | syspolicy_policy_execution_history_details ..... | 38        |
| 5.1.21     | syspolicy_system_health_state .....              | 39        |
| 5.1.22     | syspolicy_target_set_levels .....                | 39        |
| 5.1.23     | syspolicy_target_sets .....                      | 40        |
|            | <b>Index</b>                                     | <b>41</b> |

## 1 SQL Driver for SQL Server

Invantive SQL is the fastest, easiest and most reliable way to exchange data with SQL Server.

Use the "Search" option in the left menu to search for a specific term such as the table or column description. When you already know the term, please use the "Index" option. When you can't find the information needed, please click on the Chat button at the bottom or place your question in the [user community](#). Other users or Invantive Support will try to help you to our best.

Microsoft SQL Server is a traditional database platform. SQL Server supports ANSI SQL. It is available both as a cloud database on Microsoft Azure as a traditional database running on-premise or hosted.

### SQL Server Clients

Invantive SQL is available on many user interfaces ("clients" in traditional server-client paradigm). All Invantive SQL statements can be exchanged with a close to 100% compatibility across all clients and operating systems (Windows, MacOS, Linux, iOS, Android).

The clients include Microsoft Excel, Microsoft Power BI, Microsoft Power Query, Microsoft Word and Microsoft Outlook. Web-based clients include Invantive Cloud, Invantive Bridge Online as OData proxy, Invantive App Online for interactive apps, Online SQL Editor for query execution and Invantive Data Access Point as extended proxy.

The [SQL Server Power BI connector](#) is based on the Invantive SQL driver for SQL Server, completed by a high-performance OData connector which works straight on Power BI without any add-on. The OData protocol is always version 4, independent whether the backing platform uses OData, SOAP or another protocol.

For technical users there are command-line editions of Invantive Data Hub running on iOS, Android, Windows, MacOS and Linux. Invantive Data Hub is also often used for enterprise server applications such as ETL. High-volume replication of data taken from SQL Server into traditional databases such as SQL Server (on-premise and Azure), MySQL, PostgreSQL and Oracle is possible using [Invantive Data Replicator](#). Invantive Data Replicator automatically creates and maintains SQL Server datawarehouses, possibly in combination with data from over 70 other (cloud) platforms. Data Replicator supports data volumes up to over 1 TB and over 5.000 companies. The on-premise edition of Invantive Bridge offers an SQL Server ADO.net provider.

Finally, online web apps can be build for SQL Server using App Online of [Invantive Cloud](#).

### Monitor API Calls

When a query or DML-statement has been executed on Invantive SQL a developer can evaluate the actual calls made to SQL Server using a query on `sessionios@DataDictionary`. As an alternative, extensive request and response logging can be enabled by setting `log-native-calls-to-disk` to true. In the `%USERPROFILE%\Invantive\NativeLogs` folder Invantive SQL will create log files per request and response.

### Specifications

The SQL driver for SQL Server does not support partitioning. Define one data container in a database for each company in SQL Server to enable parallel access for data from multiple companies.

An introduction into the concepts of Invantive SQL such as databases, data containers and partitioning can be found in the [Invantive SQL grammar](#).

The configuration can be changed using various attributes during log on and use. A full list of configuration options is listed in the [driver attributes](#) [2].

The catalog name is used to compose the full qualified name of an object like a table or view. The schema name is used to compose the full qualified name of an object like a table or view. On SQL Server the comparison of two texts is case sensitive by default.

Changes and bug fixes on the SQL Server SQL driver can be found in the [release notes](#). Get access to the SQL Server community through the [SQL Server section](#) of the Invantive forums.

Driver code for use in settings.xml: `SqlServer`

Alias: `mssql`

Recommended alias: `mss`

Updated: 12-12-2020 18:19 using Invantive SQL version 20.1.301-BETA+3023.

## 2 SQL Driver Attributes for SQL Server

The SQL driver for SQL Server has many attributes that can be finetuned to improve handling in scenarios with unreliable network connections to the SQL Server server or high-volumes of data. Also, many drivers have driver-specific attributes to finetune actual behaviour or handle data not matching specifications.

The SQL Server driver attributes are assigned a default value which seldom requires change. However, changes can be applied when needed on four levels, which are reflected in the table below by separate checkmarks:

- Connection string: the connection string from the settings\*.xml file and applied during log on.
- Set SQL statement: a set SQL-statement to be executed once connection has been established.
- Drivers file: the providers.xml file (obsolete starting release 17.32).
- Log on: value to be specified interactively by user during log on in a user interface.

The connection string for SQL Server can be found in the settings\*.xml file used for the database. Settings\*.xml files are typically located in the %USERPROFILE%\invantive folder in most deployment scenarios. The reference manuals contain instructions how to relocate the settings\*.xml files. Each data container of a database in the connection string can have a `connectionString` element specifying the name and values of attributes. Both name and value must be properly escaped according to XML-semantics. Actual application of the value is solely done during log on. A new connection must be established to change the value of a driver attribute using a connection string.

The set SQL statement can be executed after log on. The syntax is: `set NAME VALUE`, or for a distributed database: `set NAME@ALIAS VALUE`. In some scenarios you may need to enclose the driver attribute name in square brackets to escape it from parsing, for instance when a reserved SQL keyword is part of the name. The new value takes effect straight after execution of the set-statement. The set-statement can be executed as often as needed during a session.

Driver attributes that can be interactively set to a value are typically presented in the log on window. Depending on the platform and design decisions of the user interface designer, some or all of the available driver attributes can have been made available.

The SQL Server driver can be configured using the following attributes:

| Code  | Description   | Origin        | Default Value | Set from Connection String | Set from Set SQL-Statement | Set from Driver's File | Set from Log On |
|---|---|---------------|---------------|----------------------------|----------------------------|------------------------|-----------------|
| analysis-enforce-row-uniqueness                     | Use for analysis only! Enforce rows to be unique.   | Shared        | False         | ✓                          | ✓                          | ✓                      |                 |
| bulk-delete-page-size-rows                          | Number of rows to delete per batch when bulk deleting   | Shared        | 3000          | ✓                          | ✓                          | ✓                      |                 |
| bulk-insert-page-size-bytes                         | Approximate maximum size in bytes of batch when bulk inserting  | Shared        | 10000000      | ✓                          | ✓                          | ✓                      |                 |
| bulk-insert-page-size-rows                          | Number of rows to insert per batch when bulk inserting  | Shared        | 3000          | ✓                          | ✓                          | ✓                      |                 |
| bulk-insert-timeout-sec                             | Number of seconds after which a bulk insert times out   | SQL Server    | 300           | ✓                          | ✓                          | ✓                      |                 |
| command-timeout-sec                                 | Number of seconds after which a command times out.  |               |               | ✓                          | ✓                          | ✓                      |                 |
| connection-string-async-add                         | Should the 'Async' be added automatically to the connection string?   | SQL Server    | False         | ✓                          | ✓                          | ✓                      |                 |
| connection-string-async-value                       | Size of the Async to be added to the connection string  | SQL Server    | True          | ✓                          | ✓                          | ✓                      |                 |
| connection-string-multiple-active-result-sets-add   | Should the 'MultipleActiveResultSets' be added automatically to the connection string?  | SQL Server    | True          | ✓                          | ✓                          | ✓                      |                 |
| connection-string-multiple-active-result-sets-value | Value of MultipleActiveResultSets to be added to the connection string  | SQL Server    | True          | ✓                          | ✓                          | ✓                      |                 |
| force-case-sensitive-identifiers                    | Consider identifiers as case-sensitive independent of the platform capabilities.  | Shared        | False         | ✓                          | ✓                          | ✓                      |                 |
| forced-casing-identifiers                           | Forced casing of identifiers. Choose from Unset, Lower, Upper and Mixed.  | Shared        |               | ✓                          | ✓                          | ✓                      |                 |
| invantive-sql-correct-invalid-date                  | Whether to correct dates considered invalid since they are before 01-01-1753. When nullable, they are removed. Otherwise they are replaced by 01-01-1753. | SQL Engine V1 | False         | ✓                          | ✓                          | ✓                      |                 |
| invantive-sql-forward-filters-to-data-containers    | Whether to forward filters to data containers.  | SQL Engine V1 | True          | ✓                          | ✓                          | ✓                      |                 |
| invantive-sql-shuffle-fetch-results-data-containers | Whether to shuffle results fetched from data containers.  | SQL Engine V1 | False         | ✓                          | ✓                          | ✓                      |                 |
| invantive-use-cache                                 | Whether to cache the results of a query.  | SQL Engine V1 | True          | ✓                          | ✓                          | ✓                      |                 |

| Code  | Description  | Origin | Default Value | Set from Connection String | Set from Set SQL-Statement | Set from Driver's File | Set from Log On |
|---|--|--------|---------------|----------------------------|----------------------------|------------------------|-----------------|
| log-native-calls-to-disk                        | Registers native calls to data container backend as disk files.  | Shared | False         | ✓                          | ✓                          | ✓                      |                 |
| log-native-calls-to-trace                       | Log native calls to data container backend on the trace.   | Shared | False         | ✓                          | ✓                          | ✓                      |                 |
| maximum-length-identifiers                      | Non-default maximum length in characters of identifier names.  | Shared |               | ✓                          | ✓                          | ✓                      |                 |
| maximum-number-of-pooled-connections            | Maximum number of concurrent pooled connections.   |        |               | ✓                          | ✓                          | ✓                      |                 |
| maximum-sleep-acquire-pooled-connection-ms      | Maximum time in ms to wait for acquiring a free connection from a pool of connections.   |        | 30000         | ✓                          | ✓                          | ✓                      |                 |
| maximum-sleep-acquire-unpooled-connection-ms    | Maximum time in ms to wait for acquire a free connection when there is no connection pooling.  |        | 60000         | ✓                          | ✓                          | ✓                      |                 |
| max-url-length-accepted                         | The maximum accepted URL length before raising an error.   | Shared | 8000          | ✓                          | ✓                          | ✓                      |                 |
| max-url-length-desired                          | The maximum desired URL length.  | Shared | 8000          | ✓                          | ✓                          | ✓                      |                 |
| minimum-command-timeout-sec                     | Minimum number of seconds after which a command times out.   |        | 300           | ✓                          | ✓                          | ✓                      |                 |
| minimum-connection-timeout-sec                  | Minimum connection timeout in seconds.   |        |               | ✓                          | ✓                          | ✓                      |                 |
| on-close-sql                                    | Native SQL statements to execute directly before close.  |        |               | ✓                          | ✓                          | ✓                      |                 |
| on-open-sql                                     | Native SQL statements to execute directly after open.  |        |               | ✓                          | ✓                          | ✓                      |                 |
| open-connection-interval-sec                    | Delay between retries in milliseconds when login fails.  |        | 500           | ✓                          | ✓                          | ✓                      |                 |
| open-connection-retries                         | Maximum number of retries when login fails.  |        | 2             | ✓                          | ✓                          | ✓                      |                 |
| partition-slot-based-rate-limit-length-ms       | Total length in ms across all slots of a partition-based rate limit.   | Shared | 60000         | ✓                          |                            | ✓                      |                 |
| partition-slot-based-rate-limit-slots           | Number of slots per partition-based rate limit. Null means no slot-based rate limit  | Shared |               | ✓                          |                            | ✓                      |                 |
| pooled-connection-monitor-interval-sec          | Minimum interval in seconds between two connection pool monitor activations.   |        | 60            | ✓                          | ✓                          | ✓                      |                 |
| pooled-connection-release-obsolete-interval-sec | Minimum interval in seconds between two tries to release obsolete connections from the connection pool when above the preferred number of connections. |        | 60            | ✓                          | ✓                          | ✓                      |                 |
| pooled-connections-monitoring                   | Enable monitoring of connections of connection pool for automatic cleanup of obsolete connections.   |        | True          | ✓                          | ✓                          | ✓                      |                 |

| Code                                   | Description   | Origin | Default Value | Set from Connection String | Set from Set SQL-Statement | Set from Driver's File | Set from Log On |
|--|---|--------|---------------|----------------------------|----------------------------|------------------------|-----------------|
| preferred-number-of-pooled-connections | Preferred number of concurrent pooled connections.  |        |               | ✓                          | ✓                          | ✓                      |                 |
| prefix-bind-variable-in-list           | Prefix for bind variables used in an IN-list  |        | i             | ✓                          | ✓                          | ✓                      |                 |
| prefix-bind-variable-normal            | Prefix for bind variables used in all cases except in an IN-list  |        | w             | ✓                          | ✓                          | ✓                      |                 |
| prefix-renamed-columns                 | Prefix appended to columns whose names occur multiple times in the column list of a query   |        | column        | ✓                          | ✓                          | ✓                      |                 |
| pre-request-delay-ms                   | Pre-request delay in milliseconds per request.  | Shared | 0             | ✓                          | ✓                          | ✓                      |                 |
| requested-page-size                    | Preferred number of rows to exchange per round trip; only effective on limited platforms such as AFAS Online                          | Shared |               | ✓                          | ✓                          | ✓                      |                 |
| requests-parallel-max                  | Maximum number of parallel data requests from individual partitions on the data container.  | Shared | 32            | ✓                          | ✓                          | ✓                      |                 |
| slot-based-rate-limit-length-ms        | Total length in ms across all slots of a slot-based rate limit.   | Shared | 60000         | ✓                          |                            | ✓                      |                 |
| slot-based-rate-limit-slots            | Number of slots of a slot-based rate limit. Null means no slot-based rate limit   | Shared |               | ✓                          |                            | ✓                      |                 |
| standardize-identifiers                | Rewrite all identifiers to the preferred standards as configured by standardize-identifiers-casing and maximum-length-identifiers.    | Shared | True          | ✓                          | ✓                          | ✓                      |                 |
| standardize-identifiers-casing         | Rewrite all identifiers to the recommended standard platform-specific casing when changing a data model on a case-dependent platform. | Shared | True          | ✓                          | ✓                          | ✓                      |                 |

## 3 Catalog: Database

### 3.1 Schemas

#### 3.1.1 Schema: Invantive

##### 3.1.1.1 Tables

##### Collections: SQL Server Metadata Collections

Catalog: Database

Schema: Invantive

Label: Metadata Collections

This is a read-only view. The SQL Server API may not support changing the data or the Invantive SQL driver for SQL Server does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the SQL Server API.



## View Columns

The columns of the view `Collections` are shown below. Each column has an SQL data type.

| Name                                    | Data Type   | Label                      | Required                 | Documentation |
|---|-------------|----------------------------|--------------------------|---------------|
| <code>COLLECTION_NAME</code>            | string(240) | Collection Name            | <input type="checkbox"/> |               |
| <code>NUMBER_OF_IDENTIFIER_PARTS</code> | int32       | Number of Identifier Parts | <input type="checkbox"/> |               |
| <code>NUMBER_OF_RESTRICTIONS</code>     | int32       | Number of Restrictions     | <input type="checkbox"/> |               |
| <code>POPULATION_MECHANISM</code>       | string(240) | Population Mechanism       | <input type="checkbox"/> |               |
| <code>POPULATION_STRING</code>          | string(240) | Population String          | <input type="checkbox"/> |               |
| <code>SCHEMA_NAME</code>                | string(240) | Schema                     | <input type="checkbox"/> |               |

### Data Source Information: SQL Server Data Source Information

Catalog: Database

Schema: Invantive

Label: Data Source Information

This is a read-only view. The SQL Server API may not support changing the data or the Invantive SQL driver for SQL Server does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the SQL Server API.

## View Columns

The columns of the view `DataSourceInformation` are shown below. Each column has an SQL data type.

| Name  | Data Type   | Label                                  | Required                 | Documentation  |
|---|-------------|--|--------------------------|--|
| <code>COMPOSITE_IDENTIFIER_SEPARATOR_PATTERN</code> | string(240) | Composite Identifier Separator Pattern | <input type="checkbox"/> |  |
| <code>GROUP_BY_BEHAVIOR</code>                      | int32       | Group by Behavior                      | <input type="checkbox"/> |  |
| <code>IDENTIFIER_CASE</code>                        | int32       | Identifier Case                        | <input type="checkbox"/> | 0: Unknown, the data source has ambiguous rules regarding identifier case and cannot discern this information; 1: Insensitive; the data source ignores identifier case when searching the system catalog. The identifiers "ab" and "AB" will match; 2: Sensitive; the data source distinguishes identifier case when searching the system catalog. The identifiers "ab" and "AB" will not match. |
| <code>IDENTIFIER_PATTERN</code>                     | string(240) | Identifier Pattern                     | <input type="checkbox"/> |  |
| <code>ORDER_BY_COLUMNS_IN_SELECT</code>             | boolean     | Order by Columns in Select             | <input type="checkbox"/> |  |
| <code>PARAMETER_MARKER_FORMAT</code>                | string(240) | Parameter Marker Format                | <input type="checkbox"/> |  |

| Name                        | Data Type   | Label                         | Required                 | Documentation |
|-----------------------------|-------------|-------------------------------|--------------------------|---------------|
| PARAMETER_MARKER_PATTERN    | string(240) | Parameter Marker Pattern      | <input type="checkbox"/> |               |
| PARAMETER_NAME_MAX_LENGTH   | int32       | Parameter Name Maximum Length | <input type="checkbox"/> |               |
| PARAMETER_NAME_PATTERN      | string(240) | Parameter Name Pattern        | <input type="checkbox"/> |               |
| PRODUCT_NAME                | string(240) | Product Name                  | <input type="checkbox"/> |               |
| PRODUCT_VERSION             | string(240) | Product Version               | <input type="checkbox"/> |               |
| PRODUCT_VERSION_NORMALIZED  | string(240) | Product Version Normalized    | <input type="checkbox"/> |               |
| QUOTED_IDENTIFIER_CASE      | string(240) | Quoted Identifier Case        | <input type="checkbox"/> |               |
| QUOTED_IDENTIFIER_PATTERN   | string(240) | Quoted Identifier Pattern     | <input type="checkbox"/> |               |
| STATEMENT_SEPARATOR_PATTERN | string(240) | Statement Separator Pattern   | <input type="checkbox"/> |               |
| STRING_LITERAL_PATTERN      | string(240) | String Literal Pattern        | <input type="checkbox"/> |               |
| SUPPORTED_JOIN_OPERATORS    | int32       | Supported Join Operators      | <input type="checkbox"/> |               |

### DataTypes: SQL Server Data Types

Catalog: Database

Schema: Invantive

Label: Data Types

This is a read-only view. The SQL Server API may not support changing the data or the Invantive SQL driver for SQL Server does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the SQL Server API.

## View Columns

The columns of the view `DataTypes` are shown below. Each column has an SQL data type.

| Name                     | Data Type   | Label                    | Required                 | Documentation |
|--------------------------|-------------|--------------------------|--------------------------|---------------|
| COLUMN_SIZE              | int64       | Column Size              | <input type="checkbox"/> |               |
| CREATE_FORMAT            | string(240) | Create Format            | <input type="checkbox"/> |               |
| CREATE_PARAMETERS        | string(240) | Create Parameters        | <input type="checkbox"/> |               |
| DATA_TYPE                | string(240) | Data Type                | <input type="checkbox"/> |               |
| IS_AUTOINCREMENTABLE     | boolean     | Is Auto-incrementable    | <input type="checkbox"/> |               |
| IS_BEST_MATCH            | boolean     | Is Best Match            | <input type="checkbox"/> |               |
| IS_CASE_SENSITIVE        | boolean     | Is Case-sensitive        | <input type="checkbox"/> |               |
| IS_CONCURRENCY_TYPE      | boolean     | Is Concurrency Type      | <input type="checkbox"/> |               |
| IS_FIXED_LENGTH          | boolean     | Is Fixed Length          | <input type="checkbox"/> |               |
| IS_FIXED_PRECISION_SCALE | boolean     | Is Fixed Precision Scale | <input type="checkbox"/> |               |
| IS_LITERAL_SUPPORTED     | boolean     | Is Literal Supported     | <input type="checkbox"/> |               |

| Name                    | Data Type   | Label                   | Required                 | Documentation |
|-------------------------|-------------|-------------------------|--------------------------|---------------|
| IS_LONG                 | boolean     | Is Long                 | <input type="checkbox"/> |               |
| IS_NULLABLE             | boolean     | Is Nullable             | <input type="checkbox"/> |               |
| IS_SEARCHABLE           | boolean     | Is Searchable           | <input type="checkbox"/> |               |
| IS_SEARCHABLE_WITH_LIKE | boolean     | Is Searchable with Like | <input type="checkbox"/> |               |
| IS_UNSIGNED             | boolean     | Is Unsigned             | <input type="checkbox"/> |               |
| LITERAL_PREFIX          | string(240) | Literal Prefix          | <input type="checkbox"/> |               |
| LITERAL_SUFFIX          | string(240) | Literal Suffix          | <input type="checkbox"/> |               |
| MAXIMUM_SCALE           | int16       | Maximum Scale           | <input type="checkbox"/> |               |
| MINIMUM_SCALE           | int16       | Minimum Scale           | <input type="checkbox"/> |               |
| NATIVE_DATA_TYPE        | string(240) | Native Data Type        | <input type="checkbox"/> |               |
| PROVIDER_DB_TYPE        | int32       | Provider Database Type  | <input type="checkbox"/> |               |
| SCHEMA_NAME             | string(240) | Schema                  | <input type="checkbox"/> |               |
| TYPE_NAME               | string(240) | Type Name               | <input type="checkbox"/> |               |

### PooledConnections: SQL Server Pooled Connections

Catalog: Database

Schema: Invantive

Label: Pooled Connections

This is a read-only view. The SQL Server API may not support changing the data or the Invantive SQL driver for SQL Server does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the SQL Server API.

## View Columns

The columns of the view `PooledConnections` are shown below. Each column has an SQL data type.

| Name                             | Data Type   | Label                            | Required                            | Documentation |
|----------------------------------|-------------|----------------------------------|-------------------------------------|---------------|
| CONNECTION_TIMEOUT_SEC           | int32       | Connection Time-out (sec)        | <input checked="" type="checkbox"/> |               |
| COUNT_TIMES_USED                 | int32       | Number of Times Used             |                                     |               |
| CREATED.UTC                      | datetime    | Date Created                     |                                     |               |
| CURRENT_CONTEXT_DESCRIPTION      | string(240) | Current Context Description      |                                     |               |
| CURRENT_CONTEXT_NATURAL_KEY      | string(240) | Current Context Natural Key      |                                     |               |
| CURRENT_CONTEXT_USER_LOG_ON_CODE | string(240) | Current Context User Log On Code |                                     |               |
| DATABASE                         | string(240) | Database                         | <input type="checkbox"/>            |               |
| DURATION_USED_MS                 | int32       | Duration Used (ms)               |                                     |               |
| ID                               | int32       | ID                               |                                     |               |
| IS_FREE                          | boolean     | Is Free                          | <input checked="" type="checkbox"/> |               |

| Name                          | Data Type   | Label                         | Required                            | Documentation |
|-------------------------------|-------------|-------------------------------|-------------------------------------|---------------|
| LAST_USE_DURATION_MS          | int32       | Last Use Duration (ms)        |                                     |               |
| LAST_USE_END_UTC              | datetime    | Last Use End                  |                                     |               |
| LAST_USE_START_UTC            | datetime    | Last Use Start                |                                     |               |
| ON_CLOSE_SQL_DURATION_MS      | int32       | SQL On Close Duration (ms)    | <input type="checkbox"/>            |               |
| ON_CLOSE_SQL_START_UTC        | datetime    | SQL On Close Start (UTC)      | <input type="checkbox"/>            |               |
| ON_CLOSE_SQL_STATEMENT        | string      | SQL On Open Statement         | <input type="checkbox"/>            |               |
| ON_OPEN_SQL_DURATION_MS       | int32       | SQL On Open Duration (ms)     | <input type="checkbox"/>            |               |
| ON_OPEN_SQL_START_UTC         | datetime    | SQL On Open Start (UTC)       | <input type="checkbox"/>            |               |
| ON_OPEN_SQL_STATEMENT         | string      | SQL On Open Statement         | <input type="checkbox"/>            |               |
| PREVIOUS_CONTEXT_DESCRIPTIONS | string      | Previous Context Descriptions |                                     |               |
| SERVER_VERSION                | string(240) | Server Version                |                                     |               |
| USAGE_PERCENTAGE              | int32       | Usage (%)                     | <input checked="" type="checkbox"/> |               |

### Restrictions: SQL Server Restrictions

Catalog: Database

Schema: Invantive

Label: Restrictions

This is a read-only view. The SQL Server API may not support changing the data or the Invantive SQL driver for SQL Server does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the SQL Server API.

## View Columns

The columns of the view `Restrictions` are shown below. Each column has an SQL data type.

| Name                | Data Type   | Label               | Required                 | Documentation |
|---------------------|-------------|---------------------|--------------------------|---------------|
| COLLECTION_NAME     | string(240) | Collection Name     | <input type="checkbox"/> |               |
| PARAMETER_NAME      | string(240) | Parameter Name      | <input type="checkbox"/> |               |
| RESTRICTION_DEFAULT | string(240) | Restriction Default | <input type="checkbox"/> |               |
| RESTRICTION_NAME    | string(240) | Restriction Name    | <input type="checkbox"/> |               |
| RESTRICTION_NUMBER  | int32       | Restriction Number  | <input type="checkbox"/> |               |
| SCHEMA_NAME         | string(240) | Schema              | <input type="checkbox"/> |               |

### 3.1.2 Schema: Metadata

#### 3.1.2.1 Tables

##### AllColumns

Catalog: Database

Schema: Metadata

This is a read-only view. The SQL Server API may not support changing the data or the Invantive SQL driver for SQL Server does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the SQL Server API.

## View Columns

The columns of the view `AllColumns` are shown below. Each column has an SQL data type.

| Name                     | Data Type | Label                        | Required                 | Documentation |
|--------------------------|-----------|------------------------------|--------------------------|---------------|
| CHARACTER_MAXIMUM_LENGTH | int32     | CHARACTER_MAXIMU<br>M_LENGTH | <input type="checkbox"/> |               |
| CHARACTER_OCTET_LENGTH   | int32     | CHARACTER_OCTET_<br>LENGTH   | <input type="checkbox"/> |               |
| CHARACTER_SET_CATALOG    | string    | CHARACTER_SET_CA<br>TALOG    | <input type="checkbox"/> |               |
| CHARACTER_SET_NAME       | string    | CHARACTER_SET_NA<br>ME       | <input type="checkbox"/> |               |
| CHARACTER_SET_SCHEMA     | string    | CHARACTER_SET_SC<br>HEMA     | <input type="checkbox"/> |               |
| COLLATION_CATALOG        | string    | COLLATION_CATALO<br>G        | <input type="checkbox"/> |               |
| COLUMN_DEFAULT           | string    | COLUMN_DEFAULT               | <input type="checkbox"/> |               |
| COLUMN_NAME              | string    | COLUMN_NAME                  | <input type="checkbox"/> |               |
| DATA_TYPE                | string    | DATA_TYPE                    | <input type="checkbox"/> |               |
| DATETIME_PRECISION       | int16     | DATETIME_PRECISION           | <input type="checkbox"/> |               |
| IS_COLUMN_SET            | boolean   | IS_COLUMN_SET                | <input type="checkbox"/> |               |
| IS_FILESTREAM            | boolean   | IS_FILESTREAM                | <input type="checkbox"/> |               |
| IS_NULLABLE              | string    | IS_NULLABLE                  | <input type="checkbox"/> |               |
| IS_SPARSE                | boolean   | IS_SPARSE                    | <input type="checkbox"/> |               |
| NUMERIC_PRECISION        | byte      | NUMERIC_PRECISION            | <input type="checkbox"/> |               |
| NUMERIC_PRECISION_RADIX  | int16     | NUMERIC_PRECISION_<br>RADIX  | <input type="checkbox"/> |               |
| NUMERIC_SCALE            | int32     | NUMERIC_SCALE                | <input type="checkbox"/> |               |
| ORDINAL_POSITION         | int32     | ORDINAL_POSITION             | <input type="checkbox"/> |               |
| TABLE_CATALOG            | string    | TABLE_CATALOG                | <input type="checkbox"/> |               |
| TABLE_NAME               | string    | TABLE_NAME                   | <input type="checkbox"/> |               |
| TABLE_SCHEMA             | string    | TABLE_SCHEMA                 | <input type="checkbox"/> |               |

**Columns**

Catalog: Database

Schema: Metadata

This is a read-only view. The SQL Server API may not support changing the data or the Invantive SQL driver for SQL Server does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the SQL Server API.

**View Columns**

The columns of the view `Columns` are shown below. Each column has an SQL data type.

| Name                     | Data Type | Label                        | Required                 | Documentation |
|--------------------------|-----------|------------------------------|--------------------------|---------------|
| CHARACTER_MAXIMUM_LENGTH | int32     | CHARACTER_MAXIMU<br>M_LENGTH | <input type="checkbox"/> |               |
| CHARACTER_OCTET_LENGTH   | int32     | CHARACTER_OCTET_<br>LENGTH   | <input type="checkbox"/> |               |
| CHARACTER_SET_CATALOG    | string    | CHARACTER_SET_CA<br>TALOG    | <input type="checkbox"/> |               |
| CHARACTER_SET_NAME       | string    | CHARACTER_SET_NA<br>ME       | <input type="checkbox"/> |               |
| CHARACTER_SET_SCHEMA     | string    | CHARACTER_SET_SC<br>HEMA     | <input type="checkbox"/> |               |
| COLLATION_CATALOG        | string    | COLLATION_CATALO<br>G        | <input type="checkbox"/> |               |
| COLUMN_DEFAULT           | string    | COLUMN_DEFAULT               | <input type="checkbox"/> |               |
| COLUMN_NAME              | string    | COLUMN_NAME                  | <input type="checkbox"/> |               |
| DATA_TYPE                | string    | DATA_TYPE                    | <input type="checkbox"/> |               |
| DATETIME_PRECISION       | int16     | DATETIME_PRECISION           | <input type="checkbox"/> |               |
| IS_COLUMN_SET            | boolean   | IS_COLUMN_SET                | <input type="checkbox"/> |               |
| IS_FILESTREAM            | boolean   | IS_FILESTREAM                | <input type="checkbox"/> |               |
| IS_NULLABLE              | string    | IS_NULLABLE                  | <input type="checkbox"/> |               |
| IS_SPARSE                | boolean   | IS_SPARSE                    | <input type="checkbox"/> |               |
| NUMERIC_PRECISION        | byte      | NUMERIC_PRECISION            | <input type="checkbox"/> |               |
| NUMERIC_PRECISION_RADIX  | int16     | NUMERIC_PRECISION_<br>RADIX  | <input type="checkbox"/> |               |
| NUMERIC_SCALE            | int32     | NUMERIC_SCALE                | <input type="checkbox"/> |               |
| ORDINAL_POSITION         | int32     | ORDINAL_POSITION             | <input type="checkbox"/> |               |
| TABLE_CATALOG            | string    | TABLE_CATALOG                | <input type="checkbox"/> |               |
| TABLE_NAME               | string    | TABLE_NAME                   | <input type="checkbox"/> |               |
| TABLE_SCHEMA             | string    | TABLE_SCHEMA                 | <input type="checkbox"/> |               |

**ColumnSetColumns**

Catalog: Database

Schema: Metadata

This is a read-only view. The SQL Server API may not support changing the data or the Invariant SQL driver for SQL Server does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the SQL Server API.

## View Columns

The columns of the view `ColumnSetColumns` are shown below. Each column has an SQL data type.

| Name                     | Data Type | Label                        | Required                 | Documentation |
|--------------------------|-----------|------------------------------|--------------------------|---------------|
| CHARACTER_MAXIMUM_LENGTH | int32     | CHARACTER_MAXIMU<br>M_LENGTH | <input type="checkbox"/> |               |
| CHARACTER_OCTET_LENGTH   | int32     | CHARACTER_OCTET_<br>LENGTH   | <input type="checkbox"/> |               |
| CHARACTER_SET_CATALOG    | string    | CHARACTER_SET_CA<br>TALOG    | <input type="checkbox"/> |               |
| CHARACTER_SET_NAME       | string    | CHARACTER_SET_NA<br>ME       | <input type="checkbox"/> |               |
| CHARACTER_SET_SCHEMA     | string    | CHARACTER_SET_SC<br>HEMA     | <input type="checkbox"/> |               |
| COLLATION_CATALOG        | string    | COLLATION_CATALO<br>G        | <input type="checkbox"/> |               |
| COLUMN_DEFAULT           | string    | COLUMN_DEFAULT               | <input type="checkbox"/> |               |
| COLUMN_NAME              | string    | COLUMN_NAME                  | <input type="checkbox"/> |               |
| DATA_TYPE                | string    | DATA_TYPE                    | <input type="checkbox"/> |               |
| DATETIME_PRECISION       | int16     | DATETIME_PRECISION           | <input type="checkbox"/> |               |
| IS_COLUMN_SET            | boolean   | IS_COLUMN_SET                | <input type="checkbox"/> |               |
| IS_FILESTREAM            | boolean   | IS_FILESTREAM                | <input type="checkbox"/> |               |
| IS_NULLABLE              | string    | IS_NULLABLE                  | <input type="checkbox"/> |               |
| IS_SPARSE                | boolean   | IS_SPARSE                    | <input type="checkbox"/> |               |
| NUMERIC_PRECISION        | byte      | NUMERIC_PRECISION            | <input type="checkbox"/> |               |
| NUMERIC_PRECISION_RADIX  | int16     | NUMERIC_PRECISION_<br>RADIX  | <input type="checkbox"/> |               |
| NUMERIC_SCALE            | int32     | NUMERIC_SCALE                | <input type="checkbox"/> |               |
| ORDINAL_POSITION         | int32     | ORDINAL_POSITION             | <input type="checkbox"/> |               |
| TABLE_CATALOG            | string    | TABLE_CATALOG                | <input type="checkbox"/> |               |
| TABLE_NAME               | string    | TABLE_NAME                   | <input type="checkbox"/> |               |
| TABLE_SCHEMA             | string    | TABLE_SCHEMA                 | <input type="checkbox"/> |               |

### Databases

Catalog: Database

Schema: Metadata

This is a read-only view. The SQL Server API may not support changing the data or the Invariant SQL driver for SQL Server does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the SQL Server API.

## View Columns

The columns of the view `Databases` are shown below. Each column has an SQL data type.

| Name                       | Data Type             | Label                      | Required                 | Documentation |
|----------------------------|-----------------------|----------------------------|--------------------------|---------------|
| <code>create_date</code>   | <code>datetime</code> | <code>create_date</code>   | <input type="checkbox"/> |               |
| <code>database_name</code> | <code>string</code>   | <code>database_name</code> | <input type="checkbox"/> |               |
| <code>dbid</code>          | <code>int16</code>    | <code>dbid</code>          | <input type="checkbox"/> |               |

### Data Source Information

Catalog: Database

Schema: Metadata

This is a read-only view. The SQL Server API may not support changing the data or the Invariant SQL driver for SQL Server does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the SQL Server API.

## View Columns

The columns of the view `DataSourceInformation` are shown below. Each column has an SQL data type.

| Name  | Data Type                | Label                                  | Required                 | Documentation  |
|---|--------------------------|--|--------------------------|--|
| <code>COMPOSITE_IDENTIFIER_SEPARATOR_PATTERN</code> | <code>string(240)</code> | Composite Identifier Separator Pattern | <input type="checkbox"/> |  |
| <code>GROUP_BY_BEHAVIOR</code>                      | <code>int32</code>       | Group by Behavior                      | <input type="checkbox"/> |  |
| <code>IDENTIFIER_CASE</code>                        | <code>int32</code>       | Identifier Case                        | <input type="checkbox"/> | 0: Unknown, the data source has ambiguous rules regarding identifier case and cannot discern this information; 1: Insensitive; the data source ignores identifier case when searching the system catalog. The identifiers "ab" and "AB" will match; 2: Sensitive; the data source distinguishes identifier case when searching the system catalog. The identifiers "ab" and "AB" will not match. |
| <code>IDENTIFIER_PATTERN</code>                     | <code>string(240)</code> | Identifier Pattern                     | <input type="checkbox"/> |  |
| <code>ORDER_BY_COLUMNS_IN_SELECT</code>             | <code>boolean</code>     | Order by Columns in Select             | <input type="checkbox"/> |  |
| <code>PARAMETER_MARKER_FORMAT</code>                | <code>string(240)</code> | Parameter Marker Format                | <input type="checkbox"/> |  |
| <code>PARAMETER_MARKER_PATTERN</code>               | <code>string(240)</code> | Parameter Marker Pattern               | <input type="checkbox"/> |  |
| <code>PARAMETER_NAME_MAX_LENGTH</code>              | <code>int32</code>       | Parameter Name Maximum Length          | <input type="checkbox"/> |  |
| <code>PARAMETER_NAME_PATTERN</code>                 | <code>string(240)</code> | Parameter Name Pattern                 | <input type="checkbox"/> |  |
| <code>PRODUCT_NAME</code>                           | <code>string(240)</code> | Product Name                           | <input type="checkbox"/> |  |



| Name                        | Data Type   | Label                       | Required                 | Documentation |
|-----------------------------|-------------|-----------------------------|--------------------------|---------------|
| PRODUCT_VERSION             | string(240) | Product Version             | <input type="checkbox"/> |               |
| PRODUCT_VERSION_NORMALIZED  | string(240) | Product Version Normalized  | <input type="checkbox"/> |               |
| QUOTED_IDENTIFIER_CASE      | string(240) | Quoted Identifier Case      | <input type="checkbox"/> |               |
| QUOTED_IDENTIFIER_PATTERN   | string(240) | Quoted Identifier Pattern   | <input type="checkbox"/> |               |
| STATEMENT_SEPARATOR_PATTERN | string(240) | Statement Separator Pattern | <input type="checkbox"/> |               |
| STRING_LITERAL_PATTERN      | string(240) | String Literal Pattern      | <input type="checkbox"/> |               |
| SUPPORTED_JOIN_OPERATORS    | int32       | Supported Join Operators    | <input type="checkbox"/> |               |

## Data Types

Catalog: Database

Schema: Metadata

This is a read-only view. The SQL Server API may not support changing the data or the Invariant SQL driver for SQL Server does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the SQL Server API.

## View Columns

The columns of the view `DataTypes` are shown below. Each column has an SQL data type.

| Name                     | Data Type   | Label                    | Required                 | Documentation |
|--------------------------|-------------|--------------------------|--------------------------|---------------|
| COLUMN_SIZE              | int64       | Column Size              | <input type="checkbox"/> |               |
| CREATE_FORMAT            | string(240) | Create Format            | <input type="checkbox"/> |               |
| CREATE_PARAMETERS        | string(240) | Create Parameters        | <input type="checkbox"/> |               |
| DATA_TYPE                | string(240) | Data Type                | <input type="checkbox"/> |               |
| IS_AUTOINCREMENTABLE     | boolean     | Is Auto-incrementable    | <input type="checkbox"/> |               |
| IS_BEST_MATCH            | boolean     | Is Best Match            | <input type="checkbox"/> |               |
| IS_CASE_SENSITIVE        | boolean     | Is Case-sensitive        | <input type="checkbox"/> |               |
| IS_CONCURRENCY_TYPE      | boolean     | Is Concurrency Type      | <input type="checkbox"/> |               |
| IS_FIXED_LENGTH          | boolean     | Is Fixed Length          | <input type="checkbox"/> |               |
| IS_FIXED_PRECISION_SCALE | boolean     | Is Fixed Precision Scale | <input type="checkbox"/> |               |
| IS_LITERAL_SUPPORTED     | boolean     | Is Literal Supported     | <input type="checkbox"/> |               |
| IS_LONG                  | boolean     | Is Long                  | <input type="checkbox"/> |               |
| IS_NULLABLE              | boolean     | Is Nullable              | <input type="checkbox"/> |               |
| IS_SEARCHABLE            | boolean     | Is Searchable            | <input type="checkbox"/> |               |
| IS_SEARCHABLE_WITH_LIKE  | boolean     | Is Searchable with Like  | <input type="checkbox"/> |               |
| IS_UNSIGNED              | boolean     | Is Unsigned              | <input type="checkbox"/> |               |
| LITERAL_PREFIX           | string(240) | Literal Prefix           | <input type="checkbox"/> |               |
| LITERAL_SUFFIX           | string(240) | Literal Suffix           | <input type="checkbox"/> |               |

| Name             | Data Type   | Label                  | Required                 | Documentation |
|------------------|-------------|------------------------|--------------------------|---------------|
| MAXIMUM_SCALE    | int16       | Maximum Scale          | <input type="checkbox"/> |               |
| MINIMUM_SCALE    | int16       | Minimum Scale          | <input type="checkbox"/> |               |
| NATIVE_DATA_TYPE | string(240) | Native Data Type       | <input type="checkbox"/> |               |
| PROVIDER_DB_TYPE | int32       | Provider Database Type | <input type="checkbox"/> |               |
| SCHEMA_NAME      | string(240) | Schema                 | <input type="checkbox"/> |               |
| TYPE_NAME        | string(240) | Type Name              | <input type="checkbox"/> |               |

### ForeignKeys

Catalog: Database

Schema: Metadata

This is a read-only view. The SQL Server API may not support changing the data or the Invariant SQL driver for SQL Server does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the SQL Server API.

### View Columns

The columns of the view `ForeignKeys` are shown below. Each column has an SQL data type.

| Name               | Data Type | Label              | Required                 | Documentation |
|--------------------|-----------|--------------------|--------------------------|---------------|
| CONSTRAINT_CATALOG | string    | CONSTRAINT_CATALOG | <input type="checkbox"/> |               |
| CONSTRAINT_NAME    | string    | CONSTRAINT_NAME    | <input type="checkbox"/> |               |
| CONSTRAINT_SCHEMA  | string    | CONSTRAINT_SCHEMA  | <input type="checkbox"/> |               |
| CONSTRAINT_TYPE    | string    | CONSTRAINT_TYPE    | <input type="checkbox"/> |               |
| INITIALLY_DEFERRED | string    | INITIALLY_DEFERRED | <input type="checkbox"/> |               |
| IS_DEFERRABLE      | string    | IS_DEFERRABLE      | <input type="checkbox"/> |               |
| TABLE_CATALOG      | string    | TABLE_CATALOG      | <input type="checkbox"/> |               |
| TABLE_NAME         | string    | TABLE_NAME         | <input type="checkbox"/> |               |
| TABLE_SCHEMA       | string    | TABLE_SCHEMA       | <input type="checkbox"/> |               |

### IndexColumns

Catalog: Database

Schema: Metadata

This is a read-only view. The SQL Server API may not support changing the data or the Invariant SQL driver for SQL Server does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the SQL Server API.

### View Columns

The columns of the view `IndexColumns` are shown below. Each column has an SQL data type.

| Name               | Data Type | Label              | Required                 | Documentation |
|--------------------|-----------|--------------------|--------------------------|---------------|
| column_name        | string    | column_name        | <input type="checkbox"/> |               |
| constraint_catalog | string    | constraint_catalog | <input type="checkbox"/> |               |
| constraint_name    | string    | constraint_name    | <input type="checkbox"/> |               |
| constraint_schema  | string    | constraint_schema  | <input type="checkbox"/> |               |
| index_name         | string    | index_name         | <input type="checkbox"/> |               |
| KeyType            | byte      | KeyType            | <input type="checkbox"/> |               |
| ordinal_position   | int32     | ordinal_position   | <input type="checkbox"/> |               |
| table_catalog      | string    | table_catalog      | <input type="checkbox"/> |               |
| table_name         | string    | table_name         | <input type="checkbox"/> |               |
| table_schema       | string    | table_schema       | <input type="checkbox"/> |               |

## Indexes

Catalog: Database

Schema: Metadata

This is a read-only view. The SQL Server API may not support changing the data or the Invantive SQL driver for SQL Server does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the SQL Server API.

## View Columns

The columns of the view `Indexes` are shown below. Each column has an SQL data type.

| Name               | Data Type | Label              | Required                 | Documentation |
|--------------------|-----------|--------------------|--------------------------|---------------|
| constraint_catalog | string    | constraint_catalog | <input type="checkbox"/> |               |
| constraint_name    | string    | constraint_name    | <input type="checkbox"/> |               |
| constraint_schema  | string    | constraint_schema  | <input type="checkbox"/> |               |
| index_name         | string    | index_name         | <input type="checkbox"/> |               |
| table_catalog      | string    | table_catalog      | <input type="checkbox"/> |               |
| table_name         | string    | table_name         | <input type="checkbox"/> |               |
| table_schema       | string    | table_schema       | <input type="checkbox"/> |               |
| type_desc          | string    | type_desc          | <input type="checkbox"/> |               |

## MetaDataCollections

Catalog: Database

Schema: Metadata

This is a read-only view. The SQL Server API may not support changing the data or the Invantive SQL driver for SQL Server does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the SQL Server API.

## View Columns

The columns of the view `MetaDataCollections` are shown below. Each column has an SQL data type.

| Name                    | Data Type | Label                   | Required                 | Documentation |
|-------------------------|-----------|-------------------------|--------------------------|---------------|
| CollectionName          | string    | CollectionName          | <input type="checkbox"/> |               |
| NumberOfIdentifierParts | int32     | NumberOfIdentifierParts | <input type="checkbox"/> |               |
| NumberOfRestrictions    | int32     | NumberOfRestrictions    | <input type="checkbox"/> |               |

### ProcedureParameters

Catalog: Database

Schema: Metadata

This is a read-only view. The SQL Server API may not support changing the data or the Invariantive SQL driver for SQL Server does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the SQL Server API.

## View Columns

The columns of the view `ProcedureParameters` are shown below. Each column has an SQL data type.

| Name                     | Data Type | Label                    | Required                 | Documentation |
|--------------------------|-----------|--------------------------|--------------------------|---------------|
| AS_LOCATOR               | string    | AS_LOCATOR               | <input type="checkbox"/> |               |
| CHARACTER_MAXIMUM_LENGTH | int32     | CHARACTER_MAXIMUM_LENGTH | <input type="checkbox"/> |               |
| CHARACTER_OCTET_LENGTH   | int32     | CHARACTER_OCTET_LENGTH   | <input type="checkbox"/> |               |
| CHARACTER_SET_CATALOG    | string    | CHARACTER_SET_CATALOG    | <input type="checkbox"/> |               |
| CHARACTER_SET_NAME       | string    | CHARACTER_SET_NAME       | <input type="checkbox"/> |               |
| CHARACTER_SET_SCHEMA     | string    | CHARACTER_SET_SCHEMA     | <input type="checkbox"/> |               |
| COLLATION_CATALOG        | string    | COLLATION_CATALOG        | <input type="checkbox"/> |               |
| COLLATION_NAME           | string    | COLLATION_NAME           | <input type="checkbox"/> |               |
| COLLATION_SCHEMA         | string    | COLLATION_SCHEMA         | <input type="checkbox"/> |               |
| DATA_TYPE                | string    | DATA_TYPE                | <input type="checkbox"/> |               |
| DATETIME_PRECISION       | int16     | DATETIME_PRECISION       | <input type="checkbox"/> |               |
| INTERVAL_PRECISION       | int16     | INTERVAL_PRECISION       | <input type="checkbox"/> |               |
| INTERVAL_TYPE            | string    | INTERVAL_TYPE            | <input type="checkbox"/> |               |
| IS_RESULT                | string    | IS_RESULT                | <input type="checkbox"/> |               |
| NUMERIC_PRECISION        | byte      | NUMERIC_PRECISION        | <input type="checkbox"/> |               |
| NUMERIC_PRECISION_RADIX  | int16     | NUMERIC_PRECISION_RADIX  | <input type="checkbox"/> |               |

| Name             | Data Type | Label            | Required                 | Documentation |
|------------------|-----------|------------------|--------------------------|---------------|
| NUMERIC_SCALE    | int32     | NUMERIC_SCALE    | <input type="checkbox"/> |               |
| ORDINAL_POSITION | int32     | ORDINAL_POSITION | <input type="checkbox"/> |               |
| PARAMETER_MODE   | string    | PARAMETER_MODE   | <input type="checkbox"/> |               |
| PARAMETER_NAME   | string    | PARAMETER_NAME   | <input type="checkbox"/> |               |
| SPECIFIC_CATALOG | string    | SPECIFIC_CATALOG | <input type="checkbox"/> |               |
| SPECIFIC_NAME    | string    | SPECIFIC_NAME    | <input type="checkbox"/> |               |
| SPECIFIC_SCHEMA  | string    | SPECIFIC_SCHEMA  | <input type="checkbox"/> |               |

## Procedures

Catalog: Database

Schema: Metadata

This is a read-only view. The SQL Server API may not support changing the data or the Invantive SQL driver for SQL Server does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the SQL Server API.

## View Columns

The columns of the view `Procedures` are shown below. Each column has an SQL data type.

| Name             | Data Type | Label            | Required                 | Documentation |
|------------------|-----------|------------------|--------------------------|---------------|
| CREATED          | datetime  | CREATED          | <input type="checkbox"/> |               |
| LAST_ALTERED     | datetime  | LAST_ALTERED     | <input type="checkbox"/> |               |
| ROUTINE_CATALOG  | string    | ROUTINE_CATALOG  | <input type="checkbox"/> |               |
| ROUTINE_NAME     | string    | ROUTINE_NAME     | <input type="checkbox"/> |               |
| ROUTINE_SCHEMA   | string    | ROUTINE_SCHEMA   | <input type="checkbox"/> |               |
| ROUTINE_TYPE     | string    | ROUTINE_TYPE     | <input type="checkbox"/> |               |
| SPECIFIC_CATALOG | string    | SPECIFIC_CATALOG | <input type="checkbox"/> |               |
| SPECIFIC_NAME    | string    | SPECIFIC_NAME    | <input type="checkbox"/> |               |
| SPECIFIC_SCHEMA  | string    | SPECIFIC_SCHEMA  | <input type="checkbox"/> |               |

## ReservedWords

Catalog: Database

Schema: Metadata

This is a read-only view. The SQL Server API may not support changing the data or the Invantive SQL driver for SQL Server does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the SQL Server API.

## View Columns

The columns of the view `ReservedWords` are shown below. Each column has an SQL data type.

| Name         | Data Type | Label        | Required                 | Documentation |
|--------------|-----------|--------------|--------------------------|---------------|
| ReservedWord | string    | ReservedWord | <input type="checkbox"/> |               |

### Restrictions

Catalog: Database

Schema: Metadata

This is a read-only view. The SQL Server API may not support changing the data or the Invariantive SQL driver for SQL Server does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the SQL Server API.

### View Columns

The columns of the view `Restrictions` are shown below. Each column has an SQL data type.

| Name                | Data Type   | Label               | Required                 | Documentation |
|---------------------|-------------|---------------------|--------------------------|---------------|
| COLLECTION_NAME     | string(240) | Collection Name     | <input type="checkbox"/> |               |
| PARAMETER_NAME      | string(240) | Parameter Name      | <input type="checkbox"/> |               |
| RESTRICTION_DEFAULT | string(240) | Restriction Default | <input type="checkbox"/> |               |
| RESTRICTION_NAME    | string(240) | Restriction Name    | <input type="checkbox"/> |               |
| RESTRICTION_NUMBER  | int32       | Restriction Number  | <input type="checkbox"/> |               |
| SCHEMA_NAME         | string(240) | Schema              | <input type="checkbox"/> |               |

### StructuredTypeMembers

Catalog: Database

Schema: Metadata

This is a read-only view. The SQL Server API may not support changing the data or the Invariantive SQL driver for SQL Server does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the SQL Server API.

### View Columns

The columns of the view `StructuredTypeMembers` are shown below. Each column has an SQL data type.

| Name                     | Data Type | Label                    | Required                 | Documentation |
|--------------------------|-----------|--------------------------|--------------------------|---------------|
| CHARACTER_MAXIMUM_LENGTH | int32     | CHARACTER_MAXIMUM_LENGTH | <input type="checkbox"/> |               |
| CHARACTER_OCTET_LENGTH   | int32     | CHARACTER_OCTET_LENGTH   | <input type="checkbox"/> |               |
| CHARACTER_SET_CATALOG    | string    | CHARACTER_SET_CATALOG    | <input type="checkbox"/> |               |
| CHARACTER_SET_NAME       | string    | CHARACTER_SET_NAME       | <input type="checkbox"/> |               |

| Name                    | Data Type | Label                       | Required                 | Documentation |
|-------------------------|-----------|-----------------------------|--------------------------|---------------|
| CHARACTER_SET_SCHEMA    | string    | CHARACTER_SET_SC<br>HEMA    | <input type="checkbox"/> |               |
| COLLATION_CATALOG       | string    | COLLATION_CATALO<br>G       | <input type="checkbox"/> |               |
| DATA_TYPE               | string    | DATA_TYPE                   | <input type="checkbox"/> |               |
| DATETIME_PRECISION      | int16     | DA TETIME_PRECISION         | <input type="checkbox"/> |               |
| IS_NULLABLE             | string    | IS_NULLABLE                 | <input type="checkbox"/> |               |
| MEMBER_DEFAULT          | string    | MEMBER_DEFAULT              | <input type="checkbox"/> |               |
| MEMBER_NAME             | string    | MEMBER_NAME                 | <input type="checkbox"/> |               |
| NUMERIC_PRECISION       | byte      | NUMERIC_PRECISION           | <input type="checkbox"/> |               |
| NUMERIC_PRECISION_RADIX | int16     | NUMERIC_PRECISION_<br>RADIX | <input type="checkbox"/> |               |
| NUMERIC_SCALE           | int32     | NUMERIC_SCALE               | <input type="checkbox"/> |               |
| ORDINAL_POSITION        | int32     | ORDINAL_POSITION            | <input type="checkbox"/> |               |
| TYPE_CATALOG            | string    | TYPE_CATALOG                | <input type="checkbox"/> |               |
| TYPE_NAME               | string    | TYPE_NAME                   | <input type="checkbox"/> |               |
| TYPE_SCHEMA             | string    | TYPE_SCHEMA                 | <input type="checkbox"/> |               |

## Tables

Catalog: Database

Schema: Metadata

This is a read-only view. The SQL Server API may not support changing the data or the Invantive SQL driver for SQL Server does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the SQL Server API.

## View Columns

The columns of the view `Tables` are shown below. Each column has an SQL data type.

| Name          | Data Type | Label         | Required                 | Documentation |
|---------------|-----------|---------------|--------------------------|---------------|
| TABLE_CATALOG | string    | TABLE_CATALOG | <input type="checkbox"/> |               |
| TABLE_NAME    | string    | TABLE_NAME    | <input type="checkbox"/> |               |
| TABLE_SCHEMA  | string    | TABLE_SCHEMA  | <input type="checkbox"/> |               |
| TABLE_TYPE    | string    | TABLE_TYPE    | <input type="checkbox"/> |               |

## UserDefinedTypes

Catalog: Database

Schema: Metadata

This is a read-only view. The SQL Server API may not support changing the data or the Invantive SQL driver for SQL Server does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the SQL Server API.

## View Columns

The columns of the view `UserDefinedTypes` are shown below. Each column has an SQL data type.

| Name                | Data Type | Label               | Required                 | Documentation |
|---------------------|-----------|---------------------|--------------------------|---------------|
| assembly_name       | string    | assembly_name       | <input type="checkbox"/> |               |
| Create_Date         | datetime  | Create_Date         | <input type="checkbox"/> |               |
| culture_info        | object    | culture_info        | <input type="checkbox"/> |               |
| is_fixed_length     | boolean   | is_fixed_length     | <input type="checkbox"/> |               |
| max_length          | int16     | max_length          | <input type="checkbox"/> |               |
| Permission_set_desc | string    | Permission_set_desc | <input type="checkbox"/> |               |
| public_key          | object    | public_key          | <input type="checkbox"/> |               |
| udt_name            | string    | udt_name            | <input type="checkbox"/> |               |
| version_build       | object    | version_build       | <input type="checkbox"/> |               |
| version_major       | object    | version_major       | <input type="checkbox"/> |               |
| version_minor       | object    | version_minor       | <input type="checkbox"/> |               |
| version_revision    | object    | version_revision    | <input type="checkbox"/> |               |

### Users

Catalog: Database

Schema: Metadata

This is a read-only view. The SQL Server API may not support changing the data or the Invariantive SQL driver for SQL Server does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the SQL Server API.

## View Columns

The columns of the view `Users` are shown below. Each column has an SQL data type.

| Name       | Data Type | Label      | Required                 | Documentation |
|------------|-----------|------------|--------------------------|---------------|
| createdate | datetime  | createdate | <input type="checkbox"/> |               |
| uid        | int16     | uid        | <input type="checkbox"/> |               |
| updatedate | datetime  | updatedate | <input type="checkbox"/> |               |
| user_name  | string    | user_name  | <input type="checkbox"/> |               |

### ViewColumns

Catalog: Database

Schema: Metadata

This is a read-only view. The SQL Server API may not support changing the data or the Invariantive SQL driver for SQL Server does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the SQL Server API.



## View Columns

The columns of the view `ViewColumns` are shown below. Each column has an SQL data type.

| Name          | Data Type | Label         | Required                 | Documentation |
|---------------|-----------|---------------|--------------------------|---------------|
| COLUMN_NAME   | string    | COLUMN_NAME   | <input type="checkbox"/> |               |
| TABLE_CATALOG | string    | TABLE_CATALOG | <input type="checkbox"/> |               |
| TABLE_NAME    | string    | TABLE_NAME    | <input type="checkbox"/> |               |
| TABLE_SCHEMA  | string    | TABLE_SCHEMA  | <input type="checkbox"/> |               |
| VIEW_CATALOG  | string    | VIEW_CATALOG  | <input type="checkbox"/> |               |
| VIEW_NAME     | string    | VIEW_NAME     | <input type="checkbox"/> |               |
| VIEW_SCHEMA   | string    | VIEW_SCHEMA   | <input type="checkbox"/> |               |

### Views

Catalog: Database

Schema: Metadata

This is a read-only view. The SQL Server API may not support changing the data or the Invantive SQL driver for SQL Server does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the SQL Server API.

## View Columns

The columns of the view `Views` are shown below. Each column has an SQL data type.

| Name          | Data Type | Label         | Required                 | Documentation |
|---------------|-----------|---------------|--------------------------|---------------|
| CHECK_OPTION  | string    | CHECK_OPTION  | <input type="checkbox"/> |               |
| IS_UPDATABLE  | string    | IS_UPDATABLE  | <input type="checkbox"/> |               |
| TABLE_CATALOG | string    | TABLE_CATALOG | <input type="checkbox"/> |               |
| TABLE_NAME    | string    | TABLE_NAME    | <input type="checkbox"/> |               |
| TABLE_SCHEMA  | string    | TABLE_SCHEMA  | <input type="checkbox"/> |               |

### 3.1.3 Schema: Native

#### 3.1.3.1 Tables

##### **NATIVEPLATFORMSCALARREQUESTS: SQL Server Native Platform Scalar Requests**

Direct access to native API.

Catalog: Database

Schema: Native

Alias: `npt`

Label: Native Platform Scalar Requests

Documentation:

The NativePlatformScalarRequests table provides direct access to the native protocol over an established connection to the SQL Server platform server. It will contain a new row for every row inserted with a native request in PAYLOAD\_TEXT with the results of unaltered forwarding of the payload to the SQL Server platform server.

Retrieve: true

Insert: true

Update: false

Delete: false

## View Columns

The columns of the view NATIVEPLATFORMSCALARREQUESTS are shown below. Each column has an SQL data type. A new non-null value must be provided for every required column at all times during insert.

| Name                           | Data Type    | Label                               | Required                            | Documentation  |
|--------------------------------|--------------|-------------------------------------|-------------------------------------|--|
| BLOB_PREFERRED                 | boolean      | BLOB Preferred                      | <input checked="" type="checkbox"/> | Indicator whether a BLOB result is preferred over text.                    |
| BOL_RESPONSE_CACHE_MAX_AGE_SEC | int32        | Response Cache Maximum Age (sec)    | <input type="checkbox"/>            | Maximum age in seconds of Bridge Online response cache entries to be used. |
| CONTENT_TYPE                   | string(240)  | Content Type                        | <input type="checkbox"/>            |  |
| DATE_ENDED                     | datetime     | End Date                            | <input checked="" type="checkbox"/> |  |
| DATE_STARTED                   | datetime     | Start Date                          | <input checked="" type="checkbox"/> |  |
| DRY_RUN                        | boolean      | Run without Actions                 | <input checked="" type="checkbox"/> |  |
| ERROR_MESSAGE_CODE             | string(30)   | Error Message Code                  | <input type="checkbox"/>            |  |
| ERROR_MESSAGE_TEXT             | string(4000) | Error Message Text                  | <input type="checkbox"/>            |  |
| HTTP_DISK_CACHE_MAX_AGE_SEC    | int32        | HTTP Disk Cache Maximum Age (sec)   | <input type="checkbox"/>            | Maximum age in seconds of HTTP disk cache entries to be used.              |
| HTTP_DISK_CACHE_SAVE           | boolean      | Save HTTP Disk Cache                | <input type="checkbox"/>            | Whether results can be stored in HTTP disk cache.                          |
| HTTP_DISK_CACHE_USE            | boolean      | Use HTTP Disk Cache                 | <input type="checkbox"/>            | Whether results can be fetched from HTTP disk cache.                       |
| HTTP_MEMORY_CACHE_MAX_AGE_SEC  | int32        | HTTP Memory Cache Maximum Age (sec) | <input type="checkbox"/>            | Maximum age in seconds of HTTP memory cache entries to be used.            |
| HTTP_MEMORY_CACHE_SAVE         | boolean      | Save HTTP Memory Cache              | <input type="checkbox"/>            | Whether results can be stored in HTTP memory cache.                        |
| HTTP_MEMORY_CACHE_USE          | boolean      | Use HTTP Memory Cache               | <input type="checkbox"/>            | Whether results can be fetched from HTTP memory cache.                     |
| HTTP_METHOD                    | string(30)   | HTTP Method                         | <input type="checkbox"/>            |  |
| ORIG_SYSTEM_GROUP              | string(4000) | Original System Group               | <input type="checkbox"/>            |  |
| ORIG_SYSTEM_REFERENCE          | string(4000) | Original System Reference           | <input type="checkbox"/>            |  |
| PAYLOAD_TEXT                   | string       | Payload                             | <input type="checkbox"/>            |  |
| RESULT_BLOB                    | byte[]       | Result BLOB                         | <input type="checkbox"/>            |  |
| RESULT_TEXT                    | string       | Result Text                         | <input type="checkbox"/>            |  |

| Name           | Data Type    | Label          | Required                            | Documentation                       |
|----------------|--------------|----------------|-------------------------------------|-------------------------------------|
| SUCCESSFUL     | boolean      | Successful     | <input checked="" type="checkbox"/> |                                     |
| TIMEOUT_SEC    | int32        | Timeout (sec)  | <input type="checkbox"/>            | Timeout in seconds.                 |
| TRANSACTION_ID | int32        | Transaction ID | <input checked="" type="checkbox"/> | Incrementing ID of the transaction. |
| URL            | string(4000) | URL            | <input type="checkbox"/>            |                                     |

## 4 Catalog: master

### 4.1 Schemas

#### 4.1.1 spt\_fallback\_db

Catalog: master

Schema: dbo

The data in this table is partitioned per value of the column.

Can retrieve data and change data using insert, update and delete.

### Table Columns

The columns of the table `spt_fallback_db` are shown below. Each column has an SQL data type. A new non-null value must be provided for every required column at all times during insert or update.

| Name              | Data Type | Label | Required                 | Documentation |
|-------------------|-----------|-------|--------------------------|---------------|
| dbid              | int16     |       | <input type="checkbox"/> |               |
| name              | string    |       | <input type="checkbox"/> |               |
| status            | int16     |       | <input type="checkbox"/> |               |
| version           | int16     |       | <input type="checkbox"/> |               |
| xdtm_ins          | datetime  |       | <input type="checkbox"/> |               |
| xdtm_last_ins_upd | datetime  |       | <input type="checkbox"/> |               |
| xfallback_dbid    | int16     |       | <input type="checkbox"/> |               |
| xserver_name      | string    |       | <input type="checkbox"/> |               |

#### 4.1.2 spt\_fallback\_dev

Catalog: master

Schema: dbo

The data in this table is partitioned per value of the column.

Can retrieve data and change data using insert, update and delete.

### Table Columns

The columns of the table `spt_fallback_dev` are shown below. Each column has an SQL data type. A new non-null value must be provided for every required column at all times during insert or update.

| Name              | Data Type | Label | Required                 | Documentation |
|-------------------|-----------|-------|--------------------------|---------------|
| high              | int32     |       | <input type="checkbox"/> |               |
| low               | int32     |       | <input type="checkbox"/> |               |
| name              | string    |       | <input type="checkbox"/> |               |
| phyname           | string    |       | <input type="checkbox"/> |               |
| status            | int16     |       | <input type="checkbox"/> |               |
| xdtm_ins          | datetime  |       | <input type="checkbox"/> |               |
| xdtm_last_ins_upd | datetime  |       | <input type="checkbox"/> |               |
| xfallback_drive   | string    |       | <input type="checkbox"/> |               |
| xfallback_low     | int32     |       | <input type="checkbox"/> |               |
| xserver_name      | string    |       | <input type="checkbox"/> |               |

#### 4.1.3 spt\_fallback\_usg

Catalog: master

Schema: dbo

The data in this table is partitioned per value of the column.

Can retrieve data and change data using insert, update and delete.

### Table Columns

The columns of the table `spt_fallback_usg` are shown below. Each column has an SQL data type. A new non-null value must be provided for every required column at all times during insert or update.

| Name              | Data Type | Label | Required                 | Documentation |
|-------------------|-----------|-------|--------------------------|---------------|
| dbid              | int16     |       | <input type="checkbox"/> |               |
| lstart            | int32     |       | <input type="checkbox"/> |               |
| segmap            | int32     |       | <input type="checkbox"/> |               |
| sizepg            | int32     |       | <input type="checkbox"/> |               |
| vstart            | int32     |       | <input type="checkbox"/> |               |
| xdtm_ins          | datetime  |       | <input type="checkbox"/> |               |
| xdtm_last_ins_upd | datetime  |       | <input type="checkbox"/> |               |
| xfallback_vstart  | int32     |       | <input type="checkbox"/> |               |
| xserver_name      | string    |       | <input type="checkbox"/> |               |

#### 4.1.4 spt\_monitor

Catalog: master

Schema: dbo

The data in this table is partitioned per value of the column.

Can retrieve data and change data using insert, update and delete.

## Table Columns

The columns of the table `spt_monitor` are shown below. Each column has an SQL data type. A new non-null value must be provided for every required column at all times during insert or update.

| Name          | Data Type | Label | Required                 | Documentation |
|---------------|-----------|-------|--------------------------|---------------|
| connections   | int32     |       | <input type="checkbox"/> |               |
| cpu_busy      | int32     |       | <input type="checkbox"/> |               |
| idle          | int32     |       | <input type="checkbox"/> |               |
| io_busy       | int32     |       | <input type="checkbox"/> |               |
| lastrun       | datetime  |       | <input type="checkbox"/> |               |
| pack_errors   | int32     |       | <input type="checkbox"/> |               |
| pack_received | int32     |       | <input type="checkbox"/> |               |
| pack_sent     | int32     |       | <input type="checkbox"/> |               |
| total_errors  | int32     |       | <input type="checkbox"/> |               |
| total_read    | int32     |       | <input type="checkbox"/> |               |
| total_write   | int32     |       | <input type="checkbox"/> |               |

### 4.1.5 spt\_values

Catalog: master

Schema: dbo

The data in this table is partitioned per value of the column.

Can retrieve data and change data using insert, update and delete.

## View Columns

The columns of the view `spt_values` are shown below. Each column has an SQL data type. A new non-null value must be provided for every required column at all times during insert or update.

| Name   | Data Type | Label | Required                 | Documentation |
|--------|-----------|-------|--------------------------|---------------|
| high   | int32     |       | <input type="checkbox"/> |               |
| low    | int32     |       | <input type="checkbox"/> |               |
| name   | string    |       | <input type="checkbox"/> |               |
| number | int32     |       | <input type="checkbox"/> |               |
| status | int32     |       | <input type="checkbox"/> |               |
| type   | string    |       | <input type="checkbox"/> |               |

## 5 Catalog: msdb

### 5.1 Schemas

#### 5.1.1 autoadmin\_backup\_configuration\_summary

Catalog: msdb

Schema: dbo

The data in this table is partitioned per value of the column.

Can retrieve data and change data using insert, update and delete.

### View Columns

The columns of the view `autoadmin_backup_configuration_summary` are shown below. Each column has an SQL data type. A new non-null value must be provided for every required column at all times during insert or update.

| Name                 | Data Type | Label | Required                 | Documentation |
|----------------------|-----------|-------|--------------------------|---------------|
| DatabaseCount        | int32     |       | <input type="checkbox"/> |               |
| DayOfWeek            | string    |       | <input type="checkbox"/> |               |
| EncryptionAlgorithm  | string    |       | <input type="checkbox"/> |               |
| IsAlwaysOn           | boolean   |       | <input type="checkbox"/> |               |
| IsDropped            | boolean   |       | <input type="checkbox"/> |               |
| IsEnabled            | boolean   |       | <input type="checkbox"/> |               |
| ManagedBackupVersion | int32     |       | <input type="checkbox"/> |               |
| RetentionPeriod      | int32     |       | <input type="checkbox"/> |               |
| SchedulingOption     | string    |       | <input type="checkbox"/> |               |

#### 5.1.2 backupfile

Catalog: msdb

Schema: dbo

Primary Keys: `backup_set_id`

The data in this table is partitioned per value of the column.

Can retrieve data and change data using insert, update and delete.

### Table Columns

The columns of the table `backupfile` are shown below. Each column has an SQL data type. A new non-null value must be provided for every required column at all times during insert or update.

| Name                   | Data Type | Label | Required                 | Documentation |
|------------------------|-----------|-------|--------------------------|---------------|
| backed_up_page_count   | decimal   |       | <input type="checkbox"/> |               |
| backup_set_id          | int32     |       | <input type="checkbox"/> |               |
| backup_size            | decimal   |       | <input type="checkbox"/> |               |
| create_lsn             | decimal   |       | <input type="checkbox"/> |               |
| differential_base_guid | guid      |       | <input type="checkbox"/> |               |

| Name                   | Data Type | Label | Required                 | Documentation |
|------------------------|-----------|-------|--------------------------|---------------|
| differential_base_lsn  | decimal   |       | <input type="checkbox"/> |               |
| drop_lsn               | decimal   |       | <input type="checkbox"/> |               |
| file_guid              | guid      |       | <input type="checkbox"/> |               |
| file_number            | decimal   |       | <input type="checkbox"/> |               |
| file_size              | decimal   |       | <input type="checkbox"/> |               |
| file_type              | char      |       | <input type="checkbox"/> |               |
| filegroup_guid         | guid      |       | <input type="checkbox"/> |               |
| filegroup_name         | string    |       | <input type="checkbox"/> |               |
| first_family_number    | int16     |       | <input type="checkbox"/> |               |
| first_media_number     | int16     |       | <input type="checkbox"/> |               |
| is_present             | boolean   |       | <input type="checkbox"/> |               |
| is_readonly            | boolean   |       | <input type="checkbox"/> |               |
| logical_name           | string    |       | <input type="checkbox"/> |               |
| page_size              | int32     |       | <input type="checkbox"/> |               |
| physical_drive         | string    |       | <input type="checkbox"/> |               |
| physical_name          | string    |       | <input type="checkbox"/> |               |
| read_only_lsn          | decimal   |       | <input type="checkbox"/> |               |
| read_w_rite_lsn        | decimal   |       | <input type="checkbox"/> |               |
| source_file_block_size | decimal   |       | <input type="checkbox"/> |               |
| state                  | int16     |       | <input type="checkbox"/> |               |
| state_desc             | string    |       | <input type="checkbox"/> |               |

### 5.1.3 backupmediafamily

Catalog: msdb

Schema: dbo

Primary Keys: media\_set\_id

The data in this table is partitioned per value of the column.

Can retrieve data and change data using insert, update and delete.

## Table Columns

The columns of the table `backupmediafamily` are shown below. Each column has an SQL data type. A new non-null value must be provided for every required column at all times during insert or update.

| Name                   | Data Type | Label | Required                 | Documentation |
|------------------------|-----------|-------|--------------------------|---------------|
| device_type            | int16     |       | <input type="checkbox"/> |               |
| family_sequence_number | int16     |       | <input type="checkbox"/> |               |
| logical_device_name    | string    |       | <input type="checkbox"/> |               |
| media_count            | int32     |       | <input type="checkbox"/> |               |
| media_family_id        | guid      |       | <input type="checkbox"/> |               |

| Name                 | Data Type | Label | Required                 | Documentation |
|----------------------|-----------|-------|--------------------------|---------------|
| media_set_id         | int32     |       | <input type="checkbox"/> |               |
| mirror               | int16     |       | <input type="checkbox"/> |               |
| physical_block_size  | int32     |       | <input type="checkbox"/> |               |
| physical_device_name | string    |       | <input type="checkbox"/> |               |

#### 5.1.4 backupmediaset

Catalog: msdb

Schema: dbo

Primary Keys: media\_set\_id

The data in this table is partitioned per value of the column.

Can retrieve data and change data using insert, update and delete.

### Table Columns

The columns of the table `backupmediaset` are shown below. Each column has an SQL data type. A new non-null value must be provided for every required column at all times during insert or update.

| Name                  | Data Type | Label | Required                 | Documentation |
|-----------------------|-----------|-------|--------------------------|---------------|
| description           | string    |       | <input type="checkbox"/> |               |
| is_compressed         | boolean   |       | <input type="checkbox"/> |               |
| is_encrypted          | boolean   |       | <input type="checkbox"/> |               |
| is_password_protected | boolean   |       | <input type="checkbox"/> |               |
| media_family_count    | int16     |       | <input type="checkbox"/> |               |
| media_set_id          | int32     |       | <input type="checkbox"/> |               |
| media_uuid            | guid      |       | <input type="checkbox"/> |               |
| mirror_count          | int16     |       | <input type="checkbox"/> |               |
| MTF_major_version     | int16     |       | <input type="checkbox"/> |               |
| name                  | string    |       | <input type="checkbox"/> |               |
| software_name         | string    |       | <input type="checkbox"/> |               |
| software_vendor_id    | int32     |       | <input type="checkbox"/> |               |

#### 5.1.5 backupset

Catalog: msdb

Schema: dbo

Primary Keys: backup\_set\_id

The data in this table is partitioned per value of the column.

Can retrieve data and change data using insert, update and delete.

### Table Columns



The columns of the table `backupset` are shown below. Each column has an SQL data type. A new non-null value must be provided for every required column at all times during insert or update.

| Name                                  | Data Type | Label | Required                 | Documentation |
|---------------------------------------|-----------|-------|--------------------------|---------------|
| <code>backup_finish_date</code>       | datetime  |       | <input type="checkbox"/> |               |
| <code>backup_set_id</code>            | int32     |       | <input type="checkbox"/> |               |
| <code>backup_set_uuid</code>          | guid      |       | <input type="checkbox"/> |               |
| <code>backup_size</code>              | decimal   |       | <input type="checkbox"/> |               |
| <code>backup_start_date</code>        | datetime  |       | <input type="checkbox"/> |               |
| <code>begins_log_chain</code>         | boolean   |       | <input type="checkbox"/> |               |
| <code>catalog_family_number</code>    | int16     |       | <input type="checkbox"/> |               |
| <code>catalog_media_number</code>     | int16     |       | <input type="checkbox"/> |               |
| <code>checkpoint_lsn</code>           | decimal   |       | <input type="checkbox"/> |               |
| <code>code_page</code>                | int16     |       | <input type="checkbox"/> |               |
| <code>collation_name</code>           | string    |       | <input type="checkbox"/> |               |
| <code>compatibility_level</code>      | int16     |       | <input type="checkbox"/> |               |
| <code>compressed_backup_size</code>   | decimal   |       | <input type="checkbox"/> |               |
| <code>database_backup_lsn</code>      | decimal   |       | <input type="checkbox"/> |               |
| <code>database_creation_date</code>   | datetime  |       | <input type="checkbox"/> |               |
| <code>database_guid</code>            | guid      |       | <input type="checkbox"/> |               |
| <code>database_name</code>            | string    |       | <input type="checkbox"/> |               |
| <code>database_version</code>         | int32     |       | <input type="checkbox"/> |               |
| <code>description</code>              | string    |       | <input type="checkbox"/> |               |
| <code>differential_base_guid</code>   | guid      |       | <input type="checkbox"/> |               |
| <code>differential_base_lsn</code>    | decimal   |       | <input type="checkbox"/> |               |
| <code>encryptor_thumbprint</code>     | byte[]    |       | <input type="checkbox"/> |               |
| <code>encryptor_type</code>           | string    |       | <input type="checkbox"/> |               |
| <code>expiration_date</code>          | datetime  |       | <input type="checkbox"/> |               |
| <code>family_guid</code>              | guid      |       | <input type="checkbox"/> |               |
| <code>first_family_number</code>      | int16     |       | <input type="checkbox"/> |               |
| <code>first_lsn</code>                | decimal   |       | <input type="checkbox"/> |               |
| <code>first_media_number</code>       | int16     |       | <input type="checkbox"/> |               |
| <code>first_recovery_fork_guid</code> | guid      |       | <input type="checkbox"/> |               |
| <code>flags</code>                    | int32     |       | <input type="checkbox"/> |               |
| <code>fork_point_lsn</code>           | decimal   |       | <input type="checkbox"/> |               |
| <code>has_backup_checksums</code>     | boolean   |       | <input type="checkbox"/> |               |
| <code>has_bulk_logged_data</code>     | boolean   |       | <input type="checkbox"/> |               |
| <code>has_incomplete_metadata</code>  | boolean   |       | <input type="checkbox"/> |               |
| <code>is_copy_only</code>             | boolean   |       | <input type="checkbox"/> |               |
| <code>is_damaged</code>               | boolean   |       | <input type="checkbox"/> |               |
| <code>is_force_offline</code>         | boolean   |       | <input type="checkbox"/> |               |
| <code>is_password_protected</code>    | boolean   |       | <input type="checkbox"/> |               |

| Name                    | Data Type | Label | Required                 | Documentation |
|-------------------------|-----------|-------|--------------------------|---------------|
| is_readonly             | boolean   |       | <input type="checkbox"/> |               |
| is_single_user          | boolean   |       | <input type="checkbox"/> |               |
| is_snapshot             | boolean   |       | <input type="checkbox"/> |               |
| key_algorithm           | string    |       | <input type="checkbox"/> |               |
| last_family_number      | int16     |       | <input type="checkbox"/> |               |
| last_lsn                | decimal   |       | <input type="checkbox"/> |               |
| last_media_number       | int16     |       | <input type="checkbox"/> |               |
| last_recovery_fork_guid | guid      |       | <input type="checkbox"/> |               |
| machine_name            | string    |       | <input type="checkbox"/> |               |
| media_set_id            | int32     |       | <input type="checkbox"/> |               |
| mtf_minor_version       | int16     |       | <input type="checkbox"/> |               |
| name                    | string    |       | <input type="checkbox"/> |               |
| position                | int32     |       | <input type="checkbox"/> |               |
| recovery_model          | string    |       | <input type="checkbox"/> |               |
| server_name             | string    |       | <input type="checkbox"/> |               |
| software_build_version  | int16     |       | <input type="checkbox"/> |               |
| software_major_version  | int16     |       | <input type="checkbox"/> |               |
| software_minor_version  | int16     |       | <input type="checkbox"/> |               |
| software_vendor_id      | int32     |       | <input type="checkbox"/> |               |
| sort_order              | int16     |       | <input type="checkbox"/> |               |
| time_zone               | int16     |       | <input type="checkbox"/> |               |
| type                    | char      |       | <input type="checkbox"/> |               |
| unicode_compare_style   | int32     |       | <input type="checkbox"/> |               |
| unicode_locale          | int32     |       | <input type="checkbox"/> |               |
| user_name               | string    |       | <input type="checkbox"/> |               |

### 5.1.6 dm\_hadr\_automatic\_seeding\_history

Catalog: msdb

Schema: dbo

The data in this table is partitioned per value of the column.

Can retrieve data and change data using insert, update and delete.

## Table Columns

The columns of the table `dm_hadr_automatic_seeding_history` are shown below. Each column has an SQL data type. A new non-null value must be provided for every required column at all times during insert or update.

| Name     | Data Type | Label | Required                 | Documentation |
|----------|-----------|-------|--------------------------|---------------|
| ag_db_id | guid      |       | <input type="checkbox"/> |               |
| ag_id    | guid      |       | <input type="checkbox"/> |               |

| Name                 | Data Type | Label | Required                 | Documentation |
|----------------------|-----------|-------|--------------------------|---------------|
| ag_remote_replica_id | guid      |       | <input type="checkbox"/> |               |
| completion_time      | datetime  |       | <input type="checkbox"/> |               |
| current_state        | string    |       | <input type="checkbox"/> |               |
| error_code           | int32     |       | <input type="checkbox"/> |               |
| failure_state        | int32     |       | <input type="checkbox"/> |               |
| failure_state_desc   | string    |       | <input type="checkbox"/> |               |
| is_source            | boolean   |       | <input type="checkbox"/> |               |
| number_of_attempts   | int32     |       | <input type="checkbox"/> |               |
| operation_id         | guid      |       | <input type="checkbox"/> |               |
| performed_seeding    | boolean   |       | <input type="checkbox"/> |               |
| start_time           | datetime  |       | <input type="checkbox"/> |               |

### 5.1.7 logmarkhistory

Catalog: msdb

Schema: dbo

The data in this table is partitioned per value of the column.

Can retrieve data and change data using insert, update and delete.

### Table Columns

The columns of the table `logmarkhistory` are shown below. Each column has an SQL data type. A new non-null value must be provided for every required column at all times during insert or update.

| Name          | Data Type | Label | Required                 | Documentation |
|---------------|-----------|-------|--------------------------|---------------|
| database_name | string    |       | <input type="checkbox"/> |               |
| description   | string    |       | <input type="checkbox"/> |               |
| lsn           | decimal   |       | <input type="checkbox"/> |               |
| mark_name     | string    |       | <input type="checkbox"/> |               |
| mark_time     | datetime  |       | <input type="checkbox"/> |               |
| user_name     | string    |       | <input type="checkbox"/> |               |

### 5.1.8 restorefile

Catalog: msdb

Schema: dbo

The data in this table is partitioned per value of the column.

Can retrieve data and change data using insert, update and delete.

### Table Columns

The columns of the table `restorefile` are shown below. Each column has an SQL data type. A new non-null value must be provided for every required column at all times during insert or update.

| Name                                | Data Type | Label | Required                 | Documentation |
|-------------------------------------|-----------|-------|--------------------------|---------------|
| <code>destination_phys_drive</code> | string    |       | <input type="checkbox"/> |               |
| <code>destination_phys_name</code>  | string    |       | <input type="checkbox"/> |               |
| <code>file_number</code>            | decimal   |       | <input type="checkbox"/> |               |
| <code>restore_history_id</code>     | int32     |       | <input type="checkbox"/> |               |

### 5.1.9 restorefilegroup

Catalog: msdb

Schema: dbo

The data in this table is partitioned per value of the column.

Can retrieve data and change data using insert, update and delete.

## Table Columns

The columns of the table `restorefilegroup` are shown below. Each column has an SQL data type. A new non-null value must be provided for every required column at all times during insert or update.

| Name                            | Data Type | Label | Required                 | Documentation |
|---------------------------------|-----------|-------|--------------------------|---------------|
| <code>filegroup_name</code>     | string    |       | <input type="checkbox"/> |               |
| <code>restore_history_id</code> | int32     |       | <input type="checkbox"/> |               |

### 5.1.10 restorehistory

Catalog: msdb

Schema: dbo

Primary Keys: `restore_history_id`

The data in this table is partitioned per value of the column.

Can retrieve data and change data using insert, update and delete.

## Table Columns

The columns of the table `restorehistory` are shown below. Each column has an SQL data type. A new non-null value must be provided for every required column at all times during insert or update.

| Name                                   | Data Type | Label | Required                 | Documentation |
|--|-----------|-------|--------------------------|---------------|
| <code>backup_set_id</code>             | int32     |       | <input type="checkbox"/> |               |
| <code>destination_database_name</code> | string    |       | <input type="checkbox"/> |               |
| <code>device_count</code>              | int16     |       | <input type="checkbox"/> |               |
| <code>recovery</code>                  | boolean   |       | <input type="checkbox"/> |               |

| Name               | Data Type | Label | Required                 | Documentation |
|--------------------|-----------|-------|--------------------------|---------------|
| replace            | boolean   |       | <input type="checkbox"/> |               |
| restart            | boolean   |       | <input type="checkbox"/> |               |
| restore_date       | datetime  |       | <input type="checkbox"/> |               |
| restore_history_id | int32     |       | <input type="checkbox"/> |               |
| restore_type       | char      |       | <input type="checkbox"/> |               |
| stop_at            | datetime  |       | <input type="checkbox"/> |               |
| stop_at_mark_name  | string    |       | <input type="checkbox"/> |               |
| stop_before        | boolean   |       | <input type="checkbox"/> |               |
| user_name          | string    |       | <input type="checkbox"/> |               |

### 5.1.11 suspect\_pages

Catalog: msdb

Schema: dbo

The data in this table is partitioned per value of the column.

Can retrieve data and change data using insert, update and delete.

## Table Columns

The columns of the table `suspect_pages` are shown below. Each column has an SQL data type. A new non-null value must be provided for every required column at all times during insert or update.

| Name             | Data Type | Label | Required                 | Documentation |
|------------------|-----------|-------|--------------------------|---------------|
| database_id      | int32     |       | <input type="checkbox"/> |               |
| error_count      | int32     |       | <input type="checkbox"/> |               |
| event_type       | int32     |       | <input type="checkbox"/> |               |
| file_id          | int32     |       | <input type="checkbox"/> |               |
| last_update_date | datetime  |       | <input type="checkbox"/> |               |
| page_id          | int64     |       | <input type="checkbox"/> |               |

### 5.1.12 sysdac\_instances

Catalog: msdb

Schema: dbo

The data in this table is partitioned per value of the column.

Can retrieve data and change data using insert, update and delete.

## View Columns

The columns of the view `sysdac_instances` are shown below. Each column has an SQL data type. A new non-null value must be provided for every required column at all times during insert or update.

| Name          | Data Type | Label | Required                 | Documentation |
|---------------|-----------|-------|--------------------------|---------------|
| created_by    | string    |       | <input type="checkbox"/> |               |
| database_name | string    |       | <input type="checkbox"/> |               |
| date_created  | datetime  |       | <input type="checkbox"/> |               |
| description   | string    |       | <input type="checkbox"/> |               |
| instance_id   | guid      |       | <input type="checkbox"/> |               |
| instance_name | string    |       | <input type="checkbox"/> |               |
| type_name     | string    |       | <input type="checkbox"/> |               |
| type_stream   | byte[]    |       | <input type="checkbox"/> |               |
| type_version  | string    |       | <input type="checkbox"/> |               |

### 5.1.13 syspolicy\_conditions

Catalog: msdb

Schema: dbo

The data in this table is partitioned per value of the column.

Can retrieve data and change data using insert, update and delete.

## View Columns

The columns of the view `syspolicy_conditions` are shown below. Each column has an SQL data type. A new non-null value must be provided for every required column at all times during insert or update.

| Name              | Data Type | Label | Required                 | Documentation |
|-------------------|-----------|-------|--------------------------|---------------|
| condition_id      | int32     |       | <input type="checkbox"/> |               |
| created_by        | string    |       | <input type="checkbox"/> |               |
| date_created      | datetime  |       | <input type="checkbox"/> |               |
| date_modified     | datetime  |       | <input type="checkbox"/> |               |
| description       | string    |       | <input type="checkbox"/> |               |
| expression        | string    |       | <input type="checkbox"/> |               |
| facet             | string    |       | <input type="checkbox"/> |               |
| is_name_condition | int16     |       | <input type="checkbox"/> |               |
| is_system         | boolean   |       | <input type="checkbox"/> |               |
| modified_by       | string    |       | <input type="checkbox"/> |               |
| name              | string    |       | <input type="checkbox"/> |               |
| obj_name          | string    |       | <input type="checkbox"/> |               |

### 5.1.14 syspolicy\_configuration

Catalog: msdb

Schema: dbo

The data in this table is partitioned per value of the column.

Can retrieve data and change data using insert, update and delete.

## View Columns

The columns of the view `syspolicy_configuration` are shown below. Each column has an SQL data type. A new non-null value must be provided for every required column at all times during insert or update.

| Name          | Data Type | Label | Required                 | Documentation |
|---------------|-----------|-------|--------------------------|---------------|
| current_value | string    |       | <input type="checkbox"/> |               |
| name          | string    |       | <input type="checkbox"/> |               |

### 5.1.15 syspolicy\_object\_sets

Catalog: msdb

Schema: dbo

The data in this table is partitioned per value of the column.

Can retrieve data and change data using insert, update and delete.

## View Columns

The columns of the view `syspolicy_object_sets` are shown below. Each column has an SQL data type. A new non-null value must be provided for every required column at all times during insert or update.

| Name            | Data Type | Label | Required                 | Documentation |
|-----------------|-----------|-------|--------------------------|---------------|
| facet_id        | int32     |       | <input type="checkbox"/> |               |
| facet_name      | string    |       | <input type="checkbox"/> |               |
| is_system       | boolean   |       | <input type="checkbox"/> |               |
| object_set_id   | int32     |       | <input type="checkbox"/> |               |
| object_set_name | string    |       | <input type="checkbox"/> |               |

### 5.1.16 syspolicy\_policies

Catalog: msdb

Schema: dbo

The data in this table is partitioned per value of the column.

Can retrieve data and change data using insert, update and delete.

## View Columns

The columns of the view `syspolicy_policies` are shown below. Each column has an SQL data type. A new non-null value must be provided for every required column at all times during insert or update.

| Name         | Data Type | Label | Required                 | Documentation |
|--------------|-----------|-------|--------------------------|---------------|
| condition_id | int32     |       | <input type="checkbox"/> |               |

| Name               | Data Type | Label | Required                 | Documentation |
|--------------------|-----------|-------|--------------------------|---------------|
| created_by         | string    |       | <input type="checkbox"/> |               |
| date_created       | datetime  |       | <input type="checkbox"/> |               |
| date_modified      | datetime  |       | <input type="checkbox"/> |               |
| description        | string    |       | <input type="checkbox"/> |               |
| execution_mode     | int32     |       | <input type="checkbox"/> |               |
| help_link          | string    |       | <input type="checkbox"/> |               |
| help_text          | string    |       | <input type="checkbox"/> |               |
| is_enabled         | boolean   |       | <input type="checkbox"/> |               |
| is_system          | boolean   |       | <input type="checkbox"/> |               |
| job_id             | guid      |       | <input type="checkbox"/> |               |
| modified_by        | string    |       | <input type="checkbox"/> |               |
| name               | string    |       | <input type="checkbox"/> |               |
| object_set_id      | int32     |       | <input type="checkbox"/> |               |
| policy_category_id | int32     |       | <input type="checkbox"/> |               |
| policy_id          | int32     |       | <input type="checkbox"/> |               |
| root_condition_id  | int32     |       | <input type="checkbox"/> |               |
| schedule_uid       | guid      |       | <input type="checkbox"/> |               |

### 5.1.17 syspolicy\_policy\_categories

Catalog: msdb

Schema: dbo

The data in this table is partitioned per value of the column.

Can retrieve data and change data using insert, update and delete.

## View Columns

The columns of the view `syspolicy_policy_categories` are shown below. Each column has an SQL data type. A new non-null value must be provided for every required column at all times during insert or update.

| Name                           | Data Type | Label | Required                 | Documentation |
|--------------------------------|-----------|-------|--------------------------|---------------|
| mandate_database_subscriptions | boolean   |       | <input type="checkbox"/> |               |
| name                           | string    |       | <input type="checkbox"/> |               |
| policy_category_id             | int32     |       | <input type="checkbox"/> |               |

### 5.1.18 syspolicy\_policy\_category\_subscriptions

Catalog: msdb

Schema: dbo

The data in this table is partitioned per value of the column.

Can retrieve data and change data using insert, update and delete.



## View Columns

The columns of the view `syspolicy_policy_category_subscriptions` are shown below. Each column has an SQL data type. A new non-null value must be provided for every required column at all times during insert or update.

| Name   | Data Type | Label | Required                 | Documentation |
|--|-----------|-------|--------------------------|---------------|
| <code>policy_category_id</code>              | int32     |       | <input type="checkbox"/> |               |
| <code>policy_category_subscription_id</code> | int32     |       | <input type="checkbox"/> |               |
| <code>target_object</code>                   | string    |       | <input type="checkbox"/> |               |
| <code>target_type</code>                     | string    |       | <input type="checkbox"/> |               |

### 5.1.19 syspolicy\_policy\_execution\_history

Catalog: msdb

Schema: dbo

The data in this table is partitioned per value of the column.

Can retrieve data and change data using insert, update and delete.

## View Columns

The columns of the view `syspolicy_policy_execution_history` are shown below. Each column has an SQL data type. A new non-null value must be provided for every required column at all times during insert or update.

| Name                           | Data Type | Label | Required                 | Documentation |
|--------------------------------|-----------|-------|--------------------------|---------------|
| <code>end_date</code>          | datetime  |       | <input type="checkbox"/> |               |
| <code>exception</code>         | string    |       | <input type="checkbox"/> |               |
| <code>exception_message</code> | string    |       | <input type="checkbox"/> |               |
| <code>history_id</code>        | int64     |       | <input type="checkbox"/> |               |
| <code>policy_id</code>         | int32     |       | <input type="checkbox"/> |               |
| <code>result</code>            | boolean   |       | <input type="checkbox"/> |               |
| <code>start_date</code>        | datetime  |       | <input type="checkbox"/> |               |

### 5.1.20 syspolicy\_policy\_execution\_history\_details

Catalog: msdb

Schema: dbo

The data in this table is partitioned per value of the column.

Can retrieve data and change data using insert, update and delete.

## View Columns

The columns of the view `syspolicy_policy_execution_history_details` are shown below. Each column has an SQL data type. A new non-null value must be provided for every required column at all times during insert or update.

| Name                    | Data Type | Label | Required                 | Documentation |
|-------------------------|-----------|-------|--------------------------|---------------|
| detail_id               | int64     |       | <input type="checkbox"/> |               |
| exception               | string    |       | <input type="checkbox"/> |               |
| exception_message       | string    |       | <input type="checkbox"/> |               |
| execution_date          | datetime  |       | <input type="checkbox"/> |               |
| history_id              | int64     |       | <input type="checkbox"/> |               |
| result                  | boolean   |       | <input type="checkbox"/> |               |
| result_detail           | string    |       | <input type="checkbox"/> |               |
| target_query_expression | string    |       | <input type="checkbox"/> |               |

### 5.1.21 syspolicy\_system\_health\_state

Catalog: msdb

Schema: dbo

The data in this table is partitioned per value of the column.

Can retrieve data and change data using insert, update and delete.

## View Columns

The columns of the view `syspolicy_system_health_state` are shown below. Each column has an SQL data type. A new non-null value must be provided for every required column at all times during insert or update.

| Name                            | Data Type | Label | Required                 | Documentation |
|---------------------------------|-----------|-------|--------------------------|---------------|
| health_state_id                 | int64     |       | <input type="checkbox"/> |               |
| last_run_date                   | datetime  |       | <input type="checkbox"/> |               |
| policy_id                       | int32     |       | <input type="checkbox"/> |               |
| result                          | boolean   |       | <input type="checkbox"/> |               |
| target_query_expression         | string    |       | <input type="checkbox"/> |               |
| target_query_expression_with_id | string    |       | <input type="checkbox"/> |               |

### 5.1.22 syspolicy\_target\_set\_levels

Catalog: msdb

Schema: dbo

The data in this table is partitioned per value of the column.

Can retrieve data and change data using insert, update and delete.

## View Columns

The columns of the view `syspolicy_target_set_levels` are shown below. Each column has an SQL data type. A new non-null value must be provided for every required column at all times during insert or update.

| Name                | Data Type | Label | Required                 | Documentation |
|---------------------|-----------|-------|--------------------------|---------------|
| condition_id        | int32     |       | <input type="checkbox"/> |               |
| level_name          | string    |       | <input type="checkbox"/> |               |
| target_set_id       | int32     |       | <input type="checkbox"/> |               |
| target_set_level_id | int32     |       | <input type="checkbox"/> |               |
| type_skeleton       | string    |       | <input type="checkbox"/> |               |

### 5.1.23 syspolicy\_target\_sets

Catalog: msdb

Schema: dbo

The data in this table is partitioned per value of the column.

Can retrieve data and change data using insert, update and delete.

## View Columns

The columns of the view `syspolicy_target_sets` are shown below. Each column has an SQL data type. A new non-null value must be provided for every required column at all times during insert or update.

| Name          | Data Type | Label | Required                 | Documentation |
|---------------|-----------|-------|--------------------------|---------------|
| enabled       | boolean   |       | <input type="checkbox"/> |               |
| object_set_id | int32     |       | <input type="checkbox"/> |               |
| target_set_id | int32     |       | <input type="checkbox"/> |               |
| type          | string    |       | <input type="checkbox"/> |               |
| type_skeleton | string    |       | <input type="checkbox"/> |               |

# Index

## - A -

ag\_db\_id 31  
 ag\_id 31  
 ag\_remote\_replica\_id 31  
 AllColumns 10  
 analysis-enforce-row-uniqueness 2  
 AS\_LOCATOR 17  
 assembly\_name 20  
 autoadmin\_backup\_configuration\_summary 27

## - B -

backed\_up\_page\_count 27  
 backup\_finish\_date 29  
 backup\_set\_id 27, 29, 33  
 backup\_set\_uuid 29  
 backup\_size 27, 29  
 backup\_start\_date 29  
 backupfile 27  
 backupmediafamily 28  
 backupmediaset 29  
 backupset 29  
 begins\_log\_chain 29  
 BLOB Preferred 22  
 BLOB\_PREFERRED 22  
 BOL\_RESPONSE\_CACHE\_MAX\_AGE\_SEC 22  
 bulk-delete-page-size-rows 2  
 bulk-insert-page-size-bytes 2  
 bulk-insert-page-size-rows 2  
 bulk-insert-timeout-sec 2

## - C -

catalog\_family\_number 29  
 catalog\_media\_number 29  
 CHARACTER\_MAXIMUM\_LENGTH 10, 11, 17, 19  
 CHARACTER\_OCTET\_LENGTH 10, 11, 17, 19  
 CHARACTER\_SET\_CATALOG 10, 11, 17, 19  
 CHARACTER\_SET\_NAME 10, 11, 17, 19  
 CHARACTER\_SET\_SCHEMA 10, 11, 17, 19  
 CHECK\_OPTION 22  
 checkpoint\_lsn 29  
 code\_page 29  
 COLLATION\_CATALOG 10, 11, 17, 19  
 collation\_name 17, 29

COLLATION\_SCHEMA 17  
 Collection Name 5, 9, 19  
 COLLECTION\_NAME 5, 9, 19  
 CollectionName 16  
 Collections 5  
 Column Size 7, 14  
 COLUMN\_DEFAULT 10, 11  
 COLUMN\_NAME 10, 11, 15, 21  
 COLUMN\_SIZE 7, 14  
 Columns 11  
 ColumnSetColumns 11  
 command-timeout-sec 2  
 compatibility\_level 29  
 completion\_time 31  
 Composite Identifier Separator Pattern 6, 13  
 COMPOSITE\_IDENTIFIER\_SEPERATOR\_PATTERN 6, 13  
 compressed\_backup\_size 29  
 condition\_id 35, 36, 39  
 Connection Time-out (sec) 8  
 CONNECTION\_TIMEOUT\_SEC 8  
 connections 25  
 connection-string-async-add 2  
 connection-string-async-value 2  
 connection-string-multiple-active-result-sets-add 2  
 connection-string-multiple-active-result-sets-value 2  
 constraint\_catalog 15, 16  
 constraint\_name 15, 16  
 constraint\_schema 15, 16  
 CONSTRAINT\_TYPE 15  
 Content Type 22  
 CONTENT\_TYPE 22  
 COUNT\_TIMES\_USED 8  
 cpu\_busy 25  
 Create Format 7, 14  
 Create Parameters 7, 14  
 Create\_Date 12, 20  
 CREATE\_FORMAT 7, 14  
 create\_lsn 27  
 CREATE\_PARAMETERS 7, 14  
 CREATED 18  
 created\_by 34, 35, 36  
 CREATED\_UTC 8  
 createdate 21  
 culture\_info 20  
 Current Context Description 8  
 Current Context Natural Key 8  
 Current Context User Log On Code 8  
 CURRENT\_CONTEXT\_DESCRIPTION 8  
 CURRENT\_CONTEXT\_NATURAL\_KEY 8  
 CURRENT\_CONTEXT\_USER\_LOG\_ON\_CODE 8

current\_state 31  
current\_value 35

## - D -

Data Source Information 6  
Data Type 7, 14  
Data Types 7  
DATA\_TYPE 7, 10, 11, 14, 17, 19  
DATABASE 8  
database\_backup\_lsn 29  
database\_creation\_date 29  
database\_guid 29  
database\_id 34  
database\_name 12, 29, 32, 34  
database\_version 29  
DatabaseCount 27  
Databases 12  
DataSourceInformation 6, 13  
DataTypes 7, 14  
Date Created 8  
date\_created 34, 35, 36  
DATE\_ENDED 22  
date\_modified 35, 36  
DATE\_STARTED 22  
DATETIME\_PRECISION 10, 11, 17, 19  
DayOfWeek 27  
dbid 12, 24, 25  
destination\_database\_name 33  
destination\_phys\_drive 32  
destination\_phys\_name 32  
detail\_id 38  
device\_count 33  
device\_type 28  
differential\_base\_guid 27, 29  
differential\_base\_lsn 27, 29  
dm\_hadr\_automatic\_seeding\_history 31  
Driver 1  
drop\_lsn 27  
DRY\_RUN 22  
Duration Used (ms) 8  
DURATION\_USED\_MS 8

## - E -

enabled 40  
EncryptionAlgorithm 27  
encryptor\_thumbprint 29  
encryptor\_type 29  
End Date 22

end\_date 38  
Error Message Code 22  
Error Message Text 22  
error\_code 31  
error\_count 34  
ERROR\_MESSAGE\_CODE 22  
ERROR\_MESSAGE\_TEXT 22  
event\_type 34  
exception 38  
exception\_message 38  
execution\_date 38  
execution\_mode 36  
expiration\_date 29  
expression 35

## - F -

facet 35  
facet\_id 36  
facet\_name 36  
failure\_state 31  
failure\_state\_desc 31  
family\_guid 29  
family\_sequence\_number 28  
file\_guid 27  
file\_id 34  
file\_number 27, 32  
file\_size 27  
file\_type 27  
filegroup\_guid 27  
filegroup\_name 27, 33  
first\_family\_number 27, 29  
first\_lsn 29  
first\_media\_number 27, 29  
first\_recovery\_fork\_guid 29  
flags 29  
force-case-sensitive-identifiers 2  
forced-casing-identifiers 2  
ForeignKeys 15  
fork\_point\_lsn 29

## - G -

Group by Behavior 6, 13  
GROUP\_BY\_BEHAVIOR 6, 13

## - H -

has\_backup\_checksums 29  
has\_bulk\_logged\_data 29

has\_incomplete\_metadata 29  
 health\_state\_id 39  
 help\_link 36  
 help\_text 36  
 high 24, 26  
 history\_id 38  
 HTTP Disk Cache Maximum Age (sec) 22  
 HTTP Memory Cache Maximum Age (sec) 22  
 HTTP Method 22  
 HTTP\_DISK\_CACHE\_MAX\_AGE\_SEC 22  
 HTTP\_DISK\_CACHE\_SAVE 22  
 HTTP\_DISK\_CACHE\_USE 22  
 HTTP\_MEMORY\_CACHE\_MAX\_AGE\_SEC 22  
 HTTP\_MEMORY\_CACHE\_SAVE 22  
 HTTP\_MEMORY\_CACHE\_USE 22  
 HTTP\_METHOD 22

## - I -

Identifier Case 6, 13  
 Identifier Pattern 6, 13  
 IDENTIFIER\_CASE 6, 13  
 IDENTIFIER\_PATTERN 6, 13  
 idle 25  
 index\_name 15, 16  
 IndexColumns 15  
 Indexes 16  
 INITIALLY\_DEFERRED 15  
 instance\_id 34  
 instance\_name 34  
 INTERVAL\_PRECISION 17  
 INTERVAL\_TYPE 17  
 invantive-sql-correct-invalid-date 2  
 invantive-sql-forward-filters-to-data-containers 2  
 invantive-sql-shuffle-fetch-results-data-containers 2  
 invantive-use-cache 2  
 io\_busy 25  
 Is Auto-incrementable 7, 14  
 Is Best Match 7, 14  
 Is Case-sensitive 7, 14  
 Is Concurrency Type 7, 14  
 Is Fixed Length 7, 14  
 Is Fixed Precision Scale 7, 14  
 Is Free 8  
 Is Literal Supported 7, 14  
 Is Long 7, 14  
 Is Nullable 7, 14  
 Is Searchable 7, 14  
 Is Searchable with Like 7, 14  
 Is Unsigned 7, 14  
 IS\_AUTOINCREMENTABLE 7, 14

IS\_BEST\_MATCH 7, 14  
 IS\_CASE\_SENSITIVE 7, 14  
 IS\_COLUMN\_SET 10, 11  
 is\_compressed 29  
 IS\_CONCURRENCY\_TYPE 7, 14  
 is\_copy\_only 29  
 is\_damaged 29  
 IS\_DEFERRABLE 15  
 is\_enabled 36  
 is\_encrypted 29  
 IS\_FILESTREAM 10, 11  
 is\_fixed\_length 7, 14, 20  
 IS\_FIXED\_PRECISION\_SCALE 7, 14  
 is\_force\_offline 29  
 IS\_FREE 8  
 IS\_LITERAL\_SUPPORTED 7, 14  
 IS\_LONG 7, 14  
 is\_name\_condition 35  
 IS\_NULLABLE 7, 10, 11, 14, 19  
 is\_password\_protected 29  
 is\_present 27  
 is\_readonly 27, 29  
 IS\_RESULT 17  
 IS\_SEARCHABLE 7, 14  
 IS\_SEARCHABLE\_WITH\_LIKE 7, 14  
 is\_single\_user 29  
 is\_snapshot 29  
 is\_source 31  
 IS\_SPARSE 10, 11  
 is\_system 35, 36  
 IS\_UNSIGNED 7, 14  
 IS\_UPDATABLE 22  
 IsAlwaysOn 27  
 IsDropped 27  
 IsEnabled 27

## - J -

job\_id 36

## - K -

key\_algorithm 29  
 KeyType 15

## - L -

Last Use Duration (ms) 8  
 Last Use End 8  
 Last Use Start 8

LAST\_ALTERED 18  
 last\_family\_number 29  
 last\_lsn 29  
 last\_media\_number 29  
 last\_recovery\_fork\_guid 29  
 last\_run\_date 39  
 last\_update\_date 34  
 LAST\_USE\_DURATION\_MS 8  
 LAST\_USE\_END\_UTC 8  
 LAST\_USE\_START\_UTC 8  
 lastrun 25  
 level\_name 39  
 Literal Prefix 7, 14  
 Literal Suffix 7, 14  
 LITERAL\_PREFIX 7, 14  
 LITERAL\_SUFFIX 7, 14  
 logical\_device\_name 28  
 logical\_name 27  
 logmarkhistory 32  
 log-native-calls-to-disk 2  
 log-native-calls-to-trace 2  
 low 24, 26  
 lsn 32  
 lstart 25

## - M -

machine\_name 29  
 ManagedBackupVersion 27  
 mandate\_database\_subscriptions 37  
 mark\_name 32  
 mark\_time 32  
 max\_length 20  
 Maximum Scale 7, 14  
 MAXIMUM\_SCALE 7, 14  
 maximum-length-identifiers 2  
 maximum-number-of-pooled-connections 2  
 maximum-sleep-acquire-pooled-connection-ms 2  
 maximum-sleep-acquire-unpooled-connection-ms 2  
 max-url-length-accepted 2  
 max-url-length-desired 2  
 media\_count 28  
 media\_family\_count 29  
 media\_family\_id 28  
 media\_set\_id 28, 29  
 media\_uuid 29  
 MEMBER\_DEFAULT 19  
 MEMBER\_NAME 19  
 Metadata Collections 5  
 MetaDataCollections 16  
 Minimum Scale 7, 14

MINIMUM\_SCALE 7, 14  
 minimum-command-timeout-sec 2  
 minimum-connection-timeout-sec 2  
 mirror 28  
 mirror\_count 29  
 modified\_by 35, 36  
 mssql 1  
 MTF\_major\_version 29  
 mtf\_minor\_version 29

## - N -

name 24, 26, 29, 35, 36, 37  
 Native Data Type 7, 14  
 Native Platform Scalar Requests 22  
 NATIVE\_DATA\_TYPE 7, 14  
 NATIVEPLATFORMSCALARREQUESTS 22  
 npt 22  
 number 26  
 Number of Identifier Parts 5  
 Number of Restrictions 5  
 Number of Times Used 8  
 number\_of\_attempts 31  
 NUMBER\_OF\_IDENTIFIER\_PARTS 5  
 NUMBER\_OF\_RESTRICTIONS 5  
 NumberOfIdentifierParts 16  
 NumberOfRestrictions 16  
 NUMERIC\_PRECISION 10, 11, 17, 19  
 NUMERIC\_PRECISION\_RADIX 10, 11, 17, 19  
 NUMERIC\_SCALE 10, 11, 17, 19

## - O -

obj\_name 35  
 object\_set\_id 36, 40  
 object\_set\_name 36  
 ON\_CLOSE\_SQL\_DURATION\_MS 8  
 ON\_CLOSE\_SQL\_START\_UTC 8  
 ON\_CLOSE\_SQL\_STATEMENT 8  
 ON\_OPEN\_SQL\_DURATION\_MS 8  
 ON\_OPEN\_SQL\_START\_UTC 8  
 ON\_OPEN\_SQL\_STATEMENT 8  
 on-close-sql 2  
 on-open-sql 2  
 open-connection-interval-sec 2  
 open-connection-retries 2  
 operation\_id 31  
 Order by Columns in Select 6, 13  
 ORDER\_BY\_COLUMNS\_IN\_SELECT 6, 13  
 ORDINAL\_POSITION 10, 11, 15, 17, 19

ORIG\_SYSTEM\_GROUP 22  
 ORIG\_SYSTEM\_REFERENCE 22  
 Original System Group 22  
 Original System Reference 22

## - P -

pack\_errors 25  
 pack\_received 25  
 pack\_sent 25  
 page\_id 34  
 page\_size 27  
 Parameter Marker Format 6, 13  
 Parameter Marker Pattern 6, 13  
 Parameter Name 9, 19  
 Parameter Name Maximum Length 6, 13  
 Parameter Name Pattern 6, 13  
 PARAMETER\_MARKER\_FORMAT 6, 13  
 PARAMETER\_MARKER\_PATTERN 6, 13  
 PARAMETER\_MODE 17  
 PARAMETER\_NAME 9, 17, 19  
 PARAMETER\_NAME\_MAX\_LENGTH 6, 13  
 PARAMETER\_NAME\_PATTERN 6, 13  
 partition-slot-based-rate-limit-length-ms 2  
 partition-slot-based-rate-limit-slots 2  
 Payload 22  
 PAYLOAD\_TEXT 22  
 performed\_seeding 31  
 Permission\_set\_desc 20  
 phyname 24  
 physical\_block\_size 28  
 physical\_device\_name 28  
 physical\_drive 27  
 physical\_name 27  
 policy\_category\_id 36, 37  
 policy\_category\_subscription\_id 37  
 policy\_id 36, 38, 39  
 Pooled Connections 8  
 pooled-connection-monitor-interval-sec 2  
 pooled-connection-release-obsolete-interval-sec 2  
 PooledConnections 8  
 pooled-connections-monitoring 2  
 Population Mechanism 5  
 Population String 5  
 POPULATION\_MECHANISM 5  
 POPULATION\_STRING 5  
 position 29  
 preferred-number-of-pooled-connections 2  
 prefix-bind-variable-in-list 2  
 prefix-bind-variable-normal 2  
 prefix-renamed-columns 2

pre-request-delay-ms 2  
 Previous Context Descriptions 8  
 PREVIOUS\_CONTEXT\_DESCRIPTIONS 8  
 ProcedureParameters 17  
 Procedures 18  
 Product Name 6, 13  
 Product Version 6, 13  
 Product Version Normalized 6, 13  
 PRODUCT\_NAME 6, 13  
 PRODUCT\_VERSION 6, 13  
 PRODUCT\_VERSION\_NORMALIZED 6, 13  
 Provider Database Type 7, 14  
 PROVIDER\_DB\_TYPE 7, 14  
 public\_key 20

## - Q -

Quoted Identifier Case 6, 13  
 Quoted Identifier Pattern 6, 13  
 QUOTED\_IDENTIFIER\_CASE 6, 13  
 QUOTED\_IDENTIFIER\_PATTERN 6, 13

## - R -

read\_only\_isn 27  
 read\_write\_isn 27  
 recovery 33  
 recovery\_model 29  
 replace 33  
 requested-page-size 2  
 requests-parallel-max 2  
 ReservedWord 18  
 ReservedWords 18  
 Response Cache Maximum Age (sec) 22  
 restart 33  
 restore\_date 33  
 restore\_history\_id 32, 33  
 restore\_type 33  
 restorefile 32  
 restorefilegroup 33  
 restorehistory 33  
 Restriction Default 9, 19  
 Restriction Name 9, 19  
 Restriction Number 9, 19  
 RESTRICTION\_DEFAULT 9, 19  
 RESTRICTION\_NAME 9, 19  
 RESTRICTION\_NUMBER 9, 19  
 Restrictions 9, 19  
 result 38, 39  
 Result BLOB 22



Result Text 22  
 RESULT\_BLOB 22  
 result\_detail 38  
 RESULT\_TEXT 22  
 RetentionPeriod 27  
 root\_condition\_id 36  
 ROUTINE\_CATALOG 18  
 ROUTINE\_NAME 18  
 ROUTINE\_SCHEMA 18  
 ROUTINE\_TYPE 18  
 Run without Actions 22

## - S -

Save HTTP Disk Cache 22  
 Save HTTP Memory Cache 22  
 schedule\_uid 36  
 SchedulingOption 27  
 Schema 5, 7, 9, 14, 19  
 SCHEMA\_NAME 5, 7, 9, 14, 19  
 segmap 25  
 Server Version 8  
 server\_name 29  
 SERVER\_VERSION 8  
 sizepg 25  
 slot-based-rate-limit-length-ms 2  
 slot-based-rate-limit-slots 2  
 software\_build\_version 29  
 software\_major\_version 29  
 software\_minor\_version 29  
 software\_name 29  
 software\_vendor\_id 29  
 sort\_order 29  
 source\_file\_block\_size 27  
 SPECIFIC\_CATALOG 17, 18  
 SPECIFIC\_NAME 17, 18  
 SPECIFIC\_SCHEMA 17, 18  
 spt\_fallback\_db 24  
 spt\_fallback\_dev 24  
 spt\_fallback\_usg 25  
 spt\_monitor 25  
 spt\_values 26  
 SQL On Close Duration (ms) 8  
 SQL On Close Start (UTC) 8  
 SQL On Open Duration (ms) 8  
 SQL On Open Start (UTC) 8  
 SQL On Open Statement 8  
 SQL Server 1, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 25, 26, 27, 28, 29, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40  
 SqlServer 1

standardize-identifiers 2  
 standardize-identifiers-casing 2  
 Start Date 22  
 start\_date 38  
 start\_time 31  
 state 27  
 state\_desc 27  
 Statement Separator Pattern 6, 13  
 STATEMENT\_SEPARATOR\_PATTERN 6, 13  
 status 24, 26  
 stop\_at 33  
 stop\_at\_mark\_name 33  
 stop\_before 33  
 String Literal Pattern 6, 13  
 STRING\_LITERAL\_PATTERN 6, 13  
 StructuredTypeMembers 19  
 Successful 22  
 SUCCESSFUL 22  
 Supported Join Operators 6, 13  
 SUPPORTED\_JOIN\_OPERATORS 6, 13  
 suspect\_pages 34  
 sysdac\_instances 34  
 syspolicy\_conditions 35  
 syspolicy\_configuration 35  
 syspolicy\_object\_sets 36  
 syspolicy\_policies 36  
 syspolicy\_policy\_categories 37  
 syspolicy\_policy\_category\_subscriptions 37  
 syspolicy\_policy\_execution\_history 38  
 syspolicy\_policy\_execution\_history\_details 38  
 syspolicy\_system\_health\_state 39  
 syspolicy\_target\_set\_levels 39  
 syspolicy\_target\_sets 40

## - T -

TABLE\_CATALOG 10, 11, 15, 16, 20, 21, 22  
 TABLE\_NAME 10, 11, 15, 16, 20, 21, 22  
 TABLE\_SCHEMA 10, 11, 15, 16, 20, 21, 22  
 TABLE\_TYPE 20  
 Tables 20  
 target\_object 37  
 target\_query\_expression 38, 39  
 target\_query\_expression\_with\_id 39  
 target\_set\_id 39, 40  
 target\_set\_level\_id 39  
 target\_type 37  
 time\_zone 29  
 Timeout (sec) 22  
 TIMEOUT\_SEC 22  
 total\_errors 25

total\_read 25  
total\_write 25  
Transaction ID 22  
TRANSACTION\_ID 22  
type 26, 29, 40  
Type Name 7, 14  
TYPE\_CATALOG 19  
type\_desc 16  
type\_name 7, 14, 19, 34  
TYPE\_SCHEMA 19  
type\_skeleton 39, 40  
type\_stream 34  
type\_version 34  
xfallback\_low 24  
xfallback\_vstart 25  
xserver\_name 24, 25

## - U -

udt\_name 20  
uid 21  
unicode\_compare\_style 29  
unicode\_locale 29  
updatedate 21  
URL 22  
Usage (%) 8  
USAGE\_PERCENTAGE 8  
Use HTTP Disk Cache 22  
Use HTTP Memory Cache 22  
user\_name 21, 29, 32, 33  
UserDefinedTypes 20  
Users 21

## - V -

version 24  
version\_build 20  
version\_major 20  
version\_minor 20  
version\_revision 20  
VIEW\_CATALOG 21  
VIEW\_NAME 21  
VIEW\_SCHEMA 21  
ViewColumns 21  
Views 22  
vstart 25

## - X -

xdtm\_ins 24, 25  
xdtm\_last\_ins\_upd 24, 25  
xfallback\_dbid 24  
xfallback\_drive 24



# *invantive* the **SQL** company

Invantive B.V.  
Biesteweg 11  
3849 RD Hierden  
the Netherlands

Tel: +31 88 00 26 500  
Fax: +31 84 22 58 178  
info@invantive.com  
invantive.com

IBAN NL25 BUNQ 2098 2586 07  
Chamber of Industry and Commerce  
13031406  
VAT NL812602377B01  
RSIN 8122602377  
Managing Director: Guido Leenders  
Registered office: Roermond