



AFAS Online Data Model

for use with Invantive SQL

23.0



Auteursrecht

(C) Copyright 2004-2023 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Alle rechten voorbehouden. Niets uit deze uitgave mag worden vervoelvoudigd, opgeslagen in een geautomatiseerd gegevensbestand, of openbaar gemaakt, in enige vorm of op enige wijze, hetzij elektronisch, mechanisch, door fotokopieën, opnamen, of enig andere manier, zonder voorafgaande schriftelijke toestemming van de uitgever.

Ondanks alle aan de samenstelling van deze tekst bestede zorg, kan noch de schrijver noch de uitgever aansprakelijkheid aanvaarden voor eventuele schade, die zou kunnen voortvloeien uit enige fout, die in deze uitgave zou kunnen voorkomen.

Deze handleiding is een naslagwerk bedoeld om het gebruik te verduidelijken. Indien gegevens in de voorbeeldafbeeldingen overeenkomen met gegevens in uw systeem, dan is de overeenkomst toevallig.

Belangrijke Informatie over Veiligheid en Gebruik

Beoogd gebruik en beperkingen: Deze software, ontwikkeld door Invantive, is ontworpen om een verscheidenheid aan zakelijke en informatietechnologische gegevensverwerkingsfuncties te ondersteunen, zoals boekhouding, financiële rapportage en verkooprapportage. Het is belangrijk om op te merken dat deze software niet is ontworpen, getest of goedgekeurd voor gebruik in omgevingen waar een storing of defect kan leiden tot levensbedreigende situaties, ernstige fysieke schade of milieuschade. Dit omvat, maar is niet beperkt tot:

- Nucleaire faciliteiten: de software mag niet worden gebruikt voor operaties of functies die verband houden met de controle, het onderhoud of de werking van nucleaire faciliteiten.
- Defensie en militaire toepassingen: deze software is niet geschikt voor gebruik in defensiegerelateerde toepassingen, inclusief maar niet beperkt tot wapenbeheer, militaire strategieplanning of andere aspecten van nationale defensie.
- Luchtvaart: de software is niet bedoeld voor gebruik in de bediening, navigatie of communicatiesystemen van vliegtuigen of luchtverkeersleidingomgevingen.
- Gezondheidszorg en medicijnproductie: deze software mag niet worden gebruikt voor de werking van medische apparaten, de analyse van patiëntgegevens voor kritieke gezondheidsbeslissingen, farmaceutische productie of medisch onderzoek waarbij een storing of defect de gezondheid van de patiënt kan beïnvloeden.
- Verwerking van chemische en/of gevaarlijke stoffen: deze software is niet bedoeld voor het beheer, de controle of de operationele aspecten van chemische fabrieken of faciliteiten voor de verwerking van chemische en/of gevaarlijke stoffen. Elke storing in de software die in deze omgevingen wordt gebruikt kan leiden tot gevaarlijke chemische lozingen, explosies of milieurampen.
- Transport- en verkeerscontrolesystemen: de software mag niet worden gebruikt voor de besturing, bediening of het beheer van transportsystemen, waaronder de besturing van spoorwegsignalen, metrosystemen of verkeerslichten. Storingen in dergelijke kritieke systemen kunnen tot ernstige ongelukken leiden en de openbare veiligheid in gevaar brengen.
- Energienetwerk- en nutsbesturingssystemen: deze software is niet ontworpen voor de besturing of bediening van energienetwerksystemen, waaronder elektrische onderstations, besturingssystemen voor hernieuwbare energie of besturingssystemen van waternutsbedrijven. Het falen van software op deze gebieden kan leiden tot aanzienlijke stroomonderbrekingen, onderbrekingen in de watervoorziening of andere storingen in openbare voorzieningen, waardoor gemeenschappen in gevaar kunnen komen en grote schade kan worden aangericht.
- Andere omgevingen met een hoog risico: alle andere kritieke infrastructuren en omgevingen waar een storing in de software kan leiden tot aanzienlijke schade aan personen of het milieu.

Gebruikersverantwoordelijkheid: gebruikers moeten ervoor zorgen dat ze het beoogde gebruik van de software begrijpen en de software niet gebruiken in een omgeving die buiten het beoogde doel valt. Het is de verantwoordelijkheid van de gebruiker om de geschiktheid van de software voor de beoogde toepassing te beoordelen, vooral in scenario's die een risico kunnen vormen voor leven, gezondheid en/of milieu.

Afwijzing van aansprakelijkheid: Invantive wijst elke verantwoordelijkheid af voor schade, letsel of wettelijke gevolgen die voortvloeien uit het gebruik of misbruik van deze software in verboden en/of onbedoelde toepassingen.

Inhoud

1	Provider AfasOnline: AFAS Online accounting.	1
2	Catalog: AfasOnline	7
2.1	Schemas	7
2.1.1	Schema: FileConnector	7
2.1.2	Schema: GetConnector	8
2.1.3	Schema: ImageConnector	212
2.1.4	Schema: ReportConnector	213
2.1.5	Schema: SubjectConnector	214
2.1.6	Schema: VersionConnector	215
	Index	216

1 Provider AfasOnline: AFAS Online accounting.

AFAS Online accounting.

Code for use in settings.xml: AfasOnline

Alias: afasonline

Abbreviation: aon

Status: Production

Available in Editions: Paid

String-comparison is Case-sensitive: true

Use Catalog in Full Name: true

Use Schema in Full Name: true

Updated: 07-10-2019 20:50 using Invantive SQL version 17.33.149-BETA+2365.

Technical Documentation: https://static-kb.afas.nl/datafiles/help/2_9_7/SE/NL/index.htm#App_Conect.htm

Documentation

Authentication

Authentication can be done using using a token and subscription number. The token contains both user identification, connector identification as well as environment associated with the subscription.

An API token for cobination of user, connector and environment can be generated from the AFAS Online menu: 'Administration' > 'App Connector' > 'app name' > 'User Tokens', as described on https://static-kb.afas.nl/datafiles/help/2_9_7/SE/NL/index.htm#App_Cnr_Rest_Appcon.htm.

Provider Attributes

The following provider attributes are available for AfasOnline:

Code	Description	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Provide rs File	Set from Log On
environment-type	Empty for production, use 'accept' or 'test' for Acceptance and Test.		✓		✓	✓
subscription	{res:itgen_aoe_subscription_number_description}		✓		✓	✓
api-url	URL to access the API.		✓		✓	
download-error-400-bad-request-max-tries	Maximum number of tries when Akamai reports that the API server is unavailable during retrieval of data.	30	✓	✓	✓	
download-error-400-bad-request-sleep-initial-ms	Initial sleep in milliseconds between retries when Akamai reports that the API server is unavailable during retrieval of data.	5000	✓	✓	✓	

Code	Description	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Providers File	Set from Log On
dow nload-error-400-bad-request-sleep-max-ms	Maximum sleep in milliseconds between retries when Akamai reports that the API server is unavailable during retrieval of data.	60000	✓	✓	✓	
dow nload-error-400-bad-request-sleep-multiplicator	Multiplication factor for sleep between retries Akamai reports that the API server is unavailable during retrieval of data.	2	✓	✓	✓	
dow nload-error-429-too-many-requests-max-tries	Maximum number of tries when the website reports that too many requests have been made during a timeslot of one minute or one day.	10	✓	✓	✓	
dow nload-error-429-too-many-requests-sleep-initial-ms	Initial sleep in milliseconds between retries when the website reports that too many requests have been made during a timeslot of one minute or one day.	5000	✓	✓	✓	
dow nload-error-429-too-many-requests-sleep-max-ms	Maximum sleep in milliseconds between retries when the website reports that too many requests have been made during a timeslot of one minute or one day.	60000	✓	✓	✓	
dow nload-error-429-too-many-requests-sleep-multiplicator	Multiplication factor for sleep between retries when the website reports that too many requests have been made during a timeslot of one minute or one day.	2	✓	✓	✓	
dow nload-error-503-server-unavailable-max-tries	Maximum number of tries when Akamai reports that the API server is unavailable during retrieval of data.	30	✓	✓	✓	
dow nload-error-503-server-unavailable-sleep-initial-ms	Initial sleep in milliseconds between retries when Akamai reports that the API server is unavailable during retrieval of data.	5000	✓	✓	✓	
dow nload-error-503-server-unavailable-sleep-max-ms	Maximum sleep in milliseconds between retries when Akamai reports that the API server is unavailable during retrieval of data.	60000	✓	✓	✓	
dow nload-error-503-server-unavailable-sleep-multiplicator	Multiplication factor for sleep between retries Akamai reports that the API server is unavailable during retrieval of data.	2	✓	✓	✓	
dow nload-error-504-gateway-timeout-max-tries	Maximum number of tries when the website reports a gateway timeout.	10	✓	✓	✓	
dow nload-error-504-gateway-timeout-sleep-initial-ms	Initial sleep in milliseconds between retries when the website reports a gateway timeout.	5000	✓	✓	✓	
dow nload-error-504-gateway-timeout-sleep-max-ms	Maximum sleep in milliseconds between retries when the website reports a gateway timeout.	60000	✓	✓	✓	
dow nload-error-504-gateway-timeout-sleep-multiplicator	Multiplication factor for sleep between retries when the website reports a gateway timeout.	2	✓	✓	✓	
dow nload-error-argument-exception-	Maximum number of tries when an argument exception is returned when	10	✓	✓	✓	

Code	Description	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Providers File	Set from Log On
max-tries	dow nloading a blob.					
dow nload-error-argument-exception-sleep-initial-ms	Initial sleep in milliseconds betw een retries w hen an argument exception is returned w hen dow nloading a blob.	1000	✓	✓	✓	
dow nload-error-argument-exception-sleep-max-ms	Maximum sleep in milliseconds betw een retries w hen an argument exception is returned w hen dow nloading a blob.	60000	✓	✓	✓	
dow nload-error-argument-exception-sleep-multiplicator	Multiplication factor for sleep betw een retries w hen an argument exception is returned w hen dow nloading a blob.	2	✓	✓	✓	
dow nload-error-internet-dow n-max-tries	Maximum number of tries w hen the Internet connection seems dow n during retrieval of data.	10	✓	✓	✓	
dow nload-error-internet-dow n-sleep-initial-ms	Initial sleep in milliseconds betw een retries w hen the Internet connection seems dow n during retrieval of data.	10000	✓	✓	✓	
dow nload-error-internet-dow n-sleep-max-ms	Maximum sleep in milliseconds betw een retries w hen the Internet connection seems dow n during retrieval of data.	60000	✓	✓	✓	
dow nload-error-internet-dow n-sleep-multiplicator	Multiplication factor for sleep betw een retries w hen the Internet connection seems dow n during retrieval of data.	2	✓	✓	✓	
dow nload-error-io-exception-max-tries	Maximum number of tries w hen a netw ork I/O connection failure occurs during retrieval of data.	10	✓	✓	✓	
dow nload-error-io-exception-sleep-initial-ms	Initial sleep in milliseconds betw een retries w hen a netw ork I/O connection failure occurs during retrieval of data.	10000	✓	✓	✓	
dow nload-error-io-exception-sleep-max-ms	Maximum sleep in milliseconds betw een retries w hen a netw ork I/O connection failure occurs during retrieval of data.	60000	✓	✓	✓	
dow nload-error-io-exception-sleep-multiplicator	Multiplication factor for sleep betw een retries w hen a netw ork I/O connection failure occurs during retrieval of data.	2	✓	✓	✓	
dow nload-error-json-exception-max-tries	Maximum number of tries w hen an invalid JSON body is returned.	3	✓	✓	✓	
dow nload-error-json-exception-sleep-initial-ms	Initial sleep in milliseconds betw een retries w hen an invalid JSON body is returned.	1000	✓	✓	✓	
dow nload-error-json-exception-sleep-max-ms	Maximum sleep in milliseconds betw een retries w hen an invalid JSON body is returned.	10000	✓	✓	✓	
dow nload-error-json-exception-sleep-multiplicator	Multiplication factor for sleep betw een retries w hen an invalid JSON body is returned.	2	✓	✓	✓	
dow nload-error-other-exception-max-tries	Maximum number of tries w hen an unqualified error occurs during retrieval of data.	3	✓	✓	✓	

Code	Description	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Providers File	Set from Log On
dow nload-error-other-exception-sleep-initial-ms	Initial sleep in milliseconds between retries when an unqualified error occurs during retrieval of data.	5000	✓	✓	✓	
dow nload-error-other-exception-sleep-max-ms	Maximum sleep in milliseconds between retries when an unqualified error occurs during retrieval of data.	30000	✓	✓	✓	
dow nload-error-other-exception-sleep-multiplicator	Multiplication factor for sleep between retries when an unqualified error occurs during retrieval of data.	2	✓	✓	✓	
dow nload-error-socket-exception-max-tries	Maximum number of tries when the network connection is forcibly dropped during retrieval of data.	10	✓	✓	✓	
dow nload-error-socket-exception-sleep-initial-ms	Initial sleep in milliseconds between retries when the network connection is forcibly dropped during retrieval of data.	10000	✓	✓	✓	
dow nload-error-socket-exception-sleep-max-ms	Maximum sleep in milliseconds between retries when the network connection is forcibly dropped during retrieval of data.	60000	✓	✓	✓	
dow nload-error-socket-exception-sleep-multiplicator	Multiplication factor for sleep between retries when the network connection is forcibly dropped during retrieval of data.	2	✓	✓	✓	
dow nload-error-web-exception-max-tries	Maximum number of tries when a web connection failure occurs during retrieval of data.	10	✓	✓	✓	
dow nload-error-web-exception-sleep-initial-ms	Initial sleep in milliseconds between retries when a web connection failure occurs during retrieval of data.	10000	✓	✓	✓	
dow nload-error-web-exception-sleep-max-ms	Maximum sleep in milliseconds between retries when a web connection failure occurs during retrieval of data.	60000	✓	✓	✓	
dow nload-error-web-exception-sleep-multiplicator	Multiplication factor for sleep between retries when a web connection failure occurs during retrieval of data.	2	✓	✓	✓	
dow nload-error-web-not-implemented-max-tries	Maximum number of tries when the connection reports not implemented.	1	✓	✓	✓	
dow nload-error-web-not-implemented-sleep-initial-ms	Initial sleep in milliseconds between retries when the connection reports not implemented.	5000	✓	✓	✓	
dow nload-error-web-not-implemented-sleep-max-ms	Maximum sleep in milliseconds between retries when the connection reports not implemented.	60000	✓	✓	✓	
dow nload-error-web-not-implemented-sleep-multiplicator	Multiplication factor for sleep between retries when the connection reports not implemented.	2	✓	✓	✓	
dow nload-error-web-timeout-max-tries	Maximum number of tries when the connection reports a timeout.	10	✓	✓	✓	
dow nload-error-web-timeout-sleep-initial-ms	Initial sleep in milliseconds between retries when the connection reports a timeout.	5000	✓	✓	✓	

Code	Description	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Providers File	Set from Log On
dow nload-error-w eb-timeout-sleep-max-ms	Maximum sleep in milliseconds between retries when the connection reports a timeout.	60000	✓	✓	✓	
dow nload-error-w eb-timeout-sleep-multiplicator	Multiplication factor for sleep between retries when the connection reports a timeout.	2	✓	✓	✓	
dow nload-error-w eb-unauthorized-max-tries	Maximum number of tries when the connection reports an unauthorized error.	1	✓	✓	✓	
dow nload-error-w eb-unauthorized-sleep-initial-ms	Initial sleep in milliseconds between retries when the connection reports an unauthorized error.	5000	✓	✓	✓	
dow nload-error-w eb-unauthorized-sleep-max-ms	Maximum sleep in milliseconds between retries when the connection reports an unauthorized error.	60000	✓	✓	✓	
dow nload-error-w eb-unauthorized-sleep-multiplicator	Multiplication factor for sleep between retries when the connection reports an unauthorized error.	2	✓	✓	✓	
force-case-sensitive-identifiers	Consider identifiers as case-sensitive independent of the platform capabilities.	False	✓	✓	✓	
forced-casing-identifiers	Forced casing of identifiers. Choose from Unset, Lower, Upper and Mixed.		✓	✓	✓	
http-disk-cache-compression-level	Compression level for the HTTP disk cache, ranging from 1 (little) to 9 (intense). Default is 5.	5	✓	✓	✓	
http-disk-cache-directory	Directory where HTTP cache is stored.	C:\Users\gle3\Inventive\Cache\http\gle3\shared	✓	✓	✓	
http-disk-cache-max-age-sec	Maximum acceptable age in seconds for use of data in the HTTP disk cache.	2592000	✓	✓	✓	
http-get-timeout-ms	HTTP GET timeout (ms).	300000	✓	✓	✓	
http-memory-cache-compression-level	Compression level for the HTTP memory cache, ranging from 1 (little) to 9 (intense). Default is 5.	5	✓	✓	✓	
http-memory-cache-max-age-sec	Maximum acceptable age in seconds for use of data in the HTTP memory cache.	14400	✓	✓	✓	
http-post-timeout-ms	HTTP POST timeout (ms).	300000	✓	✓	✓	
ignore-http-400-errors	Ignore HTTP 400 errors when exchanging results with the OData endpoint.	False	✓	✓	✓	
ignore-http-403-errors	Ignore HTTP 403 errors when exchanging results with the OData endpoint.	False	✓	✓	✓	
ignore-http-429-errors	Ignore HTTP 429 errors when exchanging results with the OData endpoint.	False	✓	✓	✓	
ignore-http-500-errors	Ignore HTTP 500 errors when exchanging results with the OData endpoint.	False	✓	✓	✓	
invalid-json-on-get-max-tries	Maximum number of tries when the JSON received on GET is invalid.	10	✓	✓	✓	

Code	Description	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Providers File	Set from Log On
invalid-json-on-get-sleep-initial-ms	Initial sleep in milliseconds between retries when the JSON received on GET is invalid.	10000	✓	✓	✓	
invalid-json-on-get-sleep-max-ms	Maximum sleep in milliseconds between retries when the JSON received on GET is invalid.	60000	✓	✓	✓	
invalid-json-on-get-sleep-multiplicator	Multiplication factor for sleep between retries when the JSON received on GET is invalid.	2	✓	✓	✓	
invalid-json-on-post-max-tries	Maximum number of tries when the JSON received on POST is invalid.	1	✓	✓	✓	
invalid-json-on-post-sleep-initial-ms	Initial sleep in milliseconds between retries when the JSON received on POST is invalid.	10000	✓	✓	✓	
invalid-json-on-post-sleep-max-ms	Maximum sleep in milliseconds between retries when the JSON received on POST is invalid.	60000	✓	✓	✓	
invalid-json-on-post-sleep-multiplicator	Multiplication factor for sleep between retries when the JSON received on POST is invalid.	2	✓	✓	✓	
invantive-sql-forward-filters-to-data-containers	Whether to forward filters to data containers.	True	✓	✓	✓	
invantive-sql-shuffle-fetch-results-data-containers	Whether to shuffle results fetched from data containers.	False	✓	✓	✓	
invantive-use-cache	Whether to cache the results of a query.	True	✓	✓	✓	
join-set-points-per-request	Maximum number of values in a request when executing a join set.	60	✓	✓	✓	
maximum-length-identifiers	Non-default maximum length in characters of identifier names.		✓	✓	✓	
max-url-length-accepted	The maximum accepted URL length before raising an error.	8000	✓	✓	✓	
max-url-length-desired	The maximum desired URL length.	8000	✓	✓	✓	
partition-slot-based-rate-limit-length-ms	Total length in ms across all slots of a partition-based rate limit.	60000	✓		✓	
partition-slot-based-rate-limit-slots	Number of slots per partition-based rate limit. Null means no slot-based rate limit		✓		✓	
pre-request-delay-ms	Pre-request delay in milliseconds per request.	0	✓	✓	✓	
requests-parallel-max	Maximum number of parallel data requests from individual partitions on the data container.	32	✓	✓	✓	
slot-based-rate-limit-length-ms	Total length in ms across all slots of a slot-based rate limit.	60000	✓		✓	
slot-based-rate-limit-slots	Number of slots of a slot-based rate limit. Null means no slot-based rate limit		✓		✓	

Code	Description	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Providers File	Set from Log On
standardize-identifiers	Rewrite all identifiers to the preferred standards as configured by standardize-identifiers-casing and maximum-length-identifiers.	True	✓	✓	✓	
standardize-identifiers-casing	Rewrite all identifiers to the recommended standard platform-specific casing when changing a data model on a case-dependent platform.	True	✓	✓	✓	
trace-native-calls	Trace native calls to data container backend.	False	✓	✓	✓	
use-http-disk-cache-read	Whether to use HTTP responses from previous queries stored on disk to answer the current query.	True	✓	✓	✓	
use-http-disk-cache-write	Whether to memorize HTTP responses on disk.	True	✓	✓	✓	
use-http-memory-cache-read	Whether to use HTTP responses from previous queries stored in memory that can answer the current query.	True	✓	✓	✓	
use-http-memory-cache-write	Whether to memorize HTTP responses from previous queries for use by future queries.	True	✓	✓	✓	

2 Catalog: AfasOnline

2.1 Schemas

2.1.1 Schema: FileConnector

2.1.1.1 Tables

file: Files

Name: file

Catalog: AfasOnline

Schema: FileConnector

Label: Files

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /fileconnector/{file_id}/{file_name}

Insert Service URL (OData-specific): /fileconnector/{file_id}/{file_name}

Update Service URL (OData-specific): /fileconnector/{file_id}/{file_name}

Delete Service URL (OData-specific): /fileconnector/{file_id}/{file_name}

Field Selection Method (OData-specific): NotRequired

Parameters

Name	Data Type	Required	Default Value	Documentation
file_id	guid	<input checked="" type="checkbox"/>		
file_name	string	<input checked="" type="checkbox"/>		

Table Columns

Name	Data Type	Label	Required	Documentation
filedata	byte[]	File Data	<input checked="" type="checkbox"/>	
mimetype	string	MIME Type	<input checked="" type="checkbox"/>	

2.1.2 Schema: GetConnector

2.1.2.1 Tables

AFASPocket_Activities: Activities (AFAS Pocket)

Name: AFASPocket_Activities

Catalog: AfasOnline

Schema: GetConnector

Label: Activities (AFAS Pocket)

Documentation:

AFASPocket_Activities

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/AFASPocket_Activities

Insert Service URL (OData-specific): /connectors/AFASPocket_Activities

Update Service URL (OData-specific): /connectors/AFASPocket_Activities

Delete Service URL (OData-specific): /connectors/AFASPocket_Activities

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
description	string(100)	Omschrijving		

Name	Data Type	Label	Required	Documentation
id	string(40)	Itemcode		

AFASPocket_Contacts: Contacts (AFAS Pocket)

Name: AFASPocket_Contacts

Catalog: AfasOnline

Schema: GetConnector

Label: Contacts (AFAS Pocket)

Documentation:

AFASPocket_Contacts

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/AFASPocket_Contacts

Insert Service URL (OData-specific): /connectors/AFASPocket_Contacts

Update Service URL (OData-specific): /connectors/AFASPocket_Contacts

Delete Service URL (OData-specific): /connectors/AFASPocket_Contacts

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
city	string(50)	Woonplaats		
country	string(3)	country		
customer	boolean	Verkooprelatie		
date_of_birth	datetime	Geboortedatum		
email_w erk	string(255)	E-mail werk		
firstname	string(50)	Voornaam		
gender	string(10)	Geslacht		
houzenumber	int32	Huisnummer		
houzenumber_extension	string(30)	Toev. aan huisnr.		
id	string(15)	Numer		
initials	string(15)	Voorletters		
lastname	string(80)	Achternaam		
name	string(255)	Naam		
phone_mobile	string(255)	Mobiel werk		

Name	Data Type	Label	Required	Documentation
phone_work	string(255)	Telefoonnr. werk		
position	string(50)	Omschrijving functie		
prefix	string(15)	Voorvoegsel		
street	string(60)	Straat		
type	string(100)	Soort basic contact		
updated_at	datetime	Gew ijzigt op		
website	string(255)	Website		
zipcode	string(15)	Postcode		

AFASPocket_Expense_Types: Expense Types (AFAS Pocket)

Name: AFASPocket_Expense_Types

Catalog: AfasOnline

Schema: GetConnector

Label: Expense Types (AFAS Pocket)

Documentation:

AFASPocket_Expense_Types

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/AFASPocket_Expense_Types

Insert Service URL (OData-specific): /connectors/AFASPocket_Expense_Types

Update Service URL (OData-specific): /connectors/AFASPocket_Expense_Types

Delete Service URL (OData-specific): /connectors/AFASPocket_Expense_Types

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
description	string(100)	Omschrijving		
id	string(40)	Itemcode		

AFASPocket_Illness_Reasons: Illness Reasons (AFAS Pocket)

Name: AFASPocket_Illness_Reasons

Catalog: AfasOnline

Schema: GetConnector

Label: Illness Reasons (AFAS Pocket)

Documentation:

AFASPocket_Illness_Reasons

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/AFASPocket_Illness_Reasons

Insert Service URL (OData-specific): /connectors/AFASPocket_Illness_Reasons

Update Service URL (OData-specific): /connectors/AFASPocket_Illness_Reasons

Delete Service URL (OData-specific): /connectors/AFASPocket_Illness_Reasons

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
description	string(100)	Omschrijving		
id	string(20)	Interne code		

AFASPocket_Illness_Status: Illness Statuses

Name: AFASPocket_Illness_Status

Catalog: AfasOnline

Schema: GetConnector

Label: Illness Statuses

Documentation:

AFASPocket_Illness_Status

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/AFASPocket_Illness_Status

Insert Service URL (OData-specific): /connectors/AFASPocket_Illness_Status

Update Service URL (OData-specific): /connectors/AFASPocket_Illness_Status

Delete Service URL (OData-specific): /connectors/AFASPocket_Illness_Status

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
description	string(100)	Type verzuim		
end_datetime	datetime	Einddatum/-tijd		
expected_end_datetime	datetime	Verwachte einddatum		
Identity	int32	Identity		
start_datetime	datetime	Begindatum/-tijd		
username	string(15)	Medewerker		

AFASPocket_Leave_Balance: Leave Balances

Name: AFASPocket_Leave_Balance

Catalog: AfasOnline

Schema: GetConnector

Label: Leave Balances

Documentation:

AFASPocket_Leave_Balance

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/AFASPocket_Leave_Balance

Insert Service URL (OData-specific): /connectors/AFASPocket_Leave_Balance

Update Service URL (OData-specific): /connectors/AFASPocket_Leave_Balance

Delete Service URL (OData-specific): /connectors/AFASPocket_Leave_Balance

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
balance_days	decimal	Saldo (dagen)		
balance_hours	decimal	Saldo		
leave_type	string(100)	Type verlof		
username	string(15)	Medewerker		
year	int32	Boekjaar		

AFASPocket_Leave_Reasons: Leave Reasons

Name: AFASPocket_Leave_Reasons

Catalog: AfasOnline

Schema: GetConnector

Label: Leave Reasons

Documentation:

AFASPocket_Leave_Reasons

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/AFASPocket_Leave_Reasons

Insert Service URL (OData-specific): /connectors/AFASPocket_Leave_Reasons

Update Service URL (OData-specific): /connectors/AFASPocket_Leave_Reasons

Delete Service URL (OData-specific): /connectors/AFASPocket_Leave_Reasons

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
description	string(100)	Omschrijving		
id	string(20)	Interne code		

AFASPocket_Leave_Types: Leave Types

Name: AFASPocket_Leave_Types

Catalog: AfasOnline

Schema: GetConnector

Label: Leave Types

Documentation:

AFASPocket_Leave_Types

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/AFASPocket_Leave_Types

Insert Service URL (OData-specific): /connectors/AFASPocket_Leave_Types

Update Service URL (OData-specific): /connectors/AFASPocket_Leave_Types

Delete Service URL (OData-specific): /connectors/AFASPocket_Leave_Types

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
description	string(100)	Type verlof		
id	string(20)	Code		

AFASPocket_Leaves: Leaves

Name: AFASPocket_Leaves

Catalog: AfasOnline

Schema: GetConnector

Label: Leaves

Documentation:

AFASPocket_Leaves

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/AFASPocket_Leaves

Insert Service URL (OData-specific): /connectors/AFASPocket_Leaves

Update Service URL (OData-specific): /connectors/AFASPocket_Leaves

Delete Service URL (OData-specific): /connectors/AFASPocket_Leaves

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
comment	string	comment		
employment_id	int32	Dienstverband		
end_time	datetime	Einddatum/-tijd		
leave_reason_id	string(20)	leave_reason_id		

Name	Data Type	Label	Required	Documentation
leave_type_id	string(20)	leave_type_id		
mutation_id	string(32)	Mutatie-Id		
start_time	datetime	Begindatum/-tijd		
status_code	string(20)	Codetabelw aarde code		
user_id	string(15)	Medew erker		

AFASPocket_Projects: Projects (AFAS Pocket)

Name: AFASPocket_Projects

Catalog: AfasOnline

Schema: GetConnector

Label: Projects (AFAS Pocket)

Documentation:

AFASPocket_Projects

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/AFASPocket_Projects

Insert Service URL (OData-specific): /connectors/AFASPocket_Projects

Update Service URL (OData-specific): /connectors/AFASPocket_Projects

Delete Service URL (OData-specific): /connectors/AFASPocket_Projects

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
client_id	string(15)	Nummer		
end_date	datetime	Werkelijke datum gereed		
finished	boolean	Afgemeld		
project_billable	boolean	Verkooprelatie		
project_id	string(15)	Project		
project_name	string(100)	Omschrijving		

AFASPocket_Timesheets: Timesheets

Name: AFASPocket_Timesheets

Catalog: AfasOnline

Schema: GetConnector

Label: Timesheets

Documentation:

AFASPocket_Timesheets

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/AFASPocket_Timesheets

Insert Service URL (OData-specific): /connectors/AFASPocket_Timesheets

Update Service URL (OData-specific): /connectors/AFASPocket_Timesheets

Delete Service URL (OData-specific): /connectors/AFASPocket_Timesheets

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
activity_id	string(40)	Itemcode		
date	datetime	Datum		
id	int32	Regelnummer		
Medew erker	string(15)	Medew erker		
project_id	string(15)	Project		
quantity	decimal	Aantal		

AFASPocket_User: Users

Name: AFASPocket_User

Catalog: AfasOnline

Schema: GetConnector

Label: Users

Documentation:

AFASPocket_User

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/AFASPocket_User

Insert Service URL (OData-specific): /connectors/AFASPocket_User

Update Service URL (OData-specific): /connectors/AFASPocket_User

Delete Service URL (OData-specific): /connectors/AFASPocket_User

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
blocked	boolean	Geblokkeerd		
city	string(50)	Woonplaats		
city_w_ork	string(50)	Woonplaats w erk		
country	string(3)	Land		
country_w_ork	string(3)	Land w erk		
date_of_birth	datetime	Geboortedatum		
email_w_ork	string(255)	E-mail w erk		
employer	string(255)	Naam w erkgever		
employment_id	int32	Dienstverband		
firstname	string(50)	Voornaam		
gender	string(100)	Geslacht		
given_name	string(80)	Roepnaam		
hounumber	int32	Huisnummer		
hounumber_extension	string(30)	Toev. aan huisnr.		
hounumber_extension_w_ork	string(30)	Huisnummer toev w erk		
hounumber_w_ork	int32	Huisnummer w erk		
id	string(15)	Medew erker		
initials	string(15)	Voorletters		
lastname	string(80)	Achternaam		
mobile_private	string(255)	Mobiel privé		
mobile_w_ork	string(255)	Mobiel w erk		
phone_private	string(255)	Telefoonnr. privé		
phone_w_ork	string(255)	Telefoonnr. w erk		
position	string(80)	Functie (vertaalde omschrijving)		
postalcode_w_ork	string(15)	Postcode w erk		
prefix	string(15)	Voorvoegsel		
street	string(60)	Straat		
street_w_ork	string(60)	Straat w erk		

Name	Data Type	Label	Required	Documentation
username	string(80)	Gebruiker		
zipcode	string(15)	Postcode		

ALT_NL_Refresh: itgen_aoe_alt_nl_refresh

Name: ALT_NL_Refresh

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_alt_nl_refresh

Documentation:

Used by the InspHire ALT for NL refresh

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/ALT_NL_Refresh

Insert Service URL (OData-specific): /connectors/ALT_NL_Refresh

Update Service URL (OData-specific): /connectors/ALT_NL_Refresh

Delete Service URL (OData-specific): /connectors/ALT_NL_Refresh

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
AcctNo	string(16)	Rekeningnummer		
Description	string(50)	Omschrijving		

ALT_PL_Refresh: itgen_aoe_alt_pl_refresh

Name: ALT_PL_Refresh

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_alt_pl_refresh

Documentation:

Used by the InspHire ALT for PL refresh

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/ALT_PL_Refresh

Insert Service URL (OData-specific): /connectors/ALT_PL_Refresh

Update Service URL (OData-specific): /connectors/ALT_PL_Refresh

Delete Service URL (OData-specific): /connectors/ALT_PL_Refresh

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
AddressLine1	string(255)	Adresregel 1 (straat - huisnr)		
AddressLine2	string(255)	Adresregel 2 (toevoeging)		
AddressLine3	string(50)	Woonplaats		
AddressLine4	string(40)	Land		
Code	string(16)	Nummer crediteur		
Contact	string(255)	Naam		
CreditLimit	decimal	Kredietlimiet		
DueDays	int32	Aantal dagen		
Email	string(255)	E-mail werk		
FaxNumber	string(255)	Fax werk		
Memo	string	Opmerking		
Name	string(80)	Crediteurnaam		
OnStop	boolean	Tijdelijk blokkeren		
PhoneNumber	string(255)	Telefoonnr. werk		
PostCode	string(15)	Postcode		
ShortName	string(10)	Zoeknaam		
VatCode	string(3)	VatCode		

ALT_PL_Refresh_GetBalance: itgen_aoe_alt_pl_refresh_getbalance

Name: ALT_PL_Refresh_GetBalance

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_alt_pl_refresh_getbalance

Documentation:

Used by the InspHire ALT to get PL accounts outstanding balance

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/ALT_PL_Refresh_GetBalance

Insert Service URL (OData-specific): /connectors/ALT_PL_Refresh_GetBalance

Update Service URL (OData-specific): /connectors/ALT_PL_Refresh_GetBalance

Delete Service URL (OData-specific): /connectors/ALT_PL_Refresh_GetBalance

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
AcctCode	string(16)	Subnummer		
Balance	decimal	Balance		

ALT_SL_Refresh: itgen_aoe_alt_sl_refresh

Name: ALT_SL_Refresh

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_alt_sl_refresh

Documentation:

Used by the InspHire ALT for SL refresh

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/ALT_SL_Refresh

Insert Service URL (OData-specific): /connectors/ALT_SL_Refresh

Update Service URL (OData-specific): /connectors/ALT_SL_Refresh

Delete Service URL (OData-specific): /connectors/ALT_SL_Refresh

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
AcctMemo	string	Opmerking		
AddressLine1	string(255)	Adresregel 1 (straat - huisnr)		
AddressLine2	string(255)	Adresregel 2 (toevoeging)		
AddressLine3	string(50)	Woonplaats		
AddressLine4	string(40)	Land		
Code	string(16)	Nummer debiteur		
Contact	string(255)	Naam		
CreditLimit	decimal	Kredietlimiet		
CurrencyCode	string(3)	Valuta		
DueDays	int32	Aantal dagen		
EmailAddress	string(255)	E-mail werk		
FaxNumber	string(255)	Fax werk		
Name	string(80)	Naam debiteur		
OnStop	boolean	Geblokkeerd voor levering		
PhoneNumber	string(255)	Telefoonnr. werk		
PostCode	string(15)	Postcode		
ShortName	string(10)	Zoeknaam		
VatCode	string(3)	VatCode		
VatRegNumber	string(21)	Btw -nummer		

ALT_SL_Refresh_GetBalance: itgen_aoe_alt_sl_refresh_getbalance

Name: ALT_SL_Refresh_GetBalance

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_alt_sl_refresh_getbalance

Documentation:

Used by the InspHire ALT to get SL accounts outstanding balance

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/ALT_SL_Refresh_GetBalance

Insert Service URL (OData-specific): /connectors/ALT_SL_Refresh_GetBalance

Update Service URL (OData-specific): /connectors/ALT_SL_Refresh_GetBalance

Delete Service URL (OData-specific): /connectors/ALT_SL_Refresh_GetBalance

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
AcctCode	string(16)	Subnummer		
Balance	decimal	Balance		

Artikelen: Articles

Name: Artikelen

Catalog: AfasOnline

Schema: GetConnector

Label: Articles

Documentation:

Verkoopprijs (Rapport)

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Artikelen

Insert Service URL (OData-specific): /connectors/Artikelen

Update Service URL (OData-specific): /connectors/Artikelen

Delete Service URL (OData-specific): /connectors/Artikelen

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Artcode	string(40)	Artikel		
Artikel	string(100)	Artikelomschrijving 1		
Beschrijving	string	Beschrijving		
BTW	string(50)	BTW-code		
Groep	string(15)	ArtGrp		
Huidige_prijs	boolean	Huidige prijs		
Kleur	string(50)	Dummy tekstveld		
Maat	string(50)	Dummy tekstveld		
Merk	string(50)	Dummy tekstveld		

Name	Data Type	Label	Required	Documentation
Prijs	decimal	Verkoopprijs		
Soort	string(50)	Dummy tekstveld		

Atimo_NAW: itgen_aoe_atimo_naw

Name: Atimo_NAW

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_atimo_naw

Documentation:

Atimo NAW

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Atimo_NAW

Insert Service URL (OData-specific): /connectors/Atimo_NAW

Update Service URL (OData-specific): /connectors/Atimo_NAW

Delete Service URL (OData-specific): /connectors/Atimo_NAW

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Achternaam_partner	string(30)	Achternaam partner		
Afw ijkend_Personeelsnummer	string(15)	Personeelsnummer		
Contact_Naam	string(80)	Achternaam		
Datum_in_dienst	datetime	Datum in dienst		
Datum_uit_dienst	datetime	Datum uit dienst		
Dienstbetrekking_code	string(20)	Code dienstbetrekking		
E-mail_privé	string(255)	E-mail privé		
E-mail_werk	string(255)	E-mail werk		
Geboortedatum	datetime	Geboortedatum		
Geslacht	string(54)	Geslacht		
Huisnummer	int32	Huisnummer		
Huisnummer_toevoeging	string(30)	Toev. aan huisnr.		
Kostendrager	string(30)	Kostendrager		

Name	Data Type	Label	Required	Documentation
Kostenplaats	string(30)	Kostenplaats		
Laag_0	string(10)	Laag 0		
Laag_1	string(10)	Laag 1		
Laag_2	string(10)	Laag 2		
Laag_3	string(10)	Laag 3		
Laag_4	string(10)	Laag 4		
Laag_5	string(10)	Laag 5		
Laag_6	string(10)	Laag 6		
Laag_7	string(10)	Laag 7		
Laag_8	string(10)	Laag 8		
Laag_9	string(10)	Laag 9		
Land	string(3)	Land		
Medew erker	string(15)	Medew erker		
Medew erker_exporteren_naar_tijdregistratie	boolean	Medew erker exporteren naar tijdregistratie		
Mobiel_w erk	string(255)	Mobiel w erk		
Naamgebruik_code	string(20)	Naamgebruik code		
Omschrijving	string(50)	Omschrijving		
Org__Eenheid	string(10)	Organisatorische eenheid		
Postcode	string(15)	Postcode		
Straat	string(60)	Straat		
Telefoon_priv e	string(255)	Telefoonnr. w erk		
Telefoon_w erk	string(255)	Telefoonnr. w erk		
Voorletters	string(15)	Voorletters		
Voornaam	string(50)	Voornaam		
Voorvoegsel	string(15)	Voorvoegsel		
Voorvoegsel_partner	string(15)	Voorvoegsel partner		
Woonplaats	string(50)	Woonplaats		

Atimo_Verlof: itgen_aoe_atimo_verlof

Name: Atimo_Verlof

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_atimo_verlof

Documentation:

Atimo Verlof

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Atimo_Verlof

Insert Service URL (OData-specific): /connectors/Atimo_Verlof

Update Service URL (OData-specific): /connectors/Atimo_Verlof

Delete Service URL (OData-specific): /connectors/Atimo_Verlof

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Aantal_dagen	int32	Aantal uren		
Aantal_uren	string(20)	Aantal uren		
Actueel_salarisnummer	string(15)	Pensioennummer		
Afw ijkend_Personeelsnummer	string(15)	Personeelsnummer		
Begindatum__connector__	datetime	Begindatum (connector)		
Begintijd	string(5)	Begindatum/-tijd		
CAO_Regeling	string(15)	Medew erker		
Doortellen_in_saldo	boolean	Medew erker exporteren naar tijdregistratie		
Einddatum__connector__	datetime	Einddatum (connector)		
Eindtijd	string(5)	Einddatum/-tijd		
Medew erker	string(15)	Medew erker		
Medew erker_exporteren_naar_tijd registratie	boolean	Medew erker exporteren naar tijdregistratie		
Reden_verlof	string(100)	Reden verlof		
Reden_verlof_code	string(20)	Reden verlof code		
Verzuimomschrijving	string(100)	Verzuimomschrijving		
Verzuimomschrijving_code	string(20)	Verzuimomschrijving code		
Volgnummer__Ade__	int32	Gekoppelde verlofboeking		
Volgnummer__Atp__	int32	Gekoppelde verlofboeking		

Atimo_Ziekte: itgen_aoe_atimo_ziekte

Name: Atimo_Ziekte

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_atimo_ziekte

Documentation:

Atimo_Ziekte

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Atimo_Ziekte

Insert Service URL (OData-specific): /connectors/Atimo_Ziekte

Update Service URL (OData-specific): /connectors/Atimo_Ziekte

Delete Service URL (OData-specific): /connectors/Atimo_Ziekte

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Actie_Omschrijving	string(80)	Omschrijving		
Actiecode__connector__	int32	Actiecode (connector)		
Begindatum_tijd_Korte_notatie__	datetime	Begindatum/-tijd		
Begintijd_ziek	string(5)	Begindatum/-tijd		
Doorlopend_verzuim	boolean	Doorlopend verzuim		
Eerste__Ziektedag	datetime	Datum actie		
Gew erkte_uren_op_datum_hervatt ing	decimal	Aanw ezig laatste dag		
Hervattingsdatum	datetime	Datum hervatting		
Hervattingstijd	string(5)	Einddatum/-tijd		
Kamernummer	string(15)	Kamernummer		
Medew erker	string(15)	Medew erker		
Medew erker_exporteren_naar_tijd registratie	boolean	Medew erker exporteren naar tijdregistratie		
Meldingsdatum	datetime	Melding begin verzuim		
Meldingstijd	string(5)	Melding begin verzuim		
Met_ingang_van	datetime	Datum/tijd		
Nieuw	int32	Dienstverband		
Percentage_hervatting	decimal	% Aanw ezigheid		
Reden_ziekte	string(100)	Reden verzuim		
Reden_ziekte_code	string(20)	Reden verzuim code		
Telefoon	string(30)	Telefoonnr.		

Name	Data Type	Label	Required	Documentation
Uren_gewerkt_eerste_dag	string(15)	Medewerker		
Vermoedelijke_bevallingsdatum	datetime	Verwachte datum bevalling		
Verpleegadres_regel_1__straat_-_huisnr__	string(255)	Adresregel 1 (straat - huisnr)		
Verpleegadres_regel_2__toevoeging__	string(255)	Adresregel 2 (toevoeging)		
Verpleegadres_regel_3__postcode_-_wpl__	string(255)	Adresregel 3 (postcode - wpl)		
Verpleegadres_regel_4__land__	string(255)	Adresregel 4 (land)		
Verpleegafdeling__	string(80)	Verpleegafdeling		
Verwachte_duur_code	datetime	Verwachte einddatum		
Verzuimomschrijving_code	string(10)	Type verzuim		
Volgnummer__lpa__	int32	Dienstverband		
Volledig_hersteld	string(20)	Code hersteld code		
WAO_percentage	decimal	WAO/WIA (%)		
Werkt_nu_aantal_dagen	int32	Uren per week aanwezig		
Werkt_nu_aantal_uren	decimal	Uren per week aanwezig		

CaseWare_Administraties: Companies (CaseWare)

Name: CaseWare_Administraties

Catalog: AfasOnline

Schema: GetConnector

Label: Companies (CaseWare)

Documentation:

CaseWare administraties

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/CaseWare_Administraties

Insert Service URL (OData-specific): /connectors/CaseWare_Administraties

Update Service URL (OData-specific): /connectors/CaseWare_Administraties

Delete Service URL (OData-specific): /connectors/CaseWare_Administraties

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Administratie	int32	Administratie		
Adresregel_1__straat_-_huisnr_	string(59)	Adresregel 1 (straat - huisnr)		
Adresregel_2__toevoeging_	string(59)	Adresregel 2 (toevoeging)		
Adresregel_3__postc_-_w pl_	string(59)	Adresregel 3 (postc - w pl)		
Adresregel_4__land_	string(59)	Adresregel 4 (land)		
Contactpersoon	string(50)	Contactpersoon		
Fax	string(80)	Fax		
Kix_coderegel	string(18)	KIX-coderegel		
Naam	string(80)	Naam		
Telefoon	string(80)	Telefoonnr.		

CaseWare_Dagboeken: itgen_aoe_caseware_dagboeken

Name: CaseWare_Dagboeken

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_caseware_dagboeken

Documentation:

CaseWare dagboeken

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/CaseWare_Dagboeken

Insert Service URL (OData-specific): /connectors/CaseWare_Dagboeken

Update Service URL (OData-specific): /connectors/CaseWare_Dagboeken

Delete Service URL (OData-specific): /connectors/CaseWare_Dagboeken

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Administratie	int32	Administratie		
Administratiecode	string(10)	Administratie		

Name	Data Type	Label	Required	Documentation
Dagboekcode	string(6)	Code dagboek		
Dagboeksoort_code	string(20)	Dagboeksoort code		
Omschrijving	string(50)	Omschrijving		

CaseWare_Jaarsaldi: itgen_aoe_caseware_jaarsaldi

Name: CaseWare_Jaarsaldi

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_caseware_jaarsaldi

Documentation:

CaseWare jaarsaldi incl. beginbalans

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/CaseWare_Jaarsaldi

Insert Service URL (OData-specific): /connectors/CaseWare_Jaarsaldi

Update Service URL (OData-specific): /connectors/CaseWare_Jaarsaldi

Delete Service URL (OData-specific): /connectors/CaseWare_Jaarsaldi

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Administratie	int32	Administratie		
Beginbalans	decimal	Bedrag		
Budget	decimal	Creditsaldo periode		
Credit_periodesaldo	decimal	Creditsaldo periode		
D_C_boeking_code	string(20)	D/C boeking code		
Debet_periodesaldo	decimal	Debetsaldo periode		
Grootboekrekeningnummer	string(16)	Grootboekrekeningnummer		
Jaar	int32	Jaar		
Omschrijving	string(50)	Omschrijving		
Rekeningtype_code	string(20)	Rekeningtype code		
Saldo	decimal	Creditsaldo periode		

CaseWare_LedgerBalances: Balances (CaseWare)

Name: CaseWare_LedgerBalances

Catalog: AfasOnline

Schema: GetConnector

Label: Balances (CaseWare)

Documentation:

CaseWare ledger balances incl. opening balance

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/CaseWare_LedgerBalances

Insert Service URL (OData-specific): /connectors/CaseWare_LedgerBalances

Update Service URL (OData-specific): /connectors/CaseWare_LedgerBalances

Delete Service URL (OData-specific): /connectors/CaseWare_LedgerBalances

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Administratie	int32	Administratie		
Beginbalans	decimal	Bedrag		
Budget	decimal	Creditsaldo periode		
Credit_periodesaldo	decimal	Creditsaldo periode		
D_C_boeking_code	string(20)	D/C boeking code		
Debet_periodesaldo	decimal	Debetsaldo periode		
Grootboekrekeningnummer	string(16)	Grootboekrekeningnummer		
Jaar	int32	Jaar		
Omschrijving	string(50)	Omschrijving		
Rekeningtype_code	string(20)	Rekeningtype code		
Saldo	decimal	Creditsaldo periode		

CaseWare_Perioden: Periods (CaseWare)

Name: CaseWare_Perioden

Catalog: AfasOnline

Schema: GetConnector

Label: Periods (CaseWare)

Documentation:

CaseWare perioden

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/CaseWare_Perioden

Insert Service URL (OData-specific): /connectors/CaseWare_Perioden

Update Service URL (OData-specific): /connectors/CaseWare_Perioden

Delete Service URL (OData-specific): /connectors/CaseWare_Perioden

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Boekjaar	int32	Boekjaar		
Datum_t_m	datetime	Datum t/m		
Datum_van	datetime	Datum van		
Periode	int32	Periode		
Periodetabel	int32	Periodetabel		

CaseWare_Periodesaldi: itgen_aoe_caseware_periodesaldi

Name: CaseWare_Periodesaldi

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_caseware_periodesaldi

Documentation:

CaseWare periodesaldi

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/CaseWare_Periodesaldi

Insert Service URL (OData-specific): /connectors/CaseWare_Periodesaldi

Update Service URL (OData-specific): /connectors/CaseWare_Periodesaldi

Delete Service URL (OData-specific): /connectors/CaseWare_Periodesaldi

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Administratie	int32	Administratie		
Credit_periodesaldo	decimal	Creditsaldo periode		
D_C_boeking_code	string(20)	D/C boeking code		
Debet_periodesaldo	decimal	Debetsaldo periode		
Grootboekrekeningnummer	string(16)	Grootboekrekeningnummer		
Jaar	int32	Jaar		
Omschrijving	string(50)	Omschrijving		
Periodenummer	int32	Periodenummer		
Rekeningtype_code	string(20)	Rekeningtype code		

CaseWare_Periodetabel: itgen_aoe_caseware_periodetabel

Name: CaseWare_Periodetabel

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_caseware_periodetabel

Documentation:

CaseWare periodetabel

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/CaseWare_Periodetabel

Insert Service URL (OData-specific): /connectors/CaseWare_Periodetabel

Update Service URL (OData-specific): /connectors/CaseWare_Periodetabel

Delete Service URL (OData-specific): /connectors/CaseWare_Periodetabel

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Periodetabel	int32	Periodetabel		

CaseWare_Periods: itgen_aoe_caseware_periods

Name: CaseWare_Periods

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_caseware_periods

Documentation:

CaseWare periods

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/CaseWare_Periods

Insert Service URL (OData-specific): /connectors/CaseWare_Periods

Update Service URL (OData-specific): /connectors/CaseWare_Periods

Delete Service URL (OData-specific): /connectors/CaseWare_Periods

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Boekjaar	int32	Boekjaar		
Datum_t_m	datetime	Datum t/m		
Datum_van	datetime	Datum van		
Periode	int32	Periode		
Periodetabel	int32	Periodetabel		
Type_periode	string(100)	Type periode		

CaseWare_PeriodTable: itgen_aoe_caseware_periodtable

Name: CaseWare_PeriodTable

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_caseware_periodtable

Documentation:

CaseWare periodtable

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/CaseWare_PeriodTable

Insert Service URL (OData-specific): /connectors/CaseWare_PeriodTable

Update Service URL (OData-specific): /connectors/CaseWare_PeriodTable

Delete Service URL (OData-specific): /connectors/CaseWare_PeriodTable

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
periodetabel	int32	Periodetabel		

CaseWare_Transacties: Transactions (CaseWare)

Name: CaseWare_Transacties

Catalog: AfasOnline

Schema: GetConnector

Label: Transactions (CaseWare)

Documentation:

CaseWare transacties

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/CaseWare_Transacties

Insert Service URL (OData-specific): /connectors/CaseWare_Transacties

Update Service URL (OData-specific): /connectors/CaseWare_Transacties

Delete Service URL (OData-specific): /connectors/CaseWare_Transacties

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Administratie	int32	Administratie		
Bedrag_Credit	decimal	Bedrag Credit		

Name	Data Type	Label	Required	Documentation
Bedrag_Debet	decimal	Bedrag debet		
Boekingsdatum	datetime	Datum boeking		
Boekstuknummer	string(32)	Boekstuknummer		
D_C_boeking_code	string(20)	D/C boeking code		
Dagboekcode	string(6)	Code dagboek		
Jaar	int32	Jaar		
Journaalpostnummer	int32	Nummer journaalpost		
Omschrijving_boeking	string(120)	Omschrijving boeking		
Omschrijving_dagboek	string(50)	Omschrijving		
Omschrijving_rekening	string(50)	Omschrijving		
Periode	int32	Periode		
Rekeningnummer	string(16)	Rekeningnummer		
Rekeningtype_code	string(20)	Rekeningtype code		
Volgnummer_journaalpost	int32	Volgnummer journaalpost		

CaseWare_Transactions: itgen_aoe_caseware_transactions

Name: CaseWare_Transactions

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_caseware_transactions

Documentation:

CaseWare transactions

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/CaseWare_Transactions

Insert Service URL (OData-specific): /connectors/CaseWare_Transactions

Update Service URL (OData-specific): /connectors/CaseWare_Transactions

Delete Service URL (OData-specific): /connectors/CaseWare_Transactions

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Administratie	int32	Administratie		

Name	Data Type	Label	Required	Documentation
Bedrag_Credit	decimal	Bedrag credit		
Bedrag_Debet	decimal	Bedrag debet		
Boekingsdatum	datetime	Datum boeking		
Boekstuknummer	string(32)	Boekstuknummer		
D_C_boeking_code	string(20)	D/C boeking code		
Dagboekcode	string(6)	Code dagboek		
Jaar	int32	Jaar		
Journalpostnummer	int32	Nummer journalpost		
Omschrijving_boeking	string(120)	Omschrijving boeking		
Omschrijving_dagboek	string(50)	Omschrijving		
Omschrijving_rekening	string(50)	Omschrijving		
Periode	int32	Periode		
Rekeningnummer	string(16)	Rekeningnummer		
Rekeningtype_code	string(20)	Rekeningtype code		
Volgnummer_journalpost	int32	Volgnummer journalpost		

CheckIn_Appointment: itgen_aoe_checkin_appointment

Name: CheckIn_Appointment

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_checkin_appointment

Documentation:

CheckIn_Appointment

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/CheckIn_Appointment

Insert Service URL (OData-specific): /connectors/CheckIn_Appointment

Update Service URL (OData-specific): /connectors/CheckIn_Appointment

Delete Service URL (OData-specific): /connectors/CheckIn_Appointment

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
appointment_id	int32	appointment_id		
appointment_name	string(100)	appointment_name		
company	string(255)	company		
first_name	string(50)	first_name		
given_name	string(80)	given_name		
initials	string(15)	initials		
location_id	string(15)	location_id		
location_name	string(50)	location_name		
person_id	int32	person_id		
surname	string(255)	surname		
time_from	string(5)	time_from		
time_to	string(5)	time_to		

CheckIn_Appointment_Owners: itgen_aoe_checkin_appointment_owners

Name: CheckIn_Appointment_Owners

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_checkin_appointment_owners

Documentation:

CheckIn_Appointment_Owners

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/CheckIn_Appointment_Owners

Insert Service URL (OData-specific): /connectors/CheckIn_Appointment_Owners

Update Service URL (OData-specific): /connectors/CheckIn_Appointment_Owners

Delete Service URL (OData-specific): /connectors/CheckIn_Appointment_Owners

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
appointment_id	int32	appointment_id		
appointment_ow ner	boolean	appointment_ow ner		
ow ner_full_name	string(255)	full_name		

Name	Data Type	Label	Required	Documentation
owner_function	string(50)	work_function		
owner_image_thumb_id	string(32)	image_thumb_id		
owner_image_thumb_name	string(255)	image_thumb_name		

CheckIn_Appointments: itgen_aoe_checkin_appointments

Name: CheckIn_Appointments

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_checkin_appointments

Documentation:

CheckIn_Appointments

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/CheckIn_Appointments

Insert Service URL (OData-specific): /connectors/CheckIn_Appointments

Update Service URL (OData-specific): /connectors/CheckIn_Appointments

Delete Service URL (OData-specific): /connectors/CheckIn_Appointments

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
appointment_end_time	string(5)	appointment_end_time		
appointment_id	int32	appointment_id		
appointment_location_id	string(15)	appointment_location_id		
appointment_location_name	string(50)	appointment_location_name		
appointment_name	string(100)	appointment_name		
appointment_start_time	string(5)	appointment_start_time		
contact_barcode	string(30)	contact_barcode		
contact_code	string(15)	contact_code		
contact_company	string(255)	contact_company		
contact_first_name	string(50)	contact_first_name		

Name	Data Type	Label	Required	Documentation
contact_full_name	string(255)	contact_full_name		
contact_full_name_roep	string(255)	contact_full_name_roep		
contact_id	int32	contact_id		
contact_image_full_id	string(32)	contact_image_full_id		
contact_image_full_name	string(255)	contact_image_full_name		
contact_image_thumb_id	string(32)	contact_image_thumb_id		
contact_image_thumb_name	string(255)	contact_image_thumb_name		
contact_initials	string(15)	contact_initials		
contact_org_id	string(15)	contact_org_id		
contact_roep_name	string(80)	contact_roep_name		
contact_surname	string(255)	contact_surname		
event_end_time	datetime	event_end_time		
event_id	int32	event_id		
event_location_id	string(20)	event_location_id		
event_location_name	string(50)	event_location_name		
event_name	string(100)	event_name		
event_print_badge	boolean	event_print_badge		
event_session_id	int32	event_session_id		
event_start_time	datetime	event_start_time		
event_take_photo	boolean	event_take_photo		

CheckIn_Event: itgen_aoe_checkin_event

Name: CheckIn_Event

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_checkin_event

Documentation:

CheckIn_Event

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/CheckIn_Event

Insert Service URL (OData-specific): /connectors/CheckIn_Event

Update Service URL (OData-specific): /connectors/CheckIn_Event

Delete Service URL (OData-specific): /connectors/CheckIn_Event

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
company	string(255)	company		
event_id	int32	event_id		
event_name	string(100)	event_name		
event_session_id	int32	event_session_id		
first_name	string(50)	first_name		
given_name	string(80)	given_name		
initials	string(15)	initials		
location_id	string(20)	location_id		
location_name	string(50)	location_name		
org_id	string(15)	org_id		
person_id	int32	person_id		
surname	string(255)	surname		
time_from	datetime	time_from		
time_to	datetime	time_to		

CheckIn_Event_Teachers: itgen_aoe_checkin_event_teachers

Name: CheckIn_Event_Teachers

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_checkin_event_teachers

Documentation:

CheckIn_Event_Teachers

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/CheckIn_Event_Teachers

Insert Service URL (OData-specific): /connectors/CheckIn_Event_Teachers

Update Service URL (OData-specific): /connectors/CheckIn_Event_Teachers

Delete Service URL (OData-specific): /connectors/CheckIn_Event_Teachers

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
event_code	string(20)	event_code		
event_description	string(100)	event_description		
event_id	int32	event_id		
event_session_id	int32	event_session_id		
is_main_teacher	boolean	is_main_teacher		
teacher_full_name	string(255)	teacher_full_name		
teacher_function	string(50)	teacher_function		
teacher_id	int32	teacher_id		
teacher_image_thumb_id	string(32)	teacher_image_thumb_id		
teacher_image_thumb_name	string(255)	teacher_image_thumb_name		

CheckIn_Locations: itgen_aoe_checkin_locations

Name: CheckIn_Locations

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_checkin_locations

Documentation:

CheckIn_Locations

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/CheckIn_Locations

Insert Service URL (OData-specific): /connectors/CheckIn_Locations

Update Service URL (OData-specific): /connectors/CheckIn_Locations

Delete Service URL (OData-specific): /connectors/CheckIn_Locations

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
location_id	string(20)	location_id		

Name	Data Type	Label	Required	Documentation
location_name	string(50)	location_name		

CheckIn_Printers: itgen_aoe_checkin_printers

Name: CheckIn_Printers

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_checkin_printers

Documentation:

CheckIn_Printers

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/CheckIn_Printers

Insert Service URL (OData-specific): /connectors/CheckIn_Printers

Update Service URL (OData-specific): /connectors/CheckIn_Printers

Delete Service URL (OData-specific): /connectors/CheckIn_Printers

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
printer_id	int32	printer_id		
printer_location	string(20)	printer_location		
printer_name	string(255)	printer_name		

CheckIn_Profile_Image: itgen_aoe_checkin_profile_image

Name: CheckIn_Profile_Image

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_checkin_profile_image

Documentation:

CheckIn_Profile_Image

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/CheckIn_Profile_Image

Insert Service URL (OData-specific): /connectors/CheckIn_Profile_Image

Update Service URL (OData-specific): /connectors/CheckIn_Profile_Image

Delete Service URL (OData-specific): /connectors/CheckIn_Profile_Image

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
user_id	string(15)	user_id		
user_image	byte[]	user_image		

CheckIn_Theme: itgen_aoe_checkin_theme

Name: CheckIn_Theme

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_checkin_theme

Documentation:

CheckIn_Theme

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/CheckIn_Theme

Insert Service URL (OData-specific): /connectors/CheckIn_Theme

Update Service URL (OData-specific): /connectors/CheckIn_Theme

Delete Service URL (OData-specific): /connectors/CheckIn_Theme

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
background_id	string(32)	background_id		

Name	Data Type	Label	Required	Documentation
background_name	string(255)	background_name		
cus_apt_with	string(25)	cus_apt_with		
cus_bdg_com	string(100)	cus_bdg_com		
cus_ckin_btn	string(25)	cus_ckin_btn		
cus_ckin_for	string(25)	cus_ckin_for		
cus_mk_bdg	string(50)	cus_mk_bdg		
cus_no_qr	string(25)	cus_no_qr		
cus_not_fnd	string(100)	cus_not_fnd		
cus_pic_tkn	string(50)	cus_pic_tkn		
cus_post_ckin	string(100)	cus_post_ckin		
cus_qr	string(50)	cus_qr		
cus_srch	string(50)	cus_srch		
cus_strt_w lcm	string(25)	cus_strt_w lcm		
cus_tk_pic	string(50)	cus_tk_pic		
cus_use_old_pic	string(50)	cus_use_old_pic		
cus_wlc_usr	string(25)	cus_wlc_usr		
dark_font	string(25)	dark_font		
formal	boolean	formal		
language	string(100)	language		
light_font	string(25)	light_font		
location_id	string(20)	location_id		
logo	string(32)	logo		
logo_name	string(255)	logo_name		
photo_overlay_id	string(32)	photo_overlay_id		
photo_overlay_name	string(255)	photo_overlay_name		
print_badge	boolean	print_badge		
QR_code	boolean	QR_code		
secondary_color	string(25)	secondary_color		
theme_color	string(25)	theme_color		

ContactenDebiteuren: itgen_aoe_contactendebiteuren

Name: ContactenDebiteuren

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_contactendebiteuren

Documentation:

ContactenDebiteuren

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/ContactenDebiteuren

Insert Service URL (OData-specific): /connectors/ContactenDebiteuren

Update Service URL (OData-specific): /connectors/ContactenDebiteuren

Delete Service URL (OData-specific): /connectors/ContactenDebiteuren

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Contact_code	int32	Contact code		
E-mail_w erk	string(255)	E-mail w erk		
Gekoppelde_persoon	string(15)	Gekoppelde persoon		
Naam	string(255)	Naam		
Organisatie_persoon	string(15)	Organisatie/persoon		
Verkooprelatie	string(16)	Verkooprelatie		

CurrentUser: Current User

Name: CurrentUser

Catalog: AfasOnline

Schema: GetConnector

Label: Current User

Documentation:

CurrentUser

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/CurrentUser

Insert Service URL (OData-specific): /connectors/CurrentUser

Update Service URL (OData-specific): /connectors/CurrentUser

Delete Service URL (OData-specific): /connectors/CurrentUser

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Blocked	boolean	Geblokkeerd		
Connector	boolean	Connector		
Description	string(80)	Omschrijving		
Email	string(255)	E-mail		
EmployeeId	string(15)	Medewerkerscode		
InSite	boolean	InSite		
OutSite	boolean	OutSite		
PersonId	string(15)	Persoonsnummer		
UPN	string(255)	UPN		
UserId	string(80)	Gebruiker		
Window s	boolean	Profit Window s		

DDI_Profit_Administraties: Companies

Name: DDI_Profit_Administraties

Catalog: AfasOnline

Schema: GetConnector

Label: Companies

Documentation:

DDI Administraties (Profit)

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/DDI_Profit_Administraties

Insert Service URL (OData-specific): /connectors/DDI_Profit_Administraties

Update Service URL (OData-specific): /connectors/DDI_Profit_Administraties

Delete Service URL (OData-specific): /connectors/DDI_Profit_Administraties

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Administratiecode	string(10)	Administratie		
Administratiennaam	string(80)	Naam administratie		
Administratienummer	int32	Administratie		

DDI_Profit_BTWcode: VAT Codes

Name: DDI_Profit_BTWcode

Catalog: AfasOnline

Schema: GetConnector

Label: VAT Codes

Documentation:

DDI_BTWcode (Profit)

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/DDI_Profit_BTWcode

Insert Service URL (OData-specific): /connectors/DDI_Profit_BTWcode

Update Service URL (OData-specific): /connectors/DDI_Profit_BTWcode

Delete Service URL (OData-specific): /connectors/DDI_Profit_BTWcode

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
BTW_percentage	decimal	Btw (%)		
BTW_plicht	string(3)	Btw -plicht		
BTW_rekening	string(16)	Btw -rekening		
BTW-code	string(3)	Code		
Geblokkeerd	boolean	Geblokkeerd		
Omschrijving	string(80)	Omschrijving		

DDI_Profit_Crediteuren: itgen_aoe_ddi_profit_crediteuren

Name: DDI_Profit_Crediteuren

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_ddi_profit_crediteuren

Documentation:

DDI_Crediteuren (Profit)

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/DDI_Profit_Crediteuren

Insert Service URL (OData-specific): /connectors/DDI_Profit_Crediteuren

Update Service URL (OData-specific): /connectors/DDI_Profit_Crediteuren

Delete Service URL (OData-specific): /connectors/DDI_Profit_Crediteuren

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Adres	string(255)	Adres		
Automatisch_betalen	boolean	Automatisch betalen		
Bank_girorekeningnummer	string(40)	Bankrekening		
Betaalvoorw aarde	string(5)	Betalingsvoorw aarde		
BTW-nummer	string(21)	Btw -nummer		
Crediteur	string(16)	Nummer		
Crediteurnaam	string(80)	Crediteurnaam		
Debiteurennummer	string(14)	Debiteurnummer		
Debiteurnr_leverancier	string(14)	Nr. debiteur (leverancier)		
G-rekening	string(40)	G-rekening		
IBAN	string(40)	IBAN		
Land	string(3)	Land		
Nummer_KvK	string(30)	KvK-nummer		
Postcode	string(15)	Postcode		
Tijdelijk_blokkeren	boolean	Tijdelijk blokkeren		
Vervaldagen	int32	Vervaldagen		
Volledig_blokkeren	boolean	Volledig blokkeren, niet meer zichtbaar		
Voorkeur_tegenrekening	string(16)	Voorkeur tegenrekening		
Woonplaats	string(50)	Woonplaats		
Zoeknaam	string(10)	Zoeknaam		

DDI_Profit_Dagboeken: Journals

Name: DDI_Profit_Dagboeken

Catalog: AfasOnline

Schema: GetConnector

Label: Journals

Documentation:

DDI_Dagboeken (Profit)

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/DDI_Profit_Dagboeken

Insert Service URL (OData-specific): /connectors/DDI_Profit_Dagboeken

Update Service URL (OData-specific): /connectors/DDI_Profit_Dagboeken

Delete Service URL (OData-specific): /connectors/DDI_Profit_Dagboeken

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Administratie	int32	Administratie		
Dagboekcode	string(6)	Nummer		
Geblokkeerd	boolean	Geblokkeerd		
Omschrijving	string(50)	Omschrijving		
Type	string(20)	Type		

DDI_Profit_Dimensies: itgen_aoe_ddi_profit_dimensies

Name: DDI_Profit_Dimensies

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_ddi_profit_dimensies

Documentation:

DDI_Dimensies (Profit)

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/DDI_Profit_Dimensies

Insert Service URL (OData-specific): /connectors/DDI_Profit_Dimensies

Update Service URL (OData-specific): /connectors/DDI_Profit_Dimensies

Delete Service URL (OData-specific): /connectors/DDI_Profit_Dimensies

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Geblokkeerd	boolean	Geblokkeerd		
Nummer	string(16)	Nummer		
Omschrijving	string(50)	Omschrijving		

DDI_Profit_Dimensies_2: itgen_aoe_ddi_profit_dimensies_2

Name: DDI_Profit_Dimensies_2

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_ddi_profit_dimensies_2

Documentation:

DDI_Dimensies 2 (Profit)

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/DDI_Profit_Dimensies_2

Insert Service URL (OData-specific): /connectors/DDI_Profit_Dimensies_2

Update Service URL (OData-specific): /connectors/DDI_Profit_Dimensies_2

Delete Service URL (OData-specific): /connectors/DDI_Profit_Dimensies_2

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Geblokkeerd	boolean	Geblokkeerd		
Nummer	string(16)	Nummer		
Omschrijving	string(50)	Omschrijving		

DDI_Profit_Dimensies_3: itgen_aoe_ddi_profit_dimensies_3

Name: DDI_Profit_Dimensies_3

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_ddi_profit_dimensies_3

Documentation:

DDI_Dimensies 3 (Profit)

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/DDI_Profit_Dimensies_3

Insert Service URL (OData-specific): /connectors/DDI_Profit_Dimensies_3

Update Service URL (OData-specific): /connectors/DDI_Profit_Dimensies_3

Delete Service URL (OData-specific): /connectors/DDI_Profit_Dimensies_3

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Geblokkeerd	boolean	Geblokkeerd		
Nummer	string(16)	Nummer		
Omschrijving	string(50)	Omschrijving		

DDI_Profit_Grootboek: itgen_aoe_ddi_profit_grootboek

Name: DDI_Profit_Grootboek

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_ddi_profit_grootboek

Documentation:

DDI_Grootboek (Profit)

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/DDI_Profit_Grootboek

Insert Service URL (OData-specific): /connectors/DDI_Profit_Grootboek

Update Service URL (OData-specific): /connectors/DDI_Profit_Grootboek

Delete Service URL (OData-specific): /connectors/DDI_Profit_Grootboek

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Geblokkeerd	boolean	Geblokkeerd		
Nummer	string(16)	Nummer		
Omschrijving	string(50)	Omschrijving		
Type	string(20)	Type		

DDI_Profit_Kosten: itgen_aoe_ddi_profit_kosten

Name: DDI_Profit_Kosten

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_ddi_profit_kosten

Documentation:

DDI_Kosten (Profit)

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/DDI_Profit_Kosten

Insert Service URL (OData-specific): /connectors/DDI_Profit_Kosten

Update Service URL (OData-specific): /connectors/DDI_Profit_Kosten

Delete Service URL (OData-specific): /connectors/DDI_Profit_Kosten

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Geblokkeerd	boolean	Geblokkeerd		
Itemcode	string(40)	Itemcode		
Omschrijving	string(100)	Omschrijving		

DDI_Profit_Kostendragers: itgen_aoe_ddi_profit_kostendragers

Name: DDI_Profit_Kostendragers

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_ddi_profit_kostendragers

Documentation:

DDI_Kostendragers (Profit)

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/DDI_Profit_Kostendragers

Insert Service URL (OData-specific): /connectors/DDI_Profit_Kostendragers

Update Service URL (OData-specific): /connectors/DDI_Profit_Kostendragers

Delete Service URL (OData-specific): /connectors/DDI_Profit_Kostendragers

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Geblokkeerd	boolean	Geblokkeerd		
Nummer	string(16)	Nummer		
Omschrijving	string(50)	Omschrijving		

DDI_Profit_Kostenplaatsen: itgen_aoe_ddi_profit_kostenplaatsen

Name: DDI_Profit_Kostenplaatsen

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_ddi_profit_kostenplaatsen

Documentation:

DDI_Kostenplaatsen (Profit)

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/DDI_Profit_Kostenplaatsen

Insert Service URL (OData-specific): /connectors/DDI_Profit_Kostenplaatsen

Update Service URL (OData-specific): /connectors/DDI_Profit_Kostenplaatsen

Delete Service URL (OData-specific): /connectors/DDI_Profit_Kostenplaatsen

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Geblokkeerd	boolean	Geblokkeerd		
Nummer	string(16)	Nummer		
Omschrijving	string(50)	Omschrijving		

DDI_Profit_Periodes: Financial Periods

Name: DDI_Profit_Periodes

Catalog: AfasOnline

Schema: GetConnector

Label: Financial Periods

Documentation:

DDI_Periodes (Profit)

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/DDI_Profit_Periodes

Insert Service URL (OData-specific): /connectors/DDI_Profit_Periodes

Update Service URL (OData-specific): /connectors/DDI_Profit_Periodes

Delete Service URL (OData-specific): /connectors/DDI_Profit_Periodes

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Boekjaar	int32	Boekjaar		
Datum_t_m	datetime	Datum t/m		

Name	Data Type	Label	Required	Documentation
Datum_van	datetime	Datum van		
Geblokkeerd	boolean	Geblokkeerd		
Omschrijving	string(30)	Omschrijving		
Periode	int32	Periode		
Periodetabel	int32	Periodetabel		

DDI_Profit_Projecten: Projects

Name: DDI_Profit_Projecten

Catalog: AfasOnline

Schema: GetConnector

Label: Projects

Documentation:

DDI_Projecten (Profit)

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/DDI_Profit_Projecten

Insert Service URL (OData-specific): /connectors/DDI_Profit_Projecten

Update Service URL (OData-specific): /connectors/DDI_Profit_Projecten

Delete Service URL (OData-specific): /connectors/DDI_Profit_Projecten

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Omschrijving	string(100)	Omschrijving		
Project	string(15)	Project		

DDI_Profit_Valuta: itgen_aoe_ddi_profit_valuta

Name: DDI_Profit_Valuta

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_ddi_profit_valuta

Documentation:

DDI_Valuta (Profit)

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/DDI_Profit_Valuta

Insert Service URL (OData-specific): /connectors/DDI_Profit_Valuta

Update Service URL (OData-specific): /connectors/DDI_Profit_Valuta

Delete Service URL (OData-specific): /connectors/DDI_Profit_Valuta

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Valuta	string(3)	Code		
Valuta-omschrijving	string(50)	Omschrijving		

Debiteuren: itgen_aoe_debiteuren

Name: Debiteuren

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_debiteuren

Documentation:

Debiteuren

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Debiteuren

Insert Service URL (OData-specific): /connectors/Debiteuren

Update Service URL (OData-specific): /connectors/Debiteuren

Delete Service URL (OData-specific): /connectors/Debiteuren

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
A_Huisnummer	int32	Bezoek Huisnummer		
A_Id	int32	Bezoekadres		
A_Land	string(2)	Land ISO Alpha-2		
A_Land1	string(3)	Bezoek Land		
A_Postcode	string(15)	Bezoek Postcode		
A_Straat	string(60)	Bezoek Straat		
A_Toevoeging	string(30)	Bezoek Huisnummer toevoeging		
A_Woonplaats	string(50)	Bezoek Woonplaats		
Activate	string(50)	Activate		
Bank_girokekeningnummer	string(40)	Bank-/girokekeningnum mer		
Bedrijf	string(255)	Relatie Naam		
BTW	string(21)	Btw -nummer		
Contactpersoon_factuur	int32	Contactpersoon factuur		
DebiteurID	string(16)	Debiteur		
F_Huisnummer	int32	Postadres Huisnummer		
F_Id	int32	Postadres		
F_Land	string(2)	ISO Alpha-2		
F_Land1	string(3)	Postadres Land		
F_Postcode	string(15)	Postadres Postcode		
F_Straat	string(60)	Postadres Straat		
F_Toevoeging	string(30)	Postadres Huisnummer toevoeging		
F_Woonplaats	string(50)	Postadres Woonplaats		
Fax	string(255)	Fax werk		
Geboortedatum__JJJMMDD_	string(8)	Geboortedatum (JJJMMDD)		
Geslacht	string(20)	Contacttype code		
KvK	string(30)	KvK-nummer		
Mail	string(255)	E-mail werk		
Naam	string(80)	Naam		
Orgld	string(15)	Orgld		
Passw ord	string(50)	Wachtw oord		
Rechtsvorm	string(50)	Rechtsvorm		
Tel	string(255)	Telefoonnr. werk		
Voorl	string(15)	Voorletters		
Voorn	string(50)	Voornaam		
Voorv	string(15)	Voorvoegsel		

Delta_T_NAW: itgen_aoe_delta_t_naw

Name: Delta_T_NAW

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_delta_t_naw

Documentation:

Atrea Delta T NAW gegevens

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Delta_T_NAW

Insert Service URL (OData-specific): /connectors/Delta_T_NAW

Update Service URL (OData-specific): /connectors/Delta_T_NAW

Delete Service URL (OData-specific): /connectors/Delta_T_NAW

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Achternaam	string(80)	Achternaam		
Burgerlijke_staat	string(100)	Burgerlijke staat		
Burgerservicnr_	string(25)	Burgerservicenummer		
Datum_in_dienst	string(8)	Datum in dienst		
Datum_uit_dienst	string(8)	Datum uit dienst		
Dienstbetrekking_code	string(20)	Code dienstbetrekking		
E-mail_privé	string(255)	E-mail privé		
E-mail_w erk	string(255)	E-mail w erk		
Exporteren	boolean	Medew erker exporteren naar tijdregistratie		
Functie-omschrijving	string(50)	Omschrijving functie		
Geboortedatum	string(8)	Geboortedatum		
Geslacht	string(54)	Geslacht		
Huisnummer	int32	Huisnummer		
Huisnummer_toevoeging	string(30)	Toev. aan huisnr.		
Land	string(3)	Land		
Mobiel_w erk	string(255)	Mobiel w erk		
Omschrijving	string(50)	Omschrijving		

Name	Data Type	Label	Required	Documentation
Personeelsnr	string(15)	Medew erker		
Postcode	string(15)	Postcode		
Straat	string(60)	Straat		
Telefoon_werk	string(255)	Telefoonnr. werk		
Voorletters	string(15)	Voorletters		
Voornaam	string(50)	Voornaam		
Voorvoegsel	string(15)	Voorvoegsel		
Woonplaats	string(50)	Woonplaats		

Delta_T_Verlofopnames: itgen_aoe_delta_t_verlofopnames

Name: Delta_T_Verlofopnames

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_delta_t_verlofopnames

Documentation:

Atrea Delta T Verlofopnames

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Delta_T_Verlofopnames

Insert Service URL (OData-specific): /connectors/Delta_T_Verlofopnames

Update Service URL (OData-specific): /connectors/Delta_T_Verlofopnames

Delete Service URL (OData-specific): /connectors/Delta_T_Verlofopnames

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Aantal_uren	int32	Aantal uren		
Begindatum_tijd	datetime	Begindatum/-tijd		
Einddatum_tijd	datetime	Einddatum/-tijd		
Einddatum_tijd__Uur_	int32	Einddatum/-tijd		
Medew erker	string(15)	Medew erker		
Medew erker_exporteren_naar_tijd registratie	boolean	Medew erker exporteren naar tijdregistratie		

Name	Data Type	Label	Required	Documentation
Verlofsoort_code	string(20)	Verzuimomschrijving code		

Delta_T_Verlofplanning: itgen_aoe_delta_t_verlofplanning

Name: Delta_T_Verlofplanning

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_delta_t_verlofplanning

Documentation:

Atrea Delta T Verlofplanning

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Delta_T_Verlofplanning

Insert Service URL (OData-specific): /connectors/Delta_T_Verlofplanning

Update Service URL (OData-specific): /connectors/Delta_T_Verlofplanning

Delete Service URL (OData-specific): /connectors/Delta_T_Verlofplanning

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Aantal_uren	int32	Aantal uren		
Begindatum_tijd	datetime	Begindatum/-tijd		
Einddatum_tijd	datetime	Einddatum/-tijd		
Medew erker	string(15)	Medew erker		
Medew erker_exporteren_naar_tijd registratie	boolean	Medew erker exporteren naar tijdregistratie		
Verlofsoort_code	string(20)	Verzuimomschrijving code		

Delta_T_Verlofrechten: itgen_aoe_delta_t_verlofrechten

Name: Delta_T_Verlofrechten

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_delta_t_verlofrechten

Documentation:

Atrea Delta T Verlofrechten

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Delta_T_Verlofrechten

Insert Service URL (OData-specific): /connectors/Delta_T_Verlofrechten

Update Service URL (OData-specific): /connectors/Delta_T_Verlofrechten

Delete Service URL (OData-specific): /connectors/Delta_T_Verlofrechten

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Boekjaar	int32	Boekjaar		
Exporteren	boolean	Medew erker exporteren naar tijdregistratie		
Extra_perioderecht	decimal	Extra perioderecht		
Personeelsnr	string(15)	Medew erker		
Recht	decimal	Perioderecht		
Restant_Vorig_Jaar	decimal	Vorige periode		
Verlofsoort	string(100)	Type verlof		

Delta_T_Ziekte: itgen_aoe_delta_t_ziekte

Name: Delta_T_Ziekte

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_delta_t_ziekte

Documentation:

Atrea Delta T Ziekmeldingen

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Delta_T_Ziekte

Insert Service URL (OData-specific): /connectors/Delta_T_Ziekte

Update Service URL (OData-specific): /connectors/Delta_T_Ziekte

Delete Service URL (OData-specific): /connectors/Delta_T_Ziekte

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Aanw Perc	decimal	% Aanw ezigheid		
ArbeidsTherapiePerc	decimal	% Aanw ezigheid AT		
BeginDatum	string(8)	Begindatum-tijd		
EindDatum	string(8)	Einddatum-tijd		
Exporteren	boolean	Medew erker exporteren naar tijdregistratie		
Personeelsnr	string(15)	Medew erker		
VerzuimCode	string(10)	Type verzuim		

Dossieritem_Mobiele_Werkbon: itgen_aoe_dossieritem_mobiele_werkbon

Name: Dossieritem_Mobiele_Werkbon

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_dossieritem_mobiele_werkbon

Documentation:

Mobiele werkbonden (Navara)

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Dossieritem_Mobiele_Werkbon

Insert Service URL (OData-specific): /connectors/Dossieritem_Mobiele_Werkbon

Update Service URL (OData-specific): /connectors/Dossieritem_Mobiele_Werkbon

Delete Service URL (OData-specific): /connectors/Dossieritem_Mobiele_Werkbon

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Asset_naam	string(50)	Dummy tekstveld		
Assetnummer	string(50)	Dummy tekstveld		
Medewerker	string(50)	Dummy tekstveld		
Medewerker naam	string(50)	Medewerker naam		
Omschrijving	string(255)	Omschrijving		
Opmerking_monteur	string(50)	Dummy tekstveld		
Postcode	string(15)	Postcode		
Project	string(15)	Project		
Project omschrijving	string(100)	Project omschrijving		
Status_code	string(50)	Status code		
Status omschrijving	string(50)	Status omschrijving		
Straat_huisnummer	string(255)	Straat huisnummer		
Type_asset_code	string(50)	Type asset code		
Type_asset omschrijving	string(50)	Type asset omschrijving		
Type_dossieritem	string(50)	Type dossieritem		
Verantwoordelijke	string(50)	Verantwoordelijke		
Verkooprelatie	string(16)	Verkooprelatie		
Verkooprelatie_naam	string(80)	Verkooprelatie naam		
Woonplaats	string(50)	Woonplaats		

DossieritemsArtikelen: itgen_aoe_dossieritemsartikelen

Name: DossieritemsArtikelen

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_dossieritemsartikelen

Documentation:

DossieritemsArtikelen

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/DossieritemsArtikelen

Insert Service URL (OData-specific): /connectors/DossieritemsArtikelen

Update Service URL (OData-specific): /connectors/DossieritemsArtikelen

Delete Service URL (OData-specific): /connectors/DossieritemsArtikelen

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Dossieritem	int32	Dossieritem		
Itemcode	string(40)	Itemcode		
Omschrijving	string(255)	Omschrijving		

EasyLink_Export_Organisatie: itgen_aoe_easylink_export_organisatie

Name: EasyLink_Export_Organisatie

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_easylink_export_organisatie

Documentation:

EasyLink export organisatie

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/EasyLink_Export_Organisatie

Insert Service URL (OData-specific): /connectors/EasyLink_Export_Organisatie

Update Service URL (OData-specific): /connectors/EasyLink_Export_Organisatie

Delete Service URL (OData-specific): /connectors/EasyLink_Export_Organisatie

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Contacten	int32	Contacten		
Fax_w erk	string(255)	Fax werk		
Mobiel_priv e	string(255)	Mobiel privé		
Mobiel_w erk	string(255)	Mobiel w erk		
Naam	string(255)	Naam		
Organisatie_persoon	string(15)	Nummer		
Soort_contact	string(100)	Soort contact		
Straat	string(60)	Straat		

Name	Data Type	Label	Required	Documentation
Telefoon_privé	string(255)	Telefoonnr. privé		
Telefoon_werk	string(255)	Telefoonnr. werk		
Woonplaats	string(50)	Woonplaats		

EasyLink_Export_Personen: itgen_aoe_easylink_export_personen

Name: EasyLink_Export_Personen

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_easylink_export_personen

Documentation:

EasyLink export personen

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/EasyLink_Export_Personen

Insert Service URL (OData-specific): /connectors/EasyLink_Export_Personen

Update Service URL (OData-specific): /connectors/EasyLink_Export_Personen

Delete Service URL (OData-specific): /connectors/EasyLink_Export_Personen

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Contacten	int32	Contacten		
Fax_werk	string(255)	Fax werk		
Mobiel_privé	string(255)	Mobiel privé		
Mobiel_werk	string(255)	Mobiel werk		
Naam	string(255)	Naam		
Organisatie_persoon	string(15)	Nummer		
Soort_contact	string(100)	Soort contact		
Straat	string(60)	Straat		
Telefoon_privé	string(255)	Telefoonnr. privé		
Telefoon_werk	string(255)	Telefoonnr. werk		
Woonplaats	string(50)	Woonplaats		

Evologics_Planning_Orders: itgen_aoe_evologics_planning_orders

Name: Evologics_Planning_Orders

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_evologics_planning_orders

Documentation:

Evologics - Planning Orders

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Evologics_Planning_Orders

Insert Service URL (OData-specific): /connectors/Evologics_Planning_Orders

Update Service URL (OData-specific): /connectors/Evologics_Planning_Orders

Delete Service URL (OData-specific): /connectors/Evologics_Planning_Orders

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Batch_Size	decimal	Batch Size		
Customer_Name	string(80)	Customer Name		
Delivery_Date	string(8)	Delivery Date		
Order_Number	string(12)	Order Number		
Part_Number	string(40)	Part Number		

Evologics_Products: itgen_aoe_evologics_products

Name: Evologics_Products

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_evologics_products

Documentation:

Evologics - Products

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Evologics_Products

Insert Service URL (OData-specific): /connectors/Evologics_Products

Update Service URL (OData-specific): /connectors/Evologics_Products

Delete Service URL (OData-specific): /connectors/Evologics_Products

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Part_Number	string(40)	Itemcode		
Product_Name	string(100)	Omschrijving		

Freebeans_algemeen: itgen_aoe_freebeans_algemeen

Name: Freebeans_algemeen

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_freebeans_algemeen

Documentation:

Freebeans algemeen

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Freebeans_algemeen

Insert Service URL (OData-specific): /connectors/Freebeans_algemeen

Update Service URL (OData-specific): /connectors/Freebeans_algemeen

Delete Service URL (OData-specific): /connectors/Freebeans_algemeen

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Aantal_dagen_per_w eek	decimal	Aantal dagen per w eek		
Aantal_FTE	decimal	Aantal FTE		

Name	Data Type	Label	Required	Documentation
Aantal_uren_per_week	decimal	Aantal uren per week		
Begindatum_salaris	datetime	Begindatum salaris		
Dienstverband	string(100)	Dienstverband		
Dienstverband_code	string(20)	Dienstverband code		
E-mail_privé	string(255)	E-mail privé		
Functie	string(10)	Functie		
Functie-omschrijving	string(50)	Omschrijving functie		
Huisnummer	int32	Huisnummer		
Huisnummer_toevoeging	string(30)	Toev. aan huisnr.		
Land	string(40)	Land		
Medewerker	string(15)	Medewerker		
Naam	string(80)	Naam		
Omschrijving	string(50)	Omschrijving		
Org_ eenheid_omschrijving	string(50)	Organisatorische eenheid omschrijving		
Parttime_percentage	decimal	Parttime (%)		
Per	string(50)	Per		
Postcode	string(15)	Postcode		
Salaris	decimal	Salaris		
Schaal	string(100)	Schaal		
Schaal_code	string(20)	Schaal code		
SOFI-nummer	string(25)	Burgerservicenummer		
Straat	string(60)	Straat		
Telefoon_privé	string(255)	Telefoonnr. werk		
Toeslag	decimal	Toeslag		
Uit_te_betalen_salaris	decimal	Uit te betalen salaris		
Uurloon	decimal	Uurloon		
Voorletters	string(15)	Voorletters		
Voorvoegsel	string(15)	Voorvoegsel		
Werkgever	string(15)	Werkgever		
Werkgevernaam	string(255)	Naam werkgever		

Freebeans_verlofsaldo: itgen_aoe_freebeans_verlofsaldo

Name: Freebeans_verlofsaldo

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_freebeans_verlofsaldo

Documentation:

Freebeans verlof

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Freebeans_verlofsaldo

Insert Service URL (OData-specific): /connectors/Freebeans_verlofsaldo

Update Service URL (OData-specific): /connectors/Freebeans_verlofsaldo

Delete Service URL (OData-specific): /connectors/Freebeans_verlofsaldo

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Bijschrift	string(50)	Dummy tekstveld		
Bijschriftnummer	string(50)	Dummy tekstveld		
Boekjaar	int32	Boekjaar		
Correctie	decimal	Correcties		
Doortellen_in_saldo	string(50)	Dummy tekstveld		
Medewerker	string(15)	Medewerker		
Naam	string(54)	Naam		
Opgenomen	decimal	Opgenomen		
Periode_t_m	datetime	Dummy datumveld		
Periode_vanaf	datetime	Dummy datumveld		
Recht_dit_jaar	decimal	Perioderecht		
Restant_vorig_jaar	decimal	Vorige periode		
Saldo_dit_jaar	decimal	Saldo		
Totaal_dit_jaar	decimal	Beginsaldo		
Verlofsoort	string(100)	Type verlof		

Infine_Crediteuren: itgen_aoe_infine_crediteuren

Name: Infine_Crediteuren

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_infine_crediteuren

Documentation:

Infine_Crediteuren

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Infine_Crediteuren

Insert Service URL (OData-specific): /connectors/Infine_Crediteuren

Update Service URL (OData-specific): /connectors/Infine_Crediteuren

Delete Service URL (OData-specific): /connectors/Infine_Crediteuren

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Bankrekeningnummer	string(40)	Bankrekeningnummer		
Betalingsvoorw aarde	string(5)	Betalingsvoorw aarde		
BIC-code	string(11)	BIC-code		
Btw -nummer	string(21)	Btw -nummer		
E-mail	string(255)	E-mail		
Fax	string(255)	Fax		
Huisnummer	int32	Huisnummer		
Huisnummer_2	int32	Huisnummer		
Huisnummertoevoeging	string(30)	Toevoeging huisnummer		
IBAN-nummer	string(40)	IBAN-nummer		
KvK-nummer	string(30)	KvK-nummer		
Land	string(3)	Land		
Land_code	string(3)	Land		
Naam	string(80)	Naam		
Nummer	string(16)	Nummer		
Organisatienummer	string(15)	Organisatienummer		
Plaats	string(50)	Woonplaats		
Postcode	string(15)	Postcode		
Postcode_2	string(15)	Postcode		
Straat	string(60)	Straat		
Straat_2	string(60)	Straat		
Telefoon	string(255)	Telefoonnr.		
Toev __aan_huisnr_	string(30)	Toev. aan huisnr.		
Verzamelrekening	string(16)	Verzamelrekening		
Website	string(255)	Website		
Woonplaats	string(50)	Woonplaats		
Zoekcode	string(10)	Zoekcode		

Infine_Debiteuren: itgen_aoe_infine_debiteuren

Name: Infine_Debiteuren

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_infine_debiteuren

Documentation:

Infine_Debiteuren

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Infine_Debiteuren

Insert Service URL (OData-specific): /connectors/Infine_Debiteuren

Update Service URL (OData-specific): /connectors/Infine_Debiteuren

Delete Service URL (OData-specific): /connectors/Infine_Debiteuren

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Bankrekeningnummer	string(40)	Bankrekeningnummer		
Betalingsvoorw aarde	string(5)	Betalingsvoorw aarde		
BIC-code	string(11)	BIC-code		
Btw -nummer	string(21)	Btw -nummer		
E-mail	string(255)	E-mail		
Fax	string(255)	Fax		
Huisnummer	int32	Huisnummer		
Huisnummer_2	int32	Huisnummer		
IBAN-nummer	string(40)	IBAN-nummer		
KvK-nummer	string(30)	KvK-nummer		
Land	string(3)	Land		
Land_2	string(3)	Land		
Naam	string(80)	Naam		
Nummer	string(16)	Nummer		
Organisatienummer	string(15)	Organisatienummer		
Postcode	string(15)	Postcode		
Postcode_2	string(15)	Postcode		

Name	Data Type	Label	Required	Documentation
Straat	string(60)	Straat		
Straat_2	string(60)	Straat		
Telefoon	string(255)	Telefoonnr.		
Toev__aan_huisnr__	string(30)	Toev. aan huisnr.		
Toev__aan_huisnr__2	string(30)	Toev. aan huisnr.		
Verzamelrekening	string(16)	Verzamelrekening		
Website	string(255)	Website		
Woonplaats	string(50)	Woonplaats		
Woonplaats_2	string(50)	Woonplaats		
Zoekcode	string(10)	Zoekcode		

Infine_periodesaldi: itgen_aoe_infine_periodesaldi

Name: Infine_periodesaldi

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_infine_periodesaldi

Documentation:

Periodesaldi Infine

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Infine_periodesaldi

Insert Service URL (OData-specific): /connectors/Infine_periodesaldi

Update Service URL (OData-specific): /connectors/Infine_periodesaldi

Delete Service URL (OData-specific): /connectors/Infine_periodesaldi

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Administratie	int32	Administratie		
Credit_periodesaldo	decimal	Creditsaldo periode		
D_C_boeking_code	string(20)	D/C boeking code		
Debet_periodesaldo	decimal	Debetsaldo periode		
Grootboekrekeningnummer	string(16)	Grootboekrekeningnummer		

Name	Data Type	Label	Required	Documentation
Jaar	int32	Jaar		
Omschrijving	string(50)	Omschrijving		
Periodenummer	int32	Periodenummer		
Rekeningtype_code	string(20)	Rekeningtype code		
Verzamelen_op	string(16)	Verzamelen op		

Infine_transacties: itgen_aoe_infine_transacties

Name: Infine_transacties

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_infine_transacties

Documentation:

Transacties Infine

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Infine_transacties

Insert Service URL (OData-specific): /connectors/Infine_transacties

Update Service URL (OData-specific): /connectors/Infine_transacties

Delete Service URL (OData-specific): /connectors/Infine_transacties

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Administratie	int32	Administratie		
Bedrag_credit	decimal	Bedrag credit		
Bedrag_debet	decimal	Bedrag debet		
Boekstuknummer	string(32)	Boekstuknummer		
Btw -bedrag	decimal	Btw -bedrag		
Btw -code	string(3)	Btw -code		
Code_dagboek	string(6)	Code dagboek		
Datum_boeking	datetime	Datum boeking		
Factuurnummer	string(12)	Factuurnummer		
Jaar	int32	Jaar		

Name	Data Type	Label	Required	Documentation
Omschrijving_boeking	string(120)	Omschrijving boeking		
Periode	int32	Periode		
Rekeningnummer	string(16)	Rekeningnummer		
Verzamelen_op	string(16)	Verzamelen op		

iPublications_Afbeeldingen: itgen_aoe_ipublications_afbeeldingen

Name: iPublications_Afbeeldingen

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_ipublications_afbeeldingen

Documentation:

iPublications_Afbeeldingen

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/iPublications_Afbeeldingen

Insert Service URL (OData-specific): /connectors/iPublications_Afbeeldingen

Update Service URL (OData-specific): /connectors/iPublications_Afbeeldingen

Delete Service URL (OData-specific): /connectors/iPublications_Afbeeldingen

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Afbeelding	byte[]	Afbeelding		
Afbeelding_klein	byte[]	Kleine afbeelding		
Bestandsnaam	string(255)	Bestandsnaam		
Itemcode	string(40)	Itemcode		
Itemtype	string(10)	Type item		

Landen: Countries

Name: Landen

Catalog: AfasOnline

Schema: GetConnector

Label: Countries

Documentation:

Landen

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Landen

Insert Service URL (OData-specific): /connectors/Landen

Update Service URL (OData-specific): /connectors/Landen

Delete Service URL (OData-specific): /connectors/Landen

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Co	string(40)	Land		
Cold	string(40)	Cold		
ISO	string(2)	ISO Alpha-2		
Landcode	string(3)	Code land		

MediSoft_Dienstverband_3.50_0: itgen_aoe_medisoft_dienstverband_3.50_0

Name: MediSoft_Dienstverband_3.50_0

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_medisoft_dienstverband_3.50_0

Documentation:

MediSoft_Dienstverband_3.50_0

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/MediSoft_Dienstverband_3.50_0

Insert Service URL (OData-specific): /connectors/MediSoft_Dienstverband_3.50_0

Update Service URL (OData-specific): /connectors/MediSoft_Dienstverband_3.50_0

Delete Service URL (OData-specific): /connectors/MediSoft_Dienstverband_3.50_0

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Aantal_uren_per_w eek	decimal	Aantal uren per w eek		
Achternaam	string(80)	Achternaam		
Begindatum	datetime	Begindatum		
Begindatum_2	datetime	Begindatum		
Begindatum_contract	datetime	Begindatum contract		
Burgerlijke_sta at_code	string(20)	Burgerlijke sta at code		
Einddatum	datetime	Einddatum		
Einddatum_2	datetime	Einddatum		
E-mail_priv e	string(255)	E-mail privé		
E-mail_w erk	string(255)	E-mail w erk		
Geboortedatum	datetime	Geboortedatum		
Geslacht	string(54)	Geslacht		
GUID	string(38)	GUID		
Huisnummer	int32	Huisnummer		
Huisnummer_2	int32	Huisnummer		
Land	string(3)	Land		
Medew erker	string(15)	Medew erker		
Mobiel_priv e	string(255)	Mobiel privé		
Naam	string(255)	Naam w erkgever		
Nationaliteit_code	string(20)	Nationaliteit code		
Omschrijving_2	string(50)	Omschrijving		
Omschrijving_2_2	string(50)	Omschrijving		
Organisatorische_eenheid	string(10)	Organisatorische eenheid		
Parttime_____	decimal	Parttime (%)		
Postcode	string(15)	Postcode		
Postcode_2	string(15)	Postcode		
Salaris	decimal	Salaris		
Straat	string(60)	Straat		
Straat_2	string(60)	Straat		
Telefoonnr__priv e	string(255)	Telefoonnr. privé		
Telefoonnr__w erk	string(255)	Telefoonnr. w erk		
Toev __aan_huisnr__	string(30)	Toev. aan huisnr.		
Toev __aan_huisnr__2	string(30)	Toev. aan huisnr.		
Volgnummer_dienstverband_2	int32	Volgnummer dienstverband		

Name	Data Type	Label	Required	Documentation
Volnummer_Organisatorische_ee nheid_functie	int32	Volnummer Organisatorische eenheid/functie		
Voorletters	string(15)	Voorletters		
Voornaam	string(50)	Voornaam		
Voorvoegsel	string(15)	Voorvoegsel		
Werkgever	string(15)	Werkgever		
Woonplaats	string(50)	Woonplaats		
Woonplaats_2	string(50)	Woonplaats		

MediSoft_Dienstverband_3.50_1: itgen_aoe_medisoft_dienstverband_3.50_1

Name: MediSoft_Dienstverband_3.50_1

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_medisoft_dienstverband_3.50_1

Documentation:

MediSoft_Dienstverband_3.50_1

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/MediSoft_Dienstverband_3.50_1

Insert Service URL (OData-specific): /connectors/MediSoft_Dienstverband_3.50_1

Update Service URL (OData-specific): /connectors/MediSoft_Dienstverband_3.50_1

Delete Service URL (OData-specific): /connectors/MediSoft_Dienstverband_3.50_1

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Aantal_uren_per_week	decimal	Aantal uren per week		
Achternaam	string(80)	Achternaam		
Begindatum	datetime	Begindatum		
Begindatum_2	datetime	Begindatum		
Begindatum_contract	datetime	Begindatum contract		
Burgerlijke_staat_code	string(20)	Burgerlijke staat code		
Einddatum	datetime	Einddatum		

Name	Data Type	Label	Required	Documentation
Einddatum_2	datetime	Einddatum		
E-mail_privé	string(255)	E-mail privé		
E-mail_werk	string(255)	E-mail werk		
Geboortedatum	datetime	Geboortedatum		
Geslacht	string(54)	Geslacht		
GUID	string(38)	GUID		
Huisnummer	int32	Huisnummer		
Huisnummer_2	int32	Huisnummer		
Land	string(3)	Land		
Medewerker	string(15)	Medewerker		
Mobiel_privé	string(255)	Mobiel privé		
Naam	string(255)	Naam werkgever		
Nationaliteit_code	string(20)	Nationaliteit code		
Omschrijving_2	string(50)	Omschrijving		
Omschrijving_2_2	string(50)	Omschrijving		
Organisatorische_ eenheid	string(10)	Organisatorische eenheid		
Parttime_____	decimal	Parttime (%)		
Postcode	string(15)	Postcode		
Postcode_2	string(15)	Postcode		
Salaris	decimal	Salaris		
Straat	string(60)	Straat		
Straat_2	string(60)	Straat		
Telefoonnr_privé	string(255)	Telefoonnr. privé		
Telefoonnr_werk	string(255)	Telefoonnr. werk		
Toev_aan_huisnr_	string(30)	Toev. aan huisnr.		
Toev_aan_huisnr_2	string(30)	Toev. aan huisnr.		
Volgnummer_dienstverband	int32	Volgnummer dienstverband		
Volgnummer_Organisatorische_ eenheid_functie	int32	Volgnummer Organisatorische eenheid/functie		
Voorletters	string(15)	Voorletters		
Voornaam	string(50)	Voornaam		
Voorvoegsel	string(15)	Voorvoegsel		
Werkgever	string(15)	Werkgever		
Woonplaats	string(50)	Woonplaats		
Woonplaats_2	string(50)	Woonplaats		

MediSoft_Dienstverband_3.50_2: itgen_aoe_medisoft_dienstverband_3.50_2

Name: MediSoft_Dienstverband_3.50_2

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_medisoft_dienstverband_3.50_2

Documentation:

MediSoft_Dienstverband_3.50_2

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/MediSoft_Dienstverband_3.50_2

Insert Service URL (OData-specific): /connectors/MediSoft_Dienstverband_3.50_2

Update Service URL (OData-specific): /connectors/MediSoft_Dienstverband_3.50_2

Delete Service URL (OData-specific): /connectors/MediSoft_Dienstverband_3.50_2

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Aantal_uren_per_week	decimal	Aantal uren per week		
Achternaam	string(80)	Achternaam		
Begindatum	datetime	Begindatum		
Begindatum_2	datetime	Begindatum		
Begindatum_contract	datetime	Begindatum contract		
Burgerlijke_staats_code	string(20)	Burgerlijke staat code		
Einddatum	datetime	Einddatum		
Einddatum_2	datetime	Einddatum		
E-mail_privé	string(255)	E-mail privé		
E-mail_werk	string(255)	E-mail werk		
Geboortedatum	datetime	Geboortedatum		
Geslacht	string(54)	Geslacht		
GUID	string(38)	GUID		
Huisnummer	int32	Huisnummer		
Huisnummer_2	int32	Huisnummer		
Land	string(3)	Land		
Medewerker	string(15)	Medewerker		
Mobiel_privé	string(255)	Mobiel privé		
Naam	string(255)	Naam werkgever		

Name	Data Type	Label	Required	Documentation
Nationaliteit_code	string(20)	Nationaliteit code		
Omschrijving_2	string(50)	Omschrijving		
Omschrijving_2_2	string(50)	Omschrijving		
Organisatorische_eenheid	string(10)	Organisatorische eenheid		
Parttime_____	decimal	Parttime (%)		
Postcode	string(15)	Postcode		
Postcode_2	string(15)	Postcode		
Salaris	decimal	Salaris		
Straat	string(60)	Straat		
Straat_2	string(60)	Straat		
Telefoonnr__prive	string(255)	Telefoonnr. privé		
Telefoonnr__werk	string(255)	Telefoonnr. werk		
Toev__aan_huisnr_	string(30)	Toev. aan huisnr.		
Toev__aan_huisnr__2	string(30)	Toev. aan huisnr.		
Volgnummer_dienstverband	int32	Volgnummer dienstverband		
Volgnummer_Organisatorische_ee nheid_functie	int32	Volgnummer Organisatorische eenheid/functie		
Voorletters	string(15)	Voorletters		
Voornaam	string(50)	Voornaam		
Voorvoegsel	string(15)	Voorvoegsel		
Werkgever	string(15)	Werkgever		
Woonplaats	string(50)	Woonplaats		
Woonplaats_2	string(50)	Woonplaats		

MediSoft_Dienstverband_3.50_3: itgen_aoe_medisoft_dienstverband_3.50_3

Name: MediSoft_Dienstverband_3.50_3

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_medisoft_dienstverband_3.50_3

Documentation:

MediSoft_Dienstverband_3.50_3

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/MediSoft_Dienstverband_3.50_3

Insert Service URL (OData-specific): /connectors/MediSoft_Dienstverband_3.50_3

Update Service URL (OData-specific): /connectors/MediSoft_Dienstverband_3.50_3

Delete Service URL (OData-specific): /connectors/MediSoft_Dienstverband_3.50_3

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Aantal_uren_per_w_eeek	decimal	Aantal uren per week		
Achternaam	string(80)	Achternaam		
Begindatum	datetime	Begindatum		
Begindatum_2	datetime	Begindatum		
Begindatum_contract	datetime	Begindatum contract		
Burgerlijke_staata_code	string(20)	Burgerlijke staat code		
Einddatum	datetime	Einddatum		
Einddatum_2	datetime	Einddatum		
E-mail_priv_ee	string(255)	E-mail privé		
E-mail_w_erk	string(255)	E-mail werk		
Geboortedatum	datetime	Geboortedatum		
Geslacht	string(54)	Geslacht		
GUID	string(38)	GUID		
Huisnummer	int32	Huisnummer		
Huisnummer_2	int32	Huisnummer		
Land	string(3)	Land		
Medew_erk_ee	string(15)	Medew erker		
Mobiel_priv_ee	string(255)	Mobiel privé		
Naam	string(255)	Naam w erkgever		
Nationaliteit_code	string(20)	Nationaliteit code		
Omschrijving_2	string(50)	Omschrijving		
Omschrijving_2_2	string(50)	Omschrijving		
Organisatorische_eeenheid	string(10)	Organisatorische eenheid		
Parttime_ee_ee	decimal	Parttime (%)		
Postcode	string(15)	Postcode		
Postcode_2	string(15)	Postcode		
Salaris	decimal	Salaris		
Straat	string(60)	Straat		
Straat_2	string(60)	Straat		
Telefoonnr_priv_ee	string(255)	Telefoonnr. privé		
Telefoonnr_w_erk	string(255)	Telefoonnr. werk		
Toev_ee_aan_huisnr_ee	string(30)	Toev. aan huisnr.		

Name	Data Type	Label	Required	Documentation
Toev__aan_huisnr__2	string(30)	Toev. aan huisnr.		
Volgnummer_dienstverband	int32	Volgnummer dienstverband		
Volgnummer_Organisatorische_ee nheid_functie	int32	Volgnummer Organisatorische eenheid/functie		
Voorletters	string(15)	Voorletters		
Voornaam	string(50)	Voornaam		
Voorvoegsel	string(15)	Voorvoegsel		
Werkgever	string(15)	Werkgever		
Woonplaats	string(50)	Woonplaats		
Woonplaats_2	string(50)	Woonplaats		

MediSoft_Dienstverband_3.50_4: itgen_aoe_medisoft_dienstverband_3.50_4

Name: MediSoft_Dienstverband_3.50_4

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_medisoft_dienstverband_3.50_4

Documentation:

MediSoft_Dienstverband_3.50_4

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/MediSoft_Dienstverband_3.50_4

Insert Service URL (OData-specific): /connectors/MediSoft_Dienstverband_3.50_4

Update Service URL (OData-specific): /connectors/MediSoft_Dienstverband_3.50_4

Delete Service URL (OData-specific): /connectors/MediSoft_Dienstverband_3.50_4

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Aantal_uren_per_w_ee_k	decimal	Aantal uren per week		
Achternaam	string(80)	Achternaam		
Begindatum	datetime	Begindatum		
Begindatum_2	datetime	Begindatum		

Name	Data Type	Label	Required	Documentation
Begindatum_contract	datetime	Begindatum contract		
Burgerlijke_staats_code	string(20)	Burgerlijke staat code		
Einddatum	datetime	Einddatum		
Einddatum_2	datetime	Einddatum		
E-mail_privé	string(255)	E-mail privé		
E-mail_werk	string(255)	E-mail werk		
Geboortedatum	datetime	Geboortedatum		
Geslacht	string(54)	Geslacht		
GUID	string(38)	GUID		
Huisnummer	int32	Huisnummer		
Huisnummer_2	int32	Huisnummer		
Land	string(3)	Land		
Medewerker	string(15)	Medewerker		
Mobiel_privé	string(255)	Mobiel privé		
Naam	string(255)	Naam werkgever		
Nationaliteit_code	string(20)	Nationaliteit code		
Omschrijving_2	string(50)	Omschrijving		
Omschrijving_2_2	string(50)	Omschrijving		
Organisatorische_eenheid	string(10)	Organisatorische eenheid		
Parttime_____	decimal	Parttime (%)		
Postcode	string(15)	Postcode		
Postcode_2	string(15)	Postcode		
Salaris	decimal	Salaris		
Straat	string(60)	Straat		
Straat_2	string(60)	Straat		
Telefoonnr_privé	string(255)	Telefoonnr. privé		
Telefoonnr_werk	string(255)	Telefoonnr. werk		
Toev_aan_huisnr_	string(30)	Toev. aan huisnr.		
Toev_aan_huisnr_2	string(30)	Toev. aan huisnr.		
Volgnummer_dienstverband	int32	Volgnummer dienstverband		
Volgnummer_Organisatorische_ee nheid_functie	int32	Volgnummer Organisatorische eenheid/functie		
Voorletters	string(15)	Voorletters		
Voornaam	string(50)	Voornaam		
Voorvoegsel	string(15)	Voorvoegsel		
Werkgever	string(15)	Werkgever		
Woonplaats	string(50)	Woonplaats		
Woonplaats_2	string(50)	Woonplaats		

MediSoft_Dienstverband_3.50_5: itgen_aoe_medisoft_dienstverband_3.50_5

Name: MediSoft_Dienstverband_3.50_5

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_medisoft_dienstverband_3.50_5

Documentation:

MediSoft_Dienstverband_3.50_5

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/MediSoft_Dienstverband_3.50_5

Insert Service URL (OData-specific): /connectors/MediSoft_Dienstverband_3.50_5

Update Service URL (OData-specific): /connectors/MediSoft_Dienstverband_3.50_5

Delete Service URL (OData-specific): /connectors/MediSoft_Dienstverband_3.50_5

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Aantal_uren_per_w_ee	decimal	Aantal uren per week		
Achternaam	string(80)	Achternaam		
Begindatum	datetime	Begindatum		
Begindatum_2	datetime	Begindatum		
Begindatum_contract	datetime	Begindatum contract		
Burgerlijke_sta	string(20)	Burgerlijke staat code		
Einddatum	datetime	Einddatum		
Einddatum_2	datetime	Einddatum		
E-mail_priv	string(255)	E-mail privé		
E-mail_werk	string(255)	E-mail werk		
Geboortedatum	datetime	Geboortedatum		
Geslacht	string(54)	Geslacht		
GUID	string(38)	GUID		
Huisnummer	int32	Huisnummer		
Huisnummer_2	int32	Huisnummer		
Land	string(3)	Land		
Medewerker	string(15)	Medewerker		
Mobiel_priv	string(255)	Mobiel privé		
Naam	string(255)	Naam werkgever		

Name	Data Type	Label	Required	Documentation
Nationaliteit_code	string(20)	Nationaliteit code		
Omschrijving_2	string(50)	Omschrijving		
Omschrijving_2_2	string(50)	Omschrijving		
Organisatorische_eenheid	string(10)	Organisatorische eenheid		
Parttime_____	decimal	Parttime (%)		
Postcode	string(15)	Postcode		
Postcode_2	string(15)	Postcode		
Salaris	decimal	Salaris		
Straat	string(60)	Straat		
Straat_2	string(60)	Straat		
Telefoonnr__prive	string(255)	Telefoonnr. privé		
Telefoonnr__werk	string(255)	Telefoonnr. werk		
Toev__aan_huisnr_	string(30)	Toev. aan huisnr.		
Toev__aan_huisnr_2	string(30)	Toev. aan huisnr.		
Volgnummer_dienstverband	int32	Volgnummer dienstverband		
Volgnummer_Organisatorische_ee nheid_functie	int32	Volgnummer Organisatorische eenheid/functie		
Voorletters	string(15)	Voorletters		
Voornaam	string(50)	Voornaam		
Voorvoegsel	string(15)	Voorvoegsel		
Werkgever	string(15)	Werkgever		
Woonplaats	string(50)	Woonplaats		
Woonplaats_2	string(50)	Woonplaats		

MediSoft_Verzuim_3.50_0: itgen_aoe_medisoft_verzuim_3.50_0

Name: MediSoft_Verzuim_3.50_0

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_medisoft_verzuim_3.50_0

Documentation:

MediSoft_Verzuim_3.50_0

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/MediSoft_Verzuim_3.50_0

Insert Service URL (OData-specific): /connectors/MediSoft_Verzuim_3.50_0

Update Service URL (OData-specific): /connectors/MediSoft_Verzuim_3.50_0

Delete Service URL (OData-specific): /connectors/MediSoft_Verzuim_3.50_0

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
__Aanw_ezigheid	decimal	Percentage aanw ezig		
Achternaam	string(80)	Achternaam		
Achternaam_2	string(38)	GUID		
Begindatum_3	datetime	Begindatum		
Begindatum_4	datetime	Begindatum		
Begindatum_-tijd	datetime	Begindatum/-tijd		
Datum_tijd	datetime	Verzuim datum/tijd		
Einddatum	datetime	Einddatum		
Einddatum_-tijd	datetime	Einddatum/-tijd		
GUID	string(38)	GUID		
GUID_3	string(38)	GUID		
Koppeling_organisatorische_ee nid_funcie	int32	Koppeling organisatorische eenheid/funcie		
Medew_erker	string(15)	Medew erker		
Naam_w_erkgever	string(255)	Naam w erkgever		
Omschrijving	string(50)	Omschrijving		
Organisatorische_ee nheid	string(10)	Organisatorische eenheid		
Type_verzuim_code	string(20)	Type verzuim code		
Type_verzuim_code_2	string(20)	Type verzuim code		
Type_verzuim_code_3	string(20)	Type verzuim code		
Type_verzuim_code_4	string(20)	Type verzuim code		
Type_verzuim_code_5	string(20)	Type verzuim code		
Type_verzuim_code_6	string(20)	Type verzuim code		
Volgnummer_dienstverband	int32	Volgnummer dienstverband		
Werkgever	string(15)	Werkgever		

MediSoft_Verzuim_3.50_1: itgen_aoe_medisoft_verzuim_3.50_1

Name: MediSoft_Verzuim_3.50_1

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_medisoft_verzuim_3.50_1

Documentation:

MediSoft_Verzuim_3.50_1

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/MediSoft_Verzuim_3.50_1

Insert Service URL (OData-specific): /connectors/MediSoft_Verzuim_3.50_1

Update Service URL (OData-specific): /connectors/MediSoft_Verzuim_3.50_1

Delete Service URL (OData-specific): /connectors/MediSoft_Verzuim_3.50_1

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
__Aanw ezigheid	decimal	Percentage aanw ezig		
Achternaam	string(80)	Achternaam		
Achternaam_2	string(38)	GUID		
Begindatum_3	datetime	Begindatum		
Begindatum_4	datetime	Begindatum		
Begindatum_-tijd	datetime	Begindatum/-tijd		
Datum_tijd	datetime	Verzuim datum/tijd		
Einddatum	datetime	Einddatum		
Einddatum_-tijd	datetime	Einddatum/-tijd		
GUID	string(38)	GUID		
GUID_3	string(38)	GUID		
Koppeling_organisatorische_ eenhe id_functie	int32	Koppeling organisatorische eenheid/functie		
Medew erker	string(15)	Medew erker		
Naam_w erkgever	string(255)	Naam w erkgever		
Omschrijving	string(50)	Omschrijving		
Organisatorische_ eenheid	string(10)	Organisatorische eenheid		
Type_verzuim_code	string(20)	Type verzuim code		
Type_verzuim_code_2	string(20)	Type verzuim code		
Type_verzuim_code_3	string(20)	Type verzuim code		
Type_verzuim_code_4	string(20)	Type verzuim code		
Type_verzuim_code_5	string(20)	Type verzuim code		

Name	Data Type	Label	Required	Documentation
Type_verzuim_code_6	string(20)	Type verzuim code		
Volgnummer_dienstverband	int32	Volgnummer dienstverband		
Werkgever	string(15)	Werkgever		

MediSoft_Verzuim_3.50_2: itgen_aoe_medisoft_verzuim_3.50_2

Name: MediSoft_Verzuim_3.50_2

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_medisoft_verzuim_3.50_2

Documentation:

MediSoft_Verzuim_3.50_2

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/MediSoft_Verzuim_3.50_2

Insert Service URL (OData-specific): /connectors/MediSoft_Verzuim_3.50_2

Update Service URL (OData-specific): /connectors/MediSoft_Verzuim_3.50_2

Delete Service URL (OData-specific): /connectors/MediSoft_Verzuim_3.50_2

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
__Aanw ezigheid	decimal	Percentage aanw ezig		
Achternaam	string(80)	Achternaam		
Achternaam_2	string(38)	GUID		
Begindatum_3	datetime	Begindatum		
Begindatum_4	datetime	Begindatum		
Begindatum_-tijd	datetime	Begindatum/-tijd		
Datum_tijd	datetime	Verzuim datum/tijd		
Einddatum	datetime	Einddatum		
Einddatum_-tijd	datetime	Einddatum/-tijd		
GUID	string(38)	GUID		
GUID_3	string(38)	GUID		

Name	Data Type	Label	Required	Documentation
Koppeling_organisatorische_ee nheid_id_functie	int32	Koppeling organisatorische eenheid/functie		
Medewerker	string(15)	Medewerker		
Naam_werkgever	string(255)	Naam_werkgever		
Omschrijving	string(50)	Omschrijving		
Organisatorische_ee nheid	string(10)	Organisatorische eenheid		
Type_verzuim_code	string(20)	Type verzuim code		
Type_verzuim_code_2	string(20)	Type verzuim code		
Type_verzuim_code_3	string(20)	Type verzuim code		
Type_verzuim_code_4	string(20)	Type verzuim code		
Type_verzuim_code_5	string(20)	Type verzuim code		
Type_verzuim_code_6	string(20)	Type verzuim code		
Volgnummer_dienstverband	int32	Volgnummer dienstverband		
Werkgever	string(15)	Werkgever		

MediSoft_Verzuim_3.50_3: itgen_aoe_medisoft_verzuim_3.50_3

Name: MediSoft_Verzuim_3.50_3

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_medisoft_verzuim_3.50_3

Documentation:

MediSoft_Verzuim_3.50_3

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/MediSoft_Verzuim_3.50_3

Insert Service URL (OData-specific): /connectors/MediSoft_Verzuim_3.50_3

Update Service URL (OData-specific): /connectors/MediSoft_Verzuim_3.50_3

Delete Service URL (OData-specific): /connectors/MediSoft_Verzuim_3.50_3

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
__Aanw ezigheid	decimal	Percentage aanw ezig		
Achternaam	string(80)	Achternaam		
Achternaam_2	string(38)	GUID		
Begindatum_3	datetime	Begindatum		
Begindatum_4	datetime	Begindatum		
Begindatum_-tijd	datetime	Begindatum/-tijd		
Datum_tijd	datetime	Verzuim datum/tijd		
Einddatum	datetime	Einddatum		
Einddatum_-tijd	datetime	Einddatum/-tijd		
GUID	string(38)	GUID		
GUID_3	string(38)	GUID		
Koppeling_organisatorische_eenheid_funcitie	int32	Koppeling organisatorische eenheid/funcitie		
Medew erker	string(15)	Medew erker		
Naam_w erkgever	string(255)	Naam w erkgever		
Omschrijving	string(50)	Omschrijving		
Organisatorische_eenheid	string(10)	Organisatorische eenheid		
Type_verzuim_code	string(20)	Type verzuim code		
Type_verzuim_code_2	string(20)	Type verzuim code		
Type_verzuim_code_3	string(20)	Type verzuim code		
Type_verzuim_code_4	string(20)	Type verzuim code		
Type_verzuim_code_5	string(20)	Type verzuim code		
Type_verzuim_code_6	string(20)	Type verzuim code		
Volgnummer_dienstverband	int32	Volgnummer dienstverband		
Werkgever	string(15)	Werkgever		

MediSoft_Verzuim_3.50_4: itgen_aoe_medisoft_verzuim_3.50_4

Name: MediSoft_Verzuim_3.50_4

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_medisoft_verzuim_3.50_4

Documentation:

MediSoft_Verzuim_3.50_4

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/MediSoft_Verzuim_3.50_4

Insert Service URL (OData-specific): /connectors/MediSoft_Verzuim_3.50_4

Update Service URL (OData-specific): /connectors/MediSoft_Verzuim_3.50_4

Delete Service URL (OData-specific): /connectors/MediSoft_Verzuim_3.50_4

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
__Aanw ezigheid	decimal	Percentage aanw ezig		
Achternaam	string(80)	Achternaam		
Achternaam_2	string(38)	GUID		
Begindatum_3	datetime	Begindatum		
Begindatum_4	datetime	Begindatum		
Begindatum_-tijd	datetime	Begindatum/-tijd		
Datum_tijd	datetime	Verzuim datum/tijd		
Einddatum	datetime	Einddatum		
Einddatum_-tijd	datetime	Einddatum/-tijd		
GUID	string(38)	GUID		
GUID_3	string(38)	GUID		
Koppeling_organisatorische_ee nid_funcie	int32	Koppeling organisatorische eenheid/funcie		
Medew erker	string(15)	Medew erker		
Naam_w erkgever	string(255)	Naam w erkgever		
Omschrijving	string(50)	Omschrijving		
Organisatorische_ee nheid	string(10)	Organisatorische eenheid		
Type_verzuim_code	string(20)	Type verzuim code		
Type_verzuim_code_2	string(20)	Type verzuim code		
Type_verzuim_code_3	string(20)	Type verzuim code		
Type_verzuim_code_4	string(20)	Type verzuim code		
Type_verzuim_code_5	string(20)	Type verzuim code		
Type_verzuim_code_6	string(20)	Type verzuim code		
Volgnummer_dienstverband	int32	Volgnummer dienstverband		
Werkgever	string(15)	Werkgever		

MediSoft_Verzuim_3.50_5: itgen_aoe_medisoft_verzuim_3.50_5

Name: MediSoft_Verzuim_3.50_5

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_medisoft_verzuim_3.50_5

Documentation:

MediSoft_Verzuim_3.50_5

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/MediSoft_Verzuim_3.50_5

Insert Service URL (OData-specific): /connectors/MediSoft_Verzuim_3.50_5

Update Service URL (OData-specific): /connectors/MediSoft_Verzuim_3.50_5

Delete Service URL (OData-specific): /connectors/MediSoft_Verzuim_3.50_5

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
__Aanw_ezigheid	decimal	Percentage aanw_ezig		
Achternaam	string(80)	Achternaam		
Achternaam_2	string(38)	GUID		
Begindatum_3	datetime	Begindatum		
Begindatum_4	datetime	Begindatum		
Begindatum_-tijd	datetime	Begindatum/-tijd		
Datum_tijd	datetime	Verzuim datum/tijd		
Einddatum	datetime	Einddatum		
Einddatum_-tijd	datetime	Einddatum/-tijd		
GUID	string(38)	GUID		
GUID_3	string(38)	GUID		
Koppeling_organisatorische_eenheid_funcie	int32	Koppeling organisatorische eenheid/funcie		
Medew erker	string(15)	Medew erker		
Naam_w erkgever	string(255)	Naam w erkgever		
Omschrijving	string(50)	Omschrijving		
Organisatorische_eenheid	string(10)	Organisatorische eenheid		
Type_verzuim_code	string(20)	Type verzuim code		

Name	Data Type	Label	Required	Documentation
Type_verzuim_code_2	string(20)	Type verzuim code		
Type_verzuim_code_3	string(20)	Type verzuim code		
Type_verzuim_code_4	string(20)	Type verzuim code		
Type_verzuim_code_5	string(20)	Type verzuim code		
Type_verzuim_code_6	string(20)	Type verzuim code		
Volgnummer_dienstverband	int32	Volgnummer dienstverband		
Werkgever	string(15)	Werkgever		

Merken: Brands

Name: Merken

Catalog: AfasOnline

Schema: GetConnector

Label: Brands

Documentation:

Merken

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Merken

Insert Service URL (OData-specific): /connectors/Merken

Update Service URL (OData-specific): /connectors/Merken

Delete Service URL (OData-specific): /connectors/Merken

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Itemcode	int32	Itemcode		
Merk	string(50)	Dummy tekstveld		

PosManager_Debiteuren: itgen_aoe_posmanager_debiteuren

Name: PosManager_Debiteuren

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_posmanager_debiteuren

Documentation:

PosManager Debiteuren

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/PosManager_Debiteuren

Insert Service URL (OData-specific): /connectors/PosManager_Debiteuren

Update Service URL (OData-specific): /connectors/PosManager_Debiteuren

Delete Service URL (OData-specific): /connectors/PosManager_Debiteuren

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Debiteur	string(16)	Nummer debiteur		
Geblokkeerd	boolean	Geblokkeerd voor levering		
Kredietlimiet	decimal	Kredietlimiet		

PosManager_Openstaande_Posten_Debiteur: itgen_aoe_posmanager_openstaande_posten_debiteur

Name: PosManager_Openstaande_Posten_Debiteur

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_posmanager_openstaande_posten_debiteur

Documentation:

PosManager openstaande posten debiteur

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/PosManager_Openstaande_Posten_Debiteur

Insert Service URL (OData-specific): /connectors/PosManager_Openstaande_Posten_Debiteur

Update Service URL (OData-specific): /connectors/PosManager_Openstaande_Posten_Debiteur

Delete Service URL (OData-specific): /connectors/PosManager_Openstaande_Posten_Debiteur

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Factuurnummer	string(12)	Factuurnummer		
Saldo	decimal	Saldo		
Subnummer	string(16)	Subnummer		

Precal_Administraties: itgen_aoe_precal_administraties

Name: Precal_Administraties

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_precal_administraties

Documentation:

Precal [Administraties]

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Precal_Administraties

Insert Service URL (OData-specific): /connectors/Precal_Administraties

Update Service URL (OData-specific): /connectors/Precal_Administraties

Delete Service URL (OData-specific): /connectors/Precal_Administraties

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Administratie	int32	Administratie		
Adresregel_1__straat_-_huisnr_	string(59)	Adresregel 1 (straat - huisnr)		

Name	Data Type	Label	Required	Documentation
Adresregel_2__toevoeging_	string(59)	Adresregel 2 (toevoeging)		
Adresregel_3__postc_-_w pl_	string(59)	Adresregel 3 (postc - w pl)		
Adresregel_4__land_	string(59)	Adresregel 4 (land)		
Contactpersoon	string(50)	Contactpersoon		
Fax	string(80)	Fax		
Kix_coderegel	string(18)	KIX-coderegel		
Naam	string(80)	Naam		
Telefoon	string(80)	Telefoonnr.		

Precal_Adressen: itgen_aoe_precal_adressen

Name: Precal_Adressen

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_precal_adressen

Documentation:

Precal [Adressen]

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Precal_Adressen

Insert Service URL (OData-specific): /connectors/Precal_Adressen

Update Service URL (OData-specific): /connectors/Precal_Adressen

Delete Service URL (OData-specific): /connectors/Precal_Adressen

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Adres	string(255)	Adresvoorbeeld op 1 regel		
Adrestype	string(100)	Adrestype		
Adrestype_code	string(20)	Adrestype code		
Naam	string(255)	Naam		
Relatie	string(15)	Nummer		

Name	Data Type	Label	Required	Documentation
Soort_contact_code	string(20)	Soort contact code		

Precal_Bank_Girorekening: itgen_aoe_precal_bank_girorekening

Name: Precal_Bank_Girorekening

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_precal_bank_girorekening

Documentation:

Precal [Bank_Girorekening]

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Precal_Bank_Girorekening

Insert Service URL (OData-specific): /connectors/Precal_Bank_Girorekening

Update Service URL (OData-specific): /connectors/Precal_Bank_Girorekening

Delete Service URL (OData-specific): /connectors/Precal_Bank_Girorekening

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Bank_girorekeningnummer	string(40)	Bankrekening		
IBAN_nummer	string(40)	IBAN-nummer		
Land_van_de_bank	string(3)	Land van de bank		
Relatie	string(15)	Nummer		

Precal_Beoordeler: itgen_aoe_precal_beoordeler

Name: Precal_Beoordeler

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_precal_beoordeler

Documentation:

Precal [Beoordeler]

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Precal_Beordeler

Insert Service URL (OData-specific): /connectors/Precal_Beordeler

Update Service URL (OData-specific): /connectors/Precal_Beordeler

Delete Service URL (OData-specific): /connectors/Precal_Beordeler

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Ad1	string(255)	Adresregel 1 (straat - huisnr)		
Ad2	string(255)	Adresregel 2 (toevoeging)		
Ad3	string(255)	Adresregel 3 (postc - w pl)		
Ad4	string(255)	Adresregel 4 (land)		
BiDa	int32	Geboortedag		
BiMo	int32	Geboortemaand		
BiYe	int32	Geboortejaar		
CmId	string(15)	Werkgever		
EmId	string(15)	Medewerker		
FuNm	string(54)	Achternaam, init voorvoegsel (voornaam)		

Precal_Betaalvoorwaarde: itgen_aoe_precal_betaalvoorwaarde

Name: Precal_Betaalvoorwaarde

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_precal_betaalvoorwaarde

Documentation:

Precal [Betaalvoorwaarde]

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Precal_Betaalvoorwaarde

Insert Service URL (OData-specific): /connectors/Precal_Betaalvoorwaarde

Update Service URL (OData-specific): /connectors/Precal_Betaalvoorwaarde

Delete Service URL (OData-specific): /connectors/Precal_Betaalvoorwaarde

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Aantal_dagen	int32	Aantal dagen		
Aantal_maanden	int32	Aantal maanden		
Betalingsvoorw aarde	string(5)	Betaalvoorw aarde		
Omschrijving	string(80)	Omschrijving		

Precal_Betaalwijze: itgen_aoe_precal_betaalwijze

Name: Precal_Betaalwijze

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_precal_betaalwijze

Documentation:

Precal [Betaalwijze]

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Precal_Betaalwijze

Insert Service URL (OData-specific): /connectors/Precal_Betaalwijze

Update Service URL (OData-specific): /connectors/Precal_Betaalwijze

Delete Service URL (OData-specific): /connectors/Precal_Betaalwijze

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Betaalw ijze	string(5)	Betaalw ijze		

Name	Data Type	Label	Required	Documentation
Omschrijving	string(80)	Omschrijving		

Precal_BTW: itgen_aoe_precal_btw

Name: Precal_BTW

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_precal_btw

Documentation:

Precal [btw]

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Precal_BTW

Insert Service URL (OData-specific): /connectors/Precal_BTW

Update Service URL (OData-specific): /connectors/Precal_BTW

Delete Service URL (OData-specific): /connectors/Precal_BTW

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Berekenmethode	string(20)	Berekeningsmethode code		
Code	string(3)	Btw -code		
Grootboekrekening	string(16)	Grootboekrekening		
Inkoop_verkoop	string(20)	Code inkoop/verkoop code		
Omschrijving	string(80)	Omschrijving		
Percentage	decimal	Tarief		

Precal_Contacten: itgen_aoe_precal_contacten

Name: Precal_Contacten

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_precal_contacten

Documentation:

Precal [Contacten]

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Precal_Contacten

Insert Service URL (OData-specific): /connectors/Precal_Contacten

Update Service URL (OData-specific): /connectors/Precal_Contacten

Delete Service URL (OData-specific): /connectors/Precal_Contacten

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Adres	string(255)	Adresvoorbeeld op 1 regel		
Geblokkeerd	boolean	Geblokkeerd		
Gekoppelde_persoon	string(15)	Nummer		
Naam	string(255)	Naam		
Relatie	string(15)	Nummer		
Soort_contact_code	string(20)	Soort contact code		

Precal_Crediteur: itgen_aoe_precal_crediteur

Name: Precal_Crediteur

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_precal_crediteur

Documentation:

Precal [Crediteur]

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Precal_Crediteur

Insert Service URL (OData-specific): /connectors/Precal_Crediteur

Update Service URL (OData-specific): /connectors/Precal_Crediteur

Delete Service URL (OData-specific): /connectors/Precal_Crediteur

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Automatisch_betalen	boolean	Automatisch betalen		
Bank_girorekeningnummer	string(40)	Bankrekening		
Crediteur	string(16)	Nummer crediteur		
Crediteurnaam	string(80)	Crediteurnaam		
Relatie	string(15)	Nummer		
RelatieType	string(20)	Organisatie/persoon code		

Precal_Dagboeken: itgen_aoe_precal_dagboeken

Name: Precal_Dagboeken

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_precal_dagboeken

Documentation:

Precal [Dagboeken]

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Precal_Dagboeken

Insert Service URL (OData-specific): /connectors/Precal_Dagboeken

Update Service URL (OData-specific): /connectors/Precal_Dagboeken

Delete Service URL (OData-specific): /connectors/Precal_Dagboeken

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Administratie	int32	Administratie		
Administratiecode	string(10)	Administratie		

Name	Data Type	Label	Required	Documentation
Dagboekcode	string(6)	Code dagboek		
Dagboeksoort	string(100)	Dagboeksoort		
Dagboeksoort_code	string(20)	Dagboeksoort code		
Omschrijving	string(50)	Omschrijving		

Precal_Debiteur: itgen_aoe_precal_debiteur

Name: Precal_Debiteur

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_precal_debiteur

Documentation:

Precal [Debiteur]

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Precal_Debiteur

Insert Service URL (OData-specific): /connectors/Precal_Debiteur

Update Service URL (OData-specific): /connectors/Precal_Debiteur

Delete Service URL (OData-specific): /connectors/Precal_Debiteur

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Automatisch_incasseren	boolean	Automatisch incasseren		
Bank_girokekeningnummer	string(40)	Bankrekening		
Debiteur	string(16)	Nummer debiteur		
Debiteurnaam	string(80)	Naam debiteur		
Relatie	string(15)	Nummer		
RelatieType	string(20)	Organisatie/persoon code		

Precal_Factuurinfo: itgen_aoe_precal_factuurinfo

Name: Precal_Factuurinfo

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_precal_factuurinfo

Documentation:

Precal [Factuurinfo]

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Precal_Factuurinfo

Insert Service URL (OData-specific): /connectors/Precal_Factuurinfo

Update Service URL (OData-specific): /connectors/Precal_Factuurinfo

Delete Service URL (OData-specific): /connectors/Precal_Factuurinfo

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Administratie	int32	Administratie		
Boekstuknummer	string(32)	Boekstuknummer		
Factuurnummer	string(12)	Factuurnummer		
Rekeningkenmerk	string(10)	Kenmerk rekening		
Rekeningnummer	string(16)	Rekeningnummer		

Precal_Grootboekrekeningen: itgen_aoe_precal_grootboekrekeningen

Name: Precal_Grootboekrekeningen

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_precal_grootboekrekeningen

Documentation:

Precal [Grootboekrekeningen]

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Precal_Grootboekrekeningen

Insert Service URL (OData-specific): /connectors/Precal_Grootboekrekeningen

Update Service URL (OData-specific): /connectors/Precal_Grootboekrekeningen

Delete Service URL (OData-specific): /connectors/Precal_Grootboekrekeningen

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Afletterbaar	boolean	Afletterbaar		
Afletteren_met	string(16)	Afletteren met		
BTW_toestaan	boolean	Btw toestaan		
Omschrijving	string(50)	Omschrijving		
Rekeningkenmerk	string(10)	Kenmerk rekening		
Rekeningnummer	string(16)	Rekeningnummer		
Soort_rekening	string(10)	Soort rekening		
Type_rekening	string(10)	Type rekening		
Type_verzamelrekening	string(10)	Type verzamelrekening		
Verzamelrekening	boolean	Verzamelrekening		
Voorkeur_BTW-code	string(3)	Voorkeur btw -code		

Precal_Landen: itgen_aoe_precal_landen

Name: Precal_Landen

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_precal_landen

Documentation:

Precal [Landen]

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Precal_Landen

Insert Service URL (OData-specific): /connectors/Precal_Landen

Update Service URL (OData-specific): /connectors/Precal_Landen

Delete Service URL (OData-specific): /connectors/Precal_Landen

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
CBS_code	string(2)	CBS-code		
Co	string(40)	Land		
Cold	string(3)	Code land		
EU_lidstaat	string(2)	EU-lidstaat		
ISO_Alpha2	string(2)	ISO Alpha-2		
Tekst_postbus	string(20)	Tekst postbus		

Precal_Openstaande_posten_crediteur: itgen_aoe_precal_openstaande_posten_crediteur

Name: Precal_Openstaande_posten_crediteur

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_precal_openstaande_posten_crediteur

Documentation:

Precal [Openstaande posten crediteur]

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Precal_Openstaande_posten_crediteur

Insert Service URL (OData-specific): /connectors/Precal_Openstaande_posten_crediteur

Update Service URL (OData-specific): /connectors/Precal_Openstaande_posten_crediteur

Delete Service URL (OData-specific): /connectors/Precal_Openstaande_posten_crediteur

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Administratie	int32	Administratie		
BetaaldBedrag	decimal	Betaald		
BetaaldBedragValuta	decimal	Betaald in valuta		
Boekstukdatum	datetime	Boekstukdatum		

Name	Data Type	Label	Required	Documentation
Debet_Credit	string(1)	Factuurbedrag D/C		
Factuurnummer	string(12)	Factuurnummer		
Omschrijving	string(120)	Omschrijving factuur		
Relatie	string(15)	Nummer		
Saldo	decimal	Saldo		
SaldoValuta	decimal	Saldo (valuta)		
Subnummer	string(16)	Subnummer		
TotaalFactuurbedrag	decimal	Totaal factuurbedrag		
TotaalFactuurbedragValuta	decimal	Totaal factuurbedrag valuta		
Valutacode	string(3)	Valuta		
Vervaldagen	int32	Vervaldagen		
Vervaldatum	datetime	Vervaldatum		

Precal_Openstaande_posten_debiteur: itgen_aoe_precal_openstaande_posten_debiteur

Name: Precal_Openstaande_posten_debiteur

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_precal_openstaande_posten_debiteur

Documentation:

Precal [Openstaande posten debiteur]

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Precal_Openstaande_posten_debiteur

Insert Service URL (OData-specific): /connectors/Precal_Openstaande_posten_debiteur

Update Service URL (OData-specific): /connectors/Precal_Openstaande_posten_debiteur

Delete Service URL (OData-specific): /connectors/Precal_Openstaande_posten_debiteur

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Administratie	int32	Administratie		
BetaaldBedrag	decimal	Betaald bedrag		
BetaaldBedragValuta	decimal	Betaald in valuta		

Name	Data Type	Label	Required	Documentation
Boekstukdatum	datetime	Boekstukdatum		
Debet_Credit	string(1)	Debet/credit		
Factuurnummer	string(12)	Factuurnummer		
Omschrijving	string(120)	Omschrijving factuur		
Relatie	string(15)	Nummer		
Saldo	decimal	Saldo		
SaldoValuta	decimal	Saldo (valuta)		
Subnummer	string(16)	Subnummer		
TotaalFactuurbedrag	decimal	Totaal factuurbedrag		
TotaalFactuurbedragValuta	decimal	Totaal factuurbedrag valuta		
Valutacode	string(3)	Valuta		
Vervaldagen	int32	Vervaldagen		
Vervaldatum	datetime	Vervaldatum		

Precal_Relatie: itgen_aoe_precal_relatie

Name: Precal_Relatie

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_precal_relatie

Documentation:

Precal [Relatie]

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Precal_Relatie

Insert Service URL (OData-specific): /connectors/Precal_Relatie

Update Service URL (OData-specific): /connectors/Precal_Relatie

Delete Service URL (OData-specific): /connectors/Precal_Relatie

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Naam	string(255)	Naam		
Relatie	string(15)	Nummer		

Name	Data Type	Label	Required	Documentation
Relatie_code	string(20)	Organisatie/persoon code		

Precal_Valuta: itgen_aoe_precal_valuta

Name: Precal_Valuta

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_precal_valuta

Documentation:

Precal [Valuta]

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Precal_Valuta

Insert Service URL (OData-specific): /connectors/Precal_Valuta

Update Service URL (OData-specific): /connectors/Precal_Valuta

Delete Service URL (OData-specific): /connectors/Precal_Valuta

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Decimalen	int32	Aantal decimalen bedrag		
Koers	decimal	Koers		
Omschrijving	string(50)	Omschrijving valuta		
Valuta	string(3)	Valuta		

Precal_VerbijzonderingGrootboekrekening:**itgen_aoe_precal_verbijzonderinggrootboekrekening**

Name: Precal_VerbijzonderingGrootboekrekening

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_precal_verbijzonderinggrootboekrekening

Documentation:

Precal [VerbijzonderingGrootboekrekening]

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Precal_VerbijzonderingGrootboekrekening

Insert Service URL (OData-specific): /connectors/Precal_VerbijzonderingGrootboekrekening

Update Service URL (OData-specific): /connectors/Precal_VerbijzonderingGrootboekrekening

Delete Service URL (OData-specific): /connectors/Precal_VerbijzonderingGrootboekrekening

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Rekeningnummer	string(16)	Rekeningnummer		
Verbijzonderingsas_1_code	string(20)	Verbijzonderingsas 1 code		
Verbijzonderingsas_2_code	string(20)	Verbijzonderingsas 2 code		
Verbijzonderingsas_3_code	string(20)	Verbijzonderingsas 3 code		
Verbijzonderingsas_4_code	string(20)	Verbijzonderingsas 4 code		
Verbijzonderingsas_5_code	string(20)	Verbijzonderingsas 5 code		

Precal_Verbijzonderingscodes: itgen_aoe_precal_verbijzonderingscodes

Name: Precal_Verbijzonderingscodes

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_precal_verbijzonderingscodes

Documentation:

Precal [code verbijzondering]

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Precal_Verbijzonderingscodes

Insert Service URL (OData-specific): /connectors/Precal_Verbijzonderingscodes

Update Service URL (OData-specific): /connectors/Precal_Verbijzonderingscodes

Delete Service URL (OData-specific): /connectors/Precal_Verbijzonderingscodes

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
As	string(1)	Verbijzonderingsas		
Code	string(16)	Code verbijzondering		
Omschrijving	string(50)	Omschrijving		

Precal_Verbijzonderingstoewijzing: itgen_aoe_precal_verbijzonderingstoewijzing

Name: Precal_Verbijzonderingstoewijzing

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_precal_verbijzonderingstoewijzing

Documentation:

Precal [Verbijzonderingstoewijzing]

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Precal_Verbijzonderingstoewijzing

Insert Service URL (OData-specific): /connectors/Precal_Verbijzonderingstoewijzing

Update Service URL (OData-specific): /connectors/Precal_Verbijzonderingstoewijzing

Delete Service URL (OData-specific): /connectors/Precal_Verbijzonderingstoewijzing

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Administratie	int32	Administratie		
As	string(1)	Verbijzonderingsas		
Code	string(16)	Code verbijzondering		

Name	Data Type	Label	Required	Documentation
Omschrijving	string(50)	Omschrijving		
Rekeningkenmerk	string(10)	Kenmerk rekening		
Rekeningnummer	string(16)	Rekeningnummer		

Precal_Woonplaatsen: itgen_aoe_precal_woonplaatsen

Name: Precal_Woonplaatsen

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_precal_woonplaatsen

Documentation:

Precal [Woonplaatsen]

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Precal_Woonplaatsen

Insert Service URL (OData-specific): /connectors/Precal_Woonplaatsen

Update Service URL (OData-specific): /connectors/Precal_Woonplaatsen

Delete Service URL (OData-specific): /connectors/Precal_Woonplaatsen

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Land	string(3)	Land		
Landcode	string(3)	Land		
Naam	string(40)	Land		
Netnummer_telefoon_fax	string(4)	Netnummer		
Postcode_begin	string(15)	Begin postcode		
Postcode_eind	string(15)	End postcode		
Woonplaats	string(50)	Woonplaats		

Profit_Accounts: itgen_aoe_profit_accounts

Name: Profit_Accounts

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_profit_accounts

Documentation:

Profit_Accounts

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_Accounts

Insert Service URL (OData-specific): /connectors/Profit_Accounts

Update Service URL (OData-specific): /connectors/Profit_Accounts

Delete Service URL (OData-specific): /connectors/Profit_Accounts

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Account	string(16)	Rekeningnummer		
Blocked	boolean	Geblokkeerd		
Budget	string(20)	Budgetteren code		
CollectAccount	boolean	Verzamelrekening		
CollectAccountType	string(20)	Type verzamelrekening code		
CollectOn	string(16)	Verzamelen op		
Description	string(50)	Omschrijving		
DimAx1	string(20)	Verbijzonderingsas 1 code		
DimAx2	string(20)	Verbijzonderingsas 2 code		
DimAx3	string(20)	Verbijzonderingsas 3 code		
DimAx4	string(20)	Verbijzonderingsas 4 code		
DimAx5	string(20)	Verbijzonderingsas 5 code		
Feature	string(20)	Kenmerk rekening code		
Sort	string(20)	Soort rekening code		
ToProject	string(20)	Doorboeken projecten code		
Type	string(20)	Type rekeningcode		

Name	Data Type	Label	Required	Documentation
VatAllow ed	boolean	Btw toestaan		
VatCode	string(3)	Voorkeur btw -code		

Profit_Address: Addresses

Name: Profit_Address

Catalog: AfasOnline

Schema: GetConnector

Label: Addresses

Documentation:

Profit_Address

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_Address

Insert Service URL (OData-specific): /connectors/Profit_Address

Update Service URL (OData-specific): /connectors/Profit_Address

Delete Service URL (OData-specific): /connectors/Profit_Address

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Addition	string(255)	Adres toevoeging		
Address	string(60)	Straat		
AddressAdd	string(255)	Toev. voor straat		
AddressId	int32	Adres Id		
AddressLine	string(255)	Adresvoorbeeld op 1 regel		
Country	string(3)	Land		
CreateDate	datetime	Aangemaakt op		
ModifiedDate	datetime	Gew ijsigd op		
Number	int32	Huisnummer		
NumberAdd	string(30)	Toev. aan huisnr.		
PoBox	boolean	Postbusadres		
Residence	string(50)	Woonplaats		
ZipCode	string(15)	Postcode		

Profit_Allocation_Assigments: itgen_aoe_profit_allocation_assigments

Name: Profit_Allocation_Assigments

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_profit_allocation_assigments

Documentation:

Profit_Allocation_Assigments

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_Allocation_Assigments

Insert Service URL (OData-specific): /connectors/Profit_Allocation_Assigments

Update Service URL (OData-specific): /connectors/Profit_Allocation_Assigments

Delete Service URL (OData-specific): /connectors/Profit_Allocation_Assigments

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Account	string(16)	Rekeningnummer		
AxDescription	string(50)	Omschrijving		
CodeDescription	string(50)	Omschrijving		
DimAx	string(1)	Verbijzonderingsas		
DimCode	string(16)	Code verbijzondering		
Unit	int32	Administratie		

Profit_Article: itgen_aoe_profit_article

Name: Profit_Article

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_profit_article

Documentation:

Profit_Article

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_Article

Insert Service URL (OData-specific): /connectors/Profit_Article

Update Service URL (OData-specific): /connectors/Profit_Article

Delete Service URL (OData-specific): /connectors/Profit_Article

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
ArtGroup	string(15)	Artikelgroep		
Barcode	string(30)	Barcode		
BitDecimals	int32	Aantal decimalen		
Blocked	boolean	Geblokkeerd		
CreateDate	datetime	Aangemaakt op		
Description	string(100)	Omschrijving		
ExtraDescription	string(100)	Extra omschrijving		
Factor	int32	Prijsfactor		
ItemCode	string(40)	Itemcode		
ItemSortCode	string(20)	Artikelsoort code		
ItemTypeCode	string(20)	Artikeltipe code		
ModifiedDate	datetime	Gew ijsigd op		
PriceGroup	string(10)	Prijsgroep		
Stock	boolean	Voorraad bijhouden		
StockCode	string(20)	Voorraadcontrole code		
StockDimId1	string(10)	Artikeldimensie 1		
StockDimId2	string(10)	Artikeldimensie 2		
UnitId	string(15)	Basiseenheid		
VATGroup	string(4)	Btw -tariefgroep		

Profit_Article_Basic: itgen_aoe_profit_article_basic

Name: Profit_Article_Basic

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_profit_article_basic

Documentation:

Profit_Article_Basic

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_Article_Basic

Insert Service URL (OData-specific): /connectors/Profit_Article_Basic

Update Service URL (OData-specific): /connectors/Profit_Article_Basic

Delete Service URL (OData-specific): /connectors/Profit_Article_Basic

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
ArtGroup	string(15)	Artikelgroep		
BasicSalesPrice	decimal	Basisverkoopprijs		
Blocked	boolean	Geblokkeerd		
CreateDate	datetime	Aangemaakt op		
DateModified	datetime	Gew iijzigt op		
Description	string(100)	Omschrijving		
ItemCode	string(40)	Itemcode		
StockActual	decimal	Op voorraad		
UnitId	string(15)	Basiseenheid		
VATgroup	string(4)	Btw -tariefgroep		

Profit_Article_image: itgen_aoe_profit_article_image

Name: Profit_Article_image

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_profit_article_image

Documentation:

Profit_Article_image

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_Article_image

Insert Service URL (OData-specific): /connectors/Profit_Article_image

Update Service URL (OData-specific): /connectors/Profit_Article_image

Delete Service URL (OData-specific): /connectors/Profit_Article_image

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Filename	string(255)	Bestandsnaam		
Image	byte[]	Kleine afbeelding		
ItemCodeId	string(40)	Itemcode		
ItemType	string(10)	Type item		

Profit_ArticleGroups: itgen_aoe_profit_articlegroups

Name: Profit_ArticleGroups

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_profit_articlegroups

Documentation:

Profit_ArticleGroups

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_ArticleGroups

Insert Service URL (OData-specific): /connectors/Profit_ArticleGroups

Update Service URL (OData-specific): /connectors/Profit_ArticleGroups

Delete Service URL (OData-specific): /connectors/Profit_ArticleGroups

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Artikelgroep	string(15)	Artikelgroep		
Omschrijving	string(40)	Omschrijving		

Profit_Balance_Allocated: itgen_aoe_profit_balance_allocated

Name: Profit_Balance_Allocated

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_profit_balance_allocated

Documentation:

Profit_Balance_Allocated

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_Balance_Allocated

Insert Service URL (OData-specific): /connectors/Profit_Balance_Allocated

Update Service URL (OData-specific): /connectors/Profit_Balance_Allocated

Delete Service URL (OData-specific): /connectors/Profit_Balance_Allocated

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Account	string(16)	Rekeningnummer		
Balance	decimal	Saldo		
Budget	decimal	Bedrag budget		
Credit	decimal	Credit		
Debet	decimal	Debet		
Description	string(50)	Omschrijving		
DimAx	string(1)	Verbijzonderingsas		
DimCode	string(16)	Code verbijzondering		
Obligation	decimal	Saldo verplichting basisvaluta		
Period	int32	Periode		
Reserved	decimal	Saldo reservering basisvaluta		
Unit	int32	Administratie		
Year	int32	Boekjaar		

Profit_BankAccounts: itgen_aoe_profit_bankaccounts

Name: Profit_BankAccounts

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_profit_bankaccounts

Documentation:

Profit_BankAccounts

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_BankAccounts

Insert Service URL (OData-specific): /connectors/Profit_BankAccounts

Update Service URL (OData-specific): /connectors/Profit_BankAccounts

Delete Service URL (OData-specific): /connectors/Profit_BankAccounts

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
BcCo	string(15)	BcCo		
BIC	string(11)	BIC-code		
Country	string(3)	Land van de bank		
Creditor	string(16)	Inkooprelatie		
Employee	string(15)	Medew erker		
Grek	boolean	G-rekening		
IBAN	string(40)	IBAN-nummer		
Name	string(255)	Naam		
Verkooprelatie	string(16)	Verkooprelatie		

Profit_Barcode_per_Item: itgen_aoe_profit_barcode_per_item

Name: Profit_Barcode_per_Item

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_profit_barcode_per_item

Documentation:

Profit_Barcode_per_Item

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_Barcode_per_Item

Insert Service URL (OData-specific): /connectors/Profit_Barcode_per_Item

Update Service URL (OData-specific): /connectors/Profit_Barcode_per_Item

Delete Service URL (OData-specific): /connectors/Profit_Barcode_per_Item

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Barcode	string(30)	Barcode		
BarcodeType	string(10)	Type barcode		
BatchNumber	string(100)	Partijnummer		
CreditorId	string(16)	Inkooprelatie		
DebtorId	string(16)	Verkooprelatie		
ItemCode	string(40)	Itemcode		
ItemType	string(20)	Type itemcode		
SerialNumber	string(100)	Serienummer		
StockDimCode1	string(10)	Artikeldimensiecode 1		
StockDimCode2	string(10)	Artikeldimensiecode 2		
UnitId	string(15)	Eenheid		

Profit_Composition: itgen_aoe_profit_composition

Name: Profit_Composition

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_profit_composition

Documentation:

Profit_Composition

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_Composition

Insert Service URL (OData-specific): /connectors/Profit_Composition

Update Service URL (OData-specific): /connectors/Profit_Composition

Delete Service URL (OData-specific): /connectors/Profit_Composition

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
AllwaysActive	boolean	Verplicht onderdeel		
Artikelgroep	string(15)	Artikelgroep		
Blocked	boolean	Geblokkeerd		
CompositionId	string(40)	Itemcode		
CompUnique	boolean	Unieke onderdelen		
CompVar	boolean	Variabele samenstelling		
CompXpl	string(20)	Type samenstelling code		
CreateDate	datetime	Aangemaakt op		
CreateOrderLines	boolean	Orderregels genereren		
Description	string(100)	Omschrijving		
ItemCode	string(40)	Itemcode		
ItemType	string(100)	Onderdeel type item		
ModifiedDate	datetime	Gewijzigd op		
PresentationSeqno	int32	Presentatievolgorde		
Quantity	decimal	Aantal		
UnitId	string(15)	Basiseenheid		
UnitId2	string(15)	Eenheid		

Profit_Contacts: Contacts

Name: Profit_Contacts

Catalog: AfasOnline

Schema: GetConnector

Label: Contacts

Documentation:

Profit_Contacts

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_Contacts

Insert Service URL (OData-specific): /connectors/Profit_Contacts

Update Service URL (OData-specific): /connectors/Profit_Contacts

Delete Service URL (OData-specific): /connectors/Profit_Contacts

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
AddressLine1	string(255)	Adresregel 1 (straat - huisnr)		
AddressLine3	string(255)	Adresregel 3 (postc - w pl)		
AddressLine4	string(255)	Adresregel 4 (land)		
Blocked	boolean	Geblokkeerd		
ContactId	int32	Contactid		
CreateDate	datetime	Aangemaakt op		
Department	string(255)	Afdeling		
FullName	string(255)	Roepnaam voorvoegsel achternaam		
Function	string(100)	Functie		
FunctionCard	string(50)	Functie op visitekaart		
Gender	string(20)	Geslacht code		
MailPrivate	string(255)	E-mail privé		
MailWork	string(255)	E-mail w erk		
MobPrivate	string(255)	Mobiel privé		
MobWork	string(255)	Mobiel w erk		
ModifiedDate	datetime	Gew ijzigd op		
Name	string(255)	Naam		
Note	string	Toelichting		
OrgNumber	string(15)	orgnummer		
PerNumber	string(15)	persnummer		
TelPrivate	string(255)	Telefoonnr. privé		
TelWork	string(255)	Telefoonnr. w erk		
Type	string(20)	Soort contact code		

Profit_CostCarrier: itgen_aoe_profit_costcarrier

Name: Profit_CostCarrier

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_profit_costcarrier

Documentation:

Profit_CostCarrier

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_CostCarrier

Insert Service URL (OData-specific): /connectors/Profit_CostCarrier

Update Service URL (OData-specific): /connectors/Profit_CostCarrier

Delete Service URL (OData-specific): /connectors/Profit_CostCarrier

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Blocked	boolean	Geblokkeerd		
CostCarrier	string(30)	Kostendrager		
Description	string(50)	Omschrijving		
EmployerId	string(15)	Werkgever		
ModifiedDate	datetime	Gew iijzigd op		

Profit_CostCentre: itgen_aoe_profit_costcentre

Name: Profit_CostCentre

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_profit_costcentre

Documentation:

Profit_CostCentre

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_CostCentre

Insert Service URL (OData-specific): /connectors/Profit_CostCentre

Update Service URL (OData-specific): /connectors/Profit_CostCentre

Delete Service URL (OData-specific): /connectors/Profit_CostCentre

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Blocked	boolean	Geblokkeerd		
CostCentre	string(30)	Kostenplaats		
Description	string(50)	Omschrijving		
EmployerId	string(15)	Werkgever		
ModifiedDate	datetime	Gew iJzigd op		

Profit_Creditor: itgen_aoe_profit_creditor

Name: Profit_Creditor

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_profit_creditor

Documentation:

Profit_Creditor

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_Creditor

Insert Service URL (OData-specific): /connectors/Profit_Creditor

Update Service URL (OData-specific): /connectors/Profit_Creditor

Delete Service URL (OData-specific): /connectors/Profit_Creditor

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Adressline1	string(255)	Adresregel 1 (straat - huisnr)		
Adressline3	string(255)	Adresregel 3 (postc - w pl)		

Name	Data Type	Label	Required	Documentation
Adressline4	string(255)	Adresregel 4 (land)		
AutoPayment	boolean	Automatisch betalen		
BcCo	string(15)	Org nr.		
Blocked	boolean	Volledig blokkeren, niet meer zichtbaar		
Btw -nummer	string(21)	Btw -nummer		
ChOfCommNr	string(30)	KvK-nummer		
CreateDate	datetime	Aangemaakt op		
CreditLimit	decimal	Kredietlimiet		
CreditorId	string(16)	Nummer crediteur		
CreditorName	string(80)	Crediteurnaam		
Email	string(255)	E-mail werk		
IBAN	string(40)	IBAN-nummer		
ModifiedDate	datetime	Gew iijzigd op		
PaymentCondition	string(80)	Betalingsvoorw aarde		
SearchName	string(10)	Zoeknaam		
TelNr	string(255)	Telefoonnr. werk		
TempBlocked	boolean	Tijdelijk blokkeren		
VatDuty	string(3)	Btw -plicht		

Profit_Creditor_Invoices: itgen_aoe_profit_creditor_invoices

Name: Profit_Creditor_Invoices

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_profit_creditor_invoices

Documentation:

Profit_Creditor_Invoices

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_Creditor_Invoices

Insert Service URL (OData-specific): /connectors/Profit_Creditor_Invoices

Update Service URL (OData-specific): /connectors/Profit_Creditor_Invoices

Delete Service URL (OData-specific): /connectors/Profit_Creditor_Invoices

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
AmtInvoice	decimal	Totaal factuurbedrag		
AmtInvoiceCurr	decimal	Totaal factuurbedrag valuta		
Blocked	boolean	Geblokkeerd voor betaling/incasso		
BookPieceDate	datetime	Factuurdatum		
BookPiecrNr	string(32)	Boekstuknummer		
CreditorId	string(16)	Crediteurnr		
CurrencyId	string(3)	Valuta		
Description	string(120)	Omschrijving factuur		
ExpDate	datetime	Vervaldatum		
InvoiceNr	string(12)	Factuurnummer		
UnitId	int32	Administratie		

Profit_Currency: Currencies

Name: Profit_Currency

Catalog: AfasOnline

Schema: GetConnector

Label: Currencies

Documentation:

Profit_Currency

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_Currency

Insert Service URL (OData-specific): /connectors/Profit_Currency

Update Service URL (OData-specific): /connectors/Profit_Currency

Delete Service URL (OData-specific): /connectors/Profit_Currency

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Currency	string(50)	Omschrijving valuta		

Name	Data Type	Label	Required	Documentation
CurrencyId	string(3)	Valuta		
DailyRate	decimal	Dagkoers		
Exchange_Rate	decimal	Koers		
StartDate	datetime	Begindatum		

Profit_Debtor: Debtors

Name: Profit_Debtor

Catalog: AfasOnline

Schema: GetConnector

Label: Debtors

Documentation:

Profit_Debtor

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_Debtor

Insert Service URL (OData-specific): /connectors/Profit_Debtor

Update Service URL (OData-specific): /connectors/Profit_Debtor

Delete Service URL (OData-specific): /connectors/Profit_Debtor

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
AdressLine1	string(255)	Adresregel 1 (straat - huisnr)		
AdressLine3	string(255)	Adresregel 3 (postc - w pl)		
AdressLine4	string(255)	Adresregel 4 (land)		
AutoPayment	boolean	Automatisch incasseren		
BcCo	string(15)	Nummer org./pers.		
Blocked	boolean	Geblokkeerd voor levering		
ChOfCommNr	string(30)	KvK-nummer		
CollectAccount	string(16)	Verzamelrekening		
CreateDate	datetime	Aangemaakt op		

Name	Data Type	Label	Required	Documentation
CreditLimit	decimal	Kredietlimiet		
CurrencyId	string(3)	Valuta		
DebtorId	string(16)	Nummer debiteur		
DebtorName	string(80)	Naam debiteur		
Email	string(255)	E-mail w erk		
IBAN	string(40)	IBAN-nummer		
ModifiedDate	datetime	Gew ijzigd op		
PayCon	string(5)	Betalingsvoorw aarde		
SearchName	string(10)	Zoeknaam		
TelNr	string(255)	Telefoonnr. w erk		
VatDuty	string(3)	Btw -plicht		
VatNr	string(21)	Btw -nummer		

Profit_Debtor_Invoices: Debtor Invoices

Name: Profit_Debtor_Invoices

Catalog: AfasOnline

Schema: GetConnector

Label: Debtor Invoices

Documentation:

Profit_Debtor_Invoices

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_Debtor_Invoices

Insert Service URL (OData-specific): /connectors/Profit_Debtor_Invoices

Update Service URL (OData-specific): /connectors/Profit_Debtor_Invoices

Delete Service URL (OData-specific): /connectors/Profit_Debtor_Invoices

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
AmtInvoice	decimal	Totaal factuurbedrag		
AmtInvoiceCurr	decimal	Totaal factuurbedrag valuta		
Balance	decimal	Saldo		

Name	Data Type	Label	Required	Documentation
BalanceCurr	decimal	Saldo (valuta)		
CurrencyId	string(3)	Valuta		
DebtorId	string(16)	Debiteurennummer		
Description	string(120)	Omschrijving factuur		
ExpDate	datetime	Vervaldatum		
InvoiceNr	string(12)	Factuurnummer		
NookPieceDate	datetime	Boekstukdatum		
UnitId	int32	Administratie		

Profit_Deliveryaddress: itgen_aoe_profit_deliveryaddress

Name: Profit_Deliveryaddress

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_profit_deliveryaddress

Documentation:

Profit_Deliveryaddress

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_Deliveryaddress

Insert Service URL (OData-specific): /connectors/Profit_Deliveryaddress

Update Service URL (OData-specific): /connectors/Profit_Deliveryaddress

Delete Service URL (OData-specific): /connectors/Profit_Deliveryaddress

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
A_Huisnummer	int32	Huisnummer		
A_Land	string(2)	ISO Alpha-2		
A_Postcode	string(15)	Postcode		
A_Straat	string(60)	Straat		
A_Toev_Huisnr_	string(30)	Toev. aan huisnr.		
A_Woonplaats	string(50)	Woonplaats		
Adres_ID	int32	Adres Id		

Name	Data Type	Label	Required	Documentation
Adrestype_code	string(255)	Toev. voor straat		
Adrestype_code_2	string(20)	Adrestype code		
Bedrijf	string(255)	Naam		
DebiteurID	string(16)	DebiteurId		
Fax	string(255)	Fax werk		
Gew ijzigd_op	datetime	Gew ijzigd op		
Gew ijzigd_op_2	datetime	Gew ijzigd op		
Is_debiteur	boolean	Debiteur		
Mail	string(255)	E-mail werk		
OrgId	string(15)	Nummer		
Tel	string(255)	Telefoonnr. werk		

Profit_Deliverynotelines: itgen_aoe_profit_deliverynotelines

Name: Profit_Deliverynotelines

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_profit_deliverynotelines

Documentation:

Profit_Deliverynotelines

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_Deliverynotelines

Insert Service URL (OData-specific): /connectors/Profit_Deliverynotelines

Update Service URL (OData-specific): /connectors/Profit_Deliverynotelines

Delete Service URL (OData-specific): /connectors/Profit_Deliverynotelines

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Nummer_pakbon	string(12)	Nummer pakbon		
Type_order	string(10)	Type order		
Volgnummer	int32	Volgnummer		

Profit_Deliverynotes: itgen_aoe_profit_deliverynotes

Name: Profit_Deliverynotes

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_profit_deliverynotes

Documentation:

Profit_Deliverynotes

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_Deliverynotes

Insert Service URL (OData-specific): /connectors/Profit_Deliverynotes

Update Service URL (OData-specific): /connectors/Profit_Deliverynotes

Delete Service URL (OData-specific): /connectors/Profit_Deliverynotes

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Pakbonnummer	string(12)	Nummer pakbon		
Type_order	string(10)	Type order		
Uitvoersoort	string(50)	Uitvoersoort		

Profit_Employees: Employees

Name: Profit_Employees

Catalog: AfasOnline

Schema: GetConnector

Label: Employees

Documentation:

Profit_Employees

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_Employees

Insert Service URL (OData-specific): /connectors/Profit_Employees

Update Service URL (OData-specific): /connectors/Profit_Employees

Delete Service URL (OData-specific): /connectors/Profit_Employees

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
AddNumber	string(30)	Toev. aan huisnr.		
BirthName	string(80)	Geboortenaam		
BirthNamePartner	string(80)	Geb.naam partner		
BSN	string(25)	BSN		
City	string(50)	Woonplaats		
Country	string(3)	Land		
DateDeceased	datetime	Overlijdensdatum		
DateOfBirth	datetime	Geboortedatum		
EmployeeId	string(15)	Medewerker		
EmployerId	string(15)	Werkgever		
EmploymentEnd	datetime	Datum uit dienst		
EmploymentStart	datetime	Datum in dienst		
EmploymentType	string(20)	Code dienstbetrekking		
EmploymentTypeDesc	string(100)	Dienstbetrekking omschr.		
FirstName	string(80)	Roepnaam		
FTE	decimal	Aantal FTE		
FunctionDesc	string(50)	Functie		
FunctionId	string(10)	Code functie		
Gender	string(20)	Geslacht code		
HourPerWeek	decimal	Aantal uren per week		
HouseNumber	int32	Huisnummer		
Initials	string(15)	Voorletters		
Mail	string(255)	E-mail werk		
MaritalStatus	string(20)	Burgerlijke staat code		
Mobile	string(255)	Mobiel privé		
NameUse	string(20)	Naamgebruik code		
OrgUnit	string(10)	OE code		
OrgUnitDesc	string(50)	OE omschr.		
PersonId	string(15)	PersoonsId		
Phone	string(255)	Telefoonnr. privé		
PrefixBirthName	string(15)	Voorvoegsel geboortenaam		
PrefixPartner	string(15)	Voorvoegsel partner		

Name	Data Type	Label	Required	Documentation
Street	string(60)	Straat		
ZIPCode	string(15)	Postcode		

Profit_Employees_basic: itgen_aoe_profit_employees_basic

Name: Profit_Employees_basic

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_profit_employees_basic

Documentation:

Profit_Employees_basic

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_Employees_basic

Insert Service URL (OData-specific): /connectors/Profit_Employees_basic

Update Service URL (OData-specific): /connectors/Profit_Employees_basic

Delete Service URL (OData-specific): /connectors/Profit_Employees_basic

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Blocked	decimal	Geblokkeerd		
BSN	string(25)	Burgerservicenummer		
DateBirth	string(8)	Geboortedatum		
Dvld	string(20)	Status dienstverband code		
Employeeld	string(15)	Medewerker		
Employer	string(15)	Werkgever		
EmploymentEnd	string(8)	Datum uit dienst		
EmploymentStart	string(8)	Datum in dienst		
Function	string(50)	Omschrijving functie		
FunctionId	string(10)	Functie		
Mail	string(255)	E-mail werk		
Name	string(80)	Naam		

Name	Data Type	Label	Required	Documentation
OE	string(10)	Organisatorische eenheid		
PersonId	string(15)	Nummer		

Profit_Employers: Employers

Name: Profit_Employers

Catalog: AfasOnline

Schema: GetConnector

Label: Employers

Documentation:

Profit_Employers

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_Employers

Insert Service URL (OData-specific): /connectors/Profit_Employers

Update Service URL (OData-specific): /connectors/Profit_Employers

Delete Service URL (OData-specific): /connectors/Profit_Employers

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
AddressLine1	string(255)	Adresregel 1 (straat - huisnr)		
AddressLine3	string(255)	Adresregel 3 (postc - w pl)		
AddressLine4	string(255)	Adresregel 4 (land)		
DimAx1	string(20)	Verbijzonderingsas 1 code		
DimAx2	string(20)	Verbijzonderingsas 2 code		
DimAx3	string(20)	Verbijzonderingsas 3 code		
DimAx4	string(20)	Verbijzonderingsas 4 code		
DimAx5	string(20)	Verbijzonderingsas 5 code		

Name	Data Type	Label	Required	Documentation
EmployerId	string(15)	Werkgever		
Name	string(255)	Naam werkgever		
OrganisationId	string(15)	Nummer		
UnitId	int32	Administratie		

Profit_FeatureCombination: itgen_aoe_profit_featurecombination

Name: Profit_FeatureCombination

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_profit_featurecombination

Documentation:

Profit_FeatureCombination

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_FeatureCombination

Insert Service URL (OData-specific): /connectors/Profit_FeatureCombination

Update Service URL (OData-specific): /connectors/Profit_FeatureCombination

Delete Service URL (OData-specific): /connectors/Profit_FeatureCombination

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Blocked	boolean	Geblokkeerd		
Description	string(50)	Omschrijving		
FeatureCombinationId	int32	Kenmerkcombinatie		
FeV1	int32	Waarde kenmerk 1		
FeV1Desc	string(50)	Omschrijving kenmerk 1		
FeV2	int32	Waarde kenmerk 2		
FeV2Desc	string(50)	Omschrijving kenmerk 2		
FeV3	int32	Waarde kenmerk 3		
FeV3Desc	string(50)	Omschrijving kenmerk 3		

Name	Data Type	Label	Required	Documentation
SubjectTypeld	int32	Type dossieritem		
Workflow Id	int32	Workflow		

Profit_Features: itgen_aoe_profit_features

Name: Profit_Features

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_profit_features

Documentation:

Profit_Features

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_Features

Insert Service URL (OData-specific): /connectors/Profit_Features

Update Service URL (OData-specific): /connectors/Profit_Features

Delete Service URL (OData-specific): /connectors/Profit_Features

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Description	string(20)	Omschrijving		
FeatureId	int32	Kenmerk		

Profit_FeatureValue: itgen_aoe_profit_featurevalue

Name: Profit_FeatureValue

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_profit_featurevalue

Documentation:

Profit_FeatureValue

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_FeatureValue

Insert Service URL (OData-specific): /connectors/Profit_FeatureValue

Update Service URL (OData-specific): /connectors/Profit_FeatureValue

Delete Service URL (OData-specific): /connectors/Profit_FeatureValue

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Blocked	boolean	Geblokkeerd		
Description	string(50)	Omschrijving		
FeatureId	int32	Kenmerk		
FeatureValueld	int32	Waarde kenmerk		

Profit_Fin_ChangedEntrydate: itgen_aoe_profit_fin_changedentrydate

Name: Profit_Fin_ChangedEntrydate

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_profit_fin_changedentrydate

Documentation:

Profit_Fin_ChangedEntrydate

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_Fin_ChangedEntrydate

Insert Service URL (OData-specific): /connectors/Profit_Fin_ChangedEntrydate

Update Service URL (OData-specific): /connectors/Profit_Fin_ChangedEntrydate

Delete Service URL (OData-specific): /connectors/Profit_Fin_ChangedEntrydate

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
EntryDate	datetime	Datum boeking		
Modified	datetime	Datum gew ijjigd		

Profit_Functions: itgen_aoe_profit_functions

Name: Profit_Functions

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_profit_functions

Documentation:

Profit_Functions

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_Functions

Insert Service URL (OData-specific): /connectors/Profit_Functions

Update Service URL (OData-specific): /connectors/Profit_Functions

Delete Service URL (OData-specific): /connectors/Profit_Functions

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Blocked	boolean	Geblokkeerd		
Employer	string(15)	Werkgever		
FunctionDesc	string(50)	Omschrijving		
FunctionId	string(10)	Functie		
FunctionType	string(10)	Type functie		

Profit_Hourtype: itgen_aoe_profit_hourtype

Name: Profit_Hourtype

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_profit_hourtype

Documentation:

Profit_Hourtype

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_Hourtype

Insert Service URL (OData-specific): /connectors/Profit_Hourtype

Update Service URL (OData-specific): /connectors/Profit_Hourtype

Delete Service URL (OData-specific): /connectors/Profit_Hourtype

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
CreateDate	datetime	Aangemaakt op		
Description	string(30)	Omschrijving		
ModifiedDate	datetime	Gew iJzigt op		
TimeCode	string(5)	Urensoort		
TimeType	string(100)	Uurtype		

Profit_Illness: itgen_aoe_profit_illness

Name: Profit_Illness

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_profit_illness

Documentation:

Profit_Illness

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_Illness

Insert Service URL (OData-specific): /connectors/Profit_Illness

Update Service URL (OData-specific): /connectors/Profit_Illness

Delete Service URL (OData-specific): /connectors/Profit_Illness

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Absenceld	int32	Verzuimmelding		
AbsenceTypeDesc	string(100)	Type verzuim		
AbsenceTypeld	string(20)	Type verzuim code		
ActionId	int32	Actiecode (connector)		
AddNumber	string(30)	Toev. aan huisnr.		
Address4	string(255)	Land		
ApplyQualifyingDays	decimal	Wachtdagen toepassen		
BSN	string(25)	Burgerservicenummer		
City	string(50)	Woonplaats		
Continuous	boolean	Doorlopend verzuim		
DvId	int32	Dienstverband		
EmployeeId	string(15)	Medewerker		
EmployerId	string(15)	Werkgever		
EndDate	datetime	Einddatum/-tijd		
ExEndDate	string(8)	Verwachte einddatum		
FirstDay	int32	Aanwezige eerste dag		
GUID	string(38)	GUID		
HourWeekPresent	int32	Uren per week aanwezig		
HourWeekPresentTherapy	int32	Aanwezige uren AT per week		
HouseNumber	int32	Huisnummer		
ModifiedDate	string(8)	Gewijzigd op		
NoStatistic	decimal	Verzuimmelding uitsluiten van frequentiestatistiek		
NursingAddress	string(80)	Naam verpleegadres		
Phone	string(30)	Telefoonnr.		
Presence	decimal	% Aanwezigheid		
PresenceTherapy	decimal	% Aanwezigheid AT		
PresentLastDay	int32	Aanwezige laatste dag		
ReasonDesc	string(100)	Reden verzuim		
ReasonEnd	string(20)	Reden afsluiten code		
ReasonId	string(20)	Reden verzuim code		
RecoveredCode	string(20)	Code hersteld code		
ReportDate	string(8)	Melding begin verzuim		
ReportEndDate	datetime	Melding einde verzuim		
StartDate	datetime	Begindatum/-tijd		
Street	string(60)	Straat		

Name	Data Type	Label	Required	Documentation
TypeWorkResumption	string(20)	Soort w erkhervatting code		
TypeWorkResumptionDesc	string(100)	Soort w erkhervatting omschr.		
Vangnet	decimal	Vangnetregeling		
WAO	decimal	WAO/WIA (%)		
ZIPCode	string(15)	Postcode		

Profit_Journals: Journals

Name: Profit_Journals

Catalog: AfasOnline

Schema: GetConnector

Label: Journals

Documentation:

Profit_Journals

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_Journals

Insert Service URL (OData-specific): /connectors/Profit_Journals

Update Service URL (OData-specific): /connectors/Profit_Journals

Delete Service URL (OData-specific): /connectors/Profit_Journals

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Blocked	boolean	Geblokkeerd		
Description	string(50)	Omschrijving		
JournalId	string(6)	Code dagboek		
JournalType	string(20)	Dagboeksoort code		
UnitId	int32	Administratie		

Profit_LeaveBalance: itgen_aoe_profit_leavebalance

Name: Profit_LeaveBalance

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_profit_leavebalance

Documentation:

Profit_LeaveBalance

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_LeaveBalance

Insert Service URL (OData-specific): /connectors/Profit_LeaveBalance

Update Service URL (OData-specific): /connectors/Profit_LeaveBalance

Delete Service URL (OData-specific): /connectors/Profit_LeaveBalance

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Balance	int32	Saldo		
Dvld	int32	Dienstverband		
EmployeeId	string(15)	Medewerker		
EmployerId	string(15)	Werkgever		
Entitlement	int32	Perioderecht		
ExtraEntitlement	int32	Extra perioderecht		
Leavetype	string(20)	Code		
Period	int32	Verlofperiode		
StartBalance	int32	Beginsaldo		
Taken	int32	Opgenomen		
Year	int32	Boekjaar		

Profit_Leaves: itgen_aoe_profit_leaves

Name: Profit_Leaves

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_profit_leaves

Documentation:

Profit_Leaves

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_Leaves

Insert Service URL (OData-specific): /connectors/Profit_Leaves

Update Service URL (OData-specific): /connectors/Profit_Leaves

Delete Service URL (OData-specific): /connectors/Profit_Leaves

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
BSN	string(25)	Burgerservicenummer		
Dvld	int32	Dienstverband		
EmployeeId	string(15)	Medewerker		
EndDate	datetime	Einddatum/-tijd		
Export	boolean	Medewerker exporteren naar tijdregistratie		
Hours	int32	Aantal uren		
LeaveCode	string(20)	Type verlof code		
LeaveDescr	string(100)	Type verlof omschrijving		
Leaveld	int32	Regelnummer		
ModifiedDate	datetime	Gewijzigd op		
Name	string(80)	Naam		
ReasonCode	string(20)	Reden verlof code		
ReasonDescr	string(100)	Reden verlof omschrijving		
StartDate	datetime	Begindatum/-tijd		

Profit_OrganizationChart: itgen_aoe_profit_organizationchart

Name: Profit_OrganizationChart

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_profit_organizationchart

Documentation:

Profit_OrganizationChart

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_OrganizationChart

Insert Service URL (OData-specific): /connectors/Profit_OrganizationChart

Update Service URL (OData-specific): /connectors/Profit_OrganizationChart

Delete Service URL (OData-specific): /connectors/Profit_OrganizationChart

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
EndDate	datetime	Enddatum organigram		
Level	string(10)	Laag		
Level0	string(10)	Laag 0		
Level1	string(10)	Laag 1		
Level2	string(10)	Laag 2		
Level3	string(10)	Laag 3		
Level4	string(10)	Laag 4		
Level5	string(10)	Laag 5		
Level6	string(10)	Laag 6		
Level7	string(10)	Laag 7		
Level8	string(10)	Laag 8		
Level9	string(10)	Laag 9		
Manager	string(15)	Actuele hoofdleidinggevende		
StartDate	datetime	Begindatum organigram		
Unitd	string(10)	Organisatorische eenheid		
UnitDesc	string(50)	Omschrijving		
UpperUnit	string(10)	Bovenliggende org. eenheid		

Profit_OrgPer: itgen_aoe_profit_orgper

Name: Profit_OrgPer

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_profit_orgper

Documentation:

Profit_OrgPer

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_OrgPer

Insert Service URL (OData-specific): /connectors/Profit_OrgPer

Update Service URL (OData-specific): /connectors/Profit_OrgPer

Delete Service URL (OData-specific): /connectors/Profit_OrgPer

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
AdressLine1	string(255)	Adresregel 1 (straat - huisnr)		
AdressLine3	string(255)	Adresregel 3 (postc - w pl)		
AdressLine4	string(255)	Adresregel 4 (land)		
BcCo	string(15)	Nummer		
BSN	string(25)	BSN		
ChOfCommNr	string(30)	KvK-nummer		
DateBirth	datetime	Geboortedatum		
Homepage	string(255)	Website		
MailWork	string(255)	E-mail werk		
Name	string(255)	Naam		
Note	string	Opmerking		
SearchName	string(10)	Zoeknaam		
TelWork	string(255)	Telefoonnr. werk		
Type	string(100)	Soort basic contact		

Profit_Period_balance: itgen_aoe_profit_period_balance

Name: Profit_Period_balance

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_profit_period_balance

Documentation:

Profit_Period_balance

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_Period_balance

Insert Service URL (OData-specific): /connectors/Profit_Period_balance

Update Service URL (OData-specific): /connectors/Profit_Period_balance

Delete Service URL (OData-specific): /connectors/Profit_Period_balance

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
AccountDesc	string(50)	Omschrijving		
AccountNr	string(16)	Rekeningnummer		
Balance	decimal	Saldo		
Budget	decimal	Bedrag budget		
Credit	decimal	Credit		
Debit	decimal	Debet		
Period	int32	Periode		
UnitId	int32	Administratie		
Year	int32	Boekjaar		

Profit_periods_per_administration: itgen_aoe_profit_periods_per_administration

Name: Profit_periods_per_administration

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_profit_periods_per_administration

Documentation:

Profit_periods_per_administration

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_periods_per_administration

Insert Service URL (OData-specific): /connectors/Profit_periods_per_administration

Update Service URL (OData-specific): /connectors/Profit_periods_per_administration

Delete Service URL (OData-specific): /connectors/Profit_periods_per_administration

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Blocked	boolean	Geblokkeerd		
DateFrom	datetime	Datum van		
DateTo	datetime	Datum t/m		
Period	int32	Periode		
PeriodDesc	string(30)	Omschrijving		
Periodtable	int32	Periodetabel		
TableDesc	string(30)	Omschrijving		
Unit	int32	Administratie		
Year	int32	Boekjaar		

Profit_Projectgroups: Project Groups

Name: Profit_Projectgroups

Catalog: AfasOnline

Schema: GetConnector

Label: Project Groups

Documentation:

Profit_Projectgroups

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_Projectgroups

Insert Service URL (OData-specific): /connectors/Profit_Projectgroups

Update Service URL (OData-specific): /connectors/Profit_Projectgroups

Delete Service URL (OData-specific): /connectors/Profit_Projectgroups

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
CreateDate	datetime	Aangemaakt op		
Description	string(50)	Omschrijving		
ModifiedDate	datetime	Gew iijzigd op		
ProjectGroupId	string(15)	Projectgroep		
UnitId	int32	Administratie		

Profit_Projects: Projects

Name: Profit_Projects

Catalog: AfasOnline

Schema: GetConnector

Label: Projects

Documentation:

Profit_Projects

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_Projects

Insert Service URL (OData-specific): /connectors/Profit_Projects

Update Service URL (OData-specific): /connectors/Profit_Projects

Delete Service URL (OData-specific): /connectors/Profit_Projects

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
BcCo	string(15)	Organisatie/persoon		
Chargeable	boolean	Doorbelasten		
CheckedOut	boolean	Afgemeld		
CreateDate	datetime	Aangemaakt op		
DateReady	datetime	Werkelijke datum gereed		
DateStart	datetime	Begindatum		
DebtorId	string(16)	Verkooprelatie		

Name	Data Type	Label	Required	Documentation
Description	string(100)	Projectomschrijving		
ModifiedDate	datetime	Gew iijzigt op		
ProjectGroup	string(15)	Projectgroep		
ProjectId	string(15)	Projectnummer		
UnitId	int32	Projectadministratie		

Profit_Projectstage: itgen_aoe_profit_projectstage

Name: Profit_Projectstage

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_profit_projectstage

Documentation:

Profit_Projectstage

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_Projectstage

Insert Service URL (OData-specific): /connectors/Profit_Projectstage

Update Service URL (OData-specific): /connectors/Profit_Projectstage

Delete Service URL (OData-specific): /connectors/Profit_Projectstage

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
CheckedOut	boolean	Gereed		
CreateDate	datetime	Aangemaakt op		
DateReady	datetime	Werkelijke datum gereed		
DateReadyPlan	datetime	Datum gereed planning		
Description	string(100)	Omschrijving		
InstalmentId	int32	Factuurtermijn		
ModifiedDate	datetime	Gew iijzigt op		
ProjectId	string(15)	Project		
ProjectStage	string(15)	Projectfase		

Profit_Quotation: itgen_aoe_profit_quotation

Name: Profit_Quotation

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_profit_quotation

Documentation:

Profit_Quotation

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_Quotation

Insert Service URL (OData-specific): /connectors/Profit_Quotation

Update Service URL (OData-specific): /connectors/Profit_Quotation

Delete Service URL (OData-specific): /connectors/Profit_Quotation

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
DateCreated	datetime	Aangemaakt op		
DateModified	datetime	Gew ijzigt op		
DebtorId	string(16)	Verkooprelatie		
Description	string(100)	Omschrijving		
ItemCodeld	string(40)	Itemcode		
ItemType	string(20)	Type item code		
PlanningDate	datetime	Datum planning		
ProjectId	string(15)	Project		
QuotationDate	datetime	Datum		
QuotationId	string(21)	Nummer offerte		
QuotationStatus	string(20)	Code status offerte		
SalesAmountFc	decimal	Regelbedrag		
SeqNo	int32	Volgnummer		
TimeCodeld	string(5)	Urensoort		
UnitId	string(15)	Einheid		

Profit_Rea_ChangedEntryDate: itgen_aoe_profit_rea_changedentrydate

Name: Profit_Rea_ChangedEntryDate

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_profit_rea_changedentrydate

Documentation:

Profit_Rea_ChangedEntryDate

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_Rea_ChangedEntryDate

Insert Service URL (OData-specific): /connectors/Profit_Rea_ChangedEntryDate

Update Service URL (OData-specific): /connectors/Profit_Rea_ChangedEntryDate

Delete Service URL (OData-specific): /connectors/Profit_Rea_ChangedEntryDate

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
EntryDate	datetime	Datum boeking		
Modified	datetime	Datum gew ijjigd		

Profit_Realization: itgen_aoe_profit_realization

Name: Profit_Realization

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_profit_realization

Documentation:

Profit_Realization

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_Realization

Insert Service URL (OData-specific): /connectors/Profit_Realization

Update Service URL (OData-specific): /connectors/Profit_Realization

Delete Service URL (OData-specific): /connectors/Profit_Realization

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Approved	boolean	Geaccordeerd		
Chargeable	boolean	Doorbelasten		
DateModified	datetime	Regel laatst gew iJzigd		
DateTime	datetime	Datum		
Description	string(100)	Omschrijving		
EmployeeId	string(15)	Medew erker		
Identity	int32	Regelnummer		
InitId	string(15)	Eenheid		
ItemCodId	string(40)	Itemcode		
ItemType	string(20)	Type item		
PeriodId	int32	Periode		
Prepared	boolean	Gereedgemeld		
ProjectId	string(15)	Projectnummer		
QuantityUnit	decimal	Aantal eenheden		
SystemDate	datetime	Datum toegevoegd		
Year	int32	Boekjaar		

Profit_Residence: itgen_aoe_profit_residence

Name: Profit_Residence

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_profit_residence

Documentation:

Profit_Residence

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_Residence

Insert Service URL (OData-specific): /connectors/Profit_Residence

Update Service URL (OData-specific): /connectors/Profit_Residence

Delete Service URL (OData-specific): /connectors/Profit_Residence

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
CountryId	string(3)	Land		
CountryName	string(40)	Land		
CreateDate	datetime	Aangemaakt op		
ModifiedDate	datetime	Gew ijzigd op		
Residence	string(50)	Woonplaats		
TelephonePrefix	string(4)	Netnummer		
ZipCodeBegin	string(15)	Begin postcode		
ZipCodeEnd	string(15)	End postcode		

Profit_SalesorderLines: Sales Order Lines

Name: Profit_SalesorderLines

Catalog: AfasOnline

Schema: GetConnector

Label: Sales Order Lines

Documentation:

Profit_SalesorderLines

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_SalesorderLines

Insert Service URL (OData-specific): /connectors/Profit_SalesorderLines

Update Service URL (OData-specific): /connectors/Profit_SalesorderLines

Delete Service URL (OData-specific): /connectors/Profit_SalesorderLines

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
AmtRow Discount	decimal	Bedrag regelkorting		

Name	Data Type	Label	Required	Documentation
AmtTotal	decimal	Regelbedrag		
CreateDate	datetime	Aangemaakt op		
CurrencyId	string(3)	Valuta		
CustomerReference	string(100)	Opdrachtnummer/referentie		
DebtorId	string(16)	Verkooprelatie		
Description	string(255)	Omschrijving		
ItemCodeId	string(40)	Itemcode		
ItemTypeCode	string(20)	Type item code		
LineGuid	string(38)	GUID regel		
LineStatusCode	string(20)	Regel status code		
ModifiedDate	datetime	Gew iijzgd op		
OrderDate	datetime	Datum		
OrderNumber	string(12)	Ordernummer		
PiecePerUnit	decimal	Aantal eenheden		
PriceNet	decimal	Nettoprijs		
PricePerUnit	decimal	Prijs per eenheid		
SeqNo	int32	Volgnummer		
Status	string(100)	Status		
UnitId	string(15)	Eenheid		

Profit_SalesorderLines_2: itgen_aoe_profit_salesorderlines_2

Name: Profit_SalesorderLines_2

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_profit_salesorderlines_2

Documentation:

Profit_SalesorderLines 1

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_SalesorderLines_2

Insert Service URL (OData-specific): /connectors/Profit_SalesorderLines_2

Update Service URL (OData-specific): /connectors/Profit_SalesorderLines_2

Delete Service URL (OData-specific): /connectors/Profit_SalesorderLines_2

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
AmtRow Discount	decimal	Bedrag regelkorting		
AmtTotal	decimal	Regelbedrag		
CreateDate	datetime	Aangemaakt op		
CurrencyId	string(3)	Valuta		
CustomerReference	string(100)	Opdrachtnummer/referentie		
DebtorId	string(16)	Verkooprelatie		
Description	string(255)	Omschrijving		
ItemCodeId	string(40)	Itemcode		
ItemTypeCode	string(20)	Type item code		
LineGuid	string(38)	GUID regel		
LineStatusCode	string(20)	Regel status code		
ModifiedDate	datetime	Gew iijzigd op		
OrderDate	datetime	Datum		
OrderNumber	string(12)	Ordernummer		
PiecePerUnit	decimal	Aantal eenheden		
PriceNet	decimal	Nettoprijs		
PricePerUnit	decimal	Prijs per eenheid		
SeqNo	int32	Volgnummer		
Status	string(100)	Status		
UnitId	string(15)	Eenheid		

Profit_Salesorders: Sales Orders

Name: Profit_Salesorders

Catalog: AfasOnline

Schema: GetConnector

Label: Sales Orders

Documentation:

Profit_Salesorders

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_Salesorders

Insert Service URL (OData-specific): /connectors/Profit_Salesorders

Update Service URL (OData-specific): /connectors/Profit_Salesorders

Delete Service URL (OData-specific): /connectors/Profit_Salesorders

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
CurrencyId	string(3)	Valuta		
CustomerReference	string(100)	Opdrachtnummer/referentie		
DebtorId	string(16)	Verkooprelatie		
Discount	decimal	Factuurkorting		
Gross	decimal	Brutobedrag		
InvoiceTotal	decimal	Factuurtotaal		
OrderDate	datetime	Datum		
OrderNumber	string(12)	Ordernummer		
Ordersoort	string(10)	Type order		
Quantity	decimal	Totaalaantal		
Status	string(100)	Status		
TotalAmount	decimal	Totaalbedrag		
VAT	decimal	Btw -bedrag		

Profit_SalesPrice: Sales Prices

Name: Profit_SalesPrice

Catalog: AfasOnline

Schema: GetConnector

Label: Sales Prices

Documentation:

Profit_SalesPrice

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_SalesPrice

Insert Service URL (OData-specific): /connectors/Profit_SalesPrice

Update Service URL (OData-specific): /connectors/Profit_SalesPrice

Delete Service URL (OData-specific): /connectors/Profit_SalesPrice

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Currency	string(3)	Valutacode (filter)		
Date	datetime	Peildatum (filter)		
Debtor	string(16)	Verkooprelatie (filter)		
Description	string(100)	Omschrijving		
Discount	decimal	Bedrag korting		
GrossPrice	decimal	Verkoopprijs		
Item	string(40)	Itemcode		
Level	string(10)	Prijsniveau (filter)		
Nettoprijs	decimal	Nettoprijs		
Quantity	decimal	Hoeveelheid		
Unit	string(15)	Eenheid		
Volume	boolean	Staffel tonen (filter)		

Profit_Stock: itgen_aoe_profit_stock

Name: Profit_Stock

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_profit_stock

Documentation:

Profit_Stock

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_Stock

Insert Service URL (OData-specific): /connectors/Profit_Stock

Update Service URL (OData-specific): /connectors/Profit_Stock

Delete Service URL (OData-specific): /connectors/Profit_Stock

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
BatchNumberId	string(100)	Partijnummer		

Name	Data Type	Label	Required	Documentation
Description	string(100)	Omschrijving		
ItemCodeId	string(40)	Itemcode		
ItemTypeCode	string(20)	Type item code		
Location	string(15)	Locatie		
SerialNumberId	string(100)	Serienummer		
StockActual	decimal	Op voorraad		
StockDimCode1	string(10)	Artikeldimensiecode 1		
StockDimCode2	string(10)	Artikeldimensiecode 2		
StockEconomic	decimal	Economische voorraad		
UnitId	string(15)	Eenheid		
WareHouse	string(15)	Magazijn		

Profit_Stock_per_Warehouse: itgen_aoe_profit_stock_per_warehouse

Name: Profit_Stock_per_Warehouse

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_profit_stock_per_warehouse

Documentation:

Profit_Stock_per_Warehouse

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_Stock_per_Warehouse

Insert Service URL (OData-specific): /connectors/Profit_Stock_per_Warehouse

Update Service URL (OData-specific): /connectors/Profit_Stock_per_Warehouse

Delete Service URL (OData-specific): /connectors/Profit_Stock_per_Warehouse

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Basisartikeltype_code	string(20)	Basisartikeltype code		
In_stock	decimal	Op voorraad		
Item_code	string(40)	Itemcode		
Stock_level_code	string(20)	Stock level code		

Name	Data Type	Label	Required	Documentation
Unit	string(15)	Eenheid		

Profit_Subject_Attachments: itgen_aoe_profit_subject_attachments

Name: Profit_Subject_Attachments

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_profit_subject_attachments

Documentation:

Profit_Subject_Attachments

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_Subject_Attachments

Insert Service URL (OData-specific): /connectors/Profit_Subject_Attachments

Update Service URL (OData-specific): /connectors/Profit_Subject_Attachments

Delete Service URL (OData-specific): /connectors/Profit_Subject_Attachments

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
attachment_id	int32	Bijlage-Id		
file_id	string(32)	Bijlage		
file_name	string(255)	Naam		
subject_id	int32	Dossieritem		

Profit_Subject_Reaction_Attachments: itgen_aoe_profit_subject_reaction_attachments

Name: Profit_Subject_Reaction_Attachments

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_profit_subject_reaction_attachments

Documentation:

Profit_Subject_Reaction_Attachments

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_Subject_Reaction_Attachments

Insert Service URL (OData-specific): /connectors/Profit_Subject_Reaction_Attachments

Update Service URL (OData-specific): /connectors/Profit_Subject_Reaction_Attachments

Delete Service URL (OData-specific): /connectors/Profit_Subject_Reaction_Attachments

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
attachment_id	int32	Bijlage-Id		
file_id	string(32)	Bijlage		
file_name	string(255)	Naam		
file_size	int32	Bestandsgrootte		
reaction_id	int32	Reactie		
subject_id	int32	Dossieritem		

Profit_Subject_Tasks: itgen_aoe_profit_subject_tasks

Name: Profit_Subject_Tasks

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_profit_subject_tasks

Documentation:

Profit_Subject_Tasks

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_Subject_Tasks

Insert Service URL (OData-specific): /connectors/Profit_Subject_Tasks

Update Service URL (OData-specific): /connectors/Profit_Subject_Tasks

Delete Service URL (OData-specific): /connectors/Profit_Subject_Tasks

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
SubjectId	int32	DossierId		
TaskDescription	string(50)	Task		
TaskId	int32	TaskId		
TaskName	string(80)	TaskName		
User	string(80)	UserId		
UserName	string(80)	User		
WfDescription	string(50)	Workflow		
Workflow Id	int32	Workflow Id		
Workflow Name	string(80)	Workflow Name		

Profit_SubjectFile: itgen_aoe_profit_subjectfile

Name: Profit_SubjectFile

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_profit_subjectfile

Documentation:

Profit_SubjectFile

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_SubjectFile

Insert Service URL (OData-specific): /connectors/Profit_SubjectFile

Update Service URL (OData-specific): /connectors/Profit_SubjectFile

Delete Service URL (OData-specific): /connectors/Profit_SubjectFile

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
AdministrationPurchaseInvoice	int32	Administratie inkoopfactuur		
AdministrationSalesInvoice	int32	Administratie verkoopfactuur		

Name	Data Type	Label	Required	Documentation
BookPieceNumber	string(32)	Boekstuknummer		
FiEntryNumber	int32	Nummer journaalpost		
PurchaseInvoiceNumber	string(12)	Inkoopfactuurnummer		
SalesInvoiceNumber	string(12)	Verkoopfactuurnummer		
Subject	string(255)	Onderwerp		
SubjectId	int32	Dossieritem		
TypeId	int32	Type dossieritem		

Profit_Subjects: itgen_aoe_profit_subjects

Name: Profit_Subjects

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_profit_subjects

Documentation:

Profit_Subjects

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_Subjects

Insert Service URL (OData-specific): /connectors/Profit_Subjects

Update Service URL (OData-specific): /connectors/Profit_Subjects

Delete Service URL (OData-specific): /connectors/Profit_Subjects

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Afgehandeld	boolean	Afgehandeld		
Bron	string(5)	Bron		
Campagne	int32	Campagne		
Comment	string	Toelichting		
ContactNr	int32	ContactId		
DateCreated	datetime	Instuurdatum		
Datum_afgehandeld	datetime	Datum afgehandeld		
EndDate	datetime	Einddatum		

Name	Data Type	Label	Required	Documentation
FeV1	int32	Waarde kenmerk 1		
FeV2	int32	Waarde kenmerk 2		
FeV3	int32	Waarde kenmerk 3		
Number	int32	Nummer		
OrgPersId	string(15)	OrgPersId		
Prioriteit	string(100)	Prioriteit		
Project	string(15)	Project		
Responsible	string(80)	Verantw oordelijke		
Source	int32	Aanleiding		
StartDate	datetime	Begindatum		
Status	string(100)	Codetabelw aarde		
Subject	string(255)	Onderw erp		
SubjectId	int32	DossierId		
ToApplicant	boolean	ToSollicitant		
ToCreditor	boolean	ToInkooprelatie		
ToDebtor	boolean	ToVerkooprelatie		
ToEmployee	boolean	ToMedew erker		
ToEmployer	boolean	ToWerkgever		
ToOrgPers	boolean	ToOrgPers		
Type_actie	string(5)	Type actie		
Typeld	int32	DossierType		
WFClosed	datetime	Workflow afgerond		
WFstatus	string(100)	Workflow status		

Profit_SubjectsDest: itgen_aoe_profit_subjectsdest

Name: Profit_SubjectsDest

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_profit_subjectsdest

Documentation:

Profit_SubjectDest

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_SubjectsDest

Insert Service URL (OData-specific): /connectors/Profit_SubjectsDest

Update Service URL (OData-specific): /connectors/Profit_SubjectsDest

Delete Service URL (OData-specific): /connectors/Profit_SubjectsDest

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Contact_mail	string(255)	Contact mail		
Contact_name	string(255)	Contactnaam		
Org_mail	string(255)	Org mail		
Org_name	string(255)	Org naam		
SubjectId	int32	Dossieritem		

Profit_SubjectTypes: itgen_aoe_profit_subjecttypes

Name: Profit_SubjectTypes

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_profit_subjecttypes

Documentation:

Profit_SubjectTypes

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_SubjectTypes

Insert Service URL (OData-specific): /connectors/Profit_SubjectTypes

Update Service URL (OData-specific): /connectors/Profit_SubjectTypes

Delete Service URL (OData-specific): /connectors/Profit_SubjectTypes

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Comment	boolean	Toelichting		
Completed	boolean	Afgehandeld		
Confidential	boolean	Dossieritem als vertrouwelijk markeren		

Name	Data Type	Label	Required	Documentation
DateCompleted	boolean	Datum afgehandeld		
Description	string(50)	Omschrijving		
EditMode	string(20)	Bewerkingopties code		
EndDate	boolean	Einddatum		
LastNumber	int32	Laatst gebruikte nummer		
LinkFile	boolean	Bestand koppelen		
OnlyExistingFeatures	boolean	Alleen bestaande combinaties toegestaan		
Responsible	boolean	Verantwoordelijke		
ResponsibleMandatory	boolean	Verantwoordelijke is verplicht		
StartDate	boolean	Begindatum		
SubjectText	boolean	Aanleiding		
SubjectTypeid	int32	Type dossieritem		
UseFeatures	boolean	Kenmerken gebruiken		
UseNumber	boolean	Dossieritems nummeren		
VisibleInsite	boolean	Zichtbaar in InSite		
VisibleOutsite	boolean	Zichtbaar in OutSite		
WithoutFeature	boolean	Dossieritems zonder kenmerken toegestaan		

Profit_Subscriptions: itgen_aoe_profit_subscriptions

Name: Profit_Subscriptions

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_profit_subscriptions

Documentation:

Profit_Subscriptions

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_Subscriptions

Insert Service URL (OData-specific): /connectors/Profit_Subscriptions

Update Service URL (OData-specific): /connectors/Profit_Subscriptions

Delete Service URL (OData-specific): /connectors/Profit_Subscriptions

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
CreateDate	datetime	Aangemaakt op		
DateEnd	datetime	Einddatum		
DateEndSub	datetime	Einddatum abonnement		
DateStart	datetime	Begindatum		
DateStartSub	datetime	Begindatum abonnement		
DebtorId	string(16)	Verkooprelatie		
Identity	int32	Regelnummer		
InvoicesUntil	datetime	Gefactureerd t/m		
Itemcode	string(40)	Itemcode		
ItemType	string(20)	Type item code		
ModifiedDate	datetime	Gew iijzgd op		
OriginalPrice	decimal	Originele prijs basisvaluta		
PresentationSeqno	int32	Presentatievolgorde		
ProjectId	string(15)	Project		
Quantity	decimal	Aantal		
SalesAmount	decimal	Verkoopbedrag basisvaluta		
SalesDiscount	decimal	Kortingsbedrag verkoop basisvaluta		
SubscriptionNr	int32	Nummer abonnement		
UnitIdFin	int32	Administratie		
ValueIntIdSu	string(20)	Type abonnement code		

Profit_Timetable: itgen_aoe_profit_timetable

Name: Profit_Timetable

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_profit_timetable

Documentation:

Profit_Timetable

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_Timetable

Insert Service URL (OData-specific): /connectors/Profit_Timetable

Update Service URL (OData-specific): /connectors/Profit_Timetable

Delete Service URL (OData-specific): /connectors/Profit_Timetable

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
DaysPerWeek	decimal	Aantal dagen per week		
EmployeeId	string(15)	Medewerker		
EmployerId	string(15)	Werkgever		
EndDate	datetime	Einddatum rooster		
HoursPerWeek	decimal	Aantal uren per week		
MaxHours	decimal	Maximum uren per week		
MinHours	decimal	Minimum uren per week		
ModifiedDate	datetime	Gewijzigd op		
PartTime	decimal	Parttime (%)		
SeqNo	int32	Volgnummer rooster		
StartDate	datetime	Begindatum rooster		
Variable	boolean	Wisselend arbeidspatroon		
VariablePattern	boolean	Wisselend arbeidspatroon met werkrooster		

Profit_Transactions: itgen_aoe_profit_transactions

Name: Profit_Transactions

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_profit_transactions

Documentation:

Profit_Transactions

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_Transactions

Insert Service URL (OData-specific): /connectors/Profit_Transactions

Update Service URL (OData-specific): /connectors/Profit_Transactions

Delete Service URL (OData-specific): /connectors/Profit_Transactions

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
AccountNo	string(16)	Rekeningnummer		
AmtCredit	decimal	Bedrag credit		
AmtDebit	decimal	Bedrag debet		
Created	datetime	Datum toegevoegd		
Description	string(120)	Omschrijving boeking		
EntryDate	datetime	Datum boeking		
EntryNo	int32	Nummer journaalpost		
Invoiceld	string(12)	Factuurnummer		
Journalld	string(6)	Code dagboek		
Modified	datetime	Datum gew ijsigd		
Period	int32	Periodenummer		
SeqNo	int32	Volgnummer journaalpost		
Unitld	int32	Administratie		
VatAmt	decimal	Btw -bedrag		
VatCode	string(3)	Btw -code		
VoucherDate	datetime	Boekstukdatum		
VoucherNo	string(32)	Boekstuknummer		
Year	int32	Jaar		

Profit_Transactions_Allocated: itgen_aoe_profit_transactions_allocated

Name: Profit_Transactions_Allocated

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_profit_transactions_allocated

Documentation:

Profit_Transactions_Allocated

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_Transactions_Allocated

Insert Service URL (OData-specific): /connectors/Profit_Transactions_Allocated

Update Service URL (OData-specific): /connectors/Profit_Transactions_Allocated

Delete Service URL (OData-specific): /connectors/Profit_Transactions_Allocated

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
AccountNo	string(16)	Rekeningnummer		
AmtCredit	decimal	Bedrag credit		
AmtDebit	decimal	Bedrag debet		
Collect_On	string(100)	Type verzamelrekening		
Created	datetime	Datum toegevoegd		
Description	string(120)	Omschrijving boeking		
DimAx1	string(16)	Code verbijzonderingsas 1		
DimAx2	string(16)	Code verbijzonderingsas 2		
DimAx3	string(16)	Code verbijzonderingsas 3		
DimAx4	string(16)	Code verbijzonderingsas 4		
DimAx5	string(16)	Code verbijzonderingsas 5		
EntryDate	datetime	Datum boeking		
EntryNo	int32	Nummer journaalpost		
Invoiceld	string(12)	Factuurnummer		
Journalld	string(6)	Code dagboek		
Modified	datetime	Datum gew ijsigd		
Omschrijving	string(50)	Omschrijving		
Period	int32	Periodenummer		
SeqNo	int32	Volgnummer journaalpost		
Type	string(100)	Type rekening		
Unitld	int32	Administratie		
VatAmt	decimal	Btw -bedrag		

Name	Data Type	Label	Required	Documentation
VatCode	string(3)	Btw -code		
VoucherDate	datetime	Boekstukdatum		
VoucherNo	string(32)	Boekstuknummer		
Year	int32	Jaar		

Profit_Unit_per_Item: itgen_aoe_profit_unit_per_item

Name: Profit_Unit_per_Item

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_profit_unit_per_item

Documentation:

Profit_Unit_per_Item

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_Unit_per_Item

Insert Service URL (OData-specific): /connectors/Profit_Unit_per_Item

Update Service URL (OData-specific): /connectors/Profit_Unit_per_Item

Delete Service URL (OData-specific): /connectors/Profit_Unit_per_Item

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Amount	decimal	Aantal per eenheid		
BasicItem	boolean	Basiseenheid		
ItemCode	string(40)	Itemcode		
ItemType	string(20)	Type itemcode		
UnitId	string(15)	Eenheid		

Profit_UserGroups: itgen_aoe_profit_usergroups

Name: Profit_UserGroups

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_profit_usergroups

Documentation:

Profit_UserGroups

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_UserGroups

Insert Service URL (OData-specific): /connectors/Profit_UserGroups

Update Service URL (OData-specific): /connectors/Profit_UserGroups

Delete Service URL (OData-specific): /connectors/Profit_UserGroups

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Description	string(50)	Omschrijving		
GroupId	string(20)	Groep		
UserId	string(80)	Gebruiker		

Profit_Users: Users

Name: Profit_Users

Catalog: AfasOnline

Schema: GetConnector

Label: Users

Documentation:

Profit_Users

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_Users

Insert Service URL (OData-specific): /connectors/Profit_Users

Update Service URL (OData-specific): /connectors/Profit_Users

Delete Service URL (OData-specific): /connectors/Profit_Users

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Blocked	boolean	Geblokkeerd		
Connector	boolean	Connector		
Description	string(80)	Omschrijving		
Email	string(255)	E-mail		
EmployeeId	string(15)	Medewerkerscode		
InSite	boolean	InSite		
OutSite	boolean	OutSite		
PersonId	string(15)	Persoonsnummer		
UPN	string(255)	UPN		
UserId	string(80)	Gebruiker		
Windows	boolean	Profit Windows		

Profit_VAT_code: VAT Codes

Name: Profit_VAT_code

Catalog: AfasOnline

Schema: GetConnector

Label: VAT Codes

Documentation:

Profit_VAT_code

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_VAT_code

Insert Service URL (OData-specific): /connectors/Profit_VAT_code

Update Service URL (OData-specific): /connectors/Profit_VAT_code

Delete Service URL (OData-specific): /connectors/Profit_VAT_code

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
AccountNr	string(16)	Rekening		
Blocked	boolean	Geblokkeerd		
Description	string(80)	Omschrijving		
VatCode	string(3)	Btw -code		
VatDuty	string(3)	Btw -plicht		
VatMethod	string(100)	Berekeningsmethode		
VatPerc	decimal	Tarief		
VatType	string(20)	Code inkoop/verkoop code		

Profit_Warehouses: Warehouses

Name: Profit_Warehouses

Catalog: AfasOnline

Schema: GetConnector

Label: Warehouses

Documentation:

Profit_Warehouses

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_Warehouses

Insert Service URL (OData-specific): /connectors/Profit_Warehouses

Update Service URL (OData-specific): /connectors/Profit_Warehouses

Delete Service URL (OData-specific): /connectors/Profit_Warehouses

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
AdressLine1	string(255)	Adresregel 1 (straat - huisnr)		
AdressLine2	string(255)	Adresregel 2 (toevoeging)		
AdressLine3	string(255)	Adresregel 3 (postc - w pl)		
Barcode	string(30)	Barcode		
BasicContactCode	string(15)	Nummer		

Name	Data Type	Label	Required	Documentation
Blocked	boolean	Geblokkeerd		
CountryId	string(3)	Land		
CreateDate	datetime	Aangemaakt op		
Description	string(50)	Omschrijving		
ModifiedDate	datetime	Gew ijd op		
Name	string(255)	Naam		
UnitIdFin	int32	Administratie		
Warehouse	string(15)	Magazijn		

Profit_Workflowactions: itgen_aoe_profit_workflowactions

Name: Profit_Workflowactions

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_profit_workflowactions

Documentation:

Profit_Workflowactions

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_Workflowactions

Insert Service URL (OData-specific): /connectors/Profit_Workflowactions

Update Service URL (OData-specific): /connectors/Profit_Workflowactions

Delete Service URL (OData-specific): /connectors/Profit_Workflowactions

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
ActionDescription	string(50)	Action		
ActionName	string(80)	ActionName		
ActionType	int32	ActionType		
ActionTypeDescription	string(50)	ActionTypeDescription		
SeqNo	int32	SeqNo		
TaskName	string(80)	TaskName		
Workflow	int32	Workflow		

Name	Data Type	Label	Required	Documentation
Workflow Name	string(80)	Workflow Name		

Profit_Worktype: itgen_aoe_profit_worktype

Name: Profit_Worktype

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_profit_worktype

Documentation:

Profit_Worktype

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Profit_Worktype

Insert Service URL (OData-specific): /connectors/Profit_Worktype

Update Service URL (OData-specific): /connectors/Profit_Worktype

Delete Service URL (OData-specific): /connectors/Profit_Worktype

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
CreateDate	datetime	Aangemaakt op		
Description	string(100)	Omschrijving		
Group	string(15)	Integratiegroep		
ItemCode	string(40)	Itemcode		
ModifiedDate	datetime	Gew iJzigd op		

ProfitCodeTableValue: itgen_aoe_profitcodetablevalue

Name: ProfitCodeTableValue

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_profitcodetablevalue

Documentation:

Vrije tabellen (Profit)

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/ProfitCodeTableValue

Insert Service URL (OData-specific): /connectors/ProfitCodeTableValue

Update Service URL (OData-specific): /connectors/ProfitCodeTableValue

Delete Service URL (OData-specific): /connectors/ProfitCodeTableValue

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Bl	boolean	Geblokkeerd		
Ctld	string(33)	Tabel		
Ds	string(100)	Omschrijving		
Syld	string(2)	Product		
Vald	string(20)	Tabelw aarde code		
Vali	string(10)	Interne code		

ProfitCountries: Countries

Name: ProfitCountries

Catalog: AfasOnline

Schema: GetConnector

Label: Countries

Documentation:

Landen (Profit)

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/ProfitCountries

Insert Service URL (OData-specific): /connectors/ProfitCountries

Update Service URL (OData-specific): /connectors/ProfitCountries

Delete Service URL (OData-specific): /connectors/ProfitCountries

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Co	string(40)	Land		
Cold	string(3)	Code land		

ProfitEmployeeAdres: itgen_aoe_profitemployeeadres

Name: ProfitEmployeeAdres

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_profitemployeeadres

Documentation:

Adressen bij contacten (incl. historie)

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/ProfitEmployeeAdres

Insert Service URL (OData-specific): /connectors/ProfitEmployeeAdres

Update Service URL (OData-specific): /connectors/ProfitEmployeeAdres

Delete Service URL (OData-specific): /connectors/ProfitEmployeeAdres

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Ad	string(60)	Straat		
AdAd	string(255)	Toev. voor straat		
AdTp	string(100)	Adrestype		
Bcld	int32	Organisatie/persoon		
Cold	string(3)	Land		
CoNm	string(40)	Land		
DaBe	datetime	Begindatum		
DaEn	datetime	Einddatum		
EmlD	string(15)	Medew erker		
HmAd	string(30)	Toev. aan huisnr.		

Name	Data Type	Label	Required	Documentation
HmNr	int32	Huisnummer		
Naam	string(255)	Naam		
PbAd	boolean	Postbusadres		
Rs	string(50)	Woonplaats		
ZpCd	string(15)	Postcode		

ProfitEmployerHourType: itgen_aoe_profitemployerhourtype

Name: ProfitEmployerHourType

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_profitemployerhourtype

Documentation:

Urensoorten (Profit)

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/ProfitEmployerHourType

Insert Service URL (OData-specific): /connectors/ProfitEmployerHourType

Update Service URL (OData-specific): /connectors/ProfitEmployerHourType

Delete Service URL (OData-specific): /connectors/ProfitEmployerHourType

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Cold	int32	Nummer component		
Ds	string(30)	Omschrijving		
Scld	int32	Looncomponent		
Stld	string(5)	Urensoort		
VaAm	int32	Variabele bedrag		
Vald	int32	Variabele aantal		

ProfitEmployerProjects: itgen_aoe_profitemployerprojects

Name: ProfitEmployerProjects

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_profitemployerprojects

Documentation:

Projecten (Profit)

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/ProfitEmployerProjects

Insert Service URL (OData-specific): /connectors/ProfitEmployerProjects

Update Service URL (OData-specific): /connectors/ProfitEmployerProjects

Delete Service URL (OData-specific): /connectors/ProfitEmployerProjects

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
ChOu	boolean	Afgemeld		
CmId	int32	Organisatie/persoon		
DaSt	datetime	Begindatum		
DbId	string(16)	Verkooprelatie		
Ds	string(100)	Omschrijving		
DtGw	datetime	Werkelijke datum gereed		
PrId	string(15)	Project		

ProfitEmployerRealization: itgen_aoe_profitemployerrealization

Name: ProfitEmployerRealization

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_profitemployerrealization

Documentation:

Nacalculatie (Profit)

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/ProfitEmployerRealization

Insert Service URL (OData-specific): /connectors/ProfitEmployerRealization

Update Service URL (OData-specific): /connectors/ProfitEmployerRealization

Delete Service URL (OData-specific): /connectors/ProfitEmployerRealization

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Acc	boolean	Geaccordeerd		
CmId	int32	Organisatie/persoon		
CoAm	decimal	Vergoeding		
DaTi	datetime	Datum		
EmlD	string(15)	Medewerker		
FuNm	string(54)	Achternaam, init voorvoegsel (voornaam)		
Nm	string(80)	Naam		
PeId	int32	Periode		
PrDs	string(100)	Omschrijving		
PrId	string(15)	Project		
PtId	int32	Periodetabel		
Qu	decimal	Aantal		
SeNo	int32	Regelnummer		
WsDs	string(100)	Omschrijving		
Wst	int32	Itemcode		
Year	int32	Boekjaar		

ProfitGetConnectoren: itgen_aoe_profitgetconnectoren

Name: ProfitGetConnectoren

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_profitgetconnectoren

Documentation:

GetConnectoren (Profit)

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/ProfitGetConnectoren

Insert Service URL (OData-specific): /connectors/ProfitGetConnectoren

Update Service URL (OData-specific): /connectors/ProfitGetConnectoren

Delete Service URL (OData-specific): /connectors/ProfitGetConnectoren

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Geblokkeerd	boolean	Geblokkeerd		
Naam	string(50)	Naam		
Omschrijving	string(100)	Omschrijving		

ProfitPortalNews: itgen_aoe_profitportalnews

Name: ProfitPortalNews

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_profitportalnews

Documentation:

Portal nieuws koppeling (Profit)

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/ProfitPortalNews

Insert Service URL (OData-specific): /connectors/ProfitPortalNews

Update Service URL (OData-specific): /connectors/ProfitPortalNews

Delete Service URL (OData-specific): /connectors/ProfitPortalNews

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
NeDC	datetime	Datum toegevoegd		
NeDE	datetime	Einddatum		
NeDS	datetime	Begindatum		
Neld	int32	Nieuw s Id		
Nelm	string(255)	Figuur		
NeST	string(255)	Subtitel		
NeTa	string(50)	Target		
NeTi	string(100)	Titel		
NeUr	string(255)	Link		
Pold	int32	Portal Id		

ProfitProfileContacts: itgen_aoe_profitprofilecontacts

Name: ProfitProfileContacts

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_profitprofilecontacts

Documentation:

Profiel contacten

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/ProfitProfileContacts

Insert Service URL (OData-specific): /connectors/ProfitProfileContacts

Update Service URL (OData-specific): /connectors/ProfitProfileContacts

Delete Service URL (OData-specific): /connectors/ProfitProfileContacts

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Adres	string(255)	Adresvoorbeeld op 1 regel		
BcCd	string(15)	Nummer		
Bcld	int32	Organisatie/persoon		
CtCd	string(15)	Nummer		
Ctld	int32	Contactpersoon		

Name	Data Type	Label	Required	Documentation
EmWo	string(255)	E-mail werk		
Extra_adressering	string(255)	Afdeling		
FiNm	string(50)	Voornaam		
FuDs	string(50)	Functie op visitekaart		
FxWo	string(255)	Fax werk		
Geblokkeerd	boolean	Geblokkeerd		
IEmp	boolean	Medewerker		
In	string(15)	Voorletters		
Is	string(15)	Voorvoegsel		
LaNm	string(80)	Achternaam		
Naam	string(255)	Naam		
Nm	string(255)	Achternaam, init voorvoegsel (voornaam)		
Soort_contact	string(100)	Soort contact		
TeMb	string(255)	Mobiel werk		
TeWo	string(255)	Telefoonnr. werk		
TtId	string(3)	Titel/aanhef		
ViCt	string(10)	Geslacht		
ViFu	string(20)	Code functie		

ProfitProfileRelations: itgen_aoe_profitprofilerelations

Name: ProfitProfileRelations

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_profitprofilerelations

Documentation:

Profiel contact rol (Profit)

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/ProfitProfileRelations

Insert Service URL (OData-specific): /connectors/ProfitProfileRelations

Update Service URL (OData-specific): /connectors/ProfitProfileRelations

Delete Service URL (OData-specific): /connectors/ProfitProfileRelations

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Bl	boolean	Geblokkeerd		
Nm	string(255)	Achternaam, init voorvoegsel (voornaam)		
PrEm	string(255)	E-mail werk		
ViRo	string(10)	Type rol		

ProfitProfiles: itgen_aoe_profitprofiles

Name: ProfitProfiles

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_profitprofiles

Documentation:

Profielen (Profit)

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/ProfitProfiles

Insert Service URL (OData-specific): /connectors/ProfitProfiles

Update Service URL (OData-specific): /connectors/ProfitProfiles

Delete Service URL (OData-specific): /connectors/ProfitProfiles

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
PrEm	string(255)	E-mailadres		
PrId	int32	Profiel Id		
PrPw	string(40)	Wachtwoord		

ProfitResidences: itgen_aoe_profitresidences

Name: ProfitResidences

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_profitresidences

Documentation:

Woonplaatsen (Profit)

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/ProfitResidences

Insert Service URL (OData-specific): /connectors/ProfitResidences

Update Service URL (OData-specific): /connectors/ProfitResidences

Delete Service URL (OData-specific): /connectors/ProfitResidences

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Cold	string(3)	Land		
Rs	string(50)	Woonplaats		
ZcBg	string(15)	Begin postcode		
ZcEn	string(15)	End postcode		

ProfitSubjects: itgen_aoe_profitsubjects

Name: ProfitSubjects

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_profitsubjects

Documentation:

Dossieritems (excl. autorisatie) (Profit)

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/ProfitSubjects

Insert Service URL (OData-specific): /connectors/ProfitSubjects

Update Service URL (OData-specific): /connectors/ProfitSubjects

Delete Service URL (OData-specific): /connectors/ProfitSubjects

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
BcCd	string(15)	Nummer		
BcId	int32	Organisatie/persoon		
DaSe	datetime	Instuurdatum		
Dold	int32	Nummer		
Ds	string(255)	Onderwerp		
FeV1	int32	Waarde kenmerk 1		
FeV2	int32	Waarde kenmerk 2		
FeV3	int32	Waarde kenmerk 3		
Memo	string	Toelichting		
SbId	int32	Dossieritem		
SbTy	int32	Type dossieritem		
Stat	string(100)	Codetabelwaarde		
ToEr	boolean	Werkgever		

ProfitSubjectsAuthorized: itgen_aoe_profitsubjectsauthorized

Name: ProfitSubjectsAuthorized

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_profitsubjectsauthorized

Documentation:

Dossieritems (incl. autorisatie) (Profit)

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/ProfitSubjectsAuthorized

Insert Service URL (OData-specific): /connectors/ProfitSubjectsAuthorized

Update Service URL (OData-specific): /connectors/ProfitSubjectsAuthorized

Delete Service URL (OData-specific): /connectors/ProfitSubjectsAuthorized

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
BcCd	string(15)	Nummer		
BcId	int32	Organisatie/persoon		
DaSe	datetime	Instuurdatum		
Dold	int32	Nummer		
Ds	string(255)	Onderw erp		
FeV1	int32	Waarde kenmerk 1		
FeV2	int32	Waarde kenmerk 2		
FeV3	int32	Waarde kenmerk 3		
Memo	string	Toelichting		
SbId	int32	Dossieritem		
SbTy	int32	Type dossieritem		
Stat	string(100)	Codetabelw aarde		
ToEr	boolean	Werkgever		

ProfitTitles: itgen_aoe_profittitles

Name: ProfitTitles

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_profittitles

Documentation:

Titels (Profit)

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/ProfitTitles

Insert Service URL (OData-specific): /connectors/ProfitTitles

Update Service URL (OData-specific): /connectors/ProfitTitles

Delete Service URL (OData-specific): /connectors/ProfitTitles

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Ds	string(50)	Omschrijving		
Ttld	string(3)	Titel/aanhef		

Ricoh_Dossierbestemming: itgen_aoe_ricoh_dossierbestemming

Name: Ricoh_Dossierbestemming

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_ricoh_dossierbestemming

Documentation:

Ricoh - Dossierbestemming (Profit)

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Ricoh_Dossierbestemming

Insert Service URL (OData-specific): /connectors/Ricoh_Dossierbestemming

Update Service URL (OData-specific): /connectors/Ricoh_Dossierbestemming

Delete Service URL (OData-specific): /connectors/Ricoh_Dossierbestemming

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Bestemming	int32	Bestemming Id		
Omschrijving	string(50)	Omschrijving		
TypeID	int32	Type dossieritem		

Ricoh_Dossierkenmerken: itgen_aoe_ricoh_dossierkenmerken

Name: Ricoh_Dossierkenmerken

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_ricoh_dossierkenmerken

Documentation:

Ricoh - Dossierkenmerken (Profit)

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Ricoh_Dossierkenmerken

Insert Service URL (OData-specific): /connectors/Ricoh_Dossierkenmerken

Update Service URL (OData-specific): /connectors/Ricoh_Dossierkenmerken

Delete Service URL (OData-specific): /connectors/Ricoh_Dossierkenmerken

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
DossierType	int32	Type dossieritem		
FvF1	int32	Waarde kenmerk 1		
FvF2	int32	Waarde kenmerk 2		
FvF3	int32	Waarde kenmerk 3		
Omschrijving	string(50)	Omschrijving		

Ricoh_Relaties: itgen_aoe_ricoh_relaties

Name: Ricoh_Relaties

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_ricoh_relaties

Documentation:

Ricoh - Medewerkers, Inkooprelaties, Verkooprelaties (Profit)

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Ricoh_Relaties

Insert Service URL (OData-specific): /connectors/Ricoh_Relaties

Update Service URL (OData-specific): /connectors/Ricoh_Relaties

Delete Service URL (OData-specific): /connectors/Ricoh_Relaties

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Achternaam	string(80)	Achternaam		
Inkooprelatie	decimal	Inkooprelatie (1/0)		
KeyInkooprelatie	string(16)	Inkooprelatie		
KeyMedewerker	string(15)	Medewerker		
KeyVerkooprelatie	string(16)	Verkooprelatie		
Medewerker	decimal	Medewerker (1/0)		
OrgPersNr	string(15)	Organisatie/persoon		
Soort	string(100)	Soort basic contact		
Titel	string(255)	Naam		
Verkooprelatie	decimal	Verkooprelatie (1/0)		
Zoeknaam	string(10)	Zoeknaam		

Soorten: itgen_aoe_soorten

Name: Soorten

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_soorten

Documentation:

Soorten

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Soorten

Insert Service URL (OData-specific): /connectors/Soorten

Update Service URL (OData-specific): /connectors/Soorten

Delete Service URL (OData-specific): /connectors/Soorten

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Itemcode	int32	Itemcode		

Name	Data Type	Label	Required	Documentation
Soort	string(50)	Dummy tekstveld		

UpdateConnectoren: Update Connectors

Name: UpdateConnectoren

Catalog: AfasOnline

Schema: GetConnector

Label: Update Connectors

Documentation:

UpdateConnectoren

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/UpdateConnectoren

Insert Service URL (OData-specific): /connectors/UpdateConnectoren

Update Service URL (OData-specific): /connectors/UpdateConnectoren

Delete Service URL (OData-specific): /connectors/UpdateConnectoren

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Id	string(50)	Code		
Omschrijving	string(80)	Omschrijving		

Urensoorten_Geldig: itgen_aoe_urensoorten_geldig

Name: Urensoorten_Geldig

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_urensoorten_geldig

Documentation:

Urensoorten (Navara)

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Urensoorten_Geldig

Insert Service URL (OData-specific): /connectors/Urensoorten_Geldig

Update Service URL (OData-specific): /connectors/Urensoorten_Geldig

Delete Service URL (OData-specific): /connectors/Urensoorten_Geldig

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Omschrijving	string(30)	Omschrijving		
Urensoort	string(5)	Urensoort		

Volledig_menu__rapport_ : itgen_aoe_volledig_menu__rapport_

Name: Volledig_menu__rapport_

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_volledig_menu__rapport_

Documentation:

Volledig menu (rapport)

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Volledig_menu__rapport_

Insert Service URL (OData-specific): /connectors/Volledig_menu__rapport_

Update Service URL (OData-specific): /connectors/Volledig_menu__rapport_

Delete Service URL (OData-specific): /connectors/Volledig_menu__rapport_

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Omschrijving	string(50)	Omschrijving		
Omschrijving_2	string(50)	Omschrijving		

Name	Data Type	Label	Required	Documentation
Omschrijving_3	string(50)	Omschrijving		
Omschrijving_4	string(50)	Omschrijving		
Omschrijving_5	string(50)	Omschrijving		
Tekst__lengte_255__	string(255)	Sorteervolgorde		

VPLAN_Absence: itgen_aoe_vplan_absence

Name: VPLAN_Absence

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_vplan_absence

Documentation:

VPLAN_Absence

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/VPLAN_Absence

Insert Service URL (OData-specific): /connectors/VPLAN_Absence

Update Service URL (OData-specific): /connectors/VPLAN_Absence

Delete Service URL (OData-specific): /connectors/VPLAN_Absence

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
afas_created_at	datetime	Aangemaakt op		
afas_updated_at	datetime	Gew iijzigd op		
employee	string(15)	Medew erker		
end	datetime	Einddatum/-tijd		
expected_end	datetime	Verw achte einddatum		
start	datetime	Begindatum/-tijd		

VPLAN_Employee: itgen_aoe_vplan_employee

Name: VPLAN_Employee

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_vplan_employee

Documentation:

VPLAN_Employee

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/VPLAN_Employee

Insert Service URL (OData-specific): /connectors/VPLAN_Employee

Update Service URL (OData-specific): /connectors/VPLAN_Employee

Delete Service URL (OData-specific): /connectors/VPLAN_Employee

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
afas_created_at	datetime	Aangemaakt op		
afas_created_at_contract	datetime	Aangemaakt op		
afas_status	string(100)	Status dienstverband		
afas_updated_at	datetime	Gew iijzigt op		
afas_updated_at_contract	datetime	Gew iijzigt op		
date_of_birth	datetime	Geboortedatum		
end_employment	datetime	Datum uit dienst		
external_ref	string(15)	Medew erker		
firstname	string(50)	Voornaam		
fullname	string(80)	Naam		
gender	string(100)	Geslacht		
infix	string(15)	Voorvoegsel		
job_description	string(80)	Functie (vertaalde omschrijving)		
lastname	string(80)	Achternaam		
note	string	Opmerking		
start_employment	datetime	Datum in dienst		

VPLAN_Employee_avatar: itgen_aoe_vplan_employee_avatar

Name: VPLAN_Employee_avatar

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_vplan_employee_avatar

Documentation:

VPLAN_Employee_avatar

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/VPLAN_Employee_avatar

Insert Service URL (OData-specific): /connectors/VPLAN_Employee_avatar

Update Service URL (OData-specific): /connectors/VPLAN_Employee_avatar

Delete Service URL (OData-specific): /connectors/VPLAN_Employee_avatar

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
afas_created_at_avatar	datetime	Aangemaakt op		
afas_updated_at_avatar	datetime	Gew ijjigd op		
avatar	byte[]	Afbeelding		
external_ref	string(15)	Medew erker		

VPLAN_EmployeeSchedule: itgen_aoe_vplan_employeeschedule

Name: VPLAN_EmployeeSchedule

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_vplan_employeeschedule

Documentation:

VPLAN_EmployeeSchedule

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/VPLAN_EmployeeSchedule

Insert Service URL (OData-specific): /connectors/VPLAN_EmployeeSchedule

Update Service URL (OData-specific): /connectors/VPLAN_EmployeeSchedule

Delete Service URL (OData-specific): /connectors/VPLAN_EmployeeSchedule

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
afas_created_at	datetime	Aangemaakt op		
afas_updated_at	datetime	Gew ijjigd op		
afas_variable_roster	boolean	Wisselend arbeidspatroon		
employee	string(15)	Medew erker		
roster_end	datetime	Einddatum rooster		
roster_start	datetime	Begindatum rooster		

VPLAN_EmployeeSchedule_days: itgen_aoe_vplan_employeeschedule_days

Name: VPLAN_EmployeeSchedule_days

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_vplan_employeeschedule_days

Documentation:

VPLAN_EmployeeSchedule_days

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/VPLAN_EmployeeSchedule_days

Insert Service URL (OData-specific): /connectors/VPLAN_EmployeeSchedule_days

Update Service URL (OData-specific): /connectors/VPLAN_EmployeeSchedule_days

Delete Service URL (OData-specific): /connectors/VPLAN_EmployeeSchedule_days

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
afas_type	string(100)	Type regel		
breaktime	datetime	Pauseduur		

Name	Data Type	Label	Required	Documentation
date	datetime	Begindatum/-tijd		
employee	string(15)	Medewerker		
end	string(5)	Einddatum/-tijd		
hours	decimal	Uren (honderdsten)		
start	string(5)	Begindatum/-tijd		

VPLAN_Item: itgen_aoe_vplan_item

Name: VPLAN_Item

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_vplan_item

Documentation:

VPLAN_Item

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/VPLAN_Item

Insert Service URL (OData-specific): /connectors/VPLAN_Item

Update Service URL (OData-specific): /connectors/VPLAN_Item

Delete Service URL (OData-specific): /connectors/VPLAN_Item

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
afas_created_at	datetime	Aangemaakt op		
afas_updated_at	datetime	Gewijzigd op		
code	string(40)	Itemcode		
description	string(100)	Omschrijving		
external_ref	string(40)	Itemcode		
note	string	Opmerking		
unit	string(15)	Basiseenheid		

VPLAN_Leave: itgen_aoe_vplan_leave

Name: VPLAN_Leave

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_vplan_leave

Documentation:

VPLAN_Leave

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/VPLAN_Leave

Insert Service URL (OData-specific): /connectors/VPLAN_Leave

Update Service URL (OData-specific): /connectors/VPLAN_Leave

Delete Service URL (OData-specific): /connectors/VPLAN_Leave

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
afas_created_at	datetime	Aangemaakt op		
afas_updated_at	datetime	Gew ijzigd op		
employee	string(15)	Medew erker		
end	datetime	Einddatum/-tijd		
hours	int32	Aantal uren		
leave_type	string(100)	Type verlof		
reason	string(100)	Reden verlof		
start	datetime	Begindatum/-tijd		

VPLAN_ProductionOrder: itgen_aoe_vplan_productionorder

Name: VPLAN_ProductionOrder

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_vplan_productionorder

Documentation:

VPLAN_ProductionOrder

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/VPLAN_ProductionOrder

Insert Service URL (OData-specific): /connectors/VPLAN_ProductionOrder

Update Service URL (OData-specific): /connectors/VPLAN_ProductionOrder

Delete Service URL (OData-specific): /connectors/VPLAN_ProductionOrder

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
afas_created_at	datetime	Aangemaakt op		
afas_created_at_assem	datetime	Aangemaakt op		
afas_updated_at	datetime	Gew ijsigd op		
afas_updated_at_assem	datetime	Gew ijsigd op		
code	string(12)	Ordernummer		
date	datetime	Datum		
description	string(255)	Omschrijving		
desired_date	datetime	Gew enste datum toegev.		
external_ref	string(38)	GUID regel		
item	string(40)	Itemcode		
note	string	Opmerking		
note_general	string	Opmerking		
project	string(15)	Project		
promised_date	datetime	Toegezegde datum toegev.		
quantity	decimal	Aantal te produceren		
status	string(100)	Status regel		
warehouse	string(15)	Magazijn		

VPLAN_ProductionOrder_related: itgen_aoe_vplan_productionorder_related

Name: VPLAN_ProductionOrder_related

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_vplan_productionorder_related

Documentation:

VPLAN_ProductionOrder_related

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/VPLAN_ProductionOrder_related

Insert Service URL (OData-specific): /connectors/VPLAN_ProductionOrder_related

Update Service URL (OData-specific): /connectors/VPLAN_ProductionOrder_related

Delete Service URL (OData-specific): /connectors/VPLAN_ProductionOrder_related

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
ProductionOrder	string(21)	Productieordernummer		
relatedOrderRow	string(38)	GUID verkoopregel		
SalesOrder	string(21)	Verkoopordernummer		

VPLAN_ProductionOrder_row: itgen_aoe_vplan_productionorder_row

Name: VPLAN_ProductionOrder_row

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_vplan_productionorder_row

Documentation:

VPLAN_ProductionOrder_row

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/VPLAN_ProductionOrder_row

Insert Service URL (OData-specific): /connectors/VPLAN_ProductionOrder_row

Update Service URL (OData-specific): /connectors/VPLAN_ProductionOrder_row

Delete Service URL (OData-specific): /connectors/VPLAN_ProductionOrder_row

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
afas_created_at	datetime	Aangemaakt op		
afas_updated_at	datetime	Gew iijzigt op		
description	string(100)	Omschrijving		
external_ref	string(38)	GUID regel		
item	string(40)	Itemcode		
position	int32	Presentatievolgorde		
productionorder	string(38)	GUID bijbehorende regel		
quantity	decimal	Aantal eenheden (totaal)		
quantity_backorder	decimal	Aantal te leveren (totaal)		
quantity_delivered	decimal	Aantal geleverd (totaal)		
type	string(100)	Type item		
unit	string(15)	Eenheid		

VPLAN_Project: itgen_aoe_vplan_project

Name: VPLAN_Project

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_vplan_project

Documentation:

VPLAN_Project

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/VPLAN_Project

Insert Service URL (OData-specific): /connectors/VPLAN_Project

Update Service URL (OData-specific): /connectors/VPLAN_Project

Delete Service URL (OData-specific): /connectors/VPLAN_Project

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
afas_created_at	datetime	Aangemaakt op		
afas_stopped	boolean	Afgemeld		
afas_updated_at	datetime	Gew ijjigd op		
description	string(100)	Omschrijving		
external_ref	string(15)	Project		
name	string(15)	Project		

VPLAN_PurchaseOrder: itgen_aoe_vplan_purchaseorder

Name: VPLAN_PurchaseOrder

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_vplan_purchaseorder

Documentation:

VPLAN_PurchaseOrder

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/VPLAN_PurchaseOrder

Insert Service URL (OData-specific): /connectors/VPLAN_PurchaseOrder

Update Service URL (OData-specific): /connectors/VPLAN_PurchaseOrder

Delete Service URL (OData-specific): /connectors/VPLAN_PurchaseOrder

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
afas_created_at	datetime	Aangemaakt op		
afas_updated_at	datetime	Gew ijjigd op		
contact	string(80)	Vertegenw oordiger		
date	datetime	Datum		
delivered_date	datetime	Werkelijke datum aflevering		
description	string(255)	Omschrijving		
desired_date	datetime	Gew enste leverdatum		
external_ref	string(12)	Nummer		
note	string	Opmerking		

Name	Data Type	Label	Required	Documentation
project	string(15)	Project		
promised_date	datetime	Datum levering (toegezegd)		
relation	string(16)	Inkooprelatie		
relation_ref	string(50)	Referentie inkooprelatie		
status	string(100)	Status		
warehouse	string(15)	Magazijn		

VPLAN_PurchaseOrder_row: itgen_aoe_vplan_purchaseorder_row

Name: VPLAN_PurchaseOrder_row

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_vplan_purchaseorder_row

Documentation:

VPLAN_PurchaseOrder_row

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/VPLAN_PurchaseOrder_row

Insert Service URL (OData-specific): /connectors/VPLAN_PurchaseOrder_row

Update Service URL (OData-specific): /connectors/VPLAN_PurchaseOrder_row

Delete Service URL (OData-specific): /connectors/VPLAN_PurchaseOrder_row

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
afas_created_at	datetime	Aangemaakt op		
afas_updated_at	datetime	Gew iijgd op		
delivered_date	datetime	Afw ijkende afleverdatum		
description	string(255)	Omschrijving		
external_ref	string(38)	GUID regel		
item	string(40)	Itemcode		
position	int32	Volgnummer		

Name	Data Type	Label	Required	Documentation
purchaseorder	string(12)	Ordernummer		
quantity	decimal	Aantal besteld		
quantity_backorder	decimal	Aantal te ontvangen		
quantity_delivered	decimal	Aantal ontvangen		
quantity_original	decimal	Oorspronkelijk aantal		
status	string(100)	Status regel		
type	int32	Type regel		
unit	string(15)	Eenheid		

VPLAN_PurchaseOrder_row_related: itgen_aoe_vplan_purchaseorder_row_related

Name: VPLAN_PurchaseOrder_row_related

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_vplan_purchaseorder_row_related

Documentation:

VPLAN_PurchaseOrder_row_related

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/VPLAN_PurchaseOrder_row_related

Insert Service URL (OData-specific): /connectors/VPLAN_PurchaseOrder_row_related

Update Service URL (OData-specific): /connectors/VPLAN_PurchaseOrder_row_related

Delete Service URL (OData-specific): /connectors/VPLAN_PurchaseOrder_row_related

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
external_ref	string(38)	GUID regel		
PurchaseOrder	string(12)	Ordernummer		
relatedOrderRow	string(38)	GUID regel2		

VPLAN_PurchaseRelation: itgen_aoe_vplan_purchaserelation

Name: VPLAN_PurchaseRelation

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_vplan_purchaserelation

Documentation:

VPLAN_PurchaseRelation

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/VPLAN_PurchaseRelation

Insert Service URL (OData-specific): /connectors/VPLAN_PurchaseRelation

Update Service URL (OData-specific): /connectors/VPLAN_PurchaseRelation

Delete Service URL (OData-specific): /connectors/VPLAN_PurchaseRelation

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
afas_created_at	datetime	Aangemaakt op		
afas_updated_at	datetime	Gew ijzigt op		
email	string(255)	E-mail werk		
external_ref	string(16)	Nummer crediteur		
fax	string(255)	Fax werk		
name	string(80)	Crediteurnaam		
note	string	Opmerking		
phone	string(255)	Telefoonnr. werk		
website	string(255)	Website		

VPLAN_SalesOrder: itgen_aoe_vplan_salesorder

Name: VPLAN_SalesOrder

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_vplan_salesorder

Documentation:

VPLAN_SalesOrder

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/VPLAN_SalesOrder

Insert Service URL (OData-specific): /connectors/VPLAN_SalesOrder

Update Service URL (OData-specific): /connectors/VPLAN_SalesOrder

Delete Service URL (OData-specific): /connectors/VPLAN_SalesOrder

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
afas_created_at	datetime	Aangemaakt op		
afas_updated_at	datetime	Gew ijsigd op		
city	string(50)	Woonplaats		
contact	string(80)	Vertegenw oordiger		
country	string(3)	Land		
date	datetime	Datum		
delivered_date	datetime	Werkelijke datum aflevering		
desired_date	datetime	Gew enste leverdatum		
external_ref	string(12)	Nummer		
houseadd	string(30)	Toev. aan huisnr.		
houzeno	int32	Huisnummer		
note	string	Opmerking		
postcode	string(15)	Postcode		
project	string(15)	Project		
promised_date	datetime	Datum levering (toegezegd)		
relation	string(16)	Verkooprelatie		
relation_ref	string(100)	Opdrachtnummer/referentie		
status	string(100)	Status		
street	string(60)	Straat		
warehouse	string(15)	Magazijn		

VPLAN_SalesOrder_row: itgen_aoe_vplan_salesorder_row

Name: VPLAN_SalesOrder_row

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_vplan_salesorder_row

Documentation:

VPLAN_SalesOrder_row

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/VPLAN_SalesOrder_row

Insert Service URL (OData-specific): /connectors/VPLAN_SalesOrder_row

Update Service URL (OData-specific): /connectors/VPLAN_SalesOrder_row

Delete Service URL (OData-specific): /connectors/VPLAN_SalesOrder_row

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
afas_created_at	datetime	Aangemaakt op		
afas_updated_at	datetime	Gew iijzigt op		
delivered_date	datetime	Afw ijkende afleverdatum		
description	string(255)	Omschrijving		
external_ref	string(38)	GUID regel		
item	string(40)	Itemcode		
position	int32	Volgnummer		
quantity	decimal	Aantal te leveren		
quantity_backorder	decimal	Aantal w achtorder		
quantity_delivered	decimal	Aantal geleverd		
quantity_original	decimal	Oorspronkelijk aantal		
salesorder	string(12)	Ordernummer		
status	string(100)	Status regel		
type	int32	Type regel		
unit	string(15)	Eenheid		

VPLAN_SalesRelation: itgen_aoe_vplan_salesrelation

Name: VPLAN_SalesRelation

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_vplan_salesrelation

Documentation:

VPLAN_SalesRelation

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/VPLAN_SalesRelation

Insert Service URL (OData-specific): /connectors/VPLAN_SalesRelation

Update Service URL (OData-specific): /connectors/VPLAN_SalesRelation

Delete Service URL (OData-specific): /connectors/VPLAN_SalesRelation

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
afas_created_at	datetime	Aangemaakt op		
afas_updated_at	datetime	Gew i jz i g d op		
email	string(255)	E-mail w erk		
external_ref	string(16)	reference		
fax	string(255)	Fax w erk		
name	string(255)	Naam		
note	string	Opmerking		
phone	string(255)	Telefoonnr. w erk		
website	string(255)	Website		

VPLAN_Stock: itgen_aoe_vplan_stock

Name: VPLAN_Stock

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_vplan_stock

Documentation:

VPLAN_Stock

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/VPLAN_Stock

Insert Service URL (OData-specific): /connectors/VPLAN_Stock

Update Service URL (OData-specific): /connectors/VPLAN_Stock

Delete Service URL (OData-specific): /connectors/VPLAN_Stock

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
afas_created_at	datetime	Gew ijzigt op		
afas_updated_at	datetime	Datum laatste mutatie		
current	decimal	Op voorraad		
item	string(40)	Itemcode		
location	string(50)	Locatie		
maximum	decimal	Aanvullen tot		
minimum	decimal	Minimum voorraad		
warehouse	string(15)	Magazijn		

VPLAN_Warehouse: itgen_aoe_vplan_warehouse

Name: VPLAN_Warehouse

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_vplan_warehouse

Documentation:

VPLAN_Warehouse

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/VPLAN_Warehouse

Insert Service URL (OData-specific): /connectors/VPLAN_Warehouse

Update Service URL (OData-specific): /connectors/VPLAN_Warehouse

Delete Service URL (OData-specific): /connectors/VPLAN_Warehouse

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
afas_created_at	datetime	Aangemaakt op		
afas_updated_at	datetime	Gew ijzigd op		
external_ref	string(15)	Magazijn		
name	string(50)	Omschrijving		

VPLAN_WorkType: itgen_aoe_vplan_worktype

Name: VPLAN_WorkType

Catalog: AfasOnline

Schema: GetConnector

Label: itgen_aoe_vplan_worktype

Documentation:

VPLAN_WorkType

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/VPLAN_WorkType

Insert Service URL (OData-specific): /connectors/VPLAN_WorkType

Update Service URL (OData-specific): /connectors/VPLAN_WorkType

Delete Service URL (OData-specific): /connectors/VPLAN_WorkType

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
afas_created_at	datetime	Aangemaakt op		
afas_updated_at	datetime	Gew ijzigd op		
code	string(40)	Itemcode		
external_ref	string(40)	Itemcode		
name	string(100)	Omschrijving		

Werksoorten_Geldig: Valid Labour Types

Name: Werksoorten_Geldig

Catalog: AfasOnline

Schema: GetConnector

Label: Valid Labour Types

Documentation:

Werksoorten (Navara)

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /connectors/Werksoorten_Geldig

Insert Service URL (OData-specific): /connectors/Werksoorten_Geldig

Update Service URL (OData-specific): /connectors/Werksoorten_Geldig

Delete Service URL (OData-specific): /connectors/Werksoorten_Geldig

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
Werksoort_Code	string(40)	Itemcode		
Werksoort_Omschrijving	string(100)	Omschrijving		

2.1.3 Schema: ImageConnector

2.1.3.1 Tables

image: itgen_aoe_image

Name: image

Catalog: AfasOnline

Schema: ImageConnector

Label: itgen_aoe_image

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /imageconnector/{image_id}

Insert Service URL (OData-specific): /imageconnector/{image_id}

Update Service URL (OData-specific): /imageconnector/{image_id}

Delete Service URL (OData-specific): /imageconnector/{image_id}

Field Selection Method (OData-specific): NotRequired

Parameters

Name	Data Type	Required	Default Value	Documentation
format	int32	<input type="checkbox"/>	0	
image_id	int32	<input checked="" type="checkbox"/>		

Table Columns

Name	Data Type	Label	Required	Documentation
filedata	byte[]	File Data	<input checked="" type="checkbox"/>	
mimetype	string	MIME Type	<input checked="" type="checkbox"/>	

2.1.4 Schema: ReportConnector

2.1.4.1 Tables

report: itgen_aoe_report

Name: report

Catalog: AfasOnline

Schema: ReportConnector

Label: itgen_aoe_report

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /reportconnector/{id}

Insert Service URL (OData-specific): /reportconnector/{id}

Update Service URL (OData-specific): /reportconnector/{id}

Delete Service URL (OData-specific): /reportconnector/{id}

Field Selection Method (OData-specific): NotRequired

Parameters

Name	Data Type	Required	Default Value	Documentation
id	guid	<input checked="" type="checkbox"/>		

Table Columns

Name	Data Type	Label	Required	Documentation
filedata	byte[]	File Data	<input checked="" type="checkbox"/>	
mimetype	string	MIME Type	<input checked="" type="checkbox"/>	

2.1.5 Schema: SubjectConnector

2.1.5.1 Tables

subject: itgen_aoe_subject

Name: subject

Catalog: AfasOnline

Schema: SubjectConnector

Label: itgen_aoe_subject

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /subjectconnector/{subject_id}/{file_id}

Insert Service URL (OData-specific): /subjectconnector/{subject_id}/{file_id}

Update Service URL (OData-specific): /subjectconnector/{subject_id}/{file_id}

Delete Service URL (OData-specific): /subjectconnector/{subject_id}/{file_id}

Field Selection Method (OData-specific): NotRequired

Parameters

Name	Data Type	Required	Default Value	Documentation
file_id	guid	<input checked="" type="checkbox"/>		
subject_id	int32	<input checked="" type="checkbox"/>		

Table Columns

Name	Data Type	Label	Required	Documentation
filedata	byte[]	File Data	<input checked="" type="checkbox"/>	
filename	string	File Name	<input checked="" type="checkbox"/>	
mimetype	string	MIME Type	<input checked="" type="checkbox"/>	

2.1.6 Schema: VersionConnector

2.1.6.1 Tables

profitversion: Version Information

Name: profitversion

Catalog: AfasOnline

Schema: VersionConnector

Label: Version Information

Partition-specific: false

Select: true

Insert: false

Update: false

Delete: false

Select Service URL (OData-specific): /profitversion

Insert Service URL (OData-specific): /profitversion

Update Service URL (OData-specific): /profitversion

Delete Service URL (OData-specific): /profitversion

Field Selection Method (OData-specific): NotRequired

Table Columns

Name	Data Type	Label	Required	Documentation
version	string	Version	<input checked="" type="checkbox"/>	

Index

- % -

% Aanwezigheid 25, 61, 140
% Aanwezigheid AT 61, 140

- _ -

_Aanwezigheid 85, 86, 88, 89, 90, 92

- A -

A_Huisnummer 56, 130
A_Id 56
A_Land 56, 130
A_Land1 56
A_Postcode 56, 130
A_Straat 56, 130
A_Toev_Huisnr_ 130
A_Toevoeging 56
A_Woonplaats 56, 130
Aangemaakt op 114, 115, 116, 121, 122, 125, 128, 139, 148, 149, 150, 151, 153, 154, 155, 166, 174, 176, 194, 195, 196, 198, 199, 201, 202, 203, 204, 206, 207, 208, 210, 211
Aanleiding 163, 165
Aantal 16, 121, 166, 180
Aantal besteld 204
Aantal dagen 18, 20, 98
Aantal dagen per week 67, 167
Aantal decimalen 115
Aantal decimalen bedrag 109
Aantal eenheden 152, 154, 155
Aantal eenheden (totaal) 201
Aantal FTE 67, 132
Aantal geleverd 207
Aantal geleverd (totaal) 201
Aantal maanden 98
Aantal ontvangen 204
Aantal per eenheid 171
Aantal te leveren 207
Aantal te leveren (totaal) 201
Aantal te ontvangen 204
Aantal te produceren 199
Aantal uren 24, 59, 60, 143, 199
Aantal uren per week 67, 75, 77, 79, 80, 82, 84, 132, 167
Aantal wachtorder 207
Aantal_dagen 24, 98
Aantal_dagen_per_week 67
Aantal_FTE 67
Aantal_maanden 98
Aantal_uren 24, 59, 60
Aantal_uren_per_week 67, 75, 77, 79, 80, 82, 84
Aanvullen tot 209
Aanwezig eerste dag 140
Aanwezig laatste dag 25, 140
Aanwezigheidsuren AT per week 140
AanwPerc 61
Absenceld 140
AbsenceTypeDesc 140
AbsenceTypeld 140
Acc 180
Account 112, 115, 119
AccountDesc 146
AccountNo 168, 169
AccountNr 146, 173
AcctCode 19, 21
AcctMemo 20
AcctNo 18
Achternaam 9, 16, 23, 58, 75, 77, 79, 80, 82, 84, 85, 86, 88, 89, 90, 92, 183, 190, 194
Achternaam partner 23
Achternaam, init voorvoegsel (voornaam) 97, 180, 183, 184
Achternaam_2 85, 86, 88, 89, 90, 92
Achternaam_partner 23
Actie_Omschrijving 25
Actiecode (connector) 25, 140
Actiecode_connector_ 25
Action 175
ActionDescription 175
ActionId 140
ActionName 175
ActionType 175
ActionTypeDescription 175
Activate 56
Activaties (AFAS Pocket) 8
activity_id 16
Actueel_salarisnummer 24
Actuele hoofdleidinggevende 144
Ad 178
Ad1 97
Ad2 97
Ad3 97
Ad4 97
AdAd 178
Addition 114

AddNumber	132, 140	AFAS Online	1, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 18, 19, 20, 21, 22, 23, 24, 25, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 71, 72, 73, 74, 75, 77, 79, 80, 82, 84, 85, 86, 88, 89, 90, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 134, 135, 136, 137, 138, 139, 140, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215
Address	114	afas_created_at	194, 196, 198, 199, 201, 202, 203, 204, 206, 207, 208, 209, 210, 211
Address4	140	afas_created_at_assem	199
AddressAdd	114	afas_created_at_avatar	195
Addresses	114	afas_created_at_contract	194
AddressId	114	afas_status	194
AddressLine	114	afas_stopped	202
AddressLine1	18, 20, 122, 135	afas_type	197
AddressLine2	18, 20	afas_updated_at	194, 196, 198, 199, 201, 202, 203, 204, 206, 207, 208, 209, 210, 211
AddressLine3	18, 20, 122, 135	afas_updated_at_assem	199
AddressLine4	18, 20, 122, 135	afas_updated_at_avatar	195
Administratie	27, 28, 29, 30, 31, 34, 35, 46, 48, 72, 73, 95, 102, 104, 106, 107, 111, 115, 119, 126, 129, 135, 142, 146, 147, 148, 166, 168, 169, 174	afas_updated_at_contract	194
Administratie inkoopfactuur	162	afas_variable_roster	196
Administratie verkoopfactuur	162	afasonline	1
Administratiecode	28, 46, 102	AFASPocket_Activities	8
Administratiennaam	46	AFASPocket_Contacts	9
Administratienummer	46	AFASPocket_Expense_Types	10
AdministrationPurchaseInvoice	162	AFASPocket_Illness_Reasons	10
AdministrationSalesInvoice	162	AFASPocket_Illness_Status	11
Adres	47, 96, 100, 183	AFASPocket_Leave_Balance	12
Adres Id	114, 130	AFASPocket_Leave_Reasons	13
Adres toevoeging	114	AFASPocket_Leave_Types	13
Adres_ID	130	AFASPocket_Leaves	14
Adresregel 1 (straat - huisnr)	18, 20, 25, 27, 95, 97, 122, 125, 128, 135, 145, 174	AFASPocket_Projects	15
Adresregel 2 (toevoeging)	18, 20, 25, 27, 95, 97, 174	AFASPocket_Timesheets	16
Adresregel 3 (postc - wpl)	25, 27, 95, 97, 122, 125, 128, 135, 145, 174	AFASPocket_User	16
Adresregel 4 (land)	25, 27, 95, 97, 122, 125, 128, 135, 145	Afbeelding	74, 195
Adresregel_1__straat_-_huisnr__	27, 95	Afbeelding_klein	74
Adresregel_2__toevoeging__	27, 95	Afdeling	122, 183
Adresregel_3__postc_-_wpl__	27, 95	Afgehandeld	163, 165
Adresregel_4__land__	27, 95	Afgemeld	15, 149, 180, 202
AdressLine1	125, 128, 145, 174	Afletterbaar	104
AdressLine2	174	Afletteren met	104
AdressLine3	125, 128, 145, 174	Afletteren_met	104
AdressLine4	125, 128, 145	Afwijkend_Personeelsnummer	23, 24
Adrestype	96, 178		
Adrestype code	96, 130		
Adrestype_code	96, 130		
Adrestype_code_2	130		
Adresvoorbeeld op 1 regel	96, 100, 114, 183		
AdTp	178		

- Afwijkende afleverdatum 204, 207
Alleen bestaande combinaties toegestaan 165
AlwaysActive 121
ALT_NL_Refresh 18
ALT_PL_Refresh 18
ALT_PL_Refresh_GetBalance 19
ALT_SL_Refresh 20
ALT_SL_Refresh_GetBalance 21
Amount 171
AmtCredit 168, 169
AmtDebit 168, 169
AmtInvoice 126, 129
AmtInvoiceCurr 126, 129
AmtRowDiscount 154, 155
AmtTotal 154, 155
api-url 1
ApplyQualifyingDays 140
appointment_end_time 38
appointment_id 36, 37, 38
appointment_location_id 38
appointment_location_name 38
appointment_name 36, 38
appointment_owner 37
appointment_start_time 38
Approved 152
ArbeidsTherapiePerc 61
Artcode 22
ArtGroup 115, 116
ArtGrp 22
Articles 22
Artikel 22
Artikeldimensie 1 115
Artikeldimensie 2 115
Artikeldimensiecode 1 120, 158
Artikeldimensiecode 2 120, 158
Artikelen 22
Artikelgroep 115, 116, 118, 121
Artikelomschrijving 1 22
Artikelsoort code 115
Artikeltype code 115
As 110, 111
Asset_naam 62
Assetnummer 62
Atimo_NAW 23
Atimo_Verlof 24
Atimo_Ziekte 25
attachment_id 160
Automatisch betalen 47, 101, 125
Automatisch incasseren 103, 128
Automatisch_betalen 47, 101
Automatisch_incasseren 103
AutoPayment 125, 128
avatar 195
AxDescription 115
- ## - B -
- background_id 43
background_name 43
Balance 19, 21, 119, 129, 143, 146
balance_days 12
balance_hours 12
BalanceCurr 129
Balances (CaseWare) 30
Bank-/girorekeningnummer 56
Bank_girorekeningnummer 101, 103
Bank-girorekeningnummer 47, 56, 97
Bankrekening 47, 97, 101, 103
Bankrekeningnummer 69, 71
Barcode 115, 120, 174
BarcodeType 120
BasicContactCode 174
BasicItem 171
BasicSalesPrice 116
Basisartikeltype code 159
Basisartikeltype_code 159
Basiseenheid 115, 116, 121, 171, 198
Basisverkoopprijs 116
Batch Size 66
Batch_Size 66
BatchNumber 120
BatchNumberId 158
BcCd 183, 186, 187
BcCo 120, 125, 128, 145, 149
BcId 178, 183, 186, 187
Bedrag 29, 30
Bedrag budget 119, 146
Bedrag credit 34, 35, 73, 168, 169
Bedrag debet 34, 35, 73, 168, 169
Bedrag korting 157
Bedrag regelkorting 154, 155
Bedrag_credit 34, 35, 73
Bedrag_debet 34, 35, 73
Bedrijf 56, 130
Begin postcode 112, 153, 186
Beginbalans 29, 30
Begindatum 61, 75, 77, 79, 80, 82, 84, 85, 86, 88, 89, 90, 92, 127, 149, 163, 165, 166, 178, 180, 182
Begindatum (connector) 24
Begindatum abonnement 166
Begindatum contract 75, 77, 79, 80, 82, 84
Begindatum organigram 144

- CaseWare_Perioden 30
 CaseWare_Periodesaldi 31
 CaseWare_Periodetabel 32
 CaseWare_Periods 33
 CaseWare_PeriodTable 33
 CaseWare_Transacties 34
 CaseWare_Transactions 35
 CBS_code 105
 CBS-code 105
 Chargeable 149, 152
 CheckedOut 149, 150
 CheckIn_Appointment 36
 CheckIn_Appointment_Owners 37
 CheckIn_Appointments 38
 CheckIn_Event 39
 CheckIn_Event_Teachers 40
 CheckIn_Locations 41
 CheckIn_Printers 42
 CheckIn_Profile_Image 42
 CheckIn_Theme 43
 ChOfCommNr 125, 128, 145
 ChOu 180
 city 9, 16, 132, 140, 206
 city_work 16
 client_id 15
 CmlId 97, 180
 Co 74, 105, 177
 CoAm 180
 Code dagboek 28, 34, 35, 73, 102, 142, 168, 169
 Code dienstbetrekking 23, 58, 132
 Code functie 132, 183
 Code hersteld code 25, 140
 Code inkoop/verkoop code 100, 173
 Code land 74, 105, 177
 Code status offerte 151
 Code verbijzondering 115, 119
 Code verbijzonderingsas 1 169
 Code verbijzonderingsas 2 169
 Code verbijzonderingsas 3 169
 Code verbijzonderingsas 4 169
 Code verbijzonderingsas 5 169
 Code_dagboek 73
 CodeDescription 115
 Codetabelwaarde 163, 186, 187
 Codetabelwaarde code 14
 Cold 74, 105, 177, 178, 179, 186
 Collect_On 169
 CollectAccount 112, 128
 CollectAccountType 112
 CollectOn 112
 Comment 14, 163, 165
 Companies 46
 Companies (CaseWare) 27
 company 36, 39
 Completed 165
 CompositionId 121
 CompUnique 121
 CompVar 121
 CompXpl 121
 Confidential 165
 CoNm 178
 Connector 45, 172
 contact 18, 20, 203, 206
 Contact code 44
 Contact mail 164
 contact_barcode 38
 Contact_code 38, 44
 contact_company 38
 contact_first_name 38
 contact_full_name 38
 contact_full_name_roep 38
 contact_id 38
 contact_image_full_id 38
 contact_image_full_name 38
 contact_image_thumb_id 38
 contact_image_thumb_name 38
 contact_initials 38
 Contact_mail 164
 Contact_Naam 23
 Contact_name 164
 contact_org_id 38
 contact_roep_name 38
 contact_surname 38
 Contacten 64, 65
 ContactenDebiteuren 44
 ContactId 122, 163
 Contactnaam 164
 ContactNr 163
 Contactpersoon 27, 95, 183
 Contactpersoon factuur 56
 Contactpersoon_factuur 56
 Contacts 122
 Contacts (AFAS Pocket) 9
 Contacttype code 56
 Continuous 140
 Correctie 68
 Correcties 68
 CostCarrier 123
 CostCentre 124
 Countries 74, 177
 country 9, 16, 114, 120, 132, 206
 country_work 16

CountryId	153, 174	Dagboeksoort	102
CountryName	153	Dagboeksoort code	28, 102, 142
CreateDate	114, 115, 116, 121, 122, 125, 128, 130, 148, 149, 150, 153, 154, 155, 166, 174, 176	Dagboeksoort_code	28, 102
CreateOrderLines	121	Dagkoers	127
Credit	119, 146	DailyRate	127
Credit_periodesaldo	29, 30, 31, 72	dark_font	43
Crediteur	47, 101	DaSe	186, 187
Crediteurnaam	18, 47, 101, 125, 206	DaSt	180
Crediteurnr	126	date	16, 157, 197, 199, 203, 206
CreditLimit	18, 20, 125, 128	date_of_birth	9, 16, 194
Creditor	120	DateBirth	134, 145
CreditorId	120, 125, 126	DateCompleted	165
CreditorName	125	DateCreated	151, 163
Creditsaldo periode	29, 30, 31, 72	DateDeceased	132
CtCd	183	DateEnd	166
CtId	176, 183	DateEndSub	166
Currencies	127	DateFrom	147
Currency	127, 157	DateModified	116, 151, 152
CurrencyCode	20	DateOfBirth	132
CurrencyId	126, 127, 128, 129, 154, 155, 156	DateReady	149, 150
current	209	DateReadyPlan	150
Current User	45	DateStart	149, 166
CurrentUser	45	DateStartSub	166
cus_apr_with	43	DateTime	152
cus_bdg_com	43	DateTo	147
cus_ckin_btn	43	DaTi	180
cus_ckin_for	43	Datum	16, 151, 152, 154, 155, 156, 180, 199, 203, 206
cus_mk_bdg	43	Datum actie	25
cus_no_qr	43	Datum afgehandeld	163, 165
cus_not_fnd	43	Datum boeking	34, 35, 73, 138, 152, 168, 169
cus_pic_tkn	43	Datum gereed planning	150
cus_post_ckin	43	Datum hervatting	25
cus_qr	43	Datum in dienst	23, 58, 132, 134, 194
cus_srch	43	Datum laatste mutatie	209
cus_strt_wlcm	43	Datum levering (toegezegd)	203, 206
cus_tk_pic	43	Datum planning	151
cus_use_old_pic	43	Datum t/m	30, 33, 54, 147
cus_wlc_usr	43	Datum toegevoegd	152, 182
customer	9	Datum uit dienst	23, 58, 132, 134, 194
Customer Name	66	Datum van	30, 33, 54, 147
Customer_Name	66	Datum/tijd	25
CustomerReference	154, 155, 156	Datum_afgehandeld	163
		Datum_boeking	73
		Datum_in_dienst	23, 58
		Datum_t_m	30, 33, 54
		Datum_tijd	85, 86, 88, 89, 90, 92
		Datum_uit_dienst	23, 58
		Datum_van	30, 33, 54
		DaysPerWeek	167
		Dbld	180
- D -			
D/C boeking code	29, 30, 31, 34, 35, 72		
D_C_boeking_code	29, 30, 31, 34, 35, 72		
DaBe	178		
DaEn	178		
Dagboekcode	28, 34, 35, 48, 102		

- DDI_Profit_Administraties 46
 DDI_Profit_BTWcode 47
 DDI_Profit_Crediteuren 47
 DDI_Profit_Dagboeken 48
 DDI_Profit_Dimensies 49
 DDI_Profit_Dimensies_2 50
 DDI_Profit_Dimensies_3 51
 DDI_Profit_Grootboek 51
 DDI_Profit_Kosten 52
 DDI_Profit_Kostendragers 53
 DDI_Profit_Kostenplaatsen 53
 DDI_Profit_Periodes 54
 DDI_Profit_Projecten 55
 DDI_Profit_Valuta 55
 Debet 119, 146
 Debet/credit 107
 Debet_Credit 106, 107
 Debet_periodesaldo 29, 30, 31, 72
 Debetsaldo periode 29, 30, 31, 72
 Debit 146
 Debiteur 56, 93, 103, 130
 Debiteuren 56
 Debiteurennummer 47, 129
 DebiteurID 56, 130
 Debiteurnaam 103
 Debiteurnr_leverancier 47
 Debiteurnummer 47
 Debtor 157
 Debtor Invoices 129
 DebtorId 120, 128, 129, 149, 151, 154, 155, 156, 166
 DebtorName 128
 Debtors 128
 Decimalen 109
 Decription 171
 delivered_date 203, 204, 206, 207
 Delivery Date 66
 Delivery_Date 66
 Delta_T_NAW 58
 Delta_T_Verlofopnames 59
 Delta_T_Verlofplanning 60
 Delta_T_Verlofrechten 60
 Delta_T_Ziekte 61
 Department 122
 desired_date 199, 203, 206
 Dienstbetrekking omschr. 132
 Dienstbetrekking_code 23, 58
 Dienstverband 14, 16, 25, 67, 140, 143
 Dienstverband code 67
 Dienstverband_code 67
 DimAx 115, 119
 DimAx1 112, 135, 169
 DimAx2 112, 135, 169
 DimAx3 112, 135, 169
 DimAx4 112, 135, 169
 DimAx5 112, 135, 169
 DimCode 115, 119
 Discount 156, 157
 Dold 186, 187
 Doorbelasten 149, 152
 Doorboeken projecten code 112
 Doorlopend verzuim 25, 140
 Doorlopend_verzuim 25
 Doortellen_in_saldo 24, 68
 DossierId 161, 163
 Dossieritem 63, 160, 162, 164, 186, 187
 Dossieritem als vertrouwelijk markeren 165
 Dossieritem_Mobiele_Werkbon 62
 Dossieritems nummeren 165
 Dossieritems zonder kenmerken toegestaan 165
 DossieritemsArtikelen 63
 DossierType 163, 189
 download-error-400-bad-request-max-tries 1
 download-error-400-bad-request-sleep-initial-ms 1
 download-error-400-bad-request-sleep-max-ms 1
 download-error-400-bad-request-sleep-multiplicator 1
 download-error-429-too-many-requests-max-tries 1
 download-error-429-too-many-requests-sleep-initial-ms 1
 download-error-429-too-many-requests-sleep-max-ms 1
 download-error-429-too-many-requests-sleep-multiplicator 1
 download-error-503-server-unavailable-max-tries 1
 download-error-503-server-unavailable-sleep-initial-ms 1
 download-error-503-server-unavailable-sleep-max-ms 1
 download-error-503-server-unavailable-sleep-multiplicator 1
 download-error-504-gateway-timeout-max-tries 1
 download-error-504-gateway-timeout-sleep-initial-ms 1
 download-error-504-gateway-timeout-sleep-max-ms 1
 download-error-504-gateway-timeout-sleep-multiplicator 1
 download-error-argument-exception-max-tries 1
 download-error-argument-exception-sleep-initial-ms 1
 download-error-argument-exception-sleep-max-ms 1
 download-error-argument-exception-sleep-multiplicator 1

download-error-internet-down-max-tries 1	EasyLink_Export_Personen 65
download-error-internet-down-sleep-initial-ms 1	Economische voorraad 158
download-error-internet-down-sleep-max-ms 1	EditMode 165
download-error-internet-down-sleep-multiplicator 1	Eenheid 120, 121, 151, 152, 154, 155, 157, 158, 159, 171, 201, 204, 207
download-error-io-exception-max-tries 1	Eerste_Ziekte d ag 25
download-error-io-exception-sleep-initial-ms 1	Eind postcode 112, 153, 186
download-error-io-exception-sleep-max-ms 1	Einddatum 61, 75, 77, 79, 80, 82, 84, 85, 86, 88, 89, 90, 92, 163, 165, 166, 178, 182
download-error-io-exception-sleep-multiplicator 1	Einddatum (connector) 24
download-error-json-exception-max-tries 1	Einddatum abonnement 166
download-error-json-exception-sleep-initial-ms 1	Einddatum organigram 144
download-error-json-exception-sleep-max-ms 1	Einddatum rooster 167, 196
download-error-json-exception-sleep-multiplicator 1	Einddatum/-tijd 11, 14, 24, 25, 59, 60, 61, 85, 86, 88, 89, 90, 92, 140, 143, 194, 197, 199
download-error-other-exception-max-tries 1	Einddatum_connector_ 24
download-error-other-exception-sleep-initial-ms 1	Einddatum_2 75, 77, 79, 80, 82, 84
download-error-other-exception-sleep-max-ms 1	Einddatum_tijd 59, 60
download-error-other-exception-sleep-multiplicator 1	Einddatum_tijd 85, 86, 88, 89, 90, 92
download-error-socket-exception-max-tries 1	Einddatum_tijd_Uur_ 59
download-error-socket-exception-sleep-initial-ms 1	Eindtijd 24
download-error-socket-exception-sleep-max-ms 1	email 18, 45, 125, 128, 172, 206, 208
download-error-socket-exception-sleep-multiplicator 1	E-mail 45, 69, 71, 172
download-error-web-exception-max-tries 1	E-mail privé 23, 58, 67, 75, 77, 79, 80, 82, 84, 122
download-error-web-exception-sleep-initial-ms 1	E-mail werk 9, 16, 18, 20, 23, 44, 56, 58, 75, 77, 79, 80, 82, 84, 122, 125, 128, 130, 132, 134, 145, 183, 184, 206, 208
download-error-web-exception-sleep-max-ms 1	E-mail_privé 23, 58, 67, 75, 77, 79, 80, 82, 84
download-error-web-exception-sleep-multiplicator 1	E-mail_werk 23, 44, 58, 75, 77, 79, 80, 82, 84
download-error-web-not-implemented-max-tries 1	email_work 9, 16
download-error-web-not-implemented-sleep-initial-ms 1	EmailAddress 20
download-error-web-not-implemented-sleep-max-ms 1	E-mailadres 185
download-error-web-not-implemented-sleep-multiplicator 1	Emlid 97, 178, 180
download-error-web-timeout-max-tries 1	employee 120, 194, 196, 197, 199
download-error-web-timeout-sleep-initial-ms 1	Employeeid 45, 132, 134, 140, 143, 152, 167, 172
download-error-web-timeout-sleep-max-ms 1	Employees 132
download-error-web-timeout-sleep-multiplicator 1	Employer 16, 134, 139
download-error-web-unauthorized-max-tries 1	Employerid 123, 124, 132, 135, 140, 143, 167
download-error-web-unauthorized-sleep-initial-ms 1	Employers 135
download-error-web-unauthorized-sleep-max-ms 1	employment_id 14, 16
download-error-web-unauthorized-sleep-multiplicator 1	EmploymentEnd 132, 134
Ds 176, 179, 180, 186, 187, 188	EmploymentStart 132, 134
DtGw 180	EmploymentType 132
DueDays 18, 20	EmploymentTypeDesc 132
Dummy datumveld 68	EmWo 183
Dummy tekstveld 22, 62, 68, 93, 191	end 194, 197, 199
DvId 134, 140, 143	end_date 15
	end_datetime 11
	end_employment 194
	end_time 14
	EndDate 140, 143, 144, 163, 165, 167
	Entitlement 143

- E -

EasyLink_Export_Organisatie 64

- EntryDate 138, 152, 168, 169
 EntryNo 168, 169
 environment-type 1
 EU_lidstaat 105
 EU-lidstaat 105
 event_code 40
 event_description 40
 event_end_time 38
 event_id 38, 39, 40
 event_location_id 38
 event_location_name 38
 event_name 38, 39
 event_print_badge 38
 event_session_id 38, 39, 40
 event_start_time 38
 event_take_photo 38
 Evologics_Planning_Orders 66
 Evologics_Products 66
 Exchange_Rate 127
 ExEndDate 140
 ExpDate 126, 129
 expected_end 194
 expected_end_datetime 11
 Expense Types (AFAS Pocket) 10
 Export 143
 Exporteren 58, 60, 61
 external_ref 194, 195, 198, 199, 201, 202, 203, 204, 205, 206, 207, 208, 210, 211
 Extra omschrijving 115
 Extra perioderecht 60, 143
 Extra_adressering 183
 Extra_perioderecht 60
 ExtraDescription 115
 ExtraEntitlement 143
- F -**
- F_Huisnummer 56
 F_Id 56
 F_Land 56
 F_Land1 56
 F_Postcode 56
 F_Straat 56
 F_Toevoeging 56
 F_Woonplaats 56
 Factor 115
 Factuurbedrag D/C 106
 Factuurdatum 126
 Factuurkorting 156
 Factuurnummer 73, 94, 104, 106, 107, 126, 129, 168, 169
 Factuurtermijn 150
 Factuurtotaal 156
 fax 27, 56, 69, 71, 95, 130, 206, 208
 Fax werk 18, 20, 56, 64, 65, 130, 183, 206, 208
 Fax_werk 64, 65
 FaxNumber 18, 20
 Feature 112
 FeatureCombinationId 136
 FeatureId 137
 FeatureValueld 137
 FeV1 136, 163, 186, 187
 FeV1Desc 136
 FeV2 136, 163, 186, 187
 FeV2Desc 136
 FeV3 136, 163, 186, 187
 FeV3Desc 136
 FiEntryNumber 162
 Figuur 182
 file 7
 File Data 7, 212, 213, 214
 File Name 214
 file_id 7, 160, 214
 file_name 7, 160
 file_size 160
 filedata 7, 212, 213, 214
 filename 117, 214
 Files 7
 Financial Periods 54
 finished 15
 FiNm 183
 first_name 36, 39
 FirstDay 140
 firstname 9, 16, 132, 194
 force-case-sensitive-identifiers 1
 forced-casing-identifiers 1
 formal 43
 format 212
 Freebeans_algemeen 67
 Freebeans_verlofsaldo 68
 FTE 132
 FuDs 183
 full_name 37
 fullname 122, 194
 Functie 67, 122, 132, 134, 139
 Functie (vertaalde omschrijving) 16, 194
 Functie op visitekaart 122, 183
 Functie-omschrijving 58, 67
 Function 122, 134
 FunctionCard 122
 FunctionDesc 132, 139
 FunctionId 132, 134, 139

FunctionType 139
 FuNm 97, 180
 FvF1 189
 FvF2 189
 FvF3 189
 FxWo 183

- G -

Geaccordeerd 152, 180
 Geb.naam partner 132
 Geblokkeerd 16, 45, 47, 48, 49, 50, 51, 52, 53, 54, 93, 100, 112, 115, 116, 121, 122, 123, 124, 134, 136, 137, 139, 142, 147, 172, 173, 174, 176, 181, 183, 184
 Geblokkeerd voor betaling/incasso 126
 Geblokkeerd voor levering 20, 93, 128
 Geboortedag 97
 Geboortedatum 9, 16, 23, 58, 75, 77, 79, 80, 82, 84, 132, 134, 145, 194
 Geboortedatum (JJJJMMDD) 56
 Geboortedatum_JJJJMMDD_ 56
 Geboortejaar 97
 Geboortemaand 97
 Geboortenaam 132
 Gebruiker 16, 45, 171, 172
 Gefactureerd t/m 166
 Gekoppelde persoon 44
 Gekoppelde verlofboeking 24
 Gekoppelde_persoon 44, 100
 gender 9, 16, 122, 132, 194
 Gereed 150
 Gereedgemeld 152
 Geslacht 9, 16, 23, 56, 58, 75, 77, 79, 80, 82, 84, 183, 194
 Geslacht code 122, 132
 Gewenste datum toegev. 199
 Gewenste leverdatum 203, 206
 Gewerkte_uren_op_datum_hervatting 25
 Gewijzigd op 9, 114, 115, 116, 121, 122, 123, 124, 125, 128, 130, 139, 140, 143, 148, 149, 150, 151, 153, 154, 155, 166, 167, 174, 176, 194, 195, 196, 198, 199, 201, 202, 203, 204, 206, 207, 208, 209, 210, 211
 Gewijzigd_op 130
 Gewijzigd_op_2 130
 given_name 16, 36, 39
 Grek 120
 G-rekening 47, 120
 Groep 22, 171
 Grootboekrekening 100
 Grootboekrekeningnummer 29, 30, 31, 72
 Gross 156
 GrossPrice 157

Group 176
 GroupId 171
 GUID 75, 77, 79, 80, 82, 84, 85, 86, 88, 89, 90, 92, 140
 GUID bijbehorende regel 201
 GUID regel 154, 155, 199, 201, 204, 205, 207
 GUID regel2 205
 GUID verkoopregel 200
 GUID_3 85, 86, 88, 89, 90, 92

- H -

Hervattingsdatum 25
 Hervattingstijd 25
 HmAd 178
 HmNr 178
 Hoeveelheid 157
 Homepage 145
 HourPerWeek 132
 hours 143, 197, 199
 HoursPerWeek 167
 HourWeekPresent 140
 HourWeekPresentTherapy 140
 houseadd 206
 houseno 206
 HouseNumber 9, 16, 132, 140
 housenumber_extension 9, 16
 housenumber_extension_work 16
 housenumber_work 16
 http-disk-cache-compression-level 1
 http-disk-cache-directory 1
 http-disk-cache-max-age-sec 1
 http-get-timeout-ms 1
 http-memory-cache-compression-level 1
 http-memory-cache-max-age-sec 1
 http-post-timeout-ms 1
 Huidige prijs 22
 Huidige_prijs 22
 Huisnummer 9, 16, 23, 58, 67, 69, 71, 75, 77, 79, 80, 82, 84, 114, 130, 132, 140, 178, 206
 Huisnummer toev werk 16
 Huisnummer werk 16
 Huisnummer_2 69, 71, 75, 77, 79, 80, 82, 84
 Huisnummer_toevoeging 23, 58, 67
 Huisnummertoevoeging 69

- I -

IBAN 47, 120, 125, 128
 IBAN_nummer 97
 IBAN-nummer 69, 71, 97, 120, 125, 128

id 213
Identity 11, 152
IEmp 183
ignore-http-400-errors 1
ignore-http-403-errors 1
ignore-http-429-errors 1
ignore-http-500-errors 1
Illness Reasons (AFAS Pocket) 10
Illness Statuses 11
image 117, 212
image_id 212
image_thumb_id 37
image_thumb_name 37
In 183
In_stock 159
Identity 166
Infine_Crediteuren 69
Infine_Debiteuren 71
Infine_periodesaldi 72
Infine_transacties 73
infix 194
Initials 9, 16, 36, 39, 132
InitId 152
Inkoop_verkoop 100
Inkoopfactuurnummer 162
Inkooprelatie 120, 190, 203
Inkooprelatie (1/0) 190
InSite 45, 172
InstalmentId 150
Instuurdatum 163, 186, 187
Integratiegroep 176
Interne code 176
invalid-json-on-get-max-tries 1
invalid-json-on-get-sleep-initial-ms 1
invalid-json-on-get-sleep-max-ms 1
invalid-json-on-get-sleep-multiplicator 1
invalid-json-on-post-max-tries 1
invalid-json-on-post-sleep-initial-ms 1
invalid-json-on-post-sleep-max-ms 1
invalid-json-on-post-sleep-multiplicator 1
invantive-sql-forward-filters-to-data-containers 1
invantive-sql-shuffle-fetch-results-data-containers
invantive-use-cache 1
Invoiceld 168, 169
InvoiceNr 126, 129
InvoicesUntil 166
InvoiceTotal 156
iPublications_Afbeeldingen 74
Is 183
Is_debiteur 130
is_main_teacher 40

ISO 74
ISO Alpha-2 56, 74, 105, 130
ISO_Alpha2 105
item 157, 199, 201, 204, 207, 209
Item_code 159
Itemcode 16, 52, 63, 66, 74, 93, 115, 116, 117,
120, 121, 151, 152, 154, 155, 157, 158, 159, 166, 171,
176, 180, 191, 198, 199, 201, 204, 207, 209, 211
ItemCodeld 117, 151, 152, 154, 155, 158
ItemSortCode 115
ItemType 74, 117, 120, 121, 151, 152, 166, 171
ItemTypeCode 115, 154, 155, 158

- J -

Jaar 29, 30, 31, 34, 35, 72, 73, 168, 169
job_description 194
join-set-points-per-request 1
Joumaalpostnummer 34, 35
JournalId 142, 168, 169
Journals 48, 142
JournalType 142

- K -

Kamernummer 25
Kenmerk 137
Kenmerk rekening 104, 111
Kenmerk rekening code 112
Kenmerkcombinatie 136
Kenmerken gebruiken 165
KeyInkooprelatie 190
KeyMedewerker 190
KeyVerkooprelatie 190
Kix_coderegel 27, 95
KIX-coderegel 27, 95
Kleine afbeelding 74, 117
Kleur 22
Koers 109, 127
Koppeling organisatorische eenheid/functie 85, 86,
88, 89, 90, 92
Koppeling_organisatorische_eenheid_functie 85,
86, 88, 89, 90, 92
Kortingsbedrag verkoop basisvaluta 166
Kostendrager 23, 123
Kostenplaats 23, 124
Kredietlimiet 18, 20, 93, 125, 128
KvK 56
KvK-nummer 47, 56, 69, 71, 125, 128, 145

- L -

Laag 144
 Laag 0 23, 144
 Laag 1 23, 144
 Laag 2 23, 144
 Laag 3 23, 144
 Laag 4 23, 144
 Laag 5 23, 144
 Laag 6 23, 144
 Laag 7 23, 144
 Laag 8 23, 144
 Laag 9 23, 144
 Laag_0 23
 Laag_1 23
 Laag_2 23
 Laag_3 23
 Laag_4 23
 Laag_5 23
 Laag_6 23
 Laag_7 23
 Laag_8 23
 Laag_9 23
 Laatste gebruikte nummer 165
 Land 16, 18, 20, 23, 47, 58, 67, 69, 71, 74, 75, 77, 79, 80, 82, 84, 105, 112, 114, 132, 140, 153, 174, 177, 178, 186, 206
 Land ISO Alpha-2 56
 Land van de bank 97, 120
 Land werk 16
 Land_2 71
 Land_code 69
 Land_van_de_bank 97
 Landcode 74, 112
 Landen 74
 language 43
 LaNm 183
 lastname 9, 16, 194
 LastNumber 165
 Leave Balances 12
 Leave Reasons 13
 Leave Types 13
 leave_reason_id 14
 leave_type 12, 199
 leave_type_id 14
 LeaveCode 143
 LeaveDescr 143
 Leaveld 143
 Leaves 14
 Leavetype 143

Level 144, 157
 Level0 144
 Level1 144
 Level2 144
 Level3 144
 Level4 144
 Level5 144
 Level6 144
 Level7 144
 Level8 144
 Level9 144
 light_font 43
 LineGuid 154, 155
 LineStatusCode 154, 155
 Link 182
 LinkFile 165
 Locatie 158, 209
 location 158, 209
 location_id 36, 39, 41, 43
 location_name 36, 39, 41
 logo 43
 logo_name 43
 Looncomponent 179

- M -

Maat 22
 Magazijn 158, 174, 199, 203, 206, 209, 210
 Mail 56, 130, 132, 134
 MailPrivate 122
 MailWork 122, 145
 Manager 144
 MaritalStatus 132
 MaxHours 167
 maximum 209
 Maximum uren per week 167
 maximum-length-identifiers 1
 max-url-length-accepted 1
 max-url-length-desired 1
 Medewerker 11, 12, 14, 16, 23, 24, 25, 58, 59, 60, 61, 62, 67, 68, 75, 77, 79, 80, 82, 84, 85, 86, 88, 89, 90, 92, 97, 120, 132, 134, 140, 143, 152, 167, 178, 180, 183, 190, 194, 195, 196, 197, 199
 Medewerker (1/0) 190
 Medewerker exporteren naar tijdregistratie 23, 24, 25, 58, 59, 60, 61, 143
 Medewerker_exporteren_naar_tijdregistratie 23, 24, 25, 59, 60
 Medewerkernaam 62
 Medewerkerscode 45, 172
 MediSoft_Dienstverband_3.50_0 75

- MediSoft_Dienstverband_3.50_1 77
 MediSoft_Dienstverband_3.50_2 79
 MediSoft_Dienstverband_3.50_3 80
 MediSoft_Dienstverband_3.50_4 82
 MediSoft_Dienstverband_3.50_5 84
 MediSoft_Verzuim_3.50_0 85
 MediSoft_Verzuim_3.50_1 86
 MediSoft_Verzuim_3.50_2 88
 MediSoft_Verzuim_3.50_3 89
 MediSoft_Verzuim_3.50_4 90
 MediSoft_Verzuim_3.50_5 92
 Melding begin verzuim 25, 140
 Melding einde verzuim 140
 Meldingsdatum 25
 Meldingstijd 25
 Memo 18, 186, 187
 Merk 22, 93
 Merken 93
 Met_ingang_van 25
 MIME Type 7, 212, 213, 214
 mimetype 7, 212, 213, 214
 MinHours 167
 minimum 209
 Minimum uren per week 167
 Minimum voorraad 209
 Mobiel privé 16, 64, 65, 75, 77, 79, 80, 82, 84, 122, 132
 Mobiel werk 9, 16, 23, 58, 64, 65, 122, 183
 Mobiel_privé 64, 65, 75, 77, 79, 80, 82, 84
 Mobiel_werk 23, 58, 64, 65
 Mobile 132
 mobile_private 16
 mobile_work 16
 MobPrivate 122
 MobWork 122
 ModifiedDate 114, 115, 121, 122, 123, 124, 125, 128, 139, 140, 143, 148, 149, 150, 153, 154, 155, 166, 167, 174, 176
 Mutatie-Id 14
 mutation_id 14
- N -**
- Naam 9, 18, 20, 27, 44, 56, 64, 65, 67, 68, 69, 71, 75, 77, 79, 80, 82, 84, 95, 96, 100, 108, 112, 120, 122, 130, 134, 143, 145, 160, 174, 178, 180, 181, 183, 190, 194, 208
 Naam administratie 46
 Naam debiteur 20, 103, 128
 Naam verpleegadres 140
 Naam werkgever 16, 67, 75, 77, 79, 80, 82, 84, 85, 86, 88, 89, 90, 92, 135
- Naam_werkgever 85, 86, 88, 89, 90, 92
 Naamgebruik code 23, 132
 Naamgebruik_code 23
 name 9, 18, 20, 120, 122, 134, 135, 143, 145, 174, 202, 206, 208, 210, 211
 NameUse 132
 Nationaliteit code 75, 77, 79, 80, 82, 84
 Nationaliteit_code 75, 77, 79, 80, 82, 84
 NeDC 182
 NeDE 182
 NeDS 182
 Neld 182
 Nelm 182
 NeST 182
 NeTa 182
 NeTi 182
 Netnummer 112, 153
 Netnummer_telefoon_fax 112
 Nettoprijs 154, 155, 157
 NeUr 182
 Nieuw 25
 Nieuws Id 182
 Nm 180, 183, 184
 NookPieceDate 129
 NoStatistic 140
 Note 122, 145, 194, 198, 199, 203, 206, 208
 note_general 199
 Nr. debiteur (leverancier) 47
 Number 114, 163
 NumberAdd 114
 Nummer 15, 47, 48, 49, 50, 51, 53, 64, 65, 69, 71, 96, 97, 100, 101, 103, 106, 107, 108, 130, 134, 135, 145, 163, 174, 183, 186, 187, 203, 206
 Nummer abonnement 166
 Nummer component 179
 Nummer crediteur 101, 125, 206
 Nummer debiteur 93, 103, 128
 Nummer jaartalpost 34, 35, 162, 168, 169
 Nummer offerte 151
 Nummer org./pers. 128
 Nummer pakbon 131, 132
 Nummer_KvK 47
 Nummer_pakbon 131
 NursingAddress 140
- O -**
- Obligation 119
 OE 134
 OE code 132
 OE omschr. 132

Periodtable 147
 PerNumber 122
 persnummer 122
 person_id 36, 39
 Personeelsnr 58, 60, 61
 Personeelsnummer 23, 24
 PersonId 45, 132, 134, 172
 PersoonsId 132
 Persoonsnummer 45, 172
 phone 132, 140, 206, 208
 phone_mobile 9
 phone_private 16
 phone_work 9, 16
 PhoneNumber 18, 20
 photo_overlay_id 43
 photo_overlay_name 43
 PiecePerUnit 154, 155
 Plaats 69
 PlanningDate 151
 PoBox 114
 Pold 182
 Portal Id 182
 position 9, 16, 201, 204, 207
 PosManager_Debiteuren 93
 PosManager_Openstaande_Posten_Debiteur 94
 Postadres 56
 Postadres Huisnummer 56
 Postadres Huisnummer toevoeging 56
 Postadres Land 56
 Postadres Postcode 56
 Postadres Straat 56
 Postadres Woonplaats 56
 postalcode_work 16
 Postbusadres 114, 178
 Postcode 9, 16, 18, 20, 23, 47, 58, 62, 67, 69, 71, 75, 77, 79, 80, 82, 84, 114, 130, 132, 140, 178, 206
 Postcode werk 16
 Postcode_2 69, 71, 75, 77, 79, 80, 82, 84
 Postcode_begin 112
 Postcode_eind 112
 PrDs 180
 Precal_Administraties 95
 Precal_Adressen 96
 Precal_Bank_Girorekening 97
 Precal_Beoordeler 97
 Precal_Betaalvoorwaarde 98
 Precal_Betaalwijze 99
 Precal_BTW 100
 Precal_Contacten 100
 Precal_Crediteur 101
 Precal_Dagboeken 102
 Precal_Debiteur 103
 Precal_Factuurinfo 104
 Precal_Grootboekrekeningen 104
 Precal_Landen 105
 Precal_Openstaande_posten_crediteur 106
 Precal_Openstaande_posten_debiteur 107
 Precal_Relatie 108
 Precal_Valuta 109
 Precal_VerbijzonderingGrootboekrekening 109
 Precal_Verbijzonderingscodes 110
 Precal_Verbijzonderingstoewijzing 111
 Precal_Woonplaatsen 112
 prefix 9, 16
 PrefixBirthName 132
 PrefixPartner 132
 PrEm 184, 185
 Prepared 152
 pre-request-delay-ms 1
 Presence 140
 PresenceTherapy 140
 Presentatievolgorde 121, 166, 201
 PresentationSeqno 121, 166
 PresentLastDay 140
 PriceGroup 115
 PriceNet 154, 155
 PricePerUnit 154, 155
 PrId 180, 185
 Prijs 22
 Prijs per eenheid 154, 155
 Prijsfactor 115
 Prijsgroep 115
 Prijsniveau (filter) 157
 print_badge 43
 printer_id 42
 printer_location 42
 printer_name 42
 Prioriteit 163
 Product 176
 Product_Name 66
 Productieordernummer 200
 productionorder 200, 201
 Profiel Id 185
 Profit Windows 45, 172
 Profit_Accounts 112
 Profit_Address 114
 Profit_Allocation_Assigments 115
 Profit_Article 115
 Profit_Article_Basic 116
 Profit_Article_image 117
 Profit_ArticleGroups 118
 Profit_Balance_Allocated 119

Profit_BankAccounts	120	Profit_Subscriptions	166
Profit_Barcode_per_Item	120	Profit_Timetable	167
Profit_Composition	121	Profit_Transactions	168
Profit_Contacts	122	Profit_Transactions_Allocated	169
Profit_CostCarrier	123	Profit_Unit_per_Item	171
Profit_CostCentre	124	Profit_UserGroups	171
Profit_Creditor	125	Profit_Users	172
Profit_Creditor_Invoices	126	Profit_VAT_code	173
Profit_Currency	127	Profit_Warehouses	174
Profit_Debtor	128	Profit_Workflowactions	175
Profit_Debtor_Invoices	129	Profit_Worktype	176
Profit_Deliveryaddress	130	ProfitCodeTableValue	176
Profit_Deliverynotelines	131	ProfitCountries	177
Profit_Deliverynotes	132	ProfitEmployeeAdres	178
Profit_Employees	132	ProfitEmployerHourType	179
Profit_Employees_basic	134	ProfitEmployerProjects	180
Profit_Employers	135	ProfitEmployerRealization	180
Profit_FeatureCombination	136	ProfitGetConnectoren	181
Profit_Features	137	ProfitPortalNews	182
Profit_FeatureValue	137	ProfitProfileContacts	183
Profit_Fin_ChangedEntrydate	138	ProfitProfileRelations	184
Profit_Functions	139	ProfitProfiles	185
Profit_Hourtype	139	ProfitResidences	186
Profit_Illness	140	ProfitSubjects	186
Profit_Journals	142	ProfitSubjectsAuthorized	187
Profit_LeaveBalance	143	ProfitTitles	188
Profit_Leaves	143	profitversion	215
Profit_OrganizationChart	144	Project	15, 16, 55, 62, 150, 151, 163, 166, 180, 199, 202, 203, 206
Profit_OrgPer	145	Project Groups	148
Profit_Period_balance	146	Project omschrijving	62
Profit_periods_per_administration	147	project_billable	15
Profit_Projectgroups	148	project_id	15, 16
Profit_Projects	149	project_name	15
Profit_Projectstage	150	Project_omschrijving	62
Profit_Quotation	151	Projectadministratie	149
Profit_Rea_ChangedEntryDate	152	Projectfase	150
Profit_Realization	152	Projectgroep	148, 149
Profit_Residence	153	ProjectGroup	149
Profit_SalesorderLines	154	ProjectGroupId	148
Profit_SalesorderLines_2	155	ProjectId	149, 150, 151, 152, 166
Profit_Salesorders	156	Projectnummer	149, 152
Profit_SalesPrice	157	Projects	55, 149
Profit_Stock	158	Projects (AFAS Pocket)	15
Profit_Stock_per_Warehouse	159	ProjectStage	150
Profit_Subject_Attachments	160	promised_date	199, 203, 206
Profit_Subject_Reaction_Attachments	160	PrPw	185
Profit_Subject_Tasks	161	PtId	180
Profit_SubjectFile	162	PurchaseInvoiceNumber	162
Profit_Subjects	163	PurchaseOrder	204, 205
Profit_SubjectsDest	164		
Profit_SubjectTypes	165		

- Q -

QR_code 43
 Qu 180
 quantity 16, 121, 156, 157, 166, 199, 201, 204, 207
 quantity_backorder 201, 204, 207
 quantity_delivered 201, 204, 207
 quantity_original 204, 207
 QuantityUnit 152
 QuotationDate 151
 QuotationId 151
 QuotationStatus 151

- R -

Reactie 160
 reaction_id 160
 reason 199
 ReasonCode 143
 ReasonDesc 140
 ReasonDescr 143
 ReasonEnd 140
 ReasonId 140
 Recht 60
 Recht_dit_jaar 68
 Rechtsvorm 56
 Residence 114
 RecoveredCode 140
 Reden afsluiten code 140
 Reden verlof 24, 199
 Reden verlof code 24, 143
 Reden verlof omschrijving 143
 Reden verzuim 25, 140
 Reden verzuim code 25, 140
 Reden_verlof 24
 Reden_verlof_code 24
 Reden_ziekte 25
 Reden_ziekte_code 25
 reference 208
 Referentie inkooprelatie 203
 Regel laatst gewijzigd 152
 Regel status code 154, 155
 Regelbedrag 151, 154, 155
 Regelnummer 143, 152, 166, 180
 Rekening 173
 Rekeningkenmerk 104, 111
 Rekeningnummer 18, 34, 35, 73, 104, 109, 111, 112, 115, 119, 146, 168, 169
 Rekeningtype code 29, 30, 31, 34, 35, 72
 Rekeningtype_code 29, 30, 31, 34, 35, 72

relatedOrderRow 200, 205
 Relatie 96, 97, 100, 101, 103, 106, 107, 108
 Relatie Naam 56
 Relatie_code 108
 RelatieType 101, 103
 relation 203, 206
 relation_ref 203, 206
 report 213
 ReportDate 140
 ReportEndDate 140
 requests-parallel-max 1
 Reserved 119
 Residence 153
 Responsible 163, 165
 ResponsibleMandatory 165
 Restant_vorig_jaar 60, 68
 Ricoh_Dossierbestemming 189
 Ricoh_Dossierkenmerken 189
 Ricoh_Relaties 190
 Roepnaam 16, 132
 Roepnaam voorvoegsel achternaam 122
 roster_end 196
 roster_start 196
 Rs 178, 186

- S -

Salaris 67, 75, 77, 79, 80, 82, 84
 Saldo 12, 29, 30, 68, 94, 106, 107, 119, 129, 143, 146
 Saldo (dagen) 12
 Saldo (valuta) 106, 107, 129
 Saldo reservering basisvaluta 119
 Saldo verplichting basisvaluta 119
 Saldo_dit_jaar 68
 SaldoValuta 106, 107
 Sales Order Lines 154
 Sales Orders 156
 Sales Prices 157
 SalesAmount 166
 SalesAmoutFc 151
 SalesDiscount 166
 SalesInvoiceNumber 162
 salesorder 200, 207
 Sbid 186, 187
 SbTy 186, 187
 Schaal 67
 Schaal code 67
 Schaal_code 67
 Sclid 179
 SearchName 125, 128, 145

secondary_color	43
SeNo	180
SeqNo	151, 154, 155, 167, 168, 169, 175
SerialNumber	120
SerialNumberId	158
Serienummer	120, 158
ShortName	18, 20
slot-based-rate-limit-length-ms	1
slot-based-rate-limit-slots	1
SOFI-nummer	67
Soort	22, 190, 191
Soort basic contact	9, 145, 190
Soort contact	64, 65, 183
Soort contact code	96, 100, 122
Soort rekening	104
Soort rekening code	112
Soort werkhervatting code	140
Soort werkhervatting omschr.	140
Soort_contact	64, 65, 183
Soort_contact_code	96, 100
Soort_rekening	104
Soorten	191
Sort	112
Sorteervolgorde	193
Source	163
Staffel tonen (filter)	157
standardize-identifiers	1
standardize-identifiers-casing	1
start	194, 197, 199
start_datetime	11
start_employment	194
start_time	14
StartBalance	143
StartDate	127, 140, 143, 144, 163, 165, 167
Stat	186, 187
status	154, 155, 156, 163, 199, 203, 204, 206, 207
Status code	62
Status dienstverband	194
Status dienstverband code	134
Status omschrijving	62
Status regel	199, 204, 207
Status_code	14, 62
Status_omschrijving	62
Stld	179
Stock	115
Stock level code	159
Stock_level_code	159
StockActual	116, 158
StockCode	115
StockDimCode1	120, 158
StockDimCode2	120, 158
StockDimId1	115
StockDimId2	115
StockEconomic	158
Straat	9, 16, 23, 58, 64, 65, 67, 69, 71, 75, 77, 79, 80, 82, 84, 114, 130, 132, 140, 178, 206
Straat huisnummer	62
Straat werk	16
Straat_2	69, 71, 75, 77, 79, 80, 82, 84
Straat_huisnummer	62
street	9, 16, 132, 140, 206
street_work	16
subject	162, 163, 214
subject_id	160, 214
SubjectId	161, 162, 163, 164
SubjectText	165
SubjectTypeld	136, 165
Subnummer	19, 21, 94, 106, 107
subscription	1
SubscriptionNr	166
Subtitel	182
surname	36, 39
Syld	176
SystemDate	152
- T -	
Tabel	176
Tabelwaarde code	176
TableDesc	147
Taken	143
Target	182
Tarief	100, 173
Task	161
TaskDescription	161
TaskId	161
TaskName	161, 175
teacher_full_name	40
teacher_function	40
teacher_id	40
teacher_image_thumb_id	40
teacher_image_thumb_name	40
Tekst postbus	105
Tekst_lengte_255_	193
Tekst_postbus	105
Tel	56, 130
Telefoon	25, 27, 69, 71, 95
Telefoon_privé	23, 64, 65, 67
Telefoon_werk	23, 58, 64, 65
Telefoonnr.	25, 27, 69, 71, 95, 140
Telefoonnr. privé	16, 64, 65, 75, 77, 79, 80, 82, 84, 122, 132

Telefoonnr. werk 9, 16, 18, 20, 23, 56, 58, 64, 65, ToWerkgever 163
67, 75, 77, 79, 80, 82, 84, 122, 125, 128, 130, 145, trace-native-calls 1
183, 206, 208
Telefoonnr__privé 75, 77, 79, 80, 82, 84
Telefoonnr__werk 75, 77, 79, 80, 82, 84
TelephonePrefix 153
TelNr 125, 128
TelPrivate 122
TelWork 122, 145
TeMb 183
TempBlocked 125
TeWo 183
theme_color 43
Tijdelijk blokkeren 18, 47, 125
Tijdelijk_blokkeren 47
time_from 36, 39
time_to 36, 39
TimeCode 139
TimeCodeId 151
Timesheets 16
TimeType 139
Titel 182, 190
Titel/aanhef 183, 188
ToApplicant 163
ToCreditor 163
ToDebtor 163
Toegezegde datum toegev. 199
Toelichting 122, 163, 165, 186, 187
ToEmployee 163
ToEmployer 163
ToEr 186, 187
Toeslag 67
Toev. aan huisnr. 9, 16, 23, 58, 67, 69, 71, 75, 77, 79, 80, 82, 84, 114, 130, 132, 140, 178, 206
Toev. voor straat 114, 130, 178
Toev__aan_huisnr_ 69, 71, 75, 77, 79, 80, 82, 84
Toev__aan_huisnr_2 71, 75, 77, 79, 80, 82, 84
Toevoeging huisnummer 69
ToInkooprelatie 163
ToMedewerker 163
ToOrgPers 163
ToProject 112
ToSollicitant 163
Totaal factuurbedrag 106, 107, 126, 129
Totaal factuurbedrag valuta 106, 107, 126, 129
Totaal_dit_jaar 68
Totaalaantal 156
Totaalbedrag 156
TotaalFactuurbedrag 106, 107
TotaalFactuurbedragValuta 106, 107
TotalAmount 156
ToVerkooprelatie 163
Transactions (CaseWare) 34
TtId 183, 188
type 9, 48, 51, 112, 122, 145, 169, 201, 204, 207
Type abonnement code 166
Type actie 163
Type asset code 62
Type asset omschrijving 62
Type barcode 120
Type dossieritem 62, 136, 162, 165, 186, 187, 189
Type functie 139
Type item 74, 117, 152, 201
Type item code 151, 154, 155, 158, 166
Type itemcode 120, 171
Type order 131, 132, 156
Type periode 33
Type regel 197, 204, 207
Type rekening 104, 169
Type rekeningcode 112
Type rol 184
Type samenstelling code 121
Type verlof 12, 13, 60, 68, 199
Type verlof code 143
Type verlof omschrijving 143
Type verzamelrekening 104, 169
Type verzamelrekening code 112
Type verzuim 11, 25, 61, 140
Type verzuim code 85, 86, 88, 89, 90, 92, 140
Type_actie 163
Type_asset_code 62
Type_asset_omschrijving 62
Type_dossieritem 62
Type_order 131, 132
Type_periode 33
Type_rekening 104
Type_verzamelrekening 104
Type_verzuim_code 85, 86, 88, 89, 90, 92
Type_verzuim_code_2 85, 86, 88, 89, 90, 92
Type_verzuim_code_3 85, 86, 88, 89, 90, 92
Type_verzuim_code_4 85, 86, 88, 89, 90, 92
Type_verzuim_code_5 85, 86, 88, 89, 90, 92
Type_verzuim_code_6 85, 86, 88, 89, 90, 92
TypeID 162, 163, 189
TypeWorkResumption 140
TypeWorkResumptionDesc 140

- U -

Uit te betalen salaris 67
Uit_te_betalen_salaris 67

Uitvoersoort	132	Variable	167
Unieke onderdelen	121	VariablePattern	167
unit	115, 119, 147, 157, 159, 198, 201, 204, 207	VAT	156
Unitd	144	VAT Codes	47, 173
UnitDesc	144	VatAllowed	112
Unitld	115, 116, 120, 121, 126, 129, 135, 142, 146, 148, 149, 151, 154, 155, 158, 168, 169, 171	VatAmt	168, 169
Unitld2	121	VatCode	18, 20, 112, 168, 169, 173
UnitldFin	166, 174	VatDuty	125, 128, 173
Update Connectors	192	VATgroup	115, 116
UpdateConnectoren	192	VatMethod	173
updated_at	9	VatNr	128
UPN	45, 172	VatPerc	173
UpperUnit	144	VatRegNumber	20
Uren (honderdsten)	197	VatType	173
Uren per week aanwezig	25, 140	Verantwoordelijke	62, 163, 165
Uren_gewerkt_eerste_dag	25	Verantwoordelijke is verplicht	165
Urensoort	139, 151, 179, 192	Verbijzonderingsas	110, 111, 115, 119
Urensoorten_Geldig	192	Verbijzonderingsas 1 code	109, 112, 135
UseFeatures	165	Verbijzonderingsas 2 code	109, 112, 135
use-http-disk-cache-read	1	Verbijzonderingsas 3 code	109, 112, 135
use-http-disk-cache-write	1	Verbijzonderingsas 4 code	109, 112, 135
use-http-memory-cache-read	1	Verbijzonderingsas 5 code	109, 112, 135
use-http-memory-cache-write	1	Verbijzonderingsas_1_code	109
UseNumber	165	Verbijzonderingsas_2_code	109
User	161	Verbijzonderingsas_3_code	109
user_id	14, 42	Verbijzonderingsas_4_code	109
user_image	42	Verbijzonderingsas_5_code	109
Userld	45, 161, 171, 172	Vergoeding	180
UserName	11, 12, 16, 161	Verkoopbedrag basisvaluta	166
Users	16, 172	Verkoopfactuurnummer	162
Uurloon	67	Verkoopordernummer	200
Uurtype	139	Verkoopprijs	22, 157
- V -			
VaAm	179	Verkooprelatie	9, 15, 44, 62, 120, 149, 151, 154, 155, 156, 166, 180, 190, 206
Vald	176, 179	Verkooprelatie (1/0)	190
Vali	176	Verkooprelatie (filter)	157
Valid Labour Types	211	Verkooprelatie naam	62
ValueIntldSu	166	Verkooprelatie_naam	62
Valuta	20, 55, 106, 107, 109, 126, 127, 128, 129, 154, 155, 156	Verlofperiode	143
Valutacode	106, 107	Verlofsoort	60, 68
Valutacode (filter)	157	Verlofsoort_code	59, 60
Valuta-omschrijving	55	Vermoedelijke_bevallingsdatum	25
Vangnet	140	Verpleegadres_regel_1_straat_-_huisnr_	25
Vangnetregeling	140	Verpleegadres_regel_2_toevoeging_	25
Variabele aantal	179	Verpleegadres_regel_3_postc_-_wpl_	25
Variabele bedrag	179	Verpleegadres_regel_4_land_	25
Variabele samenstelling	121	Verpleegafd_	25
		Verpleegafdeling	25
		Verplicht onderdeel	121
		Version	215
		Version Information	215

- Vertegenwoordiger 203, 206
 Vervaldagen 47, 106, 107
 Vervaldatum 106, 107, 126, 129
 Verwachte datum bevalling 25
 Verwachte einddatum 11, 25, 140, 194
 Verwachte_duur_code 25
 Verzamelen op 72, 73, 112
 Verzamelen_op 72, 73
 Verzamelrekening 69, 71, 104, 112, 128
 Verzuim datum/tijd 85, 86, 88, 89, 90, 92
 VerzuimCode 61
 Verzuimmelding 140
 Verzuimmelding uitsluiten van frequentiestatistiek 140
 Verzuimomschrijving 24
 Verzuimomschrijving code 24, 59, 60
 Verzuimomschrijving_code 24, 25
 ViCt 183
 ViFu 183
 ViRo 184
 VisibleInsite 165
 VisibleOutsite 165
 Volgnummer 131, 151, 154, 155, 204, 207
 Volgnummer dienstverband 75, 77, 79, 80, 82, 84, 85, 86, 88, 89, 90, 92
 Volgnummer journaalpost 34, 35, 168, 169
 Volgnummer Organisatorische eenheid/functie 77, 79, 80, 82, 84
 Volgnummer rooster 167
 Volgnummer__Ade_ 24
 Volgnummer__Atp_ 24
 Volgnummer__lpa_ 25
 Volgnummer_dienstverband 77, 79, 80, 82, 84, 85, 86, 88, 89, 90, 92
 Volgnummer_dienstverband_2 75
 Volgnummer_journaalpost 34, 35
 Volgnummer_Organisatorische_eenheid_functie 77, 79, 80, 82, 84
 Volledig blokkeren, niet meer zichtbaar 47, 125
 Volledig_blokkeren 47
 Volledig_hersteld 25
 Volledig_menu_rapport_ 193
 Volume 157
 Voorkeur btw-code 104, 112
 Voorkeur tegenrekening 47
 Voorkeur_BTW-code 104
 Voorkeur_tegenrekening 47
 Voorl 56
 Voorletters 9, 16, 23, 56, 58, 67, 75, 77, 79, 80, 82, 84, 132, 183
 Voorn 56
 Voornaam 9, 16, 23, 56, 58, 75, 77, 79, 80, 82, 84, 183, 194
 Voorraad bijhouden 115
 Voorraadcontrole code 115
 Voorv 56
 Voorvoegsel 9, 16, 23, 56, 58, 67, 75, 77, 79, 80, 82, 84, 183, 194
 Voorvoegsel geboortenaam 132
 Voorvoegsel partner 23, 132
 Voorvoegsel_partner 23
 Vorige periode 60, 68
 VoucherDate 168, 169
 VoucherNo 168, 169
 VPLAN_Absence 194
 VPLAN_Employee 194
 VPLAN_Employee_avatar 195
 VPLAN_EmployeeSchedule 196
 VPLAN_EmployeeSchedule_days 197
 VPLAN_Item 198
 VPLAN_Leave 199
 VPLAN_ProductionOrder 199
 VPLAN_ProductionOrder_related 200
 VPLAN_ProductionOrder_row 201
 VPLAN_Project 202
 VPLAN_PurchaseOrder 203
 VPLAN_PurchaseOrder_row 204
 VPLAN_PurchaseOrder_row_related 205
 VPLAN_PurchaseRelation 206
 VPLAN_SalesOrder 206
 VPLAN_SalesOrder_row 207
 VPLAN_SalesRelation 208
 VPLAN_Stock 209
 VPLAN_Warehouse 210
 VPLAN_WorkType 211
- W -**
- Waarde kenmerk 137
 Waarde kenmerk 1 136, 163, 186, 187, 189
 Waarde kenmerk 2 136, 163, 186, 187, 189
 Waarde kenmerk 3 136, 163, 186, 187, 189
 Wachtdagen toepassen 140
 Wachtwoord 56, 185
 WAO 140
 WAO/WIA (%) 25, 140
 WAO_percentage 25
 warehouse 158, 174, 199, 203, 206, 209
 Warehouses 174
 Website 9, 69, 71, 145, 206, 208
 Werkelijke datum aflevering 203, 206
 Werkelijke datum gereed 15, 149, 150, 180

Werkgever 67, 75, 77, 79, 80, 82, 84, 85, 86, 88,
89, 90, 92, 97, 123, 124, 132, 134, 135, 139, 140, 143,
167, 186, 187
Werkgevernaam 67
Werksoort_Code 211
Werksoort_Omschrijving 211
Werksoorten_Geldig 211
Werkt_nu_aantal_dagen 25
Werkt_nu_aantal_uren 25
WFClosed 163
WfDescription 161
WFstatus 163
Windows 45, 172
Wisselend arbeidspatroon 167, 196
Wisselend arbeidspatroon met werkrooster 167
WithoutFeature 165
Woonplaats 9, 16, 18, 20, 23, 47, 58, 62, 64, 65,
69, 71, 75, 77, 79, 80, 82, 84, 112, 114, 130, 132,
140, 153, 178, 186, 206
Woonplaats werk 16
Woonplaats_2 71, 75, 77, 79, 80, 82, 84
work_function 37
Workflow 136, 161, 175
Workflow afgerond 163
Workflow status 163
WorkflowId 136, 161
WorkflowName 161, 175
WsDs 180
Wst 180

- Y -

Year 12, 119, 143, 146, 147, 152, 168, 169, 180

- Z -

ZcBg 186
ZcEn 186
Zichtbaar in InSite 165
Zichtbaar in OutSite 165
ZIPCode 9, 16, 114, 132, 140
ZipCodeBegin 153
ZipCodeEnd 153
Zoekcode 69, 71
Zoeknaam 18, 20, 47, 125, 128, 145, 190
ZpCd 178



invantive the **SQL** company

Invantive B.V.
Biesteweg 11
3849 RD Hierden
Nederland

Tel: +31 88 00 26 500
Fax: +31 84 22 58 178
info@invantive.nl
invantive.nl

IBAN NL25 BUNQ 2098 2586 07
Kamer van Koophandel 13031406
BTW NL812602377B01
RSIN 8122602377
Algemeen Directeur: Guido Leenders
Statutaire zetel: Roermond