

CompanyInfo Data Model

for use with Invantive SQL



Auteursrecht

(C) Copyright 2004-2023 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Alle rechten voorbehouden. Niets uit deze uitgave mag worden vervoelvoudigd, opgeslagen in een geautomatiseerd gegevensbestand, of openbaar gemaakt, in enige vorm of op enige wijze, hetzij elektronisch, mechanisch, door fotokopieën, opnamen, of enig andere manier, zonder voorafgaande schriftelijke toestemming van de uitgever.

Ondanks alle aan de samenstelling van deze tekst bestede zorg, kan noch de schrijver noch de uitgever aansprakelijkheid aanvaarden voor eventuele schade, die zou kunnen voortvloeien uit enige fout, die in deze uitgave zou kunnen voorkomen.

Deze handleiding is een naslagwerk bedoeld om het gebruik te verduidelijken. Indien gegevens in de voorbeeldafbeeldingen overeenkomen met gegevens in uw systeem, dan is de overeenkomst toevallig.

Belangrijke Informatie over Veiligheid en Gebruik

Beoogd gebruik en beperkingen: Deze software, ontwikkeld door Invantive, is ontworpen om een verscheidenheid aan zakelijke en informatietechnologische gegevensverwerkingsfuncties te ondersteunen, zoals boekhouding, financiële rapportage en verkooprapportage. Het is belangrijk om op te merken dat deze software niet is ontworpen, getest of goedgekeurd voor gebruik in omgevingen waar een storing of defect kan leiden tot levensbedreigende situaties, ernstige fysieke schade of milieuschade. Dit omvat, maar is niet beperkt tot:

- Nucleaire faciliteiten: de software mag niet worden gebruikt voor operaties of functies die verband houden met de controle, het onderhoud of de werking van nucleaire faciliteiten.
- Defensie en militaire toepassingen: deze software is niet geschikt voor gebruik in defensiegerelateerde toepassingen, inclusief maar niet beperkt tot wapenbeheer, militaire strategieplanning of andere aspecten van nationale defensie.
- Luchtvaart: de software is niet bedoeld voor gebruik in de bediening, navigatie of communicatiesystemen van vliegtuigen of luchtverkeersleidingomgevingen.
- Gezondheidszorg en medicijnproductie: deze software mag niet worden gebruikt voor de werking van medische apparaten, de analyse van patiëntgegevens voor kritieke gezondheidsbeslissingen, farmaceutische productie of medisch onderzoek waarbij een storing of defect de gezondheid van de patiënt kan beïnvloeden.
- Verwerking van chemische en/of gevaarlijke stoffen: deze software is niet bedoeld voor het beheer, de controle of de operationele aspecten van chemische fabrieken of faciliteiten voor de verwerking van chemische en/of gevaarlijke stoffen. Elke storing in de software die in deze omgevingen wordt gebruikt kan leiden tot gevaarlijke chemische lozingen, explosies of milieurampen.
- Transport- en verkeerscontrolesystemen: de software mag niet worden gebruikt voor de besturing, bediening of het beheer van transportsystemen, waaronder de besturing van spoorwegsignalen, metrosystemen of verkeerslichten. Storingen in dergelijke kritieke systemen kunnen tot ernstige ongelukken leiden en de openbare veiligheid in gevaar brengen.
- Energienetwerk- en nutsbesturingssystemen: deze software is niet ontworpen voor de besturing of bediening van energienetwerksystemen, waaronder elektrische onderstations, besturingssystemen voor hernieuwbare energie of besturingssystemen van waternutsbedrijven. Het falen van software op deze gebieden kan leiden tot aanzienlijke stroomonderbrekingen, onderbrekingen in de watervoorziening of andere storingen in openbare voorzieningen, waardoor gemeenschappen in gevaar kunnen komen en grote schade kan worden aangericht.
- Andere omgevingen met een hoog risico: alle andere kritieke infrastructuren en omgevingen waar een storing in de software kan leiden tot aanzienlijke schade aan personen of het milieu.

Gebruikersverantwoordelijkheid: gebruikers moeten ervoor zorgen dat ze het beoogde gebruik van de software begrijpen en de software niet gebruiken in een omgeving die buiten het beoogde doel valt. Het is de verantwoordelijkheid van de gebruiker om de geschiktheid van de software voor de beoogde toepassing te beoordelen, vooral in scenario's die een risico kunnen vormen voor leven, gezondheid en/of milieu.

Afwijzing van aansprakelijkheid: Invantive wijst elke verantwoordelijkheid af voor schade, letsel of wettelijke gevolgen die voortvloeien uit het gebruik of misbruik van deze software in verboden en/of onbedoelde toepassingen.

Inhoud

1	SQL Driver for Company.info API	1
2	SQL Driver Attributes for Company.info API	2
3	Schema: CompanyInfo	6
3.1	Tables	6
3.1.1	accountEditHostRestrictions	6
3.1.2	accountEditV2	7
3.1.3	accountGetCreationStatus	8
3.1.4	accountGetCreationToken	9
3.1.5	accountGetOrderToken	10
3.1.6	accountUserListV2	11
3.1.7	accountUserSearchV2	12
3.1.8	accountView Balance	13
3.1.9	accountView HostRestrictions	14
3.1.10	accountView V2	15
3.1.11	addressCityListNeighborhoods	16
3.1.12	addressCitySearchV2	17
3.1.13	addressDistrictListCities	18
3.1.14	addressDistrictListNeighborhoods	19
3.1.15	addressDistrictSearch	20
3.1.16	addressNeighborhoodName	21
3.1.17	addressNeighborhoodPhraseSearch	22
3.1.18	addressPerceelFullParameterSearch	23
3.1.19	addressPerceelFullParameterSearchV2	25
3.1.20	addressPerceelParameterSearch	27
3.1.21	addressPerceelPhraseSearch	30
3.1.22	addressProvinceList	32
3.1.23	addressProvinceListDistricts	33
3.1.24	addressProvinceListNeighborhoods	34
3.1.25	addressProvinceSearch	35
3.1.26	addressReeksAddressSearch	35
3.1.27	addressReeksFullParameterSearch	37
3.1.28	addressReeksParameterSearch	39
3.1.29	addressReeksPhraseSearch	41
3.1.30	addressReeksPostcodeSearch	43
3.1.31	areaCodeLookup	45
3.1.32	areaCodePostcodeLookup	46
3.1.33	areaCodeToNeighborhoodcode	46
3.1.34	belgianBusinessGetDossier	47
3.1.35	bovagGetMemberByBovagId	65
3.1.36	bovagGetMemberByDutchBusiness	66
3.1.37	businessBIKToSBI	67
3.1.38	businessGetBIKDescription	68
3.1.39	businessGetDossierExtended	69
3.1.40	businessGetDossierSBI	72
3.1.41	businessGetDossierV3	74
3.1.42	businessGetEstablishmentNumber	76
3.1.43	businessGetSBIDescription	76
3.1.44	businessSBIToBIK	77
3.1.45	businessSearchAddress	78
3.1.46	businessSearchDossierNumber	79

3.1.47	businessSearchName	80
3.1.48	businessSearchParameters	81
3.1.49	businessSearchParametersV2	83
3.1.50	businessSearchParametersV3	84
3.1.51	businessSearchPostcode	85
3.1.52	businessSearchSelection	86
3.1.53	businessSearchSelectionV2	87
3.1.54	businessUpdateAddDossier	89
3.1.55	businessUpdateCheckDossier	90
3.1.56	businessUpdateGetChangedDossiers	91
3.1.57	businessUpdateGetDossiers	92
3.1.58	businessUpdateRemoveDossier	93
3.1.59	carATDPrice	93
3.1.60	carRDWCarCheckCode	94
3.1.61	carRDWCarData	95
3.1.62	carRDWCarDataBP	97
3.1.63	carRDWCarDataBPV2	98
3.1.64	carRDWCarDataExtended	100
3.1.65	carRDWCarDataOptions	102
3.1.66	carRDWCarDataPrice	123
3.1.67	carRDWCarDataV2	125
3.1.68	carRDWCarDataV3	127
3.1.69	carVWEBasicTypeData	129
3.1.70	carVWEListBrands	130
3.1.71	carVWEListModels	131
3.1.72	carVWEListVersions	132
3.1.73	carVWEMeldcodeCheck	134
3.1.74	carVWEOptions	134
3.1.75	carVWEPhotos	136
3.1.76	carVWEVersionPrice	137
3.1.77	carVWEVersionYearData	139
3.1.78	complianceGetBusiness	140
3.1.79	complianceGetPerson	142
3.1.80	complianceSearchBusinesses	144
3.1.81	complianceSearchPersons	145
3.1.82	createTestUser	146
3.1.83	creditsafeGetReportFull	147
3.1.84	creditsafeGetReportFullPdfV2	162
3.1.85	creditsafeGetReportFullV2	163
3.1.86	creditsafeMonitorAddCompany	189
3.1.87	creditsafeMonitorGetUpdatedCompanies	190
3.1.88	creditsafeMonitorRemoveCompany	190
3.1.89	creditsafeSearch	191
3.1.90	creditsafeSearchCriteria	193
3.1.91	creditsafeSearchV2	194
3.1.92	dnbBusinessVerification	195
3.1.93	dnbEnterpriseManagement	197
3.1.94	dnbGetReference	203
3.1.95	dnbQuickCheck	204
3.1.96	dnbSearchReference	207
3.1.97	dnbSearchReferenceV2	209
3.1.98	dnbWorldbaseMarketing	210
3.1.99	dnbWorldbaseMarketingPlus	211
3.1.100	dnbWorldbaseMarketingPlusLinkage	215
3.1.101	driveInfoDistanceLookup	220
3.1.102	driveInfoTimeLookup	221
3.1.103	dutchAddressRangePostcodeSearch	222
3.1.104	dutchBusinessGetAdditionalPositions	223
3.1.105	dutchBusinessGetAnnualFinancialStatement	226

3.1.106	dutchBusinessGetConcernRelationsDetails	227
3.1.107	dutchBusinessGetConcernRelationsOverview	228
3.1.108	dutchBusinessGetDossier	229
3.1.109	dutchBusinessGetDossierHistory	232
3.1.110	dutchBusinessGetDossierV2	233
3.1.111	dutchBusinessGetDossierV3	237
3.1.112	dutchBusinessGetExtractDocument	243
3.1.113	dutchBusinessGetExtractDocumentData	244
3.1.114	dutchBusinessGetExtractDocumentDataV2	255
3.1.115	dutchBusinessGetExtractDocumentDataV3	266
3.1.116	dutchBusinessGetExtractHistory	279
3.1.117	dutchBusinessGetExtractHistoryChanged	280
3.1.118	dutchBusinessGetExtractHistoryDocumentData	281
3.1.119	dutchBusinessGetExtractHistoryDocumentDataV2	292
3.1.120	dutchBusinessGetExtractHistoryDocumentDataV3	304
3.1.121	dutchBusinessGetExtractHistoryDocumentDataV3ByDossier	316
3.1.122	dutchBusinessGetLegalEntity	329
3.1.123	dutchBusinessGetLei	333
3.1.124	dutchBusinessGetNonMarketingIndicator	335
3.1.125	dutchBusinessGetOrganizationTree	336
3.1.126	dutchBusinessGetPositions	337
3.1.127	dutchBusinessGetSBI	341
3.1.128	dutchBusinessGetSBIDescription	342
3.1.129	dutchBusinessGetVatNumber	343
3.1.130	dutchBusinessLookALikes	344
3.1.131	dutchBusinessSearch	345
3.1.132	dutchBusinessSearchDossierNumber	347
3.1.133	dutchBusinessSearchEstablishments	348
3.1.134	dutchBusinessSearchNew sByDossier	349
3.1.135	dutchBusinessSearchParameters	350
3.1.136	dutchBusinessSearchParametersV2	352
3.1.137	dutchBusinessSearchPostcode	353
3.1.138	dutchBusinessSearchSelection	354
3.1.139	dutchBusinessSearchSelectionSimple	356
3.1.140	dutchBusinessUBOCheckInvestigation	357
3.1.141	dutchBusinessUBOClassifyInvestigation	358
3.1.142	dutchBusinessUBOCostsInvestigation	359
3.1.143	dutchBusinessUBOPickupInvestigation	360
3.1.144	dutchBusinessUBOStartInvestigation	369
3.1.145	dutchBusinessUpdateAddDossier	370
3.1.146	dutchBusinessUpdateCheckDossier	371
3.1.147	dutchBusinessUpdateGetChangedDossiers	372
3.1.148	dutchBusinessUpdateGetDossiers	373
3.1.149	dutchBusinessUpdateGetOverview	374
3.1.150	dutchBusinessUpdateRemoveDossier	375
3.1.151	dutchVehicleGetMarketValue	376
3.1.152	dutchVehicleGetOwnerHistory	377
3.1.153	dutchVehicleGetPurchaseReference	378
3.1.154	dutchVehicleGetVehicle	379
3.1.155	dutchVehicleGetVehicleV2	383
3.1.156	edrGetScore	387
3.1.157	geoLocationAddressCoordinatesLatLon	388
3.1.158	geoLocationAddressCoordinatesRD	389
3.1.159	geoLocationDistanceSortedNeighborhoodCodes	390
3.1.160	geoLocationDistanceSortedNeighborhoodCodesRadius	391
3.1.161	geoLocationDistanceSortedPostcodes	392
3.1.162	geoLocationDistanceSortedPostcodesRadius	393
3.1.163	geoLocationHaversineDistance	394
3.1.164	geoLocationInternationalAddressCoordinatesLatLon	395

3.1.165	geoLocationInternationalAddressCoordinatesLatLonV2	396
3.1.166	geoLocationInternationalLatLonToAddress	397
3.1.167	geoLocationInternationalPostcodeCoordinatesLatLon	398
3.1.168	geoLocationLatLonToAddressV2	399
3.1.169	geoLocationLatLonToPostcode	401
3.1.170	geoLocationLatLonToRD	401
3.1.171	geoLocationNeighborhoodCoordinatesLatLon	402
3.1.172	geoLocationNeighborhoodCoordinatesRD	403
3.1.173	geoLocationNeighborhoodDistance	404
3.1.174	geoLocationPostcodeCoordinatesLatLon	405
3.1.175	geoLocationPostcodeCoordinatesRD	406
3.1.176	geoLocationPostcodeDistance	407
3.1.177	geoLocationRDToAddressV2	408
3.1.178	geoLocationRDToLatLon	409
3.1.179	geoLocationRDToPostcode	410
3.1.180	graydonCreditCompanyLiaisons	411
3.1.181	graydonCreditGetReport	412
3.1.182	graydonCreditManagement	446
3.1.183	graydonCreditQuicksan	449
3.1.184	graydonCreditRatings	449
3.1.185	graydonCreditSearchIdentification	451
3.1.186	graydonCreditSearchName	452
3.1.187	graydonCreditSearchPostcode	453
3.1.188	graydonCreditVatNumber	454
3.1.189	insolvencyGetCaseByPublication	455
3.1.190	insolvencySearchPublicationsByCoCNumber	460
3.1.191	insolvencySearchPublicationsByPerson	460
3.1.192	internationalAddressSearchInteractive	461
3.1.193	internationalAddressSearchV2	463
3.1.194	kadasterAddressCoordinates	465
3.1.195	kadasterBronDocument	466
3.1.196	kadasterEigendomsBerichtDocumentPerceel	467
3.1.197	kadasterEigendomsBerichtDocumentPostcode	470
3.1.198	kadasterEigendomsBerichtPerceel	472
3.1.199	kadasterEigendomsBerichtPerceelV2	483
3.1.200	kadasterEigendomsBerichtPostcode	493
3.1.201	kadasterEigendomsBerichtPostcodeV2	503
3.1.202	kadasterHypothecairBerichtPerceel	514
3.1.203	kadasterHypothecairBerichtPerceelV2	522
3.1.204	kadasterHypothecairBerichtPerceelV3	530
3.1.205	kadasterHypothecairBerichtPostcode	537
3.1.206	kadasterHypothecairBerichtPostcodeV2	545
3.1.207	kadasterHypothecairBerichtPostcodeV3	553
3.1.208	kadasterKadastraleKaartPerceel	561
3.1.209	kadasterKadastraleKaartPerceelV2	563
3.1.210	kadasterKadastraleKaartPostcode	565
3.1.211	kadasterKadastraleKaartPostcodeV2	567
3.1.212	kadasterKoopsommenOverzicht	569
3.1.213	kadasterKoopsommenOverzichtV2	570
3.1.214	kadasterUittrekselKadastraleKaartPerceel	572
3.1.215	kadasterUittrekselKadastraleKaartPerceelV2	573
3.1.216	kadasterUittrekselKadastraleKaartPerceelV3	575
3.1.217	kadasterUittrekselKadastraleKaartPostcode	578
3.1.218	kadasterUittrekselKadastraleKaartPostcodeV2	579
3.1.219	kadasterUittrekselKadastraleKaartPostcodeV3	582
3.1.220	kadasterV2GetBronDocument	584
3.1.221	kadasterV2GetHypothecairBerichtObjectByAdres	585
3.1.222	kadasterV2GetHypothecairBerichtObjectByKadastraleAanduiding	646
3.1.223	kadasterV2GetHypothecairBerichtObjectByObjectld	708

3.1.224	kadasterV2GetKadastraalBerichtObjectByAdres	769
3.1.225	kadasterV2GetKadastraalBerichtObjectByKadastraleAanduiding	847
3.1.226	kadasterV2GetKadastraalBerichtObjectByObjectId	926
3.1.227	kadasterV2GetKoopsommenOverzicht	1004
3.1.228	kadasterV2GetUittrekselKadastraleKaartByAdres	1009
3.1.229	kadasterV2GetUittrekselKadastraleKaartByKadastraleAanduiding	1043
3.1.230	kadasterV2GetUittrekselKadastraleKaartByObjectId	1076
3.1.231	kadasterValueListGetMunicipalities	1110
3.1.232	kadasterValueListGetRanges	1111
3.1.233	kvkGetDossier	1112
3.1.234	kvkGetExtractDocument	1115
3.1.235	kvkSearchDossierNumber	1116
3.1.236	kvkSearchParameters	1117
3.1.237	kvkSearchPostcode	1118
3.1.238	kvkSearchSelection	1119
3.1.239	kvkUpdateAddDossier	1121
3.1.240	kvkUpdateCheckDossier	1122
3.1.241	kvkUpdateGetChangedDossiers	1123
3.1.242	kvkUpdateGetDossiers	1124
3.1.243	kvkUpdateRemoveDossier	1125
3.1.244	login	1125
3.1.245	logout	1126
3.1.246	mapView InternationalLatLon	1127
3.1.247	mapView LatLon	1128
3.1.248	mapView PostcodeV2	1129
3.1.249	mapView RD	1130
3.1.250	metaGetMethod	1131
3.1.251	metaGetService	1133
3.1.252	metaGetServices	1134
3.1.253	nbw oEstimateValue	1135
3.1.254	riskCheckGetRiskPersonCompanyReport	1138
3.1.255	riskCheckPerson	1142
3.1.256	routePlannerDescription	1143
3.1.257	routePlannerDescriptionAddress	1144
3.1.258	routePlannerDescriptionCoordinatesRD	1145
3.1.259	routePlannerDescriptionDutchAddress	1146
3.1.260	routePlannerDescriptionShortest	1147
3.1.261	routePlannerEJDescription	1148
3.1.262	routePlannerEJDescriptionCoordinatesLatLon	1149
3.1.263	routePlannerEJInformation	1150
3.1.264	routePlannerEJMap	1151
3.1.265	routePlannerGetRoute	1152
3.1.266	routePlannerInformation	1155
3.1.267	routePlannerInformationAddress	1155
3.1.268	routePlannerInformationDutchAddress	1157
3.1.269	routePlannerRDDescription	1158
3.1.270	routePlannerRDDescriptionCoordinatesRD	1159
3.1.271	routePlannerRDInformation	1160
3.1.272	sepaConvertBankAccountNumber	1161
3.1.273	sepaConvertBasicBankAccountNumber	1162
3.1.274	sepalbanDetails	1163
3.1.275	sepaMatchAccountHolder	1165
3.1.276	sepaValidateInternationalBankAccountNumberFormat	1166
3.1.277	userAddGroup	1167
3.1.278	userChangePassword	1168
3.1.279	userCreateV2	1169
3.1.280	userEditBalance	1170
3.1.281	userEditExtendedV2	1171
3.1.282	userEditHostRestrictions	1172

3.1.283	userEditV2	1173
3.1.284	userListAssignableGroups	1174
3.1.285	userNotify	1175
3.1.286	userRemove	1176
3.1.287	userRemoveGroup	1177
3.1.288	userSessionList	1177
3.1.289	userSessionRemove	1179
3.1.290	userView Balance	1179
3.1.291	userView HostRestrictions	1180
3.1.292	userView V2	1181
3.1.293	vatValidate	1182
3.1.294	vatViesProxyCheckVat	1183
4	Schema: Native	1184
4.1	Tables	1184
4.1.1	NATIVEPLATFORMSCALARREQUESTS: Company.info Native Platform Scalar Requests	1184
	Index	1187

1 SQL Driver for Company.info API

Invantive SQL is the fastest, easiest and most reliable way to exchange data with the Company.info API.

Use the "Search" option in the left menu to search for a specific term such as the table or column description. When you already know the term, please use the "Index" option. When you can't find the information needed, please click on the Chat button at the bottom or place your question in the [user community](#). Other users or Invantive Support will try to help you to our best.

Company.info are Dutch online software services for a large number of data-related tasks such as credit checks and accessing public registers such as Ultimate Beneficiary Owner ("UBO").

The Company.info driver covers 295 tables and 17241 columns.

Company.info API Clients

Invantive SQL is available on many user interfaces ("clients" in traditional server-client paradigm). All Invantive SQL statements can be exchanged with a close to 100% compatibility across all clients and operating systems (Windows, MacOS, Linux, iOS, Android).

The clients include Microsoft Excel, Microsoft Power BI, Microsoft Power Query, Microsoft Word and Microsoft Outlook. Web-based clients include Invantive Cloud, Invantive Bridge Online as OData proxy, Invantive App Online for interactive apps, Online SQL Editor for query execution and Invantive Data Access Point as extended proxy.

The [Company.info Power BI connector](#) is based on the Invantive SQL driver for Company.info, completed by a high-performance OData connector which works straight on Power BI without any add-on. The OData protocol is always version 4, independent whether the backing platform uses OData, SOAP or another protocol.

For technical users there are command-line editions of Invantive Data Hub running on iOS, Android, Windows, MacOS and Linux. Invantive Data Hub is also often used for enterprise server applications such as ETL. High-volume replication of data taken from the Company.info API into traditional databases such as SQL Server (on-premise and Azure), MySQL, PostgreSQL and Oracle is possible using [Invantive Data Replicator](#). Invantive Data Replicator automatically creates and maintains Company.info datawarehouses, possibly in combination with data from over 70 other (cloud) platforms. Data Replicator supports data volumes up to over 1 TB and over 5.000 companies. The on-premise edition of Invantive Bridge offers an Company.info ADO.net provider.

Finally, online web apps can be build for Company.info using App Online of [Invantive Cloud](#).

Monitor API Calls

When a query or DML-statement has been executed on Invantive SQL a developer can evaluate the actual calls made to the Company.info API using a query on sessionios@DataDictionary. As an alternative, extensive request and response logging can be enabled by setting log-native-calls-to-disk to true. In the %USERPROFILE%\Invantive\NativeLog folder Invantive SQL will create log files per API request and response.

Specifications

The SQL driver for Company.info does not support partitioning. Define one data container in a database for each company in Company.info to enable parallel access for data from multiple companies.

An introduction into the concepts of Invantive SQL such as databases, data containers and partitioning can be found in the [Invantive SQL grammar](#).

The configuration can be changed using various attributes during log on and use. A full list of configuration options is listed in the [driver attributes](#) ².

The catalog name is used to compose the full qualified name of an object like a table or view. The schema name is used to compose the full qualified name of an object like a table or view. On Company.info the comparison of two texts is case sensitive by default.

Changes and bug fixes on the Company.info SQL driver can be found in the [release notes](#). There is currently no specific section on the [Invantive forums](#) for Company.info. Please reach out to other users of Company.info by leaving a question or contact request.

Driver code for use in settings.xml: `CompanyInfo`

Alias: `cio`

Recommended alias: `cio`

More technical documentation as provided by the supplier of the Company.info API on the native APIconnection used can be found at <https://ws1.webservices.nl/soapnoheaders>.

WARNING!COMPANY.INFO OFFERS NO BUDGET CONTROL. WITH A FEW TEST QUERIES YOUR FULL COMPANY.INFO BUDGET AMOUNT CAN BE FULLY EXHAUSTED. INVANTIVE IS NOT LIABLE FOR ANY MONETARY OR OTHER LOSSES BY THE USE OF COMPANY.INFO. INVANTIVE ALSO REJECTS ALL CLAIMS DUE TO POSSIBLE BUGS OR OTHER CAUSES LEADING TO BUDGET LOSS AT COMPANY.INFO.AS A HINT, PLEASE MAKE SURE TO APPLY THE FOLLOWING MEASURES:* Some results are returned in multiple pages such as on `dutchBusinessSearchParametersV2`. Each page will cost money. Retrieve only the number of pages you need; often the first page will be sufficient to achieve your goals. The 'page' table function parameter when explicitly supplied as null will retrieve all pages.* To get an impression of how Invantive SQL translates into individual API calls, please query the data dictionary view 'sessionios', such as with 'select * from sessionios@datadictionary'.

Updated: 15-06-2022 23:19 using Invantive SQL version 22.1.46-BETA+3385.

2 SQL Driver Attributes for Company.info API

The SQL driver for Company.info has many attributes that can be finetuned to improve handling in scenarios with unreliable network connections to the API server of Company.info or high-volumes of data. Also, many drivers have driver-specific attributes to finetune actual behaviour or handle data not matching specifications.

The Company.info driver attributes are assigned a default value which seldom requires change. However, changes can be applied when needed on four levels, which are reflected in the table below by separate checkmarks:

- Connection string: the connection string from the settings*.xml file and applied during log on.
- Set SQL statement: a set SQL-statement to be executed once connection has been established.
- Drivers file: the providers.xml file (obsolete starting release 17.32).

- Log on: value to be specified interactively by user during log on in a user interface.

The connection string for Company.info can be found in the settings*.xml file used for the database. Settings*.xml files are typically located in the %USERPROFILE%\invantive folder in most deployment scenarios. The reference manuals contain instructions how to relocate the settings*.xml files. Each data container of a database in the connection string can have a `connectionString` element specifying the name and values of attributes. Both name and value must be properly escaped according to XML-semantics. Actual application of the value is solely done during log on. A new connection must be established to change the value of a driver attribute using a connection string.

The set SQL statement can be executed after log on. The syntax is: `set NAME VALUE`, or for a distributed database: `set NAME@ALIAS VALUE`. In some scenarios you may need to enclose the driver attribute name in square brackets to escape it from parsing, for instance when a reserved SQL keyword is part of the name. The new value takes effect straight after execution of the set-statement. The set-statement can be executed as often as needed during a session.

Driver attributes that can be interactively set to a value are typically presented in the log on window. Depending on the platform and design decisions of the user interface designer, some or all of the available driver attributes can have been made available.

The Company.info driver can be configured using the following attributes:

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Drivers File	Set from Log On
analysis-enforce-row-uniqueness	Use for analysis only! Enforce rows to be unique.	Shared	False	✓	✓	✓	
bulk-delete-page-size-rows	Number of rows to delete per batch when bulk deleting	Shared	10000	✓	✓	✓	
bulk-insert-page-size-bytes	Approximate maximum size in bytes of batch when bulk inserting	Shared	10000000	✓	✓	✓	
bulk-insert-page-size-rows	Number of rows to insert per batch when bulk inserting	Shared	10000	✓	✓	✓	
force-case-sensitive-identifiers	Consider identifiers as case-sensitive independent of the platform capabilities.	Shared	False	✓	✓	✓	
forced-casing-identifiers	Forced casing of identifiers. Choose from Unset, Lower, Upper and Mixed.	Shared		✓	✓	✓	
http-disk-cache-compression-level	Compression level for the HTTP disk cache, ranging from 1 (little) to 9 (intense). Default is 5.	Shared	5	✓	✓	✓	
http-disk-cache-directory	Directory where HTTP cache is stored.	Shared	C:\Users\gle3.WS212\Invantive\Cache\http\gle3\shared	✓	✓	✓	
http-disk-cache-ignore-write-errors	Whether to ignore write errors to disk cache.	Shared	False	✓	✓	✓	
http-disk-cache-max-age-sec	Maximum acceptable age in seconds for use of data in the HTTP disk cache.	Shared	2147483647	✓	✓	✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Drivers File	Set from Log On
http-get-timeout-max-ms	HTTP GET timeout maximum on retry (ms)		300000	✓	✓	✓	
http-get-timeout-ms	HTTP GET timeout (ms)		60000	✓	✓	✓	
http-memory-cache-compression-level	Compression level for the HTTP memory cache, ranging from 1 (little) to 9 (intense). Default is 5.		5	✓	✓	✓	
http-memory-cache-max-age-sec	Maximum acceptable age in seconds for use of data in the HTTP memory cache.		2147483647	✓	✓	✓	
http-post-timeout-max-ms	HTTP POST timeout maximum on retry (ms)		300000	✓	✓	✓	
http-post-timeout-ms	HTTP POST timeout (ms)		300000	✓	✓	✓	
invantive-sql-compress-sparse-arrays	Whether to compress sparse arrays in result sets during compression.	SQL Engine V1	True	✓	✓	✓	
invantive-sql-correct-invalid-date	Whether to correct dates considered invalid since they are before 01-01-1753. When nullable, they are removed. Otherwise they are replaced by 01-01-1753.	SQL Engine V1	False	✓	✓	✓	
invantive-sql-forward-filters-to-data-containers	Whether to forward filters to data containers.	SQL Engine V1	True	✓	✓	✓	
invantive-sql-share-byte-arrays	Whether to share the memory used by identical byte arrays in result sets during compression.	SQL Engine V1	True	✓	✓	✓	
invantive-sql-share-strings	Whether to share the memory used by identical strings in result sets during compression.	SQL Engine V1	True	✓	✓	✓	
invantive-sql-shuffle-fetch-results-data-containers	Whether to shuffle results fetched from data containers.	SQL Engine V1	False	✓	✓	✓	
invantive-use-cache	Whether to cache the results of a query.	SQL Engine V1	True	✓	✓	✓	
log-native-calls-to-disk-max-events	Maximum number of events to register from last activation.	Shared		✓	✓	✓	
log-native-calls-to-disk-max-seconds	Maximum number of seconds to register from last activation.	Shared		✓	✓	✓	
log-native-calls-to-disk-on-error	Registers native calls to data container backend as disk files when an error occurred.	Shared	False	✓	✓	✓	
log-native-calls-to-disk-on-success	Registers native calls to data container backend as disk files when successful.	Shared	False	✓	✓	✓	
log-native-calls-to-trace	Log native calls to data container backend on the trace.	Shared	False	✓	✓	✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Driver's File	Set from Log On
maximum-length-identifiers	Non-default maximum length in characters of identifier names.	Shared		✓	✓	✓	
max-url-length-accepted	The maximum accepted URL length before raising an error.	Shared	8000	✓	✓	✓	
max-url-length-desired	The maximum desired URL length.	Shared	8000	✓	✓	✓	
minimum-length-text	Extend all text columns to this length to allow processing of XML that uses longer text values than the XSD specifies.	XML		✓			✓
partition-slot-based-rate-limit-length-ms	Total length in ms across all slots of a partition-based rate limit.	Shared	60000	✓		✓	
partition-slot-based-rate-limit-slots	Number of slots per partition-based rate limit. Null means no slot-based rate limit	Shared		✓		✓	
pre-request-delay-ms	Pre-request delay in milliseconds per request.	Shared	0	✓	✓	✓	
requested-page-size	Preferred number of rows to exchange per round trip; only effective on limited platforms such as AFAS Online	Shared		✓	✓	✓	
requests-parallel-max	Maximum number of parallel data requests from individual partitions on the data container.	Shared	32	✓	✓	✓	
result-set-memory-cache	Action: provide 'empty' to empty.	XML			✓		
slot-based-rate-limit-length-ms	Total length in ms across all slots of a slot-based rate limit.	Shared	60000	✓		✓	
slot-based-rate-limit-slots	Number of slots of a slot-based rate limit. Null means no slot-based rate limit	Shared		✓		✓	
standardize-identifiers	Rewrite all identifiers to the preferred standards as configured by standardize-identifiers-casing and maximum-length-identifiers.	Shared	True	✓	✓	✓	
standardize-identifiers-casing	Rewrite all identifiers to the recommended standard platform-specific casing when changing a data model on a case-dependent platform.	Shared	True	✓	✓	✓	
use-fallback-environment	Use fallback environment.	Company.info		✓		✓	
use-http-disk-cache-read	Whether to use HTTP responses from previous queries stored on disk to answer the current query.	Shared	True	✓	✓	✓	
use-http-disk-cache-write	Whether to memorize HTTP responses on disk.	Shared	True	✓	✓	✓	
use-http-memory-cache-read	Whether to use HTTP responses from previous queries stored in		True	✓	✓	✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Driver's File	Set from Log On
	memory to answer the current query						
use-http-memory-cache-write	Whether to memorize HTTP responses in memory		True	✓	✓	✓	
use-metadata-memory-cache	Whether to use the metadata in memory calculated previously Has only practical use during development on a XML provider.	XML	True	✓	✓	✓	
use-result-memory-cache	Whether to use result sets cached in memory from previous queries that can answer the current query.	XML	False	✓	✓	✓	

3 Schema: CompanyInfo

3.1 Tables

3.1.1 accountEditHostRestrictions

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: accountEditHostRestrictions

Base

XPath: `/s:Envelope/s:Body/tns:accountEditHostRestrictionsResponse`

Filters on API Server: accountid- restrictions

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `accountEditHostRestrictions`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
accountid	int32	<input type="checkbox"/>		

Name	Data Type	Required	Default Value	Documentation
restrictions	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `accountEditHostRestrictions` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ACCOUNTEDITHOSTRESTRICTION SRESPONSE	string			

3.1.2 accountEditV2

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `accountEditV2`

Base XPath: `/s:Envelope/s:Body/tns:accountEditV2Response`

Filters on API Server: `accountid- address- contactname- contactemail- telephone- fax- description- balancethreshold`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `accountEditV2`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
accountid	int32	<input type="checkbox"/>		
address	string	<input type="checkbox"/>		
balancethreshold	decimal	<input type="checkbox"/>		
contactemail	string	<input type="checkbox"/>		
contactname	string	<input type="checkbox"/>		

Name	Data Type	Required	Default Value	Documentation
description	string	<input type="checkbox"/>		
fax	string	<input type="checkbox"/>		
telephone	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `accountEditV2` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ACCOUNTEDITV2RESPONSE	string			

3.1.3 accountGetCreationStatus

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `accountGetCreationStatus`

Base

XPath: `/s:Envelope/s:Body/tns:accountGetCreationStatusResponse/tns:accountid`

Filters on API Server: token

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `accountGetCreationStatus`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
token	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `accountGetCreationStatus` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ACCOUNTID	int32			

3.1.4 accountGetCreationToken

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `accountGetCreationToken`

Base

XPath: `/s:Envelope/s:Body/tns:accountGetCreationTokenResponse/tns:out`

Filters on API Server: `return_url`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `accountGetCreationToken`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
<code>return_url</code>	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `accountGetCreationToken` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
TOKEN	string	Token		

Name	Data Type	Label	Required	Documentation
URL	string	URL		

3.1.5 accountGetOrderToken

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: accountGetOrderToken

Base

XPath: `/s:Envelope/s:Body/tns:accountGetOrderTokenResponse/tns:out`

Filters on API Server: `accountid- return_url`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `accountGetOrderToken`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
accountid	int32	<input type="checkbox"/>		
return_url	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `accountGetOrderToken` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
TOKEN	string	Token		
URL	string	URL		

3.1.6 accountUserListV2

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: accountUserListV2

Base

XPath: `/s:Envelope/s:Body/tns:accountUserListV2Response/tns:out/tns:results/tns:item`

Filters on API Server: accountid- page

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `accountUserListV2`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
accountid	int32	<input type="checkbox"/>		
page	int32	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `accountUserListV2` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ACCOUNT_ID	int32	Account ID		
ACCOUNT_NAME	string	Account Name		
ACTIVE	boolean	Active		
ADDRESS	string	Address		
BALANCE	decimal	Balance		
BALANCE THRESHOLD	decimal	Balance Threshold		
CLIENT CODE	string	Client Code		
COMMENTS	string	Comments		

Name	Data Type	Label	Required	Documentation
COMPANYNAME	string	Company Name		
CONTACTEMAIL	string	Contact Email		
CONTACTNAME	string	Contact Name		
CREATIONTIME	string	Creation Time		
EMAIL	string	Email		
FAX	string	Fax		
ID	int32	ID		
LASTMODIFIED	string	Last Modified		
NICKNAME	string	Nick Name		
NOTIFICATIONRECIPIENTS	string	Notification Recipients		
TELEPHONE	string	Telephone		
USERGROUPS_ITEM_ID	int32	User Groups Item ID		
USERGROUPS_ITEM_NAME	string	User Groups Item Name		

3.1.7 accountUserSearchV2

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: accountUserSearchV2

Base

XPath: `/s:Envelope/s:Body/tns:accountUserSearchV2Response/tns:out/tns:results/tns:item`

Filters on API Server: accountid- phrase- page

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `accountUserSearchV2`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
accountid	int32	<input type="checkbox"/>		
page	int32	<input type="checkbox"/>		
phrase	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `accountUserSearchV2` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ACCOUNT_ID	int32	Account ID		
ACCOUNT_NAME	string	Account Name		
ACTIVE	boolean	Active		
ADDRESS	string	Address		
BALANCE	decimal	Balance		
BALANCETHRESHOLD	decimal	Balance Threshold		
CLIENTCODE	string	Client Code		
COMMENTS	string	Comments		
COMPANYNAME	string	Company Name		
CONTACTEMAIL	string	Contact Email		
CONTACTNAME	string	Contact Name		
CREATIONTIME	string	Creation Time		
EMAIL	string	Email		
FAX	string	Fax		
ID	int32	ID		
LASTMODIFIED	string	Last Modified		
NICKNAME	string	Nick Name		
NOTIFICATIONRECIPIENTS	string	Notification Recipients		
TELEPHONE	string	Telephone		
USERGROUPS_ITEM_ID	int32	User Groups Item ID		
USERGROUPS_ITEM_NAME	string	User Groups Item Name		

3.1.8 accountViewBalance

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `accountViewBalance`

Base

XPath: /s:Envelope/s:Body/tns:accountViewBalanceResponse/tns:balance

Filters on API Server: accountid

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `accountViewBalance`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
accountid	int32	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `accountViewBalance` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
BALANCE	decimal			

3.1.9 accountViewHostRestrictions

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `accountViewHostRestrictions`

Base

XPath: /s:Envelope/s:Body/tns:accountViewHostRestrictionsResponse/tns:out

Filters on API Server: accountid

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `accountViewHostRestrictions`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
accountid	int32	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `accountViewHostRestrictions` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
OUT	string			

3.1.10 accountViewV2

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `accountViewV2`

Base XPath: `/s:Envelope/s:Body/tns:accountViewV2Response/tns:out`

Filters on API Server: `accountid`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `accountViewV2`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
accountid	int32	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `accountViewV2` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ADDRESS	string	Address		
BALANCE	decimal	Balance		
BALANCETHRESHOLD	decimal	Balance Threshold		
CLIENTCODE	string	Client Code		
COMMENTS	string	Comments		
CONTACTEMAIL	string	Contact Email		
CONTACTNAME	string	Contact Name		
CREATIONTIME	string	Creation Time		
DESCRIPTION	string	Description		
ENVIRONMENT	string	Environment		
FAX	string	Fax		
ID	int32	ID		
LASTMODIFIED	string	Last Modified		
NAME	string	Name		
RESELLER	boolean	Reseller		
TELEPHONE	string	Telephone		
USERNAMEPREFIX	string	User Name Prefix		

3.1.11 addressCityListNeighborhoods

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: addressCityListNeighborhoods

Base

XPath: `/s:Envelope/s:Body/tns:addressCityListNeighborhoodsResponse/tns:out/tns:results/tns:item/tns:nbcode`

Filters on API Server: name- postbus- page

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `addressCityListNeighborhoods`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
name	string	<input type="checkbox"/>		
page	int32	<input type="checkbox"/>		
postbus	boolean	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `addressCityListNeighborhoods` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
NBCODE	string			

3.1.12 addressCitySearchV2

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: addressCitySearchV2

Base

XPath: `/s:Envelope/s:Body/tns:addressCitySearchV2Response/tns:out/tns:results/tns:item`

Filters on API Server: name- page

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `addressCitySearchV2`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a

pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
name	string	<input type="checkbox"/>		
page	int32	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `addressCitySearchV2` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
CEBUCOCODE	int32	Cebuco Code		
GEMEENTECODE	int32	Municipality Code		
GEMEENTEID	int32	Municipality ID		
GEMEENTENAAM	string	Municipality Name		
PLAATSID	int32	City ID		
PLAATSNAAM_EXTRACT	string	Place Name Extract		
PLAATSNAAM_PTT	string	Place Name TPG		
PLAATSNAAM	string	City Name		
PROVINCIECODE	string	State Code		
PROVINCINAAM	string	State Name		

3.1.13 addressDistrictListCities

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: addressDistrictListCities

Base

XPath: `/s:Envelope/s:Body/tns:addressDistrictListCitiesResponse/tns:out/tns:results/tns:item`

Filters on API Server: name- page

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `addressDistrictListCities`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
name	string	<input type="checkbox"/>		
page	int32	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `addressDistrictListCities` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
GEMEENTEID	int32	Municipality ID		
PLAATSID	int32	City ID		
PLAATSNAAM_EXTRACT	string	Place Name Extract		
PLAATSNAAM_PTT	string	Place Name TPG		
PLAATSNAAM	string	City Name		

3.1.14 addressDistrictListNeighborhoods

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `addressDistrictListNeighborhoods`

Base

XPath: `/s:Envelope/s:Body/tns:addressDistrictListNeighborhoodsResponse/tns:out/tns:results/tns:item/tns:nbcode`

Filters on API Server: `name- postbus- page`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `addressDistrictListNeighborhoods`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
name	string	<input type="checkbox"/>		
page	int32	<input type="checkbox"/>		
postbus	boolean	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `addressDistrictListNeighborhoods` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
NBCODE	string			

3.1.15 addressDistrictSearch

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: addressDistrictSearch

Base

XPath: `/s:Envelope/s:Body/tns:addressDistrictSearchResponse/tns:out/tns:results/tns:item`

Filters on API Server: name- page

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `addressDistrictSearch`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a

pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
name	string	<input type="checkbox"/>		
page	int32	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `addressDistrictSearch` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
GEMEENTECODE	int32	Municipality Code		
GEMEENTEID	int32	Municipality ID		
GEMEENTENAAM	string	Municipality Name		
PROVINCIECODE	string	State Code		

3.1.16 addressNeighborhoodName

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `addressNeighborhoodName`

Base

XPath: `/s:Envelope/s:Body/tns:addressNeighborhoodNameResponse/tns:name`

Filters on API Server: `nocode`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `addressNeighborhoodName`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
nbcode	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `addressNeighborhoodName` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
NAME	string			

3.1.17 addressNeighborhoodPhraseSearch

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `addressNeighborhoodPhraseSearch`

Base

XPath: `/s:Envelope/s:Body/tns:addressNeighborhoodPhraseSearchResponse/tns:out/tns:results/tns:item`

Filters on API Server: name- page

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `addressNeighborhoodPhraseSearch`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the

default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
name	string	<input type="checkbox"/>		
page	int32	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `addressNeighborhoodPhraseSearch` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
NBCODE	string	Neighborhood Code		
NBNAME	string	Neighborhood Name		

3.1.18 addressPerceelFullParameterSearch

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `addressPerceelFullParameterSearch`

Base

XPath: `/s:Envelope/s:Body/tns:addressPerceelFullParameterSearchResponse/tns:out`

Filters on API Server: province- district- city- street- houseNo- houseNoAddition- nbcode- lettercombination- adresstype- page

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `addressPerceelFullParameterSearch`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
addresstype	string	<input type="checkbox"/>		
city	string	<input type="checkbox"/>		
district	string	<input type="checkbox"/>		
houseNo	int32	<input type="checkbox"/>		
houseNoAddition	string	<input type="checkbox"/>		
lettercombination	string	<input type="checkbox"/>		
nbcode	string	<input type="checkbox"/>		
page	int32	<input type="checkbox"/>		
province	string	<input type="checkbox"/>		
street	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `addressPerceelFullParameterSearch` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
EXTRA_GEMEENTE	string	Extra Municipality		
EXTRA_HUISNR	int32	Extra House Number		
EXTRA_LETTERCOMBINATIE	string	Extra Character Combination		
EXTRA_PLAATS	string	Extra City		
EXTRA_PROVINCIE	string	Extra State		
EXTRA_REEKSINDICATIE	string	Extra Sequence Indicator		
EXTRA_STRAAT	string	Extra Street		
EXTRA_TOEVOEGING	string			
EXTRA_WUJKCODE	string			
PAGING_CURPAGE	int32	Paging Current Page		
PAGING_MAXRESULTS	int32	Paging Maximum Number of Results		
PAGING_NUMPAGES	int32	Paging Number of Pages		
PAGING_NUMRESULTS	int32	Paging Number of Results		
PAGING_PERPAGE	int32			
RESULTS_ITEM_CEBUCOCODE	int32	Item Cebuco Code		
RESULTS_ITEM_GEMEENTECODE	int32	Item Municipality Code		
RESULTS_ITEM_GEMEENTEID	int32	Item Municipality ID		
RESULTS_ITEM_GEMEENTENAAM	string	Item Municipality Name		
RESULTS_ITEM_HUISNR_TM	int32	Item House Number upto		
RESULTS_ITEM_HUISNR_TOEVOEGING	string			

Name	Data Type	Label	Required	Documentation
RESULTS_ITEM_HUISNR_VAN	int32	Item House Number from		
RESULTS_ITEM_HUISNR	int32	Item House Number		
RESULTS_ITEM_LETTERCOMBINATIE	string	Item Character Combination		
RESULTS_ITEM_PERCEELID	int32	Item Lot ID		
RESULTS_ITEM_PERCEELNUMMER	int32			
RESULTS_ITEM_PLAATSID	int32	Item City ID		
RESULTS_ITEM_PLAATSNAAM_EXTRACT	string	Item Place Name Extract		
RESULTS_ITEM_PLAATSNAAM_PT	string	Item Place Name TPG		
RESULTS_ITEM_PLAATSNAAM	string	Item City Name		
RESULTS_ITEM_PROVINCIECODE	string	Item State Code		
RESULTS_ITEM_PROVINCIEAAM	string	Item State Name		
RESULTS_ITEM_REEKSID	int32	Item Sequence ID		
RESULTS_ITEM_REEKSINDICATIE	string	Item Sequence Indicator		
RESULTS_ITEM_STRAATID	int32	Item Street ID		
RESULTS_ITEM_STRAATNAAM_EXTRACT	string			
RESULTS_ITEM_STRAATNAAM_NEN	string	Item Street Name NEN		
RESULTS_ITEM_STRAATNAAM_PTT	string	Item Street Name TPG		
RESULTS_ITEM_STRAATNAAM	string	Item Street Name		
RESULTS_ITEM_WIJKCODE	string			

3.1.19 addressPerceelFullParameterSearchV2

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: addressPerceelFullParameterSearchV2

Base

XPath: /s:Envelope/s:Body/tns:addressPerceelFullParameterSearchV2Response/tns:out

Filters on API Server: province- district- city- street- houseNo- houseNoAddition- nbcode- lettercombination- adresstype- page

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `addressPerceelFullParameterSearchV2`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
addresstype	string	<input type="checkbox"/>		
city	string	<input type="checkbox"/>		
district	string	<input type="checkbox"/>		
houseNo	int32	<input type="checkbox"/>		
houseNoAddition	string	<input type="checkbox"/>		
lettercombination	string	<input type="checkbox"/>		
nbcode	string	<input type="checkbox"/>		
page	int32	<input type="checkbox"/>		
province	string	<input type="checkbox"/>		
street	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `addressPerceelFullParameterSearchV2` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
EXTRA_GEMEENTE	string	Extra Municipality		
EXTRA_HUISNR	int32	Extra House Number		
EXTRA_LETTERCOMBINATIE	string	Extra Character Combination		
EXTRA_PLAATS	string	Extra City		
EXTRA_PROVINCIE	string	Extra State		
EXTRA_REEKSINDICATIE	string	Extra Sequence Indicator		
EXTRA_STRAAT	string	Extra Street		
EXTRA_TOEVOEGING	string			
EXTRA_WIJKCODE	string			
PAGING_CURPAGE	int32	Paging Current Page		
PAGING_MAXRESULTS	int32	Paging Maximum Number of Results		

Name	Data Type	Label	Required	Documentation
PAGING_NUMPAGES	int32	Paging Number of Pages		
PAGING_NUMRESULTS	int32	Paging Number of Results		
PAGING_PERPAGE	int32			
RESULTS_ITEM_CEBUCOCODE	int32	Item Cebuco Code		
RESULTS_ITEM_GEMEENTECODE	int32	Item Municipality Code		
RESULTS_ITEM_GEMEENTEID	int32	Item Municipality ID		
RESULTS_ITEM_GEMEENTENAAM	string	Item Municipality Name		
RESULTS_ITEM_HUISNR_TM	int32	Item House Number upto		
RESULTS_ITEM_HUISNR_TOEVOEGING	string			
RESULTS_ITEM_HUISNR_VAN	int32	Item House Number from		
RESULTS_ITEM_HUISNR	int32	Item House Number		
RESULTS_ITEM_LETTERCOMBINATIE	string	Item Character Combination		
RESULTS_ITEM_PERCEELID	int32	Item Lot ID		
RESULTS_ITEM_PERCEELNUMMER	int32			
RESULTS_ITEM_PLAATSID	int32	Item City ID		
RESULTS_ITEM_PLAATSNAAM_EXTRACT	string	Item Place Name Extract		
RESULTS_ITEM_PLAATSNAAM_PT	string	Item Place Name TPG		
RESULTS_ITEM_PLAATSNAAM	string	Item City Name		
RESULTS_ITEM_PROVINCIECODE	string	Item State Code		
RESULTS_ITEM_PROVINCIEAAM	string	Item State Name		
RESULTS_ITEM_REEKSID	int32	Item Sequence ID		
RESULTS_ITEM_REEKSINDICATIE	string	Item Sequence Indicator		
RESULTS_ITEM_STRAATID	int32	Item Street ID		
RESULTS_ITEM_STRAATNAAM_EXTRACT	string			
RESULTS_ITEM_STRAATNAAM_NEN	string	Item Street Name NEN		
RESULTS_ITEM_STRAATNAAM_PTT	string	Item Street Name TPG		
RESULTS_ITEM_STRAATNAAM	string	Item Street Name		
RESULTS_ITEM_WJKCODE	string			

3.1.20 addressPerceelParameterSearch

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `addressPerceelParameterSearch`

Base

XPath: `/s:Envelope/s:Body/tns:addressPerceelParameterSearchResponse/tns:out`

Filters on API Server: `province- district- city- street- houseNo- houseNoAddition- page`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `addressPerceelParameterSearch`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
city	string	<input type="checkbox"/>		
district	string	<input type="checkbox"/>		
houseNo	int32	<input type="checkbox"/>		
houseNoAddition	string	<input type="checkbox"/>		
page	int32	<input type="checkbox"/>		
province	string	<input type="checkbox"/>		
street	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `addressPerceelParameterSearch` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
EXTRA_GEMEENTE	string	Extra Municipality		
EXTRA_HUISNR	int32	Extra House Number		
EXTRA_LETTERCOMBINATIE	string	Extra Character Combination		
EXTRA_PLAATS	string	Extra City		
EXTRA_PROVINCIE	string	Extra State		

Name	Data Type	Label	Required	Documentation
EXTRA_REEKSINDICATIE	string	Extra Sequence Indicator		
EXTRA_STRAAT	string	Extra Street		
EXTRA_TOEVOEGING	string			
EXTRA_WIJKCODE	string			
PAGING_CURPAGE	int32	Paging Current Page		
PAGING_MAXRESULTS	int32	Paging Maximum Number of Results		
PAGING_NUMPAGES	int32	Paging Number of Pages		
PAGING_NUMRESULTS	int32	Paging Number of Results		
PAGING_PERPAGE	int32			
RESULTS_ITEM_CEBUCOCODE	int32	Item Cebuco Code		
RESULTS_ITEM_GEMEENTECODE	int32	Item Municipality Code		
RESULTS_ITEM_GEMEENTEID	int32	Item Municipality ID		
RESULTS_ITEM_GEMEENTENAAM	string	Item Municipality Name		
RESULTS_ITEM_HUISNR_TM	int32	Item House Number upto		
RESULTS_ITEM_HUISNR_TOEVOEGING	string			
RESULTS_ITEM_HUISNR_VAN	int32	Item House Number from		
RESULTS_ITEM_HUISNR	int32	Item House Number		
RESULTS_ITEM_LETTERCOMBINATIE	string	Item Character Combination		
RESULTS_ITEM_PERCEELID	int32	Item Lot ID		
RESULTS_ITEM_PERCEELNUMMER	int32			
RESULTS_ITEM_PLAATSID	int32	Item City ID		
RESULTS_ITEM_PLAATSNAAM_EXTRACT	string	Item Place Name Extract		
RESULTS_ITEM_PLAATSNAAM_PT	string	Item Place Name TPG		
RESULTS_ITEM_PLAATSNAAM	string	Item City Name		
RESULTS_ITEM_PROVINCIECODE	string	Item State Code		
RESULTS_ITEM_PROVINCINAAM	string	Item State Name		
RESULTS_ITEM_REEKSID	int32	Item Sequence ID		
RESULTS_ITEM_REEKSINDICATIE	string	Item Sequence Indicator		
RESULTS_ITEM_STRAATID	int32	Item Street ID		
RESULTS_ITEM_STRAATNAAM_EXTRACT	string			
RESULTS_ITEM_STRAATNAAM_NEN	string	Item Street Name NEN		
RESULTS_ITEM_STRAATNAAM_PTT	string	Item Street Name TPG		

Name	Data Type	Label	Required	Documentation
RESULTS_ITEM_STRAATNAAM	string	Item Street Name		
RESULTS_ITEM_WIJKCODE	string			

3.1.21 addressPerceelPhraseSearch

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: addressPerceelPhraseSearch

Base

XPath: `/s:Envelope/s:Body/tns:addressPerceelPhraseSearchResponse/tns:out`

Filters on API Server: address- page

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `addressPerceelPhraseSearch`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
address	string	<input type="checkbox"/>		
page	int32	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `addressPerceelPhraseSearch` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
EXTRA_GEMEENTE	string	Extra Municipality		
EXTRA_HUISNR	int32	Extra House Number		

Name	Data Type	Label	Required	Documentation
EXTRA_LETTERCOMBINATIE	string	Extra Character Combination		
EXTRA_PLAATS	string	Extra City		
EXTRA_PROVINCIE	string	Extra State		
EXTRA_REEKSINDICATIE	string	Extra Sequence Indicator		
EXTRA_STRAAT	string	Extra Street		
EXTRA_TOEVOEGING	string			
EXTRA_WIJKCODE	string			
PAGING_CURPAGE	int32	Paging Current Page		
PAGING_MAXRESULTS	int32	Paging Maximum Number of Results		
PAGING_NUMPAGES	int32	Paging Number of Pages		
PAGING_NUMRESULTS	int32	Paging Number of Results		
PAGING_PERPAGE	int32			
RESULTS_ITEM_CEBUCOCODE	int32	Item Cebuco Code		
RESULTS_ITEM_GEMEENTECODE	int32	Item Municipality Code		
RESULTS_ITEM_GEMEENTEID	int32	Item Municipality ID		
RESULTS_ITEM_GEMEENTENAAM	string	Item Municipality Name		
RESULTS_ITEM_HUISNR_TM	int32	Item House Number upto		
RESULTS_ITEM_HUISNR_TOEVOEGING	string			
RESULTS_ITEM_HUISNR_VAN	int32	Item House Number from		
RESULTS_ITEM_HUISNR	int32	Item House Number		
RESULTS_ITEM_LETTERCOMBINATIE	string	Item Character Combination		
RESULTS_ITEM_PERCEELID	int32	Item Lot ID		
RESULTS_ITEM_PERCEELNUMMER	int32			
RESULTS_ITEM_PLAATSID	int32	Item City ID		
RESULTS_ITEM_PLAATSNAAM_EXTRACT	string	Item Place Name Extract		
RESULTS_ITEM_PLAATSNAAM_PT	string	Item Place Name TPG		
RESULTS_ITEM_PLAATSNAAM	string	Item City Name		
RESULTS_ITEM_PROVINCIECODE	string	Item State Code		
RESULTS_ITEM_PROVINCINAAM	string	Item State Name		
RESULTS_ITEM_REEKSID	int32	Item Sequence ID		
RESULTS_ITEM_REEKSINDICATIE	string	Item Sequence Indicator		
RESULTS_ITEM_STRAATID	int32	Item Street ID		

Name	Data Type	Label	Required	Documentation
RESULTS_ITEM_STRAATNAAM_EXTRACT	string			
RESULTS_ITEM_STRAATNAAM_NEN	string	Item Street Name NEN		
RESULTS_ITEM_STRAATNAAM_PTT	string	Item Street Name TPG		
RESULTS_ITEM_STRAATNAAM	string	Item Street Name		
RESULTS_ITEM_WJKCODE	string			

3.1.22 addressProvinceList

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: addressProvinceList

Base

XPath: `/s:Envelope/s:Body/tns:addressProvinceListResponse/tns:out/tns:results/tns:item`

Filters on API Server: page

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `addressProvinceList`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
page	int32	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `addressProvinceList` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
PROVINCIECODE	string	State Code		
PROVINCIAAAM	string	State Name		

3.1.23 addressProvinceListDistricts

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: addressProvinceListDistricts

Base

XPath: `/s:Envelope/s:Body/tns:addressProvinceListDistrictsResponse/tns:out/tns:results/tns:item`

Filters on API Server: name- page

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `addressProvinceListDistricts`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
name	string	<input type="checkbox"/>		
page	int32	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `addressProvinceListDistricts` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
GEMEENTECODE	int32	Municipality Code		
GEMEENTEID	int32	Municipality ID		
GEMEENTENAAM	string	Municipality Name		

Name	Data Type	Label	Required	Documentation
PROVINCIECODE	string	State Code		

3.1.24 addressProvinceListNeighborhoods

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: addressProvinceListNeighborhoods

Base

XPath: `/s:Envelope/s:Body/tns:addressProvinceListNeighborhoodsResponse/tns:out/tns:results/tns:item/tns:nbcode`

Filters on API Server: name- postbus- page

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `addressProvinceListNeighborhoods`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
name	string	<input type="checkbox"/>		
page	int32	<input type="checkbox"/>		
postbus	boolean	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `addressProvinceListNeighborhoods` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
NBCODE	string			

3.1.25 addressProvinceSearch

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: addressProvinceSearch

Base

XPath: `/s:Envelope/s:Body/tns:addressProvinceSearchResponse/tns:out/tns:results/tns:item`

Filters on API Server: name- page

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `addressProvinceSearch`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
name	string	<input type="checkbox"/>		
page	int32	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `addressProvinceSearch` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
PROVINCIECODE	string	State Code		
PROVINCINAAM	string	State Name		

3.1.26 addressReeksAddressSearch

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `addressReeksAddressSearch`

Base

XPath: `/s:Envelope/s:Body/tns:addressReeksAddressSearchResponse/tns:out/tns:results/tns:item`

Filters on API Server: `address- postcode- city- page`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `addressReeksAddressSearch`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
<code>address</code>	string	<input type="checkbox"/>		
<code>city</code>	string	<input type="checkbox"/>		
<code>page</code>	int32	<input type="checkbox"/>		
<code>postcode</code>	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `addressReeksAddressSearch` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
<code>HUISNR_TOEVOEGING</code>	string			
<code>HUISNR</code>	int32	House Number		
<code>REEKS_CEBUCOCODE</code>	int32	Sequence Cebuco Code		
<code>REEKS_GEMEENTECODE</code>	int32	Sequence Municipality Code		
<code>REEKS_GEMEENTEID</code>	int32	Sequence Municipality ID		
<code>REEKS_GEMEENTENAAM</code>	string	Sequence Municipality Name		

Name	Data Type	Label	Required	Documentation
REEKS_HUISNR_TM	int32	Sequence House Number upto		
REEKS_HUISNR_VAN	int32	Sequence House Number from		
REEKS_LETTERCOMBINATIE	string	Sequence Character Combination		
REEKS_PLAATSID	int32	Sequence City ID		
REEKS_PLAATSNAAM_EXTRACT	string	Sequence Place Name Extract		
REEKS_PLAATSNAAM_PTT	string	Sequence Place Name TPG		
REEKS_PLAATSNAAM	string	Sequence City Name		
REEKS_PROVINCIECODE	string	Sequence State Code		
REEKS_PROVINCIEAAM	string	Sequence State Name		
REEKS_REEKSID	int32	Sequence Sequence ID		
REEKS_REEKSINDICATIE	string	Sequence Sequence Indicator		
REEKS_STRAATID	int32	Sequence Street ID		
REEKS_STRAATNAAM_EXTRACT	string			
REEKS_STRAATNAAM_NEN	string	Sequence Street Name NEN		
REEKS_STRAATNAAM_PTT	string	Sequence Street Name TPG		
REEKS_STRAATNAAM	string	Sequence Street Name		
REEKS_WIJKCODE	string			

3.1.27 addressReeksFullParameterSearch

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: addressReeksFullParameterSearch

Base

XPath: /s:Envelope/s:Body/tns:addressReeksFullParameterSearchResponse/tns:out

Filters on API Server: province- district- city- street- houseNo- houseNoAddition- nbcode- lettercombination- adresstype- page

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `addressReeksFullParameterSearch`. A value must be provided at all times for required

parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
adresstype	string	<input type="checkbox"/>		
city	string	<input type="checkbox"/>		
district	string	<input type="checkbox"/>		
houseNo	int32	<input type="checkbox"/>		
houseNoAddition	string	<input type="checkbox"/>		
lettercombination	string	<input type="checkbox"/>		
nbcode	string	<input type="checkbox"/>		
page	int32	<input type="checkbox"/>		
province	string	<input type="checkbox"/>		
street	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `addressReeksFullParameterSearch` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
EXTRA_GEMEENTE	string	Extra Municipality		
EXTRA_HUISNR	int32	Extra House Number		
EXTRA_LETTERCOMBINATIE	string	Extra Character Combination		
EXTRA_PLAATS	string	Extra City		
EXTRA_PROVINCIE	string	Extra State		
EXTRA_REEKSINDICATIE	string	Extra Sequence Indicator		
EXTRA_STRAAT	string	Extra Street		
EXTRA_TOEVOEGING	string			
EXTRA_WIJKCODE	string			
PAGING_CURPAGE	int32	Paging Current Page		
PAGING_MAXRESULTS	int32	Paging Maximum Number of Results		
PAGING_NUMPAGES	int32	Paging Number of Pages		

Name	Data Type	Label	Required	Documentation
PAGING_NUMRESULTS	int32	Paging Number of Results		
PAGING_PERPAGE	int32			
RESULTS_ITEM_CEBUCOCODE	int32	Item Cebuco Code		
RESULTS_ITEM_GEMEENTECODE	int32	Item Municipality Code		
RESULTS_ITEM_GEMEENTEID	int32	Item Municipality ID		
RESULTS_ITEM_GEMEENTENAAM	string	Item Municipality Name		
RESULTS_ITEM_HUISNR_TM	int32	Item House Number upto		
RESULTS_ITEM_HUISNR_VAN	int32	Item House Number from		
RESULTS_ITEM_LETTERCOMBINATIE	string	Item Character Combination		
RESULTS_ITEM_PLAATSID	int32	Item City ID		
RESULTS_ITEM_PLAATSNAAM_EXTRACT	string	Item Place Name Extract		
RESULTS_ITEM_PLAATSNAAM_PT	string	Item Place Name TPG		
RESULTS_ITEM_PLAATSNAAM	string	Item City Name		
RESULTS_ITEM_PROVINCIECODE	string	Item State Code		
RESULTS_ITEM_PROVINCINAAM	string	Item State Name		
RESULTS_ITEM_REEKSID	int32	Item Sequence ID		
RESULTS_ITEM_REEKSINDICATIE	string	Item Sequence Indicator		
RESULTS_ITEM_STRAATID	int32	Item Street ID		
RESULTS_ITEM_STRAATNAAM_EXTRACT	string			
RESULTS_ITEM_STRAATNAAM_NEN	string	Item Street Name NEN		
RESULTS_ITEM_STRAATNAAM_PTT	string	Item Street Name TPG		
RESULTS_ITEM_STRAATNAAM	string	Item Street Name		
RESULTS_ITEM_WIJKCODE	string			

3.1.28 addressReeksParameterSearch

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: addressReeksParameterSearch

Base

XPath: `/s:Envelope/s:Body/tns:addressReeksParameterSearchResponse/tns:out`

Filters on API Server: province- district- city- street- houseNo- houseNoAddition- page

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `addressReeksParameterSearch`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
city	string	<input type="checkbox"/>		
district	string	<input type="checkbox"/>		
houseNo	int32	<input type="checkbox"/>		
houseNoAddition	string	<input type="checkbox"/>		
page	int32	<input type="checkbox"/>		
province	string	<input type="checkbox"/>		
street	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `addressReeksParameterSearch` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
EXTRA_GEMEENTE	string	Extra Municipality		
EXTRA_HUISNR	int32	Extra House Number		
EXTRA_LETTERCOMBINATIE	string	Extra Character Combination		
EXTRA_PLAATS	string	Extra City		
EXTRA_PROVINCIE	string	Extra State		
EXTRA_REEKSINDICATIE	string	Extra Sequence Indicator		
EXTRA_STRAAT	string	Extra Street		
EXTRA_TOEVOEGING	string			
EXTRA_WIJKCODE	string			
PAGING_CURPAGE	int32	Paging Current Page		
PAGING_MAXRESULTS	int32	Paging Maximum Number of Results		

Name	Data Type	Label	Required	Documentation
PAGING_NUMPAGES	int32	Paging Number of Pages		
PAGING_NUMRESULTS	int32	Paging Number of Results		
PAGING_PERPAGE	int32			
RESULTS_ITEM_CEBUCOCODE	int32	Item Cebuco Code		
RESULTS_ITEM_GEMEENTECODE	int32	Item Municipality Code		
RESULTS_ITEM_GEMEENTEID	int32	Item Municipality ID		
RESULTS_ITEM_GEMEENTENAAM	string	Item Municipality Name		
RESULTS_ITEM_HUISNR_TM	int32	Item House Number upto		
RESULTS_ITEM_HUISNR_VAN	int32	Item House Number from		
RESULTS_ITEM_LETTERCOMBINATIE	string	Item Character Combination		
RESULTS_ITEM_PLAATSID	int32	Item City ID		
RESULTS_ITEM_PLAATSNAAM_EXTRACT	string	Item Place Name Extract		
RESULTS_ITEM_PLAATSNAAM_PT	string	Item Place Name TPG		
RESULTS_ITEM_PLAATSNAAM	string	Item City Name		
RESULTS_ITEM_PROVINCIECODE	string	Item State Code		
RESULTS_ITEM_PROVINCINAAM	string	Item State Name		
RESULTS_ITEM_REEKSID	int32	Item Sequence ID		
RESULTS_ITEM_REEKSINDICATIE	string	Item Sequence Indicator		
RESULTS_ITEM_STRAATID	int32	Item Street ID		
RESULTS_ITEM_STRAATNAAM_EXTRACT	string			
RESULTS_ITEM_STRAATNAAM_NEN	string	Item Street Name NEN		
RESULTS_ITEM_STRAATNAAM_PTT	string	Item Street Name TPG		
RESULTS_ITEM_STRAATNAAM	string	Item Street Name		
RESULTS_ITEM_WJKCODE	string			

3.1.29 addressReeksPhraseSearch

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: addressReeksPhraseSearch

Base

XPath: /s:Envelope/s:Body/tns:addressReeksPhraseSearchResponse/tns:output

Filters on API Server: address- page

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `addressReeksPhraseSearch`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
address	string	<input type="checkbox"/>		
page	int32	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `addressReeksPhraseSearch` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
EXTRA_GEMEENTE	string	Extra Municipality		
EXTRA_HUISNR	int32	Extra House Number		
EXTRA_LETTERCOMBINATIE	string	Extra Character Combination		
EXTRA_PLAATS	string	Extra City		
EXTRA_PROVINCIE	string	Extra State		
EXTRA_REEKSINDICATIE	string	Extra Sequence Indicator		
EXTRA_STRAAT	string	Extra Street		
EXTRA_TOEVOEGING	string			
EXTRA_WIJKCODE	string			
PAGING_CURPAGE	int32	Paging Current Page		
PAGING_MAXRESULTS	int32	Paging Maximum Number of Results		
PAGING_NUMPAGES	int32	Paging Number of Pages		

Name	Data Type	Label	Required	Documentation
PAGING_NUMRESULTS	int32	Paging Number of Results		
PAGING_PERPAGE	int32			
RESULTS_ITEM_CEBUCOCODE	int32	Item Cebuco Code		
RESULTS_ITEM_GEMEENTECODE	int32	Item Municipality Code		
RESULTS_ITEM_GEMEENTEID	int32	Item Municipality ID		
RESULTS_ITEM_GEMEENTENAAM	string	Item Municipality Name		
RESULTS_ITEM_HUISNR_TM	int32	Item House Number upto		
RESULTS_ITEM_HUISNR_VAN	int32	Item House Number from		
RESULTS_ITEM_LETTERCOMBINATIE	string	Item Character Combination		
RESULTS_ITEM_PLAATSID	int32	Item City ID		
RESULTS_ITEM_PLAATSNAAM_EXTRACT	string	Item Place Name Extract		
RESULTS_ITEM_PLAATSNAAM_PT	string	Item Place Name TPG		
RESULTS_ITEM_PLAATSNAAM	string	Item City Name		
RESULTS_ITEM_PROVINCIECODE	string	Item State Code		
RESULTS_ITEM_PROVINCIEAAM	string	Item State Name		
RESULTS_ITEM_REEKSID	int32	Item Sequence ID		
RESULTS_ITEM_REEKSINDICATIE	string	Item Sequence Indicator		
RESULTS_ITEM_STRAATID	int32	Item Street ID		
RESULTS_ITEM_STRAATNAAM_EXTRACT	string			
RESULTS_ITEM_STRAATNAAM_NEN	string	Item Street Name NEN		
RESULTS_ITEM_STRAATNAAM_PTT	string	Item Street Name TPG		
RESULTS_ITEM_STRAATNAAM	string	Item Street Name		
RESULTS_ITEM_WIJKCODE	string			

3.1.30 addressReeksPostcodeSearch

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: addressReeksPostcodeSearch

Base

XPath: `/s:Envelope/s:Body/tns:addressReeksPostcodeSearchResponse/tns:out`

Filters on API Server: address

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `addressReeksPostcodeSearch`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
address	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `addressReeksPostcodeSearch` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
CEBUCOCODE	int32	Cebuco Code		
GEMEENTECODE	int32	Municipality Code		
GEMEENTEID	int32	Municipality ID		
GEMEENTENAAM	string	Municipality Name		
HUISNR_TM	int32	House Number upto		
HUISNR_VAN	int32	House Number from		
LETTERCOMBINATIE	string	Character Combination		
PLAATSID	int32	City ID		
PLAATSNAAM_EXTRACT	string	Place Name Extract		
PLAATSNAAM_PTT	string	Place Name TPG		
PLAATSNAAM	string	City Name		
PROVINCIECODE	string	State Code		
PROVINCIEAAM	string	State Name		
REEKSID	int32	Sequence ID		
REEKSINDICATIE	string	Sequence Indicator		
STRAATID	int32	Street ID		
STRAATNAAM_EXTRACT	string			
STRAATNAAM_NEN	string	Street Name NEN		
STRAATNAAM_PTT	string	Street Name TPG		

Name	Data Type	Label	Required	Documentation
STRAATNAAM	string	Street Name		
WIJKCODE	string			

3.1.31 areaCodeLookup

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: areaCodeLookup

Base

XPath: `/s:Envelope/s:Body/tns:areaCodeLookupResponse/tns:out/tns:results/tns:item/tns:areacode`

Filters on API Server: neighborhoodcode- page

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `areaCodeLookup`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
neighborhoodcode	string	<input type="checkbox"/>		
page	int32	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `areaCodeLookup` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
AREACODE	string			

3.1.32 areaCodePostcodeLookup

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: areaCodePostcodeLookup

Base

XPath: `/s:Envelope/s:Body/tns:areaCodePostcodeLookupResponse/tns:out/tns:item/tns:areacode`

Filters on API Server: postcode

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `areaCodePostcodeLookup`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
postcode	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `areaCodePostcodeLookup` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
AREACODE	string			

3.1.33 areaCodeToNeighborhoodcode

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: areaCodeToNeighborhoodcode

Base

XPath: /s:Envelope/s:Body/tns:areaCodeToNeighborhoodcodeResponse/tns:out/tns:results/tns:item/tns:nbcode

Filters on API Server: areacode- page

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function areaCodeToNeighborhoodcode. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
areacode	string	<input type="checkbox"/>		
page	int32	<input type="checkbox"/>		

Table Function Columns

The columns of the table function areaCodeToNeighborhoodcode are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
NBCODE	string			

3.1.34 belgianBusinessGetDossier

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the Company.info API.

Topic: belgianBusinessGetDossier

Base

XPath: /s:Envelope/s:Body/tns:belgianBusinessGetDossierResponse/tns:out

Filters on API Server: vat_number

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `belgianBusinessGetDossier`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
vat_number	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `belgianBusinessGetDossier` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ANNUAL_FINANCIAL_STATEMENT S_ITEM_ACCOUNT_DATE_DAY	int32			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_ACCOUNT_DATE_MONTH	int32			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_ACCOUNT_DATE_YEAR	int32			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_ADDED_VALUE	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_BALANCE_TYPE	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_CURRENT_ASSETS	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_CURRENT_RATIO	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_EQUITY	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_ACC RUED_CHARGES_DEFERRED_INC OME	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_ACC UMULATED_PROFITS_LOSSES	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_ADD ED_VALUE	decimal			

Name	Data Type	Label	Required	Documentation
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_AD VANCE_PAYMENTS_PURCHASES _STOCKS	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_AM OUNTS_PAYABLE_MORE_ONE_Y EAR	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_AM OUNTS_PAYABLE_WITHIN_ONE_ YEAR	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_AM OUNTS_PAYABLE	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_AM OUNTS_RECEIVABLE_MORE_ONE _YEAR	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_AM OUNTS_RECEIVABLE_WITHIN_ON E_YEAR	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_AM OUNTS_WRITTEN_DOWN_CURREN T_ASSETS	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_AM OUNTS_WRITTEN_DOWN_FINANCI AL_FIXED_ASSETS	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_AM OUNTS_WRITTEN_DOWN_STOCK S_CONTRACTS_PROGRESS_TRA DE_DEBTORS_APPROPRIATIONS_ WRITE_BACKS	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_ASS ETS	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_CAP ITAL_SUBSIDIES_GRANTED_PUBLI C_AUTHORITIES_RECORDED_INCO ME_PERIOD	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_CAP ITAL	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_CAS H_BANK_HAND	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_CHA RGES_DISCOUNTING_AMOUNTS_ RECEIVABLE	decimal			

Name	Data Type	Label	Required	Documentation
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_CON TRACTS_PROGRESS	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_CON TRIBUTIONS_GIFTS_LEGACIES_G RANTS	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_CUR RENT_INVESTMENTS	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_CUR RENT_PORTION_AMOUNTS_PAYA BLE_MORE_ONE_YEAR_FALLING _DUE_WITHIN_ONE_YEAR	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_CUR RENTS_ASSETS	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_DEB T_CHARGES	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_DEF ERRED_CHARGES_ACCRUED_INC OME	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_DEP RECIATION_LOAN_ISSUE_EXPENS ES_REIMBURSEMENT_PREMIUMS	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_DEP RECIATION_OTHER_AMOUNTS_W RITTEN_DOWN_FORMATION_EXPE NSES_INTANGIBLE_TANGIBLE_FIX ED_ASSETS	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_EMP LOYEES_RECORDED_PERSONNEL _REGISTER_AVERAGE_NUMBER_ EMPLOYEES_CALCULATED_FULL _TIME_EQUIVALENTS	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_EMP LOYEES_RECORDED_PERSONNEL _REGISTER_TOTAL_NUMBER_CLO SING_DATE	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_EQU ITY_LIABILITIES	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_EQU ITY	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_EXT RAORDINARY_CHARGES	decimal			

Name	Data Type	Label	Required	Documentation
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_EXT RAORDINARY_DEPRECIATION_EX TRAORDINARY_AMOUNTS_WRITT EN_DOWN	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_EXT RAORDINARY_INCOME	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_FIN ANCIAL_CHARGES	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_FIN ANCIAL_DEBTS_PAYABLE_WITHI N_ONE_YEAR	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_FIN ANCIAL_FIXED_ASSETS	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_FIN ANCIAL_INCOME	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_FIXE D_ASSETS	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_FOR MATION_EXPENSES	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_FUR NITURE_VEHICLES_ACQUISITION_I NCLUDING_PRODUCED_FIXED_AS SETS	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_FUR NITURE_VEHICLES_DEPRECIATION S_AMOUNT_WRITTEN_DOWN_AC QUIRED_THIRD_PARTY	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_FUR NITURE_VEHICLES_REVALUATION _GAINS_THIRD_PARTIES	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_GAI N_LOSS_PERIOD	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_GR OSS_OPERATING_MARGIN	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_HI RE_TEMPORARY_STAFF_COSTS_E NTERPRISE	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_INC OME_TAXES_RESULT_PERIOD	decimal			

Name	Data Type	Label	Required	Documentation
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_INC OME_TAXES	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_INC REASE_DECREASE_STOCKS_WO RK_CONTRACTS_PROGRESS	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_INT ANGIBLE_FIXED_ASSETS	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_INTE REST_SUBSIDIES_GRANTED_PUB LIC_AUTHORITIES_RECORDED_INC OME_PERIOD	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_INV ESTMENTS	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_LAN D_BUILDINGS_ACQUISITION_INCL UDING_PRODUCED_FIXED_ASSET S	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_LAN D_BUILDINGS_DEPRECIATIONS_A MOUNT_WRITTEN_DOWN_ACQUIR ED_THIRD_PARTY	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_LAN D_BUILDINGS_REVALUATION_GAI NS_THIRD_PARTIES	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_LEA SING_OTHER_SIMILAR_RIGHTS_A CQUISITION_INCLUDING_PRODUC E_FIXED_ASSETS	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_LEA SING_OTHER_SIMILAR_RIGHTS_D EPRECIATIONS_AMOUNT_WRITE N_DOWN_ACQUIRED_THIRD_PAR TY	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_LEA SING_OTHER_SIMILAR_RIGHTS_R EVALUATION_GAINS_THIRD_PAR TIES	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_LOS SES_DISPOSAL_FIXED_ASSETS	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_NUM BER_EMPLOYEES_PERSONNEL_R EGISTER_CLOSING_DATE_FINANC IAL_YEAR_MEN_FULL_TIME	decimal			

Name	Data Type	Label	Required	Documentation
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_NUM BER_EMPLOYEES_PERSONNEL_R EGISTER_CLOSING_DATE_FINANC IAL_YEAR_MEN_PART_TIME	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_NUM BER_EMPLOYEES_PERSONNEL_R EGISTER_CLOSING_DATE_FINANC IAL_YEAR_WOMEN_FULL_TIME	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_NUM BER_EMPLOYEES_PERSONNEL_R EGISTER_CLOSING_DATE_FINANC IAL_YEAR_WOMEN_PART_TIME	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_NUM BER_OF_EMPLOYEES_MEN	int32			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_NUM BER_OF_EMPLOYEES_WOMEN	int32			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_NUM BER_OF_EMPLOYEES	int32			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_OPE RATING_CHARGES	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_OPE RATING_INCOME	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_OPE RATING_PROFIT_LOSS	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_OPE RATING_SUBSIDIES_COMPENSAT ORY_AMOUNTS	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_OTH ER_OPERATING_INCOME	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_OTH ER_TANGIBLE_FIXED_ASSETS_A CQUISITION_INCLUDING_PRODUCE D_FIXED_ASSETS	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_OTH ER_TANGIBLE_FIXED_ASSETS_DE PRECIATIONS_AMOUNT_WRITTEN _DOWN_ACQUIRED_THIRD_PART Y	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_OTH ER_TANGIBLE_FIXED_ASSETS_RE VALUATION_GAINS_THIRD_PARTI ES	decimal			

Name	Data Type	Label	Required	Documentation
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_OUT STANDING_TAXES_PAYABLE_DU E_TAX_AUTHORITIES	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_OW N_CONSTRUCTION_CAPITALISED	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_PER SONAL_GUARANTEES_PROVIDED _OR_IRREVOCABLY_PROMISED_ BY_ENTERPRISE	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_PER SONS_PLACED_ENTERPRISES_DIS POSAL_COSTS_ENTERPRISE	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_PLA NT_MACHINERY_EQUIPMENT_ACQ UISITION_INCLUDING_PRODUCED_ FIXED_ASSETS	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_PLA NT_MACHINERY_EQUIPMENT_DEP RECIATIONS_AMOUNT_WRITTEN_ DOWN_ACQUIRED_THIRD_PARTY	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_PLA NT_MACHINERY_EQUIPMENT_REV ALUATION_GAINS_THIRD_PARTIE S	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_PRO VISIONS_DEFERRED_TAXES	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_PRO VISIONS_EXTRAORDINARY_LIABI LITIES_CHARGES_APPROPRIATIO NS_USES	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_PRO VISIONS_FINANCIAL_NATURE_AP PROPRIATIONS	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_PRO VISIONS_FINANCIAL_NATURE_US ES_WRITE_BACKS	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_PRO VISIONS_PENSIONS_SIMILAR_OBL IGATIONS_APPROPRIATIONS_WRI TE_BACKS	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_PRO VISIONS_RISKS_CHARGES_APPR OPRIATIONS_WRITE_BACKS	decimal			

Name	Data Type	Label	Required	Documentation
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_PUR CHASES_RAW_MATERIALS_CON SUMABLES	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_RA W_MATERIALS_CONSUMABLES	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_REM UNERATION_SOCIAL_SECURITY_P ENSIONS	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_REM UNERATION_SOCIAL_SECURITY_ RECIPIENT_NATIONAL_SOCIAL_SE CURITY_OFFICE	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_RES ERVES	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_SER VICES_OTHER_GOODS	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_STO CK_FINISHED_GOODS	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_STO CK_GOODS_PURCHASED_RESAL E	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_STO CK_IMMOVABLE_PROPERTY_INTE NDED_SALE	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_STO CK_RAW_MATERIALS_CONSUMA BLES	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_STO CK_WORK_PROGRESS	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_STO CKS_CONTRACTS_PROGRESS	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_TAN GIBLE_FIXED_ASSETS_ACQUISITI ON_INCLUDING_PRODUCED_FIXED _ASSETS	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_TAN GIBLE_FIXED_ASSETS_DEPRECIA TIONS_AMOUNT_WRITTEN_DOWN _ACQUIRED_THIRD_PARTY	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_FINANCIAL_VALUES_TAN	decimal			

Name	Data Type	Label	Required	Documentation
GIBLE_FIXED_ASSETS_REVALUATION_GAINS_THIRD_PARTIES				
ANNUAL_FINANCIAL_STATEMENT_S_ITEM_FINANCIAL_VALUES_TANGIBLE_FIXED_ASSETS_UNDER_CONSTRUCTION_ADVANCE_PAYMENTS_DEPRECIATIONS	decimal			
ANNUAL_FINANCIAL_STATEMENT_S_ITEM_FINANCIAL_VALUES_TANGIBLE_FIXED_ASSETS_UNDER_CONSTRUCTION_ADVANCE_PAYMENTS_REVALUATION_GAINS_THIRD_PARTIES	decimal			
ANNUAL_FINANCIAL_STATEMENT_S_ITEM_FINANCIAL_VALUES_TANGIBLE_FIXED_ASSETS_UNDER_CONSTRUCTION	decimal			
ANNUAL_FINANCIAL_STATEMENT_S_ITEM_FINANCIAL_VALUES_TANGIBLE_FIXED_ASSETS	decimal			
ANNUAL_FINANCIAL_STATEMENT_S_ITEM_FINANCIAL_VALUES_TRADE_DEBTORS_WITHIN_ONE_YEAR	decimal			
ANNUAL_FINANCIAL_STATEMENT_S_ITEM_FINANCIAL_VALUES_TRADE_DEBTS_PAYABLE_WITHIN_ONE_YEAR	decimal			
ANNUAL_FINANCIAL_STATEMENT_S_ITEM_FINANCIAL_VALUES_TRANSFER_FROM_DEFERRED_TAXES	decimal			
ANNUAL_FINANCIAL_STATEMENT_S_ITEM_FINANCIAL_VALUES_TRANSFER_TO_DEFERRED_TAXES	decimal			
ANNUAL_FINANCIAL_STATEMENT_S_ITEM_FINANCIAL_VALUES_TURNOVER	decimal			
ANNUAL_FINANCIAL_STATEMENT_S_ITEM_FINANCIAL_VALUES_VALUE_ADDED_TAXES_CHARGED_BY_ENTERPRISE	decimal			
ANNUAL_FINANCIAL_STATEMENT_S_ITEM_FINANCIAL_VALUES_VALUE_ADDED_TAXES_CHARGED_TO_ENTERPRISE	decimal			
ANNUAL_FINANCIAL_STATEMENT_S_ITEM_FINANCIAL_VALUES_WRITE_BACK_AMOUNTS_WRITTEN_DOWN_FINANCIAL_FIXED_ASSETS	decimal			
ANNUAL_FINANCIAL_STATEMENT_S_ITEM_FINANCIAL_VALUES_WRITE_BACK_DEPRECIATION_AMOUNTS_WRITTEN_DOWN_INTANGIBLE_TANGIBLE_FIXED_ASSETS	decimal			
ANNUAL_FINANCIAL_STATEMENT_S_ITEM_FINANCIAL_VALUES_WRITE	decimal			

Name	Data Type	Label	Required	Documentation
TE_BACK_PROVISIONS_EXTRAORDINARY_LIABILITIES_CHARGES				
ANNUAL_FINANCIAL_STATEMENTS_ITEM_GAIN_LOSS_PERIOD	decimal			
ANNUAL_FINANCIAL_STATEMENTS_ITEM_GROSS_OPERATING_MARGIN	decimal			
ANNUAL_FINANCIAL_STATEMENTS_ITEM_ID	string			
ANNUAL_FINANCIAL_STATEMENTS_ITEM_NET_CASH	decimal			
ANNUAL_FINANCIAL_STATEMENTS_ITEM_NUMBER_OF_EMPLOYEES	int32			
ANNUAL_FINANCIAL_STATEMENTS_ITEM_RATIOS_ADDED_VALUE_PER_EMPLOYEE	decimal			
ANNUAL_FINANCIAL_STATEMENTS_ITEM_RATIOS_ADDED_VALUE_TO_OPERATING_INCOME	decimal			
ANNUAL_FINANCIAL_STATEMENTS_ITEM_RATIOS_ADDED_VALUE	decimal			
ANNUAL_FINANCIAL_STATEMENTS_ITEM_RATIOS_CASH_FLOW_TO_DEBT	decimal			
ANNUAL_FINANCIAL_STATEMENTS_ITEM_RATIOS_CASH_FLOW_TO_LONG_TERM_DEBT	decimal			
ANNUAL_FINANCIAL_STATEMENTS_ITEM_RATIOS_CASH_FLOW	decimal			
ANNUAL_FINANCIAL_STATEMENTS_ITEM_RATIOS_CURRENT_RATIO	decimal			
ANNUAL_FINANCIAL_STATEMENTS_ITEM_RATIOS_DEBT_REPAYMENT	decimal			
ANNUAL_FINANCIAL_STATEMENTS_ITEM_RATIOS_DFL	decimal			
ANNUAL_FINANCIAL_STATEMENTS_ITEM_RATIOS_FINANCIAL_CHARGES_TO_ADDED_VALUE	decimal			
ANNUAL_FINANCIAL_STATEMENTS_ITEM_RATIOS_GROSS_OPERATING_SALES_MARGIN	decimal			
ANNUAL_FINANCIAL_STATEMENTS_ITEM_RATIOS_IMMEDIATE_LIQUIDITY	decimal			
ANNUAL_FINANCIAL_STATEMENTS_ITEM_RATIOS_INVESTMENT_RATIO	decimal			
ANNUAL_FINANCIAL_STATEMENTS_ITEM_RATIOS_INVESTMENTS	decimal			
ANNUAL_FINANCIAL_STATEMENTS_ITEM_RATIOS_LONG_TERM_DE	decimal			

Name	Data Type	Label	Required	Documentation
BT_TO_SHORT_TERM_DEBT				
ANNUAL_FINANCIAL_STATEMENT S_ITEM_RATIOS_NET_ASSETS	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_RATIOS_NET_CASH_RATI O	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_RATIOS_NET_CASH	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_RATIOS_NET_CURRENT_ ASSETS	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_RATIOS_NET_OPERATING _SALES_MARGIN	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_RATIOS_NET_PROFIT_TO _ADDED_VALUE	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_RATIOS_NUMBER_DAYS_ CUSTOMER_CREDIT	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_RATIOS_NUMBER_DAYS_ SUPPLIER_CREDIT	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_RATIOS_OUTSTANDING_T AX_TO_LIABILITIES	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_RATIOS_OWN_ASSETS_T O_CAPITAL	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_RATIOS_PAYROLL_COST S_TO_ADDED_VALUE	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_RATIOS_QUICK_RATIO	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_RATIOS_RETURN_ON_EQ UITY	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_RATIOS_ROTATION_FIXE D_ASSETS	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_RATIOS_SELF_FINANCING _DEGREE	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_RATIOS_TOTAL_ASSETS _TO_TURNOVER	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_RATIOS_WRITE_DOWNS_ TO_ADDED_VALUE	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_RETURN_ON_EQUITY	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_REVISORS	string			

Name	Data Type	Label	Required	Documentation
ANNUAL_FINANCIAL_STATEMENT S_ITEM_SELF_FINANCING_DEGREE	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_SOCIAL_BALANCE_ADVANTAGES_ADDITION_WAGES	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_SOCIAL_BALANCE_AVERAGE_NUMBER_OF_EMPLOYEES_FTE	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_SOCIAL_BALANCE_EMPLOYEES_CONTRACT_DEFINITE_PERIOD_FTE	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_SOCIAL_BALANCE_EMPLOYEES_CONTRACT_INDEFINITE_PERIOD_FTE	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_SOCIAL_BALANCE_EMPLOYEES_CONTRACT_TERMINATION_DISMISSAL	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_SOCIAL_BALANCE_EMPLOYEES_CONTRACT_TERMINATION_EARLY_RETIREMENT_FTE	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_SOCIAL_BALANCE_EMPLOYEES_CONTRACT_TERMINATION_FTE	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_SOCIAL_BALANCE_EMPLOYEES_CONTRACT_TERMINATION_OTHER_REASON	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_SOCIAL_BALANCE_EMPLOYEES_CONTRACT_TERMINATION_RETIREMENT_FTE	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_SOCIAL_BALANCE_EMPLOYEES_END_OF_YEAR_MANAGEMENT_FTE	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_SOCIAL_BALANCE_EMPLOYEES_END_OF_YEAR_MEN_FTE	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_SOCIAL_BALANCE_EMPLOYEES_END_OF_YEAR_NON_UNIVERSITY_FTE	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_SOCIAL_BALANCE_EMPLOYEES_END_OF_YEAR_OTHERS_FTE	decimal			
ANNUAL_FINANCIAL_STATEMENT S_ITEM_SOCIAL_BALANCE_EMPLOYEES_END_OF_YEAR_OTHERS_FTE	decimal			

Name	Data Type	Label	Required	Documentation
OYEES_END_OF_YEAR_PRIMARY_EDUCATION_FTE				
ANNUAL_FINANCIAL_STATEMENT_S_ITEM_SOCIAL_BALANCE_EMPL_OYEES_END_OF_YEAR_SECONDARY_EDUCATION_FTE	decimal			
ANNUAL_FINANCIAL_STATEMENT_S_ITEM_SOCIAL_BALANCE_EMPL_OYEES_END_OF_YEAR_UNIVERSITY_FTE	decimal			
ANNUAL_FINANCIAL_STATEMENT_S_ITEM_SOCIAL_BALANCE_EMPL_OYEES_END_OF_YEAR_WOMEN_FTE	decimal			
ANNUAL_FINANCIAL_STATEMENT_S_ITEM_SOCIAL_BALANCE_EMPL_OYEES_END_OF_YEAR_WORKERS_FTE	decimal			
ANNUAL_FINANCIAL_STATEMENT_S_ITEM_SOCIAL_BALANCE_EMPL_OYEES_END_OF_YEAR	decimal			
ANNUAL_FINANCIAL_STATEMENT_S_ITEM_SOCIAL_BALANCE_EMPL_OYEES_NEW_FTE	decimal			
ANNUAL_FINANCIAL_STATEMENT_S_ITEM_SOCIAL_BALANCE_EMPL_OYEES_WORKED_HOURS	int32			
ANNUAL_FINANCIAL_STATEMENT_S_ITEM_SOCIAL_BALANCE_HIRED_TEMPORARY_STAFF_COSTS	decimal			
ANNUAL_FINANCIAL_STATEMENT_S_ITEM_SOCIAL_BALANCE_HIRED_TEMPORARY_STAFF_FTE	decimal			
ANNUAL_FINANCIAL_STATEMENT_S_ITEM_SOCIAL_BALANCE_HIRED_TEMPORARY_STAFF_WORKED_HOURS	decimal			
ANNUAL_FINANCIAL_STATEMENT_S_ITEM_SOCIAL_BALANCE_PROFESSIONAL_TRAINING_HOURS	decimal			
ANNUAL_FINANCIAL_STATEMENT_S_ITEM_SOCIAL_BALANCE_PROFESSIONAL_TRAINING_NET_COSTS	decimal			
ANNUAL_FINANCIAL_STATEMENT_S_ITEM_TANGIBLE_FIXED_ASSETS	decimal			
ANNUAL_FINANCIAL_STATEMENT_S_ITEM_TURNOVER	decimal			
ANNUAL_FINANCIAL_STATEMENT_S_ITEM_YEAR	int32			
BANK_ACCOUNTS_ITEM_BIC	string			
BANK_ACCOUNTS_ITEM_IBAN_VALID	boolean			

Name	Data Type	Label	Required	Documentation
BANK_ACCOUNTS_ITEM_IBAN	string			
BANK_ACCOUNTS_ITEM_START_DATE_DAY	int32			
BANK_ACCOUNTS_ITEM_START_DATE_MONTH	int32			
BANK_ACCOUNTS_ITEM_START_DATE_YEAR	int32			
COMPANY_ACTIVITIES_ITEM_CODE	string			
COMPANY_ACTIVITIES_ITEM_END_DATE_DAY	int32			
COMPANY_ACTIVITIES_ITEM_END_DATE_MONTH	int32			
COMPANY_ACTIVITIES_ITEM_END_DATE_YEAR	int32			
COMPANY_ACTIVITIES_ITEM_LABEL	string			
COMPANY_ACTIVITIES_ITEM_START_DATE_DAY	int32			
COMPANY_ACTIVITIES_ITEM_START_DATE_MONTH	int32			
COMPANY_ACTIVITIES_ITEM_START_DATE_YEAR	int32			
COMPANY_ADDRESSES_ITEM_BOX	string			
COMPANY_ADDRESSES_ITEM_COUNTRY_CODE	string			
COMPANY_ADDRESSES_ITEM_HOUSE_NUMBER	int32			
COMPANY_ADDRESSES_ITEM_MUNICIPALITY	string			
COMPANY_ADDRESSES_ITEM_POST_CODE	string			
COMPANY_ADDRESSES_ITEM_STREET	string			
COMPANY_ESTABLISHMENT_UNITS	int32			
COMPANY_JURIDICAL_FORM_CODE	string			
COMPANY_JURIDICAL_FORM_END_DATE_DAY	int32			
COMPANY_JURIDICAL_FORM_END_DATE_MONTH	int32			
COMPANY_JURIDICAL_FORM_END_DATE_YEAR	int32			
COMPANY_JURIDICAL_FORM_LABEL	string			
COMPANY_JURIDICAL_FORM_START_DATE_DAY	int32			

Name	Data Type	Label	Required	Documentation
COMPANY_JURIDICAL_FORM_START_DATE_MONTH	int32			
COMPANY_JURIDICAL_FORM_START_DATE_YEAR	int32			
COMPANY_JURIDICAL_SITUATION_CODE	string			
COMPANY_JURIDICAL_SITUATION_END_DATE_DAY	int32			
COMPANY_JURIDICAL_SITUATION_END_DATE_MONTH	int32			
COMPANY_JURIDICAL_SITUATION_END_DATE_YEAR	int32			
COMPANY_JURIDICAL_SITUATION_LABEL	string			
COMPANY_JURIDICAL_SITUATION_START_DATE_DAY	int32			
COMPANY_JURIDICAL_SITUATION_START_DATE_MONTH	int32			
COMPANY_JURIDICAL_SITUATION_START_DATE_YEAR	int32			
COMPANY_LEGAL_REPRESENTATIVE_COMPANIES_COUNT	string			
COMPANY_LEGAL_REPRESENTATIVES_COUNT	string			
COMPANY_NAME	string			
COMPANY_PHONE_NUMBER	string			
COMPANY_START_DATE_DAY	int32			
COMPANY_START_DATE_MONTH	int32			
COMPANY_START_DATE_YEAR	int32			
COMPANY_TYPE_CODE	string	Company Type Code		
COMPANY_TYPE_END_DATE_DAY	int32			
COMPANY_TYPE_END_DATE_MONTH	int32			
COMPANY_TYPE_END_DATE_YEAR	int32			
COMPANY_TYPE_LABEL	string			
COMPANY_TYPE_START_DATE_DAY	int32			
COMPANY_TYPE_START_DATE_MONTH	int32			
COMPANY_TYPE_START_DATE_YEAR	int32			
COMPANY_VAT_NUMBER	string			
COMPANY_WEBSITE	string			
ERRORS_ANNUAL_FINANCIAL_STATEMENTS_ERROR	string			

Name	Data Type	Label	Required	Documentation
ERRORS_BANK_ACCOUNTS_ERROR	string			
ERRORS_LEGAL_REPRESENTATIVE_COMPANIES_ERROR	string			
ERRORS_LEGAL_REPRESENTATIVES_ERROR	string			
ERRORS_STAKEHOLDERS_ERROR	string			
LEGAL_REPRESENTATIVE_COMPANIES_ITEM_NAME	string			
LEGAL_REPRESENTATIVE_COMPANIES_ITEM_ROLE_CODE	string			
LEGAL_REPRESENTATIVE_COMPANIES_ITEM_ROLE_END_DATE_DAY	int32			
LEGAL_REPRESENTATIVE_COMPANIES_ITEM_ROLE_END_DATE_MONTH	int32			
LEGAL_REPRESENTATIVE_COMPANIES_ITEM_ROLE_END_DATE_YEAR	int32			
LEGAL_REPRESENTATIVE_COMPANIES_ITEM_ROLE_LABEL	string			
LEGAL_REPRESENTATIVE_COMPANIES_ITEM_ROLE_START_DATE_DAY	int32			
LEGAL_REPRESENTATIVE_COMPANIES_ITEM_ROLE_START_DATE_MONTH	int32			
LEGAL_REPRESENTATIVE_COMPANIES_ITEM_ROLE_START_DATE_YEAR	int32			
LEGAL_REPRESENTATIVE_COMPANIES_ITEM_VAT_NUMBER	string			
LEGAL_REPRESENTATIVES_ITEM_COMPANY_VAT_NUMBER	string			
LEGAL_REPRESENTATIVES_ITEM_FIRST_NAME	string			
LEGAL_REPRESENTATIVES_ITEM_LAST_NAME	string			
LEGAL_REPRESENTATIVES_ITEM_ROLE_CODE	string			
LEGAL_REPRESENTATIVES_ITEM_ROLE_END_DATE_DAY	int32			
LEGAL_REPRESENTATIVES_ITEM_ROLE_END_DATE_MONTH	int32			
LEGAL_REPRESENTATIVES_ITEM_ROLE_END_DATE_YEAR	int32			
LEGAL_REPRESENTATIVES_ITEM_ROLE_LABEL	string			

Name	Data Type	Label	Required	Documentation
LEGAL_REPRESENTATIVES_ITEM_ROLE_START_DATE_DAY	int32			
LEGAL_REPRESENTATIVES_ITEM_ROLE_START_DATE_MONTH	int32			
LEGAL_REPRESENTATIVES_ITEM_ROLE_START_DATE_YEAR	int32			
STAKEHOLDERS_ITEM_ADDRESS_BOX	string			
STAKEHOLDERS_ITEM_ADDRESS_COUNTRY_CODE	string			
STAKEHOLDERS_ITEM_ADDRESS_HOUSE_NUMBER	int32			
STAKEHOLDERS_ITEM_ADDRESS_MUNICIPALITY	string			
STAKEHOLDERS_ITEM_ADDRESS_POST_CODE	string			
STAKEHOLDERS_ITEM_ADDRESS_STREET	string			
STAKEHOLDERS_ITEM_COMPANY_NAME	string			
STAKEHOLDERS_ITEM_FIRST_NAME	string			
STAKEHOLDERS_ITEM_ID	string			
STAKEHOLDERS_ITEM_LAST_NAME	string			
STAKEHOLDERS_ITEM_MANDATE_CODE	string			
STAKEHOLDERS_ITEM_MANDATE_END_DATE_DAY	int32			
STAKEHOLDERS_ITEM_MANDATE_END_DATE_MONTH	int32			
STAKEHOLDERS_ITEM_MANDATE_END_DATE_YEAR	int32			
STAKEHOLDERS_ITEM_MANDATE_LABEL	string			
STAKEHOLDERS_ITEM_MANDATE_START_DATE_DAY	int32			
STAKEHOLDERS_ITEM_MANDATE_START_DATE_MONTH	int32			
STAKEHOLDERS_ITEM_MANDATE_START_DATE_YEAR	int32			
STAKEHOLDERS_ITEM_PROFESSION	string			
STAKEHOLDERS_ITEM_SOURCE_DATE_DAY	int32			
STAKEHOLDERS_ITEM_SOURCE_DATE_MONTH	int32			
STAKEHOLDERS_ITEM_SOURCE_DATE_YEAR	int32			

Name	Data Type	Label	Required	Documentation
STAKEHOLDERS_ITEM_TYPE	string			

3.1.35 bovagGetMemberByBovagId

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: bovagGetMemberByBovagId

Base

XPath: `/s:Envelope/s:Body/tns:bovagGetMemberByBovagIdResponse/tns:member`

Filters on API Server: bovag_id

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `bovagGetMemberByBovagId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
bovag_id	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `bovagGetMemberByBovagId` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
BOVAG_ID	string	BOVAG ID		
CERTIFICATE_URL	string	Certificate URL		
DEPARTMENTS_ITEM_CODE	string	Item Code		
DEPARTMENTS_ITEM_DESCRIPTION	string	Item Description		

Name	Data Type	Label	Required	Documentation
DUTCH_BUSINESS_IDENTIFIERS_DOSSIER_NUMBER	string	Dutch Business File Number		
DUTCH_BUSINESS_IDENTIFIERS_ESTABLISHMENT_NUMBER	string	Dutch Business Establishment Number		
DUTCH_BUSINESS_IDENTIFIERS_RSI_NUMBER	string			
NAME	string	Name		

3.1.36 bovagGetMemberByDutchBusiness

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: bovagGetMemberByDutchBusiness

Base

XPath: `/s:Envelope/s:Body/tns:bovagGetMemberByDutchBusinessResponse/tns:member`

Filters on API Server: dossier_number- establishment_number

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `bovagGetMemberByDutchBusiness`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
dossier_number	string	<input type="checkbox"/>		
establishment_number	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `bovagGetMemberByDutchBusiness` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
BOVAG_ID	string	BOVAG ID		
CERTIFICATE_URL	string	Certificate URL		
DEPARTMENTS_ITEM_CODE	string	Item Code		
DEPARTMENTS_ITEM_DESCRIPTION	string	Item Description		
DUTCH_BUSINESS_IDENTIFIERS_D OSSIER_NUMBER	string	Dutch Business File Number		
DUTCH_BUSINESS_IDENTIFIERS_E STABLISHMENT_NUMBER	string	Dutch Business Establishment Number		
DUTCH_BUSINESS_IDENTIFIERS_R SI_NUMBER	string			
NAME	string	Name		

3.1.37 businessBIKToSBI

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: businessBIKToSBI

Base

XPath: `/s:Envelope/s:Body/tns:businessBIKToSBIResponse/tns:out/tns:item`

Filters on API Server: bikcode

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `businessBIKToSBI`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
bikcode	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `businessBIKToSBI` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
DESCRIPTION	string	Description		
SBICODE	string	SBI Code		

3.1.38 businessGetBIKDescription

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: businessGetBIKDescription

Base

XPath: `/s:Envelope/s:Body/tns:businessGetBIKDescriptionResponse/tns:out`

Filters on API Server: bikcode

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `businessGetBIKDescription`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
bikcode	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `businessGetBIKDescription` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
BIKCODES_ITEM_BIKCODE	string	BIK Code		
BIKCODES_ITEM_DESCRIPTION	string	Description		
SECTIONS_ITEM_DESCRIPTION	string			
SECTIONS_ITEM_SECTIONCODE	string			

3.1.39 businessGetDossierExtended

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: businessGetDossierExtended

Base

XPath: `/s:Envelope/s:Body/tns:businessGetDossierExtendedResponse/tns:out`

Filters on API Server: dossierno- subdossierno

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `businessGetDossierExtended`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
dossierno	string	<input type="checkbox"/>		
subdossierno	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `businessGetDossierExtended` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
BASICDOSSIERPART_CHAMBERNO	string	Basic File Part Number of Chamber		
BASICDOSSIERPART_CLASSPERSONNEL	int32	Basic File Part Class Personnel		
BASICDOSSIERPART_CORRESPONDENCECITY	string	Basic File Part Correspondence City		
BASICDOSSIERPART_CORRESPONDENCEHOUSENO	int32	Basic File Part Correspondence House Number		
BASICDOSSIERPART_CORRESPONDENCEHOUSENOADDITION	string	Basic File Part Correspondence House Number Addition		
BASICDOSSIERPART_CORRESPONDENCEPOSTCODE	string	Basic File Part Correspondence Postal Code		
BASICDOSSIERPART_CORRESPONDENCESTREETNAME	string	Basic File Part Correspondence Street Name		
BASICDOSSIERPART_DOMAINNAME	string	Basic File Part Domain Name		
BASICDOSSIERPART_DOSSIERNO	string	Basic File Part File Number		
BASICDOSSIERPART_ESTABLISHMENTCITY	string	Basic File Part Establishment City		
BASICDOSSIERPART_ESTABLISHMENTHOUSENO	int32	Basic File Part Establishment House Number		
BASICDOSSIERPART_ESTABLISHMENTHOUSENOADDITION	string	Basic File Part Establishment House Number Addition		
BASICDOSSIERPART_ESTABLISHMENTPOSTCODE	string	Basic File Part Establishment Postal Code		
BASICDOSSIERPART_ESTABLISHMENTSTREETNAME	string	Basic File Part Establishment Street Name		
BASICDOSSIERPART_INDICATIONBANKRUPTCY	boolean	Basic File Part Is Bankrupt		
BASICDOSSIERPART_INDICATIONDIP	boolean			
BASICDOSSIERPART_INDICATIONECONOMICALLYACTIVE	boolean	Basic File Part Indication Economically Active		
BASICDOSSIERPART_INDICATIONNONMAILING	boolean			
BASICDOSSIERPART_INDICATIONORGANISATIONCODE	string			
BASICDOSSIERPART_LEGALFORMCODE	string	Basic File Part Legal Form Code		
BASICDOSSIERPART_LEGALFORMCODETEXT	string	Basic File Part Legal Form Description		

Name	Data Type	Label	Required	Documentation
BASICDOSSIERPART_PERSONNEL	int32	Basic File Part Personnel		
BASICDOSSIERPART_PREVIOUSDOSSIERNO	string	Basic File Part Previous File Number		
BASICDOSSIERPART_PREVIOUSUBDOSSIERNO	string	Basic File Part Previous Subfile Number		
BASICDOSSIERPART_PRIMARYSBI CODE	string	Basic File Part Primary SBI Code		
BASICDOSSIERPART_PRIMARYSBI CODETEXT	string	Basic File Part Primary SBI Description		
BASICDOSSIERPART_REGISTERLE TTER	string			
BASICDOSSIERPART_SECONDAR YSBICODE1	string	Basic File Part Seconday SBI Code		
BASICDOSSIERPART_SECONDAR YSBICODE1TEXT	string	Basic File Part Seconday SBI Description		
BASICDOSSIERPART_SECONDAR YSBICODE2	string	Basic File Part Seconday SBI 2 Code		
BASICDOSSIERPART_SECONDAR YSBICODE2TEXT	string	Basic File Part Seconday SBI 2 Description		
BASICDOSSIERPART_SUBDOSSIE RNO	string	Basic File Part Subfile Number		
BASICDOSSIERPART_TELEPHONE NO	string	Basic File Part Telephone Number		
BASICDOSSIERPART_TRADENAM E45	string	Basic File Part Tradename (45 characters)		
BASICDOSSIERPART_TRADENAM EFULL	string	Basic File Part Full Tradename		
EXTENDEDDOSSIERPART_AUTHO RIZEDSHARECAPITAL	int64	Extended File Authorized Share Capital		
EXTENDEDDOSSIERPART_AUTHO RIZEDSHARECAPITALCURRENCY	string	Extended File Authorized Share Capital Currency		
EXTENDEDDOSSIERPART_CONTA CTGENDER	string	Extended File Contact Gender		
EXTENDEDDOSSIERPART_CONTA CTINITIALS	string	Extended File Contact Initials		
EXTENDEDDOSSIERPART_CONTA CTPREFIX	string	Extended File Contact Prefix		
EXTENDEDDOSSIERPART_CONTA CTSURNAME	string	Extended File Surname		
EXTENDEDDOSSIERPART_CONTA CTTITLE1	string	Extended File Contact Title 1		
EXTENDEDDOSSIERPART_CONTA CTTITLE2	string	Extended File Contact Title 2		

Name	Data Type	Label	Required	Documentation
EXTENDEDDOSSIERPART_CONTINUATIONDATE_DAY	int32	Extended File Continuation Date Day		
EXTENDEDDOSSIERPART_CONTINUATIONDATE_MONTH	int32	Extended File Continuation Date Month		
EXTENDEDDOSSIERPART_CONTINUATIONDATE_YEAR	int16	Extended File Continuation Date Year		
EXTENDEDDOSSIERPART_ESTABLISHMENTDATE_DAY	int32	Extended File Establishment Date Day		
EXTENDEDDOSSIERPART_ESTABLISHMENTDATE_MONTH	int32	Extended File Establishment Date Month		
EXTENDEDDOSSIERPART_ESTABLISHMENTDATE_YEAR	int16	Extended File Establishment Date Year		
EXTENDEDDOSSIERPART_EXPORTINDICATION	boolean	Extended File Indication Export		
EXTENDEDDOSSIERPART_FOUNDINGDATE_DAY	int32	Extended File Founding Date Day		
EXTENDEDDOSSIERPART_FOUNDINGDATE_MONTH	int32	Extended File Founding Date Month		
EXTENDEDDOSSIERPART_FOUNDINGDATE_YEAR	int16	Extended File Founding Date Year		
EXTENDEDDOSSIERPART_IMPORTINDICATION	boolean	Extended File Indication Import		
EXTENDEDDOSSIERPART_ISSUEDSHARECAPITAL	int64			
EXTENDEDDOSSIERPART_ISSUEDSHARECAPITALCURRENCY	string			
EXTENDEDDOSSIERPART_LEGALNAME	string	Extended File Legal Name		
EXTENDEDDOSSIERPART_MAINBRANCHDOSSIERNO	string			
EXTENDEDDOSSIERPART_MAINBRANCHINDICATION	boolean	Extended File Indication Main Branch		
EXTENDEDDOSSIERPART_MAINBRANCHSUBDOSSIERNO	string	Extended File Main Branch Subfile Number		
EXTENDEDDOSSIERPART_PAIDUPSHARECAPITAL	int64	Extended File Paid-up Share Capital		
EXTENDEDDOSSIERPART_PAIDUPSHARECAPITALCURRENCY	string	Extended File Paid-up Share Capital Currency		

3.1.40 businessGetDossierSBI

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `businessGetDossierSBI`

Base

XPath: `/s:Envelope/s:Body/tns:businessGetDossierSBIResponse/tns:out`

Filters on API Server: `dossierno- subdossierno`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `businessGetDossierSBI`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
dossierno	string	<input type="checkbox"/>		
subdossierno	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `businessGetDossierSBI` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
PRIMARYSBICODE	string	Primary SBI Code		
PRIMARYSBICODETEXT	string	Primary SBI Description		
SECONDARYSBICODE1	string	Secondary SBI Code		
SECONDARYSBICODE1TEXT	string	Secondary SBI Description		
SECONDARYSBICODE2	string	Secondary SBI 2 Code		
SECONDARYSBICODE2TEXT	string	Secondary SBI 2 Description		

3.1.41 businessGetDossierV3

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: businessGetDossierV3

Base

XPath: `/s:Envelope/s:Body/tns:businessGetDossierV3Response/tns:out/tns:results/tns:item`

Filters on API Server: `dossierno- subdossierno- page`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `businessGetDossierV3`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
dossierno	string	<input type="checkbox"/>		
page	int32	<input type="checkbox"/>		
subdossierno	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `businessGetDossierV3` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
CHAMBERNO	string	Number of Chamber		
CLASSPERSONNEL	int32	Class Personnel		
CORRESPONDENCECITY	string	Correspondence City		
CORRESPONDENCEHOUSENO	int32	Correspondence House Number		
CORRESPONDENCEHOUSENOADDITION	string	Correspondence House Number Addition		

Name	Data Type	Label	Required	Documentation
CORRESPONDENCEPOSTCODE	string	Correspondence Postal Code		
CORRESPONDENCESTREETNAME	string	Correspondence Street Name		
DOMAINNAME	string	Domain Name		
DOSSIERNO	string	File Number		
ESTABLISHMENTCITY	string	Establishment City		
ESTABLISHMENTHOUSENO	int32	Establishment House Number		
ESTABLISHMENTHOUSENOADDITION	string	Establishment House Number Addition		
ESTABLISHMENTPOSTCODE	string	Establishment Postal Code		
ESTABLISHMENTSTREETNAME	string	Establishment Street Name		
INDICATIONBANKRUPTCY	boolean	Is Bankrupt		
INDICATIONDIP	boolean			
INDICATIONECONOMICALLYACTIVE	boolean	Indication Economically Active		
INDICATIONNONMAILING	boolean			
INDICATIONORGANISATIONCODE	string			
LEGALFORMCODE	string	Legal Form Code		
LEGALFORMCODETEXT	string	Legal Form Description		
PERSONNEL	int32	Personnel		
PREVIOUSDOSSIERNO	string	Previous File Number		
PREVIOUSSUBDOSSIERNO	string	Previous Subfile Number		
PRIMARYSBICODE	string	Primary SBI Code		
PRIMARYSBICODETEXT	string	Primary SBI Description		
REGISTERLETTER	string			
SECONDARYSBICODE1	string	Secondary SBI Code		
SECONDARYSBICODE1TEXT	string	Secondary SBI Description		
SECONDARYSBICODE2	string	Secondary SBI 2 Code		
SECONDARYSBICODE2TEXT	string	Secondary SBI 2 Description		
SUBDOSSIERNO	string	Subfile Number		
TELEPHONENO	string	Telephone Number		
TRADENAME45	string	Tradename (45 characters)		
TRADENAMEFULL	string	Full Tradename		

3.1.42 businessGetEstablishmentNumber

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: businessGetEstablishmentNumber

Base

XPath: `/s:Envelope/s:Body/tns:businessGetEstablishmentNumberResponse/tns:out`

Filters on API Server: `dossierno- subdossierno`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `businessGetEstablishmentNumber`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
dossierno	string	<input type="checkbox"/>		
subdossierno	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `businessGetEstablishmentNumber` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
OUT	string			

3.1.43 businessGetSBIDescription

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `businessGetSBIDescription`

Base

XPath: `/s:Envelope/s:Body/tns:businessGetSBIDescriptionResponse/tns:out`

Filters on API Server: `sbicode`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `businessGetSBIDescription`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
<code>sbicode</code>	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `businessGetSBIDescription` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
<code>SBICODES_ITEM_DESCRIPTION</code>	string			
<code>SBICODES_ITEM_SBICODE</code>	string			
<code>SECTION_DESCRIPTION</code>	string	Section Description		
<code>SECTION_SECTIONCODE</code>	string	Section Section Code		

3.1.44 `businessSBIToBIK`

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: businessSBIToBIK

Base

XPath: /s:Envelope/s:Body/tns:businessSBIToBIKResponse/tns:out/tns:item

Filters on API Server: sbicode

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `businessSBIToBIK`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
sbicode	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `businessSBIToBIK` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
BIKCODE	string	BIK Code		
DESCRIPTION	string	Description		

3.1.45 businessSearchAddress

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: businessSearchAddress

Base

XPath: /s:Envelope/s:Body/tns:businessSearchAddressResponse/tns:out/tns:results/tns:item

Filters on API Server: streetname- houseno- housenoaddition- cityname- page

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `businessSearchAddress`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
cityname	string	<input type="checkbox"/>		
houzeno	int32	<input type="checkbox"/>		
houzenoaddition	string	<input type="checkbox"/>		
page	int32	<input type="checkbox"/>		
streetname	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `businessSearchAddress` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
CITY	string	City		
DOSSIERNO	string	File Number		
STREETNAME	string	Street Name		
SUBDOSSIERNO	string	Subfile Number		
TRADENAME	string	Tradenname		

3.1.46 businessSearchDossierNumber

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: businessSearchDossierNumber

Base

XPath: /s:Envelope/s:Body/tns:businessSearchDossierNumberResponse/tns:out/tns:results/tns:item

Filters on API Server: dossiern- subdossiern- page

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `businessSearchDossierNumber`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
dossiern	string	<input type="checkbox"/>		
page	int32	<input type="checkbox"/>		
subdossiern	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `businessSearchDossierNumber` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
CITY	string	City		
DOSSIERN	string	File Number		
STREETNAME	string	Street Name		
SUBDOSSIERN	string	Subfile Number		
TRADENAME	string	Tradename		

3.1.47 businessSearchName

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: businessSearchName

Base

XPath: /s:Envelope/s:Body/tns:businessSearchNameResponse/tns:out/tns:results/tns:item

Filters on API Server: tradename- page

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `businessSearchName`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
page	int32	<input type="checkbox"/>		
tradename	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `businessSearchName` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
CITY	string	City		
DOSSIERNO	string	File Number		
STREETNAME	string	Street Name		
SUBDOSSIERNO	string	Subfile Number		
TRADENAME	string	Tradename		

3.1.48 businessSearchParameters

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: businessSearchParameters

Base

XPath: /s:Envelope/s:Body/tns:businessSearchParametersResponse/tns:output/tns:results/tns:item

Filters on API Server: tradename- cityname- streetname- nbcode- lettercomb- houseno- housenoaddition- telephono- page

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `businessSearchParameters`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
cityname	string	<input type="checkbox"/>		
houseno	int32	<input type="checkbox"/>		
housenoaddition	string	<input type="checkbox"/>		
lettercomb	string	<input type="checkbox"/>		
nbcode	string	<input type="checkbox"/>		
page	int32	<input type="checkbox"/>		
streetname	string	<input type="checkbox"/>		
telephono	string	<input type="checkbox"/>		
tradename	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `businessSearchParameters` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
CITY	string	City		
DOSSIERNO	string	File Number		
STREETNAME	string	Street Name		
SUBDOSSIERNO	string	Subfile Number		
TRADENAME	string	Tradename		

3.1.49 businessSearchParametersV2

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: businessSearchParametersV2

Base

XPath: `/s:Envelope/s:Body/tns:businessSearchParametersV2Response/tns:out/tns:results/tns:item`

Filters on API Server: tradename- cityname- streetname- postcode- houseno- housenoaddition- telephonenumber- page

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `businessSearchParametersV2`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
cityname	string	<input type="checkbox"/>		
houseno	int32	<input type="checkbox"/>		
housenoaddition	string	<input type="checkbox"/>		
page	int32	<input type="checkbox"/>		
postcode	string	<input type="checkbox"/>		
streetname	string	<input type="checkbox"/>		
telephonenumber	string	<input type="checkbox"/>		
tradename	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `businessSearchParametersV2` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
CORRESPONDENCECITY	string	Correspondence City		

Name	Data Type	Label	Required	Documentation
CORRESPONDENCESTREETNAME	string	Correspondence Street Name		
DOSSIERNO	string	File Number		
ESTABLISHMENTCITY	string	Establishment City		
ESTABLISHMENTSTREETNAME	string	Establishment Street Name		
SUBDOSSIERNO	string	Subfile Number		
TRADENAME	string	Tradename		

3.1.50 businessSearchParametersV3

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: businessSearchParametersV3

Base

XPath: `/s:Envelope/s:Body/tns:businessSearchParametersV3Response/tns:out/tns:results/tns:item`

Filters on API Server: tradename- cityname- streetname- postcode- houseno- housenoaddition- telephono- page

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `businessSearchParametersV3`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
cityname	string	<input type="checkbox"/>		
houseno	int32	<input type="checkbox"/>		
housenoaddition	string	<input type="checkbox"/>		
page	int32	<input type="checkbox"/>		
postcode	string	<input type="checkbox"/>		

Name	Data Type	Required	Default Value	Documentation
streetname	string	<input type="checkbox"/>		
telephonenumber	string	<input type="checkbox"/>		
tradename	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `businessSearchParametersV3` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
CORRESPONDENCECITY	string	Correspondence City		
CORRESPONDENCESTREETNAME	string	Correspondence Street Name		
DOSSIERNO	string	File Number		
ESTABLISHMENTCITY	string	Establishment City		
ESTABLISHMENTSTREETNAME	string	Establishment Street Name		
INDICATIONECONOMICALLYACTIVE	boolean	Indication Economically Active		
SUBDOSSIERNO	string	Subfile Number		
TRADENAME	string	Tradename		

3.1.51 businessSearchPostcode

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `businessSearchPostcode`

Base

XPath: `/s:Envelope/s:Body/tns:businessSearchPostcodeResponse/tns:out/tns:results/tns:item`

Filters on API Server: `nocode- lettercomb- houseno- housenoaddition- page`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `businessSearchPostcode`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four

parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
houzeno	int32	<input type="checkbox"/>		
houzenoaddition	string	<input type="checkbox"/>		
lettercomb	string	<input type="checkbox"/>		
nbcode	string	<input type="checkbox"/>		
page	int32	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `businessSearchPostcode` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
CITY	string	City		
DOSSIERNO	string	File Number		
STREETNAME	string	Street Name		
SUBDOSSIERNO	string	Subfile Number		
TRADENAME	string	Tradename		

3.1.52 businessSearchSelection

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `businessSearchSelection`

Base

XPath: `/s:Envelope/s:Body/tns:businessSearchSelectionResponse/tns:out/tns:results/tns:item`

Filters on API Server: `city_item- postcode_item- sbi_item- primary_sbi_only- legal_forms_item- employees_min- employees_max- economically_active- financial_status-changed_since- page`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `businessSearchSelection`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a

pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
changed_since	string	<input type="checkbox"/>		
city_item	string	<input type="checkbox"/>		
economically_active	string	<input type="checkbox"/>		
employees_max	int32	<input type="checkbox"/>		
employees_min	int32	<input type="checkbox"/>		
financial_status	string	<input type="checkbox"/>		
legal_forms_item	int32	<input type="checkbox"/>		
page	int32	<input type="checkbox"/>		
postcode_item	string	<input type="checkbox"/>		
primary_sbi_only	boolean	<input type="checkbox"/>		
sbi_item	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `businessSearchSelection` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
CITY	string	City		
DOSSIERNO	string	File Number		
STREETNAME	string	Street Name		
SUBDOSSIERNO	string	Subfile Number		
TRADENAME	string	Tradename		

3.1.53 businessSearchSelectionV2

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: businessSearchSelectionV2

Base

XPath: /s:Envelope/s:Body/tns:businessSearchSelectionV2Response/tns:out/tns:results/tns:item

Filters on API Server: city_item- postcode_item- sbi_item- primary_sbi_only- legal_forms_item- employees_min- employees_max- economically_active- financial_status- changed_since- new_since- page

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `businessSearchSelectionV2`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
changed_since	string	<input type="checkbox"/>		
city_item	string	<input type="checkbox"/>		
economically_active	string	<input type="checkbox"/>		
employees_max	int32	<input type="checkbox"/>		
employees_min	int32	<input type="checkbox"/>		
financial_status	string	<input type="checkbox"/>		
legal_forms_item	int32	<input type="checkbox"/>		
new_since	string	<input type="checkbox"/>		
page	int32	<input type="checkbox"/>		
postcode_item	string	<input type="checkbox"/>		
primary_sbi_only	boolean	<input type="checkbox"/>		
sbi_item	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `businessSearchSelectionV2` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
CITY	string	City		
DOSSIERNO	string	File Number		
STREETNAME	string	Street Name		
SUBDOSSIERNO	string	Subfile Number		

Name	Data Type	Label	Required	Documentation
TRADENAME	string	Tradename		

3.1.54 businessUpdateAddDossier

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: businessUpdateAddDossier

Base XPath: `/s:Envelope/s:Body/tns:businessUpdateAddDossierResponse`

Filters on API Server: `dossierno- subdossierno`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `businessUpdateAddDossier`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
dossierno	string	<input type="checkbox"/>		
subdossierno	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `businessUpdateAddDossier` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
BUSINESSUPDATEADDOSSIERRESPONSE	string			

3.1.55 businessUpdateCheckDossier

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: businessUpdateCheckDossier

Base

XPath: `/s:Envelope/s:Body/tns:businessUpdateCheckDossierResponse/tns:out`

Filters on API Server: `dossierno- subdossierno- update_types_item`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `businessUpdateCheckDossier`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
dossierno	string	<input type="checkbox"/>		
subdossierno	string	<input type="checkbox"/>		
update_types_item	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `businessUpdateCheckDossier` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
DATELASTUPDATE	datetime	Last Update		
DOSSIerno	string	File Number		
SUBDOSSIerno	string	Subfile Number		
UPDATETYPES_ITEM	string			

3.1.56 businessUpdateGetChangedDossiers

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: businessUpdateGetChangedDossiers

Base

XPath: `/s:Envelope/s:Body/tns:businessUpdateGetChangedDossiersResponse/tns:out/tns:results/tns:item`

Filters on API Server: `changed_since- update_types_item- page`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `businessUpdateGetChangedDossiers`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
<code>changed_since</code>	datetime	<input type="checkbox"/>		
<code>page</code>	int32	<input type="checkbox"/>		
<code>update_types_item</code>	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `businessUpdateGetChangedDossiers` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
<code>DATELASTUPDATE</code>	datetime	Last Update		
<code>DOSSIERNO</code>	string	File Number		
<code>SUBDOSSIERNO</code>	string	Subfile Number		
<code>UPDATETYPES_ITEM</code>	string			

3.1.57 businessUpdateGetDossiers

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: businessUpdateGetDossiers

Base

XPath: `/s:Envelope/s:Body/tns:businessUpdateGetDossiersResponse/tns:out/tns:results/tns:item`

Filters on API Server: `update_types_item- page`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `businessUpdateGetDossiers`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
page	int32	<input type="checkbox"/>		
update_types_item	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `businessUpdateGetDossiers` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
DATELASTUPDATE	datetime	Last Update		
DOSSIERNO	string	File Number		
SUBDOSSIERNO	string	Subfile Number		
UPDATETYPES_ITEM	string			

3.1.58 businessUpdateRemoveDossier

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: businessUpdateRemoveDossier

Base

XPath: `/s:Envelope/s:Body/tns:businessUpdateRemoveDossierResponse`

Filters on API Server: `dossierno- subdossierno`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `businessUpdateRemoveDossier`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
dossierno	string	<input type="checkbox"/>		
subdossierno	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `businessUpdateRemoveDossier` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
BUSINESSUPDATEREMOVEDOSSIERRESPONSE	string			

3.1.59 carATDPrice

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `carATDPrice`

Base XPath: `/s:Envelope/s:Body/tns:carATDPriceResponse/tns:out`

Filters on API Server: `license_plate`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `carATDPrice`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
<code>license_plate</code>	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `carATDPrice` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
<code>BRAND</code>	string	Brand		
<code>MODEL</code>	string	Model		
<code>TYPE</code>	string	Type		
<code>VALUATIONS_ITEM_PRICE_EXCHANGE</code>	int32			
<code>VALUATIONS_ITEM_PRICE_RETAIL</code>	int32			
<code>VALUATIONS_ITEM_PRICE_TRADE</code>	int32			
<code>VALUATIONS_ITEM_TYPE_ID</code>	int32			
<code>VALUATIONS_ITEM_TYPE_NAMES</code>	string			

3.1.60 `carRDWCarCheckCode`

Catalog: `CompanyInfo`

Schema: `CompanyInfo`

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `carRDWCarCheckCode`

Base XPath: `/s:Envelope/s:Body/tns:carRDWCarCheckCodeResponse/tns:out`

Filters on API Server: `license_plate- code`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `carRDWCarCheckCode`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
<code>code</code>	string	<input type="checkbox"/>		
<code>license_plate</code>	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `carRDWCarCheckCode` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ACTIVE	boolean	Active		
CORRECT	boolean	Correct		
LICENSE_PLATE	string	License Plate		

3.1.61 carRDWCarData

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `carRDWCarData`

Base XPath: /s:Envelope/s:Body/tns:carRDWCarDataResponse/tns:out

Filters on API Server: license_plate

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `carRDWCarData`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
license_plate	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `carRDWCarData` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
APK_DUE_DATE	string	APK Due Date		
BRAND	string	Brand		
CATEGORY	string	Category		
COLORS	string	Colors		
CYLINDER_CAPACITY	int32	Cylinder Capacity		
CYLINDERS	int32	Cylinders		
DATE_FIRST_ADMISSION	string	First Admission		
DATE_FIRST_ISSUING	string	Date First Issuing		
DATE_LATEST_NAME_REGISTRATION	string	Date Latest Name Registration		
FUEL_TYPE	string	Fuel Type		
GROSS_VEHICLE_MASS	int32	Gross Vehicle Mass		
LICENSE_PLATE	string	License Plate		
MASS_READY	int32	Mass Ready		
MAXIMUM_MASS_AXLE_BRAKED	int32	Maximum Mass Axle Braked		
MAXIMUM_MASS_BRAKED	int32	Maximum Mass Braked		
MAXIMUM_MASS_PAYLOAD	int32			

Name	Data Type	Label	Required	Documentation
MAXIMUM_MASS_SELF_BRAKED	int32			
MAXIMUM_MASS_TRAILER_BRAKED	int32			
MAXIMUM_MASS_UNBRAKED	int32			
MODEL	string	Model		
SEATS	int32	Number of Seats		
STANDING_ROOM	int32	Standing Room		
UNLADEN_MASS	int32	Unladen Mass		

3.1.62 carRDWCarDataBP

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: carRDWCarDataBP

Base XPath: `/s:Envelope/s:Body/tns:carRDWCarDataBPResponse/tns:out`

Filters on API Server: `license_plate`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `carRDWCarDataBP`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
<code>license_plate</code>	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `carRDWCarDataBP` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
APK_DUE_DATE	string	APK Due Date		
BPM	int32	BPM Amount		
BRAND	string	Brand		
CATEGORY	string	Category		
COLORS	string	Colors		
CYLINDER_CAPACITY	int32	Cylinder Capacity		
CYLINDERS	int32	Cylinders		
DATE_FIRST_ADMISSION	string	First Admission		
DATE_FIRST_ISSUING	string	Date First Issuing		
DATE_LATEST_NAME_REGISTRATION	string	Date Latest Name Registration		
FUEL_TYPE	string	Fuel Type		
GROSS_VEHICLE_MASS	int32	Gross Vehicle Mass		
LICENSE_PLATE	string	License Plate		
MASS_READY	int32	Mass Ready		
MAXIMUM_MASS_AXLE_BRAKED	int32	Maximum Mass Axle Braked		
MAXIMUM_MASS_BRAKED	int32	Maximum Mass Braked		
MAXIMUM_MASS_PAYLOAD	int32			
MAXIMUM_MASS_SELF_BRAKED	int32			
MAXIMUM_MASS_TRAILER_BRAKED	int32			
MAXIMUM_MASS_UNBRAKED	int32			
MODEL	string	Model		
POWER	int32	Power		
SEATS	int32	Number of Seats		
STANDING_ROOM	int32	Standing Room		
UNLADEN_MASS	int32	Unladen Mass		

3.1.63 carRDWCarDataBPV2

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: carRDWCarDataBPV2

Base XPath: `/s:Envelope/s:Body/tns:carRDWCarDataBPV2Response/tns:out`

Filters on API Server: `license_plate`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `carRDWCarDataBPV2`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
license_plate	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `carRDWCarDataBPV2` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
CAR_DATA_APK_DUE_DATE	string	APK Due Date		
CAR_DATA_BPM	int32	BPM Amount		
CAR_DATA_BRAND	string	Brand		
CAR_DATA_CATEGORY	string	Category		
CAR_DATA_COLORS	string	Colors		
CAR_DATA_CYLINDER_CAPACITY	int32	Cylinder Capacity		
CAR_DATA_CYLINDERS	int32	Cylinders		
CAR_DATA_DATE_FIRST_ADMISSION	string	First Admission		
CAR_DATA_DATE_FIRST_ISSUING	string	Date First Issuing		
CAR_DATA_DATE_LATEST_NAME_REGISTRATION	string	Date Latest Name Registration		
CAR_DATA_FUEL_TYPE	string	Fuel Type		
CAR_DATA_GROSS_VEHICLE_MASS	int32	Gross Vehicle Mass		
CAR_DATA_LICENSE_PLATE	string	License Plate		
CAR_DATA_MASS_READY	int32	Mass Ready		
CAR_DATA_MAXIMUM_MASS_AXLE_BRAKED	int32	Maximum Mass Axle Braked		
CAR_DATA_MAXIMUM_MASS_BRAKED	int32	Maximum Mass Braked		
CAR_DATA_MAXIMUM_MASS_PAYLOAD	int32			

Name	Data Type	Label	Required	Documentation
CAR_DATA_MAXIMUM_MASS_SELF_BRAKED	int32			
CAR_DATA_MAXIMUM_MASS_TRAILER_BRAKED	int32			
CAR_DATA_MAXIMUM_MASS_UNBRAKED	int32			
CAR_DATA_MODEL	string	Model		
CAR_DATA_POWER	int32	Power		
CAR_DATA_SEATS	int32	Number of Seats		
CAR_DATA_STANDING_ROOM	int32	Standing Room		
CAR_DATA_UNLADEN_MASS	int32	Unladen Mass		
TYPES_ITEM_BRAND	string	Item Brand		
TYPES_ITEM_CAR_ID	string	Item Car ID		
TYPES_ITEM_FIRST_YEAR	int32			
TYPES_ITEM_GEARBOX	string	Item Gearbox		
TYPES_ITEM_LAST_YEAR	int32	Item Last Year		
TYPES_ITEM_MODEL	string	Item Model		
TYPES_ITEM_TYPE	string	Item Type		

3.1.64 carRDWCarDataExtended

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: carRDWCarDataExtended

Base

XPath: `/s:Envelope/s:Body/tns:carRDWCarDataExtendedResponse/tns:out`

Filters on API Server: `license_plate- code`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `carRDWCarDataExtended`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the

default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
code	string	<input type="checkbox"/>		
license_plate	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `carRDWCarDataExtended` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
APK_DUE_DATE	string	APK Due Date		
AWAITING_INSPECTION	boolean	Awaiting Inspection		
BODY_STYLE	string	Body Style		
BPM	int32	BPM Amount		
BRAND_CODE	string	Brand Code		
BRAND	string	Brand		
CATALOG_PRICE	string	Catalog Price		
CATEGORY	string	Category		
CHECK_CODE_STATUS	boolean	Check Code Status		
CO2_EMISSION_COMBINED	string			
CODE	string	Code		
COLORS_ITEM	string	Colors Item		
CYLINDER_CAPACITY	int32	Cylinder Capacity		
CYLINDERS	int32	Cylinders		
DATE_FIRST_ADMISSION	string	First Admission		
DATE_FIRST_ISSUING	string	Date First Issuing		
DATE_LATEST_NAME_REGISTRATION	string	Date Latest Name Registration		
EMISSION_CODE	string	Emission Code		
ENERGY_LABEL	string	Energy Label		
EUROPEAN_TYPE_APPROVAL_MARK	string			
FUEL_CONSUMPTION_CITY	string	Fuel Consumption City		
FUEL_CONSUMPTION_COMBINED	string	Fuel Consumption Combined		
FUEL_CONSUMPTION_FREEWAY	string	Fuel Consumption Freeway		
FUEL_TYPES_ITEM	string			
G3_INDICATOR	string	G3 Indicator		
GROSS_VEHICLE_MASS	int32	Gross Vehicle Mass		
INSURED	boolean	Insured		
LICENSE_PLATE_SIGNAL	boolean	License Plate Signal		

Name	Data Type	Label	Required	Documentation
LICENSE_PLATE	string	License Plate		
MASS_READY	int32	Mass Ready		
MAXIMUM_MASS_AXLE_BRAKED	int32	Maximum Mass Axle Braked		
MAXIMUM_MASS_BRAKED	int32	Maximum Mass Braked		
MAXIMUM_MASS_PAYLOAD	int32			
MAXIMUM_MASS_SELF_BRAKED	int32			
MAXIMUM_MASS_TRAILER_BRAKED	int32			
MAXIMUM_MASS_UNBRAKED	int32			
MODEL_ITEM	string	Model Item		
PARTICULATE_FILTER	string			
POWER	int32	Power		
SEATS	int32	Number of Seats		
STANDING_ROOM	int32	Standing Room		
STOLEN	boolean	Stolen		
TOP_SPEED	int32	Top Speed		
TYPES_ITEM_BRAND	string	Item Brand		
TYPES_ITEM_CAR_ID	string	Item Car ID		
TYPES_ITEM_FIRST_YEAR	int32			
TYPES_ITEM_GEARBOX	string	Item Gearbox		
TYPES_ITEM_LAST_YEAR	int32	Item Last Year		
TYPES_ITEM_MODEL	string	Item Model		
TYPES_ITEM_TYPE	string	Item Type		
UNLADEN_MASS	int32	Unladen Mass		

3.1.65 carRDWCarDataOptions

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: carRDWCarDataOptions

Base

XPath: `/s:Envelope/s:Body/tns:carRDWCarDataOptionsResponse/tns:out`

Filters on API Server: `car_id`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `carRDWCarDataOptions`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a

pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
car_id	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `carRDWCarDataOptions` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
AANDRIJVING	string			
AANTAL_CILINDERS	string			
AANTAL_VERSNELLINGEN	string			
ABS_PAKKET	int32			
ABS_PRIJS	int32			
ABS_STANDAARD_SINDS_DATUM	string(7)			
ABS_STANDAARD	boolean			
ACCELERATIE	string			
ACHTERRUITVERWARMING_PAKKET	int32			
ACHTERRUITVERWARMING_PRIJS	int32			
ACHTERRUITVERWARMING_STANDAARD_SINDS_DATUM	string(7)			
ACHTERRUITVERWARMING_STANDAARD	boolean			
AFSTANDBEDIENING_DEURVERGR ENDELING_PAKKET	int32			
AFSTANDBEDIENING_DEURVERGR ENDELING_PRIJS	int32			
AFSTANDBEDIENING_DEURVERGR ENDELING_STANDAARD_SINDS_DATUM	string(7)			
AFSTANDBEDIENING_DEURVERGR ENDELING_STANDAARD	boolean			
AIRBAG_BESTUURDER_PAKKET	int32			
AIRBAG_BESTUURDER_PRIJS	int32			

Name	Data Type	Label	Required	Documentation
AIRBAG_BESTUURDER_STANDAARD_SINDS_DATUM	string(7)			
AIRBAG_BESTUURDER_STANDAARD	boolean			
AIRBAG_HOOFDACHTER_PAKKET	int32			
AIRBAG_HOOFDACHTER_PRIJS	int32			
AIRBAG_HOOFDACHTER_STANDAARD_SINDS_DATUM	string(7)			
AIRBAG_HOOFDACHTER_STANDAARD	boolean			
AIRBAG_HOOFDVOOR_PAKKET	int32			
AIRBAG_HOOFDVOOR_PRIJS	int32			
AIRBAG_HOOFDVOOR_STANDAARD_SINDS_DATUM	string(7)			
AIRBAG_HOOFDVOOR_STANDAARD	boolean			
AIRBAG_OPZIJACHER_PAKKET	int32			
AIRBAG_OPZIJACHER_PRIJS	int32			
AIRBAG_OPZIJACHER_STANDAARD_SINDS_DATUM	string(7)			
AIRBAG_OPZIJACHER_STANDAARD	boolean			
AIRBAG_OPZIJVOOR_PAKKET	int32			
AIRBAG_OPZIJVOOR_PRIJS	int32			
AIRBAG_OPZIJVOOR_STANDAARD_SINDS_DATUM	string(7)			
AIRBAG_OPZIJVOOR_STANDAARD	boolean			
AIRBAG_PASSAGIER_PAKKET	int32			
AIRBAG_PASSAGIER_PRIJS	int32			
AIRBAG_PASSAGIER_STANDAARD_SINDS_DATUM	string(7)			
AIRBAG_PASSAGIER_STANDAARD	boolean			
AIRCONDITIONING_PAKKET	int32			
AIRCONDITIONING_PRIJS	int32			
AIRCONDITIONING_STANDAARD_SINDS_DATUM	string(7)			
AIRCONDITIONING_STANDAARD	boolean			
ALGEMENE_GARANTIE_KM	string			
ALGEMENE_GARANTIE	string			
AUDIOSTUURBEDIENING_PAKKET	int32			
AUDIOSTUURBEDIENING_PRIJS	int32			
AUDIOSTUURBEDIENING_STANDAARD_SINDS_DATUM	string(7)			

Name	Data Type	Label	Required	Documentation
AUDIOSTUURBEDIENING_STANDAARD	boolean			
AUTOMATISCH_INSCHAKELENDE_KOPLAMPEN_PAKKET	int32			
AUTOMATISCH_INSCHAKELENDE_KOPLAMPEN_PRIJS	int32			
AUTOMATISCH_INSCHAKELENDE_KOPLAMPEN_STANDAARD_SINDS_DATUM	string(7)			
AUTOMATISCH_INSCHAKELENDE_KOPLAMPEN_STANDAARD	boolean			
AUTOMATISCHE_VERGRENDELING_PAKKET	int32			
AUTOMATISCHE_VERGRENDELING_PRIJS	int32			
AUTOMATISCHE_VERGRENDELING_STANDAARD_SINDS_DATUM	string(7)			
AUTOMATISCHE_VERGRENDELING_STANDAARD	boolean			
BANDENMAAT_ACHTER	string			
BANDENMAAT_VOOR	string			
BANDENSPANNINGSSENSOR_PAKKET	int32			
BANDENSPANNINGSSENSOR_PRIJS	int32			
BANDENSPANNINGSSENSOR_STANDAARD_SINDS_DATUM	string(7)			
BANDENSPANNINGSSENSOR_STANDAARD	boolean			
BEKERHOUDER_ACHTER_PAKKET	int32			
BEKERHOUDER_ACHTER_PRIJS	int32			
BEKERHOUDER_ACHTER_STANDAARD_SINDS_DATUM	string(7)			
BEKERHOUDER_ACHTER_STANDAARD	boolean			
BEKERHOUDER_VOOR_PAKKET	int32			
BEKERHOUDER_VOOR_PRIJS	int32			
BEKERHOUDER_VOOR_STANDAARD_SINDS_DATUM	string(7)			
BEKERHOUDER_VOOR_STANDAARD	boolean			
BEKLEDINGSTOF_LEER_PAKKET	int32			
BEKLEDINGSTOF_LEER_PRIJS	int32			
BEKLEDINGSTOF_LEER_STANDAARD_SINDS_DATUM	string(7)			
BEKLEDINGSTOF_LEER_STANDAARD	boolean			
BELASTING_MAX	string			

Name	Data Type	Label	Required	Documentation
BELASTING_MIN	string			
BESCHERMSTRIPS_OPZIJ_PAKKET	int32			
BESCHERMSTRIPS_OPZIJ_PRIJS	int32			
BESCHERMSTRIPS_OPZIJ_STANDAARD_SINDS_DATUM	string(7)			
BESCHERMSTRIPS_OPZIJ_STANDAARD	boolean			
BINNENUIT_TE_OPENEN_BAGAGEKLEP_PAKKET	int32			
BINNENUIT_TE_OPENEN_BAGAGEKLEP_PRIJS	int32			
BINNENUIT_TE_OPENEN_BAGAGEKLEP_STANDAARD_SINDS_DATUM	string(7)			
BINNENUIT_TE_OPENEN_BAGAGEKLEP_STANDAARD	boolean			
BINNENUIT_TE_OPENEN_TANKKLEP_PAKKET	int32			
BINNENUIT_TE_OPENEN_TANKKLEP_PRIJS	int32			
BINNENUIT_TE_OPENEN_TANKKLEP_STANDAARD_SINDS_DATUM	string(7)			
BINNENUIT_TE_OPENEN_TANKKLEP_STANDAARD	boolean			
BINNENUIT_VERSTELBARE_BUITENSPIEGEL_PAKKET	int32			
BINNENUIT_VERSTELBARE_BUITENSPIEGEL_PRIJS	int32			
BINNENUIT_VERSTELBARE_BUITENSPIEGEL_STANDAARD_SINDS_DATUM	string(7)			
BINNENUIT_VERSTELBARE_BUITENSPIEGEL_STANDAARD	boolean			
BOARDCOMPUTER_PAKKET	int32			
BOARDCOMPUTER_PRIJS	int32			
BOARDCOMPUTER_STANDAARD_SINDS_DATUM	string(7)			
BOARDCOMPUTER_STANDAARD	boolean			
BORING	string			
BOUWWIJZE	string			
BRAKEASSIST_PAKKET	int32			
BRAKEASSIST_PRIJS	int32			
BRAKEASSIST_STANDAARD_SINDS_DATUM	string(7)			
BRAKEASSIST_STANDAARD	boolean			
BRANDSTOFSTEEEM	string			
BRANDSTOFTYPE	string			

Name	Data Type	Label	Required	Documentation
BREEDTE	string			
BUITENTEMPERATUURMETER_PAKKET	int32			
BUITENTEMPERATUURMETER_PRIJS	int32			
BUITENTEMPERATUURMETER_STANDAARD_SINDS_DATUM	string(7)			
BUITENTEMPERATUURMETER_STANDAARD	boolean			
BUMPERS_MEEGESPOTEN_PAKKET	int32			
BUMPERS_MEEGESPOTEN_PRIJS	int32			
BUMPERS_MEEGESPOTEN_STANDAARD_SINDS_DATUM	string(7)			
BUMPERS_MEEGESPOTEN_STANDAARD	boolean			
CAR_ID	string	Car ID		
CARROSSERIE_GARANTIE	string			
CARROSSERIETYPE	string			
CDSPELER_PAKKET	int32			
CDSPELER_PRIJS	int32			
CDSPELER_STANDAARD_SINDS_DATUM	string(7)			
CDSPELER_STANDAARD	boolean			
CDWISSELAAR_PAKKET	int32			
CDWISSELAAR_PRIJS	int32			
CDWISSELAAR_STANDAARD_SINDS_DATUM	string(7)			
CDWISSELAAR_STANDAARD	boolean			
CENTRALE_DEURVERGREDELING_PAKKET	int32			
CENTRALE_DEURVERGREDELING_PRIJS	int32			
CENTRALE_DEURVERGREDELING_STANDAARD_SINDS_DATUM	string(7)			
CENTRALE_DEURVERGREDELING_STANDAARD	boolean			
CILINDERINHOUD	string			
CO2 UITSTOOT	string			
COMPRESSIEVERHOUDING	string			
CRUISE_CONTROL_PAKKET	int32			
CRUISE_CONTROL_PRIJS	int32			
CRUISE_CONTROL_STANDAARD_SINDS_DATUM	string(7)			
CRUISE_CONTROL_STANDAARD	boolean			
CW_WAARDE	string			

Name	Data Type	Label	Required	Documentation
DA GTELLER_PAKKET	int32			
DA GTELLER_PRIJS	int32			
DA GTELLER_STANDAARD_SINDS_DATUM	string(7)			
DA GTELLER_STANDAARD	boolean			
DA KRAILS_PAKKET	int32			
DA KRAILS_PRIJS	int32			
DA KRAILS_STANDAARD_SINDS_DATUM	string(7)			
DA KRAILS_STANDAARD	boolean			
DERDE_DRIEPUNTSGORDEL_ACHTER_PAKKET	int32			
DERDE_DRIEPUNTSGORDEL_ACHTER_PRIJS	int32			
DERDE_DRIEPUNTSGORDEL_ACHTER_STANDAARD_SINDS_DATUM	string(7)			
DERDE_DRIEPUNTSGORDEL_ACHTER_STANDAARD	boolean			
DERDE_HOOFDSTEUN_ACHTER_PAKKET	int32			
DERDE_HOOFDSTEUN_ACHTER_PRIJS	int32			
DERDE_HOOFDSTEUN_ACHTER_STANDAARD_SINDS_DATUM	string(7)			
DERDE_HOOFDSTEUN_ACHTER_STANDAARD	boolean			
DEUREN	string			
DIEPTEVERSTELLING_STUUR_PAKKET	int32			
DIEPTEVERSTELLING_STUUR_PRIJS	int32			
DIEPTEVERSTELLING_STUUR_STANDAARD_SINDS_DATUM	string(7)			
DIEPTEVERSTELLING_STUUR_STANDAARD	boolean			
DIMMENDE_BINNENSPIEGEL_PAKKET	int32			
DIMMENDE_BINNENSPIEGEL_PRIJS	int32			
DIMMENDE_BINNENSPIEGEL_STANDAARD_SINDS_DATUM	string(7)			
DIMMENDE_BINNENSPIEGEL_STANDAARD	boolean			
DIMMENDE_BUITENSPIEGEL_PAKKET	int32			
DIMMENDE_BUITENSPIEGEL_PRIJS	int32			
DIMMENDE_BUITENSPIEGEL_STANDAARD_SINDS_DATUM	string(7)			

Name	Data Type	Label	Required	Documentation
DIMMENDE_BUITENSPIEGEL_STANDAARD	boolean			
DODEHOEKSPIEGEL_BESTUURDER_PAKKET	int32			
DODEHOEKSPIEGEL_BESTUURDER_PRIJS	int32			
DODEHOEKSPIEGEL_BESTUURDER_STANDAARD_SINDS_DATUM	string(7)			
DODEHOEKSPIEGEL_BESTUURDER_STANDAARD	boolean			
DRAAICIRKEL	string			
ELEKTRISCH_SCHUIFDAK_PAKKET	int32			
ELEKTRISCH_SCHUIFDAK_PRIJS	int32			
ELEKTRISCH_SCHUIFDAK_STANDAARD_SINDS_DATUM	string(7)			
ELEKTRISCH_SCHUIFDAK_STANDAARD	boolean			
ELEKTRISCHE_RAMEN_ACHTER_PAKKET	int32			
ELEKTRISCHE_RAMEN_ACHTER_PRIJS	int32			
ELEKTRISCHE_RAMEN_ACHTER_STANDAARD_SINDS_DATUM	string(7)			
ELEKTRISCHE_RAMEN_ACHTER_STANDAARD	boolean			
ELEKTRISCHE_RAMEN_VOOR_PAKKET	int32			
ELEKTRISCHE_RAMEN_VOOR_PRIJS	int32			
ELEKTRISCHE_RAMEN_VOOR_STANDAARD_SINDS_DATUM	string(7)			
ELEKTRISCHE_RAMEN_VOOR_STANDAARD	boolean			
ELEKTRISCHE_SPIEGELS_PAKKET	int32			
ELEKTRISCHE_SPIEGELS_PRIJS	int32			
ELEKTRISCHE_SPIEGELS_STANDAARD_SINDS_DATUM	string(7)			
ELEKTRISCHE_SPIEGELS_STANDAARD	boolean			
ELEKTRISCHE_STOELVERSTELLING_PAKKET	int32			
ELEKTRISCHE_STOELVERSTELLING_PRIJS	int32			
ELEKTRISCHE_STOELVERSTELLING_STANDAARD_SINDS_DATUM	string(7)			
ELEKTRISCHE_STOELVERSTELLING_STANDAARD	boolean			

Name	Data Type	Label	Required	Documentation
ELEKTRISCHE_STUURVERSTELLING_PAKKET	int32			
ELEKTRISCHE_STUURVERSTELLING_PRIJS	int32			
ELEKTRISCHE_STUURVERSTELLING_STANDAARD_SINDS_DATUM	string(7)			
ELEKTRISCHE_STUURVERSTELLING_STANDAARD	boolean			
GEHEUGEN_STOELVERSTELLING_PAKKET	int32			
GEHEUGEN_STOELVERSTELLING_PRIJS	int32			
GEHEUGEN_STOELVERSTELLING_STANDAARD_SINDS_DATUM	string(7)			
GEHEUGEN_STOELVERSTELLING_STANDAARD	boolean			
GELAAGDE_VOORRUIT_PAKKET	int32			
GELAAGDE_VOORRUIT_PRIJS	int32			
GELAAGDE_VOORRUIT_STANDAARD_SINDS_DATUM	string(7)			
GELAAGDE_VOORRUIT_STANDAARD	boolean			
GESCHIEDEN_TEMPERATUURREGELING_PAKKET	int32			
GESCHIEDEN_TEMPERATUURREGELING_PRIJS	int32			
GESCHIEDEN_TEMPERATUURREGELING_STANDAARD_SINDS_DATUM	string(7)			
GESCHIEDEN_TEMPERATUURREGELING_STANDAARD	boolean			
GETINTGLAS_PAKKET	int32			
GETINTGLAS_PRIJS	int32			
GETINTGLAS_STANDAARD_SINDS_DATUM	string(7)			
GETINTGLAS_STANDAARD	boolean			
GORDELSPANNERS_PAKKET	int32			
GORDELSPANNERS_PRIJS	int32			
GORDELSPANNERS_STANDAARD_SINDS_DATUM	string(7)			
GORDELSPANNERS_STANDAARD	boolean			
HALOGEEN_KOPLAMPEN_PAKKET	int32			
HALOGEEN_KOPLAMPEN_PRIJS	int32			
HALOGEEN_KOPLAMPEN_STANDAARD_SINDS_DATUM	string(7)			
HALOGEEN_KOPLAMPEN_STANDAARD	boolean			

Name	Data Type	Label	Required	Documentation
HOOFDSTEUNEN_ACHTER_PAKKET	int32			
HOOFDSTEUNEN_ACHTER_PRIJS	int32			
HOOFDSTEUNEN_ACHTER_STANDAARD_SINDS_DATUM	string(7)			
HOOFDSTEUNEN_ACHTER_STANDAARD	boolean			
HOOFDSTEUNEN_VOOR_PAKKET	int32			
HOOFDSTEUNEN_VOOR_PRIJS	int32			
HOOFDSTEUNEN_VOOR_STANDAARD_SINDS_DATUM	string(7)			
HOOFDSTEUNEN_VOOR_STANDAARD	boolean			
HOOGTE	string			
HOOGTEVERSTELLING_BESTUURDER_PAKKET	int32			
HOOGTEVERSTELLING_BESTUURDER_PRIJS	int32			
HOOGTEVERSTELLING_BESTUURDER_STANDAARD_SINDS_DATUM	string(7)			
HOOGTEVERSTELLING_BESTUURDER_STANDAARD	boolean			
HOOGTEVERSTELLING_PASSAGIER_PAKKET	int32			
HOOGTEVERSTELLING_PASSAGIER_PRIJS	int32			
HOOGTEVERSTELLING_PASSAGIER_STANDAARD_SINDS_DATUM	string(7)			
HOOGTEVERSTELLING_PASSAGIER_STANDAARD	boolean			
HOOGTEVERSTELLING_STUUR_PAKKET	int32			
HOOGTEVERSTELLING_STUUR_PRIJS	int32			
HOOGTEVERSTELLING_STUUR_STANDAARD_SINDS_DATUM	string(7)			
HOOGTEVERSTELLING_STUUR_STANDAARD	boolean			
IN_DELEN_NEERKLAPBAAR_ACHTERBANK_PAKKET	int32			
IN_DELEN_NEERKLAPBAAR_ACHTERBANK_PRIJS	int32			
IN_DELEN_NEERKLAPBAAR_ACHTERBANK_STANDAARD_SINDS_DATUM	string(7)			
IN_DELEN_NEERKLAPBAAR_ACHTERBANK_STANDAARD	boolean			
INBRAAKALARM_PAKKET	int32			
INBRAAKALARM_PRIJS	int32			

Name	Data Type	Label	Required	Documentation
INBRAAKALARM_STANDAARD_SINDS_DATUM	string(7)			
INBRAAKALARM_STANDAARD	boolean			
INKLAPBARE_SPIEGELS_PAKKET	int32			
INKLAPBARE_SPIEGELS_PRIJS	int32			
INKLAPBARE_SPIEGELS_STANDAARD_SINDS_DATUM	string(7)			
INKLAPBARE_SPIEGELS_STANDAARD	boolean			
INTERVALRUITENWISSER_PAKKET	int32			
INTERVALRUITENWISSER_PRIJS	int32			
INTERVALRUITENWISSER_STANDAARD_SINDS_DATUM	string(7)			
INTERVALRUITENWISSER_STANDAARD	boolean			
KATALYSATOR	string			
KEYLESS_ENTRY_PAKKET	int32			
KEYLESS_ENTRY_PRIJS	int32			
KEYLESS_ENTRY_STANDAARD_SINDS_DATUM	string(7)			
KEYLESS_ENTRY_STANDAARD	boolean			
KLEPBEDIENING	string			
KLEPPEN_PER_CILINDER	string			
KLIMAA TREGELING_PAKKET	int32			
KLIMAA TREGELING_PRIJS	int32			
KLIMAA TREGELING_STANDAARD_SINDS_DATUM	string(7)			
KLIMAA TREGELING_STANDAARD	boolean			
KLOKJE_PAKKET	int32			
KLOKJE_PRIJS	int32			
KLOKJE_STANDAARD_SINDS_DATUM	string(7)			
KLOKJE_STANDAARD	boolean			
KOFFER_MAX	string			
KOFFER_MIN	string			
KOPLAMPSPROEIERS_PAKKET	int32			
KOPLAMPSPROEIERS_PRIJS	int32			
KOPLAMPSPROEIERS_STANDAARD_SINDS_DATUM	string(7)			
KOPLAMPSPROEIERS_STANDAARD	boolean			
KOPPEL_TPM	string			
KOPPEL	string			
LEER_BEKLEED_STUUR_PAKKET	int32			

Name	Data Type	Label	Required	Documentation
LEER_BEKLEED_STUUR_PRIJS	int32			
LEER_BEKLEED_STUUR_STANDAARD_SINDS_DATUM	string(7)			
LEER_BEKLEED_STUUR_STANDAARD	boolean			
LEESLAMPJE_ACHTER_PAKKET	int32			
LEESLAMPJE_ACHTER_PRIJS	int32			
LEESLAMPJE_ACHTER_STANDAARD_SINDS_DATUM	string(7)			
LEESLAMPJE_ACHTER_STANDAARD	boolean			
LEESLAMPJE_VOOR_PAKKET	int32			
LEESLAMPJE_VOOR_PRIJS	int32			
LEESLAMPJE_VOOR_STANDAARD_SINDS_DATUM	string(7)			
LEESLAMPJE_VOOR_STANDAARD	boolean			
LENGTE	string			
LERENBEKLEDING_PAKKET	int32			
LERENBEKLEDING_PRIJS	int32			
LERENBEKLEDING_STANDAARD_SINDS_DATUM	string(7)			
LERENBEKLEDING_STANDAARD	boolean			
LICHTMETALEN_VELGEN_PAKKET	int32			
LICHTMETALEN_VELGEN_PRIJS	int32			
LICHTMETALEN_VELGEN_STANDAARD_SINDS_DATUM	string(7)			
LICHTMETALEN_VELGEN_STANDAARD	boolean			
LUIDSPREKERS_PAKKET	int32			
LUIDSPREKERS_PRIJS	int32			
LUIDSPREKERS_STANDAARD_SINDS_DATUM	string(7)			
LUIDSPREKERS_STANDAARD	boolean			
MASSA	string			
MAX_AANHANGER_GEREMD	string			
MAX_AANHANGER_ONGEREMD	string			
MAX_DAKBELASTING	string			
MAX_KOGELDRUK	string			
MAX_TOELAATBARE_MASSA	string			
MEEGESPOTEN_SPIEGELS_PAKKET	int32			
MEEGESPOTEN_SPIEGELS_PRIJS	int32			
MEEGESPOTEN_SPIEGELS_STANDAARD_SINDS_DATUM	string(7)			

Name	Data Type	Label	Required	Documentation
MEEGESPOTEN_SPIEGELS_STANDAARD	boolean			
MERK	string			
METALLIC_LAK_PAKKET	int32			
METALLIC_LAK_PRIJS	int32			
METALLIC_LAK_STANDAARD_SINDS_DATUM	string(7)			
METALLIC_LAK_STANDAARD	boolean			
MIDDENARMSTEUN_ACHTER_PAKKET	int32			
MIDDENARMSTEUN_ACHTER_PRIJS	int32			
MIDDENARMSTEUN_ACHTER_STANDAARD_SINDS_DATUM	string(7)			
MIDDENARMSTEUN_ACHTER_STANDAARD	boolean			
MIDDENARMSTEUN_VOOR_PAKKET	int32			
MIDDENARMSTEUN_VOOR_PRIJS	int32			
MIDDENARMSTEUN_VOOR_STANDAARD_SINDS_DATUM	string(7)			
MIDDENARMSTEUN_VOOR_STANDAARD	boolean			
MISTLAMPEN_ACHTER_PAKKET	int32			
MISTLAMPEN_ACHTER_PRIJS	int32			
MISTLAMPEN_ACHTER_STANDAARD_SINDS_DATUM	string(7)			
MISTLAMPEN_ACHTER_STANDAARD	boolean			
MISTLAMPEN_VOOR_PAKKET	int32			
MISTLAMPEN_VOOR_PRIJS	int32			
MISTLAMPEN_VOOR_STANDAARD_SINDS_DATUM	string(7)			
MISTLAMPEN_VOOR_STANDAARD	boolean			
MODEL_JAAR_TOT	int32			
MODEL_JAAR_VAN	int32			
MODEL_MAAND_TOT	int32			
MODEL_MAAND_VAN	int32			
MODEL	string	Model		
NAVIGATIESYSTEEM_PAKKET	int32			
NAVIGATIESYSTEEM_PRIJS	int32			
NAVIGATIESYSTEEM_STANDAARD_SINDS_DATUM	string(7)			
NAVIGATIESYSTEEM_STANDAARD	boolean			

Name	Data Type	Label	Required	Documentation
NEERKLAPBARE_ACHTERBANK_PAKKET	int32			
NEERKLAPBARE_ACHTERBANK_PRIJS	int32			
NEERKLAPBARE_ACHTERBANK_STANDAARD_SINDS_DATUM	string(7)			
NEERKLAPBARE_ACHTERBANK_STANDAARD	boolean			
NIVEAUREGELING_PAKKET	int32			
NIVEAUREGELING_PRIJS	int32			
NIVEAUREGELING_STANDAARD_SINDS_DATUM	string(7)			
NIVEAUREGELING_STANDAARD	boolean			
OLIEDRUKMETER_PAKKET	int32			
OLIEDRUKMETER_PRIJS	int32			
OLIEDRUKMETER_STANDAARD_SINDS_DATUM	string(7)			
OLIEDRUKMETER_STANDAARD	boolean			
OLIEPEILMETER_PAKKET	int32			
OLIEPEILMETER_PRIJS	int32			
OLIEPEILMETER_STANDAARD_SINDS_DATUM	string(7)			
OLIEPEILMETER_STANDAARD	boolean			
OLIETEMPERATUURMETER_PAKKET	int32			
OLIETEMPERATUURMETER_PRIJS	int32			
OLIETEMPERATUURMETER_STANDAARD_SINDS_DATUM	string(7)			
OLIETEMPERATUURMETER_STANDAARD	boolean			
OP_AFSTAND_TE_OPENEN_BAGAGEKLEP_PAKKET	int32			
OP_AFSTAND_TE_OPENEN_BAGAGEKLEP_PRIJS	int32			
OP_AFSTAND_TE_OPENEN_BAGAGEKLEP_STANDAARD_SINDS_DATUM	string(7)			
OP_AFSTAND_TE_OPENEN_BAGAGEKLEP_STANDAARD	boolean			
OPBERGVAK_LINKERPORTIER_PAKKET	int32			
OPBERGVAK_LINKERPORTIER_PRIJS	int32			
OPBERGVAK_LINKERPORTIER_STANDAARD_SINDS_DATUM	string(7)			
OPBERGVAK_LINKERPORTIER_STANDAARD	boolean			
PARKEERSENSOR_PAKKET	int32			

Name	Data Type	Label	Required	Documentation
PARKEERSENSOR_PRIJS	int32			
PARKEERSENSOR_STANDAARD_SINDS_DATUM	string(7)			
PARKEERSENSOR_STANDAARD	boolean			
POLLENFILTER_PAKKET	int32			
POLLENFILTER_PRIJS	int32			
POLLENFILTER_STANDAARD_SINDS_DATUM	string(7)			
POLLENFILTER_STANDAARD	boolean			
PORTIERVERLICHTING_PAKKET	int32			
PORTIERVERLICHTING_PRIJS	int32			
PORTIERVERLICHTING_STANDAARD_SINDS_DATUM	string(7)			
PORTIERVERLICHTING_STANDAARD	boolean			
RADAR_CRUISE_CONTROL_PAKKET	int32			
RADAR_CRUISE_CONTROL_PRIJS	int32			
RADAR_CRUISE_CONTROL_STANDAARD_SINDS_DATUM	string(7)			
RADAR_CRUISE_CONTROL_STANDAARD	boolean			
RECHTER_BUITENSPIEGEL_PAKKET	int32			
RECHTER_BUITENSPIEGEL_PRIJS	int32			
RECHTER_BUITENSPIEGEL_STANDAARD_SINDS_DATUM	string(7)			
RECHTER_BUITENSPIEGEL_STANDAARD	boolean			
REGELBARE_DASHBOARDVERLICHTING_PAKKET	int32			
REGELBARE_DASHBOARDVERLICHTING_PRIJS	int32			
REGELBARE_DASHBOARDVERLICHTING_STANDAARD_SINDS_DATUM	string(7)			
REGELBARE_DASHBOARDVERLICHTING_STANDAARD	boolean			
REGELBARE_INTERVAL_PAKKET	int32			
REGELBARE_INTERVAL_PRIJS	int32			
REGELBARE_INTERVAL_STANDAARD_SINDS_DATUM	string(7)			
REGELBARE_INTERVAL_STANDAARD	boolean			
REGELBARE_SCHOKDEMPING_PAKKET	int32			
REGELBARE_SCHOKDEMPING_PRIJS	int32			

Name	Data Type	Label	Required	Documentation
REGELBARE_SCHOKDEMPING_ST ANDAARD_SINDS_DATUM	string(7)			
REGELBARE_SCHOKDEMPING_ST ANDAARD	boolean			
REGENSENSOR_PAKKET	int32			
REGENSENSOR_PRIJS	int32			
REGENSENSOR_STANDAARD_SIN DS_DATUM	string(7)			
REGENSENSOR_STANDAARD	boolean			
REMKRACHTVERDELING_PAKKET	int32			
REMKRACHTVERDELING_PRIJS	int32			
REMKRACHTVERDELING_STANDA ARD_SINDS_DATUM	string(7)			
REMKRACHTVERDELING_STANDA ARD	boolean			
REMMEN_ACHTER_MM	string			
REMMEN_ACHTER	string			
REMMEN_VOOR_MM	string			
REMMEN_VOOR	string			
RUITENWISSER_ACHTER_PAKKET	int32			
RUITENWISSER_ACHTER_PRIJS	int32			
RUITENWISSER_ACHTER_STANDA ARD_SINDS_DATUM	string(7)			
RUITENWISSER_ACHTER_STANDA ARD	boolean			
SCHUIFDAK_PAKKET	int32			
SCHUIFDAK_PRIJS	int32			
SCHUIFDAK_STANDAARD_SINDS _DATUM	string(7)			
SCHUIFDAK_STANDAARD	boolean			
SERIE_JAAR_TOT	int32			
SERIE_JAAR_VAN	int32			
SERIE	string			
SLAG	string			
SOORT_SCHAKELING	string			
SPERDIFFERENTIEEL_PAKKET	int32			
SPERDIFFERENTIEEL_PRIJS	int32			
SPERDIFFERENTIEEL_STANDAARD _SINDS_DATUM	string(7)			
SPERDIFFERENTIEEL_STANDAARD	boolean			
SPOORBREEDTE_ACHTER	string			
SPOORBREEDTE_VOOR	string			
SPORTSTOELN_PAKKET	int32			
SPORTSTOELN_PRIJS	int32			

Name	Data Type	Label	Required	Documentation
SPORTSTOELN_STANDAARD_SINDS_DATUM	string(7)			
SPORTSTOELN_STANDAARD	boolean			
STABILISATOR_ACHTER	string			
STABILISATOR_VOOR	string			
STABILITEITSREGELING_PAKKET	int32			
STABILITEITSREGELING_PRIJS	int32			
STABILITEITSREGELING_STANDAARD_SINDS_DATUM	string(7)			
STABILITEITSREGELING_STANDAARD	boolean			
STARTONDERBREKER_PAKKET	int32			
STARTONDERBREKER_PRIJS	int32			
STARTONDERBREKER_STANDAARD_SINDS_DATUM	string(7)			
STARTONDERBREKER_STANDAARD	boolean			
STEREOINSTALLATIE_PAKKET	int32			
STEREOINSTALLATIE_PRIJS	int32			
STEREOINSTALLATIE_STANDAARD_SINDS_DATUM	string(7)			
STEREOINSTALLATIE_STANDAARD	boolean			
STUURBEKRACHTIGING_PAKKET	int32			
STUURBEKRACHTIGING_PRIJS	int32			
STUURBEKRACHTIGING_STANDAARD_SINDS_DATUM	string(7)			
STUURBEKRACHTIGING_STANDAARD	boolean			
STUURSCHAKELING_PAKKET	int32			
STUURSCHAKELING_PRIJS	int32			
STUURSCHAKELING_STANDAARD_SINDS_DATUM	string(7)			
STUURSCHAKELING_STANDAARD	boolean			
TANKINHOUD	string			
TELEFOON_PAKKET	int32			
TELEFOON_PRIJS	int32			
TELEFOON_STANDAARD_SINDS_DATUM	string(7)			
TELEFOON_STANDAARD	boolean			
TELEFOONVOORBEREIDING_PAKKET	int32			
TELEFOONVOORBEREIDING_PRIJS	int32			
TELEFOONVOORBEREIDING_STANDAARD_SINDS_DATUM	string(7)			

Name	Data Type	Label	Required	Documentation
TELEFOONVOORBEREIDING_STANDAARD	boolean			
TELEVISIE_PAKKET	int32			
TELEVISIE_PRIJS	int32			
TELEVISIE_STANDAARD_SINDS_DATUM	string(7)			
TELEVISIE_STANDAARD	boolean			
TEMPERATUURMETER_PAKKET	int32			
TEMPERATUURMETER_PRIJS	int32			
TEMPERATUURMETER_STANDAARD_SINDS_DATUM	string(7)			
TEMPERATUURMETER_STANDAARD	boolean			
TOERENTELLER_PAKKET	int32			
TOERENTELLER_PRIJS	int32			
TOERENTELLER_STANDAARD_SINDS_DATUM	string(7)			
TOERENTELLER_STANDAARD	boolean			
TOPSNELHEID	string			
TRACTIECONTOLE_PAKKET	int32			
TRACTIECONTOLE_PRIJS	int32			
TRACTIECONTOLE_STANDAARD_SINDS_DATUM	string(7)			
TRACTIECONTOLE_STANDAARD	boolean			
TURBO	string			
TURBODRUKMETER_PAKKET	int32			
TURBODRUKMETER_PRIJS	int32			
TURBODRUKMETER_STANDAARD_SINDS_DATUM	string(7)			
TURBODRUKMETER_STANDAARD	boolean			
VERBRUIK_BINNEN_BEBOUWDE_KOM	string			
VERBRUIK_BUITEN_BEBOUWDE_KOM	string			
VERBRUIK_GECOMBINEERD	string			
VERBRUIK_GEMIDDELD	string			
VERBRUIKSMETER_PAKKET	int32			
VERBRUIKSMETER_PRIJS	int32			
VERBRUIKSMETER_STANDAARD_SINDS_DATUM	string(7)			
VERBRUIKSMETER_STANDAARD	boolean			
VERING_ACHTER	string			
VERING_VOOR	string			
VERLICHT_DASHBOARDKASTJE_PAKKET	int32			

Name	Data Type	Label	Required	Documentation
VERLICHT_DASHBOARDKASTJE_PRIJS	int32			
VERLICHT_DASHBOARDKASTJE_STANDAARD_SINDS_DATUM	string(7)			
VERLICHT_DASHBOARDKASTJE_STANDAARD	boolean			
VERLICHTE_BAGAGERUIMTE_PAKKET	int32			
VERLICHTE_BAGAGERUIMTE_PRIJS	int32			
VERLICHTE_BAGAGERUIMTE_STANDAARD_SINDS_DATUM	string(7)			
VERLICHTE_BAGAGERUIMTE_STANDAARD	boolean			
VERLICHTE_MAKEUPSPIEGEL_PAKKET	int32			
VERLICHTE_MAKEUPSPIEGEL_PRIJS	int32			
VERLICHTE_MAKEUPSPIEGEL_STANDAARD_SINDS_DATUM	string(7)			
VERLICHTE_MAKEUPSPIEGEL_STANDAARD	boolean			
VERLICHTE_MOTORRUIMTE_PAKKET	int32			
VERLICHTE_MOTORRUIMTE_PRIJS	int32			
VERLICHTE_MOTORRUIMTE_STANDAARD_SINDS_DATUM	string(7)			
VERLICHTE_MOTORRUIMTE_STANDAARD	boolean			
VERMOGEN_KW	string			
VERMOGEN_PK	string			
VERMOGEN_TPM	string			
VERSTELBARE_GORDELHOOGTE_PAKKET	int32			
VERSTELBARE_GORDELHOOGTE_PRIJS	int32			
VERSTELBARE_GORDELHOOGTE_STANDAARD_SINDS_DATUM	string(7)			
VERSTELBARE_GORDELHOOGTE_STANDAARD	boolean			
VERSTELBARE_HOOFDSTEUNEN_ACHTER_PAKKET	int32			
VERSTELBARE_HOOFDSTEUNEN_ACHTER_PRIJS	int32			
VERSTELBARE_HOOFDSTEUNEN_ACHTER_STANDAARD_SINDS_DATUM	string(7)			
VERSTELBARE_HOOFDSTEUNEN_ACHTER_STANDAARD	boolean			

Name	Data Type	Label	Required	Documentation
VERSTELBARE_KOPLAMPEN_PAKKET	int32			
VERSTELBARE_KOPLAMPEN_PRIJS	int32			
VERSTELBARE_KOPLAMPEN_STANDAARD_SINDS_DATUM	string(7)			
VERSTELBARE_KOPLAMPEN_STANDAARD	boolean			
VERSTELBARE_LENDENSTEUN_BESTUURDER_PAKKET	int32			
VERSTELBARE_LENDENSTEUN_BESTUURDER_PRIJS	int32			
VERSTELBARE_LENDENSTEUN_BESTUURDER_STANDAARD_SINDS_DATUM	string(7)			
VERSTELBARE_LENDENSTEUN_BESTUURDER_STANDAARD	boolean			
VERSTELBARE_LENDENSTEUN_PASSAGIER_PAKKET	int32			
VERSTELBARE_LENDENSTEUN_PASSAGIER_PRIJS	int32			
VERSTELBARE_LENDENSTEUN_PASSAGIER_STANDAARD_SINDS_DATUM	string(7)			
VERSTELBARE_LENDENSTEUN_PASSAGIER_STANDAARD	boolean			
VERSTRALERS_PAKKET	int32			
VERSTRALERS_PRIJS	int32			
VERSTRALERS_STANDAARD_SINDS_DATUM	string(7)			
VERSTRALERS_STANDAARD	boolean			
VERTRAGING_INTERIEURVERLICHTING_PAKKET	int32			
VERTRAGING_INTERIEURVERLICHTING_PRIJS	int32			
VERTRAGING_INTERIEURVERLICHTING_STANDAARD_SINDS_DATUM	string(7)			
VERTRAGING_INTERIEURVERLICHTING_STANDAARD	boolean			
VERWARMDE_RUITENSPROEIERS_PAKKET	int32			
VERWARMDE_RUITENSPROEIERS_PRIJS	int32			
VERWARMDE_RUITENSPROEIERS_STANDAARD_SINDS_DATUM	string(7)			
VERWARMDE_RUITENSPROEIERS_STANDAARD	boolean			
VERWARMDE_SPIEGELS_PAKKET	int32			

Name	Data Type	Label	Required	Documentation
VERWARMDE_SPIEGELS_PRIJS	int32			
VERWARMDE_SPIEGELS_STANDAARD_SINDS_DATUM	string(7)			
VERWARMDE_SPIEGELS_STANDAARD	boolean			
VERWARMDE_ZITPLAATSEN_ACHTER_PAKKET	int32			
VERWARMDE_ZITPLAATSEN_ACHTER_PRIJS	int32			
VERWARMDE_ZITPLAATSEN_ACHTER_STANDAARD_SINDS_DATUM	string(7)			
VERWARMDE_ZITPLAATSEN_ACHTER_STANDAARD	boolean			
VERWARMDE_ZITPLAATSEN_VOOR_PAKKET	int32			
VERWARMDE_ZITPLAATSEN_VOOR_PRIJS	int32			
VERWARMDE_ZITPLAATSEN_VOOR_STANDAARD_SINDS_DATUM	string(7)			
VERWARMDE_ZITPLAATSEN_VOOR_STANDAARD	boolean			
VOLTMETER_PAKKET	int32			
VOLTMETER_PRIJS	int32			
VOLTMETER_STANDAARD_SINDS_DATUM	string(7)			
VOLTMETER_STANDAARD	boolean			
VOORRUITVERWARMING_PAKKET	int32			
VOORRUITVERWARMING_PRIJS	int32			
VOORRUITVERWARMING_STANDAARD_SINDS_DATUM	string(7)			
VOORRUITVERWARMING_STANDAARD	boolean			
WIELBASIS	string			
WIELOPHANGING_ACHTER	string			
WIELOPHANGING_VOOR	string			
XENON_KOPLAMPEN_PAKKET	int32			
XENON_KOPLAMPEN_PRIJS	int32			
XENON_KOPLAMPEN_STANDAARD_SINDS_DATUM	string(7)			
XENON_KOPLAMPEN_STANDAARD	boolean			
ZOEMER_VERGETEN_VERLICHTING_PAKKET	int32			
ZOEMER_VERGETEN_VERLICHTING_PRIJS	int32			
ZOEMER_VERGETEN_VERLICHTING_STANDAARD_SINDS_DATUM	string(7)			

Name	Data Type	Label	Required	Documentation
ZOEMER_VERGETEN_VERLICHTING_STANDAARD	boolean			
ZONNESCHERM_ACHTERRUIT_PAKKET	int32			
ZONNESCHERM_ACHTERRUIT_PRIJS	int32			
ZONNESCHERM_ACHTERRUIT_STANDAARD_SINDS_DATUM	string(7)			
ZONNESCHERM_ACHTERRUIT_STANDAARD	boolean			

3.1.66 carRDWCarDataPrice

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: carRDWCarDataPrice

Base XPath: `/s:Envelope/s:Body/tns:carRDWCarDataPriceResponse/tns:out`

Filters on API Server: `license_plate`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `carRDWCarDataPrice`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
<code>license_plate</code>	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `carRDWCarDataPrice` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
BASIC_CAR_DATA_APK_DUE_DATE	string	APK Due Date		
BASIC_CAR_DATA_BRAND	string	Brand		
BASIC_CAR_DATA_CATEGORY	string	Category		
BASIC_CAR_DATA_CO2_EMISSION	int32			
BASIC_CAR_DATA_COLORS	string	Colors		
BASIC_CAR_DATA_CYLINDER_CAPACITY	int32	Cylinder Capacity		
BASIC_CAR_DATA_CYLINDERS	int32	Cylinders		
BASIC_CAR_DATA_DATE_FIRST_ADMISSION	string	First Admission		
BASIC_CAR_DATA_DATE_FIRST_ISSUING	string	Date First Issuing		
BASIC_CAR_DATA_DATE_LATEST_NAME_REGISTRATION	string	Date Latest Name Registration		
BASIC_CAR_DATA_FUEL_TYPE	string	Fuel Type		
BASIC_CAR_DATA_GROSS_VEHICLE_MASS	int32	Gross Vehicle Mass		
BASIC_CAR_DATA_LICENSE_PLATE	string	License Plate		
BASIC_CAR_DATA_MASS_READY	int32	Mass Ready		
BASIC_CAR_DATA_MAXIMUM_MASS_AXLE_BRAKED	int32	Maximum Mass Axle Braked		
BASIC_CAR_DATA_MAXIMUM_MASS_BRAKED	int32	Maximum Mass Braked		
BASIC_CAR_DATA_MAXIMUM_MASS_PAYLOAD	int32			
BASIC_CAR_DATA_MAXIMUM_MASS_SELF_BRAKED	int32			
BASIC_CAR_DATA_MAXIMUM_MASS_TRAILER_BRAKED	int32			
BASIC_CAR_DATA_MAXIMUM_MASS_UNBRAKED	int32			
BASIC_CAR_DATA_MODEL	string	Model		
BASIC_CAR_DATA_SEATS	int32	Number of Seats		
BASIC_CAR_DATA_STANDING_ROOM	int32	Standing Room		
BASIC_CAR_DATA_UNLADEN_MASS	int32	Unladen Mass		
BODIES_ITEM_CODE	string			
BODIES_ITEM_DESCRIPTION	string			
BODIES_ITEM_ID	int32			
BPM	int32	BPM Amount		
CATALOG_PRICE	int32	Catalog Price		

Name	Data Type	Label	Required	Documentation
ENVIRONMENT_DATA_EMISSION_CODE	string			
ENVIRONMENT_DATA_ENERGY_LABEL	string			
ENVIRONMENT_DATA_FUEL_USA_GE_CITY	decimal			
ENVIRONMENT_DATA_FUEL_USA_GE_COMBINED	decimal			
ENVIRONMENT_DATA_FUEL_USA_GE_HIGHWAY	decimal			
ENVIRONMENT_DATA_G3_INDICATION	boolean			
ENVIRONMENT_DATA_PARTICULATE_FILTER	string			
FUEL_TYPES_ITEM	string			
POWER	decimal	Power		
STATUS_DATA_AWAITING_INSPECTION	boolean			
STATUS_DATA_INSURED	boolean			
STATUS_DATA_MISSING	boolean			
STATUS_DATA_STOLEN	boolean			
TOP_SPEED	int32	Top Speed		

3.1.67 carRDWCarDataV2

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: carRDWCarDataV2

Base XPath: `/s:Envelope/s:Body/tns:carRDWCarDataV2Response/tns:out`

Filters on API Server: `license_plate`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `carRDWCarDataV2`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
license_plate	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `carRDWCarDataV2` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
CAR_DATA_APK_DUE_DATE	string	APK Due Date		
CAR_DATA_BRAND	string	Brand		
CAR_DATA_CATEGORY	string	Category		
CAR_DATA_COLORS	string	Colors		
CAR_DATA_CYLINDER_CAPACITY	int32	Cylinder Capacity		
CAR_DATA_CYLINDERS	int32	Cylinders		
CAR_DATA_DATE_FIRST_ADMISSION	string	First Admission		
CAR_DATA_DATE_FIRST_ISSUING	string	Date First Issuing		
CAR_DATA_DATE_LATEST_NAME_REGISTRATION	string	Date Latest Name Registration		
CAR_DATA_FUEL_TYPE	string	Fuel Type		
CAR_DATA_GROSS_VEHICLE_MASS	int32	Gross Vehicle Mass		
CAR_DATA_LICENSE_PLATE	string	License Plate		
CAR_DATA_MASS_READY	int32	Mass Ready		
CAR_DATA_MAXIMUM_MASS_AXLE_BRAKED	int32	Maximum Mass Axle Braked		
CAR_DATA_MAXIMUM_MASS_BRAKED	int32	Maximum Mass Braked		
CAR_DATA_MAXIMUM_MASS_PAYLOAD	int32			
CAR_DATA_MAXIMUM_MASS_SELF_BRAKED	int32			
CAR_DATA_MAXIMUM_MASS_TRAILER_BRAKED	int32			
CAR_DATA_MAXIMUM_MASS_UNBRAKED	int32			
CAR_DATA_MODEL	string	Model		
CAR_DATA_SEATS	int32	Number of Seats		
CAR_DATA_STANDING_ROOM	int32	Standing Room		
CAR_DATA_UNLADEN_MASS	int32	Unladen Mass		

Name	Data Type	Label	Required	Documentation
TYPES_ITEM_BRAND	string	Item Brand		
TYPES_ITEM_CAR_ID	string	Item Car ID		
TYPES_ITEM_FIRST_YEAR	int32			
TYPES_ITEM_GEARBOX	string	Item Gearbox		
TYPES_ITEM_LAST_YEAR	int32	Item Last Year		
TYPES_ITEM_MODEL	string	Item Model		
TYPES_ITEM_TYPE	string	Item Type		

3.1.68 carRDWCarDataV3

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: carRDWCarDataV3

Base XPath: `/s:Envelope/s:Body/tns:carRDWCarDataV3Response/tns:out`

Filters on API Server: `license_plate`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `carRDWCarDataV3`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
<code>license_plate</code>	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `carRDWCarDataV3` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
CAR_DATA_APK_DUE_DATE	string	APK Due Date		
CAR_DATA_BRAND	string	Brand		
CAR_DATA_CATEGORY	string	Category		
CAR_DATA_CO2_EMISSION	int32			
CAR_DATA_COLORS	string	Colors		
CAR_DATA_CYLINDER_CAPACITY	int32	Cylinder Capacity		
CAR_DATA_CYLINDERS	int32	Cylinders		
CAR_DATA_DATE_FIRST_ADMISSION	string	First Admission		
CAR_DATA_DATE_FIRST_ISSUING	string	Date First Issuing		
CAR_DATA_DATE_LATEST_NAME_REGISTRATION	string	Date Latest Name Registration		
CAR_DATA_FUEL_TYPE	string	Fuel Type		
CAR_DATA_GROSS_VEHICLE_MASS	int32	Gross Vehicle Mass		
CAR_DATA_LICENSE_PLATE	string	License Plate		
CAR_DATA_MASS_READY	int32	Mass Ready		
CAR_DATA_MAXIMUM_MASS_AXLE_BRAKED	int32	Maximum Mass Axle Braked		
CAR_DATA_MAXIMUM_MASS_BRAKED	int32	Maximum Mass Braked		
CAR_DATA_MAXIMUM_MASS_PAYLOAD	int32			
CAR_DATA_MAXIMUM_MASS_SELF_BRAKED	int32			
CAR_DATA_MAXIMUM_MASS_TRAILER_BRAKED	int32			
CAR_DATA_MAXIMUM_MASS_UNBRAKED	int32			
CAR_DATA_MODEL	string	Model		
CAR_DATA_SEATS	int32	Number of Seats		
CAR_DATA_STANDING_ROOM	int32	Standing Room		
CAR_DATA_UNLADEN_MASS	int32	Unladen Mass		
TYPES_ITEM_BRAND	string	Item Brand		
TYPES_ITEM_CAR_ID	string	Item Car ID		
TYPES_ITEM_FIRST_YEAR	int32			
TYPES_ITEM_GEARBOX	string	Item Gearbox		
TYPES_ITEM_LAST_YEAR	int32	Item Last Year		
TYPES_ITEM_MODEL	string	Item Model		
TYPES_ITEM_TYPE	string	Item Type		

3.1.69 carVWEBasicTypeData

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: carVWEBasicTypeData

Base

XPath: `/s:Envelope/s:Body/tns:carVWEBasicTypeDataResponse/tns:out`

Filters on API Server: license_plate

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `carVWEBasicTypeData`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
license_plate	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `carVWEBasicTypeData` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
APK_DUE_DATE	datetime	APK Due Date		
BPM_CURRENCY	string			
BPM	int32	BPM Amount		
BRAND_APPROVAL	string			
BRAND_ATL	string			
BRAND_RDW	string			
CATEGORY	string	Category		
CO2_EMISSION	int32			
COLORS_ITEM	string	Colors Item		
CYLINDER_CAPACITY	int32	Cylinder Capacity		

Name	Data Type	Label	Required	Documentation
CYLINDERS	int32	Cylinders		
DATE_FIRST_ADMISSION	datetime	First Admission		
DATE_FIRST_ISSUING	datetime	Date First Issuing		
DATE_LATEST_NAME_REGISTRATION	datetime	Date Latest Name Registration		
DOORS	int32			
EMISSION_CODE	string	Emission Code		
EMISSION_PARTICLES	string			
ENERGY_LABEL	string	Energy Label		
FUEL_TYPES_ITEM	string			
G3_INDICATION	boolean			
GEAR	string			
GROSS_VEHICLE_MASS	int32	Gross Vehicle Mass		
INTERIOR_CODE	string			
INTERIOR_DESCRIPTION	string			
LICENSE_PLATE_SIGNAL	string	License Plate Signal		
MAXIMUM_MASS_PAYLOAD	int32			
MODEL_ATL	string			
MODEL_RDW	string			
PARALLEL_IMPORT	boolean			
POWER	int32	Power		
SEATS	int32	Number of Seats		
SHORT_TYPE	string			
STANDING_ROOM	int32	Standing Room		
TAX_WRITE_OFF	string			
TOP_SPEED	int32	Top Speed		
TYPES_ITEM_ATL_CODE	int32			
TYPES_ITEM_MODEL_NAME	string			
TYPES_ITEM_ORDER_NUMBER	int32			
UNLADEN_MASS	int32	Unladen Mass		

3.1.70 carVWEListBrands

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: carVWEListBrands

Base

XPath: /s:Envelope/s:Body/tns:carVWEListBrandsResponse/tns:out/tns:results/tns:item

Filters on API Server: production_year- kind_id- page

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `carVWEListBrands`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
kind_id	int32	<input type="checkbox"/>		
page	int32	<input type="checkbox"/>		
production_year	int32	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `carVWEListBrands` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
BRAND_ID	int32			
BRAND_NAME	string			

3.1.71 carVWEListModels

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: carVWEListModels

Base

XPath: /s:Envelope/s:Body/tns:carVWEListModelsResponse/tns:out/tns:results/tns:item

Filters on API Server: production_year- kind_id- brand_id- page

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `carVWEListModels`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
brand_id	int32	<input type="checkbox"/>		
kind_id	int32	<input type="checkbox"/>		
page	int32	<input type="checkbox"/>		
production_year	int32	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `carVWEListModels` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
MODEL_ID	int32			
MODEL_NAME	string			

3.1.72 carVWEListVersions

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: carVWEListVersions

Base

XPath: `/s:Envelope/s:Body/tns:carVWEListVersionsResponse/tns:out/tns:results/tns:item`

Filters on API Server: production_year- kind_id- brand_id- model_id- fuel_type_id- body_style_id- doors- gear_id- page

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `carVWEListVersions`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
body_style_id	int32	<input type="checkbox"/>		
brand_id	int32	<input type="checkbox"/>		
doors	int32	<input type="checkbox"/>		
fuel_type_id	int32	<input type="checkbox"/>		
gear_id	int32	<input type="checkbox"/>		
kind_id	int32	<input type="checkbox"/>		
model_id	int32	<input type="checkbox"/>		
page	int32	<input type="checkbox"/>		
production_year	int32	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `carVWEListVersions` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ATL_CODE	int32			
BODY_STYLE_ID	int32			
BODY_STYLE	string	Body Style		
DOORS	int32			
FUEL_TYPE_ID	int32			
FUEL_TYPE	string	Fuel Type		
GEAR_ID	int32			
GEAR	string			
POWER	int32	Power		
VALID_FROM	datetime			
VALID_UNTIL	datetime			
VERSION_NAME	string			

3.1.73 carVWEMeldcodeCheck

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: carVWEMeldcodeCheck

Base

XPath: `/s:Envelope/s:Body/tns:carVWEMeldcodeCheckResponse/tns:out`

Filters on API Server: license_plate- code

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `carVWEMeldcodeCheck`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
code	string	<input type="checkbox"/>		
license_plate	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `carVWEMeldcodeCheck` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
CORRECT	boolean	Correct		
LICENSE_PLATE	string	License Plate		

3.1.74 carVWEOptions

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `carVWEOptions`

Base XPath: `/s:Envelope/s:Body/tns:carVWEOptionsResponse/tns:out`

Filters on API Server: `license_plate- atl_code`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `carVWEOptions`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
<code>atl_code</code>	<code>int32</code>	<input type="checkbox"/>		
<code>license_plate</code>	<code>string</code>	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `carVWEOptions` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
<code>OPTIONS_MANUFACTURE_ATL_CODE</code>	<code>int32</code>			
<code>OPTIONS_MANUFACTURE_LICENSE_PLATE</code>	<code>string</code>			
<code>OPTIONS_MANUFACTURE_OPTIONS_ITEM_DESCRIPTION_SHORT</code>	<code>string</code>			
<code>OPTIONS_MANUFACTURE_OPTIONS_ITEM_DESCRIPTION</code>	<code>string</code>			
<code>OPTIONS_MANUFACTURE_OPTIONS_ITEM_OPTION_ID</code>	<code>int32</code>			
<code>OPTIONS_MANUFACTURE_OPTIONS_ITEM_PRICE</code>	<code>int32</code>			
<code>OPTIONS_PACKAGE_ATL_CODE</code>	<code>int32</code>			
<code>OPTIONS_PACKAGE_LICENSE_PLATE</code>	<code>string</code>			

Name	Data Type	Label	Required	Documentation
OPTIONS_PACKAGE_PACKAGES_ITEM_DESCRIPTION	string			
OPTIONS_PACKAGE_PACKAGES_ITEM_OPTIONS	string			
OPTIONS_PACKAGE_PACKAGES_ITEM_PACKAGE_ID	int32			
OPTIONS_PACKAGE_PACKAGES_ITEM_PRICE	int32			
OPTIONS_STANDARD_ATL_CODE	int32			
OPTIONS_STANDARD_LICENSE_PLATE	string	Standard Options License Plate		
OPTIONS_STANDARD_OPTIONS_ITEM_DESCRIPTION_SHORT	string			
OPTIONS_STANDARD_OPTIONS_ITEM_DESCRIPTION	string			
OPTIONS_STANDARD_OPTIONS_ITEM_OPTION_ID	int32			
OPTIONS_STANDARD_OPTIONS_ITEM_PRICE	int32			

3.1.75 carVWEPhotos

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: carVWEPhotos

Base

XPath: `/s:Envelope/s:Body/tns:carVWEPhotosResponse/tns:out/tns:item`

Filters on API Server: `atl_code`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `carVWEPhotos`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
atl_code	int32	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `carVWEPhotos` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
IMAGE	byte[]	Image		
SIDE	string	Side		
SIZE	string	Size		

3.1.76 carVWEVersionPrice

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: carVWEVersionPrice

Base XPath: `/s:Envelope/s:Body/tns:carVWEVersionPriceResponse/tns:out`

Filters on API Server: `license_plate- atl_code`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `carVWEVersionPrice`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
atl_code	int32	<input type="checkbox"/>		
license_plate	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `carVWEVersionPrice` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ACCELERATION	decimal			
BRAND_ATL	string			
CYLINDER_CAPACITY	int32	Cylinder Capacity		
DESIGN	string			
DOORS	int32			
EMISSION_CODE	string	Emission Code		
ENERGY_LABEL	string	Energy Label		
FOLDER_WEIGHT	int32			
FUEL_TYPE	string	Fuel Type		
GEAR	string			
LAYOUT	string			
MODEL_ATL	string			
POWER	int32	Power		
PRICES_BPM_NEW_PRICE	int32			
PRICES_BTW_NEW_PRICE	int32			
PRICES_CATALOG_PRICE	int32			
PRICES_CURRENT_PRICE_EXCHANGE	int32			
PRICES_CURRENT_PRICE_RETAIL	int32			
PRICES_CURRENT_PRICE_TRADE	int32			
PRICES_DATE_PRICE_LIST	datetime			
PRICES_NET_CATALOG_PRICE	int32			
PRICES_RECALCULATED_BTW_NEW_PRICE	int32			
PRICES_RECALCULATED_CATALOG_PRICE	int32			
PRICES_RECALCULATED_NET_CATALOG_PRICE	int32			
SEATS	int32	Number of Seats		
SHORT_TYPE	string			
SPORTIVITY	decimal			
TOP_SPEED	int32	Top Speed		
TRAIN_WEIGHT	int32			
VERSION_ATL_CODE	int32			
VERSION_MODEL_NAME	string			
VERSION_ORDER_NUMBER	int32			

3.1.77 carVWEVersionYearData

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: carVWEVersionYearData

Base

XPath: `/s:Envelope/s:Body/tns:carVWEVersionYearDataResponse/tns:out`

Filters on API Server: `production_year- atl_code`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `carVWEVersionYearData`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
atl_code	int32	<input type="checkbox"/>		
production_year	int32	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `carVWEVersionYearData` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ACCELERATION	decimal			
ATL_CODE	int32			
BODY_STYLE	string	Body Style		
BRAND_ATL	string			
CYLINDER_CAPACITY	int32	Cylinder Capacity		
DOORS	int32			
EMISSION_CODE	string	Emission Code		
ENERGY_LABEL	string	Energy Label		
FOLDER_WEIGHT	int32			

Name	Data Type	Label	Required	Documentation
FUEL_TYPE	string	Fuel Type		
GEAR	string			
LAYOUT	string			
MODEL_ATL	string			
POWER	int32	Power		
PRICES_BPM_NEW_PRICE	int32			
PRICES_BTW_NEW_PRICE	int32			
PRICES_CATALOG_PRICE	int32			
PRICES_CURRENT_PRICE_EXCHANGE	int32			
PRICES_CURRENT_PRICE_RETAIL	int32			
PRICES_CURRENT_PRICE_TRADE	int32			
PRICES_DATE_PRICE_LIST	datetime			
PRICES_NET_CATALOG_PRICE	int32			
PRICES_RECALCULATED_BTW_NEW_PRICE	int32			
PRICES_RECALCULATED_CATALOG_PRICE	int32			
PRICES_RECALCULATED_NET_CATALOG_PRICE	int32			
SEATS	int32	Number of Seats		
SHORT_TYPE	string			
SPORTIVITY	decimal			
TOP_SPEED	int32	Top Speed		
TRAIN_WEIGHT	int32			
VERSION_NAME	string			

3.1.78 complianceGetBusiness

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: complianceGetBusiness

Base

XPath: `/s:Envelope/s:Body/tns:complianceGetBusinessResponse/tns:out`

Filters on API Server: `compliance_business_id`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `complianceGetBusiness`. A value must be provided at all times for required parameters, but

optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
compliance_business_id	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `complianceGetBusiness` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ADDRESSES_ITEM_ADDRESS_LINES	string			
ADDRESSES_ITEM_CITY	string			
ADDRESSES_ITEM_COUNTRY	string			
ADDRESSES_ITEM_COUNTY	string			
ADDRESSES_ITEM_POSTAL_CODE	string			
ALIASES_ITEM	string			
BUSINESS_NAME	string	Business Name		
COMPLIANCE_BUSINESS_ID	int64	Compliance Business ID		
DOCUMENTS_ITEM_CACHED_URL	string			
DOCUMENTS_ITEM_CATEGORIES	string			
DOCUMENTS_ITEM_DATE_COLLECTED	datetime			
DOCUMENTS_ITEM_ORIGINAL_URL	string			
FAX_NUMBER	string	Fax Number		
FLAGS_ITEM	string	Flag Item		
NOTES_ITEM_SOURCE	string			
NOTES_ITEM_TEXT	string			
RELATED_BUSINESSES_ITEM_COMPLIANCE_BUSINESS_ID	int64			
RELATED_BUSINESSES_ITEM_NAME	string			

Name	Data Type	Label	Required	Documentation
RELATED_BUSINESSES_ITEM_RELATION_DESCRIPTION	string			
RELATED_PERSONS_ITEM_COMPLIANCE_PERSON_ID	int64			
RELATED_PERSONS_ITEM_DATE_OF_BIRTH	datetime			
RELATED_PERSONS_ITEM_FIRST_NAME	string			
RELATED_PERSONS_ITEM_LAST_NAME	string			
RELATED_PERSONS_ITEM_RELATION_DESCRIPTION	string			
SANCTIONS_ITEM_ACTIVE	boolean			
SANCTIONS_ITEM_ORGANISATION	string			
TELEPHONE_NUMBER	string	Phone Number		
WEBSITE_URL	string			

3.1.79 complianceGetPerson

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: complianceGetPerson

Base

XPath: `/s:Envelope/s:Body/tns:complianceGetPersonResponse/tns:out`

Filters on API Server: `compliance_person_id`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `complianceGetPerson`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
compliance_person_id	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `complianceGetPerson` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ADDRESSES_ITEM_ADDRESS_LINES	string			
ADDRESSES_ITEM_CITY	string			
ADDRESSES_ITEM_COUNTRY	string			
ADDRESSES_ITEM_COUNTY	string			
ADDRESSES_ITEM_POSTAL_CODE	string			
ALIASES_ITEM	string			
COMPLIANCE_PERSON_ID	int64	Person ID		
DATE_OF_BIRTH	datetime	Date of Birth		
DATE_OF_DEATH	datetime			
DECEASED	boolean			
DOCUMENTS_ITEM_CACHED_URL	string			
DOCUMENTS_ITEM_CATEGORIES	string			
DOCUMENTS_ITEM_DATE_COLLECTED	datetime			
DOCUMENTS_ITEM_ORIGINAL_URL	string			
EMAIL	string	Email		
FAX_NUMBER	string	Fax Number		
FIRST_NAME	string	First Name		
FLAGS_ITEM	string	Flag Item		
GENDER	string	Gender		
IMAGE_URL	string			
LAST_NAME	string	Last Name		
MIDDLE_NAME	string			
MOBILE_NUMBER	string			
NATIONALITY	string	Nationality		
NOTES_ITEM_SOURCE	string			
NOTES_ITEM_TEXT	string			
PEP_LEVEL	int64			
RELATED_BUSINESSES_ITEM_COMPLIANCE_BUSINESS_ID	int64			
RELATED_BUSINESSES_ITEM_NAME	string			

Name	Data Type	Label	Required	Documentation
RELATED_BUSINESSES_ITEM_RELATION_DESCRIPTION	string			
RELATED_PERSONS_ITEM_COMPLIANCE_PERSON_ID	int64			
RELATED_PERSONS_ITEM_DATE_OF_BIRTH	datetime			
RELATED_PERSONS_ITEM_FIRST_NAME	string			
RELATED_PERSONS_ITEM_LAST_NAME	string			
RELATED_PERSONS_ITEM_RELATION_DESCRIPTION	string			
ROLES_ITEM_COUNTRY	string			
ROLES_ITEM_END_DATE_DAY	int32			
ROLES_ITEM_END_DATE_MONTH	int32			
ROLES_ITEM_END_DATE_YEAR	int32			
ROLES_ITEM_ROLE	string			
ROLES_ITEM_START_DATE_DAY	int32			
ROLES_ITEM_START_DATE_MONTH	int32			
ROLES_ITEM_START_DATE_YEAR	int32			
SANCTIONS_ITEM_ACTIVE	boolean			
SANCTIONS_ITEM_ORGANISATION	string			
TELEPHONE_NUMBER	string	Phone Number		

3.1.80 complianceSearchBusinesses

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: complianceSearchBusinesses

Base

XPath: `/s:Envelope/s:Body/tns:complianceSearchBusinessesResponse/tns:out/tns:results/tns:item`

Filters on API Server: `business_name- street- house_number- postal_code- city- county- country- page`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `complianceSearchBusinesses`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the

execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
business_name	string	<input type="checkbox"/>		
city	string	<input type="checkbox"/>		
country	string	<input type="checkbox"/>		
county	string	<input type="checkbox"/>		
house_number	int32	<input type="checkbox"/>		
page	int32	<input type="checkbox"/>		
postal_code	string	<input type="checkbox"/>		
street	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `complianceSearchBusinesses` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
COMPLIANCE_BUSINESS_ID	int64	Compliance Business ID		
COUNTRY	string	Country		
FLAGS_ITEM	string	Flag Item		
MATCH_SCORE	int64	Match Score		
NAME	string	Name		

3.1.81 complianceSearchPersons

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invasive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `complianceSearchPersons`

Base

XPath: `/s:Envelope/s:Body/tns:complianceSearchPersonsResponse/tns:out/tns:results/tns:item`

Filters on API Server: first_name- last_name- date_of_birth- page

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `complianceSearchPersons`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
date_of_birth	datetime	<input type="checkbox"/>		
first_name	string	<input type="checkbox"/>		
last_name	string	<input type="checkbox"/>		
page	int32	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `complianceSearchPersons` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
COMPLIANCE_PERSON_ID	int64	Person ID		
DATE_OF_BIRTH	datetime	Date of Birth		
FIRST_NAME	string	First Name		
FLAGS_ITEM	string	Flag Item		
LAST_NAME	string	Last Name		
MATCH_SCORE	int64	Match Score		
NATIONALITY	string	Nationality		

3.1.82 createTestUser

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: createTestUser

Base

XPath: /s:Envelope/s:Body/tns:createTestUserResponse/tns:user_credentials

Filters on API Server: application- email- companyname- contactname- telephone

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `createTestUser`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
application	string	<input type="checkbox"/>		
companyname	string	<input type="checkbox"/>		
contactname	string	<input type="checkbox"/>		
email	string	<input type="checkbox"/>		
telephone	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `createTestUser` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ID	int32	ID		
PASSWORD	string	Passw ord		
USERNAME	string			

3.1.83 creditsafeGetReportFull

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: creditsafeGetReportFull

Base

XPath: /s:Envelope/s:Body/tns:creditsafeGetReportFullResponse/tns:out

Filters on API Server: company_id- language- document

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `creditsafeGetReportFull`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
company_id	string	<input type="checkbox"/>		
document	string	<input type="checkbox"/>		
language	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `creditsafeGetReportFull` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ADDITIONAL_INFORMATION_BE_EVENTS_ITEM_DESCRIPTION	string			
ADDITIONAL_INFORMATION_BE_EVENTS_ITEM_SERIAL_NUMBER	int64			
ADDITIONAL_INFORMATION_BE_INDUSTRY_COMPARISON_ACTIVITY_CODE	int64			
ADDITIONAL_INFORMATION_BE_INDUSTRY_COMPARISON_ACTIVITY_DESCRIPTION	string			
ADDITIONAL_INFORMATION_BE_INDUSTRY_COMPARISON_INDUSTRY_AVERAGE_CREDIT_RATING	decimal			
ADDITIONAL_INFORMATION_BE_INDUSTRY_COMPARISON_INDUSTRY_AVERAGE_DAY_SALES_OUTSTANDING	decimal			

Name	Data Type	Label	Required	Documentation
ADDITIONAL_INFORMATION_BE_IN DUSTRY_COMPARISON_INDUSTRY Y_AVERAGE_PAYMENT_EXPECT ATION_DAYS	decimal			
ADDITIONAL_INFORMATION_BE_IN DUSTRY_QUARTILE_ANALYSIS_D AY_SALES_OUTSTANDING_LOW ER	decimal			
ADDITIONAL_INFORMATION_BE_IN DUSTRY_QUARTILE_ANALYSIS_D AY_SALES_OUTSTANDING_MEDI AN	decimal			
ADDITIONAL_INFORMATION_BE_IN DUSTRY_QUARTILE_ANALYSIS_D AY_SALES_OUTSTANDING_UPPE R	decimal			
ADDITIONAL_INFORMATION_BE_IN DUSTRY_QUARTILE_ANALYSIS_P AYMENT_EXPECTATION_DAYS_L OWER	decimal			
ADDITIONAL_INFORMATION_BE_IN DUSTRY_QUARTILE_ANALYSIS_P AYMENT_EXPECTATION_DAYS_M EDIAN	decimal			
ADDITIONAL_INFORMATION_BE_IN DUSTRY_QUARTILE_ANALYSIS_P AYMENT_EXPECTATION_DAYS_U PPER	decimal			
ADDITIONAL_INFORMATION_BE_M ISC_FAX_NUMBER	string			
ADDITIONAL_INFORMATION_BE_N EGATIVE_INFORMATION_BANKRU PTCY_EVENTS_ITEM_BANKRUPTC Y_TYPE	string			
ADDITIONAL_INFORMATION_BE_N EGATIVE_INFORMATION_BANKRU PTCY_EVENTS_ITEM_CITY_OF_RE GISTERED_OFFICE	string			
ADDITIONAL_INFORMATION_BE_N EGATIVE_INFORMATION_BANKRU PTCY_EVENTS_ITEM_CITY_OF_TR USTEE	string			
ADDITIONAL_INFORMATION_BE_N EGATIVE_INFORMATION_BANKRU PTCY_EVENTS_ITEM_CLOSING_D ATE_OF_SUMMONS	datetime			
ADDITIONAL_INFORMATION_BE_N EGATIVE_INFORMATION_BANKRU PTCY_EVENTS_ITEM_COMMERCI AL_COURT	string			
ADDITIONAL_INFORMATION_BE_N EGATIVE_INFORMATION_BANKRU PTCY_EVENTS_ITEM_COMPANY_ NAME	string			
ADDITIONAL_INFORMATION_BE_N EGATIVE_INFORMATION_BANKRU	datetime			

Name	Data Type	Label	Required	Documentation
PTCY_EVENTS_ITEM_DATE_OF_DECREEE_OF_BANKRUPTCY				
ADDITIONAL_INFORMATION_BENEGATIVE_INFORMATION_BANKRUPTCY_EVENTS_ITEM_NACE_BEL_CODE	string			
ADDITIONAL_INFORMATION_BENEGATIVE_INFORMATION_BANKRUPTCY_EVENTS_ITEM_NACE_BEL_DESCRIPTION	string			
ADDITIONAL_INFORMATION_BENEGATIVE_INFORMATION_BANKRUPTCY_EVENTS_ITEM_NAME_OF_TRUSTEE	string			
ADDITIONAL_INFORMATION_BENEGATIVE_INFORMATION_BANKRUPTCY_EVENTS_ITEM_POSTCODE_OF_REGISTERED_OFFICE	string			
ADDITIONAL_INFORMATION_BENEGATIVE_INFORMATION_BANKRUPTCY_EVENTS_ITEM_POSTCODE_OF_TRUSTEE	string			
ADDITIONAL_INFORMATION_BENEGATIVE_INFORMATION_BANKRUPTCY_EVENTS_ITEM_SOURCE_DATE	datetime			
ADDITIONAL_INFORMATION_BENEGATIVE_INFORMATION_BANKRUPTCY_EVENTS_ITEM_SOURCE	string			
ADDITIONAL_INFORMATION_BENEGATIVE_INFORMATION_BANKRUPTCY_EVENTS_ITEM_STREET_OF_REGISTERED_OFFICE	string			
ADDITIONAL_INFORMATION_BENEGATIVE_INFORMATION_BANKRUPTCY_EVENTS_ITEM_STREET_OF_TRUSTEE	string			
ADDITIONAL_INFORMATION_BENEGATIVE_INFORMATION_NSSO_DETAILS_ITEM_BUSINESS_NUMBER	string			
ADDITIONAL_INFORMATION_BENEGATIVE_INFORMATION_NSSO_DETAILS_ITEM_DATE_OF_SUMMONS	datetime			
ADDITIONAL_INFORMATION_BENEGATIVE_INFORMATION_NSSO_DETAILS_ITEM_LABOUR_COURT	string			
ADDITIONAL_INFORMATION_BENEGATIVE_INFORMATION_NSSO_DETAILS_ITEM_LEGAL_FORM_OF_DEFENDANT	string			
ADDITIONAL_INFORMATION_BENEGATIVE_INFORMATION_NSSO_DETAILS_ITEM_NAME_OF_DEFENDANT	string			

Name	Data Type	Label	Required	Documentation
ADDITIONAL_INFORMATION_BE_NEGATIVE_INFORMATION_PROTESTED_BILLS_ITEM_BILL_AMOUNT	decimal			
ADDITIONAL_INFORMATION_BE_NEGATIVE_INFORMATION_PROTESTED_BILLS_ITEM_BILL_CURRENCY	string			
ADDITIONAL_INFORMATION_BE_NEGATIVE_INFORMATION_PROTESTED_BILLS_ITEM_CITY_OF_DRAWER	string			
ADDITIONAL_INFORMATION_BE_NEGATIVE_INFORMATION_PROTESTED_BILLS_ITEM_DRAWEE_ADDRESS	string			
ADDITIONAL_INFORMATION_BE_NEGATIVE_INFORMATION_PROTESTED_BILLS_ITEM_DRAWEE_NAME	string			
ADDITIONAL_INFORMATION_BE_NEGATIVE_INFORMATION_PROTESTED_BILLS_ITEM_MATURITY_OF_BILL_IN_MONTHS	decimal			
ADDITIONAL_INFORMATION_BE_NEGATIVE_INFORMATION_PROTESTED_BILLS_ITEM_NAME_OF_DRAWER	string			
ADDITIONAL_INFORMATION_BE_NEGATIVE_INFORMATION_PROTESTED_BILLS_ITEM_PAYMENT_DATE	datetime			
ADDITIONAL_INFORMATION_BE_PAYMENT_EXPECTATIONS_SUMMARY_DAY_SALES_OUTSTANDING	decimal			
ADDITIONAL_INFORMATION_BE_PAYMENT_EXPECTATIONS_SUMMARY_PAYMENT_EXPECTATION_DAYS	decimal			
ADDITIONAL_INFORMATION_BE_REGISTERED_CONTRACTORS_ITEM_CONTRACTOR_DESCRIPTION	string			
ADDITIONAL_INFORMATION_BE_REGISTERED_CONTRACTORS_ITEM_REGISTRATION_NUMBER	int64			
ADDITIONAL_INFORMATION_BE_REGISTERED_CONTRACTORS_ITEM_STRIKING_OFF_DATE	datetime			
ADDITIONAL_INFORMATION_NL_INDUSTRY_QUARTILE_ANALYSIS_DAY_SALES_OUTSTANDING_LOWER	decimal			
ADDITIONAL_INFORMATION_NL_INDUSTRY_QUARTILE_ANALYSIS_DAY_SALES_OUTSTANDING_MEDIAN	decimal			
ADDITIONAL_INFORMATION_NL_INDUSTRY_QUARTILE_ANALYSIS_DAY_SALES_OUTSTANDING_UPPER	decimal			

Name	Data Type	Label	Required	Documentation
AY_SALES_OUTSTANDING_UPPER				
ADDITIONAL_INFORMATION_NL_INDUSTRY_QUARTILE_ANALYSIS_PAYMENT_EXPECTATION_DAYS_LOWER	decimal			
ADDITIONAL_INFORMATION_NL_INDUSTRY_QUARTILE_ANALYSIS_PAYMENT_EXPECTATION_DAYS_MEDIAN	decimal			
ADDITIONAL_INFORMATION_NL_INDUSTRY_QUARTILE_ANALYSIS_PAYMENT_EXPECTATION_DAYS_UPPER	decimal			
ADDITIONAL_INFORMATION_NL_LETTERS_OF LIABILITY_INFORMATION_403_COMPANY_NAME	string			
ADDITIONAL_INFORMATION_NL_LETTERS_OF LIABILITY_INFORMATION_403_COMPANY_NUMBER	int64			
ADDITIONAL_INFORMATION_NL_LETTERS_OF LIABILITY_INFORMATION_403_DATE_SUBMITTED	datetime			
ADDITIONAL_INFORMATION_NL_LETTERS_OF LIABILITY_INFORMATION_403_FINANCIAL_YEAR	int64			
ADDITIONAL_INFORMATION_NL_LETTERS_OF LIABILITY_INFORMATION_403_LETTERS_OF LIABILITY_2ND_PARENT_ITEM_REMOVAL_DATE	datetime			
ADDITIONAL_INFORMATION_NL_LETTERS_OF LIABILITY_INFORMATION_403_LETTERS_OF LIABILITY_2ND_PARENT_ITEM_REMOVAL_SUBMITTED_DATE	datetime			
ADDITIONAL_INFORMATION_NL_LETTERS_OF LIABILITY_INFORMATION_403_LETTERS_OF LIABILITY_2ND_PARENT_ITEM_START_DATE	datetime			
ADDITIONAL_INFORMATION_NL_LETTERS_OF LIABILITY_INFORMATION_403_LETTERS_OF LIABILITY_2ND_PARENT_ITEM_SUBMITTED_DATE	datetime			
ADDITIONAL_INFORMATION_NL_LETTERS_OF LIABILITY_INFORMATION_403_LETTERS_OF LIABILITY_ITEM_REMOVAL_DATE	datetime			
ADDITIONAL_INFORMATION_NL_LETTERS_OF LIABILITY_INFORMATION_403_LETTERS_OF LIABILITY_ITEM_REMOVAL_SUBMITTED_DATE	datetime			
ADDITIONAL_INFORMATION_NL_LETTERS_OF LIABILITY_INFORMATION	datetime			

Name	Data Type	Label	Required	Documentation
ION_403_LETTERS_OF_LIABILITY_ITEM_START_DATE				
ADDITIONAL_INFORMATION_NL_LETTERS_OF_LIABILITY_INFORMATION_403_LETTERS_OF_LIABILITY_ITEM_SUBMITTED_DATE	datetime			
ADDITIONAL_INFORMATION_NL_MISC_CEA SED_TRADING_DATE	datetime			
ADDITIONAL_INFORMATION_NL_MISC_EXPORTER	boolean			
ADDITIONAL_INFORMATION_NL_MISC_IMPORTER	boolean			
ADDITIONAL_INFORMATION_NL_NEGATIVE_INFORMATION_COURT_DATA_FACTS_COURT_ACTION	boolean			
ADDITIONAL_INFORMATION_NL_NEGATIVE_INFORMATION_COURT_DATA_FACTS_DATE_OF_BANKRUPTCY	datetime			
ADDITIONAL_INFORMATION_NL_NEGATIVE_INFORMATION_COURT_DATA_FACTS_DETAILS	string			
ADDITIONAL_INFORMATION_NL_NEGATIVE_INFORMATION_COURT_DATA_RECEIVER_DETAILS_ADDRESS	string			
ADDITIONAL_INFORMATION_NL_NEGATIVE_INFORMATION_COURT_DATA_RECEIVER_DETAILS_NAME	string			
ADDITIONAL_INFORMATION_NL_PAYMENT_EXPECTATIONS_SUMMARY_DAY_SALES_OUTSTANDING	decimal			
ADDITIONAL_INFORMATION_NL_PAYMENT_EXPECTATIONS_SUMMARY_INDUSTRY_AVERAGE_DAY_SALES_OUTSTANDING	decimal			
ADDITIONAL_INFORMATION_NL_PAYMENT_EXPECTATIONS_SUMMARY_INDUSTRY_AVERAGE_PAYMENT_EXPECTATION_DAYS	decimal			
ADDITIONAL_INFORMATION_NL_PAYMENT_EXPECTATIONS_SUMMARY_PAYMENT_EXPECTATION_DAYS	decimal			
ADDITIONAL_INFORMATION_NL_PAYMENT_EXPECTATIONS_SUMMARY_SUSPENSION_OF_PAYMENTS_MORA	boolean			
COMPANY_ID	string	Company ID		
COMPANY_IDENTIFICATION_ACTIVITIES_ITEM_ACTIVITY_CODE	string			
COMPANY_IDENTIFICATION_ACTIVITIES_ITEM_ACTIVITY_DESCRIPTION	string			

Name	Data Type	Label	Required	Documentation
COMPANY_IDENTIFICATION_BASIC_INFORMATION_BUSINESS_NAME	string			
COMPANY_IDENTIFICATION_BASIC_INFORMATION_COMMERCIAL_COURT	string			
COMPANY_IDENTIFICATION_BASIC_INFORMATION_COMPANY_REGISTRATION_NUMBER	string			
COMPANY_IDENTIFICATION_BASIC_INFORMATION_COMPANY_STATUS	string			
COMPANY_IDENTIFICATION_BASIC_INFORMATION_CONTACT_ADDRESS	string			
COMPANY_IDENTIFICATION_BASIC_INFORMATION_CONTACT_TELEPHONE_NUMBER	string			
COMPANY_IDENTIFICATION_BASIC_INFORMATION_COUNTRY	string			
COMPANY_IDENTIFICATION_BASIC_INFORMATION_DATE_OF_COMPANY_REGISTRATION	datetime			
COMPANY_IDENTIFICATION_BASIC_INFORMATION_DATE_OF_STARTING_OPERATIONS	datetime			
COMPANY_IDENTIFICATION_BASIC_INFORMATION_LEGAL_FORM	string			
COMPANY_IDENTIFICATION_BASIC_INFORMATION_PRINCIPAL_ACTIVITY_ACTIVITY_CODE	string			
COMPANY_IDENTIFICATION_BASIC_INFORMATION_PRINCIPAL_ACTIVITY_ACTIVITY_DESCRIPTION	string			
COMPANY_IDENTIFICATION_BASIC_INFORMATION_REGISTERED_COMPANY_NAME	string			
COMPANY_IDENTIFICATION_BASIC_INFORMATION_REPORT_CURRENCY	string			
COMPANY_IDENTIFICATION_BASIC_INFORMATION_TYPE_OF_OWNERSHIP	string			
COMPANY_IDENTIFICATION_BASIC_INFORMATION_VAT_REGISTRATION_DATE	datetime			
COMPANY_IDENTIFICATION_BASIC_INFORMATION_VAT_REGISTRATION_NUMBER	string			
COMPANY_IDENTIFICATION_PREVIOUS_LEGAL_FORMS_ITEM_DATE_CHANGED	datetime			

Name	Data Type	Label	Required	Documentation
COMPANY_IDENTIFICATION_PREVIOUS_LEGAL_FORMS_ITEM_VALUE	string			
COMPANY_IDENTIFICATION_PREVIOUS_NAMES_ITEM_DATE_CHANGED	datetime			
COMPANY_IDENTIFICATION_PREVIOUS_NAMES_ITEM_VALUE	string			
COMPANY_SUMMARY_BUSINESS_NAME	string	Summary Business Name		
COMPANY_SUMMARY_COMPANY_REGISTRATION_NUMBER	string			
COMPANY_SUMMARY_COMPANY_STATUS	string			
COMPANY_SUMMARY_COUNTRY	string	Summary Country		
COMPANY_SUMMARY_CREDIT_LIMIT	string	Summary Credit Limit		
COMPANY_SUMMARY_CREDIT_RATING	string			
COMPANY_SUMMARY_LATEST_SHAREHOLDERS_EQUITY_FIGURE	decimal			
COMPANY_SUMMARY_LATEST_TURNOVER_FIGURE	decimal			
COMPANY_SUMMARY_MAIN_ACTIVITY_ACTIVITY_CODE	string			
COMPANY_SUMMARY_MAIN_ACTIVITY_ACTIVITY_DESCRIPTION	string			
COMPANY_SUMMARY_NUMBER	string	Summary Number		
COMPANY_SUMMARY_RATING_DESCRIPTION	string			
CONTACT_INFORMATION_EMAIL_ADDRESSES_ITEM	string			
CONTACT_INFORMATION_MAIN_ADDRESS_ADDRESS	string	Contact Main Address Address		
CONTACT_INFORMATION_MAIN_ADDRESS_COUNTRY	string	Contact Main Address Country		
CONTACT_INFORMATION_MAIN_ADDRESS_TELEPHONE	string	Contact Main Address Telephone		
CONTACT_INFORMATION_OTHER_ADDRESSES_ITEM_ADDRESS	string			
CONTACT_INFORMATION_OTHER_ADDRESSES_ITEM_COUNTRY	string			
CONTACT_INFORMATION_OTHER_ADDRESSES_ITEM_TELEPHONE	string			
CONTACT_INFORMATION_PREVIOUS_ADDRESSES_ITEM_ADDRESS	string			
CONTACT_INFORMATION_PREVIOUS_ADDRESSES_ITEM_COUNTRY	string			
CONTACT_INFORMATION_WEBSITES_ITEM	string			

Name	Data Type	Label	Required	Documentation
CREDIT_SCORE_CURRENT_CONTRACT_LIMIT	decimal			
CREDIT_SCORE_CURRENT_CREDIT_LIMIT	string			
CREDIT_SCORE_CURRENT_CREDIT_RATING	string			
CREDIT_SCORE_CURRENT_RATING_DESCRIPTION	string			
CREDIT_SCORE_DATE_OF_LATEST_RATING_CHANGE	datetime			
CREDIT_SCORE_PREVIOUS_CREDIT_LIMIT	string			
CREDIT_SCORE_PREVIOUS_CREDIT_RATING	string			
CREDIT_SCORE_PREVIOUS_RATING_DESCRIPTION	string			
DIRECTORS_CURRENT_DIRECTORS_ITEM_ADDRESS	string			
DIRECTORS_CURRENT_DIRECTORS_ITEM_APPOINTMENT_DATE	datetime			
DIRECTORS_CURRENT_DIRECTORS_ITEM_DATE_OF_BIRTH	datetime			
DIRECTORS_CURRENT_DIRECTORS_ITEM_GENDER	string			
DIRECTORS_CURRENT_DIRECTORS_ITEM_NAME	string			
DIRECTORS_CURRENT_DIRECTORS_ITEM_POSITION	string			
DIRECTORS_PREVIOUS_DIRECTORS_ITEM_DIRECTOR_ADDRESS	string			
DIRECTORS_PREVIOUS_DIRECTORS_ITEM_DIRECTOR_APPOINTMENT_DATE	datetime			
DIRECTORS_PREVIOUS_DIRECTORS_ITEM_DIRECTOR_DATE_OF_BIRTH	datetime			
DIRECTORS_PREVIOUS_DIRECTORS_ITEM_DIRECTOR_GENDER	string			
DIRECTORS_PREVIOUS_DIRECTORS_ITEM_DIRECTOR_NAME	string			
DIRECTORS_PREVIOUS_DIRECTORS_ITEM_DIRECTOR_POSITION	string			
DIRECTORS_PREVIOUS_DIRECTORS_ITEM_RESIGNATION_DATE	datetime			
DOCUMENT	byte[]	Document		
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_BANK_LIABILITIES_DUE_AFTER1YEAR	decimal			
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_BANK_LIABILITIES	decimal			

Name	Data Type	Label	Required	Documentation
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_CALLED_UP_SHARE_CAPITAL	decimal			
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_CASH	decimal	Balance Sheet Cash		
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_CONSOLIDATED_ACCOUNTS	boolean	Balance Sheet Consolidated Accounts		
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_CURRENCY	string	Balance Sheet Currency		
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_FINISHED_GOODS	decimal	Balance Sheet Finished Goods		
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_GOODWILL	decimal	Balance Sheet Goodwill		
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_GROUP_PAYABLES_DUE_AFTER1YEAR	decimal			
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_GROUP_PAYABLES	decimal			
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_GROUP_RECEIVABLES	decimal			
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_INVESTMENTS	decimal	Balance Sheet Investments		
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_LAND_AND_BUILDINGS	decimal			
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_LOANS_TO_GROUP	decimal	Balance Sheet Loans to Group		
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_MISCELLANEOUS_FIXED_ASSETS	decimal			
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_MISCELLANEOUS_LIABILITIES_DUE_AFTER1YEAR	decimal			
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_MISCELLANEOUS_LIABILITIES	decimal			
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_MISCELLANEOUS_RECEIVABLES	decimal			
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_NUMBER_OF_WEEKS	int64	Balance Sheet Total Assets		
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_OTHER_CURRENT_ASSETS	decimal			
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_OTHER_INTANGIBLE_ASSETS	decimal			

Name	Data Type	Label	Required	Documentation
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_OTHER_INVENTORIES	decimal			
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_OTHER_LOANS_OR_FINANCE_DUE_AFTER1YEAR	decimal			
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_OTHER_LOANS_OR_FINANCE	decimal			
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_OTHER_LOANS	decimal			
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_OTHER_RESERVES	decimal			
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_OTHER_TANGIBLE_ASSETS	decimal			
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_PLANT_AND_MACHINERY	decimal			
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_RAW_MATERIALS	decimal			
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_RECEIVABLES_DUE_AFTER1YEAR	decimal			
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_REVENUE_RESERVES	decimal			
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_SHARE_PREMIUM	decimal			
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_TOTAL_ASSETS	decimal	Balance Sheet Total Assets		
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_TOTAL_CURRENT_ASSETS	decimal			
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_TOTAL_CURRENT_LIABILITIES	decimal			
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_TOTAL_FIXED_ASSETS	decimal			
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_TOTAL_INTANGIBLE_ASSETS	decimal			
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_TOTAL_INVENTORIES	decimal			
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_TOTAL_LIABILITIES	decimal			

Name	Data Type	Label	Required	Documentation
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_TOTAL_LONG_TERM_LIABILITIES	decimal			
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_TOTAL_OTHER_FIXED_ASSETS	decimal			
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_TOTAL_RECEIVABLES	decimal			
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_TOTAL_SHAREHOLDERS_EQUITY	decimal			
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_TOTAL_TANGIBLE_ASSETS	decimal			
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_TRADE_PAYABLES_DUE_AFTER1YEAR	decimal			
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_TRADE_PAYABLES	decimal			
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_TRADE_RECEIVABLES	decimal			
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_WORK_IN_PROGRESS	decimal	Balance Sheet Work in Progress		
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_YEAR_END_DATE	datetime			
FINANCIAL_STATEMENTS_ITEM_OTHER_FINANCIALS_CONTINGENT_LIABILITIES	string			
FINANCIAL_STATEMENTS_ITEM_OTHER_FINANCIALS_NET_WORTH	decimal			
FINANCIAL_STATEMENTS_ITEM_OTHER_FINANCIALS_WORKING_CAPITAL	decimal			
FINANCIAL_STATEMENTS_ITEM_PROFIT_AND_LOSS_AMORTISATION	decimal			
FINANCIAL_STATEMENTS_ITEM_PROFIT_AND_LOSS_CONSOLIDATED_ACCOUNTS	boolean	Profit & Loss Consolidated Accounts		
FINANCIAL_STATEMENTS_ITEM_PROFIT_AND_LOSS_CURRENCY	string	Profit & Loss Currency		
FINANCIAL_STATEMENTS_ITEM_PROFIT_AND_LOSS_DEPRECIATION	decimal	Profit & Loss Depreciation		
FINANCIAL_STATEMENTS_ITEM_PROFIT_AND_LOSS_DIVIDENDS	decimal	Profit & Loss Dividends		
FINANCIAL_STATEMENTS_ITEM_PROFIT_AND_LOSS_EXTRAORDINARY_COSTS	decimal			

Name	Data Type	Label	Required	Documentation
FINANCIAL_STATEMENTS_ITEM_P ROFIT_AND_LOSS_EXTRAORDINA RY_INCOME	decimal			
FINANCIAL_STATEMENTS_ITEM_P ROFIT_AND_LOSS_FINANCIAL_EX PENSES	decimal	Profit & Loss Financial Expenses		
FINANCIAL_STATEMENTS_ITEM_P ROFIT_AND_LOSS_FINANCIAL_IN COME	decimal			
FINANCIAL_STATEMENTS_ITEM_P ROFIT_AND_LOSS_MINORITY_INT ERESTS	decimal			
FINANCIAL_STATEMENTS_ITEM_P ROFIT_AND_LOSS_NUMBER_OF_ WEEKS	int64	Profit & Loss Total Assets		
FINANCIAL_STATEMENTS_ITEM_P ROFIT_AND_LOSS_OPERATING_C OSTS	decimal	Profit & Loss Operating Costs		
FINANCIAL_STATEMENTS_ITEM_P ROFIT_AND_LOSS_OPERATING_P ROFIT	decimal			
FINANCIAL_STATEMENTS_ITEM_P ROFIT_AND_LOSS_OTHER_APPR OPRIATIONS	decimal			
FINANCIAL_STATEMENTS_ITEM_P ROFIT_AND_LOSS_PENSION_COS TS	decimal			
FINANCIAL_STATEMENTS_ITEM_P ROFIT_AND_LOSS_PROFIT_AFT ER_TAX	decimal			
FINANCIAL_STATEMENTS_ITEM_P ROFIT_AND_LOSS_PROFIT_BEFO RE_TAX	decimal			
FINANCIAL_STATEMENTS_ITEM_P ROFIT_AND_LOSS_RETAINED_PR OFIT	decimal			
FINANCIAL_STATEMENTS_ITEM_P ROFIT_AND_LOSS_REVENUE	decimal			
FINANCIAL_STATEMENTS_ITEM_P ROFIT_AND_LOSS_TAX	decimal			
FINANCIAL_STATEMENTS_ITEM_P ROFIT_AND_LOSS_WAGES_AND_ SALARIES	decimal			
FINANCIAL_STATEMENTS_ITEM_P ROFIT_AND_LOSS_YEAR_END_D ATE	datetime			
FINANCIAL_STATEMENTS_ITEM_R ATIOS_CREDITOR_DAYS	decimal			
FINANCIAL_STATEMENTS_ITEM_R ATIOS_CURRENT_DEBT_RATIO	decimal			
FINANCIAL_STATEMENTS_ITEM_R ATIOS_CURRENT_RATIO	decimal			

Name	Data Type	Label	Required	Documentation
FINANCIAL_STATEMENTS_ITEM_RATIOS_DEBTOR_DAYS	decimal			
FINANCIAL_STATEMENTS_ITEM_RATIOS_EQUITY_IN_PERCENTAGE	decimal			
FINANCIAL_STATEMENTS_ITEM_RATIOS_GEARING	decimal			
FINANCIAL_STATEMENTS_ITEM_RATIOS_LIQUIDITY_RATIO_OR_ACID_TEST	decimal			
FINANCIAL_STATEMENTS_ITEM_RATIOS_PRE_TAX_PROFIT_MARGIN	decimal			
FINANCIAL_STATEMENTS_ITEM_RATIOS_RETURN_ON_CAPITAL_EMPLOYED	decimal			
FINANCIAL_STATEMENTS_ITEM_RATIOS_RETURN_ON_NET_ASSETS_EMPLOYED	decimal			
FINANCIAL_STATEMENTS_ITEM_RATIOS_RETURN_ON_TOTAL_ASSETS_EMPLOYED	decimal			
FINANCIAL_STATEMENTS_ITEM_RATIOS_SALES_OR_NET_WORKING_CAPITAL	decimal			
FINANCIAL_STATEMENTS_ITEM_RATIOS_STOCK_TURNOVER_RATIO	decimal			
FINANCIAL_STATEMENTS_ITEM_RATIOS_TOTAL_DEBT_RATIO	decimal			
GROUP_STRUCTURE_AFFILIATED_COMPANIES_ITEM_COMPANY_ID	string			
GROUP_STRUCTURE_AFFILIATED_COMPANIES_ITEM_COMPANY_NAME	string			
GROUP_STRUCTURE_AFFILIATED_COMPANIES_ITEM_COUNTRY	string			
GROUP_STRUCTURE_AFFILIATED_COMPANIES_ITEM_NUMBER	string			
GROUP_STRUCTURE_IMMEDIATE_PARENT_COMPANY_ID	string			
GROUP_STRUCTURE_IMMEDIATE_PARENT_COMPANY_NAME	string			
GROUP_STRUCTURE_IMMEDIATE_PARENT_COUNTRY	string			
GROUP_STRUCTURE_IMMEDIATE_PARENT_NUMBER	string			
GROUP_STRUCTURE_SUBSIDIARY_COMPANIES_ITEM_COMPANY_ID	string			
GROUP_STRUCTURE_SUBSIDIARY_COMPANIES_ITEM_COMPANY_NAME	string			
GROUP_STRUCTURE_SUBSIDIARY_COMPANIES_ITEM_COUNTRY	string			

Name	Data Type	Label	Required	Documentation
GROUP_STRUCTURE_SUBSIDIARY_COMPANIES_ITEM_NUMBER	string			
GROUP_STRUCTURE_ULTIMATE_PARENT_COMPANY_ID	string			
GROUP_STRUCTURE_ULTIMATE_PARENT_COMPANY_NAME	string			
GROUP_STRUCTURE_ULTIMATE_PARENT_COUNTRY	string			
GROUP_STRUCTURE_ULTIMATE_PARENT_NUMBER	string			
LANGUAGE	string	Language		
ORDER_NUMBER	int64			
OTHER_INFORMATION_ADVISORS_ITEM_AUDITOR_NAME	string			
OTHER_INFORMATION_ADVISORS_ITEM_SOLICITOR_NAME	string			
OTHER_INFORMATION_BANKERS_ITEM_ADDRESS	string			
OTHER_INFORMATION_BANKERS_ITEM_BANK_CODE	string			
OTHER_INFORMATION_BANKERS_ITEM_NAME	string			
OTHER_INFORMATION_EMPLOYEES_INFORMATION_ITEM_NUMBER_OF_EMPLOYEES	string			
OTHER_INFORMATION_EMPLOYEES_INFORMATION_ITEM_YEAR	int16			
SHARE_CAPITAL_STRUCTURE_ISSUED_SHARE_CAPITAL	decimal			
SHARE_CAPITAL_STRUCTURE_NOMINAL_SHARE_CAPITAL	decimal			
SHARE_CAPITAL_STRUCTURE_SHARE_HOLDERS_ITEM_ADDRESS	string			
SHARE_CAPITAL_STRUCTURE_SHARE_HOLDERS_ITEM_NAME	string			
SHARE_CAPITAL_STRUCTURE_SHARE_HOLDERS_ITEM_SHARE_PERCENT	decimal			

3.1.84 creditsafeGetReportFullPdfV2

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: creditsafeGetReportFullPdfV2

Base

XPath: /s:Envelope/s:Body/tns:creditsafeGetReportFullPdfV2Response/tns:out/tns:report_pdf

Filters on API Server: company_id- language- reason

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `creditsafeGetReportFullPdfV2`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
company_id	string	<input type="checkbox"/>		
language	string	<input type="checkbox"/>		
reason	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `creditsafeGetReportFullPdfV2` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
REPORT_PDF	string			

3.1.85 creditsafeGetReportFullV2

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `creditsafeGetReportFullV2`

Base

XPath: /s:Envelope/s:Body/tns:creditsafeGetReportFullV2Response/tns:out

Filters on API Server: company_id- language- reason

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `creditsafeGetReportFullV2`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
company_id	string	<input type="checkbox"/>		
language	string	<input type="checkbox"/>		
reason	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `creditsafeGetReportFullV2` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ADDITIONAL_INFORMATION_DE_B ENEFICIARY_OWNERS_CITY	string			
ADDITIONAL_INFORMATION_DE_B ENEFICIARY_OWNERS_COUNTRY	string			
ADDITIONAL_INFORMATION_DE_B ENEFICIARY_OWNERS_NAME	string			
ADDITIONAL_INFORMATION_DE_B ENEFICIARY_OWNERS_POSTAL_C ODE	string			
ADDITIONAL_INFORMATION_DE_B ENEFICIARY_OWNERS_SHARE_PE RCENT	string			
ADDITIONAL_INFORMATION_DE_C OMMENTS_ITEM_SENTIMENT	string			
ADDITIONAL_INFORMATION_DE_C OMMENTS_ITEM_TEXT	string			
ADDITIONAL_INFORMATION_DE_HI STORICAL_EVENTS_ITEM_CURRE NT_VALUE	string			
ADDITIONAL_INFORMATION_DE_HI STORICAL_EVENTS_ITEM_DATE	datetime			
ADDITIONAL_INFORMATION_DE_HI STORICAL_EVENTS_ITEM_DESCRI	string			

Name	Data Type	Label	Required	Documentation
PTION				
ADDITIONAL_INFORMATION_DE_HISTORICAL_EVENTS_ITEM_PREVIOUS_VALUE	string			
ADDITIONAL_INFORMATION_DE_IMAGE_ACCOUNTS_DOCUMENT_TYPE	string			
ADDITIONAL_INFORMATION_DE_IMAGE_ACCOUNTS_END_DATE	datetime			
ADDITIONAL_INFORMATION_DE_IMAGE_ACCOUNTS_FINANCIALS_TYPE	string			
ADDITIONAL_INFORMATION_DE_IMAGE_ACCOUNTS_PUBLISHED_DATE	datetime			
ADDITIONAL_INFORMATION_DE_IMAGE_ACCOUNTS_SERIAL_NUMBER	string			
ADDITIONAL_INFORMATION_DE_IMAGE_ACCOUNTS_START_DATE	datetime			
ADDITIONAL_INFORMATION_DE_MISCELLANEOUS_BUSINESS_PURPOSE	string	DE Miscellaneous Business Purpose		
ADDITIONAL_INFORMATION_DE_MISCELLANEOUS_COMMERCIAL_REGISTER_CITY	string	DE Miscellaneous Commercial Register City		
ADDITIONAL_INFORMATION_DE_MISCELLANEOUS_COMMERCIAL_REGISTER_ZIP	string	DE Miscellaneous Commercial Register ZIP Code		
ADDITIONAL_INFORMATION_DE_MISCELLANEOUS_COMPANY_TYPE	string	DE Miscellaneous Company Type		
ADDITIONAL_INFORMATION_DE_MISCELLANEOUS_COMPLEMENTARY_COMPANY	string	DE Miscellaneous Complementary Company		
ADDITIONAL_INFORMATION_DE_MISCELLANEOUS_CURRENT_RATING_MAX_VALUE	string			
ADDITIONAL_INFORMATION_DE_MISCELLANEOUS_CURRENT_RATING_MIN_VALUE	string			
ADDITIONAL_INFORMATION_DE_MISCELLANEOUS_CURRENT_RATING_VALUE	string			
ADDITIONAL_INFORMATION_DE_MISCELLANEOUS_FAX_NUMBER	string	DE Miscellaneous Fax Number		
ADDITIONAL_INFORMATION_DE_MISCELLANEOUS_FINANCIALS_QUALITY	string	DE Miscellaneous Financials Quality		
ADDITIONAL_INFORMATION_DE_MISCELLANEOUS_NEGATIVE_RATING	string	DE Miscellaneous Negative Rating		
ADDITIONAL_INFORMATION_DE_MISCELLANEOUS_PREMISE_TYPE	string	DE Miscellaneous Premise Type		

Name	Data Type	Label	Required	Documentation
ADDITIONAL_INFORMATION_DE_MISCELLANEOUS_PREVIOUS_RATING_MAX_VALUE	string			
ADDITIONAL_INFORMATION_DE_MISCELLANEOUS_PREVIOUS_RATING_MIN_VALUE	string			
ADDITIONAL_INFORMATION_DE_MISCELLANEOUS_PREVIOUS_RATING_VALUE	string			
ADDITIONAL_INFORMATION_DE_MISCELLANEOUS_SMALL_OFFICE	string	DE Miscellaneous Small Office		
ADDITIONAL_INFORMATION_DE_MISCELLANEOUS_TURNOVER_RANGE	string	DE Miscellaneous Turnover Range		
ADDITIONAL_INFORMATION_DE_TURNOVER_RANGES_RANGE	string			
ADDITIONAL_INFORMATION_DE_TURNOVER_RANGES_YEAR	int64			
ADDITIONAL_INFORMATION_GENERIC_ITEM_KEY	string			
ADDITIONAL_INFORMATION_GENERIC_ITEM_VALUE	string			
ADDITIONAL_INFORMATION_NL_COMMENTS_ITEM_SENTIMENT	string			
ADDITIONAL_INFORMATION_NL_COMMENTS_ITEM_TEXT	string			
ADDITIONAL_INFORMATION_NL_FINANCIAL_ITEMS_ITEM_CONSOLIDATED_SUBSIDIARIES	string			
ADDITIONAL_INFORMATION_NL_FINANCIAL_ITEMS_ITEM_DATE_YEAR_END	datetime			
ADDITIONAL_INFORMATION_NL_FINANCIAL_ITEMS_ITEM_JUDGEMENT	string			
ADDITIONAL_INFORMATION_NL_HISTORICAL_EVENTS_ITEM_CURRENT_VALUE	string			
ADDITIONAL_INFORMATION_NL_HISTORICAL_EVENTS_ITEM_DATE	datetime			
ADDITIONAL_INFORMATION_NL_HISTORICAL_EVENTS_ITEM_DESCRIPTION	string			
ADDITIONAL_INFORMATION_NL_HISTORICAL_EVENTS_ITEM_PREVIOUS_VALUE	string			
ADDITIONAL_INFORMATION_NL_INDUSTRY_QUARTILE_ANALYSIS_DAILY_SALES_OUTSTANDING_LOWER	decimal			
ADDITIONAL_INFORMATION_NL_INDUSTRY_QUARTILE_ANALYSIS_D	decimal			

Name	Data Type	Label	Required	Documentation
AY_SALES_OUTSTANDING_MEDIAN				
ADDITIONAL_INFORMATION_NL_INDUSTRY_QUARTILE_ANALYSIS_D AY_SALES_OUTSTANDING_UPPER	decimal			
ADDITIONAL_INFORMATION_NL_INDUSTRY_QUARTILE_ANALYSIS_P AYMENT_EXPECTATION_DAYS_LOWER	decimal			
ADDITIONAL_INFORMATION_NL_INDUSTRY_QUARTILE_ANALYSIS_P AYMENT_EXPECTATION_DAYS_M EDIAN	decimal			
ADDITIONAL_INFORMATION_NL_INDUSTRY_QUARTILE_ANALYSIS_P AYMENT_EXPECTATION_DAYS_U PPER	decimal			
ADDITIONAL_INFORMATION_NL_INDUSTRY_COMPARISON_INDUSTRY _AVERAGE_CREDIT_LIMIT	decimal			
ADDITIONAL_INFORMATION_NL_INDUSTRY_COMPARISON_INDUSTRY _AVERAGE_CREDIT_RATING	decimal			
ADDITIONAL_INFORMATION_NL_K VK_FILINGS_ITEM_DATE	datetime			
ADDITIONAL_INFORMATION_NL_K VK_FILINGS_ITEM_EVENT	string			
ADDITIONAL_INFORMATION_NL_L ETTERS_OF_LIABLILITY_INFORMA TION403_ITEM_COMPANY_NAME	string			
ADDITIONAL_INFORMATION_NL_L ETTERS_OF_LIABLILITY_INFORMA TION403_ITEM_COMPANY_NUMBE R	string			
ADDITIONAL_INFORMATION_NL_L ETTERS_OF_LIABLILITY_INFORMA TION403_ITEM_DATE_SUBMITTED	datetime			
ADDITIONAL_INFORMATION_NL_L ETTERS_OF_LIABLILITY_INFORMA TION403_ITEM_FINANCIAL_YEAR	int64			
ADDITIONAL_INFORMATION_NL_L ETTERS_OF_LIABLILITY_INFORMA TION403_ITEM_LETTER_OF_LIABIL ITY1_REMOVAL_DATE_PARENT2	datetime			
ADDITIONAL_INFORMATION_NL_L ETTERS_OF_LIABLILITY_INFORMA TION403_ITEM_LETTER_OF_LIABIL ITY1_REMOVAL_DATE	datetime			
ADDITIONAL_INFORMATION_NL_L ETTERS_OF_LIABLILITY_INFORMA TION403_ITEM_LETTER_OF_LIABIL ITY1_REMOVAL_SUBMITTED_PAR ENT2	datetime			

Name	Data Type	Label	Required	Documentation
ADDITIONAL_INFORMATION_NL_LETTERS_OF_LIABLILITY_INFORMATION403_ITEM_LETTER_OF_LIABLILITY1_REMOVAL_SUBMITTED	datetime			
ADDITIONAL_INFORMATION_NL_LETTERS_OF_LIABLILITY_INFORMATION403_ITEM_LETTER_OF_LIABLILITY1_START_DATE_PARENT2	datetime			
ADDITIONAL_INFORMATION_NL_LETTERS_OF_LIABLILITY_INFORMATION403_ITEM_LETTER_OF_LIABLILITY1_START_DATE	datetime			
ADDITIONAL_INFORMATION_NL_LETTERS_OF_LIABLILITY_INFORMATION403_ITEM_LETTER_OF_LIABLILITY1_SUBMITTED_DATE_PARENT2	datetime			
ADDITIONAL_INFORMATION_NL_LETTERS_OF_LIABLILITY_INFORMATION403_ITEM_LETTER_OF_LIABLILITY1_SUBMITTED_DATE	datetime			
ADDITIONAL_INFORMATION_NL_LETTERS_OF_LIABLILITY_INFORMATION403_ITEM_LETTER_OF_LIABLILITY2_REMOVAL_DATE_PARENT2	datetime			
ADDITIONAL_INFORMATION_NL_LETTERS_OF_LIABLILITY_INFORMATION403_ITEM_LETTER_OF_LIABLILITY2_REMOVAL_DATE	datetime			
ADDITIONAL_INFORMATION_NL_LETTERS_OF_LIABLILITY_INFORMATION403_ITEM_LETTER_OF_LIABLILITY2_REMOVAL_SUBMITTED_PARENT2	datetime			
ADDITIONAL_INFORMATION_NL_LETTERS_OF_LIABLILITY_INFORMATION403_ITEM_LETTER_OF_LIABLILITY2_REMOVAL_SUBMITTED	datetime			
ADDITIONAL_INFORMATION_NL_LETTERS_OF_LIABLILITY_INFORMATION403_ITEM_LETTER_OF_LIABLILITY2_START_DATE_PARENT2	datetime			
ADDITIONAL_INFORMATION_NL_LETTERS_OF_LIABLILITY_INFORMATION403_ITEM_LETTER_OF_LIABLILITY2_START_DATE	datetime			
ADDITIONAL_INFORMATION_NL_LETTERS_OF_LIABLILITY_INFORMATION403_ITEM_LETTER_OF_LIABLILITY2_SUBMITTED_DATE_PARENT2	datetime			
ADDITIONAL_INFORMATION_NL_LETTERS_OF_LIABLILITY_INFORMATION403_ITEM_LETTER_OF_LIABLILITY2_SUBMITTED_DATE	datetime			
ADDITIONAL_INFORMATION_NL_MISCELLANEOUS_BRANCH_NUMBER	string	NL Miscellaneous Branch Number		

Name	Data Type	Label	Required	Documentation
ADDITIONAL_INFORMATION_NL_MISCELLANEOUS_DATE_OF_CESSATION_TRADING	datetime			
ADDITIONAL_INFORMATION_NL_MISCELLANEOUS_DATE_OF_LEGAL_FORM	datetime	NL Miscellaneous Date of Legal Form		
ADDITIONAL_INFORMATION_NL_MISCELLANEOUS_EXPORTER	string	NL Miscellaneous Exporter		
ADDITIONAL_INFORMATION_NL_MISCELLANEOUS_IMPORTER	string	NL Miscellaneous Importer		
ADDITIONAL_INFORMATION_NL_MISCELLANEOUS_NEGATIVE_RATING	int64	NL Miscellaneous Negative Rating		
ADDITIONAL_INFORMATION_NL_MISCELLANEOUS_RSIN_NUMBER	string	NL Miscellaneous RSIN Number		
ADDITIONAL_INFORMATION_NL_PAYMENT_EXPECTATIONS_SUMMARY_DAY_SALES_OUTSTANDING	int64			
ADDITIONAL_INFORMATION_NL_PAYMENT_EXPECTATIONS_SUMMARY_INDUSTRY_AVERAGE_DAY_SALES_OUTSTANDING	int64			
ADDITIONAL_INFORMATION_NL_PAYMENT_EXPECTATIONS_SUMMARY_INDUSTRY_AVERAGE_PAYMENT_EXPECTATION_DAYS	int64			
ADDITIONAL_INFORMATION_NL_PAYMENT_EXPECTATIONS_SUMMARY_PAYMENT_EXPECTATION_DAYS	int64			
ADDITIONAL_INFORMATION_NL_PAYMENT_EXPECTATIONS_SUMMARY_SUSPENSION_OF_PAYMENTS_MORA	string			
COMPANY_ID	string	Company ID		
COMPANY_IDENTIFICATION_ACTIVITY_CLASSIFICATIONS_ITEM_ACTIVITIES	string			
COMPANY_IDENTIFICATION_ACTIVITY_CLASSIFICATIONS_ITEM_CLASSIFICATION	string			
COMPANY_IDENTIFICATION_BASIC_INFORMATION_BUSINESS_NAME	string			
COMPANY_IDENTIFICATION_BASIC_INFORMATION_COMPANY_REGISTRATION_NUMBER	string			
COMPANY_IDENTIFICATION_BASIC_INFORMATION_COMPANY_STATUS_DESCRIPTION	string			
COMPANY_IDENTIFICATION_BASIC_INFORMATION_COMPANY_STATUS_STATUS	string			

Name	Data Type	Label	Required	Documentation
COMPANY_IDENTIFICATION_BASIC_INFORMATION_CONTACT_ADDRESS_CITY	string			
COMPANY_IDENTIFICATION_BASIC_INFORMATION_CONTACT_ADDRESS_COUNTRY	string			
COMPANY_IDENTIFICATION_BASIC_INFORMATION_CONTACT_ADDRESS_FULL_ADDRESS	string			
COMPANY_IDENTIFICATION_BASIC_INFORMATION_CONTACT_ADDRESS_HOUSE_NUMBER	string			
COMPANY_IDENTIFICATION_BASIC_INFORMATION_CONTACT_ADDRESS_POSTAL_CODE	string			
COMPANY_IDENTIFICATION_BASIC_INFORMATION_CONTACT_ADDRESS_STREET	string			
COMPANY_IDENTIFICATION_BASIC_INFORMATION_CONTACT_ADDRESS_TELEPHONE	string			
COMPANY_IDENTIFICATION_BASIC_INFORMATION_COUNTRY	string			
COMPANY_IDENTIFICATION_BASIC_INFORMATION_DATEOF_COMPANY_REGISTRATION	datetime			
COMPANY_IDENTIFICATION_BASIC_INFORMATION_DATEOF_STARTING_OPERATIONS	datetime			
COMPANY_IDENTIFICATION_BASIC_INFORMATION_LEGAL_FORM_CODE	string			
COMPANY_IDENTIFICATION_BASIC_INFORMATION_LEGAL_FORM_DESCRIPTION	string			
COMPANY_IDENTIFICATION_BASIC_INFORMATION_LEGAL_FORM_VALUE	string			
COMPANY_IDENTIFICATION_BASIC_INFORMATION_PRINCIPAL_ACTIVITY_CODE	string			
COMPANY_IDENTIFICATION_BASIC_INFORMATION_PRINCIPAL_ACTIVITY_DESCRIPTION	string			
COMPANY_IDENTIFICATION_BASIC_INFORMATION_PRINCIPAL_ACTIVITY_VALUE	string			
COMPANY_IDENTIFICATION_BASIC_INFORMATION_REGISTERED_COMPANY_NAME	string			
COMPANY_IDENTIFICATION_BASIC_INFORMATION_VAT_REGISTRATION_NUMBER	string			

Name	Data Type	Label	Required	Documentation
COMPANY_SUMMARY_BUSINESS_NAME	string	Summary Business Name		
COMPANY_SUMMARY_COMPANY_REGISTRATION_NUMBER	string			
COMPANY_SUMMARY_COMPANY_STATUS_DESCRIPTION	string	Summary Company Status Description		
COMPANY_SUMMARY_COMPANY_STATUS_STATUS	string	Summary Company Status Status		
COMPANY_SUMMARY_COUNTRY	string	Summary Country		
COMPANY_SUMMARY_CREDIT_RATING_COMMON_DESCRIPTION	string	Summary Credit Rating Common Description		
COMPANY_SUMMARY_CREDIT_RATING_COMMON_VALUE	string	Summary Credit Rating Common Value		
COMPANY_SUMMARY_CREDIT_RATING_CREDIT_LIMIT	string	Summary Credit Rating Credit Limit		
COMPANY_SUMMARY_CREDIT_RATING_PROVIDER_DESCRIPTION	string			
COMPANY_SUMMARY_CREDIT_RATING_PROVIDER_VALUE_MAXIMUM_VALUE	string	Summary Credit Rating Provider Value Maximum Value		
COMPANY_SUMMARY_CREDIT_RATING_PROVIDER_VALUE_MINIMUM_VALUE	string	Summary Credit Rating Provider Value Minimum Value		
COMPANY_SUMMARY_CREDIT_RATING_PROVIDER_VALUE_VALUE	string	Summary Credit Rating Provider Value Value		
COMPANY_SUMMARY_LATEST_SHAREHOLDERS_EQUITY_FIGURE	int32			
COMPANY_SUMMARY_LATEST_TURNOVER_FIGURE	int32			
COMPANY_SUMMARY_MAIN_ACTIVITY_ACTIVITY_CODE	string			
COMPANY_SUMMARY_MAIN_ACTIVITY_ACTIVITY_DESCRIPTION	string			
COMPANY_SUMMARY_MAIN_ACTIVITY_CLASSIFICATION	string			
COMPANY_SUMMARY_NUMBER	string	Summary Number		
CONTACT_INFORMATION_MAIN_ADDRESS_CITY	string	Contact Main Address City		
CONTACT_INFORMATION_MAIN_ADDRESS_COUNTRY	string	Contact Main Address Country		
CONTACT_INFORMATION_MAIN_ADDRESS_FULL_ADDRESS	string	Contact Main Address Full Address		
CONTACT_INFORMATION_MAIN_ADDRESS_HOUSE_NUMBER	string	Contact Main Address House Number		
CONTACT_INFORMATION_MAIN_ADDRESS_POSTAL_CODE	string	Contact Main Address Postal Code		
CONTACT_INFORMATION_MAIN_ADDRESS_STREET	string	Contact Main Address Street		
CONTACT_INFORMATION_MAIN_ADDRESS_TELEPHONE	string	Contact Main Address Telephone		

Name	Data Type	Label	Required	Documentation
CONTACT_INFORMATION_OTHER_ADDRESSES_ITEM_CITY	string			
CONTACT_INFORMATION_OTHER_ADDRESSES_ITEM_COUNTRY	string			
CONTACT_INFORMATION_OTHER_ADDRESSES_ITEM_FULL_ADDRESSES	string			
CONTACT_INFORMATION_OTHER_ADDRESSES_ITEM_HOUSE_NUMBER	string			
CONTACT_INFORMATION_OTHER_ADDRESSES_ITEM_POSTAL_CODE	string			
CONTACT_INFORMATION_OTHER_ADDRESSES_ITEM_STREET	string			
CONTACT_INFORMATION_OTHER_ADDRESSES_ITEM_TELEPHONE	string			
CREDIT_SCORE_CURRENT_CREDIT_RATING_COMMON_DESCRIPTION	string			
CREDIT_SCORE_CURRENT_CREDIT_RATING_COMMON_VALUE	string			
CREDIT_SCORE_CURRENT_CREDIT_RATING_CREDIT_LIMIT	string			
CREDIT_SCORE_CURRENT_CREDIT_RATING_PROVIDER_DESCRIPTION	string			
CREDIT_SCORE_CURRENT_CREDIT_RATING_PROVIDER_VALUE_MAX_VALUE	string			
CREDIT_SCORE_CURRENT_CREDIT_RATING_PROVIDER_VALUE_MIN_VALUE	string			
CREDIT_SCORE_CURRENT_CREDIT_RATING_PROVIDER_VALUE_VALUE	string			
CREDIT_SCORE_PREVIOUS_CREDIT_RATING_COMMON_DESCRIPTION	string			
CREDIT_SCORE_PREVIOUS_CREDIT_RATING_COMMON_VALUE	string			
CREDIT_SCORE_PREVIOUS_CREDIT_RATING_CREDIT_LIMIT	string			
CREDIT_SCORE_PREVIOUS_CREDIT_RATING_PROVIDER_DESCRIPTION	string			
CREDIT_SCORE_PREVIOUS_CREDIT_RATING_PROVIDER_VALUE_MAX_VALUE	string			
CREDIT_SCORE_PREVIOUS_CREDIT_RATING_PROVIDER_VALUE_MIN_VALUE	string			

Name	Data Type	Label	Required	Documentation
CREDIT_SCORE_PREVIOUS_CREDIT_RATING_PROVIDER_VALUE_VALUE	string			
DIRECTORS_CURRENT_DIRECTORS_ITEM_ADDRESS_CITY	string			
DIRECTORS_CURRENT_DIRECTORS_ITEM_ADDRESS_COUNTRY	string			
DIRECTORS_CURRENT_DIRECTORS_ITEM_ADDRESS_FULL_ADDRESS	string			
DIRECTORS_CURRENT_DIRECTORS_ITEM_ADDRESS_HOUSE_NUMBER	string			
DIRECTORS_CURRENT_DIRECTORS_ITEM_ADDRESS_POSTAL_CODE	string			
DIRECTORS_CURRENT_DIRECTORS_ITEM_ADDRESS_STREET	string			
DIRECTORS_CURRENT_DIRECTORS_ITEM_ADDRESS_TELEPHONE	string			
DIRECTORS_CURRENT_DIRECTORS_ITEM_DATE_OF_BIRTH	datetime			
DIRECTORS_CURRENT_DIRECTORS_ITEM_DIRECTOR_TYPE	string			
DIRECTORS_CURRENT_DIRECTORS_ITEM_GENDER	string			
DIRECTORS_CURRENT_DIRECTORS_ITEM_ID	string			
DIRECTORS_CURRENT_DIRECTORS_ITEM_NAME	string			
DIRECTORS_CURRENT_DIRECTORS_ITEM_POSITIONS	string			
DIRECTORS_PREVIOUS_DIRECTORS_ITEM_ADDRESS_CITY	string			
DIRECTORS_PREVIOUS_DIRECTORS_ITEM_ADDRESS_COUNTRY	string			
DIRECTORS_PREVIOUS_DIRECTORS_ITEM_ADDRESS_FULL_ADDRESS	string			
DIRECTORS_PREVIOUS_DIRECTORS_ITEM_ADDRESS_HOUSE_NUMBER	string			
DIRECTORS_PREVIOUS_DIRECTORS_ITEM_ADDRESS_POSTAL_CODE	string			
DIRECTORS_PREVIOUS_DIRECTORS_ITEM_ADDRESS_STREET	string			
DIRECTORS_PREVIOUS_DIRECTORS_ITEM_ADDRESS_TELEPHONE	string			
DIRECTORS_PREVIOUS_DIRECTORS_ITEM_DATE_OF_BIRTH	datetime			

Name	Data Type	Label	Required	Documentation
DIRECTORS_PREVIOUS_DIRECTOR S_ITEM_DIRECTOR_TYPE	string			
DIRECTORS_PREVIOUS_DIRECTOR S_ITEM_GENDER	string			
DIRECTORS_PREVIOUS_DIRECTOR S_ITEM_ID	string			
DIRECTORS_PREVIOUS_DIRECTOR S_ITEM_NAME	string			
DIRECTORS_PREVIOUS_DIRECTOR S_ITEM_POSITIONS	string			
DIRECTORS_PREVIOUS_DIRECTOR S_ITEM_RESIGNATION_DATE	datetime			
FINANCIAL_STATEMENTS_ITEM_B ALANCE_SHEET_BANK_LIABILITIE S_DUE_AFTER1YEAR	int32			
FINANCIAL_STATEMENTS_ITEM_B ALANCE_SHEET_BANK_LIABILITIE S	int32			
FINANCIAL_STATEMENTS_ITEM_B ALANCE_SHEET_CALLED_UP_SH ARE_CAPITAL	int32			
FINANCIAL_STATEMENTS_ITEM_B ALANCE_SHEET_CASH	int32	Balance Sheet Cash		
FINANCIAL_STATEMENTS_ITEM_B ALANCE_SHEET_CONSOLIDATED _ACCOUNTS	int32	Balance Sheet Consolidated Accounts		
FINANCIAL_STATEMENTS_ITEM_B ALANCE_SHEET_FINISHED_GOOD S	int32	Balance Sheet Finished Goods		
FINANCIAL_STATEMENTS_ITEM_B ALANCE_SHEET_GOODWILL	int32	Balance Sheet Goodwill		
FINANCIAL_STATEMENTS_ITEM_B ALANCE_SHEET_GROUP_PAYAB LES_DUE_AFTER1YEAR	int32			
FINANCIAL_STATEMENTS_ITEM_B ALANCE_SHEET_GROUP_PAYAB LES	int32			
FINANCIAL_STATEMENTS_ITEM_B ALANCE_SHEET_GROUP_RECEIV ABLES	int32			
FINANCIAL_STATEMENTS_ITEM_B ALANCE_SHEET_INVESTMENTS	int32	Balance Sheet Investments		
FINANCIAL_STATEMENTS_ITEM_B ALANCE_SHEET_LAND_AND_BUIL DINGS	int32			
FINANCIAL_STATEMENTS_ITEM_B ALANCE_SHEET_LOANS_TO_GR ROUP	int32	Balance Sheet Loans to Group		
FINANCIAL_STATEMENTS_ITEM_B ALANCE_SHEET_MISCELLANEOU S_FIXED_ASSETS	int32			

Name	Data Type	Label	Required	Documentation
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_MISCELLANEOUS_LIABILITIES_DUE_AFTER1_YEAR	int32			
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_MISCELLANEOUS_LIABILITIES	int32			
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_MISCELLANEOUS_RECEIVABLES	int32			
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_OTHER_CURRENT_ASSETS	int32			
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_OTHER_INTANGIBLE_ASSETS	int32			
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_OTHER_INVENTORIES	int32			
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_OTHER_LOANS_OR_FINANCE_DUE_AFTER1_YEAR	int32			
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_OTHER_LOANS_OR_FINANCE	int32			
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_OTHER_LOANS	int32			
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_OTHER_RESERVES	int32			
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_OTHER_TANGIBLE_ASSETS	int32			
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_PLANT_AND_MACHINERY	int32			
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_RAW_MATERIALS	int32			
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_RECEIVABLES_DUE_AFTER1YEAR	int32			
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_REVENUE_RESERVES	int32			
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_SHARE_PREMIUM	int32			
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_TOTAL_ASSETS	int32	Balance Sheet Total Assets		
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_TOTAL_CURRENT_ASSETS	int32			

Name	Data Type	Label	Required	Documentation
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_TOTAL_CURRENT_LIABILITIES	int32			
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_TOTAL_FIXED_ASSETS	int32			
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_TOTAL_INTANGIBLE_ASSETS	int32			
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_TOTAL_INVENTORIES	int32			
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_TOTAL_LIABILITIES	int32			
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_TOTAL_LONG_TERM_LIABILITIES	int32			
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_TOTAL_OTHER_FIXED_ASSETS	int32			
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_TOTAL_RECEIVABLES	int32			
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_TOTAL_SHAREHOLDERS_EQUITY	int32			
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_TOTAL_TANGIBLE_ASSETS	int32			
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_TRADE_PAYABLES_DUE_AFTER1YEAR	int32			
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_TRADE_PAYABLES	int32			
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_TRADE_RECEIVABLES	int32			
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_WORK_IN_PROGRESS	int32	Balance Sheet Work in Progress		
FINANCIAL_STATEMENTS_ITEM_CONSOLIDATED_ACCOUNTS	boolean	Financial Statement Consolidated Accounts		
FINANCIAL_STATEMENTS_ITEM_CURRENCY	string	Financial Statement Currency		
FINANCIAL_STATEMENTS_ITEM_NUMBER_OF_WEEKS	int64	Financial Statement Total Assets		
FINANCIAL_STATEMENTS_ITEM_OTHER_FINANCIALS_NET_WORTH	int64			
FINANCIAL_STATEMENTS_ITEM_OTHER_FINANCIALS_WORKING_CAPITAL	int64			

Name	Data Type	Label	Required	Documentation
PTAL				
FINANCIAL_STATEMENTS_ITEM_P ROFIT_AND_LOSS_DEPRECIATION	int32	Profit & Loss Depreciation		
FINANCIAL_STATEMENTS_ITEM_P ROFIT_AND_LOSS_DIVIDENDS	int32	Profit & Loss Dividends		
FINANCIAL_STATEMENTS_ITEM_P ROFIT_AND_LOSS_FINANCIAL_EX PENSES	int32	Profit & Loss Financial Expenses		
FINANCIAL_STATEMENTS_ITEM_P ROFIT_AND_LOSS_FINANCIAL_IN COME	int32			
FINANCIAL_STATEMENTS_ITEM_P ROFIT_AND_LOSS_OPERATING_C OSTS	int32	Profit & Loss Operating Costs		
FINANCIAL_STATEMENTS_ITEM_P ROFIT_AND_LOSS_OPERATING_P ROFIT	int32			
FINANCIAL_STATEMENTS_ITEM_P ROFIT_AND_LOSS_OTHER_APPR OPRIATIONS	int32			
FINANCIAL_STATEMENTS_ITEM_P ROFIT_AND_LOSS_PENSION_COS TS	int32			
FINANCIAL_STATEMENTS_ITEM_P ROFIT_AND_LOSS_PROFIT_AFT ER_TAX	int32			
FINANCIAL_STATEMENTS_ITEM_P ROFIT_AND_LOSS_PROFIT_BEFO RE_TAX	int32			
FINANCIAL_STATEMENTS_ITEM_P ROFIT_AND_LOSS_RETAINED_PR OFIT	int32			
FINANCIAL_STATEMENTS_ITEM_P ROFIT_AND_LOSS_REVENUE	int32			
FINANCIAL_STATEMENTS_ITEM_P ROFIT_AND_LOSS_TAX	int32			
FINANCIAL_STATEMENTS_ITEM_P ROFIT_AND_LOSS_WAGES_AND_ SALARIES	int32			
FINANCIAL_STATEMENTS_ITEM_R RATIOS_CREDITOR_DAYS	decimal			
FINANCIAL_STATEMENTS_ITEM_R RATIOS_CURRENT_DEBT_RATIO	decimal			
FINANCIAL_STATEMENTS_ITEM_R RATIOS_CURRENT_RATIO	decimal			
FINANCIAL_STATEMENTS_ITEM_R RATIOS_DEBTOR_DAYS	decimal			
FINANCIAL_STATEMENTS_ITEM_R RATIOS_EQUITY_IN_PERCENTAGE	decimal			
FINANCIAL_STATEMENTS_ITEM_R RATIOS_GEARING	decimal			

Name	Data Type	Label	Required	Documentation
FINANCIAL_STATEMENTS_ITEM_RATIOS_LIQUIDITY_RATIO_OR_ACID_TEST	decimal			
FINANCIAL_STATEMENTS_ITEM_RATIOS_PRE_TAX_PROFIT_MARGIN	decimal			
FINANCIAL_STATEMENTS_ITEM_RATIOS_RETURN_ON_CAPITAL_EMPLOYED	decimal			
FINANCIAL_STATEMENTS_ITEM_RATIOS_RETURN_ON_NET_ASSETS_EMPLOYED	decimal			
FINANCIAL_STATEMENTS_ITEM_RATIOS_RETURN_ON_TOTAL_ASSETS_EMPLOYED	decimal			
FINANCIAL_STATEMENTS_ITEM_RATIOS_SALES_OR_NET_WORKING_CAPITAL	decimal			
FINANCIAL_STATEMENTS_ITEM_RATIOS_STOCK_TURNOVER_RATIO	decimal			
FINANCIAL_STATEMENTS_ITEM_RATIOS_TOTAL_DEBT_RATIO	decimal			
FINANCIAL_STATEMENTS_ITEM_TYPE	string	Financial Statement Type		
FINANCIAL_STATEMENTS_ITEM_YEAR_END_DATE	datetime			
GROUP_STRUCTURE_AFFILIATED_COMPANIES_ITEM_ADDRESS_CITY	string			
GROUP_STRUCTURE_AFFILIATED_COMPANIES_ITEM_ADDRESS_COUNTRY	string			
GROUP_STRUCTURE_AFFILIATED_COMPANIES_ITEM_ADDRESS_FULL_ADDRESS	string			
GROUP_STRUCTURE_AFFILIATED_COMPANIES_ITEM_ADDRESS_HOUSE_NUMBER	string			
GROUP_STRUCTURE_AFFILIATED_COMPANIES_ITEM_ADDRESS_POSTAL_CODE	string			
GROUP_STRUCTURE_AFFILIATED_COMPANIES_ITEM_ADDRESS_STREET	string			
GROUP_STRUCTURE_AFFILIATED_COMPANIES_ITEM_ADDRESS_TELEPHONE	string			
GROUP_STRUCTURE_AFFILIATED_COMPANIES_ITEM_COUNTRY	string			
GROUP_STRUCTURE_AFFILIATED_COMPANIES_ITEM_CREDITSAFE_NUMBER	string			

Name	Data Type	Label	Required	Documentation
GROUP_STRUCTURE_AFFILIATED_COMPANIES_ITEM_DATE_LAST_ACCOUNT	datetime			
GROUP_STRUCTURE_AFFILIATED_COMPANIES_ITEM_DATE_LAST_CHANGE	datetime			
GROUP_STRUCTURE_AFFILIATED_COMPANIES_ITEM_ID	string			
GROUP_STRUCTURE_AFFILIATED_COMPANIES_ITEM_NAME	string			
GROUP_STRUCTURE_AFFILIATED_COMPANIES_ITEM_OFFICE_TYPE	string			
GROUP_STRUCTURE_AFFILIATED_COMPANIES_ITEM_REGISTRATION_NUMBER	string			
GROUP_STRUCTURE_AFFILIATED_COMPANIES_ITEM_STATUS	string			
GROUP_STRUCTURE_AFFILIATED_COMPANIES_ITEM_TRADE_NAMES	string			
GROUP_STRUCTURE_AFFILIATED_COMPANIES_ITEM_TYPE	string			
GROUP_STRUCTURE_AFFILIATED_COMPANIES_ITEM_VAT_NUMBERS	string			
GROUP_STRUCTURE_IMMEDIATE_PARENT_ADDRESS_CITY	string			
GROUP_STRUCTURE_IMMEDIATE_PARENT_ADDRESS_COUNTRY	string			
GROUP_STRUCTURE_IMMEDIATE_PARENT_ADDRESS_FULL_ADDRESS	string			
GROUP_STRUCTURE_IMMEDIATE_PARENT_ADDRESS_HOUSE_NUMBER	string			
GROUP_STRUCTURE_IMMEDIATE_PARENT_ADDRESS_POSTAL_CODE	string			
GROUP_STRUCTURE_IMMEDIATE_PARENT_ADDRESS_STREET	string			
GROUP_STRUCTURE_IMMEDIATE_PARENT_ADDRESS_TELEPHONE	string			
GROUP_STRUCTURE_IMMEDIATE_PARENT_COUNTRY	string			
GROUP_STRUCTURE_IMMEDIATE_PARENT_CREDITSAFE_NUMBER	string			
GROUP_STRUCTURE_IMMEDIATE_PARENT_DATE_LAST_ACCOUNT	datetime			
GROUP_STRUCTURE_IMMEDIATE_PARENT_DATE_LAST_CHANGE	datetime			
GROUP_STRUCTURE_IMMEDIATE_PARENT_ID	string			

Name	Data Type	Label	Required	Documentation
GROUP_STRUCTURE_IMMEDIATE_PARENT_NAME	string			
GROUP_STRUCTURE_IMMEDIATE_PARENT_OFFICE_TYPE	string			
GROUP_STRUCTURE_IMMEDIATE_PARENT_REGISTRATION_NUMBER	string			
GROUP_STRUCTURE_IMMEDIATE_PARENT_STATUS	string			
GROUP_STRUCTURE_IMMEDIATE_PARENT_TRADE_NAMES_ITEM	string			
GROUP_STRUCTURE_IMMEDIATE_PARENT_TYPE	string			
GROUP_STRUCTURE_IMMEDIATE_PARENT_VAT_NUMBERS_ITEM	string			
GROUP_STRUCTURE_SUBSIDIARY_COMPANIES_ITEM_ADDRESS_CITY	string			
GROUP_STRUCTURE_SUBSIDIARY_COMPANIES_ITEM_ADDRESS_COUNTRY	string			
GROUP_STRUCTURE_SUBSIDIARY_COMPANIES_ITEM_ADDRESS_FULL_ADDRESS	string			
GROUP_STRUCTURE_SUBSIDIARY_COMPANIES_ITEM_ADDRESS_HOUSE_NUMBER	string			
GROUP_STRUCTURE_SUBSIDIARY_COMPANIES_ITEM_ADDRESS_POSTAL_CODE	string			
GROUP_STRUCTURE_SUBSIDIARY_COMPANIES_ITEM_ADDRESS_STREET	string			
GROUP_STRUCTURE_SUBSIDIARY_COMPANIES_ITEM_ADDRESS_TELEPHONE	string			
GROUP_STRUCTURE_SUBSIDIARY_COMPANIES_ITEM_COUNTRY	string			
GROUP_STRUCTURE_SUBSIDIARY_COMPANIES_ITEM_CREDITSAFE_NUMBER	string			
GROUP_STRUCTURE_SUBSIDIARY_COMPANIES_ITEM_DATE_LAST_ACCOUNT	datetime			
GROUP_STRUCTURE_SUBSIDIARY_COMPANIES_ITEM_DATE_LAST_CHANGE	datetime			
GROUP_STRUCTURE_SUBSIDIARY_COMPANIES_ITEM_ID	string			
GROUP_STRUCTURE_SUBSIDIARY_COMPANIES_ITEM_NAME	string			
GROUP_STRUCTURE_SUBSIDIARY_COMPANIES_ITEM_OFFICE_TYPE	string			

Name	Data Type	Label	Required	Documentation
GROUP_STRUCTURE_SUBSIDIARY_COMPANIES_ITEM_REGISTRATION_NUMBER	string			
GROUP_STRUCTURE_SUBSIDIARY_COMPANIES_ITEM_STATUS	string			
GROUP_STRUCTURE_SUBSIDIARY_COMPANIES_ITEM_TRADE_NAMES	string			
GROUP_STRUCTURE_SUBSIDIARY_COMPANIES_ITEM_TYPE	string			
GROUP_STRUCTURE_SUBSIDIARY_COMPANIES_ITEM_VAT_NUMBERS	string			
GROUP_STRUCTURE_ULTIMATE_PARENT_ADDRESS_CITY	string	Group Structure Ultimate Parent Address City		
GROUP_STRUCTURE_ULTIMATE_PARENT_ADDRESS_COUNTRY	string	Group Structure Ultimate Parent Address Country		
GROUP_STRUCTURE_ULTIMATE_PARENT_ADDRESS_FULL_ADDRESSES	string	Group Structure Ultimate Parent Address Full Address		
GROUP_STRUCTURE_ULTIMATE_PARENT_ADDRESS_HOUSE_NUMBER	string	Group Structure Ultimate Parent Address House Number		
GROUP_STRUCTURE_ULTIMATE_PARENT_ADDRESS_POSTAL_CODE	string	Group Structure Ultimate Parent Address Postal Code		
GROUP_STRUCTURE_ULTIMATE_PARENT_ADDRESS_STREET	string	Group Structure Ultimate Parent Address Street		
GROUP_STRUCTURE_ULTIMATE_PARENT_ADDRESS_TELEPHONE	string	Group Structure Ultimate Parent Address Telephone		
GROUP_STRUCTURE_ULTIMATE_PARENT_COUNTRY	string			
GROUP_STRUCTURE_ULTIMATE_PARENT_CREDITSAFE_NUMBER	string			
GROUP_STRUCTURE_ULTIMATE_PARENT_DATE_LAST_ACCOUNT	datetime			
GROUP_STRUCTURE_ULTIMATE_PARENT_DATE_LAST_CHANGE	datetime			
GROUP_STRUCTURE_ULTIMATE_PARENT_ID	string			
GROUP_STRUCTURE_ULTIMATE_PARENT_NAME	string			
GROUP_STRUCTURE_ULTIMATE_PARENT_OFFICE_TYPE	string			
GROUP_STRUCTURE_ULTIMATE_PARENT_REGISTRATION_NUMBER	string			

Name	Data Type	Label	Required	Documentation
GROUP_STRUCTURE_ULTIMATE_PARENT_STATUS	string			
GROUP_STRUCTURE_ULTIMATE_PARENT_TRADE_NAMES_ITEM	string			
GROUP_STRUCTURE_ULTIMATE_PARENT_TYPE	string			
GROUP_STRUCTURE_ULTIMATE_PARENT_VAT_NUMBERS_ITEM	string			
LANGUAGE	string	Language		
LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_BANK_LIABILITIES_DUE_AFTER1YEAR	int32			
LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_BANK_LIABILITIES	int32			
LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_CALLED_UP_SHARE_CAPITAL	int32			
LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_CASH	int32			
LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_CONSOLIDATED_ACCOUNTS	int32			
LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_FINISHED_GOODS	int32			
LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_GOODWILL	int32			
LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_GROUP_PAYABLES_DUE_AFTER1YEAR	int32			
LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_GROUP_PAYABLES	int32			
LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_GROUP_RECEIVABLES	int32			
LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_INVESTMENTS	int32			
LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_LAND_AND_BUILDINGS	int32			
LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_LOANS_TO_GROUP	int32			
LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_MISCELLANEOUS_FIXED_ASSETS	int32			
LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_MISCELLANEOUS_FIXED_ASSETS	int32			

Name	Data Type	Label	Required	Documentation
ANEIOUS_LIABILITIES_DUE_AFTER_1_YEAR				
LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_MISCELLANEOUS_LIABILITIES	int32			
LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_MISCELLANEOUS_RECEIVABLES	int32			
LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_OTHER_CURRENT_ASSETS	int32			
LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_OTHER_INTANGIBLE_ASSETS	int32			
LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_OTHER_INVENTORIES	int32			
LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_OTHER_LOANS_OR_FINANCE_DUE_AFTER_1_YEAR	int32			
LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_OTHER_LOANS_OR_FINANCE	int32			
LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_OTHER_LOANS	int32			
LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_OTHER_RESERVES	int32			
LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_OTHER_TANGIBLE_ASSETS	int32			
LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_PLANT_AND_MACHINERY	int32			
LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_RAW_MATERIALS	int32			
LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_RECEIVABLES_DUE_AFTER_1_YEAR	int32			
LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_REVENUE_RESERVES	int32			
LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_SHARE_PREMIUM	int32			
LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_TOTAL_ASSETS	int32			
LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_TOTAL_CURRENT_ASSETS	int32			

Name	Data Type	Label	Required	Documentation
LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_TOTAL_CURRENT_LIABILITIES	int32			
LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_TOTAL_FIXED_ASSETS	int32			
LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_TOTAL_INTANGIBLE_ASSETS	int32			
LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_TOTAL_INVENTORIES	int32			
LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_TOTAL_LIABILITIES	int32			
LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_TOTAL_LONG_TERM_LIABILITIES	int32			
LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_TOTAL_OTHER_FIXED_ASSETS	int32			
LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_TOTAL_RECEIVABLES	int32			
LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_TOTAL_SHAREHOLDERS_EQUITY	int32			
LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_TOTAL_TANGIBLE_ASSETS	int32			
LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_TRADE_PAYABLES_DUE_AFTER1YEAR	int32			
LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_TRADE_PAYABLES	int32			
LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_TRADE_RECEIVABLES	int32			
LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_WORK_IN_PROGRESS	int32			
LOCAL_FINANCIAL_STATEMENTS_ITEM_CONSOLIDATED_ACCOUNTS	boolean			
LOCAL_FINANCIAL_STATEMENTS_ITEM_CURRENCY	string			
LOCAL_FINANCIAL_STATEMENTS_ITEM_NUMBER_OF_WEEKS	int64			
LOCAL_FINANCIAL_STATEMENTS_ITEM_OTHER_FINANCIALS_NET_WORTH	int64			

Name	Data Type	Label	Required	Documentation
LOCAL_FINANCIAL_STATEMENTS_ITEM_OTHER_FINANCIALS_WORKING_CAPITAL	int64			
LOCAL_FINANCIAL_STATEMENTS_ITEM_PROFIT_AND_LOSS_DEPRECIATION	int32			
LOCAL_FINANCIAL_STATEMENTS_ITEM_PROFIT_AND_LOSS_DIVIDENDS	int32			
LOCAL_FINANCIAL_STATEMENTS_ITEM_PROFIT_AND_LOSS_FINANCIAL_EXPENSES	int32			
LOCAL_FINANCIAL_STATEMENTS_ITEM_PROFIT_AND_LOSS_FINANCIAL_INCOME	int32			
LOCAL_FINANCIAL_STATEMENTS_ITEM_PROFIT_AND_LOSS_OPERATING_COSTS	int32			
LOCAL_FINANCIAL_STATEMENTS_ITEM_PROFIT_AND_LOSS_OPERATING_PROFIT	int32			
LOCAL_FINANCIAL_STATEMENTS_ITEM_PROFIT_AND_LOSS_OTHER_APPROPRIATIONS	int32			
LOCAL_FINANCIAL_STATEMENTS_ITEM_PROFIT_AND_LOSS_PENSION_COSTS	int32			
LOCAL_FINANCIAL_STATEMENTS_ITEM_PROFIT_AND_LOSS_PROFIT_AFTER_TAX	int32			
LOCAL_FINANCIAL_STATEMENTS_ITEM_PROFIT_AND_LOSS_PROFIT_BEFORE_TAX	int32			
LOCAL_FINANCIAL_STATEMENTS_ITEM_PROFIT_AND_LOSS_RETAINED_PROFIT	int32			
LOCAL_FINANCIAL_STATEMENTS_ITEM_PROFIT_AND_LOSS_REVENUE	int32			
LOCAL_FINANCIAL_STATEMENTS_ITEM_PROFIT_AND_LOSS_TAX	int32			
LOCAL_FINANCIAL_STATEMENTS_ITEM_PROFIT_AND_LOSS_WAGES_AND_SALARIES	int32			
LOCAL_FINANCIAL_STATEMENTS_ITEM_RATIOS_CREDITOR_DAYS	decimal			
LOCAL_FINANCIAL_STATEMENTS_ITEM_RATIOS_CURRENT_DEBT_RATIO	decimal			
LOCAL_FINANCIAL_STATEMENTS_ITEM_RATIOS_CURRENT_RATIO	decimal			
LOCAL_FINANCIAL_STATEMENTS_ITEM_RATIOS_DEBTOR_DAYS	decimal			

Name	Data Type	Label	Required	Documentation
LOCAL_FINANCIAL_STATEMENTS_ITEM_RATIOS_EQUITY_IN_PERCENTAGE	decimal			
LOCAL_FINANCIAL_STATEMENTS_ITEM_RATIOS_GEARING	decimal			
LOCAL_FINANCIAL_STATEMENTS_ITEM_RATIOS_LIQUIDITY_RATIO_OR_ACID_TEST	decimal			
LOCAL_FINANCIAL_STATEMENTS_ITEM_RATIOS_PRE_TAX_PROFIT_MARGIN	decimal			
LOCAL_FINANCIAL_STATEMENTS_ITEM_RATIOS_RETURN_ON_CAPITAL_EMPLOYED	decimal			
LOCAL_FINANCIAL_STATEMENTS_ITEM_RATIOS_RETURN_ON_NET_ASSETS_EMPLOYED	decimal			
LOCAL_FINANCIAL_STATEMENTS_ITEM_RATIOS_RETURN_ON_TOTAL_ASSETS_EMPLOYED	decimal			
LOCAL_FINANCIAL_STATEMENTS_ITEM_RATIOS_SALES_OR_NET_WORKING_CAPITAL	decimal			
LOCAL_FINANCIAL_STATEMENTS_ITEM_RATIOS_STOCK_TURNOVER_RATIO	decimal			
LOCAL_FINANCIAL_STATEMENTS_ITEM_RATIOS_TOTAL_DEBT_RATIO	decimal			
LOCAL_FINANCIAL_STATEMENTS_ITEM_TYPE	string			
LOCAL_FINANCIAL_STATEMENTS_ITEM_YEAR_END_DATE	datetime			
NEGATIVE_INFORMATION_DE_BANKRUPTCY_HAS_BANKRUPTCY	string			
NEGATIVE_INFORMATION_DE_DIRECTOR_EVENTS_ITEM_CODE	string			
NEGATIVE_INFORMATION_DE_DIRECTOR_EVENTS_ITEM_DATE	datetime			
NEGATIVE_INFORMATION_DE_DIRECTOR_EVENTS_ITEM_DESCRIPTION	string			
NEGATIVE_INFORMATION_DE_DIRECTOR_EVENTS_ITEM_NAME	string			
NEGATIVE_INFORMATION_DE_DIRECTOR_EVENTS_ITEM_TYPE	string			
NEGATIVE_INFORMATION_DE_INSOLVENCY_INFORMATION_DATE_OF_INSOLVENCY	string			
NEGATIVE_INFORMATION_DE_INSOLVENCY_INFORMATION_INSOLVENCY_EVENTS_ITEM_CREATED_AT	datetime			

Name	Data Type	Label	Required	Documentation
NEGATIVE_INFORMATION_DE_INSOLVENCY_INFORMATION_INSOLVENCY_EVENTS_ITEM_REFERENCE_NUMBER_COURT	string			
NEGATIVE_INFORMATION_DE_INSOLVENCY_INFORMATION_TRUSTEE_CITY	string			
NEGATIVE_INFORMATION_DE_INSOLVENCY_INFORMATION_TRUSTEE_CODE	string			
NEGATIVE_INFORMATION_DE_INSOLVENCY_INFORMATION_TRUSTEE_EMAIL_ADDRESS	string			
NEGATIVE_INFORMATION_DE_INSOLVENCY_INFORMATION_TRUSTEE_FAX_NUMBER	string			
NEGATIVE_INFORMATION_DE_INSOLVENCY_INFORMATION_TRUSTEE_FIRST_NAME	string			
NEGATIVE_INFORMATION_DE_INSOLVENCY_INFORMATION_TRUSTEE_LAST_NAME	string			
NEGATIVE_INFORMATION_DE_INSOLVENCY_INFORMATION_TRUSTEE_NAME	string			
NEGATIVE_INFORMATION_DE_INSOLVENCY_INFORMATION_TRUSTEE_TELEPHONE_NUMBER	string			
NEGATIVE_INFORMATION_DE_INSOLVENCY_INFORMATION_TRUSTEE_TITLE	string			
NEGATIVE_INFORMATION_GENERIC_ITEM_KEY	string			
NEGATIVE_INFORMATION_GENERIC_ITEM_VALUE	string			
NEGATIVE_INFORMATION_NL_COURT_ITEMS_ITEM_ADDRESS	string			
NEGATIVE_INFORMATION_NL_COURT_ITEMS_ITEM_COURT_ACTION	string			
NEGATIVE_INFORMATION_NL_COURT_ITEMS_ITEM_DATE_OF_BANKRUPTCY	datetime			
ORDER_NUMBER	string			
OTHER_INFORMATION_ADVISORS_ITEM_AUDITOR_NAME	string			
OTHER_INFORMATION_ADVISORS_ITEM_SOLICITOR_NAME	string			
OTHER_INFORMATION_BANKERS_ITEM_ADDRESS_CITY	string			
OTHER_INFORMATION_BANKERS_ITEM_ADDRESS_COUNTRY	string			

Name	Data Type	Label	Required	Documentation
OTHER_INFORMATION_BANKERS_ITEM_ADDRESS_FULL_ADDRESS	string			
OTHER_INFORMATION_BANKERS_ITEM_ADDRESS_HOUSE_NUMBER	string			
OTHER_INFORMATION_BANKERS_ITEM_ADDRESS_POSTAL_CODE	string			
OTHER_INFORMATION_BANKERS_ITEM_ADDRESS_STREET	string			
OTHER_INFORMATION_BANKERS_ITEM_ADDRESS_TELEPHONE	string			
OTHER_INFORMATION_BANKERS_ITEM_BANK_CODE	string			
OTHER_INFORMATION_BANKERS_ITEM_NAME	string			
OTHER_INFORMATION_EMPLOYEES_INFORMATION_ITEM_NUMBER_OF_EMPLOYEES	int64			
OTHER_INFORMATION_EMPLOYEES_INFORMATION_ITEM_YEAR	int64			
PAYMENT_DATA_GENERIC_ITEM_KEY	string			
PAYMENT_DATA_GENERIC_ITEM_VALUE	string			
SHARE_CAPITAL_STRUCTURE_ISSUED_SHARE_CAPITAL	string			
SHARE_CAPITAL_STRUCTURE_NOMINAL_SHARE_CAPITAL	string			
SHARE_CAPITAL_STRUCTURE_SHARE_HOLDERS_ITEM_ADDRESS_CITY	string			
SHARE_CAPITAL_STRUCTURE_SHARE_HOLDERS_ITEM_ADDRESS_COUNTRY	string			
SHARE_CAPITAL_STRUCTURE_SHARE_HOLDERS_ITEM_ADDRESS_FULL_ADDRESS	string			
SHARE_CAPITAL_STRUCTURE_SHARE_HOLDERS_ITEM_ADDRESS_HOUSE_NUMBER	string			
SHARE_CAPITAL_STRUCTURE_SHARE_HOLDERS_ITEM_ADDRESS_POSTAL_CODE	string			
SHARE_CAPITAL_STRUCTURE_SHARE_HOLDERS_ITEM_ADDRESS_STREET	string			
SHARE_CAPITAL_STRUCTURE_SHARE_HOLDERS_ITEM_ADDRESS_TELEPHONE	string			
SHARE_CAPITAL_STRUCTURE_SHARE_HOLDERS_ITEM_NAME	string			
SHARE_CAPITAL_STRUCTURE_SHARE_HOLDERS_ITEM_SHARE_PER	int64			

Name	Data Type	Label	Required	Documentation
CENT				

3.1.86 creditsafeMonitorAddCompany

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: creditsafeMonitorAddCompany

Base

XPath: `/s:Envelope/s:Body/tns:creditsafeMonitorAddCompanyResponse`

Filters on API Server: `company_id`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `creditsafeMonitorAddCompany`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
<code>company_id</code>	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `creditsafeMonitorAddCompany` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
<code>CREDITSAFEMONITORADDCOMPANYRESPONSE</code>	string			

3.1.87 creditsafeMonitorGetUpdatedCompanies

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `creditsafeMonitorGetUpdatedCompanies`

Base

XPath: `/s:Envelope/s:Body/tns:creditsafeMonitorGetUpdatedCompaniesResponse/tns:out/tns:results/tns:item`

Filters on API Server: `changed_since- page`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `creditsafeMonitorGetUpdatedCompanies`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
<code>changed_since</code>	<code>datetime</code>	<input type="checkbox"/>		
<code>page</code>	<code>int32</code>	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `creditsafeMonitorGetUpdatedCompanies` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
<code>CHANGES_ITEM</code>	<code>string</code>			
<code>COMPANY_ID</code>	<code>string</code>	Company ID		
<code>DATE_LAST_UPDATE</code>	<code>datetime</code>	Last Update		

3.1.88 creditsafeMonitorRemoveCompany

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `creditsafeMonitorRemoveCompany`

Base

XPath: `/s:Envelope/s:Body/tns:creditsafeMonitorRemoveCompanyResponse`

Filters on API Server: `company_id`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `creditsafeMonitorRemoveCompany`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
<code>company_id</code>	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `creditsafeMonitorRemoveCompany` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
<code>CREDITSAFEMONITORREMOVECOMPANYRESPONSE</code>	string			

3.1.89 creditsafeSearch

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `creditsafeSearch`

Base

XPath: /s:Envelope/s:Body/tns:creditsafeSearchResponse/tns:out/tns:results/tns:item

Filters on API Server: country- id- registration_number- status- office_type- name- name_match_type- address- address_match_type- street- house_number- city- postal_code- province- phone_number- page

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `creditsafeSearch`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
address_match_type	string	<input type="checkbox"/>		
address	string	<input type="checkbox"/>		
city	string	<input type="checkbox"/>		
country	string	<input type="checkbox"/>		
house_number	string	<input type="checkbox"/>		
id	string	<input type="checkbox"/>		
name_match_type	string	<input type="checkbox"/>		
name	string	<input type="checkbox"/>		
office_type	string	<input type="checkbox"/>		
page	int32	<input type="checkbox"/>		
phone_number	string	<input type="checkbox"/>		
postal_code	string	<input type="checkbox"/>		
province	string	<input type="checkbox"/>		
registration_number	string	<input type="checkbox"/>		
status	string	<input type="checkbox"/>		
street	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `creditsafeSearch` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ADDRESS	string	Address		
AVAILABLE_LANGUAGES_ITEM	string			
AVAILABLE_REPORT_TYPES_ITEM	string			
COUNTRY	string	Country		
ID	string	ID		
NAME	string	Name		
OFFICE_TYPE	string			
ONLINE_REPORTS	boolean			
REGISTRATION_NUMBER	string	Registration Number		
STATUS	string	Status		
TYPE	string	Type		

3.1.90 creditsafeSearchCriteria

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: creditsafeSearchCriteria

Base

XPath: `/s:Envelope/s:Body/tns:creditsafeSearchCriteriaResponse/tns:output`

Filters on API Server: `countries_item`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `creditsafeSearchCriteria`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
<code>countries_item</code>	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `creditsafeSearchCriteria` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
COMBINATIONS_ITEM_PARAMS	string			
COUNTRIES_ITEM	string			
LANGUAGES_ITEM	string			

3.1.91 creditsafeSearchV2

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `creditsafeSearchV2`

Base

XPath: `/s:Envelope/s:Body/tns:creditsafeSearchV2Response/tns:out/tns:companies/tns:item`

Filters on API Server: `countries_item- id- status- registration_number- registration_type- vat_number- province- city- street- postal_code- name`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `creditsafeSearchV2`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
city	string	<input type="checkbox"/>		
countries_item	string	<input type="checkbox"/>		
id	string	<input type="checkbox"/>		
name	string	<input type="checkbox"/>		

Name	Data Type	Required	Default Value	Documentation
postal_code	string	<input type="checkbox"/>		
province	string	<input type="checkbox"/>		
registration_number	string	<input type="checkbox"/>		
registration_type	string	<input type="checkbox"/>		
status	string	<input type="checkbox"/>		
street	string	<input type="checkbox"/>		
vat_number	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `creditsafeSearchV2` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ADDRESS_CITY	string	Address City		
ADDRESS_COUNTRY	string	Address Country		
ADDRESS_FULL_ADDRESS	string	Address Full Address		
ADDRESS_HOUSE_NUMBER	string	Address House Number		
ADDRESS_POSTAL_CODE	string	Address Postal Code		
ADDRESS_STREET	string	Address Street		
ADDRESS_TELEPHONE	string	Address Telephone		
COUNTRY	string	Country		
CREDITSAFE_NUMBER	string	CreditSafe Number		
DATE_LAST_ACCOUNT	datetime			
DATE_LAST_CHANGE	datetime			
ID	string	ID		
NAME	string	Name		
OFFICE_TYPE	string			
REGISTRATION_NUMBER	string	Registration Number		
STATUS	string	Status		
TRADE_NAMES_ITEM	string	Trace Names Item		
TYPE	string	Type		
VAT_NUMBERS_ITEM	string	VAT Numbers Item		

3.1.92 dnbBusinessVerification

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: dnbBusinessVerification

Base

XPath: /s:Envelope/s:Body/tns:dnbBusinessVerificationResponse/tns:out

Filters on API Server: company_id- company_id_type

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function dnbBusinessVerification. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
company_id_type	string	<input type="checkbox"/>		
company_id	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function dnbBusinessVerification are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ADDRESS_ITEM	string	Address Item		
BUSINESS_NUMBER_DESCRIPTION	string	Business Number Description		
BUSINESS_NUMBER_TYPE	string	Business Number Type		
BUSINESS_NUMBER	string	Business Number		
CITY	string	City		
COUNTRY_CALLING_CODE	string	Country Calling Code		
COUNTRY	string	Country		
DNB_KEY	string	D&B Key		
DUNS	string	DUNS		
ENQUIRY_DUNS	string			
FAX_NUMBER	string	Fax Number		
INCORPORATION_YEAR	int32			
MAIN_BRANCH_INDICATION	boolean	Indication Main Branch		

Name	Data Type	Label	Required	Documentation
OUT_OF_BUSINESS	boolean			
PHONE_NUMBER	string	Phone Number		
POSTCODE	string	Postal Code		
REGION	string			
SIC_ACTIVITY_CODE	string			
SIC_ACTIVITY_DESCRIPTION	string			
SIC_VERSION	string			
START_YEAR	int32			
SUBREGION	string			
TRADE_NAME	string	Trade Name		
TRADE_NAMES_ITEM	string	Trace Names Item		

3.1.93 dnbEnterpriseManagement

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: dnbEnterpriseManagement

Base

XPath: `/s:Envelope/s:Body/tns:dnbEnterpriseManagementResponse/tns:out`

Filters on API Server: `company_id- company_id_type`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `dnbEnterpriseManagement`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
company_id_type	string	<input type="checkbox"/>		
company_id	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `dnbEnterpriseManagement` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ACCOUNTS_AUDITED	boolean			
ACCOUNTS_PAYABLE	int32			
ACCOUNTS_RECEIVABLE	int32			
AVERAGE_HIGH_CREDIT	int32			
CLAIMS_INDICATOR	boolean			
CREDIT_SCORE_ITEM_ALGORITHM_ID	string			
CREDIT_SCORE_ITEM_INCIDENCE_OF_DEFAULT	int32			
CREDIT_SCORE_ITEM_INDUSTRY_INCIDENCE_OF_DEFAULT	string			
CREDIT_SCORE_ITEM_INDUSTRY_NORM	string			
CREDIT_SCORE_ITEM_INDUSTRY_PERCENTILE	int32			
CREDIT_SCORE_ITEM_NATIONAL_PERCENTILE	int32			
CREDIT_SCORE_ITEM_SCORE_CLASS	boolean			
CREDIT_SCORE_ITEM_SCORE_COMMENTARIES	string			
CREDIT_SCORE_ITEM_SCORE_DATE	string			
CREDIT_SCORE_ITEM_SCORE_OVERRIDE_CODE	string			
CREDIT_SCORE_ITEM_SCORE	int32			
CREDIT_SCORE_ITEM_UNNORMALIZED_SCORE	string			
CURRENT_RATIO	decimal			
DOMESTIC_ULTIMATE_COUNTRY	string			
DOMESTIC_ULTIMATE_DNB_KEY	string			
DOMESTIC_ULTIMATE_DUNS	string			
DOMESTIC_ULTIMATE_TRADE_NAME	string			
EXPORT_INDICATOR	boolean			
FAILURE_SCORE_ITEM_ALGORITHM_ID	string			
FAILURE_SCORE_ITEM_INCIDENCE_OF_DEFAULT	int32			
FAILURE_SCORE_ITEM_INDUSTRY_INCIDENCE_OF_DEFAULT	string			

Name	Data Type	Label	Required	Documentation
FAILURE_SCORE_ITEM_INDUSTRY_NORM	string			
FAILURE_SCORE_ITEM_INDUSTRY_PERCENTILE	int32			
FAILURE_SCORE_ITEM_NATIONAL_PERCENTILE	int32			
FAILURE_SCORE_ITEM_SCORE_CLASS	boolean			
FAILURE_SCORE_ITEM_SCORE_COMMENTARIES	string			
FAILURE_SCORE_ITEM_SCORE_DATE	string			
FAILURE_SCORE_ITEM_SCORE_OVERRIDE_CODE	string			
FAILURE_SCORE_ITEM_SCORE	int32			
FAILURE_SCORE_ITEM_UNNORMALIZED_SCORE	string			
FIGURES_ESTIMATED	boolean			
FIGURES_FINAL	boolean			
FIGURES_FORECAST	boolean			
FIGURES_PROFORMA	boolean			
FIGURES_QUALIFIED	boolean			
FIGURES_RESTATED	boolean			
FIGURES_SIGNED	boolean			
FIGURES_UNBALANCED	boolean			
GLOBAL_FAILURE_SCORE_ITEM_ALGORITHM_ID	string			
GLOBAL_FAILURE_SCORE_ITEM_INCIDENCE_OF_DEFAULT	int32			
GLOBAL_FAILURE_SCORE_ITEM_INDUSTRY_INCIDENCE_OF_DEFAULT	string			
GLOBAL_FAILURE_SCORE_ITEM_INDUSTRY_NORM	string			
GLOBAL_FAILURE_SCORE_ITEM_INDUSTRY_PERCENTILE	int32			
GLOBAL_FAILURE_SCORE_ITEM_NATIONAL_PERCENTILE	int32			
GLOBAL_FAILURE_SCORE_ITEM_SCORE_CLASS	boolean			
GLOBAL_FAILURE_SCORE_ITEM_SCORE_COMMENTARIES	string			
GLOBAL_FAILURE_SCORE_ITEM_SCORE_DATE	string			
GLOBAL_FAILURE_SCORE_ITEM_SCORE_OVERRIDE_CODE	string			
GLOBAL_FAILURE_SCORE_ITEM_SCORE	int32			

Name	Data Type	Label	Required	Documentation
GLOBAL_FAILURE_SCORE_ITEM_UNNORMALIZED_SCORE	string			
GLOBAL_ULTIMATE_COUNTRY	string			
GLOBAL_ULTIMATE_DNB_KEY	string			
GLOBAL_ULTIMATE_DUNS	string			
GLOBAL_ULTIMATE_TRADE_NAME	string			
HEADQUARTERS_COUNTRY	string			
HEADQUARTERS_DNB_KEY	string			
HEADQUARTERS_DUNS	string			
HEADQUARTERS_TRADE_NAME	string			
HIGH_CREDIT	int32			
IMPORT_INDICATOR	boolean			
INDATE_INDICATOR	boolean			
INVENTORY	int32			
IS_SUBSIDIARY_LOCATION	boolean			
LINE_OF_BUSINESS	string			
LIQUID_ASSETS	int32			
LOCATION_OWNERSHIP	string			
LOCATION_STATUS	string			
MAIN_BRANCH_INDICATION	boolean	Indication Main Branch		
NET_INCOME	int32			
OPENING_STATEMENT	boolean			
PARENT_COUNTRY	string			
PARENT_DNB_KEY	string			
PARENT_DUNS	string			
PARENT_TRADE_NAME	string			
PAYDEX_SCORE_EARLIER	int32			
PREVIOUS_NET_WORTH	int32			
PREVIOUS_SALES	int32			
PREVIOUS_STATEMENT_DATE	string			
QUICK_RATIO	decimal			
QUICKCHECK_ADDRESS_ITEM	string			
QUICKCHECK_ANNUAL_SALES_CONSOLIDATED	boolean			
QUICKCHECK_ANNUAL_SALES_CURRENCY	string			
QUICKCHECK_ANNUAL_SALES_ESTIMATED	int32			
QUICKCHECK_ANNUAL_SALES_VALUE_TEXT	string			
QUICKCHECK_ANNUAL_SALES_VALUE	int32			

Name	Data Type	Label	Required	Documentation
QUICKCHECK_BUSINESS_NUMBER_DESCRIPTION	string			
QUICKCHECK_BUSINESS_NUMBER_TYPE	string			
QUICKCHECK_BUSINESS_NUMBER	string			
QUICKCHECK_CEO_NAME	string			
QUICKCHECK_CEO_TITLE	string			
QUICKCHECK_CITY	string			
QUICKCHECK_COUNTRY_CALLING_CODE	string			
QUICKCHECK_COUNTRY	string			
QUICKCHECK_CRIMINAL_PROCEEDINGS	boolean			
QUICKCHECK_CURRENCY	string			
QUICKCHECK_CURRENT_CONTROL_YEAR	int32			
QUICKCHECK_DEBTOR_INPOSSESSION	boolean			
QUICKCHECK_DISASTER	boolean			
QUICKCHECK_DNB_KEY	string			
QUICKCHECK_DNB_RATING	string			
QUICKCHECK_DUNS	string			
QUICKCHECK_EMPLOYEES_PRIMARY_EMPLOYEES_TEXT	string			
QUICKCHECK_EMPLOYEES_PRIMARY_EMPLOYEES	int32			
QUICKCHECK_EMPLOYEES_PRIMARY_ESTIMATED	boolean			
QUICKCHECK_EMPLOYEES_PRIMARY_QUALIFICATION_INDICATOR	string			
QUICKCHECK_EMPLOYEES_PRIMARY_SUBSIDIARIES_INCLUDED	boolean			
QUICKCHECK_EMPLOYEES_TOTAL_EMPLOYEES_TEXT	string			
QUICKCHECK_EMPLOYEES_TOTAL_EMPLOYEES	int32			
QUICKCHECK_EMPLOYEES_TOTAL_ESTIMATED	boolean			
QUICKCHECK_EMPLOYEES_TOTAL_QUALIFICATION_INDICATOR	string			
QUICKCHECK_EMPLOYEES_TOTAL_SUBSIDIARIES_INCLUDED	boolean			
QUICKCHECK_ENQUIRY_DUNS	string			
QUICKCHECK_FAX_NUMBER	string			
QUICKCHECK_FINANCIAL_EMBARRASSMENT	boolean			

Name	Data Type	Label	Required	Documentation
QUICKCHECK_FINANCIAL_LEGAL_EVENTS	boolean			
QUICKCHECK_FINANCIAL_STATEMENT_DATE	string			
QUICKCHECK_HISTORY_DESCRIPTION	string			
QUICKCHECK_HISTORY_INDICATOR	string			
QUICKCHECK_INCOME_STATEMENT_DATE_END	string			
QUICKCHECK_INCOME_STATEMENT_DATE_START	string			
QUICKCHECK_INCOME_STATEMENT_DATE	string			
QUICKCHECK_INCORPORATION_YEAR	int32			
QUICKCHECK_INTANGIBLE_ASSETS	int32			
QUICKCHECK_LEGAL_FORM_DESCRIPTION	string			
QUICKCHECK_LEGAL_FORM	string			
QUICKCHECK_LOCAL_ACTIVITY_CODE_TYPE	string			
QUICKCHECK_LOCAL_ACTIVITY_CODE	string			
QUICKCHECK_LOCAL_ACTIVITY_DESCRIPTION	string			
QUICKCHECK_MAXIMUM_CREDIT_CURRENCY	string			
QUICKCHECK_MAXIMUM_CREDIT	int32			
QUICKCHECK_NET_WORTH	int32			
QUICKCHECK_OPERATIONAL_EVENTS	boolean			
QUICKCHECK_OTHER_EVENTS	boolean			
QUICKCHECK_OUT_OF_BUSINESS	boolean			
QUICKCHECK_PAYDEX_NORM	int32			
QUICKCHECK_PAYDEX_SCORE	int32			
QUICKCHECK_PHONE_NUMBER	string			
QUICKCHECK_POSTCODE	string			
QUICKCHECK_PRINCIPAL_NAME	string			
QUICKCHECK_PRINCIPAL_TITLE	string			
QUICKCHECK_REGION	string			
QUICKCHECK_SALES	int32			
QUICKCHECK_SECURED_FILINGS	boolean			
QUICKCHECK_SIC_ACTIVITY_CODE	string			

Name	Data Type	Label	Required	Documentation
QUICKCHECK_SIC_ACTIVITY_DESCRIPTION	string			
QUICKCHECK_SIC_VERSION	string			
QUICKCHECK_START_YEAR	int32			
QUICKCHECK_STATEMENT_CURRENCY	string			
QUICKCHECK_SUBREGION	string			
QUICKCHECK_SUIT_JUDGEMENT	boolean			
QUICKCHECK_TANGIBLE_NET_WO_RTH_CONSOLIDATED	boolean			
QUICKCHECK_TANGIBLE_NET_WO_RTH_CURRENCY	string			
QUICKCHECK_TANGIBLE_NET_WO_RTH_ESTIMATED	int32			
QUICKCHECK_TANGIBLE_NET_WO_RTH_VALUE_TEXT	string			
QUICKCHECK_TANGIBLE_NET_WO_RTH_VALUE	int32			
QUICKCHECK_TRADE_NAME	string			
QUICKCHECK_TRADE_NAMES_ITEM	string			
REGISTRATION_TYPE	string			
STATEMENT_CONSOLIDATED	boolean			
TOTAL_ASSETS	int32	Total Assets		
TOTAL_CURRENT_ASSETS	int32			
TOTAL_CURRENT_LIABILITIES	int32			
TOTAL_LIABILITIES	int32			
TOTAL_PAYMENTS	int32			
TRIAL_BALANCE	boolean			
YEAR_PERIOD	boolean			

3.1.94 dnbGetReference

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: dnbGetReference

Base XPath: `/s:Envelope/s:Body/tns:dnbGetReferenceResponse/tns:out`

Filters on API Server: `company_id- company_id_type`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `dnbGetReference`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
<code>company_id_type</code>	string	<input type="checkbox"/>		
<code>company_id</code>	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `dnbGetReference` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ADDRESS	string	Address		
CITY	string	City		
CONFIDENCE_CODE	int32	Confidence Code		
COUNTRY	string	Country		
DNB_KEY	string	D&B Key		
MAIN_BRANCH_INDICATION	boolean	Indication Main Branch		
PHONE_NUMBER	string	Phone Number		
POSTCODE	string	Postal Code		
TRADE_NAME	string	Trade Name		
TRADE_NAMES_ITEM	string	Trace Names Item		

3.1.95 dnbQuickCheck

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: dnbQuickCheck

Base XPath: `/s:Envelope/s:Body/tns:dnbQuickCheckResponse/tns:out`

Filters on API Server: company_id- company_id_type

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `dnbQuickCheck`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
company_id_type	string	<input type="checkbox"/>		
company_id	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `dnbQuickCheck` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ADDRESS_ITEM	string	Address Item		
ANNUAL_SALES_CONSOLIDATED	boolean	Annual Sales Consolidated		
ANNUAL_SALES_CURRENCY	string	Annual Sales Currency		
ANNUAL_SALES_ESTIMATED	int32	Annual Sales Estimated		
ANNUAL_SALES_VALUE_TEXT	string			
ANNUAL_SALES_VALUE	int32	Annual Sales Value		
BUSINESS_NUMBER_DESCRIPTION	string	Business Number Description		
BUSINESS_NUMBER_TYPE	string	Business Number Type		
BUSINESS_NUMBER	string	Business Number		
CEO_NAME	string	CEO Name		
CEO_TITLE	string	CEO Title		
CITY	string	City		
COUNTRY_CALLING_CODE	string	Country Calling Code		
COUNTRY	string	Country		
CRIMINAL_PROCEEDINGS	boolean			

Name	Data Type	Label	Required	Documentation
CURRENCY	string	Currency		
CURRENT_CONTROL_YEAR	int32	Current Control Year		
DEBTOR_INPOSSESSION	boolean	Debtor in Possession		
DISASTER	boolean	Disaster		
DNB_KEY	string	D&B Key		
DNB_RATING	string	D&B Rating		
DUNS	string	DUNS		
EMPLOYEES_PRIMARY_EMPLOYEES_TEXT	string			
EMPLOYEES_PRIMARY_EMPLOYEES	int32	Primary Employees		
EMPLOYEES_PRIMARY_ESTIMATED	boolean	Primary Estimated		
EMPLOYEES_PRIMARY_QUALIFICATION_INDICATOR	string			
EMPLOYEES_PRIMARY_SUBSIDIARIES_INCLUDED	boolean			
EMPLOYEES_TOTAL_EMPLOYEES_TEXT	string			
EMPLOYEES_TOTAL_EMPLOYEES	int32			
EMPLOYEES_TOTAL_ESTIMATED	boolean			
EMPLOYEES_TOTAL_QUALIFICATION_INDICATOR	string			
EMPLOYEES_TOTAL_SUBSIDIARIES_INCLUDED	boolean			
ENQUIRY_DUNS	string			
FAX_NUMBER	string	Fax Number		
FINANCIAL_EMBARRASSMENT	boolean	Financial Embarrassment		
FINANCIAL_LEGAL_EVENTS	boolean			
FINANCIAL_STATEMENT_DATE	string	Financial Statement Date		
HISTORY_DESCRIPTION	string			
HISTORY_INDICATOR	string	Indicator Historical		
INCOME_STATEMENT_DATE_END	string			
INCOME_STATEMENT_DATE_START	string			
INCOME_STATEMENT_DATE	string	Income Statement Date		
INCORPORATION_YEAR	int32			
INTANGIBLE_ASSETS	int32			
LEGAL_FORM_DESCRIPTION	string			
LEGAL_FORM	string			
LOCAL_ACTIVITY_CODE_TYPE	string			
LOCAL_ACTIVITY_CODE	string			
LOCAL_ACTIVITY_DESCRIPTION	string			

Name	Data Type	Label	Required	Documentation
MAXIMUM_CREDIT_CURRENCY	string			
MAXIMUM_CREDIT	int32			
NET_WORTH	int32	Net Worth		
OPERATIONAL_EVENTS	boolean			
OTHER_EVENTS	boolean			
OUT_OF_BUSINESS	boolean			
PAYDEX_NORM	int32			
PAYDEX_SCORE	int32			
PHONE_NUMBER	string	Phone Number		
POSTCODE	string	Postal Code		
PRINCIPAL_NAME	string			
PRINCIPAL_TITLE	string			
REGION	string			
SALES	int32			
SECURED_FILINGS	boolean			
SIC_ACTIVITY_CODE	string			
SIC_ACTIVITY_DESCRIPTION	string			
SIC_VERSION	string			
START_YEAR	int32			
STATEMENT_CURRENCY	string			
SUBREGION	string			
SUIT_JUDGEMENT	boolean			
TANGIBLE_NET_WORTH_CONSOLIDATED	boolean			
TANGIBLE_NET_WORTH_CURRENCY	string			
TANGIBLE_NET_WORTH_ESTIMATED	int32			
TANGIBLE_NET_WORTH_VALUE_TEXT	string			
TANGIBLE_NET_WORTH_VALUE	int32			
TRADE_NAME	string	Trade Name		
TRADE_NAMES_ITEM	string	Trace Names Item		

3.1.96 dnbSearchReference

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: dnbSearchReference

Base

XPath: /s:Envelope/s:Body/tns:dnbSearchReferenceResponse/tns:out/tns:results/tns:item

Filters on API Server: name- streetname- houseno- housenoaddition- postcode- cityname- country- page

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `dnbSearchReference`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
cityname	string	<input type="checkbox"/>		
country	string	<input type="checkbox"/>		
houseno	string	<input type="checkbox"/>		
housenoaddition	string	<input type="checkbox"/>		
name	string	<input type="checkbox"/>		
page	int32	<input type="checkbox"/>		
postcode	string	<input type="checkbox"/>		
streetname	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `dnbSearchReference` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ADDRESS	string	Address		
CITY	string	City		
CONFIDENCE_CODE	int32	Confidence Code		
COUNTRY	string	Country		
DNB_KEY	string	D&B Key		
MAIN_BRANCH_INDICATION	boolean	Indication Main Branch		
PHONE_NUMBER	string	Phone Number		
POSTCODE	string	Postal Code		

Name	Data Type	Label	Required	Documentation
TRADE_NAME	string	Trade Name		
TRADE_NAMES_ITEM	string	Trace Names Item		

3.1.97 dnbSearchReferenceV2

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `dnbSearchReferenceV2`

Base

XPath: `/s:Envelope/s:Body/tns:dnbSearchReferenceV2Response/tns:out/tns:results/tns:item`

Filters on API Server: `name- streetname- houseno- housenoaddition- postcode- cityname- region- country- page`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `dnbSearchReferenceV2`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
cityname	string	<input type="checkbox"/>		
country	string	<input type="checkbox"/>		
houseno	string	<input type="checkbox"/>		
housenoaddition	string	<input type="checkbox"/>		
name	string	<input type="checkbox"/>		
page	int32	<input type="checkbox"/>		
postcode	string	<input type="checkbox"/>		
region	string	<input type="checkbox"/>		
streetname	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `dnbSearchReferenceV2` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ADDRESS	string	Address		
CITY	string	City		
CONFIDENCE_CODE	int32	Confidence Code		
COUNTRY_ISO2	string	ISO Country Code 2 Characters		
COUNTRY	int32	Country		
DNB_KEY	string	D&B Key		
MAIN_BRANCH_INDICATION	boolean	Indication Main Branch		
PHONE_NUMBER	string	Phone Number		
POSTCODE	string	Postal Code		
TRADE_NAME	string	Trade Name		
TRADE_NAMES_ITEM	string	Trace Names Item		

3.1.98 dnbWorldbaseMarketing

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `dnbWorldbaseMarketing`

Base

XPath: `/s:Envelope/s:Body/tns:dnbWorldbaseMarketingResponse/tns:out`

Filters on API Server: `company_id- company_id_type`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `dnbWorldbaseMarketing`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
company_id_type	string	<input type="checkbox"/>		
company_id	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `dnbWorldbaseMarketing` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
BUSINESS_NUMBER_TYPE	int32	Business Number Type		
BUSINESS_NUMBER	string	Business Number		
COUNTRY_CALLING_CODE	string	Country Calling Code		
DUNS	string	DUNS		
ESTABLISHMENT_ADDRESS_ADDRESS	string			
ESTABLISHMENT_ADDRESS_CITY	string			
ESTABLISHMENT_ADDRESS_COUNTRY_DNB	int32			
ESTABLISHMENT_ADDRESS_COUNTRY_ISO	string			
ESTABLISHMENT_ADDRESS_COUNTRY	string			
ESTABLISHMENT_ADDRESS_POSTCODE	string			
ESTABLISHMENT_ADDRESS_REGION_CODE	int32			
ESTABLISHMENT_ADDRESS_REGION_SHORT	string			
ESTABLISHMENT_ADDRESS_REGION	string			
FAX_NUMBER	string	Fax Number		
FORMER_DUNS	string			
FORMER_PRIMARY_NAME	string			
MARKETABILITY_INDICATION	boolean			
PHONE_NUMBER	string	Phone Number		
PRIMARY_NAME	string			
TRADE_NAME	string	Trade Name		

3.1.99 dnbWorldbaseMarketingPlus

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `dnbWorldbaseMarketingPlus`

Base

XPath: `/s:Envelope/s:Body/tns:dnbWorldbaseMarketingPlusResponse/tns:out`

Filters on API Server: `company_id- company_id_type`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `dnbWorldbaseMarketingPlus`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
<code>company_id_type</code>	string	<input type="checkbox"/>		
<code>company_id</code>	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `dnbWorldbaseMarketingPlus` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
<code>MARKETING_BUSINESS_NUMBER_TYPE</code>	int32	Marketing Business Number Type		
<code>MARKETING_BUSINESS_NUMBER</code>	string	Marketing Business Number		
<code>MARKETING_COUNTRY_CALLING_CODE</code>	string	Marketing Country Calling Code		
<code>MARKETING_DUNS</code>	string	Marketing DUNS		
<code>MARKETING_ESTABLISHMENT_ADDRESS_ADDRESS</code>	string			
<code>MARKETING_ESTABLISHMENT_ADDRESS_CITY</code>	string			
<code>MARKETING_ESTABLISHMENT_ADDRESS_COUNTRY_DNB</code>	int32			

Name	Data Type	Label	Required	Documentation
MARKETING_ESTABLISHMENT_ADDRESS_COUNTRY_ISO	string			
MARKETING_ESTABLISHMENT_ADDRESS_COUNTRY	string			
MARKETING_ESTABLISHMENT_ADDRESS_POSTCODE	string			
MARKETING_ESTABLISHMENT_ADDRESS_REGION_CODE	int32			
MARKETING_ESTABLISHMENT_ADDRESS_REGION_SHORT	string			
MARKETING_ESTABLISHMENT_ADDRESS_REGION	string			
MARKETING_FAX_NUMBER	string	Marketing Fax Number		
MARKETING_FORMER_DUNS	string			
MARKETING_FORMER_PRIMARY_NAME	string			
MARKETING_MARKETABILITY_INDICATION	boolean			
MARKETING_PHONE_NUMBER	string	Marketing Phone Number		
MARKETING_PLUS_AGENT_INDICATION	boolean			
MARKETING_PLUS_ANNUAL_SALES_INDICATION	int32			
MARKETING_PLUS_ANNUAL_SALES_US	int64			
MARKETING_PLUS_ANNUAL_SALES	int64			
MARKETING_PLUS_CEO_NAME	string			
MARKETING_PLUS_CEO_TITLE	string			
MARKETING_PLUS_CORRESPONDENCE_ADDRESS_ADDRESS	string			
MARKETING_PLUS_CORRESPONDENCE_ADDRESS_CITY	string			
MARKETING_PLUS_CORRESPONDENCE_ADDRESS_COUNTRY_DNB	int32			
MARKETING_PLUS_CORRESPONDENCE_ADDRESS_COUNTRY_ISO	string			
MARKETING_PLUS_CORRESPONDENCE_ADDRESS_COUNTRY	string			
MARKETING_PLUS_CORRESPONDENCE_ADDRESS_POSTCODE	string			
MARKETING_PLUS_CORRESPONDENCE_ADDRESS_REGION_CODE	int32			
MARKETING_PLUS_CORRESPONDENCE_ADDRESS_REGION_SHORT	string			
MARKETING_PLUS_CORRESPONDENCE_ADDRESS_REGION	string			

Name	Data Type	Label	Required	Documentation
MARKETING_PLUS_CORRESPONDENCE_DELIVERABILITY_INDICATION	boolean			
MARKETING_PLUS_CURRENCY	string			
MARKETING_PLUS_EMPLOYEES_INDICATION	int32			
MARKETING_PLUS_EMPLOYEES_TOTAL_INCLUDES_PRINCIPALS	boolean			
MARKETING_PLUS_EMPLOYEES_TOTAL_INDICATION	int32			
MARKETING_PLUS_EMPLOYEES_TOTAL	int32			
MARKETING_PLUS_EMPLOYEES	int32			
MARKETING_PLUS_ESTABLISHMENT_DELIVERABILITY_INDICATION	boolean			
MARKETING_PLUS_EXECUTIVE_NAMES_ITEM	string			
MARKETING_PLUS_EXPORT_INDICATION	boolean			
MARKETING_PLUS_IMPORT_INDICATION	boolean			
MARKETING_PLUS_IS_SUBSIDIARY_LOCATION	boolean			
MARKETING_PLUS_LEGAL_FORM	int32			
MARKETING_PLUS_LINE_OF_BUSINESS	string			
MARKETING_PLUS_LOCAL_ACTIVITY_CODE_TYPE	int32			
MARKETING_PLUS_LOCAL_ACTIVITY_CODE	string			
MARKETING_PLUS_LOCATION_STATUS	string			
MARKETING_PLUS_NET_INCOME_US	int64			
MARKETING_PLUS_NET_INCOME	int64			
MARKETING_PLUS_NET_WORTH_US	int64			
MARKETING_PLUS_NET_WORTH	int64			
MARKETING_PLUS_OUT_OF_BUSINESS	boolean			
MARKETING_PLUS_REPORT_DATE	string			
MARKETING_PLUS_SIC_ACTIVITY_CODES_ITEM_CODE	string			
MARKETING_PLUS_SIC_ACTIVITY_CODES_ITEM_DESCRIPTION	string			
MARKETING_PLUS_SIC8_ACTIVITY_CODES_ITEM_CODE	string			
MARKETING_PLUS_SIC8_ACTIVITY_CODES_ITEM_DESCRIPTION	string			

Name	Data Type	Label	Required	Documentation
MARKETING_PLUS_START_YEAR	int32			
MARKETING_PLUS_STATEMENT_DATE	string			
MARKETING_PRIMARY_NAME	string			
MARKETING_TRADE_NAME	string	Marketing Trade Name		

3.1.100 dnbWorldbaseMarketingPlusLinkage

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: dnbWorldbaseMarketingPlusLinkage

Base

XPath: `/s:Envelope/s:Body/tns:dnbWorldbaseMarketingPlusLinkageResponse/tns:out`

Filters on API Server: `company_id- company_id_type`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `dnbWorldbaseMarketingPlusLinkage`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
<code>company_id_type</code>	string	<input type="checkbox"/>		
<code>company_id</code>	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `dnbWorldbaseMarketingPlusLinkage` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
MARKETING_BUSINESS_NUMBER_TYPE	int32	Marketing Business Number Type		
MARKETING_BUSINESS_NUMBER	string	Marketing Business Number		
MARKETING_COUNTRY_CALLING_CODE	string	Marketing Country Calling Code		
MARKETING_DUNS	string	Marketing DUNS		
MARKETING_ESTABLISHMENT_ADDRESS_ADDRESS	string			
MARKETING_ESTABLISHMENT_ADDRESS_CITY	string			
MARKETING_ESTABLISHMENT_ADDRESS_COUNTRY_DNB	int32			
MARKETING_ESTABLISHMENT_ADDRESS_COUNTRY_ISO	string			
MARKETING_ESTABLISHMENT_ADDRESS_COUNTRY	string			
MARKETING_ESTABLISHMENT_ADDRESS_POSTCODE	string			
MARKETING_ESTABLISHMENT_ADDRESS_REGION_CODE	int32			
MARKETING_ESTABLISHMENT_ADDRESS_REGION_SHORT	string			
MARKETING_ESTABLISHMENT_ADDRESS_REGION	string			
MARKETING_FAX_NUMBER	string	Marketing Fax Number		
MARKETING_FORMER_DUNS	string			
MARKETING_FORMER_PRIMARY_NAME	string			
MARKETING_MARKETABILITY_INDICATION	boolean			
MARKETING_PHONE_NUMBER	string	Marketing Phone Number		
MARKETING_PLUS_AGENT_INDICATION	boolean			
MARKETING_PLUS_ANNUAL_SALES_INDICATION	int32			
MARKETING_PLUS_ANNUAL_SALES_US	int64			
MARKETING_PLUS_ANNUAL_SALES	int64			
MARKETING_PLUS_CEO_NAME	string			
MARKETING_PLUS_CEO_TITLE	string			
MARKETING_PLUS_CORRESPONDENCE_ADDRESS_ADDRESS	string			
MARKETING_PLUS_CORRESPONDENCE_ADDRESS_CITY	string			
MARKETING_PLUS_CORRESPONDENCE_ADDRESS_COUNTRY_DNB	int32			

Name	Data Type	Label	Required	Documentation
MARKETING_PLUS_CORRESPONDENCE_ADDRESS_COUNTRY_ISO	string			
MARKETING_PLUS_CORRESPONDENCE_ADDRESS_COUNTRY	string			
MARKETING_PLUS_CORRESPONDENCE_ADDRESS_POSTCODE	string			
MARKETING_PLUS_CORRESPONDENCE_ADDRESS_REGION_CODE	int32			
MARKETING_PLUS_CORRESPONDENCE_ADDRESS_REGION_SHORT	string			
MARKETING_PLUS_CORRESPONDENCE_ADDRESS_REGION	string			
MARKETING_PLUS_CORRESPONDENCE_DELIVERABILITY_INDICATION	boolean			
MARKETING_PLUS_CURRENCY	string			
MARKETING_PLUS_EMPLOYEES_INDICATION	int32			
MARKETING_PLUS_EMPLOYEES_TOTAL_INCLUDES_PRINCIPALS	boolean			
MARKETING_PLUS_EMPLOYEES_TOTAL_INDICATION	int32			
MARKETING_PLUS_EMPLOYEES_TOTAL	int32			
MARKETING_PLUS_EMPLOYEES	int32			
MARKETING_PLUS_ESTABLISHMENT_DELIVERABILITY_INDICATION	boolean			
MARKETING_PLUS_EXECUTIVE_NAMES_ITEM	string			
MARKETING_PLUS_EXPORT_INDICATION	boolean			
MARKETING_PLUS_IMPORT_INDICATION	boolean			
MARKETING_PLUS_IS_SUBSIDIARY_LOCATION	boolean			
MARKETING_PLUS_LEGAL_FORM	int32			
MARKETING_PLUS_LINE_OF_BUSINESS	string			
MARKETING_PLUS_LINKAGE_DOMESTIC_ULTIMATE_ADDRESS_ADDRESS	string			
MARKETING_PLUS_LINKAGE_DOMESTIC_ULTIMATE_ADDRESS_CITY	string			
MARKETING_PLUS_LINKAGE_DOMESTIC_ULTIMATE_ADDRESS_COUNTRY_DNB	int32			
MARKETING_PLUS_LINKAGE_DOMESTIC_ULTIMATE_ADDRESS_COUNTRY_ISO	string			

Name	Data Type	Label	Required	Documentation
MARKETING_PLUS_LINKAGE_DOMESTIC_ULTIMATE_ADDRESS_COUNTRY	string			
MARKETING_PLUS_LINKAGE_DOMESTIC_ULTIMATE_ADDRESS_POSTCODE	string			
MARKETING_PLUS_LINKAGE_DOMESTIC_ULTIMATE_ADDRESS_REGION_CODE	int32			
MARKETING_PLUS_LINKAGE_DOMESTIC_ULTIMATE_ADDRESS_REGION_SHORT	string			
MARKETING_PLUS_LINKAGE_DOMESTIC_ULTIMATE_ADDRESS_REGION	string			
MARKETING_PLUS_LINKAGE_DOMESTIC_ULTIMATE_DUNS	string			
MARKETING_PLUS_LINKAGE_DOMESTIC_ULTIMATE_NAME	string			
MARKETING_PLUS_LINKAGE_FAMILY_MEMBER_COUNT	int32			
MARKETING_PLUS_LINKAGE_GLOBAL_ULTIMATE_ADDRESS_ADDRESS	string			
MARKETING_PLUS_LINKAGE_GLOBAL_ULTIMATE_ADDRESS_CITY	string			
MARKETING_PLUS_LINKAGE_GLOBAL_ULTIMATE_ADDRESS_COUNTRY_DNB	int32			
MARKETING_PLUS_LINKAGE_GLOBAL_ULTIMATE_ADDRESS_COUNTRY_ISO	string			
MARKETING_PLUS_LINKAGE_GLOBAL_ULTIMATE_ADDRESS_COUNTRY	string			
MARKETING_PLUS_LINKAGE_GLOBAL_ULTIMATE_ADDRESS_POSTCODE	string			
MARKETING_PLUS_LINKAGE_GLOBAL_ULTIMATE_ADDRESS_REGION_CODE	int32			
MARKETING_PLUS_LINKAGE_GLOBAL_ULTIMATE_ADDRESS_REGION_SHORT	string			
MARKETING_PLUS_LINKAGE_GLOBAL_ULTIMATE_ADDRESS_REGION	string			
MARKETING_PLUS_LINKAGE_GLOBAL_ULTIMATE_DUNS	string			
MARKETING_PLUS_LINKAGE_GLOBAL_ULTIMATE_INDICATION	boolean			
MARKETING_PLUS_LINKAGE_GLOBAL_ULTIMATE_NAME	string			

Name	Data Type	Label	Required	Documentation
MARKETING_PLUS_LINKAGE_HEA DQUARTERS_ADDRESS_ADDRES S	string			
MARKETING_PLUS_LINKAGE_HEA DQUARTERS_ADDRESS_CITY	string			
MARKETING_PLUS_LINKAGE_HEA DQUARTERS_ADDRESS_COUNTR Y_DNB	int32			
MARKETING_PLUS_LINKAGE_HEA DQUARTERS_ADDRESS_COUNTR Y_ISO	string			
MARKETING_PLUS_LINKAGE_HEA DQUARTERS_ADDRESS_COUNTR Y	string			
MARKETING_PLUS_LINKAGE_HEA DQUARTERS_ADDRESS_POSTCO DE	string			
MARKETING_PLUS_LINKAGE_HEA DQUARTERS_ADDRESS_REGION_ CODE	int32			
MARKETING_PLUS_LINKAGE_HEA DQUARTERS_ADDRESS_REGION_ SHORT	string			
MARKETING_PLUS_LINKAGE_HEA DQUARTERS_ADDRESS_REGION	string			
MARKETING_PLUS_LINKAGE_HEA DQUARTERS_DUNS	string			
MARKETING_PLUS_LINKAGE_HEA DQUARTERS_NAME	string			
MARKETING_PLUS_LINKAGE_LINK AGE_REPORT_DATE	string			
MARKETING_PLUS_LOCAL_ACTIV ITY_CODE_TYPE	int32			
MARKETING_PLUS_LOCAL_ACTIV ITY_CODE	string			
MARKETING_PLUS_LOCATION_ST ATUS	string			
MARKETING_PLUS_NET_INCOME_ US	int64			
MARKETING_PLUS_NET_INCOME	int64			
MARKETING_PLUS_NET_WORTH_ US	int64			
MARKETING_PLUS_NET_WORTH	int64			
MARKETING_PLUS_OUT_OF_BUSI NESS	boolean			
MARKETING_PLUS_REPORT_DATE	string			
MARKETING_PLUS_SIC_ACTIVITY _CODES_ITEM_CODE	string			
MARKETING_PLUS_SIC_ACTIVITY _CODES_ITEM_DESCRIPTION	string			

Name	Data Type	Label	Required	Documentation
MARKETING_PLUS_SIC8_ACTIVITY_CODES_ITEM_CODE	string			
MARKETING_PLUS_SIC8_ACTIVITY_CODES_ITEM_DESCRIPTION	string			
MARKETING_PLUS_START_YEAR	int32			
MARKETING_PLUS_STATEMENT_DATE	string			
MARKETING_PRIMARY_NAME	string			
MARKETING_TRADE_NAME	string	Marketing Trade Name		

3.1.101 driveInfoDistanceLookup

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: driveInfoDistanceLookup

Base

XPath: `/s:Envelope/s:Body/tns:driveInfoDistanceLookupResponse/tns:out`

Filters on API Server: nbcodefrom- nbcodeto

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `driveInfoDistanceLookup`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
nbcodefrom	string	<input type="checkbox"/>		
nbcodeto	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `driveInfoDistanceLookup` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
FASTEST	int32	Fastest		
SHORTEST	int32	Shortest		

3.1.102 driveInfoTimeLookup

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `driveInfoTimeLookup`

Base

XPath: `/s:Envelope/s:Body/tns:driveInfoTimeLookupResponse/tns:out`

Filters on API Server: `nbcodefrom- nbcodeto`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `driveInfoTimeLookup`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
<code>nbcodefrom</code>	string	<input type="checkbox"/>		
<code>nbcodeto</code>	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `driveInfoTimeLookup` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
FASTEST	int32	Fastest		

Name	Data Type	Label	Required	Documentation
SHORTEST	int32	Shortest		

3.1.103 dutchAddressRangePostcodeSearch

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: dutchAddressRangePostcodeSearch

Base

XPath: `/s:Envelope/s:Body/tns:dutchAddressRangePostcodeSearchResponse/tns:out`

Filters on API Server: address

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `dutchAddressRangePostcodeSearch`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
address	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `dutchAddressRangePostcodeSearch` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
CEBUCO_CODE	int32			
CITY	string	City		
HOUSE_NUMBER_FROM	int32	House Number from		
HOUSE_NUMBER_TO	int32	House Number to		
LETTER_COMBINATION	string			

Name	Data Type	Label	Required	Documentation
MUNICIPALITY_CODE	int32			
MUNICIPALITY	string	Municipality		
NEIGHBORHOOD_CODE	string	Neighborhood Code		
PROVINCE_CODE	string	State Code		
PROVINCE	string	State		
RANGE_INDICATION	string			
STREET_NAME_NEN	string	Street Name (NEN)		
STREET_NAME	string	Street Name		

3.1.104 dutchBusinessGetAdditionalPositions

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `dutchBusinessGetAdditionalPositions`

Base

XPath: `/s:Envelope/s:Body/tns:dutchBusinessGetAdditionalPositionsResponse/tns:out`

Filters on API Server: `first_name- last_name- birth_date- dossier_number`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `dutchBusinessGetAdditionalPositions`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
<code>birth_date</code>	datetime	<input type="checkbox"/>		
<code>dossier_number</code>	string	<input type="checkbox"/>		
<code>first_name</code>	string	<input type="checkbox"/>		
<code>last_name</code>	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `dutchBusinessGetAdditionalPositions` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
CURRENT_POSITIONS_ITEM_AUTHORIZATION_DESCRIPTION	string			
CURRENT_POSITIONS_ITEM_COMPANY_ESTABLISHMENT_NUMBER	string			
CURRENT_POSITIONS_ITEM_COMPANY_FINANCIAL_STATUS	string			
CURRENT_POSITIONS_ITEM_COMPANY_KVK	string			
CURRENT_POSITIONS_ITEM_COMPANY_LEGAL_NAME	string			
CURRENT_POSITIONS_ITEM_COMPANY_PRIMARY_SBI_CODE	int32			
CURRENT_POSITIONS_ITEM_COMPANY_TRADE_NAME_FULL	string			
CURRENT_POSITIONS_ITEM_END_DATE_SOURCE	string			
CURRENT_POSITIONS_ITEM_END_DATE	datetime			
CURRENT_POSITIONS_ITEM_FUNCTION	string			
CURRENT_POSITIONS_ITEM_HISTORICAL_AUTHORIZATIONS	string			
CURRENT_POSITIONS_ITEM_ROLE	string			
CURRENT_POSITIONS_ITEM_START_DATE	datetime			
FUNCTIONARY_COUNTRY_OF_BIRTH	string			
FUNCTIONARY_DATE_DECEASED	datetime			
FUNCTIONARY_DATE_OF_BIRTH	datetime			
FUNCTIONARY_FIRST_NAME	string			
FUNCTIONARY_FULL_NAME	string			
FUNCTIONARY_INITIALS	string			
FUNCTIONARY_LAST_NAME	string			
FUNCTIONARY_PLACE_OF_BIRTH	string			
POSSIBLE_CURRENT_POSITIONS_ITEM_AUTHORIZATION_DESCRIPTION	string			
POSSIBLE_CURRENT_POSITIONS_ITEM_COMPANY_ESTABLISHMENT_NUMBER	string			
POSSIBLE_CURRENT_POSITIONS_ITEM_COMPANY_FINANCIAL_STATUS	string			

Name	Data Type	Label	Required	Documentation
POSSIBLE_CURRENT_POSITIONS_ITEM_COMPANY_KVK	string			
POSSIBLE_CURRENT_POSITIONS_ITEM_COMPANY_LEGAL_NAME	string			
POSSIBLE_CURRENT_POSITIONS_ITEM_COMPANY_PRIMARY_SBI_CODE	int32			
POSSIBLE_CURRENT_POSITIONS_ITEM_COMPANY_TRADE_NAME_FULL	string			
POSSIBLE_CURRENT_POSITIONS_ITEM_END_DATE_SOURCE	string			
POSSIBLE_CURRENT_POSITIONS_ITEM_END_DATE	datetime			
POSSIBLE_CURRENT_POSITIONS_ITEM_FUNCTION	string			
POSSIBLE_CURRENT_POSITIONS_ITEM_HISTORICAL_AUTHORIZATIONS	string			
POSSIBLE_CURRENT_POSITIONS_ITEM_ROLE	string			
POSSIBLE_CURRENT_POSITIONS_ITEM_START_DATE	datetime			
POSSIBLE_PREVIOUS_POSITIONS_ITEM_AUTHORIZATION_DESCRIPTION	string			
POSSIBLE_PREVIOUS_POSITIONS_ITEM_COMPANY_ESTABLISHMENT_NUMBER	string			
POSSIBLE_PREVIOUS_POSITIONS_ITEM_COMPANY_FINANCIAL_STATUS	string			
POSSIBLE_PREVIOUS_POSITIONS_ITEM_COMPANY_KVK	string			
POSSIBLE_PREVIOUS_POSITIONS_ITEM_COMPANY_LEGAL_NAME	string			
POSSIBLE_PREVIOUS_POSITIONS_ITEM_COMPANY_PRIMARY_SBI_CODE	int32			
POSSIBLE_PREVIOUS_POSITIONS_ITEM_COMPANY_TRADE_NAME_FULL	string			
POSSIBLE_PREVIOUS_POSITIONS_ITEM_END_DATE_SOURCE	string			
POSSIBLE_PREVIOUS_POSITIONS_ITEM_END_DATE	datetime			
POSSIBLE_PREVIOUS_POSITIONS_ITEM_FUNCTION	string			
POSSIBLE_PREVIOUS_POSITIONS_ITEM_HISTORICAL_AUTHORIZATIONS	string			

Name	Data Type	Label	Required	Documentation
POSSIBLE_PREVIOUS_POSITIONS_ITEM_ROLE	string			
POSSIBLE_PREVIOUS_POSITIONS_ITEM_START_DATE	datetime			
PREVIOUS_POSITIONS_ITEM_AUTHORIZATION_DESCRIPTION	string			
PREVIOUS_POSITIONS_ITEM_COMPANY_ESTABLISHMENT_NUMBER	string			
PREVIOUS_POSITIONS_ITEM_COMPANY_FINANCIAL_STATUS	string			
PREVIOUS_POSITIONS_ITEM_COMPANY_KVK	string			
PREVIOUS_POSITIONS_ITEM_COMPANY_LEGAL_NAME	string			
PREVIOUS_POSITIONS_ITEM_COMPANY_PRIMARY_SBI_CODE	int32			
PREVIOUS_POSITIONS_ITEM_COMPANY_TRADE_NAME_FULL	string			
PREVIOUS_POSITIONS_ITEM_END_DATE_SOURCE	string			
PREVIOUS_POSITIONS_ITEM_END_DATE	datetime			
PREVIOUS_POSITIONS_ITEM_FUNCTION	string			
PREVIOUS_POSITIONS_ITEM_HISTORICAL_AUTHORIZATIONS	string			
PREVIOUS_POSITIONS_ITEM_ROLE	string			
PREVIOUS_POSITIONS_ITEM_START_DATE	datetime			

3.1.105 dutchBusinessGetAnnualFinancialStatement

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: dutchBusinessGetAnnualFinancialStatement

Base

XPath: `/s:Envelope/s:Body/tns:dutchBusinessGetAnnualFinancialStatementResponse/tns:out`

Filters on API Server: dossier_number- year- type

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `dutchBusinessGetAnnualFinancialStatement`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
dossier_number	string	<input type="checkbox"/>		
type	string	<input type="checkbox"/>		
year	int32	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `dutchBusinessGetAnnualFinancialStatement` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
DOCUMENT	byte[]	Document		
DOSSIER_NUMBER	string	File Number		
TYPE	string	Type		
YEAR	int32	Year		

3.1.106 `dutchBusinessGetConcernRelationsDetails`

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `dutchBusinessGetConcernRelationsDetails`

Base

XPath: `/s:Envelope/s:Body/tns:dutchBusinessGetConcernRelationsDetailsResponse/tns:out`

Filters on API Server: dossier_number- include_source

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `dutchBusinessGetConcernRelationsDetails`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
dossier_number	string	<input type="checkbox"/>		
include_source	boolean	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `dutchBusinessGetConcernRelationsDetails` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
DOSSIER_NUMBER	string	File Number		
GRAPH_LINKS_ITEM_SOURCE	string			
GRAPH_LINKS_ITEM_TARGET	string			
GRAPH_LINKS_ITEM_TYPE	string			
GRAPH_NODES_ITEM_ID	string			
GRAPH_NODES_ITEM_NAME	string			
PDF	byte[]			
SOURCE	byte[]			

3.1.107 dutchBusinessGetConcernRelationsOverview

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `dutchBusinessGetConcernRelationsOverview`

Base

XPath: `/s:Envelope/s:Body/tns:dutchBusinessGetConcernRelationsOverviewResponse/tns:out/tns:references/tns:item`

Filters on API Server: dossier_number

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `dutchBusinessGetConcernRelationsOverview`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
dossier_number	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `dutchBusinessGetConcernRelationsOverview` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
DOSSIER_NUMBER	string	File Number		
LEVEL_OF_MATCHED_REGISTRATION	int32			
LEVELS	int32			
NAME	string	Name		
REGISTRATIONS	int32			

3.1.108 `dutchBusinessGetDossier`

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `dutchBusinessGetDossier`

Base

XPath: `/s:Envelope/s:Body/tns:dutchBusinessGetDossierResponse/tns:out`

Filters on API Server: `dossier_number- establishment_number`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `dutchBusinessGetDossier`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
dossier_number	string	<input type="checkbox"/>		
establishment_number	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `dutchBusinessGetDossier` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
AUTHORIZED_SHARE_CAPITAL_CURRENCY	string	Authorized Share Capital Currency		
AUTHORIZED_SHARE_CAPITAL	int64	Authorized Share Capital		
CHAMBER_NUMBER	string			
CLASS_PERSONNEL_FULLTIME	int32			
CLASS_PERSONNEL	int32	Class Personnel		
CONTACT_GENDER	string	Contact Gender		
CONTACT_INITIALS	string	Contact Initials		
CONTACT_PREFIX	string	Contact Prefix		
CONTACT_SURNAME	string	Surname		
CONTACT_TITLE1	string	Contact Title 1		
CONTACT_TITLE2	string	Contact Title 2		
CONTINUATION_DATE_DAY	int32	Continuation Date Day		
CONTINUATION_DATE_MONTH	int32	Continuation Date Month		
CONTINUATION_DATE_YEAR	int32	Continuation Date Year		
CORRESPONDENCE_CITY	string	Correspondence City		
CORRESPONDENCE_COUNTRY	string			
CORRESPONDENCE_HOUSE_NUMBER_ADDITION	string			

Name	Data Type	Label	Required	Documentation
CORRESPONDENCE_HOUSE_NUMBER	int32			
CORRESPONDENCE_POSTCODE	string	Correspondence Postal Code		
CORRESPONDENCE_STREET	string	Correspondence Street		
DOMAIN_NAME	string			
DOSSIER_NUMBER	string	File Number		
ESTABLISHMENT_CITY	string	Establishment City		
ESTABLISHMENT_DATE_DAY	int32	Establishment Date Day		
ESTABLISHMENT_DATE_MONTH	int32	Establishment Date Month		
ESTABLISHMENT_DATE_YEAR	int32	Establishment Date Year		
ESTABLISHMENT_HOUSE_NUMBER_ADDITION	string			
ESTABLISHMENT_HOUSE_NUMBER	int32			
ESTABLISHMENT_NUMBER	string	Establishment Number		
ESTABLISHMENT_POSTCODE	string	Establishment Postal Code		
ESTABLISHMENT_STREET	string	Establishment Street		
FOUNDING_DATE_DAY	int32	Founding Date Day		
FOUNDING_DATE_MONTH	int32	Founding Date Month		
FOUNDING_DATE_YEAR	int32	Founding Date Year		
INDICATION_BANKRUPTCY	boolean	Is Bankrupt		
INDICATION_DIP	boolean			
INDICATION_ECONOMICALLY_ACTIVE	boolean	Indication Economically Active		
INDICATION_EXPORT	boolean			
INDICATION_IMPORT	boolean			
INDICATION_MAIN_ESTABLISHMENT	boolean	Main Establishment		
INDICATION_NON_MAILING	boolean			
INDICATION_ORGANISATION_CODE	string			
ISSUED_SHARE_CAPITAL_CURRENCY	string			
ISSUED_SHARE_CAPITAL	int64			
LEGAL_FORM_CODE	string			
LEGAL_FORM_TEXT	string	Legal Form Text		
LEGAL_NAME	string	Legal Name		
MAIN_ESTABLISHMENT_NUMBER	string	Main Establishment Number		
MOBILE_NUMBER	string			

Name	Data Type	Label	Required	Documentation
PAID_UP_SHARE_CAPITAL_CURRENCY	string	Paid-up Share Capital Currency		
PAID_UP_SHARE_CAPITAL	int64	Paid-up Share Capital		
PERSONNEL_FULLTIME	int32			
PERSONNEL_REFERENCE_DATE_DAY	int32	Personnel Reference Date Day		
PERSONNEL_REFERENCE_DATE_MONTH	int32	Personnel Reference Date Month		
PERSONNEL_REFERENCE_DATE_YEAR	int32	Personnel Reference Date Year		
PERSONNEL	int32	Personnel		
PRIMARY_SBI_CODE_TEXT	string			
PRIMARY_SBI_CODE	string			
RSIN_NUMBER	string	RSIN Number		
SECONDARY_SBI_CODE1_TEXT	string			
SECONDARY_SBI_CODE1	string			
SECONDARY_SBI_CODE2_TEXT	string			
SECONDARY_SBI_CODE2	string			
TELEPHONE_NUMBER	string	Phone Number		
TRADE_NAME_45	string			
TRADE_NAME_FULL	string			
TRADE_NAMES_ITEM	string	Trace Names Item		
UPDATE_INFO_DATE_LAST_UPDATE	datetime	Update Info Last Update		
UPDATE_INFO_DOSSIER_NUMBER	string	Update Info File Number		
UPDATE_INFO_ESTABLISHMENT_NUMBER	string	Update Info Establishment Number		
UPDATE_INFO_UPDATE_TYPES_ITEM	string			

3.1.109 dutchBusinessGetDossierHistory

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: dutchBusinessGetDossierHistory

Base

XPath: `/s:Envelope/s:Body/tns:dutchBusinessGetDossierHistoryResponse/tns:out/tns:references/tns:item`

Filters on API Server: `dossier_number- period_start_date- period_end_date`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `dutchBusinessGetDossierHistory`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
dossier_number	string	<input type="checkbox"/>		
period_end_date	datetime	<input type="checkbox"/>		
period_start_date	datetime	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `dutchBusinessGetDossierHistory` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
CHANGE_SET_CHANGES_ITEM	string			
CHANGE_SET_PERIOD_END_DATE	datetime			
CHANGE_SET_PERIOD_START_DATE	datetime			
UPDATE_DATE	datetime			

3.1.110 `dutchBusinessGetDossierV2`

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `dutchBusinessGetDossierV2`

Base

XPath: `/s:Envelope/s:Body/tns:dutchBusinessGetDossierV2Response/tns:out`

Filters on API Server: `dossier_number- establishment_number`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `dutchBusinessGetDossierV2`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
<code>dossier_number</code>	string	<input type="checkbox"/>		
<code>establishment_number</code>	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `dutchBusinessGetDossierV2` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
<code>ANNUAL_FINANCIAL_STATEMENT_SUMMARY_ASSETS_AMOUNT</code>	int64	Annual Financial Statement Summary Assets Amount		
<code>ANNUAL_FINANCIAL_STATEMENT_SUMMARY_ASSETS_CURRENCY</code>	string	Annual Financial Statement Summary Assets Currency		
<code>ANNUAL_FINANCIAL_STATEMENT_SUMMARY_ASSETS_FORMATTED</code>	string	Annual Financial Statement Summary Assets Formatted		
<code>ANNUAL_FINANCIAL_STATEMENT_SUMMARY_PROFIT_AMOUNT</code>	int64			
<code>ANNUAL_FINANCIAL_STATEMENT_SUMMARY_PROFIT_CURRENCY</code>	string			
<code>ANNUAL_FINANCIAL_STATEMENT_SUMMARY_PROFIT_FORMATTED</code>	string			
<code>ANNUAL_FINANCIAL_STATEMENT_SUMMARY_TURNOVER_AMOUNT</code>	int64			
<code>ANNUAL_FINANCIAL_STATEMENT_SUMMARY_TURNOVER_CURRENCY</code>	string			
<code>ANNUAL_FINANCIAL_STATEMENT_SUMMARY_TURNOVER_FORMATTED</code>	string			

Name	Data Type	Label	Required	Documentation
ANNUAL_FINANCIAL_STATEMENT_SUMMARY_YEAR	int32			
AUTHORIZED_SHARE_CAPITAL_CURRENCY	string	Authorized Share Capital Currency		
AUTHORIZED_SHARE_CAPITAL	int64	Authorized Share Capital		
CHAMBER_NUMBER	string			
CLASS_PERSONNEL_CI	int32			
CLASS_PERSONNEL_FULLTIME	int32			
CLASS_PERSONNEL	int32	Class Personnel		
CONTACT_GENDER	string	Contact Gender		
CONTACT_INITIALS	string	Contact Initials		
CONTACT_PREFIX	string	Contact Prefix		
CONTACT_SURNAME	string	Surname		
CONTACT_TITLE1	string	Contact Title 1		
CONTACT_TITLE2	string	Contact Title 2		
CONTINUATION_DATE_DAY	int32	Continuation Date Day		
CONTINUATION_DATE_MONTH	int32	Continuation Date Month		
CONTINUATION_DATE_YEAR	int32	Continuation Date Year		
CORRESPONDENCE_CITY	string	Correspondence City		
CORRESPONDENCE_COUNTRY	string			
CORRESPONDENCE_HOUSE_NUMBER_ADDITION	string			
CORRESPONDENCE_HOUSE_NUMBER	int32			
CORRESPONDENCE_POSTCODE	string	Correspondence Postal Code		
CORRESPONDENCE_STREET	string	Correspondence Street		
DISCONTINUATION_DATE_DAY	int32			
DISCONTINUATION_DATE_MONTH	int32			
DISCONTINUATION_DATE_YEAR	int32			
DOMAIN_NAME	string			
DOSSIER_NUMBER	string	File Number		
ESTABLISHMENT_CITY	string	Establishment City		
ESTABLISHMENT_DATE_DAY	int32	Establishment Date Day		
ESTABLISHMENT_DATE_MONTH	int32	Establishment Date Month		
ESTABLISHMENT_DATE_YEAR	int32	Establishment Date Year		
ESTABLISHMENT_HOUSE_NUMBER_ADDITION	string			

Name	Data Type	Label	Required	Documentation
ESTABLISHMENT_HOUSE_NUMBER	int32			
ESTABLISHMENT_NUMBER	string	Establishment Number		
ESTABLISHMENT_POSTCODE	string	Establishment Postal Code		
ESTABLISHMENT_STREET	string	Establishment Street		
FOUNDING_DATE_DAY	int32	Founding Date Day		
FOUNDING_DATE_MONTH	int32	Founding Date Month		
FOUNDING_DATE_YEAR	int32	Founding Date Year		
INDICATION_BANKRUPTCY	boolean	Is Bankrupt		
INDICATION_DIP	boolean			
INDICATION_ECONOMICALLY_ACTIVE	boolean	Indication Economically Active		
INDICATION_EXPORT	boolean			
INDICATION_IMPORT	boolean			
INDICATION_MAIN_ESTABLISHMENT	boolean	Main Establishment		
INDICATION_NON_MAILING	boolean			
INDICATION_ORGANISATION_CODE	string			
ISSUED_SHARE_CAPITAL_CURRENCY	string			
ISSUED_SHARE_CAPITAL	int64			
LEGAL_FORM_CODE	string			
LEGAL_FORM_TEXT	string	Legal Form Text		
LEGAL_NAME	string	Legal Name		
MAIN_ESTABLISHMENT_NUMBER	string	Main Establishment Number		
MOBILE_NUMBER	string			
PAID_UP_SHARE_CAPITAL_CURRENCY	string	Paid-up Share Capital Currency		
PAID_UP_SHARE_CAPITAL	int64	Paid-up Share Capital		
PERSONNEL_CI_REFERENCE_DATE_DAY	int32			
PERSONNEL_CI_REFERENCE_DATE_MONTH	int32			
PERSONNEL_CI_REFERENCE_DATE_YEAR	int32			
PERSONNEL_CI	int32			
PERSONNEL_FULLTIME	int32			
PERSONNEL_REFERENCE_DATE_DAY	int32	Personnel Reference Date Day		
PERSONNEL_REFERENCE_DATE_MONTH	int32	Personnel Reference Date Month		
PERSONNEL_REFERENCE_DATE_YEAR	int32	Personnel Reference Date Year		

Name	Data Type	Label	Required	Documentation
PERSONNEL	int32	Personnel		
PRIMARY_SBI_CODE_TEXT	string			
PRIMARY_SBI_CODE	string			
RSIN_NUMBER	string	RSIN Number		
SBI_COLLECTION_COMPANY_INFO_ITEM_DESCRIPTION	string			
SBI_COLLECTION_COMPANY_INFO_ITEM_SBI_CODE	string			
SBI_COLLECTION_ORIGINAL_ITEM_DESCRIPTION	string			
SBI_COLLECTION_ORIGINAL_ITEM_SBI_CODE	string			
SECONDARY_SBI_CODE1_TEXT	string			
SECONDARY_SBI_CODE1	string			
SECONDARY_SBI_CODE2_TEXT	string			
SECONDARY_SBI_CODE2	string			
STRUCTURE_NUMBER_OF_SUBSIDIARIES	int32			
STRUCTURE_PARENT	string			
STRUCTURE_ULTIMATE_PARENT	string			
TELEPHONE_NUMBER	string	Phone Number		
TRADE_NAME_45	string			
TRADE_NAME_FULL	string			
TRADE_NAMES_ITEM	string	Trace Names Item		
UPDATE_INFO_DATE_LAST_UPDATE	datetime	Update Info Last Update		
UPDATE_INFO_DOSSIER_NUMBER	string	Update Info File Number		
UPDATE_INFO_ESTABLISHMENT_NUMBER	string	Update Info Establishment Number		
UPDATE_INFO_UPDATE_TYPES_ITEM	string			

3.1.111 dutchBusinessGetDossierV3

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: dutchBusinessGetDossierV3

Base

XPath: `/s:Envelope/s:Body/tns:dutchBusinessGetDossierV3Response/tns:out`

Filters on API Server: dossier_number- establishment_number

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `dutchBusinessGetDossierV3`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
dossier_number	string	<input type="checkbox"/>		
establishment_number	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `dutchBusinessGetDossierV3` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ANNUAL_FINANCIAL_STATEMENT_SUMMARY_ASSETS_AMOUNT	int64	Annual Financial Statement Summary Assets Amount		
ANNUAL_FINANCIAL_STATEMENT_SUMMARY_ASSETS_CURRENCY	string	Annual Financial Statement Summary Assets Currency		
ANNUAL_FINANCIAL_STATEMENT_SUMMARY_ASSETS_FORMATTED	string	Annual Financial Statement Summary Assets Formatted		
ANNUAL_FINANCIAL_STATEMENT_SUMMARY_PROFIT_AMOUNT	int64			
ANNUAL_FINANCIAL_STATEMENT_SUMMARY_PROFIT_CURRENCY	string			
ANNUAL_FINANCIAL_STATEMENT_SUMMARY_PROFIT_FORMATTED	string			
ANNUAL_FINANCIAL_STATEMENT_SUMMARY_TURNOVER_AMOUNT	int64			
ANNUAL_FINANCIAL_STATEMENT_SUMMARY_TURNOVER_CURRENCY	string			
ANNUAL_FINANCIAL_STATEMENT_SUMMARY_TURNOVER_FORMAT	string			

Name	Data Type	Label	Required	Documentation
TED				
ANNUAL_FINANCIAL_STATEMENT_SUMMARY_YEAR	int32			
AUTHORIZED_SHARE_CAPITAL_CURRENCY	string	Authorized Share Capital Currency		
AUTHORIZED_SHARE_CAPITAL	int64	Authorized Share Capital		
CHAMBER_NUMBER	string			
CLASS_PERSONNEL_CI	int32			
CLASS_PERSONNEL_FULLTIME	int32			
CLASS_PERSONNEL	int32	Class Personnel		
CONTACT_GENDER	string	Contact Gender		
CONTACT_INITIALS	string	Contact Initials		
CONTACT_PREFIX	string	Contact Prefix		
CONTACT_SURNAME	string	Surname		
CONTACT_TITLE1	string	Contact Title 1		
CONTACT_TITLE2	string	Contact Title 2		
CONTINUATION_DATE_DAY	int32	Continuation Date Day		
CONTINUATION_DATE_MONTH	int32	Continuation Date Month		
CONTINUATION_DATE_YEAR	int32	Continuation Date Year		
CORRESPONDENCE_ADDRESS_FORMATTED_ADDRESS	string			
CORRESPONDENCE_ADDRESS_FORMATTED_CITY	string			
CORRESPONDENCE_ADDRESS_FORMATTED_COUNTRY	string			
CORRESPONDENCE_ADDRESS_FORMATTED_HOUSE_NUMBER_ADDITION	string			
CORRESPONDENCE_ADDRESS_FORMATTED_HOUSE_NUMBER	int32			
CORRESPONDENCE_ADDRESS_FORMATTED_POSTCODE	string			
CORRESPONDENCE_ADDRESS_FORMATTED_STREET	string			
CORRESPONDENCE_ADDRESS_OFFICIAL_ADDRESS	string			
CORRESPONDENCE_ADDRESS_OFFICIAL_CITY	string			
CORRESPONDENCE_ADDRESS_OFFICIAL_COUNTRY	string			
CORRESPONDENCE_ADDRESS_OFFICIAL_HOUSE_NUMBER_ADDITION	string			
CORRESPONDENCE_ADDRESS_OFFICIAL_HOUSE_NUMBER	int32			

Name	Data Type	Label	Required	Documentation
CORRESPONDENCE_ADDRESS_OFFICIAL_POSTCODE	string			
CORRESPONDENCE_ADDRESS_OFFICIAL_STREET	string			
CORRESPONDENCE_ADDRESS_ORIGINAL_ADDRESS	string			
CORRESPONDENCE_ADDRESS_ORIGINAL_CITY	string			
CORRESPONDENCE_ADDRESS_ORIGINAL_COUNTRY	string			
CORRESPONDENCE_ADDRESS_ORIGINAL_HOUSE_NUMBER_ADDITION	string			
CORRESPONDENCE_ADDRESS_ORIGINAL_HOUSE_NUMBER	int32			
CORRESPONDENCE_ADDRESS_ORIGINAL_POSTCODE	string			
CORRESPONDENCE_ADDRESS_ORIGINAL_STREET	string			
DISCONTINUATION_DATE_DAY	int32			
DISCONTINUATION_DATE_MONTH	int32			
DISCONTINUATION_DATE_YEAR	int32			
DOMAIN_NAME	string			
DOSSIER_NUMBER	string	File Number		
ESTABLISHMENT_ADDRESS_FORMATTED_ADDRESS	string			
ESTABLISHMENT_ADDRESS_FORMATTED_CITY	string			
ESTABLISHMENT_ADDRESS_FORMATTED_COUNTRY	string			
ESTABLISHMENT_ADDRESS_FORMATTED_HOUSE_NUMBER_ADDITION	string			
ESTABLISHMENT_ADDRESS_FORMATTED_HOUSE_NUMBER	int32			
ESTABLISHMENT_ADDRESS_FORMATTED_POSTCODE	string			
ESTABLISHMENT_ADDRESS_FORMATTED_STREET	string			
ESTABLISHMENT_ADDRESS_OFFICIAL_ADDRESS	string			
ESTABLISHMENT_ADDRESS_OFFICIAL_CITY	string			
ESTABLISHMENT_ADDRESS_OFFICIAL_COUNTRY	string			
ESTABLISHMENT_ADDRESS_OFFICIAL_HOUSE_NUMBER_ADDITION	string			
ESTABLISHMENT_ADDRESS_OFFICIAL_HOUSE_NUMBER	int32			

Name	Data Type	Label	Required	Documentation
ESTABLISHMENT_ADDRESS_OFFICIAL_POSTCODE	string			
ESTABLISHMENT_ADDRESS_OFFICIAL_STREET	string			
ESTABLISHMENT_ADDRESS_ORIGINAL_ADDRESS	string			
ESTABLISHMENT_ADDRESS_ORIGINAL_CITY	string			
ESTABLISHMENT_ADDRESS_ORIGINAL_COUNTRY	string			
ESTABLISHMENT_ADDRESS_ORIGINAL_HOUSE_NUMBER_ADDITION	string			
ESTABLISHMENT_ADDRESS_ORIGINAL_HOUSE_NUMBER	int32			
ESTABLISHMENT_ADDRESS_ORIGINAL_POSTCODE	string			
ESTABLISHMENT_ADDRESS_ORIGINAL_STREET	string			
ESTABLISHMENT_DATE_DAY	int32	Establishment Date Day		
ESTABLISHMENT_DATE_MONTH	int32	Establishment Date Month		
ESTABLISHMENT_DATE_YEAR	int32	Establishment Date Year		
ESTABLISHMENT_NUMBER	string	Establishment Number		
FOUNDING_DATE_DAY	int32	Founding Date Day		
FOUNDING_DATE_MONTH	int32	Founding Date Month		
FOUNDING_DATE_YEAR	int32	Founding Date Year		
INDICATION_BANKRUPTCY	boolean	Is Bankrupt		
INDICATION_DIP	boolean			
INDICATION_ECONOMICALLY_ACTIVE	boolean	Indication Economically Active		
INDICATION_EXPORT	boolean			
INDICATION_IMPORT	boolean			
INDICATION_MAIN_ESTABLISHMENT	boolean	Main Establishment		
INDICATION_NON_MAILING	boolean			
INDICATION_ORGANISATION_CODE	string			
INSOLVENCIES_ITEM_EVENTS	string			
INSOLVENCIES_ITEM_INSOLVENCY_ID	string			
ISSUED_SHARE_CAPITAL_CURRENCY	string			
ISSUED_SHARE_CAPITAL	int64			
LEGAL_FORM_CODE	string			
LEGAL_FORM_TEXT	string	Legal Form Text		

Name	Data Type	Label	Required	Documentation
LEGAL_NAME	string	Legal Name		
MAIN_ESTABLISHMENT_NUMBER	string	Main Establishment Number		
MOBILE_NUMBER	string			
PAID_UP_SHARE_CAPITAL_CURRENCY	string	Paid-up Share Capital Currency		
PAID_UP_SHARE_CAPITAL	int64	Paid-up Share Capital		
PERSONNEL_CI_REFERENCE_DATE_DAY	int32			
PERSONNEL_CI_REFERENCE_DATE_MONTH	int32			
PERSONNEL_CI_REFERENCE_DATE_YEAR	int32			
PERSONNEL_CI	int32			
PERSONNEL_FULLTIME	int32			
PERSONNEL_REFERENCE_DATE_DAY	int32	Personnel Reference Date Day		
PERSONNEL_REFERENCE_DATE_MONTH	int32	Personnel Reference Date Month		
PERSONNEL_REFERENCE_DATE_YEAR	int32	Personnel Reference Date Year		
PERSONNEL	int32	Personnel		
PRIMARY_SBI_CODE_TEXT	string			
PRIMARY_SBI_CODE	string			
RSIN_NUMBER	string	RSIN Number		
SBI_COLLECTION_COMPANY_INFO_ITEM_DESCRIPTION	string			
SBI_COLLECTION_COMPANY_INFO_ITEM_SBI_CODE	string			
SBI_COLLECTION_ORIGINAL_ITEM_DESCRIPTION	string			
SBI_COLLECTION_ORIGINAL_ITEM_SBI_CODE	string			
SECONDARY_SBI_CODE1_TEXT	string			
SECONDARY_SBI_CODE1	string			
SECONDARY_SBI_CODE2_TEXT	string			
SECONDARY_SBI_CODE2	string			
STRUCTURE_NUMBER_OF_SUBSIDIARIES	int32			
STRUCTURE_PARENT	string			
STRUCTURE_ULTIMATE_PARENT	string			
TELEPHONE_NUMBER	string	Phone Number		
TRADE_NAME_45	string			
TRADE_NAME_FULL	string			
TRADE_NAMES_ITEM	string	Trace Names Item		

Name	Data Type	Label	Required	Documentation
UPDATE_INFO_DATE_LAST_UPDATE	datetime	Update Info Last Update		
UPDATE_INFO_DOSSIER_NUMBER	string	Update Info File Number		
UPDATE_INFO_ESTABLISHMENT_NUMBER	string	Update Info Establishment Number		
UPDATE_INFO_UPDATE_TYPES_ITEM	string			

3.1.112 dutchBusinessGetExtractDocument

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: dutchBusinessGetExtractDocument

Base

XPath: `/s:Envelope/s:Body/tns:dutchBusinessGetExtractDocumentResponse/tns:out`

Filters on API Server: dossier_number- allow_caching

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `dutchBusinessGetExtractDocument`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
allow_caching	boolean	<input type="checkbox"/>		
dossier_number	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `dutchBusinessGetExtractDocument` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
DOCUMENT_DATE	datetime	Document Date		
DOCUMENT	byte[]	Document		

3.1.113 dutchBusinessGetExtractDocumentData

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: dutchBusinessGetExtractDocumentData

Base

XPath: `/s:Envelope/s:Body/tns:dutchBusinessGetExtractDocumentDataResponse/tns:out`

Filters on API Server: dossier_number- allow_caching

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `dutchBusinessGetExtractDocumentData`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
allow_caching	boolean	<input type="checkbox"/>		
dossier_number	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `dutchBusinessGetExtractDocumentData` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
DOCUMENT_DATE	datetime	Document Date		
DOCUMENT	byte[]	Document		
DOSSIER_NUMBER	string	File Number		

Name	Data Type	Label	Required	Documentation
ENTERPRISE_ACTIVITY	string	Enterprise Activity		
ENTERPRISE_CORRESPONDENCE_CITY	string	Enterprise Correspondence City		
ENTERPRISE_CORRESPONDENCE_COUNTRY	string			
ENTERPRISE_CORRESPONDENCE_HOUSE_NUMBER_ADDITION	string			
ENTERPRISE_CORRESPONDENCE_HOUSE_NUMBER	int32			
ENTERPRISE_CORRESPONDENCE_POSTCODE	string	Enterprise Correspondence Postal Code		
ENTERPRISE_CORRESPONDENCE_STREET	string	Enterprise Correspondence Street		
ENTERPRISE_DATE_SINCE_DAY	int32			
ENTERPRISE_DATE_SINCE_MONTH	int32			
ENTERPRISE_DATE_SINCE_YEAR	int32			
ENTERPRISE_DESCRIPTION	string	Enterprise Description		
ENTERPRISE_DISCONTINUATION_DATE_DAY	int32	Discontinuation Date Day		
ENTERPRISE_DISCONTINUATION_DATE_MONTH	int32	Discontinuation Date Month		
ENTERPRISE_DISCONTINUATION_DATE_YEAR	int32	Discontinuation Date Year		
ENTERPRISE_DOMAIN_NAMES_ITEM	string			
ENTERPRISE_EMAIL_ADDRESSES_ITEM	string			
ENTERPRISE_ESTABLISHMENT_CITY	string	Enterprise Establishment City		
ENTERPRISE_ESTABLISHMENT_COUNTRY	string			
ENTERPRISE_ESTABLISHMENT_DATE_DAY	int32			
ENTERPRISE_ESTABLISHMENT_DATE_MONTH	int32			
ENTERPRISE_ESTABLISHMENT_DATE_YEAR	int32			
ENTERPRISE_ESTABLISHMENT_HOUSE_NUMBER_ADDITION	string			
ENTERPRISE_ESTABLISHMENT_HOUSE_NUMBER	int32			
ENTERPRISE_ESTABLISHMENT_POSTCODE	string	Enterprise Establishment Postal Code		
ENTERPRISE_ESTABLISHMENT_STREET	string	Enterprise Establishment Street		
ENTERPRISE_FAX_NUMBERS_ITEM	string			

Name	Data Type	Label	Required	Documentation
ENTERPRISE_FOUNGING_DATE_DAY	int32			
ENTERPRISE_FOUNGING_DATE_MONTH	int32			
ENTERPRISE_FOUNGING_DATE_YEAR	int32			
ENTERPRISE_INCORPORATION_DATE_DAY	int32			
ENTERPRISE_INCORPORATION_DATE_MONTH	int32			
ENTERPRISE_INCORPORATION_DATE_YEAR	int32			
ENTERPRISE_LEGAL_FORM_TEXT	string	Enterprise Legal Form Text		
ENTERPRISE_NAME	string	Enterprise Name		
ENTERPRISE_PERSONNEL	int32	Enterprise Personnel		
ENTERPRISE_REGISTRATION	string	Enterprise Registration		
ENTERPRISE_RSIN_NUMBER	string	Enterprise RSIN Number		
ENTERPRISE_SBI_CODES_ITEM	string			
ENTERPRISE_SBI_CODES_TEXT_ITEM	string			
ENTERPRISE_STATUS	string	Enterprise Status		
ENTERPRISE_TELEPHONE_NUMBERS_ITEM	string			
ENTERPRISE_TRADE_NAMES_ITEM	string			
ESTABLISHMENT_NUMBER	string	Establishment Number		
ESTABLISHMENTS_ITEM_ACTIVITY	string			
ESTABLISHMENTS_ITEM_CORRESPONDENCE_CITY	string			
ESTABLISHMENTS_ITEM_CORRESPONDENCE_COUNTRY	string			
ESTABLISHMENTS_ITEM_CORRESPONDENCE_HOUSE_NUMBER_ADDITION	string			
ESTABLISHMENTS_ITEM_CORRESPONDENCE_HOUSE_NUMBER	int32			
ESTABLISHMENTS_ITEM_CORRESPONDENCE_POSTCODE	string			
ESTABLISHMENTS_ITEM_CORRESPONDENCE_STREET	string			
ESTABLISHMENTS_ITEM_CURATOR_CITY	string			
ESTABLISHMENTS_ITEM_CURATOR_COUNTRY	string			
ESTABLISHMENTS_ITEM_CURATOR_HOUSE_NUMBER_ADDITION	string			

Name	Data Type	Label	Required	Documentation
ESTABLISHMENTS_ITEM_CURATOR_HOUSE_NUMBER	int32			
ESTABLISHMENTS_ITEM_CURATOR_POSTCODE	string			
ESTABLISHMENTS_ITEM_CURATOR_STREET	string			
ESTABLISHMENTS_ITEM_DATE_SINCE_DAY	int32			
ESTABLISHMENTS_ITEM_DATE_SINCE_MONTH	int32			
ESTABLISHMENTS_ITEM_DATE_SINCE_YEAR	int32			
ESTABLISHMENTS_ITEM_DESCRIPTION	string			
ESTABLISHMENTS_ITEM_DOMAIN_NAMES	string			
ESTABLISHMENTS_ITEM_EMAIL_ADDRESSES	string			
ESTABLISHMENTS_ITEM_ESTABLISHMENT_CITY	string			
ESTABLISHMENTS_ITEM_ESTABLISHMENT_COUNTRY	string			
ESTABLISHMENTS_ITEM_ESTABLISHMENT_DATE_DAY	int32			
ESTABLISHMENTS_ITEM_ESTABLISHMENT_DATE_MONTH	int32			
ESTABLISHMENTS_ITEM_ESTABLISHMENT_DATE_YEAR	int32			
ESTABLISHMENTS_ITEM_ESTABLISHMENT_HOUSE_NUMBER_ADDITION	string			
ESTABLISHMENTS_ITEM_ESTABLISHMENT_HOUSE_NUMBER	int32			
ESTABLISHMENTS_ITEM_ESTABLISHMENT_NUMBER	string			
ESTABLISHMENTS_ITEM_ESTABLISHMENT_POSTCODE	string			
ESTABLISHMENTS_ITEM_ESTABLISHMENT_STREET	string			
ESTABLISHMENTS_ITEM_FAX_NUMBERS	string			
ESTABLISHMENTS_ITEM_LEGAL_FORM_TEXT	string			
ESTABLISHMENTS_ITEM_MAIN_ESTABLISHMENT	boolean			
ESTABLISHMENTS_ITEM_PERSONNEL	int32			
ESTABLISHMENTS_ITEM_SBI_CODES_TEXT	string			

Name	Data Type	Label	Required	Documentation
ESTABLISHMENTS_ITEM_SBI_CODES	string			
ESTABLISHMENTS_ITEM_STATUS	string			
ESTABLISHMENTS_ITEM_TELEPHONE_NUMBERS	string			
ESTABLISHMENTS_ITEM_TRADE_NAMES	string			
LEGAL_ENTITY_ACTIVITY	string	Legal Entity Activity		
LEGAL_ENTITY_ALTERNATIVE_NAME	string	Legal Entity Alternative Name		
LEGAL_ENTITY_ANNUAL_REPORT_SUBMISSION	string			
LEGAL_ENTITY_AUTHORIZED_SHARE_CAPITAL_CURRENCY	string	Legal Entity Authorized Share Capital Currency		
LEGAL_ENTITY_AUTHORIZED_SHARE_CAPITAL	int64	Legal Entity Authorized Share Capital		
LEGAL_ENTITY_COMPANY_ARRANGEMENT	string			
LEGAL_ENTITY_CORRESPONDENCE_CITY	string	Legal Entity Correspondence City		
LEGAL_ENTITY_CORRESPONDENCE_COUNTRY	string			
LEGAL_ENTITY_CORRESPONDENCE_HOUSE_NUMBER_ADDITION	string			
LEGAL_ENTITY_CORRESPONDENCE_HOUSE_NUMBER	int32			
LEGAL_ENTITY_CORRESPONDENCE_POSTCODE	string	Legal Entity Correspondence Postal Code		
LEGAL_ENTITY_CORRESPONDENCE_STREET	string	Legal Entity Correspondence Street		
LEGAL_ENTITY_DEED_INCORPORATION_DATE_DAY	int32			
LEGAL_ENTITY_DEED_INCORPORATION_DATE_MONTH	int32			
LEGAL_ENTITY_DEED_INCORPORATION_DATE_YEAR	int32			
LEGAL_ENTITY_DEED_LAST_STATUTES_AMENDMENT_DATE_DAY	int32			
LEGAL_ENTITY_DEED_LAST_STATUTES_AMENDMENT_DATE_MONTH	int32			
LEGAL_ENTITY_DEED_LAST_STATUTES_AMENDMENT_DATE_YEAR	int32			
LEGAL_ENTITY_DISCONTINUATION_DATE_DAY	int32			
LEGAL_ENTITY_DISCONTINUATION_DATE_MONTH	int32			

Name	Data Type	Label	Required	Documentation
LEGAL_ENTITY_DISCONTINUATION_DATE_YEAR	int32			
LEGAL_ENTITY DISSOLUTION_DATE_DAY	int32			
LEGAL_ENTITY DISSOLUTION_DATE_MONTH	int32			
LEGAL_ENTITY DISSOLUTION_DATE_YEAR	int32			
LEGAL_ENTITY DISSOLUTION_REASON	string			
LEGAL_ENTITY_DOMAIN_NAMES_ITEM	string			
LEGAL_ENTITY_DURATION_END_DATE_DAY	int32			
LEGAL_ENTITY_DURATION_END_DATE_MONTH	int32			
LEGAL_ENTITY_DURATION_END_DATE_YEAR	int32			
LEGAL_ENTITY_DURATION	string			
LEGAL_ENTITY_EMAIL_ADDRESSES_ITEM	string			
LEGAL_ENTITY_ESTABLISHMENT_CITY	string	Legal Entity Establishment City		
LEGAL_ENTITY_ESTABLISHMENT_COUNTRY	string			
LEGAL_ENTITY_ESTABLISHMENT_HOUSE_NUMBER_ADDITION	string			
LEGAL_ENTITY_ESTABLISHMENT_HOUSE_NUMBER	int32			
LEGAL_ENTITY_ESTABLISHMENT_POSTCODE	string	Legal Entity Establishment Postal Code		
LEGAL_ENTITY_ESTABLISHMENT_STREET	string	Legal Entity Establishment Street		
LEGAL_ENTITY_FAX_NUMBERS_ITEM	string			
LEGAL_ENTITY_FOREIGN_LEGAL_FORM_DESCRIPTION	string			
LEGAL_ENTITY_FOUNDING_DATE_DAY	int32			
LEGAL_ENTITY_FOUNDING_DATE_MONTH	int32			
LEGAL_ENTITY_FOUNDING_DATE_YEAR	int32			
LEGAL_ENTITY_ISSUED_SHARE_CAPITAL_CURRENCY	string			
LEGAL_ENTITY_ISSUED_SHARE_CAPITAL	int64			
LEGAL_ENTITY_LAST_STATUTES_AMENDMENT_DATE_DAY	int32			

Name	Data Type	Label	Required	Documentation
LEGAL_ENTITY_LAST_STATUTES_AMENDMENT_DATE_MONTH	int32			
LEGAL_ENTITY_LAST_STATUTES_AMENDMENT_DATE_YEAR	int32			
LEGAL_ENTITY_LEGAL_ENTITY_END_DATE_DAY	int32			
LEGAL_ENTITY_LEGAL_ENTITY_END_DATE_MONTH	int32			
LEGAL_ENTITY_LEGAL_ENTITY_END_DATE_YEAR	int32			
LEGAL_ENTITY_LEGAL_FORM_CHANGE	string			
LEGAL_ENTITY_LEGAL_FORM_TEXT	string	Legal Entity Legal Form Text		
LEGAL_ENTITY_LEGAL_NAME	string	Legal Entity Legal Name		
LEGAL_ENTITY_LIABILITY	string			
LEGAL_ENTITY_LIQUIDATION_CLOSURE_DATE_DAY	int32			
LEGAL_ENTITY_LIQUIDATION_CLOSURE_DATE_MONTH	int32			
LEGAL_ENTITY_LIQUIDATION_CLOSURE_DATE_YEAR	int32			
LEGAL_ENTITY_LIQUIDATION_REOPENING_DATE_DAY	int32			
LEGAL_ENTITY_LIQUIDATION_REOPENING_DATE_MONTH	int32			
LEGAL_ENTITY_LIQUIDATION_REOPENING_DATE_YEAR	int32			
LEGAL_ENTITY_MERGER_DESCRIPTION	string			
LEGAL_ENTITY_NAME	string	Legal Entity Name		
LEGAL_ENTITY_PAID_UP_SHARE_CAPITAL_CURRENCY	string	Legal Entity Paid-up Share Capital Currency		
LEGAL_ENTITY_PAID_UP_SHARE_CAPITAL	int64	Legal Entity Paid-up Share Capital		
LEGAL_ENTITY_REGISTRATION_DATE_DAY	int32			
LEGAL_ENTITY_REGISTRATION_DATE_MONTH	int32			
LEGAL_ENTITY_REGISTRATION_DATE_YEAR	int32			
LEGAL_ENTITY_REGISTRATION_END_DATE_DAY	int32			
LEGAL_ENTITY_REGISTRATION_END_DATE_MONTH	int32			
LEGAL_ENTITY_REGISTRATION_END_DATE_YEAR	int32			

Name	Data Type	Label	Required	Documentation
LEGAL_ENTITY_REGISTRATION	string	Legal Entity Registration		
LEGAL_ENTITY_REMOVAL_DATE_DAY	int32			
LEGAL_ENTITY_REMOVAL_DATE_MONTH	int32			
LEGAL_ENTITY_REMOVAL_DATE_YEAR	int32			
LEGAL_ENTITY_RSIN_NUMBER	string	Legal Entity RSIN Number		
LEGAL_ENTITY_SBI_CODES_ITEM	string			
LEGAL_ENTITY_SBI_CODES_TEXT_ITEM	string			
LEGAL_ENTITY_SHARE_HOLDERS	string			
LEGAL_ENTITY_SHARES	string			
LEGAL_ENTITY_SHORTENED_NAME	string			
LEGAL_ENTITY_STATUS	string	Legal Entity Status		
LEGAL_ENTITY_STATUTORY_SEAT	string			
LEGAL_ENTITY_TELEPHONE_NUMBERS_ITEM	string			
PARTNERSHIP_ITEM DISSOLUTION_DATE_DAY	int32			
PARTNERSHIP_ITEM DISSOLUTION_DATE_MONTH	int32			
PARTNERSHIP_ITEM DISSOLUTION_DATE_YEAR	int32			
PARTNERSHIP_ITEM DOSSIER_NUMBER	string			
PARTNERSHIP_ITEM_DURATION	string			
PARTNERSHIP_ITEM_ESTABLISHMENT_CITY	string			
PARTNERSHIP_ITEM_ESTABLISHMENT_COUNTRY	string			
PARTNERSHIP_ITEM_ESTABLISHMENT_HOUSE_NUMBER_ADDITION	string			
PARTNERSHIP_ITEM_ESTABLISHMENT_HOUSE_NUMBER	int32			
PARTNERSHIP_ITEM_ESTABLISHMENT_POSTCODE	string			
PARTNERSHIP_ITEM_ESTABLISHMENT_STREET	string			
PARTNERSHIP_ITEM_FOUNDING_DATE_DAY	int32			
PARTNERSHIP_ITEM_FOUNDING_DATE_MONTH	int32			
PARTNERSHIP_ITEM_FOUNDING_DATE_YEAR	int32			

Name	Data Type	Label	Required	Documentation
PARTNERSHIP_ITEM_FUNCTION_START_DATE_DAY	int32			
PARTNERSHIP_ITEM_FUNCTION_START_DATE_MONTH	int32			
PARTNERSHIP_ITEM_FUNCTION_START_DATE_YEAR	int32			
PARTNERSHIP_ITEM_LEGAL_FORM_TEXT	string			
PARTNERSHIP_ITEM_LIMITED_PARTNERSHIP_CAPITAL_CURRENCY	string			
PARTNERSHIP_ITEM_LIMITED_PARTNERSHIP_CAPITAL	int64			
PARTNERSHIP_ITEM_NAME	string			
PARTNERSHIP_ITEM_REGISTRATION	string			
PARTNERSHIP_ITEM_RSIN_NUMBER	string			
PARTNERSHIP_ITEM_SILENT_PARTNERS	int32			
PARTNERSHIP_ITEM_STATUS	string			
POSITIONS_ITEM_AUTHORIZATION_DESCRIPTION	string			
POSITIONS_ITEM_AUTHORIZATION_END_DATE_DAY	int32			
POSITIONS_ITEM_AUTHORIZATION_END_DATE_MONTH	int32			
POSITIONS_ITEM_AUTHORIZATION_END_DATE_YEAR	int32			
POSITIONS_ITEM_AUTHORIZATION_START_DATE_DAY	int32			
POSITIONS_ITEM_AUTHORIZATION_START_DATE_MONTH	int32			
POSITIONS_ITEM_AUTHORIZATION_START_DATE_YEAR	int32			
POSITIONS_ITEM_CITY	string			
POSITIONS_ITEM_COUNTRY_OF_BIRTH	string			
POSITIONS_ITEM_COUNTRY	string			
POSITIONS_ITEM_DATE_DECEASED_DAY	int32			
POSITIONS_ITEM_DATE_DECEASED_MONTH	int32			
POSITIONS_ITEM_DATE_DECEASED_YEAR	int32			
POSITIONS_ITEM_DATE_JOINED_DAY	int32			
POSITIONS_ITEM_DATE_JOINED_MONTH	int32			

Name	Data Type	Label	Required	Documentation
POSITIONS_ITEM_DATE_JOINED_YEAR	int32			
POSITIONS_ITEM_DATE_OF_BIRTH_DAY	int32			
POSITIONS_ITEM_DATE_OF_BIRTH_MONTH	int32			
POSITIONS_ITEM_DATE_OF_BIRTH_YEAR	int32			
POSITIONS_ITEM_DATE_SINCE_DAY	int32			
POSITIONS_ITEM_DATE_SINCE_MONTH	int32			
POSITIONS_ITEM_DATE_SINCE_YEAR	int32			
POSITIONS_ITEM_DOSSIER_NUMBER	string			
POSITIONS_ITEM_ESTABLISHMENT_NUMBER	string			
POSITIONS_ITEM_FIRST_NAME	string			
POSITIONS_ITEM_FUNCTION_AUTORIZATION_DESCRIPTION	string			
POSITIONS_ITEM_FUNCTION_AUTORIZATION_END_DATE_DAY	int32			
POSITIONS_ITEM_FUNCTION_AUTORIZATION_END_DATE_MONTH	int32			
POSITIONS_ITEM_FUNCTION_AUTORIZATION_END_DATE_YEAR	int32			
POSITIONS_ITEM_FUNCTION_AUTORIZATION_SIGNING_POWER	string			
POSITIONS_ITEM_FUNCTION_AUTORIZATION_START_DATE_DAY	int32			
POSITIONS_ITEM_FUNCTION_AUTORIZATION_START_DATE_MONTH	int32			
POSITIONS_ITEM_FUNCTION_AUTORIZATION_START_DATE_YEAR	int32			
POSITIONS_ITEM_FUNCTION_AUTORIZATION	string			
POSITIONS_ITEM_FUNCTION_DESCRIPTION	string			
POSITIONS_ITEM_FUNCTION_END_DATE_DAY	int32			
POSITIONS_ITEM_FUNCTION_END_DATE_MONTH	int32			
POSITIONS_ITEM_FUNCTION_END_DATE_YEAR	int32			
POSITIONS_ITEM_FUNCTION_REGISTRATION_DATE_DAY	int32			
POSITIONS_ITEM_FUNCTION_REGISTRATION_DATE_MONTH	int32			

Name	Data Type	Label	Required	Documentation
POSITIONS_ITEM_FUNCTION_REGISTRATION_DATE_YEAR	int32			
POSITIONS_ITEM_FUNCTION_START_DATE_DAY	int32			
POSITIONS_ITEM_FUNCTION_START_DATE_MONTH	int32			
POSITIONS_ITEM_FUNCTION_START_DATE_YEAR	int32			
POSITIONS_ITEM_FUNCTION_TITLE	string			
POSITIONS_ITEM_FUNCTION_TYPE	string			
POSITIONS_ITEM_HOUSE_NUMBER_ADDITION	string			
POSITIONS_ITEM_HOUSE_NUMBER	int32			
POSITIONS_ITEM_INAUGURATION_BODY	string			
POSITIONS_ITEM_INAUGURATION_DATE_DAY	int32			
POSITIONS_ITEM_INAUGURATION_DATE_MONTH	int32			
POSITIONS_ITEM_INAUGURATION_DATE_YEAR	int32			
POSITIONS_ITEM_INAUGURATION_DURATION	string			
POSITIONS_ITEM_INAUGURATION_FUNCTION	string			
POSITIONS_ITEM_INAUGURATION	string			
POSITIONS_ITEM_INITIALS	string			
POSITIONS_ITEM_LAST_NAME	string			
POSITIONS_ITEM_NAME	string			
POSITIONS_ITEM_PLACE_OF_BIRTH	string			
POSITIONS_ITEM_POSTCODE	string			
POSITIONS_ITEM_RELEASE_OF_COVENANT	string			
POSITIONS_ITEM_RIGHTS_AGAINST_THIRD_PARTIES	string			
POSITIONS_ITEM_STATUS	string			
POSITIONS_ITEM_STREET	string			
POSITIONS_ITEM_TELEPHONE_NUMBERS	string			
POSITIONS_ITEM_TITLE	string			
POSITIONS_ITEM_TRADE_NAMES	string			
POSITIONS_ITEM_UNDER_RECEIVERSHIP	string			
STATUS	string	Status		

3.1.114 dutchBusinessGetExtractDocumentDataV2

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: dutchBusinessGetExtractDocumentDataV2

Base

XPath: `/s:Envelope/s:Body/tns:dutchBusinessGetExtractDocumentDataV2Response/tns:out`

Filters on API Server: dossier_number

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `dutchBusinessGetExtractDocumentDataV2`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
dossier_number	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `dutchBusinessGetExtractDocumentDataV2` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
DATA_DOSSIER_NUMBER	string			
DATA_ENTERPRISE_ACTIVITY	string			
DATA_ENTERPRISE_DATE_SINCE_DAY	int32			
DATA_ENTERPRISE_DATE_SINCE_MONTH	int32			
DATA_ENTERPRISE_DATE_SINCE_YEAR	int32			
DATA_ENTERPRISE_DESCRIPTION	string			

Name	Data Type	Label	Required	Documentation
DATA_ENTERPRISE_DISCONTINUATION_DATE_DAY	int32			
DATA_ENTERPRISE_DISCONTINUATION_DATE_MONTH	int32			
DATA_ENTERPRISE_DISCONTINUATION_DATE_YEAR	int32			
DATA_ENTERPRISE_FOUNDDING_DATE_DAY	int32			
DATA_ENTERPRISE_FOUNDDING_DATE_MONTH	int32			
DATA_ENTERPRISE_FOUNDDING_DATE_YEAR	int32			
DATA_ENTERPRISE_INCORPORATION_DATE_DAY	int32			
DATA_ENTERPRISE_INCORPORATION_DATE_MONTH	int32			
DATA_ENTERPRISE_INCORPORATION_DATE_YEAR	int32			
DATA_ENTERPRISE_LEGAL_FORM_TEXT	string			
DATA_ENTERPRISE_NAME	string			
DATA_ENTERPRISE_PERSONNEL_FULLTIME	int32			
DATA_ENTERPRISE_PERSONNEL_PARTTIME	int32			
DATA_ENTERPRISE_PERSONNEL_TOTAL	int32			
DATA_ENTERPRISE_REGISTRATION	string			
DATA_ENTERPRISE_REMARKS_ITEM	string			
DATA_ENTERPRISE_SBI_CODES_ITEM_DESCRIPTION	string			
DATA_ENTERPRISE_SBI_CODES_ITEM_SBI_CODE	string			
DATA_ENTERPRISE_TRADE_NAMES_ITEM	string			
DATA_ESTABLISHMENTS_ITEM_ACTIVITY	string			
DATA_ESTABLISHMENTS_ITEM_CORRESPONDENCE_ADDRESS_CITY	string			
DATA_ESTABLISHMENTS_ITEM_CORRESPONDENCE_ADDRESS_COUNTRY	string			
DATA_ESTABLISHMENTS_ITEM_CORRESPONDENCE_ADDRESS_HOUSE_NUMBER_ADDITION	string			
DATA_ESTABLISHMENTS_ITEM_CORRESPONDENCE_ADDRESS_HOUSE_NUMBER	int32			

Name	Data Type	Label	Required	Documentation
DATA_ESTABLISHMENTS_ITEM_CORRESPONDENCE_ADDRESS_POSTCODE	string			
DATA_ESTABLISHMENTS_ITEM_CORRESPONDENCE_ADDRESS_STREET	string			
DATA_ESTABLISHMENTS_ITEM_DATE_SINCE_DAY	int32			
DATA_ESTABLISHMENTS_ITEM_DATE_SINCE_MONTH	int32			
DATA_ESTABLISHMENTS_ITEM_DATE_SINCE_YEAR	int32			
DATA_ESTABLISHMENTS_ITEM_DESCRIPTION	string			
DATA_ESTABLISHMENTS_ITEM_DOMAIN_NAMES	string			
DATA_ESTABLISHMENTS_ITEM_EMAIL_ADDRESSES	string			
DATA_ESTABLISHMENTS_ITEM_ESTABLISHMENT_ADDRESS_CITY	string			
DATA_ESTABLISHMENTS_ITEM_ESTABLISHMENT_ADDRESS_COUNTRY	string			
DATA_ESTABLISHMENTS_ITEM_ESTABLISHMENT_ADDRESS_HOUSE_NUMBER_ADDITION	string			
DATA_ESTABLISHMENTS_ITEM_ESTABLISHMENT_ADDRESS_HOUSE_NUMBER	int32			
DATA_ESTABLISHMENTS_ITEM_ESTABLISHMENT_ADDRESS_POSTCODE	string			
DATA_ESTABLISHMENTS_ITEM_ESTABLISHMENT_ADDRESS_STREET	string			
DATA_ESTABLISHMENTS_ITEM_ESTABLISHMENT_DATE_DAY	int32			
DATA_ESTABLISHMENTS_ITEM_ESTABLISHMENT_DATE_MONTH	int32			
DATA_ESTABLISHMENTS_ITEM_ESTABLISHMENT_DATE_YEAR	int32			
DATA_ESTABLISHMENTS_ITEM_ESTABLISHMENT_NUMBER	string			
DATA_ESTABLISHMENTS_ITEM_FAX_NUMBERS	string			
DATA_ESTABLISHMENTS_ITEM_LEGAL_FORM_TEXT	string			
DATA_ESTABLISHMENTS_ITEM_MAIN_ESTABLISHMENT	boolean			
DATA_ESTABLISHMENTS_ITEM_PERSONNEL_FULLTIME	int32			

Name	Data Type	Label	Required	Documentation
DATA_ESTABLISHMENTS_ITEM_PERSONNEL_PARTTIME	int32			
DATA_ESTABLISHMENTS_ITEM_PERSONNEL_TOTAL	int32			
DATA_ESTABLISHMENTS_ITEM_REMARKS	string			
DATA_ESTABLISHMENTS_ITEM_SBI_CODES	string			
DATA_ESTABLISHMENTS_ITEM_TELEPHONE_NUMBERS	string			
DATA_ESTABLISHMENTS_ITEM_TRADE_NAMES	string			
DATA_LEGAL_ENTITY_ACTIVITY	string			
DATA_LEGAL_ENTITY_ALTERNATIVE_NAME	string			
DATA_LEGAL_ENTITY_ANNUAL_REPORT_SUBMISSION	string			
DATA_LEGAL_ENTITY_AUTHORIZED_SHARE_CAPITAL_AMOUNT	int64			
DATA_LEGAL_ENTITY_AUTHORIZED_SHARE_CAPITAL_CURRENCY	string			
DATA_LEGAL_ENTITY_AUTHORIZED_SHARE_CAPITAL_FORMATTED	string			
DATA_LEGAL_ENTITY_COMPANY_ARRANGEMENT	string			
DATA_LEGAL_ENTITY_CORRESPONDENCE_ADDRESS_CITY	string			
DATA_LEGAL_ENTITY_CORRESPONDENCE_ADDRESS_COUNTRY	string			
DATA_LEGAL_ENTITY_CORRESPONDENCE_ADDRESS_HOUSE_NUMBER_ADDITION	string			
DATA_LEGAL_ENTITY_CORRESPONDENCE_ADDRESS_HOUSE_NUMBER	int32			
DATA_LEGAL_ENTITY_CORRESPONDENCE_ADDRESS_POSTCODE	string			
DATA_LEGAL_ENTITY_CORRESPONDENCE_ADDRESS_STREET	string			
DATA_LEGAL_ENTITY_DEED_INCORPORATION_DATE_DAY	int32			
DATA_LEGAL_ENTITY_DEED_INCORPORATION_DATE_MONTH	int32			
DATA_LEGAL_ENTITY_DEED_INCORPORATION_DATE_YEAR	int32			
DATA_LEGAL_ENTITY_DEED_LAST_STATUTES_AMENDMENT_DATE_DAY	int32			
DATA_LEGAL_ENTITY_DEED_LAST_STATUTES_AMENDMENT_DATE	int32			

Name	Data Type	Label	Required	Documentation
_MONTH				
DATA_LEGAL_ENTITY_DEED_LAST_STATUTES_AMENDMENT_DATE_YEAR	int32			
DATA_LEGAL_ENTITY_DISCONTINUATION_DATE_DAY	int32			
DATA_LEGAL_ENTITY_DISCONTINUATION_DATE_MONTH	int32			
DATA_LEGAL_ENTITY_DISCONTINUATION_DATE_YEAR	int32			
DATA_LEGAL_ENTITY DISSOLUTION_DATE_DAY	int32			
DATA_LEGAL_ENTITY DISSOLUTION_DATE_MONTH	int32			
DATA_LEGAL_ENTITY DISSOLUTION_DATE_YEAR	int32			
DATA_LEGAL_ENTITY DISSOLUTION_REASON	string			
DATA_LEGAL_ENTITY_DOMAIN_NAMES_ITEM	string			
DATA_LEGAL_ENTITY_DURATION_END_DATE_DAY	int32			
DATA_LEGAL_ENTITY_DURATION_END_DATE_MONTH	int32			
DATA_LEGAL_ENTITY_DURATION_END_DATE_YEAR	int32			
DATA_LEGAL_ENTITY_DURATION	string			
DATA_LEGAL_ENTITY_EMAIL_ADDRESSES_ITEM	string			
DATA_LEGAL_ENTITY_ESTABLISHMENT_ADDRESS_CITY	string			
DATA_LEGAL_ENTITY_ESTABLISHMENT_ADDRESS_COUNTRY	string			
DATA_LEGAL_ENTITY_ESTABLISHMENT_ADDRESS_HOUSE_NUMBER_ADDITION	string			
DATA_LEGAL_ENTITY_ESTABLISHMENT_ADDRESS_HOUSE_NUMBER	int32			
DATA_LEGAL_ENTITY_ESTABLISHMENT_ADDRESS_POSTCODE	string			
DATA_LEGAL_ENTITY_ESTABLISHMENT_ADDRESS_STREET	string			
DATA_LEGAL_ENTITY_FAX_NUMBERS_ITEM	string			
DATA_LEGAL_ENTITY_FOREIGN_LEGAL_FORM_DESCRIPTION	string			
DATA_LEGAL_ENTITY_FOUNDING_DATE_DAY	int32			

Name	Data Type	Label	Required	Documentation
DATA_LEGAL_ENTITY_FOUNDING_DATE_MONTH	int32			
DATA_LEGAL_ENTITY_FOUNDING_DATE_YEAR	int32			
DATA_LEGAL_ENTITY_ISSUED_SHARE_CAPITAL_AMOUNT	int64			
DATA_LEGAL_ENTITY_ISSUED_SHARE_CAPITAL_CURRENCY	string			
DATA_LEGAL_ENTITY_ISSUED_SHARE_CAPITAL_FORMATTED	string			
DATA_LEGAL_ENTITY_LAST_STATUTES_AMENDMENT_DATE_DAY	int32			
DATA_LEGAL_ENTITY_LAST_STATUTES_AMENDMENT_DATE_MONTH	int32			
DATA_LEGAL_ENTITY_LAST_STATUTES_AMENDMENT_DATE_YEAR	int32			
DATA_LEGAL_ENTITY_LEGAL_ENTITY_END_DATE_DAY	int32			
DATA_LEGAL_ENTITY_LEGAL_ENTITY_END_DATE_MONTH	int32			
DATA_LEGAL_ENTITY_LEGAL_ENTITY_END_DATE_YEAR	int32			
DATA_LEGAL_ENTITY_LEGAL_FORM_CHANGE	string			
DATA_LEGAL_ENTITY_LEGAL_FORM_TEXT	string			
DATA_LEGAL_ENTITY_LEGAL_NAME	string			
DATA_LEGAL_ENTITY_LIABILITY	string			
DATA_LEGAL_ENTITY_LIQUIDATION_CLOSURE_DATE_DAY	int32			
DATA_LEGAL_ENTITY_LIQUIDATION_CLOSURE_DATE_MONTH	int32			
DATA_LEGAL_ENTITY_LIQUIDATION_CLOSURE_DATE_YEAR	int32			
DATA_LEGAL_ENTITY_LIQUIDATION_REOPENING_DATE_DAY	int32			
DATA_LEGAL_ENTITY_LIQUIDATION_REOPENING_DATE_MONTH	int32			
DATA_LEGAL_ENTITY_LIQUIDATION_REOPENING_DATE_YEAR	int32			
DATA_LEGAL_ENTITY_MERGER_DESCRIPTION	string			
DATA_LEGAL_ENTITY_NAME	string			
DATA_LEGAL_ENTITY_PAID_UP_SHARE_CAPITAL_AMOUNT	int64			
DATA_LEGAL_ENTITY_PAID_UP_SHARE_CAPITAL_CURRENCY	string			

Name	Data Type	Label	Required	Documentation
DATA_LEGAL_ENTITY_PAID_UP_SHARE_CAPITAL_FORMATTED	string			
DATA_LEGAL_ENTITY_REGISTRATION_DATE_DAY	int32			
DATA_LEGAL_ENTITY_REGISTRATION_DATE_MONTH	int32			
DATA_LEGAL_ENTITY_REGISTRATION_DATE_YEAR	int32			
DATA_LEGAL_ENTITY_REGISTRATION_END_DATE_DAY	int32			
DATA_LEGAL_ENTITY_REGISTRATION_END_DATE_MONTH	int32			
DATA_LEGAL_ENTITY_REGISTRATION_END_DATE_YEAR	int32			
DATA_LEGAL_ENTITY_REGISTRATION	string			
DATA_LEGAL_ENTITY_REMARKS_ITEM	string			
DATA_LEGAL_ENTITY_REMOVAL_DATE_DAY	int32			
DATA_LEGAL_ENTITY_REMOVAL_DATE_MONTH	int32			
DATA_LEGAL_ENTITY_REMOVAL_DATE_YEAR	int32			
DATA_LEGAL_ENTITY_RSIN_NUMBER	string			
DATA_LEGAL_ENTITY_SBI_CODES_ITEM_DESCRIPTION	string			
DATA_LEGAL_ENTITY_SBI_CODES_ITEM_SBI_CODE	string			
DATA_LEGAL_ENTITY_SHARE_HOLDERS	string			
DATA_LEGAL_ENTITY_SHARES	string			
DATA_LEGAL_ENTITY_SHORTENED_NAME	string			
DATA_LEGAL_ENTITY_STATUTORY_SEAT	string			
DATA_LEGAL_ENTITY_TELEPHONE_NUMBERS_ITEM	string			
DATA_PARTNERSHIP_CORRESPONDENCE_ADDRESS_CITY	string			
DATA_PARTNERSHIP_CORRESPONDENCE_ADDRESS_COUNTRY	string			
DATA_PARTNERSHIP_CORRESPONDENCE_ADDRESS_HOUSE_NUMBER_ADDITION	string			
DATA_PARTNERSHIP_CORRESPONDENCE_ADDRESS_HOUSE_NUMBER	int32			

Name	Data Type	Label	Required	Documentation
DATA_PARTNERSHIP_CORRESPONDENCE_ADDRESS_POSTCODE	string			
DATA_PARTNERSHIP_CORRESPONDENCE_ADDRESS_STREET	string			
DATA_PARTNERSHIP DISSOLUTION_DATE_DAY	int32			
DATA_PARTNERSHIP DISSOLUTION_DATE_MONTH	int32			
DATA_PARTNERSHIP DISSOLUTION_DATE_YEAR	int32			
DATA_PARTNERSHIP DOSSIER_NUMBER	string			
DATA_PARTNERSHIP_DURATION	string			
DATA_PARTNERSHIP_ESTABLISHMENT_ADDRESS_CITY	string			
DATA_PARTNERSHIP_ESTABLISHMENT_ADDRESS_COUNTRY	string			
DATA_PARTNERSHIP_ESTABLISHMENT_ADDRESS_HOUSE_NUMBER_ADDITION	string			
DATA_PARTNERSHIP_ESTABLISHMENT_ADDRESS_HOUSE_NUMBER	int32			
DATA_PARTNERSHIP_ESTABLISHMENT_ADDRESS_POSTCODE	string			
DATA_PARTNERSHIP_ESTABLISHMENT_ADDRESS_STREET	string			
DATA_PARTNERSHIP_FOUNDING_DATE_DAY	int32			
DATA_PARTNERSHIP_FOUNDING_DATE_MONTH	int32			
DATA_PARTNERSHIP_FOUNDING_DATE_YEAR	int32			
DATA_PARTNERSHIP_FUNCTION_START_DATE_DAY	int32			
DATA_PARTNERSHIP_FUNCTION_START_DATE_MONTH	int32			
DATA_PARTNERSHIP_FUNCTION_START_DATE_YEAR	int32			
DATA_PARTNERSHIP_LEGAL_FORM_TEXT	string			
DATA_PARTNERSHIP_LIMITED_PARTNERSHIP_CAPITAL_AMOUNT	int64			
DATA_PARTNERSHIP_LIMITED_PARTNERSHIP_CAPITAL_CURRENCY	string			
DATA_PARTNERSHIP_LIMITED_PARTNERSHIP_CAPITAL_FORMATTED	string			
DATA_PARTNERSHIP_NAME	string			

Name	Data Type	Label	Required	Documentation
DATA_PARTNERSHIP_REGISTRATION	string			
DATA_PARTNERSHIP_REMARKS_ITEM	string			
DATA_PARTNERSHIP_RSIN_NUMBER	string			
DATA_PARTNERSHIP_SILENT_PARTNERS	int32			
DATA_POSITIONS_ITEM_AUTHORIZATION_CONSTRAINTS	string			
DATA_POSITIONS_ITEM_AUTHORIZATION_DESCRIPTION	string			
DATA_POSITIONS_ITEM_AUTHORIZATION_END_DATE_DAY	int32			
DATA_POSITIONS_ITEM_AUTHORIZATION_END_DATE_MONTH	int32			
DATA_POSITIONS_ITEM_AUTHORIZATION_END_DATE_YEAR	int32			
DATA_POSITIONS_ITEM_AUTHORIZATION_ESTABLISHMENT_NUMBER	string			
DATA_POSITIONS_ITEM_AUTHORIZATION_START_DATE_DAY	int32			
DATA_POSITIONS_ITEM_AUTHORIZATION_START_DATE_MONTH	int32			
DATA_POSITIONS_ITEM_AUTHORIZATION_START_DATE_YEAR	int32			
DATA_POSITIONS_ITEM_CORRESPONDENCE_ADDRESS_CITY	string			
DATA_POSITIONS_ITEM_CORRESPONDENCE_ADDRESS_COUNTRY	string			
DATA_POSITIONS_ITEM_CORRESPONDENCE_ADDRESS_HOUSE_NUMBER_ADDITION	string			
DATA_POSITIONS_ITEM_CORRESPONDENCE_ADDRESS_HOUSE_NUMBER	int32			
DATA_POSITIONS_ITEM_CORRESPONDENCE_ADDRESS_POSTCODE	string			
DATA_POSITIONS_ITEM_CORRESPONDENCE_ADDRESS_STREET	string			
DATA_POSITIONS_ITEM_DATE_JOINED_DAY	int32			
DATA_POSITIONS_ITEM_DATE_JOINED_MONTH	int32			
DATA_POSITIONS_ITEM_DATE_JOINED_YEAR	int32			
DATA_POSITIONS_ITEM_DATE_SINCE_DAY	int32			
DATA_POSITIONS_ITEM_DATE_SINCE_MONTH	int32			

Name	Data Type	Label	Required	Documentation
DATA_POSITIONS_ITEM_DATE_SINCE_YEAR	int32			
DATA_POSITIONS_ITEM_ESTABLISHMENT_ADDRESS_CITY	string			
DATA_POSITIONS_ITEM_ESTABLISHMENT_ADDRESS_COUNTRY	string			
DATA_POSITIONS_ITEM_ESTABLISHMENT_ADDRESS_HOUSE_NUMBER_ADDITION	string			
DATA_POSITIONS_ITEM_ESTABLISHMENT_ADDRESS_HOUSE_NUMBER	int32			
DATA_POSITIONS_ITEM_ESTABLISHMENT_ADDRESS_POSTCODE	string			
DATA_POSITIONS_ITEM_ESTABLISHMENT_ADDRESS_STREET	string			
DATA_POSITIONS_ITEM_FUNCTION_AUTHORIZATION_DESCRIPTION	string			
DATA_POSITIONS_ITEM_FUNCTION_AUTHORIZATION_END_DATE_DAY	int32			
DATA_POSITIONS_ITEM_FUNCTION_AUTHORIZATION_END_DATE_MONTH	int32			
DATA_POSITIONS_ITEM_FUNCTION_AUTHORIZATION_END_DATE_YEAR	int32			
DATA_POSITIONS_ITEM_FUNCTION_AUTHORIZATION_SIGNING_POWER	string			
DATA_POSITIONS_ITEM_FUNCTION_AUTHORIZATION_START_DATE_DAY	int32			
DATA_POSITIONS_ITEM_FUNCTION_AUTHORIZATION_START_DATE_MONTH	int32			
DATA_POSITIONS_ITEM_FUNCTION_AUTHORIZATION_START_DATE_YEAR	int32			
DATA_POSITIONS_ITEM_FUNCTION_AUTHORIZATION	string			
DATA_POSITIONS_ITEM_FUNCTION_DESCRIPTION	string			
DATA_POSITIONS_ITEM_FUNCTION_END_DATE_DAY	int32			
DATA_POSITIONS_ITEM_FUNCTION_END_DATE_MONTH	int32			
DATA_POSITIONS_ITEM_FUNCTION_END_DATE_YEAR	int32			
DATA_POSITIONS_ITEM_FUNCTION_REGISTRATION_DATE_DAY	int32			

Name	Data Type	Label	Required	Documentation
DATA_POSITIONS_ITEM_FUNCTION_REGISTRATION_DATE_MONTH	int32			
DATA_POSITIONS_ITEM_FUNCTION_REGISTRATION_DATE_YEAR	int32			
DATA_POSITIONS_ITEM_FUNCTION_START_DATE_DAY	int32			
DATA_POSITIONS_ITEM_FUNCTION_START_DATE_MONTH	int32			
DATA_POSITIONS_ITEM_FUNCTION_START_DATE_YEAR	int32			
DATA_POSITIONS_ITEM_FUNCTION_TITLE	string			
DATA_POSITIONS_ITEM_FUNCTION_TYPE	string			
DATA_POSITIONS_ITEM_FUNCTIONARY_COUNTRY_OF_BIRTH	string			
DATA_POSITIONS_ITEM_FUNCTIONARY_DATE_DECEASED_DAY	int32			
DATA_POSITIONS_ITEM_FUNCTIONARY_DATE_DECEASED_MONTH	int32			
DATA_POSITIONS_ITEM_FUNCTIONARY_DATE_DECEASED_YEAR	int32			
DATA_POSITIONS_ITEM_FUNCTIONARY_DATE_OF_BIRTH_DAY	int32			
DATA_POSITIONS_ITEM_FUNCTIONARY_DATE_OF_BIRTH_MONTH	int32			
DATA_POSITIONS_ITEM_FUNCTIONARY_DATE_OF_BIRTH_YEAR	int32			
DATA_POSITIONS_ITEM_FUNCTIONARY_FIRST_NAME	string			
DATA_POSITIONS_ITEM_FUNCTIONARY_FULL_NAME	string			
DATA_POSITIONS_ITEM_FUNCTIONARY_GENDER	string			
DATA_POSITIONS_ITEM_FUNCTIONARY_INITIALS	string			
DATA_POSITIONS_ITEM_FUNCTIONARY_LAST_NAME	string			
DATA_POSITIONS_ITEM_FUNCTIONARY_PLACE_OF_BIRTH	string			
DATA_POSITIONS_ITEM_FUNCTIONARY_TITLE	string			
DATA_POSITIONS_ITEM_INAUGURATION_BODY	string			
DATA_POSITIONS_ITEM_INAUGURATION_DATE_DAY	int32			
DATA_POSITIONS_ITEM_INAUGURATION_DATE_MONTH	int32			
DATA_POSITIONS_ITEM_INAUGURATION_DATE_YEAR	int32			

Name	Data Type	Label	Required	Documentation
DATA_POSITIONS_ITEM_INAUGURATION_DURATION	string			
DATA_POSITIONS_ITEM_INAUGURATION_FUNCTION	string			
DATA_POSITIONS_ITEM_INAUGURATION	string			
DATA_POSITIONS_ITEM_LONGEST_SERVING	boolean			
DATA_POSITIONS_ITEM_ORGANISATION_DOSSIER_NUMBER	string			
DATA_POSITIONS_ITEM_ORGANISATION_NAME	string			
DATA_POSITIONS_ITEM_ORGANISATION_REGISTRATION	string			
DATA_POSITIONS_ITEM_ORGANISATION_TRADE_NAMES	string			
DATA_POSITIONS_ITEM_RELEASE_OF_COVENANT	string			
DATA_POSITIONS_ITEM_REMARKS	string			
DATA_POSITIONS_ITEM_RESIDENTIAL_ADDRESS_CITY	string			
DATA_POSITIONS_ITEM_RESIDENTIAL_ADDRESS_COUNTRY	string			
DATA_POSITIONS_ITEM_RESIDENTIAL_ADDRESS_HOUSE_NUMBER_ADDITION	string			
DATA_POSITIONS_ITEM_RESIDENTIAL_ADDRESS_HOUSE_NUMBER	int32			
DATA_POSITIONS_ITEM_RESIDENTIAL_ADDRESS_POSTCODE	string			
DATA_POSITIONS_ITEM_RESIDENTIAL_ADDRESS_STREET	string			
DATA_POSITIONS_ITEM_RIGHTS_AGAINST_THIRD_PARTIES	string			
DATA_POSITIONS_ITEM_UNDER_RECEIVERSHIP	string			
DATA_REFERENCE_DATE	datetime			
DATA_REMARKS_ITEM	string			
DOCUMENT	byte[]	Document		

3.1.115 dutchBusinessGetExtractDocumentDataV3

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: dutchBusinessGetExtractDocumentDataV3

Base

XPath: /s:Envelope/s:Body/tns:dutchBusinessGetExtractDocumentDataV3Response/tns:out

Filters on API Server: dossier_number- include_source

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `dutchBusinessGetExtractDocumentDataV3`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
dossier_number	string	<input type="checkbox"/>		
include_source	boolean	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `dutchBusinessGetExtractDocumentDataV3` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
DATA_DOSSIER_NUMBER	string			
DATA_ENTERPRISE_ACTIVITY	string			
DATA_ENTERPRISE_DATE_SINCE_DAY	int32			
DATA_ENTERPRISE_DATE_SINCE_MONTH	int32			
DATA_ENTERPRISE_DATE_SINCE_YEAR	int32			
DATA_ENTERPRISE_DESCRIPTION	string			
DATA_ENTERPRISE_DISCONTINUATION_DATE_DAY	int32			
DATA_ENTERPRISE_DISCONTINUATION_DATE_MONTH	int32			
DATA_ENTERPRISE_DISCONTINUATION_DATE_YEAR	int32			

Name	Data Type	Label	Required	Documentation
DATA_ENTERPRISE_FOUNDING_DATE_DAY	int32			
DATA_ENTERPRISE_FOUNDING_DATE_MONTH	int32			
DATA_ENTERPRISE_FOUNDING_DATE_YEAR	int32			
DATA_ENTERPRISE_INCORPORATION_DATE_DAY	int32			
DATA_ENTERPRISE_INCORPORATION_DATE_MONTH	int32			
DATA_ENTERPRISE_INCORPORATION_DATE_YEAR	int32			
DATA_ENTERPRISE_LEGAL_FORM_TEXT	string			
DATA_ENTERPRISE_NAME	string			
DATA_ENTERPRISE_PERSONNEL_FULLTIME	int32			
DATA_ENTERPRISE_PERSONNEL_PARTTIME	int32			
DATA_ENTERPRISE_PERSONNEL_TOTAL	int32			
DATA_ENTERPRISE_REGISTRATION	string			
DATA_ENTERPRISE_REMARKS_ITEM	string			
DATA_ENTERPRISE_SBI_CODES_ITEM_DESCRIPTION	string			
DATA_ENTERPRISE_SBI_CODES_ITEM_SBI_CODE	string			
DATA_ENTERPRISE_TRADE_NAMES_ITEM	string			
DATA_ESTABLISHMENTS_ITEM_ACTIVITY	string			
DATA_ESTABLISHMENTS_ITEM_CORRESPONDENCE_ADDRESS_ADDRESS	string			
DATA_ESTABLISHMENTS_ITEM_CORRESPONDENCE_ADDRESS_CITY	string			
DATA_ESTABLISHMENTS_ITEM_CORRESPONDENCE_ADDRESS_COUNTRY	string			
DATA_ESTABLISHMENTS_ITEM_CORRESPONDENCE_ADDRESS_HOUSE_NUMBER_ADDITION	string			
DATA_ESTABLISHMENTS_ITEM_CORRESPONDENCE_ADDRESS_HOUSE_NUMBER	int32			
DATA_ESTABLISHMENTS_ITEM_CORRESPONDENCE_ADDRESS_POSTCODE	string			

Name	Data Type	Label	Required	Documentation
DATA_ESTABLISHMENTS_ITEM_CORRESPONDENCE_ADDRESS_STREET	string			
DATA_ESTABLISHMENTS_ITEM_DATE_SINCE_DAY	int32			
DATA_ESTABLISHMENTS_ITEM_DATE_SINCE_MONTH	int32			
DATA_ESTABLISHMENTS_ITEM_DATE_SINCE_YEAR	int32			
DATA_ESTABLISHMENTS_ITEM_DESCRIPTION	string			
DATA_ESTABLISHMENTS_ITEM_DOMAIN_NAMES	string			
DATA_ESTABLISHMENTS_ITEM_EMAIL_ADDRESSES	string			
DATA_ESTABLISHMENTS_ITEM_ESTABLISHMENT_ADDRESS_ADDRESS	string			
DATA_ESTABLISHMENTS_ITEM_ESTABLISHMENT_ADDRESS_CITY	string			
DATA_ESTABLISHMENTS_ITEM_ESTABLISHMENT_ADDRESS_COUNTRY	string			
DATA_ESTABLISHMENTS_ITEM_ESTABLISHMENT_ADDRESS_HOUSE_NUMBER_ADDITION	string			
DATA_ESTABLISHMENTS_ITEM_ESTABLISHMENT_ADDRESS_HOUSE_NUMBER	int32			
DATA_ESTABLISHMENTS_ITEM_ESTABLISHMENT_ADDRESS_POST_CODE	string			
DATA_ESTABLISHMENTS_ITEM_ESTABLISHMENT_ADDRESS_STREET	string			
DATA_ESTABLISHMENTS_ITEM_ESTABLISHMENT_DATE_DAY	int32			
DATA_ESTABLISHMENTS_ITEM_ESTABLISHMENT_DATE_MONTH	int32			
DATA_ESTABLISHMENTS_ITEM_ESTABLISHMENT_DATE_YEAR	int32			
DATA_ESTABLISHMENTS_ITEM_ESTABLISHMENT_NUMBER	string			
DATA_ESTABLISHMENTS_ITEM_FAX_NUMBERS	string			
DATA_ESTABLISHMENTS_ITEM_LEGAL_FORM_TEXT	string			
DATA_ESTABLISHMENTS_ITEM_MAIN_ESTABLISHMENT	boolean			
DATA_ESTABLISHMENTS_ITEM_PERSONNEL_FULLTIME	int32			

Name	Data Type	Label	Required	Documentation
DATA_ESTABLISHMENTS_ITEM_PERSONNEL_PARTTIME	int32			
DATA_ESTABLISHMENTS_ITEM_PERSONNEL_TOTAL	int32			
DATA_ESTABLISHMENTS_ITEM_REMARKS	string			
DATA_ESTABLISHMENTS_ITEM_SBI_CODES	string			
DATA_ESTABLISHMENTS_ITEM_TELEPHONE_NUMBERS	string			
DATA_ESTABLISHMENTS_ITEM_TRADE_NAMES	string			
DATA_LEGAL_ENTITY_ACTIVITY	string			
DATA_LEGAL_ENTITY_ALTERNATIVE_NAME	string			
DATA_LEGAL_ENTITY_ANNUAL_REPORT_SUBMISSION	string			
DATA_LEGAL_ENTITY_AUTHORIZED_SHARE_CAPITAL_AMOUNT	int64			
DATA_LEGAL_ENTITY_AUTHORIZED_SHARE_CAPITAL_CURRENCY	string			
DATA_LEGAL_ENTITY_AUTHORIZED_SHARE_CAPITAL_FORMATTED	string			
DATA_LEGAL_ENTITY_COMPANY_ARRANGEMENT	string			
DATA_LEGAL_ENTITY_CORRESPONDENCE_ADDRESS_ADDRESS	string			
DATA_LEGAL_ENTITY_CORRESPONDENCE_ADDRESS_CITY	string			
DATA_LEGAL_ENTITY_CORRESPONDENCE_ADDRESS_COUNTRY	string			
DATA_LEGAL_ENTITY_CORRESPONDENCE_ADDRESS_HOUSE_NUMBER_ADDITION	string			
DATA_LEGAL_ENTITY_CORRESPONDENCE_ADDRESS_HOUSE_NUMBER	int32			
DATA_LEGAL_ENTITY_CORRESPONDENCE_ADDRESS_POSTCODE	string			
DATA_LEGAL_ENTITY_CORRESPONDENCE_ADDRESS_STREET	string			
DATA_LEGAL_ENTITY_DEED_INCORPORATION_DATE_DAY	int32			
DATA_LEGAL_ENTITY_DEED_INCORPORATION_DATE_MONTH	int32			
DATA_LEGAL_ENTITY_DEED_INCORPORATION_DATE_YEAR	int32			
DATA_LEGAL_ENTITY_DEED_LAST_STATUTES_AMENDMENT_DATE_DAY	int32			

Name	Data Type	Label	Required	Documentation
DATA_LEGAL_ENTITY_DEED_LAST_STATUTES_AMENDMENT_DATE_MONTH	int32			
DATA_LEGAL_ENTITY_DEED_LAST_STATUTES_AMENDMENT_DATE_YEAR	int32			
DATA_LEGAL_ENTITY_DISCONTINUATION_DATE_DAY	int32			
DATA_LEGAL_ENTITY_DISCONTINUATION_DATE_MONTH	int32			
DATA_LEGAL_ENTITY_DISCONTINUATION_DATE_YEAR	int32			
DATA_LEGAL_ENTITY DISSOLUTION_DATE_DAY	int32			
DATA_LEGAL_ENTITY DISSOLUTION_DATE_MONTH	int32			
DATA_LEGAL_ENTITY DISSOLUTION_DATE_YEAR	int32			
DATA_LEGAL_ENTITY DISSOLUTION_REASON	string			
DATA_LEGAL_ENTITY_DOMAIN_NAMES_ITEM	string			
DATA_LEGAL_ENTITY_DURATION_END_DATE_DAY	int32			
DATA_LEGAL_ENTITY_DURATION_END_DATE_MONTH	int32			
DATA_LEGAL_ENTITY_DURATION_END_DATE_YEAR	int32			
DATA_LEGAL_ENTITY_DURATION	string			
DATA_LEGAL_ENTITY_EMAIL_ADDRESSES_ITEM	string			
DATA_LEGAL_ENTITY_ESTABLISHMENT_ADDRESS_ADDRESS	string			
DATA_LEGAL_ENTITY_ESTABLISHMENT_ADDRESS_CITY	string			
DATA_LEGAL_ENTITY_ESTABLISHMENT_ADDRESS_COUNTRY	string			
DATA_LEGAL_ENTITY_ESTABLISHMENT_ADDRESS_HOUSE_NUMBER_ADDITION	string			
DATA_LEGAL_ENTITY_ESTABLISHMENT_ADDRESS_HOUSE_NUMBER	int32			
DATA_LEGAL_ENTITY_ESTABLISHMENT_ADDRESS_POSTCODE	string			
DATA_LEGAL_ENTITY_ESTABLISHMENT_ADDRESS_STREET	string			
DATA_LEGAL_ENTITY_FAX_NUMBERS_ITEM	string			
DATA_LEGAL_ENTITY_FOREIGN_LEGAL_FORM_DESCRIPTION	string			

Name	Data Type	Label	Required	Documentation
DATA_LEGAL_ENTITY_FOUNDING_DATE_DAY	int32			
DATA_LEGAL_ENTITY_FOUNDING_DATE_MONTH	int32			
DATA_LEGAL_ENTITY_FOUNDING_DATE_YEAR	int32			
DATA_LEGAL_ENTITY_ISSUED_SHARE_CAPITAL_AMOUNT	int64			
DATA_LEGAL_ENTITY_ISSUED_SHARE_CAPITAL_CURRENCY	string			
DATA_LEGAL_ENTITY_ISSUED_SHARE_CAPITAL_FORMATTED	string			
DATA_LEGAL_ENTITY_LAST_STATUTES_AMENDMENT_DATE_DAY	int32			
DATA_LEGAL_ENTITY_LAST_STATUTES_AMENDMENT_DATE_MONTH	int32			
DATA_LEGAL_ENTITY_LAST_STATUTES_AMENDMENT_DATE_YEAR	int32			
DATA_LEGAL_ENTITY_LEGAL_ENTITY_END_DATE_DAY	int32			
DATA_LEGAL_ENTITY_LEGAL_ENTITY_END_DATE_MONTH	int32			
DATA_LEGAL_ENTITY_LEGAL_ENTITY_END_DATE_YEAR	int32			
DATA_LEGAL_ENTITY_LEGAL_FORM_CHANGE	string			
DATA_LEGAL_ENTITY_LEGAL_FORM_TEXT	string			
DATA_LEGAL_ENTITY_LEGAL_NAME	string			
DATA_LEGAL_ENTITY_LIABILITY	string			
DATA_LEGAL_ENTITY_LIQUIDATION_CLOSURE_DATE_DAY	int32			
DATA_LEGAL_ENTITY_LIQUIDATION_CLOSURE_DATE_MONTH	int32			
DATA_LEGAL_ENTITY_LIQUIDATION_CLOSURE_DATE_YEAR	int32			
DATA_LEGAL_ENTITY_LIQUIDATION_REOPENING_DATE_DAY	int32			
DATA_LEGAL_ENTITY_LIQUIDATION_REOPENING_DATE_MONTH	int32			
DATA_LEGAL_ENTITY_LIQUIDATION_REOPENING_DATE_YEAR	int32			
DATA_LEGAL_ENTITY_MERGER_DESCRIPTION	string			
DATA_LEGAL_ENTITY_NAME	string			
DATA_LEGAL_ENTITY_PAID_UP_SHARE_CAPITAL_AMOUNT	int64			

Name	Data Type	Label	Required	Documentation
DATA_LEGAL_ENTITY_PAID_UP_SHARE_CAPITAL_CURRENCY	string			
DATA_LEGAL_ENTITY_PAID_UP_SHARE_CAPITAL_FORMATTED	string			
DATA_LEGAL_ENTITY_REGISTRATION_DATE_DAY	int32			
DATA_LEGAL_ENTITY_REGISTRATION_DATE_MONTH	int32			
DATA_LEGAL_ENTITY_REGISTRATION_DATE_YEAR	int32			
DATA_LEGAL_ENTITY_REGISTRATION_END_DATE_DAY	int32			
DATA_LEGAL_ENTITY_REGISTRATION_END_DATE_MONTH	int32			
DATA_LEGAL_ENTITY_REGISTRATION_END_DATE_YEAR	int32			
DATA_LEGAL_ENTITY_REGISTRATION	string			
DATA_LEGAL_ENTITY_REMARKS_ITEM	string			
DATA_LEGAL_ENTITY_REMOVAL_DATE_DAY	int32			
DATA_LEGAL_ENTITY_REMOVAL_DATE_MONTH	int32			
DATA_LEGAL_ENTITY_REMOVAL_DATE_YEAR	int32			
DATA_LEGAL_ENTITY_RSIN_NUMBER	string			
DATA_LEGAL_ENTITY_SBI_CODES_ITEM_DESCRIPTION	string			
DATA_LEGAL_ENTITY_SBI_CODES_ITEM_SBI_CODE	string			
DATA_LEGAL_ENTITY_SHARE_HOLDERS	string			
DATA_LEGAL_ENTITY_SHARES	string			
DATA_LEGAL_ENTITY_SHORTENED_NAME	string			
DATA_LEGAL_ENTITY_STATUTORY_SEAT	string			
DATA_LEGAL_ENTITY_TELEPHONE_NUMBERS_ITEM	string			
DATA_PARTNERSHIP_CORRESPONDENCE_ADDRESS_ADDRESS	string			
DATA_PARTNERSHIP_CORRESPONDENCE_ADDRESS_CITY	string			
DATA_PARTNERSHIP_CORRESPONDENCE_ADDRESS_COUNTRY	string			
DATA_PARTNERSHIP_CORRESPONDENCE_ADDRESS_HOUSE_NUMBER_ADDITION	string			

Name	Data Type	Label	Required	Documentation
DATA_PARTNERSHIP_CORRESPONDENCE_ADDRESS_HOUSE_NUMBER	int32			
DATA_PARTNERSHIP_CORRESPONDENCE_ADDRESS_POSTCODE	string			
DATA_PARTNERSHIP_CORRESPONDENCE_ADDRESS_STREET	string			
DATA_PARTNERSHIP DISSOLUTION_DATE_DAY	int32			
DATA_PARTNERSHIP DISSOLUTION_DATE_MONTH	int32			
DATA_PARTNERSHIP DISSOLUTION_DATE_YEAR	int32			
DATA_PARTNERSHIP_DOSSIER_NUMBER	string			
DATA_PARTNERSHIP_DURATION	string			
DATA_PARTNERSHIP_ESTABLISHMENT_ADDRESS_ADDRESS	string			
DATA_PARTNERSHIP_ESTABLISHMENT_ADDRESS_CITY	string			
DATA_PARTNERSHIP_ESTABLISHMENT_ADDRESS_COUNTRY	string			
DATA_PARTNERSHIP_ESTABLISHMENT_ADDRESS_HOUSE_NUMBER_ADDITION	string			
DATA_PARTNERSHIP_ESTABLISHMENT_ADDRESS_HOUSE_NUMBER	int32			
DATA_PARTNERSHIP_ESTABLISHMENT_ADDRESS_POSTCODE	string			
DATA_PARTNERSHIP_ESTABLISHMENT_ADDRESS_STREET	string			
DATA_PARTNERSHIP_FOUNDDING_DATE_DAY	int32			
DATA_PARTNERSHIP_FOUNDDING_DATE_MONTH	int32			
DATA_PARTNERSHIP_FOUNDDING_DATE_YEAR	int32			
DATA_PARTNERSHIP_FUNCTION_START_DATE_DAY	int32			
DATA_PARTNERSHIP_FUNCTION_START_DATE_MONTH	int32			
DATA_PARTNERSHIP_FUNCTION_START_DATE_YEAR	int32			
DATA_PARTNERSHIP_LEGAL_FORM_TEXT	string			
DATA_PARTNERSHIP_LIMITED_PARTNERSHIP_CAPITAL_AMOUNT	int64			
DATA_PARTNERSHIP_LIMITED_PARTNERSHIP_CAPITAL_CURRENCY	string			

Name	Data Type	Label	Required	Documentation
DATA_PARTNERSHIP_LIMITED_PARTNERSHIP_CAPITAL_FORMATTED	string			
DATA_PARTNERSHIP_NAME	string			
DATA_PARTNERSHIP_REGISTRATION	string			
DATA_PARTNERSHIP_REMARKS_ITEM	string			
DATA_PARTNERSHIP_RSIN_NUMBER	string			
DATA_PARTNERSHIP_SILENT_PARTNERS	int32			
DATA_POSITIONS_ITEM_AUTHORIZATION_CONSTRAINTS	string			
DATA_POSITIONS_ITEM_AUTHORIZATION_DESCRIPTION	string			
DATA_POSITIONS_ITEM_AUTHORIZATION_END_DATE_DAY	int32			
DATA_POSITIONS_ITEM_AUTHORIZATION_END_DATE_MONTH	int32			
DATA_POSITIONS_ITEM_AUTHORIZATION_END_DATE_YEAR	int32			
DATA_POSITIONS_ITEM_AUTHORIZATION_ESTABLISHMENT_NUMBER	string			
DATA_POSITIONS_ITEM_AUTHORIZATION_START_DATE_DAY	int32			
DATA_POSITIONS_ITEM_AUTHORIZATION_START_DATE_MONTH	int32			
DATA_POSITIONS_ITEM_AUTHORIZATION_START_DATE_YEAR	int32			
DATA_POSITIONS_ITEM_CORRESPONDENCE_ADDRESS_ADDRESS	string			
DATA_POSITIONS_ITEM_CORRESPONDENCE_ADDRESS_CITY	string			
DATA_POSITIONS_ITEM_CORRESPONDENCE_ADDRESS_COUNTRY	string			
DATA_POSITIONS_ITEM_CORRESPONDENCE_ADDRESS_HOUSE_NUMBER_ADDITION	string			
DATA_POSITIONS_ITEM_CORRESPONDENCE_ADDRESS_HOUSE_NUMBER	int32			
DATA_POSITIONS_ITEM_CORRESPONDENCE_ADDRESS_POSTCODE	string			
DATA_POSITIONS_ITEM_CORRESPONDENCE_ADDRESS_STREET	string			
DATA_POSITIONS_ITEM_DATE_JOINED_DAY	int32			
DATA_POSITIONS_ITEM_DATE_JOINED_MONTH	int32			

Name	Data Type	Label	Required	Documentation
DATA_POSITIONS_ITEM_DATE_JOINED_YEAR	int32			
DATA_POSITIONS_ITEM_DATE_SINCE_DAY	int32			
DATA_POSITIONS_ITEM_DATE_SINCE_MONTH	int32			
DATA_POSITIONS_ITEM_DATE_SINCE_YEAR	int32			
DATA_POSITIONS_ITEM_ESTABLISHMENT_ADDRESS_ADDRESS	string			
DATA_POSITIONS_ITEM_ESTABLISHMENT_ADDRESS_CITY	string			
DATA_POSITIONS_ITEM_ESTABLISHMENT_ADDRESS_COUNTRY	string			
DATA_POSITIONS_ITEM_ESTABLISHMENT_ADDRESS_HOUSE_NUMBER_ADDITION	string			
DATA_POSITIONS_ITEM_ESTABLISHMENT_ADDRESS_HOUSE_NUMBER	int32			
DATA_POSITIONS_ITEM_ESTABLISHMENT_ADDRESS_POSTCODE	string			
DATA_POSITIONS_ITEM_ESTABLISHMENT_ADDRESS_STREET	string			
DATA_POSITIONS_ITEM_FUNCTION_AUTHORIZATION_DESCRIPTION	string			
DATA_POSITIONS_ITEM_FUNCTION_AUTHORIZATION_END_DATE_DAY	int32			
DATA_POSITIONS_ITEM_FUNCTION_AUTHORIZATION_END_DATE_MONTH	int32			
DATA_POSITIONS_ITEM_FUNCTION_AUTHORIZATION_END_DATE_YEAR	int32			
DATA_POSITIONS_ITEM_FUNCTION_AUTHORIZATION_SIGNING_POWER	string			
DATA_POSITIONS_ITEM_FUNCTION_AUTHORIZATION_START_DATE_DAY	int32			
DATA_POSITIONS_ITEM_FUNCTION_AUTHORIZATION_START_DATE_MONTH	int32			
DATA_POSITIONS_ITEM_FUNCTION_AUTHORIZATION_START_DATE_YEAR	int32			
DATA_POSITIONS_ITEM_FUNCTION_AUTHORIZATION	string			
DATA_POSITIONS_ITEM_FUNCTION_DESCRIPTION	string			

Name	Data Type	Label	Required	Documentation
DATA_POSITIONS_ITEM_FUNCION_END_DATE_DAY	int32			
DATA_POSITIONS_ITEM_FUNCION_END_DATE_MONTH	int32			
DATA_POSITIONS_ITEM_FUNCION_END_DATE_YEAR	int32			
DATA_POSITIONS_ITEM_FUNCION_REGISTRATION_DATE_DAY	int32			
DATA_POSITIONS_ITEM_FUNCION_REGISTRATION_DATE_MONTH	int32			
DATA_POSITIONS_ITEM_FUNCION_REGISTRATION_DATE_YEAR	int32			
DATA_POSITIONS_ITEM_FUNCION_START_DATE_DAY	int32			
DATA_POSITIONS_ITEM_FUNCION_START_DATE_MONTH	int32			
DATA_POSITIONS_ITEM_FUNCION_START_DATE_YEAR	int32			
DATA_POSITIONS_ITEM_FUNCION_TITLE	string			
DATA_POSITIONS_ITEM_FUNCION_TYPE	string			
DATA_POSITIONS_ITEM_FUNCIONARY_COUNTRY_OF_BIRTH	string			
DATA_POSITIONS_ITEM_FUNCIONARY_DATE_DECEASED_DAY	int32			
DATA_POSITIONS_ITEM_FUNCIONARY_DATE_DECEASED_MONTH	int32			
DATA_POSITIONS_ITEM_FUNCIONARY_DATE_DECEASED_YEAR	int32			
DATA_POSITIONS_ITEM_FUNCIONARY_DATE_OF_BIRTH_DAY	int32			
DATA_POSITIONS_ITEM_FUNCIONARY_DATE_OF_BIRTH_MONTH	int32			
DATA_POSITIONS_ITEM_FUNCIONARY_DATE_OF_BIRTH_YEAR	int32			
DATA_POSITIONS_ITEM_FUNCIONARY_FIRST_NAME	string			
DATA_POSITIONS_ITEM_FUNCIONARY_FULL_NAME	string			
DATA_POSITIONS_ITEM_FUNCIONARY_GENDER	string			
DATA_POSITIONS_ITEM_FUNCIONARY_INITIALS	string			
DATA_POSITIONS_ITEM_FUNCIONARY_LAST_NAME	string			
DATA_POSITIONS_ITEM_FUNCIONARY_PLACE_OF_BIRTH	string			
DATA_POSITIONS_ITEM_FUNCIONARY_TITLE	string			

Name	Data Type	Label	Required	Documentation
DATA_POSITIONS_ITEM_INAUGURATION_BODY	string			
DATA_POSITIONS_ITEM_INAUGURATION_DATE_DAY	int32			
DATA_POSITIONS_ITEM_INAUGURATION_DATE_MONTH	int32			
DATA_POSITIONS_ITEM_INAUGURATION_DATE_YEAR	int32			
DATA_POSITIONS_ITEM_INAUGURATION_DURATION	string			
DATA_POSITIONS_ITEM_INAUGURATION_FUNCTION	string			
DATA_POSITIONS_ITEM_INAUGURATION	string			
DATA_POSITIONS_ITEM_LONGEST_SERVING	boolean			
DATA_POSITIONS_ITEM_ORGANISATION_DOSSIER_NUMBER	string			
DATA_POSITIONS_ITEM_ORGANISATION_NAME	string			
DATA_POSITIONS_ITEM_ORGANISATION_REGISTRATION	string			
DATA_POSITIONS_ITEM_ORGANISATION_TRADE_NAMES	string			
DATA_POSITIONS_ITEM_RELEASE_OF_COVENANT	string			
DATA_POSITIONS_ITEM_REMARKS	string			
DATA_POSITIONS_ITEM_RESIDENTIAL_ADDRESS_ADDRESS	string			
DATA_POSITIONS_ITEM_RESIDENTIAL_ADDRESS_CITY	string			
DATA_POSITIONS_ITEM_RESIDENTIAL_ADDRESS_COUNTRY	string			
DATA_POSITIONS_ITEM_RESIDENTIAL_ADDRESS_HOUSE_NUMBER_ADDITION	string			
DATA_POSITIONS_ITEM_RESIDENTIAL_ADDRESS_HOUSE_NUMBER	int32			
DATA_POSITIONS_ITEM_RESIDENTIAL_ADDRESS_POSTCODE	string			
DATA_POSITIONS_ITEM_RESIDENTIAL_ADDRESS_STREET	string			
DATA_POSITIONS_ITEM_RIGHTS_AGAINST_THIRD_PARTIES	string			
DATA_POSITIONS_ITEM_UNDER_RECEIVERSHIP	string			
DATA_REFERENCE_DATE	datetime			
DATA_REMARKS_ITEM	string			

Name	Data Type	Label	Required	Documentation
DOCUMENT	byte[]	Document		
SOURCE	byte[]			

3.1.116 dutchBusinessGetExtractHistory

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: dutchBusinessGetExtractHistory

Base

XPath: `/s:Envelope/s:Body/tns:dutchBusinessGetExtractHistoryResponse/tns:out`

Filters on API Server: `dossier_number- period_start_date- period_end_date`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `dutchBusinessGetExtractHistory`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
dossier_number	string	<input type="checkbox"/>		
period_end_date	datetime	<input type="checkbox"/>		
period_start_date	datetime	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `dutchBusinessGetExtractHistory` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
FORECAST_CHANGE_SET_CHAN GES_ITEM	string			

Name	Data Type	Label	Required	Documentation
FORECAST_CHANGE_SET_PERIOD_END_DATE	datetime			
FORECAST_CHANGE_SET_PERIOD_START_DATE	datetime			
REFERENCES_ITEM_CHANGE_SET_CHANGES	string			
REFERENCES_ITEM_CHANGE_SET_PERIOD_END_DATE	datetime			
REFERENCES_ITEM_CHANGE_SET_PERIOD_START_DATE	datetime			
REFERENCES_ITEM_DOCUMENT_DATE	datetime			
REFERENCES_ITEM_EXTRACT_ID	string			

3.1.117 dutchBusinessGetExtractHistoryChanged

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: dutchBusinessGetExtractHistoryChanged

Base

XPath: `/s:Envelope/s:Body/tns:dutchBusinessGetExtractHistoryChangedResponse/tns:out`

Filters on API Server: `dossier_number- period_start_date- period_end_date`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `dutchBusinessGetExtractHistoryChanged`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
dossier_number	string	<input type="checkbox"/>		
period_end_date	datetime	<input type="checkbox"/>		

Name	Data Type	Required	Default Value	Documentation
period_start_date	datetime	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `dutchBusinessGetExtractHistoryChanged` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
FORECAST_CHANGE_SET_CHANGES_ITEM	string			
FORECAST_CHANGE_SET_PERIOD_END_DATE	datetime			
FORECAST_CHANGE_SET_PERIOD_START_DATE	datetime			
REFERENCES_ITEM_CHANGE_SET_CHANGES	string			
REFERENCES_ITEM_CHANGE_SET_PERIOD_END_DATE	datetime			
REFERENCES_ITEM_CHANGE_SET_PERIOD_START_DATE	datetime			
REFERENCES_ITEM_DOCUMENT_DATE	datetime			
REFERENCES_ITEM_EXTRACT_ID	string			

3.1.118 `dutchBusinessGetExtractHistoryDocumentData`

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `dutchBusinessGetExtractHistoryDocumentData`

Base

XPath: `/s:Envelope/s:Body/tns:dutchBusinessGetExtractHistoryDocumentDataResponse/tns:out`

Filters on API Server: `extract_id`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `dutchBusinessGetExtractHistoryDocumentData`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four

parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
extract_id	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `dutchBusinessGetExtractHistoryDocumentData` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
DOCUMENT_DATE	datetime	Document Date		
DOCUMENT	byte[]	Document		
DOSSIER_NUMBER	string	File Number		
ENTERPRISE_ACTIVITY	string	Enterprise Activity		
ENTERPRISE_CORRESPONDENCE_CITY	string	Enterprise Correspondence City		
ENTERPRISE_CORRESPONDENCE_COUNTRY	string			
ENTERPRISE_CORRESPONDENCE_HOUSE_NUMBER_ADDITION	string			
ENTERPRISE_CORRESPONDENCE_HOUSE_NUMBER	int32			
ENTERPRISE_CORRESPONDENCE_POSTCODE	string	Enterprise Correspondence Postal Code		
ENTERPRISE_CORRESPONDENCE_STREET	string	Enterprise Correspondence Street		
ENTERPRISE_DATE_SINCE_DAY	int32			
ENTERPRISE_DATE_SINCE_MONTH	int32			
ENTERPRISE_DATE_SINCE_YEAR	int32			
ENTERPRISE_DESCRIPTION	string	Enterprise Description		
ENTERPRISE_DISCONTINUATION_DATE_DAY	int32	Discontinuation Date Day		
ENTERPRISE_DISCONTINUATION_DATE_MONTH	int32	Discontinuation Date Month		
ENTERPRISE_DISCONTINUATION_DATE_YEAR	int32	Discontinuation Date Year		
ENTERPRISE_DOMAIN_NAMES_ITEM	string			
ENTERPRISE_EMAIL_ADDRESSES_ITEM	string			

Name	Data Type	Label	Required	Documentation
ENTERPRISE_ESTABLISHMENT_CITY	string	Enterprise Establishment City		
ENTERPRISE_ESTABLISHMENT_COUNTRY	string			
ENTERPRISE_ESTABLISHMENT_DATE_DAY	int32			
ENTERPRISE_ESTABLISHMENT_DATE_MONTH	int32			
ENTERPRISE_ESTABLISHMENT_DATE_YEAR	int32			
ENTERPRISE_ESTABLISHMENT_HOUSE_NUMBER_ADDITION	string			
ENTERPRISE_ESTABLISHMENT_HOUSE_NUMBER	int32			
ENTERPRISE_ESTABLISHMENT_POSTCODE	string	Enterprise Establishment Postal Code		
ENTERPRISE_ESTABLISHMENT_STREET	string	Enterprise Establishment Street		
ENTERPRISE_FAX_NUMBERS_ITEM	string			
ENTERPRISE_FOUNDDING_DATE_DAY	int32			
ENTERPRISE_FOUNDDING_DATE_MONTH	int32			
ENTERPRISE_FOUNDDING_DATE_YEAR	int32			
ENTERPRISE_INCORPORATION_DATE_DAY	int32			
ENTERPRISE_INCORPORATION_DATE_MONTH	int32			
ENTERPRISE_INCORPORATION_DATE_YEAR	int32			
ENTERPRISE_LEGAL_FORM_TEXT	string	Enterprise Legal Form Text		
ENTERPRISE_NAME	string	Enterprise Name		
ENTERPRISE_PERSONNEL	int32	Enterprise Personnel		
ENTERPRISE_REGISTRATION	string	Enterprise Registration		
ENTERPRISE_RSIN_NUMBER	string	Enterprise RSIN Number		
ENTERPRISE_SBI_CODES_ITEM	string			
ENTERPRISE_SBI_CODES_TEXT_ITEM	string			
ENTERPRISE_STATUS	string	Enterprise Status		
ENTERPRISE_TELEPHONE_NUMBERS_ITEM	string			
ENTERPRISE_TRADE_NAMES_ITEM	string			
ESTABLISHMENT_NUMBER	string	Establishment Number		

Name	Data Type	Label	Required	Documentation
ESTABLISHMENTS_ITEM_ACTIVITY	string			
ESTABLISHMENTS_ITEM_CORRESPONDENCE_CITY	string			
ESTABLISHMENTS_ITEM_CORRESPONDENCE_COUNTRY	string			
ESTABLISHMENTS_ITEM_CORRESPONDENCE_HOUSE_NUMBER_ADDITION	string			
ESTABLISHMENTS_ITEM_CORRESPONDENCE_HOUSE_NUMBER	int32			
ESTABLISHMENTS_ITEM_CORRESPONDENCE_POSTCODE	string			
ESTABLISHMENTS_ITEM_CORRESPONDENCE_STREET	string			
ESTABLISHMENTS_ITEM_CURATOR_CITY	string			
ESTABLISHMENTS_ITEM_CURATOR_COUNTRY	string			
ESTABLISHMENTS_ITEM_CURATOR_HOUSE_NUMBER_ADDITION	string			
ESTABLISHMENTS_ITEM_CURATOR_HOUSE_NUMBER	int32			
ESTABLISHMENTS_ITEM_CURATOR_POSTCODE	string			
ESTABLISHMENTS_ITEM_CURATOR_STREET	string			
ESTABLISHMENTS_ITEM_DATE_SINCE_DAY	int32			
ESTABLISHMENTS_ITEM_DATE_SINCE_MONTH	int32			
ESTABLISHMENTS_ITEM_DATE_SINCE_YEAR	int32			
ESTABLISHMENTS_ITEM_DESCRIPTION	string			
ESTABLISHMENTS_ITEM_DOMAIN_NAMES	string			
ESTABLISHMENTS_ITEM_EMAIL_ADDRESSES	string			
ESTABLISHMENTS_ITEM_ESTABLISHMENT_CITY	string			
ESTABLISHMENTS_ITEM_ESTABLISHMENT_COUNTRY	string			
ESTABLISHMENTS_ITEM_ESTABLISHMENT_DATE_DAY	int32			
ESTABLISHMENTS_ITEM_ESTABLISHMENT_DATE_MONTH	int32			
ESTABLISHMENTS_ITEM_ESTABLISHMENT_DATE_YEAR	int32			

Name	Data Type	Label	Required	Documentation
ESTABLISHMENTS_ITEM_ESTABLISHMENT_HOUSE_NUMBER_ADDITION	string			
ESTABLISHMENTS_ITEM_ESTABLISHMENT_HOUSE_NUMBER	int32			
ESTABLISHMENTS_ITEM_ESTABLISHMENT_NUMBER	string			
ESTABLISHMENTS_ITEM_ESTABLISHMENT_POSTCODE	string			
ESTABLISHMENTS_ITEM_ESTABLISHMENT_STREET	string			
ESTABLISHMENTS_ITEM_FAX_NUMBERS	string			
ESTABLISHMENTS_ITEM_LEGAL_FORM_TEXT	string			
ESTABLISHMENTS_ITEM_MAIN_ESTABLISHMENT	boolean			
ESTABLISHMENTS_ITEM_PERSONNEL	int32			
ESTABLISHMENTS_ITEM_SBI_CODES_TEXT	string			
ESTABLISHMENTS_ITEM_SBI_CODES	string			
ESTABLISHMENTS_ITEM_STATUS	string			
ESTABLISHMENTS_ITEM_TELEPHONE_NUMBERS	string			
ESTABLISHMENTS_ITEM_TRADE_NAMES	string			
LEGAL_ENTITY_ACTIVITY	string	Legal Entity Activity		
LEGAL_ENTITY_ALTERNATIVE_NAME	string	Legal Entity Alternative Name		
LEGAL_ENTITY_ANNUAL_REPORT_SUBMISSION	string			
LEGAL_ENTITY_AUTHORIZED_SHARE_CAPITAL_CURRENCY	string	Legal Entity Authorized Share Capital Currency		
LEGAL_ENTITY_AUTHORIZED_SHARE_CAPITAL	int64	Legal Entity Authorized Share Capital		
LEGAL_ENTITY_COMPANY_ARRANGEMENT	string			
LEGAL_ENTITY_CORRESPONDENCE_CITY	string	Legal Entity Correspondence City		
LEGAL_ENTITY_CORRESPONDENCE_COUNTRY	string			
LEGAL_ENTITY_CORRESPONDENCE_HOUSE_NUMBER_ADDITION	string			
LEGAL_ENTITY_CORRESPONDENCE_HOUSE_NUMBER	int32			

Name	Data Type	Label	Required	Documentation
LEGAL_ENTITY_CORRESPONDENCE_POSTCODE	string	Legal Entity Correspondence Postal Code		
LEGAL_ENTITY_CORRESPONDENCE_STREET	string	Legal Entity Correspondence Street		
LEGAL_ENTITY_DEED_INCORPORATION_DATE_DAY	int32			
LEGAL_ENTITY_DEED_INCORPORATION_DATE_MONTH	int32			
LEGAL_ENTITY_DEED_INCORPORATION_DATE_YEAR	int32			
LEGAL_ENTITY_DEED_LAST_STATUTES_AMENDMENT_DATE_DAY	int32			
LEGAL_ENTITY_DEED_LAST_STATUTES_AMENDMENT_DATE_MONTH	int32			
LEGAL_ENTITY_DEED_LAST_STATUTES_AMENDMENT_DATE_YEAR	int32			
LEGAL_ENTITY_DISCONTINUATION_DATE_DAY	int32			
LEGAL_ENTITY_DISCONTINUATION_DATE_MONTH	int32			
LEGAL_ENTITY_DISCONTINUATION_DATE_YEAR	int32			
LEGAL_ENTITY DISSOLUTION_DATE_DAY	int32			
LEGAL_ENTITY DISSOLUTION_DATE_MONTH	int32			
LEGAL_ENTITY DISSOLUTION_DATE_YEAR	int32			
LEGAL_ENTITY DISSOLUTION_REASON	string			
LEGAL_ENTITY_DOMAIN_NAMES_ITEM	string			
LEGAL_ENTITY_DURATION_END_DATE_DAY	int32			
LEGAL_ENTITY_DURATION_END_DATE_MONTH	int32			
LEGAL_ENTITY_DURATION_END_DATE_YEAR	int32			
LEGAL_ENTITY_DURATION	string			
LEGAL_ENTITY_EMAIL_ADDRESSES_ITEM	string			
LEGAL_ENTITY_ESTABLISHMENT_CITY	string	Legal Entity Establishment City		
LEGAL_ENTITY_ESTABLISHMENT_COUNTRY	string			
LEGAL_ENTITY_ESTABLISHMENT_HOUSE_NUMBER_ADDITION	string			

Name	Data Type	Label	Required	Documentation
LEGAL_ENTITY_ESTABLISHMENT_HOUSE_NUMBER	int32			
LEGAL_ENTITY_ESTABLISHMENT_POSTCODE	string	Legal Entity Establishment Postal Code		
LEGAL_ENTITY_ESTABLISHMENT_STREET	string	Legal Entity Establishment Street		
LEGAL_ENTITY_FAX_NUMBERS_ITEM	string			
LEGAL_ENTITY_FOREIGN_LEGAL_FORM_DESCRIPTION	string			
LEGAL_ENTITY_FOUNDING_DATE_DAY	int32			
LEGAL_ENTITY_FOUNDING_DATE_MONTH	int32			
LEGAL_ENTITY_FOUNDING_DATE_YEAR	int32			
LEGAL_ENTITY_ISSUED_SHARE_CAPITAL_CURRENCY	string			
LEGAL_ENTITY_ISSUED_SHARE_CAPITAL	int64			
LEGAL_ENTITY_LAST_STATUTES_AMENDMENT_DATE_DAY	int32			
LEGAL_ENTITY_LAST_STATUTES_AMENDMENT_DATE_MONTH	int32			
LEGAL_ENTITY_LAST_STATUTES_AMENDMENT_DATE_YEAR	int32			
LEGAL_ENTITY_LEGAL_ENTITY_END_DATE_DAY	int32			
LEGAL_ENTITY_LEGAL_ENTITY_END_DATE_MONTH	int32			
LEGAL_ENTITY_LEGAL_ENTITY_END_DATE_YEAR	int32			
LEGAL_ENTITY_LEGAL_FORM_CHANGE	string			
LEGAL_ENTITY_LEGAL_FORM_TEXT	string	Legal Entity Legal Form Text		
LEGAL_ENTITY_LEGAL_NAME	string	Legal Entity Legal Name		
LEGAL_ENTITY_LIABILITY	string			
LEGAL_ENTITY_LIQUIDATION_CLOSURE_DATE_DAY	int32			
LEGAL_ENTITY_LIQUIDATION_CLOSURE_DATE_MONTH	int32			
LEGAL_ENTITY_LIQUIDATION_CLOSURE_DATE_YEAR	int32			
LEGAL_ENTITY_LIQUIDATION_REOPENING_DATE_DAY	int32			
LEGAL_ENTITY_LIQUIDATION_REOPENING_DATE_MONTH	int32			

Name	Data Type	Label	Required	Documentation
LEGAL_ENTITY_LIQUIDATION_REOPENING_DATE_YEAR	int32			
LEGAL_ENTITY_MERGER_DESCRIPTION	string			
LEGAL_ENTITY_NAME	string	Legal Entity Name		
LEGAL_ENTITY_PAID_UP_SHARE_CAPITAL_CURRENCY	string	Legal Entity Paid-up Share Capital Currency		
LEGAL_ENTITY_PAID_UP_SHARE_CAPITAL	int64	Legal Entity Paid-up Share Capital		
LEGAL_ENTITY_REGISTRATION_DATE_DAY	int32			
LEGAL_ENTITY_REGISTRATION_DATE_MONTH	int32			
LEGAL_ENTITY_REGISTRATION_DATE_YEAR	int32			
LEGAL_ENTITY_REGISTRATION_END_DATE_DAY	int32			
LEGAL_ENTITY_REGISTRATION_END_DATE_MONTH	int32			
LEGAL_ENTITY_REGISTRATION_END_DATE_YEAR	int32			
LEGAL_ENTITY_REGISTRATION	string	Legal Entity Registration		
LEGAL_ENTITY_REMOVAL_DATE_DAY	int32			
LEGAL_ENTITY_REMOVAL_DATE_MONTH	int32			
LEGAL_ENTITY_REMOVAL_DATE_YEAR	int32			
LEGAL_ENTITY_RSIN_NUMBER	string	Legal Entity RSIN Number		
LEGAL_ENTITY_SBI_CODES_ITEM	string			
LEGAL_ENTITY_SBI_CODES_TEXT_ITEM	string			
LEGAL_ENTITY_SHARE_HOLDERS	string			
LEGAL_ENTITY_SHARES	string			
LEGAL_ENTITY_SHORTENED_NAME	string			
LEGAL_ENTITY_STATUS	string	Legal Entity Status		
LEGAL_ENTITY_STATUTORY_SEAT	string			
LEGAL_ENTITY_TELEPHONE_NUMBERS_ITEM	string			
PARTNERSHIP_ITEM DISSOLUTION_DATE_DAY	int32			
PARTNERSHIP_ITEM DISSOLUTION_DATE_MONTH	int32			

Name	Data Type	Label	Required	Documentation
PARTNERSHIP_ITEM DISSOLUTION_DATE_YEAR	int32			
PARTNERSHIP_ITEM DOSSIER_NUMBER	string			
PARTNERSHIP_ITEM DURATION	string			
PARTNERSHIP_ITEM_ESTABLISHMENT_CITY	string			
PARTNERSHIP_ITEM_ESTABLISHMENT_COUNTRY	string			
PARTNERSHIP_ITEM_ESTABLISHMENT_HOUSE_NUMBER_ADDITION	string			
PARTNERSHIP_ITEM_ESTABLISHMENT_HOUSE_NUMBER	int32			
PARTNERSHIP_ITEM_ESTABLISHMENT_POSTCODE	string			
PARTNERSHIP_ITEM_ESTABLISHMENT_STREET	string			
PARTNERSHIP_ITEM_FOUNDING_DATE_DAY	int32			
PARTNERSHIP_ITEM_FOUNDING_DATE_MONTH	int32			
PARTNERSHIP_ITEM_FOUNDING_DATE_YEAR	int32			
PARTNERSHIP_ITEM_FUNCTION_START_DATE_DAY	int32			
PARTNERSHIP_ITEM_FUNCTION_START_DATE_MONTH	int32			
PARTNERSHIP_ITEM_FUNCTION_START_DATE_YEAR	int32			
PARTNERSHIP_ITEM_LEGAL_FORM_TEXT	string			
PARTNERSHIP_ITEM_LIMITED_PARTNERSHIP_CAPITAL_CURRENCY	string			
PARTNERSHIP_ITEM_LIMITED_PARTNERSHIP_CAPITAL	int64			
PARTNERSHIP_ITEM_NAME	string			
PARTNERSHIP_ITEM_REGISTRATION	string			
PARTNERSHIP_ITEM_RSIN_NUMBER	string			
PARTNERSHIP_ITEM_SILENT_PARTNERS	int32			
PARTNERSHIP_ITEM_STATUS	string			
POSITIONS_ITEM_AUTHORIZATION_DESCRIPTION	string			
POSITIONS_ITEM_AUTHORIZATION_END_DATE_DAY	int32			
POSITIONS_ITEM_AUTHORIZATION_END_DATE_MONTH	int32			

Name	Data Type	Label	Required	Documentation
POSITIONS_ITEM_AUTHORIZATION_END_DATE_YEAR	int32			
POSITIONS_ITEM_AUTHORIZATION_START_DATE_DAY	int32			
POSITIONS_ITEM_AUTHORIZATION_START_DATE_MONTH	int32			
POSITIONS_ITEM_AUTHORIZATION_START_DATE_YEAR	int32			
POSITIONS_ITEM_CITY	string			
POSITIONS_ITEM_COUNTRY_OF_BIRTH	string			
POSITIONS_ITEM_COUNTRY	string			
POSITIONS_ITEM_DATE_DECEASED_DAY	int32			
POSITIONS_ITEM_DATE_DECEASED_MONTH	int32			
POSITIONS_ITEM_DATE_DECEASED_YEAR	int32			
POSITIONS_ITEM_DATE_JOINED_DAY	int32			
POSITIONS_ITEM_DATE_JOINED_MONTH	int32			
POSITIONS_ITEM_DATE_JOINED_YEAR	int32			
POSITIONS_ITEM_DATE_OF_BIRTH_DAY	int32			
POSITIONS_ITEM_DATE_OF_BIRTH_MONTH	int32			
POSITIONS_ITEM_DATE_OF_BIRTH_YEAR	int32			
POSITIONS_ITEM_DATE_SINCE_DAY	int32			
POSITIONS_ITEM_DATE_SINCE_MONTH	int32			
POSITIONS_ITEM_DATE_SINCE_YEAR	int32			
POSITIONS_ITEM_DOSSIER_NUMBER	string			
POSITIONS_ITEM_ESTABLISHMENT_NUMBER	string			
POSITIONS_ITEM_FIRST_NAME	string			
POSITIONS_ITEM_FUNCTION_AUTHORIZATION_DESCRIPTION	string			
POSITIONS_ITEM_FUNCTION_AUTHORIZATION_END_DATE_DAY	int32			
POSITIONS_ITEM_FUNCTION_AUTHORIZATION_END_DATE_MONTH	int32			
POSITIONS_ITEM_FUNCTION_AUTHORIZATION_END_DATE_YEAR	int32			

Name	Data Type	Label	Required	Documentation
POSITIONS_ITEM_FUNCTION_AUT HORIZATION_SIGNING_POWER	string			
POSITIONS_ITEM_FUNCTION_AUT HORIZATION_START_DATE_DAY	int32			
POSITIONS_ITEM_FUNCTION_AUT HORIZATION_START_DATE_MONT H	int32			
POSITIONS_ITEM_FUNCTION_AUT HORIZATION_START_DATE_YEAR	int32			
POSITIONS_ITEM_FUNCTION_AUT HORIZATION	string			
POSITIONS_ITEM_FUNCTION_DESC RIPTION	string			
POSITIONS_ITEM_FUNCTION_END_ DATE_DAY	int32			
POSITIONS_ITEM_FUNCTION_END_ DATE_MONTH	int32			
POSITIONS_ITEM_FUNCTION_END_ DATE_YEAR	int32			
POSITIONS_ITEM_FUNCTION_REGI STRATION_DATE_DAY	int32			
POSITIONS_ITEM_FUNCTION_REGI STRATION_DATE_MONTH	int32			
POSITIONS_ITEM_FUNCTION_REGI STRATION_DATE_YEAR	int32			
POSITIONS_ITEM_FUNCTION_STA RT_DATE_DAY	int32			
POSITIONS_ITEM_FUNCTION_STA RT_DATE_MONTH	int32			
POSITIONS_ITEM_FUNCTION_STA RT_DATE_YEAR	int32			
POSITIONS_ITEM_FUNCTION_TITLE	string			
POSITIONS_ITEM_FUNCTION_TYPE	string			
POSITIONS_ITEM_HOUSE_NUMBER _ADDITION	string			
POSITIONS_ITEM_HOUSE_NUMBER	int32			
POSITIONS_ITEM_INAUGURATION_ BODY	string			
POSITIONS_ITEM_INAUGURATION_ DATE_DAY	int32			
POSITIONS_ITEM_INAUGURATION_ DATE_MONTH	int32			
POSITIONS_ITEM_INAUGURATION_ DATE_YEAR	int32			
POSITIONS_ITEM_INAUGURATION_ DURATION	string			
POSITIONS_ITEM_INAUGURATION_ FUNCTION	string			
POSITIONS_ITEM_INAUGURATION	string			

Name	Data Type	Label	Required	Documentation
POSITIONS_ITEM_INITIALS	string			
POSITIONS_ITEM_LAST_NAME	string			
POSITIONS_ITEM_NAME	string			
POSITIONS_ITEM_PLACE_OF_BIRTH	string			
POSITIONS_ITEM_POSTCODE	string			
POSITIONS_ITEM_RELEASE_OF_COVENANT	string			
POSITIONS_ITEM_RIGHTS_AGAINST_THIRD_PARTIES	string			
POSITIONS_ITEM_STATUS	string			
POSITIONS_ITEM_STREET	string			
POSITIONS_ITEM_TELEPHONE_NUMBERS	string			
POSITIONS_ITEM_TITLE	string			
POSITIONS_ITEM_TRADE_NAMES	string			
POSITIONS_ITEM_UNDER_RECEIVERSHIP	string			
STATUS	string	Status		

3.1.119 dutchBusinessGetExtractHistoryDocumentDataV2

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: dutchBusinessGetExtractHistoryDocumentDataV2

Base

XPath: `/s:Envelope/s:Body/tns:dutchBusinessGetExtractHistoryDocumentDataV2Response/tns:out`

Filters on API Server: `extract_id`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `dutchBusinessGetExtractHistoryDocumentDataV2`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
extract_id	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `dutchBusinessGetExtractHistoryDocumentDataV2` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
DATA_DOSSIER_NUMBER	string			
DATA_ENTERPRISE_ACTIVITY	string			
DATA_ENTERPRISE_DATE_SINCE_DAY	int32			
DATA_ENTERPRISE_DATE_SINCE_MONTH	int32			
DATA_ENTERPRISE_DATE_SINCE_YEAR	int32			
DATA_ENTERPRISE_DESCRIPTION	string			
DATA_ENTERPRISE_DISCONTINUATION_DATE_DAY	int32			
DATA_ENTERPRISE_DISCONTINUATION_DATE_MONTH	int32			
DATA_ENTERPRISE_DISCONTINUATION_DATE_YEAR	int32			
DATA_ENTERPRISE_FOUNDDATE_DAY	int32			
DATA_ENTERPRISE_FOUNDDATE_MONTH	int32			
DATA_ENTERPRISE_FOUNDDATE_YEAR	int32			
DATA_ENTERPRISE_INCORPORATION_DATE_DAY	int32			
DATA_ENTERPRISE_INCORPORATION_DATE_MONTH	int32			
DATA_ENTERPRISE_INCORPORATION_DATE_YEAR	int32			
DATA_ENTERPRISE_LEGAL_FORM_TEXT	string			
DATA_ENTERPRISE_NAME	string			
DATA_ENTERPRISE_PERSONNEL_FULLTIME	int32			
DATA_ENTERPRISE_PERSONNEL_PARTTIME	int32			

Name	Data Type	Label	Required	Documentation
DATA_ENTERPRISE_PERSONNEL_TOTAL	int32			
DATA_ENTERPRISE_REGISTRATION	string			
DATA_ENTERPRISE_REMARKS_ITEM	string			
DATA_ENTERPRISE_SBI_CODES_ITEM_DESCRIPTION	string			
DATA_ENTERPRISE_SBI_CODES_ITEM_SBI_CODE	string			
DATA_ENTERPRISE_TRADE_NAMES_ITEM	string			
DATA_ESTABLISHMENTS_ITEM_ACTIVITY	string			
DATA_ESTABLISHMENTS_ITEM_CORRESPONDENCE_ADDRESS_CITY	string			
DATA_ESTABLISHMENTS_ITEM_CORRESPONDENCE_ADDRESS_COUNTRY	string			
DATA_ESTABLISHMENTS_ITEM_CORRESPONDENCE_ADDRESS_HOUSE_NUMBER_ADDITION	string			
DATA_ESTABLISHMENTS_ITEM_CORRESPONDENCE_ADDRESS_HOUSE_NUMBER	int32			
DATA_ESTABLISHMENTS_ITEM_CORRESPONDENCE_ADDRESS_POSTCODE	string			
DATA_ESTABLISHMENTS_ITEM_CORRESPONDENCE_ADDRESS_STREET	string			
DATA_ESTABLISHMENTS_ITEM_DATE_SINCE_DAY	int32			
DATA_ESTABLISHMENTS_ITEM_DATE_SINCE_MONTH	int32			
DATA_ESTABLISHMENTS_ITEM_DATE_SINCE_YEAR	int32			
DATA_ESTABLISHMENTS_ITEM_DESCRIPTION	string			
DATA_ESTABLISHMENTS_ITEM_DOMAIN_NAMES	string			
DATA_ESTABLISHMENTS_ITEM_EMAIL_ADDRESSES	string			
DATA_ESTABLISHMENTS_ITEM_ESTABLISHMENT_ADDRESS_CITY	string			
DATA_ESTABLISHMENTS_ITEM_ESTABLISHMENT_ADDRESS_COUNTRY	string			
DATA_ESTABLISHMENTS_ITEM_ESTABLISHMENT_ADDRESS_HOUSE_NUMBER_ADDITION	string			

Name	Data Type	Label	Required	Documentation
DATA_ESTABLISHMENTS_ITEM_ESTABLISHMENT_ADDRESS_HOUSE_NUMBER	int32			
DATA_ESTABLISHMENTS_ITEM_ESTABLISHMENT_ADDRESS_POST_CODE	string			
DATA_ESTABLISHMENTS_ITEM_ESTABLISHMENT_ADDRESS_STREET	string			
DATA_ESTABLISHMENTS_ITEM_ESTABLISHMENT_DATE_DAY	int32			
DATA_ESTABLISHMENTS_ITEM_ESTABLISHMENT_DATE_MONTH	int32			
DATA_ESTABLISHMENTS_ITEM_ESTABLISHMENT_DATE_YEAR	int32			
DATA_ESTABLISHMENTS_ITEM_ESTABLISHMENT_NUMBER	string			
DATA_ESTABLISHMENTS_ITEM_FAX_NUMBERS	string			
DATA_ESTABLISHMENTS_ITEM_LEGAL_FORM_TEXT	string			
DATA_ESTABLISHMENTS_ITEM_MAIN_ESTABLISHMENT	boolean			
DATA_ESTABLISHMENTS_ITEM_PERSONNEL_FULLTIME	int32			
DATA_ESTABLISHMENTS_ITEM_PERSONNEL_PARTTIME	int32			
DATA_ESTABLISHMENTS_ITEM_PERSONNEL_TOTAL	int32			
DATA_ESTABLISHMENTS_ITEM_REMARKS	string			
DATA_ESTABLISHMENTS_ITEM_SBI_CODES	string			
DATA_ESTABLISHMENTS_ITEM_TELEPHONE_NUMBERS	string			
DATA_ESTABLISHMENTS_ITEM_TRADE_NAMES	string			
DATA_LEGAL_ENTITY_ACTIVITY	string			
DATA_LEGAL_ENTITY_ALTERNATIVE_NAME	string			
DATA_LEGAL_ENTITY_ANNUAL_REPORT_SUBMISSION	string			
DATA_LEGAL_ENTITY_AUTHORIZED_SHARE_CAPITAL_AMOUNT	int64			
DATA_LEGAL_ENTITY_AUTHORIZED_SHARE_CAPITAL_CURRENCY	string			
DATA_LEGAL_ENTITY_AUTHORIZED_SHARE_CAPITAL_FORMATTED	string			
DATA_LEGAL_ENTITY_COMPANY_ARRANGEMENT	string			

Name	Data Type	Label	Required	Documentation
DATA_LEGAL_ENTITY_CORRESPONDENCE_ADDRESS_CITY	string			
DATA_LEGAL_ENTITY_CORRESPONDENCE_ADDRESS_COUNTRY	string			
DATA_LEGAL_ENTITY_CORRESPONDENCE_ADDRESS_HOUSE_NUMBER_ADDITION	string			
DATA_LEGAL_ENTITY_CORRESPONDENCE_ADDRESS_HOUSE_NUMBER	int32			
DATA_LEGAL_ENTITY_CORRESPONDENCE_ADDRESS_POSTCODE	string			
DATA_LEGAL_ENTITY_CORRESPONDENCE_ADDRESS_STREET	string			
DATA_LEGAL_ENTITY_DEED_INCORPORATION_DATE_DAY	int32			
DATA_LEGAL_ENTITY_DEED_INCORPORATION_DATE_MONTH	int32			
DATA_LEGAL_ENTITY_DEED_INCORPORATION_DATE_YEAR	int32			
DATA_LEGAL_ENTITY_DEED_LAST_STATUTES_AMENDMENT_DATE_DAY	int32			
DATA_LEGAL_ENTITY_DEED_LAST_STATUTES_AMENDMENT_DATE_MONTH	int32			
DATA_LEGAL_ENTITY_DEED_LAST_STATUTES_AMENDMENT_DATE_YEAR	int32			
DATA_LEGAL_ENTITY_DISCONTINUATION_DATE_DAY	int32			
DATA_LEGAL_ENTITY_DISCONTINUATION_DATE_MONTH	int32			
DATA_LEGAL_ENTITY_DISCONTINUATION_DATE_YEAR	int32			
DATA_LEGAL_ENTITY DISSOLUTION_DATE_DAY	int32			
DATA_LEGAL_ENTITY DISSOLUTION_DATE_MONTH	int32			
DATA_LEGAL_ENTITY DISSOLUTION_DATE_YEAR	int32			
DATA_LEGAL_ENTITY DISSOLUTION_REASON	string			
DATA_LEGAL_ENTITY_DOMAIN_NAMES_ITEM	string			
DATA_LEGAL_ENTITY_DURATION_END_DATE_DAY	int32			
DATA_LEGAL_ENTITY_DURATION_END_DATE_MONTH	int32			
DATA_LEGAL_ENTITY_DURATION_END_DATE_YEAR	int32			

Name	Data Type	Label	Required	Documentation
DATA_LEGAL_ENTITY_DURATION	string			
DATA_LEGAL_ENTITY_EMAIL_ADDRESSES_ITEM	string			
DATA_LEGAL_ENTITY_ESTABLISHMENT_ADDRESS_CITY	string			
DATA_LEGAL_ENTITY_ESTABLISHMENT_ADDRESS_COUNTRY	string			
DATA_LEGAL_ENTITY_ESTABLISHMENT_ADDRESS_HOUSE_NUMBER_ADDITION	string			
DATA_LEGAL_ENTITY_ESTABLISHMENT_ADDRESS_HOUSE_NUMBER	int32			
DATA_LEGAL_ENTITY_ESTABLISHMENT_ADDRESS_POSTCODE	string			
DATA_LEGAL_ENTITY_ESTABLISHMENT_ADDRESS_STREET	string			
DATA_LEGAL_ENTITY_FAX_NUMBERS_ITEM	string			
DATA_LEGAL_ENTITY_FOREIGN_LEGAL_FORM_DESCRIPTION	string			
DATA_LEGAL_ENTITY_FOUNDING_DATE_DAY	int32			
DATA_LEGAL_ENTITY_FOUNDING_DATE_MONTH	int32			
DATA_LEGAL_ENTITY_FOUNDING_DATE_YEAR	int32			
DATA_LEGAL_ENTITY_ISSUED_SHARE_CAPITAL_AMOUNT	int64			
DATA_LEGAL_ENTITY_ISSUED_SHARE_CAPITAL_CURRENCY	string			
DATA_LEGAL_ENTITY_ISSUED_SHARE_CAPITAL_FORMATTED	string			
DATA_LEGAL_ENTITY_LAST_STATUTES_AMENDMENT_DATE_DAY	int32			
DATA_LEGAL_ENTITY_LAST_STATUTES_AMENDMENT_DATE_MONTH	int32			
DATA_LEGAL_ENTITY_LAST_STATUTES_AMENDMENT_DATE_YEAR	int32			
DATA_LEGAL_ENTITY_LEGAL_ENTITY_END_DATE_DAY	int32			
DATA_LEGAL_ENTITY_LEGAL_ENTITY_END_DATE_MONTH	int32			
DATA_LEGAL_ENTITY_LEGAL_ENTITY_END_DATE_YEAR	int32			
DATA_LEGAL_ENTITY_LEGAL_FORM_CHANGE	string			
DATA_LEGAL_ENTITY_LEGAL_FORM_TEXT	string			

Name	Data Type	Label	Required	Documentation
DATA_LEGAL_ENTITY_LEGAL_NAME	string			
DATA_LEGAL_ENTITY_LIABILITY	string			
DATA_LEGAL_ENTITY_LIQUIDATION_CLOSURE_DATE_DAY	int32			
DATA_LEGAL_ENTITY_LIQUIDATION_CLOSURE_DATE_MONTH	int32			
DATA_LEGAL_ENTITY_LIQUIDATION_CLOSURE_DATE_YEAR	int32			
DATA_LEGAL_ENTITY_LIQUIDATION_REOPENING_DATE_DAY	int32			
DATA_LEGAL_ENTITY_LIQUIDATION_REOPENING_DATE_MONTH	int32			
DATA_LEGAL_ENTITY_LIQUIDATION_REOPENING_DATE_YEAR	int32			
DATA_LEGAL_ENTITY_MERGER_DESCRIPTION	string			
DATA_LEGAL_ENTITY_NAME	string			
DATA_LEGAL_ENTITY_PAID_UP_SHARE_CAPITAL_AMOUNT	int64			
DATA_LEGAL_ENTITY_PAID_UP_SHARE_CAPITAL_CURRENCY	string			
DATA_LEGAL_ENTITY_PAID_UP_SHARE_CAPITAL_FORMATTED	string			
DATA_LEGAL_ENTITY_REGISTRATION_DATE_DAY	int32			
DATA_LEGAL_ENTITY_REGISTRATION_DATE_MONTH	int32			
DATA_LEGAL_ENTITY_REGISTRATION_DATE_YEAR	int32			
DATA_LEGAL_ENTITY_REGISTRATION_END_DATE_DAY	int32			
DATA_LEGAL_ENTITY_REGISTRATION_END_DATE_MONTH	int32			
DATA_LEGAL_ENTITY_REGISTRATION_END_DATE_YEAR	int32			
DATA_LEGAL_ENTITY_REGISTRATION	string			
DATA_LEGAL_ENTITY_REMARKS_ITEM	string			
DATA_LEGAL_ENTITY_REMOVAL_DATE_DAY	int32			
DATA_LEGAL_ENTITY_REMOVAL_DATE_MONTH	int32			
DATA_LEGAL_ENTITY_REMOVAL_DATE_YEAR	int32			
DATA_LEGAL_ENTITY_RSIN_NUMBER	string			

Name	Data Type	Label	Required	Documentation
DATA_LEGAL_ENTITY_SBI_CODE S_ITEM_DESCRIPTION	string			
DATA_LEGAL_ENTITY_SBI_CODE S_ITEM_SBI_CODE	string			
DATA_LEGAL_ENTITY_SHARE_H OLDERS	string			
DATA_LEGAL_ENTITY_SHARES	string			
DATA_LEGAL_ENTITY_SHORTENE D_NAME	string			
DATA_LEGAL_ENTITY_STATUTO RY_SEAT	string			
DATA_LEGAL_ENTITY_TELEPHON E_NUMBERS_ITEM	string			
DATA_PARTNERSHIP_CORRESPO NDENCE_ADDRESS_CITY	string			
DATA_PARTNERSHIP_CORRESPO NDENCE_ADDRESS_COUNTRY	string			
DATA_PARTNERSHIP_CORRESPO NDENCE_ADDRESS_HOUSE_NUM BER_ADDITION	string			
DATA_PARTNERSHIP_CORRESPO NDENCE_ADDRESS_HOUSE_NUM BER	int32			
DATA_PARTNERSHIP_CORRESPO NDENCE_ADDRESS_POSTCODE	string			
DATA_PARTNERSHIP_CORRESPO NDENCE_ADDRESS_STREET	string			
DATA_PARTNERSHIP DISSOLUTIO N_DATE_DAY	int32			
DATA_PARTNERSHIP DISSOLUTIO N_DATE_MONTH	int32			
DATA_PARTNERSHIP DISSOLUTIO N_DATE_YEAR	int32			
DATA_PARTNERSHIP DOSSIER_N UMBER	string			
DATA_PARTNERSHIP_DURATION	string			
DATA_PARTNERSHIP_ESTABLISH MENT_ADDRESS_CITY	string			
DATA_PARTNERSHIP_ESTABLISH MENT_ADDRESS_COUNTRY	string			
DATA_PARTNERSHIP_ESTABLISH MENT_ADDRESS_HOUSE_NUMBE R_ADDITION	string			
DATA_PARTNERSHIP_ESTABLISH MENT_ADDRESS_HOUSE_NUMBE R	int32			
DATA_PARTNERSHIP_ESTABLISH MENT_ADDRESS_POSTCODE	string			
DATA_PARTNERSHIP_ESTABLISH MENT_ADDRESS_STREET	string			

Name	Data Type	Label	Required	Documentation
DATA_PARTNERSHIP_FOUNDING_DATE_DAY	int32			
DATA_PARTNERSHIP_FOUNDING_DATE_MONTH	int32			
DATA_PARTNERSHIP_FOUNDING_DATE_YEAR	int32			
DATA_PARTNERSHIP_FUNCTION_START_DATE_DAY	int32			
DATA_PARTNERSHIP_FUNCTION_START_DATE_MONTH	int32			
DATA_PARTNERSHIP_FUNCTION_START_DATE_YEAR	int32			
DATA_PARTNERSHIP_LEGAL_FORM_TEXT	string			
DATA_PARTNERSHIP_LIMITED_PARTNERSHIP_CAPITAL_AMOUNT	int64			
DATA_PARTNERSHIP_LIMITED_PARTNERSHIP_CAPITAL_CURRENCY	string			
DATA_PARTNERSHIP_LIMITED_PARTNERSHIP_CAPITAL_FORMATTED	string			
DATA_PARTNERSHIP_NAME	string			
DATA_PARTNERSHIP_REGISTRATION	string			
DATA_PARTNERSHIP_REMARKS_ITEM	string			
DATA_PARTNERSHIP_RSIN_NUMBER	string			
DATA_PARTNERSHIP_SILENT_PARTNERS	int32			
DATA_POSITIONS_ITEM_AUTHORIZATION_CONSTRAINTS	string			
DATA_POSITIONS_ITEM_AUTHORIZATION_DESCRIPTION	string			
DATA_POSITIONS_ITEM_AUTHORIZATION_END_DATE_DAY	int32			
DATA_POSITIONS_ITEM_AUTHORIZATION_END_DATE_MONTH	int32			
DATA_POSITIONS_ITEM_AUTHORIZATION_END_DATE_YEAR	int32			
DATA_POSITIONS_ITEM_AUTHORIZATION_ESTABLISHMENT_NUMBER	string			
DATA_POSITIONS_ITEM_AUTHORIZATION_START_DATE_DAY	int32			
DATA_POSITIONS_ITEM_AUTHORIZATION_START_DATE_MONTH	int32			
DATA_POSITIONS_ITEM_AUTHORIZATION_START_DATE_YEAR	int32			

Name	Data Type	Label	Required	Documentation
DATA_POSITIONS_ITEM_CORRESPONDENCE_ADDRESS_CITY	string			
DATA_POSITIONS_ITEM_CORRESPONDENCE_ADDRESS_COUNTRY	string			
DATA_POSITIONS_ITEM_CORRESPONDENCE_ADDRESS_HOUSE_NUMBER_ADDITION	string			
DATA_POSITIONS_ITEM_CORRESPONDENCE_ADDRESS_HOUSE_NUMBER	int32			
DATA_POSITIONS_ITEM_CORRESPONDENCE_ADDRESS_POSTCODE	string			
DATA_POSITIONS_ITEM_CORRESPONDENCE_ADDRESS_STREET	string			
DATA_POSITIONS_ITEM_DATE_JOINED_DAY	int32			
DATA_POSITIONS_ITEM_DATE_JOINED_MONTH	int32			
DATA_POSITIONS_ITEM_DATE_JOINED_YEAR	int32			
DATA_POSITIONS_ITEM_DATE_SINCE_DAY	int32			
DATA_POSITIONS_ITEM_DATE_SINCE_MONTH	int32			
DATA_POSITIONS_ITEM_DATE_SINCE_YEAR	int32			
DATA_POSITIONS_ITEM_ESTABLISHMENT_ADDRESS_CITY	string			
DATA_POSITIONS_ITEM_ESTABLISHMENT_ADDRESS_COUNTRY	string			
DATA_POSITIONS_ITEM_ESTABLISHMENT_ADDRESS_HOUSE_NUMBER_ADDITION	string			
DATA_POSITIONS_ITEM_ESTABLISHMENT_ADDRESS_HOUSE_NUMBER	int32			
DATA_POSITIONS_ITEM_ESTABLISHMENT_ADDRESS_POSTCODE	string			
DATA_POSITIONS_ITEM_ESTABLISHMENT_ADDRESS_STREET	string			
DATA_POSITIONS_ITEM_FUNCTION_AUTHORIZATION_DESCRIPTION	string			
DATA_POSITIONS_ITEM_FUNCTION_AUTHORIZATION_END_DATE_DAY	int32			
DATA_POSITIONS_ITEM_FUNCTION_AUTHORIZATION_END_DATE_MONTH	int32			
DATA_POSITIONS_ITEM_FUNCTION_AUTHORIZATION_END_DATE_YEAR	int32			

Name	Data Type	Label	Required	Documentation
DATA_POSITIONS_ITEM_FUNCTION_AUTHORIZATION_SIGNING_POWER	string			
DATA_POSITIONS_ITEM_FUNCTION_AUTHORIZATION_START_DATE_DAY	int32			
DATA_POSITIONS_ITEM_FUNCTION_AUTHORIZATION_START_DATE_MONTH	int32			
DATA_POSITIONS_ITEM_FUNCTION_AUTHORIZATION_START_DATE_YEAR	int32			
DATA_POSITIONS_ITEM_FUNCTION_AUTHORIZATION	string			
DATA_POSITIONS_ITEM_FUNCTION_DESCRIPTION	string			
DATA_POSITIONS_ITEM_FUNCTION_END_DATE_DAY	int32			
DATA_POSITIONS_ITEM_FUNCTION_END_DATE_MONTH	int32			
DATA_POSITIONS_ITEM_FUNCTION_END_DATE_YEAR	int32			
DATA_POSITIONS_ITEM_FUNCTION_REGISTRATION_DATE_DAY	int32			
DATA_POSITIONS_ITEM_FUNCTION_REGISTRATION_DATE_MONTH	int32			
DATA_POSITIONS_ITEM_FUNCTION_REGISTRATION_DATE_YEAR	int32			
DATA_POSITIONS_ITEM_FUNCTION_START_DATE_DAY	int32			
DATA_POSITIONS_ITEM_FUNCTION_START_DATE_MONTH	int32			
DATA_POSITIONS_ITEM_FUNCTION_START_DATE_YEAR	int32			
DATA_POSITIONS_ITEM_FUNCTION_TITLE	string			
DATA_POSITIONS_ITEM_FUNCTION_TYPE	string			
DATA_POSITIONS_ITEM_FUNCTIONARY_COUNTRY_OF_BIRTH	string			
DATA_POSITIONS_ITEM_FUNCTIONARY_DATE_DECEASED_DAY	int32			
DATA_POSITIONS_ITEM_FUNCTIONARY_DATE_DECEASED_MONTH	int32			
DATA_POSITIONS_ITEM_FUNCTIONARY_DATE_DECEASED_YEAR	int32			
DATA_POSITIONS_ITEM_FUNCTIONARY_DATE_OF_BIRTH_DAY	int32			
DATA_POSITIONS_ITEM_FUNCTIONARY_DATE_OF_BIRTH_MONTH	int32			

Name	Data Type	Label	Required	Documentation
DATA_POSITIONS_ITEM_FUNCTIONARY_DATE_OF_BIRTH_YEAR	int32			
DATA_POSITIONS_ITEM_FUNCTIONARY_FIRST_NAME	string			
DATA_POSITIONS_ITEM_FUNCTIONARY_FULL_NAME	string			
DATA_POSITIONS_ITEM_FUNCTIONARY_GENDER	string			
DATA_POSITIONS_ITEM_FUNCTIONARY_INITIALS	string			
DATA_POSITIONS_ITEM_FUNCTIONARY_LAST_NAME	string			
DATA_POSITIONS_ITEM_FUNCTIONARY_PLACE_OF_BIRTH	string			
DATA_POSITIONS_ITEM_FUNCTIONARY_TITLE	string			
DATA_POSITIONS_ITEM_INAUGURATION_BODY	string			
DATA_POSITIONS_ITEM_INAUGURATION_DATE_DAY	int32			
DATA_POSITIONS_ITEM_INAUGURATION_DATE_MONTH	int32			
DATA_POSITIONS_ITEM_INAUGURATION_DATE_YEAR	int32			
DATA_POSITIONS_ITEM_INAUGURATION_DURATION	string			
DATA_POSITIONS_ITEM_INAUGURATION_FUNCTION	string			
DATA_POSITIONS_ITEM_INAUGURATION	string			
DATA_POSITIONS_ITEM_LONGEST_SERVING	boolean			
DATA_POSITIONS_ITEM_ORGANISATION_DOSSIER_NUMBER	string			
DATA_POSITIONS_ITEM_ORGANISATION_NAME	string			
DATA_POSITIONS_ITEM_ORGANISATION_REGISTRATION	string			
DATA_POSITIONS_ITEM_ORGANISATION_TRADE_NAMES	string			
DATA_POSITIONS_ITEM_RELEASE_OF_COVENANT	string			
DATA_POSITIONS_ITEM_REMARKS	string			
DATA_POSITIONS_ITEM_RESIDENTIAL_ADDRESS_CITY	string			
DATA_POSITIONS_ITEM_RESIDENTIAL_ADDRESS_COUNTRY	string			
DATA_POSITIONS_ITEM_RESIDENTIAL_ADDRESS_HOUSE_NUMBER	string			

Name	Data Type	Label	Required	Documentation
ADDITION				
DATA_POSITIONS_ITEM_RESIDENTIAL_ADDRESS_HOUSE_NUMBER	int32			
DATA_POSITIONS_ITEM_RESIDENTIAL_ADDRESS_POSTCODE	string			
DATA_POSITIONS_ITEM_RESIDENTIAL_ADDRESS_STREET	string			
DATA_POSITIONS_ITEM_RIGHTS_AGAINST_THIRD_PARTIES	string			
DATA_POSITIONS_ITEM_UNDER_RECEIVERSHIP	string			
DATA_REFERENCE_DATE	datetime			
DATA_REMARKS_ITEM	string			
DOCUMENT	byte[]	Document		

3.1.120 dutchBusinessGetExtractHistoryDocumentDataV3

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: dutchBusinessGetExtractHistoryDocumentDataV3

Base

XPath: `/s:Envelope/s:Body/tns:dutchBusinessGetExtractHistoryDocumentDataV3Response/tns:out`

Filters on API Server: `extract_id- include_source`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `dutchBusinessGetExtractHistoryDocumentDataV3`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
<code>extract_id</code>	string	<input type="checkbox"/>		

Name	Data Type	Required	Default Value	Documentation
include_source	boolean	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `dutchBusinessGetExtractHistoryDocumentDataV3` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
DATA_DOSSIER_NUMBER	string			
DATA_ENTERPRISE_ACTIVITY	string			
DATA_ENTERPRISE_DATE_SINCE_DAY	int32			
DATA_ENTERPRISE_DATE_SINCE_MONTH	int32			
DATA_ENTERPRISE_DATE_SINCE_YEAR	int32			
DATA_ENTERPRISE_DESCRIPTION	string			
DATA_ENTERPRISE_DISCONTINUATION_DATE_DAY	int32			
DATA_ENTERPRISE_DISCONTINUATION_DATE_MONTH	int32			
DATA_ENTERPRISE_DISCONTINUATION_DATE_YEAR	int32			
DATA_ENTERPRISE_FOUNDDATE_DAY	int32			
DATA_ENTERPRISE_FOUNDDATE_MONTH	int32			
DATA_ENTERPRISE_FOUNDDATE_YEAR	int32			
DATA_ENTERPRISE_INCORPORATION_DATE_DAY	int32			
DATA_ENTERPRISE_INCORPORATION_DATE_MONTH	int32			
DATA_ENTERPRISE_INCORPORATION_DATE_YEAR	int32			
DATA_ENTERPRISE_LEGAL_FORM_TEXT	string			
DATA_ENTERPRISE_NAME	string			
DATA_ENTERPRISE_PERSONNEL_FULLTIME	int32			
DATA_ENTERPRISE_PERSONNEL_PARTTIME	int32			
DATA_ENTERPRISE_PERSONNEL_TOTAL	int32			
DATA_ENTERPRISE_REGISTRATION	string			

Name	Data Type	Label	Required	Documentation
DATA_ENTERPRISE_REMARKS_ITEM	string			
DATA_ENTERPRISE_SBI_CODES_ITEM_DESCRIPTION	string			
DATA_ENTERPRISE_SBI_CODES_ITEM_SBI_CODE	string			
DATA_ENTERPRISE_TRADE_NAMES_ITEM	string			
DATA_ESTABLISHMENTS_ITEM_ACTIVITY	string			
DATA_ESTABLISHMENTS_ITEM_CORRESPONDENCE_ADDRESS_ADDRESS	string			
DATA_ESTABLISHMENTS_ITEM_CORRESPONDENCE_ADDRESS_CITY	string			
DATA_ESTABLISHMENTS_ITEM_CORRESPONDENCE_ADDRESS_COUNTRY	string			
DATA_ESTABLISHMENTS_ITEM_CORRESPONDENCE_ADDRESS_HOUSE_NUMBER_ADDITION	string			
DATA_ESTABLISHMENTS_ITEM_CORRESPONDENCE_ADDRESS_HOUSE_NUMBER	int32			
DATA_ESTABLISHMENTS_ITEM_CORRESPONDENCE_ADDRESS_POSTCODE	string			
DATA_ESTABLISHMENTS_ITEM_CORRESPONDENCE_ADDRESS_STREET	string			
DATA_ESTABLISHMENTS_ITEM_DATE_SINCE_DAY	int32			
DATA_ESTABLISHMENTS_ITEM_DATE_SINCE_MONTH	int32			
DATA_ESTABLISHMENTS_ITEM_DATE_SINCE_YEAR	int32			
DATA_ESTABLISHMENTS_ITEM_DESCRIPTION	string			
DATA_ESTABLISHMENTS_ITEM_DOMAIN_NAMES	string			
DATA_ESTABLISHMENTS_ITEM_EMAIL_ADDRESSES	string			
DATA_ESTABLISHMENTS_ITEM_ESTABLISHMENT_ADDRESS_ADDRESS	string			
DATA_ESTABLISHMENTS_ITEM_ESTABLISHMENT_ADDRESS_CITY	string			
DATA_ESTABLISHMENTS_ITEM_ESTABLISHMENT_ADDRESS_COUNTRY	string			

Name	Data Type	Label	Required	Documentation
DATA_ESTABLISHMENTS_ITEM_ESTABLISHMENT_ADDRESS_HOUSE_NUMBER_ADDITION	string			
DATA_ESTABLISHMENTS_ITEM_ESTABLISHMENT_ADDRESS_HOUSE_NUMBER	int32			
DATA_ESTABLISHMENTS_ITEM_ESTABLISHMENT_ADDRESS_POST_CODE	string			
DATA_ESTABLISHMENTS_ITEM_ESTABLISHMENT_ADDRESS_STREET	string			
DATA_ESTABLISHMENTS_ITEM_ESTABLISHMENT_DATE_DAY	int32			
DATA_ESTABLISHMENTS_ITEM_ESTABLISHMENT_DATE_MONTH	int32			
DATA_ESTABLISHMENTS_ITEM_ESTABLISHMENT_DATE_YEAR	int32			
DATA_ESTABLISHMENTS_ITEM_ESTABLISHMENT_NUMBER	string			
DATA_ESTABLISHMENTS_ITEM_FAX_NUMBERS	string			
DATA_ESTABLISHMENTS_ITEM_LEGAL_FORM_TEXT	string			
DATA_ESTABLISHMENTS_ITEM_MAIN_ESTABLISHMENT	boolean			
DATA_ESTABLISHMENTS_ITEM_PERSONNEL_FULLTIME	int32			
DATA_ESTABLISHMENTS_ITEM_PERSONNEL_PARTTIME	int32			
DATA_ESTABLISHMENTS_ITEM_PERSONNEL_TOTAL	int32			
DATA_ESTABLISHMENTS_ITEM_REMARKS	string			
DATA_ESTABLISHMENTS_ITEM_SBI_CODES	string			
DATA_ESTABLISHMENTS_ITEM_TELEPHONE_NUMBERS	string			
DATA_ESTABLISHMENTS_ITEM_TRADE_NAMES	string			
DATA_LEGAL_ENTITY_ACTIVITY	string			
DATA_LEGAL_ENTITY_ALTERNATIVE_NAME	string			
DATA_LEGAL_ENTITY_ANNUAL_REPORT_SUBMISSION	string			
DATA_LEGAL_ENTITY_AUTHORIZED_SHARE_CAPITAL_AMOUNT	int64			
DATA_LEGAL_ENTITY_AUTHORIZED_SHARE_CAPITAL_CURRENCY	string			
DATA_LEGAL_ENTITY_AUTHORIZED_SHARE_CAPITAL_FORMATTE	string			

Name	Data Type	Label	Required	Documentation
D				
DATA_LEGAL_ENTITY_COMPANY_ARRANGEMENT	string			
DATA_LEGAL_ENTITY_CORRESPONDENCE_ADDRESS_ADDRESS	string			
DATA_LEGAL_ENTITY_CORRESPONDENCE_ADDRESS_CITY	string			
DATA_LEGAL_ENTITY_CORRESPONDENCE_ADDRESS_COUNTRY	string			
DATA_LEGAL_ENTITY_CORRESPONDENCE_ADDRESS_HOUSE_NUMBER_ADDITION	string			
DATA_LEGAL_ENTITY_CORRESPONDENCE_ADDRESS_HOUSE_NUMBER	int32			
DATA_LEGAL_ENTITY_CORRESPONDENCE_ADDRESS_POSTCODE	string			
DATA_LEGAL_ENTITY_CORRESPONDENCE_ADDRESS_STREET	string			
DATA_LEGAL_ENTITY_DEED_INCORPORATION_DATE_DAY	int32			
DATA_LEGAL_ENTITY_DEED_INCORPORATION_DATE_MONTH	int32			
DATA_LEGAL_ENTITY_DEED_INCORPORATION_DATE_YEAR	int32			
DATA_LEGAL_ENTITY_DEED_LAST_STATUTES_AMENDMENT_DATE_DAY	int32			
DATA_LEGAL_ENTITY_DEED_LAST_STATUTES_AMENDMENT_DATE_MONTH	int32			
DATA_LEGAL_ENTITY_DEED_LAST_STATUTES_AMENDMENT_DATE_YEAR	int32			
DATA_LEGAL_ENTITY_DISCONTINUATION_DATE_DAY	int32			
DATA_LEGAL_ENTITY_DISCONTINUATION_DATE_MONTH	int32			
DATA_LEGAL_ENTITY_DISCONTINUATION_DATE_YEAR	int32			
DATA_LEGAL_ENTITY DISSOLUTION_DATE_DAY	int32			
DATA_LEGAL_ENTITY DISSOLUTION_DATE_MONTH	int32			
DATA_LEGAL_ENTITY DISSOLUTION_DATE_YEAR	int32			
DATA_LEGAL_ENTITY DISSOLUTION_REASON	string			
DATA_LEGAL_ENTITY_DOMAIN_NAMES_ITEM	string			

Name	Data Type	Label	Required	Documentation
DATA_LEGAL_ENTITY_DURATION_END_DATE_DAY	int32			
DATA_LEGAL_ENTITY_DURATION_END_DATE_MONTH	int32			
DATA_LEGAL_ENTITY_DURATION_END_DATE_YEAR	int32			
DATA_LEGAL_ENTITY_DURATION	string			
DATA_LEGAL_ENTITY_EMAIL_ADDRESSES_ITEM	string			
DATA_LEGAL_ENTITY_ESTABLISHMENT_ADDRESS_ADDRESS	string			
DATA_LEGAL_ENTITY_ESTABLISHMENT_ADDRESS_CITY	string			
DATA_LEGAL_ENTITY_ESTABLISHMENT_ADDRESS_COUNTRY	string			
DATA_LEGAL_ENTITY_ESTABLISHMENT_ADDRESS_HOUSE_NUMBER_ADDITION	string			
DATA_LEGAL_ENTITY_ESTABLISHMENT_ADDRESS_HOUSE_NUMBER	int32			
DATA_LEGAL_ENTITY_ESTABLISHMENT_ADDRESS_POSTCODE	string			
DATA_LEGAL_ENTITY_ESTABLISHMENT_ADDRESS_STREET	string			
DATA_LEGAL_ENTITY_FAX_NUMBERS_ITEM	string			
DATA_LEGAL_ENTITY_FOREIGN_LEGAL_FORM_DESCRIPTION	string			
DATA_LEGAL_ENTITY_FOUNDING_DATE_DAY	int32			
DATA_LEGAL_ENTITY_FOUNDING_DATE_MONTH	int32			
DATA_LEGAL_ENTITY_FOUNDING_DATE_YEAR	int32			
DATA_LEGAL_ENTITY_ISSUED_SHARE_CAPITAL_AMOUNT	int64			
DATA_LEGAL_ENTITY_ISSUED_SHARE_CAPITAL_CURRENCY	string			
DATA_LEGAL_ENTITY_ISSUED_SHARE_CAPITAL_FORMATTED	string			
DATA_LEGAL_ENTITY_LAST_STATUTES_AMENDMENT_DATE_DAY	int32			
DATA_LEGAL_ENTITY_LAST_STATUTES_AMENDMENT_DATE_MONTH	int32			
DATA_LEGAL_ENTITY_LAST_STATUTES_AMENDMENT_DATE_YEAR	int32			
DATA_LEGAL_ENTITY_LEGAL_ENTITY_END_DATE_DAY	int32			

Name	Data Type	Label	Required	Documentation
DATA_LEGAL_ENTITY_LEGAL_ENTITY_END_DATE_MONTH	int32			
DATA_LEGAL_ENTITY_LEGAL_ENTITY_END_DATE_YEAR	int32			
DATA_LEGAL_ENTITY_LEGAL_FORM_CHANGE	string			
DATA_LEGAL_ENTITY_LEGAL_FORM_TEXT	string			
DATA_LEGAL_ENTITY_LEGAL_NAME	string			
DATA_LEGAL_ENTITY_LIABILITY	string			
DATA_LEGAL_ENTITY_LIQUIDATION_CLOSURE_DATE_DAY	int32			
DATA_LEGAL_ENTITY_LIQUIDATION_CLOSURE_DATE_MONTH	int32			
DATA_LEGAL_ENTITY_LIQUIDATION_CLOSURE_DATE_YEAR	int32			
DATA_LEGAL_ENTITY_LIQUIDATION_REOPENING_DATE_DAY	int32			
DATA_LEGAL_ENTITY_LIQUIDATION_REOPENING_DATE_MONTH	int32			
DATA_LEGAL_ENTITY_LIQUIDATION_REOPENING_DATE_YEAR	int32			
DATA_LEGAL_ENTITY_MERGER_DESCRIPTION	string			
DATA_LEGAL_ENTITY_NAME	string			
DATA_LEGAL_ENTITY_PAID_UP_SHARE_CAPITAL_AMOUNT	int64			
DATA_LEGAL_ENTITY_PAID_UP_SHARE_CAPITAL_CURRENCY	string			
DATA_LEGAL_ENTITY_PAID_UP_SHARE_CAPITAL_FORMATTED	string			
DATA_LEGAL_ENTITY_REGISTRATION_DATE_DAY	int32			
DATA_LEGAL_ENTITY_REGISTRATION_DATE_MONTH	int32			
DATA_LEGAL_ENTITY_REGISTRATION_DATE_YEAR	int32			
DATA_LEGAL_ENTITY_REGISTRATION_END_DATE_DAY	int32			
DATA_LEGAL_ENTITY_REGISTRATION_END_DATE_MONTH	int32			
DATA_LEGAL_ENTITY_REGISTRATION_END_DATE_YEAR	int32			
DATA_LEGAL_ENTITY_REGISTRATION	string			
DATA_LEGAL_ENTITY_REMARKS_ITEM	string			

Name	Data Type	Label	Required	Documentation
DATA_LEGAL_ENTITY_REMOVAL_DATE_DAY	int32			
DATA_LEGAL_ENTITY_REMOVAL_DATE_MONTH	int32			
DATA_LEGAL_ENTITY_REMOVAL_DATE_YEAR	int32			
DATA_LEGAL_ENTITY_RSIN_NUMBER	string			
DATA_LEGAL_ENTITY_SBI_CODES_ITEM_DESCRIPTION	string			
DATA_LEGAL_ENTITY_SBI_CODES_ITEM_SBI_CODE	string			
DATA_LEGAL_ENTITY_SHARE_HOLDERS	string			
DATA_LEGAL_ENTITY_SHARES	string			
DATA_LEGAL_ENTITY_SHORTENED_NAME	string			
DATA_LEGAL_ENTITY_STATUTORY_SEAT	string			
DATA_LEGAL_ENTITY_TELEPHONE_NUMBERS_ITEM	string			
DATA_PARTNERSHIP_CORRESPONDENCE_ADDRESS_ADDRESS	string			
DATA_PARTNERSHIP_CORRESPONDENCE_ADDRESS_CITY	string			
DATA_PARTNERSHIP_CORRESPONDENCE_ADDRESS_COUNTRY	string			
DATA_PARTNERSHIP_CORRESPONDENCE_ADDRESS_HOUSE_NUMBER_ADDITION	string			
DATA_PARTNERSHIP_CORRESPONDENCE_ADDRESS_HOUSE_NUMBER	int32			
DATA_PARTNERSHIP_CORRESPONDENCE_ADDRESS_POSTCODE	string			
DATA_PARTNERSHIP_CORRESPONDENCE_ADDRESS_STREET	string			
DATA_PARTNERSHIP DISSOLUTION_DATE_DAY	int32			
DATA_PARTNERSHIP DISSOLUTION_DATE_MONTH	int32			
DATA_PARTNERSHIP DISSOLUTION_DATE_YEAR	int32			
DATA_PARTNERSHIP DOSSIER_NUMBER	string			
DATA_PARTNERSHIP_DURATION	string			
DATA_PARTNERSHIP_ESTABLISHMENT_ADDRESS_ADDRESS	string			
DATA_PARTNERSHIP_ESTABLISHMENT_ADDRESS_CITY	string			

Name	Data Type	Label	Required	Documentation
DATA_PARTNERSHIP_ESTABLISHMENT_ADDRESS_COUNTRY	string			
DATA_PARTNERSHIP_ESTABLISHMENT_ADDRESS_HOUSE_NUMBER_ADDITION	string			
DATA_PARTNERSHIP_ESTABLISHMENT_ADDRESS_HOUSE_NUMBER	int32			
DATA_PARTNERSHIP_ESTABLISHMENT_ADDRESS_POSTCODE	string			
DATA_PARTNERSHIP_ESTABLISHMENT_ADDRESS_STREET	string			
DATA_PARTNERSHIP_FOUNDDING_DATE_DAY	int32			
DATA_PARTNERSHIP_FOUNDDING_DATE_MONTH	int32			
DATA_PARTNERSHIP_FOUNDDING_DATE_YEAR	int32			
DATA_PARTNERSHIP_FUNCTION_START_DATE_DAY	int32			
DATA_PARTNERSHIP_FUNCTION_START_DATE_MONTH	int32			
DATA_PARTNERSHIP_FUNCTION_START_DATE_YEAR	int32			
DATA_PARTNERSHIP_LEGAL_FORM_TEXT	string			
DATA_PARTNERSHIP_LIMITED_PARTNERSHIP_CAPITAL_AMOUNT	int64			
DATA_PARTNERSHIP_LIMITED_PARTNERSHIP_CAPITAL_CURRENCY	string			
DATA_PARTNERSHIP_LIMITED_PARTNERSHIP_CAPITAL_FORMATTED	string			
DATA_PARTNERSHIP_NAME	string			
DATA_PARTNERSHIP_REGISTRATION	string			
DATA_PARTNERSHIP_REMARKS_ITEM	string			
DATA_PARTNERSHIP_RSIN_NUMBER	string			
DATA_PARTNERSHIP_SILENT_PARTNERS	int32			
DATA_POSITIONS_ITEM_AUTHORIZATION_CONSTRAINTS	string			
DATA_POSITIONS_ITEM_AUTHORIZATION_DESCRIPTION	string			
DATA_POSITIONS_ITEM_AUTHORIZATION_END_DATE_DAY	int32			
DATA_POSITIONS_ITEM_AUTHORIZATION_END_DATE_MONTH	int32			

Name	Data Type	Label	Required	Documentation
DATA_POSITIONS_ITEM_AUTHORIZATION_END_DATE_YEAR	int32			
DATA_POSITIONS_ITEM_AUTHORIZATION_ESTABLISHMENT_NUMBER	string			
DATA_POSITIONS_ITEM_AUTHORIZATION_START_DATE_DAY	int32			
DATA_POSITIONS_ITEM_AUTHORIZATION_START_DATE_MONTH	int32			
DATA_POSITIONS_ITEM_AUTHORIZATION_START_DATE_YEAR	int32			
DATA_POSITIONS_ITEM_CORRESPONDENCE_ADDRESS_ADDRESS	string			
DATA_POSITIONS_ITEM_CORRESPONDENCE_ADDRESS_CITY	string			
DATA_POSITIONS_ITEM_CORRESPONDENCE_ADDRESS_COUNTRY	string			
DATA_POSITIONS_ITEM_CORRESPONDENCE_ADDRESS_HOUSE_NUMBER_ADDITION	string			
DATA_POSITIONS_ITEM_CORRESPONDENCE_ADDRESS_HOUSE_NUMBER	int32			
DATA_POSITIONS_ITEM_CORRESPONDENCE_ADDRESS_POSTCODE	string			
DATA_POSITIONS_ITEM_CORRESPONDENCE_ADDRESS_STREET	string			
DATA_POSITIONS_ITEM_DATE_JOINED_DAY	int32			
DATA_POSITIONS_ITEM_DATE_JOINED_MONTH	int32			
DATA_POSITIONS_ITEM_DATE_JOINED_YEAR	int32			
DATA_POSITIONS_ITEM_DATE_SINCE_DAY	int32			
DATA_POSITIONS_ITEM_DATE_SINCE_MONTH	int32			
DATA_POSITIONS_ITEM_DATE_SINCE_YEAR	int32			
DATA_POSITIONS_ITEM_ESTABLISHMENT_ADDRESS_ADDRESS	string			
DATA_POSITIONS_ITEM_ESTABLISHMENT_ADDRESS_CITY	string			
DATA_POSITIONS_ITEM_ESTABLISHMENT_ADDRESS_COUNTRY	string			
DATA_POSITIONS_ITEM_ESTABLISHMENT_ADDRESS_HOUSE_NUMBER_ADDITION	string			
DATA_POSITIONS_ITEM_ESTABLISHMENT_ADDRESS_HOUSE_NUMBER	int32			

Name	Data Type	Label	Required	Documentation
DATA_POSITIONS_ITEM_ESTABLISHMENT_ADDRESS_POSTCODE	string			
DATA_POSITIONS_ITEM_ESTABLISHMENT_ADDRESS_STREET	string			
DATA_POSITIONS_ITEM_FUNCTION_AUTHORIZATION_DESCRIPTION	string			
DATA_POSITIONS_ITEM_FUNCTION_AUTHORIZATION_END_DATE_DAY	int32			
DATA_POSITIONS_ITEM_FUNCTION_AUTHORIZATION_END_DATE_MONTH	int32			
DATA_POSITIONS_ITEM_FUNCTION_AUTHORIZATION_END_DATE_YEAR	int32			
DATA_POSITIONS_ITEM_FUNCTION_AUTHORIZATION_SIGNING_POWER	string			
DATA_POSITIONS_ITEM_FUNCTION_AUTHORIZATION_START_DATE_DAY	int32			
DATA_POSITIONS_ITEM_FUNCTION_AUTHORIZATION_START_DATE_MONTH	int32			
DATA_POSITIONS_ITEM_FUNCTION_AUTHORIZATION_START_DATE_YEAR	int32			
DATA_POSITIONS_ITEM_FUNCTION_AUTHORIZATION	string			
DATA_POSITIONS_ITEM_FUNCTION_DESCRIPTION	string			
DATA_POSITIONS_ITEM_FUNCTION_END_DATE_DAY	int32			
DATA_POSITIONS_ITEM_FUNCTION_END_DATE_MONTH	int32			
DATA_POSITIONS_ITEM_FUNCTION_END_DATE_YEAR	int32			
DATA_POSITIONS_ITEM_FUNCTION_REGISTRATION_DATE_DAY	int32			
DATA_POSITIONS_ITEM_FUNCTION_REGISTRATION_DATE_MONTH	int32			
DATA_POSITIONS_ITEM_FUNCTION_REGISTRATION_DATE_YEAR	int32			
DATA_POSITIONS_ITEM_FUNCTION_START_DATE_DAY	int32			
DATA_POSITIONS_ITEM_FUNCTION_START_DATE_MONTH	int32			
DATA_POSITIONS_ITEM_FUNCTION_START_DATE_YEAR	int32			
DATA_POSITIONS_ITEM_FUNCTION_TITLE	string			

Name	Data Type	Label	Required	Documentation
DATA_POSITIONS_ITEM_FUNCTION_TYPE	string			
DATA_POSITIONS_ITEM_FUNCTIONARY_COUNTRY_OF_BIRTH	string			
DATA_POSITIONS_ITEM_FUNCTIONARY_DATE_DECEASED_DAY	int32			
DATA_POSITIONS_ITEM_FUNCTIONARY_DATE_DECEASED_MONTH	int32			
DATA_POSITIONS_ITEM_FUNCTIONARY_DATE_DECEASED_YEAR	int32			
DATA_POSITIONS_ITEM_FUNCTIONARY_DATE_OF_BIRTH_DAY	int32			
DATA_POSITIONS_ITEM_FUNCTIONARY_DATE_OF_BIRTH_MONTH	int32			
DATA_POSITIONS_ITEM_FUNCTIONARY_DATE_OF_BIRTH_YEAR	int32			
DATA_POSITIONS_ITEM_FUNCTIONARY_FIRST_NAME	string			
DATA_POSITIONS_ITEM_FUNCTIONARY_FULL_NAME	string			
DATA_POSITIONS_ITEM_FUNCTIONARY_GENDER	string			
DATA_POSITIONS_ITEM_FUNCTIONARY_INITIALS	string			
DATA_POSITIONS_ITEM_FUNCTIONARY_LAST_NAME	string			
DATA_POSITIONS_ITEM_FUNCTIONARY_PLACE_OF_BIRTH	string			
DATA_POSITIONS_ITEM_FUNCTIONARY_TITLE	string			
DATA_POSITIONS_ITEM_INAUGURATION_BODY	string			
DATA_POSITIONS_ITEM_INAUGURATION_DATE_DAY	int32			
DATA_POSITIONS_ITEM_INAUGURATION_DATE_MONTH	int32			
DATA_POSITIONS_ITEM_INAUGURATION_DATE_YEAR	int32			
DATA_POSITIONS_ITEM_INAUGURATION_DURATION	string			
DATA_POSITIONS_ITEM_INAUGURATION_FUNCTION	string			
DATA_POSITIONS_ITEM_INAUGURATION	string			
DATA_POSITIONS_ITEM_LONGEST_SERVING	boolean			
DATA_POSITIONS_ITEM_ORGANISATION_DOSSIER_NUMBER	string			
DATA_POSITIONS_ITEM_ORGANISATION_NAME	string			

Name	Data Type	Label	Required	Documentation
DATA_POSITIONS_ITEM_ORGANISATION_REGISTRATION	string			
DATA_POSITIONS_ITEM_ORGANISATION_TRADE_NAMES	string			
DATA_POSITIONS_ITEM_RELEASE_OF_COVENANT	string			
DATA_POSITIONS_ITEM_REMARKS	string			
DATA_POSITIONS_ITEM_RESIDENTIAL_ADDRESS_ADDRESS	string			
DATA_POSITIONS_ITEM_RESIDENTIAL_ADDRESS_CITY	string			
DATA_POSITIONS_ITEM_RESIDENTIAL_ADDRESS_COUNTRY	string			
DATA_POSITIONS_ITEM_RESIDENTIAL_ADDRESS_HOUSE_NUMBER_ADDITION	string			
DATA_POSITIONS_ITEM_RESIDENTIAL_ADDRESS_HOUSE_NUMBER	int32			
DATA_POSITIONS_ITEM_RESIDENTIAL_ADDRESS_POSTCODE	string			
DATA_POSITIONS_ITEM_RESIDENTIAL_ADDRESS_STREET	string			
DATA_POSITIONS_ITEM_RIGHTS_AGAINST_THIRD_PARTIES	string			
DATA_POSITIONS_ITEM_UNDER_RECEIVERSHIP	string			
DATA_REFERENCE_DATE	datetime			
DATA_REMARKS_ITEM	string			
DOCUMENT	byte[]	Document		
SOURCE	byte[]			

3.1.121 dutchBusinessGetExtractHistoryDocumentDataV3ByDossier

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: dutchBusinessGetExtractHistoryDocumentDataV3ByDossier

Base

XPath: `/s:Envelope/s:Body/tns:dutchBusinessGetExtractHistoryDocumentDataV3ByDossierResponse/tns:out`

Filters on API Server: dossier_number- include_source- period_start- period_end

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `dutchBusinessGetExtractHistoryDocumentDataV3ByDossier`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
dossier_number	string	<input type="checkbox"/>		
include_source	boolean	<input type="checkbox"/>		
period_end	datetime	<input type="checkbox"/>		
period_start	datetime	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `dutchBusinessGetExtractHistoryDocumentDataV3ByDossier` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
DATA_DOSSIER_NUMBER	string			
DATA_ENTERPRISE_ACTIVITY	string			
DATA_ENTERPRISE_DATE_SINCE_DAY	int32			
DATA_ENTERPRISE_DATE_SINCE_MONTH	int32			
DATA_ENTERPRISE_DATE_SINCE_YEAR	int32			
DATA_ENTERPRISE_DESCRIPTION	string			
DATA_ENTERPRISE_DISCONTINUATION_DATE_DAY	int32			
DATA_ENTERPRISE_DISCONTINUATION_DATE_MONTH	int32			
DATA_ENTERPRISE_DISCONTINUATION_DATE_YEAR	int32			
DATA_ENTERPRISE_FOUNDDATE_DAY	int32			
DATA_ENTERPRISE_FOUNDDATE_MONTH	int32			
DATA_ENTERPRISE_FOUNDDATE_YEAR	int32			

Name	Data Type	Label	Required	Documentation
DATA_ENTERPRISE_INCORPORATION_DATE_DAY	int32			
DATA_ENTERPRISE_INCORPORATION_DATE_MONTH	int32			
DATA_ENTERPRISE_INCORPORATION_DATE_YEAR	int32			
DATA_ENTERPRISE_LEGAL_FORM_TEXT	string			
DATA_ENTERPRISE_NAME	string			
DATA_ENTERPRISE_PERSONNEL_FULLTIME	int32			
DATA_ENTERPRISE_PERSONNEL_PARTTIME	int32			
DATA_ENTERPRISE_PERSONNEL_TOTAL	int32			
DATA_ENTERPRISE_REGISTRATION	string			
DATA_ENTERPRISE_REMARKS_ITEM	string			
DATA_ENTERPRISE_SBI_CODES_ITEM_DESCRIPTION	string			
DATA_ENTERPRISE_SBI_CODES_ITEM_SBI_CODE	string			
DATA_ENTERPRISE_TRADE_NAMES_ITEM	string			
DATA_ESTABLISHMENTS_ITEM_ACTIVITY	string			
DATA_ESTABLISHMENTS_ITEM_CORRESPONDENCE_ADDRESS_ADDRESS	string			
DATA_ESTABLISHMENTS_ITEM_CORRESPONDENCE_ADDRESS_CITY	string			
DATA_ESTABLISHMENTS_ITEM_CORRESPONDENCE_ADDRESS_COUNTRY	string			
DATA_ESTABLISHMENTS_ITEM_CORRESPONDENCE_ADDRESS_HOUSE_NUMBER_ADDITION	string			
DATA_ESTABLISHMENTS_ITEM_CORRESPONDENCE_ADDRESS_HOUSE_NUMBER	int32			
DATA_ESTABLISHMENTS_ITEM_CORRESPONDENCE_ADDRESS_POSTCODE	string			
DATA_ESTABLISHMENTS_ITEM_CORRESPONDENCE_ADDRESS_STREET	string			
DATA_ESTABLISHMENTS_ITEM_DATE_SINCE_DAY	int32			

Name	Data Type	Label	Required	Documentation
DATA_ESTABLISHMENTS_ITEM_DATE_SINCE_MONTH	int32			
DATA_ESTABLISHMENTS_ITEM_DATE_SINCE_YEAR	int32			
DATA_ESTABLISHMENTS_ITEM_DESCRIPTION	string			
DATA_ESTABLISHMENTS_ITEM_DOMAIN_NAMES	string			
DATA_ESTABLISHMENTS_ITEM_EMAIL_ADDRESSES	string			
DATA_ESTABLISHMENTS_ITEM_ESTABLISHMENT_ADDRESS_ADDRESS	string			
DATA_ESTABLISHMENTS_ITEM_ESTABLISHMENT_ADDRESS_CITY	string			
DATA_ESTABLISHMENTS_ITEM_ESTABLISHMENT_ADDRESS_COUNTRY	string			
DATA_ESTABLISHMENTS_ITEM_ESTABLISHMENT_ADDRESS_HOUSE_NUMBER_ADDITION	string			
DATA_ESTABLISHMENTS_ITEM_ESTABLISHMENT_ADDRESS_HOUSE_NUMBER	int32			
DATA_ESTABLISHMENTS_ITEM_ESTABLISHMENT_ADDRESS_POST_CODE	string			
DATA_ESTABLISHMENTS_ITEM_ESTABLISHMENT_ADDRESS_STREET	string			
DATA_ESTABLISHMENTS_ITEM_ESTABLISHMENT_DATE_DAY	int32			
DATA_ESTABLISHMENTS_ITEM_ESTABLISHMENT_DATE_MONTH	int32			
DATA_ESTABLISHMENTS_ITEM_ESTABLISHMENT_DATE_YEAR	int32			
DATA_ESTABLISHMENTS_ITEM_ESTABLISHMENT_NUMBER	string			
DATA_ESTABLISHMENTS_ITEM_FAX_NUMBERS	string			
DATA_ESTABLISHMENTS_ITEM_LEGAL_FORM_TEXT	string			
DATA_ESTABLISHMENTS_ITEM_MAIN_ESTABLISHMENT	boolean			
DATA_ESTABLISHMENTS_ITEM_PERSONNEL_FULLTIME	int32			
DATA_ESTABLISHMENTS_ITEM_PERSONNEL_PARTTIME	int32			
DATA_ESTABLISHMENTS_ITEM_PERSONNEL_TOTAL	int32			

Name	Data Type	Label	Required	Documentation
DATA_ESTABLISHMENTS_ITEM_REMARKS	string			
DATA_ESTABLISHMENTS_ITEM_SBI_CODES	string			
DATA_ESTABLISHMENTS_ITEM_TELEPHONE_NUMBERS	string			
DATA_ESTABLISHMENTS_ITEM_TRADE_NAMES	string			
DATA_LEGAL_ENTITY_ACTIVITY	string			
DATA_LEGAL_ENTITY_ALTERNATIVE_NAME	string			
DATA_LEGAL_ENTITY_ANNUAL_REPORT_SUBMISSION	string			
DATA_LEGAL_ENTITY_AUTHORIZED_SHARE_CAPITAL_AMOUNT	int64			
DATA_LEGAL_ENTITY_AUTHORIZED_SHARE_CAPITAL_CURRENCY	string			
DATA_LEGAL_ENTITY_AUTHORIZED_SHARE_CAPITAL_FORMATTED	string			
DATA_LEGAL_ENTITY_COMPANY_ARRANGEMENT	string			
DATA_LEGAL_ENTITY_CORRESPONDENCE_ADDRESS_ADDRESS	string			
DATA_LEGAL_ENTITY_CORRESPONDENCE_ADDRESS_CITY	string			
DATA_LEGAL_ENTITY_CORRESPONDENCE_ADDRESS_COUNTRY	string			
DATA_LEGAL_ENTITY_CORRESPONDENCE_ADDRESS_HOUSE_NUMBER_ADDITION	string			
DATA_LEGAL_ENTITY_CORRESPONDENCE_ADDRESS_HOUSE_NUMBER	int32			
DATA_LEGAL_ENTITY_CORRESPONDENCE_ADDRESS_POSTCODE	string			
DATA_LEGAL_ENTITY_CORRESPONDENCE_ADDRESS_STREET	string			
DATA_LEGAL_ENTITY_DEED_INCORPORATION_DATE_DAY	int32			
DATA_LEGAL_ENTITY_DEED_INCORPORATION_DATE_MONTH	int32			
DATA_LEGAL_ENTITY_DEED_INCORPORATION_DATE_YEAR	int32			
DATA_LEGAL_ENTITY_DEED_LAST_STATUTES_AMENDMENT_DATE_DAY	int32			
DATA_LEGAL_ENTITY_DEED_LAST_STATUTES_AMENDMENT_DATE_MONTH	int32			

Name	Data Type	Label	Required	Documentation
DATA_LEGAL_ENTITY_DEED_LAST_STATUTES_AMENDMENT_DATE_YEAR	int32			
DATA_LEGAL_ENTITY_DISCONTINUATION_DATE_DAY	int32			
DATA_LEGAL_ENTITY_DISCONTINUATION_DATE_MONTH	int32			
DATA_LEGAL_ENTITY_DISCONTINUATION_DATE_YEAR	int32			
DATA_LEGAL_ENTITY DISSOLUTION_DATE_DAY	int32			
DATA_LEGAL_ENTITY DISSOLUTION_DATE_MONTH	int32			
DATA_LEGAL_ENTITY DISSOLUTION_DATE_YEAR	int32			
DATA_LEGAL_ENTITY DISSOLUTION_REASON	string			
DATA_LEGAL_ENTITY_DOMAIN_NAMES_ITEM	string			
DATA_LEGAL_ENTITY_DURATION_END_DATE_DAY	int32			
DATA_LEGAL_ENTITY_DURATION_END_DATE_MONTH	int32			
DATA_LEGAL_ENTITY_DURATION_END_DATE_YEAR	int32			
DATA_LEGAL_ENTITY_DURATION	string			
DATA_LEGAL_ENTITY_EMAIL_ADDRESSES_ITEM	string			
DATA_LEGAL_ENTITY_ESTABLISHMENT_ADDRESS_ADDRESS	string			
DATA_LEGAL_ENTITY_ESTABLISHMENT_ADDRESS_CITY	string			
DATA_LEGAL_ENTITY_ESTABLISHMENT_ADDRESS_COUNTRY	string			
DATA_LEGAL_ENTITY_ESTABLISHMENT_ADDRESS_HOUSE_NUMBER_ADDITION	string			
DATA_LEGAL_ENTITY_ESTABLISHMENT_ADDRESS_HOUSE_NUMBER	int32			
DATA_LEGAL_ENTITY_ESTABLISHMENT_ADDRESS_POSTCODE	string			
DATA_LEGAL_ENTITY_ESTABLISHMENT_ADDRESS_STREET	string			
DATA_LEGAL_ENTITY_FAX_NUMBERS_ITEM	string			
DATA_LEGAL_ENTITY_FOREIGN_LEGAL_FORM_DESCRIPTION	string			
DATA_LEGAL_ENTITY_FOUNDING_DATE_DAY	int32			

Name	Data Type	Label	Required	Documentation
DATA_LEGAL_ENTITY_FOUNDING_DATE_MONTH	int32			
DATA_LEGAL_ENTITY_FOUNDING_DATE_YEAR	int32			
DATA_LEGAL_ENTITY_ISSUED_SHARE_CAPITAL_AMOUNT	int64			
DATA_LEGAL_ENTITY_ISSUED_SHARE_CAPITAL_CURRENCY	string			
DATA_LEGAL_ENTITY_ISSUED_SHARE_CAPITAL_FORMATTED	string			
DATA_LEGAL_ENTITY_LAST_STATUTES_AMENDMENT_DATE_DAY	int32			
DATA_LEGAL_ENTITY_LAST_STATUTES_AMENDMENT_DATE_MONTH	int32			
DATA_LEGAL_ENTITY_LAST_STATUTES_AMENDMENT_DATE_YEAR	int32			
DATA_LEGAL_ENTITY_LEGAL_ENTITY_END_DATE_DAY	int32			
DATA_LEGAL_ENTITY_LEGAL_ENTITY_END_DATE_MONTH	int32			
DATA_LEGAL_ENTITY_LEGAL_ENTITY_END_DATE_YEAR	int32			
DATA_LEGAL_ENTITY_LEGAL_FORM_CHANGE	string			
DATA_LEGAL_ENTITY_LEGAL_FORM_TEXT	string			
DATA_LEGAL_ENTITY_LEGAL_NAME	string			
DATA_LEGAL_ENTITY_LIABILITY	string			
DATA_LEGAL_ENTITY_LIQUIDATION_CLOSURE_DATE_DAY	int32			
DATA_LEGAL_ENTITY_LIQUIDATION_CLOSURE_DATE_MONTH	int32			
DATA_LEGAL_ENTITY_LIQUIDATION_CLOSURE_DATE_YEAR	int32			
DATA_LEGAL_ENTITY_LIQUIDATION_REOPENING_DATE_DAY	int32			
DATA_LEGAL_ENTITY_LIQUIDATION_REOPENING_DATE_MONTH	int32			
DATA_LEGAL_ENTITY_LIQUIDATION_REOPENING_DATE_YEAR	int32			
DATA_LEGAL_ENTITY_MERGER_DESCRIPTION	string			
DATA_LEGAL_ENTITY_NAME	string			
DATA_LEGAL_ENTITY_PAID_UP_SHARE_CAPITAL_AMOUNT	int64			
DATA_LEGAL_ENTITY_PAID_UP_SHARE_CAPITAL_CURRENCY	string			

Name	Data Type	Label	Required	Documentation
DATA_LEGAL_ENTITY_PAID_UP_SHARE_CAPITAL_FORMATTED	string			
DATA_LEGAL_ENTITY_REGISTRATION_DATE_DAY	int32			
DATA_LEGAL_ENTITY_REGISTRATION_DATE_MONTH	int32			
DATA_LEGAL_ENTITY_REGISTRATION_DATE_YEAR	int32			
DATA_LEGAL_ENTITY_REGISTRATION_END_DATE_DAY	int32			
DATA_LEGAL_ENTITY_REGISTRATION_END_DATE_MONTH	int32			
DATA_LEGAL_ENTITY_REGISTRATION_END_DATE_YEAR	int32			
DATA_LEGAL_ENTITY_REGISTRATION	string			
DATA_LEGAL_ENTITY_REMARKS_ITEM	string			
DATA_LEGAL_ENTITY_REMOVAL_DATE_DAY	int32			
DATA_LEGAL_ENTITY_REMOVAL_DATE_MONTH	int32			
DATA_LEGAL_ENTITY_REMOVAL_DATE_YEAR	int32			
DATA_LEGAL_ENTITY_RSIN_NUMBER	string			
DATA_LEGAL_ENTITY_SBI_CODES_ITEM_DESCRIPTION	string			
DATA_LEGAL_ENTITY_SBI_CODES_ITEM_SBI_CODE	string			
DATA_LEGAL_ENTITY_SHARE_HOLDERS	string			
DATA_LEGAL_ENTITY_SHARES	string			
DATA_LEGAL_ENTITY_SHORTENED_NAME	string			
DATA_LEGAL_ENTITY_STATUTORY_SEAT	string			
DATA_LEGAL_ENTITY_TELEPHONE_NUMBERS_ITEM	string			
DATA_PARTNERSHIP_CORRESPONDENCE_ADDRESS_ADDRESS	string			
DATA_PARTNERSHIP_CORRESPONDENCE_ADDRESS_CITY	string			
DATA_PARTNERSHIP_CORRESPONDENCE_ADDRESS_COUNTRY	string			
DATA_PARTNERSHIP_CORRESPONDENCE_ADDRESS_HOUSE_NUMBER_ADDITION	string			
DATA_PARTNERSHIP_CORRESPONDENCE_ADDRESS_HOUSE_NUMBER	int32			

Name	Data Type	Label	Required	Documentation
BER				
DATA_PARTNERSHIP_CORRESPONDENCE_ADDRESS_POSTCODE	string			
DATA_PARTNERSHIP_CORRESPONDENCE_ADDRESS_STREET	string			
DATA_PARTNERSHIP DISSOLUTION_DATE_DAY	int32			
DATA_PARTNERSHIP DISSOLUTION_DATE_MONTH	int32			
DATA_PARTNERSHIP DISSOLUTION_DATE_YEAR	int32			
DATA_PARTNERSHIP_DOSSIER_NUMBER	string			
DATA_PARTNERSHIP_DURATION	string			
DATA_PARTNERSHIP_ESTABLISHMENT_ADDRESS_ADDRESS	string			
DATA_PARTNERSHIP_ESTABLISHMENT_ADDRESS_CITY	string			
DATA_PARTNERSHIP_ESTABLISHMENT_ADDRESS_COUNTRY	string			
DATA_PARTNERSHIP_ESTABLISHMENT_ADDRESS_HOUSE_NUMBER_ADDITION	string			
DATA_PARTNERSHIP_ESTABLISHMENT_ADDRESS_HOUSE_NUMBER	int32			
DATA_PARTNERSHIP_ESTABLISHMENT_ADDRESS_POSTCODE	string			
DATA_PARTNERSHIP_ESTABLISHMENT_ADDRESS_STREET	string			
DATA_PARTNERSHIP_FOUNDING_DATE_DAY	int32			
DATA_PARTNERSHIP_FOUNDING_DATE_MONTH	int32			
DATA_PARTNERSHIP_FOUNDING_DATE_YEAR	int32			
DATA_PARTNERSHIP_FUNCTION_START_DATE_DAY	int32			
DATA_PARTNERSHIP_FUNCTION_START_DATE_MONTH	int32			
DATA_PARTNERSHIP_FUNCTION_START_DATE_YEAR	int32			
DATA_PARTNERSHIP_LEGAL_FORM_TEXT	string			
DATA_PARTNERSHIP_LIMITED_PARTNERSHIP_CAPITAL_AMOUNT	int64			
DATA_PARTNERSHIP_LIMITED_PARTNERSHIP_CAPITAL_CURRENCY	string			
DATA_PARTNERSHIP_LIMITED_PARTNERSHIP_CAPITAL_FORMATTE	string			

Name	Data Type	Label	Required	Documentation
D				
DATA_PARTNERSHIP_NAME	string			
DATA_PARTNERSHIP_REGISTRATION	string			
DATA_PARTNERSHIP_REMARKS_ITEM	string			
DATA_PARTNERSHIP_RSIN_NUMBER	string			
DATA_PARTNERSHIP_SILENT_PARTNERS	int32			
DATA_POSITIONS_ITEM_AUTHORIZATION_CONSTRAINTS	string			
DATA_POSITIONS_ITEM_AUTHORIZATION_DESCRIPTION	string			
DATA_POSITIONS_ITEM_AUTHORIZATION_END_DATE_DAY	int32			
DATA_POSITIONS_ITEM_AUTHORIZATION_END_DATE_MONTH	int32			
DATA_POSITIONS_ITEM_AUTHORIZATION_END_DATE_YEAR	int32			
DATA_POSITIONS_ITEM_AUTHORIZATION_ESTABLISHMENT_NUMBER	string			
DATA_POSITIONS_ITEM_AUTHORIZATION_START_DATE_DAY	int32			
DATA_POSITIONS_ITEM_AUTHORIZATION_START_DATE_MONTH	int32			
DATA_POSITIONS_ITEM_AUTHORIZATION_START_DATE_YEAR	int32			
DATA_POSITIONS_ITEM_CORRESPONDENCE_ADDRESS_ADDRESS	string			
DATA_POSITIONS_ITEM_CORRESPONDENCE_ADDRESS_CITY	string			
DATA_POSITIONS_ITEM_CORRESPONDENCE_ADDRESS_COUNTRY	string			
DATA_POSITIONS_ITEM_CORRESPONDENCE_ADDRESS_HOUSE_NUMBER_ADDITION	string			
DATA_POSITIONS_ITEM_CORRESPONDENCE_ADDRESS_HOUSE_NUMBER	int32			
DATA_POSITIONS_ITEM_CORRESPONDENCE_ADDRESS_POSTCODE	string			
DATA_POSITIONS_ITEM_CORRESPONDENCE_ADDRESS_STREET	string			
DATA_POSITIONS_ITEM_DATE_JOINED_DAY	int32			
DATA_POSITIONS_ITEM_DATE_JOINED_MONTH	int32			

Name	Data Type	Label	Required	Documentation
DATA_POSITIONS_ITEM_DATE_JOINED_YEAR	int32			
DATA_POSITIONS_ITEM_DATE_SINCE_DAY	int32			
DATA_POSITIONS_ITEM_DATE_SINCE_MONTH	int32			
DATA_POSITIONS_ITEM_DATE_SINCE_YEAR	int32			
DATA_POSITIONS_ITEM_ESTABLISHMENT_ADDRESS_ADDRESS	string			
DATA_POSITIONS_ITEM_ESTABLISHMENT_ADDRESS_CITY	string			
DATA_POSITIONS_ITEM_ESTABLISHMENT_ADDRESS_COUNTRY	string			
DATA_POSITIONS_ITEM_ESTABLISHMENT_ADDRESS_HOUSE_NUMBER_ADDITION	string			
DATA_POSITIONS_ITEM_ESTABLISHMENT_ADDRESS_HOUSE_NUMBER	int32			
DATA_POSITIONS_ITEM_ESTABLISHMENT_ADDRESS_POSTCODE	string			
DATA_POSITIONS_ITEM_ESTABLISHMENT_ADDRESS_STREET	string			
DATA_POSITIONS_ITEM_FUNCTION_AUTHORIZATION_DESCRIPTION	string			
DATA_POSITIONS_ITEM_FUNCTION_AUTHORIZATION_END_DATE_DAY	int32			
DATA_POSITIONS_ITEM_FUNCTION_AUTHORIZATION_END_DATE_MONTH	int32			
DATA_POSITIONS_ITEM_FUNCTION_AUTHORIZATION_END_DATE_YEAR	int32			
DATA_POSITIONS_ITEM_FUNCTION_AUTHORIZATION_SIGNING_POWER	string			
DATA_POSITIONS_ITEM_FUNCTION_AUTHORIZATION_START_DATE_DAY	int32			
DATA_POSITIONS_ITEM_FUNCTION_AUTHORIZATION_START_DATE_MONTH	int32			
DATA_POSITIONS_ITEM_FUNCTION_AUTHORIZATION_START_DATE_YEAR	int32			
DATA_POSITIONS_ITEM_FUNCTION_AUTHORIZATION	string			
DATA_POSITIONS_ITEM_FUNCTION_DESCRIPTION	string			

Name	Data Type	Label	Required	Documentation
DATA_POSITIONS_ITEM_FUNCTION_END_DATE_DAY	int32			
DATA_POSITIONS_ITEM_FUNCTION_END_DATE_MONTH	int32			
DATA_POSITIONS_ITEM_FUNCTION_END_DATE_YEAR	int32			
DATA_POSITIONS_ITEM_FUNCTION_REGISTRATION_DATE_DAY	int32			
DATA_POSITIONS_ITEM_FUNCTION_REGISTRATION_DATE_MONTH	int32			
DATA_POSITIONS_ITEM_FUNCTION_REGISTRATION_DATE_YEAR	int32			
DATA_POSITIONS_ITEM_FUNCTION_START_DATE_DAY	int32			
DATA_POSITIONS_ITEM_FUNCTION_START_DATE_MONTH	int32			
DATA_POSITIONS_ITEM_FUNCTION_START_DATE_YEAR	int32			
DATA_POSITIONS_ITEM_FUNCTION_TITLE	string			
DATA_POSITIONS_ITEM_FUNCTION_TYPE	string			
DATA_POSITIONS_ITEM_FUNCTIONARY_COUNTRY_OF_BIRTH	string			
DATA_POSITIONS_ITEM_FUNCTIONARY_DATE_DECEASED_DAY	int32			
DATA_POSITIONS_ITEM_FUNCTIONARY_DATE_DECEASED_MONTH	int32			
DATA_POSITIONS_ITEM_FUNCTIONARY_DATE_DECEASED_YEAR	int32			
DATA_POSITIONS_ITEM_FUNCTIONARY_DATE_OF_BIRTH_DAY	int32			
DATA_POSITIONS_ITEM_FUNCTIONARY_DATE_OF_BIRTH_MONTH	int32			
DATA_POSITIONS_ITEM_FUNCTIONARY_DATE_OF_BIRTH_YEAR	int32			
DATA_POSITIONS_ITEM_FUNCTIONARY_FIRST_NAME	string			
DATA_POSITIONS_ITEM_FUNCTIONARY_FULL_NAME	string			
DATA_POSITIONS_ITEM_FUNCTIONARY_GENDER	string			
DATA_POSITIONS_ITEM_FUNCTIONARY_INITIALS	string			
DATA_POSITIONS_ITEM_FUNCTIONARY_LAST_NAME	string			
DATA_POSITIONS_ITEM_FUNCTIONARY_PLACE_OF_BIRTH	string			
DATA_POSITIONS_ITEM_FUNCTIONARY_TITLE	string			

Name	Data Type	Label	Required	Documentation
DATA_POSITIONS_ITEM_INAUGURATION_BODY	string			
DATA_POSITIONS_ITEM_INAUGURATION_DATE_DAY	int32			
DATA_POSITIONS_ITEM_INAUGURATION_DATE_MONTH	int32			
DATA_POSITIONS_ITEM_INAUGURATION_DATE_YEAR	int32			
DATA_POSITIONS_ITEM_INAUGURATION_DURATION	string			
DATA_POSITIONS_ITEM_INAUGURATION_FUNCTION	string			
DATA_POSITIONS_ITEM_INAUGURATION	string			
DATA_POSITIONS_ITEM_LONGEST_SERVING	boolean			
DATA_POSITIONS_ITEM_ORGANISATION_DOSSIER_NUMBER	string			
DATA_POSITIONS_ITEM_ORGANISATION_NAME	string			
DATA_POSITIONS_ITEM_ORGANISATION_REGISTRATION	string			
DATA_POSITIONS_ITEM_ORGANISATION_TRADE_NAMES	string			
DATA_POSITIONS_ITEM_RELEASE_OF_COVENANT	string			
DATA_POSITIONS_ITEM_REMARKS	string			
DATA_POSITIONS_ITEM_RESIDENTIAL_ADDRESS_ADDRESS	string			
DATA_POSITIONS_ITEM_RESIDENTIAL_ADDRESS_CITY	string			
DATA_POSITIONS_ITEM_RESIDENTIAL_ADDRESS_COUNTRY	string			
DATA_POSITIONS_ITEM_RESIDENTIAL_ADDRESS_HOUSE_NUMBER_ADDITION	string			
DATA_POSITIONS_ITEM_RESIDENTIAL_ADDRESS_HOUSE_NUMBER	int32			
DATA_POSITIONS_ITEM_RESIDENTIAL_ADDRESS_POSTCODE	string			
DATA_POSITIONS_ITEM_RESIDENTIAL_ADDRESS_STREET	string			
DATA_POSITIONS_ITEM_RIGHTS_AGAINST_THIRD_PARTIES	string			
DATA_POSITIONS_ITEM_UNDER_RECEIVERSHIP	string			
DATA_REFERENCE_DATE	datetime			
DATA_REMARKS_ITEM	string			

Name	Data Type	Label	Required	Documentation
DOCUMENT	byte[]	Document		
SOURCE	byte[]			

3.1.122 dutchBusinessGetLegalEntity

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: dutchBusinessGetLegalEntity

Base

XPath: `/s:Envelope/s:Body/tns:dutchBusinessGetLegalEntityResponse/tns:out`

Filters on API Server: dossier_number

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `dutchBusinessGetLegalEntity`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
dossier_number	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `dutchBusinessGetLegalEntity` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
DOSSIER_NUMBER	string	File Number		
LEGAL_ENTITY_ACTIVITY	string	Legal Entity Activity		
LEGAL_ENTITY_ALTERNATIVE_NAME	string	Legal Entity Alternative Name		

Name	Data Type	Label	Required	Documentation
LEGAL_ENTITY_ANNUAL_REPORT_SUBMISSION	string			
LEGAL_ENTITY_AUTHORIZED_SHARE_CAPITAL_AMOUNT	int64			
LEGAL_ENTITY_AUTHORIZED_SHARE_CAPITAL_CURRENCY	string			
LEGAL_ENTITY_AUTHORIZED_SHARE_CAPITAL_FORMATTED	string			
LEGAL_ENTITY_COMPANY_ARRANGEMENT	string			
LEGAL_ENTITY_CORRESPONDENCE_ADDRESS_ADDRESS	string	Legal Entity Correspondence Address Address		
LEGAL_ENTITY_CORRESPONDENCE_ADDRESS_CITY	string	Legal Entity Correspondence Address City		
LEGAL_ENTITY_CORRESPONDENCE_ADDRESS_COUNTRY	string	Legal Entity Correspondence Address Country		
LEGAL_ENTITY_CORRESPONDENCE_ADDRESS_HOUSE_NUMBER_ADDITION	string			
LEGAL_ENTITY_CORRESPONDENCE_ADDRESS_HOUSE_NUMBER	int32	Legal Entity Correspondence Address House Number		
LEGAL_ENTITY_CORRESPONDENCE_ADDRESS_POSTCODE	string	Legal Entity Correspondence Address Postal Code		
LEGAL_ENTITY_CORRESPONDENCE_ADDRESS_STREET	string	Legal Entity Correspondence Address Street		
LEGAL_ENTITY_DEED_INCORPORATION_DATE_DAY	int32			
LEGAL_ENTITY_DEED_INCORPORATION_DATE_MONTH	int32			
LEGAL_ENTITY_DEED_INCORPORATION_DATE_YEAR	int32			
LEGAL_ENTITY_DEED_LAST_STATUTES_AMENDMENT_DATE_DAY	int32			
LEGAL_ENTITY_DEED_LAST_STATUTES_AMENDMENT_DATE_MONTH	int32			
LEGAL_ENTITY_DEED_LAST_STATUTES_AMENDMENT_DATE_YEAR	int32			
LEGAL_ENTITY_DISCONTINUATION_DATE_DAY	int32			
LEGAL_ENTITY_DISCONTINUATION_DATE_MONTH	int32			
LEGAL_ENTITY_DISCONTINUATION_DATE_YEAR	int32			

Name	Data Type	Label	Required	Documentation
LEGAL_ENTITY DISSOLUTION_DATE_DAY	int32			
LEGAL_ENTITY DISSOLUTION_DATE_MONTH	int32			
LEGAL_ENTITY DISSOLUTION_DATE_YEAR	int32			
LEGAL_ENTITY DISSOLUTION_REASON	string			
LEGAL_ENTITY_DOMAIN_NAMES_ITEM	string			
LEGAL_ENTITY_DURATION_END_DATE_DAY	int32			
LEGAL_ENTITY_DURATION_END_DATE_MONTH	int32			
LEGAL_ENTITY_DURATION_END_DATE_YEAR	int32			
LEGAL_ENTITY_DURATION	string			
LEGAL_ENTITY_EMAIL_ADDRESSES_ITEM	string			
LEGAL_ENTITY_ESTABLISHMENT_ADDRESS_ADDRESS	string			
LEGAL_ENTITY_ESTABLISHMENT_ADDRESS_CITY	string			
LEGAL_ENTITY_ESTABLISHMENT_ADDRESS_COUNTRY	string			
LEGAL_ENTITY_ESTABLISHMENT_ADDRESS_HOUSE_NUMBER_ADDITION	string			
LEGAL_ENTITY_ESTABLISHMENT_ADDRESS_HOUSE_NUMBER	int32			
LEGAL_ENTITY_ESTABLISHMENT_ADDRESS_POSTCODE	string			
LEGAL_ENTITY_ESTABLISHMENT_ADDRESS_STREET	string			
LEGAL_ENTITY_FAX_NUMBERS_ITEM	string			
LEGAL_ENTITY_FOREIGN_LEGAL_FORM_DESCRIPTION	string			
LEGAL_ENTITY_FOUNDING_DATE_DAY	int32			
LEGAL_ENTITY_FOUNDING_DATE_MONTH	int32			
LEGAL_ENTITY_FOUNDING_DATE_YEAR	int32			
LEGAL_ENTITY_ISSUED_SHARE_CAPITAL_AMOUNT	int64			
LEGAL_ENTITY_ISSUED_SHARE_CAPITAL_CURRENCY	string			
LEGAL_ENTITY_ISSUED_SHARE_CAPITAL_FORMATTED	string			

Name	Data Type	Label	Required	Documentation
LEGAL_ENTITY_LAST_STATUTES_AMENDMENT_DATE_DAY	int32			
LEGAL_ENTITY_LAST_STATUTES_AMENDMENT_DATE_MONTH	int32			
LEGAL_ENTITY_LAST_STATUTES_AMENDMENT_DATE_YEAR	int32			
LEGAL_ENTITY_LEGAL_ENTITY_END_DATE_DAY	int32			
LEGAL_ENTITY_LEGAL_ENTITY_END_DATE_MONTH	int32			
LEGAL_ENTITY_LEGAL_ENTITY_END_DATE_YEAR	int32			
LEGAL_ENTITY_LEGAL_FORM_CHANGE	string			
LEGAL_ENTITY_LEGAL_FORM_TEXT	string	Legal Entity Legal Form Text		
LEGAL_ENTITY_LEGAL_NAME	string	Legal Entity Legal Name		
LEGAL_ENTITY_LIABILITY	string			
LEGAL_ENTITY_LIQUIDATION_CLOSURE_DATE_DAY	int32			
LEGAL_ENTITY_LIQUIDATION_CLOSURE_DATE_MONTH	int32			
LEGAL_ENTITY_LIQUIDATION_CLOSURE_DATE_YEAR	int32			
LEGAL_ENTITY_LIQUIDATION_REOPENING_DATE_DAY	int32			
LEGAL_ENTITY_LIQUIDATION_REOPENING_DATE_MONTH	int32			
LEGAL_ENTITY_LIQUIDATION_REOPENING_DATE_YEAR	int32			
LEGAL_ENTITY_MERGER_DESCRIPTION	string			
LEGAL_ENTITY_NAME	string	Legal Entity Name		
LEGAL_ENTITY_PAID_UP_SHARE_CAPITAL_AMOUNT	int64			
LEGAL_ENTITY_PAID_UP_SHARE_CAPITAL_CURRENCY	string			
LEGAL_ENTITY_PAID_UP_SHARE_CAPITAL_FORMATTED	string			
LEGAL_ENTITY_REGISTRATION_DATE_DAY	int32			
LEGAL_ENTITY_REGISTRATION_DATE_MONTH	int32			
LEGAL_ENTITY_REGISTRATION_DATE_YEAR	int32			
LEGAL_ENTITY_REGISTRATION_END_DATE_DAY	int32			

Name	Data Type	Label	Required	Documentation
LEGAL_ENTITY_REGISTRATION_END_DATE_MONTH	int32			
LEGAL_ENTITY_REGISTRATION_END_DATE_YEAR	int32			
LEGAL_ENTITY_REGISTRATION	string	Legal Entity Registration		
LEGAL_ENTITY_REMARKS_ITEM	string			
LEGAL_ENTITY_REMOVAL_DATE_DAY	int32			
LEGAL_ENTITY_REMOVAL_DATE_MONTH	int32			
LEGAL_ENTITY_REMOVAL_DATE_YEAR	int32			
LEGAL_ENTITY_RSIN_NUMBER	string	Legal Entity RSIN Number		
LEGAL_ENTITY_SBI_CODES_ITEM_DESCRIPTION	string			
LEGAL_ENTITY_SBI_CODES_ITEM_SBI_CODE	string			
LEGAL_ENTITY_SHARE_HOLDERS	string			
LEGAL_ENTITY_SHARES	string			
LEGAL_ENTITY_SHORTENED_NAME	string			
LEGAL_ENTITY_STATUTORY_STATE	string			
LEGAL_ENTITY_TELEPHONE_NUMBERS_ITEM	string			
REFERENCE_DATE	datetime			

3.1.123 dutchBusinessGetLei

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: dutchBusinessGetLei

Base

XPath: `/s:Envelope/s:Body/tns:dutchBusinessGetLeiResponse/tns:out`

Filters on API Server: dossier_number

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `dutchBusinessGetLei`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a

pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
dossier_number	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `dutchBusinessGetLei` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
BUSINESS_ENTITY_COMPANY_NAME	string			
BUSINESS_ENTITY_EXPIRATION_DATE	datetime			
BUSINESS_ENTITY_EXPIRATION_REASON	string			
BUSINESS_ENTITY_HEADQUARTERS_ADDRESS_CITY	string			
BUSINESS_ENTITY_HEADQUARTERS_ADDRESS_COUNTRY	string			
BUSINESS_ENTITY_HEADQUARTERS_ADDRESS_POSTAL_CODE	string			
BUSINESS_ENTITY_HEADQUARTERS_ADDRESS_REGION	string			
BUSINESS_ENTITY_HEADQUARTERS_ADDRESS_STREET_AND_NUMBER	string			
BUSINESS_ENTITY_LEGAL_ADDRESS_CITY	string			
BUSINESS_ENTITY_LEGAL_ADDRESS_COUNTRY	string			
BUSINESS_ENTITY_LEGAL_ADDRESS_POSTAL_CODE	string			
BUSINESS_ENTITY_LEGAL_ADDRESS_REGION	string			
BUSINESS_ENTITY_LEGAL_ADDRESS_STREET_AND_NUMBER	string			
BUSINESS_ENTITY_LEGAL_FORM_CODE	string			

Name	Data Type	Label	Required	Documentation
BUSINESS_ENTITY_LEGAL_STATUS	string			
BUSINESS_ENTITY_REGISTRATION_AUTHORITY_DOSSIER_NUMBER	string			
BUSINESS_ENTITY_REGISTRATION_AUTHORITY_REGISTRATION_AUTHORITY_ID	string			
BUSINESS_ENTITY_SUCESSOR_LEI_CODE	string			
BUSINESS_ENTITY_SUCESSOR_NAME	string			
LEI_CODE	string			
REGISTRATION_ASSIGNMENT_DATE	datetime			
REGISTRATION_LAST_UPDATE	datetime			
REGISTRATION_MANAGING_LOU	string			
REGISTRATION_RENEWAL_DATE	datetime			
REGISTRATION_STATUS	string	Registration Status		
REGISTRATION_VALIDATION_SOURCES	string			

3.1.124 dutchBusinessGetNonMarketingIndicator

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: dutchBusinessGetNonMarketingIndicator

Base

XPath: `/s:Envelope/s:Body/tns:dutchBusinessGetNonMarketingIndicatorResponse/tns:out`

Filters on API Server: dossier_number- establishment_number

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `dutchBusinessGetNonMarketingIndicator`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
dossier_number	string	<input type="checkbox"/>		
establishment_number	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `dutchBusinessGetNonMarketingIndicator` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
DOSSIER_NUMBER	string	File Number		
ESTABLISHMENT_NUMBER	string	Establishment Number		
NON_MARKETING_INDICATOR	boolean			
SINCE	datetime			

3.1.125 `dutchBusinessGetOrganizationTree`

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `dutchBusinessGetOrganizationTree`

Base

XPath: `/s:Envelope/s:Body/tns:dutchBusinessGetOrganizationTreeResponse/tns:out`

Filters on API Server: dossier_number

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `dutchBusinessGetOrganizationTree`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the

default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
dossier_number	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `dutchBusinessGetOrganizationTree` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
DOSSIER_NUMBER	string	File Number		
NAME	string	Name		
TREE_CHILDREN_ITEM_ID	string			
TREE_CHILDREN_ITEM_NAME	string			
TREE_CHILDREN_ITEM_TYPE	string			
TREE_ID	string			
TREE_NAME	string			
TREE_TYPE	string			

3.1.126 `dutchBusinessGetPositions`

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `dutchBusinessGetPositions`

Base

XPath: `/s:Envelope/s:Body/tns:dutchBusinessGetPositionsResponse/tns:out`

Filters on API Server: `dossier_number`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `dutchBusinessGetPositions`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
dossier_number	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `dutchBusinessGetPositions` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
DOSSIER_NUMBER	string	File Number		
POSITIONS_ITEM_AUTHORIZATION_CONSTRAINTS	string			
POSITIONS_ITEM_AUTHORIZATION_DESCRIPTION	string			
POSITIONS_ITEM_AUTHORIZATION_END_DATE_DAY	int32			
POSITIONS_ITEM_AUTHORIZATION_END_DATE_MONTH	int32			
POSITIONS_ITEM_AUTHORIZATION_END_DATE_YEAR	int32			
POSITIONS_ITEM_AUTHORIZATION_ESTABLISHMENT_NUMBER	string			
POSITIONS_ITEM_AUTHORIZATION_START_DATE_DAY	int32			
POSITIONS_ITEM_AUTHORIZATION_START_DATE_MONTH	int32			
POSITIONS_ITEM_AUTHORIZATION_START_DATE_YEAR	int32			
POSITIONS_ITEM_CORRESPONDENCE_ADDRESS_CITY	string			
POSITIONS_ITEM_CORRESPONDENCE_ADDRESS_COUNTRY	string			
POSITIONS_ITEM_CORRESPONDENCE_ADDRESS_HOUSE_NUMBER_ADDITION	string			
POSITIONS_ITEM_CORRESPONDENCE_ADDRESS_HOUSE_NUMBER	int32			
POSITIONS_ITEM_CORRESPONDENCE_ADDRESS_POSTCODE	string			
POSITIONS_ITEM_CORRESPONDENCE_ADDRESS_STREET	string			
POSITIONS_ITEM_DATE_JOINED_DAY	int32			
POSITIONS_ITEM_DATE_JOINED_MONTH	int32			

Name	Data Type	Label	Required	Documentation
POSITIONS_ITEM_DATE_JOINED_YEAR	int32			
POSITIONS_ITEM_DATE_SINCE_YEAR	int32			
POSITIONS_ITEM_DATE_SINCE_MONTH	int32			
POSITIONS_ITEM_DATE_SINCE_YEAR	int32			
POSITIONS_ITEM_ESTABLISHMENT_ADDRESS_CITY	string			
POSITIONS_ITEM_ESTABLISHMENT_ADDRESS_COUNTRY	string			
POSITIONS_ITEM_ESTABLISHMENT_ADDRESS_HOUSE_NUMBER_ADDITION	string			
POSITIONS_ITEM_ESTABLISHMENT_ADDRESS_HOUSE_NUMBER	int32			
POSITIONS_ITEM_ESTABLISHMENT_ADDRESS_POSTCODE	string			
POSITIONS_ITEM_ESTABLISHMENT_ADDRESS_STREET	string			
POSITIONS_ITEM_FUNCTION_AUTORIZATION_DESCRIPTION	string			
POSITIONS_ITEM_FUNCTION_AUTORIZATION_END_DATE_DAY	int32			
POSITIONS_ITEM_FUNCTION_AUTORIZATION_END_DATE_MONTH	int32			
POSITIONS_ITEM_FUNCTION_AUTORIZATION_END_DATE_YEAR	int32			
POSITIONS_ITEM_FUNCTION_AUTORIZATION_SIGNING_POWER	string			
POSITIONS_ITEM_FUNCTION_AUTORIZATION_START_DATE_DAY	int32			
POSITIONS_ITEM_FUNCTION_AUTORIZATION_START_DATE_MONTH	int32			
POSITIONS_ITEM_FUNCTION_AUTORIZATION_START_DATE_YEAR	int32			
POSITIONS_ITEM_FUNCTION_AUTORIZATION	string			
POSITIONS_ITEM_FUNCTION_DESCRIPTION	string			
POSITIONS_ITEM_FUNCTION_END_DATE_DAY	int32			
POSITIONS_ITEM_FUNCTION_END_DATE_MONTH	int32			
POSITIONS_ITEM_FUNCTION_END_DATE_YEAR	int32			
POSITIONS_ITEM_FUNCTION_REGISTRATION_DATE_DAY	int32			

Name	Data Type	Label	Required	Documentation
POSITIONS_ITEM_FUNCTION_REGISTRATION_DATE_MONTH	int32			
POSITIONS_ITEM_FUNCTION_REGISTRATION_DATE_YEAR	int32			
POSITIONS_ITEM_FUNCTION_START_DATE_DAY	int32			
POSITIONS_ITEM_FUNCTION_START_DATE_MONTH	int32			
POSITIONS_ITEM_FUNCTION_START_DATE_YEAR	int32			
POSITIONS_ITEM_FUNCTION_TITLE	string			
POSITIONS_ITEM_FUNCTION_TYPE	string			
POSITIONS_ITEM_FUNCTIONARY_COUNTRY_OF_BIRTH	string			
POSITIONS_ITEM_FUNCTIONARY_DATE_DECEASED_DAY	int32			
POSITIONS_ITEM_FUNCTIONARY_DATE_DECEASED_MONTH	int32			
POSITIONS_ITEM_FUNCTIONARY_DATE_DECEASED_YEAR	int32			
POSITIONS_ITEM_FUNCTIONARY_DATE_OF_BIRTH_DAY	int32			
POSITIONS_ITEM_FUNCTIONARY_DATE_OF_BIRTH_MONTH	int32			
POSITIONS_ITEM_FUNCTIONARY_DATE_OF_BIRTH_YEAR	int32			
POSITIONS_ITEM_FUNCTIONARY_FIRST_NAME	string			
POSITIONS_ITEM_FUNCTIONARY_FULL_NAME	string			
POSITIONS_ITEM_FUNCTIONARY_GENDER	string			
POSITIONS_ITEM_FUNCTIONARY_INITIALS	string			
POSITIONS_ITEM_FUNCTIONARY_LAST_NAME	string			
POSITIONS_ITEM_FUNCTIONARY_PLACE_OF_BIRTH	string			
POSITIONS_ITEM_FUNCTIONARY_TITLE	string			
POSITIONS_ITEM_INAUGURATION_BODY	string			
POSITIONS_ITEM_INAUGURATION_DATE_DAY	int32			
POSITIONS_ITEM_INAUGURATION_DATE_MONTH	int32			
POSITIONS_ITEM_INAUGURATION_DATE_YEAR	int32			

Name	Data Type	Label	Required	Documentation
POSITIONS_ITEM_INAUGURATION_DURATION	string			
POSITIONS_ITEM_INAUGURATION_FUNCTION	string			
POSITIONS_ITEM_INAUGURATION	string			
POSITIONS_ITEM_LONGEST_SERVING	boolean			
POSITIONS_ITEM_ORGANISATION_DOSSIER_NUMBER	string			
POSITIONS_ITEM_ORGANISATION_NAME	string			
POSITIONS_ITEM_ORGANISATION_REGISTRATION	string			
POSITIONS_ITEM_ORGANISATION_TRADE_NAMES	string			
POSITIONS_ITEM_RELEASE_OF_COVENANT	string			
POSITIONS_ITEM_REMARKS	string			
POSITIONS_ITEM_RESIDENTIAL_ADDRESS_CITY	string			
POSITIONS_ITEM_RESIDENTIAL_ADDRESS_COUNTRY	string			
POSITIONS_ITEM_RESIDENTIAL_ADDRESS_HOUSE_NUMBER_ADDITION	string			
POSITIONS_ITEM_RESIDENTIAL_ADDRESS_HOUSE_NUMBER	int32			
POSITIONS_ITEM_RESIDENTIAL_ADDRESS_POSTCODE	string			
POSITIONS_ITEM_RESIDENTIAL_ADDRESS_STREET	string			
POSITIONS_ITEM_RIGHTS_AGAINST_THIRD_PARTIES	string			
POSITIONS_ITEM_UNDER_RECEIVERSHIP	string			
REFERENCE_DATE	datetime			

3.1.127 dutchBusinessGetSBI

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: dutchBusinessGetSBI

Base

XPath: `/s:Envelope/s:Body/tns:dutchBusinessGetSBIResponse/tns:out`

Filters on API Server: dossier_number- establishment_number- language

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `dutchBusinessGetSBI`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
dossier_number	string	<input type="checkbox"/>		
establishment_number	string	<input type="checkbox"/>		
language	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `dutchBusinessGetSBI` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
COMPANY_INFO_ITEM_DESCRIPTION	string			
COMPANY_INFO_ITEM_SBI_CODE	string			
ORIGINAL_ITEM_DESCRIPTION	string			
ORIGINAL_ITEM_SBI_CODE	string			

3.1.128 `dutchBusinessGetSBIDescription`

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `dutchBusinessGetSBIDescription`

Base

XPath: `/s:Envelope/s:Body/tns:dutchBusinessGetSBIDescriptionResponse/tns:out`

Filters on API Server: sbi_code- language

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `dutchBusinessGetSBIDescription`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
language	string	<input type="checkbox"/>		
sbi_code	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `dutchBusinessGetSBIDescription` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
SBI_CODES_ITEM_DESCRIPTION	string			
SBI_CODES_ITEM_SBI_CODE	string			
SECTION_DESCRIPTION	string	Section Description		
SECTION_SECTION_CODE	string	Section Code		

3.1.129 `dutchBusinessGetVatNumber`

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `dutchBusinessGetVatNumber`

Base

XPath: `/s:Envelope/s:Body/tns:dutchBusinessGetVatNumberResponse/tns:out`

Filters on API Server: dossier_number

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `dutchBusinessGetVatNumber`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
dossier_number	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `dutchBusinessGetVatNumber` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
DATE_LAST_UPDATE	datetime	Last Update		
DOSSIER_NUMBER	string	File Number		
VAT_NUMBER	string	VAT Number		

3.1.130 `dutchBusinessLookALikes`

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `dutchBusinessLookALikes`

Base

XPath: `/s:Envelope/s:Body/tns:dutchBusinessLookALikesResponse/tns:out/tns:results/tns:item`

Filters on API Server: `dossier_number- geo_weight- nr_employees_weight- sbi_weight- web_weight- page`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `dutchBusinessLookALikes`. A value must be provided at all times for required parameters,

but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
dossier_number	string	<input type="checkbox"/>		
geo_weight	decimal	<input type="checkbox"/>		
nr_employees_weight	decimal	<input type="checkbox"/>		
page	int32	<input type="checkbox"/>		
sbi_weight	decimal	<input type="checkbox"/>		
web_weight	decimal	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `dutchBusinessLookALikes` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
DOSSIER_NUMBER	string	File Number		
INDIVIDUAL_FEATURES_ITEM_NAME	string			
INDIVIDUAL_FEATURES_ITEM_SCORE	decimal			
INDIVIDUAL_FEATURES_ITEM_WEIGHT	decimal			
NAME	string	Name		
PROFILE_URL	string			
SIMILARITY_SCORE	decimal			

3.1.131 dutchBusinessSearch

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: dutchBusinessSearch

Base

XPath: /s:Envelope/s:Body/tns:dutchBusinessSearchResponse/tns:out/tns:results/tns:item

Filters on API Server: dossier_number- trade_name- city- street- postcode- house_number- house_number_addition- telephone_number- domain_name- strict_search- page

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `dutchBusinessSearch`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
city	string	<input type="checkbox"/>		
domain_name	string	<input type="checkbox"/>		
dossier_number	string	<input type="checkbox"/>		
house_number_addition	string	<input type="checkbox"/>		
house_number	int32	<input type="checkbox"/>		
page	int32	<input type="checkbox"/>		
postcode	string	<input type="checkbox"/>		
street	string	<input type="checkbox"/>		
strict_search	boolean	<input type="checkbox"/>		
telephone_number	string	<input type="checkbox"/>		
trade_name	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `dutchBusinessSearch` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
CORRESPONDENCE_CITY	string	Correspondence City		
CORRESPONDENCE_STREET	string	Correspondence Street		
DOSSIER_NUMBER	string	File Number		
ESTABLISHMENT_CITY	string	Establishment City		
ESTABLISHMENT_NUMBER	string	Establishment Number		

Name	Data Type	Label	Required	Documentation
ESTABLISHMENT_STREET	string	Establishment Street		
INDICATION_MAIN_ESTABLISHMENT	boolean	Main Establishment		
LEGAL_NAME	string	Legal Name		
MATCH_TYPE	string	Match Type		
TRADE_NAME	string	Trade Name		

3.1.132 dutchBusinessSearchDossierNumber

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: dutchBusinessSearchDossierNumber

Base

XPath: `/s:Envelope/s:Body/tns:dutchBusinessSearchDossierNumberResponse/tns:out/tns:results/tns:item`

Filters on API Server: dossier_number- establishment_number- rsin_number- page

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `dutchBusinessSearchDossierNumber`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
dossier_number	string	<input type="checkbox"/>		
establishment_number	string	<input type="checkbox"/>		
page	int32	<input type="checkbox"/>		
rsin_number	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `dutchBusinessSearchDossierNumber` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
CORRESPONDENCE_CITY	string	Correspondence City		
CORRESPONDENCE_STREET	string	Correspondence Street		
DOSSIER_NUMBER	string	File Number		
ESTABLISHMENT_CITY	string	Establishment City		
ESTABLISHMENT_NUMBER	string	Establishment Number		
ESTABLISHMENT_STREET	string	Establishment Street		
INDICATION_ECONOMICALLY_ACTIVE	boolean	Indication Economically Active		
TRADE_NAME	string	Trade Name		

3.1.133 `dutchBusinessSearchEstablishments`

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `dutchBusinessSearchEstablishments`

Base

XPath: `/s:Envelope/s:Body/tns:dutchBusinessSearchEstablishmentsResponse/tns:out/tns:results/tns:item`

Filters on API Server: `dossier_number- establishment_number- rsin_number- page`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `dutchBusinessSearchEstablishments`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
<code>dossier_number</code>	string	<input type="checkbox"/>		
<code>establishment_number</code>	string	<input type="checkbox"/>		

Name	Data Type	Required	Default Value	Documentation
page	int32	<input type="checkbox"/>		
rsin_number	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `dutchBusinessSearchEstablishments` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
CORRESPONDENCE_CITY	string	Correspondence City		
CORRESPONDENCE_STREET	string	Correspondence Street		
DOSSIER_NUMBER	string	File Number		
ESTABLISHMENT_CITY	string	Establishment City		
ESTABLISHMENT_NUMBER	string	Establishment Number		
ESTABLISHMENT_STREET	string	Establishment Street		
INDICATION_MAIN_ESTABLISHMENT	boolean	Main Establishment		
LEGAL_NAME	string	Legal Name		
MATCH_TYPE	string	Match Type		
TRADE_NAME	string	Trade Name		

3.1.134 `dutchBusinessSearchNewsByDossier`

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `dutchBusinessSearchNewsByDossier`

Base

XPath: `/s:Envelope/s:Body/tns:dutchBusinessSearchNewsByDossierResponse/tns:out/tns:results/tns:item`

Filters on API Server: `dossier_number- period_start- period_end- sort_order- page`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `dutchBusinessSearchNewsByDossier`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four

parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
dossier_number	string	<input type="checkbox"/>		
page	int32	<input type="checkbox"/>		
period_end	datetime	<input type="checkbox"/>		
period_start	datetime	<input type="checkbox"/>		
sort_order	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `dutchBusinessSearchNewsByDossier` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
COMPANIES_ITEM_DOSSIER_NUMBER	string			
COMPANIES_ITEM_NAME	string			
DATE	datetime	Date		
SENTIMENT	decimal	Sentiment		
SHORT	string			
SOURCE	string			
TITLE	string	Title		
TOPICS_ITEM	string			
TYPE	string	Type		
URL	string	URL		

3.1.135 dutchBusinessSearchParameters

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `dutchBusinessSearchParameters`

Base

XPath: `/s:Envelope/s:Body/tns:dutchBusinessSearchParametersResponse/tns:out/tns:results/tns:item`

Filters on API Server: trade_name- city- street- postcode- house_number- house_number_addition- telephone_number- domain_name- strict_search- page

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `dutchBusinessSearchParameters`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
city	string	<input type="checkbox"/>		
domain_name	string	<input type="checkbox"/>		
house_number_addition	string	<input type="checkbox"/>		
house_number	int32	<input type="checkbox"/>		
page	int32	<input type="checkbox"/>		
postcode	string	<input type="checkbox"/>		
street	string	<input type="checkbox"/>		
strict_search	boolean	<input type="checkbox"/>		
telephone_number	string	<input type="checkbox"/>		
trade_name	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `dutchBusinessSearchParameters` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
CORRESPONDENCE_CITY	string	Correspondence City		
CORRESPONDENCE_STREET	string	Correspondence Street		
DOSSIER_NUMBER	string	File Number		
ESTABLISHMENT_CITY	string	Establishment City		
ESTABLISHMENT_NUMBER	string	Establishment Number		
ESTABLISHMENT_STREET	string	Establishment Street		
INDICATION_ECONOMICALLY_ACTIVE	boolean	Indication Economically Active		
TRADE_NAME	string	Trade Name		

3.1.136 dutchBusinessSearchParametersV2

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: dutchBusinessSearchParametersV2

Base

XPath: `/s:Envelope/s:Body/tns:dutchBusinessSearchParametersV2Response/tns:out/tns:results/tns:item`

Filters on API Server: trade_name- city- street- postcode- house_number- house_number_addition- telephone_number- domain_name- strict_search- page

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `dutchBusinessSearchParametersV2`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
city	string	<input type="checkbox"/>		
domain_name	string	<input type="checkbox"/>		
house_number_addition	string	<input type="checkbox"/>		
house_number	int32	<input type="checkbox"/>		
page	int32	<input type="checkbox"/>		
postcode	string	<input type="checkbox"/>		
street	string	<input type="checkbox"/>		
strict_search	boolean	<input type="checkbox"/>		
telephone_number	string	<input type="checkbox"/>		
trade_name	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `dutchBusinessSearchParametersV2` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
CORRESPONDENCE_CITY	string	Correspondence City		
CORRESPONDENCE_STREET	string	Correspondence Street		
DOSSIER_NUMBER	string	File Number		
ESTABLISHMENT_CITY	string	Establishment City		
ESTABLISHMENT_NUMBER	string	Establishment Number		
ESTABLISHMENT_STREET	string	Establishment Street		
INDICATION_ECONOMICALLY_ACTIVE	boolean	Indication Economically Active		
MATCH_TYPE	string	Match Type		
NAME	string	Name		

3.1.137 dutchBusinessSearchPostcode

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `dutchBusinessSearchPostcode`

Base

XPath: `/s:Envelope/s:Body/tns:dutchBusinessSearchPostcodeResponse/tns:out/tns:results/tns:item`

Filters on API Server: `postcode- house_number- house_number_addition- page`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `dutchBusinessSearchPostcode`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
house_number_addition	string	<input type="checkbox"/>		

Name	Data Type	Required	Default Value	Documentation
house_number	int32	<input type="checkbox"/>		
page	int32	<input type="checkbox"/>		
postcode	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `dutchBusinessSearchPostcode` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
CORRESPONDENCE_CITY	string	Correspondence City		
CORRESPONDENCE_STREET	string	Correspondence Street		
DOSSIER_NUMBER	string	File Number		
ESTABLISHMENT_CITY	string	Establishment City		
ESTABLISHMENT_NUMBER	string	Establishment Number		
ESTABLISHMENT_STREET	string	Establishment Street		
INDICATION_ECONOMICALLY_ACTIVE	boolean	Indication Economically Active		
TRADE_NAME	string	Trade Name		

3.1.138 `dutchBusinessSearchSelection`

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `dutchBusinessSearchSelection`

Base

XPath: `/s:Envelope/s:Body/tns:dutchBusinessSearchSelectionResponse/tns:out/tns:results/tns:item`

Filters on API Server: `city_item- postcode_item- sbi_item- primary_sbi_only- legal_form_item- employees_min- employees_max- economically_active- financial_status- changed_since- new_since- page- provinces_item- sbi_match_type`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `dutchBusinessSearchSelection`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
changed_since	string	<input type="checkbox"/>		
city_item	string	<input type="checkbox"/>		
economically_active	string	<input type="checkbox"/>		
employees_max	int32	<input type="checkbox"/>		
employees_min	int32	<input type="checkbox"/>		
financial_status	string	<input type="checkbox"/>		
legal_form_item	int32	<input type="checkbox"/>		
new_since	string	<input type="checkbox"/>		
page	int32	<input type="checkbox"/>		
postcode_item	string	<input type="checkbox"/>		
primary_sbi_only	boolean	<input type="checkbox"/>		
provinces_item	string	<input type="checkbox"/>		
sbi_item	string	<input type="checkbox"/>		
sbi_match_type	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `dutchBusinessSearchSelection` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
CORRESPONDENCE_CITY	string	Correspondence City		
CORRESPONDENCE_STREET	string	Correspondence Street		
DOSSIER_NUMBER	string	File Number		
ESTABLISHMENT_CITY	string	Establishment City		
ESTABLISHMENT_NUMBER	string	Establishment Number		
ESTABLISHMENT_STREET	string	Establishment Street		
INDICATION_ECONOMICALLY_ACTIVE	boolean	Indication Economically Active		
TRADE_NAME	string	Trade Name		

3.1.139 dutchBusinessSearchSelectionSimple

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: dutchBusinessSearchSelectionSimple

Base

XPath: `/s:Envelope/s:Body/tns:dutchBusinessSearchSelectionSimpleResponse/tns:out/tns:results/tns:item`

Filters on API Server: `city_item- postcode_item- sbi_item- primary_sbi_only- legal_form_item- employees_min- employees_max- economically_active- financial_status- changed_since- new_since- page- provinces_item`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `dutchBusinessSearchSelectionSimple`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
<code>changed_since</code>	string	<input type="checkbox"/>		
<code>city_item</code>	string	<input type="checkbox"/>		
<code>economically_active</code>	string	<input type="checkbox"/>		
<code>employees_max</code>	int32	<input type="checkbox"/>		
<code>employees_min</code>	int32	<input type="checkbox"/>		
<code>financial_status</code>	string	<input type="checkbox"/>		
<code>legal_form_item</code>	int32	<input type="checkbox"/>		
<code>new_since</code>	string	<input type="checkbox"/>		
<code>page</code>	int32	<input type="checkbox"/>		
<code>postcode_item</code>	string	<input type="checkbox"/>		
<code>primary_sbi_only</code>	boolean	<input type="checkbox"/>		
<code>provinces_item</code>	string	<input type="checkbox"/>		
<code>sbi_item</code>	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `dutchBusinessSearchSelectionSimple` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
CORRESPONDENCE_CITY	string	Correspondence City		
CORRESPONDENCE_STREET	string	Correspondence Street		
DOSSIER_NUMBER	string	File Number		
ESTABLISHMENT_CITY	string	Establishment City		
ESTABLISHMENT_NUMBER	string	Establishment Number		
ESTABLISHMENT_STREET	string	Establishment Street		
INDICATION_ECONOMICALLY_ACTIVE	boolean	Indication Economically Active		
TRADE_NAME	string	Trade Name		

3.1.140 dutchBusinessUBOCheckInvestigation

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `dutchBusinessUBOCheckInvestigation`

Base

XPath: `/s:Envelope/s:Body/tns:dutchBusinessUBOCheckInvestigationResponse/tns:out`

Filters on API Server: token

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `dutchBusinessUBOCheckInvestigation`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
token	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `dutchBusinessUBOCheckInvestigation` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
DATE_SINCE	datetime			
DESCRIPTION	string	Description		
STATUS	string	Status		

3.1.141 `dutchBusinessUBOClassifyInvestigation`

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `dutchBusinessUBOClassifyInvestigation`

Base

XPath: `/s:Envelope/s:Body/tns:dutchBusinessUBOClassifyInvestigationResponse/tns:out`

Filters on API Server: token- scenario

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `dutchBusinessUBOClassifyInvestigation`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
scenario	string	<input type="checkbox"/>		
token	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `dutchBusinessUBOClassifyInvestigation` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
SCENARIO	string			
SUSPECTS_ITEM_CLASSIFICATION	string			
SUSPECTS_ITEM_KEY	string			
SUSPECTS_ITEM_PERSON_DATE_OF_BIRTH	datetime			
SUSPECTS_ITEM_PERSON_FIRST_NAME	string			
SUSPECTS_ITEM_PERSON_LAST_NAME	string			
SUSPECTS_ITEM_PERSON_MIDDLE_NAMES	string			
SUSPECTS_ITEM_ROLE_DOSSIER_NUMBER	string			
SUSPECTS_ITEM_ROLE_FUNCTION_TYPE	string			
SUSPECTS_ITEM_ROLE_ORGANISATION_NAME	string			
SUSPECTS_ITEM_ROLE_TITLE	string			
TOKEN	string	Token		

3.1.142 `dutchBusinessUBOCostsInvestigation`

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `dutchBusinessUBOCostsInvestigation`

Base

XPath: `/s:Envelope/s:Body/tns:dutchBusinessUBOCostsInvestigationResponse/tns:out`

Filters on API Server: token

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `dutchBusinessUBOCostsInvestigation`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
token	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `dutchBusinessUBOCostsInvestigation` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
PAYMENT_COST	string			
PAYMENT_PRE	string			
PAYMENT_REFUND	string			
RECEIPT_ITEMS_ITEM_DESCRIPTION	string			
RECEIPT_ITEMS_ITEM_QUANTITY	int32			
RECEIPT_ITEMS_ITEM_TOTAL_PRICE	string			
RECEIPT_ITEMS_ITEM_UNIT_PRICE	string			
RECEIPT_TOTAL_PRICE	string			
STATUS	string	Status		
TOKEN	string	Token		

3.1.143 dutchBusinessUBOPickupInvestigation

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `dutchBusinessUBOPickupInvestigation`

Base

XPath: `/s:Envelope/s:Body/tns:dutchBusinessUBOPickupInvestigationResponse/tns:out`

Filters on API Server: `token- include_source`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `dutchBusinessUBOPickupInvestigation`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
<code>include_source</code>	boolean	<input type="checkbox"/>		
<code>token</code>	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `dutchBusinessUBOPickupInvestigation` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
<code>DOSSIER_NUMBER</code>	string	File Number		
<code>NAME</code>	string	Name		
<code>ORGANISATIONS_ITEM_CITY</code>	string			
<code>ORGANISATIONS_ITEM_DOSSIER_NUMBER</code>	string			
<code>ORGANISATIONS_ITEM_EXTRACT_DATA_DOCUMENT_DATE</code>	datetime			
<code>ORGANISATIONS_ITEM_EXTRACT_DATA_DOCUMENT</code>	byte[]			
<code>ORGANISATIONS_ITEM_EXTRACT_DATA_DOSSIER_NUMBER</code>	string			
<code>ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_ACTIVITY</code>	string			
<code>ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_CORRESPONDENCE_CITY</code>	string			
<code>ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_CORRESPONDENCE_COUNTRY</code>	string			
<code>ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_CORRESPONDENCE_HOUSE_NUMBER_ADDITION</code>	string			
<code>ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_CORRESPONDENCE_HOUSE_NUMBER</code>	int32			

Name	Data Type	Label	Required	Documentation
ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_CORRESPONDENCE_POSTCODE	string			
ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_CORRESPONDENCE_STREET	string			
ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_DATE_SINCE_DAY	int32			
ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_DATE_SINCE_MONTH	int32			
ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_DATE_SINCE_YEAR	int32			
ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_DESCRIPTION	string			
ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_DISCONTINUATION_DATE_DAY	int32			
ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_DISCONTINUATION_DATE_MONTH	int32			
ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_DISCONTINUATION_DATE_YEAR	int32			
ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_DOMAIN_NAMES	string			
ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_EMAIL_ADDRESSES	string			
ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_ESTABLISHMENT_CITY	string			
ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_ESTABLISHMENT_COUNTRY	string			
ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_ESTABLISHMENT_DATE_DAY	int32			
ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_ESTABLISHMENT_DATE_MONTH	int32			
ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_ESTABLISHMENT_DATE_YEAR	int32			
ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_ESTABLISHMENT_HOUSE_NUMBER_ADDITION	string			
ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_ESTABLISHMENT_HOUSE_NUMBER	int32			

Name	Data Type	Label	Required	Documentation
ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_ESTABLISHMENT_POSTCODE	string			
ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_ESTABLISHMENT_STREET	string			
ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_FAX_NUMBERS	string			
ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_FOUNDDING_DATE_DAY	int32			
ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_FOUNDDING_DATE_MONTH	int32			
ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_FOUNDDING_DATE_YEAR	int32			
ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_INCORPORATION_DATE_DAY	int32			
ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_INCORPORATION_DATE_MONTH	int32			
ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_INCORPORATION_DATE_YEAR	int32			
ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_LEGAL_FORM_TEXT	string			
ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_NAME	string			
ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_PERSONNEL	int32			
ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_REGISTRATION	string			
ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_RSIN_NUMBER	string			
ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_SBI_CODES_TEXT	string			
ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_SBI_CODES	string			
ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_STATUS	string			
ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_TELEPHONE_NUMBERS	string			
ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_TRADE_NAMES	string			

Name	Data Type	Label	Required	Documentation
ORGANISATIONS_ITEM_EXTRACT_DATA_ESTABLISHMENT_NUMBER	string			
ORGANISATIONS_ITEM_EXTRACT_DATA_ESTABLISHMENTS	string			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_ACTIVITY	string			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_ALTERNATIVE_NAME	string			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_ANNUAL_REPORT_SUBMISSION	string			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_AUTHORIZED_SHARE_CAPITAL_CURRENCY	string			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_AUTHORIZED_SHARE_CAPITAL	int64			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_COMPANY_ARRANGEMENT	string			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_CORRESPONDENCE_CITY	string			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_CORRESPONDENCE_COUNTRY	string			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_CORRESPONDENCE_HOUSE_NUMBER_ADDITION	string			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_CORRESPONDENCE_HOUSE_NUMBER	int32			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_CORRESPONDENCE_POSTCODE	string			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_CORRESPONDENCE_STREET	string			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_DEED_INCORPORATION_DATE_DAY	int32			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_DEED_INCORPORATION_DATE_MONTH	int32			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_DEED_INCORPORATION_DATE_YEAR	int32			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_DEED_LA	int32			

Name	Data Type	Label	Required	Documentation
ST_STATUTES_AMENDMENT_DATE_DAY				
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_DEED_LAST_STATUTES_AMENDMENT_DATE_MONTH	int32			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_DEED_LAST_STATUTES_AMENDMENT_DATE_YEAR	int32			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_DISCONTINUATION_DATE_DAY	int32			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_DISCONTINUATION_DATE_MONTH	int32			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_DISCONTINUATION_DATE_YEAR	int32			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY DISSOLUTION_DATE_DAY	int32			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY DISSOLUTION_DATE_MONTH	int32			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY DISSOLUTION_DATE_YEAR	int32			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY DISSOLUTION_REASON	string			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_DOMAIN_NAMES	string			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_DURATION_END_DATE_DAY	int32			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_DURATION_END_DATE_MONTH	int32			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_DURATION_END_DATE_YEAR	int32			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_DURATION	string			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_EMAIL_ADDRESSES	string			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_ESTABLISHMENT_CITY	string			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_ESTABLISHMENT_COUNTRY	string			

Name	Data Type	Label	Required	Documentation
SHIMENT_COUNTRY				
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_ESTABLISHMENT_HOUSE_NUMBER_ADDITION	string			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_ESTABLISHMENT_HOUSE_NUMBER	int32			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_ESTABLISHMENT_POSTCODE	string			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_ESTABLISHMENT_STREET	string			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_FAX_NUMBERS	string			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_FOREIGN_LEGAL_FORM_DESCRIPTION	string			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_FOUNDING_DATE_DAY	int32			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_FOUNDING_DATE_MONTH	int32			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_FOUNDING_DATE_YEAR	int32			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_ISSUED_SHARE_CAPITAL_CURRENCY	string			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_ISSUED_SHARE_CAPITAL	int64			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_LAST_STATUTES_AMENDMENT_DATE_DAY	int32			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_LAST_STATUTES_AMENDMENT_DATE_MONTH	int32			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_LAST_STATUTES_AMENDMENT_DATE_YEAR	int32			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_LEGAL_ENTITY_END_DATE_DAY	int32			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_LEGAL_ENTITY_END_DATE_MONTH	int32			

Name	Data Type	Label	Required	Documentation
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_LEGAL_ENTITY_END_DATE_YEAR	int32			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_LEGAL_FORM_CHANGE	string			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_LEGAL_FORM_TEXT	string			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_LEGAL_NAME	string			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_LIABILITY	string			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_LIQUIDATION_CLOSURE_DATE_DAY	int32			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_LIQUIDATION_CLOSURE_DATE_MONTH	int32			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_LIQUIDATION_CLOSURE_DATE_YEAR	int32			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_LIQUIDATION_REOPENING_DATE_DAY	int32			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_LIQUIDATION_REOPENING_DATE_MONTH	int32			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_LIQUIDATION_REOPENING_DATE_YEAR	int32			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_MERGER_DESCRIPTION	string			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_NAME	string			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_PAID_UP_SHARE_CAPITAL_CURRENCY	string			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_PAID_UP_SHARE_CAPITAL	int64			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_REGISTRATION_DATE_DAY	int32			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_REGISTRATION_DATE_MONTH	int32			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_REGISTRATION_DATE_YEAR	int32			

Name	Data Type	Label	Required	Documentation
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_REGISTRATION_END_DATE_DAY	int32			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_REGISTRATION_END_DATE_MONTH	int32			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_REGISTRATION_END_DATE_YEAR	int32			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_REGISTRATION	string			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_REMOVAL_DATE_DAY	int32			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_REMOVAL_DATE_MONTH	int32			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_REMOVAL_DATE_YEAR	int32			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_RSIN_NUMBER	string			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_SBI_CODES_TEXT	string			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_SBI_CODES	string			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_SHARE_HOLDERS	string			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_SHARES	string			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_SHORTENED_NAME	string			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_STATUS	string			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_STATUTORY_SEAT	string			
ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_TELEPHONE_NUMBERS	string			
ORGANISATIONS_ITEM_EXTRACT_DATA_PARTNERSHIP	string			
ORGANISATIONS_ITEM_EXTRACT_DATA_POSITIONS	string			
ORGANISATIONS_ITEM_EXTRACT_DATA_STATUS	string			

Name	Data Type	Label	Required	Documentation
ORGANISATIONS_ITEM_EXTRACT_DOCUMENT	string			
ORGANISATIONS_ITEM_EXTRACT_EXTRACT_DATE	datetime			
ORGANISATIONS_ITEM_EXTRACT_SOURCE	string			
ORGANISATIONS_ITEM_LEGAL_FORM_CODE	string			
ORGANISATIONS_ITEM_LEGAL_FORM_TEXT	string			
ORGANISATIONS_ITEM_NAME	string			
PERSONS_ITEM_COUNTRY_OF_BIRTH	string			
PERSONS_ITEM_DATE_OF_BIRTH	datetime			
PERSONS_ITEM_DATE_OF_DEATH	datetime			
PERSONS_ITEM_FIRST_NAME	string			
PERSONS_ITEM_GENDER	string			
PERSONS_ITEM_KEY	string			
PERSONS_ITEM_LAST_NAME	string			
PERSONS_ITEM_MIDDLE_NAMES	string			
PERSONS_ITEM_PLACE_OF_BIRTH	string			
PERSONS_ITEM_ROLES	string			
TREE_ID	string			
TREE_LEVEL	int64			
TREE_NAME	string			
TREE_PARENTS_ITEM_ID	string			
TREE_PARENTS_ITEM_LEVEL	int64			
TREE_PARENTS_ITEM_NAME	string			
TREE_PARENTS_ITEM_REGISTERED_IN	string			
TREE_PARENTS_ITEM_ROLE_TYPE	string			
TREE_PARENTS_ITEM_TYPE	string			
TREE_REGISTERED_IN	string			
TREE_ROLE_TYPE	string			
TREE_TYPE	string			

3.1.144 dutchBusinessUBOStartInvestigation

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: dutchBusinessUBOStartInvestigation

Base

XPath: /s:Envelope/s:Body/tns:dutchBusinessUBOStartInvestigationResponse/tns:out/tns:token

Filters on API Server: dossier_number- oldest_extract_date- use_updates

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `dutchBusinessUBOStartInvestigation`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
dossier_number	string	<input type="checkbox"/>		
oldest_extract_date	datetime	<input type="checkbox"/>		
use_updates	boolean	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `dutchBusinessUBOStartInvestigation` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
TOKEN	string			

3.1.145 dutchBusinessUpdateAddDossier

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: dutchBusinessUpdateAddDossier

Base

XPath: /s:Envelope/s:Body/tns:dutchBusinessUpdateAddDossierResponse

Filters on API Server: dossier_number- establishment_number

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `dutchBusinessUpdateAddDossier`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
dossier_number	string	<input type="checkbox"/>		
establishment_number	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `dutchBusinessUpdateAddDossier` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
DUTCHBUSINESSUPDATEADDDOSSIERRESPONSE	string			

3.1.146 `dutchBusinessUpdateCheckDossier`

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `dutchBusinessUpdateCheckDossier`

Base

XPath: `/s:Envelope/s:Body/tns:dutchBusinessUpdateCheckDossierResponse/tns:out`

Filters on API Server: `dossier_number- establishment_number- update_types_item`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `dutchBusinessUpdateCheckDossier`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the

execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
dossier_number	string	<input type="checkbox"/>		
establishment_number	string	<input type="checkbox"/>		
update_types_item	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `dutchBusinessUpdateCheckDossier` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
DATE_LAST_UPDATE	datetime	Last Update		
DOSSIER_NUMBER	string	File Number		
ESTABLISHMENT_NUMBER	string	Establishment Number		
UPDATE_TYPES_ITEM	string			

3.1.147 dutchBusinessUpdateGetChangedDossiers

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `dutchBusinessUpdateGetChangedDossiers`

Base

XPath: `/s:Envelope/s:Body/tns:dutchBusinessUpdateGetChangedDossiersResponse/tns:out/tns:results/tns:item`

Filters on API Server: `changed_since- update_types_item- page`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `dutchBusinessUpdateGetChangedDossiers`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the

execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
changed_since	datetime	<input type="checkbox"/>		
page	int32	<input type="checkbox"/>		
update_types_item	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `dutchBusinessUpdateGetChangedDossiers` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
DATE_LAST_UPDATE	datetime	Last Update		
DOSSIER_NUMBER	string	File Number		
ESTABLISHMENT_NUMBER	string	Establishment Number		
UPDATE_TYPES_ITEM	string			

3.1.148 `dutchBusinessUpdateGetDossiers`

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `dutchBusinessUpdateGetDossiers`

Base

XPath: `/s:Envelope/s:Body/tns:dutchBusinessUpdateGetDossiersResponse/tns:out/tns:results/tns:item`

Filters on API Server: `update_types_item- page`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `dutchBusinessUpdateGetDossiers`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the

execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
page	int32	<input type="checkbox"/>		
update_types_item	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `dutchBusinessUpdateGetDossiers` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
DATE_LAST_UPDATE	datetime	Last Update		
DOSSIER_NUMBER	string	File Number		
ESTABLISHMENT_NUMBER	string	Establishment Number		
UPDATE_TYPES_ITEM	string			

3.1.149 dutchBusinessUpdateGetOverview

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `dutchBusinessUpdateGetOverview`

Base

XPath: `/s:Envelope/s:Body/tns:dutchBusinessUpdateGetOverviewResponse/tns:out/tns:results/tns:item`

Filters on API Server: page

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `dutchBusinessUpdateGetOverview`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
page	int32	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `dutchBusinessUpdateGetOverview` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
DOSSIER_NUMBER	string	File Number		
ESTABLISHMENT_NUMBER	string	Establishment Number		
PENDING_UPDATES_ITEM	string			
UP_TO_DATE	boolean			

3.1.150 `dutchBusinessUpdateRemoveDossier`

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `dutchBusinessUpdateRemoveDossier`

Base

XPath: `/s:Envelope/s:Body/tns:dutchBusinessUpdateRemoveDossierResponse`

Filters on API Server: `dossier_number- establishment_number`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `dutchBusinessUpdateRemoveDossier`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
dossier_number	string	<input type="checkbox"/>		
establishment_number	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `dutchBusinessUpdateRemoveDossier` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
DUTCHBUSINESSUPDATEREMOVEDOSSIERRESPONSE	string			

3.1.151 dutchVehicleGetMarketValue

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `dutchVehicleGetMarketValue`

Base

XPath: `/s:Envelope/s:Body/tns:dutchVehicleGetMarketValueResponse/tns:out/tns:valuations/tns:item`

Filters on API Server: `license_plate`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `dutchVehicleGetMarketValue`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
license_plate	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `dutchVehicleGetMarketValue` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
BRAND	string	Brand		
CALCULATION_METHOD	string			
EXCHANGE	int64			
MODEL	string	Model		
RETAIL	int64	Retail		
TRADE	int64			
TYPE	string	Type		

3.1.152 dutchVehicleGetOwnerHistory

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `dutchVehicleGetOwnerHistory`

Base

XPath: `/s:Envelope/s:Body/tns:dutchVehicleGetOwnerHistoryResponse/tns:out/tns:ownerships/tns:item`

Filters on API Server: `license_plate`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `dutchVehicleGetOwnerHistory`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
license_plate	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `dutchVehicleGetOwnerHistory` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
DATE_END	datetime			
DATE_START	datetime			
DURATION	int32			
TYPE	string	Type		

3.1.153 dutchVehicleGetPurchaseReference

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `dutchVehicleGetPurchaseReference`

Base

XPath: `/s:Envelope/s:Body/tns:dutchVehicleGetPurchaseReferenceResponse/tns:out`

Filters on API Server: `license_plate`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `dutchVehicleGetPurchaseReference`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
license_plate	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `dutchVehicleGetPurchaseReference` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
BASIC_DATA_BODY_STYLE	string			
BASIC_DATA_BRAND_CODE	string			
BASIC_DATA_BRAND	string			
BASIC_DATA_CATALOG_PRICE	int32			
BASIC_DATA_CATEGORY	string			
BASIC_DATA_COLOR	string			
BASIC_DATA_LICENSE_PLATE	string			
BASIC_DATA_LOCATION_VIN_NUMBER	string			
BASIC_DATA_MODEL	string			
BASIC_DATA_SECONDARY_COLOR	string			
BASIC_DATA_TYPE	string			
PURCHASE_DATA_PRICE_DATA_CALCULATION_METHOD	string			
PURCHASE_DATA_PRICE_DATA_NET_PURCHASE_PRICE	decimal			
PURCHASE_DATA_PRICE_DATA_PURCHASE_PRICE	decimal			
PURCHASE_DATA_PRICE_DATA_VALUE_ADDED_TAX	decimal			
PURCHASE_DATA_PRICE_DATA_VEHICLE_PURCHASE_TAX	decimal			
PURCHASE_DATA_REFERENCE_DATE	datetime			
REFERENCE_DATE_FIRST_ADMISSION	datetime			
REFERENCE_FUEL_TYPE	string			
REFERENCE_MAXIMUM_MASS_PAYLOAD	int32			
REFERENCE_VERSION	string			
REFERENCE_WEIGHT	int32			
REFERENCE_YEAR_MANUFACTURED	int32			

3.1.154 `dutchVehicleGetVehicle`

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `dutchVehicleGetVehicle`

Base

XPath: `/s:Envelope/s:Body/tns:dutchVehicleGetVehicleResponse/tns:out`

Filters on API Server: `license_plate`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `dutchVehicleGetVehicle`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
<code>license_plate</code>	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `dutchVehicleGetVehicle` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
<code>AXLE_INFORMATION_ITEM_INDICATION_BOGIE_LIFT</code>	boolean			
<code>AXLE_INFORMATION_ITEM_INDICATION_DRIVEN_AXLE</code>	boolean			
<code>AXLE_INFORMATION_ITEM_LOCALIZATION_CODE</code>	string			
<code>AXLE_INFORMATION_ITEM_MAX_AXLE_LOAD_TECHNICAL</code>	int32			
<code>AXLE_INFORMATION_ITEM_MAX_AXLE_LOAD</code>	int32			
<code>AXLE_INFORMATION_ITEM_NUMBER</code>	int32			
<code>AXLE_INFORMATION_ITEM_ROAD_BEHAVIOR_CODE</code>	string			
<code>AXLE_INFORMATION_ITEM_ROAD_BEHAVIOR_DESCRIPTION</code>	string			

Name	Data Type	Label	Required	Documentation
AXLE_INFORMATION_ITEM_TRACK_WIDTH	int32			
BASIC_DATA_BODY_STYLE	string			
BASIC_DATA_BRAND_CODE	string			
BASIC_DATA_BRAND	string			
BASIC_DATA_CATALOG_PRICE	int32			
BASIC_DATA_CATEGORY	string			
BASIC_DATA_COLOR	string			
BASIC_DATA_LICENSE_PLATE	string			
BASIC_DATA_LOCATION_VIN_NUMBER	string			
BASIC_DATA_MODEL	string			
BASIC_DATA_SECONDARY_COLOR	string			
BASIC_DATA_TYPE	string			
BODY_APPROVAL_ITEM_DESCRIPTION	string			
BODY_APPROVAL_ITEM_TYPE_CODE	string			
BODY_APPROVAL_ITEM_TYPE_ID	int32			
DETAILS_AXLES	int32			
DETAILS_DISTANCE_CLUTCH_TO_REAR	int32			
DETAILS_DISTANCE_FRONT_TO_CLUTCH	int32			
DETAILS_DOORS	int32			
DETAILS_LENGTH	int32			
DETAILS_SEATS	int32			
DETAILS_SPEED_LIMIT_DIFFERENCE	int32			
DETAILS_STANDING_ROOM	int32			
DETAILS_WEIGHT	int32			
DETAILS_WHEEL_BASE	int32			
DETAILS_WHEELS	int32			
DETAILS_WIDTH	int32			
ENGINE_CYLINDER_CAPACITY	int32			
ENGINE_CYLINDERS	int32			
ENGINE_ENERGY_LABEL	string			
ENGINE_G3_INDICATION	boolean			
ENVIRONMENTAL_IMPACT_ITEM_CO2_EMISSION_COMBINED	int32			
ENVIRONMENTAL_IMPACT_ITEM_CO2_EMISSION_WEIGHTED	int32			
ENVIRONMENTAL_IMPACT_ITEM_EMISSION_CODE	string			

Name	Data Type	Label	Required	Documentation
ENVIRONMENTAL_IMPACT_ITEM_EMISSION_PARTICLES_HEAVY	decimal			
ENVIRONMENTAL_IMPACT_ITEM_EMISSION_PARTICLES_LIGHT	decimal			
ENVIRONMENTAL_IMPACT_ITEM_FUEL_CODE	string			
ENVIRONMENTAL_IMPACT_ITEM_FUEL_TYPE	string			
ENVIRONMENTAL_IMPACT_ITEM_MAX_POWER_CONTINUOUS	decimal			
ENVIRONMENTAL_IMPACT_ITEM_MAX_POWER	decimal			
ENVIRONMENTAL_IMPACT_ITEM_NOISE_LEVEL_DRIVING	int32			
ENVIRONMENTAL_IMPACT_ITEM_NOISE_LEVEL_STATIONARY_RPM	int32			
ENVIRONMENTAL_IMPACT_ITEM_NOISE_LEVEL_STATIONARY	int32			
ENVIRONMENTAL_IMPACT_ITEM_PARTICULATE_EMISSION	decimal			
ENVIRONMENTAL_IMPACT_ITEM_PARTICULATE_FILTER	string			
ENVIRONMENTAL_IMPACT_ITEM_USAGE_CITY	decimal			
ENVIRONMENTAL_IMPACT_ITEM_USAGE_COMBINED	decimal			
ENVIRONMENTAL_IMPACT_ITEM_USAGE_HIGHWAY	decimal			
RECALL_DEFECTS	string			
RECALL_STATUS	string			
REGISTRATION_DATE_APK_DUE_DATE	datetime			
REGISTRATION_DATE_FIRST_ADMISSION	datetime	Registration First Admission		
REGISTRATION_DATE_FIRST_ISSUING	datetime	Registration Date First Issuing		
REGISTRATION_DATE_LATEST_NAME_REGISTRATION	datetime	Registration Date Latest Name Registration		
REGISTRATION_DATE_SUSPENSION_END_DATE	datetime			
REGISTRATION_DATE_TACHOGRAPH_EXPIRATION	datetime			
REGISTRATION_OWNERSHIPS	int32			
REMARK_ITEM_DESCRIPTION	string			
REMARK_ITEM_VARIABLE_CODE	string			
REMARK_ITEM_VEHICLE_CODE	string			
STATUS_AWAITING_INSPECTION	boolean	Status Awaiting Inspection		

Name	Data Type	Label	Required	Documentation
STATUS_EXPORTED	boolean			
STATUS_INSURED	boolean	Status Insured		
STATUS_MISSED	boolean			
STATUS_STOLEN	boolean	Status Stolen		
STATUS_SUSPENDED	boolean			
TAX_AMOUNT	int32			
TAX_BASE	string			
TECHNICAL_WEIGHT_GROSS_VE HICLE_MASS	int32			
TECHNICAL_WEIGHT_MASS_REA DY	int32			
TECHNICAL_WEIGHT_MAXIMUM_M ASS_AXLE_BRAKED	int32			
TECHNICAL_WEIGHT_MAXIMUM_M ASS_BRAKED	int32			
TECHNICAL_WEIGHT_MAXIMUM_M ASS_PAYLOAD	int32			
TECHNICAL_WEIGHT_MAXIMUM_M ASS_SELF_BRAKED	int32			
TECHNICAL_WEIGHT_MAXIMUM_M ASS_TRAILER_BRAKED	int32			
TECHNICAL_WEIGHT_MAXIMUM_M ASS_UNBRAKED	int32			
TYPE_APPROVAL_TYPE_APPROV AL_MARK	string			
TYPE_APPROVAL_TYPE_CODE	string			
TYPE_APPROVAL_VERSION_COD E	string			

3.1.155 dutchVehicleGetVehicleV2

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: dutchVehicleGetVehicleV2

Base

XPath: `/s:Envelope/s:Body/tns:dutchVehicleGetVehicleV2Response/tns:out`

Filters on API Server: `license_plate`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `dutchVehicleGetVehicleV2`. A value must be provided at all times for required parameters, but

optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
license_plate	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `dutchVehicleGetVehicleV2` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
AXLE_INFORMATION_ITEM_INDICATION_BOGIE_LIFT	boolean			
AXLE_INFORMATION_ITEM_INDICATION_DRIVEN_AXLE	boolean			
AXLE_INFORMATION_ITEM_LOCATION_CODE	string			
AXLE_INFORMATION_ITEM_MAX_AXLE_LOAD_TECHNICAL	int32			
AXLE_INFORMATION_ITEM_MAX_AXLE_LOAD	int32			
AXLE_INFORMATION_ITEM_NUMBER	int32			
AXLE_INFORMATION_ITEM_ROAD_BEHAVIOR_CODE	string			
AXLE_INFORMATION_ITEM_ROAD_BEHAVIOR_DESCRIPTION	string			
AXLE_INFORMATION_ITEM_TRACK_WIDTH	int32			
BASIC_DATA_BODY_STYLE	string			
BASIC_DATA_BRAND_CODE	string			
BASIC_DATA_BRAND	string			
BASIC_DATA_CATALOG_PRICE	int32			
BASIC_DATA_CATEGORY	string			
BASIC_DATA_COLOR	string			
BASIC_DATA_LICENSE_PLATE	string			
BASIC_DATA_LOCATION_VIN_NUMBER	string			

Name	Data Type	Label	Required	Documentation
BASIC_DATA_MODEL	string			
BASIC_DATA_SECONDARY_COLOR	string			
BASIC_DATA_TYPE	string			
BODY_APPROVAL_ITEM_DESCRIPTION	string			
BODY_APPROVAL_ITEM_TYPE_CODE	string			
BODY_APPROVAL_ITEM_TYPE_ID	int32			
DETAILS_AXLES	int32			
DETAILS_DISTANCE_CLUTCH_TO_REAR	int32			
DETAILS_DISTANCE_FRONT_TO_CLUTCH	int32			
DETAILS_DOORS	int32			
DETAILS_LENGTH	int32			
DETAILS_SEATS	int32			
DETAILS_SPEED_LIMIT_DIFFERENCE	int32			
DETAILS_STANDING_ROOM	int32			
DETAILS_WEIGHT	int32			
DETAILS_WHEEL_BASE	int32			
DETAILS_WHEELS	int32			
DETAILS_WIDTH	int32			
ENGINE_CYLINDER_CAPACITY	int32			
ENGINE_CYLINDERS	int32			
ENGINE_ENERGY_LABEL	string			
ENGINE_G3_INDICATION	boolean			
ENVIRONMENTAL_IMPACT_ITEM_CO2_EMISSION_COMBINED	int32			
ENVIRONMENTAL_IMPACT_ITEM_CO2_EMISSION_WEIGHTED	int32			
ENVIRONMENTAL_IMPACT_ITEM_EMISSION_CODE	string			
ENVIRONMENTAL_IMPACT_ITEM_EMISSION_PARTICLES_HEAVY	decimal			
ENVIRONMENTAL_IMPACT_ITEM_EMISSION_PARTICLES_LIGHT	decimal			
ENVIRONMENTAL_IMPACT_ITEM_FUEL_CODE	string			
ENVIRONMENTAL_IMPACT_ITEM_FUEL_TYPE	string			
ENVIRONMENTAL_IMPACT_ITEM_MAX_POWER_CONTINUOUS	decimal			
ENVIRONMENTAL_IMPACT_ITEM_MAX_POWER	decimal			

Name	Data Type	Label	Required	Documentation
ENVIRONMENTAL_IMPACT_ITEM_NOISE_LEVEL_DRIVING	int32			
ENVIRONMENTAL_IMPACT_ITEM_NOISE_LEVEL_STATIONARY_RPM	int32			
ENVIRONMENTAL_IMPACT_ITEM_NOISE_LEVEL_STATIONARY	int32			
ENVIRONMENTAL_IMPACT_ITEM_ARTICULATE_EMISSION	decimal			
ENVIRONMENTAL_IMPACT_ITEM_ARTICULATE_FILTER	string			
ENVIRONMENTAL_IMPACT_ITEM_SAGE_CITY	decimal			
ENVIRONMENTAL_IMPACT_ITEM_SAGE_COMBINED	decimal			
ENVIRONMENTAL_IMPACT_ITEM_SAGE_HIGHWAY	decimal			
MILEAGE_DESCRIPTION	string			
MILEAGE_INDICATION	string			
MILEAGE_REGISTRATION_YEAR	int32			
RECALL_DEFECTS	string			
RECALL_STATUS	string			
REGISTRATION_DATE_APK_DUE_DATE	datetime			
REGISTRATION_DATE_FIRST_ADMISSION	datetime	Registration First Admission		
REGISTRATION_DATE_FIRST_ISSUING	datetime	Registration Date First Issuing		
REGISTRATION_DATE_LATEST_NAME_REGISTRATION	datetime	Registration Date Latest Name Registration		
REGISTRATION_DATE_SUSPENSION_END_DATE	datetime			
REGISTRATION_DATE_TACHOGRAPH_EXPIRATION	datetime			
REGISTRATION_OWNERSHIPS	int32			
REMARK_ITEM_DESCRIPTION	string			
REMARK_ITEM_VARIABLE_CODE	string			
REMARK_ITEM_VEHICLE_CODE	string			
STATUS_AWAITING_INSPECTION	boolean	Status Awaiting Inspection		
STATUS_EXPORTED	boolean			
STATUS_INSURED	boolean	Status Insured		
STATUS_MISSED	boolean			
STATUS_STOLEN	boolean	Status Stolen		
STATUS_SUSPENDED	boolean			
TAX_AMOUNT	int32			
TAX_BASE	string			

Name	Data Type	Label	Required	Documentation
TECHNICAL_WEIGHT_GROSS_VE HICLE_MASS	int32			
TECHNICAL_WEIGHT_MASS_REA DY	int32			
TECHNICAL_WEIGHT_MAXIMUM_M ASS_AXLE_BRAKED	int32			
TECHNICAL_WEIGHT_MAXIMUM_M ASS_BRAKED	int32			
TECHNICAL_WEIGHT_MAXIMUM_M ASS_PAYLOAD	int32			
TECHNICAL_WEIGHT_MAXIMUM_M ASS_SELF_BRAKED	int32			
TECHNICAL_WEIGHT_MAXIMUM_M ASS_TRAILER_BRAKED	int32			
TECHNICAL_WEIGHT_MAXIMUM_M ASS_UNBRAKED	int32			
TYPE_APPROVAL_TYPE_APPROV AL_MARK	string			
TYPE_APPROVAL_TYPE_CODE	string			
TYPE_APPROVAL_VERSION_COD E	string			

3.1.156 edrGetScore

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: edrGetScore

Base XPath: `/s:Envelope/s:Body/tns:edrGetScoreResponse/tns:out`

Filters on API Server: last_name- initials- surname_prefix- gender- birth_date- street-house_number- postcode- phone_number

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `edrGetScore`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
birth_date	string	<input type="checkbox"/>		
gender	string	<input type="checkbox"/>		
house_number	string	<input type="checkbox"/>		
initials	string	<input type="checkbox"/>		
last_name	string	<input type="checkbox"/>		
phone_number	string	<input type="checkbox"/>		
postcode	string	<input type="checkbox"/>		
street	string	<input type="checkbox"/>		
surname_prefix	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `edrGetScore` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
EDR_REGION_SCORE	int32	EDR Region Score		
PERSON_SCORE	int32	Person Score		
REGION_SCORE	int32	Region Score		
WEIGHTED_SCORE	int32	Weighted Score		

3.1.157 geoLocationAddressCoordinatesLatLon

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: geoLocationAddressCoordinatesLatLon

Base

XPath: `/s:Envelope/s:Body/tns:geoLocationAddressCoordinatesLatLonResponse/tns:coordinates`

Filters on API Server: postcode- city- street- houseno

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `geoLocationAddressCoordinatesLatLon`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the

execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
city	string	<input type="checkbox"/>		
houzeno	int32	<input type="checkbox"/>		
postcode	string	<input type="checkbox"/>		
street	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `geoLocationAddressCoordinatesLatLon` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
CITYMATCH	string			
LATITUDE	decimal	Latitude		
LONGITUDE	decimal	Longitude		
STREETMATCH	string			

3.1.158 geoLocationAddressCoordinatesRD

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariant SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `geoLocationAddressCoordinatesRD`

Base

XPath: `/s:Envelope/s:Body/tns:geoLocationAddressCoordinatesRDResponse/tns:coordinates`

Filters on API Server: `postcode- city- street- houzeno`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `geoLocationAddressCoordinatesRD`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the

execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
city	string	<input type="checkbox"/>		
houzeno	int32	<input type="checkbox"/>		
postcode	string	<input type="checkbox"/>		
street	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `geoLocationAddressCoordinatesRD` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
CITYMATCH	string			
STREETMATCH	string			
X	int32	X		
Y	int32	Y		

3.1.159 geoLocationDistanceSortedNeighborhoodCodes

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `geoLocationDistanceSortedNeighborhoodCodes`

Base

XPath: `/s:Envelope/s:Body/tns:geoLocationDistanceSortedNeighborhoodCodesResponse/tns:nbcodes/tns:item`

Filters on API Server: `nbcodesfrom- nbcodes_item`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `geoLocationDistanceSortedNeighborhoodCodes`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the

execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
nbcodefrom	string	<input type="checkbox"/>		
nbcodes_item	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `geoLocationDistanceSortedNeighborhoodCodes` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
DISTANCE	int32	Distance		
POSTCODE	string	Postal Code		
PRECISION	string	Precision		

3.1.160 geoLocationDistanceSortedNeighborhoodCodesRadius

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `geoLocationDistanceSortedNeighborhoodCodesRadius`

Base

XPath: `/s:Envelope/s:Body/tns:geoLocationDistanceSortedNeighborhoodCodesRadiusResponse/tns:out/tns:results/tns:item`

Filters on API Server: `nbcodefrom- radius- page`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `geoLocationDistanceSortedNeighborhoodCodesRadius`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
nbcodefrom	string	<input type="checkbox"/>		
page	int64	<input type="checkbox"/>		
radius	int64	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `geoLocationDistanceSortedNeighborhoodCodesRadius` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
DISTANCE	int32	Distance		
POSTCODE	string	Postal Code		
PRECISION	string	Precision		

3.1.161 geoLocationDistanceSortedPostcodes

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `geoLocationDistanceSortedPostcodes`

Base

XPath: `/s:Envelope/s:Body/tns:geoLocationDistanceSortedPostcodesResponse/tns:postcodes/tns:item`

Filters on API Server: `postcodefrom- postcodes_item`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `geoLocationDistanceSortedPostcodes`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
postcodefrom	string	<input type="checkbox"/>		
postcodes_item	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `geoLocationDistanceSortedPostcodes` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
DISTANCE	int32	Distance		
POSTCODE	string	Postal Code		
PRECISION	string	Precision		

3.1.162 geoLocationDistanceSortedPostcodesRadius

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `geoLocationDistanceSortedPostcodesRadius`

Base

XPath: `/s:Envelope/s:Body/tns:geoLocationDistanceSortedPostcodesRadiusResponse/tns:out/tns:results/tns:item`

Filters on API Server: `postcodefrom- radius- page`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `geoLocationDistanceSortedPostcodesRadius`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
page	int64	<input type="checkbox"/>		
postcodefrom	string	<input type="checkbox"/>		
radius	int64	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `geoLocationDistanceSortedPostcodesRadius` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
DISTANCE	int32	Distance		
POSTCODE	string	Postal Code		
PRECISION	string	Precision		

3.1.163 geoLocationHaversineDistance

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `geoLocationHaversineDistance`

Base

XPath: `/s:Envelope/s:Body/tns:geoLocationHaversineDistanceResponse/tns:distance`

Filters on API Server: `latitude_coord_1- longitude_coord_1- latitude_coord_2- longitude_coord_2- in_radians`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `geoLocationHaversineDistance`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
in_radians	boolean	<input type="checkbox"/>		
latitude_coord_1	decimal	<input type="checkbox"/>		
latitude_coord_2	decimal	<input type="checkbox"/>		
longitude_coord_1	decimal	<input type="checkbox"/>		
longitude_coord_2	decimal	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `geoLocationHaversineDistance` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
DISTANCE	int32			

3.1.164 geoLocationInternationalAddressCoordinatesLatLon

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `geoLocationInternationalAddressCoordinatesLatLon`

Base

XPath: `/s:Envelope/s:Body/tns:geoLocationInternationalAddressCoordinatesLatLonResponse/tns:coordinates/tns:item`

Filters on API Server: street- houseno- city- province- country- language

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `geoLocationInternationalAddressCoordinatesLatLon`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the

default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
city	string	<input type="checkbox"/>		
country	string	<input type="checkbox"/>		
housetno	int32	<input type="checkbox"/>		
language	string	<input type="checkbox"/>		
province	string	<input type="checkbox"/>		
street	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `geoLocationInternationalAddressCoordinatesLatLon` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
CITY	string	City		
COUNTRY_ISO2	string	ISO Country Code 2 Characters		
LATITUDE	decimal	Latitude		
LONGITUDE	decimal	Longitude		
POSTCODE	string	Postal Code		
PROVINCE	string	State		
STREET	string	Street		

3.1.165 geoLocationInternationalAddressCoordinatesLatLonV2

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `geoLocationInternationalAddressCoordinatesLatLonV2`

Base

XPath: `/s:Envelope/s:Body/tns:geoLocationInternationalAddressCoordinatesLatLonV2Response/tns:coordinates/tns:item`

Filters on API Server: country- postalcode- houseno- street- city- province- matchrate- language

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `geoLocationInternationalAddressCoordinatesLatLonV2`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and

the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
city	string	<input type="checkbox"/>		
country	string	<input type="checkbox"/>		
houzeno	int32	<input type="checkbox"/>		
language	string	<input type="checkbox"/>		
matchrate	decimal	<input type="checkbox"/>		
postalcode	string	<input type="checkbox"/>		
province	string	<input type="checkbox"/>		
street	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `geoLocationInternationalAddressCoordinatesLatLonV2` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
CITY	string	City		
COUNTRY_ISO2	string	ISO Country Code 2 Characters		
LATITUDE	decimal	Latitude		
LONGITUDE	decimal	Longitude		
POSTCODE	string	Postal Code		
PROVINCE	string	State		
STREET	string	Street		

3.1.166 geoLocationInternationalLatLonToAddress

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `geoLocationInternationalLatLonToAddress`

Base

XPath: /s:Envelope/s:Body/tns:geoLocationInternationalLatLonToAddressResponse/tns:address

Filters on API Server: latitude- longitude

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `geoLocationInternationalLatLonToAddress`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
latitude	decimal	<input type="checkbox"/>		
longitude	decimal	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `geoLocationInternationalLatLonToAddress` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
CITY	string	City		
COUNTRY_ISO3	string			
COUNTRY	string	Country		
DISTANCE	int32	Distance		
LATITUDE	decimal	Latitude		
LONGITUDE	decimal	Longitude		
POSTCODE	string	Postal Code		
PROVINCE	string	State		
STREETNAME	string	Street Name		

3.1.167 geoLocationInternationalPostcodeCoordinatesLatLon

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `geoLocationInternationalPostcodeCoordinatesLatLon`

Base

XPath: `/s:Envelope/s:Body/tns:geoLocationInternationalPostcodeCoordinatesLatLonResponse/tns:coordinates`

Filters on API Server: `postcode- country`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `geoLocationInternationalPostcodeCoordinatesLatLon`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
country	string	<input type="checkbox"/>		
postcode	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `geoLocationInternationalPostcodeCoordinatesLatLon` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
LATITUDE	decimal	Latitude		
LONGITUDE	decimal	Longitude		

3.1.168 geoLocationLatLonToAddressV2

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: geoLocationLatLonToAddressV2

Base

XPath: /s:Envelope/s:Body/tns:geoLocationLatLonToAddressV2Response/tns:address

Filters on API Server: latitude- longitude

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function geoLocationLatLonToAddressV2. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
latitude	decimal	<input type="checkbox"/>		
longitude	decimal	<input type="checkbox"/>		

Table Function Columns

The columns of the table function geoLocationLatLonToAddressV2 are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
CITY	string	City		
DISTANCE	int32	Distance		
DISTRICT	string			
HOUSE_NO_ADDITION	string			
HOUSE_NO	int32			
LATITUDE	decimal	Latitude		
LONGITUDE	decimal	Longitude		
POSTCODE	string	Postal Code		
PROVINCE	string	State		
STREETNAME	string	Street Name		
X	int32	X		
Y	int32	Y		

3.1.169 geoLocationLatLonToPostcode

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: geoLocationLatLonToPostcode

Base

XPath: `/s:Envelope/s:Body/tns:geoLocationLatLonToPostcodeResponse/tns:postcode`

Filters on API Server: latitude- longitude

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `geoLocationLatLonToPostcode`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
latitude	decimal	<input type="checkbox"/>		
longitude	decimal	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `geoLocationLatLonToPostcode` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
POSTCODE	string			

3.1.170 geoLocationLatLonToRD

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `geoLocationLatLonToRD`

Base

XPath: `/s:Envelope/s:Body/tns:geoLocationLatLonToRDResponse/tns:out`

Filters on API Server: latitude- longitude

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `geoLocationLatLonToRD`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
latitude	decimal	<input type="checkbox"/>		
longitude	decimal	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `geoLocationLatLonToRD` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
X	int32	X		
Y	int32	Y		

3.1.171 geoLocationNeighborhoodCoordinatesLatLon

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `geoLocationNeighborhoodCoordinatesLatLon`

Base

XPath: /s:Envelope/s:Body/tns:geoLocationNeighborhoodCoordinatesLatLonResponse/tns:coordinates

Filters on API Server: nbcode

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `geoLocationNeighborhoodCoordinatesLatLon`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
nbcode	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `geoLocationNeighborhoodCoordinatesLatLon` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
LATITUDE	decimal	Latitude		
LONGITUDE	decimal	Longitude		

3.1.172 geoLocationNeighborhoodCoordinatesRD

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `geoLocationNeighborhoodCoordinatesRD`

Base

XPath: /s:Envelope/s:Body/tns:geoLocationNeighborhoodCoordinatesRDResponse/tns:coordinates

Filters on API Server: nbcode

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `geoLocationNeighborhoodCoordinatesRD`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
nbcode	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `geoLocationNeighborhoodCoordinatesRD` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
X	int32	X		
Y	int32	Y		

3.1.173 geoLocationNeighborhoodDistance

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `geoLocationNeighborhoodDistance`

Base

XPath: `/s:Envelope/s:Body/tns:geoLocationNeighborhoodDistanceResponse/tns:distance`

Filters on API Server: `nbcodefrom- nbcodeto`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `geoLocationNeighborhoodDistance`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the

execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
nbcodefrom	string	<input type="checkbox"/>		
nbcodeto	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `geoLocationNeighborhoodDistance` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
DISTANCE	int32			

3.1.174 geoLocationPostcodeCoordinatesLatLon

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `geoLocationPostcodeCoordinatesLatLon`

Base

XPath: `/s:Envelope/s:Body/tns:geoLocationPostcodeCoordinatesLatLonResponse/tns:coordinates`

Filters on API Server: postcode

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `geoLocationPostcodeCoordinatesLatLon`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
postcode	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `geoLocationPostcodeCoordinatesLatLon` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
LATITUDE	decimal	Latitude		
LONGITUDE	decimal	Longitude		

3.1.175 geoLocationPostcodeCoordinatesRD

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `geoLocationPostcodeCoordinatesRD`

Base

XPath: `/s:Envelope/s:Body/tns:geoLocationPostcodeCoordinatesRDResponse/tns:coordinates`

Filters on API Server: `postcode`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `geoLocationPostcodeCoordinatesRD`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
postcode	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `geoLocationPostcodeCoordinatesRD` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
X	int32	X		
Y	int32	Y		

3.1.176 geoLocationPostcodeDistance

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `geoLocationPostcodeDistance`

Base

XPath: `/s:Envelope/s:Body/tns:geoLocationPostcodeDistanceResponse/tns:distance`

Filters on API Server: `postcodefrom- postcodeto`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `geoLocationPostcodeDistance`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
postcodefrom	string	<input type="checkbox"/>		
postcodeto	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `geoLocationPostcodeDistance` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
DISTANCE	int32			

3.1.177 geoLocationRDToAddressV2

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `geoLocationRDToAddressV2`

Base

XPath: `/s:Envelope/s:Body/tns:geoLocationRDToAddressV2Response/tns:address`

Filters on API Server: x- y

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `geoLocationRDToAddressV2`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
x	int32	<input type="checkbox"/>		
y	int32	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `geoLocationRDToAddressV2` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
CITY	string	City		
DISTANCE	int32	Distance		
DISTRICT	string			
HOUSE_NO_ADDITION	string			
HOUSE_NO	int32			
LATITUDE	decimal	Latitude		
LONGITUDE	decimal	Longitude		
POSTCODE	string	Postal Code		
PROVINCE	string	State		
STREETNAME	string	Street Name		
X	int32	X		
Y	int32	Y		

3.1.178 geoLocationRDToLatLon

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: geoLocationRDToLatLon

Base

XPath: `/s:Envelope/s:Body/tns:geoLocationRDToLatLonResponse/tns:out`

Filters on API Server: x- y

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `geoLocationRDToLatLon`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
x	int32	<input type="checkbox"/>		
y	int32	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `geoLocationRDToLatLon` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
LATITUDE	decimal	Latitude		
LONGITUDE	decimal	Longitude		

3.1.179 geoLocationRDToPostcode

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `geoLocationRDToPostcode`

Base

XPath: `/s:Envelope/s:Body/tns:geoLocationRDToPostcodeResponse/tns:postcode`

Filters on API Server: x- y

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `geoLocationRDToPostcode`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
x	int32	<input type="checkbox"/>		
y	int32	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `geoLocationRDToPostcode` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
POSTCODE	string			

3.1.180 graydonCreditCompanyLiaisons

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: graydonCreditCompanyLiaisons

Base

XPath: `/s:Envelope/s:Body/tns:graydonCreditCompanyLiaisonsResponse/tns:out`

Filters on API Server: `graydon_company_id`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `graydonCreditCompanyLiaisons`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
<code>graydon_company_id</code>	int64	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `graydonCreditCompanyLiaisons` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ALARM_ALARM_CODE	int32			
ALARM_ALARM_TEXT	string			

Name	Data Type	Label	Required	Documentation
COMPANIES_ITEM_CONTACT_DETAILS_ADDRESSES	string			
COMPANIES_ITEM_CONTACT_DETAILS_COMPANY_NAME	string			
COMPANIES_ITEM_CONTACT_DETAILS_TELEPHONE_NUMBERS	string			
COMPANIES_ITEM_FINANCIAL_CALAMITIES	string			
COMPANIES_ITEM_GRAYDON_COMPANY_ID	int64			
COMPANIES_ITEM_OFFICIAL_DATA_CHAMBER_OF_COMMERCE_ADMINISTERING_CHAMBER_NO	string			
COMPANIES_ITEM_OFFICIAL_DATA_CHAMBER_OF_COMMERCE_CHAMBER_NO	string			
COMPANIES_ITEM_OFFICIAL_DATA_CHAMBER_OF_COMMERCE_DOSSIER_NO	string			
COMPANIES_ITEM_OFFICIAL_DATA_CHAMBER_OF_COMMERCE_SUB_DOSSIER_NO	string			
COMPANIES_ITEM_OFFICIAL_DATA_CHAMBER_OF_COMMERCE_TRADE_REGISTER_LOCATION	string			
COMPANIES_ITEM_OFFICIAL_DATA_PRESENT_LEGAL_FORM_CODE	int32			
COMPANIES_ITEM_OFFICIAL_DATA_PRESENT_LEGAL_FORM_TEXT	string			
CONCERN_LIAISONS_ITEM_GRAYDON_COMPANY_ID	int64			
CONCERN_LIAISONS_ITEM_LIAISON_CODE	string			
CONCERN_LIAISONS_ITEM_LIAISON_TEXT	string			

3.1.181 graydonCreditGetReport

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: graydonCreditGetReport

Base

XPath: `/s:Envelope/s:Body/tns:graydonCreditGetReportResponse/tns:out`

Filters on API Server: `graydon_company_id- document`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `graydonCreditGetReport`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
document	string	<input type="checkbox"/>		
graydon_company_id	int64	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `graydonCreditGetReport` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ALARM_ALARM_CODE	int32			
ALARM_ALARM_TEXT	string			
DOCUMENT	byte[]	Document		
REPORT_ALARM_COMPANY_CON TACT_DETAILS_ADDRESSES_ITE M_ADDRESS_CODE	int32			
REPORT_ALARM_COMPANY_CON TACT_DETAILS_ADDRESSES_ITE M_ADDRESS_TEXT	string			
REPORT_ALARM_COMPANY_CON TACT_DETAILS_ADDRESSES_ITE M_COUNTRY_CODE	int32			
REPORT_ALARM_COMPANY_CON TACT_DETAILS_ADDRESSES_ITE M_COUNTRY_TEXT	string			
REPORT_ALARM_COMPANY_CON TACT_DETAILS_ADDRESSES_ITE M_DATE_FROM	datetime			
REPORT_ALARM_COMPANY_CON TACT_DETAILS_ADDRESSES_ITE M_DATE_UNTIL	datetime			
REPORT_ALARM_COMPANY_CON TACT_DETAILS_ADDRESSES_ITE M_HOUSE_NO_ADDITION	string			

Name	Data Type	Label	Required	Documentation
REPORT_ALARM_COMPANY_CONTACT_DETAILS_ADDRESSES_ITEM_HOUSE_NO	string			
REPORT_ALARM_COMPANY_CONTACT_DETAILS_ADDRESSES_ITEM_IS_CURRENT	boolean			
REPORT_ALARM_COMPANY_CONTACT_DETAILS_ADDRESSES_ITEM_POBOX	string			
REPORT_ALARM_COMPANY_CONTACT_DETAILS_ADDRESSES_ITEM_POSTCODE	string			
REPORT_ALARM_COMPANY_CONTACT_DETAILS_ADDRESSES_ITEM_RESIDENCE	string			
REPORT_ALARM_COMPANY_CONTACT_DETAILS_ADDRESSES_ITEM_STREET	string			
REPORT_ALARM_COMPANY_CONTACT_DETAILS_COMPANY_NAME	string			
REPORT_ALARM_COMPANY_CONTACT_DETAILS_TRADE_NAMES_ITEM_DATE_FROM	datetime			
REPORT_ALARM_COMPANY_CONTACT_DETAILS_TRADE_NAMES_ITEM_DATE_UNTIL	datetime			
REPORT_ALARM_COMPANY_CONTACT_DETAILS_TRADE_NAMES_ITEM_IS_CURRENT	boolean			
REPORT_ALARM_COMPANY_CONTACT_DETAILS_TRADE_NAMES_ITEM_NAME	string			
REPORT_ALARM_COMPANY_DISCONTINUANCE_DATE	string			
REPORT_ALARM_COMPANY_DISCONTINUANCE_REASON	string			
REPORT_ALARM_COMPANY_DISCONTINUANCE_TYPE	string			
REPORT_ALARM_COMPANY_GRADYDON_COMPANY_ID	int64			
REPORT_ALARM_COMPANY_SPECIAL_COMPANY_INFORMATION_ITEM_SPECIAL_COMPANY_CODE	string			
REPORT_ALARM_COMPANY_SPECIAL_COMPANY_INFORMATION_ITEM_SPECIAL_COMPANY_TEXT	string			
REPORT_ALARM_COMPANY_SPECIAL_COMPANY_INFORMATION_ITEM_TEXTS	string			
REPORT_CALAMITY_COMPANY_BRANCH_OFFICES_ITEM_ADDRESSES	string			

Name	Data Type	Label	Required	Documentation
REPORT_CALAMITY_COMPANY_B RANCH_OFFICES_ITEM_BRANCH_ OFFICE_ID	string			
REPORT_CALAMITY_COMPANY_B RANCH_OFFICES_ITEM_BUSINESS _NAME	string			
REPORT_CALAMITY_COMPANY_B RANCH_OFFICES_ITEM_DISCONTI NUANCE_DATE	string			
REPORT_CALAMITY_COMPANY_B RANCH_OFFICES_ITEM_DISCONTI NUANCE_REASON	string			
REPORT_CALAMITY_COMPANY_B RANCH_OFFICES_ITEM_DISCONTI NUANCE_TYPE	string			
REPORT_CALAMITY_COMPANY_B RANCH_OFFICES_ITEM_EMAIL_AD DRESSES	string			
REPORT_CALAMITY_COMPANY_B RANCH_OFFICES_ITEM_ESTABISH MENT_DATE	datetime			
REPORT_CALAMITY_COMPANY_B RANCH_OFFICES_ITEM_TELEPHON E_NUMBERS	string			
REPORT_CALAMITY_COMPANY_B RANCH_OFFICES_ITEM_TRADE_N AMES	string			
REPORT_CALAMITY_COMPANY_C OMPANY_MANAGEMENT_FIRST_D IRECTORS_ITEM_DATE_FROM	datetime			
REPORT_CALAMITY_COMPANY_C OMPANY_MANAGEMENT_FIRST_D IRECTORS_ITEM_DATE_UNTIL	datetime			
REPORT_CALAMITY_COMPANY_C OMPANY_MANAGEMENT_FIRST_D IRECTORS_ITEM_GRAYDON_PERS ON_ID	int64			
REPORT_CALAMITY_COMPANY_C OMPANY_MANAGEMENT_FIRST_D IRECTORS_ITEM_IS_CURRENT	boolean			
REPORT_CALAMITY_COMPANY_C OMPANY_MANAGEMENT_FIRST_D IRECTORS_ITEM_JOB_TITLE_CODE	int32			
REPORT_CALAMITY_COMPANY_C OMPANY_MANAGEMENT_FIRST_D IRECTORS_ITEM_JOB_TITLE_TEXT	string			
REPORT_CALAMITY_COMPANY_C OMPANY_MANAGEMENT_MANAG EMENT_ITEM_GRAYDON_COMPAN Y_ID	int64			
REPORT_CALAMITY_COMPANY_C OMPANY_MANAGEMENT_MANAG EMENT_ITEM_GRAYDON_PERSON _ID	int64			

Name	Data Type	Label	Required	Documentation
REPORT_CALAMITY_COMPANY_COMPANY_MANAGEMENT_MANAGEMENT_ITEM_IS_CURRENT	boolean			
REPORT_CALAMITY_COMPANY_COMPANY_MANAGEMENT_MANAGEMENT_ITEM_JOB_TITLES	string			
REPORT_CALAMITY_COMPANY_CONCERN_LIAISONS_ITEM_GRAYD ON_COMPANY_ID	int64			
REPORT_CALAMITY_COMPANY_CONCERN_LIAISONS_ITEM_LIAISON_CODE	string			
REPORT_CALAMITY_COMPANY_CONCERN_LIAISONS_ITEM_LIAISON_TEXT	string			
REPORT_CALAMITY_COMPANY_CONTACT_DETAILS_ADDRESSES_ITEM_ADDRESS_CODE	int32			
REPORT_CALAMITY_COMPANY_CONTACT_DETAILS_ADDRESSES_ITEM_ADDRESS_TEXT	string			
REPORT_CALAMITY_COMPANY_CONTACT_DETAILS_ADDRESSES_ITEM_COUNTRY_CODE	int32			
REPORT_CALAMITY_COMPANY_CONTACT_DETAILS_ADDRESSES_ITEM_COUNTRY_TEXT	string			
REPORT_CALAMITY_COMPANY_CONTACT_DETAILS_ADDRESSES_ITEM_DATE_FROM	datetime			
REPORT_CALAMITY_COMPANY_CONTACT_DETAILS_ADDRESSES_ITEM_DATE_UNTIL	datetime			
REPORT_CALAMITY_COMPANY_CONTACT_DETAILS_ADDRESSES_ITEM_HOUSE_NO_ADDITION	string			
REPORT_CALAMITY_COMPANY_CONTACT_DETAILS_ADDRESSES_ITEM_HOUSE_NO	string			
REPORT_CALAMITY_COMPANY_CONTACT_DETAILS_ADDRESSES_ITEM_IS_CURRENT	boolean			
REPORT_CALAMITY_COMPANY_CONTACT_DETAILS_ADDRESSES_ITEM_POBOX	string			
REPORT_CALAMITY_COMPANY_CONTACT_DETAILS_ADDRESSES_ITEM_POSTCODE	string			
REPORT_CALAMITY_COMPANY_CONTACT_DETAILS_ADDRESSES_ITEM_RESIDENCE	string			
REPORT_CALAMITY_COMPANY_CONTACT_DETAILS_ADDRESSES_ITEM_STREET	string			

Name	Data Type	Label	Required	Documentation
REPORT_CALAMITY_COMPANY_CONTACT_DETAILS_COMPANY_NAME	string			
REPORT_CALAMITY_COMPANY_CONTACT_DETAILS_TELEPHONE_NUMBERS_ITEM_COUNTRY_NUMBER	string			
REPORT_CALAMITY_COMPANY_CONTACT_DETAILS_TELEPHONE_NUMBERS_ITEM_NET_NUMBER	string			
REPORT_CALAMITY_COMPANY_CONTACT_DETAILS_TELEPHONE_NUMBERS_ITEM_SUBSCRIBER_NUMBER	string			
REPORT_CALAMITY_COMPANY_CONTACT_DETAILS_TELEPHONE_NUMBERS_ITEM_TELEPHONE_CODE	int32			
REPORT_CALAMITY_COMPANY_CONTACT_DETAILS_TELEPHONE_NUMBERS_ITEM_TELEPHONE_TEXT	string			
REPORT_CALAMITY_COMPANY_CONTACT_DETAILS_TRADE_NAMES_ITEM_DATE_FROM	datetime			
REPORT_CALAMITY_COMPANY_CONTACT_DETAILS_TRADE_NAMES_ITEM_DATE_UNTIL	datetime			
REPORT_CALAMITY_COMPANY_CONTACT_DETAILS_TRADE_NAMES_ITEM_IS_CURRENT	boolean			
REPORT_CALAMITY_COMPANY_CONTACT_DETAILS_TRADE_NAMES_ITEM_NAME	string			
REPORT_CALAMITY_COMPANY_FINANCIAL_CALAMITIES_ITEM_BANKRUPTCY_CURATORS	string			
REPORT_CALAMITY_COMPANY_FINANCIAL_CALAMITIES_ITEM_BANKRUPTCY_CURRENTLY_ACTIVE	boolean			
REPORT_CALAMITY_COMPANY_FINANCIAL_CALAMITIES_ITEM_BANKRUPTCY_DATE_OF_VERDICT	datetime			
REPORT_CALAMITY_COMPANY_FINANCIAL_CALAMITIES_ITEM_BANKRUPTCY_DEFINITE_DISCONTINUANCE_CODE	int32			
REPORT_CALAMITY_COMPANY_FINANCIAL_CALAMITIES_ITEM_BANKRUPTCY_DEFINITE_DISCONTINUANCE_DATE	datetime			
REPORT_CALAMITY_COMPANY_FINANCIAL_CALAMITIES_ITEM_BANKRUPTCY_DEFINITE_DISCONTINUANCE_TEXT	string			
REPORT_CALAMITY_COMPANY_FINANCIAL_CALAMITIES_ITEM_BANK	int64			

Name	Data Type	Label	Required	Documentation
KRUPTCY_OFFICIAL_REGISTRATION_NUMBER				
REPORT_CALAMITY_COMPANY_FINANCIAL_CALAMITIES_ITEM_DEBT_RESTRUCTURING_PRIVATE_PERSONS_CURRENTLY_ACTIVE	boolean			
REPORT_CALAMITY_COMPANY_FINANCIAL_CALAMITIES_ITEM_DEBT_RESTRUCTURING_PRIVATE_PERSONS_DEBT_RESTRUCTURING_TERM_IN_MONTHS	int32			
REPORT_CALAMITY_COMPANY_FINANCIAL_CALAMITIES_ITEM_DEBT_RESTRUCTURING_PRIVATE_PERSONS_DEFINITE_DISCONTINUANCE_CODE	int32			
REPORT_CALAMITY_COMPANY_FINANCIAL_CALAMITIES_ITEM_DEBT_RESTRUCTURING_PRIVATE_PERSONS_DEFINITE_DISCONTINUANCE_DATE	datetime			
REPORT_CALAMITY_COMPANY_FINANCIAL_CALAMITIES_ITEM_DEBT_RESTRUCTURING_PRIVATE_PERSONS_DEFINITE_DISCONTINUANCE_TEXT	string			
REPORT_CALAMITY_COMPANY_FINANCIAL_CALAMITIES_ITEM_DEBT_RESTRUCTURING_PRIVATE_PERSONS_DEFINITE_VERDICT_DATE	datetime			
REPORT_CALAMITY_COMPANY_FINANCIAL_CALAMITIES_ITEM_DEBT_RESTRUCTURING_PRIVATE_PERSONS_OFFICIAL_REGISTRATION_NUMBER	int64			
REPORT_CALAMITY_COMPANY_FINANCIAL_CALAMITIES_ITEM_DEBT_RESTRUCTURING_PRIVATE_PERSONS_PROVISIONAL_DISCONTINUANCE_CODE	int32			
REPORT_CALAMITY_COMPANY_FINANCIAL_CALAMITIES_ITEM_DEBT_RESTRUCTURING_PRIVATE_PERSONS_PROVISIONAL_DISCONTINUANCE_DATE	datetime			
REPORT_CALAMITY_COMPANY_FINANCIAL_CALAMITIES_ITEM_DEBT_RESTRUCTURING_PRIVATE_PERSONS_PROVISIONAL_DISCONTINUANCE_TEXT	string			
REPORT_CALAMITY_COMPANY_FINANCIAL_CALAMITIES_ITEM_DEBT_RESTRUCTURING_PRIVATE_PERSONS_PROVISIONAL_VERDICT_DATE	datetime			
REPORT_CALAMITY_COMPANY_FINANCIAL_CALAMITIES_ITEM_DEBT	string			

Name	Data Type	Label	Required	Documentation
T_RESTRUCTURING_PRIVATE_PERSONS_RECEIVERS				
REPORT_CALAMITY_COMPANY_FINANCIAL_CALAMITIES_ITEM_MORATORIUM_CURRENTLY_ACTIVE	boolean			
REPORT_CALAMITY_COMPANY_FINANCIAL_CALAMITIES_ITEM_MORATORIUM_DATE_FROM	datetime			
REPORT_CALAMITY_COMPANY_FINANCIAL_CALAMITIES_ITEM_MORATORIUM_DEFINITE_DISCONTINUANCE_CODE	int32			
REPORT_CALAMITY_COMPANY_FINANCIAL_CALAMITIES_ITEM_MORATORIUM_DEFINITE_DISCONTINUANCE_DATE	datetime			
REPORT_CALAMITY_COMPANY_FINANCIAL_CALAMITIES_ITEM_MORATORIUM_DEFINITE_DISCONTINUANCE_TEXT	string			
REPORT_CALAMITY_COMPANY_FINANCIAL_CALAMITIES_ITEM_MORATORIUM_DEFINITE_VERDICT_DATE	datetime			
REPORT_CALAMITY_COMPANY_FINANCIAL_CALAMITIES_ITEM_MORATORIUM_MORATORIUM_TERM_IN_MONTHS	int32			
REPORT_CALAMITY_COMPANY_FINANCIAL_CALAMITIES_ITEM_MORATORIUM_OFFICIAL_REGISTRATION_NUMBER	int64			
REPORT_CALAMITY_COMPANY_FINANCIAL_CALAMITIES_ITEM_MORATORIUM_PROLONGATION_DATE	datetime			
REPORT_CALAMITY_COMPANY_FINANCIAL_CALAMITIES_ITEM_MORATORIUM_PROLONGATION_IN_MONTHS	int32			
REPORT_CALAMITY_COMPANY_FINANCIAL_CALAMITIES_ITEM_MORATORIUM_PROVISIONAL_VERDICT_DATE	datetime			
REPORT_CALAMITY_COMPANY_FINANCIAL_CALAMITIES_ITEM_MORATORIUM_RECEIVERS	string			
REPORT_CALAMITY_COMPANY_FINANCIAL_CALAMITIES_ITEM_MORATORIUM_VOTE_CODE	int32			
REPORT_CALAMITY_COMPANY_FINANCIAL_CALAMITIES_ITEM_MORATORIUM_VOTE_DATE	datetime			
REPORT_CALAMITY_COMPANY_FINANCIAL_CALAMITIES_ITEM_MORATORIUM_VOTE_TEXT	string			

Name	Data Type	Label	Required	Documentation
REPORT_CALAMITY_COMPANY_GRAYDON_COMPANY_ID	int64			
REPORT_CALAMITY_COMPANY_HISTORY_COMPANY_CONTINUED_UNDER_ITEM_CONTINUED_UNDER_CODE	int32			
REPORT_CALAMITY_COMPANY_HISTORY_COMPANY_CONTINUED_UNDER_ITEM_CONTINUED_UNDER_TEXT	string			
REPORT_CALAMITY_COMPANY_HISTORY_COMPANY_CONTINUED_UNDER_ITEM_DATE_FROM	datetime			
REPORT_CALAMITY_COMPANY_HISTORY_COMPANY_CONTINUED_UNDER_ITEM_GRAYDON_COMPANY_ID	int64			
REPORT_CALAMITY_COMPANY_HISTORY_CONTINUATION_ITEM_DATE_FROM	datetime			
REPORT_CALAMITY_COMPANY_HISTORY_CONTINUATION_ITEM_LEGAL_FORM_CODE	int32			
REPORT_CALAMITY_COMPANY_HISTORY_CONTINUATION_ITEM_LEGAL_FORM_TEXT	string			
REPORT_CALAMITY_COMPANY_HISTORY_CONTINUATION_ITEM_RESIDENCE	string			
REPORT_CALAMITY_COMPANY_HISTORY_ORIGINATED_FROM_ITEM_DATE_FROM	datetime			
REPORT_CALAMITY_COMPANY_HISTORY_ORIGINATED_FROM_ITEM_GRAYDON_COMPANY_ID	int64			
REPORT_CALAMITY_COMPANY_HISTORY_ORIGINATED_FROM_ITEM_ORIGINATED_FROM_CODE	int32			
REPORT_CALAMITY_COMPANY_HISTORY_ORIGINATED_FROM_ITEM_ORIGINATED_FROM_TEXT	string			
REPORT_CALAMITY_COMPANY_IMPORT_EXPORT_EXPORT_COUNTRIES_ITEM_COUNTRY_CODE	int32			
REPORT_CALAMITY_COMPANY_IMPORT_EXPORT_EXPORT_COUNTRIES_ITEM_COUNTRY_TEXT	string			
REPORT_CALAMITY_COMPANY_IMPORT_EXPORT_IMPORT_COUNTRIES_ITEM_COUNTRY_CODE	int32			
REPORT_CALAMITY_COMPANY_IMPORT_EXPORT_IMPORT_COUNTRIES_ITEM_COUNTRY_TEXT	string			

Name	Data Type	Label	Required	Documentation
REPORT_CALAMITY_COMPANY_OFFICIAL_DATA_CAPITAL_ITEM_CAPITAL_OF_COMMANDITE_PARTNERSHIP	string			
REPORT_CALAMITY_COMPANY_OFFICIAL_DATA_CAPITAL_ITEM_DATE_CHANGE	datetime			
REPORT_CALAMITY_COMPANY_OFFICIAL_DATA_CAPITAL_ITEM_ISS_CURRENT	boolean			
REPORT_CALAMITY_COMPANY_OFFICIAL_DATA_CAPITAL_ITEM_ISSUED_CAPITAL	string			
REPORT_CALAMITY_COMPANY_OFFICIAL_DATA_CAPITAL_ITEM_MONETARY_AMOUNT_SPECIFIED_IN_CORPORATE_DEED	string			
REPORT_CALAMITY_COMPANY_OFFICIAL_DATA_CAPITAL_ITEM_PAID_UP_CAPITAL	string			
REPORT_CALAMITY_COMPANY_OFFICIAL_DATA_CAPITAL_ITEM_SOCIAL_CAPITAL	string			
REPORT_CALAMITY_COMPANY_OFFICIAL_DATA_CHAMBER_OF_COMMERCE_ADMINISTERING_CHAMBER_NO	string			
REPORT_CALAMITY_COMPANY_OFFICIAL_DATA_CHAMBER_OF_COMMERCE_CHAMBER_NO	string			
REPORT_CALAMITY_COMPANY_OFFICIAL_DATA_CHAMBER_OF_COMMERCE_DOSSIER_NO	string			
REPORT_CALAMITY_COMPANY_OFFICIAL_DATA_CHAMBER_OF_COMMERCE_SUB_DOSSIER_NO	string			
REPORT_CALAMITY_COMPANY_OFFICIAL_DATA_CHAMBER_OF_COMMERCE_TRADE_REGISTER_LOCATION	string			
REPORT_CALAMITY_COMPANY_OFFICIAL_DATA_DISCONTINUANCE_DATE	string			
REPORT_CALAMITY_COMPANY_OFFICIAL_DATA_DISCONTINUANCE_REASON	string			
REPORT_CALAMITY_COMPANY_OFFICIAL_DATA_DISCONTINUANCE_TYPE	string			
REPORT_CALAMITY_COMPANY_OFFICIAL_DATA_FOUNDED_ITEM_DATE_FROM	datetime			
REPORT_CALAMITY_COMPANY_OFFICIAL_DATA_FOUNDED_ITEM_FOUNDED_AT	datetime			

Name	Data Type	Label	Required	Documentation
REPORT_CALAMITY_COMPANY_OFFICIAL_DATA_FOUNDED_ITEM_LEGAL_FORM_CODE	int32			
REPORT_CALAMITY_COMPANY_OFFICIAL_DATA_FOUNDED_ITEM_LEGAL_FORM_TEXT	string			
REPORT_CALAMITY_COMPANY_OFFICIAL_DATA_FOUNDED_ITEM_RESIDENCE	string			
REPORT_CALAMITY_COMPANY_OFFICIAL_DATA_FOUNDED_ITEM_START_DATE	datetime			
REPORT_CALAMITY_COMPANY_OFFICIAL_DATA_NUMBER_OF_NON_EXECUTIVE_PARTNERS	string			
REPORT_CALAMITY_COMPANY_OFFICIAL_DATA_PRESENT_LEGAL_FORM_CODE	int32			
REPORT_CALAMITY_COMPANY_OFFICIAL_DATA_PRESENT_LEGAL_FORM_FINE_CODE	int32			
REPORT_CALAMITY_COMPANY_OFFICIAL_DATA_PRESENT_LEGAL_FORM_FINE_TEXT	string			
REPORT_CALAMITY_COMPANY_OFFICIAL_DATA_PRESENT_LEGAL_FORM_TEXT	string			
REPORT_CALAMITY_COMPANY_OFFICIAL_DATA_PUBLICATION_DUTY_CODE	string			
REPORT_CALAMITY_COMPANY_OFFICIAL_DATA_PUBLICATION_DUTY_TEXT	string			
REPORT_CALAMITY_COMPANY_OFFICIAL_DATA_VAT_NUMBER	string			
REPORT_CALAMITY_COMPANY_PARTICIPATIONS_ITEM_DATE_FROM	datetime			
REPORT_CALAMITY_COMPANY_PARTICIPATIONS_ITEM_DATE_UNTIL	datetime			
REPORT_CALAMITY_COMPANY_PARTICIPATIONS_ITEM_GRAYDON_COMPANY_ID	int64			
REPORT_CALAMITY_COMPANY_PARTICIPATIONS_ITEM_IS_CURRENT	boolean			
REPORT_CALAMITY_COMPANY_PARTICIPATIONS_ITEM_PERCENTAGE_OF_SHARES	decimal			
REPORT_CALAMITY_COMPANY_RELATIONS_COMPANIES_ITEM_CONTACT_DETAILS_ADDRESSES	string			

Name	Data Type	Label	Required	Documentation
REPORT_CALAMITY_COMPANY_RELATIONS_COMPANIES_ITEM_CONTACT_DETAILS_COMPANY_NAME	string			
REPORT_CALAMITY_COMPANY_RELATIONS_COMPANIES_ITEM_CONTACT_DETAILS_TELEPHONE_NUMBERS	string			
REPORT_CALAMITY_COMPANY_RELATIONS_COMPANIES_ITEM_CONTACT_DETAILS_TRADE_NAMES	string			
REPORT_CALAMITY_COMPANY_RELATIONS_COMPANIES_ITEM_GRAYDON_COMPANY_ID	int64			
REPORT_CALAMITY_COMPANY_RELATIONS_COMPANIES_ITEM_HISTORY_COMPANY_CONTINUED_UNDER	string			
REPORT_CALAMITY_COMPANY_RELATIONS_COMPANIES_ITEM_HISTORY_CONTINUATION	string			
REPORT_CALAMITY_COMPANY_RELATIONS_COMPANIES_ITEM_HISTORY_ORIGINATED_FROM	string			
REPORT_CALAMITY_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_CAPITAL	string			
REPORT_CALAMITY_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_CHAMBER_OF_COMMERCE_ADMINISTERING_CHAMBER_NO	string			
REPORT_CALAMITY_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_CHAMBER_OF_COMMERCE_CHAMBER_NO	string			
REPORT_CALAMITY_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_CHAMBER_OF_COMMERCE_DOSSIER_NO	string			
REPORT_CALAMITY_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_CHAMBER_OF_COMMERCE_SUB_DOSSIER_NO	string			
REPORT_CALAMITY_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_CHAMBER_OF_COMMERCE_TRADE_REGISTER_LOCATION	string			
REPORT_CALAMITY_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_DISCONTINUANCE_DATE	string			
REPORT_CALAMITY_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_DISCONTINUANCE_DATE	string			

Name	Data Type	Label	Required	Documentation
ICIAL_DATA_DISCONTINUANCE_REASON				
REPORT_CALAMITY_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_DISCONTINUANCE_TYPE	string			
REPORT_CALAMITY_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_FOUNDED	string			
REPORT_CALAMITY_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_NUMBER_OF_NON_EXECUTIVE_PARTNERS	string			
REPORT_CALAMITY_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_PRESENT_LEGAL_FORM_CODE	int32			
REPORT_CALAMITY_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_PRESENT_LEGAL_FORM_FINE_CODE	int32			
REPORT_CALAMITY_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_PRESENT_LEGAL_FORM_FINE_TEXT	string			
REPORT_CALAMITY_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_PRESENT_LEGAL_FORM_TEXT	string			
REPORT_CALAMITY_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_PUBLICATION_DUTY_CODE	string			
REPORT_CALAMITY_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_PUBLICATION_DUTY_TEXT	string			
REPORT_CALAMITY_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_VAT_NUMBER	string			
REPORT_CALAMITY_COMPANY_RELATIONS_COMPANIES_ITEM_SECTORS_OF_INDUSTRY	string			
REPORT_CALAMITY_COMPANY_RELATIONS_PERSONS_ITEM_ADDRESS_ADDRESS_CODE	int32			
REPORT_CALAMITY_COMPANY_RELATIONS_PERSONS_ITEM_ADDRESS_ADDRESS_TEXT	string			
REPORT_CALAMITY_COMPANY_RELATIONS_PERSONS_ITEM_ADDRESS_COUNTRY_CODE	int32			
REPORT_CALAMITY_COMPANY_RELATIONS_PERSONS_ITEM_ADDRESS_COUNTRY_TEXT	string			

Name	Data Type	Label	Required	Documentation
REPORT_CALAMITY_COMPANY_RELATIONS_PERSONS_ITEM_ADDRESS_DATE_FROM	datetime			
REPORT_CALAMITY_COMPANY_RELATIONS_PERSONS_ITEM_ADDRESS_DATE_UNTIL	datetime			
REPORT_CALAMITY_COMPANY_RELATIONS_PERSONS_ITEM_ADDRESS_HOUSE_NO_ADDITION	string			
REPORT_CALAMITY_COMPANY_RELATIONS_PERSONS_ITEM_ADDRESS_HOUSE_NO	string			
REPORT_CALAMITY_COMPANY_RELATIONS_PERSONS_ITEM_ADDRESS_IS_CURRENT	boolean			
REPORT_CALAMITY_COMPANY_RELATIONS_PERSONS_ITEM_ADDRESS_POBOX	string			
REPORT_CALAMITY_COMPANY_RELATIONS_PERSONS_ITEM_ADDRESS_POSTCODE	string			
REPORT_CALAMITY_COMPANY_RELATIONS_PERSONS_ITEM_ADDRESS_RESIDENCE	string			
REPORT_CALAMITY_COMPANY_RELATIONS_PERSONS_ITEM_ADDRESS_STREET	string			
REPORT_CALAMITY_COMPANY_RELATIONS_PERSONS_ITEM_BIRTH_INFORMATION_COUNTRY_CODE	int32			
REPORT_CALAMITY_COMPANY_RELATIONS_PERSONS_ITEM_BIRTH_INFORMATION_COUNTRY_TEXT	string			
REPORT_CALAMITY_COMPANY_RELATIONS_PERSONS_ITEM_BIRTH_INFORMATION_DATE	datetime			
REPORT_CALAMITY_COMPANY_RELATIONS_PERSONS_ITEM_BIRTH_INFORMATION_RESIDENCE	string			
REPORT_CALAMITY_COMPANY_RELATIONS_PERSONS_ITEM_GRAYDON_PERSON_ID	int64			
REPORT_CALAMITY_COMPANY_RELATIONS_PERSONS_ITEM_PERSONAL_DETAILS_GENDER_CODE	string			
REPORT_CALAMITY_COMPANY_RELATIONS_PERSONS_ITEM_PERSONAL_DETAILS_GENDER_TEXT	string			
REPORT_CALAMITY_COMPANY_RELATIONS_PERSONS_ITEM_PERSONAL_DETAILS_INITIALS	string			
REPORT_CALAMITY_COMPANY_RELATIONS_PERSONS_ITEM_PERSONAL_DETAILS_NAME	string			

Name	Data Type	Label	Required	Documentation
REPORT_CALAMITY_COMPANY_RELATIONS_PERSONS_ITEM_PERSONAL_DETAILS_PREFIXES	string			
REPORT_CALAMITY_COMPANY_RELATIONS_PERSONS_ITEM_PERSONAL_DETAILS_TITLES	string			
REPORT_CALAMITY_COMPANY_SECTORS_OF_INDUSTRY_ITEM_IS_PRIMARY	boolean			
REPORT_CALAMITY_COMPANY_SECTORS_OF_INDUSTRY_ITEM_SECTOR_CODE	string			
REPORT_CALAMITY_COMPANY_SECTORS_OF_INDUSTRY_ITEM_SECTOR_TEXT	string			
REPORT_CALAMITY_COMPANY_SHARE_HOLDERS_ITEM_DATE_FROM	datetime			
REPORT_CALAMITY_COMPANY_SHARE_HOLDERS_ITEM_DATE_UNTIL	datetime			
REPORT_CALAMITY_COMPANY_SHARE_HOLDERS_ITEM_GRAYDON_COMPANY_ID	int64			
REPORT_CALAMITY_COMPANY_SHARE_HOLDERS_ITEM_GRAYDON_PERSON_ID	int64			
REPORT_CALAMITY_COMPANY_SHARE_HOLDERS_ITEM_IS_CURRENT	boolean			
REPORT_CALAMITY_COMPANY_SHARE_HOLDERS_ITEM_PERCENTAGE_OF_SHARES	decimal			
REPORT_CALAMITY_COMPANY_SPECIAL_COMPANY_INFORMATION_ITEM_SPECIAL_COMPANY_CODE	string			
REPORT_CALAMITY_COMPANY_SPECIAL_COMPANY_INFORMATION_ITEM_SPECIAL_COMPANY_TEXT	string			
REPORT_CALAMITY_COMPANY_SPECIAL_COMPANY_INFORMATION_ITEM_TEXTS	string			
REPORT_NORMAL_COMPANY_ANNUAL FIGURES_ITEM_BANK_AND_INSURER_DATA	string			
REPORT_NORMAL_COMPANY_ANNUAL FIGURES_ITEM_COMPANY_ANNUAL_ACCOUNTS	string			
REPORT_NORMAL_COMPANY_ANNUAL FIGURES_ITEM_GRAYDON_COMPANY_ID	int64			
REPORT_NORMAL_COMPANY_CALAMITY_CALAMITY_EVENTS_ITEM_DAMAGE_AMOUNT	string			

Name	Data Type	Label	Required	Documentation
REPORT_NORMAL_COMPANY_CALAMITY_CALAMITY_EVENTS_ITEM_DAMAGE_CURRENCY	string			
REPORT_NORMAL_COMPANY_CALAMITY_CALAMITY_EVENTS_ITEM_EVENT_CODE	int32			
REPORT_NORMAL_COMPANY_CALAMITY_CALAMITY_EVENTS_ITEM_EVENT_DATE	datetime			
REPORT_NORMAL_COMPANY_CALAMITY_CALAMITY_EVENTS_ITEM_EVENT_TEXT	string			
REPORT_NORMAL_COMPANY_CALAMITY_CALAMITY_EVENTS_ITEM_EXPIRATION_DATE	datetime			
REPORT_NORMAL_COMPANY_CALAMITY_CALAMITY_EVENTS_ITEM_INSTIGATOR_GRAYDON_COMPANY_ID	int64			
REPORT_NORMAL_COMPANY_CALAMITY_CALAMITY_EVENTS_ITEM_INSURANCE_CODE	int32			
REPORT_NORMAL_COMPANY_CALAMITY_CALAMITY_EVENTS_ITEM_INSURANCE_TEXT	string			
REPORT_NORMAL_COMPANY_CALAMITY_OTHER_CALAMITIES_ITEM_CALAMITY_CODE	int32			
REPORT_NORMAL_COMPANY_CALAMITY_OTHER_CALAMITIES_ITEM_CALAMITY_TEXT	string			
REPORT_NORMAL_COMPANY_CALAMITY_OTHER_CALAMITIES_ITEM_EXPIRATION_DATE	datetime			
REPORT_NORMAL_COMPANY_COMPANY_MANAGEMENT_FIRST_DIRECTORS_ITEM_DATE_FROM	datetime			
REPORT_NORMAL_COMPANY_COMPANY_MANAGEMENT_FIRST_DIRECTORS_ITEM_DATE_UNTIL	datetime			
REPORT_NORMAL_COMPANY_COMPANY_MANAGEMENT_FIRST_DIRECTORS_ITEM_GRAYDON_PERSON_ID	int64			
REPORT_NORMAL_COMPANY_COMPANY_MANAGEMENT_FIRST_DIRECTORS_ITEM_IS_CURRENT	boolean			
REPORT_NORMAL_COMPANY_COMPANY_MANAGEMENT_FIRST_DIRECTORS_ITEM_JOB_TITLE_CODE	int32			
REPORT_NORMAL_COMPANY_COMPANY_MANAGEMENT_FIRST_DIRECTORS_ITEM_JOB_TITLE_TEXT	string			

Name	Data Type	Label	Required	Documentation
REPORT_NORMAL_COMPANY_COMPANY_MANAGEMENT_MANAGEMENT_ITEM_GRAYDON_COMPANY_ID	int64			
REPORT_NORMAL_COMPANY_COMPANY_MANAGEMENT_MANAGEMENT_ITEM_GRAYDON_PERSON_ID	int64			
REPORT_NORMAL_COMPANY_COMPANY_MANAGEMENT_MANAGEMENT_ITEM_IS_CURRENT	boolean			
REPORT_NORMAL_COMPANY_COMPANY_MANAGEMENT_MANAGEMENT_ITEM_JOB_TITLES	string			
REPORT_NORMAL_COMPANY_COMPANY_NCERN_LIAISONS_ITEM_GRAYDON_COMPANY_ID	int64			
REPORT_NORMAL_COMPANY_COMPANY_NCERN_LIAISONS_ITEM_LIAISON_CODE	string			
REPORT_NORMAL_COMPANY_COMPANY_NCERN_LIAISONS_ITEM_LIAISON_TEXT	string			
REPORT_NORMAL_COMPANY_COMPANY_CONTACT_DETAILS_ADDRESSES_ITEM_ADDRESS_CODE	int32			
REPORT_NORMAL_COMPANY_COMPANY_CONTACT_DETAILS_ADDRESSES_ITEM_ADDRESS_TEXT	string			
REPORT_NORMAL_COMPANY_COMPANY_CONTACT_DETAILS_ADDRESSES_ITEM_COUNTRY_CODE	int32			
REPORT_NORMAL_COMPANY_COMPANY_CONTACT_DETAILS_ADDRESSES_ITEM_COUNTRY_TEXT	string			
REPORT_NORMAL_COMPANY_COMPANY_CONTACT_DETAILS_ADDRESSES_ITEM_DATE_FROM	datetime			
REPORT_NORMAL_COMPANY_COMPANY_CONTACT_DETAILS_ADDRESSES_ITEM_DATE_UNTIL	datetime			
REPORT_NORMAL_COMPANY_COMPANY_CONTACT_DETAILS_ADDRESSES_ITEM_HOUSE_NO_ADDITION	string			
REPORT_NORMAL_COMPANY_COMPANY_CONTACT_DETAILS_ADDRESSES_ITEM_HOUSE_NO	string			
REPORT_NORMAL_COMPANY_COMPANY_CONTACT_DETAILS_ADDRESSES_ITEM_IS_CURRENT	boolean			
REPORT_NORMAL_COMPANY_COMPANY_CONTACT_DETAILS_ADDRESSES_ITEM_POBOX	string			

Name	Data Type	Label	Required	Documentation
REPORT_NORMAL_COMPANY_CONTACT_DETAILS_ADDRESSES_ITEM_POSTCODE	string			
REPORT_NORMAL_COMPANY_CONTACT_DETAILS_ADDRESSES_ITEM_RESIDENCE	string			
REPORT_NORMAL_COMPANY_CONTACT_DETAILS_ADDRESSES_ITEM_STREET	string			
REPORT_NORMAL_COMPANY_CONTACT_DETAILS_COMPANY_NAME	string			
REPORT_NORMAL_COMPANY_CONTACT_DETAILS_TELEPHONE_NUMBERS_ITEM_COUNTRY_NUMBER	string			
REPORT_NORMAL_COMPANY_CONTACT_DETAILS_TELEPHONE_NUMBERS_ITEM_NET_NUMBER	string			
REPORT_NORMAL_COMPANY_CONTACT_DETAILS_TELEPHONE_NUMBERS_ITEM_SUBSCRIBER_NUMBER	string			
REPORT_NORMAL_COMPANY_CONTACT_DETAILS_TELEPHONE_NUMBERS_ITEM_TELEPHONE_CODE	int32			
REPORT_NORMAL_COMPANY_CONTACT_DETAILS_TELEPHONE_NUMBERS_ITEM_TELEPHONE_TEXT	string			
REPORT_NORMAL_COMPANY_CONTACT_DETAILS_TRADE_NAMES_ITEM_DATE_FROM	datetime			
REPORT_NORMAL_COMPANY_CONTACT_DETAILS_TRADE_NAMES_ITEM_DATE_UNTIL	datetime			
REPORT_NORMAL_COMPANY_CONTACT_DETAILS_TRADE_NAMES_ITEM_IS_CURRENT	boolean			
REPORT_NORMAL_COMPANY_CONTACT_DETAILS_TRADE_NAMES_ITEM_NAME	string			
REPORT_NORMAL_COMPANY_CREDIT_ADVICE_DATA_CREDIT_ADVICE_CREDIT_AMOUNT	string			
REPORT_NORMAL_COMPANY_CREDIT_ADVICE_DATA_CREDIT_ADVICE_CREDIT_CURRENCY	string			
REPORT_NORMAL_COMPANY_CREDIT_ADVICE_DATA_CREDIT_ADVICE_CREDIT_FACTORS_ITEM_ADJUSTMENT	int32			
REPORT_NORMAL_COMPANY_CREDIT_ADVICE_DATA_CREDIT_ADVICE_CREDIT_FACTORS_ITEM_DESCRIPTION	string			

Name	Data Type	Label	Required	Documentation
REPORT_NORMAL_COMPANY_CR EDIT_ADVICE_DATA_CREDIT_ADV ICE_CREDIT_FACTORS_ITEM_TYP E	string			
REPORT_NORMAL_COMPANY_CR EDIT_ADVICE_DATA_CREDIT_ADV ICE_GRAYDON_COMPANY_ID	int64			
REPORT_NORMAL_COMPANY_CR EDIT_ADVICE_DATA_CREDIT_ADV ICE_HISTORY ADVISED_LIMITS_IT EM_VALUE	string			
REPORT_NORMAL_COMPANY_CR EDIT_ADVICE_DATA_CREDIT_ADV ICE_HISTORY ADVISED_LIMITS_IT EM_YEAR_MONTH	string(7)			
REPORT_NORMAL_COMPANY_CR EDIT_ADVICE_DATA_CREDIT_ADV ICE_MOTHER_AMOUNT	string			
REPORT_NORMAL_COMPANY_CR EDIT_ADVICE_DATA_CREDIT_ADV ICE_MOTHER_GRAYDON_COMPA NY_ID	int64			
REPORT_NORMAL_COMPANY_CR EDIT_ADVICE_DATA_CREDIT_RATI NG_CREDIT_FLAG_CODE	string			
REPORT_NORMAL_COMPANY_CR EDIT_ADVICE_DATA_CREDIT_RATI NG_CREDIT_FLAG_TEXT	string			
REPORT_NORMAL_COMPANY_CR EDIT_ADVICE_DATA_CREDIT_RATI NG_ERC_SCORE	string			
REPORT_NORMAL_COMPANY_CR EDIT_ADVICE_DATA_CREDIT_RATI NG_PD_PERCENTAGE_HISTORY_I TEM_VALUE	decimal			
REPORT_NORMAL_COMPANY_CR EDIT_ADVICE_DATA_CREDIT_RATI NG_PD_PERCENTAGE_HISTORY_I TEM_YEAR_MONTH	string(7)			
REPORT_NORMAL_COMPANY_CR EDIT_ADVICE_DATA_CREDIT_RATI NG_PD_PERCENTAGE	decimal			
REPORT_NORMAL_COMPANY_CR EDIT_ADVICE_DATA_CREDIT_RATI NG_PD_RATING_HISTORY_ITEM_ VALUE	string			
REPORT_NORMAL_COMPANY_CR EDIT_ADVICE_DATA_CREDIT_RATI NG_PD_RATING_HISTORY_ITEM_ YEAR_MONTH	string(7)			
REPORT_NORMAL_COMPANY_CR EDIT_ADVICE_DATA_CREDIT_RATI NG_PD_RATING	string			
REPORT_NORMAL_COMPANY_CR EDIT_ADVICE_DATA_CREDIT_RATI	string			

Name	Data Type	Label	Required	Documentation
NG_RATINGS_ITEM_DESCRIPTION				
REPORT_NORMAL_COMPANY_CREDIT_ADVICE_DATA_CREDIT_RATING_RATINGS_ITEM_TYPE	string			
REPORT_NORMAL_COMPANY_CREDIT_ADVICE_DATA_CREDIT_RATING_RATINGS_ITEM_VALUE	string			
REPORT_NORMAL_COMPANY_CREDIT_ADVICE_DATA_CREDIT_RATING_Y_RATING_HISTORY_ITEM_VALUE	string			
REPORT_NORMAL_COMPANY_CREDIT_ADVICE_DATA_CREDIT_RATING_Y_RATING_HISTORY_ITEM_YEAR_MONTH	string(7)			
REPORT_NORMAL_COMPANY_CREDIT_ADVICE_DATA_CREDIT_RATING_Y_RATING	string			
REPORT_NORMAL_COMPANY_CREDIT_ADVICE_DATA_INCLUDING_PERSONAL_JUDGEMENT	boolean			
REPORT_NORMAL_COMPANY_DECLARATIONS_OF_LIABILITY_ITEM_DATE_FROM	datetime			
REPORT_NORMAL_COMPANY_DECLARATIONS_OF_LIABILITY_ITEM_DATE_UNTIL	datetime			
REPORT_NORMAL_COMPANY_DECLARATIONS_OF_LIABILITY_ITEM_GRAYDON_COMPANY_ID	int64			
REPORT_NORMAL_COMPANY_DECLARATIONS_OF_LIABILITY_ITEM_IS_CURRENT	boolean			
REPORT_NORMAL_COMPANY_FINANCIAL_CALAMITIES_ITEM_BANKRUPTCY_CURATORS	string			
REPORT_NORMAL_COMPANY_FINANCIAL_CALAMITIES_ITEM_BANKRUPTCY_CURRENTLY_ACTIVE	boolean			
REPORT_NORMAL_COMPANY_FINANCIAL_CALAMITIES_ITEM_BANKRUPTCY_DATE_OF_VERDICT	datetime			
REPORT_NORMAL_COMPANY_FINANCIAL_CALAMITIES_ITEM_BANKRUPTCY_DEFINITE_DISCONTINUANCE_CODE	int32			
REPORT_NORMAL_COMPANY_FINANCIAL_CALAMITIES_ITEM_BANKRUPTCY_DEFINITE_DISCONTINUANCE_DATE	datetime			
REPORT_NORMAL_COMPANY_FINANCIAL_CALAMITIES_ITEM_BANKRUPTCY_DEFINITE_DISCONTINUANCE_TEXT	string			

Name	Data Type	Label	Required	Documentation
REPORT_NORMAL_COMPANY_FINANCIAL_CALAMITIES_ITEM_BANKRUPTCY_OFFICIAL_REGISTRATION_NUMBER	int64			
REPORT_NORMAL_COMPANY_FINANCIAL_CALAMITIES_ITEM_DEBT_RESTRUCTURING_PRIVATE_PERSONS_CURRENTLY_ACTIVE	boolean			
REPORT_NORMAL_COMPANY_FINANCIAL_CALAMITIES_ITEM_DEBT_RESTRUCTURING_PRIVATE_PERSONS_DEBT_RESTRUCTURING_TERM_IN_MONTHS	int32			
REPORT_NORMAL_COMPANY_FINANCIAL_CALAMITIES_ITEM_DEBT_RESTRUCTURING_PRIVATE_PERSONS_DEFINITE_DISCONTINUANCE_CODE	int32			
REPORT_NORMAL_COMPANY_FINANCIAL_CALAMITIES_ITEM_DEBT_RESTRUCTURING_PRIVATE_PERSONS_DEFINITE_DISCONTINUANCE_DATE	datetime			
REPORT_NORMAL_COMPANY_FINANCIAL_CALAMITIES_ITEM_DEBT_RESTRUCTURING_PRIVATE_PERSONS_DEFINITE_DISCONTINUANCE_TEXT	string			
REPORT_NORMAL_COMPANY_FINANCIAL_CALAMITIES_ITEM_DEBT_RESTRUCTURING_PRIVATE_PERSONS_DEFINITE_VERDICT_DATE	datetime			
REPORT_NORMAL_COMPANY_FINANCIAL_CALAMITIES_ITEM_DEBT_RESTRUCTURING_PRIVATE_PERSONS_OFFICIAL_REGISTRATION_NUMBER	int64			
REPORT_NORMAL_COMPANY_FINANCIAL_CALAMITIES_ITEM_DEBT_RESTRUCTURING_PRIVATE_PERSONS_PROVISIONAL_DISCONTINUANCE_CODE	int32			
REPORT_NORMAL_COMPANY_FINANCIAL_CALAMITIES_ITEM_DEBT_RESTRUCTURING_PRIVATE_PERSONS_PROVISIONAL_DISCONTINUANCE_DATE	datetime			
REPORT_NORMAL_COMPANY_FINANCIAL_CALAMITIES_ITEM_DEBT_RESTRUCTURING_PRIVATE_PERSONS_PROVISIONAL_DISCONTINUANCE_TEXT	string			
REPORT_NORMAL_COMPANY_FINANCIAL_CALAMITIES_ITEM_DEBT_RESTRUCTURING_PRIVATE_PERSONS_PROVISIONAL_VERDICT_DATE	datetime			

Name	Data Type	Label	Required	Documentation
REPORT_NORMAL_COMPANY_FINANCIAL_CALAMITIES_ITEM_DEBT_RESTRUCTURING_PRIVATE_PERSONS_RECEIVERS	string			
REPORT_NORMAL_COMPANY_FINANCIAL_CALAMITIES_ITEM_MORTORIUM_CURRENTLY_ACTIVE	boolean			
REPORT_NORMAL_COMPANY_FINANCIAL_CALAMITIES_ITEM_MORTORIUM_DATE_FROM	datetime			
REPORT_NORMAL_COMPANY_FINANCIAL_CALAMITIES_ITEM_MORTORIUM_DEFINITE_DISCONTINUANCE_CODE	int32			
REPORT_NORMAL_COMPANY_FINANCIAL_CALAMITIES_ITEM_MORTORIUM_DEFINITE_DISCONTINUANCE_DATE	datetime			
REPORT_NORMAL_COMPANY_FINANCIAL_CALAMITIES_ITEM_MORTORIUM_DEFINITE_DISCONTINUANCE_TEXT	string			
REPORT_NORMAL_COMPANY_FINANCIAL_CALAMITIES_ITEM_MORTORIUM_DEFINITE_VERDICT_DATE	datetime			
REPORT_NORMAL_COMPANY_FINANCIAL_CALAMITIES_ITEM_MORTORIUM_MORTORIUM_TERM_IN_MONTHS	int32			
REPORT_NORMAL_COMPANY_FINANCIAL_CALAMITIES_ITEM_MORTORIUM_OFFICIAL_REGISTRATION_NUMBER	int64			
REPORT_NORMAL_COMPANY_FINANCIAL_CALAMITIES_ITEM_MORTORIUM_PROLONGATION_DATE	datetime			
REPORT_NORMAL_COMPANY_FINANCIAL_CALAMITIES_ITEM_MORTORIUM_PROLONGATION_IN_MONTHS	int32			
REPORT_NORMAL_COMPANY_FINANCIAL_CALAMITIES_ITEM_MORTORIUM_PROVISIONAL_VERDICT_DATE	datetime			
REPORT_NORMAL_COMPANY_FINANCIAL_CALAMITIES_ITEM_MORTORIUM_RECEIVERS	string			
REPORT_NORMAL_COMPANY_FINANCIAL_CALAMITIES_ITEM_MORTORIUM_VOTE_CODE	int32			
REPORT_NORMAL_COMPANY_FINANCIAL_CALAMITIES_ITEM_MORTORIUM_VOTE_DATE	datetime			
REPORT_NORMAL_COMPANY_FINANCIAL_CALAMITIES_ITEM_MORA	string			

Name	Data Type	Label	Required	Documentation
TORIUM_VOTE_TEXT				
REPORT_NORMAL_COMPANY_FINANCIAL_DETAILS_GRAYDON_COMPANY_ID	int64			
REPORT_NORMAL_COMPANY_FINANCIAL_DETAILS_RESULTS_ITEM_AMOUNT_CURRENCY	string			
REPORT_NORMAL_COMPANY_FINANCIAL_DETAILS_RESULTS_ITEM_AMOUNT	decimal			
REPORT_NORMAL_COMPANY_FINANCIAL_DETAILS_RESULTS_ITEM_FINANCIAL_CODE	string			
REPORT_NORMAL_COMPANY_FINANCIAL_DETAILS_RESULTS_ITEM_FINANCIAL_TEXT	string			
REPORT_NORMAL_COMPANY_FINANCIAL_DETAILS_RESULTS_ITEM_FORECAST	decimal			
REPORT_NORMAL_COMPANY_FINANCIAL_DETAILS_RESULTS_ITEM_YEAR	int32			
REPORT_NORMAL_COMPANY_FINANCIAL_DETAILS_TURNOVERS_ITEM_AMOUNT_CURRENCY	string			
REPORT_NORMAL_COMPANY_FINANCIAL_DETAILS_TURNOVERS_ITEM_AMOUNT	decimal			
REPORT_NORMAL_COMPANY_FINANCIAL_DETAILS_TURNOVERS_ITEM_FINANCIAL_CODE	string			
REPORT_NORMAL_COMPANY_FINANCIAL_DETAILS_TURNOVERS_ITEM_FINANCIAL_TEXT	string			
REPORT_NORMAL_COMPANY_FINANCIAL_DETAILS_TURNOVERS_ITEM_FORECAST	decimal			
REPORT_NORMAL_COMPANY_FINANCIAL_DETAILS_TURNOVERS_ITEM_YEAR	int32			
REPORT_NORMAL_COMPANY_GRAYDON_COMPANY_ID	int64			
REPORT_NORMAL_COMPANY_HISTORY_COMPANY_CONTINUED_UNDER_ITEM_CONTINUED_UNDER_CODE	int32			
REPORT_NORMAL_COMPANY_HISTORY_COMPANY_CONTINUED_UNDER_ITEM_CONTINUED_UNDER_TEXT	string			
REPORT_NORMAL_COMPANY_HISTORY_COMPANY_CONTINUED_UNDER_ITEM_DATE_FROM	datetime			

Name	Data Type	Label	Required	Documentation
REPORT_NORMAL_COMPANY_HISTORY_COMPANY_CONTINUED_UNDER_ITEM_GRAYDON_COMPANY_ID	int64			
REPORT_NORMAL_COMPANY_HISTORY_CONTINUATION_ITEM_DATE_FROM	datetime			
REPORT_NORMAL_COMPANY_HISTORY_CONTINUATION_ITEM_LEGAL_FORM_CODE	int32			
REPORT_NORMAL_COMPANY_HISTORY_CONTINUATION_ITEM_LEGAL_FORM_TEXT	string			
REPORT_NORMAL_COMPANY_HISTORY_CONTINUATION_ITEM_RESIDENCE	string			
REPORT_NORMAL_COMPANY_HISTORY_ORIGINATED_FROM_ITEM_DATE_FROM	datetime			
REPORT_NORMAL_COMPANY_HISTORY_ORIGINATED_FROM_ITEM_GRAYDON_COMPANY_ID	int64			
REPORT_NORMAL_COMPANY_HISTORY_ORIGINATED_FROM_ITEM_ORIGINATED_FROM_CODE	int32			
REPORT_NORMAL_COMPANY_HISTORY_ORIGINATED_FROM_ITEM_ORIGINATED_FROM_TEXT	string			
REPORT_NORMAL_COMPANY_OF_FICIAL_DATA_CAPITAL_ITEM_CAPITAL_OF_COMMANDITE_PARTNERSHIP	string			
REPORT_NORMAL_COMPANY_OF_FICIAL_DATA_CAPITAL_ITEM_DATE_CHANGE	datetime			
REPORT_NORMAL_COMPANY_OF_FICIAL_DATA_CAPITAL_ITEM_IS_CURRENT	boolean			
REPORT_NORMAL_COMPANY_OF_FICIAL_DATA_CAPITAL_ITEM_ISSUED_CAPITAL	string			
REPORT_NORMAL_COMPANY_OF_FICIAL_DATA_CAPITAL_ITEM_MONETARY_AMOUNT_SPECIFIED_IN_CORPORATE_DEED	string			
REPORT_NORMAL_COMPANY_OF_FICIAL_DATA_CAPITAL_ITEM_PAID_UP_CAPITAL	string			
REPORT_NORMAL_COMPANY_OF_FICIAL_DATA_CAPITAL_ITEM_SOCIAL_CAPITAL	string			
REPORT_NORMAL_COMPANY_OF_FICIAL_DATA_CHAMBER_OF_COMMERCE_ADMINISTERING_CHAMBER_NO	string			

Name	Data Type	Label	Required	Documentation
REPORT_NORMAL_COMPANY_OF FICIAL_DATA_CHAMBER_OF_CO MMERCE_CHAMBER_NO	string			
REPORT_NORMAL_COMPANY_OF FICIAL_DATA_CHAMBER_OF_CO MMERCE_DOSSIER_NO	string			
REPORT_NORMAL_COMPANY_OF FICIAL_DATA_CHAMBER_OF_CO MMERCE_SUB_DOSSIER_NO	string			
REPORT_NORMAL_COMPANY_OF FICIAL_DATA_CHAMBER_OF_CO MMERCE_TRADE_REGISTER_LOC ATION	string			
REPORT_NORMAL_COMPANY_OF FICIAL_DATA_DISCONTINUANCE_ DATE	string			
REPORT_NORMAL_COMPANY_OF FICIAL_DATA_DISCONTINUANCE_ REASON	string			
REPORT_NORMAL_COMPANY_OF FICIAL_DATA_DISCONTINUANCE_ TYPE	string			
REPORT_NORMAL_COMPANY_OF FICIAL_DATA_FOUNDED_ITEM_DA TE_FROM	datetime			
REPORT_NORMAL_COMPANY_OF FICIAL_DATA_FOUNDED_ITEM_FO UNDED_AT	datetime			
REPORT_NORMAL_COMPANY_OF FICIAL_DATA_FOUNDED_ITEM_LE GAL_FORM_CODE	int32			
REPORT_NORMAL_COMPANY_OF FICIAL_DATA_FOUNDED_ITEM_LE GAL_FORM_TEXT	string			
REPORT_NORMAL_COMPANY_OF FICIAL_DATA_FOUNDED_ITEM_RE SIDENCE	string			
REPORT_NORMAL_COMPANY_OF FICIAL_DATA_FOUNDED_ITEM_ST ART_DATE	datetime			
REPORT_NORMAL_COMPANY_OF FICIAL_DATA_NUMBER_OF_NON_ EXECUTIVE_PARTNERS	string			
REPORT_NORMAL_COMPANY_OF FICIAL_DATA_PRESENT_LEGAL_F ORM_CODE	int32			
REPORT_NORMAL_COMPANY_OF FICIAL_DATA_PRESENT_LEGAL_F ORM_FINE_CODE	int32			
REPORT_NORMAL_COMPANY_OF FICIAL_DATA_PRESENT_LEGAL_F ORM_FINE_TEXT	string			
REPORT_NORMAL_COMPANY_OF FICIAL_DATA_PRESENT_LEGAL_F	string			

Name	Data Type	Label	Required	Documentation
ORM_TEXT				
REPORT_NORMAL_COMPANY_OFFICIAL_DATA_PUBLICATION_DUTY_CODE	string			
REPORT_NORMAL_COMPANY_OFFICIAL_DATA_PUBLICATION_DUTY_TEXT	string			
REPORT_NORMAL_COMPANY_OFFICIAL_DATA_VAT_NUMBER	string			
REPORT_NORMAL_COMPANY_PAYMENT_INFORMATION_ITEM_VALUE	decimal			
REPORT_NORMAL_COMPANY_PAYMENT_INFORMATION_ITEM_YEAR_MONTH	string(7)			
REPORT_NORMAL_COMPANY_PERSONNEL_EMPLOYEES_CLASS_CODE	int32			
REPORT_NORMAL_COMPANY_PERSONNEL_EMPLOYEES_CLASS_TEXT	string			
REPORT_NORMAL_COMPANY_PERSONNEL_GRAYDON_COMPANY_ID	int64			
REPORT_NORMAL_COMPANY_PERSONNEL_NUMBER_OF_EMPLOYEES_ITEM_YEAR	int32			
REPORT_NORMAL_COMPANY_POSITIONS_IN_OTHER_COMPANIES_ITEM_AUTHORITY_CODE	int32			
REPORT_NORMAL_COMPANY_POSITIONS_IN_OTHER_COMPANIES_ITEM_AUTHORITY_TEXT	string			
REPORT_NORMAL_COMPANY_POSITIONS_IN_OTHER_COMPANIES_ITEM_DATE_FROM	datetime			
REPORT_NORMAL_COMPANY_POSITIONS_IN_OTHER_COMPANIES_ITEM_DATE_UNTIL	datetime			
REPORT_NORMAL_COMPANY_POSITIONS_IN_OTHER_COMPANIES_ITEM_GRAYDON_COMPANY_ID	int64			
REPORT_NORMAL_COMPANY_POSITIONS_IN_OTHER_COMPANIES_ITEM_IS_CURRENT	boolean			
REPORT_NORMAL_COMPANY_POSITIONS_IN_OTHER_COMPANIES_ITEM_JOB_TITLE_CODE	int32			
REPORT_NORMAL_COMPANY_POSITIONS_IN_OTHER_COMPANIES_ITEM_JOB_TITLE_TEXT	string			
REPORT_NORMAL_COMPANY_RELATIONS_COMPANIES_ITEM_ANNO	string			

Name	Data Type	Label	Required	Documentation
UAL_FIGURES				
REPORT_NORMAL_COMPANY_RELATIONS_COMPANIES_ITEM_CONTACT_DETAILS_ADDRESSES	string			
REPORT_NORMAL_COMPANY_RELATIONS_COMPANIES_ITEM_CONTACT_DETAILS_COMPANY_NAME	string			
REPORT_NORMAL_COMPANY_RELATIONS_COMPANIES_ITEM_CONTACT_DETAILS_TELEPHONE_NUMBERS	string			
REPORT_NORMAL_COMPANY_RELATIONS_COMPANIES_ITEM_CONTACT_DETAILS_TRADE_NAMES	string			
REPORT_NORMAL_COMPANY_RELATIONS_COMPANIES_ITEM_FINANCIAL_CALAMITIES	string			
REPORT_NORMAL_COMPANY_RELATIONS_COMPANIES_ITEM_FINANCIAL_DETAILS_GRAYDON_COMPANY_ID	int64			
REPORT_NORMAL_COMPANY_RELATIONS_COMPANIES_ITEM_FINANCIAL_DETAILS_RESULTS	string			
REPORT_NORMAL_COMPANY_RELATIONS_COMPANIES_ITEM_FINANCIAL_DETAILS_TURNOVERS	string			
REPORT_NORMAL_COMPANY_RELATIONS_COMPANIES_ITEM_GRAYDON_COMPANY_ID	int64			
REPORT_NORMAL_COMPANY_RELATIONS_COMPANIES_ITEM_HISTORY_COMPANY_CONTINUED_UNDER	string			
REPORT_NORMAL_COMPANY_RELATIONS_COMPANIES_ITEM_HISTORY_CONTINUATION	string			
REPORT_NORMAL_COMPANY_RELATIONS_COMPANIES_ITEM_HISTORY_ORIGINATED_FROM	string			
REPORT_NORMAL_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_CAPITAL	string			
REPORT_NORMAL_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_CHAMBER_OF_COMMERCE_ADMINISTERING_CHAMBER_NO	string			
REPORT_NORMAL_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_CHAMBER_OF_COMMERCE_CHAMBER_NO	string			
REPORT_NORMAL_COMPANY_RELATIONS_COMPANIES_ITEM_OFFI	string			

Name	Data Type	Label	Required	Documentation
CIAL_DATA_CHAMBER_OF_COMMERCE_DOSSIER_NO				
REPORT_NORMAL_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_CHAMBER_OF_COMMERCE_SUB_DOSSIER_NO	string			
REPORT_NORMAL_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_CHAMBER_OF_COMMERCE_TRADE_REGISTER_LOCATION	string			
REPORT_NORMAL_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_DISCONTINUANCE_DATE	string			
REPORT_NORMAL_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_DISCONTINUANCE_REASON	string			
REPORT_NORMAL_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_DISCONTINUANCE_TYPE	string			
REPORT_NORMAL_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_FOUNDED	string			
REPORT_NORMAL_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_NUMBER_OF_NON_EXECUTIVE_PARTNERS	string			
REPORT_NORMAL_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_PRESENT_LEGAL_FORM_CODE	int32			
REPORT_NORMAL_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_PRESENT_LEGAL_FORM_FINE_CODE	int32			
REPORT_NORMAL_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_PRESENT_LEGAL_FORM_FINE_TEXT	string			
REPORT_NORMAL_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_PRESENT_LEGAL_FORM_TEXT	string			
REPORT_NORMAL_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_PUBLICATION_DUTY_CODE	string			
REPORT_NORMAL_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_PUBLICATION_DUTY_TEXT	string			
REPORT_NORMAL_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_PUBLICATION_DUTY_TEXT	string			

Name	Data Type	Label	Required	Documentation
CIAL_DATA_VAT_NUMBER				
REPORT_NORMAL_COMPANY_RELATIONS_COMPANIES_ITEM_POSITIONS_IN_OTHER_COMPANIES	string			
REPORT_NORMAL_COMPANY_RELATIONS_COMPANIES_ITEM_SECTORS_OF_INDUSTRY	string			
REPORT_NORMAL_COMPANY_RELATIONS_PERSONS_ITEM_ADDRESS_ADDRESS_CODE	int32			
REPORT_NORMAL_COMPANY_RELATIONS_PERSONS_ITEM_ADDRESS_ADDRESS_TEXT	string			
REPORT_NORMAL_COMPANY_RELATIONS_PERSONS_ITEM_ADDRESS_COUNTRY_CODE	int32			
REPORT_NORMAL_COMPANY_RELATIONS_PERSONS_ITEM_ADDRESS_COUNTRY_TEXT	string			
REPORT_NORMAL_COMPANY_RELATIONS_PERSONS_ITEM_ADDRESS_DATE_FROM	datetime			
REPORT_NORMAL_COMPANY_RELATIONS_PERSONS_ITEM_ADDRESS_DATE_UNTIL	datetime			
REPORT_NORMAL_COMPANY_RELATIONS_PERSONS_ITEM_ADDRESS_HOUSE_NO_ADDITION	string			
REPORT_NORMAL_COMPANY_RELATIONS_PERSONS_ITEM_ADDRESS_HOUSE_NO	string			
REPORT_NORMAL_COMPANY_RELATIONS_PERSONS_ITEM_ADDRESS_IS_CURRENT	boolean			
REPORT_NORMAL_COMPANY_RELATIONS_PERSONS_ITEM_ADDRESS_POBOX	string			
REPORT_NORMAL_COMPANY_RELATIONS_PERSONS_ITEM_ADDRESS_POSTCODE	string			
REPORT_NORMAL_COMPANY_RELATIONS_PERSONS_ITEM_ADDRESS_RESIDENCE	string			
REPORT_NORMAL_COMPANY_RELATIONS_PERSONS_ITEM_ADDRESS_STREET	string			
REPORT_NORMAL_COMPANY_RELATIONS_PERSONS_ITEM_BIRTH_INFORMATION_COUNTRY_CODE	int32			
REPORT_NORMAL_COMPANY_RELATIONS_PERSONS_ITEM_BIRTH_INFORMATION_COUNTRY_TEXT	string			

Name	Data Type	Label	Required	Documentation
REPORT_NORMAL_COMPANY_RELATIONS_PERSONS_ITEM_BIRTH_INFORMATION_DATE	datetime			
REPORT_NORMAL_COMPANY_RELATIONS_PERSONS_ITEM_BIRTH_INFORMATION_RESIDENCE	string			
REPORT_NORMAL_COMPANY_RELATIONS_PERSONS_ITEM_FINANCIAL_CALAMITIES	string			
REPORT_NORMAL_COMPANY_RELATIONS_PERSONS_ITEM_GRAYDON_PERSON_ID	int64			
REPORT_NORMAL_COMPANY_RELATIONS_PERSONS_ITEM_JOB_TITLES	string			
REPORT_NORMAL_COMPANY_RELATIONS_PERSONS_ITEM_PERSONAL_DETAILS_GENDER_CODE	string			
REPORT_NORMAL_COMPANY_RELATIONS_PERSONS_ITEM_PERSONAL_DETAILS_GENDER_TEXT	string			
REPORT_NORMAL_COMPANY_RELATIONS_PERSONS_ITEM_PERSONAL_DETAILS_INITIALS	string			
REPORT_NORMAL_COMPANY_RELATIONS_PERSONS_ITEM_PERSONAL_DETAILS_NAME	string			
REPORT_NORMAL_COMPANY_RELATIONS_PERSONS_ITEM_PERSONAL_DETAILS_PREFIXES	string			
REPORT_NORMAL_COMPANY_RELATIONS_PERSONS_ITEM_PERSONAL_DETAILS_TITLES	string			
REPORT_NORMAL_COMPANY_RELATIONS_PERSONS_ITEM_TELEPHONE_NUMBER_COUNTRY_NUMBER	string			
REPORT_NORMAL_COMPANY_RELATIONS_PERSONS_ITEM_TELEPHONE_NUMBER_NET_NUMBER	string			
REPORT_NORMAL_COMPANY_RELATIONS_PERSONS_ITEM_TELEPHONE_NUMBER_SUBSCRIBER_NUMBER	string			
REPORT_NORMAL_COMPANY_RELATIONS_PERSONS_ITEM_TELEPHONE_NUMBER_TELEPHONE_CODE	int32			
REPORT_NORMAL_COMPANY_RELATIONS_PERSONS_ITEM_TELEPHONE_NUMBER_TELEPHONE_TEXT	string			
REPORT_NORMAL_COMPANY_SECTORS_OF_INDUSTRY_ITEM_IS_PRIMARY	boolean			

Name	Data Type	Label	Required	Documentation
REPORT_NORMAL_COMPANY_SECTORS_OF_INDUSTRY_ITEM_SECTOR_CODE	string			
REPORT_NORMAL_COMPANY_SECTORS_OF_INDUSTRY_ITEM_SECTOR_TEXT	string			
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_COMPANIES_ITEM_ANNUAL_FIGURES	string			
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_COMPANIES_ITEM_CONTACT_DETAILS_ADDRESSES	string			
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_COMPANIES_ITEM_CONTACT_DETAILS_COMPANY_NAME	string			
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_COMPANIES_ITEM_CONTACT_DETAILS_TELEPHONE_NUMBERS	string			
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_COMPANIES_ITEM_CONTACT_DETAILS_TRADE_NAMES	string			
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_COMPANIES_ITEM_FINANCIAL_CALAMITIES	string			
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_COMPANIES_ITEM_FINANCIAL_DETAILS_GRAYDON_COMPANY_ID	int64			
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_COMPANIES_ITEM_FINANCIAL_DETAILS_RESULTS	string			
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_COMPANIES_ITEM_FINANCIAL_DETAILS_TURNS	string			
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_COMPANIES_ITEM_GRAYDON_COMPANY_ID	int64			
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_COMPANIES_ITEM_HISTORY_COMPANY_CONTINUED_UNDER	string			
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_COMPANIES_ITEM_HISTORY_CONTINUATION	string			
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_COMPANIES_ITEM_HISTORY_ORIGINATED_FROM	string			

Name	Data Type	Label	Required	Documentation
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_CAPITAL	string			
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_CHAMBER_OF_COMMERCE_ADMINISTERING_CHAMBER_NO	string			
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_CHAMBER_OF_COMMERCE_CHAMBER_NO	string			
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_CHAMBER_OF_COMMERCE_DOSSIER_NO	string			
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_CHAMBER_OF_COMMERCE_SUB_DOSSIER_NO	string			
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_CHAMBER_OF_COMMERCE_TRADE_REGISTER_LOCATION	string			
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_DISCONTINUANCE_DATE	string			
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_DISCONTINUANCE_REASON	string			
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_DISCONTINUANCE_TYPE	string			
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_FOUNDED	string			
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_NUMBER_OF_NON_EXECUTIVE_PARTNERS	string			
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_PRESENT_LEGAL_FORM_CODE	int32			
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_PRESENT_LEGAL_FORM_FINE_CODE	int32			
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_COMPANIES_I	string			

Name	Data Type	Label	Required	Documentation
TEM_OFFICIAL_DATA_PRESENT_LEGAL_FORM_FINE_TEXT				
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_PRESENT_LEGAL_FORM_TEXT	string			
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_PUBLICATION_DUTY_CODE	string			
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_PUBLICATION_DUTY_TEXT	string			
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_VAT_NUMBER	string			
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_COMPANIES_ITEM_POSITIONS_IN_OTHER_COMPANIES	string			
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_COMPANIES_ITEM_SECTORS_OF_INDUSTRY	string			
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_PERSONS_ITEM_ADDRESS_ADDRESS_CODE	int32			
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_PERSONS_ITEM_ADDRESS_ADDRESS_TEXT	string			
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_PERSONS_ITEM_ADDRESS_COUNTRY_CODE	int32			
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_PERSONS_ITEM_ADDRESS_COUNTRY_TEXT	string			
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_PERSONS_ITEM_ADDRESS_DATE_FROM	datetime			
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_PERSONS_ITEM_ADDRESS_DATE_UNTIL	datetime			
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_PERSONS_ITEM_ADDRESS_HOUSE_NO_ADDITION	string			
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_PERSONS_ITEM_ADDRESS_HOUSE_NO	string			
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_PERSONS_ITEM_ADDRESS_IS_CURRENT	boolean			
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_PERSONS_ITEM	string			

Name	Data Type	Label	Required	Documentation
M_ADDRESS_POBOX				
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_PERSONS_ITEM_ADDRESS_POSTCODE	string			
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_PERSONS_ITEM_ADDRESS_RESIDENCE	string			
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_PERSONS_ITEM_ADDRESS_STREET	string			
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_PERSONS_ITEM_BIRTH_INFORMATION_COUNTRY_CODE	int32			
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_PERSONS_ITEM_BIRTH_INFORMATION_COUNTRY_TEXT	string			
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_PERSONS_ITEM_BIRTH_INFORMATION_DATE	datetime			
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_PERSONS_ITEM_BIRTH_INFORMATION_RESIDENCE	string			
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_PERSONS_ITEM_FINANCIAL_CALAMITIES	string			
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_PERSONS_ITEM_GRAYDON_PERSON_ID	int64			
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_PERSONS_ITEM_JOB_TITLES	string			
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_PERSONS_ITEM_PERSONAL_DETAILS_GENDER_CODE	string			
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_PERSONS_ITEM_PERSONAL_DETAILS_GENDER_TEXT	string			
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_PERSONS_ITEM_PERSONAL_DETAILS_INITIALS	string			
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_PERSONS_ITEM_PERSONAL_DETAILS_NAME	string			
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_PERSONS_ITEM_PERSONAL_DETAILS_PREFIXES	string			
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_PERSONS_ITEM_PERSONAL_DETAILS_TITLES	string			

Name	Data Type	Label	Required	Documentation
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_PERSONS_ITEM_TELEPHONE_NUMBER_COUNTRY_NUMBER	string			
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_PERSONS_ITEM_TELEPHONE_NUMBER_NET_NUMBER	string			
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_PERSONS_ITEM_TELEPHONE_NUMBER_SUBSCRIBER_NUMBER	string			
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_PERSONS_ITEM_TELEPHONE_NUMBER_TELEPHONE_CODE	int32			
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_PERSONS_ITEM_TELEPHONE_NUMBER_TELEPHONE_TEXT	string			

3.1.182 graydonCreditManagement

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: graydonCreditManagement

Base

XPath: `/s:Envelope/s:Body/tns:graydonCreditManagementResponse/tns:out`

Filters on API Server: `graydon_company_id`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `graydonCreditManagement`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
graydon_company_id	int64	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `graydonCreditManagement` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ALARM_ALARM_CODE	int32			
ALARM_ALARM_TEXT	string			
COMPANY_MANAGEMENT_FIRST_DIRECTORS_ITEM_DATE_FROM	datetime			
COMPANY_MANAGEMENT_FIRST_DIRECTORS_ITEM_DATE_UNTIL	datetime			
COMPANY_MANAGEMENT_FIRST_DIRECTORS_ITEM_GRAYDON_PERSON_ID	int64			
COMPANY_MANAGEMENT_FIRST_DIRECTORS_ITEM_IS_CURRENT	boolean			
COMPANY_MANAGEMENT_FIRST_DIRECTORS_ITEM_JOB_TITLE_CODE	int32			
COMPANY_MANAGEMENT_FIRST_DIRECTORS_ITEM_JOB_TITLE_TEXT	string			
COMPANY_MANAGEMENT_MANAGEMENT_ITEM_GRAYDON_COMPANY_ID	int64			
COMPANY_MANAGEMENT_MANAGEMENT_ITEM_GRAYDON_PERSON_ID	int64			
COMPANY_MANAGEMENT_MANAGEMENT_ITEM_IS_CURRENT	boolean			
COMPANY_MANAGEMENT_MANAGEMENT_ITEM_JOB_TITLES	string			
PERSONS_ITEM_ADDRESS_ADDRESS_CODE	int32			
PERSONS_ITEM_ADDRESS_ADDRESS_TEXT	string			
PERSONS_ITEM_ADDRESS_COUNTRY_CODE	int32			
PERSONS_ITEM_ADDRESS_COUNTRY_TEXT	string			
PERSONS_ITEM_ADDRESS_DATE_FROM	datetime			
PERSONS_ITEM_ADDRESS_DATE_UNTIL	datetime			
PERSONS_ITEM_ADDRESS_HOUSE_NO_ADDITION	string			

Name	Data Type	Label	Required	Documentation
PERSONS_ITEM_ADDRESS_HOUSE_NO	string			
PERSONS_ITEM_ADDRESS_IS_CURRENT	boolean			
PERSONS_ITEM_ADDRESS_POBOX	string			
PERSONS_ITEM_ADDRESS_POSTCODE	string			
PERSONS_ITEM_ADDRESS_RESIDENCE	string			
PERSONS_ITEM_ADDRESS_STREET	string			
PERSONS_ITEM_BIRTH_INFORMATION_COUNTRY_CODE	int32			
PERSONS_ITEM_BIRTH_INFORMATION_COUNTRY_TEXT	string			
PERSONS_ITEM_BIRTH_INFORMATION_DATE	datetime			
PERSONS_ITEM_BIRTH_INFORMATION_RESIDENCE	string			
PERSONS_ITEM_FINANCIAL_CALAMITIES	string			
PERSONS_ITEM_GRAYDON_PERSON_ID	int64			
PERSONS_ITEM_JOB_TITLES	string			
PERSONS_ITEM_PERSONAL_DETAILS_GENDER_CODE	string			
PERSONS_ITEM_PERSONAL_DETAILS_GENDER_TEXT	string			
PERSONS_ITEM_PERSONAL_DETAILS_INITIALS	string			
PERSONS_ITEM_PERSONAL_DETAILS_NAME	string			
PERSONS_ITEM_PERSONAL_DETAILS_PREFIXES	string			
PERSONS_ITEM_PERSONAL_DETAILS_TITLES	string			
PERSONS_ITEM_TELEPHONE_NUMBER_COUNTRY_NUMBER	string			
PERSONS_ITEM_TELEPHONE_NUMBER_NET_NUMBER	string			
PERSONS_ITEM_TELEPHONE_NUMBER_SUBSCRIBER_NUMBER	string			
PERSONS_ITEM_TELEPHONE_NUMBER_TELEPHONE_CODE	int32			
PERSONS_ITEM_TELEPHONE_NUMBER_TELEPHONE_TEXT	string			

3.1.183 graydonCreditQuickscan

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: graydonCreditQuickscan

Base

XPath: `/s:Envelope/s:Body/tns:graydonCreditQuickscanResponse/tns:out`

Filters on API Server: `graydon_company_id`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `graydonCreditQuickscan`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
<code>graydon_company_id</code>	int64	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `graydonCreditQuickscan` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
<code>ALARM_ALARM_CODE</code>	int32			
<code>ALARM_ALARM_TEXT</code>	string			
<code>CREDIT_FLAG_CODE</code>	string			
<code>CREDIT_FLAG_TEXT</code>	string			
<code>PD_RATING</code>	string			

3.1.184 graydonCreditRatings

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `graydonCreditRatings`

Base

XPath: `/s:Envelope/s:Body/tns:graydonCreditRatingsResponse/tns:out`

Filters on API Server: `graydon_company_id`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `graydonCreditRatings`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
<code>graydon_company_id</code>	<code>int64</code>	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `graydonCreditRatings` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
<code>ALARM_ALARM_CODE</code>	<code>int32</code>			
<code>ALARM_ALARM_TEXT</code>	<code>string</code>			
<code>CREDIT_ADVICE_AMOUNT</code>	<code>string</code>			
<code>CREDIT_ADVICE_CURRENCY</code>	<code>string</code>			
<code>CREDIT_ADVICE_FACTORS_ITEM_ADJUSTMENT</code>	<code>int32</code>			
<code>CREDIT_ADVICE_FACTORS_ITEM_DESCRIPTION</code>	<code>string</code>			
<code>CREDIT_ADVICE_FACTORS_ITEM_TYPE</code>	<code>string</code>			
<code>PAYMENT_INFORMATION_ITEM_VALUE</code>	<code>decimal</code>			
<code>PAYMENT_INFORMATION_ITEM_YEAR_MONTH</code>	<code>string(7)</code>			
<code>PD_RATING</code>	<code>string</code>			

Name	Data Type	Label	Required	Documentation
RATINGS_ITEM_DESCRIPTION	string			
RATINGS_ITEM_TYPE	string			
RATINGS_ITEM_VALUE	string			

3.1.185 graydonCreditSearchIdentification

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: graydonCreditSearchIdentification

Base

XPath: `/s:Envelope/s:Body/tns:graydonCreditSearchIdentificationResponse/tns:out/tns:item`

Filters on API Server: `company_id- company_id_type- country_iso2`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `graydonCreditSearchIdentification`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
company_id_type	string	<input type="checkbox"/>		
company_id	string	<input type="checkbox"/>		
country_iso2	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `graydonCreditSearchIdentification` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
COMPANY_ID_TYPE	string			

Name	Data Type	Label	Required	Documentation
COMPANY_ID	string	Company ID		
COUNTRY_ISO2	string	ISO Country Code 2 Characters		
EMAIL	string	Email		
HOUSE_NO_ADDITION	string			
HOUSE_NO	int32			
POSTCODE	string	Postal Code		
RESIDENCE	string			
STREET	string	Street		
TRADE_NAME	string	Trade Name		
URL	string	URL		

3.1.186 graydonCreditSearchName

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: graydonCreditSearchName

Base

XPath: `/s:Envelope/s:Body/tns:graydonCreditSearchNameResponse/tns:output/tns:item`

Filters on API Server: `company_name- residence- country_iso2`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `graydonCreditSearchName`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
<code>company_name</code>	string	<input type="checkbox"/>		
<code>country_iso2</code>	string	<input type="checkbox"/>		

Name	Data Type	Required	Default Value	Documentation
residence	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `graydonCreditSearchName` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
COMPANY_ID_TYPE	string			
COMPANY_ID	string	Company ID		
COUNTRY_ISO2	string	ISO Country Code 2 Characters		
EMAIL	string	Email		
HOUSE_NO_ADDITION	string			
HOUSE_NO	int32			
POSTCODE	string	Postal Code		
RESIDENCE	string			
STREET	string	Street		
TRADE_NAME	string	Trade Name		
URL	string	URL		

3.1.187 graydonCreditSearchPostcode

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `graydonCreditSearchPostcode`

Base

XPath: `/s:Envelope/s:Body/tns:graydonCreditSearchPostcodeResponse/tns:out/tns:item`

Filters on API Server: `postcode- house_no- telephone_no- country_iso2`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `graydonCreditSearchPostcode`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four

parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
country_iso2	string	<input type="checkbox"/>		
house_no	int32	<input type="checkbox"/>		
postcode	string	<input type="checkbox"/>		
telephone_no	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `graydonCreditSearchPostcode` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
COMPANY_ID_TYPE	string			
COMPANY_ID	string	Company ID		
COUNTRY_ISO2	string	ISO Country Code 2 Characters		
EMAIL	string	Email		
HOUSE_NO_ADDITION	string			
HOUSE_NO	int32			
POSTCODE	string	Postal Code		
RESIDENCE	string			
STREET	string	Street		
TRADE_NAME	string	Trade Name		
URL	string	URL		

3.1.188 graydonCreditVatNumber

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `graydonCreditVatNumber`

Base

XPath: `/s:Envelope/s:Body/tns:graydonCreditVatNumberResponse/tns:out`

Filters on API Server: `graydon_company_id`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `graydonCreditVatNumber`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
<code>graydon_company_id</code>	int64	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `graydonCreditVatNumber` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
<code>ALARM_ALARM_CODE</code>	int32			
<code>ALARM_ALARM_TEXT</code>	string			
<code>VAT_NUMBER</code>	string	VAT Number		

3.1.189 insolvenyGetCaseByPublication

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `insolvenyGetCaseByPublication`

Base

XPath: `/s:Envelope/s:Body/tns:insolvenyGetCaseByPublicationResponse/tns:out`

Filters on API Server: `publication_id`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `insolvenyGetCaseByPublication`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the

execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
publication_id	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `insolvencyGetCaseByPublication` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
AFFECTED_COMPANIES_ITEM_ADDRESSES_ADDRESS	string			
AFFECTED_COMPANIES_ITEM_ADDRESSES_HIDDEN	boolean			
AFFECTED_COMPANIES_ITEM_COMPANY_NUMBER	string			
AFFECTED_COMPANIES_ITEM_COMPANY_REGISTERED_CITY	string			
AFFECTED_COMPANIES_ITEM_IS_FORMER	boolean			
AFFECTED_COMPANIES_ITEM_TRADE_NAME	string			
CURATORS_CURATOR_ITEM_CONTACT_INFO_ADDITION	string			
CURATORS_CURATOR_ITEM_CONTACT_INFO_CITY	string			
CURATORS_CURATOR_ITEM_CONTACT_INFO_HOUSE_NUMBER	int64			
CURATORS_CURATOR_ITEM_CONTACT_INFO_PHONE_NUMBER	string			
CURATORS_CURATOR_ITEM_CONTACT_INFO_POSTCODE	string			
CURATORS_CURATOR_ITEM_CONTACT_INFO_START_DATE	datetime			
CURATORS_CURATOR_ITEM_CONTACT_INFO_STREET	string			
CURATORS_CURATOR_ITEM_CONTACT_INFO_TYPE	string			
CURATORS_CURATOR_ITEM_END_DATE	datetime			

Name	Data Type	Label	Required	Documentation
CURATORS_CURATOR_ITEM_INITI ALS	string			
CURATORS_CURATOR_ITEM_LAS T_NAME	string			
CURATORS_CURATOR_ITEM_PRE FIX	string			
CURATORS_CURATOR_ITEM_STA RT_DATE	datetime			
CURATORS_CURATOR_ITEM_TITL ES	string			
DEPT_RESTRUCTURING_NUMBER	string			
EVENTS_EVENT_ITEM_AUTHORITY_CODE	int64			
EVENTS_EVENT_ITEM_CODE	string			
EVENTS_EVENT_ITEM_COURT_SE SSION_ADDITION	string			
EVENTS_EVENT_ITEM_COURT_SE SSION_CITY	string			
EVENTS_EVENT_ITEM_COURT_SE SSION_HOUSE_NUMBER	int64			
EVENTS_EVENT_ITEM_COURT_SE SSION_STREET	string			
EVENTS_EVENT_ITEM_DATE	datetime			
EVENTS_EVENT_ITEM_DESCRIPTION	string			
EVENTS_EVENT_ITEM_PUBLICATION_ID	string			
EVENTS_IS_LEGACY	boolean			
INSOLVENCY_ID	string			
IS_PRE_HGK_PUBLISHED	boolean			
LEGAL_SUBJECT_LEGAL_ENTITY _ADDRESSES_ADDRESS_ITEM_A DDITION	string			
LEGAL_SUBJECT_LEGAL_ENTITY _ADDRESSES_ADDRESS_ITEM_CI TY	string			
LEGAL_SUBJECT_LEGAL_ENTITY _ADDRESSES_ADDRESS_ITEM_H OUSE_NUMBER	int64			
LEGAL_SUBJECT_LEGAL_ENTITY _ADDRESSES_ADDRESS_ITEM_PH ONE_NUMBER	string			
LEGAL_SUBJECT_LEGAL_ENTITY _ADDRESSES_ADDRESS_ITEM_P OSTCODE	string			
LEGAL_SUBJECT_LEGAL_ENTITY _ADDRESSES_ADDRESS_ITEM_ST ART_DATE	datetime			
LEGAL_SUBJECT_LEGAL_ENTITY _ADDRESSES_ADDRESS_ITEM_ST	string			

Name	Data Type	Label	Required	Documentation
REET				
LEGAL_SUBJECT_LEGAL_ENTITY_ADDRESSES_ADDRESS_ITEM_TYPE	string			
LEGAL_SUBJECT_LEGAL_ENTITY_ADDRESSES_HIDDEN	boolean			
LEGAL_SUBJECT_LEGAL_ENTITY_COC_NUMBER	string			
LEGAL_SUBJECT_LEGAL_ENTITY_COC_REGISTERED_CITY	string			
LEGAL_SUBJECT_LEGAL_ENTITY_IS_FORMER	boolean			
LEGAL_SUBJECT_LEGAL_ENTITY_TRADE_NAME	string			
LEGAL_SUBJECT_NATURAL_PERSON_ADDRESSES_ADDRESS_ITEM_ADDITION	string			
LEGAL_SUBJECT_NATURAL_PERSON_ADDRESSES_ADDRESS_ITEM_CITY	string			
LEGAL_SUBJECT_NATURAL_PERSON_ADDRESSES_ADDRESS_ITEM_HOUSE_NUMBER	int64			
LEGAL_SUBJECT_NATURAL_PERSON_ADDRESSES_ADDRESS_ITEM_PHONE_NUMBER	string			
LEGAL_SUBJECT_NATURAL_PERSON_ADDRESSES_ADDRESS_ITEM_POSTCODE	string			
LEGAL_SUBJECT_NATURAL_PERSON_ADDRESSES_ADDRESS_ITEM_START_DATE	datetime			
LEGAL_SUBJECT_NATURAL_PERSON_ADDRESSES_ADDRESS_ITEM_STREET	string			
LEGAL_SUBJECT_NATURAL_PERSON_ADDRESSES_ADDRESS_ITEM_TYPE	string			
LEGAL_SUBJECT_NATURAL_PERSON_ADDRESSES_HIDDEN	boolean			
LEGAL_SUBJECT_NATURAL_PERSON_BIRTH_CITY	string			
LEGAL_SUBJECT_NATURAL_PERSON_BIRTH_COUNTRY	string			
LEGAL_SUBJECT_NATURAL_PERSON_BIRTH_DATE	datetime			
LEGAL_SUBJECT_NATURAL_PERSON_DECEASED_DATE	datetime			
LEGAL_SUBJECT_NATURAL_PERSON_FIRST_NAME	string			
LEGAL_SUBJECT_NATURAL_PERSON_INITIALS	string			

Name	Data Type	Label	Required	Documentation
LEGAL_SUBJECT_NATURAL_PERSON_LAST_NAME	string			
LEGAL_SUBJECT_NATURAL_PERSON_PREFIX	string			
MAGISTRATE	string			
PRE_HGK_INSOLVENCY_ID	string			
PREVIOUS_INSOLVENCY_ID	string			
PREVIOUS_MAGISTRATE	string			
RECEIVERS_RECEIVER_ITEM_CONTACT_INFO_ADDITION	string			
RECEIVERS_RECEIVER_ITEM_CONTACT_INFO_CITY	string			
RECEIVERS_RECEIVER_ITEM_CONTACT_INFO_HOUSE_NUMBER	int64			
RECEIVERS_RECEIVER_ITEM_CONTACT_INFO_PHONE_NUMBER	string			
RECEIVERS_RECEIVER_ITEM_CONTACT_INFO_POSTCODE	string			
RECEIVERS_RECEIVER_ITEM_CONTACT_INFO_START_DATE	datetime			
RECEIVERS_RECEIVER_ITEM_CONTACT_INFO_STREET	string			
RECEIVERS_RECEIVER_ITEM_CONTACT_INFO_TYPE	string			
RECEIVERS_RECEIVER_ITEM_END_DATE	datetime			
RECEIVERS_RECEIVER_ITEM_INITIALS	string			
RECEIVERS_RECEIVER_ITEM_LAST_NAME	string			
RECEIVERS_RECEIVER_ITEM_PREFIX	string			
RECEIVERS_RECEIVER_ITEM_START_DATE	datetime			
RECEIVERS_RECEIVER_ITEM_TITLES	string			
REMOVAL_DATE	datetime			
REPORTS_ITEM_DATE	datetime			
REPORTS_ITEM_IS_FINAL	boolean			
REPORTS_ITEM_REPORT_ID	string			
REPORTS_ITEM_TITLE	string			
TREATING_AUTHORITY_CODE	int64			
TREATING_AUTHORITY_ESTABLISHMENT_CODE	int64			
TREATING_AUTHORITY_ESTABLISHMENT_NAME	string			
TREATING_AUTHORITY_NAME	string			

3.1.190 insolvenySearchPublicationsByCoCNumber

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: insolvenySearchPublicationsByCoCNumber

Base

XPath: `/s:Envelope/s:Body/tns:insolvenySearchPublicationsByCoCNumberResponse/tns:out`

Filters on API Server: coc_number

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `insolvenySearchPublicationsByCoCNumber`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
coc_number	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `insolvenySearchPublicationsByCoCNumber` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
DATE	datetime	Date		
PUBLICATIONS_ITEM	string			

3.1.191 insolvenySearchPublicationsByPerson

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `insolvencySearchPublicationsByPerson`

Base

XPath: `/s:Envelope/s:Body/tns:insolvencySearchPublicationsByPersonResponse/tns:out`

Filters on API Server: `last_name- prefix- birth_date- postcode- house_number`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `insolvencySearchPublicationsByPerson`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
<code>birth_date</code>	<code>datetime</code>	<input type="checkbox"/>		
<code>house_number</code>	<code>int32</code>	<input type="checkbox"/>		
<code>last_name</code>	<code>string</code>	<input type="checkbox"/>		
<code>postcode</code>	<code>string</code>	<input type="checkbox"/>		
<code>prefix</code>	<code>string</code>	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `insolvencySearchPublicationsByPerson` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
<code>DATE</code>	<code>datetime</code>	<code>Date</code>		
<code>PUBLICATIONS_ITEM</code>	<code>string</code>			

3.1.192 internationalAddressSearchInteractive

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `internationalAddressSearchInteractive`

Base

XPath: `/s:Envelope/s:Body/tns:internationalAddressSearchInteractiveResponse/tns:out`

Filters on API Server: `organization- building- street- housenr- pobox- locality- postcode- province- country- language- country_format`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `internationalAddressSearchInteractive`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
building	string	<input type="checkbox"/>		
country_format	string	<input type="checkbox"/>		
country	string	<input type="checkbox"/>		
housenr	string	<input type="checkbox"/>		
language	string	<input type="checkbox"/>		
locality	string	<input type="checkbox"/>		
organization	string	<input type="checkbox"/>		
pobox	string	<input type="checkbox"/>		
postcode	string	<input type="checkbox"/>		
province	string	<input type="checkbox"/>		
street	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `internationalAddressSearchInteractive` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
COUNTRY_ISO3	string			

Name	Data Type	Label	Required	Documentation
RESULT_ITEM_ADDRESS_BUILDING	string			
RESULT_ITEM_ADDRESS_CONTACT	string			
RESULT_ITEM_ADDRESS_COUNTRY	string			
RESULT_ITEM_ADDRESS_COUNTRYSPECIFIC_LOCALITY	string			
RESULT_ITEM_ADDRESS_DELIVERY_ADDRESS	string			
RESULT_ITEM_ADDRESS_DEPARTMENT	string			
RESULT_ITEM_ADDRESS_FORMATTED_ADDRESS	string			
RESULT_ITEM_ADDRESS_HOUSENUMBER	string			
RESULT_ITEM_ADDRESS_LOCALITY	string			
RESULT_ITEM_ADDRESS_MATCHRATE	decimal			
RESULT_ITEM_ADDRESS_ORGANIZATION	string			
RESULT_ITEM_ADDRESS_POBOX	string			
RESULT_ITEM_ADDRESS_POSTCODE	string			
RESULT_ITEM_ADDRESS_PROVINCE	string			
RESULT_ITEM_ADDRESS_STREET	string			
RESULT_ITEM_ELEMENT_MATCH_STATUS	string			
RESULT_ITEM_ELEMENT_RESULT_STATUS	string			
VALIDATION_STATUS	string			

3.1.193 internationalAddressSearchV2

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: internationalAddressSearchV2

Base

XPath: `/s:Envelope/s:Body/tns:internationalAddressSearchV2Response/tns:out`

Filters on API Server: organization- building- street- housenr- pobox- locality- postcode- province- country- language- country_format

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `internationalAddressSearchV2`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
building	string	<input type="checkbox"/>		
country_format	string	<input type="checkbox"/>		
country	string	<input type="checkbox"/>		
housenr	string	<input type="checkbox"/>		
language	string	<input type="checkbox"/>		
locality	string	<input type="checkbox"/>		
organization	string	<input type="checkbox"/>		
pobox	string	<input type="checkbox"/>		
postcode	string	<input type="checkbox"/>		
province	string	<input type="checkbox"/>		
street	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `internationalAddressSearchV2` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
COUNTRY_ISO3	string			
RESULT_ITEM_ADDRESS_BUILDING	string			
RESULT_ITEM_ADDRESS_CONTACT	string			
RESULT_ITEM_ADDRESS_COUNTRY	string			
RESULT_ITEM_ADDRESS_COUNTRYSPECIFIC_LOCALITY	string			

Name	Data Type	Label	Required	Documentation
RESULT_ITEM_ADDRESS_DELIVERY_ADDRESS	string			
RESULT_ITEM_ADDRESS_DEPARTMENT	string			
RESULT_ITEM_ADDRESS_FORMATTED_ADDRESS	string			
RESULT_ITEM_ADDRESS_HOUSENUMBER	string			
RESULT_ITEM_ADDRESS_LOCALITY	string			
RESULT_ITEM_ADDRESS_MATCHRATE	decimal			
RESULT_ITEM_ADDRESS_ORGANIZATION	string			
RESULT_ITEM_ADDRESS_POBOX	string			
RESULT_ITEM_ADDRESS_POSTCODE	string			
RESULT_ITEM_ADDRESS_PROVINCE	string			
RESULT_ITEM_ADDRESS_STREET	string			
RESULT_ITEM_ELEMENT_MATCH_STATUS	string			
RESULT_ITEM_ELEMENT_RESULT_STATUS	string			
VALIDATION_STATUS	string			

3.1.194 kadasterAddressCoordinates

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: kadasterAddressCoordinates

Base

XPath: `/s:Envelope/s:Body/tns:kadasterAddressCoordinatesResponse/tns:coordinates`

Filters on API Server: `postcode- city- street- houseno- housenoaddition`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `kadasterAddressCoordinates`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
city	string	<input type="checkbox"/>		
houzeno	int32	<input type="checkbox"/>		
houzenoaddition	string	<input type="checkbox"/>		
postcode	string	<input type="checkbox"/>		
street	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `kadasterAddressCoordinates` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
LATITUDE	decimal	Latitude		
LONGITUDE	decimal	Longitude		
WITHIN_STRUCTURE	boolean			
X	int32	X		
Y	int32	Y		

3.1.195 kadasterBronDocument

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: kadasterBronDocument

Base

XPath: `/s:Envelope/s:Body/tns:kadasterBronDocumentResponse/tns:bron_document`

Filters on API Server: `aanduiding_soort_register- deel- nummer- reeks- format`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `kadasterBronDocument`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a

pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
aanduiding_soort_register	string	<input type="checkbox"/>		
deel	string	<input type="checkbox"/>		
format	string	<input type="checkbox"/>		
nummer	string	<input type="checkbox"/>		
reeks	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `kadasterBronDocument` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
DOCUMENT	byte[]	Document		
IMAGES_ITEM	byte[]			

3.1.196 kadasterEigendomsBerichtDocumentPerceel

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `kadasterEigendomsBerichtDocumentPerceel`

Base

XPath: `/s:Envelope/s:Body/tns:kadasterEigendomsBerichtDocumentPerceelResponse/tns:berichtobjectresultaat`

Filters on API Server: `gemeentecode- gemeentenaam- sectie- perceelnummer- relatiecode- volgnummer- format`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `kadasterEigendomsBerichtDocumentPerceel`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the

execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
format	string	<input type="checkbox"/>		
gemeentecode	string	<input type="checkbox"/>		
gemeentenaam	string	<input type="checkbox"/>		
perceelnummer	string	<input type="checkbox"/>		
relatiecode	string	<input type="checkbox"/>		
sectie	string	<input type="checkbox"/>		
volgnummer	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `kadasterEigendomsBerichtDocumentPerceel` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
EIGENDOMSBERICHT_AFBEELDING_EN_ITEM	byte[]			
EIGENDOMSBERICHT_DATUM_BIJGEWERKT	datetime			
EIGENDOMSBERICHT_DOCUMENT	byte[]			
EIGENDOMSBERICHT_KADASTRALE_AANDUIDING_GEMEENTECODE	string			
EIGENDOMSBERICHT_KADASTRALE_AANDUIDING_GEMEENTENAAM	string			
EIGENDOMSBERICHT_KADASTRALE_AANDUIDING_PERCEELNUMMER	string			
EIGENDOMSBERICHT_KADASTRALE_AANDUIDING_RELATIECODE	string			
EIGENDOMSBERICHT_KADASTRALE_AANDUIDING_SECTIE	string			
EIGENDOMSBERICHT_KADASTRALE_AANDUIDING_VOLGNUMMER	string			
EIGENDOMSBERICHT_LOCATIES_INDICATIE_COMPLEET	boolean			
EIGENDOMSBERICHT_LOCATIES_LOCATIES_BINNENLAND_ITEM_GEM	string			

Name	Data Type	Label	Required	Documentation
EENTE				
EIGENDOMSBERICHT_LOCATIES_LOCATIES_BINNENLAND_ITEM_HUISLETTER	string			
EIGENDOMSBERICHT_LOCATIES_LOCATIES_BINNENLAND_ITEM_HUISNUMMER_TOEVOEGING	string			
EIGENDOMSBERICHT_LOCATIES_LOCATIES_BINNENLAND_ITEM_HUISNUMMER	int32			
EIGENDOMSBERICHT_LOCATIES_LOCATIES_BINNENLAND_ITEM_POSTCODE	string			
EIGENDOMSBERICHT_LOCATIES_LOCATIES_BINNENLAND_ITEM_STRAATNAAM	string			
EIGENDOMSBERICHT_OBJECT_ID	string			
EIGENDOMSBERICHT_OMSCHRIJVING	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_GEMEENTECODE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_GEMEENTENAAM	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_PERCEELNUMMER	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_RELATIECODE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_SECTIE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_VOLGNUMMER	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_GEMEENTE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_HUISLETTER	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_HUISNUMMER_TOEVOEGING	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_HUISNUMMER	int32			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_POSTCODE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_STRAATNAAM	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_OBJECT_ID	string			

Name	Data Type	Label	Required	Documentation
OVERZICHT_ONROERENDE_ZAKEN_ITEM_OMSCHRIJVING	string			

3.1.197 kadasterEigendomsBerichtDocumentPostcode

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: kadasterEigendomsBerichtDocumentPostcode

Base

XPath: `/s:Envelope/s:Body/tns:kadasterEigendomsBerichtDocumentPostcodeResponse/tns:berichtobjectresultaat`

Filters on API Server: postcode- huisnummer- huisnummer_toevoeging- format

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `kadasterEigendomsBerichtDocumentPostcode`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
format	string	<input type="checkbox"/>		
huisnummer_toevoeging	string	<input type="checkbox"/>		
huisnummer	int32	<input type="checkbox"/>		
postcode	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `kadasterEigendomsBerichtDocumentPostcode` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
EIGENDOMSBERICHT_AFBELDING_ITEM	byte[]			
EIGENDOMSBERICHT_DATUM_BIJGEWERKT	datetime			
EIGENDOMSBERICHT_DOCUMENT	byte[]			
EIGENDOMSBERICHT_KADASTRALE_AANDUIDING_GEMEENTECODE	string			
EIGENDOMSBERICHT_KADASTRALE_AANDUIDING_GEMEENTENAAM	string			
EIGENDOMSBERICHT_KADASTRALE_AANDUIDING_PERCEELNUMMER	string			
EIGENDOMSBERICHT_KADASTRALE_AANDUIDING_RELATIECODE	string			
EIGENDOMSBERICHT_KADASTRALE_AANDUIDING_SECTIE	string			
EIGENDOMSBERICHT_KADASTRALE_AANDUIDING_VOLGNUMMER	string			
EIGENDOMSBERICHT_LOCATIES_INDICATIE_COMPLEET	boolean			
EIGENDOMSBERICHT_LOCATIES_LOCATIES_BINNENLAND_ITEM_GEMEENTE	string			
EIGENDOMSBERICHT_LOCATIES_LOCATIES_BINNENLAND_ITEM_HUISLETTER	string			
EIGENDOMSBERICHT_LOCATIES_LOCATIES_BINNENLAND_ITEM_HUISNUMMER_TOEVOEGING	string			
EIGENDOMSBERICHT_LOCATIES_LOCATIES_BINNENLAND_ITEM_HUISNUMMER	int32			
EIGENDOMSBERICHT_LOCATIES_LOCATIES_BINNENLAND_ITEM_POSTCODE	string			
EIGENDOMSBERICHT_LOCATIES_LOCATIES_BINNENLAND_ITEMstraatnaam	string			
EIGENDOMSBERICHT_OBJECT_ID	string			
EIGENDOMSBERICHT_OMSCHRIJVING	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_GEMEENTECODE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_GEMEENTENAAM	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_PERCEELNUMMER	string			

Name	Data Type	Label	Required	Documentation
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_RELATIECODE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_SECTIE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_VOLGNUMMER	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_GEMEENTE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_HUISLETTER	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_HUISNUMMER_TOEVOEGING	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_HUISNUMMER	int32			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_POSTCODE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_STRAATNAAM	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_OBJECT_ID	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_OMSCHRIJVING	string			

3.1.198 kadasterEigendomsBerichtPerceel

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: kadasterEigendomsBerichtPerceel

Base

XPath: `/s:Envelope/s:Body/tns:kadasterEigendomsBerichtPerceelResponse/tns:berichtobjectresultaat`

Filters on API Server: gemeentecode- gemeentenaam- sectie- perceelnummer- relatiecode- volgnummer

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `kadasterEigendomsBerichtPerceel`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
gemeentecode	string	<input type="checkbox"/>		
gemeentenaam	string	<input type="checkbox"/>		
perceelnummer	string	<input type="checkbox"/>		
relatiecode	string	<input type="checkbox"/>		
sectie	string	<input type="checkbox"/>		
volgnummer	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `kadasterEigendomsBerichtPerceel` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
EIGENDOMSBERICHT_DATUM_BIJ GEWERKT	datetime			
EIGENDOMSBERICHT_DOCUMENT	byte[]			
EIGENDOMSBERICHT_GEMEENTES TUKKEN_ITEM_DATUM_IN_WERKIN G	datetime			
EIGENDOMSBERICHT_GEMEENTES TUKKEN_ITEM_GEMEENTELIJKE_R EGISTRATIE_ID	string			
EIGENDOMSBERICHT_GEMEENTES TUKKEN_ITEM_NUMMER	string			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_AANTEKENINGEN_KADA STRAAL_OBJECT_AANTEKENING EN_LIJST_AANTEKENINGEN_ITEM_BESCHRIJVING_AANTEKENING	string			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_AANTEKENINGEN_KADA STRAAL_OBJECT_AANTEKENING EN_LIJST_AANTEKENINGEN_ITEM_BETROKKE_ID	string			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_AANTEKENINGEN_KADA STRAAL_OBJECT_AANTEKENING EN_LIJST_AANTEKENINGEN_ITEM_OMSCHRIJVING_AANTEKENING	string			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_AANTEKENINGEN_KADA	string			

Name	Data Type	Label	Required	Documentation
STRAAL_OBJECT_AANTEKENING EN_LIJST_AANTEKENINGEN_ITEM_ STUK_ID				
EIGENDOMSBERICHT_ONROEREND E_ZAAK_AANTEKENINGEN_KADA STRAAL_OBJECT_AANTEKENING EN_LIJST_INDICATIE_COMPLEET	boolean			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_AANTEKENINGEN_KADA STRAAL_OBJECT_MELDING	string			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_DATUM_ONTSTAAN	datetime			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_INDICATIE_MEER_ONROE RENDE_ZAKEN	boolean			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_INDICATIE_VOORGENOM EN_SPLITSING	boolean			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_INDICATIE_VOORLOPIGE _AANTEKENING	boolean			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_KADASTRALE_AANDUID ING_GEMEENTECODE	string			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_KADASTRALE_AANDUID ING_GEMEENTENAAM	string			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_KADASTRALE_AANDUID ING_PERCEELNUMMER	string			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_KADASTRALE_AANDUID ING_RELATIECODE	string			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_KADASTRALE_AANDUID ING_SECTIE	string			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_KADASTRALE_AANDUID ING_VOLGNUMMER	string			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_KOOPJAAR	string			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_KOOPSOM	string			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_LANDINRICHTINGSRENT E_BEDRAG	string			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_LANDINRICHTINGSRENT E_EINDJAAR	string			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_LOCATIES_INDICATIE_C OMPLEET	boolean			

Name	Data Type	Label	Required	Documentation
EIGENDOMSBERICHT_ONROERENDE_ZAAK_LOCATIES_LOCATIES_BINNENLAND_ITEM_GEMEENTE	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_LOCATIES_LOCATIES_BINNENLAND_ITEM_HUISLETTER	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_LOCATIES_LOCATIES_BINNENLAND_ITEM_HUISNUMMER_TOEVOEGING	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_LOCATIES_LOCATIES_BINNENLAND_ITEM_HUISNUMMER	int32			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_LOCATIES_LOCATIES_BINNENLAND_ITEM_POSTCODE	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_LOCATIES_LOCATIES_BINNENLAND_ITEM_STRAATNAAM	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_MANDELIGHEID_HOOFDPERCELEN_INDICATIE_COMPLEET	boolean			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_MANDELIGHEID_HOOFDPERCELEN_KADASTRALE_AANDUIDINGEN_ITEM_GEMEENTECODE	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_MANDELIGHEID_HOOFDPERCELEN_KADASTRALE_AANDUIDINGEN_ITEM_GEMEENTENAAM	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_MANDELIGHEID_HOOFDPERCELEN_KADASTRALE_AANDUIDINGEN_ITEM_PERCEELNUMMER	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_MANDELIGHEID_HOOFDPERCELEN_KADASTRALE_AANDUIDINGEN_ITEM_RELATIECODE	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_MANDELIGHEID_HOOFDPERCELEN_KADASTRALE_AANDUIDINGEN_ITEM_SECTIE	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_MANDELIGHEID_HOOFDPERCELEN_KADASTRALE_AANDUIDINGEN_ITEM_VOLGNUMMER	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_MANDELIGHEID_MANDELIGE_PERCELEN_INDICATIE_COMPLEET	boolean			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_MANDELIGHEID_MANDELIGE_PERCELEN_KADASTRALE_AANDUIDINGEN_ITEM_GEMEENTECODE	string			

Name	Data Type	Label	Required	Documentation
EIGENDOMSBERICHT_ONROERENDE_ZAAK_MANDELIGHEID_MANDELIGE_PERCELEN_KADASTRALE_AANDUIDINGEN_ITEM_GEMEENTENAAM	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_MANDELIGHEID_MANDELIGE_PERCELEN_KADASTRALE_AANDUIDINGEN_ITEM_PERCEELNUMMER	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_MANDELIGHEID_MANDELIGE_PERCELEN_KADASTRALE_AANDUIDINGEN_ITEM_RELATIECODE	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_MANDELIGHEID_MANDELIGE_PERCELEN_KADASTRALE_AANDUIDINGEN_ITEM_SECTIE	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_MANDELIGHEID_MANDELIGE_PERCELEN_KADASTRALE_AANDUIDINGEN_ITEM_VOLGNUMMER	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_NIET_VOLLEDIG_VERWERKT_STUKKEN_LIJST_INDICATIE_COMPLEET	boolean			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_NIET_VOLLEDIG_VERWERKT_STUKKEN_LIJST_STUKKEN_ITEM	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_OBJECT_ID	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_OMSCHRIJVING	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_ONROERENDE_ZAAK_HISTORIE_INDICATIE_COMPLEET	boolean			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_ONROERENDE_ZAAK_HISTORIE_KADASTRALE_AANDUIDINGEN_ITEM_GEMEENTECODE	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_ONROERENDE_ZAAK_HISTORIE_KADASTRALE_AANDUIDINGEN_ITEM_GEMEENTENAAM	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_ONROERENDE_ZAAK_HISTORIE_KADASTRALE_AANDUIDINGEN_ITEM_PERCEELNUMMER	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_ONROERENDE_ZAAK_HISTORIE_KADASTRALE_AANDUIDINGEN_ITEM_RELATIECODE	string			

Name	Data Type	Label	Required	Documentation
EIGENDOMSBERICHT_ONROERENDE_ZAAK_ONROERENDE_ZAAK_HI STORIE_KADASTRALE_AANDUIDINGEN_ITEM_SECTIE	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_ONROERENDE_ZAAK_HI STORIE_KADASTRALE_AANDUIDINGEN_ITEM_VOLGNUMMER	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_PERCEEL_DETAILS_APPARTEMENTSRECHT_BESTUURDER_ID	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_PERCEEL_DETAILS_APPARTEMENTSRECHT_NAAM	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_PERCEEL_DETAILS_PERCEEL_GROOTTE_PERCEEL	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_PERCEEL_DETAILS_PERCEEL_INDICATIE_GROOTTE_GESCHAT	boolean			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_PERCEEL_DETAILS_PERCEEL_X_COORDINAAT	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_PERCEEL_DETAILS_PERCEEL_Y_COORDINAAT	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_PR_BEPERKINGEN_KADASTRAAL_OBJECT_MELDING	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_PR_BEPERKINGEN_KADASTRAAL_OBJECT_PR_BEPERKINGEN_LIJST_INDICATIE_COMPLEET	boolean			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_PR_BEPERKINGEN_KADASTRAAL_OBJECT_PR_BEPERKINGEN_LIJST_PR_BEPERKINGEN_ITEM_BESCHRIJVING_PR_BEPERKING	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_PR_BEPERKINGEN_KADASTRAAL_OBJECT_PR_BEPERKINGEN_LIJST_PR_BEPERKINGEN_ITEM_BETROKKENE_ID	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_PR_BEPERKINGEN_KADASTRAAL_OBJECT_PR_BEPERKINGEN_LIJST_PR_BEPERKINGEN_ITEM_GEMEENTE_ID	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_PR_BEPERKINGEN_KADASTRAAL_OBJECT_PR_BEPERKINGEN_LIJST_PR_BEPERKINGEN_ITEM_GEMEENTELIJKE_REGISTRATIE_ID	string			

Name	Data Type	Label	Required	Documentation
EIGENDOMSBERICHT_ONROERENDE_ZAAK_PR_BEPERKINGEN_KAD_ASTRaal_OBJECT_PR_BEPERKINGEN_LIJST_PR_BEPERKINGEN_ITEM_OMSCHRIJVING_PR_BEPERKING	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_PR_BEPERKINGEN_KAD_ASTRaal_OBJECT_PR_BEPERKINGEN_LIJST_PR_BEPERKINGEN_ITEM_SPLITSING_PR_BEPERKING	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_PR_BEPERKINGEN_KAD_ASTRaal_OBJECT_PR_BEPERKINGEN_LIJST_PR_BEPERKINGEN_ITEM_STUK_ID	string			
EIGENDOMSBERICHT_PERSONEN_ITEM_AANTEKENING_BESCHIKKINGSBEVOEGDHEID	boolean			
EIGENDOMSBERICHT_PERSONEN_ITEM_ID	string			
EIGENDOMSBERICHT_PERSONEN_ITEM_INDICATIE_MEER_ONROERENDE_ZAKEN	boolean			
EIGENDOMSBERICHT_PERSONEN_ITEM_MOGELIJK_VAN_BELANG_STUKKEN_LIJST_INDICATIE_COMPLEET	boolean			
EIGENDOMSBERICHT_PERSONEN_ITEM_MOGELIJK_VAN_BELANG_STUKKEN_LIJST_STUKKEN	string			
EIGENDOMSBERICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_DATUM_OVERLIJDEN	datetime			
EIGENDOMSBERICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_GEBORTE DATUM	datetime			
EIGENDOMSBERICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_GEBORTEPLAATS	string			
EIGENDOMSBERICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_GESLACHT	string			
EIGENDOMSBERICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_GESLACHTSNAAM	string			
EIGENDOMSBERICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_INDICATIE_CONFORM_GBA	boolean			
EIGENDOMSBERICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_INDICATIE_OVERLEDEN	boolean			
EIGENDOMSBERICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_OMSCHRIJVING_RELATIE	string			

Name	Data Type	Label	Required	Documentation
EIGENDOMSBERICHT_PERSONEN_I TEM_NATUURLIJK_PERSOON_REL ATIE_PARTNERID	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_NATUURLIJK_PERSOON_VO ORNAMEN	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_NATUURLIJK_PERSOON_VO ORVOEGSEL_GESLACHTSNAAM	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_NIET_NATUURLIJK_PERSOON _CODE	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_NIET_NATUURLIJK_PERSOON _LEDEN_LIJST_INDICATIE_COMPLE ET	boolean			
EIGENDOMSBERICHT_PERSONEN_I TEM_NIET_NATUURLIJK_PERSOON _LEDEN_LIJST_LEDEN	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_NIET_NATUURLIJK_PERSOON _NAAM	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_NIET_NATUURLIJK_PERSOON _STATUTAIRE_ZETEL	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_NIET_VOLLEDIG_VERWERKT _STUKKEN_LIJST_INDICATIE_COM PLEET	boolean			
EIGENDOMSBERICHT_PERSONEN_I TEM_NIET_VOLLEDIG_VERWERKT _STUKKEN_LIJST_STUKKEN	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_POSTLOCATIE_LOCATIE_BIN NENLAND_GEMEENTE	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_POSTLOCATIE_LOCATIE_BIN NENLAND_HUISLETTER	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_POSTLOCATIE_LOCATIE_BIN NENLAND_HUISNUMMER_TOEVOE GING	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_POSTLOCATIE_LOCATIE_BIN NENLAND_HUISNUMMER	int32			
EIGENDOMSBERICHT_PERSONEN_I TEM_POSTLOCATIE_LOCATIE_BIN NENLAND_POSTCODE	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_POSTLOCATIE_LOCATIE_BIN NENLAND_STRAATNAAM	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_POSTLOCATIE_LOCATIE_BUI TENLAND_ADRES_BUITENLAND1	string			

Name	Data Type	Label	Required	Documentation
EIGENDOMSBERICHT_PERSONEN_I TEM_POSTLOCATIE_LOCATIE_BUI TENLAND_ADRES_BUITENLAND2	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_POSTLOCATIE_LOCATIE_BUI TENLAND_ADRES_BUITENLAND3	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_POSTLOCATIE_LOCATIE_BUI TENLAND_LAND	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_WOONLOCATIE_LOCATIE_BI NNENLAND_GEMEENTE	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_WOONLOCATIE_LOCATIE_BI NNENLAND_HUISLETTER	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_WOONLOCATIE_LOCATIE_BI NNENLAND_HUISNUMMER_TOEVO EGING	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_WOONLOCATIE_LOCATIE_BI NNENLAND_HUISNUMMER	int32			
EIGENDOMSBERICHT_PERSONEN_I TEM_WOONLOCATIE_LOCATIE_BI NNENLAND_POSTCODE	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_WOONLOCATIE_LOCATIE_BI NNENLAND_STRAATNAAM	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_WOONLOCATIE_LOCATIE_B UITENLAND_ADRES_BUITENLAND 1	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_WOONLOCATIE_LOCATIE_B UITENLAND_ADRES_BUITENLAND 2	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_WOONLOCATIE_LOCATIE_B UITENLAND_ADRES_BUITENLAND 3	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_WOONLOCATIE_LOCATIE_B UITENLAND_LAND	string			
EIGENDOMSBERICHT_RECHTEN_LI JST_INDICATIE_COMPLEET	boolean			
EIGENDOMSBERICHT_RECHTEN_LI JST_RECHTEN_ITEM_AANDEEL_IN _RECHT	string			
EIGENDOMSBERICHT_RECHTEN_LI JST_RECHTEN_ITEM_AANTEKENIN GEN_RECHT_LIJST_AANTEKENING EN_RECHT	string			
EIGENDOMSBERICHT_RECHTEN_LI JST_RECHTEN_ITEM_AANTEKENIN	boolean			

Name	Data Type	Label	Required	Documentation
GEN_RECHT_LIJST_INDICATIE_COMPLEET				
EIGENDOMSBERICHT_RECHTEN_LIJST_RECHTEN_ITEM_EINDDATUM_RECHT	datetime			
EIGENDOMSBERICHT_RECHTEN_LIJST_RECHTEN_ITEM_GERECHTIGDE_ID	string			
EIGENDOMSBERICHT_RECHTEN_LIJST_RECHTEN_ITEM_INDICATIE_RECHT_BETROKKEN_IN_SPLITSING	boolean			
EIGENDOMSBERICHT_RECHTEN_LIJST_RECHTEN_ITEM_MOGELIJK_VAN_BELANG_STUKKEN_LIJST_INDICATIE_COMPLEET	boolean			
EIGENDOMSBERICHT_RECHTEN_LIJST_RECHTEN_ITEM_MOGELIJK_VAN_BELANG_STUKKEN_LIJST_STUKKEN	string			
EIGENDOMSBERICHT_RECHTEN_LIJST_RECHTEN_ITEM_OBJECT_ID	string			
EIGENDOMSBERICHT_RECHTEN_LIJST_RECHTEN_ITEM_OMSCHRIJVING_RECHT	string			
EIGENDOMSBERICHT_RECHTEN_LIJST_RECHTEN_ITEM_ONTLEEND_AAN_STUKKEN_LIJST_INDICATIE_COMPLEET	boolean			
EIGENDOMSBERICHT_RECHTEN_LIJST_RECHTEN_ITEM_ONTLEEND_AAN_STUKKEN_LIJST_STUKKEN	string			
EIGENDOMSBERICHT_RECHTEN_LIJST_RECHTEN_ITEM_TOTAAL_AANDEEL_IN_RECHT	string			
EIGENDOMSBERICHT_STUKKEN_ITEM_AANDUIDING_SOORT_REGISTER	string			
EIGENDOMSBERICHT_STUKKEN_ITEM_DATUM_AANBIEDING	datetime			
EIGENDOMSBERICHT_STUKKEN_ITEM_DEEL	string			
EIGENDOMSBERICHT_STUKKEN_ITEM_ID	string			
EIGENDOMSBERICHT_STUKKEN_ITEM_NUMMER	string			
EIGENDOMSBERICHT_STUKKEN_ITEM_REEKS	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_GEMEENTECODE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_GEMEENTENAAM	string			

Name	Data Type	Label	Required	Documentation
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_PERCEELNUMMER	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_RELATIECODE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_SECTIE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_VOLGNUMMER	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_GEMEENTE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_HUISLETTER	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_HUISNUMMER_TOEVOEGING	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_HUISNUMMER	int32			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_POSTCODE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_STRAATNAAM	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_OBJECT_ID	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_OMSCHRIJVING	string			
OVERZICHT_PERSONEN_ITEM_ID	string			
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_GESLACHTSNAAM	string			
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_VOORNAAMEN	string			
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_VOORVOEGSEL_GESLACHTSNAAM	string			
OVERZICHT_PERSONEN_ITEM_NIEUW_NATUURLIJK_PERSOON_CODE	string			
OVERZICHT_PERSONEN_ITEM_NIEUW_NATUURLIJK_PERSOON_NAAM	string			
OVERZICHT_RECHTEN_ITEM_GERECHTIGDE_ID	string			
OVERZICHT_RECHTEN_ITEM_OBJECT_ID	string			

3.1.199 kadasterEigendomsBerichtPerceelV2

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: kadasterEigendomsBerichtPerceelV2

Base

XPath: `/s:Envelope/s:Body/tns:kadasterEigendomsBerichtPerceelV2Response/tns:berichtobjectresultaat`

Filters on API Server: gemeentecode- gemeentenaam- sectie- perceelnummer- relatiecode- volgnummer

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `kadasterEigendomsBerichtPerceelV2`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
gemeentecode	string	<input type="checkbox"/>		
gemeentenaam	string	<input type="checkbox"/>		
perceelnummer	string	<input type="checkbox"/>		
relatiecode	string	<input type="checkbox"/>		
sectie	string	<input type="checkbox"/>		
volgnummer	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `kadasterEigendomsBerichtPerceelV2` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
EIGENDOMSBERICHT_DATUM_BIJ GEWERKT	datetime			
EIGENDOMSBERICHT_DOCUMENT	byte[]			

Name	Data Type	Label	Required	Documentation
EIGENDOMSBERICHT_GEMEENTES TUKKEN_ITEM_DATUM_IN_WERKIN G	datetime			
EIGENDOMSBERICHT_GEMEENTES TUKKEN_ITEM_GEMEENTELIJKE_R EGISTRATIE_ID	string			
EIGENDOMSBERICHT_GEMEENTES TUKKEN_ITEM_NUMMER	string			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_AANTEKENINGEN_KADA STRAAL_OBJECT_AANTEKENING EN_LIJST_AANTEKENINGEN_ITEM_ BESCHRIJVING_AANTEKENING	string			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_AANTEKENINGEN_KADA STRAAL_OBJECT_AANTEKENING EN_LIJST_AANTEKENINGEN_ITEM_ BETROKKENE_ID	string			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_AANTEKENINGEN_KADA STRAAL_OBJECT_AANTEKENING EN_LIJST_AANTEKENINGEN_ITEM_ OMSCHRIJVING_AANTEKENING	string			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_AANTEKENINGEN_KADA STRAAL_OBJECT_AANTEKENING EN_LIJST_AANTEKENINGEN_ITEM_ STUK_ID	string			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_AANTEKENINGEN_KADA STRAAL_OBJECT_AANTEKENING EN_LIJST_INDICATIE_COMPLEET	boolean			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_AANTEKENINGEN_KADA STRAAL_OBJECT_MELDING	string			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_DATUM_ONTSTAAN	datetime			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_INDICATIE_MEER_ONROE RENDE_ZAKEN	boolean			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_INDICATIE_VOORGENOM EN_SPLITSING	boolean			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_INDICATIE_VOORLOPIGE _AANTEKENING	boolean			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_KADASTRALE_AANDUID ING_GEMEENTECODE	string			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_KADASTRALE_AANDUID ING_GEMEENTENAAM	string			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_KADASTRALE_AANDUID ING_PERCEELNUMMER	string			

Name	Data Type	Label	Required	Documentation
EIGENDOMSBERICHT_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_RELATIECODE	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_SECTIE	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_VOLGNUMMER	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_KOOPJAAR	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_KOOPSOM	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_LANDINRICHTINGSRENTE_BEDRAG	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_LANDINRICHTINGSRENTE_EINDJAAR	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_LOCATIES_INDICATIE_COMPLEET	boolean			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_LOCATIES_LOCATIES_BINNENLAND_ITEM_GEMEENTE	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_LOCATIES_LOCATIES_BINNENLAND_ITEM_HUISLETTER	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_LOCATIES_LOCATIES_BINNENLAND_ITEM_HUISNUMMER_TOEVOEGING	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_LOCATIES_LOCATIES_BINNENLAND_ITEM_HUISNUMMER	int32			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_LOCATIES_LOCATIES_BINNENLAND_ITEM_POSTCODE	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_LOCATIES_LOCATIES_BINNENLAND_ITEM_STRAATNAAM	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_MANDELIGHEID_HOOFDPERCELEN_INDICATIE_COMPLEET	boolean			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_MANDELIGHEID_HOOFDPERCELEN_KADASTRALE_AANDUIDINGEN_ITEM_GEMEENTECODE	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_MANDELIGHEID_HOOFDPERCELEN_KADASTRALE_AANDUIDINGEN_ITEM_GEMEENTENAAM	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_MANDELIGHEID_HOOFDPERCELEN_KADASTRALE_AANDUIDINGEN_ITEM_GEMEENTENAAM	string			

Name	Data Type	Label	Required	Documentation
PERCELEN_KADASTRALE_AANDU IDINGEN_ITEM_PERCEELNUMMER				
EIGENDOMSBERICHT_ONROEREND E_ZAAK_MANDELIGHEID_HOOFD_ PERCELEN_KADASTRALE_AANDU IDINGEN_ITEM_RELATIECODE	string			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_MANDELIGHEID_HOOFD_ PERCELEN_KADASTRALE_AANDU IDINGEN_ITEM_SECTIE	string			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_MANDELIGHEID_HOOFD_ PERCELEN_KADASTRALE_AANDU IDINGEN_ITEM_VOLGNUMMER	string			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_MANDELIGHEID_MANDEL IGE_PERCELEN_INDICATIE_COMPL EET	boolean			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_MANDELIGHEID_MANDEL IGE_PERCELEN_KADASTRALE_A ANDUIDINGEN_ITEM_GEMEENTECO DE	string			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_MANDELIGHEID_MANDEL IGE_PERCELEN_KADASTRALE_A ANDUIDINGEN_ITEM_GEMEENTENA AM	string			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_MANDELIGHEID_MANDEL IGE_PERCELEN_KADASTRALE_A ANDUIDINGEN_ITEM_PERCEELNUM MER	string			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_MANDELIGHEID_MANDEL IGE_PERCELEN_KADASTRALE_A ANDUIDINGEN_ITEM_RELATIECOD E	string			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_MANDELIGHEID_MANDEL IGE_PERCELEN_KADASTRALE_A ANDUIDINGEN_ITEM_SECTIE	string			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_MANDELIGHEID_MANDEL IGE_PERCELEN_KADASTRALE_A ANDUIDINGEN_ITEM_VOLGNUMME R	string			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_NIET_VOLLEDIG_VERWE RKT_STUKKEN_LIJST_INDICATIE_ COMPLEET	boolean			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_NIET_VOLLEDIG_VERWE RKT_STUKKEN_LIJST_STUKKEN_I TEM	string			

Name	Data Type	Label	Required	Documentation
EIGENDOMSBERICHT_ONROERENDE_ZAAK_OBJECT_ID	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_OMSCHRIJVING	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_ONROERENDE_ZAAK_HI STORIE_INDICATIE_COMPLEET	boolean			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_ONROERENDE_ZAAK_HI STORIE_KADASTRALE_AANDUIDINGEN_ITEM_GEMEENTECODE	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_ONROERENDE_ZAAK_HI STORIE_KADASTRALE_AANDUIDINGEN_ITEM_GEMEENTENAAM	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_ONROERENDE_ZAAK_HI STORIE_KADASTRALE_AANDUIDINGEN_ITEM_PERCEELNUMMER	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_ONROERENDE_ZAAK_HI STORIE_KADASTRALE_AANDUIDINGEN_ITEM_RELATIECODE	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_ONROERENDE_ZAAK_HI STORIE_KADASTRALE_AANDUIDINGEN_ITEM_SECTIE	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_ONROERENDE_ZAAK_HI STORIE_KADASTRALE_AANDUIDINGEN_ITEM_VOLGNUMMER	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_PERCEEL_DETAILS_APPARTEMENTSRECHT_BESTUURDER_ID	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_PERCEEL_DETAILS_APPARTEMENTSRECHT_NAAM	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_PERCEEL_DETAILS_PERCEEL_GROOTTE_PERCEEL	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_PERCEEL_DETAILS_PERCEEL_INDICATIE_GROOTTE_GESCHAT	boolean			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_PERCEEL_DETAILS_PERCEEL_X_COORDINAAT	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_PERCEEL_DETAILS_PERCEEL_Y_COORDINAAT	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_PR_BEPERKINGEN_KADASTRAAL_OBJECT_MELDING	string			

Name	Data Type	Label	Required	Documentation
EIGENDOMSBERICHT_ONROEREND E_ZAAK_PR_BEPERKINGEN_KAD ASTRAAL_OBJECT_PR_BEPERKIN GEN_LIJST_INDICATIE_COMPLEET	boolean			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_PR_BEPERKINGEN_KAD ASTRAAL_OBJECT_PR_BEPERKIN GEN_LIJST_PR_BEPERKINGEN_ITE M_BESCHRIJVING_PR_BEPERKING	string			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_PR_BEPERKINGEN_KAD ASTRAAL_OBJECT_PR_BEPERKIN GEN_LIJST_PR_BEPERKINGEN_ITE M_BETROKKENE_ID	string			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_PR_BEPERKINGEN_KAD ASTRAAL_OBJECT_PR_BEPERKIN GEN_LIJST_PR_BEPERKINGEN_ITE M_GEMEENTE_ID	string			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_PR_BEPERKINGEN_KAD ASTRAAL_OBJECT_PR_BEPERKIN GEN_LIJST_PR_BEPERKINGEN_ITE M_GEMEENTELIJKE_REGISTRATIE_ ID	string			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_PR_BEPERKINGEN_KAD ASTRAAL_OBJECT_PR_BEPERKIN GEN_LIJST_PR_BEPERKINGEN_ITE M_OMSCHRIJVING_PR_BEPERKIN G	string			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_PR_BEPERKINGEN_KAD ASTRAAL_OBJECT_PR_BEPERKIN GEN_LIJST_PR_BEPERKINGEN_ITE M_SPLITSING_PR_BEPERKING	string			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_PR_BEPERKINGEN_KAD ASTRAAL_OBJECT_PR_BEPERKIN GEN_LIJST_PR_BEPERKINGEN_ITE M_STUK_ID	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_AANTEKENING_BESCHIKKIN GSBEVOEGDHEID	boolean			
EIGENDOMSBERICHT_PERSONEN_I TEM_ID	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_INDICATIE_MEER_ONROEREN DE_ZAKEN	boolean			
EIGENDOMSBERICHT_PERSONEN_I TEM_MOGELIJK_VAN_BELANG_S TUKKEN_LIJST_INDICATIE_COMPL EET	boolean			
EIGENDOMSBERICHT_PERSONEN_I TEM_MOGELIJK_VAN_BELANG_S TUKKEN_LIJST_STUKKEN	string			

Name	Data Type	Label	Required	Documentation
EIGENDOMSBERICHT_PERSONEN_I TEM_NATUURLIJK_PERSOON_ADE LLIJKE_TITEL_GESLACHTSNAAM	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_NATUURLIJK_PERSOON_ADE LLIJKE_TITEL	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_NATUURLIJK_PERSOON_DAT UM_OVERLIJDEN	datetime			
EIGENDOMSBERICHT_PERSONEN_I TEM_NATUURLIJK_PERSOON_GEB OORTEDATUM	datetime			
EIGENDOMSBERICHT_PERSONEN_I TEM_NATUURLIJK_PERSOON_GEB OORTEPLAATS	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_NATUURLIJK_PERSOON_GES LACHT	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_NATUURLIJK_PERSOON_GES LACHTSNAAM	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_NATUURLIJK_PERSOON_INDI CATIE_CONFORM_GBA	boolean			
EIGENDOMSBERICHT_PERSONEN_I TEM_NATUURLIJK_PERSOON_INDI CATIE_OVERLEDEN	boolean			
EIGENDOMSBERICHT_PERSONEN_I TEM_NATUURLIJK_PERSOON_OM SCHRIJVING_RELATIE	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_NATUURLIJK_PERSOON_REL ATIE_PARTNERID	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_NATUURLIJK_PERSOON_VO ORNAMEN	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_NATUURLIJK_PERSOON_VO ORVOEGSEL_GESLACHTSNAAM	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_NIET_NATUURLIJK_PERSOON _CODE	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_NIET_NATUURLIJK_PERSOON _LEDEN_LIJST_INDICATIE_COMPLE ET	boolean			
EIGENDOMSBERICHT_PERSONEN_I TEM_NIET_NATUURLIJK_PERSOON _LEDEN_LIJST_LEDEN	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_NIET_NATUURLIJK_PERSOON _NAAM	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_NIET_NATUURLIJK_PERSOON	string			

Name	Data Type	Label	Required	Documentation
_STATUTAIRE_ZETEL				
EIGENDOMSBERICHT_PERSONEN_I TEM_NIET_VOLLEDIG_VERWERKT _STUKKEN_LIJST_INDICATIE_COM PLEET	boolean			
EIGENDOMSBERICHT_PERSONEN_I TEM_NIET_VOLLEDIG_VERWERKT _STUKKEN_LIJST_STUKKEN	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_POSTLOCATIE_LOCATIE_BIN NENLAND_GEMEENTE	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_POSTLOCATIE_LOCATIE_BIN NENLAND_HUISLETTER	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_POSTLOCATIE_LOCATIE_BIN NENLAND_HUISNUMMER_TOEVOE GING	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_POSTLOCATIE_LOCATIE_BIN NENLAND_HUISNUMMER	int32			
EIGENDOMSBERICHT_PERSONEN_I TEM_POSTLOCATIE_LOCATIE_BIN NENLAND_POSTCODE	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_POSTLOCATIE_LOCATIE_BIN NENLAND_STRAATNAAM	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_POSTLOCATIE_LOCATIE_BUI TENLAND_ADRES_BUITENLAND1	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_POSTLOCATIE_LOCATIE_BUI TENLAND_ADRES_BUITENLAND2	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_POSTLOCATIE_LOCATIE_BUI TENLAND_ADRES_BUITENLAND3	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_POSTLOCATIE_LOCATIE_BUI TENLAND_LAND	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_WOONLOCATIE_LOCATIE_BI NNENLAND_GEMEENTE	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_WOONLOCATIE_LOCATIE_BI NNENLAND_HUISLETTER	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_WOONLOCATIE_LOCATIE_BI NNENLAND_HUISNUMMER_TOEVO EGING	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_WOONLOCATIE_LOCATIE_BI NNENLAND_HUISNUMMER	int32			
EIGENDOMSBERICHT_PERSONEN_I TEM_WOONLOCATIE_LOCATIE_BI	string			

Name	Data Type	Label	Required	Documentation
NNENLAND_POSTCODE				
EIGENDOMSBERICHT_PERSONEN_ITEM_WOONLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
EIGENDOMSBERICHT_PERSONEN_ITEM_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES_BUITENLAND_1	string			
EIGENDOMSBERICHT_PERSONEN_ITEM_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES_BUITENLAND_2	string			
EIGENDOMSBERICHT_PERSONEN_ITEM_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES_BUITENLAND_3	string			
EIGENDOMSBERICHT_PERSONEN_ITEM_WOONLOCATIE_LOCATIE_BUITENLAND_LAND	string			
EIGENDOMSBERICHT_RECHTEN_LIJST_INDICATIE_COMPLEET	boolean			
EIGENDOMSBERICHT_RECHTEN_LIJST_RECHTEN_ITEM_AANDEEL_IN_RECHT	string			
EIGENDOMSBERICHT_RECHTEN_LIJST_RECHTEN_ITEM_AANTEKENINGEN_RECHT_LIJST_AANTEKENINGEN_RECHT	string			
EIGENDOMSBERICHT_RECHTEN_LIJST_RECHTEN_ITEM_AANTEKENINGEN_RECHT_LIJST_INDICATIE_COMPLEET	boolean			
EIGENDOMSBERICHT_RECHTEN_LIJST_RECHTEN_ITEM_EINDDATUM_RECHT	datetime			
EIGENDOMSBERICHT_RECHTEN_LIJST_RECHTEN_ITEM_GERECHTIGDE_ID	string			
EIGENDOMSBERICHT_RECHTEN_LIJST_RECHTEN_ITEM_INDICATIE_RECHT_BETROKKEN_IN_SPLITSING	boolean			
EIGENDOMSBERICHT_RECHTEN_LIJST_RECHTEN_ITEM_MOGELIJK_VAN_BELANG_STUKKEN_LIJST_INDICATIE_COMPLEET	boolean			
EIGENDOMSBERICHT_RECHTEN_LIJST_RECHTEN_ITEM_MOGELIJK_VAN_BELANG_STUKKEN_LIJST_STUKKEN	string			
EIGENDOMSBERICHT_RECHTEN_LIJST_RECHTEN_ITEM_OBJECT_ID	string			
EIGENDOMSBERICHT_RECHTEN_LIJST_RECHTEN_ITEM_OMSCHRIJVING_RECHT	string			

Name	Data Type	Label	Required	Documentation
EIGENDOMSBERICHT_RECHTEN_LIJST_RECHTEN_ITEM_ONTLEEND_AAN_STUKKEN_LIJST_INDICATIE_COMPLEET	boolean			
EIGENDOMSBERICHT_RECHTEN_LIJST_RECHTEN_ITEM_ONTLEEND_AAN_STUKKEN_LIJST_STUKKEN	string			
EIGENDOMSBERICHT_RECHTEN_LIJST_RECHTEN_ITEM_TOTAAL_AANDEEL_IN_RECHT	string			
EIGENDOMSBERICHT_STUKKEN_ITEM_AANDUIDING_SOORT_REGISTRER	string			
EIGENDOMSBERICHT_STUKKEN_ITEM_DATUM_AANBIEDING	datetime			
EIGENDOMSBERICHT_STUKKEN_ITEM_DEEL	string			
EIGENDOMSBERICHT_STUKKEN_ITEM_ID	string			
EIGENDOMSBERICHT_STUKKEN_ITEM_NUMMER	string			
EIGENDOMSBERICHT_STUKKEN_ITEM_REEKS	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_GEMEENTECODE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_GEMEENTENAAM	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_PERCEELNUMMER	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_RELATIECODE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_SECTIE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_VOLGNUMMER	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_GEMEENTE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_HUISLETTER	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_HUISNUMMER_TOEVOEGING	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_HUISNUMMER	int32			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_POSTCODE	string			

Name	Data Type	Label	Required	Documentation
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_STRAATNAAM	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_OBJECT_ID	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_OMSCHRIJVING	string			
OVERZICHT_PERSONEN_ITEM_ID	string			
OVERZICHT_PERSONEN_ITEM_MELDING	string			
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_GESLACHTSNAAM	string			
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_VOORNAAMEN	string			
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_VOORVOEGSEL_GESLACHTSNAAM	string			
OVERZICHT_PERSONEN_ITEM_NIET_NATUURLIJK_PERSOON_CODE	string			
OVERZICHT_PERSONEN_ITEM_NIET_NATUURLIJK_PERSOON_NAAM	string			
OVERZICHT_RECHTEN_ITEM_GERECHTIGDE_ID	string			
OVERZICHT_RECHTEN_ITEM_OBJECT_ID	string			

3.1.200 kadastrEigendomsBerichtPostcode

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: kadastrEigendomsBerichtPostcode

Base

XPath: `/s:Envelope/s:Body/tns:kadastrEigendomsBerichtPostcodeResponse/tns:berichtobjectresultaat`

Filters on API Server: `postcode- huisnummer- huisnummer_toevoeging`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `kadastrEigendomsBerichtPostcode`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
huisnummer_toevoeging	string	<input type="checkbox"/>		
huisnummer	int32	<input type="checkbox"/>		
postcode	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `kadasterEigendomsBerichtPostcode` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
EIGENDOMSBERICHT_DATUM_BIJ GEWERKT	datetime			
EIGENDOMSBERICHT_DOCUMENT	byte[]			
EIGENDOMSBERICHT_GEMEENTES TUKKEN_ITEM_DATUM_IN_WERKIN G	datetime			
EIGENDOMSBERICHT_GEMEENTES TUKKEN_ITEM_GEMEENTELIJKE_R EGISTRATIE_ID	string			
EIGENDOMSBERICHT_GEMEENTES TUKKEN_ITEM_NUMMER	string			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_AANTEKENINGEN_KADA STRAAL_OBJECT_AANTEKENING EN_LIJST_AANTEKENINGEN_ITEM_BESCHRIJVING_AANTEKENING	string			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_AANTEKENINGEN_KADA STRAAL_OBJECT_AANTEKENING EN_LIJST_AANTEKENINGEN_ITEM_BETROKKENE_ID	string			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_AANTEKENINGEN_KADA STRAAL_OBJECT_AANTEKENING EN_LIJST_AANTEKENINGEN_ITEM_OMSCHRIJVING_AANTEKENING	string			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_AANTEKENINGEN_KADA STRAAL_OBJECT_AANTEKENING EN_LIJST_AANTEKENINGEN_ITEM_STUK_ID	string			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_AANTEKENINGEN_KADA	boolean			

Name	Data Type	Label	Required	Documentation
STRAAL_OBJECT_AANTEKENING EN_LIJST_INDICATIE_COMPLEET				
EIGENDOMSBERICHT_ONROEREND E_ZAAK_AANTEKENINGEN_KADA STRAAL_OBJECT_MELDING	string			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_DATUM_ONTSTAAN	datetime			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_INDICATIE_MEER_ONROE RENDE_ZAKEN	boolean			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_INDICATIE_VOORGENOM EN_SPLITSING	boolean			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_INDICATIE_VOORLOPIGE _AANTEKENING	boolean			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_KADASTRALE_AANDUID ING_GEMEENTECODE	string			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_KADASTRALE_AANDUID ING_GEMEENTENAAM	string			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_KADASTRALE_AANDUID ING_PERCEELNUMMER	string			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_KADASTRALE_AANDUID ING_RELATIECODE	string			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_KADASTRALE_AANDUID ING_SECTIE	string			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_KADASTRALE_AANDUID ING_VOLGNUMMER	string			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_KOOPJAAR	string			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_KOOPSOM	string			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_LANDINRICHTINGSRENT E_BEDRAG	string			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_LANDINRICHTINGSRENT E_EINDJAAR	string			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_LOCATIES_INDICATIE_C OMPLEET	boolean			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_LOCATIES_LOCATIES_BI NNENLAND_ITEM_GEMEENTE	string			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_LOCATIES_LOCATIES_BI NNENLAND_ITEM_HUISLETTER	string			

Name	Data Type	Label	Required	Documentation
EIGENDOMSBERICHT_ONROERENDE_ZAAK_LOCATIES_LOCATIES_BINNENLAND_ITEM_HUISNUMMER_TOEVOEGING	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_LOCATIES_LOCATIES_BINNENLAND_ITEM_HUISNUMMER	int32			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_LOCATIES_LOCATIES_BINNENLAND_ITEM_POSTCODE	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_LOCATIES_LOCATIES_BINNENLAND_ITEM_STRAATNAAM	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_MANDELIGHEID_HOOFDPERCELEN_INDICATIE_COMPLEET	boolean			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_MANDELIGHEID_HOOFDPERCELEN_KADASTRALE_AANDUIDINGEN_ITEM_GEMEENTECODE	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_MANDELIGHEID_HOOFDPERCELEN_KADASTRALE_AANDUIDINGEN_ITEM_GEMEENTENAAM	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_MANDELIGHEID_HOOFDPERCELEN_KADASTRALE_AANDUIDINGEN_ITEM_PERCEELNUMMER	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_MANDELIGHEID_HOOFDPERCELEN_KADASTRALE_AANDUIDINGEN_ITEM_RELATIECODE	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_MANDELIGHEID_HOOFDPERCELEN_KADASTRALE_AANDUIDINGEN_ITEM_SECTIE	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_MANDELIGHEID_HOOFDPERCELEN_KADASTRALE_AANDUIDINGEN_ITEM_VOLGNUMMER	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_MANDELIGHEID_MANDELIGE_PERCELEN_INDICATIE_COMPLEET	boolean			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_MANDELIGHEID_MANDELIGE_PERCELEN_KADASTRALE_AANDUIDINGEN_ITEM_GEMEENTECODE	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_MANDELIGHEID_MANDELIGE_PERCELEN_KADASTRALE_AANDUIDINGEN_ITEM_GEMEENTENAAM	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_MANDELIGHEID_MANDELIGE_PERCELEN_KADASTRALE_AANDUIDINGEN_ITEM_GEMEENTENAAM	string			

Name	Data Type	Label	Required	Documentation
IGE_PERCELEN_KADASTRALE_A ANDUIDINGEN_ITEM_PERCEELNUM MER				
EIGENDOMSBERICHT_ONROEREND E_ZAAK_MANDELIGHEID_MANDEL IGE_PERCELEN_KADASTRALE_A ANDUIDINGEN_ITEM_RELATIECOD E	string			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_MANDELIGHEID_MANDEL IGE_PERCELEN_KADASTRALE_A ANDUIDINGEN_ITEM_SECTIE	string			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_MANDELIGHEID_MANDEL IGE_PERCELEN_KADASTRALE_A ANDUIDINGEN_ITEM_VOLGNUMME R	string			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_NIET_VOLLEDIG_VERWE RKT_STUKKEN_LIJST_INDICATIE_ COMPLEET	boolean			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_NIET_VOLLEDIG_VERWE RKT_STUKKEN_LIJST_STUKKEN_I TEM	string			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_OBJECT_ID	string			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_OMSCHRIJVING	string			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_ONROERENDE_ZAAK_HI STORIE_INDICATIE_COMPLEET	boolean			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_ONROERENDE_ZAAK_HI STORIE_KADASTRALE_AANDUIDI NGEN_ITEM_GEMEENTECODE	string			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_ONROERENDE_ZAAK_HI STORIE_KADASTRALE_AANDUIDI NGEN_ITEM_GEMEENTENAAM	string			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_ONROERENDE_ZAAK_HI STORIE_KADASTRALE_AANDUIDI NGEN_ITEM_PERCEELNUMMER	string			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_ONROERENDE_ZAAK_HI STORIE_KADASTRALE_AANDUIDI NGEN_ITEM_RELATIECODE	string			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_ONROERENDE_ZAAK_HI STORIE_KADASTRALE_AANDUIDI NGEN_ITEM_SECTIE	string			
EIGENDOMSBERICHT_ONROEREND E_ZAAK_ONROERENDE_ZAAK_HI STORIE_KADASTRALE_AANDUIDI NGEN_ITEM_VOLGNUMMER	string			

Name	Data Type	Label	Required	Documentation
EIGENDOMSBERICHT_ONROERENDE_ZAAK_PERCEEL_DETAILS_APPARTEMENTSRECHT_BESTUURDER_ID	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_PERCEEL_DETAILS_APPARTEMENTSRECHT_NAAM	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_PERCEEL_DETAILS_PERCEEL_GROOTTE_PERCEEL	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_PERCEEL_DETAILS_PERCEEL_INDICATIE_GROOTTE_GESCHAT	boolean			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_PERCEEL_DETAILS_PERCEEL_X_COORDINAAT	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_PERCEEL_DETAILS_PERCEEL_Y_COORDINAAT	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_PR_BEPERKINGEN_KADASTRAAL_OBJECT_MELDING	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_PR_BEPERKINGEN_KADASTRAAL_OBJECT_PR_BEPERKINGEN_LIJST_INDICATIE_COMPLEET	boolean			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_PR_BEPERKINGEN_KADASTRAAL_OBJECT_PR_BEPERKINGEN_LIJST_PR_BEPERKINGEN_ITEM_BESCHRIJVING_PR_BEPERKING	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_PR_BEPERKINGEN_KADASTRAAL_OBJECT_PR_BEPERKINGEN_LIJST_PR_BEPERKINGEN_ITEM_BETROKKENE_ID	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_PR_BEPERKINGEN_KADASTRAAL_OBJECT_PR_BEPERKINGEN_LIJST_PR_BEPERKINGEN_ITEM_GEMEENTE_ID	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_PR_BEPERKINGEN_KADASTRAAL_OBJECT_PR_BEPERKINGEN_LIJST_PR_BEPERKINGEN_ITEM_GEMEENTELIJKE_REGISTRATIE_ID	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_PR_BEPERKINGEN_KADASTRAAL_OBJECT_PR_BEPERKINGEN_LIJST_PR_BEPERKINGEN_ITEM_OMSCHRIJVING_PR_BEPERKING	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_PR_BEPERKINGEN_KAD	string			

Name	Data Type	Label	Required	Documentation
ASTRAAL_OBJECT_PR_BEPERKINGEN_LIJST_PR_BEPERKINGEN_ITEM_SPLITSING_PR_BEPERKING				
EIGENDOMSBERICHT_ONROERENDE_ZAAK_PR_BEPERKINGEN_KADASTRAAL_OBJECT_PR_BEPERKINGEN_LIJST_PR_BEPERKINGEN_ITEM_STUK_ID	string			
EIGENDOMSBERICHT_PERSONEN_ITEM_AANTEKENING_BESCHIKKINGSBEVOEGDHEID	boolean			
EIGENDOMSBERICHT_PERSONEN_ITEM_ID	string			
EIGENDOMSBERICHT_PERSONEN_ITEM_INDICATIE_MEER_ONROERENDE_ZAKEN	boolean			
EIGENDOMSBERICHT_PERSONEN_ITEM_MOGELIJK_VAN_BELANG_STUKKEN_LIJST_INDICATIE_COMPLEET	boolean			
EIGENDOMSBERICHT_PERSONEN_ITEM_MOGELIJK_VAN_BELANG_STUKKEN_LIJST_STUKKEN	string			
EIGENDOMSBERICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_DATUM_OVERLIJDEN	datetime			
EIGENDOMSBERICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_GEBORTE DATUM	datetime			
EIGENDOMSBERICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_GEBORTEPLAATS	string			
EIGENDOMSBERICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_GESLACHT	string			
EIGENDOMSBERICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_GESLACHTSNAAM	string			
EIGENDOMSBERICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_INDICATIE_CONFORM_GBA	boolean			
EIGENDOMSBERICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_INDICATIE_OVERLEDEN	boolean			
EIGENDOMSBERICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_OMSCHRIJVING_RELATIE	string			
EIGENDOMSBERICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_RELATIE_PARTNERID	string			
EIGENDOMSBERICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_VORNAMEN	string			

Name	Data Type	Label	Required	Documentation
EIGENDOMSBERICHT_PERSONEN_I TEM_NATUURLIJK_PERSOON_VO ORVOEGSEL_GESLACHTSNAAM	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_NIET_NATUURLIJK_PERSOON _CODE	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_NIET_NATUURLIJK_PERSOON _LEDEN_LIJST_INDICATIE_COMPLE ET	boolean			
EIGENDOMSBERICHT_PERSONEN_I TEM_NIET_NATUURLIJK_PERSOON _LEDEN_LIJST_LEDEN	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_NIET_NATUURLIJK_PERSOON _NAAM	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_NIET_NATUURLIJK_PERSOON _STATUTAIRE_ZETEL	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_NIET_VOLLEDIG_VERWERKT _STUKKEN_LIJST_INDICATIE_COM PLEET	boolean			
EIGENDOMSBERICHT_PERSONEN_I TEM_NIET_VOLLEDIG_VERWERKT _STUKKEN_LIJST_STUKKEN	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_POSTLOCATIE_LOCATIE_BIN NENLAND_GEMEENTE	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_POSTLOCATIE_LOCATIE_BIN NENLAND_HUISLETTER	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_POSTLOCATIE_LOCATIE_BIN NENLAND_HUISNUMMER_TOEVOE GING	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_POSTLOCATIE_LOCATIE_BIN NENLAND_HUISNUMMER	int32			
EIGENDOMSBERICHT_PERSONEN_I TEM_POSTLOCATIE_LOCATIE_BIN NENLAND_POSTCODE	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_POSTLOCATIE_LOCATIE_BIN NENLAND_STRAATNAAM	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_POSTLOCATIE_LOCATIE_BUI TENLAND_ADRES_BUITENLAND1	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_POSTLOCATIE_LOCATIE_BUI TENLAND_ADRES_BUITENLAND2	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_POSTLOCATIE_LOCATIE_BUI TENLAND_ADRES_BUITENLAND3	string			

Name	Data Type	Label	Required	Documentation
EIGENDOMSBERICHT_PERSONEN_I TEM_POSTLOCATIE_LOCATIE_BUI TENLAND_LAND	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_WOONLOCATIE_LOCATIE_BI NNENLAND_GEMEENTE	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_WOONLOCATIE_LOCATIE_BI NNENLAND_HUISLETTER	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_WOONLOCATIE_LOCATIE_BI NNENLAND_HUISNUMMER_TOEVO EGING	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_WOONLOCATIE_LOCATIE_BI NNENLAND_HUISNUMMER	int32			
EIGENDOMSBERICHT_PERSONEN_I TEM_WOONLOCATIE_LOCATIE_BI NNENLAND_POSTCODE	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_WOONLOCATIE_LOCATIE_BI NNENLAND_STRAATNAAM	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_WOONLOCATIE_LOCATIE_B UITENLAND_ADRES_BUITENLAND 1	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_WOONLOCATIE_LOCATIE_B UITENLAND_ADRES_BUITENLAND 2	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_WOONLOCATIE_LOCATIE_B UITENLAND_ADRES_BUITENLAND 3	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_WOONLOCATIE_LOCATIE_B UITENLAND_LAND	string			
EIGENDOMSBERICHT_RECHTEN_LI JST_INDICATIE_COMPLEET	boolean			
EIGENDOMSBERICHT_RECHTEN_LI JST_RECHTEN_ITEM_AANDEEL_IN _RECHT	string			
EIGENDOMSBERICHT_RECHTEN_LI JST_RECHTEN_ITEM_AANTEKENIN GEN_RECHT_LIJST_AANTEKENING EN_RECHT	string			
EIGENDOMSBERICHT_RECHTEN_LI JST_RECHTEN_ITEM_AANTEKENIN GEN_RECHT_LIJST_INDICATIE_CO MPLIET	boolean			
EIGENDOMSBERICHT_RECHTEN_LI JST_RECHTEN_ITEM_EINDDATUM_ RECHT	datetime			
EIGENDOMSBERICHT_RECHTEN_LI JST_RECHTEN_ITEM_GERECHTIGD	string			

Name	Data Type	Label	Required	Documentation
E_ID				
EIGENDOMSBERICHT_RECHTEN_LIJST_RECHTEN_ITEM_INDICATIE_RECHT_BETROKKEN_IN_SPLITSING	boolean			
EIGENDOMSBERICHT_RECHTEN_LIJST_RECHTEN_ITEM_MOGELIJK_VAN_BELANG_STUKKEN_LIJST_INDICATIE_COMPLEET	boolean			
EIGENDOMSBERICHT_RECHTEN_LIJST_RECHTEN_ITEM_MOGELIJK_VAN_BELANG_STUKKEN_LIJST_STUKKEN	string			
EIGENDOMSBERICHT_RECHTEN_LIJST_RECHTEN_ITEM_OBJECT_ID	string			
EIGENDOMSBERICHT_RECHTEN_LIJST_RECHTEN_ITEM_OMSCHRIJVING_RECHT	string			
EIGENDOMSBERICHT_RECHTEN_LIJST_RECHTEN_ITEM_ONTLEEND_AAN_STUKKEN_LIJST_INDICATIE_COMPLEET	boolean			
EIGENDOMSBERICHT_RECHTEN_LIJST_RECHTEN_ITEM_ONTLEEND_AAN_STUKKEN_LIJST_STUKKEN	string			
EIGENDOMSBERICHT_RECHTEN_LIJST_RECHTEN_ITEM_TOTAAL_AANDEEL_IN_RECHT	string			
EIGENDOMSBERICHT_STUKKEN_ITEM_AANDUIDING_SOORT_REGISTER	string			
EIGENDOMSBERICHT_STUKKEN_ITEM_DATUM_AANBIEDING	datetime			
EIGENDOMSBERICHT_STUKKEN_ITEM_DEEL	string			
EIGENDOMSBERICHT_STUKKEN_ITEM_ID	string			
EIGENDOMSBERICHT_STUKKEN_ITEM_NUMMER	string			
EIGENDOMSBERICHT_STUKKEN_ITEM_REEKS	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_GEMEENTECODE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_GEMEENTENAAM	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_PERCEELNUMMER	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_RELATIECODE	string			

Name	Data Type	Label	Required	Documentation
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_SECTIE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_VOLGNUMMER	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_GEMEENTE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_HUISLETTER	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_HUISNUMMER_TOEVOEGING	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_HUISNUMMER	int32			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_POSTCODE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_STRAATNAAM	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_OBJECT_ID	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_OMSCHRIJVING	string			
OVERZICHT_PERSONEN_ITEM_ID	string			
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_GESLACHTSNAAM	string			
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_VOORNAAMEN	string			
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_VOORVOEGSEL_GESLACHTSNAAM	string			
OVERZICHT_PERSONEN_ITEM_NIET_NATUURLIJK_PERSOON_CODE	string			
OVERZICHT_PERSONEN_ITEM_NIET_NATUURLIJK_PERSOON_NAAM	string			
OVERZICHT_RECHTEN_ITEM_GERECHTIGDE_ID	string			
OVERZICHT_RECHTEN_ITEM_OBJECT_ID	string			

3.1.201 kadasterEigendomsBerichtPostcodeV2

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariant SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: kadasterEigendomsBerichtPostcodeV2

Base

XPath: /s:Envelope/s:Body/tns:kadasterEigendomsBerichtPostcodeV2Response/tns:berichtobjectresultaat

Filters on API Server: postcode- huisnummer- huisnummer_toevoeging

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function kadasterEigendomsBerichtPostcodeV2. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
huisnummer_toevoeging	string	<input type="checkbox"/>		
huisnummer	int32	<input type="checkbox"/>		
postcode	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function kadasterEigendomsBerichtPostcodeV2 are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
EIGENDOMSBERICHT_DATUM_BIJGEWERKT	datetime			
EIGENDOMSBERICHT_DOCUMENT	byte[]			
EIGENDOMSBERICHT_GEMEENTES_TUKKEN_ITEM_DATUM_IN_WERKING	datetime			
EIGENDOMSBERICHT_GEMEENTES_TUKKEN_ITEM_GEMEENTELIJKE_REGISTERATIE_ID	string			
EIGENDOMSBERICHT_GEMEENTES_TUKKEN_ITEM_NUMMER	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_AANTEKENINGEN_KADASTRAAL_OBJECT_AANTEKENINGEN_LIJST_AANTEKENINGEN_ITEM_BESCHRIJVING_AANTEKENING	string			

Name	Data Type	Label	Required	Documentation
EIGENDOMSBERICHT_ONROERENDE_ZAAK_AANTEKENINGEN_KADASTRAAL_OBJECT_AANTEKENINGEN_LIJST_AANTEKENINGEN_ITEM_BETROKKEDE_ID	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_AANTEKENINGEN_KADASTRAAL_OBJECT_AANTEKENINGEN_LIJST_AANTEKENINGEN_ITEM_OMSCHRIJVING_AANTEKENING	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_AANTEKENINGEN_KADASTRAAL_OBJECT_AANTEKENINGEN_LIJST_AANTEKENINGEN_ITEM_STUK_ID	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_AANTEKENINGEN_KADASTRAAL_OBJECT_AANTEKENINGEN_LIJST_INDICATIE_COMPLEET	boolean			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_AANTEKENINGEN_KADASTRAAL_OBJECT_MELDING	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_DATUM_ONTSTAAN	datetime			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_INDICATIE_MEER_ONROERENDE_ZAKEN	boolean			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_INDICATIE_VOORGENOMMEN_SPLITSING	boolean			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_INDICATIE_VOORLOPIGE_AANTEKENING	boolean			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_GEMEENTECODE	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_GEMEENTENAAM	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_PERCEELNUMMER	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_RELATIECODE	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_SECTIE	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_VOLGNUMMER	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_KOOPJAAR	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_KOOPSOM	string			

Name	Data Type	Label	Required	Documentation
EIGENDOMSBERICHT_ONROERENDE_ZAAK_LANDINRICHTINGSRENTEN_BEDRAG	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_LANDINRICHTINGSRENTEN_EINDJAAR	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_LOCATIES_INDICATIE_COMPLEET	boolean			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_LOCATIES_LOCATIES_BINNENLAND_ITEM_GEMEENTE	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_LOCATIES_LOCATIES_BINNENLAND_ITEM_HUISLETTER	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_LOCATIES_LOCATIES_BINNENLAND_ITEM_HUISNUMMER_TOEVOEGING	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_LOCATIES_LOCATIES_BINNENLAND_ITEM_HUISNUMMER	int32			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_LOCATIES_LOCATIES_BINNENLAND_ITEM_POSTCODE	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_LOCATIES_LOCATIES_BINNENLAND_ITEM_STRAATNAAM	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_MANDELIGHEID_HOOFDPERCELEN_INDICATIE_COMPLEET	boolean			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_MANDELIGHEID_HOOFDPERCELEN_KADASTRALE_AANDUIDINGEN_ITEM_GEMEENTECODE	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_MANDELIGHEID_HOOFDPERCELEN_KADASTRALE_AANDUIDINGEN_ITEM_GEMEENTENAAM	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_MANDELIGHEID_HOOFDPERCELEN_KADASTRALE_AANDUIDINGEN_ITEM_PERCEELNUMMER	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_MANDELIGHEID_HOOFDPERCELEN_KADASTRALE_AANDUIDINGEN_ITEM_RELATIECODE	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_MANDELIGHEID_HOOFDPERCELEN_KADASTRALE_AANDUIDINGEN_ITEM_SECTIE	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_MANDELIGHEID_HOOFDPERCELEN_KADASTRALE_AANDUIDINGEN_ITEM_VOLGNUMMER	string			

Name	Data Type	Label	Required	Documentation
EIGENDOMSBERICHT_ONROERENDE_ZAAK_MANDELIGHEID_MANDELIGE_PERCELEN_INDICATIE_COMPLEET	boolean			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_MANDELIGHEID_MANDELIGE_PERCELEN_KADASTRALE_AANDUIDINGEN_ITEM_GEMEENTECODE	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_MANDELIGHEID_MANDELIGE_PERCELEN_KADASTRALE_AANDUIDINGEN_ITEM_GEMEENTENAAM	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_MANDELIGHEID_MANDELIGE_PERCELEN_KADASTRALE_AANDUIDINGEN_ITEM_PERCEELNUMMER	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_MANDELIGHEID_MANDELIGE_PERCELEN_KADASTRALE_AANDUIDINGEN_ITEM_RELATIECODE	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_MANDELIGHEID_MANDELIGE_PERCELEN_KADASTRALE_AANDUIDINGEN_ITEM_SECTIE	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_MANDELIGHEID_MANDELIGE_PERCELEN_KADASTRALE_AANDUIDINGEN_ITEM_VOLGNUMMER	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_NIET_VOLLEDIG_VERWERKT_STUKKEN_LIJST_INDICATIE_COMPLEET	boolean			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_NIET_VOLLEDIG_VERWERKT_STUKKEN_LIJST_STUKKEN_ITEM	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_OBJECT_ID	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_OMSCHRIJVING	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_ONROERENDE_ZAAK_HISTORIE_INDICATIE_COMPLEET	boolean			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_ONROERENDE_ZAAK_HISTORIE_KADASTRALE_AANDUIDINGEN_ITEM_GEMEENTECODE	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_ONROERENDE_ZAAK_HISTORIE_KADASTRALE_AANDUIDINGEN_ITEM_GEMEENTENAAM	string			

Name	Data Type	Label	Required	Documentation
EIGENDOMSBERICHT_ONROERENDE_ZAAK_ONROERENDE_ZAAK_HI STORIE_KADASTRALE_AANDUIDINGEN_ITEM_PERCEELNUMMER	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_ONROERENDE_ZAAK_HI STORIE_KADASTRALE_AANDUIDINGEN_ITEM_RELATIECODE	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_ONROERENDE_ZAAK_HI STORIE_KADASTRALE_AANDUIDINGEN_ITEM_SECTIE	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_ONROERENDE_ZAAK_HI STORIE_KADASTRALE_AANDUIDINGEN_ITEM_VOLGNUMMER	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_PERCEEL_DETAILS_APPARTEMENTSRECHT_BESTUURDER_ID	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_PERCEEL_DETAILS_APPARTEMENTSRECHT_NAAM	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_PERCEEL_DETAILS_PERCEEL_GROOTTE_PERCEEL	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_PERCEEL_DETAILS_PERCEEL_INDICATIE_GROOTTE_GESCHAT	boolean			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_PERCEEL_DETAILS_PERCEEL_X_COORDINAAT	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_PERCEEL_DETAILS_PERCEEL_Y_COORDINAAT	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_PR_BEPERKINGEN_KADASTRAAL_OBJECT_MELDING	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_PR_BEPERKINGEN_KADASTRAAL_OBJECT_PR_BEPERKINGEN_LIJST_INDICATIE_COMPLEET	boolean			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_PR_BEPERKINGEN_KADASTRAAL_OBJECT_PR_BEPERKINGEN_LIJST_PR_BEPERKINGEN_ITEM_BESCHRIJVING_PR_BEPERKING	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_PR_BEPERKINGEN_KADASTRAAL_OBJECT_PR_BEPERKINGEN_LIJST_PR_BEPERKINGEN_ITEM_BETROKKENE_ID	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_PR_BEPERKINGEN_KADASTRAAL_OBJECT_PR_BEPERKINGEN	string			

Name	Data Type	Label	Required	Documentation
GEN_LIJST_PR_BEPERKINGEN_ITEM_GEMEENTE_ID				
EIGENDOMSBERICHT_ONROERENDE_ZAAK_PR_BEPERKINGEN_KAD_ASTRaal_OBJECT_PR_BEPERKINGEN_LIJST_PR_BEPERKINGEN_ITEM_GEMEENTELIJKE_REGISTRATIE_ID	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_PR_BEPERKINGEN_KAD_ASTRaal_OBJECT_PR_BEPERKINGEN_LIJST_PR_BEPERKINGEN_ITEM_OMSCHRIJVING_PR_BEPERKINGEN	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_PR_BEPERKINGEN_KAD_ASTRaal_OBJECT_PR_BEPERKINGEN_LIJST_PR_BEPERKINGEN_ITEM_SPLITSING_PR_BEPERKINGEN	string			
EIGENDOMSBERICHT_ONROERENDE_ZAAK_PR_BEPERKINGEN_KAD_ASTRaal_OBJECT_PR_BEPERKINGEN_LIJST_PR_BEPERKINGEN_ITEM_STUK_ID	string			
EIGENDOMSBERICHT_PERSONEN_ITEM_AANTEKENING_BESCHIKKINGSBEVOEGDHEID	boolean			
EIGENDOMSBERICHT_PERSONEN_ITEM_ID	string			
EIGENDOMSBERICHT_PERSONEN_ITEM_INDICATIE_MEER_ONROERENDE_ZAKEN	boolean			
EIGENDOMSBERICHT_PERSONEN_ITEM_MOGELIJK_VAN_BELANG_STUKKEN_LIJST_INDICATIE_COMPLEET	boolean			
EIGENDOMSBERICHT_PERSONEN_ITEM_MOGELIJK_VAN_BELANG_STUKKEN_LIJST_STUKKEN	string			
EIGENDOMSBERICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_ADELLIJKE_TITEL_GESLACHTSNAAM	string			
EIGENDOMSBERICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_ADELLIJKE_TITEL	string			
EIGENDOMSBERICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_DATUM_OVERLIJDEN	datetime			
EIGENDOMSBERICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_GEBORTE DATUM	datetime			
EIGENDOMSBERICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_GEBORTEPLAATS	string			

Name	Data Type	Label	Required	Documentation
EIGENDOMSBERICHT_PERSONEN_I TEM_NATUURLIJK_PERSOON_GES LACHT	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_NATUURLIJK_PERSOON_GES LACHTSNAAM	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_NATUURLIJK_PERSOON_INDI CATIE_CONFORM_GBA	boolean			
EIGENDOMSBERICHT_PERSONEN_I TEM_NATUURLIJK_PERSOON_INDI CATIE_OVERLEDEN	boolean			
EIGENDOMSBERICHT_PERSONEN_I TEM_NATUURLIJK_PERSOON_OM SCHRIJVING_RELATIE	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_NATUURLIJK_PERSOON_REL ATIE_PARTNERID	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_NATUURLIJK_PERSOON_VO ORNAMEN	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_NATUURLIJK_PERSOON_VO ORVOEGSEL_GESLACHTSNAAM	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_NIET_NATUURLIJK_PERSOON _CODE	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_NIET_NATUURLIJK_PERSOON _LEDEN_LIJST_INDICATIE_COMPLE ET	boolean			
EIGENDOMSBERICHT_PERSONEN_I TEM_NIET_NATUURLIJK_PERSOON _LEDEN_LIJST_LEDEN	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_NIET_NATUURLIJK_PERSOON _NAAM	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_NIET_NATUURLIJK_PERSOON _STATUTAIRE_ZETEL	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_NIET_VOLLEDIG_VERWERKT _STUKKEN_LIJST_INDICATIE_COM PLEET	boolean			
EIGENDOMSBERICHT_PERSONEN_I TEM_NIET_VOLLEDIG_VERWERKT _STUKKEN_LIJST_STUKKEN	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_POSTLOCATIE_LOCATIE_BIN NENLAND_GEMEENTE	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_POSTLOCATIE_LOCATIE_BIN NENLAND_HUISLETTER	string			

Name	Data Type	Label	Required	Documentation
EIGENDOMSBERICHT_PERSONEN_I TEM_POSTLOCATIE_LOCATIE_BIN NENLAND_HUISNUMMER_TOEVOE GING	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_POSTLOCATIE_LOCATIE_BIN NENLAND_HUISNUMMER	int32			
EIGENDOMSBERICHT_PERSONEN_I TEM_POSTLOCATIE_LOCATIE_BIN NENLAND_POSTCODE	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_POSTLOCATIE_LOCATIE_BIN NENLAND_STRAATNAAM	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_POSTLOCATIE_LOCATIE_BUI TENLAND_ADRES_BUITENLAND1	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_POSTLOCATIE_LOCATIE_BUI TENLAND_ADRES_BUITENLAND2	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_POSTLOCATIE_LOCATIE_BUI TENLAND_ADRES_BUITENLAND3	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_POSTLOCATIE_LOCATIE_BUI TENLAND_LAND	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_WOONLOCATIE_LOCATIE_BI NNENLAND_GEMEENTE	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_WOONLOCATIE_LOCATIE_BI NNENLAND_HUISLETTER	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_WOONLOCATIE_LOCATIE_BI NNENLAND_HUISNUMMER_TOEVO EGING	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_WOONLOCATIE_LOCATIE_BI NNENLAND_HUISNUMMER	int32			
EIGENDOMSBERICHT_PERSONEN_I TEM_WOONLOCATIE_LOCATIE_BI NNENLAND_POSTCODE	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_WOONLOCATIE_LOCATIE_BI NNENLAND_STRAATNAAM	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_WOONLOCATIE_LOCATIE_B UITENLAND_ADRES_BUITENLAND 1	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_WOONLOCATIE_LOCATIE_B UITENLAND_ADRES_BUITENLAND 2	string			
EIGENDOMSBERICHT_PERSONEN_I TEM_WOONLOCATIE_LOCATIE_B	string			

Name	Data Type	Label	Required	Documentation
UITENLAND_ADRES_BUITENLAND_3				
EIGENDOMSBERICHT_PERSONEN_ITEM_WOONLOCATIE_LOCATIE_BUITENLAND_LAND	string			
EIGENDOMSBERICHT_RECHTEN_LIST_INDICATIE_COMPLEET	boolean			
EIGENDOMSBERICHT_RECHTEN_LIST_RECHTEN_ITEM_AAANDEEL_IN_RECHT	string			
EIGENDOMSBERICHT_RECHTEN_LIST_RECHTEN_ITEM_AAANTEKENINGEN_RECHT_LIJST_AAANTEKENINGEN_RECHT	string			
EIGENDOMSBERICHT_RECHTEN_LIST_RECHTEN_ITEM_AAANTEKENINGEN_RECHT_LIJST_INDICATIE_COMPLEET	boolean			
EIGENDOMSBERICHT_RECHTEN_LIST_RECHTEN_ITEM_EINDDATUM_RECHT	datetime			
EIGENDOMSBERICHT_RECHTEN_LIST_RECHTEN_ITEM_GERECHTIGDE_ID	string			
EIGENDOMSBERICHT_RECHTEN_LIST_RECHTEN_ITEM_INDICATIE_RECHT_BETROKKEN_IN_SPLITSING	boolean			
EIGENDOMSBERICHT_RECHTEN_LIST_RECHTEN_ITEM_MOGELIJK_VAN_BELANG_STUKKEN_LIJST_INDICATIE_COMPLEET	boolean			
EIGENDOMSBERICHT_RECHTEN_LIST_RECHTEN_ITEM_MOGELIJK_VAN_BELANG_STUKKEN_LIJST_STUKKEN	string			
EIGENDOMSBERICHT_RECHTEN_LIST_RECHTEN_ITEM_OBJECT_ID	string			
EIGENDOMSBERICHT_RECHTEN_LIST_RECHTEN_ITEM_OMSCHRIJVING_RECHT	string			
EIGENDOMSBERICHT_RECHTEN_LIST_RECHTEN_ITEM_ONTLEEND_AAN_STUKKEN_LIJST_INDICATIE_COMPLEET	boolean			
EIGENDOMSBERICHT_RECHTEN_LIST_RECHTEN_ITEM_ONTLEEND_AAN_STUKKEN_LIJST_STUKKEN	string			
EIGENDOMSBERICHT_RECHTEN_LIST_RECHTEN_ITEM_TOTAAL_AAANDEEL_IN_RECHT	string			
EIGENDOMSBERICHT_STUKKEN_ITEM_AANDUIDING_SOORT_REGISTER	string			

Name	Data Type	Label	Required	Documentation
EIGENDOMSBERICHT_STUKKEN_ITEM_DATUM_AANBIEDING	datetime			
EIGENDOMSBERICHT_STUKKEN_ITEM_DEEL	string			
EIGENDOMSBERICHT_STUKKEN_ITEM_ID	string			
EIGENDOMSBERICHT_STUKKEN_ITEM_NUMMER	string			
EIGENDOMSBERICHT_STUKKEN_ITEM_REEKS	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_GEMEENTECODE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_GEMEENTENAAM	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_PERCEELNUMMER	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_RELATIECODE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_SECTIE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_VOLGNUMMER	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_GEMEENTE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_HUISLETTER	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_HUISNUMMER_TOEVOEGING	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_HUISNUMMER	int32			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_POSTCODE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_STRAATNAAM	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_OBJECT_ID	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_OMSCHRIJVING	string			
OVERZICHT_PERSONEN_ITEM_ID	string			
OVERZICHT_PERSONEN_ITEM_MELDING	string			
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_GESLACHTSNAAM	string			

Name	Data Type	Label	Required	Documentation
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_VOORNAAMEN	string			
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_VOORVOEGSEL_GESLACHTSNAAM	string			
OVERZICHT_PERSONEN_ITEM_NIET_NATUURLIJK_PERSOON_CODE	string			
OVERZICHT_PERSONEN_ITEM_NIET_NATUURLIJK_PERSOON_NAAM	string			
OVERZICHT_RECHTEN_ITEM_GERECHTIGDE_ID	string			
OVERZICHT_RECHTEN_ITEM_OBJECT_ID	string			

3.1.202 kadaSterHypothecairBerichtPerceel

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: kadaSterHypothecairBerichtPerceel

Base

XPath: `/s:Envelope/s:Body/tns:kadaSterHypothecairBerichtPerceelResponse/tns:out`

Filters on API Server: gemeentecode- gemeentenaam- sectie- perceelnummer- relatiecode- volgnummer- format

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `kadaSterHypothecairBerichtPerceel`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
format	string	<input type="checkbox"/>		

Name	Data Type	Required	Default Value	Documentation
gemeentecode	string	<input type="checkbox"/>		
gemeentenaam	string	<input type="checkbox"/>		
perceelnummer	string	<input type="checkbox"/>		
relatiecode	string	<input type="checkbox"/>		
sectie	string	<input type="checkbox"/>		
volgnummer	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `kadasterHypothecairBerichtPerceel` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
HYPOTHECAIRBERICHT_DATUM_BIJGEWERKT	string			
HYPOTHECAIRBERICHT_HYPOTHECAIR_DOCUMENT_AFBEEELDINGEN_ITEM	byte[]			
HYPOTHECAIRBERICHT_HYPOTHECAIR_DOCUMENT_DOCUMENT	byte[]			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUKKEN_ITEM_DATUM_AANBIEDING	string			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUKKEN_ITEM_DATUM_ONDERTEKENING	string			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUKKEN_ITEM_EENZIJDIG_OPZEGBAAR	boolean			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUKKEN_ITEM_GEFIAATTEERD	boolean			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUKKEN_ITEM_OMSCHRIJVING	string			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUKKEN_ITEM_RECTIFICATIE_VERZOCHT	boolean			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUKKEN_ITEM_STUK_AANDUIDING_SOORT_REGISTER	string			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUKKEN_ITEM_STUK_DATUM_AANBIEDING	datetime			

Name	Data Type	Label	Required	Documentation
HYPOTHECAIRBERICHT_HYPOTHEEK_STUK_LIJST_HYPOTHEEK_STUKKEN_ITEM_STUK_DEEL	string			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUK_LIJST_HYPOTHEEK_STUKKEN_ITEM_STUK_ID	string			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUK_LIJST_HYPOTHEEK_STUKKEN_ITEM_STUK_NUMMER	string			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUK_LIJST_HYPOTHEEK_STUKKEN_ITEM_STUK_REEKS	string			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUK_LIJST_HYPOTHEEK_STUKKEN_ITEM_STUKDELEN	string			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUK_LIJST_INDICATIE_COMPLEET	boolean			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_AANT-EKENING_BESCHIKKINGSBEVOEGDHEID	boolean			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_AKR_SUBJECT_NR	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_DOMICILIE_KEUZES_INDICATIE_COMPLEET	boolean			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_KADASTRALE_IDENTIFICATIE	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NATUURLIJK_PERSOON_BSN	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NATUURLIJK_PERSOON_BURGERLIJKE_STAAT	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NATUURLIJK_PERSOON_DATUM_OVERLIJDEN	datetime			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NATUURLIJK_PERSOON_GEBOORTEDATUM	datetime			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NATUURLIJK_PERSOON_GEBOORTEPLAATS	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NATUURLIJK_PERSOON_GESLACHT	string			

Name	Data Type	Label	Required	Documentation
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NATUURLIJK_PERSOON_GESLACHTSNAAM	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NATUURLIJK_PERSOON_INDICATIE_OVERLEDEN	boolean			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NATUURLIJK_PERSOON_VOORNAMEN	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NATUURLIJK_PERSOON_VOORVOEGSEL_GESLACHTSNAAM	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NIET_NATUURLIJK_PERSOON_BEDRIJVEN_NUMMER	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NIET_NATUURLIJK_PERSOON_NAAM	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NIET_NATUURLIJK_PERSOON_RECHTSVORM	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NIET_NATUURLIJK_PERSOON_STATUTAIRE_ZETEL	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_POSTLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER_TOEVOEGING	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int32			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_POSTLOCATIE_LOCATIE_BINNENLAND_PLAATS	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_POSTLOCATIE_LOCATIE_BINNENLAND_POSITIE	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_POSTLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_POST	string			

Name	Data Type	Label	Required	Documentation
LOCATIE_LOCATIE_BINNENLAND_STRAATNAAM				
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_POSTLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_POSTLOCATIE_LOCATIE_BUITENLAND_LAND	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_POSTLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_POSTLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_WOONLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER_TOEVOEGING	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int32			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_WOONLOCATIE_LOCATIE_BINNENLAND_PLAATS	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_WOONLOCATIE_LOCATIE_BINNENLAND_POSITIE	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_WOONLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_WOONLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_WOONLOCATIE_LOCATIE_BUITENLAND_LAND	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_WOONLOCATIE_LOCATIE_BUITENLAND_REGIO	string			

Name	Data Type	Label	Required	Documentation
NLOCATIE_LOCATIE_BUITENLAND_REGIO				
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_WOONLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GROOTTE	decimal			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_GEMEENTECODE	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_GEMEENTENAAM	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_PERCEELNUMMER	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_RELATIECODE	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_SECTIE	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_VOLGNUMMER	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_MEERDERE_SPLITSINGEN	boolean			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_OBJECT_ID	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_DATUM_AANBIEDING	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_DATUM_ONDERTEKENING	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_EENZIJDIG_OPZEGBAAR	boolean			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_GEFIATTEERD	boolean			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_OMSCHRIJVING	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_RECTIFICATIE_VERZOCHT	boolean			

Name	Data Type	Label	Required	Documentation
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_STUK_AANDUIDING_SORT_REGISTER	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_STUK_DATUM_AANBIEDING	datetime			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_STUK_DEEL	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_STUK_ID	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_STUK_NUMMER	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_STUK_REEKS	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_STUKDELEN	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_INDICATIE_COMPLEET	boolean			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_TYPE	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_VASTGESTELDE_GROOTTE	boolean			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_VOORLOPIGE_AANTEKENING	boolean			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_GEMEENTECODE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_GEMEENTENAAM	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_PERCEELNUMMER	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_RELATIECODE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING	string			

Name	Data Type	Label	Required	Documentation
NG_SECTIE				
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_VOLGNUMMER	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_HUISLETTER	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_HUISNUMMER_TOEVOEGING	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_HUISNUMMER	int32			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_PLAATS	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_POSITIE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_POSTCODE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_STRAATNAAM	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_OBJECT_ID	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_OMSCHRIJVING	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_TYPE	string			
OVERZICHT_PERSONEN_ITEM_AKRSUBJECTNR	string			
OVERZICHT_PERSONEN_ITEM_KADASTRALE_IDENTIFICATIE	string			
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_BSN	string			
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_GESLACHT	string			
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_GESLACHTSNAAM	string			
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_VOORNAAMEN	string			
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_VOORVOEGSEL_GESLACHTSNAAM	string			
OVERZICHT_PERSONEN_ITEM_NIET_NATUURLIJK_PERSOON_BEDRIJVEN_NUMMER	string			
OVERZICHT_PERSONEN_ITEM_NIET_NATUURLIJK_PERSOON_NAAM	string			
OVERZICHT_PERSONEN_ITEM_NIET_NATUURLIJK_PERSOON_RECHTSVORM	string			

Name	Data Type	Label	Required	Documentation
OVERZICHT_RECHTEN_ITEM_GER ECHTIGDE_AKR	string			
OVERZICHT_RECHTEN_ITEM_GER ECHTIGDE_KADASTRALE_IDENTIFICATIE	string			
OVERZICHT_RECHTEN_ITEM_OBJECT_ID	string			

3.1.203 kadasterHypothecairBerichtPerceelV2

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: kadasterHypothecairBerichtPerceelV2

Base

XPath: `/s:Envelope/s:Body/tns:kadasterHypothecairBerichtPerceelV2Response/tns:out`

Filters on API Server: gemeentecode- gemeentenaam- sectie- perceelnummer- relatiecode- volgnummer- format

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `kadasterHypothecairBerichtPerceelV2`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
format	string	<input type="checkbox"/>		
gemeentecode	string	<input type="checkbox"/>		
gemeentenaam	string	<input type="checkbox"/>		
perceelnummer	string	<input type="checkbox"/>		
relatiecode	string	<input type="checkbox"/>		
sectie	string	<input type="checkbox"/>		
volgnummer	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `kadasterHypothecairBerichtPerceelV2` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
HYPOTHECAIRBERICHT_DATUM_BIJGEWERKT	string			
HYPOTHECAIRBERICHT_HYPOTHECAIR_DOCUMENT_AFBELDINGEN_ITEM	byte[]			
HYPOTHECAIRBERICHT_HYPOTHECAIR_DOCUMENT_DOCUMENT	byte[]			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUK_LIJST_HYPOTHEEK_STUKKEN_ITEM_DATUM_AANBIEDING	string			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUK_LIJST_HYPOTHEEK_STUKKEN_ITEM_DATUM_ONDERTEKENING	string			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUK_LIJST_HYPOTHEEK_STUKKEN_ITEM_EENZIJDIG_OPZEGBAAR	boolean			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUK_LIJST_HYPOTHEEK_STUKKEN_ITEM_GEFIAATTEERD	boolean			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUK_LIJST_HYPOTHEEK_STUKKEN_ITEM_OMSCHRIJVING	string			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUK_LIJST_HYPOTHEEK_STUKKEN_ITEM_RECTIFICATIE_VERZICHT	boolean			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUK_LIJST_HYPOTHEEK_STUKKEN_ITEM_STUK_AANDUIDING_SOORT_REGISTER	string			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUK_LIJST_HYPOTHEEK_STUKKEN_ITEM_STUK_DATUM_AANBIEDING	datetime			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUK_LIJST_HYPOTHEEK_STUKKEN_ITEM_STUK_DEEL	string			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUK_LIJST_HYPOTHEEK_STUKKEN_ITEM_STUK_ID	string			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUK_LIJST_HYPOTHEEK_STUKKEN_ITEM_STUK_NUMMER	string			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUK_LIJST_HYPOTHEEK_STUK	string			

Name	Data Type	Label	Required	Documentation
UKKEN_ITEM_STUK_REEKS				
HYPOTHECAIRBERICHT_HYPOTHEEK_STUK_LIJST_HYPOTHEEK_STUKKEN_ITEM_STUKDELEN	string			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUK_LIJST_INDICATIE_COMPLEET	boolean			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_AANT-EKENING_BESCHIKKINGSBEVOEGDHEID	boolean			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_AKR_SUBJECT_NR	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_DOMICILIE_KEUZES_INDICATIE_COMPLEET	boolean			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_KADASTRALE_IDENTIFICATIE	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NATUURLIJK_PERSOON_BSN	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NATUURLIJK_PERSOON_BURGERLIJKE_STAAT	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NATUURLIJK_PERSOON_DATUM_OVERLIJDEN	datetime			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NATUURLIJK_PERSOON_GEBOORTEDATUM	datetime			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NATUURLIJK_PERSOON_GEBOORTEPLAATS	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NATUURLIJK_PERSOON_GESLACHT	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NATUURLIJK_PERSOON_GESLACHTSNAM	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NATUURLIJK_PERSOON_INDICATIE_OVERLEDEN	boolean			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NATUURLIJK_PERSOON_VOORNAMEN	string			

Name	Data Type	Label	Required	Documentation
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NATUURLIJK_PERSOON_VOORVOEGSEL_GESLACHTSNAAM	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NIET_NATUURLIJK_PERSOON_BEDRIJVEN_NUMMER	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NIET_NATUURLIJK_PERSOON_NAAM	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NIET_NATUURLIJK_PERSOON_RECHTSVORM	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NIET_NATUURLIJK_PERSOON_STATUTAIRE_ZETEL	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_POSTLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER_TOEVOEGING	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int32			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_POSTLOCATIE_LOCATIE_BINNENLAND_PLAATS	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_POSTLOCATIE_LOCATIE_BINNENLAND_POSITIE	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_POSTLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_POSTLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_POSTLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_POSTLOCATIE_LOCATIE_BUITENLAND_LAND	string			

Name	Data Type	Label	Required	Documentation
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_POSTLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_POSTLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_WOONLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER_TOEVOEGING	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int32			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_WOONLOCATIE_LOCATIE_BINNENLAND_PLAATS	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_WOONLOCATIE_LOCATIE_BINNENLAND_POSITIE	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_WOONLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_WOONLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_WOONLOCATIE_LOCATIE_BUITENLAND_LAND	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_WOONLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_WOONLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GROOTTE	decimal			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_KADASTRALE_AAND	string			

Name	Data Type	Label	Required	Documentation
UIDING_GEMEENTECODE				
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_GEMEENTENAAM	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_PERCEELNUMMER	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_RELATIECODE	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_SECTIE	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_VOLGNUMMER	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_MEERDERE_SPLITSINGEN	boolean			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_OBJECT_ID	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_DATUM_AANBIEDING	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_DATUM_ONDERTEKENING	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_EENZIJDIG_OPZEGBAAR	boolean			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_GEFIAATTEERD	boolean			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_OMSCHRIJVING	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_RECTIFICATIE_VERZOCHT	boolean			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_STUK_AANDUIDING_SORT_REGISTER	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_STUK_DATUM_AANBIEDING	datetime			

Name	Data Type	Label	Required	Documentation
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_STUK_DEEL	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_STUK_ID	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_STUK_NUMMER	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_STUK_REEKS	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_STUKDELEN	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_INDICATIE_COMPLEET	boolean			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_TYPE	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_VASTGESTELDE_GROOTTE	boolean			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_VOORLOPIGE_AANTEKENING	boolean			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_GEMEENTECODE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_GEMEENTENAAM	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_PERCEELNUMMER	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_RELATIECODE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_SECTIE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_VOLGNUMMER	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_HUISLETTER	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_HUISNUMMER_TOEVOEGING	string			

Name	Data Type	Label	Required	Documentation
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_HUISNUMMER	int32			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_PLAATS	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_POSITIE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_POSTCODE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_STRAATNAAM	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_OBJECT_ID	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_OMSCHRIJVING	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_TYPE	string			
OVERZICHT_PERSONEN_ITEM_AKRSUBJECT_NR	string			
OVERZICHT_PERSONEN_ITEM_KADASTRALE_IDENTIFICATIE	string			
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_BSN	string			
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_GESLACHT	string			
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_GESLACHTSNAAM	string			
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_VOORNAAMEN	string			
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_VOORVOEGSEL_GESLACHTSNAAM	string			
OVERZICHT_PERSONEN_ITEM_NIEUW_NATUURLIJK_PERSOON_BEDRIJVEN_NUMMER	string			
OVERZICHT_PERSONEN_ITEM_NIEUW_NATUURLIJK_PERSOON_NAAM	string			
OVERZICHT_PERSONEN_ITEM_NIEUW_NATUURLIJK_PERSOON_RECHTSVORM	string			
OVERZICHT_RECHTEN_ITEM_GERECHTIGDE_AKR	string			
OVERZICHT_RECHTEN_ITEM_GERECHTIGDE_KADASTRALE_IDENTIFICATIE	string			
OVERZICHT_RECHTEN_ITEM_OBJECT_ID	string			

3.1.204 kadasterHypotheccairBerichtPerceelV3

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: kadasterHypotheccairBerichtPerceelV3

Base

XPath: `/s:Envelope/s:Body/tns:kadasterHypotheccairBerichtPerceelV3Response/tns:out`

Filters on API Server: gemeentecode- gemeentenaam- sectie- perceelnummer- relatiecode- volgnummer- format

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `kadasterHypotheccairBerichtPerceelV3`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
format	string	<input type="checkbox"/>		
gemeentecode	string	<input type="checkbox"/>		
gemeentenaam	string	<input type="checkbox"/>		
perceelnummer	string	<input type="checkbox"/>		
relatiecode	string	<input type="checkbox"/>		
sectie	string	<input type="checkbox"/>		
volgnummer	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `kadasterHypotheccairBerichtPerceelV3` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
HYPOTHECAIRBERICHT_DATUM_BIJGEWERKT	string			

Name	Data Type	Label	Required	Documentation
HYPOTHECAIRBERICHT_HYPOTHECAIR_DOCUMENT_AFBEELDINGEN_ITEM	byte[]			
HYPOTHECAIRBERICHT_HYPOTHECAIR_DOCUMENT_DOCUMENT	byte[]			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUKKEN_ITEM_DATUM_AANBIEDING	string			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUKKEN_ITEM_DATUM_ONDERTEKENING	string			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUKKEN_ITEM_EENZIJDIG_OPZEGBAAR	boolean			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUKKEN_ITEM_GEFIAATTEERD	boolean			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUKKEN_ITEM_OMSCHRIJVING	string			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUKKEN_ITEM_RECTIFICATIE_VERZOCHT	boolean			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUKKEN_ITEM_STUK_AANDUIDING_SOORT_REGISTER	string			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUKKEN_ITEM_STUK_DATUM_AANBIEDING	datetime			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUKKEN_ITEM_STUK_DEEL	string			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUKKEN_ITEM_STUK_ID	string			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUKKEN_ITEM_STUK_NUMMER	string			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUKKEN_ITEM_STUK_REEKS	string			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUKKEN_ITEM_STUKDELEN	string			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUKKEN_ITEM_INDICATIE_COMPLEET	boolean			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_AANT	boolean			

Name	Data Type	Label	Required	Documentation
EKENING_BESCHIKKINGSBEVOEGDHEID				
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_AKR_SUBJECT_NR	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_DOMICILIE_KEUZES_INDICATIE_COMPLEET	boolean			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_KADASTRALE_IDENTIFICATIE	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NATUURLIJK_PERSOON_BSN	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NATUURLIJK_PERSOON_BURGERLIJKE_STAAT	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NATUURLIJK_PERSOON_DATUM_OVERLIJDEN	datetime			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NATUURLIJK_PERSOON_GEBOORTEDATUM	datetime			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NATUURLIJK_PERSOON_GEBOORTEPLAATS	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NATUURLIJK_PERSOON_GESLACHT	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NATUURLIJK_PERSOON_GESLACHTSNAAM	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NATUURLIJK_PERSOON_INDICATIE_OVERLEDEN	boolean			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NATUURLIJK_PERSOON_VOORNAMEN	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NATUURLIJK_PERSOON_VOORVOEGSELGESLACHTSNAAM	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NIET_NATUURLIJK_PERSOON_BEDRIJVEN_NUMMER	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NIET_	string			

Name	Data Type	Label	Required	Documentation
NATUURLIJK_PERSOON_NAAM				
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NIET_NATUURLIJK_PERSOON_RECHTSVORM	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NIET_NATUURLIJK_PERSOON_STATUTAIRE_ZETEL	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_POSTLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER_TOEVOEGING	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int32			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_POSTLOCATIE_LOCATIE_BINNENLAND_PLAATS	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_POSTLOCATIE_LOCATIE_BINNENLAND_POSITIE	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_POSTLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_POSTLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_POSTLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_POSTLOCATIE_LOCATIE_BUITENLAND_LAND	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_POSTLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_POSTLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_WOONPLAATS	string			

Name	Data Type	Label	Required	Documentation
NLOCATIE_LOCATIE_BINNENLAND_HUISLETTER				
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER_TOEVOEGING	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int32			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_WOONLOCATIE_LOCATIE_BINNENLAND_PLAATS	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_WOONLOCATIE_LOCATIE_BINNENLAND_POSITIE	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_WOONLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_WOONLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_WOONLOCATIE_LOCATIE_BUITENLAND_LAND	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_WOONLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_WOONLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GROOTTE	decimal			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_KADASTRALE_AANUIDING_GEMEENTECODE	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_KADASTRALE_AANUIDING_GEMEENTENAAM	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_KADASTRALE_AANUIDING_PERCEELNUMMER	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_KADASTRALE_AAN	string			

Name	Data Type	Label	Required	Documentation
UIDING_RELATIECODE				
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_KADASTRALE_AANUIDING_SECTIE	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_KADASTRALE_AANUIDING_VOLGNUMMER	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_MEERDERE_SPLITSINGEN	boolean			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_OBJECT_ID	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_DATUM_AANBIEDING	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_DATUM_ONDERTEKENING	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_EENZIJDIG_OPZEGBAAR	boolean			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_GEFIATTEERD	boolean			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_OMSCHRJVING	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_RECTIFICATIE_VERZOCHT	boolean			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_STUK_AANUIDING_SOORT_REGISTER	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_STUK_DATUM_AANBIEDING	datetime			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_STUK_DEEL	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_STUK_ID	string			

Name	Data Type	Label	Required	Documentation
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_STUK_NUMMER	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_STUK_REEKS	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_STUKDELEN	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_INDICATIE_COMPLEET	boolean			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_TYPE	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_VASTGESTELDE_GROOTTE	boolean			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_VOORLOPIGE_AANTEKENING	boolean			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_GEMEENTECODE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_GEMEENTENAAM	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_PERCEELNUMMER	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_RELATIECODE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_SECTIE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_VOLGNUMMER	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_HUISLETTER	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_HUISNUMMER_TOEVOEGING	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_HUISNUMMER	int32			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_PLAATS	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_POSITIE	string			

Name	Data Type	Label	Required	Documentation
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_POSTCODE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_STRAATNAAM	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_OBJECT_ID	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_OMSCHRIJVING	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_TYPE	string			
OVERZICHT_PERSONEN_ITEM_AKRSUBJECT_NR	string			
OVERZICHT_PERSONEN_ITEM_KADASTRALE_IDENTIFICATIE	string			
OVERZICHT_PERSONEN_ITEM_MELDING	string			
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_BSN	string			
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_GESLACHT	string			
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_GESLACHTSNAAM	string			
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_VOORNAAM	string			
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_VOORVOEGSEL_GESLACHTSNAAM	string			
OVERZICHT_PERSONEN_ITEM_NIEUW_NATUURLIJK_PERSOON_BEDRIJVEN_NUMMER	string			
OVERZICHT_PERSONEN_ITEM_NIEUW_NATUURLIJK_PERSOON_NAAM	string			
OVERZICHT_PERSONEN_ITEM_NIEUW_NATUURLIJK_PERSOON_RECHTSVORM	string			
OVERZICHT_RECHTEN_ITEM_GERECHTIGDE_AKR	string			
OVERZICHT_RECHTEN_ITEM_GERECHTIGDE_KADASTRALE_IDENTIFICATIE	string			
OVERZICHT_RECHTEN_ITEM_OBJECT_ID	string			

3.1.205 kadasterHypothecairBerichtPostcode

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `kadasterHypotheclairBerichtPostcode`

Base

XPath: `/s:Envelope/s:Body/tns:kadasterHypotheclairBerichtPostcodeResponse/tns:out`

Filters on API Server: `postcode- huisnummer- huisnummer_toevoeging- format`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `kadasterHypotheclairBerichtPostcode`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
<code>format</code>	string	<input type="checkbox"/>		
<code>huisnummer_toevoeging</code>	string	<input type="checkbox"/>		
<code>huisnummer</code>	int32	<input type="checkbox"/>		
<code>postcode</code>	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `kadasterHypotheclairBerichtPostcode` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
<code>HYPOTHECAIRBERICHT_DATUM_BIJGEWERKT</code>	string			
<code>HYPOTHECAIRBERICHT_HYPOTHECAIR_DOCUMENT_AFBEELDINGEN_ITEM</code>	byte[]			
<code>HYPOTHECAIRBERICHT_HYPOTHECAIR_DOCUMENT_DOCUMENT</code>	byte[]			
<code>HYPOTHECAIRBERICHT_HYPOTHEEK_STUKKES_ITEM_DATUM_AANBIEDING</code>	string			

Name	Data Type	Label	Required	Documentation
HYPOTHECAIRBERICHT_HYPOTHEEK_STUKKEN_ITEM_DATUM_ONDERTEKENING	string			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUKKEN_ITEM_EENZIJDIG_OPZEGBAAR	boolean			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUKKEN_ITEM_GEFIATTEERD	boolean			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUKKEN_ITEM_OMSCHRIJVING	string			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUKKEN_ITEM_RECTIFICATIE_VERZOCHT	boolean			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUKKEN_ITEM_STUK_AANDUIDING_SOORT_REGISTER	string			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUKKEN_ITEM_STUK_DATUM_AANBIEDING	datetime			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUKKEN_ITEM_STUK_DEEL	string			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUKKEN_ITEM_STUK_ID	string			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUKKEN_ITEM_STUK_NUMMER	string			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUKKEN_ITEM_STUK_REEKS	string			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUKKEN_ITEM_STUKDELEN	string			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUKKEN_ITEM_INDICATIE_COMPLEET	boolean			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_AANT-EKENING_BESCHIKKINGSBEVOEGDHEID	boolean			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_AKRSUBJECT_NR	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_DOMICILIE_KEUZES_INDICATIE_COMPLEET	boolean			

Name	Data Type	Label	Required	Documentation
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_KADASTRALE_IDENTIFICATIE	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NATUURLIJK_PERSOON_BSN	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NATUURLIJK_PERSOON_BURGERLIJKE_STAAT	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NATUURLIJK_PERSOON_DATUM_OVERLIJDEN	datetime			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NATUURLIJK_PERSOON_GEBOORTEDATUM	datetime			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NATUURLIJK_PERSOON_GEBOORTEPLAATS	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NATUURLIJK_PERSOON_GESLACHT	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NATUURLIJK_PERSOON_GESLACHTSNAAM	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NATUURLIJK_PERSOON_INDICATIE_OVERLEDEN	boolean			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NATUURLIJK_PERSOON_VOORNAMEN	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NATUURLIJK_PERSOON_VOORVOEGSEL_GESLACHTSNAAM	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NIET_NATUURLIJK_PERSOON_BEDRIJVEN_NUMMER	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NIET_NATUURLIJK_PERSOON_NAAM	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NIET_NATUURLIJK_PERSOON_RECHTSVORM	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NIET_NATUURLIJK_PERSOON_STATUTAIRE_ZETEL	string			

Name	Data Type	Label	Required	Documentation
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_POSTLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER_TOEVOEGING	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int32			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_POSTLOCATIE_LOCATIE_BINNENLAND_PLAATS	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_POSTLOCATIE_LOCATIE_BINNENLAND_POSITIE	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_POSTLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_POSTLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_POSTLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_POSTLOCATIE_LOCATIE_BUITENLAND_LAND	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_POSTLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_POSTLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_WOONLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER_TOEVOEGING	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int32			

Name	Data Type	Label	Required	Documentation
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_WOONLOCATIE_LOCATIE_BINNENLAND_PLAATS	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_WOONLOCATIE_LOCATIE_BINNENLAND_POSITIE	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_WOONLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_WOONLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_WOONLOCATIE_LOCATIE_BUITENLAND_LAND	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_WOONLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_WOONLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GROOTTE	decimal			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_KADASTRALE_AANUIDING_GEMEENTECODE	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_KADASTRALE_AANUIDING_GEMEENTENAAM	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_KADASTRALE_AANUIDING_PERCEELNUMMER	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_KADASTRALE_AANUIDING_RELATIECODE	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_KADASTRALE_AANUIDING_SECTIE	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_KADASTRALE_AANUIDING_VOLGNUMMER	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_MEERDERE_SPLITSINGEN	boolean			

Name	Data Type	Label	Required	Documentation
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_OBJECT_ID	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_DATUM_AANBIEDING	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_DATUM_ONDERTEKENING	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_EENZIJDIG_OPZEGBAAR	boolean			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_GEFIAATTEERD	boolean			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_OMSCHRIJVING	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_RECTIFICATIE_VERZOCHT	boolean			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_STUK_AANDUIDING_SOORT_REGISTER	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_STUK_DATUM_AANBIEDING	datetime			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_STUK_DEEL	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_STUK_ID	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_STUK_NUMMER	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_STUK_REEKS	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_STUKDELEN	string			

Name	Data Type	Label	Required	Documentation
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_INDICATIE_COMPLEET	boolean			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_TYPE	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_VASTGESTELDE_GROOTTE	boolean			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_VOORLOPIGE_AANTEKENING	boolean			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_GEMEENTECODE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_GEMEENTENAAM	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_PERCEELNUMMER	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_RELATIECODE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_SECTIE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_VOLGNUMMER	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_HUISLETTER	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_HUISNUMMER_TOEVOEGING	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_HUISNUMMER	int32			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_PLAATS	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_POSITIE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_POSTCODE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_STRAATNAAM	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_OBJECT_ID	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_OMSCHRIJVING	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_TYPE	string			
OVERZICHT_PERSONEN_ITEM_AKRSUBJECT_NR	string			

Name	Data Type	Label	Required	Documentation
OVERZICHT_PERSONEN_ITEM_KADASTRALE_IDENTIFICATIE	string			
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_BSN	string			
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_GESLACHT	string			
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_GESLACHTSNAAM	string			
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_VOORNAAM	string			
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_VOORVOEGSEL_GESLACHTSNAAM	string			
OVERZICHT_PERSONEN_ITEM_NIET_NATUURLIJK_PERSOON_BEDRIJVEN_NUMMER	string			
OVERZICHT_PERSONEN_ITEM_NIET_NATUURLIJK_PERSOON_NAAM	string			
OVERZICHT_PERSONEN_ITEM_NIET_NATUURLIJK_PERSOON_RECHT SVORM	string			
OVERZICHT_RECHTEN_ITEM_GERECHTIGDE_AKR	string			
OVERZICHT_RECHTEN_ITEM_GERECHTIGDE_KADASTRALE_IDENTIFICATIE	string			
OVERZICHT_RECHTEN_ITEM_OBJECT_ID	string			

3.1.206 kadasterHypotheclairBerichtPostcodeV2

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: kadasterHypotheclairBerichtPostcodeV2

Base

XPath: /s:Envelope/s:Body/tns:kadasterHypotheclairBerichtPostcodeV2Response/tns:out

Filters on API Server: postcode- huisnummer- huisnummer_toevoeging- format

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `kadasterHypotheclairBerichtPostcodeV2`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the

execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
format	string	<input type="checkbox"/>		
huisnummer_toevoeging	string	<input type="checkbox"/>		
huisnummer	int32	<input type="checkbox"/>		
postcode	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `kadasterHypothecairBerichtPostcodeV2` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
HYPOTHECAIRBERICHT_DATUM_BIJGEWERKT	string			
HYPOTHECAIRBERICHT_HYPOTHECAIR_DOCUMENT_AFBEELDINGEN_ITEM	byte[]			
HYPOTHECAIRBERICHT_HYPOTHECAIR_DOCUMENT_DOCUMENT	byte[]			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUKKEN_ITEM_DATUM_AANBIEDING	string			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUKKEN_ITEM_DATUM_ONDERTEKENING	string			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUKKEN_ITEM_EENZIJDIG_OPZEGBAAR	boolean			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUKKEN_ITEM_GEFIATTEERD	boolean			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUKKEN_ITEM_OMSCHRIJVING	string			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUKKEN_ITEM	boolean			

Name	Data Type	Label	Required	Documentation
UKKEN_ITEM_RECTIFICATIE_VERZ OCHT				
HYPOTHECAIRBERICHT_HYPOTHE EK_STUK_LIJST_HYPOTHEEK_ST UKKEN_ITEM_STUK_AANDUIDING_ SOORT_REGISTER	string			
HYPOTHECAIRBERICHT_HYPOTHE EK_STUK_LIJST_HYPOTHEEK_ST UKKEN_ITEM_STUK_DATUM_AAN BIEDING	datetime			
HYPOTHECAIRBERICHT_HYPOTHE EK_STUK_LIJST_HYPOTHEEK_ST UKKEN_ITEM_STUK_DEEL	string			
HYPOTHECAIRBERICHT_HYPOTHE EK_STUK_LIJST_HYPOTHEEK_ST UKKEN_ITEM_STUK_ID	string			
HYPOTHECAIRBERICHT_HYPOTHE EK_STUK_LIJST_HYPOTHEEK_ST UKKEN_ITEM_STUK_NUMMER	string			
HYPOTHECAIRBERICHT_HYPOTHE EK_STUK_LIJST_HYPOTHEEK_ST UKKEN_ITEM_STUK_REEKS	string			
HYPOTHECAIRBERICHT_HYPOTHE EK_STUK_LIJST_HYPOTHEEK_ST UKKEN_ITEM_STUKDELEN	string			
HYPOTHECAIRBERICHT_HYPOTHE EK_STUK_LIJST_INDICATIE_COMP LEET	boolean			
HYPOTHECAIRBERICHT_ONROERE NDE_ZAAK_GERECHTIGDE_AANT EKENING_BESCHIKKINGSBEVOEG DHEID	boolean			
HYPOTHECAIRBERICHT_ONROERE NDE_ZAAK_GERECHTIGDE_AKR_ SUBJECT_NR	string			
HYPOTHECAIRBERICHT_ONROERE NDE_ZAAK_GERECHTIGDE_DOMIC ILIE_KEUZES_INDICATIE_COMPLEE T	boolean			
HYPOTHECAIRBERICHT_ONROERE NDE_ZAAK_GERECHTIGDE_KADA STRALE_IDENTIFICATIE	string			
HYPOTHECAIRBERICHT_ONROERE NDE_ZAAK_GERECHTIGDE_NATU URLIJK_PERSOON_BSN	string			
HYPOTHECAIRBERICHT_ONROERE NDE_ZAAK_GERECHTIGDE_NATU URLIJK_PERSOON_BURGERLIJKE_ STAAT	string			
HYPOTHECAIRBERICHT_ONROERE NDE_ZAAK_GERECHTIGDE_NATU URLIJK_PERSOON_DATUM_OVER LIJDEN	datetime			
HYPOTHECAIRBERICHT_ONROERE NDE_ZAAK_GERECHTIGDE_NATU	datetime			

Name	Data Type	Label	Required	Documentation
URLIJK_PERSOON_GEBOORTEDATUM				
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NATUURLIJK_PERSOON_GEBOORTEPLAATS	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NATUURLIJK_PERSOON_GESLACHT	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NATUURLIJK_PERSOON_GESLACHTSNAAM	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NATUURLIJK_PERSOON_INDICATIE_OVERLEDEN	boolean			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NATUURLIJK_PERSOON_VOORNAMEN	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NATUURLIJK_PERSOON_VOORVOEGSEL_GESLACHTSNAAM	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NIET_NATUURLIJK_PERSOON_BEDRIJVEN_NUMMER	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NIET_NATUURLIJK_PERSOON_NAAM	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NIET_NATUURLIJK_PERSOON_RECHTSVORM	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NIET_NATUURLIJK_PERSOON_STATUTAIRE_ZETEL	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_POSTLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER_TOEVOEGING	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int32			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_POSTLOCATIE_LOCATIE_BINNENLAND_PLAATS	string			

Name	Data Type	Label	Required	Documentation
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_POSTLOCATIE_LOCATIE_BINNENLAND_POSITIE	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_POSTLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_POSTLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_POSTLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_POSTLOCATIE_LOCATIE_BUITENLAND_LAND	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_POSTLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_POSTLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_WOONLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER_TOEV OEGING	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int32			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_WOONLOCATIE_LOCATIE_BINNENLAND_PLAATS	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_WOONLOCATIE_LOCATIE_BINNENLAND_POSITIE	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_WOONLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_WOONLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			

Name	Data Type	Label	Required	Documentation
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_WOONLOCATIE_LOCATIE_BUITENLAND_LAND	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_WOONLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_WOONLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GROOTTE	decimal			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_KADASTRALE_AANUIDING_GEMEENTECODE	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_KADASTRALE_AANUIDING_GEMEENTENAAM	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_KADASTRALE_AANUIDING_PERCEELNUMMER	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_KADASTRALE_AANUIDING_RELATIECODE	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_KADASTRALE_AANUIDING_SECTIE	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_KADASTRALE_AANUIDING_VOLGNUMMER	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_MEERDERE_SPLITSINGEN	boolean			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_OBJECT_ID	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_DATUM_AANBIEDING	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_DATUM_ONDERTEKENING	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_EENZIJDIG_OPZEGBAAR	boolean			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_EENZIJDIG_OPZEGBAAR	boolean			

Name	Data Type	Label	Required	Documentation
UMENTEN_HYPOTHEEK_STUKKEN_ITEM_GEFIATTEERD				
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_OMSCHRIJVING	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_RECTIFICATIE_VERZOCHT	boolean			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_STUK_AANDUIDING_SORT_REGISTER	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_STUK_DATUM_AANBIEDING	datetime			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_STUK_DEEL	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_STUK_ID	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_STUK_NUMMER	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_STUK_REEKS	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_STUKDELEN	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_INDICATIE_COMPLEET	boolean			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_TYPE	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_VASTGESTELDE_GROOTTE	boolean			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_VOORLOPIGE_AANTEKENING	boolean			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_GEMEENTECODE	string			

Name	Data Type	Label	Required	Documentation
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_GEMEENTENAAM	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_PERCEELNUMMER	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_RELATIECODE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_SECTIE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_VOLGNUMMER	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_HUISLETTER	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_HUISNUMMER_TOEVOEGING	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_HUISNUMMER	int32			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_PLAATS	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_POSITIE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_POSTCODE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_STRAATNAAM	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_OBJECT_ID	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_OMSCHRIJVING	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_TYPE	string			
OVERZICHT_PERSONEN_ITEM_AKRSUBJECT_NR	string			
OVERZICHT_PERSONEN_ITEM_KADASTRALE_IDENTIFICATIE	string			
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_BSN	string			
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_GESLACHT	string			
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_GESLACHTSNAAM	string			
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_VOORNAAMEN	string			
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_VOORVOEG	string			

Name	Data Type	Label	Required	Documentation
SEL_GESLACHTSNAAM				
OVERZICHT_PERSONEN_ITEM_NIE T_NATUURLIJK_PERSOON_BEDRU VEN_NUMMER	string			
OVERZICHT_PERSONEN_ITEM_NIE T_NATUURLIJK_PERSOON_NAAM	string			
OVERZICHT_PERSONEN_ITEM_NIE T_NATUURLIJK_PERSOON_RECHT SVORM	string			
OVERZICHT_RECHTEN_ITEM_GER ECHTIGDE_AKR	string			
OVERZICHT_RECHTEN_ITEM_GER ECHTIGDE_KADASTRALE_IDENTIFI CATIE	string			
OVERZICHT_RECHTEN_ITEM_OBJE CT_ID	string			

3.1.207 kadasterHypotheclairBerichtPostcodeV3

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: kadasterHypotheclairBerichtPostcodeV3

Base

XPath: `/s:Envelope/s:Body/tns:kadasterHypotheclairBerichtPostcodeV3Response/tns:out`

Filters on API Server: `postcode- huisnummer- huisnummer_toevoeging- format`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `kadasterHypotheclairBerichtPostcodeV3`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
format	string	<input type="checkbox"/>		
huisnummer_toevoeging	string	<input type="checkbox"/>		
huisnummer	int32	<input type="checkbox"/>		
postcode	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `kadasterHypothecairBerichtPostcodeV3` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
HYPOTHECAIRBERICHT_DATUM_BIJGEWERKT	string			
HYPOTHECAIRBERICHT_HYPOTHECAIR_DOCUMENT_AFBELDINGEN_ITEM	byte[]			
HYPOTHECAIRBERICHT_HYPOTHECAIR_DOCUMENT_DOCUMENT	byte[]			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUKKEN_ITEM_DATUM_AANBIEDING	string			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUKKEN_ITEM_DATUM_ONDERTEKENING	string			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUKKEN_ITEM_EENZIJDIG_OPZEGBAAR	boolean			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUKKEN_ITEM_GEFIATTEERD	boolean			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUKKEN_ITEM_OMSCHRIJVING	string			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUKKEN_ITEM_RECTIFICATIE_VERZOCHT	boolean			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUKKEN_ITEM_STUK_AANDUIDING_SOORT_REGISTER	string			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUKKEN_ITEM_STUK_DATUM_AANBIEDING	datetime			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUKKEN_ITEM_STUK_DEEL	string			

Name	Data Type	Label	Required	Documentation
HYPOTHECAIRBERICHT_HYPOTHEEK_STUK_LIJST_HYPOTHEEK_STUKKEN_ITEM_STUK_ID	string			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUK_LIJST_HYPOTHEEK_STUKKEN_ITEM_STUK_NUMMER	string			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUK_LIJST_HYPOTHEEK_STUKKEN_ITEM_STUK_REEKS	string			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUK_LIJST_HYPOTHEEK_STUKKEN_ITEM_STUKDELEN	string			
HYPOTHECAIRBERICHT_HYPOTHEEK_STUK_LIJST_INDICATIE_COMPLEET	boolean			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_AANT-EKENING_BESCHIKKINGSBEVOEGDHEID	boolean			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_AKR_SUBJECT_NR	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_DOMICILIE_KEUZES_INDICATIE_COMPLEET	boolean			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_KADASTRALE_IDENTIFICATIE	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NATUURLIJK_PERSOON_BSN	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NATUURLIJK_PERSOON_BURGERLIJKE_STAAT	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NATUURLIJK_PERSOON_DATUM_OVERLIJDEN	datetime			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NATUURLIJK_PERSOON_GEBOORTEDATUM	datetime			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NATUURLIJK_PERSOON_GEBOORTEPLAATS	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NATUURLIJK_PERSOON_GESLACHT	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NATUURLIJK_PERSOON_GESLACHTSNAM	string			

Name	Data Type	Label	Required	Documentation
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NATUURLIJK_PERSOON_INDICATIE_OVERLEDEN	boolean			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NATUURLIJK_PERSOON_VOORNAMEN	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NATUURLIJK_PERSOON_VOORVOEGSE_L_GESLACHTSNAAM	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NIET_NATUURLIJK_PERSOON_BEDRIJVEN_NUMMER	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NIET_NATUURLIJK_PERSOON_NAAM	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NIET_NATUURLIJK_PERSOON_RECHTSVORM	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_NIET_NATUURLIJK_PERSOON_STATUTAIRE_ZETEL	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_POSTLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER_TOEVOEGING	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int32			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_POSTLOCATIE_LOCATIE_BINNENLAND_PLAATS	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_POSTLOCATIE_LOCATIE_BINNENLAND_POSITIE	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_POSTLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_POSTLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_POST	string			

Name	Data Type	Label	Required	Documentation
LOCATIE_LOCATIE_BUITENLAND_ADRES				
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_POSTLOCATIE_LOCATIE_BUITENLAND_LAND	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_POSTLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_POSTLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_WOONLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER_TOEVOEGING	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int32			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_WOONLOCATIE_LOCATIE_BINNENLAND_PLAATS	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_WOONLOCATIE_LOCATIE_BINNENLAND_POSITIE	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_WOONLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_WOONLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_WOONLOCATIE_LOCATIE_BUITENLAND_LAND	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_WOONLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GERECHTIGDE_WOONLOCATIE_LOCATIE_BUITENLAND_REGIO	string			

Name	Data Type	Label	Required	Documentation
NLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS				
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GROOTTE	decimal			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_GEMEENTECODE	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_GEMEENTENAAM	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_PERCEELNUMMER	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_RELATIECODE	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_SECTIE	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_VOLGNUMMER	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_MEERDERE_SPLITSINGEN	boolean			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_OBJECT_ID	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_DATUM_AANBIEDING	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_DATUM_ONDERTEKENING	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_EENZIJDIG_OPZEGBAAR	boolean			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_GEFIAATTEERD	boolean			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_OMSCHRIJVING	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_RECTIFICATIE_VERZOCHT	boolean			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN	string			

Name	Data Type	Label	Required	Documentation
_ITEM_STUK_AANDUIDING_SOORT_REGISTER				
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_STUK_DATUM_AANBIEDING	datetime			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_STUK_DEEL	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_STUK_ID	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_STUK_NUMMER	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_STUK_REEKS	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKKEN_ITEM_STUKDELEN	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONVERWERKTE_DOCUMENTEN_INDICATIE_COMPLEET	boolean			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_TYPE	string			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_VASTGESTELDE_GROOTTE	boolean			
HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_VOORLOPIGE_AANTEKENING	boolean			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_GEMEENTECODE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_GEMEENTENAAM	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_PERCEELNUMMER	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_RELATIECODE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_SECTIE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING	string			

Name	Data Type	Label	Required	Documentation
NG_VOLGNUMMER				
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_HUISLETTER	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_HUISNUMMER_TOEVOEGING	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_HUISNUMMER	int32			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_PLAATS	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_POSITIE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_POSTCODE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_STRAATNAAM	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_OBJECT_ID	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_OMSCHRIJVING	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_TYPE	string			
OVERZICHT_PERSONEN_ITEM_AKRSUBJECT_NR	string			
OVERZICHT_PERSONEN_ITEM_KADASTRALE_IDENTIFICATIE	string			
OVERZICHT_PERSONEN_ITEM_MELDING	string			
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_BSN	string			
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_GESLACHT	string			
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_GESLACHTSNAAM	string			
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_VOORNAAMEN	string			
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_VOORVOEGSEL_GESLACHTSNAAM	string			
OVERZICHT_PERSONEN_ITEM_NIEUWT_NATUURLIJK_PERSOON_BEDRIJVEN_NUMMER	string			
OVERZICHT_PERSONEN_ITEM_NIEUWT_NATUURLIJK_PERSOON_NAAM	string			
OVERZICHT_PERSONEN_ITEM_NIEUWT_NATUURLIJK_PERSOON_RECHTSVORM	string			
OVERZICHT_RECHTEN_ITEM_GERECHTIGDE_AKR	string			

Name	Data Type	Label	Required	Documentation
OVERZICHT_RECHTEN_ITEM_GER ECHTIGDE_KADASTRALE_IDENTIFI CATIE	string			
OVERZICHT_RECHTEN_ITEM_OBJE CT_ID	string			

3.1.208 kadasterKadastraleKaartPerceel

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: kadasterKadastraleKaartPerceel

Base

XPath: /s:Envelope/s:Body/tns:kadasterKadastraleKaartPerceelResponse
/tns:out

Filters on API Server: gemeentecode- gemeentenaam- sectie- perceelnummer- relatiecode-
volgnummer- format- schaal

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `kadasterKadastraleKaartPerceel`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
format	string	<input type="checkbox"/>		
gemeentecode	string	<input type="checkbox"/>		
gemeentenaam	string	<input type="checkbox"/>		
perceelnummer	string	<input type="checkbox"/>		
relatiecode	string	<input type="checkbox"/>		
schaal	int32	<input type="checkbox"/>		
sectie	string	<input type="checkbox"/>		
volgnummer	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `kadasterKadastraleKaartPerceel` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
KADASTRALE_KAART_AFBEELDINGEN_ITEM	byte[]			
KADASTRALE_KAART_KAART	byte[]			
KADASTRALE_KAART_SCHAAL	int32			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_GEMEENTECODE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_GEMEENTENAAM	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_PERCEELNUMMER	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_RELATIECODE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_SECTIE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_VOLGNUMMER	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_HUISLETTER	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_HUISNUMMER_TOEVOEGING	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_HUISNUMMER	int32			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_PLAATS	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_POSITIE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_POSTCODE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_STRAATNAAM	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_OBJECT_ID	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_OMSCHRIJVING	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_TYPE	string			
OVERZICHT_PERSONEN_ITEM_AKRSUBJECT_NR	string			

Name	Data Type	Label	Required	Documentation
OVERZICHT_PERSONEN_ITEM_KADASTRALE_IDENTIFICATIE	string			
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_BSN	string			
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_GESLACHT	string			
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_GESLACHTSNAAM	string			
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_VOORNAAM	string			
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_VOORVOEGSEL_GESLACHTSNAAM	string			
OVERZICHT_PERSONEN_ITEM_NIET_NATUURLIJK_PERSOON_BEDRIJVEN_NUMMER	string			
OVERZICHT_PERSONEN_ITEM_NIET_NATUURLIJK_PERSOON_NAAM	string			
OVERZICHT_PERSONEN_ITEM_NIET_NATUURLIJK_PERSOON_RECHT SVORM	string			
OVERZICHT_RECHTEN_ITEM_GERECHTIGDE_AKR	string			
OVERZICHT_RECHTEN_ITEM_GERECHTIGDE_KADASTRALE_IDENTIFICATIE	string			
OVERZICHT_RECHTEN_ITEM_OBJECT_ID	string			

3.1.209 kadasterKadastraleKaartPerceelV2

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: kadasterKadastraleKaartPerceelV2

Base

XPath: `/s:Envelope/s:Body/tns:kadasterKadastraleKaartPerceelV2Response/tns:out`

Filters on API Server: gemeentecode- gemeentenaam- sectie- perceelnummer- relatiecode- volgnummer- format- schaal

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `kadasterKadastraleKaartPerceelV2`. A value must be provided at all times for required

parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
format	string	<input type="checkbox"/>		
gemeentecode	string	<input type="checkbox"/>		
gemeentenaam	string	<input type="checkbox"/>		
perceelnummer	string	<input type="checkbox"/>		
relatiecode	string	<input type="checkbox"/>		
schaal	int32	<input type="checkbox"/>		
sectie	string	<input type="checkbox"/>		
volgnummer	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `kadasterKadastraleKaartPerceelV2` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
KADASTRALE_KAART_AFBEELDINGEN_ITEM	byte[]			
KADASTRALE_KAART_KAART	byte[]			
KADASTRALE_KAART_SCHAAL	int32			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_GEMEENTECODE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_GEMEENTENAAM	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_PERCEELNUMMER	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_RELATIECODE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_SECTIE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING	string			

Name	Data Type	Label	Required	Documentation
NG_VOLGNUMMER				
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_GEMEENTE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_HUISLETTER	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_HUISNUMMER_TOEVOEGING	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_HUISNUMMER	int32			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_POSTCODE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_STRAATNAAM	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_OBJECT_ID	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_OMSCHRIJVING	string			

3.1.210 kadasterKadastraleKaartPostcode

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: kadasterKadastraleKaartPostcode

Base

XPath: `/s:Envelope/s:Body/tns:kadasterKadastraleKaartPostcodeResponse/tns:out`

Filters on API Server: `postcode- huisnummer- huisnummer_toevoeging- format- schaal`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `kadasterKadastraleKaartPostcode`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
format	string	<input type="checkbox"/>		
huisnummer_toevoeging	string	<input type="checkbox"/>		
huisnummer	int32	<input type="checkbox"/>		
postcode	string	<input type="checkbox"/>		
schaal	int32	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `kadasterKadastraleKaartPostcode` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
KADASTRALE_KAART_AFBEELDINGEN_ITEM	byte[]			
KADASTRALE_KAART_KAART	byte[]			
KADASTRALE_KAART_SCHAAL	int32			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_GEMEENTECODE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_GEMEENTENAAM	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_PERCEELNUMMER	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_RELATIECODE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_SECTIE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_VOLGNUMMER	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_HUISLETTER	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_HUISNUMMER_TOEVOEGING	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_HUISNUMMER	int32			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_PLAATS	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_POSITIE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_POSTCODE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_STRAATNAAM	string			

Name	Data Type	Label	Required	Documentation
OVERZICHT_ONROERENDE_ZAKEN_ITEM_OBJECT_ID	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_OMSCHRIJVING	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_TYPE	string			
OVERZICHT_PERSONEN_ITEM_AKRSUBJECT_NR	string			
OVERZICHT_PERSONEN_ITEM_KADASTRALE_IDENTIFICATIE	string			
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_BSN	string			
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_GESLACHT	string			
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_GESLACHTSNAAM	string			
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_VOORNAAMEN	string			
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_VOORVOEGSEL_GESLACHTSNAAM	string			
OVERZICHT_PERSONEN_ITEM_NIET_NATUURLIJK_PERSOON_BEDRIJVEN_NUMMER	string			
OVERZICHT_PERSONEN_ITEM_NIET_NATUURLIJK_PERSOON_NAAM	string			
OVERZICHT_PERSONEN_ITEM_NIET_NATUURLIJK_PERSOON_RECHTSVORM	string			
OVERZICHT_RECHTEN_ITEM_GERECHTIGDE_AKR	string			
OVERZICHT_RECHTEN_ITEM_GERECHTIGDE_KADASTRALE_IDENTIFICATIE	string			
OVERZICHT_RECHTEN_ITEM_OBJECT_ID	string			

3.1.211 kadasterKadastraleKaartPostcodeV2

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: kadasterKadastraleKaartPostcodeV2

Base

XPath: /s:Envelope/s:Body/tns:kadasterKadastraleKaartPostcodeV2Response/tns:out

Filters on API Server: postcode- huisnummer- huisnummer_toevoeging- format- schaal

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `kadasterKadastraleKaartPostcodeV2`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
format	string	<input type="checkbox"/>		
huisnummer_toevoeging	string	<input type="checkbox"/>		
huisnummer	int32	<input type="checkbox"/>		
postcode	string	<input type="checkbox"/>		
schaal	int32	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `kadasterKadastraleKaartPostcodeV2` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
KADASTRALE_KAART_AFBEELDINGEN_ITEM	byte[]			
KADASTRALE_KAART_KAART	byte[]			
KADASTRALE_KAART_SCHAAL	int32			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_GEMEENTECODE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_GEMEENTENAAM	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_PERCEELNUMMER	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING	string			

Name	Data Type	Label	Required	Documentation
NG_RELATIECODE				
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_SECTIE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_VOLGNUMMER	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_GEMEENTE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_HUISLETTER	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_HUISNUMMER_TOEVOEGING	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_HUISNUMMER	int32			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_POSTCODE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_STRAATNAAM	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_OBJECT_ID	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_OMSCHRIJVING	string			

3.1.212 kadastrKoopsommenOverzicht

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: kadastrKoopsommenOverzicht

Base

XPath: `/s:Envelope/s:Body/tns:kadastrKoopsommenOverzichtResponse/tns:koopsommenoverzicht`

Filters on API Server: postcode- huisnummer

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `kadastrKoopsommenOverzicht`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four

parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
huisnummer	int32	<input type="checkbox"/>		
postcode	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `kadasterKoopsommenOverzicht` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
EIND_DATUM	datetime			
GEMEENTE	string	Municipality		
HUISNR_TM	int32	House Number upto		
HUISNR_VAN	int32	House Number from		
KOOPSOMMEN_ITEM_BEDRAG	int32			
KOOPSOMMEN_ITEM_HUISNUMMER_TOEVOEGING	string			
KOOPSOMMEN_ITEM_HUISNUMMER	int32			
KOOPSOMMEN_ITEM_KOOPDATUM	datetime			
KOOPSOMMEN_ITEM_MEER_ONROERENDE_GOEDEREN	boolean			
KOOPSOMMEN_ITEM_OMSCHRIJVING	string			
KOOPSOMMEN_ITEM_OPPERVLAKTE	int32			
REEKSINDICATIE	string	Sequence Indicator		
STRAATNAAM	string	Street Name		

3.1.213 kadasterKoopsommenOverzichtV2

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `kadasterKoopsommenOverzichtV2`

Base

XPath: /s:Envelope/s:Body/tns:kadasterKoopsommenOverzichtV2Response/tns:koopsommenoverzicht

Filters on API Server: postcode- huisnummer- format

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `kadasterKoopsommenOverzichtV2`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
format	string	<input type="checkbox"/>		
huisnummer	int32	<input type="checkbox"/>		
postcode	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `kadasterKoopsommenOverzichtV2` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
DOCUMENT	byte[]	Document		
OVERZICHT_EIND_DATUM	datetime			
OVERZICHT_GEMEENTE	string			
OVERZICHT_HUISNR_TM	int32			
OVERZICHT_HUISNR_VAN	int32			
OVERZICHT_KOOPSOMMEN_ITEM_BEDRAG	int32			
OVERZICHT_KOOPSOMMEN_ITEM_HUISNUMMER_TOEV_OEGING	string			
OVERZICHT_KOOPSOMMEN_ITEM_HUISNUMMER	int32			
OVERZICHT_KOOPSOMMEN_ITEM_KOOPDATUM	datetime			
OVERZICHT_KOOPSOMMEN_ITEM_MEER_ONROERENDE_GOEDEREN	boolean			

Name	Data Type	Label	Required	Documentation
OVERZICHT_KOOPSOMMEN_ITEM_OMSCHRIJVING	string			
OVERZICHT_KOOPSOMMEN_ITEM_OPPELVAKTE	int32			
OVERZICHT_REEKSINDICATIE	string			
OVERZICHT_STRAATNAAM	string			

3.1.214 kadasterUittrekselKadastraleKaartPerceel

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: kadasterUittrekselKadastraleKaartPerceel

Base

XPath: `/s:Envelope/s:Body/tns:kadasterUittrekselKadastraleKaartPerceelResponse/tns:uittreksel`

Filters on API Server: gemeentecode- gemeentenaam- sectie- perceelnummer- relatiecode- volgnummer- format

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `kadasterUittrekselKadastraleKaartPerceel`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
format	string	<input type="checkbox"/>		
gemeentecode	string	<input type="checkbox"/>		
gemeentenaam	string	<input type="checkbox"/>		
perceelnummer	string	<input type="checkbox"/>		
relatiecode	string	<input type="checkbox"/>		
sectie	string	<input type="checkbox"/>		
volgnummer	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `kadasterUittrekselKadastraleKaartPerceel` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
AFBEELDINGEN_ITEM	byte[]			
KAART	byte[]			
KADASTRALE_AANDUIDINGEN_ITEM_GEMEENTECODE	string			
KADASTRALE_AANDUIDINGEN_ITEM_GEMEENTENAAM	string			
KADASTRALE_AANDUIDINGEN_ITEM_PERCEELNUMMER	string			
KADASTRALE_AANDUIDINGEN_ITEM_RELATIECODE	string			
KADASTRALE_AANDUIDINGEN_ITEM_SECTIE	string			
KADASTRALE_AANDUIDINGEN_ITEM_VOLGNUMMER	string			

3.1.215 kadasterUittrekselKadastraleKaartPerceelV2

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `kadasterUittrekselKadastraleKaartPerceelV2`

Base

XPath: `/s:Envelope/s:Body/tns:kadasterUittrekselKadastraleKaartPerceelV2Response/tns:out`

Filters on API Server: `gemeentecode- gemeentenaam- sectie- perceelnummer- relatiecode- volgnummer- format`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `kadasterUittrekselKadastraleKaartPerceelV2`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
format	string	<input type="checkbox"/>		
gemeentecode	string	<input type="checkbox"/>		
gemeentenaam	string	<input type="checkbox"/>		
perceelnummer	string	<input type="checkbox"/>		
relatiecode	string	<input type="checkbox"/>		
sectie	string	<input type="checkbox"/>		
volgnummer	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `kadasterUittrekselKadastraleKaartPerceelV2` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
KADASTRALE_KAART_AFBEELDINGEN_ITEM	byte[]			
KADASTRALE_KAART_KAART	byte[]			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_GEMEENTECODE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_GEMEENTENAAM	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_PERCEELNUMMER	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_RELATIECODE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_SECTIE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_VOLGNUMMER	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_HUISLETTER	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_HUISNUMMER_TOEVOEGING	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_HUISNUMMER	int32			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_PLAATS	string			

Name	Data Type	Label	Required	Documentation
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_POSITIE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_POSTCODE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_STRAATNAAM	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_OBJECT_ID	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_OMSCHRIJVING	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_TYPE	string			
OVERZICHT_PERSONEN_ITEM_AKR_SUBJECT_NR	string			
OVERZICHT_PERSONEN_ITEM_KADASTRALE_IDENTIFICATIE	string			
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_BSN	string			
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_GESLACHT	string			
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_GESLACHTSNAAM	string			
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_VOORNAAM	string			
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_VOORVOEGSEL_GESLACHTSNAAM	string			
OVERZICHT_PERSONEN_ITEM_NIEUW_NATUURLIJK_PERSOON_BEDRIJVING_NUMMER	string			
OVERZICHT_PERSONEN_ITEM_NIEUW_NATUURLIJK_PERSOON_NAAM	string			
OVERZICHT_PERSONEN_ITEM_NIEUW_NATUURLIJK_PERSOON_RECHTSVORM	string			
OVERZICHT_RECHTEN_ITEM_GERECHTIGDE_AKR	string			
OVERZICHT_RECHTEN_ITEM_GERECHTIGDE_KADASTRALE_IDENTIFICATIE	string			
OVERZICHT_RECHTEN_ITEM_OBJECT_ID	string			

3.1.216 kadasterUittrekselKadastraleKaartPerceelV3

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `kadasterUittrekselKadastraleKaartPerceelV3`

Base

XPath: `/s:Envelope/s:Body/tns:kadasterUittrekselKadastraleKaartPerceelV3Response/tns:out`

Filters on API Server: `gemeentecode- gemeentenaam- sectie- perceelnummer- relatiecode- volgnummer- format`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `kadasterUittrekselKadastraleKaartPerceelV3`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
<code>format</code>	string	<input type="checkbox"/>		
<code>gemeentecode</code>	string	<input type="checkbox"/>		
<code>gemeentenaam</code>	string	<input type="checkbox"/>		
<code>perceelnummer</code>	string	<input type="checkbox"/>		
<code>relatiecode</code>	string	<input type="checkbox"/>		
<code>sectie</code>	string	<input type="checkbox"/>		
<code>volgnummer</code>	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `kadasterUittrekselKadastraleKaartPerceelV3` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
<code>KADASTRALE_KAART_AFBEELDINGEN_ITEM</code>	byte[]			
<code>KADASTRALE_KAART_KAART</code>	byte[]			
<code>OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_GEMEENTECODE</code>	string			

Name	Data Type	Label	Required	Documentation
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_GEMEENTENAAM	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_PERCEELNUMMER	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_RELATIECODE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_SECTIE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_VOLGNUMMER	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_HUISLETTER	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_HUISNUMMER_TOEVOEGING	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_HUISNUMMER	int32			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_PLAATS	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_POSITIE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_POSTCODE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_STRAATNAAM	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_OBJECT_ID	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_OMSCHRIJVING	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_TYPE	string			
OVERZICHT_PERSONEN_ITEM_AKRSUBJECT_NR	string			
OVERZICHT_PERSONEN_ITEM_KADASTRALE_IDENTIFICATIE	string			
OVERZICHT_PERSONEN_ITEM_MELDING	string			
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_BSN	string			
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_GESLACHT	string			
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_GESLACHTSNAAM	string			
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_VOORNAAMEN	string			

Name	Data Type	Label	Required	Documentation
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_VOORVOEGSEL_GESLACHTSNAAM	string			
OVERZICHT_PERSONEN_ITEM_NIET_NATUURLIJK_PERSOON_BEDRIJVEN_NUMMER	string			
OVERZICHT_PERSONEN_ITEM_NIET_NATUURLIJK_PERSOON_NAAM	string			
OVERZICHT_PERSONEN_ITEM_NIET_NATUURLIJK_PERSOON_RECHTSVORM	string			
OVERZICHT_RECHTEN_ITEM_GERECHTIGDE_AKR	string			
OVERZICHT_RECHTEN_ITEM_GERECHTIGDE_KADASTRALE_IDENTIFICATIE	string			
OVERZICHT_RECHTEN_ITEM_OBJECT_ID	string			

3.1.217 kadasterUittrekselKadastraleKaartPostcode

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: kadasterUittrekselKadastraleKaartPostcode

Base

XPath: `/s:Envelope/s:Body/tns:kadasterUittrekselKadastraleKaartPostcodeResponse/tns:uittreksel`

Filters on API Server: `postcode- huisnummer- huisnummer_toevoeging- format`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `kadasterUittrekselKadastraleKaartPostcode`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
format	string	<input type="checkbox"/>		
huisnummer_toevoeging	string	<input type="checkbox"/>		
huisnummer	int32	<input type="checkbox"/>		
postcode	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `kadasterUittrekselKadastraleKaartPostcode` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
AFBEELDINGEN_ITEM	byte[]			
KAART	byte[]			
KADASTRALE_AANDUIDINGEN_ITEM_GEMEENTECODE	string			
KADASTRALE_AANDUIDINGEN_ITEM_GEMEENTENAAM	string			
KADASTRALE_AANDUIDINGEN_ITEM_PERCEELNUMMER	string			
KADASTRALE_AANDUIDINGEN_ITEM_RELATIECODE	string			
KADASTRALE_AANDUIDINGEN_ITEM_SECTIE	string			
KADASTRALE_AANDUIDINGEN_ITEM_VOLGNUMMER	string			

3.1.218 kadasterUittrekselKadastraleKaartPostcodeV2

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `kadasterUittrekselKadastraleKaartPostcodeV2`

Base

XPath: `/s:Envelope/s:Body/tns:kadasterUittrekselKadastraleKaartPostcodeV2Response/tns:out`

Filters on API Server: `postcode- huisnummer- huisnummer_toevoeging- format`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `kadasterUittrekselKadastraleKaartPostcodeV2`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the

execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
format	string	<input type="checkbox"/>		
huisnummer_toevoeging	string	<input type="checkbox"/>		
huisnummer	int32	<input type="checkbox"/>		
postcode	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function

`kadasterUittrekselKadastraleKaartPostcodeV2` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
KADASTRALE_KAART_AFBEELDINGEN_ITEM	byte[]			
KADASTRALE_KAART_KAART	byte[]			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_GEMEENTECODE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_GEMEENTENAAM	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_PERCEELNUMMER	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_RELATIECODE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_SECTIE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_VOLGNUMMER	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_HUISLETTER	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_HUISNUMMER_TOEVOEGING	string			

Name	Data Type	Label	Required	Documentation
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_HUISNUMMER	int32			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_PLAATS	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_POSITIE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_POSTCODE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_STRAATNAAM	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_OBJECT_ID	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_OMSCHRIJVING	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_TYPE	string			
OVERZICHT_PERSONEN_ITEM_AKRSUBJECT_NR	string			
OVERZICHT_PERSONEN_ITEM_KADASTRALE_IDENTIFICATIE	string			
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_BSN	string			
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_GESLACHT	string			
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_GESLACHTSNAAM	string			
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_VOORNAAMEN	string			
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_VOORVOEGSEL_GESLACHTSNAAM	string			
OVERZICHT_PERSONEN_ITEM_NIEUW_NATUURLIJK_PERSOON_BEDRIJVEN_NUMMER	string			
OVERZICHT_PERSONEN_ITEM_NIEUW_NATUURLIJK_PERSOON_NAAM	string			
OVERZICHT_PERSONEN_ITEM_NIEUW_NATUURLIJK_PERSOON_RECHTSVORM	string			
OVERZICHT_RECHTEN_ITEM_GERECHTIGDE_AKR	string			
OVERZICHT_RECHTEN_ITEM_GERECHTIGDE_KADASTRALE_IDENTIFICATIE	string			
OVERZICHT_RECHTEN_ITEM_OBJECT_ID	string			

3.1.219 kadasterUittrekselKadastraleKaartPostcodeV3

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: kadasterUittrekselKadastraleKaartPostcodeV3

Base

XPath: `/s:Envelope/s:Body/tns:kadasterUittrekselKadastraleKaartPostcodeV3Response/tns:out`

Filters on API Server: postcode- huisnummer- huisnummer_toevoeging- format

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `kadasterUittrekselKadastraleKaartPostcodeV3`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
format	string	<input type="checkbox"/>		
huisnummer_toevoeging	string	<input type="checkbox"/>		
huisnummer	int32	<input type="checkbox"/>		
postcode	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function

`kadasterUittrekselKadastraleKaartPostcodeV3` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
KADASTRALE_KAART_AFBEELDINGEN_ITEM	byte[]			
KADASTRALE_KAART_KAART	byte[]			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_GEMEENTECODE	string			

Name	Data Type	Label	Required	Documentation
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_GEMEENTENAAM	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_PERCEELNUMMER	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_RELATIECODE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_SECTIE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_VOLGNUMMER	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_HUISLETTER	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_HUISNUMMER_TOEVOEGING	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_HUISNUMMER	int32			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_PLAATS	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_POSITIE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_POSTCODE	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCATIE_STRAATNAAM	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_OBJECT_ID	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_OMSCHRIJVING	string			
OVERZICHT_ONROERENDE_ZAKEN_ITEM_TYPE	string			
OVERZICHT_PERSONEN_ITEM_AKRSUBJECT_NR	string			
OVERZICHT_PERSONEN_ITEM_KADASTRALE_IDENTIFICATIE	string			
OVERZICHT_PERSONEN_ITEM_MELDING	string			
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_BSN	string			
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_GESLACHT	string			
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_GESLACHTSNAAM	string			
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_VOORNAAMEN	string			

Name	Data Type	Label	Required	Documentation
OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_VOORVOEGSEL_GESLACHTSNAAM	string			
OVERZICHT_PERSONEN_ITEM_NIET_NATUURLIJK_PERSOON_BEDRIJVEN_NUMMER	string			
OVERZICHT_PERSONEN_ITEM_NIET_NATUURLIJK_PERSOON_NAAM	string			
OVERZICHT_PERSONEN_ITEM_NIET_NATUURLIJK_PERSOON_RECHTSVORM	string			
OVERZICHT_RECHTEN_ITEM_GERECHTIGDE_AKR	string			
OVERZICHT_RECHTEN_ITEM_GERECHTIGDE_KADASTRALE_IDENTIFICATIE	string			
OVERZICHT_RECHTEN_ITEM_OBJECT_ID	string			

3.1.220 kadasterV2GetBronDocument

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: kadasterV2GetBronDocument

Base

XPath: `/s:Envelope/s:Body/tns:kadasterV2GetBronDocumentResponse/tns:resultaat/tns:document`

Filters on API Server: register_code- deel- nummer- reeks- soort_register

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `kadasterV2GetBronDocument`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
deel	string	<input type="checkbox"/>		
nummer	string	<input type="checkbox"/>		
reeks	string	<input type="checkbox"/>		
register_code	string	<input type="checkbox"/>		
soort_register	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `kadasterV2GetBronDocument` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
DOCUMENT	byte[]			

3.1.221 kadasterV2GetHypotheclairBerichtObjectByAdres

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `kadasterV2GetHypotheclairBerichtObjectByAdres`

Base

XPath: `/s:Envelope/s:Body/tns:kadasterV2GetHypotheclairBerichtObjectByAdresResponse/tns:resultaat`

Filters on API Server: `postcode- huisnummer- huisnummer_toevoeging- document- huisletter`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `kadasterV2GetHypotheclairBerichtObjectByAdres`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
document	string	<input type="checkbox"/>		
huisletter	string	<input type="checkbox"/>		
huisnummer_toevoeging	string	<input type="checkbox"/>		
huisnummer	int32	<input type="checkbox"/>		
postcode	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `kadasterV2GetHypotheclairBerichtObjectByAdres` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
BERICHT_AANTEKENINGEN_ITEM_AARD	string			
BERICHT_AANTEKENINGEN_ITEM_BESLAGLEGGINGEN	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_AANTEKENINGEN_WKPB	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_AANVULLINGEN	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_AARD_CULTUUR_BEBOUWD	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_AARD_CULTUUR_ONBOUWD	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_AARD	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_ADRESSEN	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_BELASTMET	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_HISTORIE_LOGISCH_TIJDSTIP_ONTSTAAN	datetime			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_HISTORIE_LOGISCH_TIJDSTIP_VERVALLLEN	datetime			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_HISTORIE_STATUS_HISTORIE	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_HISTORIE_TECHNISCH_TIJDSTIP_ONTSTAAN	datetime			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_HISTORIE_TECHNISCH_TIJDSTIP_VERVALLLEN	datetime			

Name	Data Type	Label	Required	Documentation
BERICHT_AANTEKENINGEN_ITEM_BETREFT_HISTORIE_VOLGNUMMER	int64			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_IDENTIFICATIE	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_INDICATIE_GEDEELTELIIK_BEZWAARD_OUD_OBJECT	boolean			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_INDICATIE_GESPLITST	boolean			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_INDICATIE_TWEEDE_SPLITSING	boolean			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_INDICATIE_VOORGENOMEN_AANTEKENING	boolean			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_INDICATIE_VOORLOPIGE_AANTEKENING	boolean			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_KADASTRALE_AANDUIDING_APPARTEMENTSRECHT_VOLGNUMMER	int64			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_KADASTRALE_AANDUIDING_KADASTRALE_GEMEENTE	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_KADASTRALE_AANDUIDING_PERCEELNUMMER	int64			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_KADASTRALE_AANDUIDING_SECTIE	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_KADASTRALE_GROOTTE_SOORT_GROOTTE	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_KADASTRALE_GROOTTE_WAARDE	decimal			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_KOOPSOM_BEDRAG_SOM	decimal			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_KOOPSOM_BEDRAG_VALUTA	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_KOOPSOM_INDICATIE_MEEER_OBJECTEN	boolean			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_KOOPSOM_KOOPDATUM	datetime			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_KOOPSOM_KOOPJAAR	int32			

Name	Data Type	Label	Required	Documentation
BERICHT_AANTEKENINGEN_ITEM_BETREFT_OMSCHRIJVING_ONDER_ZOEK_ERFDIENSTBAARHEDEN	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_OMSCHRIJVING	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_ONTSTAAN_UIT	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_OVERGEGAAN_IN	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_PLAATSCOORDINATEN_DESCRIPTION	int64			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_PLAATSCOORDINATEN_IDENTIFIER	int64			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_PLAATSCOORDINATEN_NAME	int64			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_PLAATSCOORDINATEN_RD_COORDINAAT_X	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_PLAATSCOORDINATEN_RD_COORDINAAT_Y	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_TEKENINGEN	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_TOELICHTING_BEWAARDER	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_TOESTANDSDATUM_ONDERZOEK_ERFDIENSTBAARHEDEN	datetime			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_TYPE	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_UIN	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_VERMELD_IN	string			
BERICHT_AANTEKENINGEN_ITEM_BETROKKEN_PERSONEN_NATUURLIJK_PERSONEN	string			
BERICHT_AANTEKENINGEN_ITEM_BETROKKEN_PERSONEN_NIET_NATUURLIJK_PERSONEN	string			
BERICHT_AANTEKENINGEN_ITEM_EINDDATUM_RECHT	datetime			
BERICHT_AANTEKENINGEN_ITEM_EINDDATUM	datetime			
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_AANVULLING_OP	string			

Name	Data Type	Label	Required	Documentation
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_AARD	string			
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_BEDRAG_TRANSACTIES_OM_LEVERING_SOM	decimal			
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_BEDRAG_TRANSACTIES_OM_LEVERING_VALUTA	string			
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_BEDRAG_VORDERINGSBESLAG_SOM	decimal			
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_BEDRAG_VORDERINGSBESLAG_VALUTA	string			
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_BEDRAG_ZEKERHEIDSSTELLING_HYPOTHEEK_SOM	decimal			
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_BEDRAG_ZEKERHEIDSSTELLING_HYPOTHEEK_VALUTA	string			
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_IDENTIFICATIE	string			
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_OMSCHRIJVING_GEKOZEN_WOONPLAATS	string			
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_OMSCHRIJVING_KADASTRALE_OBJECTEN	string			
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_VERMELD_IN	string			
BERICHT_AANTEKENINGEN_ITEM_HERKAVELING_BLOKNUMMER	int64			
BERICHT_AANTEKENINGEN_ITEM_HYPOTHEKEN	string			
BERICHT_AANTEKENINGEN_ITEM_IDENTIFICATIE	string			
BERICHT_AANTEKENINGEN_ITEM_OMSCHRIJVING	string			
BERICHT_AANTEKENINGEN_ITEM_TENAAMSTELLINGEN	string			
BERICHT_AANTEKENINGEN_ITEM_VERMELD_IN	string			
BERICHT_ACTUALITEIT_TIJDSTIP_HYPOTHECAIR	datetime			
BERICHT_ACTUALITEIT_TIJDSTIP_KADASTRAAL	datetime			
BERICHT_BESLAGLEGGINGEN_ITEM_AANDEEL_IN_BETROKKEN_RECHT_NOEMER	int64			

Name	Data Type	Label	Required	Documentation
BERICHT_BESLAGLEGGINGEN_ITEM_AANDEEL_IN_BETROKKEN_RECHT_TELLER	int64			
BERICHT_BESLAGLEGGINGEN_ITEM_AARD_BESLAG	string			
BERICHT_BESLAGLEGGINGEN_ITEM_GEBASEERD_OP_AANVULLING_OP	string			
BERICHT_BESLAGLEGGINGEN_ITEM_GEBASEERD_OP_AARD	string			
BERICHT_BESLAGLEGGINGEN_ITEM_GEBASEERD_OP_BEDRAG_TRANSACTIES_OM_LEVERING_SOM	decimal			
BERICHT_BESLAGLEGGINGEN_ITEM_GEBASEERD_OP_BEDRAG_TRANSACTIES_OM_LEVERING_VALUTA	string			
BERICHT_BESLAGLEGGINGEN_ITEM_GEBASEERD_OP_BEDRAG_VORDERINGSBESLAG_SOM	decimal			
BERICHT_BESLAGLEGGINGEN_ITEM_GEBASEERD_OP_BEDRAG_VORDERINGSBESLAG_VALUTA	string			
BERICHT_BESLAGLEGGINGEN_ITEM_GEBASEERD_OP_BEDRAG_ZEKERHEIDSSTELLING_HYPOTHEEK_SOM	decimal			
BERICHT_BESLAGLEGGINGEN_ITEM_GEBASEERD_OP_BEDRAG_ZEKERHEIDSSTELLING_HYPOTHEEK_VALUTA	string			
BERICHT_BESLAGLEGGINGEN_ITEM_GEBASEERD_OP_IDENTIFICATIE	string			
BERICHT_BESLAGLEGGINGEN_ITEM_GEBASEERD_OP_OMSCHRIJVING_GEKOZEN_WOONPLAATS	string			
BERICHT_BESLAGLEGGINGEN_ITEM_GEBASEERD_OP_OMSCHRIJVING_KADASTRALE_OBJECTEN	string			
BERICHT_BESLAGLEGGINGEN_ITEM_GEBASEERD_OP_VERMELD_IN	string			
BERICHT_BESLAGLEGGINGEN_ITEM_IDENTIFICATIE	string			
BERICHT_BESLAGLEGGINGEN_ITEM_OMSCHRIJVING_BETROKKEN_RECHT	string			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_AANTEKENINGEN_WKPB	string			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_AANVULLINGEN	string			

Name	Data Type	Label	Required	Documentation
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_AARD_CULTUUR_BEBOUWD	string			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_AARD_CULTUUR_ONBEBOUWD	string			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_AARD	string			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_ADRESSEN	string			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_BELASTMET	string			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_HISTORIE_LOGISCH_TIJDSTIP_ONTSTAAN	datetime			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_HISTORIE_LOGISCH_TIJDSTIP_VERVALLEN	datetime			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_HISTORIE_STATUS_HISTORIE	string			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_HISTORIE_TECHNISCH_TIJDSTIP_ONTSTAAN	datetime			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_HISTORIE_TECHNISCH_TIJDSTIP_VERVALLEN	datetime			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_HISTORIE_VOLGNUMMER	int64			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_IDENTIFICATIE	string			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_INDICATIE_GEDEELTELIJK_BEZWAARD_OUDD_OBJECT	boolean			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_INDICATIE_GESPLITST	boolean			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_INDICATIE_TWEEDE_SPLITSING	boolean			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_INDICATIE_VOORGENOMEN_AANTEKENING	boolean			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_INDICATIE_VOORLOPIGE_AANTEKENING	boolean			

Name	Data Type	Label	Required	Documentation
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_APPARTEMENT_SRECHT_VOLGNUMMER	int64			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_KADASTRALE_GEMEENTE	string			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_PERCEELNUMMER	int64			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_SECTIE	string			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_GROOTTE_SOORT_GROOTTE	string			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_GROOTTE_WAARDE	decimal			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_KOOPSOOM_BEDRAG_SOM	decimal			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_KOOPSOOM_BEDRAG_VALUTA	string			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_KOOPSOOM_INDICATIE_MEER_OBJECTEN	boolean			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_KOOPSOOM_KOOPDATUM	datetime			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_KOOPSOOM_KOOPJAAR	int32			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_OMSCHRIJVING_ONDERZOEK_ERFDIENSTBAARHEDEN	string			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_OMSCHRIJVING	string			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_ONTSTAAN_UIT	string			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_OVERGEGAAN_IN	string			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_PLAATS_COORDINATEN_DESCRIPTION	int64			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_PLAATS	int64			

Name	Data Type	Label	Required	Documentation
COORDINATEN_IDENTIFIEER				
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_PLAATS_COORDINATEN_NAME	int64			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_PLAATS_COORDINATEN_RD_COORDINAAT_X	string			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_PLAATS_COORDINATEN_RD_COORDINAAT_Y	string			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_TEKENINGEN	string			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_TOELICHTING_BEWAAARDER	string			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_TOESTANDSDATUM_ONDERZOEK_ERFDIENSTBAARHEDEN	datetime			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_TYPE	string			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_UIN	string			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_VERMELD_IN	string			
BERICHT_BESLAGLEGGINGEN_ITEM_PERSONEN_NATUURLIJK_PERSONEN	string			
BERICHT_BESLAGLEGGINGEN_ITEM_PERSONEN_NIET_NATUURLIJK_PERSONEN	string			
BERICHT_BESLAGLEGGINGEN_ITEM_VERMELD_IN	string			
BERICHT_BETREFT_AANTEKENINGEN_WKPB_ITEM_DATUM_IN_WERKING	string			
BERICHT_BETREFT_AANTEKENINGEN_WKPB_ITEM_GEMEENTELIJKE_REGISTRATIE_ID	string			
BERICHT_BETREFT_AANTEKENINGEN_WKPB_ITEM_NUMMER	string			
BERICHT_BETREFT_AANTEKENINGEN_WKPB_ITEM_OMSCHRIJVING_PUBLIEKRECHTELIJKE_BEPERKING	string			
BERICHT_BETREFT_AANTEKENINGEN_WKPB_ITEM_OMSCHRIJVING	string			
BERICHT_BETREFT_AANVULLINGEN_ITEM_AANGEBODEN_STUK_AARD	string			

Name	Data Type	Label	Required	Documentation
BERICHT_BETREFT_AANVULLING EN_ITEM_AANGEBODEN_STUK_D EEL_EN_NUMMER_DEEL	string			
BERICHT_BETREFT_AANVULLING EN_ITEM_AANGEBODEN_STUK_D EEL_EN_NUMMER_NUMMER	string			
BERICHT_BETREFT_AANVULLING EN_ITEM_AANGEBODEN_STUK_D EEL_EN_NUMMER_REEKS	string			
BERICHT_BETREFT_AANVULLING EN_ITEM_AANGEBODEN_STUK_D EEL_EN_NUMMER_REGISTERCODE	string			
BERICHT_BETREFT_AANVULLING EN_ITEM_AANGEBODEN_STUK_D EEL_EN_NUMMER_SOORT_REGIST ER	string			
BERICHT_BETREFT_AANVULLING EN_ITEM_AANGEBODEN_STUK_ID ENTIFICATIE	string			
BERICHT_BETREFT_AANVULLING EN_ITEM_AANGEBODEN_STUK_IN DICATIE_ALLE_OBJECTEN_BETRO KKEN	boolean			
BERICHT_BETREFT_AANVULLING EN_ITEM_AANGEBODEN_STUK_S TATUS_STUK_OR	string			
BERICHT_BETREFT_AANVULLING EN_ITEM_AANGEBODEN_STUK_S TUKDELEN	string			
BERICHT_BETREFT_AANVULLING EN_ITEM_AANGEBODEN_STUK_TI JDSTIP_AANBIEDING	datetime			
BERICHT_BETREFT_AANVULLING EN_ITEM_AANGEBODEN_STUK_TI JDSTIP_ONDERTEKENING	datetime			
BERICHT_BETREFT_AANVULLING EN_ITEM_AANGEBODEN_STUK_T OELICHTING_BEWAARDER	string			
BERICHT_BETREFT_AANVULLING EN_ITEM_AANGEBODEN_STUK_V ERKLARING_BEWAARDER	string			
BERICHT_BETREFT_AANVULLING EN_ITEM_AANGEBODEN_STUK_V ERZOEKEN	string			
BERICHT_BETREFT_AANVULLING EN_ITEM_TYPE	string			
BERICHT_BETREFT_AARD_CULTU UR_BEBOUWD	string			
BERICHT_BETREFT_AARD_CULTU UR_ONBEBOUWD	string			
BERICHT_BETREFT_AARD	string			
BERICHT_BETREFT_ADRESSEN_IT EM_LOCATIE_BINNENLAND_HUISL	string			

Name	Data Type	Label	Required	Documentation
ETTER				
BERICHT_BETREFT_ADRESSEN_ITEM_LOCATIE_BINNENLAND_HUISNUMMER	int64			
BERICHT_BETREFT_ADRESSEN_ITEM_LOCATIE_BINNENLAND_HUISNUMMERTOEVOEGING	string			
BERICHT_BETREFT_ADRESSEN_ITEM_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
BERICHT_BETREFT_ADRESSEN_ITEM_LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
BERICHT_BETREFT_ADRESSEN_ITEM_LOCATIE_BINNENLAND_POSTCODE	string			
BERICHT_BETREFT_ADRESSEN_ITEM_LOCATIE_BINNENLAND_STRATNAAM	string			
BERICHT_BETREFT_ADRESSEN_ITEM_LOCATIE_BINNENLAND_WOONPLAATS	string			
BERICHT_BETREFT_ADRESSEN_ITEM_LOCATIE_BUITENLAND_ADRESREGELS	string			
BERICHT_BETREFT_ADRESSEN_ITEM_LOCATIE_BUITENLAND_ADRES	string			
BERICHT_BETREFT_ADRESSEN_ITEM_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
BERICHT_BETREFT_ADRESSEN_ITEM_LOCATIE_BUITENLAND_LAND	string			
BERICHT_BETREFT_ADRESSEN_ITEM_LOCATIE_BUITENLAND_REGIO	string			
BERICHT_BETREFT_ADRESSEN_ITEM_LOCATIE_BUITENLAND_WOONPLAATS	string			
BERICHT_BETREFT_ADRESSEN_ITEM_LOCATIE_POSTBUS_IDENTIFICATIE	string			
BERICHT_BETREFT_ADRESSEN_ITEM_LOCATIE_POSTBUS_POSTBUSNUMMER	string			
BERICHT_BETREFT_ADRESSEN_ITEM_LOCATIE_POSTBUS_POSTCODE	string			
BERICHT_BETREFT_ADRESSEN_ITEM_LOCATIE_POSTBUS_WOONPLAATS	string			
BERICHT_BETREFT_BELAST_ITEM_BEDRAG_SOM	decimal			

Name	Data Type	Label	Required	Documentation
BERICHT_BETREFT_BELAST_MET_ITEM_BEDRAG_VALUTA	string			
BERICHT_BETREFT_BELAST_MET_ITEM_EINDJAAR	int64			
BERICHT_BETREFT_HISTORIE_LOGISCH_TIJDSTIP_ONTSTAAN	datetime			
BERICHT_BETREFT_HISTORIE_LOGISCH_TIJDSTIP_VERVALLEN	datetime			
BERICHT_BETREFT_HISTORIE_STATUS_HISTORIE	string			
BERICHT_BETREFT_HISTORIE_TECHNISCH_TIJDSTIP_ONTSTAAN	datetime			
BERICHT_BETREFT_HISTORIE_TECHNISCH_TIJDSTIP_VERVALLEN	datetime			
BERICHT_BETREFT_HISTORIE_VOLGNUMMER	int64			
BERICHT_BETREFT_IDENTIFICATIE	string			
BERICHT_BETREFT_INDICATIE_GEDEELTELIJK_BEZWAARD_OUD_OBJECT	boolean			
BERICHT_BETREFT_INDICATIE_GESPLITST	boolean			
BERICHT_BETREFT_INDICATIE_TWEEDE_SPLITSING	boolean			
BERICHT_BETREFT_INDICATIE_VORGENOMEN_AANTEKENING	boolean			
BERICHT_BETREFT_INDICATIE_VORLOPIGE_AANTEKENING	boolean			
BERICHT_BETREFT_KADASTRALE_AANDUIDING_APPARTEMENTSRECHT_VOLGNUMMER	int64			
BERICHT_BETREFT_KADASTRALE_AANDUIDING_KADASTRALE_GEMEENTE	string			
BERICHT_BETREFT_KADASTRALE_AANDUIDING_PERCEELNUMMER	int64			
BERICHT_BETREFT_KADASTRALE_AANDUIDING_SECTIE	string			
BERICHT_BETREFT_KADASTRALE_GROOTTE_SOORT_GROOTTE	string			
BERICHT_BETREFT_KADASTRALE_GROOTTE_WAARDE	decimal			
BERICHT_BETREFT_KOOPSOM_BEDRAG_SOM	decimal			
BERICHT_BETREFT_KOOPSOM_BEDRAG_VALUTA	string			
BERICHT_BETREFT_KOOPSOM_INDICATIE_MEER_OBJECTEN	boolean			
BERICHT_BETREFT_KOOPSOM_KOOPDATUM	datetime			

Name	Data Type	Label	Required	Documentation
BERICHT_BETREFT_KOOPSOM_KOOPJAAR	int32			
BERICHT_BETREFT_OMSCHRIJVING_ONDERZOEK_ERFDIENSTBAARHEDEN	string			
BERICHT_BETREFT_OMSCHRIJVING	string			
BERICHT_BETREFT_ONTSTAANUIT_ITEM_AARD	string			
BERICHT_BETREFT_ONTSTAANUIT_ITEM_OVERGANGSGROOTTE	decimal			
BERICHT_BETREFT_OVERGEGAAN_IN_ITEM_AARD	string			
BERICHT_BETREFT_OVERGEGAAN_IN_ITEM_OVERGANGSGROOTTE	decimal			
BERICHT_BETREFT_PLAATSCOORDINATEN_DESCRIPTION	int64			
BERICHT_BETREFT_PLAATSCOORDINATEN_IDENTIFIER	int64			
BERICHT_BETREFT_PLAATSCOORDINATEN_NAME	int64			
BERICHT_BETREFT_PLAATSCOORDINATEN_RD_COORDINAAT_X	string			
BERICHT_BETREFT_PLAATSCOORDINATEN_RD_COORDINAAT_Y	string			
BERICHT_BETREFT_TEKENINGEN_ITEM_AANVULLING_OP	string			
BERICHT_BETREFT_TEKENINGEN_ITEM_AARD	string			
BERICHT_BETREFT_TEKENINGEN_ITEM_BEDRAG_TRANSACTIES_OMLEVERING_SOM	decimal			
BERICHT_BETREFT_TEKENINGEN_ITEM_BEDRAG_TRANSACTIES_OMLEVERING_VALUTA	string			
BERICHT_BETREFT_TEKENINGEN_ITEM_BEDRAG_VORDERINGSBESLAG_SOM	decimal			
BERICHT_BETREFT_TEKENINGEN_ITEM_BEDRAG_VORDERINGSBESLAG_VALUTA	string			
BERICHT_BETREFT_TEKENINGEN_ITEM_BEDRAG_ZEKERHEIDSTELLING_HYPOTHEEK_SOM	decimal			
BERICHT_BETREFT_TEKENINGEN_ITEM_BEDRAG_ZEKERHEIDSTELLING_HYPOTHEEK_VALUTA	string			
BERICHT_BETREFT_TEKENINGEN_ITEM_IDENTIFICATIE	string			
BERICHT_BETREFT_TEKENINGEN_ITEM_OMSCHRIJVING_GEKOZEN_	string			

Name	Data Type	Label	Required	Documentation
WOONPLAATS				
BERICHT_BETREFT_TEKENINGEN_I TEM_OMSCHRIJVING_KADASTRA LE_OBJECTEN	string			
BERICHT_BETREFT_TEKENINGEN_I TEM_VERMELD_IN	string			
BERICHT_BETREFT_TOELICHTING_ BEWAARDER	string			
BERICHT_BETREFT_TOESTANDSD ATUM_ONDERZOEK_ERFDIENSTB AARHEDEN	datetime			
BERICHT_BETREFT_TYPE	string			
BERICHT_BETREFT_UIN	string			
BERICHT_BETREFT_VERMELD_IN_I TEM_AANVULLING_OP	string			
BERICHT_BETREFT_VERMELD_IN_I TEM_AARD	string			
BERICHT_BETREFT_VERMELD_IN_I TEM_BEDRAG_TRANSACTIES_OM _LEVERING_SOM	decimal			
BERICHT_BETREFT_VERMELD_IN_I TEM_BEDRAG_TRANSACTIES_OM _LEVERING_VALUTA	string			
BERICHT_BETREFT_VERMELD_IN_I TEM_BEDRAG_VORDERINGSBESL AG_SOM	decimal			
BERICHT_BETREFT_VERMELD_IN_I TEM_BEDRAG_VORDERINGSBESL AG_VALUTA	string			
BERICHT_BETREFT_VERMELD_IN_I TEM_BEDRAG_ZEKERHEIDSSTELLI NG_HYPOTHEEK_SOM	decimal			
BERICHT_BETREFT_VERMELD_IN_I TEM_BEDRAG_ZEKERHEIDSSTELLI NG_HYPOTHEEK_VALUTA	string			
BERICHT_BETREFT_VERMELD_IN_I TEM_IDENTIFICATIE	string			
BERICHT_BETREFT_VERMELD_IN_I TEM_OMSCHRIJVING_GEKOZEN_ WOONPLAATS	string			
BERICHT_BETREFT_VERMELD_IN_I TEM_OMSCHRIJVING_KADASTRA LE_OBJECTEN	string			
BERICHT_HYPOTHEKEN_ITEM_AA NDEEL_IN_BETROKKEN_RECHT_N OEMER	int64			
BERICHT_HYPOTHEKEN_ITEM_AA NDEEL_IN_BETROKKEN_RECHT_T ELLER	int64			
BERICHT_HYPOTHEKEN_ITEM_GE BASEERD_OP_AANVULLING_OP	string			

Name	Data Type	Label	Required	Documentation
BERICHT_HYPOTHEKEN_ITEM_GE BASEERD_OP_AARD	string			
BERICHT_HYPOTHEKEN_ITEM_GE BASEERD_OP_BEDRAG_TRANSA CTIES_OM_LEVERING_SOM	decimal			
BERICHT_HYPOTHEKEN_ITEM_GE BASEERD_OP_BEDRAG_TRANSA CTIES_OM_LEVERING_VALUTA	string			
BERICHT_HYPOTHEKEN_ITEM_GE BASEERD_OP_BEDRAG_VORDERI NGSBESLAG_SOM	decimal			
BERICHT_HYPOTHEKEN_ITEM_GE BASEERD_OP_BEDRAG_VORDERI NGSBESLAG_VALUTA	string			
BERICHT_HYPOTHEKEN_ITEM_GE BASEERD_OP_BEDRAG_ZEKERHE IDSSTELLING_HYPOTHEEK_SOM	decimal			
BERICHT_HYPOTHEKEN_ITEM_GE BASEERD_OP_BEDRAG_ZEKERHE IDSSTELLING_HYPOTHEEK_VALU TA	string			
BERICHT_HYPOTHEKEN_ITEM_GE BASEERD_OP_IDENTIFICATIE	string			
BERICHT_HYPOTHEKEN_ITEM_GE BASEERD_OP_OMSCHRIJVING_GE KOZEN_WOONPLAATS	string			
BERICHT_HYPOTHEKEN_ITEM_GE BASEERD_OP_OMSCHRIJVING_K ADASTRALE_OBJECTEN	string			
BERICHT_HYPOTHEKEN_ITEM_GE BASEERD_OP_VERMELD_IN	string			
BERICHT_HYPOTHEKEN_ITEM_IDE NTIFICATIE	string			
BERICHT_HYPOTHEKEN_ITEM_OM SCHRIJVING_BETROKKEN_RECHT	string			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_AANTEKENING EN_WKPB	string			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_AANVULLINGE N	string			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_AARD_CULTU UR_BEBOUWD	string			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_AARD_CULTU UR_ONBEBOUWD	string			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_AARD	string			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_ADRESSEN	string			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_BELAST_MET	string			

Name	Data Type	Label	Required	Documentation
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_HISTORIE_LOG ISCH_TIJDSTIP_ONTSTAAN	datetime			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_HISTORIE_LOG ISCH_TIJDSTIP_VERVALLEN	datetime			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_HISTORIE_STA TUS_HISTORIE	string			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_HISTORIE_TEC HNISCH_TIJDSTIP_ONTSTAAN	datetime			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_HISTORIE_TEC HNISCH_TIJDSTIP_VERVALLEN	datetime			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_HISTORIE_VOL GNUMMER	int64			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_IDENTIFICATIE	string			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_INDICATIE_GED EELTELIJK_BEZWAARD_OUD_OBJ ECT	boolean			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_INDICATIE_GES PLITST	boolean			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_INDICATIE_TW EEDE_SPLITSING	boolean			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_INDICATIE_VO ORGENOMEN_AANTEKENING	boolean			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_INDICATIE_VO ORLOPIGE_AANTEKENING	boolean			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_KADASTRALE _AANDUIDING_APPARTEMENTSRE CHT_VOLGNUMMER	int64			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_KADASTRALE _AANDUIDING_KADASTRALE_GE MEENTE	string			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_KADASTRALE _AANDUIDING_PERCEELNUMMER	int64			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_KADASTRALE _AANDUIDING_SECTIE	string			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_KADASTRALE _GROOTTE_SOORT_GROOTTE	string			

Name	Data Type	Label	Required	Documentation
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_KADASTRALE_GROOTTE_WAARDE	decimal			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_KOOPSOM_BE DRAG_SOM	decimal			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_KOOPSOM_BE DRAG_VALUTA	string			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_KOOPSOM_IND ICATIE_MEER_OBJECTEN	boolean			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_KOOPSOM_KO OPDATUM	datetime			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_KOOPSOM_KO OPJAAR	int32			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_OMSCHRIJVING_ONDERZOEK_ERFDIENSTBAAR HEDEN	string			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_OMSCHRIJVING	string			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_ONTSTAAN_UIT	string			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_OVERGEGAAN_IN	string			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_PLAATSCOORDINATEN_DESCRIPTION	int64			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_PLAATSCOORDINATEN_IDENTIFIER	int64			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_PLAATSCOORDINATEN_NAME	int64			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_PLAATSCOORDINATEN_RD_COORDINAAT_X	string			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_PLAATSCOORDINATEN_RD_COORDINAAT_Y	string			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_TEKENINGEN	string			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_TOELICHTING_BEWAARDER	string			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_TOESTANDSD	datetime			

Name	Data Type	Label	Required	Documentation
ATUM_ONDERZOEK_ERFDIENSTB AARHEDEN				
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_TYPE	string			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_UIN	string			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_VERMELD_IN	string			
BERICHT_HYPOTHEKEN_ITEM_PER SONEN_NATUURLIJK_PERSONEN	string			
BERICHT_HYPOTHEKEN_ITEM_PER SONEN_NIET_NATUURLIJK_PERSO NEN	string			
BERICHT_HYPOTHEKEN_ITEM_VE RMELD_IN	string			
BERICHT_PRODUCTIENUMMER	string			
BERICHT_SIGNALERING_TIJDSTIP_ BESLAGEN	datetime			
BERICHT_SIGNALERING_TIJDSTIP_ HYPOTHECAIR	datetime			
BERICHT_SIGNALERING_TIJDSTIP_ KADASTRAAL	datetime			
BERICHT_STUKKEN_AANGEBODE N_STUKKEN_ITEM_AARD	string			
BERICHT_STUKKEN_AANGEBODE N_STUKKEN_ITEM_DEEL_EN_NUM MER_DEEL	string			
BERICHT_STUKKEN_AANGEBODE N_STUKKEN_ITEM_DEEL_EN_NUM MER_NUMMER	string			
BERICHT_STUKKEN_AANGEBODE N_STUKKEN_ITEM_DEEL_EN_NUM MER_REEKS	string			
BERICHT_STUKKEN_AANGEBODE N_STUKKEN_ITEM_DEEL_EN_NUM MER_REGISTERCODE	string			
BERICHT_STUKKEN_AANGEBODE N_STUKKEN_ITEM_DEEL_EN_NUM MER_SOORT_REGISTER	string			
BERICHT_STUKKEN_AANGEBODE N_STUKKEN_ITEM_IDENTIFICATIE	string			
BERICHT_STUKKEN_AANGEBODE N_STUKKEN_ITEM_INDICATIE_ALL E_OBJECTEN_BETROKKEN	boolean			
BERICHT_STUKKEN_AANGEBODE N_STUKKEN_ITEM_STATUS_STUK _OR	string			
BERICHT_STUKKEN_AANGEBODE N_STUKKEN_ITEM_STUKDELEN	string			
BERICHT_STUKKEN_AANGEBODE N_STUKKEN_ITEM_TIJDSTIP_AAN BIEDING	datetime			

Name	Data Type	Label	Required	Documentation
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_TIJDSTIP_ONDERTEKENING	datetime			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_TOELICHTING_BEWAARDEDER	string			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_VERKLARING_BEWAARDEDER	string			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_VERZOEKEN	string			
BERICHT_TIJDSTIP_SAMENSTELLING_BERICHT	datetime			
BERICHT_ZAKELIJK_RECHTEN_ITEM_AARD	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BELAST_MET	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BEPERKT_TOT	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BESTEMT_TOT_GEBASEERD_OP	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BESTEMT_TOT_HOORT_BIJ	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BESTEMT_TOT_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_GEBASEERD_OP	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_TYPE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_AANVULLINGEN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_DOSSIER_NUMMER	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_INDICATIE_BESCHIKKINGSBEVOEGDHEID	boolean			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISLETT	string			

Name	Data Type	Label	Required	Documentation
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEVOEING	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_LAND	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_REGIO	string			

Name	Data Type	Label	Required	Documentation
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_RECHTSVORM	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_RSIN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_STATUTAIRE_NAAM	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_STATUTAIRE_ZETEL	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_VERMELD_IN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEOEGING	string			

Name	Data Type	Label	Required	Documentation
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_LAND	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			

Name	Data Type	Label	Required	Documentation
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_INDICATIE_SPLITSING_BETROKKEN	boolean			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_AANTEKENINGEN_WKPB	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_AANVULLINGEN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_AARD_CULTUUR_BEBOUWD	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_AARD_CULTUUR_ONBEBOUWD	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_AARD	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_ADRESSEN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_BELASTMET	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_LOGISCH_TIJDSTIP_ONTSTAAN	datetime			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_LOGISCH_TIJDSTIP_VERVALLEN	datetime			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_STATUS_HISTORIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_TECHNISCH_TIJDSTIP_ONTSTAAN	datetime			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE	datetime			

Name	Data Type	Label	Required	Documentation
_TECHNISCH_TIJDSTIP_VERVALLEN				
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_VOLGNUMMER	int64			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_INDICATIE_GEDEELTELIJK_BEZWAARD_OUD_OBJECT	boolean			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_INDICATIE_GESPLITST	boolean			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_INDICATIE_TWEDE_SPLITSING	boolean			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_INDICATIE_VOORGENOMEN_AANTEKENING	boolean			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_INDICATIE_VOORLOPIGE_AANTEKENING	boolean			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_APPARTEMENTSRECHT_VOLGNUMMER	int64			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_KADASTRALE_GEMEENTE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_PERCEELNUMMER	int64			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_SECTIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_GROOTTE_SOORT_GROOTTE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_GROOTTE_WAARDE	decimal			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSO MBEDRAG_SOM	decimal			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSO MBEDRAG_VALUTA	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSO	boolean			

Name	Data Type	Label	Required	Documentation
M_INDICATIE_MEER_OBJECTEN				
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSO M_KOOPDATUM	datetime			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSO M_KOOPJAAR	int32			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_OMSCHR IJVING_ONDERZOEK_ERFDIENSTB AARHEDEN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_OMSCHR IJVING	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_ONTSTA AN_UIT	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_OVERGE GAAN_IN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATS COORDINATEN_DESCRIPTION	int64			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATS COORDINATEN_IDENTIFIEER	int64			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATS COORDINATEN_NAME	int64			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATS COORDINATEN_RD_COORDINAAT _X	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATS COORDINATEN_RD_COORDINAAT _Y	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_TEKENIN GEN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_TOELICH TING_BEWAARDER	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_TOESTA NDSDATUM_ONDERZOEK_ERFDIE NSTBAARHEDEN	datetime			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_TYPE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_UIN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_VERMEL D_IN	string			

Name	Data Type	Label	Required	Documentation
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_UIT_GEBASEERD_OP	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_UIT_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_UIT_TYPE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_AANVULLINGEN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_DOSSIER_NUMMER	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_INDICATIE_BESCHIKKINGSBEVOEGDHEID	boolean			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEOVOEGING	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_	string			

Name	Data Type	Label	Required	Documentation
LOCATIE_BINNENLAND_STRAATNAAM				
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE LOCATIE_BINNENLAND_WOONPLAATS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE LOCATIE_BUITENLAND_ADRES_REGELS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE LOCATIE_BUITENLAND_ADRES	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE LOCATIE_BUITENLAND_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE LOCATIE_BUITENLAND_LAND	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE LOCATIE_BUITENLAND_REGIO	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE LOCATIE_BUITENLAND_WOONPLAATS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE LOCATIE_POSTBUS_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE LOCATIE_POSTBUS_POSTCODE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE LOCATIE_POSTBUS_WOONPLAATS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_RECHTSVORM	string			

Name	Data Type	Label	Required	Documentation
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_RSIN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_STATUTAIRE_NAAM	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_STATUTAIRE_ZEDEL	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_VERMELD_IN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_WOONLOCATIE LOCATIE BINNENLAND_HUISLETTER	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_WOONLOCATIE LOCATIE BINNENLAND_HUISNUMMER	int64			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_WOONLOCATIE LOCATIE BINNENLAND_HUISNUMMERTOEOVOEGING	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_WOONLOCATIE LOCATIE BINNENLAND_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_WOONLOCATIE LOCATIE BINNENLAND_IN_ONDERZOEK	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_WOONLOCATIE LOCATIE BINNENLAND_POSTCODE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_WOONLOCATIE LOCATIE BINNENLAND_STRAATNAAM	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_WOONLOCATIE LOCATIE BINNENLAND_WOONPLAATS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_WOONLOCATIE	string			

Name	Data Type	Label	Required	Documentation
_LOCATIE_BUITENLAND_ADRES_REGELS				
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE_BUITENLAND_ADRES	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE_BUITENLAND_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE_BUITENLAND_LAND	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE_BUITENLAND_REGIO	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE_BUITENLAND_WOONPLAATS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE_POSTBUS_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE_POSTBUS_POSTCODE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE_POSTBUS_WOONPLAATS	string			
DOCUMENT	byte[]	Document		
OVERGEGAAN_IN_ACTUALITEIT_TIJDSTIP_HYPOTHECAIR	datetime			
OVERGEGAAN_IN_ACTUALITEIT_TIJDSTIP_KADASTRAAL	datetime			
OVERGEGAAN_IN_BETREFT_AAN TEKeningen_WKPB_ITEM_DATUM_IN_WERKING	string			
OVERGEGAAN_IN_BETREFT_AAN TEKeningen_WKPB_ITEM_GEMEENTELIJKE_REGISTRATIE_ID	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_BETREFT_AAN TEKENINGEN_WKPB_ITEM_NUMME R	string			
OVERGEGAAN_IN_BETREFT_AAN TEKENINGEN_WKPB_ITEM_OMSCH RIJVING_PUBLIEKRECHTELIJKE_BE PERKING	string			
OVERGEGAAN_IN_BETREFT_AAN TEKENINGEN_WKPB_ITEM_OMSCH RIJVING	string			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_ STUK_AARD	string			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_ STUK_DEEL_EN_NUMMER_DEEL	string			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_ STUK_DEEL_EN_NUMMER_NUMME R	string			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_ STUK_DEEL_EN_NUMMER_REEKS	string			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_ STUK_DEEL_EN_NUMMER_REGIST ERCODE	string			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_ STUK_DEEL_EN_NUMMER_SOORT _REGISTER	string			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_ STUK_IDENTIFICATIE	string			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_ STUK_INDICATIE_ALLE_OBJECTEN _BETROKKEN	boolean			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_ STUK_STATUS_STUK_OR	string			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_ STUK_STUKDELEN	string			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_ STUK_TIJDSTIP_AANBIEDING	datetime			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_ STUK_TIJDSTIP_ONDERTEKENING	datetime			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_ STUK_TOELICHTING_BEWAARDER	string			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_	string			

Name	Data Type	Label	Required	Documentation
STUK_VERKLARING_BEWAARDE R				
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_ STUK_VERZOEKEN	string			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_TYPE	string			
OVERGEGAAN_IN_BETREFT_AAR D_CULTUUR_BEBOUWD	string			
OVERGEGAAN_IN_BETREFT_AAR D_CULTUUR_ONBEBOUWD	string			
OVERGEGAAN_IN_BETREFT_AAR D	string			
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_BINNENLA ND_HUISLETTER	string			
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_BINNENLA ND_HUISNUMMER	int64			
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_BINNENLA ND_HUISNUMMERTOEOVOEGING	string			
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_BINNENLA ND_IDENTIFICATIE	string			
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_BINNENLA ND_IN_ONDERZOEK	string			
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_BINNENLA ND_POSTCODE	string			
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_BINNENLA ND_STRAATNAAM	string			
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_BINNENLA ND_WOONPLAATS	string			
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_BUITENLA ND_ADRES_REGELS	string			
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_BUITENLA ND_ADRES	string			
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_BUITENLA ND_IDENTIFICATIE	string			
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_BUITENLA ND_LAND	string			
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_BUITENLA ND_REGIO	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_BUITENLA ND_WOONPLAATS	string			
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_POSTBUS_ IDENTIFICATIE	string			
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_POSTBUS_ POSTBUS_NUMMER	string			
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_POSTBUS_ POSTCODE	string			
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_POSTBUS_ WOONPLAATS	string			
OVERGEGAAN_IN_BETREFT_BEL AST_MET_ITEM_BEDRAG_SOM	decimal			
OVERGEGAAN_IN_BETREFT_BEL AST_MET_ITEM_BEDRAG_VALUT A	string			
OVERGEGAAN_IN_BETREFT_BEL AST_MET_ITEM_EINDJAAR	int64			
OVERGEGAAN_IN_BETREFT_HIST ORIE_LOGISCH_TIJDSTIP_ONTSTA AN	datetime			
OVERGEGAAN_IN_BETREFT_HIST ORIE_LOGISCH_TIJDSTIP_VERVAL LEN	datetime			
OVERGEGAAN_IN_BETREFT_HIST ORIE_STATUS_HISTORIE	string			
OVERGEGAAN_IN_BETREFT_HIST ORIE_TECHNISCH_TIJDSTIP_ONTS TAAN	datetime			
OVERGEGAAN_IN_BETREFT_HIST ORIE_TECHNISCH_TIJDSTIP_VERV ALLEN	datetime			
OVERGEGAAN_IN_BETREFT_HIST ORIE_VOLGNUMMER	int64			
OVERGEGAAN_IN_BETREFT_IDEN TIFICATIE	string			
OVERGEGAAN_IN_BETREFT_INDIC ATIE_GEDEELTELIJK_BEZWAARD _OUD_OBJECT	boolean			
OVERGEGAAN_IN_BETREFT_INDIC ATIE_GESPLITST	boolean			
OVERGEGAAN_IN_BETREFT_INDIC ATIE_TWEEDE_SPLITSING	boolean			
OVERGEGAAN_IN_BETREFT_INDIC ATIE_VOORGENOMEN_AANTEKEN ING	boolean			
OVERGEGAAN_IN_BETREFT_INDIC ATIE_VOORLOPIGE_AANTEKENIN G	boolean			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_BETREFT_KAD ASTRALE_AANDUIDING_APPARTE MENTSRECHT_VOLGNUMMER	int64			
OVERGEGAAN_IN_BETREFT_KAD ASTRALE_AANDUIDING_KADAST RALE_GEMEENTE	string			
OVERGEGAAN_IN_BETREFT_KAD ASTRALE_AANDUIDING_PERCEEL NUMMER	int64			
OVERGEGAAN_IN_BETREFT_KAD ASTRALE_AANDUIDING_SECTIE	string			
OVERGEGAAN_IN_BETREFT_KAD ASTRALE_GROOTTE_SOORT_GR OOTTE	string			
OVERGEGAAN_IN_BETREFT_KAD ASTRALE_GROOTTE_WAARDE	decimal			
OVERGEGAAN_IN_BETREFT_KOO PSOM_BEDRAG_SOM	decimal			
OVERGEGAAN_IN_BETREFT_KOO PSOM_BEDRAG_VALUTA	string			
OVERGEGAAN_IN_BETREFT_KOO PSOM_INDICATIE_MEER_OBJECTE N	boolean			
OVERGEGAAN_IN_BETREFT_KOO PSOM_KOOPDATUM	datetime			
OVERGEGAAN_IN_BETREFT_KOO PSOM_KOOPJAAR	int32			
OVERGEGAAN_IN_BETREFT_OMS CHRIJVING_ONDERZOEK_ERFDIEN STBAARHEDEN	string			
OVERGEGAAN_IN_BETREFT_OMS CHRIJVING	string			
OVERGEGAAN_IN_BETREFT_ONT STAAN_UIT_ITEM_AARD	string			
OVERGEGAAN_IN_BETREFT_ONT STAAN_UIT_ITEM_OVERGANGSG ROOTTE	decimal			
OVERGEGAAN_IN_BETREFT_PLA ATSCOORDINATEN_DESCRIPTION	int64			
OVERGEGAAN_IN_BETREFT_PLA ATSCOORDINATEN_IDENTIFIER	int64			
OVERGEGAAN_IN_BETREFT_PLA ATSCOORDINATEN_NAME	int64			
OVERGEGAAN_IN_BETREFT_PLA ATSCOORDINATEN_RD_COORDIN AAT_X	string			
OVERGEGAAN_IN_BETREFT_PLA ATSCOORDINATEN_RD_COORDIN AAT_Y	string			
OVERGEGAAN_IN_BETREFT_TEKE NINGEN_ITEM_AANVULLING_OP	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_AARD	string			
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_BEDRAG_TRANSACTIES_OM_LEVERING_SOM	decimal			
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_BEDRAG_TRANSACTIES_OM_LEVERING_VALUTA	string			
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_BEDRAG_VORDERINGSBESLAG_SOM	decimal			
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_BEDRAG_VORDERINGSBESLAG_VALUTA	string			
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_BEDRAG_ZEKERHEIDSDSTELLING_HYPOTHEEK_SOM	decimal			
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_BEDRAG_ZEKERHEIDSDSTELLING_HYPOTHEEK_VALUTA	string			
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_IDENTIFICATIE	string			
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_OMSCHRIJVING_GEKOZEN_WOONPLAATS	string			
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_OMSCHRIJVING_KADASTRALE_OBJECTEN	string			
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_VERMELD_IN	string			
OVERGEGAAN_IN_BETREFT_TOELICHTING_BEWAARDER	string			
OVERGEGAAN_IN_BETREFT_TOESTANDSDATUM_ONDERZOEK_ERFDIENSTBAARHEDEN	datetime			
OVERGEGAAN_IN_BETREFT_TYPE	string			
OVERGEGAAN_IN_BETREFT_UIN	string			
OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_AANVULLING_OP	string			
OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_AARD	string			
OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_BEDRAG_TRANSACTIES_OM_LEVERING_SOM	decimal			
OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_BEDRAG_TRANSACTIES_OM_LEVERING_VALUTA	string			
OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_BEDRAG_VORDERINGSBESLAG_SOM	decimal			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_BETREFT_VER MELD_IN_ITEM_BEDRAG_VORDERI NGSBESLAG_VALUTA	string			
OVERGEGAAN_IN_BETREFT_VER MELD_IN_ITEM_BEDRAG_ZEKERH EIDSSTELLING_HYPOTHEEK_SOM	decimal			
OVERGEGAAN_IN_BETREFT_VER MELD_IN_ITEM_BEDRAG_ZEKERH EIDSSTELLING_HYPOTHEEK_VAL UTA	string			
OVERGEGAAN_IN_BETREFT_VER MELD_IN_ITEM_IDENTIFICATIE	string			
OVERGEGAAN_IN_BETREFT_VER MELD_IN_ITEM_OMSCHRIJVING_G EKOZEN_WOONPLAATS	string			
OVERGEGAAN_IN_BETREFT_VER MELD_IN_ITEM_OMSCHRIJVING_K ADASTRALE_OBJECTEN	string			
OVERGEGAAN_IN_PRODUCTIENU MMER	string			
OVERGEGAAN_IN_SIGNALERING_ TIJDSTIP_BESLAGEN	datetime			
OVERGEGAAN_IN_SIGNALERING_ TIJDSTIP_HYPOTHECAIR	datetime			
OVERGEGAAN_IN_SIGNALERING_ TIJDSTIP_KADASTRAAL	datetime			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_AANDEEL_NOEMER	int64			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_AANDEEL_TELLER	int64			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_BETROKKEN_PARTN ER_NATUURLIJK_PERSONEN	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_BETROKKEN_PARTN ER_NIET_NATUURLIJK_PERSONEN	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_BETROKKEN_SAMEN WERKINGSVERBAND_NATUURLIJ K_PERSONEN	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_BETROKKEN_SAMEN WERKINGSVERBAND_NIET_NATU URLIJK_PERSONEN	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_BURGERLIJKE_STAA T_TEN_TIJDE_VAN_VERKRIJGING	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_GEBASEERD_OP	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_GELDT_VOOR_AAND EEL_NOEMER	int64			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_GELDT_VOOR_AANDEEL_TELLER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_GELDT_VOOR_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_OMSCHRIJVING	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_TEN_NAME_VAN_NATUURLIJK_PERSONEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_TEN_NAME_VAN_NIET_NATUURLIJK_PERSONEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_AARD	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BELAST_MET	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BEPERKT_TOT	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BESTEMT_TOT_GEBASEERD_OP	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BESTEMT_TOT_HOORT_BIJ	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BESTEMT_TOT_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_GEBASEERD_OP	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_TYPE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_AANVULLINGEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_DOSSIER_NUMMER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_IDENTIFICATIE	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_INDICATIE_BESCHIKKINGSBEVOEGDHEID	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENL AND_HUISLETTER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENL AND_HUISNUMMER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENL AND_HUISNUMMERTOEVOEING	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENL AND_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENL AND_IN_ONDERZOEK	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENL AND_POSTCODE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENL AND_STRAATNAAM	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENL AND_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENL AND_ADRES_REGELS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENL AND_ADRES	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ	string			

Name	Data Type	Label	Required	Documentation
J_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE				
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_LAND	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_RECHTSVORM	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_RSIN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_STATUTAIRE_NAAM	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_STATUTAIRE_ZETEL	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ	string			

Name	Data Type	Label	Required	Documentation
J_VERENIGING_VAN_EIGENAREN_VERMELD_IN				
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEVOEING	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_LAND	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_INDICATIE_SPLITTING_BETROKKEN	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_AANTEKENINGEN_WKPB	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_AANVULLINGEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_AARD_CULTUUR_BEBOUWD	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_AARD_CULTUUR_ONBEBOUWD	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_	string			

Name	Data Type	Label	Required	Documentation
ZAAK_AARD				
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_ADRESSEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_BELAST_MET	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_LOGISCH_TIJDS TIP_ONTSTAAN	datetime			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_LOGISCH_TIJDS TIP_VERVALLLEN	datetime			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_STATUS_HISTORIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_TECHNISCH_TIJDSTIP_ONTSTAAN	datetime			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_TECHNISCH_TIJDSTIP_VERVALLLEN	datetime			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_VOLGNUMMER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_INDICATIE_GEDEELTELIJK_BEZWAARD_OUD_OBJECT	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_INDICATIE_GESPLITST	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_INDICATIE_TWEEDE_SPLITTING	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_INDICATIE_VOORGENOMEN_AANTEKENING	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_INDICATIE_VOORLOPIGE_AANTEKENING	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING	int64			

Name	Data Type	Label	Required	Documentation
G_APPARTEMENTSRECHT_VOLG NUMMER				
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_KADASTRALE_AANDUIDIN G_KADASTRALE_GEMEENTE	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_KADASTRALE_AANDUIDIN G_PERCEELNUMMER	int64			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_KADASTRALE_AANDUIDIN G_SECTIE	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_KADASTRALE_GROOTTE_ SOORT_GROOTTE	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_KADASTRALE_GROOTTE_ WAARDE	decimal			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_KOOPSOM_BEDRAG_SOM	decimal			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_KOOPSOM_BEDRAG_VAL UTA	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_KOOPSOM_INDICATIE_MEE R_OBJECTEN	boolean			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_KOOPSOM_KOOPDATUM	datetime			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_KOOPSOM_KOOPJAAR	int32			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_OMSCHRIJVING_ONDERZO EK_ERFDIENSTBAARHEDEN	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_OMSCHRIJVING	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_ONTSTAAN UIT	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_PLAATSCOORDINATEN_DE SCRIPTION	int64			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_	int64			

Name	Data Type	Label	Required	Documentation
ZAAK_PLAATSCOORDINATEN_ID ENTIFIER				
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_PLAATSCOORDINATEN_N AME	int64			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_PLAATSCOORDINATEN_RD _COORDINAAT_X	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_PLAATSCOORDINATEN_RD _COORDINAAT_Y	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_TEKENINGEN	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_TOELICHTING_BEWAARDE R	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_TOESTANDSDATUM_ONDE RZOEK_ERFDIENSTBAARHEDEN	datetime			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_TYPE	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_UIN	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_VERMELD_IN	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_GEBASEERD_OP	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_TYPE	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _AANVULLINGEN	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _DOSSIER_NUMMER	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _IDENTIFICATIE	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_INDICATIE_BESCHIKKINGSBEVOEGDHEID	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEVOEING	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT	string			

Name	Data Type	Label	Required	Documentation
T_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE				
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_LAND	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_RECHTSVORM	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_RSIN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_STATUTAIRE_NAAM	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_STATUTAIRE_ZETEL	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT	string			

Name	Data Type	Label	Required	Documentation
T_VERENIGING_VAN_EIGENAREN_VERMELD_IN				
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEVOEGING	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN	string			

Name	Data Type	Label	Required	Documentation
_WOONLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE				
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_LAND	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VERKLARING_INZAKE_DERDEN_BESCHERMING	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VERKREGEN_NAMENS_SAMENWERKINGSVERBAND	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VERMELD_IN	string			
OVERGEGAAN_IN_TIJDSTIP_SAMENSTELLING_BERICHT	datetime			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_AARD	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BELAST_MET	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BEPERKT_TOT	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BESTEMT_TOT_GEBA	string			

Name	Data Type	Label	Required	Documentation
SEERD_OP				
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BESTEMT_TOT_HOORT_BIJ	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BESTEMT_TOT_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_GEBASEERD_OP	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_TYPE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_AANVULLINGEN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_DOSSIER_NUMMER	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_INDICATIE_BESCHIKKINGSBEVOEGDHED	boolean			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEVOEING	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POST	string			

Name	Data Type	Label	Required	Documentation
LOCATIE_LOCATIE_BINNENLAND_I N_ONDERZOEK				
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_BETROKKEN_BIJ_VER ENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_BINNENLAND_ POSTCODE	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_BETROKKEN_BIJ_VER ENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_BINNENLAND_ STRAATNAAM	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_BETROKKEN_BIJ_VER ENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_BINNENLAND_ WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_BETROKKEN_BIJ_VER ENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_BUITENLAND_ ADRES_REGELS	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_BETROKKEN_BIJ_VER ENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_BUITENLAND_ ADRES	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_BETROKKEN_BIJ_VER ENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_BUITENLAND_I DENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_BETROKKEN_BIJ_VER ENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_BUITENLAND_ LAND	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_BETROKKEN_BIJ_VER ENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_BUITENLAND_ REGIO	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_BETROKKEN_BIJ_VER ENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_BUITENLAND_ WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_BETROKKEN_BIJ_VER ENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_POSTBUS_IDE NTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_BETROKKEN_BIJ_VER ENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_POSTBUS_PO STBUS_NUMMER	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_RECHTSVORM	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_RSIN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_STATUTAIRE_NAAM	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_STATUTAIRE_ZETEL	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_VERMELDING_IN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEOVOEGING	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOO	string			

Name	Data Type	Label	Required	Documentation
NLOCATIE_LOCATIE_BINNENLAND_POSTCODE				
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_LAND	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_INDICATIE_SPLITSING_BETROKKEN	boolean			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_AANTEKENINGEN_WKPB	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_AANVULLINGEN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_AARD_CULTUUR_BEBOUWD	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_AARD_CULTUUR_ONBEBOUWD	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_AARD	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_ADRESSEN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_BELAST_MET	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_LOGISCH_TIJDSTIP_ONTSTAAN	datetime			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_LOGISCH_TIJDSTIP_VERVALLLEN	datetime			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_STATUS_HISTORIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_TECHNISCH_TIJDSTIP_ONTSTAAN	datetime			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_TECHNISCH_TIJDSTIP_VERVALLLEN	datetime			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_VOLGNUMMER	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK	string			

Name	Data Type	Label	Required	Documentation
_IDENTIFICATIE				
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_INDICATIE_GEDEELTELIJK_BEZWAARD_OUD_OBJECT	boolean			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_INDICATIE_GESPLITST	boolean			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_INDICATIE_TWEEDE_SPLITSING	boolean			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_INDICATIE_VOORGENOMEN_AAN_TEKENING	boolean			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_INDICATIE_VOORLOPIGE_AANTEKENING	boolean			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_APPARTEMENTSRECHT_VOLGNUMMER	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_KADASTRALE_GEMEENTE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_PERCEELNUMMER	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_SECTIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_GROOTTE_SORT_GROOTTE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_GROOTTE_WAARDE	decimal			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSOM_BEDRAG_SOM	decimal			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSOM_BEDRAG_VALUTA	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSOM_INDICATIE_MEER_OBJECTEN	boolean			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSOM_KOOPDATUM	datetime			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSOM_KOOPJAAR	int32			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_OMSCHRIJVING_ONDERZOEK_ERFDIENSTBAARHEDEN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_OMSCHRIJVING	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_ONTSTAAN_UIT	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATSCOORDINATEN_DESCRIPTION	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATSCOORDINATEN_IDENTIFIEER	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATSCOORDINATEN_NAME	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATSCOORDINATEN_RD_COORDINAAT_X	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATSCOORDINATEN_RD_COORDINAAT_Y	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_TEKENINGEN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_TOELICHTING_BEWAARDER	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_TOESTANDSDATUM_ONDERZOEK_ERFDIENSTBAARHEDEN	datetime			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_TYPE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_UIN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_VERMELD_IN	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_GEBASEERD_OP	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_TYPE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING VAN EIGENAREN_AANVULLINGEN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING VAN EIGENAREN_DOSSIER_NUMMER	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING VAN EIGENAREN_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING VAN EIGENAREN_INDICATIE_BESCHIKKINGSBEVOEGDHED	boolean			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING VAN EIGENAREN_POSTLOCATIE LOCATIE_BINNENLAND_HUISLETTER	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING VAN EIGENAREN_POSTLOCATIE LOCATIE_BINNENLAND_HUISNUMMER	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING VAN EIGENAREN_POSTLOCATIE LOCATIE_BINNENLAND_HUISNUMMERTOEVOEING	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING VAN EIGENAREN_POSTLOCATIE LOCATIE_BINNENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING VAN EIGENAREN_POSTLOCATIE LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING VAN EIGENAREN_POSTLOCATIE LOCATIE_BINNENLAND_POSTCODE	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_LAND	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VER	string			

Name	Data Type	Label	Required	Documentation
ENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_POSTBUS_WO ONPLAATS				
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_RECH TSVORM	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_RSIN	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_STAT UTAIRE_NAAM	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_STAT UTAIRE_ZETEL	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_VERM ELD_IN	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_WOO NLOCATIE_LOCATIE_BINNENLAND _HUISLETTER	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_WOO NLOCATIE_LOCATIE_BINNENLAND _HUISNUMMER	int64			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_WOO NLOCATIE_LOCATIE_BINNENLAND _HUISNUMMERTOEVOEING	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_WOO NLOCATIE_LOCATIE_BINNENLAND _IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_WOO NLOCATIE_LOCATIE_BINNENLAND _IN_ONDERZOEK	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_WOO NLOCATIE_LOCATIE_BINNENLAND _POSTCODE	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_WOO NLOCATIE_LOCATIE_BINNENLAND _STRAATNAAM	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_LAND	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
POSTCODE_TREFFERS_ACTUALITEIT_TIJDSTIP_HYPOTHECAIR	datetime			

Name	Data Type	Label	Required	Documentation
POSTCODE_TREFFERS_ACTUALITEIT_TIJDSTIP_KADASTRAAL	datetime			
POSTCODE_TREFFERS_BETREFT_HUISLETTER	string			
POSTCODE_TREFFERS_BETREFT_HUISNUMMER	int64			
POSTCODE_TREFFERS_BETREFT_HUISNUMMERTOEV_OEGING	string			
POSTCODE_TREFFERS_BETREFT_IDENTIFICATIE	string			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_HUISNUMMER_VOLLEDIG	string			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_IDENTIFICATIE	string			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_KADASTRALE_GROOTTE_SOORT_GROOTTE	string			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_KADASTRALE_GROOTTE_WAARDE	decimal			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_KOOPSOM_BEDRAG_SOM	decimal			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_KOOPSOM_BEDRAG_VALUTA	string			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_KOOPSOM_INDICATIE_MEER_OBJECTEN	boolean			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_KOOPSOM_KOOPDATUM	datetime			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_KOOPSOM_KOOPJAAR	int32			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_OMSCHRIJVING_CULTUUR	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_AANTEKENINGEN_WKPB	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_AANVULLINGEN	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_AARD_CULTUUR_BEBOUWD	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_AAR	string			

Name	Data Type	Label	Required	Documentation
D_CULTUUR_ONBEBOUWD				
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_AARD	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_ADRESSEN	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_BELASTMET	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_HISTORIE_LOGISCH_TIJDSTIP_ONTSTAAN	datetime			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_HISTORIE_LOGISCH_TIJDSTIP_VERVALLEN	datetime			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_HISTORIE_STATUS_HISTORIE	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_HISTORIE_TECHNISCH_TIJDSTIP_ONTSTAAN	datetime			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_HISTORIE_TECHNISCH_TIJDSTIP_VERVALLEN	datetime			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_HISTORIE_VOLGNUMMER	int64			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_IDENTIFICATIE	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_INDICATIE_GEDEELTELIJK_BEZWAARD_OUD_OBJECT	boolean			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_INDICATIE_GESPLITST	boolean			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_INDICATIE_TWEEDE_SPLITSING	boolean			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_INDICATIE_VOORGENOMEN_AANTEKENING	boolean			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_INDICATIE_VOORLOPIGE_AANTEKENING	boolean			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KAD	int64			

Name	Data Type	Label	Required	Documentation
ASTRALE_AANDUIDING_APPARTEMENTSRECHT_VOLGNUMMER				
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KAD_ASTRALE_AANDUIDING_KADASTRALE_GEMEENTE	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KAD_ASTRALE_AANDUIDING_PERCEELNUMMER	int64			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KAD_ASTRALE_AANDUIDING_SECTIE	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KAD_ASTRALE_GROOTTE_SOORT_GROOTTE	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KAD_ASTRALE_GROOTTE_WAARDE	decimal			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KOOP_SOM_BEDRAG_SOM	decimal			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KOOP_SOM_BEDRAG_VALUTA	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KOOP_SOM_INDICATIE_MEER_OBJEKTEN	boolean			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KOOP_SOM_KOOPDATUM	datetime			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KOOP_SOM_KOOPJAAR	int32			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_OMS_CHRIJVING_ONDERZOEK_ERFDIENSTBAARHEDEN	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_OMS_CHRIJVING	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_ONTSTAAN_UIT	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_OVERGEGAAN_IN	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_PLAATSCOORDINATEN_DESCRIPTION	int64			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_PLAATSCOORDINATEN_IDENTIFIEER	int64			

Name	Data Type	Label	Required	Documentation
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_PLAATSCOORDINATEN_NAME	int64			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_PLAATSCOORDINATEN_RD_COORDINAAAT_X	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_PLAATSCOORDINATEN_RD_COORDINAAAT_Y	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_TEKENINGEN	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_TOELICHTING_BEWAARDER	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_TOESTANDSDATUM_ONDERZOEK_ERFDIENSTBAARHEDEN	datetime			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_TYPE	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_UIN	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_VERMELD_IN	string			
POSTCODE_TREFFERS_BETREFT_POSTCODE	string			
POSTCODE_TREFFERS_PRODUCTIENUMMER	string			
POSTCODE_TREFFERS_SIGNALERING_TIJDSTIP_BESLAGEN	datetime			
POSTCODE_TREFFERS_SIGNALERING_TIJDSTIP_HYPOTHECAIR	datetime			
POSTCODE_TREFFERS_SIGNALERING_TIJDSTIP_KADASTRAAL	datetime			
POSTCODE_TREFFERS_TIJDSTIP_SAMENSTELLING_BERICHT	datetime			

3.1.222 kadasterV2GetHypotheclairBerichtObjectByKadastraleAanduiding

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: kadasterV2GetHypotheclairBerichtObjectByKadastraleAanduiding

Base

XPath: /s:Envelope/s:Body/tns:kadasterV2GetHypothecairBerichtObjectByKadastraleAanduidingResponse/tns:resultaat

Filters on API Server: gemeentenaam- sectie- perceelnummer- appartementsnummer- document

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `kadasterV2GetHypothecairBerichtObjectByKadastraleAanduiding`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
appartementsnummer	int32	<input type="checkbox"/>		
document	string	<input type="checkbox"/>		
gemeentenaam	string	<input type="checkbox"/>		
perceelnummer	int32	<input type="checkbox"/>		
sectie	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `kadasterV2GetHypothecairBerichtObjectByKadastraleAanduiding` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
BERICHT_AANTEKENINGEN_ITEM_AARD	string			
BERICHT_AANTEKENINGEN_ITEM_BESLAGLEGGINGEN	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_AANTEKENINGEN_WKPB	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_AANVULLINGEN	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_AARD_CULTUUR_BEBOUWD	string			

Name	Data Type	Label	Required	Documentation
BERICHT_AANTEKENINGEN_ITEM_BETREFT_AARD_CULTUUR_ONBEBOUWD	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_AARD	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_ADRESSEN	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_BELAST_MET	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_HISTORIE_LOGISCH_TJDSTIP_ONTSTAAN	datetime			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_HISTORIE_LOGISCH_TJDSTIP_VERVALLLEN	datetime			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_HISTORIE_STATUS_HISTORIE	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_HISTORIE_TECHNISCH_TJDSTIP_ONTSTAAN	datetime			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_HISTORIE_TECHNISCH_TJDSTIP_VERVALLLEN	datetime			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_HISTORIE_VOLGNUMMER	int64			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_IDENTIFICATIE	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_INDICATIE_GEDEELTELIJK_BEZWAARD_OUD_OBJECT	boolean			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_INDICATIE_GESPLITST	boolean			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_INDICATIE_TWEEDE_SPLITSING	boolean			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_INDICATIE_VOORGENOMEN_AANTEKENING	boolean			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_INDICATIE_VOORLOPIGE_AANTEKENING	boolean			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_KADASTRALE_AANDUIDING_APPARTEMENTSRECHT_VOLGNUMMER	int64			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_KADASTRALE_AANDUIDING_KADASTRALE_GEMEENTE	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_KADASTRALE_AANDUIDING_PERCEELNUMMER	int64			

Name	Data Type	Label	Required	Documentation
BERICHT_AANTEKENINGEN_ITEM_BETREFT_KADASTRALE_AANDUIDING_SECTIE	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_KADASTRALE_GROOTTE_SOORT_GROOTTE	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_KADASTRALE_GROOTTE_WAARDE	decimal			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_KOOPSOM_BEDRAG_SOM	decimal			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_KOOPSOM_BEDRAG_VALUTA	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_KOOPSOM_INDICATIE_MEEER_OBJECTEN	boolean			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_KOOPSOM_KOOPDATUM	datetime			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_KOOPSOM_KOOPJAAR	int32			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_OMSCHRIJVING_ONDERZOEK_ERFDIENSTBAARHEDEN	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_OMSCHRIJVING	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_ONTSTAAN_UIT	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_OVERGEGAAN_IN	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_PLAATSCOORDINATEN_DESCRIPTION	int64			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_PLAATSCOORDINATEN_IDENTIFIEER	int64			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_PLAATSCOORDINATEN_NAME	int64			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_PLAATSCOORDINATEN_RD_COORDINAAT_X	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_PLAATSCOORDINATEN_RD_COORDINAAT_Y	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_TEKENINGEN	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_TOELICHTING_BEWAARDE	string			

Name	Data Type	Label	Required	Documentation
BERICHT_AANTEKENINGEN_ITEM_BETREFT_TOESTANDSDATUM_ONDERZOEK_ERFDIENSTBAARHEDEN	datetime			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_TYPE	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_UIN	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_VERMELD_IN	string			
BERICHT_AANTEKENINGEN_ITEM_BETROKKEN_PERSONEN_NATUURLIJK_PERSONEN	string			
BERICHT_AANTEKENINGEN_ITEM_BETROKKEN_PERSONEN_NIET_NATUURLIJK_PERSONEN	string			
BERICHT_AANTEKENINGEN_ITEM_EINDDATUM_RECHT	datetime			
BERICHT_AANTEKENINGEN_ITEM_EINDDATUM	datetime			
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_AANVULLING_OP	string			
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_AARD	string			
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_BEDRAG_TRANSACTIES_OM_LEVERING_SOM	decimal			
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_BEDRAG_TRANSACTIES_OM_LEVERING_VALUTA	string			
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_BEDRAG_VORDERINGSBESLAG_SOM	decimal			
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_BEDRAG_VORDERINGSBESLAG_VALUTA	string			
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_BEDRAG_ZEKERHEIDSSTELLING_HYPOTHEEK_SOM	decimal			
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_BEDRAG_ZEKERHEIDSSTELLING_HYPOTHEEK_VALUTA	string			
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_IDENTIFICATIE	string			
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_OMSCHRIJVING_GEKOZEN_WOONPLAATS	string			
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_OMSCHRIJVING_KADASTRALE_OBJECTEN	string			

Name	Data Type	Label	Required	Documentation
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_VERMELD_IN	string			
BERICHT_AANTEKENINGEN_ITEM_HERKAVELING_BLOKNUMMER	int64			
BERICHT_AANTEKENINGEN_ITEM_HYPOTHEKEN	string			
BERICHT_AANTEKENINGEN_ITEM_IDENTIFICATIE	string			
BERICHT_AANTEKENINGEN_ITEM_OMSCHRIJVING	string			
BERICHT_AANTEKENINGEN_ITEM_TENAAMSTELLINGEN	string			
BERICHT_AANTEKENINGEN_ITEM_VERMELD_IN	string			
BERICHT_ACTUALITEIT_TIJDS TIP_HYPOTHECAIR	datetime			
BERICHT_ACTUALITEIT_TIJDS TIP_KADASTRAAL	datetime			
BERICHT_BESLAGLEGGINGEN_ITEM_AANDEEL_IN_BETROKKEN_RECHT_NOEMER	int64			
BERICHT_BESLAGLEGGINGEN_ITEM_AANDEEL_IN_BETROKKEN_RECHT_TELLER	int64			
BERICHT_BESLAGLEGGINGEN_ITEM_AARD_BESLAG	string			
BERICHT_BESLAGLEGGINGEN_ITEM_GEBASEERD_OP_AANVULLING_OP	string			
BERICHT_BESLAGLEGGINGEN_ITEM_GEBASEERD_OP_AARD	string			
BERICHT_BESLAGLEGGINGEN_ITEM_GEBASEERD_OP_BEDRAG_TRANSACTIES_OM_LEVERING_SOM	decimal			
BERICHT_BESLAGLEGGINGEN_ITEM_GEBASEERD_OP_BEDRAG_TRANSACTIES_OM_LEVERING_VALUTA	string			
BERICHT_BESLAGLEGGINGEN_ITEM_GEBASEERD_OP_BEDRAG_VORDERINGSBESLAG_SOM	decimal			
BERICHT_BESLAGLEGGINGEN_ITEM_GEBASEERD_OP_BEDRAG_VORDERINGSBESLAG_VALUTA	string			
BERICHT_BESLAGLEGGINGEN_ITEM_GEBASEERD_OP_BEDRAG_ZEKERHEIDSSTELLING_HYPOTHEEK_SOM	decimal			
BERICHT_BESLAGLEGGINGEN_ITEM_GEBASEERD_OP_BEDRAG_ZEKERHEIDSSTELLING_HYPOTHEEK_VALUTA	string			

Name	Data Type	Label	Required	Documentation
BERICHT_BESLAGLEGGINGEN_ITEM_GEBASEERD_OP_IDENTIFICATIE	string			
BERICHT_BESLAGLEGGINGEN_ITEM_GEBASEERD_OP_OMSCHRIJVING_GEKOZEN_WOONPLAATS	string			
BERICHT_BESLAGLEGGINGEN_ITEM_GEBASEERD_OP_OMSCHRIJVING_KADASTRALE_OBJECTEN	string			
BERICHT_BESLAGLEGGINGEN_ITEM_GEBASEERD_OP_VERMELDING	string			
BERICHT_BESLAGLEGGINGEN_ITEM_IDENTIFICATIE	string			
BERICHT_BESLAGLEGGINGEN_ITEM_OMSCHRIJVING_BETROKKEN_RECHT	string			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_AANTEKENINGEN_WKPB	string			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_AANVULLINGEN	string			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_AARD_CULTUUR_BEBOUWD	string			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_AARD_CULTUUR_ONBEBOUWD	string			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_AARD	string			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_ADRESSEN	string			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_BELASTINGMET	string			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_HISTORIE_LOGISCH_TIJDSTIP_ONTSTAAN	datetime			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_HISTORIE_LOGISCH_TIJDSTIP_VERVALLEN	datetime			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_HISTORIE_STATUS_HISTORIE	string			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_HISTORIE_TECHNISCH_TIJDSTIP_ONTSTAAN	datetime			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_HISTORIE_TECHNISCH_TIJDSTIP_VERVALLEN	datetime			

Name	Data Type	Label	Required	Documentation
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_HISTORIE_VOLGNUMMER	int64			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_IDENTIFICATIE	string			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_INDICATIE_GEDEELTELIJK_BEZWAARD_OUD_OBJECT	boolean			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_INDICATIE_GESPLITST	boolean			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_INDICATIE_TWEEDE_SPLITSING	boolean			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_INDICATIE_VOORGENOMEN_AANTEKENING	boolean			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_INDICATIE_VOORLOPIGE_AANTEKENING	boolean			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_APPARTEMENT_SRECHT_VOLGNUMMER	int64			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_KADASTRALE_GEMEENTE	string			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_PERCEELNUMMER	int64			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_SECTIE	string			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_GROOTTE_SOORT_GROOTTE	string			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_GROOTTE_WAARDE	decimal			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_KOOPSO MBEDRAG_SOM	decimal			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_KOOPSO MBEDRAG_VALUTA	string			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_KOOPSO M_INDICATIE_MEER_OBJECTEN	boolean			

Name	Data Type	Label	Required	Documentation
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_KOOPSO M_KOOPDATUM	datetime			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_KOOPSO M_KOOPJAAR	int32			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_OMSCHR IJVING_ONDERZOEK_ERFDIENSTB AARHEDEN	string			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_OMSCHR IJVING	string			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_ONTSTA AN_UIT	string			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_OVERGE GAAN_IN	string			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_PLAATS COORDINATEN_DESCRIPTION	int64			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_PLAATS COORDINATEN_IDENTIFIEER	int64			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_PLAATS COORDINATEN_NAME	int64			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_PLAATS COORDINATEN_RD_COORDINAAT _X	string			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_PLAATS COORDINATEN_RD_COORDINAAT _Y	string			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_TEKENIN GEN	string			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_TOELICH TING_BEWAARDER	string			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_TOESTA NDSDATUM_ONDERZOEK_ERFDIE NSTBAARHEDEN	datetime			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_TYPE	string			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_UIN	string			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_VERMEL D_IN	string			

Name	Data Type	Label	Required	Documentation
BERICHT_BESLAGLEGGINGEN_ITEM_PERSONEN_NATUURLIJK_PERSONEN	string			
BERICHT_BESLAGLEGGINGEN_ITEM_PERSONEN_NIET_NATUURLIJK_PERSONEN	string			
BERICHT_BESLAGLEGGINGEN_ITEM_VERMELD_IN	string			
BERICHT_BETREFT_AANTEKENINGEN_WKPB_ITEM_DATUM_IN_WERKING	string			
BERICHT_BETREFT_AANTEKENINGEN_WKPB_ITEM_GEMEENTELIJKE_REGISTRATIE_ID	string			
BERICHT_BETREFT_AANTEKENINGEN_WKPB_ITEM_NUMMER	string			
BERICHT_BETREFT_AANTEKENINGEN_WKPB_ITEM_OMSCHRIJVING_PUBLIEKRECHTELIJKE_BEPERKING	string			
BERICHT_BETREFT_AANTEKENINGEN_WKPB_ITEM_OMSCHRIJVING	string			
BERICHT_BETREFT_AANVULLINGEN_ITEM_AANGEBODEN_STUK_AARD	string			
BERICHT_BETREFT_AANVULLINGEN_ITEM_AANGEBODEN_STUK_DEEL_EN_NUMMER_DEEL	string			
BERICHT_BETREFT_AANVULLINGEN_ITEM_AANGEBODEN_STUK_DEEL_EN_NUMMER_NUMMER	string			
BERICHT_BETREFT_AANVULLINGEN_ITEM_AANGEBODEN_STUK_DEEL_EN_NUMMER_REEKS	string			
BERICHT_BETREFT_AANVULLINGEN_ITEM_AANGEBODEN_STUK_DEEL_EN_NUMMER_REGISTERCODE	string			
BERICHT_BETREFT_AANVULLINGEN_ITEM_AANGEBODEN_STUK_DEEL_EN_NUMMER_SOORT_REGISTER	string			
BERICHT_BETREFT_AANVULLINGEN_ITEM_AANGEBODEN_STUK_IDENTIFICATIE	string			
BERICHT_BETREFT_AANVULLINGEN_ITEM_AANGEBODEN_STUK_INDICATIE_ALLE_OBJECTEN_BETROKKEN	boolean			
BERICHT_BETREFT_AANVULLINGEN_ITEM_AANGEBODEN_STUK_STATUS_STUK_OR	string			
BERICHT_BETREFT_AANVULLINGEN_ITEM_AANGEBODEN_STUK_STUKDELEN	string			

Name	Data Type	Label	Required	Documentation
BERICHT_BETREFT_AANVULLING EN_ITEM_AANGEBODEN_STUK_TI JDSTIP_AANBIEDING	datetime			
BERICHT_BETREFT_AANVULLING EN_ITEM_AANGEBODEN_STUK_TI JDSTIP_ONDERTEKENING	datetime			
BERICHT_BETREFT_AANVULLING EN_ITEM_AANGEBODEN_STUK_T OELICHTING_BEWAARDER	string			
BERICHT_BETREFT_AANVULLING EN_ITEM_AANGEBODEN_STUK_V ERKLARING_BEWAARDER	string			
BERICHT_BETREFT_AANVULLING EN_ITEM_AANGEBODEN_STUK_V ERZOEKEN	string			
BERICHT_BETREFT_AANVULLING EN_ITEM_TYPE	string			
BERICHT_BETREFT_AARD_CULTU UR_BEBOUWD	string			
BERICHT_BETREFT_AARD_CULTU UR_ONBEBOUWD	string			
BERICHT_BETREFT_AARD	string			
BERICHT_BETREFT_ADRESSEN_IT EM_LOCATIE_BINNENLAND_HUISL ETTER	string			
BERICHT_BETREFT_ADRESSEN_IT EM_LOCATIE_BINNENLAND_HUISN UMMER	int64			
BERICHT_BETREFT_ADRESSEN_IT EM_LOCATIE_BINNENLAND_HUISN UMMERTOEV OEGING	string			
BERICHT_BETREFT_ADRESSEN_IT EM_LOCATIE_BINNENLAND_IDENTI FICATIE	string			
BERICHT_BETREFT_ADRESSEN_IT EM_LOCATIE_BINNENLAND_IN_ON DERZOEK	string			
BERICHT_BETREFT_ADRESSEN_IT EM_LOCATIE_BINNENLAND_POST CODE	string			
BERICHT_BETREFT_ADRESSEN_IT EM_LOCATIE_BINNENLAND_STRA ATNAAM	string			
BERICHT_BETREFT_ADRESSEN_IT EM_LOCATIE_BINNENLAND_WOO NPLAATS	string			
BERICHT_BETREFT_ADRESSEN_IT EM_LOCATIE_BUITENLAND_ADRE S_REGELS	string			
BERICHT_BETREFT_ADRESSEN_IT EM_LOCATIE_BUITENLAND_ADRE S	string			

Name	Data Type	Label	Required	Documentation
BERICHT_BETREFT_ADRESSEN_ITEM_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
BERICHT_BETREFT_ADRESSEN_ITEM_LOCATIE_BUITENLAND_LAND	string			
BERICHT_BETREFT_ADRESSEN_ITEM_LOCATIE_BUITENLAND_REGIO	string			
BERICHT_BETREFT_ADRESSEN_ITEM_LOCATIE_BUITENLAND_WOONPLAATS	string			
BERICHT_BETREFT_ADRESSEN_ITEM_LOCATIE_POSTBUS_IDENTIFICATIE	string			
BERICHT_BETREFT_ADRESSEN_ITEM_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
BERICHT_BETREFT_ADRESSEN_ITEM_LOCATIE_POSTBUS_POSTCODE	string			
BERICHT_BETREFT_ADRESSEN_ITEM_LOCATIE_POSTBUS_WOONPLAATS	string			
BERICHT_BETREFT_BELAST_ITEM_BEDRAG_SOM	decimal			
BERICHT_BETREFT_BELAST_ITEM_BEDRAG_VALUTA	string			
BERICHT_BETREFT_BELAST_ITEM_EINDJAAR	int64			
BERICHT_BETREFT_HISTORIE_LOGISCH_TIJDSTIP_ONTSTAAN	datetime			
BERICHT_BETREFT_HISTORIE_LOGISCH_TIJDSTIP_VERVALLEN	datetime			
BERICHT_BETREFT_HISTORIE_STATUS_HISTORIE	string			
BERICHT_BETREFT_HISTORIE_TECHNISCH_TIJDSTIP_ONTSTAAN	datetime			
BERICHT_BETREFT_HISTORIE_TECHNISCH_TIJDSTIP_VERVALLEN	datetime			
BERICHT_BETREFT_HISTORIE_VOLGNUMMER	int64			
BERICHT_BETREFT_IDENTIFICATIE	string			
BERICHT_BETREFT_INDICATIE_GEDEELTELIJK_BEZWAARD_OUD_OBJECT	boolean			
BERICHT_BETREFT_INDICATIE_GESPLITST	boolean			
BERICHT_BETREFT_INDICATIE_TWEEDE_SPLITSING	boolean			
BERICHT_BETREFT_INDICATIE_VORGENOMEN_AANTEKENING	boolean			

Name	Data Type	Label	Required	Documentation
BERICHT_BETREFT_INDICATIE_VOORLOPIGE_AANTEKENING	boolean			
BERICHT_BETREFT_KADASTRALE_AANDUIDING_APPARTEMENTSRECHT_VOLGNUMMER	int64			
BERICHT_BETREFT_KADASTRALE_AANDUIDING_KADASTRALE_GEMEENTE	string			
BERICHT_BETREFT_KADASTRALE_AANDUIDING_PERCEELNUMMER	int64			
BERICHT_BETREFT_KADASTRALE_AANDUIDING_SECTIE	string			
BERICHT_BETREFT_KADASTRALE_GROOTTE_SOORT_GROOTTE	string			
BERICHT_BETREFT_KADASTRALE_GROOTTE_WAARDE	decimal			
BERICHT_BETREFT_KOOPSOM_BEDRAG_SOM	decimal			
BERICHT_BETREFT_KOOPSOM_BEDRAG_VALUTA	string			
BERICHT_BETREFT_KOOPSOM_INDICATIE_MEER_OBJECTEN	boolean			
BERICHT_BETREFT_KOOPSOM_KOOPDATUM	datetime			
BERICHT_BETREFT_KOOPSOM_KOOPJAAR	int32			
BERICHT_BETREFT_OMSCHRIJVING_ONDERZOEK_ERFDIENSTBAARHEDEN	string			
BERICHT_BETREFT_OMSCHRIJVING	string			
BERICHT_BETREFT_ONTSTAAN_UIT_ITEM_AARD	string			
BERICHT_BETREFT_ONTSTAAN_UIT_ITEM_OVERGANGSGROOTTE	decimal			
BERICHT_BETREFT_OVERGEGAAN_IN_ITEM_AARD	string			
BERICHT_BETREFT_OVERGEGAAN_IN_ITEM_OVERGANGSGROOTTE	decimal			
BERICHT_BETREFT_PLAATSCOORDINATEN_DESCRIPTION	int64			
BERICHT_BETREFT_PLAATSCOORDINATEN_IDENTIFIER	int64			
BERICHT_BETREFT_PLAATSCOORDINATEN_NAME	int64			
BERICHT_BETREFT_PLAATSCOORDINATEN_RD_COORDINAAT_X	string			
BERICHT_BETREFT_PLAATSCOORDINATEN_RD_COORDINAAT_Y	string			

Name	Data Type	Label	Required	Documentation
BERICHT_BETREFT_TEKENINGEN_I TEM_AANVULLING_OP	string			
BERICHT_BETREFT_TEKENINGEN_I TEM_AARD	string			
BERICHT_BETREFT_TEKENINGEN_I TEM_BEDRAG_TRANSACTIES_OM _LEVERING_SOM	decimal			
BERICHT_BETREFT_TEKENINGEN_I TEM_BEDRAG_TRANSACTIES_OM _LEVERING_VALUTA	string			
BERICHT_BETREFT_TEKENINGEN_I TEM_BEDRAG_VORDERINGSBESL AG_SOM	decimal			
BERICHT_BETREFT_TEKENINGEN_I TEM_BEDRAG_VORDERINGSBESL AG_VALUTA	string			
BERICHT_BETREFT_TEKENINGEN_I TEM_BEDRAG_ZEKERHEIDSTELLI NG_HYPOTHEEK_SOM	decimal			
BERICHT_BETREFT_TEKENINGEN_I TEM_BEDRAG_ZEKERHEIDSTELLI NG_HYPOTHEEK_VALUTA	string			
BERICHT_BETREFT_TEKENINGEN_I TEM_IDENTIFICATIE	string			
BERICHT_BETREFT_TEKENINGEN_I TEM_OMSCHRIJVING_GEKOZEN_ WOONPLAATS	string			
BERICHT_BETREFT_TEKENINGEN_I TEM_OMSCHRIJVING_KADASTRA LE_OBJECTEN	string			
BERICHT_BETREFT_TEKENINGEN_I TEM_VERMELD_IN	string			
BERICHT_BETREFT_TOELICHTING_ BEWAARDER	string			
BERICHT_BETREFT_TOESTANDSD ATUM_ONDERZOEK_ERFDIENSTB AARHEDEN	datetime			
BERICHT_BETREFT_TYPE	string			
BERICHT_BETREFT_UIN	string			
BERICHT_BETREFT_VERMELD_IN_I TEM_AANVULLING_OP	string			
BERICHT_BETREFT_VERMELD_IN_I TEM_AARD	string			
BERICHT_BETREFT_VERMELD_IN_I TEM_BEDRAG_TRANSACTIES_OM _LEVERING_SOM	decimal			
BERICHT_BETREFT_VERMELD_IN_I TEM_BEDRAG_TRANSACTIES_OM _LEVERING_VALUTA	string			
BERICHT_BETREFT_VERMELD_IN_I TEM_BEDRAG_VORDERINGSBESL AG_SOM	decimal			

Name	Data Type	Label	Required	Documentation
BERICHT_BETREFT_VERMELD_IN_I TEM_BEDRAG_VORDERINGSBESL AG_VALUTA	string			
BERICHT_BETREFT_VERMELD_IN_I TEM_BEDRAG_ZEKERHEIDSSTELLI NG_HYPOTHEEK_SOM	decimal			
BERICHT_BETREFT_VERMELD_IN_I TEM_BEDRAG_ZEKERHEIDSSTELLI NG_HYPOTHEEK_VALUTA	string			
BERICHT_BETREFT_VERMELD_IN_I TEM_IDENTIFICATIE	string			
BERICHT_BETREFT_VERMELD_IN_I TEM_OMSCHRIJVING_GEKOZEN_ WOONPLAATS	string			
BERICHT_BETREFT_VERMELD_IN_I TEM_OMSCHRIJVING_KADASTRA LE_OBJECTEN	string			
BERICHT_HYPOTHEKEN_ITEM_AA NDEEL_IN_BETROKKEN_RECHT_N OEMER	int64			
BERICHT_HYPOTHEKEN_ITEM_AA NDEEL_IN_BETROKKEN_RECHT_T ELLER	int64			
BERICHT_HYPOTHEKEN_ITEM_GE BASEERD_OP_AANVULLING_OP	string			
BERICHT_HYPOTHEKEN_ITEM_GE BASEERD_OP_AARD	string			
BERICHT_HYPOTHEKEN_ITEM_GE BASEERD_OP_BEDRAG_TRANSA CTIES_OM_LEVERING_SOM	decimal			
BERICHT_HYPOTHEKEN_ITEM_GE BASEERD_OP_BEDRAG_TRANSA CTIES_OM_LEVERING_VALUTA	string			
BERICHT_HYPOTHEKEN_ITEM_GE BASEERD_OP_BEDRAG_VORDERI NGSBESLAG_SOM	decimal			
BERICHT_HYPOTHEKEN_ITEM_GE BASEERD_OP_BEDRAG_VORDERI NGSBESLAG_VALUTA	string			
BERICHT_HYPOTHEKEN_ITEM_GE BASEERD_OP_BEDRAG_ZEKERHE IDSSTELLING_HYPOTHEEK_SOM	decimal			
BERICHT_HYPOTHEKEN_ITEM_GE BASEERD_OP_BEDRAG_ZEKERHE IDSSTELLING_HYPOTHEEK_VALU TA	string			
BERICHT_HYPOTHEKEN_ITEM_GE BASEERD_OP_IDENTIFICATIE	string			
BERICHT_HYPOTHEKEN_ITEM_GE BASEERD_OP_OMSCHRIJVING_GE KOZEN_WOONPLAATS	string			
BERICHT_HYPOTHEKEN_ITEM_GE BASEERD_OP_OMSCHRIJVING_K	string			

Name	Data Type	Label	Required	Documentation
ADASTRALE_OBJECTEN				
BERICHT_HYPOTHEKEN_ITEM_GEBASEERD_OP_VERMELD_IN	string			
BERICHT_HYPOTHEKEN_ITEM_IDENTIFICATIE	string			
BERICHT_HYPOTHEKEN_ITEM_OMSCHRIJVING_BETROKKEN_RECHT	string			
BERICHT_HYPOTHEKEN_ITEM_ONROERENDE_ZAAK_AANTEKENINGEN_WKPB	string			
BERICHT_HYPOTHEKEN_ITEM_ONROERENDE_ZAAK_AANVULLINGEN	string			
BERICHT_HYPOTHEKEN_ITEM_ONROERENDE_ZAAK_AARD_CULTUUR_BEBOUWD	string			
BERICHT_HYPOTHEKEN_ITEM_ONROERENDE_ZAAK_AARD_CULTUUR_ONBEBOUWD	string			
BERICHT_HYPOTHEKEN_ITEM_ONROERENDE_ZAAK_AARD	string			
BERICHT_HYPOTHEKEN_ITEM_ONROERENDE_ZAAK_ADRESSEN	string			
BERICHT_HYPOTHEKEN_ITEM_ONROERENDE_ZAAK_BELAST_MET	string			
BERICHT_HYPOTHEKEN_ITEM_ONROERENDE_ZAAK_HISTORIE_LOGISCH_TIJDSTIP_ONTSTAAN	datetime			
BERICHT_HYPOTHEKEN_ITEM_ONROERENDE_ZAAK_HISTORIE_LOGISCH_TIJDSTIP_VERVALLEN	datetime			
BERICHT_HYPOTHEKEN_ITEM_ONROERENDE_ZAAK_HISTORIE_STATUS_HISTORIE	string			
BERICHT_HYPOTHEKEN_ITEM_ONROERENDE_ZAAK_HISTORIE_TECHNISCH_TIJDSTIP_ONTSTAAN	datetime			
BERICHT_HYPOTHEKEN_ITEM_ONROERENDE_ZAAK_HISTORIE_TECHNISCH_TIJDSTIP_VERVALLEN	datetime			
BERICHT_HYPOTHEKEN_ITEM_ONROERENDE_ZAAK_HISTORIE_VOLGNUMMER	int64			
BERICHT_HYPOTHEKEN_ITEM_ONROERENDE_ZAAK_IDENTIFICATIE	string			
BERICHT_HYPOTHEKEN_ITEM_ONROERENDE_ZAAK_INDICATIE_GEEBELTELIIK_BEZWAARD_OUD_OBJECT	boolean			
BERICHT_HYPOTHEKEN_ITEM_ONROERENDE_ZAAK_INDICATIE_GESPLITST	boolean			

Name	Data Type	Label	Required	Documentation
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_INDICATIE_TWEEDE_SPLITSING	boolean			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_INDICATIE_VOORGENOMEN_AANTEKENING	boolean			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_INDICATIE_VOORLOPIGE_AANTEKENING	boolean			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_KADASTRALE_AANDUIDING_APPARTEMENTSRECHT_VOLGNUMMER	int64			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_KADASTRALE_AANDUIDING_KADASTRALE_GEMEENTE	string			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_KADASTRALE_AANDUIDING_PERCEELNUMMER	int64			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_KADASTRALE_AANDUIDING_SECTIE	string			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_KADASTRALE_GROOTTE_SOORT_GROOTTE	string			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_KADASTRALE_GROOTTE_WAARDE	decimal			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_KOOPSOM_BEDRAG_SOM	decimal			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_KOOPSOM_BEDRAG_VALUTA	string			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_KOOPSOM_INDICATIE_MEER_OBJECTEN	boolean			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_KOOPSOM_KOOPDATUM	datetime			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_KOOPSOM_KOOPJAAR	int32			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_OMSCHRIJVING_ONDERZOEK_ERFDIENSTBAARHEDEN	string			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_OMSCHRIJVING	string			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_ONTSTAANUIT	string			

Name	Data Type	Label	Required	Documentation
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_OVERGEGAAN_IN	string			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_PLAATSCOORDINATEN_DESCRIPTION	int64			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_PLAATSCOORDINATEN_IDENTIFIER	int64			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_PLAATSCOORDINATEN_NAME	int64			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_PLAATSCOORDINATEN_RD_COORDINAAT_X	string			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_PLAATSCOORDINATEN_RD_COORDINAAT_Y	string			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_TEKENINGEN	string			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_TOELICHTING_BEWAARDER	string			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_TOESTANDSDATUM_ONDERZOEK_ERFDIENSTBAARHEDEN	datetime			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_TYPE	string			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_UIN	string			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_VERMELD_IN	string			
BERICHT_HYPOTHEKEN_ITEM_PERSONEN_NATUURLIJK_PERSONEN	string			
BERICHT_HYPOTHEKEN_ITEM_PERSONEN_NIET_NATUURLIJK_PERSONEN	string			
BERICHT_HYPOTHEKEN_ITEM_VERMELD_IN	string			
BERICHT_PRODUCTIENUMMER	string			
BERICHT_SIGNALERING_TIJDSTIP_BESLAGEN	datetime			
BERICHT_SIGNALERING_TIJDSTIP_HYPOTHECAIR	datetime			
BERICHT_SIGNALERING_TIJDSTIP_KADASTRAAL	datetime			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_AARD	string			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_DEEL_EN_NUMMER_DEEL	string			

Name	Data Type	Label	Required	Documentation
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_DEEL_EN_NUMMER_NUMMER	string			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_DEEL_EN_NUMMER_REEKS	string			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_DEEL_EN_NUMMER_REGISTERCODE	string			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_DEEL_EN_NUMMER_SOORT_REGISTER	string			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_IDENTIFICATIE	string			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_INDICATIE_ALLE_OBJECTEN_BETROKKEN	boolean			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_STATUS_STUK_OR	string			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_STUKDELEN	string			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_TIJDSTIP_AANBIEDING	datetime			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_TIJDSTIP_ONDERTEKENING	datetime			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_TOELICHTING_BEWAARDER	string			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_VERKLARING_BEWAARDER	string			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_VERZOEKEN	string			
BERICHT_TIJDSTIP_SAMENSTELLING_BERICHT	datetime			
BERICHT_ZAKELIJK_RECHTEN_ITEM_AARD	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BELAST_MET	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BEPERKT_TOT	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BESTEMT_TOT_GEBASEERD_OP	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BESTEMT_TOT_HOORT_BIJ	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BESTEMT_TOT_IDENTIFICATIE	string			

Name	Data Type	Label	Required	Documentation
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_GEBASEERD_OP	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_TYPE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_AANVULLINGEN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_DOSSIER_NUMMER	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_INDICATIE_BESCHIKKINGSBEVOEGDHEID	boolean			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIELOCATIE_BINNENLAND_HUISLETTER	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIELOCATIE_BINNENLAND_HUISNUMMER	int64			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIELOCATIE_BINNENLAND_HUISNUMMERTOEVOEING	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIELOCATIE_BINNENLAND_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIELOCATIE_BINNENLAND_IN_ONDERZOEK	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIELOCATIE_BINNENLAND_POSTCODE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_	string			

Name	Data Type	Label	Required	Documentation
LOCATIE_BINNENLAND_STRAATN AAM				
BERICHT_ZAKELIJK_RECHTEN_ITE M_BETROKKEN_BIJ_VERENIGING_ VAN_EIGENAREN_POSTLOCATIE_ LOCATIE_BINNENLAND_WOONPL AATS	string			
BERICHT_ZAKELIJK_RECHTEN_ITE M_BETROKKEN_BIJ_VERENIGING_ VAN_EIGENAREN_POSTLOCATIE_ LOCATIE_BUITENLAND_ADRES_R EGELS	string			
BERICHT_ZAKELIJK_RECHTEN_ITE M_BETROKKEN_BIJ_VERENIGING_ VAN_EIGENAREN_POSTLOCATIE_ LOCATIE_BUITENLAND_ADRES	string			
BERICHT_ZAKELIJK_RECHTEN_ITE M_BETROKKEN_BIJ_VERENIGING_ VAN_EIGENAREN_POSTLOCATIE_ LOCATIE_BUITENLAND_IDENTIFIC ATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITE M_BETROKKEN_BIJ_VERENIGING_ VAN_EIGENAREN_POSTLOCATIE_ LOCATIE_BUITENLAND_LAND	string			
BERICHT_ZAKELIJK_RECHTEN_ITE M_BETROKKEN_BIJ_VERENIGING_ VAN_EIGENAREN_POSTLOCATIE_ LOCATIE_BUITENLAND_REGIO	string			
BERICHT_ZAKELIJK_RECHTEN_ITE M_BETROKKEN_BIJ_VERENIGING_ VAN_EIGENAREN_POSTLOCATIE_ LOCATIE_BUITENLAND_WOONPL AATS	string			
BERICHT_ZAKELIJK_RECHTEN_ITE M_BETROKKEN_BIJ_VERENIGING_ VAN_EIGENAREN_POSTLOCATIE_ LOCATIE_POSTBUS_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITE M_BETROKKEN_BIJ_VERENIGING_ VAN_EIGENAREN_POSTLOCATIE_ LOCATIE_POSTBUS_POSTBUS_N UMMER	string			
BERICHT_ZAKELIJK_RECHTEN_ITE M_BETROKKEN_BIJ_VERENIGING_ VAN_EIGENAREN_POSTLOCATIE_ LOCATIE_POSTBUS_POSTCODE	string			
BERICHT_ZAKELIJK_RECHTEN_ITE M_BETROKKEN_BIJ_VERENIGING_ VAN_EIGENAREN_POSTLOCATIE_ LOCATIE_POSTBUS_WOONPLAAT S	string			
BERICHT_ZAKELIJK_RECHTEN_ITE M_BETROKKEN_BIJ_VERENIGING_ VAN_EIGENAREN_RECHTSVORM	string			

Name	Data Type	Label	Required	Documentation
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_RSIN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_STATUTAIRE_NAAM	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_STATUTAIRE_ZEDEL	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_VERMELD_IN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEOVOEGING	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE	string			

Name	Data Type	Label	Required	Documentation
_LOCATIE_BUITENLAND_ADRES_REGELS				
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_LAND	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_INDICATIE_SPLITSING_BETROKKEN	boolean			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_AANTEKENINGEN_WKPB	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_AANVULLINGEN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_AARD_C	string			

Name	Data Type	Label	Required	Documentation
ULTUUR_BEBOUWD				
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_AARD_CULTUUR_ONBEBOUWD	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_AARD	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_ADRESSEN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_BELASTINGMET	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_LOGISCH_TIJDSTIP_ONTSTAAN	datetime			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_LOGISCH_TIJDSTIP_VERVALLEN	datetime			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_STATUS_HISTORIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_TECHNISCH_TIJDSTIP_ONTSTAAN	datetime			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_TECHNISCH_TIJDSTIP_VERVALLEN	datetime			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_VOLGNUMMER	int64			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_INDICATIE_GEDEELTELIJK_BEZWAARD_OF_OBJECT	boolean			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_INDICATIE_GESPLITST	boolean			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_INDICATIE_TWEEDE_SPLITSING	boolean			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_INDICATIE_VOORGENOMEN_AANTEKENING	boolean			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_INDICATIE_VOORLOPIGE_AANTEKENING	boolean			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADAST	int64			

Name	Data Type	Label	Required	Documentation
RALE_AANDUIDING_APPARTEMENT SRECHT_VOLGNUMMER				
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_KADASTRALE_GEMEENTE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_PERCEELNUMMER	int64			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_SECTIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_GROOTTE_SOORT_GROOTTE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_GROOTTE_WAARDE	decimal			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSO M_BEDRAG_SOM	decimal			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSO M_BEDRAG_VALUTA	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSO M_INDICATIE_MEER_OBJECTEN	boolean			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSO M_KOOPDATUM	datetime			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSO M_KOOPJAAR	int32			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_OMSCHRIJVING_ONDERZOEK_ERFDIENSTBAARHEDEN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_OMSCHRIJVING	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_ONTSTAAN_UIT	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_OVERGE GAAN_IN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATS COORDINATEN_DESCRIPTION	int64			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATS COORDINATEN_IDENTIFIEER	int64			

Name	Data Type	Label	Required	Documentation
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATS_COORDINATEN_NAME	int64			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATS_COORDINATEN_RD_COORDINAAT_X	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATS_COORDINATEN_RD_COORDINAAT_Y	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_TEKENINGEN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_TOELICHTING_BEWAARDER	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_TOESTANDSDATUM_ONDERZOEK_ERFDIENSTBAARHEDEN	datetime			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_TYPE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_UIN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_VERMELDING_IN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_UIT_GEBASEERD_OP	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_UIT_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_UIT_TYPE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_AANVULLINGEN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_DOSSIER_NUMMER	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_INDICATIE_BESCHIKKINGSBEVOEGDHEID	boolean			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISLETTERR	string			

Name	Data Type	Label	Required	Documentation
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEVOEING	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_LAND	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_REGIO	string			

Name	Data Type	Label	Required	Documentation
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_RECHTSVORM	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_RSIN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_STATUTAIRE_NAAM	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_STATUTAIRE_ZETEL	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_VERMELD_IN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEOVOEGING	string			

Name	Data Type	Label	Required	Documentation
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE BINNENLAND IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE BINNENLAND IN ONDERZOEK	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE BINNENLAND POSTCODE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE BINNENLAND STRAATNAAM	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE BINNENLAND WOONPLAATS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE BUITENLAND ADRES REGELS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE BUITENLAND ADRES	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE BUITENLAND IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE BUITENLAND LAND	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE BUITENLAND REGIO	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE BUITENLAND WOONPLAATS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE POSTBUS IDENTIFICATIE	string			

Name	Data Type	Label	Required	Documentation
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE_POSTBUS_POSTCODE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE_POSTBUS_WOONPLAATS	string			
DOCUMENT	byte[]	Document		
OVERGEGAAN_IN_ACTUALITEIT_TIJDSTIP_HYPOTHECAIR	datetime			
OVERGEGAAN_IN_ACTUALITEIT_TIJDSTIP_KADASTRAAL	datetime			
OVERGEGAAN_IN_BETREFT_AAN TEKeningen_WKPB_ITEM_DATUM_IN_WERKING	string			
OVERGEGAAN_IN_BETREFT_AAN TEKeningen_WKPB_ITEM_GEMEENTELIJKE_REGISTRATIE_ID	string			
OVERGEGAAN_IN_BETREFT_AAN TEKeningen_WKPB_ITEM_NUMMER	string			
OVERGEGAAN_IN_BETREFT_AAN TEKeningen_WKPB_ITEM_OMSCHRIJVING_PUBLIEKRECHTELIJKE_BEPERKING	string			
OVERGEGAAN_IN_BETREFT_AAN TEKeningen_WKPB_ITEM_OMSCHRIJVING	string			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_STUK_AARD	string			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_STUK_DEEL_EN_NUMMER_DEEL	string			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_STUK_DEEL_EN_NUMMER_NUMMER	string			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_STUK_DEEL_EN_NUMMER_REEKS	string			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_STUK_DEEL_EN_NUMMER_REGISTERCODE	string			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_	string			

Name	Data Type	Label	Required	Documentation
STUK_DEEL_EN_NUMMER_SOORT_REGISTER				
OVERGEGAAN_IN_BETREFT_AAN_VULLINGEN_ITEM_AANGEBODEN_STUK_IDENTIFICATIE	string			
OVERGEGAAN_IN_BETREFT_AAN_VULLINGEN_ITEM_AANGEBODEN_STUK_INDICATIE_ALLE_OBJECTEN_BETROKKEN	boolean			
OVERGEGAAN_IN_BETREFT_AAN_VULLINGEN_ITEM_AANGEBODEN_STUK_STATUS_STUK_OR	string			
OVERGEGAAN_IN_BETREFT_AAN_VULLINGEN_ITEM_AANGEBODEN_STUK_STUKDELEN	string			
OVERGEGAAN_IN_BETREFT_AAN_VULLINGEN_ITEM_AANGEBODEN_STUK_TIJDSTIP_AANBIEDING	datetime			
OVERGEGAAN_IN_BETREFT_AAN_VULLINGEN_ITEM_AANGEBODEN_STUK_TIJDSTIP_ONDERTEKENING	datetime			
OVERGEGAAN_IN_BETREFT_AAN_VULLINGEN_ITEM_AANGEBODEN_STUK_TOELICHTING_BEWAARDE	string			
OVERGEGAAN_IN_BETREFT_AAN_VULLINGEN_ITEM_AANGEBODEN_STUK_VERKLARING_BEWAARDE	string			
OVERGEGAAN_IN_BETREFT_AAN_VULLINGEN_ITEM_AANGEBODEN_STUK_VERZOEKEN	string			
OVERGEGAAN_IN_BETREFT_AAN_VULLINGEN_ITEM_TYPE	string			
OVERGEGAAN_IN_BETREFT_AARD_CULTUUR_BEBOUWD	string			
OVERGEGAAN_IN_BETREFT_AARD_CULTUUR_ONBEBOUWD	string			
OVERGEGAAN_IN_BETREFT_AARD	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BINNENLAND_HUISLETTER	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BINNENLAND_HUISNUMMER	int64			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BINNENLAND_HUISNUMMERTOEVOEING	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BINNENLAND	string			

Name	Data Type	Label	Required	Documentation
ND_IN_ONDERZOEK				
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_BINNENLA ND_POSTCODE	string			
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_BINNENLA ND_STRAATNAAM	string			
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_BINNENLA ND_WOONPLAATS	string			
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_BUITENLA ND_ADRES_REGELS	string			
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_BUITENLA ND_ADRES	string			
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_BUITENLA ND_IDENTIFICATIE	string			
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_BUITENLA ND_LAND	string			
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_BUITENLA ND_REGIO	string			
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_BUITENLA ND_WOONPLAATS	string			
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_POSTBUS_ IDENTIFICATIE	string			
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_POSTBUS_ POSTBUS_NUMMER	string			
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_POSTBUS_ POSTCODE	string			
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_POSTBUS_ WOONPLAATS	string			
OVERGEGAAN_IN_BETREFT_BEL AST_MET_ITEM_BEDRAG_SOM	decimal			
OVERGEGAAN_IN_BETREFT_BEL AST_MET_ITEM_BEDRAG_VALUT A	string			
OVERGEGAAN_IN_BETREFT_BEL AST_MET_ITEM_EINDJAAR	int64			
OVERGEGAAN_IN_BETREFT_HIST ORIE_LOGISCH_TIJDSTIP_ONTSTA AN	datetime			
OVERGEGAAN_IN_BETREFT_HIST ORIE_LOGISCH_TIJDSTIP_VERVAL LEN	datetime			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_BETREFT_HISTORIE_STATUS_HISTORIE	string			
OVERGEGAAN_IN_BETREFT_HISTORIE_TECHNISCH_TIJDSTIP_ONSTAAN	datetime			
OVERGEGAAN_IN_BETREFT_HISTORIE_TECHNISCH_TIJDSTIP_VERVALLEN	datetime			
OVERGEGAAN_IN_BETREFT_HISTORIE_VOLGNUMMER	int64			
OVERGEGAAN_IN_BETREFT_IDENTIFICATIE	string			
OVERGEGAAN_IN_BETREFT_INDICATIE_GEDEELTELIJK_BEZWAARD_OUD_OBJECT	boolean			
OVERGEGAAN_IN_BETREFT_INDICATIE_GESPLITST	boolean			
OVERGEGAAN_IN_BETREFT_INDICATIE_TWEEDE_SPLITSING	boolean			
OVERGEGAAN_IN_BETREFT_INDICATIE_VOORGENOMEN_AANTEKENING	boolean			
OVERGEGAAN_IN_BETREFT_INDICATIE_VOORLOPIGE_AANTEKENING	boolean			
OVERGEGAAN_IN_BETREFT_KADASTRALE_AANDUIDING_APPARTEMENTSRECHT_VOLGNUMMER	int64			
OVERGEGAAN_IN_BETREFT_KADASTRALE_AANDUIDING_KADASTRALE_GEMEENTE	string			
OVERGEGAAN_IN_BETREFT_KADASTRALE_AANDUIDING_PERCEELNUMMER	int64			
OVERGEGAAN_IN_BETREFT_KADASTRALE_AANDUIDING_SECTIE	string			
OVERGEGAAN_IN_BETREFT_KADASTRALE_GROOTTE_SOORT_GROOTTE	string			
OVERGEGAAN_IN_BETREFT_KADASTRALE_GROOTTE_WAARDE	decimal			
OVERGEGAAN_IN_BETREFT_KOOP SOM_BEDRAG_SOM	decimal			
OVERGEGAAN_IN_BETREFT_KOOP SOM_BEDRAG_VALUTA	string			
OVERGEGAAN_IN_BETREFT_KOOP SOM_INDICATIE_MEER_OBJECTEN	boolean			
OVERGEGAAN_IN_BETREFT_KOOP SOM_KOOPDATUM	datetime			
OVERGEGAAN_IN_BETREFT_KOOP SOM_KOOPJAAR	int32			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_BETREFT_OMS CHRIJVING_ONDERZOEK_ERFDIEN STBAARHEDEN	string			
OVERGEGAAN_IN_BETREFT_OMS CHRIJVING	string			
OVERGEGAAN_IN_BETREFT_ONT STAAN_UIT_ITEM_AARD	string			
OVERGEGAAN_IN_BETREFT_ONT STAAN_UIT_ITEM_OVERGANGSG ROOTTE	decimal			
OVERGEGAAN_IN_BETREFT_PLA ATSCOORDINATEN_DESCRIPTION	int64			
OVERGEGAAN_IN_BETREFT_PLA ATSCOORDINATEN_IDENTIFIER	int64			
OVERGEGAAN_IN_BETREFT_PLA ATSCOORDINATEN_NAME	int64			
OVERGEGAAN_IN_BETREFT_PLA ATSCOORDINATEN_RD_COORDIN AAT_X	string			
OVERGEGAAN_IN_BETREFT_PLA ATSCOORDINATEN_RD_COORDIN AAT_Y	string			
OVERGEGAAN_IN_BETREFT_TEKE NINGEN_ITEM_AANVULLING_OP	string			
OVERGEGAAN_IN_BETREFT_TEKE NINGEN_ITEM_AARD	string			
OVERGEGAAN_IN_BETREFT_TEKE NINGEN_ITEM_BEDRAG_TRANSAC TIES_OM_LEVERING_SOM	decimal			
OVERGEGAAN_IN_BETREFT_TEKE NINGEN_ITEM_BEDRAG_TRANSAC TIES_OM_LEVERING_VALUTA	string			
OVERGEGAAN_IN_BETREFT_TEKE NINGEN_ITEM_BEDRAG_VORDERI NGSBESLAG_SOM	decimal			
OVERGEGAAN_IN_BETREFT_TEKE NINGEN_ITEM_BEDRAG_VORDERI NGSBESLAG_VALUTA	string			
OVERGEGAAN_IN_BETREFT_TEKE NINGEN_ITEM_BEDRAG_ZEKERHEI DSSTELLING_HYPOTHEEK_SOM	decimal			
OVERGEGAAN_IN_BETREFT_TEKE NINGEN_ITEM_BEDRAG_ZEKERHEI DSSTELLING_HYPOTHEEK_VALUT A	string			
OVERGEGAAN_IN_BETREFT_TEKE NINGEN_ITEM_IDENTIFICATIE	string			
OVERGEGAAN_IN_BETREFT_TEKE NINGEN_ITEM_OMSCHRIJVING_GE KOZEN_WOONPLAATS	string			
OVERGEGAAN_IN_BETREFT_TEKE NINGEN_ITEM_OMSCHRIJVING_KA DASTRALE_OBJECTEN	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_VERMELD_IN	string			
OVERGEGAAN_IN_BETREFT_TOELICHTING_BEWAARDER	string			
OVERGEGAAN_IN_BETREFT_TOESTANDSDATUM_ONDERZOEK_ERFDIENSTBAARHEDEN	datetime			
OVERGEGAAN_IN_BETREFT_TYPERE	string			
OVERGEGAAN_IN_BETREFT_UIN	string			
OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_AANVULLING_OP	string			
OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_AARD	string			
OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_BEDRAG_TRANSACTIES_OM_LEVERING_SOM	decimal			
OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_BEDRAG_TRANSACTIES_OM_LEVERING_VALUTA	string			
OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_BEDRAG_VORDERINGSBESLAG_SOM	decimal			
OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_BEDRAG_VORDERINGSBESLAG_VALUTA	string			
OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_BEDRAG_ZEKERHEIDSSTELLING_HYPOTHEEK_SOM	decimal			
OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_BEDRAG_ZEKERHEIDSSTELLING_HYPOTHEEK_VALUTA	string			
OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_IDENTIFICATIE	string			
OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_OMSCHRIJVING_GEKOZEN_WOONPLAATS	string			
OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_OMSCHRIJVING_KADASTRALE_OBJECTEN	string			
OVERGEGAAN_IN_PRODUCTIENUMMER	string			
OVERGEGAAN_IN_SIGNALERING_TIJDSTIP_BESLAGEN	datetime			
OVERGEGAAN_IN_SIGNALERING_TIJDSTIP_HYPOTHECAIR	datetime			
OVERGEGAAN_IN_SIGNALERING_TIJDSTIP_KADASTRAAL	datetime			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_AANDEEL_NOEMER	int64			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_AANDEEL_TELLER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_BETROKKEN_PARTNER_NATUURLIJK_PERSONEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_BETROKKEN_PARTNER_NIET_NATUURLIJK_PERSONEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_BETROKKEN_SAMENWERKINGSVERBAND_NATUURLIJK_PERSONEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_BETROKKEN_SAMENWERKINGSVERBAND_NIET_NATUURLIJK_PERSONEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_BURGERLIJKE_STAAT_TEN_TIJDE_VAN_VERKRIJGING	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_GEBASEERD_OP	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_GELDT_VOOR_AANDEEL_NOEMER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_GELDT_VOOR_AANDEEL_TELLER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_GELDT_VOOR_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_OMSCHRIJVING	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_TEN_NAME_VAN_NATUURLIJK_PERSONEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_TEN_NAME_VAN_NIET_NATUURLIJK_PERSONEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_AARD	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BELAST_MET	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BEPERKT_TOT	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BESTEMT_TOT_GEBASEERD_OP	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BESTEMT_TOT_HOORT_BIJ	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BESTEMT_TOT_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_GEBASEERD_OP	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_TYPE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_AANVULLINGEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_DOSSIER_NUMMER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_INDICATIE_BESCHIKKINGSBEVOEGDHEID	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEVOEGING	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ	string			

Name	Data Type	Label	Required	Documentation
J_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENL AND_POSTCODE				
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENL AND_STRAATNAAM	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENL AND_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENL AND_ADRES_REGELS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENL AND_ADRES	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENL AND_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENL AND_LAND	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENL AND_REGIO	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENL AND_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_	string			

Name	Data Type	Label	Required	Documentation
POSTLOCATIE_LOCATIE_POSTBUS_POSTCODE				
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_RECHTSVORM	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_RSIN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_STATUTAIRE_NAAM	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_STATUTAIRE_ZETEL	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_VERMELD_IN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEOVOEGING	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_LAND	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ	string			

Name	Data Type	Label	Required	Documentation
J_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_WOONPLAATS				
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_INDICATIE_SPLITTING_BETROKKEN	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_AANTEKENINGEN_WKPB	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_AANVULLINGEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_AARD_CULTUUR_BEBOUWD	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_AARD_CULTUUR_ONBEOUWD	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_AARD	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_ADRESSEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_BELASTMET	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_LOGISCH_TIJDSTIP_ONTSTAAN	datetime			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_LOGISCH_TIJDSTIP_VERVALLLEN	datetime			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_STATUS_HISTORIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_TECHNISCH_TIJDSTIP_ONTSTAAN	datetime			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_TECHNISCH_TIJDSTIP_VERVALLLEN	datetime			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_VOLGNUMMER	int64			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_INDICATIE_GEDEELTELIJK_BEZWAARD_OUD_OBJECT	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_INDICATIE_GESPLITST	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_INDICATIE_TWEEDE_SPLITTING	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_INDICATIE_VOORGENOMEN_AANTEKENING	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_INDICATIE_VOORLOPIGE_AANTEKENING	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_APPARTEMENTSRECHT_VOLGNUMMER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_KADASTRALE_GEMEENTE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_PERCEELNUMMER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_SECTIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KADASTRALE_GROOTTE_SOORT_GROOTTE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KADASTRALE_GROOTTE_WAARDE	decimal			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KOOPSOM_BEDRAG_SOM	decimal			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KOOPSOM_BEDRAG_VALUTA	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KOOPSOM_BEDRAG_VALUTA	boolean			

Name	Data Type	Label	Required	Documentation
ZAAK_KOOPSOM_INDICATIE_MEE R_OBJECTEN				
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_KOOPSOM_KOOPDATUM	datetime			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_KOOPSOM_KOOPJAAR	int32			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_OMSCHRIJVING_ONDERZO EK_ERFDIENSTBAARHEDEN	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_OMSCHRIJVING	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_ONTSTAAN UIT	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_PLAATSCOORDINATEN_DE SCRIPTION	int64			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_PLAATSCOORDINATEN_ID ENTIFIER	int64			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_PLAATSCOORDINATEN_N AME	int64			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_PLAATSCOORDINATEN_RD _COORDINAAT_X	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_PLAATSCOORDINATEN_RD _COORDINAAT_Y	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_TEKENINGEN	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_TOELICHTING_BEWAARDE R	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_TOESTANDSDATUM_ONDE RZOEK_ERFDIENSTBAARHEDEN	datetime			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_TYPE	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_UIN	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_VERMELD_IN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_GEBASEERD_OP	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_TYPE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_AANVULLINGEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_DOSSIER_NUMMER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_INDICATIE_BESCHIKKINGSBEVOEGDHEID	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEOEGING	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT	string			

Name	Data Type	Label	Required	Documentation
T_VERENIGING_VAN_EIGENAREN _POSTLOCATIE_LOCATIE_BINNEN LAND_POSTCODE				
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _POSTLOCATIE_LOCATIE_BINNEN LAND_STRAATNAAM	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _POSTLOCATIE_LOCATIE_BINNEN LAND_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _POSTLOCATIE_LOCATIE_BUITEN LAND_ADRES_REGELS	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _POSTLOCATIE_LOCATIE_BUITEN LAND_ADRES	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _POSTLOCATIE_LOCATIE_BUITEN LAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _POSTLOCATIE_LOCATIE_BUITEN LAND_LAND	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _POSTLOCATIE_LOCATIE_BUITEN LAND_REGIO	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _POSTLOCATIE_LOCATIE_BUITEN LAND_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _POSTLOCATIE_LOCATIE_POSTB US_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _POSTLOCATIE_LOCATIE_POSTB US_POSTBUS_NUMMER	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN	string			

Name	Data Type	Label	Required	Documentation
_POSTLOCATIE_LOCATIE_POSTBUS_POSTCODE				
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_RECHTSVORM	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_RSIN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_STATUTAIRE_NAAM	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_STATUTAIRE_ZETEL	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_VERMELD_IN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEOEGING	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN	string			

Name	Data Type	Label	Required	Documentation
_WOONLOCATIE_LOCATIE_BINNE NLAND_POSTCODE				
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _WOONLOCATIE_LOCATIE_BINNE NLAND_STRAATNAAM	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _WOONLOCATIE_LOCATIE_BINNE NLAND_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _WOONLOCATIE_LOCATIE_BUITE NLAND_ADRES_REGELS	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _WOONLOCATIE_LOCATIE_BUITE NLAND_ADRES	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _WOONLOCATIE_LOCATIE_BUITE NLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _WOONLOCATIE_LOCATIE_BUITE NLAND_LAND	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _WOONLOCATIE_LOCATIE_BUITE NLAND_REGIO	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _WOONLOCATIE_LOCATIE_BUITE NLAND_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _WOONLOCATIE_LOCATIE_POST BUS_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _WOONLOCATIE_LOCATIE_POST BUS_POSTBUS_NUMMER	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _WOONLOCATIE_LOCATIE_POST BUS_POSTCODE	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VERKLARING_INZAKE_DERDEN_BESCHERMING	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VERKREGEN_NAMENS_SAMENWERKINGSVERBAND	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VERMELD_IN	string			
OVERGEGAAN_IN_TIJDSTIP_SAMENSTELLING_BERICHT	datetime			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_AARD	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BELAST_MET	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BEPERKT_TOT	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BESTEMT_TOT_GEBASEERD_OP	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BESTEMT_TOT_HOORT_BIJ	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BESTEMT_TOT_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_GEBASEERD_OP	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_TYPE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_AANVULLINGEN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_DOSSIER_NUMMER	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_INDIC	boolean			

Name	Data Type	Label	Required	Documentation
ATIE_BESCHIKKINGSBEVOEGDH ID				
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_BETROKKEN_BIJ_VER ENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_BINNENLAND_ HUISLETTER	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_BETROKKEN_BIJ_VER ENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_BINNENLAND_ HUISNUMMER	int64			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_BETROKKEN_BIJ_VER ENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_BINNENLAND_ HUISNUMMERTOEVOEGING	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_BETROKKEN_BIJ_VER ENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_BINNENLAND_ IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_BETROKKEN_BIJ_VER ENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_BINNENLAND_ IN_ONDERZOEK	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_BETROKKEN_BIJ_VER ENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_BINNENLAND_ POSTCODE	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_BETROKKEN_BIJ_VER ENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_BINNENLAND_ STRAATNAAM	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_BETROKKEN_BIJ_VER ENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_BINNENLAND_ WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_BETROKKEN_BIJ_VER ENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_BUITENLAND_ ADRES_REGELS	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_BETROKKEN_BIJ_VER ENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_BUITENLAND_ ADRES	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_BETROKKEN_BIJ_VER ENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_BUITENLAND_ IDENTIFICATIE	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_LAND	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_RECHTSVORM	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_RSIN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_STATUTAIRE_NAAM	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_STATUTAIRE_ZETEL	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_VERMELD_IN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOO	string			

Name	Data Type	Label	Required	Documentation
NLOCATIE_LOCATIE_BINNENLAND_HUISLETTER				
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEV/OEGING	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_LAND	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_INDICATIE_SPLITSING_BETROKKEN	boolean			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_AANTEKENINGEN_WKPB	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_AANVULLINGEN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_AARD_CULTUUR_BEBOUWD	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_AARD_CULTUUR_ONBEBOUWD	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_AARD	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_ADRESSEN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_BELAST_MET	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_LOGISCH_TJDSTIP_ONTSTAAN	datetime			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_LOGISCH_TJDSTIP_VERVALLLEN	datetime			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_STATUS_HISTORIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_TECHNISCH_TJDSTIP_ONTSTAAN	datetime			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_TECHNISCH_TJDSTIP_VERVALLLEN	datetime			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_VOLGNUMMER	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_INDICATIE_GEDEELTELIJK_BEZWAARD_OUD_OBJECT	boolean			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_INDICATIE_GESPLITST	boolean			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_INDICATIE_TWEEDE_SPLITSING	boolean			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_INDICATIE_VOORGENOMEN_AANTEKENING	boolean			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_INDICATIE_VOORLOPIGE_AANTEKENING	boolean			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_AP PARTEMENTSRECHT_VOLGNUMMER	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_KADASTRALE_GEMEENTE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_PER CEELNUMMER	int64			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_SECTIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_GROOTTE_SORT_GROOTTE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_GROOTTE_WAARDE	decimal			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSOM_BEDRAG_SOM	decimal			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSOM_BEDRAG_VALUTA	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSOM_INDICATIE_MEER_OBJECTEN	boolean			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSOM_KOOPDATUM	datetime			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSOM_KOOPJAAR	int32			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_OMSCHRIJVING_ONDERZOEK_ERFDIENSTBAARHEDEN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_OMSCHRIJVING	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_ONTSTAAN_UIT	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATSCOORDINATEN_DESCRIPTION	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATSCOORDINATEN_IDENTIFIER	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATSCOORDINATEN_NAME	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATSCOORDINATEN_RD_COORDINAAT_X	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK	string			

Name	Data Type	Label	Required	Documentation
_PLAATSCOORDINATEN_RD_COOR RDINAAT_Y				
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONROERENDE_ZAAK _TEKENINGEN	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONROERENDE_ZAAK _TOELICHTING_BEWAARDER	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONROERENDE_ZAAK _TOESTANDSDATUM_ONDERZOE K_ERFDIENSTBAARHEDEN	datetime			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONROERENDE_ZAAK _TYPE	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONROERENDE_ZAAK _UIN	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONROERENDE_ZAAK _VERMELD_IN	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_GEB ASEERD_OP	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_IDEN TIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_TYPE	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING VAN EIGENAREN AANV ULLINGEN	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING VAN EIGENAREN DOSSI ER_NUMMER	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING VAN EIGENAREN IDENTI FICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING VAN EIGENAREN INDIC ATIE_BESCHIKKINGSBEVOEGDHEI D	boolean			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING VAN EIGENAREN POST LOCATIE LOCATIE_BINNENLAND_ HUISLETTER	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING VAN EIGENAREN_POST	int64			

Name	Data Type	Label	Required	Documentation
LOCATIE_LOCATIE_BINNENLAND_HUISNUMMER				
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEVUEGING	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IDENTONDERZOEK	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_LAND	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_REGIO	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_IDE NTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_PO STBUS_NUMMER	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_PO STCODE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_WO ONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_RECH TSVORM	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_RSIN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_STAT UTAIRE_NAAM	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_STAT UTAIRE_ZETEL	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_VERM ELD_IN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WO ONLOCATIE_LOCATIE_BINNENLAND _HUISLETTER	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WO ONLOCATIE_LOCATIE_BINNENLAND _HUISNUMMER	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WO ON	string			

Name	Data Type	Label	Required	Documentation
NLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEOVOEGING				
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_LAND	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_WOO NLOCATIE_LOCATIE_POSTBUS_ID ENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_WOO NLOCATIE_LOCATIE_POSTBUS_P OSTBUS_NUMMER	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_WOO NLOCATIE_LOCATIE_POSTBUS_P OSTCODE	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_WOO NLOCATIE_LOCATIE_POSTBUS_W OONPLAATS	string			
POSTCODE_TREFFERS_ACTUALIT EIT_TIJDSTIP_HYPOTHECAIR	datetime			
POSTCODE_TREFFERS_ACTUALIT EIT_TIJDSTIP_KADASTRAAL	datetime			
POSTCODE_TREFFERS_BETREFT_ HUISLETTER	string			
POSTCODE_TREFFERS_BETREFT_ HUISNUMMER	int64			
POSTCODE_TREFFERS_BETREFT_ HUISNUMMERTOEV_OEGING	string			
POSTCODE_TREFFERS_BETREFT_I DENTIFICATIE	string			
POSTCODE_TREFFERS_BETREFT_ KOOPSOM_GEGEVENS_ITEM_HUI SNUMMER_VOLLEDIG	string			
POSTCODE_TREFFERS_BETREFT_ KOOPSOM_GEGEVENS_ITEM_IDEN TIFICATIE	string			
POSTCODE_TREFFERS_BETREFT_ KOOPSOM_GEGEVENS_ITEM_KAD ASTRALE_GROOTTE_SOORT_GR OOTTE	string			
POSTCODE_TREFFERS_BETREFT_ KOOPSOM_GEGEVENS_ITEM_KAD ASTRALE_GROOTTE_WAARDE	decimal			
POSTCODE_TREFFERS_BETREFT_ KOOPSOM_GEGEVENS_ITEM_KO OPSOM_BEDRAG_SOM	decimal			
POSTCODE_TREFFERS_BETREFT_ KOOPSOM_GEGEVENS_ITEM_KO OPSOM_BEDRAG_VALUTA	string			
POSTCODE_TREFFERS_BETREFT_ KOOPSOM_GEGEVENS_ITEM_KO OPSOM_INDICATIE_MEER_OBJECT EN	boolean			

Name	Data Type	Label	Required	Documentation
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_KOOPSOM_KOOPDATUM	datetime			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_KOOPSOM_KOOPJAAR	int32			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_OMSCHRIJVING_CULTUUR	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_AANTEKENINGEN_WKPB	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_AANVULLINGEN	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_AARD_CULTUUR_BEBOUWD	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_AARD_CULTUUR_ONBEBOUWD	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_AARD	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_ADRESSEN	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_BELASTMET	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_HISTORIE_LOGISCH_TIJDSTIP_ONTSTAAN	datetime			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_HISTORIE_LOGISCH_TIJDSTIP_VERVALLEN	datetime			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_HISTORIE_STATUS_HISTORIE	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_HISTORIE_TECHNISCH_TIJDSTIP_ONTSTAAN	datetime			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_HISTORIE_TECHNISCH_TIJDSTIP_VERVALLEN	datetime			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_HISTORIE_VOLGNUMMER	int64			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_IDENTIFICATIE	string			

Name	Data Type	Label	Required	Documentation
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_INDICATIE_GEDEELTELIJK_BEZWAARD_OUD_OBJECT	boolean			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_INDICATIE_GESPLITST	boolean			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_INDICATIE_TWEEDE_SPLITSING	boolean			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_INDICATIE_VOORGENOMEN_AANTEKENING	boolean			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_INDICATIE_VOORLOPIGE_AANTEKENING	boolean			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_APPARTEMENTSRECHT_VOLGNUMMER	int64			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_KADASTRALE_GEMEENTE	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_PERCEELNUMMER	int64			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_SECTIE	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_GROOTTE_SOORT_GROOTTE	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_GROOTTE_WAARDE	decimal			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KOOPPSOM_BEDRAG_SOM	decimal			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KOOPPSOM_BEDRAG_VALUTA	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KOOPPSOM_INDICATIE_MEER_OBJECTEN	boolean			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KOOPPSOM_KOOPDATUM	datetime			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KOOP	int32			

Name	Data Type	Label	Required	Documentation
PSOM_KOOPJAAR				
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_OMS_CHRIJVING_ONDERZOEK_ERFDIENSTBAARHEDEN	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_OMS_CHRIJVING	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_ONTSTAAN_UIT	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_OVERGEGAAN_IN	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_PLAATSCOORDINATEN_DESCRIPTION	int64			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_PLAATSCOORDINATEN_IDENTIFIER	int64			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_PLAATSCOORDINATEN_NAME	int64			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_PLAATSCOORDINATEN_RD_COORDINAT_X	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_PLAATSCOORDINATEN_RD_COORDINAT_Y	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_TEKENINGEN	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_TOELICHTING_BEWAARDER	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_TOESTANDSDATUM_ONDERZOEK_ERFDIENSTBAARHEDEN	datetime			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_TYPE	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_UIN	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_VERMELD_IN	string			
POSTCODE_TREFFERS_BETREFT_POSTCODE	string			
POSTCODE_TREFFERS_PRODUCTIENUMMER	string			

Name	Data Type	Label	Required	Documentation
POSTCODE_TREFFERS_SIGNALERING_TIJDSTIP_BESLAGEN	datetime			
POSTCODE_TREFFERS_SIGNALERING_TIJDSTIP_HYPOTHECAIR	datetime			
POSTCODE_TREFFERS_SIGNALERING_TIJDSTIP_KADASTRAAL	datetime			
POSTCODE_TREFFERS_TIJDSTIP_SAMENSTELLING_BERICHT	datetime			

3.1.223 kadasterV2GetHypotheclairBerichtObjectById

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: kadasterV2GetHypotheclairBerichtObjectById

Base

XPath: `/s:Envelope/s:Body/tns:kadasterV2GetHypotheclairBerichtObjectByIdResponse/tns:resultaat`

Filters on API Server: `object_id-` document

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `kadasterV2GetHypotheclairBerichtObjectById`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
document	string	<input type="checkbox"/>		
object_id	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `kadasterV2GetHypotheclairBerichtObjectByObjectId` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
BERICHT_AANTEKENINGEN_ITEM_AARD	string			
BERICHT_AANTEKENINGEN_ITEM_BESLAGLEGGINGEN	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_AANTEKENINGEN_WKPB	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_AANVULLINGEN	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_AARD_CULTUUR_BEBOUWD	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_AARD_CULTUUR_ONBOUWD	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_AARD	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_ADRESSEN	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_BELASTMET	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_HISTORIE_LOGISCH_TJDSTIP_ONTSTAAN	datetime			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_HISTORIE_LOGISCH_TJDSTIP_VERVALLLEN	datetime			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_HISTORIE_STATUS_HISTORIE	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_HISTORIE_TECHNISCH_TJDSTIP_ONTSTAAN	datetime			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_HISTORIE_TECHNISCH_TJDSTIP_VERVALLLEN	datetime			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_HISTORIE_VOLGNUMMER	int64			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_IDENTIFICATIE	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_INDICATIE_GEDEELTELJK_BEZWAARD_OUD_OBJECT	boolean			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_INDICATIE_GESPLITST	boolean			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_INDICATIE_TWEEDE_SPLITSING	boolean			

Name	Data Type	Label	Required	Documentation
BERICHT_AANTEKENINGEN_ITEM_BETREFT_INDICATIE_VOORGENOMEN_AANTEKENING	boolean			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_INDICATIE_VOORLOPIGE_AANTEKENING	boolean			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_KADASTRALE_AANDUIDING_APPARTEMENTSRECHT_VOLGNUMMER	int64			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_KADASTRALE_AANDUIDING_KADASTRALE_GEMEENTE	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_KADASTRALE_AANDUIDING_PERCEELNUMMER	int64			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_KADASTRALE_AANDUIDING_SECTIE	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_KADASTRALE_GROOTTE_SOORT_GROOTTE	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_KADASTRALE_GROOTTE_WAARDE	decimal			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_KOOPSOM_BEDRAG_SOM	decimal			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_KOOPSOM_BEDRAG_VALUTA	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_KOOPSOM_INDICATIE_MEER_OBJECTEN	boolean			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_KOOPSOM_KOOPDATUM	datetime			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_KOOPSOM_KOOPJAAR	int32			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_OMSCHRIJVING_ONDERZOEK_ERFDIENSTBAARHEDEN	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_OMSCHRIJVING	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_ONTSTAAN_UIT	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_OVERGEGAAN_IN	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_PLAATSCOORDINATEN_DESCRIPTION	int64			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_PLAATSCOORDINATEN	int64			

Name	Data Type	Label	Required	Documentation
IDENTIFIER				
BERICHT_AANTEKENINGEN_ITEM_BETREFT_PLAATSCOORDINATEN_NAME	int64			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_PLAATSCOORDINATEN_RD_COORDINAAT_X	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_PLAATSCOORDINATEN_RD_COORDINAAT_Y	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_TEKENINGEN	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_TOELICHTING_BEWAARDER	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_TOESTANDSDATUM_ONDERZOEK_ERFDIENSTBAARHEIDEN	datetime			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_TYPE	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_UIN	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_VERMELD_IN	string			
BERICHT_AANTEKENINGEN_ITEM_BETROKKEN_PERSONEN_NATUURLIJK_PERSONEN	string			
BERICHT_AANTEKENINGEN_ITEM_BETROKKEN_PERSONEN_NIET_NATUURLIJK_PERSONEN	string			
BERICHT_AANTEKENINGEN_ITEM_EINDDATUM_RECHT	datetime			
BERICHT_AANTEKENINGEN_ITEM_EINDDATUM	datetime			
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_AANVULLING_OP	string			
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_AARD	string			
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_BEDRAG_TRANSACTIES_OM_LEVERING_SOM	decimal			
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_BEDRAG_TRANSACTIES_OM_LEVERING_VALUTA	string			
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_BEDRAG_VORDERINGSBESLAG_SOM	decimal			
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_BEDRAG_VORDERINGSBESLAG_VALUTA	string			

Name	Data Type	Label	Required	Documentation
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_BEDRAG_ZEKERHEIDSSTELLING_HYPOTHEEK_SOM	decimal			
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_BEDRAG_ZEKERHEIDSSTELLING_HYPOTHEEK_VALUTA	string			
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_IDENTIFICATIE	string			
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_OMSCHRIJVING_GEKOZEN_WOONPLAATS	string			
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_OMSCHRIJVING_KADASTRALE_OBJECTEN	string			
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_VERMELD_IN	string			
BERICHT_AANTEKENINGEN_ITEM_HERKAVELING_BLOKNUMMER	int64			
BERICHT_AANTEKENINGEN_ITEM_HYPOTHEKEN	string			
BERICHT_AANTEKENINGEN_ITEM_IDENTIFICATIE	string			
BERICHT_AANTEKENINGEN_ITEM_OMSCHRIJVING	string			
BERICHT_AANTEKENINGEN_ITEM_TENAAMSTELLINGEN	string			
BERICHT_AANTEKENINGEN_ITEM_VERMELD_IN	string			
BERICHT_ACTUALITEIT_TIJDSTIP_HYPOTHECAIR	datetime			
BERICHT_ACTUALITEIT_TIJDSTIP_KADASTRAAL	datetime			
BERICHT_BESLAGLEGGINGEN_ITEM_AANDEEL_IN_BETROKKEN_RECHT_NOEMER	int64			
BERICHT_BESLAGLEGGINGEN_ITEM_AANDEEL_IN_BETROKKEN_RECHT_TELLER	int64			
BERICHT_BESLAGLEGGINGEN_ITEM_AARD_BESLAG	string			
BERICHT_BESLAGLEGGINGEN_ITEM_GEBASEERD_OP_AANVULLING_OP	string			
BERICHT_BESLAGLEGGINGEN_ITEM_GEBASEERD_OP_AARD	string			
BERICHT_BESLAGLEGGINGEN_ITEM_GEBASEERD_OP_BEDRAG_TRANSACTIES_OM_LEVERING_SOM	decimal			
BERICHT_BESLAGLEGGINGEN_ITEM_GEBASEERD_OP_BEDRAG_TR	string			

Name	Data Type	Label	Required	Documentation
ANSACTIES_OM_LEVERING_VALUTA				
BERICHT_BESLAGLEGGINGEN_ITEM_GEBASEERD_OP_BEDRAG_VORDERINGSBESLAG_SOM	decimal			
BERICHT_BESLAGLEGGINGEN_ITEM_GEBASEERD_OP_BEDRAG_VORDERINGSBESLAG_VALUTA	string			
BERICHT_BESLAGLEGGINGEN_ITEM_GEBASEERD_OP_BEDRAG_ZEKERHEIDSSTELLING_HYPOTHEEK_SOM	decimal			
BERICHT_BESLAGLEGGINGEN_ITEM_GEBASEERD_OP_BEDRAG_ZEKERHEIDSSTELLING_HYPOTHEEK_VALUTA	string			
BERICHT_BESLAGLEGGINGEN_ITEM_GEBASEERD_OP_IDENTIFICATIE	string			
BERICHT_BESLAGLEGGINGEN_ITEM_GEBASEERD_OP_OMSCHRIJVING_GEKOZEN_WOONPLAATS	string			
BERICHT_BESLAGLEGGINGEN_ITEM_GEBASEERD_OP_OMSCHRIJVING_KADASTRALE_OBJECTEN	string			
BERICHT_BESLAGLEGGINGEN_ITEM_GEBASEERD_OP_VERMELDING	string			
BERICHT_BESLAGLEGGINGEN_ITEM_IDENTIFICATIE	string			
BERICHT_BESLAGLEGGINGEN_ITEM_OMSCHRIJVING_BETROKKEN_RECHT	string			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_AANTEKENINGEN_WKPB	string			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_AANVULLINGEN	string			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_AARD_CULTUUR_BEBOUWD	string			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_AARD_CULTUUR_ONBEBOUWD	string			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_AARD	string			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_ADRESSEN	string			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_BELASTINGMET	string			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_HISTORIE	datetime			

Name	Data Type	Label	Required	Documentation
_LOGISCH_TIJDSTIP_ONTSTAAN				
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_HISTORIE_LOGISCH_TIJDSTIP_VERVALLLEN	datetime			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_HISTORIE_STATUS_HISTORIE	string			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_HISTORIE_TECHNISCH_TIJDSTIP_ONTSTAAN	datetime			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_HISTORIE_TECHNISCH_TIJDSTIP_VERVALLLEN	datetime			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_HISTORIE_VOLGNUMMER	int64			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_IDENTIFICATIE	string			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_INDICATIE_GEDEELTELIJK_BEZWAARD_OUDD_OBJECT	boolean			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_INDICATIE_GESPLITST	boolean			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_INDICATIE_TWEEDE_SPLITSING	boolean			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_INDICATIE_VOORGENOMEN_AANTEKENING	boolean			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_INDICATIE_VOORLOPIGE_AANTEKENING	boolean			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_APPARTEMENT_SRECHT_VOLGNUMMER	int64			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_KADASTRALE_GEMEENTE	string			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_PERCEELNUMMER	int64			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_SECTIE	string			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_KADAST	string			

Name	Data Type	Label	Required	Documentation
RALE_GROOTTE_SOORT_GROOTTE				
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_GROOTTE_WAARDE	decimal			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_KOOPSOOM_BEDRAG_SOM	decimal			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_KOOPSOOM_BEDRAG_VALUTA	string			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_KOOPSOOM_INDICATIE_MEER_OBJECTEN	boolean			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_KOOPSOOM_KOOPDATUM	datetime			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_KOOPSOOM_KOOPJAAR	int32			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_OMSCHRIJVING_ONDERZOEK_ERFDIENSTBAARHEDEN	string			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_OMSCHRIJVING	string			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_ONTSTAN_UT	string			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_OVERGEGAAN_IN	string			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_PLAATS_COORDINATEN_DESCRIPTION	int64			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_PLAATS_COORDINATEN_IDENTIFIEER	int64			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_PLAATS_COORDINATEN_NAME	int64			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_PLAATS_COORDINATEN_RD_COORDINAAT_X	string			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_PLAATS_COORDINATEN_RD_COORDINAAT_Y	string			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_TEKENINGEN	string			

Name	Data Type	Label	Required	Documentation
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_TOELICHTING_BEWAARDER	string			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_TOESTANDSDATUM_ONDERZOEK_ERFDIENSTBAARHEDEN	datetime			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_TYPE	string			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_UIN	string			
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_VERMELD_IN	string			
BERICHT_BESLAGLEGGINGEN_ITEM_PERSONEN_NATUURLIJK_PERSONEN	string			
BERICHT_BESLAGLEGGINGEN_ITEM_PERSONEN_NIET_NATUURLIJK_PERSONEN	string			
BERICHT_BESLAGLEGGINGEN_ITEM_VERMELD_IN	string			
BERICHT_BETREFT_AANTEKENINGEN_WKPB_ITEM_DATUM_IN_WERKING	string			
BERICHT_BETREFT_AANTEKENINGEN_WKPB_ITEM_GEMEENTELIJKE_REGISTRATIE_ID	string			
BERICHT_BETREFT_AANTEKENINGEN_WKPB_ITEM_NUMMER	string			
BERICHT_BETREFT_AANTEKENINGEN_WKPB_ITEM_OMSCHRIJVING_PUBLIEKRECHTELIJKE_BEPERKING	string			
BERICHT_BETREFT_AANTEKENINGEN_WKPB_ITEM_OMSCHRIJVING	string			
BERICHT_BETREFT_AANVULLINGEN_ITEM_AANGEBODEN_STUK_AARD	string			
BERICHT_BETREFT_AANVULLINGEN_ITEM_AANGEBODEN_STUK_DEEL_EN_NUMMER_DEEL	string			
BERICHT_BETREFT_AANVULLINGEN_ITEM_AANGEBODEN_STUK_DEEL_EN_NUMMER_NUMMER	string			
BERICHT_BETREFT_AANVULLINGEN_ITEM_AANGEBODEN_STUK_DEEL_EN_NUMMER_REEKS	string			
BERICHT_BETREFT_AANVULLINGEN_ITEM_AANGEBODEN_STUK_DEEL_EN_NUMMER_REGISTERCODE	string			
BERICHT_BETREFT_AANVULLINGEN_ITEM_AANGEBODEN_STUK_DEEL	string			

Name	Data Type	Label	Required	Documentation
EEL_EN_NUMMER_SOORT_REGIST ER				
BERICHT_BETREFT_AANVULLING EN_ITEM_AANGEBODEN_STUK_ID ENTIFICATIE	string			
BERICHT_BETREFT_AANVULLING EN_ITEM_AANGEBODEN_STUK_IN DICATIE_ALLE_OBJECTEN_BETRO KKEN	boolean			
BERICHT_BETREFT_AANVULLING EN_ITEM_AANGEBODEN_STUK_S TATUS_STUK_OR	string			
BERICHT_BETREFT_AANVULLING EN_ITEM_AANGEBODEN_STUK_S TUKDELEN	string			
BERICHT_BETREFT_AANVULLING EN_ITEM_AANGEBODEN_STUK_TI JDSTIP_AANBIEDING	datetime			
BERICHT_BETREFT_AANVULLING EN_ITEM_AANGEBODEN_STUK_TI JDSTIP_ONDERTEKENING	datetime			
BERICHT_BETREFT_AANVULLING EN_ITEM_AANGEBODEN_STUK_T OELICHTING_BEWAARDER	string			
BERICHT_BETREFT_AANVULLING EN_ITEM_AANGEBODEN_STUK_V ERKLARING_BEWAARDER	string			
BERICHT_BETREFT_AANVULLING EN_ITEM_AANGEBODEN_STUK_V ERZOEKEN	string			
BERICHT_BETREFT_AANVULLING EN_ITEM_TYPE	string			
BERICHT_BETREFT_AARD_CULTU UR_BEBOUWD	string			
BERICHT_BETREFT_AARD_CULTU UR_ONBEBOUWD	string			
BERICHT_BETREFT_AARD	string			
BERICHT_BETREFT_ADRESSEN_IT EM_LOCATIE_BINNENLAND_HUISL ETTER	string			
BERICHT_BETREFT_ADRESSEN_IT EM_LOCATIE_BINNENLAND_HUISN UMMER	int64			
BERICHT_BETREFT_ADRESSEN_IT EM_LOCATIE_BINNENLAND_HUISN UMMERTOEVOEGING	string			
BERICHT_BETREFT_ADRESSEN_IT EM_LOCATIE_BINNENLAND_IDENTI FICATIE	string			
BERICHT_BETREFT_ADRESSEN_IT EM_LOCATIE_BINNENLAND_IN_ON DERZOEK	string			

Name	Data Type	Label	Required	Documentation
BERICHT_BETREFT_ADRESSEN_ITEM_LOCATIE_BINNENLAND_POSTCODE	string			
BERICHT_BETREFT_ADRESSEN_ITEM_LOCATIE_BINNENLAND_STRATAAAM	string			
BERICHT_BETREFT_ADRESSEN_ITEM_LOCATIE_BINNENLAND_WOONPLAATS	string			
BERICHT_BETREFT_ADRESSEN_ITEM_LOCATIE_BUITENLAND_ADRESSE_REGS	string			
BERICHT_BETREFT_ADRESSEN_ITEM_LOCATIE_BUITENLAND_ADRESSE	string			
BERICHT_BETREFT_ADRESSEN_ITEM_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
BERICHT_BETREFT_ADRESSEN_ITEM_LOCATIE_BUITENLAND_LAND	string			
BERICHT_BETREFT_ADRESSEN_ITEM_LOCATIE_BUITENLAND_REGIO	string			
BERICHT_BETREFT_ADRESSEN_ITEM_LOCATIE_BUITENLAND_WOONPLAATS	string			
BERICHT_BETREFT_ADRESSEN_ITEM_LOCATIE_POSTBUS_IDENTIFICATIE	string			
BERICHT_BETREFT_ADRESSEN_ITEM_LOCATIE_POSTBUS_POSTBUSNUMMER	string			
BERICHT_BETREFT_ADRESSEN_ITEM_LOCATIE_POSTBUS_POSTCODE	string			
BERICHT_BETREFT_ADRESSEN_ITEM_LOCATIE_POSTBUS_WOONPLAATS	string			
BERICHT_BETREFT_BELAST_ITEM_BEDRAG_SOM	decimal			
BERICHT_BETREFT_BELAST_ITEM_BEDRAG_VALUTA	string			
BERICHT_BETREFT_BELAST_ITEM_EINDJAAR	int64			
BERICHT_BETREFT_HISTORIE_LOGISCH_TIJDSTIP_ONTSTAAN	datetime			
BERICHT_BETREFT_HISTORIE_LOGISCH_TIJDSTIP_VERVALLLEN	datetime			
BERICHT_BETREFT_HISTORIE_STATUS_HISTORIE	string			
BERICHT_BETREFT_HISTORIE_TECHNISCH_TIJDSTIP_ONTSTAAN	datetime			

Name	Data Type	Label	Required	Documentation
BERICHT_BETREFT_HISTORIE_TECHNISCH_TIJDSTIP_VERVALLLEN	datetime			
BERICHT_BETREFT_HISTORIE_VOLGNUMMER	int64			
BERICHT_BETREFT_IDENTIFICATIE	string			
BERICHT_BETREFT_INDICATIE_GEDEELTELIJK_BEZWAARD_OUD_OBJECT	boolean			
BERICHT_BETREFT_INDICATIE_GESPLITST	boolean			
BERICHT_BETREFT_INDICATIE_TWEEDE_SPLITSING	boolean			
BERICHT_BETREFT_INDICATIE_VORGENOMEN_AANTEKENING	boolean			
BERICHT_BETREFT_INDICATIE_VORLOPIGE_AANTEKENING	boolean			
BERICHT_BETREFT_KADASTRALE_AANDUIDING_APPARTEMENTSRECHT_VOLGNUMMER	int64			
BERICHT_BETREFT_KADASTRALE_AANDUIDING_KADASTRALE_GEMEENTE	string			
BERICHT_BETREFT_KADASTRALE_AANDUIDING_PERCEELNUMMER	int64			
BERICHT_BETREFT_KADASTRALE_AANDUIDING_SECTIE	string			
BERICHT_BETREFT_KADASTRALE_GROOTTE_SOORT_GROOTTE	string			
BERICHT_BETREFT_KADASTRALE_GROOTTE_WAARDE	decimal			
BERICHT_BETREFT_KOOPSOM_BEDRAG_SOM	decimal			
BERICHT_BETREFT_KOOPSOM_BEDRAG_VALUTA	string			
BERICHT_BETREFT_KOOPSOM_INDICATIE_MEER_OBJECTEN	boolean			
BERICHT_BETREFT_KOOPSOM_KOOPDATUM	datetime			
BERICHT_BETREFT_KOOPSOM_KOOPJAAR	int32			
BERICHT_BETREFT_OMSCHRIJVING_ONDERZOEK_ERFDIENSTBAARHEDEN	string			
BERICHT_BETREFT_OMSCHRIJVING	string			
BERICHT_BETREFT_ONTSTAANUIT_ITEM_AARD	string			
BERICHT_BETREFT_ONTSTAANUIT_ITEM_OVERGANGSGROOTTE	decimal			
BERICHT_BETREFT_OVERGEGANGEN_IN_ITEM_AARD	string			

Name	Data Type	Label	Required	Documentation
BERICHT_BETREFT_OVERGEGAA N_IN_ITEM_OVERGANGSGROOTT E	decimal			
BERICHT_BETREFT_PLAATSCOOR DINATEN_DESCRIPTION	int64			
BERICHT_BETREFT_PLAATSCOOR DINATEN_IDENTIFIEER	int64			
BERICHT_BETREFT_PLAATSCOOR DINATEN_NAME	int64			
BERICHT_BETREFT_PLAATSCOOR DINATEN_RD_COORDINAAT_X	string			
BERICHT_BETREFT_PLAATSCOOR DINATEN_RD_COORDINAAT_Y	string			
BERICHT_BETREFT_TEKENINGEN_I TEM_AANVULLING_OP	string			
BERICHT_BETREFT_TEKENINGEN_I TEM_AARD	string			
BERICHT_BETREFT_TEKENINGEN_I TEM_BEDRAG_TRANSACTIES_OM _LEVERING_SOM	decimal			
BERICHT_BETREFT_TEKENINGEN_I TEM_BEDRAG_TRANSACTIES_OM _LEVERING_VALUTA	string			
BERICHT_BETREFT_TEKENINGEN_I TEM_BEDRAG_VORDERINGSBESL AG_SOM	decimal			
BERICHT_BETREFT_TEKENINGEN_I TEM_BEDRAG_VORDERINGSBESL AG_VALUTA	string			
BERICHT_BETREFT_TEKENINGEN_I TEM_BEDRAG_ZEKERHEIDSTELLI NG_HYPOTHEEK_SOM	decimal			
BERICHT_BETREFT_TEKENINGEN_I TEM_BEDRAG_ZEKERHEIDSTELLI NG_HYPOTHEEK_VALUTA	string			
BERICHT_BETREFT_TEKENINGEN_I TEM_IDENTIFICATIE	string			
BERICHT_BETREFT_TEKENINGEN_I TEM_OMSCHRIJVING_GEKOZEN_ WOONPLAATS	string			
BERICHT_BETREFT_TEKENINGEN_I TEM_OMSCHRIJVING_KADASTRA LE_OBJECTEN	string			
BERICHT_BETREFT_TEKENINGEN_I TEM_VERMELD_IN	string			
BERICHT_BETREFT_TOELICHTING_ BEWAARDER	string			
BERICHT_BETREFT_TOESTANDSD ATUM_ONDERZOEK_ERFDIENSTB AARHEDEN	datetime			
BERICHT_BETREFT_TYPE	string			
BERICHT_BETREFT_UIN	string			

Name	Data Type	Label	Required	Documentation
BERICHT_BETREFT_VERMELD_IN_I TEM_AANVULLING_OP	string			
BERICHT_BETREFT_VERMELD_IN_I TEM_AARD	string			
BERICHT_BETREFT_VERMELD_IN_I TEM_BEDRAG_TRANSACTIES_OM _LEVERING_SOM	decimal			
BERICHT_BETREFT_VERMELD_IN_I TEM_BEDRAG_TRANSACTIES_OM _LEVERING_VALUTA	string			
BERICHT_BETREFT_VERMELD_IN_I TEM_BEDRAG_VORDERINGSBESL AG_SOM	decimal			
BERICHT_BETREFT_VERMELD_IN_I TEM_BEDRAG_VORDERINGSBESL AG_VALUTA	string			
BERICHT_BETREFT_VERMELD_IN_I TEM_BEDRAG_ZEKERHEIDSTELLI NG_HYPOTHEEK_SOM	decimal			
BERICHT_BETREFT_VERMELD_IN_I TEM_BEDRAG_ZEKERHEIDSTELLI NG_HYPOTHEEK_VALUTA	string			
BERICHT_BETREFT_VERMELD_IN_I TEM_IDENTIFICATIE	string			
BERICHT_BETREFT_VERMELD_IN_I TEM_OMSCHRIJVING_GEKOZEN_ WOONPLAATS	string			
BERICHT_BETREFT_VERMELD_IN_I TEM_OMSCHRIJVING_KADASTRA LE_OBJECTEN	string			
BERICHT_HYPOTHEKEN_ITEM_AA NDEEL_IN_BETROKKEN_RECHT_N OEMER	int64			
BERICHT_HYPOTHEKEN_ITEM_AA NDEEL_IN_BETROKKEN_RECHT_T ELLER	int64			
BERICHT_HYPOTHEKEN_ITEM_GE BASEERD_OP_AANVULLING_OP	string			
BERICHT_HYPOTHEKEN_ITEM_GE BASEERD_OP_AARD	string			
BERICHT_HYPOTHEKEN_ITEM_GE BASEERD_OP_BEDRAG_TRANSA CTIES_OM_LEVERING_SOM	decimal			
BERICHT_HYPOTHEKEN_ITEM_GE BASEERD_OP_BEDRAG_TRANSA CTIES_OM_LEVERING_VALUTA	string			
BERICHT_HYPOTHEKEN_ITEM_GE BASEERD_OP_BEDRAG_VORDERI NGSBESLAG_SOM	decimal			
BERICHT_HYPOTHEKEN_ITEM_GE BASEERD_OP_BEDRAG_VORDERI NGSBESLAG_VALUTA	string			

Name	Data Type	Label	Required	Documentation
BERICHT_HYPOTHEKEN_ITEM_GE BASEERD_OP_BEDRAG_ZEKERHE IDSSTELLING_HYPOTHEEK_SOM	decimal			
BERICHT_HYPOTHEKEN_ITEM_GE BASEERD_OP_BEDRAG_ZEKERHE IDSSTELLING_HYPOTHEEK_VALU TA	string			
BERICHT_HYPOTHEKEN_ITEM_GE BASEERD_OP_IDENTIFICATIE	string			
BERICHT_HYPOTHEKEN_ITEM_GE BASEERD_OP_OMSCHRIJVING_GE KOZEN_WOONPLAATS	string			
BERICHT_HYPOTHEKEN_ITEM_GE BASEERD_OP_OMSCHRIJVING_K ADASTRALE_OBJECTEN	string			
BERICHT_HYPOTHEKEN_ITEM_GE BASEERD_OP_VERMELD_IN	string			
BERICHT_HYPOTHEKEN_ITEM_IDE NTIFICATIE	string			
BERICHT_HYPOTHEKEN_ITEM_OM SCHRIJVING_BETROKKEN_RECHT	string			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_AANTEKENING EN_WKPB	string			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_AANVULLINGE N	string			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_AARD_CULTU UR_BEBOUWD	string			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_AARD_CULTU UR_ONBEBOUWD	string			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_AARD	string			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_ADRESSEN	string			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_BELAST_MET	string			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_HISTORIE_LOG ISCH_TIJDSTIP_ONTSTAAN	datetime			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_HISTORIE_LOG ISCH_TIJDSTIP_VERVALLEN	datetime			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_HISTORIE_STA TUS_HISTORIE	string			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_HISTORIE_TEC HNISCH_TIJDSTIP_ONTSTAAN	datetime			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_HISTORIE_TEC	datetime			

Name	Data Type	Label	Required	Documentation
HNISCH_TIJDSTIP_VERVALLEN				
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_HISTORIE_VOLGNUMMER	int64			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_IDENTIFICATIE	string			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_INDICATIE_GED EELTELIJK_BEZWAARD_OUD_OBJECT	boolean			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_INDICATIE_GESPLITST	boolean			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_INDICATIE_TWEEDE_SPLITSING	boolean			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_INDICATIE_VO ORGENOMEN_AANTEKENING	boolean			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_INDICATIE_VO ORLOPIGE_AANTEKENING	boolean			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_KADASTRALE_AANDUIDING_APPARTEMENTSRECHT_VOLGNUMMER	int64			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_KADASTRALE_AANDUIDING_KADASTRALE_GE MEENTE	string			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_KADASTRALE_AANDUIDING_PERCEELNUMMER	int64			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_KADASTRALE_AANDUIDING_SECTIE	string			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_KADASTRALE_GROOTTE_SOORT_GROOTTE	string			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_KADASTRALE_GROOTTE_WAARDE	decimal			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_KOOPSOM_BE DRAG_SOM	decimal			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_KOOPSOM_BE DRAG_VALUTA	string			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_KOOPSOM_INDICATIE_MEER_OBJECTEN	boolean			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_KOOPSOM_KO OPDATUM	datetime			

Name	Data Type	Label	Required	Documentation
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_KOOPSOM_KO OPJAAR	int32			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_OMSCHRIJVING_ONDERZOEK_ERFDIENSTBAARHEDEN	string			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_OMSCHRIJVING	string			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_ONTSTAAN_UIT	string			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_OVERGEGAAN_IN	string			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_PLAATSCOORDINATEN_DESCRIPTION	int64			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_PLAATSCOORDINATEN_IDENTIFIER	int64			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_PLAATSCOORDINATEN_NAME	int64			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_PLAATSCOORDINATEN_RD_COORDINAAT_X	string			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_PLAATSCOORDINATEN_RD_COORDINAAT_Y	string			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_TEKENINGEN	string			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_TOELICHTING_BEWAARDER	string			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_TOESTANDSDATUM_ONDERZOEK_ERFDIENSTBAARHEDEN	datetime			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_TYPE	string			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_UIN	string			
BERICHT_HYPOTHEKEN_ITEM_ON ROERENDE_ZAAK_VERMELD_IN	string			
BERICHT_HYPOTHEKEN_ITEM_PERSONEN_NATUURLIJK_PERSONEN	string			
BERICHT_HYPOTHEKEN_ITEM_PERSONEN_NIET_NATUURLIJK_PERSONEN	string			
BERICHT_HYPOTHEKEN_ITEM_VERMELD_IN	string			

Name	Data Type	Label	Required	Documentation
BERICHT_PRODUCTIENUMMER	string			
BERICHT_SIGNALERING_TIJDSTIP_BESLAGEN	datetime			
BERICHT_SIGNALERING_TIJDSTIP_HYPOTHECAIR	datetime			
BERICHT_SIGNALERING_TIJDSTIP_KADASTRAAL	datetime			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_AARD	string			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_DEEL_EN_NUMMER_DEEL	string			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_DEEL_EN_NUMMER_NUMMER	string			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_DEEL_EN_NUMMER_REEKS	string			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_DEEL_EN_NUMMER_REGISTERCODE	string			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_DEEL_EN_NUMMER_SOORT_REGISTER	string			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_IDENTIFICATIE	string			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_INDICATIE_ALLE_OBJECTEN_BETROKKEN	boolean			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_STATUS_STUK_OR	string			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_STUKDELEN	string			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_TIJDSTIP_AANBIEDING	datetime			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_TIJDSTIP_ONDERTEKENING	datetime			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_TOELICHTING_BEWAARDER	string			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_VERKLARING_BEWAARDER	string			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_VERZOEKEN	string			
BERICHT_TIJDSTIP_SAMENSTELLING_BERICHT	datetime			
BERICHT_ZAKELIJK_RECHTEN_ITEM_AARD	string			

Name	Data Type	Label	Required	Documentation
BERICHT_ZAKELIJK_RECHTEN_ITEM_BELAST_MET	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BEPERKT_TOT	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BESTEMT_TOT_GEBASEERD_OP	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BESTEMT_TOT_HOORT_BIJ	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BESTEMT_TOT_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_GEBASEERD_OP	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_TYPE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_AANVULLINGEN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_DOSSIER_NUMMER	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_INDICATIE_BESCHIKKINGSBEVOEGDHEID	boolean			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISLETT ER	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUM MER	int64			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUM MERTOEVOEGING	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IDENTIFIC ATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_	string			

Name	Data Type	Label	Required	Documentation
VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK				
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_LAND	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			

Name	Data Type	Label	Required	Documentation
VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTCODE				
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_RECHTSVORM	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_RSIN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_STATUTAIRE_NAAM	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_STATUTAIRE_ZEDEL	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_VERMELD_IN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEVOEGING	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_	string			

Name	Data Type	Label	Required	Documentation
VAN_EIGENAREN_WOONLOCATIE _LOCATIE_BINNENLAND_STRAAT NAAM				
BERICHT_ZAKELIJK_RECHTEN_ITE M_BETROKKEN_BIJ_VERENIGING_ VAN_EIGENAREN_WOONLOCATIE _LOCATIE_BINNENLAND_WOONPL AATS	string			
BERICHT_ZAKELIJK_RECHTEN_ITE M_BETROKKEN_BIJ_VERENIGING_ VAN_EIGENAREN_WOONLOCATIE _LOCATIE_BUITENLAND_ADRES_ REGELS	string			
BERICHT_ZAKELIJK_RECHTEN_ITE M_BETROKKEN_BIJ_VERENIGING_ VAN_EIGENAREN_WOONLOCATIE _LOCATIE_BUITENLAND_ADRES	string			
BERICHT_ZAKELIJK_RECHTEN_ITE M_BETROKKEN_BIJ_VERENIGING_ VAN_EIGENAREN_WOONLOCATIE _LOCATIE_BUITENLAND_IDENTIFIC ATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITE M_BETROKKEN_BIJ_VERENIGING_ VAN_EIGENAREN_WOONLOCATIE _LOCATIE_BUITENLAND_LAND	string			
BERICHT_ZAKELIJK_RECHTEN_ITE M_BETROKKEN_BIJ_VERENIGING_ VAN_EIGENAREN_WOONLOCATIE _LOCATIE_BUITENLAND_REGIO	string			
BERICHT_ZAKELIJK_RECHTEN_ITE M_BETROKKEN_BIJ_VERENIGING_ VAN_EIGENAREN_WOONLOCATIE _LOCATIE_BUITENLAND_WOONPL AATS	string			
BERICHT_ZAKELIJK_RECHTEN_ITE M_BETROKKEN_BIJ_VERENIGING_ VAN_EIGENAREN_WOONLOCATIE _LOCATIE_POSTBUS_IDENTIFICATI E	string			
BERICHT_ZAKELIJK_RECHTEN_ITE M_BETROKKEN_BIJ_VERENIGING_ VAN_EIGENAREN_WOONLOCATIE _LOCATIE_POSTBUS_POSTBUS_N UMMER	string			
BERICHT_ZAKELIJK_RECHTEN_ITE M_BETROKKEN_BIJ_VERENIGING_ VAN_EIGENAREN_WOONLOCATIE _LOCATIE_POSTBUS_POSTCODE	string			
BERICHT_ZAKELIJK_RECHTEN_ITE M_BETROKKEN_BIJ_VERENIGING_ VAN_EIGENAREN_WOONLOCATIE _LOCATIE_POSTBUS_WOONPLAA TS	string			
BERICHT_ZAKELIJK_RECHTEN_ITE M_IDENTIFICATIE	string			

Name	Data Type	Label	Required	Documentation
BERICHT_ZAKELIJK_RECHTEN_ITEM_INDICATIE_SPLITSING_BETROKKEN	boolean			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_AANTEKENINGEN_WKPB	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_AANVULLINGEN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_AARD_CULTUUR_BEBOUWD	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_AARD_CULTUUR_ONBEBOUWD	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_AARD	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_ADRESSEN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_BELASTMET	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_LOGISCH_TIJDSTIP_ONTSTAAN	datetime			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_LOGISCH_TIJDSTIP_VERVALLEN	datetime			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_STATUS_HISTORIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_TECHNISCH_TIJDSTIP_ONTSTAAN	datetime			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_TECHNISCH_TIJDSTIP_VERVALLEN	datetime			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_VOLGNUMMER	int64			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_INDICATIE_GEDEELTELIJK_BEZWAARD_OUD_OBJECT	boolean			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_INDICATIE_GESPLITST	boolean			

Name	Data Type	Label	Required	Documentation
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_INDICATIE_TWEEDE_SPLITSING	boolean			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_INDICATIE_VOORGENOMEN_AANTEKENING	boolean			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_INDICATIE_VOORLOPIGE_AANTEKENING	boolean			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_APPARTEMENT_SRECHT_VOLGNUMMER	int64			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_KADASTRALE_GEMEENTE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_PERCEELNUMMER	int64			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_SECTIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_GROOTTE_SOORT_GROOTTE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_GROOTTE_WAARDE	decimal			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSOOM_BEDRAG_SOM	decimal			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSOOM_BEDRAG_VALUTA	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSOOM_INDICATIE_MEER_OBJECTEN	boolean			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSOOM_KOOPDATUM	datetime			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSOOM_KOOPJAAR	int32			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_OMSCHRIJVING_ONDERZOEK_ERFDIENSTBAARHEDEN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_OMSCHRIJVING	string			

Name	Data Type	Label	Required	Documentation
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_ONTSTAAN_UIT	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_OVERGEGAAN_IN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATS_COORDINATEN_DESCRIPTION	int64			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATS_COORDINATEN_IDENTIFIER	int64			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATS_COORDINATEN_NAME	int64			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATS_COORDINATEN_RD_COORDINAAT_X	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATS_COORDINATEN_RD_COORDINAAT_Y	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_TEKENINGEN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_TOELICHTING_BEWAARDER	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_TOESTANDSDATUM_ONDERZOEK_ERFDIENSTBAARHEDEN	datetime			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_TYPE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_UIN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_VERMELDING_IN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_UIT_GEBASEERD_OP	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_UIT_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_UIT_TYPE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_AANVULLINGEN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_UIT_VERENIGING_	string			

Name	Data Type	Label	Required	Documentation
VAN_EIGENAREN_DOSSIER_NUMMER				
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_INDICATIE_BESCHIKKINGSBEVOEGDHEID	boolean			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISLEETTER	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEVOEGING	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_ADRESREGELS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING	string			

Name	Data Type	Label	Required	Documentation
VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_ADRES				
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_LAND	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_RECHTSVORM	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_RSIN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_STATUTAIRE_NAAM	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_STATUTAIRE_ZEDEL	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_VERMELD_IN	string			

Name	Data Type	Label	Required	Documentation
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE BINNENLAND_HUISLETTER	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE BINNENLAND_HUISNUMMER	int64			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE BINNENLAND_HUISNUMMERTOEOVOEGING	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE BINNENLAND_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE BINNENLAND_IN_ONDERZOEK	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE BINNENLAND_POSTCODE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE BINNENLAND_STRAATNAAM	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE BINNENLAND_WOONPLAATS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE BUITENLAND_ADRES_REGELS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE BUITENLAND_ADRES	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE BUITENLAND_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING	string			

Name	Data Type	Label	Required	Documentation
VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_LAND				
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
DOCUMENT	byte[]	Document		
OVERGEGAAN_IN_ACTUALITEIT_TIJDSTIP_HYPOTHECAIR	datetime			
OVERGEGAAN_IN_ACTUALITEIT_TIJDSTIP_KADASTRAAL	datetime			
OVERGEGAAN_IN_BETREFT_AAN TEKENINGEN_WKPB_ITEM_DATUM_IN_WERKING	string			
OVERGEGAAN_IN_BETREFT_AAN TEKENINGEN_WKPB_ITEM_GEMEENTELIJKE_REGISTRATIE_ID	string			
OVERGEGAAN_IN_BETREFT_AAN TEKENINGEN_WKPB_ITEM_NUMMER	string			
OVERGEGAAN_IN_BETREFT_AAN TEKENINGEN_WKPB_ITEM_OMSCHRIJVING_PUBLIEKRECHTELIJKE_BEPERKING	string			
OVERGEGAAN_IN_BETREFT_AAN TEKENINGEN_WKPB_ITEM_OMSCHRIJVING	string			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_STUK_AARD	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_BETREFT_AAN_VULLINGEN_ITEM_AANGEBODEN_STUK_DEEL_EN_NUMMER_DEEL	string			
OVERGEGAAN_IN_BETREFT_AAN_VULLINGEN_ITEM_AANGEBODEN_STUK_DEEL_EN_NUMMER_NUMMER	string			
OVERGEGAAN_IN_BETREFT_AAN_VULLINGEN_ITEM_AANGEBODEN_STUK_DEEL_EN_NUMMER_REEKS	string			
OVERGEGAAN_IN_BETREFT_AAN_VULLINGEN_ITEM_AANGEBODEN_STUK_DEEL_EN_NUMMER_REGISTERCODE	string			
OVERGEGAAN_IN_BETREFT_AAN_VULLINGEN_ITEM_AANGEBODEN_STUK_DEEL_EN_NUMMER_SOORT_REGISTER	string			
OVERGEGAAN_IN_BETREFT_AAN_VULLINGEN_ITEM_AANGEBODEN_STUK_IDENTIFICATIE	string			
OVERGEGAAN_IN_BETREFT_AAN_VULLINGEN_ITEM_AANGEBODEN_STUK_INDICATIE_ALLE_OBJECTEN_BETROKKEN	boolean			
OVERGEGAAN_IN_BETREFT_AAN_VULLINGEN_ITEM_AANGEBODEN_STUK_STATUS_STUK_OR	string			
OVERGEGAAN_IN_BETREFT_AAN_VULLINGEN_ITEM_AANGEBODEN_STUK_STUKDELEN	string			
OVERGEGAAN_IN_BETREFT_AAN_VULLINGEN_ITEM_AANGEBODEN_STUK_TIJDSTIP_AANBIEDING	datetime			
OVERGEGAAN_IN_BETREFT_AAN_VULLINGEN_ITEM_AANGEBODEN_STUK_TIJDSTIP_ONDERTEKENING	datetime			
OVERGEGAAN_IN_BETREFT_AAN_VULLINGEN_ITEM_AANGEBODEN_STUK_TOELICHTING_BEWAARDER	string			
OVERGEGAAN_IN_BETREFT_AAN_VULLINGEN_ITEM_AANGEBODEN_STUK_VERKLARING_BEWAARDER	string			
OVERGEGAAN_IN_BETREFT_AAN_VULLINGEN_ITEM_AANGEBODEN_STUK_VERZOEKEN	string			
OVERGEGAAN_IN_BETREFT_AAN_VULLINGEN_ITEM_TYPE	string			
OVERGEGAAN_IN_BETREFT_AARD_CULTUUR_BEBOUWD	string			
OVERGEGAAN_IN_BETREFT_AARD_CULTUUR_ONBEBOUWD	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_BETREFT_AARD	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BINNENLAND_HUISLETTER	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BINNENLAND_HUISNUMMER	int64			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BINNENLAND_HUISNUMMERTOEVOEING	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BINNENLAND_POSTCODE	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BINNENLAND_STRAATNAAM	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BINNENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BUITENLAND_ADRES_REGELS	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BUITENLAND_ADRES	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BUITENLAND_LAND	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BUITENLAND_REGIO	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BUITENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_POSTBUS_IDENTIFICATIE	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_POSTBUS_POSTCODE	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_POSTBUS_ WOONPLAATS	string			
OVERGEGAAN_IN_BETREFT_BEL AST_MET_ITEM_BEDRAG_SOM	decimal			
OVERGEGAAN_IN_BETREFT_BEL AST_MET_ITEM_BEDRAG_VALUT A	string			
OVERGEGAAN_IN_BETREFT_BEL AST_MET_ITEM_EINDJAAR	int64			
OVERGEGAAN_IN_BETREFT_HIST ORIE_LOGISCH_TIJDSTIP_ONTSTA AN	datetime			
OVERGEGAAN_IN_BETREFT_HIST ORIE_LOGISCH_TIJDSTIP_VERVAL LEN	datetime			
OVERGEGAAN_IN_BETREFT_HIST ORIE_STATUS_HISTORIE	string			
OVERGEGAAN_IN_BETREFT_HIST ORIE_TECHNISCH_TIJDSTIP_ONTS TAAN	datetime			
OVERGEGAAN_IN_BETREFT_HIST ORIE_TECHNISCH_TIJDSTIP_VERV ALLEN	datetime			
OVERGEGAAN_IN_BETREFT_HIST ORIE_VOLGNUMMER	int64			
OVERGEGAAN_IN_BETREFT_IDEN TIFICATIE	string			
OVERGEGAAN_IN_BETREFT_INDIC ATIE_GEDEELTELIJK_BEZWAARD _OUD_OBJECT	boolean			
OVERGEGAAN_IN_BETREFT_INDIC ATIE_GESPLITST	boolean			
OVERGEGAAN_IN_BETREFT_INDIC ATIE_TWEEDE_SPLITSING	boolean			
OVERGEGAAN_IN_BETREFT_INDIC ATIE_VOORGENOMEN_AANTEKEN ING	boolean			
OVERGEGAAN_IN_BETREFT_INDIC ATIE_VOORLOPIGE_AANTEKENIN G	boolean			
OVERGEGAAN_IN_BETREFT_KAD ASTRALE_AANDUIDING_APPARTE MENTSRECHT_VOLGNUMMER	int64			
OVERGEGAAN_IN_BETREFT_KAD ASTRALE_AANDUIDING_KADAST RALE_GEMEENTE	string			
OVERGEGAAN_IN_BETREFT_KAD ASTRALE_AANDUIDING_PERCEEL NUMMER	int64			
OVERGEGAAN_IN_BETREFT_KAD ASTRALE_AANDUIDING_SECTIE	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_BETREFT_KAD ASTRALE_GROOTTE_SOORT_GR OOTTE	string			
OVERGEGAAN_IN_BETREFT_KAD ASTRALE_GROOTTE_WAARDE	decimal			
OVERGEGAAN_IN_BETREFT_KOO PSOM_BEDRAG_SOM	decimal			
OVERGEGAAN_IN_BETREFT_KOO PSOM_BEDRAG_VALUTA	string			
OVERGEGAAN_IN_BETREFT_KOO PSOM_INDICATIE_MEER_OBJE CTE N	boolean			
OVERGEGAAN_IN_BETREFT_KOO PSOM_KOOPDATUM	datetime			
OVERGEGAAN_IN_BETREFT_KOO PSOM_KOOPJAAR	int32			
OVERGEGAAN_IN_BETREFT_OMS CHRIJVING_ONDERZOEK_ERFDIEN STBAARHEDEN	string			
OVERGEGAAN_IN_BETREFT_OMS CHRIJVING	string			
OVERGEGAAN_IN_BETREFT_ONT STAAAN_UIT_ITEM_AARD	string			
OVERGEGAAN_IN_BETREFT_ONT STAAAN_UIT_ITEM_OVERGANGSG ROOTTE	decimal			
OVERGEGAAN_IN_BETREFT_PLA ATSCOORDINATEN_DESCRIPTION	int64			
OVERGEGAAN_IN_BETREFT_PLA ATSCOORDINATEN_IDENTIFIER	int64			
OVERGEGAAN_IN_BETREFT_PLA ATSCOORDINATEN_NAME	int64			
OVERGEGAAN_IN_BETREFT_PLA ATSCOORDINATEN_RD_COORDIN AAT_X	string			
OVERGEGAAN_IN_BETREFT_PLA ATSCOORDINATEN_RD_COORDIN AAT_Y	string			
OVERGEGAAN_IN_BETREFT_TEKE NINGEN_ITEM_AANVULLING_OP	string			
OVERGEGAAN_IN_BETREFT_TEKE NINGEN_ITEM_AARD	string			
OVERGEGAAN_IN_BETREFT_TEKE NINGEN_ITEM_BEDRAG_TRANSAC TIES_OM_LEVERING_SOM	decimal			
OVERGEGAAN_IN_BETREFT_TEKE NINGEN_ITEM_BEDRAG_TRANSAC TIES_OM_LEVERING_VALUTA	string			
OVERGEGAAN_IN_BETREFT_TEKE NINGEN_ITEM_BEDRAG_VORDERI NGSBESLAG_SOM	decimal			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_BEDRAG_VORDERINGSBESLAG_VALUTA	string			
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_BEDRAG_ZEKERHEIDSSSTELLING_HYPOTHEEK_SOM	decimal			
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_BEDRAG_ZEKERHEIDSSSTELLING_HYPOTHEEK_VALUTA	string			
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_IDENTIFICATIE	string			
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_OMSCHRIJVING_GEKOZEN_WOONPLAATS	string			
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_OMSCHRIJVING_KADASTRALE_OBJECTEN	string			
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_VERMELD_IN	string			
OVERGEGAAN_IN_BETREFT_TOELICHTING_BEWAARDER	string			
OVERGEGAAN_IN_BETREFT_TOESTANDSDATUM_ONDERZOEK_ERFDIENSTBAARHEDEN	datetime			
OVERGEGAAN_IN_BETREFT_TYPERE	string			
OVERGEGAAN_IN_BETREFT_UIN	string			
OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_AANVULLING_OP	string			
OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_AARD	string			
OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_BEDRAG_TRANSACTIES_OM_LEVERING_SOM	decimal			
OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_BEDRAG_TRANSACTIES_OM_LEVERING_VALUTA	string			
OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_BEDRAG_VORDERINGSBESLAG_SOM	decimal			
OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_BEDRAG_VORDERINGSBESLAG_VALUTA	string			
OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_BEDRAG_ZEKERHEIDSSSTELLING_HYPOTHEEK_SOM	decimal			
OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_BEDRAG_ZEKERHEIDSSSTELLING_HYPOTHEEK_VALUTA	string			
OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_IDENTIFICATIE	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_OMSCHRIJVING_GEKOZEN_WOONPLAATS	string			
OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_OMSCHRIJVING_KADASTRALE_OBJECTEN	string			
OVERGEGAAN_IN_PRODUCTIENUMMER	string			
OVERGEGAAN_IN_SIGNALERING_TUJDSTIP_BESLAGEN	datetime			
OVERGEGAAN_IN_SIGNALERING_TUJDSTIP_HYPOTHECAIR	datetime			
OVERGEGAAN_IN_SIGNALERING_TUJDSTIP_KADASTRAAL	datetime			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_AANDEEL_NOEMER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_AANDEEL_TELLER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_BETROKKEN_PARTNER_NATUURLIJK_PERSONEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_BETROKKEN_PARTNER_NIET_NATUURLIJK_PERSONEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_BETROKKEN_SAMENWERKINGSVERBAND_NATUURLIJK_PERSONEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_BETROKKEN_SAMENWERKINGSVERBAND_NIET_NATUURLIJK_PERSONEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_BURGERLIJKE_STAAT_TEN_TIJDE_VAN_VERKRIJGING	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_GEBASEERD_OP	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_GELDT_VOOR_AANDEEL_NOEMER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_GELDT_VOOR_AANDEEL_TELLER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_GELDT_VOOR_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_OMSCHRIJVING	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_TEN_NAME_VAN_NATUURLIJK_PERSONEN	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_TEN_NAME_VAN_NIET_NATUURLIJK_PERSONEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_AARD	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BELAST_MET	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BEPERKT_TOT	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BESTEMT_TOT_GEBASEERD_OP	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BESTEMT_TOT_HOORT_BIJ	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BESTEMT_TOT_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_GEBASEERD_OP	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_TYPE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_AANVULLINGEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_DOSSIER_NUMMER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_INDICATIE_BESCHIKKINGSBEVOEGDHEID	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENL AND_HUISLETTER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENL AND_HUISNUMMER	int64			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENL AND_HUISNUMMERTOEVOEGING	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENL AND_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENL AND_IN_ONDERZOEK	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENL AND_POSTCODE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENL AND_STRAATNAAM	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENL AND_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENL AND_ADRES_REGELS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENL AND_ADRES	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENL AND_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENL AND_LAND	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENL AND_REGIO	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ	string			

Name	Data Type	Label	Required	Documentation
J_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS				
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_RECHTSVORM	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_RSIN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_STATUTAIRE_NAAM	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_STATUTAIRE_ZETEL	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_VERMELD_IN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_	string			

Name	Data Type	Label	Required	Documentation
WOONLOCATIE_LOCATIE_BINNEN LAND_HUISNUMMERTOEOEGING				
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_BETROKKEN_BI J_VERENIGING_VAN_EIGENAREN_ WOONLOCATIE_LOCATIE_BINNEN LAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_BETROKKEN_BI J_VERENIGING_VAN_EIGENAREN_ WOONLOCATIE_LOCATIE_BINNEN LAND_IN_ONDERZOEK	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_BETROKKEN_BI J_VERENIGING_VAN_EIGENAREN_ WOONLOCATIE_LOCATIE_BINNEN LAND_POSTCODE	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_BETROKKEN_BI J_VERENIGING_VAN_EIGENAREN_ WOONLOCATIE_LOCATIE_BINNEN LAND_STRAATNAAM	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_BETROKKEN_BI J_VERENIGING_VAN_EIGENAREN_ WOONLOCATIE_LOCATIE_BINNEN LAND_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_BETROKKEN_BI J_VERENIGING_VAN_EIGENAREN_ WOONLOCATIE_LOCATIE_BUITEN LAND_ADRES_REGELS	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_BETROKKEN_BI J_VERENIGING_VAN_EIGENAREN_ WOONLOCATIE_LOCATIE_BUITEN LAND_ADRES	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_BETROKKEN_BI J_VERENIGING_VAN_EIGENAREN_ WOONLOCATIE_LOCATIE_BUITEN LAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_BETROKKEN_BI J_VERENIGING_VAN_EIGENAREN_ WOONLOCATIE_LOCATIE_BUITEN LAND_LAND	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_BETROKKEN_BI J_VERENIGING_VAN_EIGENAREN_ WOONLOCATIE_LOCATIE_BUITEN LAND_REGIO	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_BETROKKEN_BI J_VERENIGING_VAN_EIGENAREN_ WOONLOCATIE_LOCATIE_BUITEN LAND_WOONPLAATS	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_INDICATIE_SPLITTING_BETROKKEN	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_AANTEKENINGEN_WKPB	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_AANVULLINGEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_AARD_CULTUUR_BEBOUWD	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_AARD_CULTUUR_ONBEBOUWD	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_AARD	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_ADRESSEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_BELAST_MET	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_LOGISCH_TIJDSTIP_ONTSTAAN	datetime			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_LOGISCH_TIJDSTIP_VERVALLEN	datetime			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_STATUS_HISTORIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_TECHNISCH_TIJDSTIP_ONTSTAAN	datetime			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_TECHNISCH_TIJDSTIP_VERVALLLEN	datetime			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_VOLGNUMMER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_INDICATIE_GEDEELTELIJK_BEZWAARD_OUD_OBJECT	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_INDICATIE_GESPLITST	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_INDICATIE_TWEEDE_SPLITTING	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_INDICATIE_VOORGENOMEN_AANTEKENING	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_INDICATIE_VOORLOPIGE_AANTEKENING	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_APPARTEMENTSRECHT_VOLGNUMMER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_KADASTRALE_GEMEENTE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_PERCEELNUMMER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_SECTIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_VOLGNUMMER	int64			

Name	Data Type	Label	Required	Documentation
ZAAK_KADASTRALE_GROOTTE_SOORT_GROOTTE				
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KADASTRALE_GROOTTE_WAARDE	decimal			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KOOPSOM_BEDRAG_SOM	decimal			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KOOPSOM_BEDRAG_VALUTA	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KOOPSOM_INDICATIE_MEE_R_OBJECTEN	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KOOPSOM_KOOPDATUM	datetime			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KOOPSOM_KOOPJAAR	int32			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_OMSCHRIJVING_ONDERZOEK_ERFDIENSTBAARHEDEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_OMSCHRIJVING	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_ONTSTAAN_UIT	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_PLAATSCOORDINATEN_DESCRIPTION	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_PLAATSCOORDINATEN_IDENTIFIER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_PLAATSCOORDINATEN_NAME	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_PLAATSCOORDINATEN_RD_COORDINAAT_X	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_PLAATSCOORDINATEN_RD_COORDINAAT_Y	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_PLAATSCOORDINATEN_RD_COORDINAAT_Z	string			

Name	Data Type	Label	Required	Documentation
ZAAK_TEKENINGEN				
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_TOELICHTING_BEWAARDE_R	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_TOESTANDSDATUM_ONDERZOEK_ERFDIENSTBAARHEDEN	datetime			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_TYPE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_UIN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_VERMELD_IN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_GEBASEERD_OP	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_TYPE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_AANVULLINGEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_DOSSIER_NUMMER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_INDICATIE_BESCHIKKINGSBEVOEGDHEID	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEVOEGING	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_LAND	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT	string			

Name	Data Type	Label	Required	Documentation
T_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS				
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_RECHTSVORM	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_RSIN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_STATUTAIRE_NAAM	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_STATUTAIRE_ZETEL	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_VERMELD_IN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNE	string			

Name	Data Type	Label	Required	Documentation
NLAND_HUISNUMMERTOEVOEGING				
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNE_NLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNE_NLAND_IN_ONDERZOEK	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNE_NLAND_POSTCODE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNE_NLAND_STRAATNAAM	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNE_NLAND_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_LAND	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VERKLARING_INZAKE_DERDEN_BESCHERMING	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VERKREGEN_NAMENS_SAMENWERKINGSVERBAND	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VERMELD_IN	string			
OVERGEGAAN_IN_TIJDSTIP_SAMENSTELLING_BERICHT	datetime			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_AARD	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BELAST_MET	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BEPERKT_TOT	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BESTEMT_TOT_GEBASEERD_OP	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BESTEMT_TOT_HOORT_BIJ	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BESTEMT_TOT_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_GEBASEERD_OP	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_TYP	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_AANVULLINGEN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_DOSSIER_NUMMER	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_INDICATIE_BESCHIKKINGSBEVOEGDHED	boolean			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEVOEING	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_LAND	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_RECHTSVORM	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_RSIN	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_STATUTAIRE_NAAM	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_STATUTAIRE_ZETEL	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_VERMEELD_IN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEVOEGING	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_LAND	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_INDICATIE_SPLITSING_BETROKKEN	boolean			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_AANTEKENINGEN_WKPB	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_AANVULLINGEN	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_AARD_CULTUUR_BEBOUWD	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_AARD_CULTUUR_ONBEBOUWD	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_AARD	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_ADRESSEN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_BELAST_MET	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_LOGISCH_TIJDSTIP_ONTSTAAN	datetime			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_LOGISCH_TIJDSTIP_VERVALLLEN	datetime			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_STATUS_HISTORIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_TECHNISCH_TIJDSTIP_ONTSTAAN	datetime			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_TECHNISCH_TIJDSTIP_VERVALLLEN	datetime			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_VOLGNUMMER	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_INDICATIE_GEDEELTELIJK_BEZWAARD_OUD_OBJECT	boolean			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_INDICATIE_GESPLITST	boolean			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_INDICATIE_TWEEDE_SPLITSING	boolean			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_INDICATIE_VOORGENOMEN_AAN_TEKENING	boolean			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_INDICATIE_VOORLOPIGE_AANTEKENING	boolean			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_AP PARTEMENTSRECHT_VOLGNUMMER	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_KADASTRALE_GEMEENTE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_PER CEELNUMMER	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_SECTIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_GROOTTE_SOORT_GROOTTE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_GROOTTE_WAARDE	decimal			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSOM_BEDRAG_SOM	decimal			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSOM_BEDRAG_VALUTA	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSOM_INDICATIE_MEER_OBJECTEN	boolean			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSOM_KOOPDATUM	datetime			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSOM_KOOPJAAR	int32			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_OMSCHRIJVING_ONDERZOEK_ERFDIENSTBAARHEDEN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_OMSCHRIJVING	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_ONTSTAAN_UIT	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATSCOORDINATEN_DESCRIPTION	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATSCOORDINATEN_IDENTIFIEER	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATSCOORDINATEN_NAME	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATSCOORDINATEN_RD_COORDINAT_X	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATSCOORDINATEN_RD_COORDINAT_Y	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_TEKENINGEN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_TOELICHTING_BEWAARDER	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_TOESTANDSDATUM_ONDERZOEK_ERFDIENSTBAARHEDEN	datetime			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_TYPE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_UIN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_VERMELD_IN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_GEBASEERD_OP	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_TYPE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING VAN EIGENAREN AANVULLINGEN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING VAN EIGENAREN DOSSIER_NUMMER	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_INDICATIE_BESCHIKKINGSBEVOEGDHED	boolean			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEVOEING	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POST	string			

Name	Data Type	Label	Required	Documentation
LOCATIE_LOCATIE_BUITENLAND_ADRES				
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_LAND	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_RECHTSVORM	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_RSIN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_STATUTAIRE_NAAM	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_STATUTAIRE_ZETEL	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_VERMELD_IN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEVOEGING	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOON	string			

Name	Data Type	Label	Required	Documentation
NLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE				
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_LAND	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
POSTCODE_TREFFERS_ACTUALITEIT_TIJDSTIP_HYPOTHECAIR	datetime			
POSTCODE_TREFFERS_ACTUALITEIT_TIJDSTIP_KADASTRAAL	datetime			
POSTCODE_TREFFERS_BETREFT_HUISLETTER	string			
POSTCODE_TREFFERS_BETREFT_HUISNUMMER	int64			
POSTCODE_TREFFERS_BETREFT_HUISNUMMERTOEV OEGING	string			
POSTCODE_TREFFERS_BETREFT_IDENTIFICATIE	string			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_HUISNUMMER_VOLLEDIG	string			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_IDENTIFICATIE	string			

Name	Data Type	Label	Required	Documentation
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_KAD_ASTRALE_GROOTTE_SOORT_GROOTTE	string			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_KAD_ASTRALE_GROOTTE_WAARDE	decimal			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_KOOPSOM_BEDRAG_SOM	decimal			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_KOOPSOM_BEDRAG_VALUTA	string			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_KOOPSOM_INDICATIE_MEER_OBJECTEN	boolean			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_KOOPSOM_KOOPDATUM	datetime			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_KOOPSOM_KOOPJAAR	int32			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_OMSCHRIJVING_CULTUUR	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_AANTEKENINGEN_WKPB	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_AANVULLINGEN	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_AARD_CULTUUR_BEBOUWD	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_AARD_CULTUUR_ONBEBOUWD	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_AARD	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_ADRESSEN	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_BELASTMET	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_HISTORIE_LOGISCH_TIJDSTIP_ONTSTAAN	datetime			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_HISTORIE_LOGISCH_TIJDSTIP_VERVALLEN	datetime			

Name	Data Type	Label	Required	Documentation
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_HISTORIE_STATUS_HISTORIE	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_HISTORIE_TECHNISCH_TIJDSTIP_ONTTAAN	datetime			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_HISTORIE_TECHNISCH_TIJDSTIP_VERVALLEN	datetime			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_HISTORIE_VOLGNUMMER	int64			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_IDENTIFICATIE	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_INDICATIE_GEDEELTELIJK_BEZWAARD_OUD_OBJECT	boolean			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_INDICATIE_GESPLITST	boolean			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_INDICATIE_TWEEDE_SPLITSING	boolean			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_INDICATIE_VOORGENOMEN_AANTEKENING	boolean			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_INDICATIE_VOORLOPIGE_AANTEKENING	boolean			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_APPARTEMENTSRECHT_VOLGNUMMER	int64			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_KADASTRALE_GEMEENTE	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_PERCEELNUMMER	int64			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_SECTIE	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_GROOTTE_SOORT_GROOTTE	string			

Name	Data Type	Label	Required	Documentation
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KAD_ASTRALE_GROOTTE_WAARDE	decimal			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KOOP_SOM_BEDRAG_SOM	decimal			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KOOP_SOM_BEDRAG_VALUTA	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KOOP_SOM_INDICATIE_MEER_OBJECTEN	boolean			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KOOP_SOM_KOOPDATUM	datetime			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KOOP_SOM_KOOPJAAR	int32			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_OMSCHRIJVING_ONDERZOEK_ERFDIENSTBAARHEDEN	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_OMSCHRIJVING	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_ONTSTAAN_UIT	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_OVERGEGAAN_IN	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_PLAATSCOORDINATEN_DESCRIPTION	int64			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_PLAATSCOORDINATEN_IDENTIFIER	int64			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_PLAATSCOORDINATEN_NAME	int64			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_PLAATSCOORDINATEN_RD_COORDINAT_X	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_PLAATSCOORDINATEN_RD_COORDINAT_Y	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_TEKENINGEN	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_TOELICHTING_BEWAARDER	string			

Name	Data Type	Label	Required	Documentation
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_TOE STANDSDATUM_ONDERZOEK_ER FDIENSTBAARHEDEN	datetime			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_TYPE	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_UIN	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_VER MELD_IN	string			
POSTCODE_TREFFERS_BETREFT_POSTCODE	string			
POSTCODE_TREFFERS_PRODUCTI ENUMMER	string			
POSTCODE_TREFFERS_SIGNALER ING_TIJDSTIP_BESLAGEN	datetime			
POSTCODE_TREFFERS_SIGNALER ING_TIJDSTIP_HYPOTHECAIR	datetime			
POSTCODE_TREFFERS_SIGNALER ING_TIJDSTIP_KADASTRAAL	datetime			
POSTCODE_TREFFERS_TIJDSTIP_SAMENSTELLING_BERICHT	datetime			

3.1.224 kadasterV2GetKadastraalBerichtObjectByAdres

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: kadasterV2GetKadastraalBerichtObjectByAdres

Base

XPath: `/s:Envelope/s:Body/tns:kadasterV2GetKadastraalBerichtObjectByAdresResponse/tns:resultaat`

Filters on API Server: postcode- huisnummer- huisnummer_toevoeging- document- huisletter

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `kadasterV2GetKadastraalBerichtObjectByAdres`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four

parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
document	string	<input type="checkbox"/>		
huisletter	string	<input type="checkbox"/>		
huisnummer_toevoeging	string	<input type="checkbox"/>		
huisnummer	int32	<input type="checkbox"/>		
postcode	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function

`kadasterV2GetKadastraalBerichtObjectByAdres` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
BERICHT_AANTEKENINGEN_ITEM_AARD	string			
BERICHT_AANTEKENINGEN_ITEM_BESLAGLEGGINGEN	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_AANTEKENINGEN_WKPB	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_AANVULLINGEN	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_AARD_CULTUUR_BEBOUWD	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_AARD_CULTUUR_ONBEBOUWD	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_AARD	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_ADRESSEN	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_BELAST_MET	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_HISTORIE_LOGISCH_TJ DSTIP_ONTSTAAN	datetime			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_HISTORIE_LOGISCH_TJ DSTIP_VERVALLLEN	datetime			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_HISTORIE_STATUS_HISTORIE	string			

Name	Data Type	Label	Required	Documentation
BERICHT_AANTEKENINGEN_ITEM_BETREFT_HISTORIE_TECHNISCH_T IJDSTIP_ONTSTAAN	datetime			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_HISTORIE_TECHNISCH_T IJDSTIP_VERVALLLEN	datetime			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_HISTORIE_VOLGNUMME R	int64			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_IDENTIFICA TIE	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_INDICATIE_GEDEEL TEL_IJ K_BEZWAARD_OUD_OBJECT	boolean			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_INDICATIE_GESPLITST	boolean			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_INDICATIE_TWEEDE_SPL ITSING	boolean			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_INDICATIE_VOORGENO MEN_AANTEKENING	boolean			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_INDICATIE_VOORLOPIGE _AANTEKENING	boolean			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_KADASTRALE_AANDUI DING_APPARTEMENTSRECHT_VO LGNUMMER	int64			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_KADASTRALE_AANDUI DING_KADASTRALE_GEMEENTE	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_KADASTRALE_AANDUI DING_PERCEELNUMMER	int64			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_KADASTRALE_AANDUI DING_SECTIE	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_KADASTRALE_GROOTT E_SOORT_GROOTTE	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_KADASTRALE_GROOTT E_WAARDE	decimal			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_KOOPSOM_BEDRAG_S OM	decimal			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_KOOPSOM_BEDRAG_V ALUTA	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_KOOPSOM_INDICATIE_M EER_OBJECTEN	boolean			

Name	Data Type	Label	Required	Documentation
BERICHT_AANTEKENINGEN_ITEM_BETREFT_KOOPSOM_KOOPD A T U M	datetime			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_KOOPSOM_KOOPJAAR	int32			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_OMSCHRIJVING_ONDERZOEK_ERFDIENSTBAARHEDEN	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_OMSCHRIJVING	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_ONTSTAAN_UIT	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_OVERGEGAAN_IN	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_PLAATSCOORDINATEN_DESCRIPTION	int64			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_PLAATSCOORDINATEN_IDENTIFIER	int64			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_PLAATSCOORDINATEN_NAME	int64			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_PLAATSCOORDINATEN_RD_COORDINAAT_X	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_PLAATSCOORDINATEN_RD_COORDINAAT_Y	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_TEKENINGEN	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_TOELICHTING_BEWAAR DER	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_TOESTANDSDATUM_ONDERZOEK_ERFDIENSTBAARHEDE N	datetime			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_TYPE	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_UIN	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_VERMELD_IN	string			
BERICHT_AANTEKENINGEN_ITEM_BETROKKEN_PERSONEN_NA TUUR LIJK_PERSONEN	string			
BERICHT_AANTEKENINGEN_ITEM_BETROKKEN_PERSONEN_NIET_NA TUURLIJK_PERSONEN	string			
BERICHT_AANTEKENINGEN_ITEM_EINDDATUM_RECHT	datetime			

Name	Data Type	Label	Required	Documentation
BERICHT_AANTEKENINGEN_ITEM_EINDDATUM	datetime			
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_AANVULLING_OP	string			
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_AARD	string			
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_BEDRAG_TRANSACTIONES_OM_LEVERING_SOM	decimal			
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_BEDRAG_TRANSACTIONES_OM_LEVERING_VALUTA	string			
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_BEDRAG_VORDERINGSBESLAG_SOM	decimal			
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_BEDRAG_VORDERINGSBESLAG_VALUTA	string			
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_BEDRAG_ZEKERHEIDSSTELLING_HYPOTHEEK_SOM	decimal			
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_BEDRAG_ZEKERHEIDSSTELLING_HYPOTHEEK_VALUTA	string			
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_IDENTIFICATIE	string			
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_OMSCHRIJVING_GEKOZEN_WOONPLAATS	string			
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_OMSCHRIJVING_KADASTRALE_OBJECTEN	string			
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_VERMELD_IN	string			
BERICHT_AANTEKENINGEN_ITEM_HERKAVELING_BLOKNUMMER	int64			
BERICHT_AANTEKENINGEN_ITEM_HYPOTHEKEN	string			
BERICHT_AANTEKENINGEN_ITEM_IDENTIFICATIE	string			
BERICHT_AANTEKENINGEN_ITEM_OMSCHRIJVING	string			
BERICHT_AANTEKENINGEN_ITEM_TENAAMSTELLINGEN	string			
BERICHT_AANTEKENINGEN_ITEM_VERMELD_IN	string			
BERICHT_ACTUALITEIT_TJJDSTIP_HYPOTHECAIR	datetime			

Name	Data Type	Label	Required	Documentation
BERICHT_ACTUALITEIT_TJDSTIP_KADASTRAAL	datetime			
BERICHT_BETREFT_AANTEKENING_EN_WKPB_ITEM_DATUM_IN_WERKING	string			
BERICHT_BETREFT_AANTEKENING_EN_WKPB_ITEM_GEMEENTELIJKE_REGISTRATIE_ID	string			
BERICHT_BETREFT_AANTEKENING_EN_WKPB_ITEM_NUMMER	string			
BERICHT_BETREFT_AANTEKENING_EN_WKPB_ITEM_OMSCHRIJVING_PUBLIEKRECHTELIJKE_BEPERKING	string			
BERICHT_BETREFT_AANTEKENING_EN_WKPB_ITEM_OMSCHRIJVING	string			
BERICHT_BETREFT_AANVULLING_EN_ITEM_AANGEBODEN_STUK_AARD	string			
BERICHT_BETREFT_AANVULLING_EN_ITEM_AANGEBODEN_STUK_DEEL_EN_NUMMER_DEEL	string			
BERICHT_BETREFT_AANVULLING_EN_ITEM_AANGEBODEN_STUK_DEEL_EN_NUMMER_NUMMER	string			
BERICHT_BETREFT_AANVULLING_EN_ITEM_AANGEBODEN_STUK_DEEL_EN_NUMMER_REEKS	string			
BERICHT_BETREFT_AANVULLING_EN_ITEM_AANGEBODEN_STUK_DEEL_EN_NUMMER_REGISTERCODE	string			
BERICHT_BETREFT_AANVULLING_EN_ITEM_AANGEBODEN_STUK_DEEL_EN_NUMMER_SOORT_REGISTER	string			
BERICHT_BETREFT_AANVULLING_EN_ITEM_AANGEBODEN_STUK_IDENTIFICATIE	string			
BERICHT_BETREFT_AANVULLING_EN_ITEM_AANGEBODEN_STUK_INDICATIE_ALLE_OBJECTEN_BETROKKEN	boolean			
BERICHT_BETREFT_AANVULLING_EN_ITEM_AANGEBODEN_STUK_STATUS_STUK_OR	string			
BERICHT_BETREFT_AANVULLING_EN_ITEM_AANGEBODEN_STUK_STUKDELEN	string			
BERICHT_BETREFT_AANVULLING_EN_ITEM_AANGEBODEN_STUK_TIJDSTIP_AANBIEDING	datetime			
BERICHT_BETREFT_AANVULLING_EN_ITEM_AANGEBODEN_STUK_TIJDSTIP_ONDERTEKENING	datetime			

Name	Data Type	Label	Required	Documentation
BERICHT_BETREFT_AANVULLING EN_ITEM_AANGEBODEN_STUK_T OELICHTING_BEWAARDER	string			
BERICHT_BETREFT_AANVULLING EN_ITEM_AANGEBODEN_STUK_V ERKLARING_BEWAARDER	string			
BERICHT_BETREFT_AANVULLING EN_ITEM_AANGEBODEN_STUK_V ERZOEKEN	string			
BERICHT_BETREFT_AANVULLING EN_ITEM_TYPE	string			
BERICHT_BETREFT_AARD_CULTU UR_BEBOUWD	string			
BERICHT_BETREFT_AARD_CULTU UR_ONBEBOUWD	string			
BERICHT_BETREFT_AARD	string			
BERICHT_BETREFT_ADRESSEN_IT EM_LOCATIE_BINNENLAND_HUISL ETTER	string			
BERICHT_BETREFT_ADRESSEN_IT EM_LOCATIE_BINNENLAND_HUISN UMMER	int64			
BERICHT_BETREFT_ADRESSEN_IT EM_LOCATIE_BINNENLAND_HUISN UMMERTOEVOEGING	string			
BERICHT_BETREFT_ADRESSEN_IT EM_LOCATIE_BINNENLAND_IDENTI FICATIE	string			
BERICHT_BETREFT_ADRESSEN_IT EM_LOCATIE_BINNENLAND_IN_ON DERZOEK	string			
BERICHT_BETREFT_ADRESSEN_IT EM_LOCATIE_BINNENLAND_POST CODE	string			
BERICHT_BETREFT_ADRESSEN_IT EM_LOCATIE_BINNENLAND_STRA ATNAAM	string			
BERICHT_BETREFT_ADRESSEN_IT EM_LOCATIE_BINNENLAND_WOO NPLAATS	string			
BERICHT_BETREFT_ADRESSEN_IT EM_LOCATIE_BUITENLAND_ADRE S_REGELS	string			
BERICHT_BETREFT_ADRESSEN_IT EM_LOCATIE_BUITENLAND_ADRE S	string			
BERICHT_BETREFT_ADRESSEN_IT EM_LOCATIE_BUITENLAND_IDENTI FICATIE	string			
BERICHT_BETREFT_ADRESSEN_IT EM_LOCATIE_BUITENLAND_LAND	string			
BERICHT_BETREFT_ADRESSEN_IT EM_LOCATIE_BUITENLAND_REGIO	string			

Name	Data Type	Label	Required	Documentation
BERICHT_BETREFT_ADRESSEN_ITEM_LOCATIE_BUITENLAND_WOONPLAATS	string			
BERICHT_BETREFT_ADRESSEN_ITEM_LOCATIE_POSTBUS_IDENTIFICATIE	string			
BERICHT_BETREFT_ADRESSEN_ITEM_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
BERICHT_BETREFT_ADRESSEN_ITEM_LOCATIE_POSTBUS_POSTCODE	string			
BERICHT_BETREFT_ADRESSEN_ITEM_LOCATIE_POSTBUS_WOONPLAATS	string			
BERICHT_BETREFT_BELAST_ITEM_BEDRAG_SOM	decimal			
BERICHT_BETREFT_BELAST_ITEM_BEDRAG_VALUTA	string			
BERICHT_BETREFT_BELAST_ITEM_EINDJAAR	int64			
BERICHT_BETREFT_HISTORIE_LOGISCH_TIJDSTIP_ONTSTAAN	datetime			
BERICHT_BETREFT_HISTORIE_LOGISCH_TIJDSTIP_VERVALLEN	datetime			
BERICHT_BETREFT_HISTORIE_STATUS_HISTORIE	string			
BERICHT_BETREFT_HISTORIE_TECHNISCH_TIJDSTIP_ONTSTAAN	datetime			
BERICHT_BETREFT_HISTORIE_TECHNISCH_TIJDSTIP_VERVALLEN	datetime			
BERICHT_BETREFT_HISTORIE_VOLGNUMMER	int64			
BERICHT_BETREFT_IDENTIFICATIE	string			
BERICHT_BETREFT_INDICATIE_GEDEELTELIJK_BEZWAARD_OUD_OBJECT	boolean			
BERICHT_BETREFT_INDICATIE_GESPLITST	boolean			
BERICHT_BETREFT_INDICATIE_TWEEDE_SPLITSING	boolean			
BERICHT_BETREFT_INDICATIE_VORGENOMEN_AANTEKENING	boolean			
BERICHT_BETREFT_INDICATIE_VORLOPIGE_AANTEKENING	boolean			
BERICHT_BETREFT_KADASTRALE_AANDUIDING_APPARTEMENTSRECHT_VOLGNUMMER	int64			
BERICHT_BETREFT_KADASTRALE_AANDUIDING_KADASTRALE_GEMEENTE	string			

Name	Data Type	Label	Required	Documentation
BERICHT_BETREFT_KADASTRALE_AANDUIDING_PERCEELNUMMER	int64			
BERICHT_BETREFT_KADASTRALE_AANDUIDING_SECTIE	string			
BERICHT_BETREFT_KADASTRALE_GROOTTE_SOORT_GROOTTE	string			
BERICHT_BETREFT_KADASTRALE_GROOTTE_WAARDE	decimal			
BERICHT_BETREFT_KOOPSOM_BEDRAG_SOM	decimal			
BERICHT_BETREFT_KOOPSOM_BEDRAG_VALUTA	string			
BERICHT_BETREFT_KOOPSOM_INDICATIE_MEER_OBJECTEN	boolean			
BERICHT_BETREFT_KOOPSOM_KOOPDATUM	datetime			
BERICHT_BETREFT_KOOPSOM_KOOPJAAR	int32			
BERICHT_BETREFT_OMSCHRIJVING_ONDERZOEK_ERFDIENSTBAARHEDEN	string			
BERICHT_BETREFT_OMSCHRIJVING	string			
BERICHT_BETREFT_ONTSTAANUIT_ITEM_AARD	string			
BERICHT_BETREFT_ONTSTAANUIT_ITEM_OVERGANGSGROOTTE	decimal			
BERICHT_BETREFT_OVERGEGAAN_IN_ITEM_AARD	string			
BERICHT_BETREFT_OVERGEGAAN_IN_ITEM_OVERGANGSGROOTT	decimal			
BERICHT_BETREFT_PLAATSCOORDINATEN_DESCRIPTION	int64			
BERICHT_BETREFT_PLAATSCOORDINATEN_IDENTIFIER	int64			
BERICHT_BETREFT_PLAATSCOORDINATEN_NAME	int64			
BERICHT_BETREFT_PLAATSCOORDINATEN_RD_COORDINAAT_X	string			
BERICHT_BETREFT_PLAATSCOORDINATEN_RD_COORDINAAT_Y	string			
BERICHT_BETREFT_TEKENINGEN_ITEM_AANVULLING_OP	string			
BERICHT_BETREFT_TEKENINGEN_ITEM_AARD	string			
BERICHT_BETREFT_TEKENINGEN_ITEM_BEDRAG_TRANSACTIES_OMLEVERING_SOM	decimal			
BERICHT_BETREFT_TEKENINGEN_ITEM_BEDRAG_TRANSACTIES_OM	string			

Name	Data Type	Label	Required	Documentation
_LEVERING_VALUTA				
BERICHT_BETREFT_TEKENINGEN_I TEM_BEDRAG_VORDERINGSBESL AG_SOM	decimal			
BERICHT_BETREFT_TEKENINGEN_I TEM_BEDRAG_VORDERINGSBESL AG_VALUTA	string			
BERICHT_BETREFT_TEKENINGEN_I TEM_BEDRAG_ZEKERHEIDSTELLI NG_HYPOTHEEK_SOM	decimal			
BERICHT_BETREFT_TEKENINGEN_I TEM_BEDRAG_ZEKERHEIDSTELLI NG_HYPOTHEEK_VALUTA	string			
BERICHT_BETREFT_TEKENINGEN_I TEM_IDENTIFICATIE	string			
BERICHT_BETREFT_TEKENINGEN_I TEM_OMSCHRIJVING_GEKOZEN_ WOONPLAATS	string			
BERICHT_BETREFT_TEKENINGEN_I TEM_OMSCHRIJVING_KADASTRA LE_OBJECTEN	string			
BERICHT_BETREFT_TEKENINGEN_I TEM_VERMELD_IN	string			
BERICHT_BETREFT_TOELICHTING_ BEWAARDER	string			
BERICHT_BETREFT_TOESTANDSD ATUM_ONDERZOEK_ERFDIENSTB AARHEDEN	datetime			
BERICHT_BETREFT_TYPE	string			
BERICHT_BETREFT_UIN	string			
BERICHT_BETREFT_VERMELD_IN_I TEM_AANVULLING_OP	string			
BERICHT_BETREFT_VERMELD_IN_I TEM_AARD	string			
BERICHT_BETREFT_VERMELD_IN_I TEM_BEDRAG_TRANSACTIES_OM _LEVERING_SOM	decimal			
BERICHT_BETREFT_VERMELD_IN_I TEM_BEDRAG_TRANSACTIES_OM _LEVERING_VALUTA	string			
BERICHT_BETREFT_VERMELD_IN_I TEM_BEDRAG_VORDERINGSBESL AG_SOM	decimal			
BERICHT_BETREFT_VERMELD_IN_I TEM_BEDRAG_VORDERINGSBESL AG_VALUTA	string			
BERICHT_BETREFT_VERMELD_IN_I TEM_BEDRAG_ZEKERHEIDSTELLI NG_HYPOTHEEK_SOM	decimal			
BERICHT_BETREFT_VERMELD_IN_I TEM_BEDRAG_ZEKERHEIDSTELLI NG_HYPOTHEEK_VALUTA	string			

Name	Data Type	Label	Required	Documentation
BERICHT_BETREFT_VERMELD_IN_ITEM_IDENTIFICATIE	string			
BERICHT_BETREFT_VERMELD_IN_ITEM_OMSCHRIJVING_GEKOZEN_WOONPLAATS	string			
BERICHT_BETREFT_VERMELD_IN_ITEM_OMSCHRIJVING_KADASTRALE_OBJECTEN	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_AARD	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BELAST_MET	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BEPERKT_TOT	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BESTEMT_TOT_GEBASEERD_OP	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BESTEMT_TOT_HOORT_BIJ	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BESTEMT_TOT_IDENTIFICATIE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_GEBASEERD_OP	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_IDENTIFICATIE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_IDENTIFICATIE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_TYPE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_AANVULLINGEN	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_DOSSIER_NUMMER	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_IDENTIFICATIE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_INDICATIE_BESCHIKKINGSBEVOEGDHEID	boolean			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	int64			

Name	Data Type	Label	Required	Documentation
NIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER				
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEVOEGING	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_LAND	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_LAND	string			

Name	Data Type	Label	Required	Documentation
OCCASIE_LOCATIE_BUITENLAND_REGION				
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_RECHTSVORM	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_RSIN	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_STATUTAIRE_NAAM	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_STATUTAIRE_ZETEL	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_VERMELDING_IN	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			

Name	Data Type	Label	Required	Documentation
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEV_OEGING	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_LAND	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_REGIO	string			

Name	Data Type	Label	Required	Documentation
NIGING_VAN_EIGENAREN_WOON LOCATIE_LOCATIE_BUITENLAND_ WOONPLAATS				
BERICHT_ERFPACHTCANON_ITEM _BETREFT_BETROKKEN_BIJ_VERE NIGING_VAN_EIGENAREN_WOON LOCATIE_LOCATIE_POSTBUS_IDE NTIFICATIE	string			
BERICHT_ERFPACHTCANON_ITEM _BETREFT_BETROKKEN_BIJ_VERE NIGING_VAN_EIGENAREN_WOON LOCATIE_LOCATIE_POSTBUS_PO STBUS_NUMMER	string			
BERICHT_ERFPACHTCANON_ITEM _BETREFT_BETROKKEN_BIJ_VERE NIGING_VAN_EIGENAREN_WOON LOCATIE_LOCATIE_POSTBUS_PO STCODE	string			
BERICHT_ERFPACHTCANON_ITEM _BETREFT_BETROKKEN_BIJ_VERE NIGING_VAN_EIGENAREN_WOON LOCATIE_LOCATIE_POSTBUS_WO ONPLAATS	string			
BERICHT_ERFPACHTCANON_ITEM _BETREFT_IDENTIFICATIE	string			
BERICHT_ERFPACHTCANON_ITEM _BETREFT_INDICATIE_SPLITSING_ BETROKKEN	boolean			
BERICHT_ERFPACHTCANON_ITEM _BETREFT_ONROERENDE_ZAAK_ AANTEKENINGEN_WKPB	string			
BERICHT_ERFPACHTCANON_ITEM _BETREFT_ONROERENDE_ZAAK_ AANVULLINGEN	string			
BERICHT_ERFPACHTCANON_ITEM _BETREFT_ONROERENDE_ZAAK_ AARD_CULTUUR_BEBOUWD	string			
BERICHT_ERFPACHTCANON_ITEM _BETREFT_ONROERENDE_ZAAK_ AARD_CULTUUR_ONBEBOUWD	string			
BERICHT_ERFPACHTCANON_ITEM _BETREFT_ONROERENDE_ZAAK_ AARD	string			
BERICHT_ERFPACHTCANON_ITEM _BETREFT_ONROERENDE_ZAAK_ ADRESSEN	string			
BERICHT_ERFPACHTCANON_ITEM _BETREFT_ONROERENDE_ZAAK_ BELAST_MET	string			
BERICHT_ERFPACHTCANON_ITEM _BETREFT_ONROERENDE_ZAAK_ HISTORIE_LOGISCH_TIJDSTIP_ONT STAAN	datetime			
BERICHT_ERFPACHTCANON_ITEM _BETREFT_ONROERENDE_ZAAK_	datetime			

Name	Data Type	Label	Required	Documentation
HISTORIE_LOGISCH_TJJDSTIP_VERVALLEN				
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_HISTORIE_STATUS_HISTORIE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_HISTORIE_TECHNISCH_TJJDSTIP_ONTSTAAN	datetime			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_HISTORIE_TECHNISCH_TJJDSTIP_VERVALLLEN	datetime			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_HISTORIE_VOLGNUMMER	int64			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_IDENTIFICATIE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_IDENTIFICATIE_GEDEELTELIJK_BEZWAARD_OUD_OBJECT	boolean			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_IDENTIFICATIE_GESPLITST	boolean			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_IDENTIFICATIE_TWEEDE_SPLITSING	boolean			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_IDENTIFICATIE_VOORGENOMEN_AANTEKENING	boolean			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_IDENTIFICATIE_VOORLOPIGE_AANTEKENING	boolean			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_APPARTEMENTSRECHT_VOLGNUMMER	int64			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_KADASTRALE_GEMEENTE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_PERCEELNUMMER	int64			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_SECTIE	string			

Name	Data Type	Label	Required	Documentation
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_KADASTRALE_GROOTTE_SOORT_GROOTTE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_KADASTRALE_GROOTTE_WAARDE	decimal			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_KOOPSOM_BEDRAG_SOM	decimal			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_KOOPSOM_BEDRAG_VALUTA	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_KOOPSOM_INDICATIE_MEER_OBJECTEN	boolean			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_KOOPSOM_KOOPDATUM	datetime			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_KOOPSOM_KOOPJAAR	int32			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_OMSCHRIJVING_ONDERZOEK_ERFDIENSTBAARHEDEN	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_OMSCHRIJVING	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_ONTSTAAN_UIT	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_OVERGEGAAN_IN	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_PLAATSCOORDINATEN_DESCRIPTION	int64			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_PLAATSCOORDINATEN_IDENTIFIEER	int64			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_PLAATSCOORDINATEN_NAME	int64			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_PLAATSCOORDINATEN_RD_COORDINATAAT_X	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_	string			

Name	Data Type	Label	Required	Documentation
PLAATSCOORDINATEN_RD_COORDINAAT_Y				
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_TEKENINGEN	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_TOELICHTING_BEWAARDER	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_TOESTANDSDATUM_ONDERZOEK_ERFDIENSTBAARHEDEN	datetime			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_TYPE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_UIN	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_VERMELD_IN	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN_UIT_GEBASEERD_OP	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN_UIT_IDENTIFICATIE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN_UIT_TYPE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_AANVULLINGEN	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_DOSSIER_NUMMER	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_IDENTIFICATIE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_INDICATIE_BESCHIKKINGSBEVOEGDHEID	boolean			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			

Name	Data Type	Label	Required	Documentation
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT_VERENIGING VAN EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEVOEGING	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT_VERENIGING VAN EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT_VERENIGING VAN EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IJN_ONDERZOEK	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT_VERENIGING VAN EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT_VERENIGING VAN EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT_VERENIGING VAN EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT_VERENIGING VAN EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT_VERENIGING VAN EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT_VERENIGING VAN EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT_VERENIGING VAN EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_LAND	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT_VERENIGING VAN EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_REGION	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT_VERE	string			

Name	Data Type	Label	Required	Documentation
NIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS				
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_RECHTSVORM	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_RSIN	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_STATUTAIRE_NAAM	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_STATUTAIRE_ZETEL	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_VERMELDING	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEVOEING	string			

Name	Data Type	Label	Required	Documentation
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT_VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE BINNENLAND_IDENTIFICATIE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT_VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE BINNENLAND_IN_ONDERZOEK	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT_VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE BINNENLAND_POSTCODE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT_VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE BINNENLAND_STRAATNAAM	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT_VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE BINNENLAND_WOONPLAATS	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT_VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE BUITENLAND_ADRES_REGELS	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT_VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE BUITENLAND_ADRES	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT_VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE BUITENLAND_IDENTIFICATIE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT_VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE BUITENLAND_LAND	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT_VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE BUITENLAND_REGIO	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT_VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE BUITENLAND_WOONPLAATS	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT_VERE	string			

Name	Data Type	Label	Required	Documentation
NIGING_VAN_EIGENAREN_WOON LOCATIE_LOCATIE_POSTBUS_IDE NTIFICATIE				
BERICHT_ERFPACHTCANON_ITEM _BETREFT_ONTSTAAN UIT_VERE NIGING_VAN_EIGENAREN_WOON LOCATIE_LOCATIE_POSTBUS_PO STBUS_NUMMIER	string			
BERICHT_ERFPACHTCANON_ITEM _BETREFT_ONTSTAAN UIT_VERE NIGING_VAN_EIGENAREN_WOON LOCATIE_LOCATIE_POSTBUS_PO STCODE	string			
BERICHT_ERFPACHTCANON_ITEM _BETREFT_ONTSTAAN UIT_VERE NIGING_VAN_EIGENAREN_WOON LOCATIE_LOCATIE_POSTBUS_WO ONPLAATS	string			
BERICHT_ERFPACHTCANON_ITEM _EINDDATUM_AFKOOP	datetime			
BERICHT_ERFPACHTCANON_ITEM _GEBASEERD_OP_AANVULLING_ OP	string			
BERICHT_ERFPACHTCANON_ITEM _GEBASEERD_OP_AARD	string			
BERICHT_ERFPACHTCANON_ITEM _GEBASEERD_OP_BEDRAG_TRA NSACTIES_OM_LEVERING_SOM	decimal			
BERICHT_ERFPACHTCANON_ITEM _GEBASEERD_OP_BEDRAG_TRA NSACTIES_OM_LEVERING_VALUT A	string			
BERICHT_ERFPACHTCANON_ITEM _GEBASEERD_OP_BEDRAG_VOR DERINGSBESLAG_SOM	decimal			
BERICHT_ERFPACHTCANON_ITEM _GEBASEERD_OP_BEDRAG_VOR DERINGSBESLAG_VALUTA	string			
BERICHT_ERFPACHTCANON_ITEM _GEBASEERD_OP_BEDRAG_ZEKE RHEIDSSTELLING_HYPOTHEEK_S OM	decimal			
BERICHT_ERFPACHTCANON_ITEM _GEBASEERD_OP_BEDRAG_ZEKE RHEIDSSTELLING_HYPOTHEEK_V ALUTA	string			
BERICHT_ERFPACHTCANON_ITEM _GEBASEERD_OP_IDENTIFICATIE	string			
BERICHT_ERFPACHTCANON_ITEM _GEBASEERD_OP_OMSCHRIJVING _GEKOZEN_WOONPLAATS	string			
BERICHT_ERFPACHTCANON_ITEM _GEBASEERD_OP_OMSCHRIJVING _KADASTRALE_OBJECTEN	string			

Name	Data Type	Label	Required	Documentation
BERICHT_ERFPACHTCANON_ITEM_GEBASEERD_OP_VERMELD_IN	string			
BERICHT_ERFPACHTCANON_ITEM_IDENTIFICATIE	string			
BERICHT_ERFPACHTCANON_ITEM_INDICATIE_OUDE_ONROERENDE_ZAAK_BETROKKEN	boolean			
BERICHT_ERFPACHTCANON_ITEM_JAARLIJKS_BEDRAG_BEDRAG_SOM	decimal			
BERICHT_ERFPACHTCANON_ITEM_JAARLIJKS_BEDRAG_BEDRAG_VALUTA	string			
BERICHT_ERFPACHTCANON_ITEM_JAARLIJKS_BEDRAG_BETREFT_MEER_ONROERENDE_ZAKEN	boolean			
BERICHT_ERFPACHTCANON_ITEM_SOORT	string			
BERICHT_ERFPACHTCANON_ITEM_VERMELD_IN	string			
BERICHT_PRODUCTIENUMMER	string			
BERICHT_SIGNALERING_TIJDSTIP_BESLAGEN	datetime			
BERICHT_SIGNALERING_TIJDSTIP_HYPOTHECAIR	datetime			
BERICHT_SIGNALERING_TIJDSTIP_KADASTRAAL	datetime			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_AARD	string			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_DEEL_EN_NUMMER_DEEL	string			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_DEEL_EN_NUMMER_NUMMER	string			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_DEEL_EN_NUMMER_REEKS	string			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_DEEL_EN_NUMMER_REGISTERCODE	string			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_DEEL_EN_NUMMER_SOORT_REGISTER	string			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_IDENTIFICATIE	string			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_INDICATIE_ALLE_OBJECTEN_BETROKKEN	boolean			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_STATUS_STUK_OR	string			

Name	Data Type	Label	Required	Documentation
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_STUKDELEN	string			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_TIJDSTIP_AANBIEDING	datetime			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_TIJDSTIP_ONDERTEKENING	datetime			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_TOELICHTING_BEWAARDEDER	string			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_VERKLARING_BEWAARDEDER	string			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_VERZOEKEN	string			
BERICHT_TENAAMSTELLINGEN_ITEM_AANDEEL_NOEMER	int64			
BERICHT_TENAAMSTELLINGEN_ITEM_AANDEEL_TELLER	int64			
BERICHT_TENAAMSTELLINGEN_ITEM_BETROKKEN_PARTNER_NATUURLIJK_PERSONEN	string			
BERICHT_TENAAMSTELLINGEN_ITEM_BETROKKEN_PARTNER_NIET_NATUURLIJK_PERSONEN	string			
BERICHT_TENAAMSTELLINGEN_ITEM_BETROKKEN_SAMENWERKINGSVERBAND_NATUURLIJK_PERSONEN	string			
BERICHT_TENAAMSTELLINGEN_ITEM_BETROKKEN_SAMENWERKINGSVERBAND_NIET_NATUURLIJK_PERSONEN	string			
BERICHT_TENAAMSTELLINGEN_ITEM_BURGERLIJKE_STAAT_TEN_TIJDDE_VAN_VERKRIJGING	string			
BERICHT_TENAAMSTELLINGEN_ITEM_GEBASEERD_OP	string			
BERICHT_TENAAMSTELLINGEN_ITEM_GELDT_VOOR_AANDEEL_NOEMER	int64			
BERICHT_TENAAMSTELLINGEN_ITEM_GELDT_VOOR_AANDEEL_TELLER	int64			
BERICHT_TENAAMSTELLINGEN_ITEM_GELDT_VOOR_IDENTIFICATIE	string			
BERICHT_TENAAMSTELLINGEN_ITEM_IDENTIFICATIE	string			
BERICHT_TENAAMSTELLINGEN_ITEM_OMSCHRIJVING	string			
BERICHT_TENAAMSTELLINGEN_ITEM_TEN_NAME VAN NATUURLIJK	string			

Name	Data Type	Label	Required	Documentation
K_PERSONEN				
BERICHT_TENAAMSTELLINGEN_ITEM_TEN_NAME_VAN_NIET_NATUURLIJK_PERSONEN	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_AARD	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BELAST_MET	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BEPERKT_TOT	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BESTEMT_TOT_GEBASEERD_OP	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BESTEMT_TOT_HOORT_BIJ	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BESTEMT_TOT_IDENTIFICATIE	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_GEBASEERD_OP	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_IDENTIFICATIE	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_TYPE	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_AANVULLINGEN	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_DOSSIER_NUMMER	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_IDENTIFICATIE	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_INDICATIE_BESCHIKKINGSBEVOEGDHEID	boolean			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISLETTEN	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			

Name	Data Type	Label	Required	Documentation
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEVROEGING	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_INONDERZOEK	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_LAND	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_REGION	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VEREN	string			

Name	Data Type	Label	Required	Documentation
IGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS				
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_RECHTSVORM	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_RSIN	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_STATUTAIRE_NAAM	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_STATUTAIRE_ZETEL	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_VERMELDING_IN	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEVOEGING	string			

Name	Data Type	Label	Required	Documentation
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_BETROKKEN_BIJ_VEREN IGING_VAN_EIGENAREN_WOONL OCATIE_LOCATIE_BINNENLAND_I DENTIFICATIE	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_BETROKKEN_BIJ_VEREN IGING_VAN_EIGENAREN_WOONL OCATIE_LOCATIE_BINNENLAND_I N_ONDERZOEK	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_BETROKKEN_BIJ_VEREN IGING_VAN_EIGENAREN_WOONL OCATIE_LOCATIE_BINNENLAND_P OSTCODE	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_BETROKKEN_BIJ_VEREN IGING_VAN_EIGENAREN_WOONL OCATIE_LOCATIE_BINNENLAND_S TRAATNAAM	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_BETROKKEN_BIJ_VEREN IGING_VAN_EIGENAREN_WOONL OCATIE_LOCATIE_BINNENLAND_ WOONPLAATS	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_BETROKKEN_BIJ_VEREN IGING_VAN_EIGENAREN_WOONL OCATIE_LOCATIE_BUITENLAND_A DRES_REGELS	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_BETROKKEN_BIJ_VEREN IGING_VAN_EIGENAREN_WOONL OCATIE_LOCATIE_BUITENLAND_A DRES	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_BETROKKEN_BIJ_VEREN IGING_VAN_EIGENAREN_WOONL OCATIE_LOCATIE_BUITENLAND_ID ENTIFICATIE	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_BETROKKEN_BIJ_VEREN IGING_VAN_EIGENAREN_WOONL OCATIE_LOCATIE_BUITENLAND_L AND	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_BETROKKEN_BIJ_VEREN IGING_VAN_EIGENAREN_WOONL OCATIE_LOCATIE_BUITENLAND_R EGIO	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_BETROKKEN_BIJ_VEREN IGING_VAN_EIGENAREN_WOONL OCATIE_LOCATIE_BUITENLAND_ WOONPLAATS	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_BETROKKEN_BIJ_VEREN	string			

Name	Data Type	Label	Required	Documentation
IGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE				
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_IDENTIFICATIE	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_INDICATIE_SPLITSING_BETROKKEN	boolean			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_AANTEKENINGEN_WKPB	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_AANVULLINGEN	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_AARD_CULTUUR_BEBOUWD	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_AARD_CULTUUR_ONBEBOUWD	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_AARD	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_AARDRESSEN	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_BELAST_MET	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_LOGISCH_TIJDSTIP_ONTSTAAN	datetime			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_LOGISCH_TIJDSTIP_VERVALLEN	datetime			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_STATUS_HISTORIE	string			

Name	Data Type	Label	Required	Documentation
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_TECHNISCH_TUJDSTIP_ONTSTAAN	datetime			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_TECHNISCH_TUJDSTIP_VERVALLLEN	datetime			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_VOLGNUMMER	int64			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_IDENTIFICATIE	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_INDICATIE_GEDEELTELIIK_BEZWAARD_OUD_OBJECT	boolean			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_INDICATIE_GESPLITST	boolean			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_INDICATIE_TWEEDE_SPLITSING	boolean			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_INDICATIE_VOORGENOMEN_AANTEKENING	boolean			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_INDICATIE_VOORLOPIGE_AANTEKENING	boolean			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_APPARTEMENTSRECHT_VOLGNUMMER	int64			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_KADASTRALE_GEMEENTE	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_PERCEELNUMMER	int64			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_SECTIE	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KADASTRALE_GROOTTE_SOORT_GROOTTE	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KADASTRALE_GROOTTE_WAARDE	decimal			

Name	Data Type	Label	Required	Documentation
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_K OOPSOM_BEDRAG_SOM	decimal			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_K OOPSOM_BEDRAG_VALUTA	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_K OOPSOM_INDICATIE_MEER_OBJEC TEN	boolean			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_K OOPSOM_KOOPD A T U M	datetime			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_K OOPSOM_KOOPJ A A R	int32			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_O MSCHRIJVING_ONDERZOEK_ERFD IENSTBAARHEDEN	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_O MSCHRIJVING	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_O NTSTAAN_UIT	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_O VERGEGAAN_IN	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_P LAATSCOORDINATEN_DESCRIP TI ON	int64			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_P LAATSCOORDINATEN_IDENTIFIE R	int64			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_P LAATSCOORDINATEN_NAME	int64			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_P LAATSCOORDINATEN_RD_COOR DINAAT_X	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_P LAATSCOORDINATEN_RD_COOR DINAAT_Y	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_T EKENINGEN	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_T OELICHTING_BEWAARDER	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_T	datetime			

Name	Data Type	Label	Required	Documentation
OESTANDSDATUM_ONDERZOEK_ERFDIENSTBAARHEDEN				
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_TYPE	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_UIN	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_VERMELD_IN	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_GEBASFEERD_OP	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_IDENTIFICATIE	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_TYPE	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_AANVULLINGEN	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_DOSSIER_NUMMER	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_IDENTIFICATIE	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_INDICATIE_BESCHIKKINGSBEVOEGDHEID	boolean			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEVUEGING	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			

Name	Data Type	Label	Required	Documentation
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_POSTLO CATIE_LOCATIE_BINNENLAND_IN_ ONDERZOEK	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_POSTLO CATIE_LOCATIE_BINNENLAND_PO STCODE	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_POSTLO CATIE_LOCATIE_BINNENLAND_ST RAATNAAM	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_POSTLO CATIE_LOCATIE_BINNENLAND_W OONPLAATS	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_POSTLO CATIE_LOCATIE_BUITENLAND_AD RES_REGELS	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_POSTLO CATIE_LOCATIE_BUITENLAND_AD RES	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_POSTLO CATIE_LOCATIE_BUITENLAND_IDE NTIFICATIE	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_POSTLO CATIE_LOCATIE_BUITENLAND_LA ND	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_POSTLO CATIE_LOCATIE_BUITENLAND_RE GIO	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_POSTLO CATIE_LOCATIE_BUITENLAND_W OONPLAATS	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_POSTLO CATIE_LOCATIE_POSTBUS_IDENTI FICATIE	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI	string			

Name	Data Type	Label	Required	Documentation
GING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER				
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_RECHTSVORM	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_RSIN	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_STATUTAIRE_NAAM	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_STATUTAIRE_ZETEL	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_VERMELDING_IN	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEV OEGING	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IDE NTIFICATIE	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IN ONDERZOEK	string			

Name	Data Type	Label	Required	Documentation
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_WOONLO CATIE_LOCATIE_BINNENLAND_PO STCODE	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_WOONLO CATIE_LOCATIE_BINNENLAND_ST RAATNAAM	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_WOONLO CATIE_LOCATIE_BINNENLAND_W OONPLAATS	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_WOONLO CATIE_LOCATIE_BUITENLAND_AD RES_REGELS	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_WOONLO CATIE_LOCATIE_BUITENLAND_AD RES	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_WOONLO CATIE_LOCATIE_BUITENLAND_IDE NTIFICATIE	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_WOONLO CATIE_LOCATIE_BUITENLAND_LA ND	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_WOONLO CATIE_LOCATIE_BUITENLAND_RE GIO	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_WOONLO CATIE_LOCATIE_BUITENLAND_W OONPLAATS	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_WOONLO CATIE_LOCATIE_POSTBUS_IDENTI FICATIE	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_WOONLO CATIE_LOCATIE_POSTBUS_POST BUS_NUMMER	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI	string			

Name	Data Type	Label	Required	Documentation
GING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTCODE				
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN UIT Vereniging_Van_Eigenaren_Woonlocatie_Locatie_Postbus_Woonplaats	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VERKLARING_INZAKE_DERDEN_BESCHERMING	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VERKREGEN_NAMENS_SAMENWERKINGSVERBAND	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VERMELD_IN	string			
BERICHT_TIJDSTIP_SAMENSTELLING_BERICHT	datetime			
BERICHT_ZAKELIJK_RECHTEN_ITEM_AARD	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BELAST_MET	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BEPERKT_TOT	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BESTEMT_TOT_GEBASEERD_OP	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BESTEMT_TOT_HOORT_BIJ	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BESTEMT_TOT_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_GEBASEERD_OP	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_TYPE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_AANVULLINGEN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_DOSSIER_NUMMER	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_INDICATIE_BESCHIKKINGSBEVOEGDHEID	boolean			

Name	Data Type	Label	Required	Documentation
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISLETT ER	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUM MER	int64			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUM MERTOEVOEGING	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IDENTIFIC ATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IN_ONDER ZOEK	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_POSTCOD E	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_STRAATN AAM	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_WOONPL AATS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_ADRES_R EGELS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_IDENTIFIC ATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_	string			

Name	Data Type	Label	Required	Documentation
VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_LAND				
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_RECHTSVORM	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_RSIN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_STATUTAIRE_NAAM	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_STATUTAIRE_ZEDEL	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_VERMELD_IN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			

Name	Data Type	Label	Required	Documentation
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUM_MERTOEVOEGING	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_LAND	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			

Name	Data Type	Label	Required	Documentation
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_INDICATIE_SPLITSING_BETROKKEN	boolean			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_AANTEKENINGEN_WKPB	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_AANVULLINGEN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_AARD_CULTUUR_BEBOUWD	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_AARD_CULTUUR_ONBEBOUWD	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_AARD	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_ADRESSEN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_BELASTMET	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_LOGISCH_TIJDSTIP_ONTSTAAN	datetime			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_LOGISCH_TIJDSTIP_VERVALLEN	datetime			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_STATUS_HISTORIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE	datetime			

Name	Data Type	Label	Required	Documentation
_TECHNISCH_TIJDSTIP_ONTSTAA N				
BERICHT_ZAKELIJK_RECHTEN_ITE M_ONROERENDE_ZAAK_HISTORIE _TECHNISCH_TIJDSTIP_VERVALLE N	datetime			
BERICHT_ZAKELIJK_RECHTEN_ITE M_ONROERENDE_ZAAK_HISTORIE _VOLGNUMMER	int64			
BERICHT_ZAKELIJK_RECHTEN_ITE M_ONROERENDE_ZAAK_IDENTIFIC ATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITE M_ONROERENDE_ZAAK_INDICATI E_GEDEELTELIJK_BEZWAARD_OU D_OBJECT	boolean			
BERICHT_ZAKELIJK_RECHTEN_ITE M_ONROERENDE_ZAAK_INDICATI E_GESPLITST	boolean			
BERICHT_ZAKELIJK_RECHTEN_ITE M_ONROERENDE_ZAAK_INDICATI E_TWEEDE_SPLITSING	boolean			
BERICHT_ZAKELIJK_RECHTEN_ITE M_ONROERENDE_ZAAK_INDICATI E_VOORGENOMEN_AANTEKENIN G	boolean			
BERICHT_ZAKELIJK_RECHTEN_ITE M_ONROERENDE_ZAAK_INDICATI E_VOORLOPIGE_AANTEKENING	boolean			
BERICHT_ZAKELIJK_RECHTEN_ITE M_ONROERENDE_ZAAK_KADAST RALE_AANDUIDING_APPARTEMEN TSRECHT_VOLGNUMMER	int64			
BERICHT_ZAKELIJK_RECHTEN_ITE M_ONROERENDE_ZAAK_KADAST RALE_AANDUIDING_KADASTRAL E_GEMEENTE	string			
BERICHT_ZAKELIJK_RECHTEN_ITE M_ONROERENDE_ZAAK_KADAST RALE_AANDUIDING_PERCEELNUM MER	int64			
BERICHT_ZAKELIJK_RECHTEN_ITE M_ONROERENDE_ZAAK_KADAST RALE_AANDUIDING_SECTIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITE M_ONROERENDE_ZAAK_KADAST RALE_GROOTTE_SOORT_GROOT TE	string			
BERICHT_ZAKELIJK_RECHTEN_ITE M_ONROERENDE_ZAAK_KADAST RALE_GROOTTE_WAARDE	decimal			
BERICHT_ZAKELIJK_RECHTEN_ITE M_ONROERENDE_ZAAK_KOOPSO M_BEDRAG_SOM	decimal			

Name	Data Type	Label	Required	Documentation
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSO M_BEDRAG_VALUTA	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSO M_INDICATIE_MEER_OBJECTEN	boolean			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSO M_KOOPDATUM	datetime			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSO M_KOOPJAAR	int32			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_OMSCHR IJVING_ONDERZOEK_ERFDIENSTB AARHEDEN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_OMSCHR IJVING	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_ONTSTA AN_UT	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_OVERGE GAAN_IN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATS COORDINATEN_DESCRIPTION	int64			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATS COORDINATEN_IDENTIFIER	int64			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATS COORDINATEN_NAME	int64			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATS COORDINATEN_RD_COORDINAAT _X	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATS COORDINATEN_RD_COORDINAAT _Y	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_TEKENIN GEN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_TOELICH TING_BEWAARDER	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_TOESTA NDSDATUM_ONDERZOEK_ERFDIE NSTBAARHEDEN	datetime			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_TYPE	string			

Name	Data Type	Label	Required	Documentation
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_UIN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_VERMELD_IN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_GEBASEERD_OP	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_TYPE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING VAN_EIGENAREN_AANVULLINGEN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING VAN_EIGENAREN_DOSSIER_NUMMER	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING VAN_EIGENAREN_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING VAN_EIGENAREN_INDICATIE_BESCHIKKINGSBEVOEGDHEID	boolean			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING VAN_EIGENAREN_POSTLOCATIE LOCATIE_BINNENLAND_HUISLETT ER	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING VAN_EIGENAREN_POSTLOCATIE LOCATIE_BINNENLAND_HUISNUMMER	int64			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING VAN_EIGENAREN_POSTLOCATIE LOCATIE_BINNENLAND_HUISNUMMERTOEOVOEGING	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING VAN_EIGENAREN_POSTLOCATIE LOCATIE_BINNENLAND_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING VAN_EIGENAREN_POSTLOCATIE LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING VAN_EIGENAREN_POSTLOCATIE_	string			

Name	Data Type	Label	Required	Documentation
LOCATIE_BINNENLAND_POSTCODE				
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE LOCATIE_BINNENLAND_STRAATNAAM	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE LOCATIE_BINNENLAND_WOONPLAATS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE LOCATIE_BUITENLAND_ADRES_REGIONALS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE LOCATIE_BUITENLAND_ADRES	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE LOCATIE_BUITENLAND_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE LOCATIE_BUITENLAND_LAND	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE LOCATIE_BUITENLAND_REGIO	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE LOCATIE_BUITENLAND_WOONPLAATS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE LOCATIE_POSTBUS_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE LOCATIE_POSTBUS_POSTCODE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE LOCATIE_POSTBUS_WOONPLAATS	string			

Name	Data Type	Label	Required	Documentation
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN RECHTSVORM	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN RSIN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN STATUTAIRE NAAM	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN STATUTAIRE ZETEL	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN VERMELD IN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE BINNENLAND HUISLETTER	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE BINNENLAND HUISNUMMER	int64			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE BINNENLAND HUISNUMMERTOEOVOEGING	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE BINNENLAND IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE BINNENLAND IN ONDERZOEK	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE BINNENLAND POSTCODE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE BINNENLAND STRAATNAAM	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE BINNENLAND WOONPLAATS	string			

Name	Data Type	Label	Required	Documentation
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE BUITENLAND ADRES REGELS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE BUITENLAND ADRES	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE BUITENLAND IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE BUITENLAND LAND	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE BUITENLAND REGIO	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE BUITENLAND WOONPLAATS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE POSTBUS IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE POSTBUS POSTBUS NUMMER	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE POSTBUS POSTCODE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE POSTBUS WOONPLAATS	string			
DOCUMENT	byte[]	Document		
OVERGEGAAN_IN_ACTUALITEIT TIJDSTIP_HYPOTHECAIR	datetime			
OVERGEGAAN_IN_ACTUALITEIT TIJDSTIP_KADASTRAAL	datetime			
OVERGEGAAN_IN_BETREFT_AAN TEKeningen_WKPB_ITEM_DATUM IN_WERKING	string			
OVERGEGAAN_IN_BETREFT_AAN TEKeningen_WKPB_ITEM_GEMEE	string			

Name	Data Type	Label	Required	Documentation
NTELIJKE_REGISTRATIE_ID				
OVERGEGAAN_IN_BETREFT_AAN TEKENINGEN_WKPB_ITEM_NUMME R	string			
OVERGEGAAN_IN_BETREFT_AAN TEKENINGEN_WKPB_ITEM_OMSCH RIJVING_PUBLIEKRECHTELIJKE_BE PERKING	string			
OVERGEGAAN_IN_BETREFT_AAN TEKENINGEN_WKPB_ITEM_OMSCH RIJVING	string			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_ STUK_AARD	string			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_ STUK_DEEL_EN_NUMMER_DEEL	string			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_ STUK_DEEL_EN_NUMMER_NUMME R	string			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_ STUK_DEEL_EN_NUMMER_REEKS	string			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_ STUK_DEEL_EN_NUMMER_REGIST ERCODE	string			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_ STUK_DEEL_EN_NUMMER_SOORT _REGISTER	string			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_ STUK_IDENTIFICATIE	string			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_ STUK_INDICATIE_ALLE_OBJECTEN _BETROKKEN	boolean			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_ STUK_STATUS_STUK_OR	string			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_ STUK_STUKDELEN	string			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_ STUK_TIJDSTIP_AANBIEDING	datetime			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_ STUK_TIJDSTIP_ONDERTEKENING	datetime			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_ STUK_TOELICHTING_BEWAARDE	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_BETREFT_AAN_VULLINGEN_ITEM_AANGEBODEN_STUK_VERKLARING_BEWAARDE_R	string			
OVERGEGAAN_IN_BETREFT_AAN_VULLINGEN_ITEM_AANGEBODEN_STUK_VERZOEKEN	string			
OVERGEGAAN_IN_BETREFT_AAN_VULLINGEN_ITEM_TYPE	string			
OVERGEGAAN_IN_BETREFT_AARD_CULTUUR_BEBOUWD	string			
OVERGEGAAN_IN_BETREFT_AARD_CULTUUR_ONBEBOUWD	string			
OVERGEGAAN_IN_BETREFT_AARD	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BINNENLAND_HUISLETTER	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BINNENLAND_HUISNUMMER	int64			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BINNENLAND_HUISNUMMERTOEVOEING	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BINNENLAND_POSTCODE	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BINNENLAND_STRAATNAAM	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BINNENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BUITENLAND_ADRES_REGELS	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BUITENLAND_ADRES	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BUITENLAND_LAND	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BUITENLAND	string			

Name	Data Type	Label	Required	Documentation
ND_REGIO				
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_BUITENLA ND_WOONPLAATS	string			
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_POSTBUS_ IDENTIFICATIE	string			
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_POSTBUS_ POSTBUS_NUMMER	string			
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_POSTBUS_ POSTCODE	string			
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_POSTBUS_ WOONPLAATS	string			
OVERGEGAAN_IN_BETREFT_BEL AST_MET_ITEM_BEDRAG_SOM	decimal			
OVERGEGAAN_IN_BETREFT_BEL AST_MET_ITEM_BEDRAG_VALUT A	string			
OVERGEGAAN_IN_BETREFT_BEL AST_MET_ITEM_EINDJAAR	int64			
OVERGEGAAN_IN_BETREFT_HIST ORIE_LOGISCH_TIJDSTIP_ONTSTA AN	datetime			
OVERGEGAAN_IN_BETREFT_HIST ORIE_LOGISCH_TIJDSTIP_VERVAL LEN	datetime			
OVERGEGAAN_IN_BETREFT_HIST ORIE_STATUS_HISTORIE	string			
OVERGEGAAN_IN_BETREFT_HIST ORIE_TECHNISCH_TIJDSTIP_ONTS TAAN	datetime			
OVERGEGAAN_IN_BETREFT_HIST ORIE_TECHNISCH_TIJDSTIP_VERV ALLEN	datetime			
OVERGEGAAN_IN_BETREFT_HIST ORIE_VOLGNUMMER	int64			
OVERGEGAAN_IN_BETREFT_IDEN TIFICATIE	string			
OVERGEGAAN_IN_BETREFT_INDIC ATIE_GEDEELTELIJK_BEZWAARD _OUD_OBJECT	boolean			
OVERGEGAAN_IN_BETREFT_INDIC ATIE_GESPLITST	boolean			
OVERGEGAAN_IN_BETREFT_INDIC ATIE_TWEEDDE_SPLITSING	boolean			
OVERGEGAAN_IN_BETREFT_INDIC ATIE_VOORGENOMEN_AANTEKEN ING	boolean			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_BETREFT_INDICATIE_VOORLOPIGE_AANTEKENING	boolean			
OVERGEGAAN_IN_BETREFT_KADASTRALE_AANDUIDING_APPARTEMENTSRECHT_VOLGNUMMER	int64			
OVERGEGAAN_IN_BETREFT_KADASTRALE_AANDUIDING_KADASTRALE_GEMEENTE	string			
OVERGEGAAN_IN_BETREFT_KADASTRALE_AANDUIDING_PERCEELNUMMER	int64			
OVERGEGAAN_IN_BETREFT_KADASTRALE_AANDUIDING_SECTIE	string			
OVERGEGAAN_IN_BETREFT_KADASTRALE_GROOTTE_SOORT_GROOTTE	string			
OVERGEGAAN_IN_BETREFT_KADASTRALE_GROOTTE_WAARDE	decimal			
OVERGEGAAN_IN_BETREFT_KOOP SOM_BEDRAG_SOM	decimal			
OVERGEGAAN_IN_BETREFT_KOOP SOM_BEDRAG_VALUTA	string			
OVERGEGAAN_IN_BETREFT_KOOP SOM_INDICATIE_MEER_OBJEKTEN	boolean			
OVERGEGAAN_IN_BETREFT_KOOP SOM_KOOPDATUM	datetime			
OVERGEGAAN_IN_BETREFT_KOOP SOM_KOOPJAAR	int32			
OVERGEGAAN_IN_BETREFT_OMSCHRIJVING_ONDERZOEK_ERFDIENSTBAARHEDEN	string			
OVERGEGAAN_IN_BETREFT_OMSCHRIJVING	string			
OVERGEGAAN_IN_BETREFT_ONTSTAAN_UIT_ITEM_AARD	string			
OVERGEGAAN_IN_BETREFT_ONTSTAAN_UIT_ITEM_OVERGANGSGROOTTE	decimal			
OVERGEGAAN_IN_BETREFT_PLAATSCOORDINATEN_DESCRIPTION	int64			
OVERGEGAAN_IN_BETREFT_PLAATSCOORDINATEN_IDENTIFIER	int64			
OVERGEGAAN_IN_BETREFT_PLAATSCOORDINATEN_NAME	int64			
OVERGEGAAN_IN_BETREFT_PLAATSCOORDINATEN_RD_COORDINAAT_X	string			
OVERGEGAAN_IN_BETREFT_PLAATSCOORDINATEN_RD_COORDINAAT_Y	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_AANVULLING_OP	string			
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_AARD	string			
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_BEDRAG_TRANSACTIES_OM_LEVERING_SOM	decimal			
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_BEDRAG_TRANSACTIES_OM_LEVERING_VALUTA	string			
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_BEDRAG_VORDERINGSBESLAG_SOM	decimal			
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_BEDRAG_VORDERINGSBESLAG_VALUTA	string			
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_BEDRAG_ZEKERHEIDSTELLING_HYPOTHEEK_SOM	decimal			
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_BEDRAG_ZEKERHEIDSTELLING_HYPOTHEEK_VALUTA	string			
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_IDENTIFICATIE	string			
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_OMSCHRIJVING_GEKOZEN_WOONPLAATS	string			
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_OMSCHRIJVING_KADASTRALE_OBJECTEN	string			
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_VERMELD_IN	string			
OVERGEGAAN_IN_BETREFT_TOELICHTING_BEWAARDER	string			
OVERGEGAAN_IN_BETREFT_TOESTANDSDATUM_ONDERZOEK_ERFDIENSTBAARHEDEN	datetime			
OVERGEGAAN_IN_BETREFT_TYPERE	string			
OVERGEGAAN_IN_BETREFT_UIN	string			
OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_AANVULLING_OP	string			
OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_AARD	string			
OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_BEDRAG_TRANSACTIES_OM_LEVERING_SOM	decimal			
OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_BEDRAG_TRANSACTIES_OM_LEVERING_VALUTA	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_BETREFT_VER MELD_IN_ITEM_BEDRAG_VORDERI NGSBESLAG_SOM	decimal			
OVERGEGAAN_IN_BETREFT_VER MELD_IN_ITEM_BEDRAG_VORDERI NGSBESLAG_VALUTA	string			
OVERGEGAAN_IN_BETREFT_VER MELD_IN_ITEM_BEDRAG_ZEKERH EIDSSTELLING_HYPOTHEEK_SOM	decimal			
OVERGEGAAN_IN_BETREFT_VER MELD_IN_ITEM_BEDRAG_ZEKERH EIDSSTELLING_HYPOTHEEK_VAL UTA	string			
OVERGEGAAN_IN_BETREFT_VER MELD_IN_ITEM_IDENTIFICATIE	string			
OVERGEGAAN_IN_BETREFT_VER MELD_IN_ITEM_OMSCHRIJVING_G EKOZEN_WOONPLAATS	string			
OVERGEGAAN_IN_BETREFT_VER MELD_IN_ITEM_OMSCHRIJVING_K ADASTRALE_OBJECTEN	string			
OVERGEGAAN_IN_PRODUCTIENU MMER	string			
OVERGEGAAN_IN_SIGNALERING_ TIJDSTIP_BESLAGEN	datetime			
OVERGEGAAN_IN_SIGNALERING_ TIJDSTIP_HYPOTHECAIR	datetime			
OVERGEGAAN_IN_SIGNALERING_ TIJDSTIP_KADASTRAAL	datetime			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_AANDEEL_NOEMER	int64			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_AANDEEL_TELLER	int64			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_BETROKKEN_PARTN ER_NATUURLIJK_PERSONEN	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_BETROKKEN_PARTN ER_NIET_NATUURLIJK_PERSONEN	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_BETROKKEN_SAMEN WERKINGSVERBAND_NATUURLIJ K_PERSONEN	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_BETROKKEN_SAMEN WERKINGSVERBAND_NIET_NATU URLIJK_PERSONEN	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_BURGERLIJKE_STAA T_TEN_TIJDE_VAN_VERKRIJGING	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_GEBASEERD_OP	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_GELDT_VOOR_AANDEEL_NOEMER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_GELDT_VOOR_AANDEEL_TELLER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_GELDT_VOOR_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_OMSCHRIJVING	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_TEN_NAME_VAN_NATUURLIJK_PERSONEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_TEN_NAME_VAN_NIET_NATUURLIJK_PERSONEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_AARD	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BELASTMET	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BEPERKT_TOT	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BESTEMT_TOT_GEBASEERD_OP	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BESTEMT_TOT_HOORT_BIJ	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BESTEMT_TOT_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_GEBASEERD_OP	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_TYPE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_AANVULLINGEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_DOSSIER_NUMMER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ	string			

Name	Data Type	Label	Required	Documentation
J_VERENIGING_VAN_EIGENAREN_IDENTIFICATIE				
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_INDICATIE_BESCHIKKINGSBEVOEGDHEID	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEVOEING	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_ADRES	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_LAND	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_RECHTSVORM	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_RSIN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_STATUTAIRE_NAAM	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_STATUTAIRE_ZETEL	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_VERMELD_IN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEVOEING	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_	string			

Name	Data Type	Label	Required	Documentation
WOONLOCATIE_LOCATIE_BUITEN LAND_IDENTIFICATIE				
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_BETROKKEN_BI J_VERENIGING_VAN_EIGENAREN_ WOONLOCATIE_LOCATIE_BUITEN LAND_LAND	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_BETROKKEN_BI J_VERENIGING_VAN_EIGENAREN_ WOONLOCATIE_LOCATIE_BUITEN LAND_REGIO	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_BETROKKEN_BI J_VERENIGING_VAN_EIGENAREN_ WOONLOCATIE_LOCATIE_BUITEN LAND_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_BETROKKEN_BI J_VERENIGING_VAN_EIGENAREN_ WOONLOCATIE_LOCATIE_POSTB US_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_BETROKKEN_BI J_VERENIGING_VAN_EIGENAREN_ WOONLOCATIE_LOCATIE_POSTB US_POSTBUS_NUMMER	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_BETROKKEN_BI J_VERENIGING_VAN_EIGENAREN_ WOONLOCATIE_LOCATIE_POSTB US_POSTCODE	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_BETROKKEN_BI J_VERENIGING_VAN_EIGENAREN_ WOONLOCATIE_LOCATIE_POSTB US_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_INDICATIE_SPLI TSING_BETROKKEN	boolean			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_AANTEKENINGEN_WKPB	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_AANVULLINGEN	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_AARD_CULTUUR_BEBOUW D	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_AARD_CULTUUR_ONBEO UWD	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_AARD	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_ADRESSEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_BELAST_MET	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_LOGISCH_TIJDSTIP_ONTSTAAN	datetime			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_LOGISCH_TIJDSTIP_VERVALLEN	datetime			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_STATUS_HISTORIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_TECHNISCH_TIJDSTIP_ONTSTAAN	datetime			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_TECHNISCH_TIJDSTIP_VERVALLEN	datetime			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_VOLGNUMMER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_INDICATIE_GEDEELTELIJK_BEZWAARD_OUD_OBJECT	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_INDICATIE_GESPLITST	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_INDICATIE_TWEEDE_SPLITTING	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_INDICATIE_VOORGENOMEN_AANTEKENING	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_INDICATIE_VOORLOPIGE_AANTEKENING	boolean			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_APPARTEMENTSRECHT_VOLGNUMMER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_KADASTRALE_GEMEENTE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_PERCEELNUMMER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_SECTIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KADASTRALE_GROOTTESOORT_GROOTTE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KADASTRALE_GROOTTEWAARDE	decimal			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KOOPSOM_BEDRAG_SOM	decimal			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KOOPSOM_BEDRAG_VALUTA	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KOOPSOM_INDICATIE_MEE_R_OBJECTEN	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KOOPSOM_KOOPDATUM	datetime			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KOOPSOM_KOOPJAAR	int32			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_OMSCHRIJVING_ONDERZOEK_ERFDIENSTBAARHEDEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_OMSCHRIJVING	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_ONTSTAAN UIT	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_PLAATSCOORDINATEN_DESCRIPTIE	int64			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_PLAATSCOORDINATEN_IDENTIFIER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_PLAATSCOORDINATEN_NAME	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_PLAATSCOORDINATEN_RD_COORDINAAT_X	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_PLAATSCOORDINATEN_RD_COORDINAAT_Y	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_TEKENINGEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_TOELICHTING_BEWAARDER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_TOESTANDSDATUM_ONDERZOEK_ERFDIENSTBAARHEDEN	datetime			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_TYPE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_UIN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_VERMELD_IN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_GEBASEERD_OP	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_TYPE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_AANVULLINGEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_DOSSIER_NUMMER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT	string			

Name	Data Type	Label	Required	Documentation
T_VERENIGING_VAN_EIGENAREN_IDENTIFICATIE				
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_INDICATIE_BESCHIKKINGSBEVOEGDHEID	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEOVOEGING	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_ADRES	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_LAND	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_RECHTSVORM	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_RSIN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_STATUTAIRE_NAAM	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_STATUTAIRE_ZETEL	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_VERMELD_IN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEOEGING	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT	string			

Name	Data Type	Label	Required	Documentation
T_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE				
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_LAND	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VERKLARING_INZAKE_DERDEN_BESCHERMING	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VERKREGEN_NAMENS_SAMENWERKINGSVERBAND	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VERMELD_IN	string			
OVERGEGAAN_IN_TIJDSTIP_SAMENSTELLING_BERICHT	datetime			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_AARD	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BELAST_MET	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BEPERKT_TOT	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BESTEMT_TOT_GEBASEERD_OP	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BESTEMT_TOT_HOORT_BIJ	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BESTEMT_TOT_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_GEBASEERD_OP	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_TYPE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_AANVULLINGEN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_DOSSIER_NUMMER	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_INDICATIE_BESCHIKKINGSBEVOEGDHED	boolean			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEV/OEGING	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IJN_ONDERZOEK	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_LAND	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VER	string			

Name	Data Type	Label	Required	Documentation
ENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_POSTBUS_PO STBUS_NUMMER				
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_BETROKKEN_BIJ_VER ENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_POSTBUS_PO STCODE	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_BETROKKEN_BIJ_VER ENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_POSTBUS_WO ONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_BETROKKEN_BIJ_VER ENIGING_VAN_EIGENAREN_RECH TSVORM	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_BETROKKEN_BIJ_VER ENIGING_VAN_EIGENAREN_RSIN	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_BETROKKEN_BIJ_VER ENIGING_VAN_EIGENAREN_STAT UTAIRE_NAAM	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_BETROKKEN_BIJ_VER ENIGING_VAN_EIGENAREN_STAT UTAIRE_ZETEL	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_BETROKKEN_BIJ_VER ENIGING_VAN_EIGENAREN_VERM ELD_IN	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_BETROKKEN_BIJ_VER ENIGING_VAN_EIGENAREN_WOO NLOCATIE_LOCATIE_BINNENLAND _HUISLETTER	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_BETROKKEN_BIJ_VER ENIGING_VAN_EIGENAREN_WOO NLOCATIE_LOCATIE_BINNENLAND _HUISNUMMER	int64			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_BETROKKEN_BIJ_VER ENIGING_VAN_EIGENAREN_WOO NLOCATIE_LOCATIE_BINNENLAND _HUISNUMMERTOEVOEGING	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_BETROKKEN_BIJ_VER ENIGING_VAN_EIGENAREN_WOO NLOCATIE_LOCATIE_BINNENLAND _IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_BETROKKEN_BIJ_VER ENIGING_VAN_EIGENAREN_WOO NLOCATIE_LOCATIE_BINNENLAND _IN_ONDERZOEK	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_LAND	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			

Name	Data Type	Label	Required	Documentation
ENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTCODE				
OVERGEGAAN_IN_ZAKELIJKE_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJKE_RECHTEN_ITEM_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJKE_RECHTEN_ITEM_INDICATIE_SPLITSING_BETROKKEN	boolean			
OVERGEGAAN_IN_ZAKELIJKE_RECHTEN_ITEM_ONROERENDE_ZAAK_AANTEKENINGEN_WKPB	string			
OVERGEGAAN_IN_ZAKELIJKE_RECHTEN_ITEM_ONROERENDE_ZAAK_AANVULLINGEN	string			
OVERGEGAAN_IN_ZAKELIJKE_RECHTEN_ITEM_ONROERENDE_ZAAK_AARD_CULTUUR_BEBOUWD	string			
OVERGEGAAN_IN_ZAKELIJKE_RECHTEN_ITEM_ONROERENDE_ZAAK_AARD_CULTUUR_ONBEBOUWD	string			
OVERGEGAAN_IN_ZAKELIJKE_RECHTEN_ITEM_ONROERENDE_ZAAK_AARD	string			
OVERGEGAAN_IN_ZAKELIJKE_RECHTEN_ITEM_ONROERENDE_ZAAK_ADRESSEN	string			
OVERGEGAAN_IN_ZAKELIJKE_RECHTEN_ITEM_ONROERENDE_ZAAK_BELAST_MET	string			
OVERGEGAAN_IN_ZAKELIJKE_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_LOGISCH_TIJDSTIP_ONTSTAAN	datetime			
OVERGEGAAN_IN_ZAKELIJKE_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_LOGISCH_TIJDSTIP_VERVALLLEN	datetime			
OVERGEGAAN_IN_ZAKELIJKE_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_STATUS_HISTORIE	string			
OVERGEGAAN_IN_ZAKELIJKE_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_TECHNISCH_TIJDSTIP_ONTSTAAN	datetime			
OVERGEGAAN_IN_ZAKELIJKE_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_TECHNISCH_TIJDSTIP_VERVALLLEN	datetime			
OVERGEGAAN_IN_ZAKELIJKE_RECHTEN_ITEM_ONROERENDE_ZAAK	int64			

Name	Data Type	Label	Required	Documentation
_HISTORIE_VOLGNUMMER				
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_INDICATIE_GEDEELTELIJK_BEZWAARD_OUD_OBJECT	boolean			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_INDICATIE_GESPLITST	boolean			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_INDICATIE_TWEEDE_SPLITSING	boolean			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_INDICATIE_VOORGENOMEN_AANTEKENING	boolean			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_INDICATIE_VOORLOPIGE_AANTEKENING	boolean			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_APPARTEMENTSRECHT_VOLGNUMMER	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_KADASTRALE_GEMEENTE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_PERCEELNUMMER	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_SECTIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_GROOTTE_SORT_GROOTTE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_GROOTTE_WAARDE	decimal			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSOM_BEDRAG_SOM	decimal			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSOM_BEDRAG_VALUTA	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK	boolean			

Name	Data Type	Label	Required	Documentation
_KOOPSOM_INDICATIE_MEER_OBJECTEN				
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSOM_KOOPDATUM	datetime			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSOM_KOOPJAAR	int32			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_OMSCHRIJVING_ONDERZOEK_ERFDIENSTBAARHEDEN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_OMSCHRIJVING	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_ONTSTAAN_UIT	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATSCOORDINATEN_DESCRIPTION	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATSCOORDINATEN_IDENTIFIEER	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATSCOORDINATEN_NAME	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATSCOORDINATEN_RD_COORDINAAT_X	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATSCOORDINATEN_RD_COORDINAAT_Y	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_TEKENINGEN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_TOELICHTING_BEWAARDER	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_TOESTANDSDATUM_ONDERZOEK_ERFDIENSTBAARHEDEN	datetime			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_TYPE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_UIN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK	string			

Name	Data Type	Label	Required	Documentation
_VERMELD_IN				
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN_UIT_GEB ASEERD_OP	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN_UIT_IDEN TIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN_UIT_TYPE	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN_UIT_VER ENIGING_VAN_EIGENAREN_AANV ULLINGEN	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN_UIT_VER ENIGING_VAN_EIGENAREN_DOSSI ER_NUMMER	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN_UIT_VER ENIGING_VAN_EIGENAREN_IDENTI FICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN_UIT_VER ENIGING_VAN_EIGENAREN_INDIC ATIE_BESCHIKKINGSBEVOEGDHEI D	boolean			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN_UIT_VER ENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_BINNENLAND_ HUISLETTER	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN_UIT_VER ENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_BINNENLAND_ HUISNUMMER	int64			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN_UIT_VER ENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_BINNENLAND_ HUISNUMMERTOEVOEING	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN_UIT_VER ENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_BINNENLAND_I DENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN_UIT_VER ENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_BINNENLAND_I N_ONDERZOEK	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN_UIT_VER ENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_BINNENLAND_ POSTCODE	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_LAND	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VER	string			

Name	Data Type	Label	Required	Documentation
ENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_POSTBUS_WO ONPLAATS				
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_RECH TSVORM	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_RSIN	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_STAT UTAIRE_NAAM	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_STAT UTAIRE_ZETEL	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_VERM ELD_IN	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_WOO NLOCATIE_LOCATIE_BINNENLAND _HUISLETTER	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_WOO NLOCATIE_LOCATIE_BINNENLAND _HUISNUMMER	int64			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_WOO NLOCATIE_LOCATIE_BINNENLAND _HUISNUMMERTOEVOEING	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_WOO NLOCATIE_LOCATIE_BINNENLAND _IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_WOO NLOCATIE_LOCATIE_BINNENLAND _IN_ONDERZOEK	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_WOO NLOCATIE_LOCATIE_BINNENLAND _POSTCODE	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_WOO NLOCATIE_LOCATIE_BINNENLAND _STRAATNAAM	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_LAND	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
POSTCODE_TREFFERS_ACTUALITEIT_TIJDSTIP_HYPOTHECAIR	datetime			

Name	Data Type	Label	Required	Documentation
POSTCODE_TREFFERS_ACTUALITEIT_TIJDSTIP_KADASTRAAL	datetime			
POSTCODE_TREFFERS_BETREFT_HUISLETTER	string			
POSTCODE_TREFFERS_BETREFT_HUISNUMMER	int64			
POSTCODE_TREFFERS_BETREFT_HUISNUMMERTOEV_OEGING	string			
POSTCODE_TREFFERS_BETREFT_IDENTIFICATIE	string			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_HUISNUMMER_VOLLEDIG	string			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_IDENTIFICATIE	string			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_KADASTRALE_GROOTTE_SOORT_GROOTTE	string			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_KADASTRALE_GROOTTE_WAARDE	decimal			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_KOOPSOM_BEDRAG_SOM	decimal			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_KOOPSOM_BEDRAG_VALUTA	string			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_KOOPSOM_INDICATIE_MEER_OBJECTEN	boolean			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_KOOPSOM_KOOPDATUM	datetime			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_KOOPSOM_KOOPJAAR	int32			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_OMSCHRIJVING_CULTUUR	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_AANTEKENINGEN_WKPB	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_AANVULLINGEN	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_AARD_CULTUUR_BEBOUWD	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_AAR	string			

Name	Data Type	Label	Required	Documentation
D_CULTUUR_ONBEBOUWD				
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_AARD	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_ADRESSEN	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_BELASTMET	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_HISTORIE_LOGISCH_TIJDSTIP_ONTSTAAN	datetime			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_HISTORIE_LOGISCH_TIJDSTIP_VERVALLEN	datetime			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_HISTORIE_STATUS_HISTORIE	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_HISTORIE_TECHNISCH_TIJDSTIP_ONTSTAAN	datetime			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_HISTORIE_TECHNISCH_TIJDSTIP_VERVALLEN	datetime			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_HISTORIE_VOLGNUMMER	int64			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_IDENTIFICATIE	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_INDICATIE_GEDEELTELIJK_BEZWAARD_OUD_OBJECT	boolean			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_INDICATIE_GESPLITST	boolean			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_INDICATIE_TWEEDE_SPLITSING	boolean			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_INDICATIE_VOORGENOMEN_AANTEKENING	boolean			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_INDICATIE_VOORLOPIGE_AANTEKENING	boolean			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KAD	int64			

Name	Data Type	Label	Required	Documentation
ASTRALE_AANDUIDING_APPARTEMENTSRECHT_VOLGNUMMER				
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KAD_ASTRALE_AANDUIDING_KADASTRALE_GEMEENTE	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KAD_ASTRALE_AANDUIDING_PERCEELNUMMER	int64			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KAD_ASTRALE_AANDUIDING_SECTIE	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KAD_ASTRALE_GROOTTE_SOORT_GROOTTE	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KAD_ASTRALE_GROOTTE_WAARDE	decimal			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KOOP_SOM_BEDRAG_SOM	decimal			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KOOP_SOM_BEDRAG_VALUTA	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KOOP_SOM_INDICATIE_MEER_OBJEKTEN	boolean			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KOOP_SOM_KOOPDATUM	datetime			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KOOP_SOM_KOOPJAAR	int32			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_OMSCHRIJVING_ONDERZOEK_ERFDIENSTBAARHEDEN	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_OMSCHRIJVING	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_ONTSTAAN_UIT	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_OVERGEGAAN_IN	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_PLAATSCOORDINATEN_DESCRIPTION	int64			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_PLAATSCOORDINATEN_IDENTIFIER	int64			

Name	Data Type	Label	Required	Documentation
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_PLAATSCOORDINATEN_NAME	int64			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_PLAATSCOORDINATEN_RD_COORDINAAAT_X	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_PLAATSCOORDINATEN_RD_COORDINAAAT_Y	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_TEKENINGEN	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_TOELICHTING_BEWAARDER	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_TOESTANDSDATUM_ONDERZOEK_ERFDIENSTBAARHEDEN	datetime			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_TYPE	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_UIN	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_VERMELD_IN	string			
POSTCODE_TREFFERS_BETREFT_POSTCODE	string			
POSTCODE_TREFFERS_PRODUCTIENUMMER	string			
POSTCODE_TREFFERS_SIGNALERING_TIJDSTIP_BESLAGEN	datetime			
POSTCODE_TREFFERS_SIGNALERING_TIJDSTIP_HYPOTHECAIR	datetime			
POSTCODE_TREFFERS_SIGNALERING_TIJDSTIP_KADASTRAAL	datetime			
POSTCODE_TREFFERS_TIJDSTIP_SAMENSTELLING_BERICHT	datetime			

3.1.225 kadasterV2GetKadastraalBerichtObjectByKadastraleAanduiding

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: kadasterV2GetKadastraalBerichtObjectByKadastraleAanduiding

Base

XPath: /s:Envelope/s:Body/tns:kadasterV2GetKadastraalBerichtObjectByKadastraleAanduidingResponse/tns:resultaat

Filters on API Server: gemeentenaam- sectie- perceelnummer- appartementsnummer- document

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `kadasterV2GetKadastraalBerichtObjectByKadastraleAanduiding`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
appartementsnummer	int32	<input type="checkbox"/>		
document	string	<input type="checkbox"/>		
gemeentenaam	string	<input type="checkbox"/>		
perceelnummer	int32	<input type="checkbox"/>		
sectie	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `kadasterV2GetKadastraalBerichtObjectByKadastraleAanduiding` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
BERICHT_AANTEKENINGEN_ITEM_AARD	string			
BERICHT_AANTEKENINGEN_ITEM_BESLAGLEGGINGEN	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_AANTEKENINGEN_WKPB	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_AANVULLINGEN	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_AARD_CULTUUR_BEBOUWD	string			

Name	Data Type	Label	Required	Documentation
BERICHT_AANTEKENINGEN_ITEM_BETREFT_AARD_CULTUUR_ONBEBOUWD	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_AARD	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_ADRESSEN	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_BELAST_MET	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_HISTORIE_LOGISCH_TJ DSTIP_ONTSTAAN	datetime			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_HISTORIE_LOGISCH_TJ DSTIP_VERVALLLEN	datetime			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_HISTORIE_STATUS_HISTORIE	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_HISTORIE_TECHNISCH_TJ DSTIP_ONTSTAAN	datetime			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_HISTORIE_TECHNISCH_TJ DSTIP_VERVALLLEN	datetime			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_HISTORIE_VOLGNUMMER	int64			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_IDENTIFICATIE	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_INDICATIE_GEDEELTELIJK_BEZWAARD_OUD_OBJECT	boolean			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_INDICATIE_GESPLITST	boolean			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_INDICATIE_TWEEDE_SPLITSING	boolean			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_INDICATIE_VOORGENOMEN_AANTEKENING	boolean			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_INDICATIE_VOORLOPIGE_AANTEKENING	boolean			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_KADASTRALE_AANDUIDING_APPARTEMENTSRECHT_VOLGNUMMER	int64			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_KADASTRALE_AANDUIDING_KADASTRALE_GEMEENTE	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_KADASTRALE_AANDUIDING_PERCEELNUMMER	int64			

Name	Data Type	Label	Required	Documentation
BERICHT_AANTEKENINGEN_ITEM_BETREFT_KADASTRALE_AANDUIDING_SECTIE	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_KADASTRALE_GROOTTE_SOORT_GROOTTE	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_KADASTRALE_GROOTTE_WAARDE	decimal			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_KOOPSOM_BEDRAG_SOM	decimal			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_KOOPSOM_BEDRAG_VALUTA	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_KOOPSOM_INDICATIE_MEER_OBJECTEN	boolean			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_KOOPSOM_KOOPDATUM	datetime			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_KOOPSOM_KOOPJAAR	int32			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_OMSCHRIJVING_ONDERZOEK_ERFDIENSTBAARHEDEN	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_OMSCHRIJVING	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_ONTSTAAN_UIT	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_OVERGEGAAN_IN	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_PLAATSCOORDINATEN_DESCRIPTION	int64			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_PLAATSCOORDINATEN_IDENTIFIEER	int64			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_PLAATSCOORDINATEN_NAME	int64			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_PLAATSCOORDINATEN_RD_COORDINAAT_X	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_PLAATSCOORDINATEN_RD_COORDINAAT_Y	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_TEKENINGEN	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_TOELICHTING_BEWAARDE	string			

Name	Data Type	Label	Required	Documentation
BERICHT_AANTEKENINGEN_ITEM_BETREFT_TOESTANDSDATUM_ONDERZOEK_ERFDIENSTBAARHEDEN	datetime			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_TYPE	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_UIN	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_VERMELD_IN	string			
BERICHT_AANTEKENINGEN_ITEM_BETROKKEN_PERSONEN_NATUURLIJK_PERSONEN	string			
BERICHT_AANTEKENINGEN_ITEM_BETROKKEN_PERSONEN_NIET_NATUURLIJK_PERSONEN	string			
BERICHT_AANTEKENINGEN_ITEM_EINDDATUM_RECHT	datetime			
BERICHT_AANTEKENINGEN_ITEM_EINDDATUM	datetime			
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_AANVULLING_OP	string			
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_AARD	string			
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_BEDRAG_TRANSACTIES_OM_LEVERING_SOM	decimal			
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_BEDRAG_TRANSACTIES_OM_LEVERING_VALUTA	string			
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_BEDRAG_VORDERINGSBESLAG_SOM	decimal			
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_BEDRAG_VORDERINGSBESLAG_VALUTA	string			
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_BEDRAG_ZEKERHEIDSSTELLING_HYPOTHEEK_SOM	decimal			
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_BEDRAG_ZEKERHEIDSSTELLING_HYPOTHEEK_VALUTA	string			
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_IDENTIFICATIE	string			
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_OMSCHRIJVING_GEKOZEN_WOONPLAATS	string			
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_OMSCHRIJVING_KADASTRALE_OBJECTEN	string			

Name	Data Type	Label	Required	Documentation
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_VERMELD_IN	string			
BERICHT_AANTEKENINGEN_ITEM_HERKAVELING_BLOKNUMMER	int64			
BERICHT_AANTEKENINGEN_ITEM_HYPOTHEKEN	string			
BERICHT_AANTEKENINGEN_ITEM_IDENTIFICATIE	string			
BERICHT_AANTEKENINGEN_ITEM_OMSCHRIJVING	string			
BERICHT_AANTEKENINGEN_ITEM_TENAAMSTELLINGEN	string			
BERICHT_AANTEKENINGEN_ITEM_VERMELD_IN	string			
BERICHT_ACTUALITEIT_TJDSTIP_HYPOTHECAIR	datetime			
BERICHT_ACTUALITEIT_TJDSTIP_KADASTRAAL	datetime			
BERICHT_BETREFT_AANTEKENINGEN_WKPB_ITEM_DATUM_IN_WERKING	string			
BERICHT_BETREFT_AANTEKENINGEN_WKPB_ITEM_GEMEENTELIJKE_REGISTRATIE_ID	string			
BERICHT_BETREFT_AANTEKENINGEN_WKPB_ITEM_NUMMER	string			
BERICHT_BETREFT_AANTEKENINGEN_WKPB_ITEM_OMSCHRIJVING_PUBLIEKRECHTELIJKE_BEPERKING	string			
BERICHT_BETREFT_AANTEKENINGEN_WKPB_ITEM_OMSCHRIJVING	string			
BERICHT_BETREFT_AANVULLINGEN_ITEM_AANGEBODEN_STUK_AARD	string			
BERICHT_BETREFT_AANVULLINGEN_ITEM_AANGEBODEN_STUK_DEEL_EN_NUMMER_DEEL	string			
BERICHT_BETREFT_AANVULLINGEN_ITEM_AANGEBODEN_STUK_DEEL_EN_NUMMER_NUMMER	string			
BERICHT_BETREFT_AANVULLINGEN_ITEM_AANGEBODEN_STUK_DEEL_EN_NUMMER_REEKS	string			
BERICHT_BETREFT_AANVULLINGEN_ITEM_AANGEBODEN_STUK_DEEL_EN_NUMMER_REGISTERCODE	string			
BERICHT_BETREFT_AANVULLINGEN_ITEM_AANGEBODEN_STUK_DEEL_EN_NUMMER_SOORT_REGISTER	string			
BERICHT_BETREFT_AANVULLINGEN_ITEM_AANGEBODEN_STUK_ID	string			

Name	Data Type	Label	Required	Documentation
ENTIFICATIE				
BERICHT_BETREFT_AANVULLING EN_ITEM_AANGEBODEN_STUK_IN DICATIE_ALLE_OBJECTEN_BETRO KKEN	boolean			
BERICHT_BETREFT_AANVULLING EN_ITEM_AANGEBODEN_STUK_S TATUS_STUK_OR	string			
BERICHT_BETREFT_AANVULLING EN_ITEM_AANGEBODEN_STUK_S TUKDELEN	string			
BERICHT_BETREFT_AANVULLING EN_ITEM_AANGEBODEN_STUK_TI JDSTIP_AANBIEDING	datetime			
BERICHT_BETREFT_AANVULLING EN_ITEM_AANGEBODEN_STUK_TI JDSTIP_ONDERTEKENING	datetime			
BERICHT_BETREFT_AANVULLING EN_ITEM_AANGEBODEN_STUK_T OELICHTING_BEWAARDER	string			
BERICHT_BETREFT_AANVULLING EN_ITEM_AANGEBODEN_STUK_V ERKLARING_BEWAARDER	string			
BERICHT_BETREFT_AANVULLING EN_ITEM_AANGEBODEN_STUK_V ERZOEKEN	string			
BERICHT_BETREFT_AANVULLING EN_ITEM_TYPE	string			
BERICHT_BETREFT_AARD_CULTU UR_BEBOUWD	string			
BERICHT_BETREFT_AARD_CULTU UR_ONBEBOUWD	string			
BERICHT_BETREFT_AARD	string			
BERICHT_BETREFT_ADRESSEN_IT EM_LOCATIE_BINNENLAND_HUISL ETTER	string			
BERICHT_BETREFT_ADRESSEN_IT EM_LOCATIE_BINNENLAND_HUISN UMMER	int64			
BERICHT_BETREFT_ADRESSEN_IT EM_LOCATIE_BINNENLAND_HUISN UMMERTOEOVOEGING	string			
BERICHT_BETREFT_ADRESSEN_IT EM_LOCATIE_BINNENLAND_IDENTI FICATIE	string			
BERICHT_BETREFT_ADRESSEN_IT EM_LOCATIE_BINNENLAND_IN_ON DERZOEK	string			
BERICHT_BETREFT_ADRESSEN_IT EM_LOCATIE_BINNENLAND_POST CODE	string			
BERICHT_BETREFT_ADRESSEN_IT EM_LOCATIE_BINNENLAND_STRA	string			

Name	Data Type	Label	Required	Documentation
ATNAAM				
BERICHT_BETREFT_ADRESSEN_ITEM_LOCATIE_BINNENLAND_WOONPLAATS	string			
BERICHT_BETREFT_ADRESSEN_ITEM_LOCATIE_BUITENLAND_ADRESSE_REGS	string			
BERICHT_BETREFT_ADRESSEN_ITEM_LOCATIE_BUITENLAND_ADRESSE	string			
BERICHT_BETREFT_ADRESSEN_ITEM_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
BERICHT_BETREFT_ADRESSEN_ITEM_LOCATIE_BUITENLAND_LAND	string			
BERICHT_BETREFT_ADRESSEN_ITEM_LOCATIE_BUITENLAND_REGIO	string			
BERICHT_BETREFT_ADRESSEN_ITEM_LOCATIE_BUITENLAND_WOONPLAATS	string			
BERICHT_BETREFT_ADRESSEN_ITEM_LOCATIE_POSTBUS_IDENTIFICATIE	string			
BERICHT_BETREFT_ADRESSEN_ITEM_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
BERICHT_BETREFT_ADRESSEN_ITEM_LOCATIE_POSTBUS_POSTCODE	string			
BERICHT_BETREFT_ADRESSEN_ITEM_LOCATIE_POSTBUS_WOONPLAATS	string			
BERICHT_BETREFT_BELAST_ITEM_BEDRAG_SOM	decimal			
BERICHT_BETREFT_BELAST_ITEM_BEDRAG_VALUTA	string			
BERICHT_BETREFT_BELAST_ITEM_EINDJAAR	int64			
BERICHT_BETREFT_HISTORIE_LOGISCH_TIJDSTIP_ONTSTAAN	datetime			
BERICHT_BETREFT_HISTORIE_LOGISCH_TIJDSTIP_VERVALLEN	datetime			
BERICHT_BETREFT_HISTORIE_STATUS_HISTORIE	string			
BERICHT_BETREFT_HISTORIE_TECHNISCH_TIJDSTIP_ONTSTAAN	datetime			
BERICHT_BETREFT_HISTORIE_TECHNISCH_TIJDSTIP_VERVALLEN	datetime			
BERICHT_BETREFT_HISTORIE_VOLGNUMMER	int64			
BERICHT_BETREFT_IDENTIFICATIE	string			

Name	Data Type	Label	Required	Documentation
BERICHT_BETREFT_INDICATIE_GEDEELTELIJK_BEZWAARD_OUD_OBJECT	boolean			
BERICHT_BETREFT_INDICATIE_GESPLITST	boolean			
BERICHT_BETREFT_INDICATIE_TWEEDE_SPLITSING	boolean			
BERICHT_BETREFT_INDICATIE_VORGENOMEN_AANTEKENING	boolean			
BERICHT_BETREFT_INDICATIE_VORLOPIGE_AANTEKENING	boolean			
BERICHT_BETREFT_KADASTRALE_AANDUIDING_APPARTEMENTSRECHT_VOLGNUMMER	int64			
BERICHT_BETREFT_KADASTRALE_AANDUIDING_KADASTRALE_GEMEENTE	string			
BERICHT_BETREFT_KADASTRALE_AANDUIDING_PERCEELNUMMER	int64			
BERICHT_BETREFT_KADASTRALE_AANDUIDING_SECTIE	string			
BERICHT_BETREFT_KADASTRALE_GROOTTE_SOORT_GROOTTE	string			
BERICHT_BETREFT_KADASTRALE_GROOTTE_WAARDE	decimal			
BERICHT_BETREFT_KOOPSOM_BEDRAG_SOM	decimal			
BERICHT_BETREFT_KOOPSOM_BEDRAG_VALUTA	string			
BERICHT_BETREFT_KOOPSOM_INDICATIE_MEEER_OBJECTEN	boolean			
BERICHT_BETREFT_KOOPSOM_KOOPDATUM	datetime			
BERICHT_BETREFT_KOOPSOM_KOOPJAAR	int32			
BERICHT_BETREFT_OMSCHRIJVING_ONDERZOEK_ERFDIENSTBAARHEDEN	string			
BERICHT_BETREFT_OMSCHRIJVING	string			
BERICHT_BETREFT_ONTSTAANUIT_ITEM_AARD	string			
BERICHT_BETREFT_ONTSTAANUIT_ITEM_OVERGANGSGROOTTE	decimal			
BERICHT_BETREFT_OVERGEGAAN_IN_ITEM_AARD	string			
BERICHT_BETREFT_OVERGEGAAN_IN_ITEM_OVERGANGSGROOTTE	decimal			
BERICHT_BETREFT_PLAATSCOORDINATEN_DESCRIPTION	int64			

Name	Data Type	Label	Required	Documentation
BERICHT_BETREFT_PLAATSCOORDINATEN_IDENTIFIER	int64			
BERICHT_BETREFT_PLAATSCOORDINATEN_NAME	int64			
BERICHT_BETREFT_PLAATSCOORDINATEN_RD_COORDINAAT_X	string			
BERICHT_BETREFT_PLAATSCOORDINATEN_RD_COORDINAAT_Y	string			
BERICHT_BETREFT_TEKENINGEN_IEM_AANVULLING_OP	string			
BERICHT_BETREFT_TEKENINGEN_IEM_AARD	string			
BERICHT_BETREFT_TEKENINGEN_IEM_BEDRAG_TRANSACTIES_OM_LEVERING_SOM	decimal			
BERICHT_BETREFT_TEKENINGEN_IEM_BEDRAG_TRANSACTIES_OM_LEVERING_VALUTA	string			
BERICHT_BETREFT_TEKENINGEN_IEM_BEDRAG_VORDERINGSBESLAG_SOM	decimal			
BERICHT_BETREFT_TEKENINGEN_IEM_BEDRAG_VORDERINGSBESLAG_VALUTA	string			
BERICHT_BETREFT_TEKENINGEN_IEM_BEDRAG_ZEKERHEIDSTELLING_HYPOTHEEK_SOM	decimal			
BERICHT_BETREFT_TEKENINGEN_IEM_BEDRAG_ZEKERHEIDSTELLING_HYPOTHEEK_VALUTA	string			
BERICHT_BETREFT_TEKENINGEN_IEM_IDENTIFICATIE	string			
BERICHT_BETREFT_TEKENINGEN_IEM_OMSCHRIJVING_GEKOZEN_WOONPLAATS	string			
BERICHT_BETREFT_TEKENINGEN_IEM_OMSCHRIJVING_KADASTRALE_OBJECTEN	string			
BERICHT_BETREFT_TEKENINGEN_IEM_VERMELD_IN	string			
BERICHT_BETREFT_TOELICHTING_BEWAARDER	string			
BERICHT_BETREFT_TOESTANDSDATUM_ONDERZOEK_ERFDIENSTBAARHEDEN	datetime			
BERICHT_BETREFT_TYPE	string			
BERICHT_BETREFT_UIN	string			
BERICHT_BETREFT_VERMELD_IN_IEM_AANVULLING_OP	string			
BERICHT_BETREFT_VERMELD_IN_IEM_AARD	string			

Name	Data Type	Label	Required	Documentation
BERICHT_BETREFT_VERMELD_IN_I TEM_BEDRAG_TRANSACTIES_OM _LEVERING_SOM	decimal			
BERICHT_BETREFT_VERMELD_IN_I TEM_BEDRAG_TRANSACTIES_OM _LEVERING_VALUTA	string			
BERICHT_BETREFT_VERMELD_IN_I TEM_BEDRAG_VORDERINGSBESL AG_SOM	decimal			
BERICHT_BETREFT_VERMELD_IN_I TEM_BEDRAG_VORDERINGSBESL AG_VALUTA	string			
BERICHT_BETREFT_VERMELD_IN_I TEM_BEDRAG_ZEKERHEIDSTELLI NG_HYPOTHEEK_SOM	decimal			
BERICHT_BETREFT_VERMELD_IN_I TEM_BEDRAG_ZEKERHEIDSTELLI NG_HYPOTHEEK_VALUTA	string			
BERICHT_BETREFT_VERMELD_IN_I TEM_IDENTIFICATIE	string			
BERICHT_BETREFT_VERMELD_IN_I TEM_OMSCHRIJVING_GEKOZEN_ WOONPLAATS	string			
BERICHT_BETREFT_VERMELD_IN_I TEM_OMSCHRIJVING_KADASTRA LE_OBJECTEN	string			
BERICHT_ERFPACHTCANON_ITEM _BETREFT_AARD	string			
BERICHT_ERFPACHTCANON_ITEM _BETREFT_BELAST_MET	string			
BERICHT_ERFPACHTCANON_ITEM _BETREFT_BEPERKT_TOT	string			
BERICHT_ERFPACHTCANON_ITEM _BETREFT_BESTEMT_TOT_GEBAS EERD_OP	string			
BERICHT_ERFPACHTCANON_ITEM _BETREFT_BESTEMT_TOT_HOORT _BIJ	string			
BERICHT_ERFPACHTCANON_ITEM _BETREFT_BESTEMT_TOT_IDENTIF ICATIE	string			
BERICHT_ERFPACHTCANON_ITEM _BETREFT_BETROKKEN_BIJ_GEB ASEERD_OP	string			
BERICHT_ERFPACHTCANON_ITEM _BETREFT_BETROKKEN_BIJ_IDEN TIFICATIE	string			
BERICHT_ERFPACHTCANON_ITEM _BETREFT_BETROKKEN_BIJ_TYPE	string			
BERICHT_ERFPACHTCANON_ITEM _BETREFT_BETROKKEN_BIJ_VERE NINGING_VAN_EIGENAREN_AANVU LLINGEN	string			

Name	Data Type	Label	Required	Documentation
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_DOSSIER_NUMMER	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_IDENTIFICATIE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_INDICATIE_BESCHIKKINGSBEVOEGDHEID	boolean			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEVOEING	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS	string			

Name	Data Type	Label	Required	Documentation
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_LAND	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_REGION	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_RECHTSVORM	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_RSIN	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_STATUTAIRE_NAAM	string			

Name	Data Type	Label	Required	Documentation
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_STATUTAIRE_ZETEL	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_VERMELDING	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEVOEGING	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE_ONDERZOEK	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS	string			

Name	Data Type	Label	Required	Documentation
LOCATIE_LOCATIE_BUITENLAND_ADRES				
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_LAND	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_IDENTIFICATIE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_INDICATIE_SPLITSING_BETROKKEN	boolean			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_AANTEKENINGEN_WKPB	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_AANVULLINGEN	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_AARD_CULTUUR_BEBOUWD	string			

Name	Data Type	Label	Required	Documentation
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_AARD_CULTUUR_ONBEBOUWD	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_AARD	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_ADRESSEN	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_BELAST_MET	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_HISTORIE_LOGISCH_TIJDSTIP_ONTSTAAN	datetime			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_HISTORIE_LOGISCH_TIJDSTIP_VERVALLEN	datetime			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_HISTORIE_STATUS_HISTORIE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_HISTORIE_TECHNISCH_TIJDSTIP_ONTSTAAN	datetime			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_HISTORIE_TECHNISCH_TIJDSTIP_VERVALLEN	datetime			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_HISTORIE_VOLGNUMMER	int64			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_IDENTIFICATIE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_IDENTIFICATIE_GEDEELTELIJK_BEZWAARD_OUD_OBJECT	boolean			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_IDENTIFICATIE_GESPLITST	boolean			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_IDENTIFICATIE_TWEEDE_SPLITSING	boolean			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_IDENTIFICATIE_VOORGENOMEN_AANTEKENING	boolean			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_IDENTIFICATIE_VOORLOPIGE_AANTEKENING	boolean			

Name	Data Type	Label	Required	Documentation
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_APPARTEMENTSRECHT_VOLGNUMMER	int64			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_KADASTRALE_GEMEENTE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_PERCEELNUMMER	int64			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_SECTIE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_KADASTRALE_GROOTTE_SOORT_GROOTTE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_KADASTRALE_GROOTTE_WAARDE	decimal			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_KOOPSOM_BEDRAG_SOM	decimal			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_KOOPSOM_BEDRAG_VALUTA	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_KOOPSOM_INDICATIE_MEER_OBJECTEN	boolean			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_KOOPSOM_KOOPDATUM	datetime			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_KOOPSOM_KOOPJAAR	int32			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_OMSCHRIJVING_ONDERZOEK_ERFDIENSTBAARHEDEN	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_OMSCHRIJVING	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_ONTSTAAN_UT	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_OVERGEGAAN_IN	string			

Name	Data Type	Label	Required	Documentation
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_PLAATSCOORDINATEN_DESCRIPTOR	int64			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_PLAATSCOORDINATEN_IDENTIFIEER	int64			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_PLAATSCOORDINATEN_NAME	int64			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_PLAATSCOORDINATEN_RD_COORDINAAT_X	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_PLAATSCOORDINATEN_RD_COORDINAAT_Y	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_TEKENINGEN	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_TOELICHTING_BEWAARDE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_TOESTANDSDATUM_ONDERZOEK_ERFDIENSTBAARHEDEN	datetime			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_TYPE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_UIN	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_VERMELD_IN	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN_UIT_GEBASEERD_OP	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN_UIT_IDENTIFICATIE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN_UIT_TYPE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_AANVULLINGEN	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_DOSSIE_R_NUMMER	string			

Name	Data Type	Label	Required	Documentation
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_IDENTIFICATIE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_INDICATIE_BESCHIKKINGSBEVOEGDHEID	boolean			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEVOEGING	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_ADRRES_REGELS	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTL	string			

Name	Data Type	Label	Required	Documentation
OCCASIE_LOCATIE_BUITENLAND_A DRES				
BERICHT_ERFPACHTCANON_ITEM _BETREFT_ONTSTAAN UIT_VERE NIGING_VAN_EIGENAREN_POSTL OCCASIE_LOCATIE_BUITENLAND_ID ENTIFICATIE	string			
BERICHT_ERFPACHTCANON_ITEM _BETREFT_ONTSTAAN UIT_VERE NIGING_VAN_EIGENAREN_POSTL OCCASIE_LOCATIE_BUITENLAND_L AND	string			
BERICHT_ERFPACHTCANON_ITEM _BETREFT_ONTSTAAN UIT_VERE NIGING_VAN_EIGENAREN_POSTL OCCASIE_LOCATIE_BUITENLAND_R EGIO	string			
BERICHT_ERFPACHTCANON_ITEM _BETREFT_ONTSTAAN UIT_VERE NIGING_VAN_EIGENAREN_POSTL OCCASIE_LOCATIE_BUITENLAND_ WOONPLAATS	string			
BERICHT_ERFPACHTCANON_ITEM _BETREFT_ONTSTAAN UIT_VERE NIGING_VAN_EIGENAREN_POSTL OCCASIE_LOCATIE_POSTBUS_IDEN TIFICATIE	string			
BERICHT_ERFPACHTCANON_ITEM _BETREFT_ONTSTAAN UIT_VERE NIGING_VAN_EIGENAREN_POSTL OCCASIE_LOCATIE_POSTBUS_POS TBUS_NUMMER	string			
BERICHT_ERFPACHTCANON_ITEM _BETREFT_ONTSTAAN UIT_VERE NIGING_VAN_EIGENAREN_POSTL OCCASIE_LOCATIE_POSTBUS_POS TCODE	string			
BERICHT_ERFPACHTCANON_ITEM _BETREFT_ONTSTAAN UIT_VERE NIGING_VAN_EIGENAREN_POSTL OCCASIE_LOCATIE_POSTBUS_WO ONPLAATS	string			
BERICHT_ERFPACHTCANON_ITEM _BETREFT_ONTSTAAN UIT_VERE NIGING_VAN_EIGENAREN_RECHT SVORM	string			
BERICHT_ERFPACHTCANON_ITEM _BETREFT_ONTSTAAN UIT_VERE NIGING_VAN_EIGENAREN_RSIN	string			
BERICHT_ERFPACHTCANON_ITEM _BETREFT_ONTSTAAN UIT_VERE NIGING_VAN_EIGENAREN_STATU TAIRE_NAAM	string			
BERICHT_ERFPACHTCANON_ITEM _BETREFT_ONTSTAAN UIT_VERE NIGING_VAN_EIGENAREN_STATU TAIRE_ZETEL	string			

Name	Data Type	Label	Required	Documentation
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_VERMELDING_IN	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEVOEGING	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE_ONDERZOEK	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES	string			

Name	Data Type	Label	Required	Documentation
LOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE				
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT_VERENIGING VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLANDLAND	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT_VERENIGING VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLANDREGIO	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT_VERENIGING VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLANDWOONPLAATS	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT_VERENIGING VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT_VERENIGING VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT_VERENIGING VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT_VERENIGING VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
BERICHT_ERFPACHTCANON_ITEM_EINDDATUM_AFKOOP	datetime			
BERICHT_ERFPACHTCANON_ITEM_GEBASEERD_OP_AANVULLING_OP	string			
BERICHT_ERFPACHTCANON_ITEM_GEBASEERD_OP_AARD	string			
BERICHT_ERFPACHTCANON_ITEM_GEBASEERD_OP_BEDRAG_TRANSACTIES_OM_LEVERING_SOM	decimal			
BERICHT_ERFPACHTCANON_ITEM_GEBASEERD_OP_BEDRAG_TRANSACTIES_OM_LEVERING_VALUTA	string			
BERICHT_ERFPACHTCANON_ITEM_GEBASEERD_OP_BEDRAG_VORDERINGSBESLAG_SOM	decimal			
BERICHT_ERFPACHTCANON_ITEM_GEBASEERD_OP_BEDRAG_VOR	string			

Name	Data Type	Label	Required	Documentation
DERINGSBESLAG_VALUTA				
BERICHT_ERFPACHTCANON_ITEM_GEBASEERD_OP_BEDRAG_ZEKE_RHEIDSSTELLING_HYPOTHEEK_SOM	decimal			
BERICHT_ERFPACHTCANON_ITEM_GEBASEERD_OP_BEDRAG_ZEKE_RHEIDSSTELLING_HYPOTHEEK_VALUTA	string			
BERICHT_ERFPACHTCANON_ITEM_GEBASEERD_OP_IDENTIFICATIE	string			
BERICHT_ERFPACHTCANON_ITEM_GEBASEERD_OP_OMSCHRJVING_GEKOZEN_WOONPLAATS	string			
BERICHT_ERFPACHTCANON_ITEM_GEBASEERD_OP_OMSCHRJVING_KADASTRALE_OBJECTEN	string			
BERICHT_ERFPACHTCANON_ITEM_GEBASEERD_OP_VERMELD_IN	string			
BERICHT_ERFPACHTCANON_ITEM_IDENTIFICATIE	string			
BERICHT_ERFPACHTCANON_ITEM_INDICATIE_OUDE_ONROERENDE_ZAAK_BETROKKEN	boolean			
BERICHT_ERFPACHTCANON_ITEM_JAARLIJKS_BEDRAG_BEDRAG_SOM	decimal			
BERICHT_ERFPACHTCANON_ITEM_JAARLIJKS_BEDRAG_BEDRAG_VALUTA	string			
BERICHT_ERFPACHTCANON_ITEM_JAARLIJKS_BEDRAG_BETREFT_MEER_ONROERENDE_ZAKEN	boolean			
BERICHT_ERFPACHTCANON_ITEM_SOORT	string			
BERICHT_ERFPACHTCANON_ITEM_VERMELD_IN	string			
BERICHT_PRODUCTIENUMMER	string			
BERICHT_SIGNALERING_TIJDSTIP_BESLAGEN	datetime			
BERICHT_SIGNALERING_TIJDSTIP_HYPOTHECAIR	datetime			
BERICHT_SIGNALERING_TIJDSTIP_KADASTRAAL	datetime			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_AARD	string			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_DEEL_EN_NUMMER_DEEL	string			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_DEEL_EN_NUMMER_NUMMER	string			

Name	Data Type	Label	Required	Documentation
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_DEEL_EN_NUMMER_REEKS	string			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_DEEL_EN_NUMMER_REGISTERCODE	string			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_DEEL_EN_NUMMER_SOORT_REGISTER	string			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_IDENTIFICATIE	string			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_INDICATIE_ALLE_OBJECTEN_BETROKKEN	boolean			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_STATUS_STUK_OR	string			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_STUKDELEN	string			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_TIJDSTIP_AANBIEDING	datetime			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_TIJDSTIP_ONDERTEKENING	datetime			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_TOELICHTING_BEWAARDER	string			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_VERKLARING_BEWAARDER	string			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_VERZOEKEN	string			
BERICHT_TENAAMSTELLINGEN_ITEM_AANDEEL_NOEMER	int64			
BERICHT_TENAAMSTELLINGEN_ITEM_AANDEEL_TELLER	int64			
BERICHT_TENAAMSTELLINGEN_ITEM_BETROKKEN_PARTNER_NATUURLIJK_PERSONEN	string			
BERICHT_TENAAMSTELLINGEN_ITEM_BETROKKEN_PARTNER_NIET_NATUURLIJK_PERSONEN	string			
BERICHT_TENAAMSTELLINGEN_ITEM_BETROKKEN_SAMENWERKINGSVERBAND_NATUURLIJK_PERSONEN	string			
BERICHT_TENAAMSTELLINGEN_ITEM_BETROKKEN_SAMENWERKINGSVERBAND_NIET_NATUURLIJK_PERSONEN	string			
BERICHT_TENAAMSTELLINGEN_ITEM_BURGERLIJKE_STAAT_TEN_TI	string			

Name	Data Type	Label	Required	Documentation
JDE_VAN_VERKRIJGING				
BERICHT_TENAAMSTELLINGEN_ITEM_GEBASEERD_OP	string			
BERICHT_TENAAMSTELLINGEN_ITEM_GELDT_VOOR_AANDEEL_NOMMER	int64			
BERICHT_TENAAMSTELLINGEN_ITEM_GELDT_VOOR_AANDEEL_TELLER	int64			
BERICHT_TENAAMSTELLINGEN_ITEM_GELDT_VOOR_IDENTIFICATIE	string			
BERICHT_TENAAMSTELLINGEN_ITEM_IDENTIFICATIE	string			
BERICHT_TENAAMSTELLINGEN_ITEM_OMSCHRIJVING	string			
BERICHT_TENAAMSTELLINGEN_ITEM_TEN_NAME_VAN_NATUURLIJK_PERSONEN	string			
BERICHT_TENAAMSTELLINGEN_ITEM_TEN_NAME_VAN_NIET_NATUURLIJK_PERSONEN	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_AARD	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BELAST_MET	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BEPERKT_TOT	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BESTEMT_TOT_GEBASEERD_OP	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BESTEMT_TOT_HOORT_BIJ	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BESTEMT_TOT_IDENTIFICATIE	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_GEBASEERD_OP	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_IDENTIFICATIE	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_TYPE	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_AANVULLINGEN	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_DOSSIER_NUMMER	string			

Name	Data Type	Label	Required	Documentation
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_BETROKKEN_BIJ_VEREN IGING_VAN_EIGENAREN_IDENTIFIC ATIE	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_BETROKKEN_BIJ_VEREN IGING_VAN_EIGENAREN_INDICATI E_BESCHIKKINGSBEVOEGDHEID	boolean			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_BETROKKEN_BIJ_VEREN IGING_VAN_EIGENAREN_POSTLO CATIE_LOCATIE_BINNENLAND_HUI SLETTER	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_BETROKKEN_BIJ_VEREN IGING_VAN_EIGENAREN_POSTLO CATIE_LOCATIE_BINNENLAND_HUI SNUMMER	int64			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_BETROKKEN_BIJ_VEREN IGING_VAN_EIGENAREN_POSTLO CATIE_LOCATIE_BINNENLAND_HUI SNUMMERTOEV_OEGING	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_BETROKKEN_BIJ_VEREN IGING_VAN_EIGENAREN_POSTLO CATIE_LOCATIE_BINNENLAND_IDE NTIFICATIE	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_BETROKKEN_BIJ_VEREN IGING_VAN_EIGENAREN_POSTLO CATIE_LOCATIE_BINNENLAND_IN_ ONDERZOEK	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_BETROKKEN_BIJ_VEREN IGING_VAN_EIGENAREN_POSTLO CATIE_LOCATIE_BINNENLAND_PO STCODE	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_BETROKKEN_BIJ_VEREN IGING_VAN_EIGENAREN_POSTLO CATIE_LOCATIE_BINNENLAND_ST RAATNAAM	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_BETROKKEN_BIJ_VEREN IGING_VAN_EIGENAREN_POSTLO CATIE_LOCATIE_BINNENLAND_W OONPLAATS	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_BETROKKEN_BIJ_VEREN IGING_VAN_EIGENAREN_POSTLO CATIE_LOCATIE_BUITENLAND_AD RES_REGELS	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_BETROKKEN_BIJ_VEREN IGING_VAN_EIGENAREN_POSTLO	string			

Name	Data Type	Label	Required	Documentation
CATIE_LOCATIE_BUITENLAND_ADRES				
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_LAND	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_RECHTSVORM	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_RSIN	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_STATUTAIRE_NAAM	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_STATUTAIRE_ZETEL	string			

Name	Data Type	Label	Required	Documentation
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_BETROKKEN_BIJ_VEREN IGING_VAN_EIGENAREN_VERMEL D_IN	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_BETROKKEN_BIJ_VEREN IGING_VAN_EIGENAREN_WOONL OCATIE_LOCATIE_BINNENLAND_H UISLETTER	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_BETROKKEN_BIJ_VEREN IGING_VAN_EIGENAREN_WOONL OCATIE_LOCATIE_BINNENLAND_H UISNUMMER	int64			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_BETROKKEN_BIJ_VEREN IGING_VAN_EIGENAREN_WOONL OCATIE_LOCATIE_BINNENLAND_H UISNUMMERTOEVUEGING	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_BETROKKEN_BIJ_VEREN IGING_VAN_EIGENAREN_WOONL OCATIE_LOCATIE_BINNENLAND_I DENTIFICATIE	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_BETROKKEN_BIJ_VEREN IGING_VAN_EIGENAREN_WOONL OCATIE_LOCATIE_BINNENLAND_I N_ONDERZOEK	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_BETROKKEN_BIJ_VEREN IGING_VAN_EIGENAREN_WOONL OCATIE_LOCATIE_BINNENLAND_P OSTCODE	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_BETROKKEN_BIJ_VEREN IGING_VAN_EIGENAREN_WOONL OCATIE_LOCATIE_BINNENLAND_S TRAATNAAM	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_BETROKKEN_BIJ_VEREN IGING_VAN_EIGENAREN_WOONL OCATIE_LOCATIE_BINNENLAND_ WOONPLAATS	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_BETROKKEN_BIJ_VEREN IGING_VAN_EIGENAREN_WOONL OCATIE_LOCATIE_BUITENLAND_A DRES_REGELS	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_BETROKKEN_BIJ_VEREN IGING_VAN_EIGENAREN_WOONL OCATIE_LOCATIE_BUITENLAND_A DRES	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_BETROKKEN_BIJ_VEREN IGING_VAN_EIGENAREN_WOONL	string			

Name	Data Type	Label	Required	Documentation
OCCASIE_LOCATIE_BUITENLAND_IDENTIFICATIE				
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_LAND	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_REGION	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_IDENTIFICATIE	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_INDICATIE_SPLITTING_BETROKKEN	boolean			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_AANTEKENINGEN_WKPB	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_AANVULLINGEN	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_AARD_CULTUUR_BEBOUWD	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_AARD_CULTUUR_ONBEBOUWD	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_A	string			

Name	Data Type	Label	Required	Documentation
ARD				
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_A DRESSSEN	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_B ELAST_MET	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HI STORIE_LOGISCH_TIJDSTIP_ONTS TAAN	datetime			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HI STORIE_LOGISCH_TIJDSTIP_VERV ALLEN	datetime			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HI STORIE_STATUS_HISTORIE	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HI STORIE_TECHNISCH_TIJDSTIP_ON TSTAAN	datetime			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HI STORIE_TECHNISCH_TIJDSTIP_VE RVALLLEN	datetime			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HI STORIE_VOLGNUMMER	int64			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_ID ENTIFICATIE	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_IN DICATIE_GEDEELTELIJK_BEZWAA RD_OUD_OBJECT	boolean			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_IN DICATIE_GESPLITST	boolean			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_IN DICATIE_TWEEDE_SPLITSING	boolean			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_IN DICATIE_VOORGENOMEN_AANTE KENING	boolean			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_IN DICATIE_VOORLOPIGE_AANTEKE NING	boolean			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_K ADASTRALE_AANDUIDING_APPA RTEMENTSRECHT_VOLGNUMMER	int64			

Name	Data Type	Label	Required	Documentation
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_K ADASTRALE_AANDUIDING_KADA STRALE_GEMEENTE	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_K ADASTRALE_AANDUIDING_PERCE ELNUMMER	int64			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_K ADASTRALE_AANDUIDING_SECTI E	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_K ADASTRALE_GROOTTE_SOORT_ GROOTTE	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_K ADASTRALE_GROOTTE_WAARDE	decimal			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_K OOPSOM_BEDRAG_SOM	decimal			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_K OOPSOM_BEDRAG_VALUTA	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_K OOPSOM_INDICATIE_MEER_OBJEC TEN	boolean			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_K OOPSOM_KOOPDATUM	datetime			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_K OOPSOM_KOOPJAAR	int32			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_O MSCHRIJVING_ONDERZOEK_ERFD IENSTBAARHEDEN	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_O MSCHRIJVING	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_O NTSTAAN_UIT	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_O VERGEGAAN_IN	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_P LAATSCOORDINATEN_DESCRPTI ON	int64			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_P LAATSCOORDINATEN_IDENTIFIER	int64			

Name	Data Type	Label	Required	Documentation
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_PLAATSCOORDINATEN_NAME	int64			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_PLAATSCOORDINATEN_RD_COORDINAAT_X	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_PLAATSCOORDINATEN_RD_COORDINAAT_Y	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_TKENINGEN	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_TOELICHTING_BEWAARDER	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_TOESTANDSDATUM_ONDERZOEK_ERFDIENSTBAARHEDEN	datetime			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_TYPE	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_UIIN	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_VERMELD_IN	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN UIT_GEBAS EERD_OP	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN UIT_IDENTIFICATIE	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN UIT_TYPE	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_AANVULLINGEN	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_DOSSIER_NUMMER	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_IDENTIFICATIE	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_INDICATIE_BESCHIKKINGSBEVOEGDHEID	boolean			

Name	Data Type	Label	Required	Documentation
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_POSTLO CATIE_LOCATIE_BINNENLAND_HUI SLETTER	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_POSTLO CATIE_LOCATIE_BINNENLAND_HUI SNUMMER	int64			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_POSTLO CATIE_LOCATIE_BINNENLAND_HUI SNUMMERTOEV_OEGING	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_POSTLO CATIE_LOCATIE_BINNENLAND_IDE NTIFICATIE	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_POSTLO CATIE_LOCATIE_BINNENLAND_IN_ ONDERZOEK	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_POSTLO CATIE_LOCATIE_BINNENLAND_PO STCODE	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_POSTLO CATIE_LOCATIE_BINNENLAND_ST RAATNAAM	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_POSTLO CATIE_LOCATIE_BINNENLAND_W OONPLAATS	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_POSTLO CATIE_LOCATIE_BUITENLAND_AD RES_REGELS	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_POSTLO CATIE_LOCATIE_BUITENLAND_AD RES	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_POSTLO CATIE_LOCATIE_BUITENLAND_IDE NTIFICATIE	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI	string			

Name	Data Type	Label	Required	Documentation
GING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_LAND				
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_RECHTSVORM	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_RSIN	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_STATUTAIRE_NAAM	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_STATUTAIRE_ZETEL	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_VERMELDING_IN	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			

Name	Data Type	Label	Required	Documentation
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_WOONLO CATIE_LOCATIE_BINNENLAND_HUI SNUMMER	int64			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_WOONLO CATIE_LOCATIE_BINNENLAND_HUI SNUMMERTOEVOEGING	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_WOONLO CATIE_LOCATIE_BINNENLAND_IDE NTIFICATIE	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_WOONLO CATIE_LOCATIE_BINNENLAND_IN_ ONDERZOEK	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_WOONLO CATIE_LOCATIE_BINNENLAND_PO STCODE	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_WOONLO CATIE_LOCATIE_BINNENLAND_ST RAATNAAM	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_WOONLO CATIE_LOCATIE_BINNENLAND_W OONPLAATS	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_WOONLO CATIE_LOCATIE_BUITENLAND_AD RES_REGELS	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_WOONLO CATIE_LOCATIE_BUITENLAND_AD RES	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_WOONLO CATIE_LOCATIE_BUITENLAND_IDE NTIFICATIE	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_WOONLO CATIE_LOCATIE_BUITENLAND_LA ND	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI	string			

Name	Data Type	Label	Required	Documentation
GING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_REGIONIO				
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN UIT VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN UIT VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN UIT VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN UIT VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN UIT VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VERKLARING_INZAKE_DERDEN_BESCHERMING	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VERKREGEN_NAMENS_SAMENWERKINGSVERBAND	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VERMELD_IN	string			
BERICHT_TIJDSTIP_SAMENSTELLING_BERICHT	datetime			
BERICHT_ZAKELIJK_RECHTEN_ITEM_AARD	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BELAST_MET	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BEPERKT_TOT	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BESTEMT_TOT_GEBASEERD_OP	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BESTEMT_TOT_HOORT_BIJ	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BESTEMT_TOT_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_GEBASEERD_OP	string			

Name	Data Type	Label	Required	Documentation
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_TYPE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_AANVULLINGEN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_DOSSIER_NUMMER	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_INDICATIE_BESCHIKKINGSBEVOEGDHEID	boolean			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEOEGING	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_	string			

Name	Data Type	Label	Required	Documentation
VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS				
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_LAND	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_RECHTSVORM	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_RSIN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_	string			

Name	Data Type	Label	Required	Documentation
VAN_EIGENAREN_STATUTAIRE_N AAM				
BERICHT_ZAKELIJK_RECHTEN_ITE M_BETROKKEN_BIJ_VERENIGING_ VAN_EIGENAREN_STATUTAIRE_Z ETEL	string			
BERICHT_ZAKELIJK_RECHTEN_ITE M_BETROKKEN_BIJ_VERENIGING_ VAN_EIGENAREN_VERMELD_IN	string			
BERICHT_ZAKELIJK_RECHTEN_ITE M_BETROKKEN_BIJ_VERENIGING_ VAN_EIGENAREN_WOONLOCATIE _LOCATIE_BINNENLAND_HUISLET TER	string			
BERICHT_ZAKELIJK_RECHTEN_ITE M_BETROKKEN_BIJ_VERENIGING_ VAN_EIGENAREN_WOONLOCATIE _LOCATIE_BINNENLAND_HUISNUM MER	int64			
BERICHT_ZAKELIJK_RECHTEN_ITE M_BETROKKEN_BIJ_VERENIGING_ VAN_EIGENAREN_WOONLOCATIE _LOCATIE_BINNENLAND_HUISNUM MERTOEVOEGING	string			
BERICHT_ZAKELIJK_RECHTEN_ITE M_BETROKKEN_BIJ_VERENIGING_ VAN_EIGENAREN_WOONLOCATIE _LOCATIE_BINNENLAND_IDENTIFIC ATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITE M_BETROKKEN_BIJ_VERENIGING_ VAN_EIGENAREN_WOONLOCATIE _LOCATIE_BINNENLAND_IN_ONDE RZOEK	string			
BERICHT_ZAKELIJK_RECHTEN_ITE M_BETROKKEN_BIJ_VERENIGING_ VAN_EIGENAREN_WOONLOCATIE _LOCATIE_BINNENLAND_POSTCO DE	string			
BERICHT_ZAKELIJK_RECHTEN_ITE M_BETROKKEN_BIJ_VERENIGING_ VAN_EIGENAREN_WOONLOCATIE _LOCATIE_BINNENLAND_STRAAT NAAM	string			
BERICHT_ZAKELIJK_RECHTEN_ITE M_BETROKKEN_BIJ_VERENIGING_ VAN_EIGENAREN_WOONLOCATIE _LOCATIE_BINNENLAND_WOONPL AATS	string			
BERICHT_ZAKELIJK_RECHTEN_ITE M_BETROKKEN_BIJ_VERENIGING_ VAN_EIGENAREN_WOONLOCATIE _LOCATIE_BUITENLAND_ADRES_ REGELS	string			
BERICHT_ZAKELIJK_RECHTEN_ITE M_BETROKKEN_BIJ_VERENIGING_ VAN_EIGENAREN_WOONLOCATIE _LOCATIE_BUITENLAND_ADRES_ REGELS	string			

Name	Data Type	Label	Required	Documentation
VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES				
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_LAND	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_INDICATIE_SPLITSING_BETROKKEN	boolean			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_AANTEKENINGEN_WKPB	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_AANVULLINGEN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_AARD_CULTUUR_BEBOUWD	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_AARD_CULTUUR_ONBEBOUWD	string			

Name	Data Type	Label	Required	Documentation
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_AARD	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_ADRESSEN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_BELASTING_MET	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_LOGISCH_TIJDSTIP_ONTSTAAN	datetime			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_LOGISCH_TIJDSTIP_VERVALLEN	datetime			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_STATUS_HISTORIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_TECHNISCH_TIJDSTIP_ONTSTAAN	datetime			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_TECHNISCH_TIJDSTIP_VERVALLEN	datetime			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_VOLGNUMMER	int64			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_INDICATIE_GEDEELTELIJK_BEZWAARD_OUD_OBJECT	boolean			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_INDICATIE_GESPLITST	boolean			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_INDICATIE_TWEEDE_SPLITSING	boolean			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_INDICATIE_VOORGENOMEN_AANTEKENING	boolean			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_INDICATIE_VOORLOPIGE_AANTEKENING	boolean			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_APPARTEMENT_SRECHT_VOLGNUMMER	int64			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADAST	string			

Name	Data Type	Label	Required	Documentation
RALE_AANDUIDING_KADASTRALE_GEMEENTE				
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_PERCEELNUMMER	int64			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_SECTIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_GROOTTE_SOORT_GROOTTE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_GROOTTE_WAARDE	decimal			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSOOM_BEDRAG_SOM	decimal			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSOOM_BEDRAG_VALUTA	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSOOM_INDICATIE_MEER_OBJECTEN	boolean			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSOOM_KOOPDATUM	datetime			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSOOM_KOOPJAAR	int32			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_OMSCHRIJVING_ONDERZOEK_ERFDIENSTBAARHEDEN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_OMSCHRIJVING	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_ONTSTAN_UT	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_OVERGEGAAN_IN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATSCOORDINATEN_DESCRIPTION	int64			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATSCOORDINATEN_IDENTIFIEER	int64			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATSCOORDINATEN_NAME	int64			

Name	Data Type	Label	Required	Documentation
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATS_COORDINATEN_RD_COORDINAAT_X	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATS_COORDINATEN_RD_COORDINAAT_Y	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_TEKENINGEN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_TOELICHTING_BEWAARDER	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_TOESTANDSDATUM_ONDERZOEK_ERFDIENSTBAARHEDEN	datetime			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_TYPE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_UIN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_VERMELDING_IN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_GEBASEERD_OP	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_TYPE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING VAN_EIGENAREN_AANVULLINGEN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING VAN_EIGENAREN_DOSSIER_NUMMER	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING VAN_EIGENAREN_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING VAN_EIGENAREN_INDICATIE_BESCHIKKINGSBEVOEGDHEID	boolean			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING VAN_EIGENAREN_POSTLOCATIE LOCATIE_BINNENLAND_HUISLETT ER	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING VAN_EIGENAREN_POSTLOCATIE_	int64			

Name	Data Type	Label	Required	Documentation
LOCATIE_BINNENLAND_HUISNUMMER				
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE LOCATIE_BINNENLAND_HUISNUMMERTOEVOEGING	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE LOCATIE_BINNENLAND_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE LOCATIE_BINNENLAND_POSTCODE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE LOCATIE_BINNENLAND_STRAATNAAM	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE LOCATIE_BINNENLAND_WOONPLAATS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE LOCATIE_BUITENLAND_ADRESREGELS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE LOCATIE_BUITENLAND_ADRES	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE LOCATIE_BUITENLAND_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE LOCATIE_BUITENLAND_LAND	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE LOCATIE_BUITENLAND_REGIO	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE_	string			

Name	Data Type	Label	Required	Documentation
LOCATIE_BUITENLAND_WOONPLAATS				
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE LOCATIE_POSTBUS_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE LOCATIE_POSTBUS_POSTCODE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE LOCATIE_POSTBUS_WOONPLAATS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_RECHTSVORM	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_RSIN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_STATUTAIRE_NAAM	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_STATUTAIRE_ZEDEL	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_VERMELD_IN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_WOONLOCATIE LOCATIE_BINNENLAND_HUISLETTER	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_WOONLOCATIE LOCATIE_BINNENLAND_HUISNUMMER	int64			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_WOONLOCATIE LOCATIE_BINNENLAND_HUISNUMMERTOEOVOEGING	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN_WOONLOCATIE	string			

Name	Data Type	Label	Required	Documentation
_LOCATIE_BINNENLAND_IDENTIFICATIE				
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE _LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE _LOCATIE_BINNENLAND_POSTCODE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE _LOCATIE_BINNENLAND_STRAATNAAM	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE _LOCATIE_BINNENLAND_WOONPLAATS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE _LOCATIE_BUITENLAND_ADRES_REGELS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE _LOCATIE_BUITENLAND_ADRES	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE _LOCATIE_BUITENLAND_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE _LOCATIE_BUITENLAND_LAND	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE _LOCATIE_BUITENLAND_REGIO	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE _LOCATIE_BUITENLAND_WOONPLAATS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE _LOCATIE_POSTBUS_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE	string			

Name	Data Type	Label	Required	Documentation
_LOCATIE_POSTBUS_POSTBUS_NUMMER				
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE_POSTBUS_POSTCODE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE_POSTBUS_WOONPLAATS	string			
DOCUMENT	byte[]	Document		
OVERGEGAAN_IN_ACTUALITEIT_TUJDSTIP_HYPOTHECAIR	datetime			
OVERGEGAAN_IN_ACTUALITEIT_TUJDSTIP_KADASTRAAL	datetime			
OVERGEGAAN_IN_BETREFT_AAN TEKENINGEN_WKPB_ITEM_DATUM_IN_WERKING	string			
OVERGEGAAN_IN_BETREFT_AAN TEKENINGEN_WKPB_ITEM_GEMEENTELIJKE_REGISTRATIE_ID	string			
OVERGEGAAN_IN_BETREFT_AAN TEKENINGEN_WKPB_ITEM_NUMMER	string			
OVERGEGAAN_IN_BETREFT_AAN TEKENINGEN_WKPB_ITEM_OMSCHRIJVING_PUBLIEKRECHTELIJKE_BEPERKING	string			
OVERGEGAAN_IN_BETREFT_AAN TEKENINGEN_WKPB_ITEM_OMSCHRIJVING	string			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_STUK_AARD	string			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_STUK_DEEL_EN_NUMMER_DEEL	string			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_STUK_DEEL_EN_NUMMER_NUMMER	string			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_STUK_DEEL_EN_NUMMER_REEKS	string			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_STUK_DEEL_EN_NUMMER_REGISTERCODE	string			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_STUK_DEEL_EN_NUMMER_SOORT_REGISTER	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_BETREFT_AAN_VULLINGEN_ITEM_AANGEBODEN_STUK_IDENTIFICATIE	string			
OVERGEGAAN_IN_BETREFT_AAN_VULLINGEN_ITEM_AANGEBODEN_STUK_INDICATIE_ALLE_OBJECTEN_BETROKKEN	boolean			
OVERGEGAAN_IN_BETREFT_AAN_VULLINGEN_ITEM_AANGEBODEN_STUK_STATUS_STUK_OR	string			
OVERGEGAAN_IN_BETREFT_AAN_VULLINGEN_ITEM_AANGEBODEN_STUK_STUKDELEN	string			
OVERGEGAAN_IN_BETREFT_AAN_VULLINGEN_ITEM_AANGEBODEN_STUK_TIJDSTIP_AANBIEDING	datetime			
OVERGEGAAN_IN_BETREFT_AAN_VULLINGEN_ITEM_AANGEBODEN_STUK_TIJDSTIP_ONDERTEKENING	datetime			
OVERGEGAAN_IN_BETREFT_AAN_VULLINGEN_ITEM_AANGEBODEN_STUK_TOELICHTING_BEWAARDE	string			
OVERGEGAAN_IN_BETREFT_AAN_VULLINGEN_ITEM_AANGEBODEN_STUK_VERKLARING_BEWAARDE	string			
OVERGEGAAN_IN_BETREFT_AAN_VULLINGEN_ITEM_AANGEBODEN_STUK_VERZOEKEN	string			
OVERGEGAAN_IN_BETREFT_AAN_VULLINGEN_ITEM_TYPE	string			
OVERGEGAAN_IN_BETREFT_AARD_CULTUUR_BEBOUWD	string			
OVERGEGAAN_IN_BETREFT_AARD_CULTUUR_ONBEBOUWD	string			
OVERGEGAAN_IN_BETREFT_AARD	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BINNENLAND_HUISLETTER	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BINNENLAND_HUISNUMMER	int64			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BINNENLAND_HUISNUMMERTOEOEGING	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BINNENLAND_IN_ONDERZOEK	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_BINNENLA ND_POSTCODE	string			
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_BINNENLA ND_STRAATNAAM	string			
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_BINNENLA ND_WOONPLAATS	string			
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_BUITENLA ND_ADRES_REGELS	string			
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_BUITENLA ND_ADRES	string			
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_BUITENLA ND_IDENTIFICATIE	string			
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_BUITENLA ND_LAND	string			
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_BUITENLA ND_REGIO	string			
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_BUITENLA ND_WOONPLAATS	string			
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_POSTBUS_ IDENTIFICATIE	string			
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_POSTBUS_ POSTBUS_NUMMER	string			
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_POSTBUS_ POSTCODE	string			
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_POSTBUS_ WOONPLAATS	string			
OVERGEGAAN_IN_BETREFT_BEL AST_MET_ITEM_BEDRAG_SOM	decimal			
OVERGEGAAN_IN_BETREFT_BEL AST_MET_ITEM_BEDRAG_VALUT A	string			
OVERGEGAAN_IN_BETREFT_BEL AST_MET_ITEM_EINDJAAR	int64			
OVERGEGAAN_IN_BETREFT_HIST ORIE_LOGISCH_TIJDSTIP_ONTSTA AN	datetime			
OVERGEGAAN_IN_BETREFT_HIST ORIE_LOGISCH_TIJDSTIP_VERVAL LEN	datetime			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_BETREFT_HISTORIE_STATUS_HISTORIE	string			
OVERGEGAAN_IN_BETREFT_HISTORIE_TECHNISCH_TIJDSTIP_ONSTAAN	datetime			
OVERGEGAAN_IN_BETREFT_HISTORIE_TECHNISCH_TIJDSTIP_VERVOLLEN	datetime			
OVERGEGAAN_IN_BETREFT_HISTORIE_VOLGNUMMER	int64			
OVERGEGAAN_IN_BETREFT_IDENTIFICATIE	string			
OVERGEGAAN_IN_BETREFT_INDICATIE_GEDEELTELIJK_BEZWAARD_OUD_OBJECT	boolean			
OVERGEGAAN_IN_BETREFT_INDICATIE_GESPLITST	boolean			
OVERGEGAAN_IN_BETREFT_INDICATIE_TWEEDE_SPLITSING	boolean			
OVERGEGAAN_IN_BETREFT_INDICATIE_VOORGENOMEN_AANTEKENING	boolean			
OVERGEGAAN_IN_BETREFT_INDICATIE_VOORLOPIGE_AANTEKENING	boolean			
OVERGEGAAN_IN_BETREFT_KADASTRALE_AANDUIDING_APPARTEMENTSRECHT_VOLGNUMMER	int64			
OVERGEGAAN_IN_BETREFT_KADASTRALE_AANDUIDING_KADASTRALE_GEMEENTE	string			
OVERGEGAAN_IN_BETREFT_KADASTRALE_AANDUIDING_PERCEELNUMMER	int64			
OVERGEGAAN_IN_BETREFT_KADASTRALE_AANDUIDING_SECTIE	string			
OVERGEGAAN_IN_BETREFT_KADASTRALE_GROOTTE_SOORT_GROOTTE	string			
OVERGEGAAN_IN_BETREFT_KADASTRALE_GROOTTE_WAARDE	decimal			
OVERGEGAAN_IN_BETREFT_KOOP SOM_BEDRAG_SOM	decimal			
OVERGEGAAN_IN_BETREFT_KOOP SOM_BEDRAG_VALUTA	string			
OVERGEGAAN_IN_BETREFT_KOOP SOM_INDICATIE_MEER_OBJECTEN	boolean			
OVERGEGAAN_IN_BETREFT_KOOP SOM_KOOPDATUM	datetime			
OVERGEGAAN_IN_BETREFT_KOOP SOM_KOOPJAAR	int32			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_BETREFT_OMS CHRIJVING_ONDERZOEK_ERFDIEN STBAARHEDEN	string			
OVERGEGAAN_IN_BETREFT_OMS CHRIJVING	string			
OVERGEGAAN_IN_BETREFT_ONT STAAAN_UIT_ITEM_AARD	string			
OVERGEGAAN_IN_BETREFT_ONT STAAAN_UIT_ITEM_OVERGANGSG ROOTTE	decimal			
OVERGEGAAN_IN_BETREFT_PLA ATSCOORDINATEN_DESCRIPTION	int64			
OVERGEGAAN_IN_BETREFT_PLA ATSCOORDINATEN_IDENTIFIER	int64			
OVERGEGAAN_IN_BETREFT_PLA ATSCOORDINATEN_NAME	int64			
OVERGEGAAN_IN_BETREFT_PLA ATSCOORDINATEN_RD_COORDIN AAT_X	string			
OVERGEGAAN_IN_BETREFT_PLA ATSCOORDINATEN_RD_COORDIN AAT_Y	string			
OVERGEGAAN_IN_BETREFT_TEKE NINGEN_ITEM_AANVULLING_OP	string			
OVERGEGAAN_IN_BETREFT_TEKE NINGEN_ITEM_AARD	string			
OVERGEGAAN_IN_BETREFT_TEKE NINGEN_ITEM_BEDRAG_TRANSAC TIES_OM_LEVERING_SOM	decimal			
OVERGEGAAN_IN_BETREFT_TEKE NINGEN_ITEM_BEDRAG_TRANSAC TIES_OM_LEVERING_VALUTA	string			
OVERGEGAAN_IN_BETREFT_TEKE NINGEN_ITEM_BEDRAG_VORDERI NGSBESLAG_SOM	decimal			
OVERGEGAAN_IN_BETREFT_TEKE NINGEN_ITEM_BEDRAG_VORDERI NGSBESLAG_VALUTA	string			
OVERGEGAAN_IN_BETREFT_TEKE NINGEN_ITEM_BEDRAG_ZEKERHEI DSSTELLING_HYPOTHEEK_SOM	decimal			
OVERGEGAAN_IN_BETREFT_TEKE NINGEN_ITEM_BEDRAG_ZEKERHEI DSSTELLING_HYPOTHEEK_VALUT A	string			
OVERGEGAAN_IN_BETREFT_TEKE NINGEN_ITEM_IDENTIFICATIE	string			
OVERGEGAAN_IN_BETREFT_TEKE NINGEN_ITEM_OMSCHRIJVING_GE KOZEN_WOONPLAATS	string			
OVERGEGAAN_IN_BETREFT_TEKE NINGEN_ITEM_OMSCHRIJVING_KA DASTRALE_OBJECTEN	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_VERMELD_IN	string			
OVERGEGAAN_IN_BETREFT_TOELICHTING_BEWAARDER	string			
OVERGEGAAN_IN_BETREFT_TOESTANDSDATUM_ONDERZOEK_ERFDIENSTBAARHEDEN	datetime			
OVERGEGAAN_IN_BETREFT_TYPERE	string			
OVERGEGAAN_IN_BETREFT_UIN	string			
OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_AANVULLING_OP	string			
OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_AARD	string			
OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_BEDRAG_TRANSACTIES_OM_LEVERING_SOM	decimal			
OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_BEDRAG_TRANSACTIES_OM_LEVERING_VALUTA	string			
OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_BEDRAG_VORDERINGSBESLAG_SOM	decimal			
OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_BEDRAG_VORDERINGSBESLAG_VALUTA	string			
OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_BEDRAG_ZEKERHEIDSSTELLING_HYPOTHEEK_SOM	decimal			
OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_BEDRAG_ZEKERHEIDSSTELLING_HYPOTHEEK_VALUTA	string			
OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_IDENTIFICATIE	string			
OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_OMSCHRIJVING_GEKOZEN_WOONPLAATS	string			
OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_OMSCHRIJVING_KADASTRALE_OBJECTEN	string			
OVERGEGAAN_IN_PRODUCTIENUMMER	string			
OVERGEGAAN_IN_SIGNALERING_TJDSTIP_BESLAGEN	datetime			
OVERGEGAAN_IN_SIGNALERING_TJDSTIP_HYPOTHECAIR	datetime			
OVERGEGAAN_IN_SIGNALERING_TJDSTIP_KADASTRAAL	datetime			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_AANDEEL_NOEMER	int64			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_AANDEEL_TELLER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_BETROKKEN_PARTNER_NATUURLIJK_PERSONEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_BETROKKEN_PARTNER_NIET_NATUURLIJK_PERSONEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_BETROKKEN_SAMENWERKINGSVERBAND_NATUURLIJK_PERSONEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_BETROKKEN_SAMENWERKINGSVERBAND_NIET_NATUURLIJK_PERSONEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_BURGERLIJKE_STAAT_TEN_TIJDE_VAN_VERKRIJGING	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_GEBASEERD_OP	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_GELDT_VOOR_AANDEEL_NOEMER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_GELDT_VOOR_AANDEEL_TELLER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_GELDT_VOOR_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_OMSCHRIJVING	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_TEN_NAME_VAN_NATUURLIJK_PERSONEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_TEN_NAME_VAN_NIET_NATUURLIJK_PERSONEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_AARD	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BELAST_MET	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BEPERKT_TOT	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BESTEMT_TOT_GEBASEERD_OP	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BESTEMT_TOT_HOORT_BIJ	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BESTEMT_TOT_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_GEBASEERD_OP	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_TYPE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_AANVULLINGEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_DOSSIER_NUMMER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_INDICATIE_BESCHIKKINGSBEVOEGDHEID	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEVOEGING	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ	string			

Name	Data Type	Label	Required	Documentation
J_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENL AND_POSTCODE				
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENL AND_STRAATNAAM	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENL AND_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENL AND_ADRES_REGELS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENL AND_ADRES	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENL AND_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENL AND_LAND	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENL AND_REGIO	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENL AND_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_	string			

Name	Data Type	Label	Required	Documentation
POSTLOCATIE_LOCATIE_POSTBUS_POSTCODE				
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_RECHTSVORM	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_RSIN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_STATUTAIRE_NAAM	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_STATUTAIRE_ZETEL	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_VERMELD_IN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEOVOEGING	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_LAND	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ	string			

Name	Data Type	Label	Required	Documentation
J_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_WOONPLAATS				
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_INDICATIE_SPLITTING_BETROKKEN	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_AANTEKENINGEN_WKPB	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_AANVULLINGEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_AARD_CULTUUR_BEBOUWD	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_AARD_CULTUUR_ONBEBOUWD	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_AARD	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_ADRESSEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_BELASTMET	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_LOGISCH_TIJDSTIP_ONTSTAAN	datetime			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_LOGISCH_TIJDSTIP_VERVALLLEN	datetime			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_STATUS_HISTORIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_TECHNISCH_TIJDSTIP_ONTSTAAN	datetime			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_TECHNISCH_TIJDSTIP_VERVALLLEN	datetime			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_VOLGNUMMER	int64			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_INDICATIE_GEDEELTELIJK_BEZWAARD_OUD_OBJECT	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_INDICATIE_GESPLITST	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_INDICATIE_TWEEDE_SPLITTING	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_INDICATIE_VOORGENOMEN_AANTEKENING	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_INDICATIE_VOORLOPIGE_AANTEKENING	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_APPARTEMENTSRECHT_VOLGNUMMER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_KADASTRALE_GEMEENTE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_PERCEELNUMMER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_SECTIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KADASTRALE_GROOTTE_SOORT_GROOTTE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KADASTRALE_GROOTTE_WAARDE	decimal			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KOOPSOM_BEDRAG_SOM	decimal			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KOOPSOM_BEDRAG_VALUTA	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KOOPSOM_BEDRAG_VALUTA	boolean			

Name	Data Type	Label	Required	Documentation
ZAAK_KOOPSOM_INDICATIE_MEE R_OBJECTEN				
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_KOOPSOM_KOOPDATUM	datetime			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_KOOPSOM_KOOPJAAR	int32			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_OMSCHRIJVING_ONDERZO EK_ERFDIENSTBAARHEDEN	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_OMSCHRIJVING	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_ONTSTAAN UIT	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_PLAATSCOORDINATEN_DE SCRIPTION	int64			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_PLAATSCOORDINATEN_ID ENTIFIER	int64			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_PLAATSCOORDINATEN_N AME	int64			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_PLAATSCOORDINATEN_RD _COORDINAAT_X	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_PLAATSCOORDINATEN_RD _COORDINAAT_Y	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_TEKENINGEN	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_TOELICHTING_BEWAARDE R	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_TOESTANDSDATUM_ONDE RZOEK_ERFDIENSTBAARHEDEN	datetime			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_TYPE	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_UIN	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_VERMELD_IN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_GEBASEERD_OP	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_TYPE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_AANVULLINGEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_DOSSIER_NUMMER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_INDICATIE_BESCHIKKINGSBEVOEGDHEID	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEOEGING	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT	string			

Name	Data Type	Label	Required	Documentation
T_VERENIGING_VAN_EIGENAREN _POSTLOCATIE_LOCATIE_BINNEN LAND_POSTCODE				
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _POSTLOCATIE_LOCATIE_BINNEN LAND_STRAATNAAM	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _POSTLOCATIE_LOCATIE_BINNEN LAND_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _POSTLOCATIE_LOCATIE_BUITEN LAND_ADRES_REGELS	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _POSTLOCATIE_LOCATIE_BUITEN LAND_ADRES	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _POSTLOCATIE_LOCATIE_BUITEN LAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _POSTLOCATIE_LOCATIE_BUITEN LAND_LAND	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _POSTLOCATIE_LOCATIE_BUITEN LAND_REGIO	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _POSTLOCATIE_LOCATIE_BUITEN LAND_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _POSTLOCATIE_LOCATIE_POSTB US_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _POSTLOCATIE_LOCATIE_POSTB US_POSTBUS_NUMMER	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN	string			

Name	Data Type	Label	Required	Documentation
_POSTLOCATIE_LOCATIE_POSTBUS_POSTCODE				
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_RECHTSVORM	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_RSIN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_STATUTAIRE_NAAM	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_STATUTAIRE_ZETEL	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_VERMELD_IN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEOEGING	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN	string			

Name	Data Type	Label	Required	Documentation
_WOONLOCATIE_LOCATIE_BINNE NLAND_POSTCODE				
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _WOONLOCATIE_LOCATIE_BINNE NLAND_STRAATNAAM	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _WOONLOCATIE_LOCATIE_BINNE NLAND_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _WOONLOCATIE_LOCATIE_BUITE NLAND_ADRES_REGELS	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _WOONLOCATIE_LOCATIE_BUITE NLAND_ADRES	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _WOONLOCATIE_LOCATIE_BUITE NLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _WOONLOCATIE_LOCATIE_BUITE NLAND_LAND	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _WOONLOCATIE_LOCATIE_BUITE NLAND_REGIO	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _WOONLOCATIE_LOCATIE_BUITE NLAND_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _WOONLOCATIE_LOCATIE_POST BUS_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _WOONLOCATIE_LOCATIE_POST BUS_POSTBUS_NUMMER	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _WOONLOCATIE_LOCATIE_POST BUS_POSTCODE	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VERKLARING_INZAKE_DERDEN_BESCHERMING	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VERKREGEN_NAMENS_SAMENWERKINGSVERBAND	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VERMELD_IN	string			
OVERGEGAAN_IN_TIJDSTIP_SAMENSTELLING_BERICHT	datetime			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_AARD	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BELAST_MET	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BEPERKT_TOT	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BESTEMT_TOT_GEBASEERD_OP	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BESTEMT_TOT_HOORT_BIJ	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BESTEMT_TOT_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_GEBASEERD_OP	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_TYPE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_AANVULLINGEN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_DOSSIER_NUMMER	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_INDIC	boolean			

Name	Data Type	Label	Required	Documentation
ATIE_BESCHIKKINGSBEVOEGDH ID				
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_BETROKKEN_BIJ_VER ENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_BINNENLAND_ HUISLETTER	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_BETROKKEN_BIJ_VER ENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_BINNENLAND_ HUISNUMMER	int64			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_BETROKKEN_BIJ_VER ENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_BINNENLAND_ HUISNUMMERTOEVOEING	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_BETROKKEN_BIJ_VER ENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_BINNENLAND_ IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_BETROKKEN_BIJ_VER ENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_BINNENLAND_ IN_ONDERZOEK	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_BETROKKEN_BIJ_VER ENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_BINNENLAND_ POSTCODE	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_BETROKKEN_BIJ_VER ENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_BINNENLAND_ STRAATNAAM	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_BETROKKEN_BIJ_VER ENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_BINNENLAND_ WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_BETROKKEN_BIJ_VER ENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_BUITENLAND_ ADRES_REGELS	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_BETROKKEN_BIJ_VER ENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_BUITENLAND_ ADRES	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_BETROKKEN_BIJ_VER ENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_BUITENLAND_ IDENTIFICATIE	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_LAND	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_RECHTSVORM	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_RSIN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_STATUTAIRE_NAAM	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_STATUTAIRE_ZETEL	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_VERMELD_IN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOO	string			

Name	Data Type	Label	Required	Documentation
NLOCATIE_LOCATIE_BINNENLAND_HUISLETTER				
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEV/OEGING	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_LAND	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_INDICATIE_SPLITSING_BETROKKEN	boolean			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_AANTEKENINGEN_WKPB	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_AANVULLINGEN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_AARD_CULTUUR_BEBOUWD	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_AARD_CULTUUR_ONBEBOUWD	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_AARD	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_ADRESSEN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_BELAST_MET	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_LOGISCH_TUJDSTIP_ONTSTAAN	datetime			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_LOGISCH_TUJDSTIP_VERVALLLEN	datetime			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_STATUS_HISTORIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_TECHNISCH_TUJDSTIP_ONTSTAAN	datetime			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_TECHNISCH_TUJDSTIP_VERVALLLEN	datetime			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_VOLGNUMMER	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_INDICATIE_GEDEELTELIJK_BEZWAARD_OUD_OBJECT	boolean			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_INDICATIE_GESPLITST	boolean			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_INDICATIE_TWEEDE_SPLITSING	boolean			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_INDICATIE_VOORGENOMEN_AAN TEKENING	boolean			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_INDICATIE_VOORLOPIGE_AANTEKENING	boolean			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_AP PARTEMENTSRECHT_VOLGNUMMER	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_KADASTRALE_GEMEENTE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_PER CEELNUMMER	int64			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_SECTIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_GROOTTE_SORT_GROOTTE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_GROOTTE_WAARDE	decimal			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSOM_BEDRAG_SOM	decimal			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSOM_BEDRAG_VALUTA	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSOM_INDICATIE_MEER_OBJECTEN	boolean			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSOM_KOOPDATUM	datetime			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSOM_KOOPJAAR	int32			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_OMSCHRIJVING_ONDERZOEK_ERFDIENSTBAARHEDEN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_OMSCHRIJVING	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_ONTSTAAN_UIT	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATSCOORDINATEN_DESCRIPTION	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATSCOORDINATEN_IDENTIFIEER	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATSCOORDINATEN_NAME	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATSCOORDINATEN_RD_COORDINAAT_X	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK	string			

Name	Data Type	Label	Required	Documentation
_PLAATSCOORDINATEN_RD_COOR RDINAAT_Y				
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONROERENDE_ZAAK _TEKENINGEN	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONROERENDE_ZAAK _TOELICHTING_BEWAARDER	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONROERENDE_ZAAK _TOESTANDSDATUM_ONDERZOE K_ERFDIENSTBAARHEDEN	datetime			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONROERENDE_ZAAK _TYPE	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONROERENDE_ZAAK _UIN	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONROERENDE_ZAAK _VERMELD_IN	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_GEB ASEERD_OP	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_IDEN TIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_TYPE	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING VAN EIGENAREN AANV ULLINGEN	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING VAN EIGENAREN DOSSI ER_NUMMER	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING VAN EIGENAREN IDENTI FICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING VAN EIGENAREN INDIC ATIE_BESCHIKKINGSBEVOEGDHEI D	boolean			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING VAN EIGENAREN POST LOCATIE LOCATIE_BINNENLAND_ HUISLETTER	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING VAN EIGENAREN_POST	int64			

Name	Data Type	Label	Required	Documentation
LOCATIE_LOCATIE_BINNENLAND_HUISNUMMER				
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEVOEGING	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_BINNENLAND_IDENTONDERZOEK	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_BINNENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_BUITENLAND_ADRES	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_BUITENLAND_LAND	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_BUITENLAND_REGIO	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_IDE NTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_PO STBUS_NUMMER	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_PO STCODE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_WO ONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_RECH TSVORM	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_RSIN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_STAT UTAIRE_NAAM	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_STAT UTAIRE_ZETEL	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_VERM ELD_IN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WO ONLOCATIE_LOCATIE_BINNENLAND _HUISLETTER	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WO ONLOCATIE_LOCATIE_BINNENLAND _HUISNUMMER	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WO ON	string			

Name	Data Type	Label	Required	Documentation
NLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEOVOEGING				
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_LAND	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_WOO NLOCATIE_LOCATIE_POSTBUS_ID ENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_WOO NLOCATIE_LOCATIE_POSTBUS_P OSTBUS_NUMMER	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_WOO NLOCATIE_LOCATIE_POSTBUS_P OSTCODE	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_WOO NLOCATIE_LOCATIE_POSTBUS_W OONPLAATS	string			
POSTCODE_TREFFERS_ACTUALIT EIT_TIJDSTIP_HYPOTHECAIR	datetime			
POSTCODE_TREFFERS_ACTUALIT EIT_TIJDSTIP_KADASTRAAL	datetime			
POSTCODE_TREFFERS_BETREFT_ HUISLETTER	string			
POSTCODE_TREFFERS_BETREFT_ HUISNUMMER	int64			
POSTCODE_TREFFERS_BETREFT_ HUISNUMMERTOEV_OEGING	string			
POSTCODE_TREFFERS_BETREFT_I DENTIFICATIE	string			
POSTCODE_TREFFERS_BETREFT_ KOOPSOM_GEGEVENS_ITEM_HUI SNUMMER_VOLLEDIG	string			
POSTCODE_TREFFERS_BETREFT_ KOOPSOM_GEGEVENS_ITEM_IDEN TIFICATIE	string			
POSTCODE_TREFFERS_BETREFT_ KOOPSOM_GEGEVENS_ITEM_KAD ASTRALE_GROOTTE_SOORT_GR OOTTE	string			
POSTCODE_TREFFERS_BETREFT_ KOOPSOM_GEGEVENS_ITEM_KAD ASTRALE_GROOTTE_WAARDE	decimal			
POSTCODE_TREFFERS_BETREFT_ KOOPSOM_GEGEVENS_ITEM_KO OPSOM_BEDRAG_SOM	decimal			
POSTCODE_TREFFERS_BETREFT_ KOOPSOM_GEGEVENS_ITEM_KO OPSOM_BEDRAG_VALUTA	string			
POSTCODE_TREFFERS_BETREFT_ KOOPSOM_GEGEVENS_ITEM_KO OPSOM_INDICATIE_MEER_OBJECT EN	boolean			

Name	Data Type	Label	Required	Documentation
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_KOOPSOM_KOOPDATUM	datetime			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_KOOPSOM_KOOPJAAR	int32			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_OMSCHRIJVING_CULTUUR	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_AANTEKENINGEN_WKPB	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_AANVULLINGEN	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_AARD_CULTUUR_BEBOUWD	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_AARD_CULTUUR_ONBEBOUWD	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_AARD	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_ADRESSEN	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_BELASTMET	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_HISTORIE_LOGISCH_TIJDSTIP_ONTSTAAN	datetime			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_HISTORIE_LOGISCH_TIJDSTIP_VERVALLEN	datetime			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_HISTORIE_STATUS_HISTORIE	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_HISTORIE_TECHNISCH_TIJDSTIP_ONTSTAAN	datetime			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_HISTORIE_TECHNISCH_TIJDSTIP_VERVALLEN	datetime			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_HISTORIE_VOLGNUMMER	int64			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_IDENTIFICATIE	string			

Name	Data Type	Label	Required	Documentation
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_INDICATIE_GEDEELTELIJK_BEZWAARD_OUD_OBJECT	boolean			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_INDICATIE_GESPLITST	boolean			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_INDICATIE_TWEEDE_SPLITSING	boolean			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_INDICATIE_VOORGENOMEN_AANTEKENING	boolean			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_INDICATIE_VOORLOPIGE_AANTEKENING	boolean			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_APPARTEMENTSRECHT_VOLGNUMMER	int64			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_KADASTRALE_GEMEENTE	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_PERCEELNUMMER	int64			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_SECTIE	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_GROOTTE_SOORT_GROOTTE	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_GROOTTE_WAARDE	decimal			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KOOP SOM_BEDRAG_SOM	decimal			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KOOP SOM_BEDRAG_VALUTA	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KOOP SOM_INDICATIE_MEER_OBJECTEN	boolean			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KOOP SOM_KOOPDATUM	datetime			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KOOP	int32			

Name	Data Type	Label	Required	Documentation
PSOM_KOOPJAAR				
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_OMS_CHRIJVING_ONDERZOEK_ERFDIENSTBAARHEDEN	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_OMS_CHRIJVING	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_ONTSTAAN_UIT	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_OVERGEGAAN_IN	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_PLAATSCOORDINATEN_DESCRIPTION	int64			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_PLAATSCOORDINATEN_IDENTIFIER	int64			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_PLAATSCOORDINATEN_NAME	int64			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_PLAATSCOORDINATEN_RD_COORDINAT_X	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_PLAATSCOORDINATEN_RD_COORDINAT_Y	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_TEKENINGEN	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_TOELICHTING_BEWAARDER	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_TOESTANDSDATUM_ONDERZOEK_ERFDIENSTBAARHEDEN	datetime			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_TYPE	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_UIN	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_VERMELD_IN	string			
POSTCODE_TREFFERS_BETREFT_POSTCODE	string			
POSTCODE_TREFFERS_PRODUCTIENUMMER	string			

Name	Data Type	Label	Required	Documentation
POSTCODE_TREFFERS_SIGNALERING_TIJDSTIP_BESLAGEN	datetime			
POSTCODE_TREFFERS_SIGNALERING_TIJDSTIP_HYPOTHECAIR	datetime			
POSTCODE_TREFFERS_SIGNALERING_TIJDSTIP_KADASTRAAL	datetime			
POSTCODE_TREFFERS_TIJDSTIP_SAMENSTELLING_BERICHT	datetime			

3.1.226 kadasterV2GetKadastraalBerichtObjectById

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: kadasterV2GetKadastraalBerichtObjectById

Base

XPath: `/s:Envelope/s:Body/tns:kadasterV2GetKadastraalBerichtObjectByIdResponse/tns:resultaat`

Filters on API Server: object_id- document

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `kadasterV2GetKadastraalBerichtObjectById`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
document	string	<input type="checkbox"/>		
object_id	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `kadasterV2GetKadastraalBerichtObjectByObjectId` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
BERICHT_AANTEKENINGEN_ITEM_AARD	string			
BERICHT_AANTEKENINGEN_ITEM_BESLAGLEGGINGEN	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_AANTEKENINGEN_WKPB	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_AANVULLINGEN	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_AARD_CULTUUR_BEBOUWD	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_AARD_CULTUUR_ONBEBOUWD	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_AARD	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_ADRESSEN	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_BELASTMET	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_HISTORIE_LOGISCH_TJJDSTIP_ONTSTAAN	datetime			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_HISTORIE_LOGISCH_TJJDSTIP_VERVALLLEN	datetime			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_HISTORIE_STATUS_HISTORIE	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_HISTORIE_TECHNISCH_TJJDSTIP_ONTSTAAN	datetime			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_HISTORIE_TECHNISCH_TJJDSTIP_VERVALLLEN	datetime			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_HISTORIE_VOLGNUMMER	int64			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_IDENTIFICATIE	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_INDICATIE_GEDEELTELJK_BEZWAARD_OUD_OBJECT	boolean			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_INDICATIE_GESPLITST	boolean			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_INDICATIE_TWEEDE_SPLITSING	boolean			

Name	Data Type	Label	Required	Documentation
BERICHT_AANTEKENINGEN_ITEM_BETREFT_INDICATIE_VOORGENOMEN_AANTEKENING	boolean			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_INDICATIE_VOORLOPIGE_AANTEKENING	boolean			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_KADASTRALE_AANDUIDING_APPARTEMENTSRECHT_VOLGNUMMER	int64			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_KADASTRALE_AANDUIDING_KADASTRALE_GEMEENTE	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_KADASTRALE_AANDUIDING_PERCEELNUMMER	int64			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_KADASTRALE_AANDUIDING_SECTIE	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_KADASTRALE_GROOTTE_SOORT_GROOTTE	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_KADASTRALE_GROOTTE_WAARDE	decimal			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_KOOPSOM_BEDRAG_SOM	decimal			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_KOOPSOM_BEDRAG_VALUTA	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_KOOPSOM_INDICATIE_MEER_OBJECTEN	boolean			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_KOOPSOM_KOOPDATUM	datetime			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_KOOPSOM_KOOPJAAR	int32			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_OMSCHRIJVING_ONDERZOEK_ERFDIENSTBAARHEDEN	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_OMSCHRIJVING	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_ONTSTAAN_UIT	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_OVERGEGAAN_IN	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_PLAATSCOORDINATEN_DESCRIPTION	int64			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_PLAATSCOORDINATEN	int64			

Name	Data Type	Label	Required	Documentation
IDENTIFIER				
BERICHT_AANTEKENINGEN_ITEM_BETREFT_PLAATSCOORDINATEN_NAME	int64			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_PLAATSCOORDINATEN_RD_COORDINAAT_X	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_PLAATSCOORDINATEN_RD_COORDINAAT_Y	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_TEKENINGEN	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_TOELICHTING_BEWAARDER	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_TOESTANDSDATUM_ONDERZOEK_ERFDIENSTBAARHEIDEN	datetime			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_TYPE	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_UIN	string			
BERICHT_AANTEKENINGEN_ITEM_BETREFT_VERMELD_IN	string			
BERICHT_AANTEKENINGEN_ITEM_BETROKKEN_PERSONEN_NATUURLIJK_PERSONEN	string			
BERICHT_AANTEKENINGEN_ITEM_BETROKKEN_PERSONEN_NIET_NATUURLIJK_PERSONEN	string			
BERICHT_AANTEKENINGEN_ITEM_EINDDATUM_RECHT	datetime			
BERICHT_AANTEKENINGEN_ITEM_EINDDATUM	datetime			
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_AANVULLING_OP	string			
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_AARD	string			
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_BEDRAG_TRANSACTIES_OM_LEVERING_SOM	decimal			
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_BEDRAG_TRANSACTIES_OM_LEVERING_VALUTA	string			
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_BEDRAG_VORDERINGSBESLAG_SOM	decimal			
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_BEDRAG_VORDERINGSBESLAG_VALUTA	string			

Name	Data Type	Label	Required	Documentation
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_BEDRAG_ZEKERHEIDSSTELLING_HYPOTHEEK_SOM	decimal			
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_BEDRAG_ZEKERHEIDSSTELLING_HYPOTHEEK_VALUTA	string			
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_IDENTIFICATIE	string			
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_OMSCHRIJVING_GEKOZEN_WOONPLAATS	string			
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_OMSCHRIJVING_KADASTRALE_OBJECTEN	string			
BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_OP_VERMELD_IN	string			
BERICHT_AANTEKENINGEN_ITEM_HERKAVELING_BLOKNUMMER	int64			
BERICHT_AANTEKENINGEN_ITEM_HYPOTHEKEN	string			
BERICHT_AANTEKENINGEN_ITEM_IDENTIFICATIE	string			
BERICHT_AANTEKENINGEN_ITEM_OMSCHRIJVING	string			
BERICHT_AANTEKENINGEN_ITEM_TENAAMSTELLINGEN	string			
BERICHT_AANTEKENINGEN_ITEM_VERMELD_IN	string			
BERICHT_ACTUALITEIT_TIJDSTIP_HYPOTHECAIR	datetime			
BERICHT_ACTUALITEIT_TIJDSTIP_KADASTRAAL	datetime			
BERICHT_BETREFT_AANTEKENINGEN_WKPB_ITEM_DATUM_IN_WERKING	string			
BERICHT_BETREFT_AANTEKENINGEN_WKPB_ITEM_GEMEENTELIJKE_REGISTRATIE_ID	string			
BERICHT_BETREFT_AANTEKENINGEN_WKPB_ITEM_NUMMER	string			
BERICHT_BETREFT_AANTEKENINGEN_WKPB_ITEM_OMSCHRIJVING_PUBLIEKRECHTELIJKE_BEPERKING	string			
BERICHT_BETREFT_AANTEKENINGEN_WKPB_ITEM_OMSCHRIJVING	string			
BERICHT_BETREFT_AANVULLINGEN_ITEM_AANGEBODEN_STUK_AARD	string			
BERICHT_BETREFT_AANVULLINGEN_ITEM_AANGEBODEN_STUK_D	string			

Name	Data Type	Label	Required	Documentation
EEL_EN_NUMMER_DEEL				
BERICHT_BETREFT_AANVULLING EN_ITEM_AANGEBODEN_STUK_D EEL_EN_NUMMER_NUMMER	string			
BERICHT_BETREFT_AANVULLING EN_ITEM_AANGEBODEN_STUK_D EEL_EN_NUMMER_REEKS	string			
BERICHT_BETREFT_AANVULLING EN_ITEM_AANGEBODEN_STUK_D EEL_EN_NUMMER_REGISTERCODE	string			
BERICHT_BETREFT_AANVULLING EN_ITEM_AANGEBODEN_STUK_D EEL_EN_NUMMER_SOORT_REGIST ER	string			
BERICHT_BETREFT_AANVULLING EN_ITEM_AANGEBODEN_STUK_ID ENTIFICATIE	string			
BERICHT_BETREFT_AANVULLING EN_ITEM_AANGEBODEN_STUK_IN DICATIE_ALLE_OBJECTEN_BETRO KKEN	boolean			
BERICHT_BETREFT_AANVULLING EN_ITEM_AANGEBODEN_STUK_S TATUS_STUK_OR	string			
BERICHT_BETREFT_AANVULLING EN_ITEM_AANGEBODEN_STUK_S TUKDELEN	string			
BERICHT_BETREFT_AANVULLING EN_ITEM_AANGEBODEN_STUK_TI JDSTIP_AANBIEDING	datetime			
BERICHT_BETREFT_AANVULLING EN_ITEM_AANGEBODEN_STUK_TI JDSTIP_ONDERTEKENING	datetime			
BERICHT_BETREFT_AANVULLING EN_ITEM_AANGEBODEN_STUK_T OELICHTING_BEWAARDER	string			
BERICHT_BETREFT_AANVULLING EN_ITEM_AANGEBODEN_STUK_V ERKLARING_BEWAARDER	string			
BERICHT_BETREFT_AANVULLING EN_ITEM_AANGEBODEN_STUK_V ERZOEKEN	string			
BERICHT_BETREFT_AANVULLING EN_ITEM_TYPE	string			
BERICHT_BETREFT_AARD_CULTU UR_BEBOUWD	string			
BERICHT_BETREFT_AARD_CULTU UR_ONBEBOUWD	string			
BERICHT_BETREFT_AARD	string			
BERICHT_BETREFT_ADRESSEN_IT EM_LOCATIE_BINNENLAND_HUISL ETTER	string			

Name	Data Type	Label	Required	Documentation
BERICHT_BETREFT_ADRESSEN_IT EM_LOCATIE_BINNENLAND_HUISN UMMER	int64			
BERICHT_BETREFT_ADRESSEN_IT EM_LOCATIE_BINNENLAND_HUISN UMMERTOEOVOEGING	string			
BERICHT_BETREFT_ADRESSEN_IT EM_LOCATIE_BINNENLAND_IDENTI FICATIE	string			
BERICHT_BETREFT_ADRESSEN_IT EM_LOCATIE_BINNENLAND_IN_ON DERZOEK	string			
BERICHT_BETREFT_ADRESSEN_IT EM_LOCATIE_BINNENLAND_POST CODE	string			
BERICHT_BETREFT_ADRESSEN_IT EM_LOCATIE_BINNENLAND_STRA ATNAAM	string			
BERICHT_BETREFT_ADRESSEN_IT EM_LOCATIE_BINNENLAND_WOO NPLAATS	string			
BERICHT_BETREFT_ADRESSEN_IT EM_LOCATIE_BUITENLAND_ADRE S_REGELS	string			
BERICHT_BETREFT_ADRESSEN_IT EM_LOCATIE_BUITENLAND_ADRE S	string			
BERICHT_BETREFT_ADRESSEN_IT EM_LOCATIE_BUITENLAND_IDENTI FICATIE	string			
BERICHT_BETREFT_ADRESSEN_IT EM_LOCATIE_BUITENLAND_LAND	string			
BERICHT_BETREFT_ADRESSEN_IT EM_LOCATIE_BUITENLAND_REGIO	string			
BERICHT_BETREFT_ADRESSEN_IT EM_LOCATIE_BUITENLAND_WOO NPLAATS	string			
BERICHT_BETREFT_ADRESSEN_IT EM_LOCATIE_POSTBUS_IDENTIFIC ATIE	string			
BERICHT_BETREFT_ADRESSEN_IT EM_LOCATIE_POSTBUS_POSTBU S_NUMMER	string			
BERICHT_BETREFT_ADRESSEN_IT EM_LOCATIE_POSTBUS_POSTCO DE	string			
BERICHT_BETREFT_ADRESSEN_IT EM_LOCATIE_POSTBUS_WOONPL AATS	string			
BERICHT_BETREFT_BELAST_MET_ ITEM_BEDRAG_SOM	decimal			
BERICHT_BETREFT_BELAST_MET_ ITEM_BEDRAG_VALUTA	string			

Name	Data Type	Label	Required	Documentation
BERICHT_BETREFT_BELAST_MET_ITEM_EINDJAAR	int64			
BERICHT_BETREFT_HISTORIE_LOGISCH_TIJDSTIP_ONTSTAAN	datetime			
BERICHT_BETREFT_HISTORIE_LOGISCH_TIJDSTIP_VERVALLEN	datetime			
BERICHT_BETREFT_HISTORIE_STATUS_HISTORIE	string			
BERICHT_BETREFT_HISTORIE_TECHNISCH_TIJDSTIP_ONTSTAAN	datetime			
BERICHT_BETREFT_HISTORIE_TECHNISCH_TIJDSTIP_VERVALLEN	datetime			
BERICHT_BETREFT_HISTORIE_VOLGNUMMER	int64			
BERICHT_BETREFT_IDENTIFICATIE	string			
BERICHT_BETREFT_INDICATIE_GEDEELTELIJK_BEZWAARD_OUD_OBJECT	boolean			
BERICHT_BETREFT_INDICATIE_GESPLITST	boolean			
BERICHT_BETREFT_INDICATIE_TWEEDE_SPLITSING	boolean			
BERICHT_BETREFT_INDICATIE_VORGENOMEN_AANTEKENING	boolean			
BERICHT_BETREFT_INDICATIE_VORORLOPIGE_AANTEKENING	boolean			
BERICHT_BETREFT_KADASTRALE_AANDUIDING_APPARTEMENTSRECHT_VOLGNUMMER	int64			
BERICHT_BETREFT_KADASTRALE_AANDUIDING_KADASTRALE_GEMEENTE	string			
BERICHT_BETREFT_KADASTRALE_AANDUIDING_PERCEELNUMMER	int64			
BERICHT_BETREFT_KADASTRALE_AANDUIDING_SECTIE	string			
BERICHT_BETREFT_KADASTRALE_GROOTTE_SOORT_GROOTTE	string			
BERICHT_BETREFT_KADASTRALE_GROOTTE_WAARDE	decimal			
BERICHT_BETREFT_KOOPSOM_BEDRAG_SOM	decimal			
BERICHT_BETREFT_KOOPSOM_BEDRAG_VALUTA	string			
BERICHT_BETREFT_KOOPSOM_INDICATIE_MEER_OBJECTEN	boolean			
BERICHT_BETREFT_KOOPSOM_KOOPDATUM	datetime			
BERICHT_BETREFT_KOOPSOM_KOOPJAAR	int32			

Name	Data Type	Label	Required	Documentation
BERICHT_BETREFT_OMSCHRIJVING_ONDERZOEK_ERFDIENSTBAARHEDEN	string			
BERICHT_BETREFT_OMSCHRIJVING	string			
BERICHT_BETREFT_ONTSTAANUIT_ITEM_AARD	string			
BERICHT_BETREFT_ONTSTAANUIT_ITEM_OVERGANGSGROOTTE	decimal			
BERICHT_BETREFT_OVERGEGAAN_IN_ITEM_AARD	string			
BERICHT_BETREFT_OVERGEGAAN_IN_ITEM_OVERGANGSGROOTTE	decimal			
BERICHT_BETREFT_PLAATSCOORDINATEN_DESCRIPTION	int64			
BERICHT_BETREFT_PLAATSCOORDINATEN_IDENTIFIER	int64			
BERICHT_BETREFT_PLAATSCOORDINATEN_NAME	int64			
BERICHT_BETREFT_PLAATSCOORDINATEN_RD_COORDINAAT_X	string			
BERICHT_BETREFT_PLAATSCOORDINATEN_RD_COORDINAAT_Y	string			
BERICHT_BETREFT_TEKENINGEN_ITEM_AANVULLING_OP	string			
BERICHT_BETREFT_TEKENINGEN_ITEM_AARD	string			
BERICHT_BETREFT_TEKENINGEN_ITEM_BEDRAG_TRANSACTIES_OM_LEVERING_SOM	decimal			
BERICHT_BETREFT_TEKENINGEN_ITEM_BEDRAG_TRANSACTIES_OM_LEVERING_VALUTA	string			
BERICHT_BETREFT_TEKENINGEN_ITEM_BEDRAG_VORDERINGSBESLAG_SOM	decimal			
BERICHT_BETREFT_TEKENINGEN_ITEM_BEDRAG_VORDERINGSBESLAG_VALUTA	string			
BERICHT_BETREFT_TEKENINGEN_ITEM_BEDRAG_ZEKERHEIDSTELLING_HYPOTHEEK_SOM	decimal			
BERICHT_BETREFT_TEKENINGEN_ITEM_BEDRAG_ZEKERHEIDSTELLING_HYPOTHEEK_VALUTA	string			
BERICHT_BETREFT_TEKENINGEN_ITEM_IDENTIFICATIE	string			
BERICHT_BETREFT_TEKENINGEN_ITEM_OMSCHRIJVING_GEKOZEN_WOONPLAATS	string			

Name	Data Type	Label	Required	Documentation
BERICHT_BETREFT_TEKENINGEN_I TEM_OMSCHRIJVING_KADASTRA LE_OBJECTEN	string			
BERICHT_BETREFT_TEKENINGEN_I TEM_VERMELD_IN	string			
BERICHT_BETREFT_TOELICHTING_ BEWAARDER	string			
BERICHT_BETREFT_TOESTANDSD ATUM_ONDERZOEK_ERFDIENSTB AARHEDEN	datetime			
BERICHT_BETREFT_TYPE	string			
BERICHT_BETREFT_UIN	string			
BERICHT_BETREFT_VERMELD_IN_I TEM_AANVULLING_OP	string			
BERICHT_BETREFT_VERMELD_IN_I TEM_AARD	string			
BERICHT_BETREFT_VERMELD_IN_I TEM_BEDRAG_TRANSACTIES_OM _LEVERING_SOM	decimal			
BERICHT_BETREFT_VERMELD_IN_I TEM_BEDRAG_TRANSACTIES_OM _LEVERING_VALUTA	string			
BERICHT_BETREFT_VERMELD_IN_I TEM_BEDRAG_VORDERINGSBESL AG_SOM	decimal			
BERICHT_BETREFT_VERMELD_IN_I TEM_BEDRAG_VORDERINGSBESL AG_VALUTA	string			
BERICHT_BETREFT_VERMELD_IN_I TEM_BEDRAG_ZEKERHEIDSSTELLI NG_HYPOTHEEK_SOM	decimal			
BERICHT_BETREFT_VERMELD_IN_I TEM_BEDRAG_ZEKERHEIDSSTELLI NG_HYPOTHEEK_VALUTA	string			
BERICHT_BETREFT_VERMELD_IN_I TEM_IDENTIFICATIE	string			
BERICHT_BETREFT_VERMELD_IN_I TEM_OMSCHRIJVING_GEKOZEN_ WOONPLAATS	string			
BERICHT_BETREFT_VERMELD_IN_I TEM_OMSCHRIJVING_KADASTRA LE_OBJECTEN	string			
BERICHT_ERFPACHTCANON_ITEM _BETREFT_AARD	string			
BERICHT_ERFPACHTCANON_ITEM _BETREFT_BELAST_MET	string			
BERICHT_ERFPACHTCANON_ITEM _BETREFT_BEPERKT_TOT	string			
BERICHT_ERFPACHTCANON_ITEM _BETREFT_BESTEMT_TOT_GEBAS EERD_OP	string			

Name	Data Type	Label	Required	Documentation
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BESTEMT_TOT_HOORT_BIJ	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BESTEMT_TOT_IDENTIFICATIE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_GEBASEERD_OP	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_IDENTIFICATIE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_TYPE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_AANVULLINGEN	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_DOSSIER_NUMMER	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_IDENTIFICATIE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_INDICATIE_BESCHIKKINGSBEVOEGDHEID	boolean			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEVOEGING	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK	string			

Name	Data Type	Label	Required	Documentation
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_LAND	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_REGION	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			

Name	Data Type	Label	Required	Documentation
NIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTCODE				
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_RECHTSVORM	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_RSIN	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_STATUTAIRE_NAAM	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_STATUTAIRE_ZETEL	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_VERMELDING	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEVROEGING	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE_ONDERZOEK	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			

Name	Data Type	Label	Required	Documentation
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_LAND	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERNIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			

Name	Data Type	Label	Required	Documentation
NIGING_VAN_EIGENAREN_WOON LOCATIE_LOCATIE_POSTBUS_WO ONPLAATS				
BERICHT_ERFPACHTCANON_ITEM _BETREFT_IDENTIFICATIE	string			
BERICHT_ERFPACHTCANON_ITEM _BETREFT_INDICATIE_SPLITSING_ BETROKKEN	boolean			
BERICHT_ERFPACHTCANON_ITEM _BETREFT_ONROERENDE_ZAAK_ AANTEKENINGEN_WKPB	string			
BERICHT_ERFPACHTCANON_ITEM _BETREFT_ONROERENDE_ZAAK_ AANVULLINGEN	string			
BERICHT_ERFPACHTCANON_ITEM _BETREFT_ONROERENDE_ZAAK_ AARD_CULTUUR_BEBOUWD	string			
BERICHT_ERFPACHTCANON_ITEM _BETREFT_ONROERENDE_ZAAK_ AARD_CULTUUR_ONBEBOUWD	string			
BERICHT_ERFPACHTCANON_ITEM _BETREFT_ONROERENDE_ZAAK_ AARD	string			
BERICHT_ERFPACHTCANON_ITEM _BETREFT_ONROERENDE_ZAAK_ ADRESSEN	string			
BERICHT_ERFPACHTCANON_ITEM _BETREFT_ONROERENDE_ZAAK_ BELAST_MET	string			
BERICHT_ERFPACHTCANON_ITEM _BETREFT_ONROERENDE_ZAAK_ HISTORIE_LOGISCH_TJJDSTIP_ONT STAAN	datetime			
BERICHT_ERFPACHTCANON_ITEM _BETREFT_ONROERENDE_ZAAK_ HISTORIE_LOGISCH_TJJDSTIP_VER VALLEN	datetime			
BERICHT_ERFPACHTCANON_ITEM _BETREFT_ONROERENDE_ZAAK_ HISTORIE_STATUS_HISTORIE	string			
BERICHT_ERFPACHTCANON_ITEM _BETREFT_ONROERENDE_ZAAK_ HISTORIE_TECHNISCH_TJJDSTIP_O NTSTAAN	datetime			
BERICHT_ERFPACHTCANON_ITEM _BETREFT_ONROERENDE_ZAAK_ HISTORIE_TECHNISCH_TJJDSTIP_V ERVALLLEN	datetime			
BERICHT_ERFPACHTCANON_ITEM _BETREFT_ONROERENDE_ZAAK_ HISTORIE_VOLGNUMMER	int64			
BERICHT_ERFPACHTCANON_ITEM _BETREFT_ONROERENDE_ZAAK_I DENTIFICATIE	string			

Name	Data Type	Label	Required	Documentation
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_INDICATIE_GEDEELTELIJK_BEZWAARD_OUD_OBJECT	boolean			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_INDICATIE_GESPLITST	boolean			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_INDICATIE_TWEEDE_SPLITSING	boolean			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_INDICATIE_VOORGENOMEN_AANTEKENING	boolean			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_INDICATIE_VOORLOPIGE_AANTEKENING	boolean			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_APPARTEMENTSRECHT_VOLGNUMMER	int64			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_KADASTRALE_GEMEENTE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_PERCEELNUMMER	int64			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_SECTIE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_KADASTRALE_GROOTTE_SOORT_GROOTTE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_KADASTRALE_GROOTTE_WAARDE	decimal			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_KOOPSOM_BEDRAG_SOM	decimal			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_KOOPSOM_BEDRAG_VALUTA	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_KOOPSOM_INDICATIE_MEER_OBJECTEN	boolean			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_KOOPSOM_KOOPDATUM	datetime			

Name	Data Type	Label	Required	Documentation
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_KOOPSOM_KOOPJAAR	int32			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_OMSCHRIJVING_ONDERZOEK_ERFDIENSTBAARHEDEN	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_OMSCHRIJVING	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_ONTSTAAN_UT	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_OVERGEGAAN_IN	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_PLAATSCOORDINATEN_DESCRIPTION	int64			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_PLAATSCOORDINATEN_IDENTIFIEER	int64			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_PLAATSCOORDINATEN_NAME	int64			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_PLAATSCOORDINATEN_RD_COORDINAAT_X	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_PLAATSCOORDINATEN_RD_COORDINAAT_Y	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_TEKENINGEN	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_TOELICHTING_BEWAARDER	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_TOESTANDSDATUM_ONDERZOEK_ERFDIENSTBAARHEDEN	datetime			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_TYPE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_UIN	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_VERMELD_IN	string			

Name	Data Type	Label	Required	Documentation
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN_UIT_GEBASEERD_OP	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN_UIT_IDENTIFICATIE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN_UIT_TYPE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN_UIT_VERNIGING_VAN_EIGENAREN_AANVULLINGEN	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN_UIT_VERNIGING_VAN_EIGENAREN_DOSSIE_R_NUMMER	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN_UIT_VERNIGING_VAN_EIGENAREN_IDENTIFICATIE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN_UIT_VERNIGING_VAN_EIGENAREN_INDICATIE_BESCHIKKINGSBEVOEGDHEID	boolean			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN_UIT_VERNIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN_UIT_VERNIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN_UIT_VERNIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEVOEGING	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN_UIT_VERNIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN_UIT_VERNIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN_UIT_VERNIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN_UIT_VERE	string			

Name	Data Type	Label	Required	Documentation
NIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_S TRAAATNAAM				
BERICHT_ERFPACHTCANON_ITEM _BETREFT_ONTSTAAN UIT_VERE NIGING_VAN_EIGENAREN_POSTL OCATIE_LOCATIE_BINNENLAND_ WOONPLAATS	string			
BERICHT_ERFPACHTCANON_ITEM _BETREFT_ONTSTAAN UIT_VERE NIGING_VAN_EIGENAREN_POSTL OCATIE_LOCATIE_BUITENLAND_A DRES_REGELS	string			
BERICHT_ERFPACHTCANON_ITEM _BETREFT_ONTSTAAN UIT_VERE NIGING_VAN_EIGENAREN_POSTL OCATIE_LOCATIE_BUITENLAND_A DRES	string			
BERICHT_ERFPACHTCANON_ITEM _BETREFT_ONTSTAAN UIT_VERE NIGING_VAN_EIGENAREN_POSTL OCATIE_LOCATIE_BUITENLAND_ID ENTIFICATIE	string			
BERICHT_ERFPACHTCANON_ITEM _BETREFT_ONTSTAAN UIT_VERE NIGING_VAN_EIGENAREN_POSTL OCATIE_LOCATIE_BUITENLAND_L AND	string			
BERICHT_ERFPACHTCANON_ITEM _BETREFT_ONTSTAAN UIT_VERE NIGING_VAN_EIGENAREN_POSTL OCATIE_LOCATIE_BUITENLAND_R EGIO	string			
BERICHT_ERFPACHTCANON_ITEM _BETREFT_ONTSTAAN UIT_VERE NIGING_VAN_EIGENAREN_POSTL OCATIE_LOCATIE_BUITENLAND_ WOONPLAATS	string			
BERICHT_ERFPACHTCANON_ITEM _BETREFT_ONTSTAAN UIT_VERE NIGING_VAN_EIGENAREN_POSTL OCATIE_LOCATIE_POSTBUS_IDEN TIFICATIE	string			
BERICHT_ERFPACHTCANON_ITEM _BETREFT_ONTSTAAN UIT_VERE NIGING_VAN_EIGENAREN_POSTL OCATIE_LOCATIE_POSTBUS_POS TBUS_NUMMER	string			
BERICHT_ERFPACHTCANON_ITEM _BETREFT_ONTSTAAN UIT_VERE NIGING_VAN_EIGENAREN_POSTL OCATIE_LOCATIE_POSTBUS_POS TCODE	string			
BERICHT_ERFPACHTCANON_ITEM _BETREFT_ONTSTAAN UIT_VERE NIGING_VAN_EIGENAREN_POSTL	string			

Name	Data Type	Label	Required	Documentation
OCCUPIED_LOCATION_POSTBUS_WOONPLAATS				
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT_VERNIGING VAN_EIGENAREN_RECHTSVORM	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT_VERNIGING VAN_EIGENAREN_RSIN	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT_VERNIGING VAN_EIGENAREN_STATUTAIRE_NAAM	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT_VERNIGING VAN_EIGENAREN_STATUTAIRE_ZETEL	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT_VERNIGING VAN_EIGENAREN_VERMELD_IN	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT_VERNIGING VAN_EIGENAREN_WOONLOCATIE LOCATIE_BINNENLAND_HUISLETTER	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT_VERNIGING VAN_EIGENAREN_WOONLOCATIE LOCATIE_BINNENLAND_HUISNUMMER	int64			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT_VERNIGING VAN_EIGENAREN_WOONLOCATIE LOCATIE_BINNENLAND_HUISNUMMERTOEV_OEGING	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT_VERNIGING VAN_EIGENAREN_WOONLOCATIE LOCATIE_BINNENLAND_IDENTIFICATIE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT_VERNIGING VAN_EIGENAREN_WOONLOCATIE LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT_VERNIGING VAN_EIGENAREN_WOONLOCATIE LOCATIE_BINNENLAND_POSTCODE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT_VERNIGING VAN_EIGENAREN_WOONLOCATIE LOCATIE_BINNENLAND_STRAATNAAM	string			

Name	Data Type	Label	Required	Documentation
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN_UIT_VERNIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN_UIT_VERNIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN_UIT_VERNIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN_UIT_VERNIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN_UIT_VERNIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_LAND	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN_UIT_VERNIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN_UIT_VERNIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN_UIT_VERNIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN_UIT_VERNIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN_UIT_VERNIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN_UIT_VERNIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
BERICHT_ERFPACHTCANON_ITEM_EINDDATUM_AFKOOP	datetime			

Name	Data Type	Label	Required	Documentation
BERICHT_ERFPACHTCANON_ITEM_GEBASEERD_OP_AANVULLING_OP	string			
BERICHT_ERFPACHTCANON_ITEM_GEBASEERD_OP_AARD	string			
BERICHT_ERFPACHTCANON_ITEM_GEBASEERD_OP_BEDRAG_TRANSACTIES_OM_LEVERING_SOM	decimal			
BERICHT_ERFPACHTCANON_ITEM_GEBASEERD_OP_BEDRAG_TRANSACTIES_OM_LEVERING_VALUTA	string			
BERICHT_ERFPACHTCANON_ITEM_GEBASEERD_OP_BEDRAG_VORDERINGSBESLAG_SOM	decimal			
BERICHT_ERFPACHTCANON_ITEM_GEBASEERD_OP_BEDRAG_VORDERINGSBESLAG_VALUTA	string			
BERICHT_ERFPACHTCANON_ITEM_GEBASEERD_OP_BEDRAG_ZEKERHEIDSSTELLING_HYPOTHEEK_SOM	decimal			
BERICHT_ERFPACHTCANON_ITEM_GEBASEERD_OP_BEDRAG_ZEKERHEIDSSTELLING_HYPOTHEEK_VALUTA	string			
BERICHT_ERFPACHTCANON_ITEM_GEBASEERD_OP_IDENTIFICATIE	string			
BERICHT_ERFPACHTCANON_ITEM_GEBASEERD_OP_OMSCHRIJVING_GEKOZEN_WOONPLAATS	string			
BERICHT_ERFPACHTCANON_ITEM_GEBASEERD_OP_OMSCHRIJVING_KADASTRALE_OBJECTEN	string			
BERICHT_ERFPACHTCANON_ITEM_GEBASEERD_OP_VERMELD_IN	string			
BERICHT_ERFPACHTCANON_ITEM_IDENTIFICATIE	string			
BERICHT_ERFPACHTCANON_ITEM_INDICATIE_OUDE_ONROERENDE_ZAAK_BETROKKEN	boolean			
BERICHT_ERFPACHTCANON_ITEM_JAARLIJKS_BEDRAG_BEDRAG_SOM	decimal			
BERICHT_ERFPACHTCANON_ITEM_JAARLIJKS_BEDRAG_BEDRAG_VALUTA	string			
BERICHT_ERFPACHTCANON_ITEM_JAARLIJKS_BEDRAG_BETREFT_MEER_ONROERENDE_ZAKEN	boolean			
BERICHT_ERFPACHTCANON_ITEM_SOORT	string			

Name	Data Type	Label	Required	Documentation
BERICHT_ERFPACHTCANON_ITEM_VERMELD_IN	string			
BERICHT_PRODUCTIENUMMER	string			
BERICHT_SIGNALERING_TIJDSTIP_BESLAGEN	datetime			
BERICHT_SIGNALERING_TIJDSTIP_HYPOTHECAIR	datetime			
BERICHT_SIGNALERING_TIJDSTIP_KADASTRAAL	datetime			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_AARD	string			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_DEEL_EN_NUMMER_DEEL	string			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_DEEL_EN_NUMMER_NUMMER	string			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_DEEL_EN_NUMMER_REEKS	string			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_DEEL_EN_NUMMER_REGISTERCODE	string			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_DEEL_EN_NUMMER_SOORT_REGISTER	string			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_IDENTIFICATIE	string			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_INDICATIE_ALLE_OBJECTEN_BETROKKEN	boolean			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_STATUS_STUK_OR	string			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_STUKDELEN	string			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_TIJDSTIP_AANBIEDING	datetime			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_TIJDSTIP_ONDERTEKENING	datetime			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_TOELICHTING_BEWAARDER	string			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_VERKLARING_BEWAARDER	string			
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_ITEM_VERZOEKEN	string			
BERICHT_TENAAMSTELLINGEN_ITEM_AANDEEL_NOEMER	int64			

Name	Data Type	Label	Required	Documentation
BERICHT_TENAAMSTELLINGEN_ITEM_AANDEEL_TELLER	int64			
BERICHT_TENAAMSTELLINGEN_ITEM_BETROKKEN_PARTNER_NATUURLIJK_PERSONEN	string			
BERICHT_TENAAMSTELLINGEN_ITEM_BETROKKEN_PARTNER_NIET_NATUURLIJK_PERSONEN	string			
BERICHT_TENAAMSTELLINGEN_ITEM_BETROKKEN_SAMENWERKINGSVERBAND_NATUURLIJK_PERSONEN	string			
BERICHT_TENAAMSTELLINGEN_ITEM_BETROKKEN_SAMENWERKINGSVERBAND_NIET_NATUURLIJK_PERSONEN	string			
BERICHT_TENAAMSTELLINGEN_ITEM_BURGERLIJKE_STAAT_TEN_TIJDJE_VAN_VERKRIJGING	string			
BERICHT_TENAAMSTELLINGEN_ITEM_GEBASEERD_OP	string			
BERICHT_TENAAMSTELLINGEN_ITEM_GELDT_VOOR_AANDEEL_NOMMER	int64			
BERICHT_TENAAMSTELLINGEN_ITEM_GELDT_VOOR_AANDEEL_TELLER	int64			
BERICHT_TENAAMSTELLINGEN_ITEM_GELDT_VOOR_IDENTIFICATIE	string			
BERICHT_TENAAMSTELLINGEN_ITEM_IDENTIFICATIE	string			
BERICHT_TENAAMSTELLINGEN_ITEM_OMSCHRIJVING	string			
BERICHT_TENAAMSTELLINGEN_ITEM_TEN_NAME_VAN_NATUURLIJK_PERSONEN	string			
BERICHT_TENAAMSTELLINGEN_ITEM_TEN_NAME_VAN_NIET_NATUURLIJK_PERSONEN	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_AARD	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BELAST_MET	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BEPERKT_TOT	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BESTEMT_TOT_GEBASEERD_OP	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BESTEMT_TOT_HOORT_BIJ	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BESTEMT_TOT_IDENTIFI	string			

Name	Data Type	Label	Required	Documentation
CATIE				
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_GEBASEERD_OP	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_IDENTIFICATIE	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_TYPE	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_AANVULLINGEN	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_DOSSIER_NUMMER	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_IDENTIFICATIE	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_INDICATIE_BESCHIKKINGSBEVOEGDHEID	boolean			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEVOEGING	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_INONDERZOEK	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			

Name	Data Type	Label	Required	Documentation
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_BETROKKEN_BIJ_VEREN IGING_VAN_EIGENAREN_POSTLO CATIE_LOCATIE_BINNENLAND_ST RAATNAAM	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_BETROKKEN_BIJ_VEREN IGING_VAN_EIGENAREN_POSTLO CATIE_LOCATIE_BINNENLAND_W OONPLAATS	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_BETROKKEN_BIJ_VEREN IGING_VAN_EIGENAREN_POSTLO CATIE_LOCATIE_BUITENLAND_AD RES_REGELS	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_BETROKKEN_BIJ_VEREN IGING_VAN_EIGENAREN_POSTLO CATIE_LOCATIE_BUITENLAND_AD RES	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_BETROKKEN_BIJ_VEREN IGING_VAN_EIGENAREN_POSTLO CATIE_LOCATIE_BUITENLAND_IDE NTIFICATIE	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_BETROKKEN_BIJ_VEREN IGING_VAN_EIGENAREN_POSTLO CATIE_LOCATIE_BUITENLAND_LA ND	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_BETROKKEN_BIJ_VEREN IGING_VAN_EIGENAREN_POSTLO CATIE_LOCATIE_BUITENLAND_RE GIO	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_BETROKKEN_BIJ_VEREN IGING_VAN_EIGENAREN_POSTLO CATIE_LOCATIE_BUITENLAND_W OONPLAATS	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_BETROKKEN_BIJ_VEREN IGING_VAN_EIGENAREN_POSTLO CATIE_LOCATIE_POSTBUS_IDENTI FICATIE	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_BETROKKEN_BIJ_VEREN IGING_VAN_EIGENAREN_POSTLO CATIE_LOCATIE_POSTBUS_POST BUS_NUMMER	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_BETROKKEN_BIJ_VEREN IGING_VAN_EIGENAREN_POSTLO CATIE_LOCATIE_POSTBUS_POST CODE	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_BETROKKEN_BIJ_VEREN	string			

Name	Data Type	Label	Required	Documentation
IGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_WOONPLAATS				
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_RECHTSVORM	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_RSIN	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_STATUTAIRE_NAAM	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_STATUTAIRE_ZETEL	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_VERMELDING_IN	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEVOEGING	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			

Name	Data Type	Label	Required	Documentation
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_BETROKKEN_BIJ_VEREN IGING_VAN_EIGENAREN_WOONL OCATIE_LOCATIE_BINNENLAND_ WOONPLAATS	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_BETROKKEN_BIJ_VEREN IGING_VAN_EIGENAREN_WOONL OCATIE_LOCATIE_BUITENLAND_A DRES_REGELS	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_BETROKKEN_BIJ_VEREN IGING_VAN_EIGENAREN_WOONL OCATIE_LOCATIE_BUITENLAND_A DRES	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_BETROKKEN_BIJ_VEREN IGING_VAN_EIGENAREN_WOONL OCATIE_LOCATIE_BUITENLAND_ID ENTIFICATIE	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_BETROKKEN_BIJ_VEREN IGING_VAN_EIGENAREN_WOONL OCATIE_LOCATIE_BUITENLAND_L AND	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_BETROKKEN_BIJ_VEREN IGING_VAN_EIGENAREN_WOONL OCATIE_LOCATIE_BUITENLAND_R EGIO	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_BETROKKEN_BIJ_VEREN IGING_VAN_EIGENAREN_WOONL OCATIE_LOCATIE_BUITENLAND_ WOONPLAATS	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_BETROKKEN_BIJ_VEREN IGING_VAN_EIGENAREN_WOONL OCATIE_LOCATIE_POSTBUS_IDEN TIFICATIE	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_BETROKKEN_BIJ_VEREN IGING_VAN_EIGENAREN_WOONL OCATIE_LOCATIE_POSTBUS_POS TBUS_NUMMER	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_BETROKKEN_BIJ_VEREN IGING_VAN_EIGENAREN_WOONL OCATIE_LOCATIE_POSTBUS_POS TCODE	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_BETROKKEN_BIJ_VEREN IGING_VAN_EIGENAREN_WOONL OCATIE_LOCATIE_POSTBUS_WO ONPLAATS	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_IDENTIFICATIE	string			

Name	Data Type	Label	Required	Documentation
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_INDICATIE_SPLITSING_B ETROKKEN	boolean			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_A ANTEKENINGEN_WKPB	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_A ANVULLINGEN	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_A ARD_CULTUUR_BEBOUWD	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_A ARD_CULTUUR_ONBEBOUWD	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_A ARD	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_A DRESSEN	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_B ELAST_MET	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_HI STORIE_LOGISCH_TIJDSTIP_ONTS TAAN	datetime			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_HI STORIE_LOGISCH_TIJDSTIP_VERV ALLEN	datetime			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_HI STORIE_STATUS_HISTORIE	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_HI STORIE_TECHNISCH_TIJDSTIP_ON TSTAAN	datetime			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_HI STORIE_TECHNISCH_TIJDSTIP_VE RVALLEN	datetime			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_HI STORIE_VOLGNUMMER	int64			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_ID ENTIFICATIE	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_IN DICATIE_GEDEELTELIJK_BEZWAA RD_OUD_OBJECT	boolean			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_IN	boolean			

Name	Data Type	Label	Required	Documentation
DICATIE_GESPLITST				
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_IN DICATIE_TWEEDE_SPLITSING	boolean			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_IN DICATIE_VOORGENOMEN_AANTE KENING	boolean			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_IN DICATIE_VOORLOPIGE_AANTEKE NING	boolean			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_K ADASTRALE_AANDUIDING_APPA RTEMENTSRECHT_VOLGNUMMER	int64			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_K ADASTRALE_AANDUIDING_KADA STRALE_GEMEENTE	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_K ADASTRALE_AANDUIDING_PERCE ELNUMMER	int64			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_K ADASTRALE_AANDUIDING_SECTI E	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_K ADASTRALE_GROOTTE_SOORT_ GROOTTE	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_K ADASTRALE_GROOTTE_WAARDE	decimal			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_K OOPSOM_BEDRAG_SOM	decimal			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_K OOPSOM_BEDRAG_VALUTA	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_K OOPSOM_INDICATIE_MEER_OBJEC TEN	boolean			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_K OOPSOM_KOOPDATUM	datetime			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_K OOPSOM_KOOPJAAR	int32			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_O MSCHRIJVING_ONDERZOEK_ERFD IENSTBAARHEDEN	string			

Name	Data Type	Label	Required	Documentation
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_O MSCHRIJVING	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_O NTSTAAN_UIT	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_O VERGEGAAN_IN	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_P LAATSCOORDINATEN_DESCRIP TION	int64			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_P LAATSCOORDINATEN_IDENTIFIE R	int64			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_P LAATSCOORDINATEN_NAME	int64			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_P LAATSCOORDINATEN_RD_COOR DINAAT_X	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_P LAATSCOORDINATEN_RD_COOR DINAAT_Y	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_T EKENINGEN	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_T OELICHTING_BEWAARDER	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_T OESTANDSDATUM_ONDERZOEK_ ERFDIENSTBAARHEDEN	datetime			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_T YPE	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_UI N	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONROERENDE_ZAAK_V ERMELD_IN	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN_UIT_GEBAS EERD_OP	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN_UIT_IDENTIF ICATIE	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN_UIT_TYPE	string			

Name	Data Type	Label	Required	Documentation
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_AANVUL LINGEN	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_DOSSIER _NUMMER	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_IDENTIFIC ATIE	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_INDICATIE _BESCHIKKINGSBEVOEGDHEID	boolean			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_POSTLO CATIE_LOCATIE_BINNENLAND_HUI SLETTER	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_POSTLO CATIE_LOCATIE_BINNENLAND_HUI SNUMMER	int64			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_POSTLO CATIE_LOCATIE_BINNENLAND_HUI SNUMMERTOEV OEGING	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_POSTLO CATIE_LOCATIE_BINNENLAND_IDE NTIFICATIE	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_POSTLO CATIE_LOCATIE_BINNENLAND_IN_ ONDERZOEK	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_POSTLO CATIE_LOCATIE_BINNENLAND_PO STCODE	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_POSTLO CATIE_LOCATIE_BINNENLAND_ST RAATNAAM	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_POSTLO CATIE_LOCATIE_BINNENLAND_W OONPLAATS	string			

Name	Data Type	Label	Required	Documentation
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_POSTLO CATIE_LOCATIE_BUITENLAND_AD RES_REGELS	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_POSTLO CATIE_LOCATIE_BUITENLAND_AD RES	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_POSTLO CATIE_LOCATIE_BUITENLAND_IDE NTIFICATIE	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_POSTLO CATIE_LOCATIE_BUITENLAND_LA ND	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_POSTLO CATIE_LOCATIE_BUITENLAND_RE GIO	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_POSTLO CATIE_LOCATIE_BUITENLAND_W OONPLAATS	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_POSTLO CATIE_LOCATIE_POSTBUS_IDENTI FICATIE	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_POSTLO CATIE_LOCATIE_POSTBUS_POST BUS_NUMMER	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_POSTLO CATIE_LOCATIE_POSTBUS_POST CODE	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_POSTLO CATIE_LOCATIE_POSTBUS_WOO NPLAATS	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_RECHTS VORM	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_RSIN	string			

Name	Data Type	Label	Required	Documentation
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_STATUT AIRE_NAAM	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_STATUT AIRE_ZETEL	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_VERMEL D_IN	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_WOONLO CATIE_LOCATIE_BINNENLAND_HUI SLETTER	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_WOONLO CATIE_LOCATIE_BINNENLAND_HUI SNUMMER	int64			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_WOONLO CATIE_LOCATIE_BINNENLAND_HUI SNUMMERTOEV_OEGING	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_WOONLO CATIE_LOCATIE_BINNENLAND_IDE NTIFICATIE	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_WOONLO CATIE_LOCATIE_BINNENLAND_IN_ ONDERZOEK	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_WOONLO CATIE_LOCATIE_BINNENLAND_PO STCODE	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_WOONLO CATIE_LOCATIE_BINNENLAND_ST RAATNAAM	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_WOONLO CATIE_LOCATIE_BINNENLAND_W OONPLAATS	string			
BERICHT_TENAAMSTELLINGEN_IT EM_VAN_ONTSTAAN UIT_VERENI GING_VAN_EIGENAREN_WOONLO CATIE_LOCATIE_BUITENLAND_AD RES_REGELS	string			

Name	Data Type	Label	Required	Documentation
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_LAND	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_REGION	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VERKLARING_INZAKE_DERDEN_BESCHERMING	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VERKREGEN_NAMENS_SAMENWERKINGSVERBAND	string			
BERICHT_TENAAMSTELLINGEN_ITEM_VERMELD_IN	string			
BERICHT_TJJDSTIP_SAMENSTELLING_BERICHT	datetime			

Name	Data Type	Label	Required	Documentation
BERICHT_ZAKELIJK_RECHTEN_ITEM_AARD	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BELAST_MET	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BEPERKT_TOT	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BESTEMT_TOT_GEBASEERD_OP	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BESTEMT_TOT_HOORT_BIJ	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BESTEMT_TOT_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_GEBASEERD_OP	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_TYPE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_AANVULLINGEN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_DOSSIER_NUMMER	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_INDICATIE_BESCHIKKINGSBEVOEGDHEID	boolean			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISLETT	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEOVOEGING	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			

Name	Data Type	Label	Required	Documentation
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_LAND	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			

Name	Data Type	Label	Required	Documentation
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_RECHTSVORM	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_RSIN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_STATUTAIRE_NAAM	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_STATUTAIRE_ZEDEL	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_VERMELD_IN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEOEGING	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			

Name	Data Type	Label	Required	Documentation
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_LAND	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			

Name	Data Type	Label	Required	Documentation
BERICHT_ZAKELIJK_RECHTEN_ITEM_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_INDICATIE_SPLITSING_BETROKKEN	boolean			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_AANTEKENINGEN_WKPB	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_AANVULLINGEN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_AARD_CULTUUR_BEBOUWD	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_AARD_CULTUUR_ONBEBOUWD	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_AARD	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_ADRESSEN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_BELASTINGMET	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_LOGISCH_TIJDSTIP_ONTSTAAN	datetime			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_LOGISCH_TIJDSTIP_VERVALLLEN	datetime			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_STATUS_HISTORIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_TECHNISCH_TIJDSTIP_ONTSTAAN	datetime			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_TECHNISCH_TIJDSTIP_VERVALLLEN	datetime			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_VOLGNUMMER	int64			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_INDICATIE_GEDEELTELIJK_BEZWAARD_OUD_OBJECT	boolean			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_INDICATIE	boolean			

Name	Data Type	Label	Required	Documentation
E_GESPLITST				
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_INDICATIE_TWEEDE_SPLITSING	boolean			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_INDICATIE_VOORGENOMEN_AANTEKENING	boolean			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_INDICATIE_VOORLOPIGE_AANTEKENING	boolean			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_APPARTEMENT_SRECHT_VOLGNUMMER	int64			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_KADASTRALE_GEMEENTE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_PERCEELNUMMER	int64			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_SECTIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_GROOTTE_SOORT_GROOTTE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_GROOTTE_WAARDE	decimal			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSOOM_BEDRAG_SOM	decimal			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSOOM_BEDRAG_VALUTA	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSOOM_INDICATIE_MEER_OBJECTEN	boolean			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSOOM_KOOPDATUM	datetime			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSOOM_KOOPJAAR	int32			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_OMSCHRIJVING_ONDERZOEK_ERFDIENSTBAARHEDEN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_OMSCHRIJVING	string			

Name	Data Type	Label	Required	Documentation
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_ONTSTAAN_UIT	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_OVERGEGAAN_IN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATS_COORDINATEN_DESCRIPTION	int64			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATS_COORDINATEN_IDENTIFIER	int64			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATS_COORDINATEN_NAME	int64			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATS_COORDINATEN_RD_COORDINAAT_X	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATS_COORDINATEN_RD_COORDINAAT_Y	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_TEKENINGEN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_TOELICHTING_BEWAARDER	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_TOESTANDSDATUM_ONDERZOEK_ERFDIENSTBAARHEDEN	datetime			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_TYPE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_UIN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_VERMELDING_IN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_UIT_GEBASEERD_OP	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_UIT_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_UIT_TYPE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_AANVULLINGEN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_UIT_VERENIGING_	string			

Name	Data Type	Label	Required	Documentation
VAN_EIGENAREN_DOSSIER_NUMMER				
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN_EIGENAREN_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN_EIGENAREN_INDICATIE_BESCHIKKINGSBEVOEGDHEID	boolean			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN_EIGENAREN_POSTLOCATIE LOCATIE_BINNENLAND_HUISLETT ER	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN_EIGENAREN_POSTLOCATIE LOCATIE_BINNENLAND_HUISNUMMER	int64			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN_EIGENAREN_POSTLOCATIE LOCATIE_BINNENLAND_HUISNUMMERTOEOVOEGING	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN_EIGENAREN_POSTLOCATIE LOCATIE_BINNENLAND_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN_EIGENAREN_POSTLOCATIE LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN_EIGENAREN_POSTLOCATIE LOCATIE_BINNENLAND_POSTCODE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN_EIGENAREN_POSTLOCATIE LOCATIE_BINNENLAND_STRAATNAAM	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN_EIGENAREN_POSTLOCATIE LOCATIE_BINNENLAND_WOONPLAATS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN_EIGENAREN_POSTLOCATIE LOCATIE_BUITENLAND_ADRESREGELS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING	string			

Name	Data Type	Label	Required	Documentation
VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_ADRES				
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_LAND	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN_EIGENAREN_RECHTSVORM	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN_EIGENAREN_RSIN	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN_EIGENAREN_STATUTAIRE_NAAM	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN_EIGENAREN_STATUTAIRE_ZEDEL	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN_EIGENAREN_VERMELD_IN	string			

Name	Data Type	Label	Required	Documentation
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE BINNENLAND_HUISLETTER	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE BINNENLAND_HUISNUMMER	int64			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE BINNENLAND_HUISNUMMERTOEOVOEGING	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE BINNENLAND_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE BINNENLAND_IN_ONDERZOEK	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE BINNENLAND_POSTCODE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE BINNENLAND_STRAATNAAM	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE BINNENLAND_WOONPLAATS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE BUITENLAND_ADRES_REGELS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE BUITENLAND_ADRES	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE BUITENLAND_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING	string			

Name	Data Type	Label	Required	Documentation
VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_LAND				
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT VERENIGING VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
DOCUMENT	byte[]	Document		
OVERGEGAAN_IN_ACTUALITEIT_TIJDSTIP_HYPOTHECAIR	datetime			
OVERGEGAAN_IN_ACTUALITEIT_TIJDSTIP_KADASTRAAL	datetime			
OVERGEGAAN_IN_BETREFT_AAN TEKENINGEN_WKPB_ITEM_DATUM_IN_WERKING	string			
OVERGEGAAN_IN_BETREFT_AAN TEKENINGEN_WKPB_ITEM_GEMEENTELIJKE_REGISTRATIE_ID	string			
OVERGEGAAN_IN_BETREFT_AAN TEKENINGEN_WKPB_ITEM_NUMMER	string			
OVERGEGAAN_IN_BETREFT_AAN TEKENINGEN_WKPB_ITEM_OMSCHRIJVING_PUBLIEKRECHTELIJKE_BEPERKING	string			
OVERGEGAAN_IN_BETREFT_AAN TEKENINGEN_WKPB_ITEM_OMSCHRIJVING	string			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_STUK_AARD	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_BETREFT_AAN_VULLINGEN_ITEM_AANGEBODEN_STUK_DEEL_EN_NUMMER_DEEL	string			
OVERGEGAAN_IN_BETREFT_AAN_VULLINGEN_ITEM_AANGEBODEN_STUK_DEEL_EN_NUMMER_NUMMER	string			
OVERGEGAAN_IN_BETREFT_AAN_VULLINGEN_ITEM_AANGEBODEN_STUK_DEEL_EN_NUMMER_REEKS	string			
OVERGEGAAN_IN_BETREFT_AAN_VULLINGEN_ITEM_AANGEBODEN_STUK_DEEL_EN_NUMMER_REGISTERCODE	string			
OVERGEGAAN_IN_BETREFT_AAN_VULLINGEN_ITEM_AANGEBODEN_STUK_DEEL_EN_NUMMER_SOORT_REGISTER	string			
OVERGEGAAN_IN_BETREFT_AAN_VULLINGEN_ITEM_AANGEBODEN_STUK_IDENTIFICATIE	string			
OVERGEGAAN_IN_BETREFT_AAN_VULLINGEN_ITEM_AANGEBODEN_STUK_INDICATIE_ALLE_OBJECTEN_BETROKKEN	boolean			
OVERGEGAAN_IN_BETREFT_AAN_VULLINGEN_ITEM_AANGEBODEN_STUK_STATUS_STUK_OR	string			
OVERGEGAAN_IN_BETREFT_AAN_VULLINGEN_ITEM_AANGEBODEN_STUK_STUKDELEN	string			
OVERGEGAAN_IN_BETREFT_AAN_VULLINGEN_ITEM_AANGEBODEN_STUK_TIJDSTIP_AANBIEDING	datetime			
OVERGEGAAN_IN_BETREFT_AAN_VULLINGEN_ITEM_AANGEBODEN_STUK_TIJDSTIP_ONDERTEKENING	datetime			
OVERGEGAAN_IN_BETREFT_AAN_VULLINGEN_ITEM_AANGEBODEN_STUK_TOELICHTING_BEWAARDER	string			
OVERGEGAAN_IN_BETREFT_AAN_VULLINGEN_ITEM_AANGEBODEN_STUK_VERKLARING_BEWAARDER	string			
OVERGEGAAN_IN_BETREFT_AAN_VULLINGEN_ITEM_AANGEBODEN_STUK_VERZOEKEN	string			
OVERGEGAAN_IN_BETREFT_AAN_VULLINGEN_ITEM_TYPE	string			
OVERGEGAAN_IN_BETREFT_AARD_CULTUUR_BEBOUWD	string			
OVERGEGAAN_IN_BETREFT_AARD_CULTUUR_ONBEBOUWD	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_BETREFT_AARD	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BINNENLAND_HUISLETTER	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BINNENLAND_HUISNUMMER	int64			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BINNENLAND_HUISNUMMERTOEOEGING	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BINNENLAND_POSTCODE	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BINNENLAND_STRAATNAAM	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BINNENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BUITENLAND_ADRES_REGELS	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BUITENLAND_ADRES	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BUITENLAND_LAND	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BUITENLAND_REGIO	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BUITENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_POSTBUS_IDENTIFICATIE	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_POSTBUS_POSTCODE	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_POSTBUS_ WOONPLAATS	string			
OVERGEGAAN_IN_BETREFT_BEL AST_MET_ITEM_BEDRAG_SOM	decimal			
OVERGEGAAN_IN_BETREFT_BEL AST_MET_ITEM_BEDRAG_VALUT A	string			
OVERGEGAAN_IN_BETREFT_BEL AST_MET_ITEM_EINDJAAR	int64			
OVERGEGAAN_IN_BETREFT_HIST ORIE_LOGISCH_TIJDSTIP_ONTSTA AN	datetime			
OVERGEGAAN_IN_BETREFT_HIST ORIE_LOGISCH_TIJDSTIP_VERV ALLEN	datetime			
OVERGEGAAN_IN_BETREFT_HIST ORIE_STATUS_HISTORIE	string			
OVERGEGAAN_IN_BETREFT_HIST ORIE_TECHNISCH_TIJDSTIP_ONTS TAAN	datetime			
OVERGEGAAN_IN_BETREFT_HIST ORIE_TECHNISCH_TIJDSTIP_VERV ALLEN	datetime			
OVERGEGAAN_IN_BETREFT_HIST ORIE_VOLGNUMMER	int64			
OVERGEGAAN_IN_BETREFT_IDEN TIFICATIE	string			
OVERGEGAAN_IN_BETREFT_INDIC ATIE_GEDEELTELIJK_BEZWAARD _OUD_OBJECT	boolean			
OVERGEGAAN_IN_BETREFT_INDIC ATIE_GESPLITST	boolean			
OVERGEGAAN_IN_BETREFT_INDIC ATIE_TWEEDE_SPLITSING	boolean			
OVERGEGAAN_IN_BETREFT_INDIC ATIE_VOORGENOMEN_AANTEKEN ING	boolean			
OVERGEGAAN_IN_BETREFT_INDIC ATIE_VOORLOPIGE_AANTEKENIN G	boolean			
OVERGEGAAN_IN_BETREFT_KAD ASTRALE_AANDUIDING_APPARTE MENTSRECHT_VOLGNUMMER	int64			
OVERGEGAAN_IN_BETREFT_KAD ASTRALE_AANDUIDING_KADAST RALE_GEMEENTE	string			
OVERGEGAAN_IN_BETREFT_KAD ASTRALE_AANDUIDING_PERCEEL NUMMER	int64			
OVERGEGAAN_IN_BETREFT_KAD ASTRALE_AANDUIDING_SECTIE	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_BETREFT_KAD ASTRALE_GROOTTE_SOORT_GR OOTTE	string			
OVERGEGAAN_IN_BETREFT_KAD ASTRALE_GROOTTE_WAARDE	decimal			
OVERGEGAAN_IN_BETREFT_KOO PSOM_BEDRAG_SOM	decimal			
OVERGEGAAN_IN_BETREFT_KOO PSOM_BEDRAG_VALUTA	string			
OVERGEGAAN_IN_BETREFT_KOO PSOM_INDICATIE_MEER_OBJE CTE N	boolean			
OVERGEGAAN_IN_BETREFT_KOO PSOM_KOOPDATUM	datetime			
OVERGEGAAN_IN_BETREFT_KOO PSOM_KOOPJAAR	int32			
OVERGEGAAN_IN_BETREFT_OMS CHRIJVING_ONDERZOEK_ERFDIEN STBAARHEDEN	string			
OVERGEGAAN_IN_BETREFT_OMS CHRIJVING	string			
OVERGEGAAN_IN_BETREFT_ONT STAAAN UIT_ITEM_AARD	string			
OVERGEGAAN_IN_BETREFT_ONT STAAAN UIT_ITEM_OVERGANGSG ROOTTE	decimal			
OVERGEGAAN_IN_BETREFT_PLA ATSCOORDINATEN_DESCRIPTION	int64			
OVERGEGAAN_IN_BETREFT_PLA ATSCOORDINATEN_IDENTIFIER	int64			
OVERGEGAAN_IN_BETREFT_PLA ATSCOORDINATEN_NAME	int64			
OVERGEGAAN_IN_BETREFT_PLA ATSCOORDINATEN_RD_COORDIN AAT_X	string			
OVERGEGAAN_IN_BETREFT_PLA ATSCOORDINATEN_RD_COORDIN AAT_Y	string			
OVERGEGAAN_IN_BETREFT_TEKE NINGEN_ITEM_AANVULLING_OP	string			
OVERGEGAAN_IN_BETREFT_TEKE NINGEN_ITEM_AARD	string			
OVERGEGAAN_IN_BETREFT_TEKE NINGEN_ITEM_BEDRAG_TRANSAC TIES_OM_LEVERING_SOM	decimal			
OVERGEGAAN_IN_BETREFT_TEKE NINGEN_ITEM_BEDRAG_TRANSAC TIES_OM_LEVERING_VALUTA	string			
OVERGEGAAN_IN_BETREFT_TEKE NINGEN_ITEM_BEDRAG_VORDERI NGSBESLAG_SOM	decimal			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_BEDRAG_VORDERINGSBESLAG_VALUTA	string			
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_BEDRAG_ZEKERHEIDSSSTELLING_HYPOTHEEK_SOM	decimal			
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_BEDRAG_ZEKERHEIDSSSTELLING_HYPOTHEEK_VALUTA	string			
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_IDENTIFICATIE	string			
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_OMSCHRIJVING_GEKOZEN_WOONPLAATS	string			
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_OMSCHRIJVING_KADASTRALE_OBJECTEN	string			
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_VERMELD_IN	string			
OVERGEGAAN_IN_BETREFT_TOELICHTING_BEWAARDER	string			
OVERGEGAAN_IN_BETREFT_TOESTANDSDATUM_ONDERZOEK_ERFDIENSTBAARHEDEN	datetime			
OVERGEGAAN_IN_BETREFT_TYPERE	string			
OVERGEGAAN_IN_BETREFT_UIN	string			
OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_AANVULLING_OP	string			
OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_AARD	string			
OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_BEDRAG_TRANSACTIES_OM_LEVERING_SOM	decimal			
OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_BEDRAG_TRANSACTIES_OM_LEVERING_VALUTA	string			
OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_BEDRAG_VORDERINGSBESLAG_SOM	decimal			
OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_BEDRAG_VORDERINGSBESLAG_VALUTA	string			
OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_BEDRAG_ZEKERHEIDSSSTELLING_HYPOTHEEK_SOM	decimal			
OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_BEDRAG_ZEKERHEIDSSSTELLING_HYPOTHEEK_VALUTA	string			
OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_IDENTIFICATIE	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_OMSCHRIJVING_GEKOZEN_WOONPLAATS	string			
OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_OMSCHRIJVING_KADASTRALE_OBJECTEN	string			
OVERGEGAAN_IN_PRODUCTIENUMMER	string			
OVERGEGAAN_IN_SIGNALERING_TUJDSTIP_BESLAGEN	datetime			
OVERGEGAAN_IN_SIGNALERING_TUJDSTIP_HYPOTHECAIR	datetime			
OVERGEGAAN_IN_SIGNALERING_TUJDSTIP_KADASTRAAL	datetime			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_AANDEEL_NOEMER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_AANDEEL_TELLER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_BETROKKEN_PARTNER_NATUURLIJK_PERSONEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_BETROKKEN_PARTNER_NIET_NATUURLIJK_PERSONEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_BETROKKEN_SAMENWERKINGSVERBAND_NATUURLIJK_PERSONEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_BETROKKEN_SAMENWERKINGSVERBAND_NIET_NATUURLIJK_PERSONEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_BURGERLIJKE_STAAT_TEN_TIJDE_VAN_VERKRIJGING	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_GEBASEERD_OP	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_GELDT_VOOR_AANDEEL_NOEMER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_GELDT_VOOR_AANDEEL_TELLER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_GELDT_VOOR_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_OMSCHRIJVING	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_TEN_NAME_VAN_NATUURLIJK_PERSONEN	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_TEN_NAME_VAN_NIET_NATUURLIJK_PERSONEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_AARD	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BELAST_MET	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BEPERKT_TOT	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BESTEMT_TOT_GEBASEERD_OP	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BESTEMT_TOT_HOORT_BIJ	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BESTEMT_TOT_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_GEBASEERD_OP	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_TYPE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_AANVULLINGEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_DOSSIER_NUMMER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_INDICATIE_BESCHIKKINGSBEVOEGDHEID	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENL AND_HUISLETTER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENL AND_HUISNUMMER	int64			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENL AND_HUISNUMMERTOEVOEGING	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENL AND_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENL AND_IN_ONDERZOEK	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENL AND_POSTCODE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENL AND_STRAATNAAM	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENL AND_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENL AND_ADRES_REGELS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENL AND_ADRES	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENL AND_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENL AND_LAND	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENL AND_REGIO	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ	string			

Name	Data Type	Label	Required	Documentation
J_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS				
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_RECHTSVORM	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_RSIN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_STATUTAIRE_NAAM	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_STATUTAIRE_ZETEL	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_VERMELD_IN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_	string			

Name	Data Type	Label	Required	Documentation
WOONLOCATIE_LOCATIE_BINNEN LAND_HUISNUMMERTOEOEGING				
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_BETROKKEN_BI J_VERENIGING_VAN_EIGENAREN_ WOONLOCATIE_LOCATIE_BINNEN LAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_BETROKKEN_BI J_VERENIGING_VAN_EIGENAREN_ WOONLOCATIE_LOCATIE_BINNEN LAND_IN_ONDERZOEK	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_BETROKKEN_BI J_VERENIGING_VAN_EIGENAREN_ WOONLOCATIE_LOCATIE_BINNEN LAND_POSTCODE	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_BETROKKEN_BI J_VERENIGING_VAN_EIGENAREN_ WOONLOCATIE_LOCATIE_BINNEN LAND_STRAATNAAM	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_BETROKKEN_BI J_VERENIGING_VAN_EIGENAREN_ WOONLOCATIE_LOCATIE_BINNEN LAND_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_BETROKKEN_BI J_VERENIGING_VAN_EIGENAREN_ WOONLOCATIE_LOCATIE_BUITEN LAND_ADRES_REGELS	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_BETROKKEN_BI J_VERENIGING_VAN_EIGENAREN_ WOONLOCATIE_LOCATIE_BUITEN LAND_ADRES	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_BETROKKEN_BI J_VERENIGING_VAN_EIGENAREN_ WOONLOCATIE_LOCATIE_BUITEN LAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_BETROKKEN_BI J_VERENIGING_VAN_EIGENAREN_ WOONLOCATIE_LOCATIE_BUITEN LAND_LAND	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_BETROKKEN_BI J_VERENIGING_VAN_EIGENAREN_ WOONLOCATIE_LOCATIE_BUITEN LAND_REGIO	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_BETROKKEN_BI J_VERENIGING_VAN_EIGENAREN_ WOONLOCATIE_LOCATIE_BUITEN LAND_WOONPLAATS	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_INDICATIE_SPLITTING_BETROKKEN	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_AANTEKENINGEN_WKPB	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_AANVULLINGEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_AARD_CULTUUR_BEBOUWD	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_AARD_CULTUUR_ONBEBOUWD	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_AARD	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_ADRESSEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_BELAST_MET	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_LOGISCH_TIJDSTIP_ONTSTAAN	datetime			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_LOGISCH_TIJDSTIP_VERVALLEN	datetime			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_STATUS_HISTORIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_TECHNISCH_TIJDSTIP_ONTSTAAN	datetime			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_TECHNISCH_TIJDSTIP_VERVALLLEN	datetime			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_VOLGNUMMER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_INDICATIE_GEDEELTELIJK_BEZWAARD_OUD_OBJECT	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_INDICATIE_GESPLITST	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_INDICATIE_TWEEDE_SPLITTING	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_INDICATIE_VOORGENOMEN_AANTEKENING	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_INDICATIE_VOORLOPIGE_AANTEKENING	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_APPARTEMENTSRECHT_VOLGNUMMER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_KADASTRALE_GEMEENTE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_PERCEELNUMMER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_SECTIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_WEGENNUMMER	string			

Name	Data Type	Label	Required	Documentation
ZAAK_KADASTRALE_GROOTTE_SOORT_GROOTTE				
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KADASTRALE_GROOTTE_WAARDE	decimal			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KOOPSOM_BEDRAG_SOM	decimal			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KOOPSOM_BEDRAG_VALUTA	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KOOPSOM_INDICATIE_MEE_R_OBJECTEN	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KOOPSOM_KOOPDATUM	datetime			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KOOPSOM_KOOPJAAR	int32			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_OMSCHRIJVING_ONDERZOEK_ERFDIENSTBAARHEDEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_OMSCHRIJVING	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_ONTSTAAN_UIT	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_PLAATSCOORDINATEN_DESCRIPTION	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_PLAATSCOORDINATEN_IDENTIFIER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_PLAATSCOORDINATEN_NAME	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_PLAATSCOORDINATEN_RD_COORDINAAT_X	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_PLAATSCOORDINATEN_RD_COORDINAAT_Y	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_PLAATSCOORDINATEN_RD_COORDINAAT_Z	string			

Name	Data Type	Label	Required	Documentation
ZAAK_TEKENINGEN				
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_TOELICHTING_BEWAARDER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_TOESTANDSDATUM_ONDERZOEK_ERFDIENSTBAARHEDEN	datetime			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_TYPE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_UIN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_VERMELD_IN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_GEBASEERD_OP	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_TYPE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_AANVULLINGEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_DOSSIER_NUMMER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_INDICATIE_BESCHIKKINGSBEVOEGDHEID	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEVOEING	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_LAND	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT	string			

Name	Data Type	Label	Required	Documentation
T_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS				
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_RECHTSVORM	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_RSIN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_STATUTAIRE_NAAM	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_STATUTAIRE_ZETEL	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_VERMELD_IN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNE	string			

Name	Data Type	Label	Required	Documentation
NLAND_HUISNUMMERTOEVOEGING				
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNE_NLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNE_NLAND_IN_ONDERZOEK	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNE_NLAND_POSTCODE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNE_NLAND_STRAATNAAM	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNE_NLAND_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_LAND	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VERKLARING_INZAKE_DERDEN_BESCHERMING	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VERKREGEN_NAMENS_SAMENWERKINGSVERBAND	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VERMELD_IN	string			
OVERGEGAAN_IN_TIJDSTIP_SAMENSTELLING_BERICHT	datetime			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_AARD	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BELAST_MET	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BEPERKT_TOT	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BESTEMT_TOT_GEBASEERD_OP	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BESTEMT_TOT_HOORT_BIJ	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BESTEMT_TOT_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_GEBASEERD_OP	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_TYP E	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_AANVULLINGEN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_DOSSIER_NUMMER	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_INDICATIE_BESCHIKKINGSBEVOEGDHED	boolean			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEVOEING	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_LAND	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_RECHTSVORM	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_RSIN	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_STATUTAIRE_NAAM	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_STATUTAIRE_ZETEL	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_VERMELD_IN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEVOEGING	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_LAND	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_INDICATIE_SPLITSING_BETROKKEN	boolean			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_AANTEKENINGEN_WKPB	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_AANVULLINGEN	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_AARD_CULTUUR_BEBOUWD	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_AARD_CULTUUR_ONBEBOUWD	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_AARD	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_ADRESSEN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_BELAST_MET	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_LOGISCH_TIJDSTIP_ONTSTAAN	datetime			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_LOGISCH_TIJDSTIP_VERVALLLEN	datetime			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_STATUS_HISTORIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_TECHNISCH_TIJDSTIP_ONTSTAAN	datetime			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_TECHNISCH_TIJDSTIP_VERVALLLEN	datetime			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_VOLGNUMMER	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_INDICATIE_GEDEELTELIJK_BEZWAARD_OUD_OBJECT	boolean			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_INDICATIE_GESPLITST	boolean			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_INDICATIE_TWEEDE_SPLITSING	boolean			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_INDICATIE_VOORGENOMEN_AAN_TEKENING	boolean			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_INDICATIE_VOORLOPIGE_AANTEKENING	boolean			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_AP PARTEMENTSRECHT_VOLGNUMMER	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_KADASTRALE_GEMEENTE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_PER CEELNUMMER	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_SECTIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_GROOTTE_SORT_GROOTTE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_GROOTTE_WAARDE	decimal			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSOM_BEDRAG_SOM	decimal			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSOM_BEDRAG_VALUTA	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSOM_INDICATIE_MEER_OBJECTEN	boolean			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSOM_KOOPDATUM	datetime			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSOM_KOOPJAAR	int32			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_OMSCHRIJVING_ONDERZOEK_ERFDIENSTBAARHEDEN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_OMSCHRIJVING	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_ONTSTAAN_UIT	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATSCOORDINATEN_DESCRIPTION	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATSCOORDINATEN_IDENTIFIEER	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATSCOORDINATEN_NAME	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATSCOORDINATEN_RD_COORDINAT_X	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATSCOORDINATEN_RD_COORDINAT_Y	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_TEKENINGEN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_TOELICHTING_BEWAARDER	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_TOESTANDSDATUM_ONDERZOEK_ERFDIENSTBAARHEDEN	datetime			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_TYPE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_UIN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_VERMELD_IN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_GEBASEERD_OP	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_TYPE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING VAN EIGENAREN AANVULLINGEN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING VAN EIGENAREN DOSSIER_NUMMER	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_INDICATIE_BESCHIKKINGSBEVOEGDHED	boolean			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEVOEING	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POST	string			

Name	Data Type	Label	Required	Documentation
LOCATIE_LOCATIE_BUITENLAND_ADRES				
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_LAND	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_RECHTSVORM	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_RSIN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_STATUTAIRE_NAAM	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_STATUTAIRE_ZETEL	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_VERMELD_IN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEOVOEGING	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOON	string			

Name	Data Type	Label	Required	Documentation
NLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE				
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_LAND	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
POSTCODE_TREFFERS_ACTUALITEIT_TIJDSTIP_HYPOTHECAIR	datetime			
POSTCODE_TREFFERS_ACTUALITEIT_TIJDSTIP_KADASTRAAL	datetime			
POSTCODE_TREFFERS_BETREFT_HUISLETTER	string			
POSTCODE_TREFFERS_BETREFT_HUISNUMMER	int64			
POSTCODE_TREFFERS_BETREFT_HUISNUMMERTOEV OEGING	string			
POSTCODE_TREFFERS_BETREFT_IDENTIFICATIE	string			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_HUISNUMMER_VOLLEDIG	string			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_IDENTIFICATIE	string			

Name	Data Type	Label	Required	Documentation
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_KAD_ASTRALE_GROOTTE_SOORT_GROOTTE	string			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_KAD_ASTRALE_GROOTTE_WAARDE	decimal			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_KOOPSOM_BEDRAG_SOM	decimal			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_KOOPSOM_BEDRAG_VALUTA	string			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_KOOPSOM_INDICATIE_MEER_OBJECTEN	boolean			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_KOOPSOM_KOOPDATUM	datetime			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_KOOPSOM_KOOPJAAR	int32			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_OMSCHRIJVING_CULTUUR	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_AANTEKENINGEN_WKPB	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_AANVULLINGEN	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_AARD_CULTUUR_BEBOUWD	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_AARD_CULTUUR_ONBEBOUWD	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_AARD	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_ADRESSEN	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_BELASTMET	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_HISTORIE_LOGISCH_TIJDSTIP_ONTSTAAN	datetime			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_HISTORIE_LOGISCH_TIJDSTIP_VERVALLEN	datetime			

Name	Data Type	Label	Required	Documentation
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_HISTORIE_STATUS_HISTORIE	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_HISTORIE_TECHNISCH_TIJDSTIP_ONTTAAN	datetime			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_HISTORIE_TECHNISCH_TIJDSTIP_VERVOLLEN	datetime			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_HISTORIE_VOLGNUMMER	int64			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_IDENTIFICATIE	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_INDICATIE_GEDEELTELIJK_BEZWAARD_OUD_OBJECT	boolean			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_INDICATIE_GESPLITST	boolean			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_INDICATIE_TWEEDE_SPLITSING	boolean			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_INDICATIE_VOORGENOMEN_AANTEKENING	boolean			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_INDICATIE_VOORLOPIGE_AANTEKENING	boolean			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_APPARTEMENTSRECHT_VOLGNUMMER	int64			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_KADASTRALE_GEMEENTE	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_PERCEELNUMMER	int64			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_SECTIE	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_GROOTTE_SOORT_GROOTTE	string			

Name	Data Type	Label	Required	Documentation
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KAD_ASTRALE_GROOTTE_WAARDE	decimal			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KOOP_SOM_BEDRAG_SOM	decimal			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KOOP_SOM_BEDRAG_VALUTA	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KOOP_SOM_INDICATIE_MEER_OBJECTEN	boolean			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KOOP_SOM_KOOPDATUM	datetime			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KOOP_SOM_KOOPJAAR	int32			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_OMSCHRIJVING_ONDERZOEK_ERFDIENSTBAARHEDEN	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_OMSCHRIJVING	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_ONTSTAAN_UIT	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_OVERGEGAAN_IN	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_PLAATSCOORDINATEN_DESCRIPTION	int64			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_PLAATSCOORDINATEN_IDENTIFIER	int64			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_PLAATSCOORDINATEN_NAME	int64			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_PLAATSCOORDINATEN_RD_COORDINAAAT_X	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_PLAATSCOORDINATEN_RD_COORDINAAAT_Y	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_TEKENINGEN	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_TOELICHTING_BEWAARDER	string			

Name	Data Type	Label	Required	Documentation
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_TOE STANDSDATUM_ONDERZOEK_ER FDIENSTBAARHEDEN	datetime			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_TYPE	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_UIN	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_VER MELD_IN	string			
POSTCODE_TREFFERS_BETREFT_POSTCODE	string			
POSTCODE_TREFFERS_PRODUCTI ENUMMER	string			
POSTCODE_TREFFERS_SIGNALER ING_TIJDSTIP_BESLAGEN	datetime			
POSTCODE_TREFFERS_SIGNALER ING_TIJDSTIP_HYPOTHECAIR	datetime			
POSTCODE_TREFFERS_SIGNALER ING_TIJDSTIP_KADASTRAAL	datetime			
POSTCODE_TREFFERS_TIJDSTIP_SAMENSTELLING_BERICHT	datetime			

3.1.227 kadasterV2GetKoopsommenOverzicht

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: kadasterV2GetKoopsommenOverzicht

Base

XPath: `/s:Envelope/s:Body/tns:kadasterV2GetKoopsommenOverzichtResponse/tns:resultaat`

Filters on API Server: postcode- huisnummer- huisnummer_toevoeging- document- huisletter

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `kadasterV2GetKoopsommenOverzicht`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four

parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
document	string	<input type="checkbox"/>		
huisletter	string	<input type="checkbox"/>		
huisnummer_toevoeging	string	<input type="checkbox"/>		
huisnummer	int32	<input type="checkbox"/>		
postcode	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `kadasterV2GetKoopsommenOverzicht` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
DOCUMENT	byte[]	Document		
OVERZICHT_ACTUALITEITTIJDSTIP_KOOPSOMMEN	datetime			
OVERZICHT_ADRES_RANGE	string			
OVERZICHT_GEVRAAGD_GEBIED_HUISLETTER	string			
OVERZICHT_GEVRAAGD_GEBIED_HUISNUMMER	int64			
OVERZICHT_GEVRAAGD_GEBIED_HUISNUMMERTOEV OEGING	string			
OVERZICHT_GEVRAAGD_GEBIED_IDENTIFICATIE	string			
OVERZICHT_GEVRAAGD_GEBIED_KOOPSOM_GEGEVENS_ITEM_HUISNUMMER_VOLLEDIG	string			
OVERZICHT_GEVRAAGD_GEBIED_KOOPSOM_GEGEVENS_ITEM_IDENTIFICATIE	string			
OVERZICHT_GEVRAAGD_GEBIED_KOOPSOM_GEGEVENS_ITEM_KADASTRALE_GROOTTE_SOORT_GROOTTE	string			
OVERZICHT_GEVRAAGD_GEBIED_KOOPSOM_GEGEVENS_ITEM_KADASTRALE_GROOTTE_WAARDE	decimal			
OVERZICHT_GEVRAAGD_GEBIED_KOOPSOM_GEGEVENS_ITEM_KOOPSOM_BEDRAG_SOM	decimal			
OVERZICHT_GEVRAAGD_GEBIED_KOOPSOM_GEGEVENS_ITEM_KO	string			

Name	Data Type	Label	Required	Documentation
OPSOM_BEDRAG_VALUTA				
OVERZICHT_GEVRAAGD_GEBIED_KOOPSOM_GEGEVENS_ITEM_KOOPSOM_INDICATIE_MEER_OBJECTEN	boolean			
OVERZICHT_GEVRAAGD_GEBIED_KOOPSOM_GEGEVENS_ITEM_KOOPSOM_KOOPDATUM	datetime			
OVERZICHT_GEVRAAGD_GEBIED_KOOPSOM_GEGEVENS_ITEM_KOOPSOM_KOOPJAAR	int32			
OVERZICHT_GEVRAAGD_GEBIED_KOOPSOM_GEGEVENS_ITEM_OMSCHRIJVING_CULTUUR	string			
OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE_ZAKEN_ITEM_AANTEKENINGEN_WKPB	string			
OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE_ZAKEN_ITEM_AANVULLINGEN	string			
OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE_ZAKEN_ITEM_AARD_CULTUUR_BEBOUWD	string			
OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE_ZAKEN_ITEM_AARD_CULTUUR_ONBEBOUWD	string			
OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE_ZAKEN_ITEM_AARD	string			
OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE_ZAKEN_ITEM_ADRESSEN	string			
OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE_ZAKEN_ITEM_BELASTMET	string			
OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE_ZAKEN_ITEM_HISTORIE_LOGISCH_TIJDSTIP_ONTSTAAN	datetime			
OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE_ZAKEN_ITEM_HISTORIE_LOGISCH_TIJDSTIP_VERVALLEN	datetime			
OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE_ZAKEN_ITEM_HISTORIE_STATUS_HISTORIE	string			
OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE_ZAKEN_ITEM_HISTORIE_TECHNISCH_TIJDSTIP_ONTSTAAN	datetime			
OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE_ZAKEN_ITEM_HISTORIE_TECHNISCH_TIJDSTIP_VERVALLEN	datetime			

Name	Data Type	Label	Required	Documentation
OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE_ZAKEN_ITEM_HISTORIE_VOLGNUMMER	int64			
OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE_ZAKEN_ITEM_IDENTIFICATIE	string			
OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE_ZAKEN_ITEM_INDICATIE_GEDEELTELIJK_BEZWAARD_OUD_OBJECT	boolean			
OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE_ZAKEN_ITEM_INDICATIE_GESPLITST	boolean			
OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE_ZAKEN_ITEM_INDICATIE_TWEEDE_SPLITSING	boolean			
OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE_ZAKEN_ITEM_INDICATIE_VOORGENOMEN_AANTEKENING	boolean			
OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE_ZAKEN_ITEM_INDICATIE_VOORLOPIGE_AANTEKENING	boolean			
OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_APPARTEMENTSRECHT_VOLGNUMMER	int64			
OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_KADASTRALE_GEMEENTE	string			
OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_PERCEELNUMMER	int64			
OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_SECTIE	string			
OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE_ZAKEN_ITEM_KADASTRALE_GROOTTE_SOORT_GROOTTE	string			
OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE_ZAKEN_ITEM_KADASTRALE_GROOTTE_WAARDE	decimal			
OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE_ZAKEN_ITEM_KOOPSOM_BEDRAG_SOM	decimal			
OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE_ZAKEN_ITEM_KOOPSOM_BEDRAG_VALUTA	string			
OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE_ZAKEN_ITEM_KO	boolean			

Name	Data Type	Label	Required	Documentation
OPSOM_INDICATIE_MEER_OBJECTEN				
OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE_ZAKEN_ITEM_KOOPSOM_KOOPDATUM	datetime			
OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE_ZAKEN_ITEM_KOOPSOM_KOOPJAAR	int32			
OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE_ZAKEN_ITEM_OMSCHRIJVING_ONDERZOEK_ERFDIENSTBAARHEDEN	string			
OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE_ZAKEN_ITEM_OMSCHRIJVING	string			
OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE_ZAKEN_ITEM_ONTSTAAN_UIT	string			
OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE_ZAKEN_ITEM_OVERGEGAAN_IN	string			
OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE_ZAKEN_ITEM_PLAATSCOORDINATEN_DESCRIPTION	int64			
OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE_ZAKEN_ITEM_PLAATSCOORDINATEN_IDENTIFIER	int64			
OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE_ZAKEN_ITEM_PLAATSCOORDINATEN_NAME	int64			
OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE_ZAKEN_ITEM_PLAATSCOORDINATEN_RD_COORDINATAAT_X	string			
OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE_ZAKEN_ITEM_PLAATSCOORDINATEN_RD_COORDINATAAT_Y	string			
OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE_ZAKEN_ITEM_TEKENINGEN	string			
OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE_ZAKEN_ITEM_TOELICHTING_BEWAARDER	string			
OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE_ZAKEN_ITEM_TOESTANDSDATUM_ONDERZOEK_ERFDIENSTBAARHEDEN	datetime			
OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE_ZAKEN_ITEM_TYPERE	string			
OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE_ZAKEN_ITEM_UIN	string			

Name	Data Type	Label	Required	Documentation
OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE_ZAKEN_ITEM_VERMELD_IN	string			
OVERZICHT_GEVRAAGD_GEBIED_POSTCODE	string			
OVERZICHT_PRODUCTIENUMMER	string			
OVERZICHT_TIJDSTIP_SAMENSTELLING_BERICHT	datetime			
OVERZICHT_WOONPLAATS_NAAM	string			

3.1.228 kadasterV2GetUittrekselKadastraleKaartByAdres

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: kadasterV2GetUittrekselKadastraleKaartByAdres

Base

XPath: `/s:Envelope/s:Body/tns:kadasterV2GetUittrekselKadastraleKaartByAdresResponse/tns:resultaat`

Filters on API Server: postcode- huisnummer- huisnummer_toevoeging- huisletter

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `kadasterV2GetUittrekselKadastraleKaartByAdres`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
huisletter	string	<input type="checkbox"/>		
huisnummer_toevoeging	string	<input type="checkbox"/>		
huisnummer	int32	<input type="checkbox"/>		
postcode	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `kadasterV2GetUittrekselKadastraleKaartByAdres` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
DOCUMENT	byte[]	Document		
OVERGEGAAN_IN_ACTUALITEIT_TUJDSTIP_HYPOTHECAIR	datetime			
OVERGEGAAN_IN_ACTUALITEIT_TUJDSTIP_KADASTRAAL	datetime			
OVERGEGAAN_IN_BETREFT_AAN TEKENINGEN_WKPB_ITEM_DATUM_IN_WERKING	string			
OVERGEGAAN_IN_BETREFT_AAN TEKENINGEN_WKPB_ITEM_GEMEENTE_LIJKE_REGISTRATIE_ID	string			
OVERGEGAAN_IN_BETREFT_AAN TEKENINGEN_WKPB_ITEM_NUMMER	string			
OVERGEGAAN_IN_BETREFT_AAN TEKENINGEN_WKPB_ITEM_OMSCHRIJVING_PUBLIEKRECHTELIJKE_BEPERKING	string			
OVERGEGAAN_IN_BETREFT_AAN TEKENINGEN_WKPB_ITEM_OMSCHRIJVING	string			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_STUK_AARD	string			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_STUK_DEEL_EN_NUMMER_DEEL	string			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_STUK_DEEL_EN_NUMMER_NUMMER	string			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_STUK_DEEL_EN_NUMMER_REEKS	string			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_STUK_DEEL_EN_NUMMER_REGISTERCODE	string			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_STUK_DEEL_EN_NUMMER_SOORT_REGISTER	string			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_STUK_IDENTIFICATIE	string			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_	boolean			

Name	Data Type	Label	Required	Documentation
STUK_INDICATIE_ALLE_OBJECTEN_BETROKKEN				
OVERGEGAAN_IN_BETREFT_AAN_VULLINGEN_ITEM_AANGEBODEN_STUK_STATUS_STUK_OR	string			
OVERGEGAAN_IN_BETREFT_AAN_VULLINGEN_ITEM_AANGEBODEN_STUK_STUKDELEN	string			
OVERGEGAAN_IN_BETREFT_AAN_VULLINGEN_ITEM_AANGEBODEN_STUK_TIJDSTIP_AANBIEDING	datetime			
OVERGEGAAN_IN_BETREFT_AAN_VULLINGEN_ITEM_AANGEBODEN_STUK_TIJDSTIP_ONDERTEKENING	datetime			
OVERGEGAAN_IN_BETREFT_AAN_VULLINGEN_ITEM_AANGEBODEN_STUK_TOELICHTING_BEWAARDE	string			
OVERGEGAAN_IN_BETREFT_AAN_VULLINGEN_ITEM_AANGEBODEN_STUK_VERKLARING_BEWAARDE	string			
OVERGEGAAN_IN_BETREFT_AAN_VULLINGEN_ITEM_AANGEBODEN_STUK_VERZOEKEN	string			
OVERGEGAAN_IN_BETREFT_AAN_VULLINGEN_ITEM_TYPE	string			
OVERGEGAAN_IN_BETREFT_AARD_CULTUUR_BEBOUWD	string			
OVERGEGAAN_IN_BETREFT_AARD_CULTUUR_ONBEBOUWD	string			
OVERGEGAAN_IN_BETREFT_AARD	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BINNENLAND_HUISLETTER	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BINNENLAND_HUISNUMMER	int64			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BINNENLAND_HUISNUMMERTOEOEGING	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BINNENLAND_POSTCODE	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BINNENLAND_STRAATNAAM	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_BINNENLA ND_WOONPLAATS	string			
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_BUITENLA ND_ADRES_REGELS	string			
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_BUITENLA ND_ADRES	string			
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_BUITENLA ND_IDENTIFICATIE	string			
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_BUITENLA ND_LAND	string			
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_BUITENLA ND_REGIO	string			
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_BUITENLA ND_WOONPLAATS	string			
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_POSTBUS_ IDENTIFICATIE	string			
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_POSTBUS_ POSTBUS_NUMMER	string			
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_POSTBUS_ POSTCODE	string			
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_POSTBUS_ WOONPLAATS	string			
OVERGEGAAN_IN_BETREFT_BEL AST_MET_ITEM_BEDRAG_SOM	decimal			
OVERGEGAAN_IN_BETREFT_BEL AST_MET_ITEM_BEDRAG_VALUT A	string			
OVERGEGAAN_IN_BETREFT_BEL AST_MET_ITEM_EINDJAAR	int64			
OVERGEGAAN_IN_BETREFT_HIST ORIE_LOGISCH_TIJDSTIP_ONTSTA AN	datetime			
OVERGEGAAN_IN_BETREFT_HIST ORIE_LOGISCH_TIJDSTIP_VERVAL LEN	datetime			
OVERGEGAAN_IN_BETREFT_HIST ORIE_STATUS_HISTORIE	string			
OVERGEGAAN_IN_BETREFT_HIST ORIE_TECHNISCH_TIJDSTIP_ONTS TAAN	datetime			
OVERGEGAAN_IN_BETREFT_HIST ORIE_TECHNISCH_TIJDSTIP_VERV	datetime			

Name	Data Type	Label	Required	Documentation
ALLEN				
OVERGEGAAN_IN_BETREFT_HISTORIE_VOLGNUMMER	int64			
OVERGEGAAN_IN_BETREFT_IDENTIFICATIE	string			
OVERGEGAAN_IN_BETREFT_INDICATIE_GEDEELTELIJK_BEZWAARD_OUD_OBJECT	boolean			
OVERGEGAAN_IN_BETREFT_INDICATIE_GESPLITST	boolean			
OVERGEGAAN_IN_BETREFT_INDICATIE_TWEEDE_SPLITSING	boolean			
OVERGEGAAN_IN_BETREFT_INDICATIE_VOORGENOMEN_AANTEKENING	boolean			
OVERGEGAAN_IN_BETREFT_INDICATIE_VOORLOPIGE_AANTEKENING	boolean			
OVERGEGAAN_IN_BETREFT_KADASTRALE_AANDUIDING_APPARTEMENTSRECHT_VOLGNUMMER	int64			
OVERGEGAAN_IN_BETREFT_KADASTRALE_AANDUIDING_KADASTRALE_GEMEENTE	string			
OVERGEGAAN_IN_BETREFT_KADASTRALE_AANDUIDING_PERCEELNUMMER	int64			
OVERGEGAAN_IN_BETREFT_KADASTRALE_AANDUIDING_SECTIE	string			
OVERGEGAAN_IN_BETREFT_KADASTRALE_GROOTTE_SOORT_GROOTTE	string			
OVERGEGAAN_IN_BETREFT_KADASTRALE_GROOTTE_WAARDE	decimal			
OVERGEGAAN_IN_BETREFT_KOOPPSOM_BEDRAG_SOM	decimal			
OVERGEGAAN_IN_BETREFT_KOOPPSOM_BEDRAG_VALUTA	string			
OVERGEGAAN_IN_BETREFT_KOOPPSOM_INDICATIE_MEER_OBJECTEN	boolean			
OVERGEGAAN_IN_BETREFT_KOOPPSOM_KOOPDATUM	datetime			
OVERGEGAAN_IN_BETREFT_KOOPPSOM_KOOPJAAR	int32			
OVERGEGAAN_IN_BETREFT_OMSCHRIJVING_ONDERZOEK_ERFDIENSTBAARHEDEN	string			
OVERGEGAAN_IN_BETREFT_OMSCHRIJVING	string			
OVERGEGAAN_IN_BETREFT_ONTSTAAN_UT_ITEM_AARD	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_BETREFT_ONTSTAAN_UIT_ITEM_OVERGANGSGROOTTE	decimal			
OVERGEGAAN_IN_BETREFT_PLAATSCOORDINATEN_DESCRIPTION	int64			
OVERGEGAAN_IN_BETREFT_PLAATSCOORDINATEN_IDENTIFIER	int64			
OVERGEGAAN_IN_BETREFT_PLAATSCOORDINATEN_NAME	int64			
OVERGEGAAN_IN_BETREFT_PLAATSCOORDINATEN_RD_COORDINAAAT_X	string			
OVERGEGAAN_IN_BETREFT_PLAATSCOORDINATEN_RD_COORDINAAAT_Y	string			
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_AANVULLING_OP	string			
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_AARD	string			
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_BEDRAG_TRANSACTIES_OM_LEVERING_SOM	decimal			
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_BEDRAG_TRANSACTIES_OM_LEVERING_VALUTA	string			
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_BEDRAG_VORDERINGSBESLAG_SOM	decimal			
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_BEDRAG_VORDERINGSBESLAG_VALUTA	string			
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_BEDRAG_ZEKERHEIDSTELLING_HYPOTHEEK_SOM	decimal			
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_BEDRAG_ZEKERHEIDSTELLING_HYPOTHEEK_VALUTA	string			
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_IDENTIFICATIE	string			
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_OMSCHRIJVING_GEKOZEN_WOONPLAATS	string			
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_OMSCHRIJVING_KADASTRALE_OBJECTEN	string			
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_VERMELD_IN	string			
OVERGEGAAN_IN_BETREFT_TOELICHTING_BEWAARDER	string			
OVERGEGAAN_IN_BETREFT_TOESTANDSDATUM_ONDERZOEK_ERFDIENSTBAARHEDEN	datetime			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_BETREFT_TYP E	string			
OVERGEGAAN_IN_BETREFT_UIN	string			
OVERGEGAAN_IN_BETREFT_VER MELD_IN_ITEM_AANVULLING_OP	string			
OVERGEGAAN_IN_BETREFT_VER MELD_IN_ITEM_AARD	string			
OVERGEGAAN_IN_BETREFT_VER MELD_IN_ITEM_BEDRAG_TRANSA CTIES_OM_LEVERING_SOM	decimal			
OVERGEGAAN_IN_BETREFT_VER MELD_IN_ITEM_BEDRAG_TRANSA CTIES_OM_LEVERING_VALUTA	string			
OVERGEGAAN_IN_BETREFT_VER MELD_IN_ITEM_BEDRAG_VORDERI NGSBESLAG_SOM	decimal			
OVERGEGAAN_IN_BETREFT_VER MELD_IN_ITEM_BEDRAG_VORDERI NGSBESLAG_VALUTA	string			
OVERGEGAAN_IN_BETREFT_VER MELD_IN_ITEM_BEDRAG_ZEKERH EIDSSTELLING_HYPOTHEEK_SOM	decimal			
OVERGEGAAN_IN_BETREFT_VER MELD_IN_ITEM_BEDRAG_ZEKERH EIDSSTELLING_HYPOTHEEK_VAL UTA	string			
OVERGEGAAN_IN_BETREFT_VER MELD_IN_ITEM_IDENTIFICATIE	string			
OVERGEGAAN_IN_BETREFT_VER MELD_IN_ITEM_OMSCHRIJVING_G EKOZEN_WOONPLAATS	string			
OVERGEGAAN_IN_BETREFT_VER MELD_IN_ITEM_OMSCHRIJVING_K ADASTRALE_OBJECTEN	string			
OVERGEGAAN_IN_PRODUCTIENU MMER	string			
OVERGEGAAN_IN_SIGNALERING_ TIJDSTIP_BESLAGEN	datetime			
OVERGEGAAN_IN_SIGNALERING_ TIJDSTIP_HYPOTHECAIR	datetime			
OVERGEGAAN_IN_SIGNALERING_ TIJDSTIP_KADASTRAAL	datetime			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_AANDEEL_NOEMER	int64			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_AANDEEL_TELLER	int64			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_BETROKKEN_PARTN ER_NATUURLIJK_PERSONEN	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_BETROKKEN_PARTN ER_NIET_NATUURLIJK_PERSONEN	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_BETROKKEN_SAMENWERKINGSVERBAND_NATUURLIJK_PERSONEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_BETROKKEN_SAMENWERKINGSVERBAND_NIET_NATUURLIJK_PERSONEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_BURGERLIJKE_STAAT_TEN_TIJD_VAN_VERKRIJGING	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_GEBASEERD_OP	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_GELDT_VOOR_AANDEEL_NOEMER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_GELDT_VOOR_AANDEEL_TELLER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_GELDT_VOOR_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_OMSCHRIJVING	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_TEN_NAME_VAN_NATUURLIJK_PERSONEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_TEN_NAME_VAN_NIET_NATUURLIJK_PERSONEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_AARD	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BELAST_MET	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BEPERKT_TOT	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BESTEMT_TOT_GEBASEERD_OP	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BESTEMT_TOT_HOORT_BIJ	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BESTEMT_TOT_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_GEBASEERD_OP	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_IDENTIFICATIE	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_TYPE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_AANVULLINGEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_DOSSIER_NUMMER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_INDICATIE_BESCHIKKINGSBEVOEGDHEID	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENL AND_HUISLETTER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENL AND_HUISNUMMER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENL AND_HUISNUMMERTOEVOEING	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENL AND_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENL AND_IN_ONDERZOEK	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENL AND_POSTCODE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENL AND_STRAATNAAM	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ	string			

Name	Data Type	Label	Required	Documentation
J_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENL AND_WOONPLAATS				
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENL AND_ADRES_REGELS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENL AND_ADRES	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENL AND_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENL AND_LAND	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENL AND_REGIO	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENL AND_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_RECHTSVORM	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_RSIN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_STATUTAIRE_NAAM	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_STATUTAIRE_ZETEL	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_VERMELD_IN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEVUEGING	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_LAND	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_INDICATIE_SPLITTING_BETROKKEN	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_	string			

Name	Data Type	Label	Required	Documentation
ZAAK_AANTEKENINGEN_WKPB				
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_AANVULLINGEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_AARD_CULTUUR_BEBOUWD	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_AARD_CULTUUR_ONBEBOUWD	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_AARD	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_ADRESSEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_BELAST_MET	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_LOGISCH_TIJDSTIP_ONTSTAAN	datetime			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_LOGISCH_TIJDSTIP_VERVALLLEN	datetime			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_STATUS_HISTORIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_TECHNISCH_TIJDSTIP_ONTSTAAN	datetime			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_TECHNISCH_TIJDSTIP_VERVALLLEN	datetime			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_VOLGNUMMER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_INDICATIE_GEDEELTELIJK_BEZWAARD_OUD_OBJECT	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_INDICATIE_GESPLITST	boolean			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_INDICATIE_TWEEDE_SPLITSING	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_INDICATIE_VOORGENOMEN_AANTEKENING	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_INDICATIE_VOORLOPIGE_AANTEKENING	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_APPARTEMENTSRECHT_VOLGNUMMER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_KADASTRALE_GEMEENTE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_PERCEELNUMMER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_SECTIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KADASTRALE_GROOTTE_SOORT_GROOTTE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KADASTRALE_GROOTTE_WAARDE	decimal			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KOOPSOM_BEDRAG_SOM	decimal			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KOOPSOM_BEDRAG_VALUTA	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KOOPSOM_INDICATIE_MEE_R_OBJECTEN	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KOOPSOM_KOOPDATUM	datetime			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KOOPSOM_KOOPJAAR	int32			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_	string			

Name	Data Type	Label	Required	Documentation
ZAAK_OMSCHRIJVING_ONDERZOEK_ERFDIENSTBAARHEDEN				
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_OMSCHRIJVING	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_ONTSTAAN_UIT	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_PLAATSCOORDINATEN_DESCRIPTION	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_PLAATSCOORDINATEN_IDENTIFIER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_PLAATSCOORDINATEN_NAME	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_PLAATSCOORDINATEN_RD_COORDINAAT_X	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_PLAATSCOORDINATEN_RD_COORDINAAT_Y	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_TEKENINGEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_TOELICHTING_BEWAARDER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_TOESTANDSDATUM_ONDERZOEK_ERFDIENSTBAARHEDEN	datetime			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_TYPE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_UIN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_VERMELD_IN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_GEBASEERD_OP	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_IDENTIFICATIE	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_TYPE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_AANVULLINGEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_DOSSIER_NUMMER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_INDICATIE_BESCHIKKINGSBEVOEGDHEID	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEVOEGING	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT	string			

Name	Data Type	Label	Required	Documentation
T_VERENIGING_VAN_EIGENAREN _POSTLOCATIE_LOCATIE_BINNEN LAND_WOONPLAATS				
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _POSTLOCATIE_LOCATIE_BUITEN LAND_ADRES_REGELS	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _POSTLOCATIE_LOCATIE_BUITEN LAND_ADRES	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _POSTLOCATIE_LOCATIE_BUITEN LAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _POSTLOCATIE_LOCATIE_BUITEN LAND_LAND	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _POSTLOCATIE_LOCATIE_BUITEN LAND_REGIO	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _POSTLOCATIE_LOCATIE_BUITEN LAND_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _POSTLOCATIE_LOCATIE_POSTB US_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _POSTLOCATIE_LOCATIE_POSTB US_POSTBUS_NUMMER	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _POSTLOCATIE_LOCATIE_POSTB US_POSTCODE	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _POSTLOCATIE_LOCATIE_POSTB US_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _RECHTSVORM	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_RSIN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_STATUTAIRE_NAAM	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_STATUTAIRE_ZETEL	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_VERMELD_IN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEVOEGING	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_LAND	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VERKLARING_INZAKE_DERDEN_BESCHERMING	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VERKREGEN_NAMENS_SAMENWERKINGSVERBAND	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VERMELD_IN	string			
OVERGEGAAN_IN_TUJDSTIP_SAMENSTELLING_BERICHT	datetime			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_AARD	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BELAST_MET	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BEPERKT_TOT	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BESTEMT_TOT_GEBASEERD_OP	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BESTEMT_TOT_HOORT_BIJ	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BESTEMT_TOT_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_GEBASEERD_OP	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_TYPE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_AANVULLINGEN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_DOSSIER_NUMMER	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_INDICATIE_BESCHIKKINGSBEVOEGDHED	boolean			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEVROEGING	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_LAND	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_REGIO	string			

Name	Data Type	Label	Required	Documentation
ENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_BUITENLAND_ WOONPLAATS				
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_BETROKKEN_BIJ_VER ENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_POSTBUS_IDE NTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_BETROKKEN_BIJ_VER ENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_POSTBUS_PO STBUS_NUMMER	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_BETROKKEN_BIJ_VER ENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_POSTBUS_PO STCODE	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_BETROKKEN_BIJ_VER ENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_POSTBUS_WO ONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_BETROKKEN_BIJ_VER ENIGING_VAN_EIGENAREN_RECH TSVORM	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_BETROKKEN_BIJ_VER ENIGING_VAN_EIGENAREN_RSIN	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_BETROKKEN_BIJ_VER ENIGING_VAN_EIGENAREN_STAT UTAIRE_NAAM	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_BETROKKEN_BIJ_VER ENIGING_VAN_EIGENAREN_STAT UTAIRE_ZETEL	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_BETROKKEN_BIJ_VER ENIGING_VAN_EIGENAREN_VERM ELD_IN	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_BETROKKEN_BIJ_VER ENIGING_VAN_EIGENAREN_WOO NLOCATIE_LOCATIE_BINNENLAND _HUISLETTER	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_BETROKKEN_BIJ_VER ENIGING_VAN_EIGENAREN_WOO NLOCATIE_LOCATIE_BINNENLAND _HUISNUMMER	int64			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_BETROKKEN_BIJ_VER ENIGING_VAN_EIGENAREN_WOO NLOCATIE_LOCATIE_BINNENLAND _HUISNUMMERTOEVUEGING	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_LAND	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VER	string			

Name	Data Type	Label	Required	Documentation
ENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE				
OVERGEGAAN_IN_ZAKELIJKE_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
OVERGEGAAN_IN_ZAKELIJKE_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
OVERGEGAAN_IN_ZAKELIJKE_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJKE_RECHTEN_ITEM_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJKE_RECHTEN_ITEM_INDICATIE_SPLITSING_BETROKKEN	boolean			
OVERGEGAAN_IN_ZAKELIJKE_RECHTEN_ITEM_ONROERENDE_ZAAK_AANTEKENINGEN_WKPB	string			
OVERGEGAAN_IN_ZAKELIJKE_RECHTEN_ITEM_ONROERENDE_ZAAK_AANVULLINGEN	string			
OVERGEGAAN_IN_ZAKELIJKE_RECHTEN_ITEM_ONROERENDE_ZAAK_AARD_CULTUUR_BEBOUWD	string			
OVERGEGAAN_IN_ZAKELIJKE_RECHTEN_ITEM_ONROERENDE_ZAAK_AARD_CULTUUR_ONBEBOUWD	string			
OVERGEGAAN_IN_ZAKELIJKE_RECHTEN_ITEM_ONROERENDE_ZAAK_AARD	string			
OVERGEGAAN_IN_ZAKELIJKE_RECHTEN_ITEM_ONROERENDE_ZAAK_ADRESSEN	string			
OVERGEGAAN_IN_ZAKELIJKE_RECHTEN_ITEM_ONROERENDE_ZAAK_BELAST_MET	string			
OVERGEGAAN_IN_ZAKELIJKE_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_LOGISCH_TIJDSTIP_ONTSTAAN	datetime			
OVERGEGAAN_IN_ZAKELIJKE_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_LOGISCH_TIJDSTIP_VERVALLLEN	datetime			
OVERGEGAAN_IN_ZAKELIJKE_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_STATUS_HISTORIE	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_TECHNISCH_TJDSTIP_ONTSTAAN	datetime			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_TECHNISCH_TJDSTIP_VERVALLLEN	datetime			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_VOLGNUMMER	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_INDICATIE_GEDEELTELIJK_BEZWAARD_OUD_OBJECT	boolean			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_INDICATIE_GESPLITST	boolean			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_INDICATIE_TWEEDE_SPLITSING	boolean			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_INDICATIE_VOORGENOMEN_AANTEKENING	boolean			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_INDICATIE_VOORLOPIGE_AANTEKENING	boolean			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_AP PARTEMENTSRECHT_VOLGNUMMER	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_KADASTRALE_GEMEENTE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_PER CEELNUMMER	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_SECTIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_GROOTTE_SORT_GROOTTE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK	decimal			

Name	Data Type	Label	Required	Documentation
_KADASTRALE_GROOTTE_WAARDE				
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSOM_BEDRAG_SOM	decimal			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSOM_BEDRAG_VALUTA	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSOM_INDICATIE_MEER_OBJECTEN	boolean			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSOM_KOOPDATUM	datetime			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSOM_KOOPJAAR	int32			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_OMSCHRIJVING_ONDERZOEK_ERFDIENSTBAARHEDEN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_OMSCHRIJVING	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_ONTSTAAN_UIT	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATSCOORDINATEN_DESCRIPTION	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATSCOORDINATEN_IDENTIFIER	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATSCOORDINATEN_NAME	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATSCOORDINATEN_RD_COORDINAAT_X	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATSCOORDINATEN_RD_COORDINAAT_Y	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_TEKENINGEN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_TOELICHTING_BEWAARDER	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK	datetime			

Name	Data Type	Label	Required	Documentation
_TOESTANDSDATUM_ONDERZOEK_ERFDIENSTBAARHEDEN				
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_TYPE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_UIN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_VERMELD_IN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_UIT_GEBASEERD_OP	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_UIT_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_UIT_TYPE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_AANVULLINGEN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_DOSSIER_NUMMER	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_INDICATIE_BESCHIKKINGSBEVOEGDHED	boolean			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEVOEGING	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_I N_ONDERZOEK	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_ POSTCODE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_ STRAATNAAM	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_ WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_ ADRES_REGELS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_ ADRES	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_I DENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_ LAND	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_ REGIO	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_ WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_IDE NTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VER	string			

Name	Data Type	Label	Required	Documentation
ENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_POSTBUS_PO STBUS_NUMMER				
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_POSTBUS_PO STCODE	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_POSTBUS_WO ONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_RECH TSVORM	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_RSIN	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_STAT UTAIRE_NAAM	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_STAT UTAIRE_ZETEL	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_VERM ELD_IN	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_WOO NLOCATIE_LOCATIE_BINNENLAND _HUISLETTER	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_WOO NLOCATIE_LOCATIE_BINNENLAND _HUISNUMMER	int64			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_WOO NLOCATIE_LOCATIE_BINNENLAND _HUISNUMMERTOEVOEGING	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_WOO NLOCATIE_LOCATIE_BINNENLAND _IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_WOO NLOCATIE_LOCATIE_BINNENLAND _IN_ONDERZOEK	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_LAND	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VER	string			

Name	Data Type	Label	Required	Documentation
ENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTCODE				
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
POSTCODE_TREFFERS_ACTUALITEIT_TIJDSTIP_HYPOTHECAIR	datetime			
POSTCODE_TREFFERS_ACTUALITEIT_TIJDSTIP_KADASTRAAL	datetime			
POSTCODE_TREFFERS_BETREFT_HUISLETTER	string			
POSTCODE_TREFFERS_BETREFT_HUISNUMMER	int64			
POSTCODE_TREFFERS_BETREFT_HUISNUMMERTOEV_OEGING	string			
POSTCODE_TREFFERS_BETREFT_IDENTIFICATIE	string			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_HUISNUMMER_VOLLEDIG	string			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_IDENTIFICATIE	string			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_KADASTRALE_GROOTTE_SOORT_GROOTTE	string			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_KADASTRALE_GROOTTE_WAARDE	decimal			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_KOOPSOM_BEDRAG_SOM	decimal			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_KOOPSOM_BEDRAG_VALUTA	string			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_KOOPSOM_INDICATIE_MEER_OBJECTEN	boolean			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_KOOPSOM_KOOPDATUM	datetime			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_KOOPSOM_KOOPJAAR	int32			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_OMSCHRIJVING_CULTUUR	string			

Name	Data Type	Label	Required	Documentation
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_AAN_TKENINGEN_WKPB	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_AAN_VULLINGEN	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_AARD_CULTUUR_BEBOUWD	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_AARD_CULTUUR_ONBEBOUWD	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_AARD	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_ADRESSEN	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_BELAST_MET	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_HISTORIE_LOGISCH_TIJDSTIP_ONTSTAAN	datetime			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_HISTORIE_LOGISCH_TIJDSTIP_VERVALLEN	datetime			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_HISTORIE_STATUS_HISTORIE	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_HISTORIE_TECHNISCH_TIJDSTIP_ONTSTAAN	datetime			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_HISTORIE_TECHNISCH_TIJDSTIP_VERVALLLEN	datetime			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_HISTORIE_VOLGNUMMER	int64			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_IDENTIFICATIE	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_INDICATIE_GEDEELTELIJK_BEZWAARD_OUD_OBJECT	boolean			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_INDICATIE_GESPLITST	boolean			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_INDICATIE	boolean			

Name	Data Type	Label	Required	Documentation
ATIE_TWEEDE_SPLITSING				
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_INDICATIE_VOORGENOMEN_AANTEKENING	boolean			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_INDICATIE_VOORLOPIGE_AANTEKENING	boolean			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_APPARTEMENTSRECHT_VOLGNUMMER	int64			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_KADASTRALE_GEMEENTE	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_PERCEELNUMMER	int64			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_SECTIE	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_GROOTTE_SOORT_GROOTTE	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_GROOTTE_WAARDE	decimal			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KOOP SOM_BEDRAG_SOM	decimal			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KOOP SOM_BEDRAG_VALUTA	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KOOP SOM_INDICATIE_MEER_OBJECTEN	boolean			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KOOP SOM_KOOPDATUM	datetime			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KOOP SOM_KOOPJAAR	int32			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_OMSCHRIJVING_ONDERZOEK_ERFDIENSTBAARHEDEN	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_OMSCHRIJVING	string			

Name	Data Type	Label	Required	Documentation
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_ONTSTAAN_UIT	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_OVERGEGAAN_IN	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_PLAATSCOORDINATEN_DESCRIPTION	int64			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_PLAATSCOORDINATEN_IDENTIFIER	int64			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_PLAATSCOORDINATEN_NAME	int64			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_PLAATSCOORDINATEN_RD_COORDINAT_X	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_PLAATSCOORDINATEN_RD_COORDINAT_Y	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_TEKENINGEN	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_TOELICHTING_BEWAARDER	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_TOESTANDSDATUM_ONDERZOEK_ERFDIENSTBAARHEDEN	datetime			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_TYPE	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_UIN	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_VERMELD_IN	string			
POSTCODE_TREFFERS_BETREFT_POSTCODE	string			
POSTCODE_TREFFERS_PRODUCTIENUMMER	string			
POSTCODE_TREFFERS_SIGNALERING_TIJDSTIP_BESLAGEN	datetime			
POSTCODE_TREFFERS_SIGNALERING_TIJDSTIP_HYPOTHECAIR	datetime			
POSTCODE_TREFFERS_SIGNALERING_TIJDSTIP_KADASTRAAL	datetime			
POSTCODE_TREFFERS_TIJDSTIP_SAMENSTELLING_BERICHT	datetime			

3.1.229 kadasterV2GetUittrekselKadastraleKaartByKadastraleAanduiding

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: kadasterV2GetUittrekselKadastraleKaartByKadastraleAanduiding

Base

XPath: `/s:Envelope/s:Body/tns:kadasterV2GetUittrekselKadastraleKaartByKadastraleAanduidingResponse/tns:resultaat`

Filters on API Server: gemeentenaam- sectie- perceelnummer- appartementsnummer

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `kadasterV2GetUittrekselKadastraleKaartByKadastraleAanduiding`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
appartementsnummer	int32	<input type="checkbox"/>		
gemeentenaam	string	<input type="checkbox"/>		
perceelnummer	int32	<input type="checkbox"/>		
sectie	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `kadasterV2GetUittrekselKadastraleKaartByKadastraleAanduiding` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
DOCUMENT	byte[]	Document		
OVERGEGAAN_IN_ACTUALITEIT_TJDSTIP_HYPOTHECAIR	datetime			
OVERGEGAAN_IN_ACTUALITEIT_TJDSTIP_KADASTRAAL	datetime			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_BETREFT_AAN TEKENINGEN_WKPB_ITEM_DATUM _IN_WERKING	string			
OVERGEGAAN_IN_BETREFT_AAN TEKENINGEN_WKPB_ITEM_GEMEE NTELIJKE_REGISTRATIE_ID	string			
OVERGEGAAN_IN_BETREFT_AAN TEKENINGEN_WKPB_ITEM_NUMME R	string			
OVERGEGAAN_IN_BETREFT_AAN TEKENINGEN_WKPB_ITEM_OMSCH RIJVING_PUBLIEKRECHTELIJKE_BE PERKING	string			
OVERGEGAAN_IN_BETREFT_AAN TEKENINGEN_WKPB_ITEM_OMSCH RIJVING	string			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_ STUK_AARD	string			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_ STUK_DEEL_EN_NUMMER_DEEL	string			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_ STUK_DEEL_EN_NUMMER_NUMME R	string			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_ STUK_DEEL_EN_NUMMER_REEKS	string			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_ STUK_DEEL_EN_NUMMER_REGIST ERCODE	string			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_ STUK_DEEL_EN_NUMMER_SOORT _REGISTER	string			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_ STUK_IDENTIFICATIE	string			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_ STUK_INDICATIE_ALLE_OBJECTEN _BETROKKEN	boolean			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_ STUK_STATUS_STUK_OR	string			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_ STUK_STUKDELEN	string			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_ STUK_TIJDSTIP_AANBIEDING	datetime			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_ STUK_TIJDSTIP_AANBIEDING	datetime			

Name	Data Type	Label	Required	Documentation
STUK_TIJDSTIP_ONDERTEKENING				
OVERGEGAAN_IN_BETREFT_AAN_VULLINGEN_ITEM_AANGEBODEN_STUK_TOELICHTING_BEWAARDER	string			
OVERGEGAAN_IN_BETREFT_AAN_VULLINGEN_ITEM_AANGEBODEN_STUK_VERKLARING_BEWAARDE_R	string			
OVERGEGAAN_IN_BETREFT_AAN_VULLINGEN_ITEM_AANGEBODEN_STUK_VERZOEKEN	string			
OVERGEGAAN_IN_BETREFT_AAN_VULLINGEN_ITEM_TYPE	string			
OVERGEGAAN_IN_BETREFT_AARD_CULTUUR_BEBOUWD	string			
OVERGEGAAN_IN_BETREFT_AARD_CULTUUR_ONBEBOUWD	string			
OVERGEGAAN_IN_BETREFT_AARD	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BINNENLAND_HUISLETTER	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BINNENLAND_HUISNUMMER	int64			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BINNENLAND_HUISNUMMERTOEVOEGING	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BINNENLAND_POSTCODE	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BINNENLAND_STRAATNAAM	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BINNENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BUITENLAND_ADRES_REGELS	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BUITENLAND_ADRES	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BUITENLAND_IDENTIFICATIE	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_BUITENLA ND_LAND	string			
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_BUITENLA ND_REGIO	string			
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_BUITENLA ND_WOONPLAATS	string			
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_POSTBUS_ IDENTIFICATIE	string			
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_POSTBUS_ POSTBUS_NUMMER	string			
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_POSTBUS_ POSTCODE	string			
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_POSTBUS_ WOONPLAATS	string			
OVERGEGAAN_IN_BETREFT_BEL AST_MET_ITEM_BEDRAG_SOM	decimal			
OVERGEGAAN_IN_BETREFT_BEL AST_MET_ITEM_BEDRAG_VALUT A	string			
OVERGEGAAN_IN_BETREFT_BEL AST_MET_ITEM_EINDJAAR	int64			
OVERGEGAAN_IN_BETREFT_HIST ORIE_LOGISCH_TIJDSTIP_ONTSTA AN	datetime			
OVERGEGAAN_IN_BETREFT_HIST ORIE_LOGISCH_TIJDSTIP_VERVAL LEN	datetime			
OVERGEGAAN_IN_BETREFT_HIST ORIE_STATUS_HISTORIE	string			
OVERGEGAAN_IN_BETREFT_HIST ORIE_TECHNISCH_TIJDSTIP_ONTS TAAN	datetime			
OVERGEGAAN_IN_BETREFT_HIST ORIE_TECHNISCH_TIJDSTIP_VERV ALLEN	datetime			
OVERGEGAAN_IN_BETREFT_HIST ORIE_VOLGNUMMER	int64			
OVERGEGAAN_IN_BETREFT_IDEN TIFICATIE	string			
OVERGEGAAN_IN_BETREFT_INDIC ATIE_GEDEELTELIJK_BEZWAARD _OUD_OBJECT	boolean			
OVERGEGAAN_IN_BETREFT_INDIC ATIE_GESPLITST	boolean			
OVERGEGAAN_IN_BETREFT_INDIC ATIE_TWEEDE_SPLITSING	boolean			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_BETREFT_INDICATIE_VOORGENOMEN_AANTEKENING	boolean			
OVERGEGAAN_IN_BETREFT_INDICATIE_VOORLOPIGE_AANTEKENING	boolean			
OVERGEGAAN_IN_BETREFT_KADASTRALE_AANDUIDING_APPARTEMENTSRECHT_VOLGNUMMER	int64			
OVERGEGAAN_IN_BETREFT_KADASTRALE_AANDUIDING_KADASTRALE_GEMEENTE	string			
OVERGEGAAN_IN_BETREFT_KADASTRALE_AANDUIDING_PERCEELNUMMER	int64			
OVERGEGAAN_IN_BETREFT_KADASTRALE_AANDUIDING_SECTIE	string			
OVERGEGAAN_IN_BETREFT_KADASTRALE_GROOTTE_SOORT_GROOTTE	string			
OVERGEGAAN_IN_BETREFT_KADASTRALE_GROOTTE_WAARDE	decimal			
OVERGEGAAN_IN_BETREFT_KOOPPSOM_BEDRAG_SOM	decimal			
OVERGEGAAN_IN_BETREFT_KOOPPSOM_BEDRAG_VALUTA	string			
OVERGEGAAN_IN_BETREFT_KOOPPSOM_INDICATIE_MEER_OBJECTEN	boolean			
OVERGEGAAN_IN_BETREFT_KOOPPSOM_KOOPDATUM	datetime			
OVERGEGAAN_IN_BETREFT_KOOPPSOM_KOOPJAAR	int32			
OVERGEGAAN_IN_BETREFT_OMSCHRIJVING_ONDERZOEK_ERFDIENSTBAARHEDEN	string			
OVERGEGAAN_IN_BETREFT_OMSCHRIJVING	string			
OVERGEGAAN_IN_BETREFT_ONTSTAAN_UIT_ITEM_AARD	string			
OVERGEGAAN_IN_BETREFT_ONTSTAAN_UIT_ITEM_OVERGANGSGROOTTE	decimal			
OVERGEGAAN_IN_BETREFT_PLAATSCOORDINATEN_DESCRIPTION	int64			
OVERGEGAAN_IN_BETREFT_PLAATSCOORDINATEN_IDENTIFIER	int64			
OVERGEGAAN_IN_BETREFT_PLAATSCOORDINATEN_NAME	int64			
OVERGEGAAN_IN_BETREFT_PLAATSCOORDINATEN_RD_COORDINAT_X	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_BETREFT_PLAATSCOORDINATEN_RD_COORDINAT_Y	string			
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_AANVULLING_OP	string			
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_AARD	string			
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_BEDRAG_TRANSACTIES_OM_LEVERING_SOM	decimal			
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_BEDRAG_TRANSACTIES_OM_LEVERING_VALUTA	string			
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_BEDRAG_VORDERINGSBESLAG_SOM	decimal			
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_BEDRAG_VORDERINGSBESLAG_VALUTA	string			
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_BEDRAG_ZEKERHEIDSSSTELLING_HYPOTHEEK_SOM	decimal			
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_BEDRAG_ZEKERHEIDSSSTELLING_HYPOTHEEK_VALUTA	string			
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_IDENTIFICATIE	string			
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_OMSCHRIJVING_GEKOZEN_WOONPLAATS	string			
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_OMSCHRIJVING_KADASTRALE_OBJECTEN	string			
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_VERMELD_IN	string			
OVERGEGAAN_IN_BETREFT_TOELICHTING_BEWAAORDER	string			
OVERGEGAAN_IN_BETREFT_TOESTANDSDATUM_ONDERZOEK_ERFDIENSTBAARHEDEN	datetime			
OVERGEGAAN_IN_BETREFT_TYPE	string			
OVERGEGAAN_IN_BETREFT_UIN	string			
OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_AANVULLING_OP	string			
OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_AARD	string			
OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_BEDRAG_TRANSACTIES_OM_LEVERING_SOM	decimal			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_BETREFT_VER MELD_IN_ITEM_BEDRAG_TRANSA CTIES_OM_LEVERING_VALUTA	string			
OVERGEGAAN_IN_BETREFT_VER MELD_IN_ITEM_BEDRAG_VORDERI NGSBESLAG_SOM	decimal			
OVERGEGAAN_IN_BETREFT_VER MELD_IN_ITEM_BEDRAG_VORDERI NGSBESLAG_VALUTA	string			
OVERGEGAAN_IN_BETREFT_VER MELD_IN_ITEM_BEDRAG_ZEKERH EIDSSTELLING_HYPOTHEEK_SOM	decimal			
OVERGEGAAN_IN_BETREFT_VER MELD_IN_ITEM_BEDRAG_ZEKERH EIDSSTELLING_HYPOTHEEK_VAL UTA	string			
OVERGEGAAN_IN_BETREFT_VER MELD_IN_ITEM_IDENTIFICATIE	string			
OVERGEGAAN_IN_BETREFT_VER MELD_IN_ITEM_OMSCHRIJVING_G EKOZEN_WOONPLAATS	string			
OVERGEGAAN_IN_BETREFT_VER MELD_IN_ITEM_OMSCHRIJVING_K ADASTRALE_OBJECTEN	string			
OVERGEGAAN_IN_PRODUCTIENU MMER	string			
OVERGEGAAN_IN_SIGNALERING_ TIJDSTIP_BESLAGEN	datetime			
OVERGEGAAN_IN_SIGNALERING_ TIJDSTIP_HYPOTHECAIR	datetime			
OVERGEGAAN_IN_SIGNALERING_ TIJDSTIP_KADASTRAAL	datetime			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_AANDEEL_NOEMER	int64			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_AANDEEL_TELLER	int64			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_BETROKKEN_PARTN ER_NATUURLIJK_PERSONEN	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_BETROKKEN_PARTN ER_NIET_NATUURLIJK_PERSONEN	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_BETROKKEN_SAMEN WERKINGSVERBAND_NATUURLIJ K_PERSONEN	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_BETROKKEN_SAMEN WERKINGSVERBAND_NIET_NATU URLIJK_PERSONEN	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_BURGERLIJKE_STAA T_TEN_TIJDE_VAN_VERKRIJGING	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_GEBASEERD_OP	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_GELDT_VOOR_AANDEEL_NOEMER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_GELDT_VOOR_AANDEEL_TELLER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_GELDT_VOOR_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_OMSCHRIJVING	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_TEN_NAME_VAN_NATUURLIJK_PERSONEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_TEN_NAME_VAN_NIET_NATUURLIJK_PERSONEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_AARD	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BELAST_MET	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BEPERKT_TOT	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BESTEMT_TOT_GEBASEERD_OP	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BESTEMT_TOT_HOORT_BIJ	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BESTEMT_TOT_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_GEBASEERD_OP	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_TYPE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_AANVULLINGEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_DOSSIER_NUMMER	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_INDICATIE_BESCHIKKINGSBEVOEGDHEID	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENL AND_HUISLETTER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENL AND_HUISNUMMER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENL AND_HUISNUMMERTOEVOEGING	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENL AND_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENL AND_IN_ONDERZOEK	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENL AND_POSTCODE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENL AND_STRAATNAAM	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENL AND_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENL AND_ADRES_REGELS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_	string			

Name	Data Type	Label	Required	Documentation
POSTLOCATIE_LOCATIE_BUITEN AND_ADRES				
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_BETROKKEN_BI J_VERENIGING_VAN_EIGENAREN_ POSTLOCATIE_LOCATIE_BUITENL AND_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_BETROKKEN_BI J_VERENIGING_VAN_EIGENAREN_ POSTLOCATIE_LOCATIE_BUITENL AND_LAND	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_BETROKKEN_BI J_VERENIGING_VAN_EIGENAREN_ POSTLOCATIE_LOCATIE_BUITENL AND_REGIO	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_BETROKKEN_BI J_VERENIGING_VAN_EIGENAREN_ POSTLOCATIE_LOCATIE_BUITENL AND_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_BETROKKEN_BI J_VERENIGING_VAN_EIGENAREN_ POSTLOCATIE_LOCATIE_POSTBU S_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_BETROKKEN_BI J_VERENIGING_VAN_EIGENAREN_ POSTLOCATIE_LOCATIE_POSTBU S_POSTBUS_NUMMER	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_BETROKKEN_BI J_VERENIGING_VAN_EIGENAREN_ POSTLOCATIE_LOCATIE_POSTBU S_POSTCODE	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_BETROKKEN_BI J_VERENIGING_VAN_EIGENAREN_ POSTLOCATIE_LOCATIE_POSTBU S_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_BETROKKEN_BI J_VERENIGING_VAN_EIGENAREN_ RECHTSVORM	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_BETROKKEN_BI J_VERENIGING_VAN_EIGENAREN_ RSIN	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_BETROKKEN_BI J_VERENIGING_VAN_EIGENAREN_ STATUTAIRE_NAAM	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_BETROKKEN_BI	string			

Name	Data Type	Label	Required	Documentation
J_VERENIGING_VAN_EIGENAREN_STATUTAIRE_ZETEL				
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_VERMELD_IN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEOEGING	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_LAND	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_INDICATIE_SPLITTING_BETROKKEN	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_AANTEKENINGEN_WKPB	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_AANVULLINGEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_AARD_CULTUUR_BEBOUWD	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_AARD_CULTUUR_ONBEBOUWD	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_AARD	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_ADRESSEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_BELAST_MET	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_LOGISCH_TIJDSTIP_ONTSTAAN	datetime			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_LOGISCH_TIJDSTIP_VERVALLEN	datetime			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_STATUS_HISTORIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_TECHNISCH_TIJDSTIP_ONTSTAAN	datetime			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_TECHNISCH_TIJDSTIP_VERVALLEN	datetime			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_VOLGNUMMER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_INDICATIE_GEDEELTELIJK_BEZWAARD_OUD_OBJECT	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_INDICATIE_GESPLITST	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_INDICATIE_TWEEDE_SPLITTING	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_INDICATIE_VOORGENOMEN_AANTEKENING	boolean			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_INDICATIE_VOORLOPIGE_AANTEKENING	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_APPARTEMENTSRECHT_VOLGNUMMER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_KADASTRALE_GEMEENTE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_PERCEELNUMMER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_SECTIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KADASTRALE_GROOTTE_SOORT_GROOTTE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KADASTRALE_GROOTTE_WAARDE	decimal			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KOOPSOM_BEDRAG_SOM	decimal			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KOOPSOM_BEDRAG_VALUTA	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KOOPSOM_INDICATIE_MEE_R_OBJECTEN	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KOOPSOM_KOOPDATUM	datetime			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KOOPSOM_KOOPJAAR	int32			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_OMSCHRIJVING_ONDERZOEK_ERFDIENSTBAARHEDEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_OMSCHRIJVING	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_ONTSTAAN UIT	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_PLAATSCOORDINATEN_DESCRIPTIE	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_PLAATSCOORDINATEN_IDENTIFIER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_PLAATSCOORDINATEN_NAME	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_PLAATSCOORDINATEN_RD_COORDINAAT_X	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_PLAATSCOORDINATEN_RD_COORDINAAT_Y	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_TEKENINGEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_TOELICHTING_BEWAARDER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_TOESTANDSDATUM_ONDERZOEK_ERFDIENSTBAARHEDEN	datetime			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_TYPE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_UIN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_VERMELD_IN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_GEBASEERD_OP	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_TYPE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_AANVULLINGEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT	string			

Name	Data Type	Label	Required	Documentation
T_VERENIGING_VAN_EIGENAREN _DOSSIER_NUMMER				
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _INDICATIE_BESCHIKKINGSBEVOE GDHEID	boolean			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _POSTLOCATIE_LOCATIE_BINNEN LAND_HUISLETTER	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _POSTLOCATIE_LOCATIE_BINNEN LAND_HUISNUMMER	int64			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _POSTLOCATIE_LOCATIE_BINNEN LAND_HUISNUMMERTOEOVOEGING	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _POSTLOCATIE_LOCATIE_BINNEN LAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _POSTLOCATIE_LOCATIE_BINNEN LAND_IN_ONDERZOEK	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _POSTLOCATIE_LOCATIE_BINNEN LAND_POSTCODE	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _POSTLOCATIE_LOCATIE_BINNEN LAND_STRAATNAAM	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _POSTLOCATIE_LOCATIE_BINNEN LAND_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _POSTLOCATIE_LOCATIE_BUITEN LAND_ADRES_REGELS	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_LAND	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_RECHTSVORM	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_RSIN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_STATUTAIRE_NAAM	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_STATUTAIRE_ZETEL	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_VERMELD_IN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEVOEGING	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN	string			

Name	Data Type	Label	Required	Documentation
_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES				
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_LAND	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VERKLARING_INZAKE_DERDEN_BESCHERMING	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VERKREGEN_NAMENS_SAMENWERKINGSVERBAND	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VERMELD_IN	string			
OVERGEGAAN_IN_TIJDSTIP_SAMENSTELLING_BERICHT	datetime			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_AARD	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BELAST_MET	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BEPERKT_TOT	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BESTEMT_TOT_GEBASEERD_OP	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BESTEMT_TOT_HOORT_BIJ	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BESTEMT_TOT_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_GEBASEERD_OP	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_TYPE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_AANVULLINGEN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_DOSSIER_NUMMER	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_INDICATIE_BESCHIKKINGSBEVOEGDHED	boolean			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEVOEING	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POST	string			

Name	Data Type	Label	Required	Documentation
LOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE				
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_LAND	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_RECHTSVORM	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_RSIN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_STATUTAIRE_NAAM	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_STATUTAIRE_ZETEL	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_VERMELD_IN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEOEGING	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOO	string			

Name	Data Type	Label	Required	Documentation
NLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK				
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_LAND	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_INDICATIE_SPLITSING_BETROKKEN	boolean			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_AANTEKENINGEN_WKPB	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_AANVULLINGEN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_AARD_CULTUUR_BEBOUWD	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_AARD_CULTUUR_ONBEBOUWD	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_AARD	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_ADRESSEN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_BELAST_MET	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_LOGISCH_TIJDSTIP_ONTSTAAN	datetime			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_LOGISCH_TIJDSTIP_VERVALLLEN	datetime			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_STATUS_HISTORIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_TECHNISCH_TIJDSTIP_ONTSTAAN	datetime			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_TECHNISCH_TIJDSTIP_VERVALLLEN	datetime			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_VOLGNUMMER	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_INDICATIE_GEDEELTELIJK_BEZWAARD_OUD_OBJECT	boolean			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_INDICATIE_GESPLITST	boolean			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_INDICATIE_TWEEDE_SPLITSING	boolean			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_INDICATIE_VOORGENOMEN_AANTEKENING	boolean			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_INDICATIE_VOORLOPIGE_AANTEKENING	boolean			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_AP_PARTEMENTSRECHT_VOLGNUMMER	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_KADASTRALE_GEMEENTE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_PER_CEELNUMMER	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_SECTIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_GROOTTE_SORT_GROOTTE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_GROOTTE_WAARDE	decimal			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSOM_BEDRAG_SOM	decimal			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSOM_BEDRAG_VALUTA	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSOM_INDICATIE_MEER_OBJECTEN	boolean			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSOM_KOOPDATUM	datetime			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSOM_KOOPJAAR	int32			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_OMSCHRIJVING_ONDERZOEK_ERFDIENSTBAARHEDEN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_OMSCHRIJVING	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_ONTSTAAN_UIT	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATSCOORDINATEN_DESCRIPTION	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATSCOORDINATEN_IDENTIFIEER	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATSCOORDINATEN_NAME	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATSCOORDINATEN_RD_COORDINAAT_X	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATSCOORDINATEN_RD_COORDINAAT_Y	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_TEKENINGEN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_TOELICHTING_BEWAARDER	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_TOESTANDSDATUM_ONDERZOEK_ERFDIENSTBAARHEDEN	datetime			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_TYPE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_UIN	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_VERMELD_IN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_GEBASEERD_OP	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_TYPE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING VAN_EIGENAREN_AANVULLINGEN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING VAN_EIGENAREN_DOSSIER_NUMMER	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING VAN_EIGENAREN_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING VAN_EIGENAREN_INDICATIE_BESCHIKKINGSBEVOEGDHED	boolean			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEV OEGING	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING VAN_EIGENAREN_POST	string			

Name	Data Type	Label	Required	Documentation
LOCATIE_LOCATIE_BINNENLAND_POSTCODE				
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_LAND	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_RECHTSVORM	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_RSIN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_STATUTAIRE_NAAM	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_STATUTAIRE_ZETEL	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_VERMEELD_IN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEOVOEGING	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOO	string			

Name	Data Type	Label	Required	Documentation
NLOCATIE_LOCATIE_BINNENLAND _STRAATNAAM				
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_WOO NLOCATIE_LOCATIE_BINNENLAND _WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_WOO NLOCATIE_LOCATIE_BUITENLAND _ADRES_REGELS	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_WOO NLOCATIE_LOCATIE_BUITENLAND _ADRES	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_WOO NLOCATIE_LOCATIE_BUITENLAND _IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_WOO NLOCATIE_LOCATIE_BUITENLAND _LAND	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_WOO NLOCATIE_LOCATIE_BUITENLAND _REGIO	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_WOO NLOCATIE_LOCATIE_BUITENLAND _WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_WOO NLOCATIE_LOCATIE_POSTBUS_ID ENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_WOO NLOCATIE_LOCATIE_POSTBUS_P OSTBUS_NUMMER	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_WOO NLOCATIE_LOCATIE_POSTBUS_P OSTCODE	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_WOO NLOCATIE_LOCATIE_POSTBUS_W OONPLAATS	string			

Name	Data Type	Label	Required	Documentation
POSTCODE_TREFFERS_ACTUALITEIT_TIJDSTIP_HYPOTHECAIR	datetime			
POSTCODE_TREFFERS_ACTUALITEIT_TIJDSTIP_KADASTRAAL	datetime			
POSTCODE_TREFFERS_BETREFT_HUISLETTER	string			
POSTCODE_TREFFERS_BETREFT_HUISNUMMER	int64			
POSTCODE_TREFFERS_BETREFT_HUISNUMMERTOEV/OEGING	string			
POSTCODE_TREFFERS_BETREFT_IDENTIFICATIE	string			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_HUISNUMMER_VOLLEDIG	string			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_IDENTIFICATIE	string			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_KADASTRALE_GROOTTE_SOORT_GROOTTE	string			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_KADASTRALE_GROOTTE_WAARDE	decimal			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_KOOPSOM_BEDRAG_SOM	decimal			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_KOOPSOM_BEDRAG_VALUTA	string			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_KOOPSOM_INDICATIE_MEER_OBJECTEN	boolean			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_KOOPSOM_KOOPDATUM	datetime			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_KOOPSOM_KOOPJAAR	int32			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_OMSCHRIJVING_CULTUUR	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_AANTEKENINGEN_WKPB	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_AANVULLINGEN	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_AARD_CULTUUR_BEBOUWD	string			

Name	Data Type	Label	Required	Documentation
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_AARD_CULTUUR_ONBEBOUWD	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_AARD	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_ADRESSEN	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_BELASTMET	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_HISTORIE_LOGISCH_TIJDSTIP_ONTSTAAN	datetime			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_HISTORIE_LOGISCH_TIJDSTIP_VERVALLEN	datetime			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_HISTORIE_STATUS_HISTORIE	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_HISTORIE_TECHNISCH_TIJDSTIP_ONTSTAAN	datetime			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_HISTORIE_TECHNISCH_TIJDSTIP_VERVALLEN	datetime			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_HISTORIE_VOLGNUMMER	int64			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_IDENTIFICATIE	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_INDICATIE_GEDEELTELIJK_BEZWAARD_OUD_OBJECT	boolean			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_INDICATIE_GESPLITST	boolean			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_INDICATIE_TWEEDE_SPLITSING	boolean			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_INDICATIE_VOORGENOMEN_AANTEKENING	boolean			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_INDICATIE_VOORLOPIGE_AANTEKENING	boolean			

Name	Data Type	Label	Required	Documentation
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KAD_ASTRALE_AANDUIDING_APPARTEMENTSRECHT_VOLGNUMMER	int64			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KAD_ASTRALE_AANDUIDING_KADASTRALE_GEMEENTE	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KAD_ASTRALE_AANDUIDING_PERCEELNUMMER	int64			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KAD_ASTRALE_AANDUIDING_SECTIE	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KAD_ASTRALE_GROOTTE_SOORT_GROOTTE	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KAD_ASTRALE_GROOTTE_WAARDE	decimal			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KOOP_SOM_BEDRAG_SOM	decimal			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KOOP_SOM_BEDRAG_VALUTA	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KOOP_SOM_INDICATIE_MEER_OBJECTEN	boolean			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KOOP_SOM_KOOPDATUM	datetime			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KOOP_SOM_KOOPJAAR	int32			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_OMSCHRJVING_ONDERZOEK_ERFDIENSTBAARHEDEN	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_OMSCHRJVING	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_ONTSTAAN_UT	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_OVERGEGAAN_IN	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_PLAATSCOORDINATEN_DESCRIPTION	int64			

Name	Data Type	Label	Required	Documentation
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_PLAATSCOORDINATEN_IDENTIFIER	int64			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_PLAATSCOORDINATEN_NAME	int64			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_PLAATSCOORDINATEN_RD_COORDINAAAT_X	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_PLAATSCOORDINATEN_RD_COORDINAAAT_Y	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_TEKENINGEN	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_TOELICHTING_BEWAARDER	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_TOESTANDSDATUM_ONDERZOEK_ERFDIENSTBAARHEDEN	datetime			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_TYPE	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_UIN	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_VERMELD_IN	string			
POSTCODE_TREFFERS_BETREFT_POSTCODE	string			
POSTCODE_TREFFERS_PRODUCTIENUMMER	string			
POSTCODE_TREFFERS_SIGNALERING_TIJDSTIP_BESLAGEN	datetime			
POSTCODE_TREFFERS_SIGNALERING_TIJDSTIP_HYPOTHECAIR	datetime			
POSTCODE_TREFFERS_SIGNALERING_TIJDSTIP_KADASTRAAL	datetime			
POSTCODE_TREFFERS_TIJDSTIP_SAMENSTELLING_BERICHT	datetime			

3.1.230 kadastrV2GetUittrekselKadastraleKaartByObjectId

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: kadasterV2GetUittrekselKadastraleKaartByObjectId

Base

XPath: /s:Envelope/s:Body/tns:kadasterV2GetUittrekselKadastraleKaartByObjectIdResponse/tns:resultaat

Filters on API Server: object_id

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `kadasterV2GetUittrekselKadastraleKaartByObjectId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
object_id	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `kadasterV2GetUittrekselKadastraleKaartByObjectId` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
DOCUMENT	byte[]	Document		
OVERGEGAAN_IN_ACTUALITEIT_TUJDSTIP_HYPOTHECAIR	datetime			
OVERGEGAAN_IN_ACTUALITEIT_TUJDSTIP_KADASTRAAL	datetime			
OVERGEGAAN_IN_BETREFT_AAN TEKeningen_WKPB_ITEM_DATUM_IN_WERKING	string			
OVERGEGAAN_IN_BETREFT_AAN TEKeningen_WKPB_ITEM_GEMEENTE_LIJKE_REGISTRATIE_ID	string			
OVERGEGAAN_IN_BETREFT_AAN TEKeningen_WKPB_ITEM_NUMMER	string			
OVERGEGAAN_IN_BETREFT_AAN TEKeningen_WKPB_ITEM_OMSCHRIJVING_PUBLIEKRECHTELIJKE_BEPERKING	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_BETREFT_AAN TEKENINGEN_WKPB_ITEM_OMSCH RIJVING	string			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_ STUK_AARD	string			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_ STUK_DEEL_EN_NUMMER_DEEL	string			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_ STUK_DEEL_EN_NUMMER_NUMME R	string			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_ STUK_DEEL_EN_NUMMER_REEKS	string			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_ STUK_DEEL_EN_NUMMER_REGIST ERCODE	string			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_ STUK_DEEL_EN_NUMMER_SOORT _REGISTER	string			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_ STUK_IDENTIFICATIE	string			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_ STUK_INDICATIE_ALLE_OBJECTEN _BETROKKEN	boolean			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_ STUK_STATUS_STUK_OR	string			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_ STUK_STUKDELEN	string			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_ STUK_TIJDSTIP_AANBIEDING	datetime			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_ STUK_TIJDSTIP_ONDERTEKENING	datetime			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_ STUK_TOELICHTING_BEWAARDE R	string			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_ STUK_VERKLARING_BEWAARDE R	string			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_AANGEBODEN_ STUK_VERZOEKEN	string			
OVERGEGAAN_IN_BETREFT_AAN VULLINGEN_ITEM_TYPE	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_BETREFT_AARD_CULTUUR_BEBOUWD	string			
OVERGEGAAN_IN_BETREFT_AARD_CULTUUR_ONBEBOUWD	string			
OVERGEGAAN_IN_BETREFT_AARD	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BINNENLAND_HUISLETTER	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BINNENLAND_HUISNUMMER	int64			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BINNENLAND_HUISNUMMERTOEVOEING	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BINNENLAND_POSTCODE	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BINNENLAND_STRAATNAAM	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BINNENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BUITENLAND_ADRES_REGELS	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BUITENLAND_ADRES	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BUITENLAND_LAND	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BUITENLAND_REGIO	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_BUITENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_POSTBUS_IDENTIFICATIE	string			
OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_LOCATIE_POSTBUS_	string			

Name	Data Type	Label	Required	Documentation
POSTBUS_NUMMER				
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_POSTBUS_ POSTCODE	string			
OVERGEGAAN_IN_BETREFT_ADR ESSEN_ITEM_LOCATIE_POSTBUS_ WOONPLAATS	string			
OVERGEGAAN_IN_BETREFT_BEL AST_MET_ITEM_BEDRAG_SOM	decimal			
OVERGEGAAN_IN_BETREFT_BEL AST_MET_ITEM_BEDRAG_VALUT A	string			
OVERGEGAAN_IN_BETREFT_BEL AST_MET_ITEM_EINDJAAR	int64			
OVERGEGAAN_IN_BETREFT_HIST ORIE_LOGISCH_TIJDSTIP_ONTSTA AN	datetime			
OVERGEGAAN_IN_BETREFT_HIST ORIE_LOGISCH_TIJDSTIP_VERVAL LEN	datetime			
OVERGEGAAN_IN_BETREFT_HIST ORIE_STATUS_HISTORIE	string			
OVERGEGAAN_IN_BETREFT_HIST ORIE_TECHNISCH_TIJDSTIP_ONTS TAAN	datetime			
OVERGEGAAN_IN_BETREFT_HIST ORIE_TECHNISCH_TIJDSTIP_VERV ALLEN	datetime			
OVERGEGAAN_IN_BETREFT_HIST ORIE_VOLGNUMMER	int64			
OVERGEGAAN_IN_BETREFT_IDEN TIFICATIE	string			
OVERGEGAAN_IN_BETREFT_INDIC ATIE_GEDEELTELIJK_BEZWAARD _OUD_OBJECT	boolean			
OVERGEGAAN_IN_BETREFT_INDIC ATIE_GESPLITST	boolean			
OVERGEGAAN_IN_BETREFT_INDIC ATIE_TWEEDE_SPLITSING	boolean			
OVERGEGAAN_IN_BETREFT_INDIC ATIE_VOORGENOMEN_AANTEKEN ING	boolean			
OVERGEGAAN_IN_BETREFT_INDIC ATIE_VOORLOPIGE_AANTEKENIN G	boolean			
OVERGEGAAN_IN_BETREFT_KAD ASTRALE_AANDUIDING_APPARTE MENTSRECHT_VOLGNUMMER	int64			
OVERGEGAAN_IN_BETREFT_KAD ASTRALE_AANDUIDING_KADAST RALE_GEMEENTE	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_BETREFT_KAD ASTRALE_AANDUIDING_PERCEEL NUMMER	int64			
OVERGEGAAN_IN_BETREFT_KAD ASTRALE_AANDUIDING_SECTIE	string			
OVERGEGAAN_IN_BETREFT_KAD ASTRALE_GROOTTE_SOORT_GR OOTTE	string			
OVERGEGAAN_IN_BETREFT_KAD ASTRALE_GROOTTE_WAARDE	decimal			
OVERGEGAAN_IN_BETREFT_KOO PSOM_BEDRAG_SOM	decimal			
OVERGEGAAN_IN_BETREFT_KOO PSOM_BEDRAG_VALUTA	string			
OVERGEGAAN_IN_BETREFT_KOO PSOM_INDICATIE_MEER_OBJECTE N	boolean			
OVERGEGAAN_IN_BETREFT_KOO PSOM_KOOPDATUM	datetime			
OVERGEGAAN_IN_BETREFT_KOO PSOM_KOOPJAAR	int32			
OVERGEGAAN_IN_BETREFT_OMS CHRIJVING_ONDERZOEK_ERFDIEN STBAARHEDEN	string			
OVERGEGAAN_IN_BETREFT_OMS CHRIJVING	string			
OVERGEGAAN_IN_BETREFT_ONT STAAAN_UIT_ITEM_AARD	string			
OVERGEGAAN_IN_BETREFT_ONT STAAAN_UIT_ITEM_OVERGANGSG ROOTTE	decimal			
OVERGEGAAN_IN_BETREFT_PLA ATSCOORDINATEN_DESCRIPTION	int64			
OVERGEGAAN_IN_BETREFT_PLA ATSCOORDINATEN_IDENTIFIER	int64			
OVERGEGAAN_IN_BETREFT_PLA ATSCOORDINATEN_NAME	int64			
OVERGEGAAN_IN_BETREFT_PLA ATSCOORDINATEN_RD_COORDIN AAT_X	string			
OVERGEGAAN_IN_BETREFT_PLA ATSCOORDINATEN_RD_COORDIN AAT_Y	string			
OVERGEGAAN_IN_BETREFT_TEKE NINGEN_ITEM_AANVULLING_OP	string			
OVERGEGAAN_IN_BETREFT_TEKE NINGEN_ITEM_AARD	string			
OVERGEGAAN_IN_BETREFT_TEKE NINGEN_ITEM_BEDRAG_TRANSAC TIES_OM_LEVERING_SOM	decimal			
OVERGEGAAN_IN_BETREFT_TEKE NINGEN_ITEM_BEDRAG_TRANSAC	string			

Name	Data Type	Label	Required	Documentation
TIES_OM_LEVERING_VALUTA				
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_BEDRAG_VORDERINGSBESLAG_SOM	decimal			
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_BEDRAG_VORDERINGSBESLAG_VALUTA	string			
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_BEDRAG_ZEKERHEIDSSSTELLING_HYPOTHEEK_SOM	decimal			
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_BEDRAG_ZEKERHEIDSSSTELLING_HYPOTHEEK_VALUTA	string			
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_IDENTIFICATIE	string			
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_OMSCHRIJVING_GEKOZEN_WOONPLAATS	string			
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_OMSCHRIJVING_KADASTRALE_OBJECTEN	string			
OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_VERMELD_IN	string			
OVERGEGAAN_IN_BETREFT_TOELICHTING_BEWAARDER	string			
OVERGEGAAN_IN_BETREFT_TOESTANDSDATUM_ONDERZOEK_ERFDIENSTBAARHEDEN	datetime			
OVERGEGAAN_IN_BETREFT_TYPERE	string			
OVERGEGAAN_IN_BETREFT_UIN	string			
OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_AANVULLING_OP	string			
OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_AARD	string			
OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_BEDRAG_TRANSACTIES_OM_LEVERING_SOM	decimal			
OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_BEDRAG_TRANSACTIES_OM_LEVERING_VALUTA	string			
OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_BEDRAG_VORDERINGSBESLAG_SOM	decimal			
OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_BEDRAG_VORDERINGSBESLAG_VALUTA	string			
OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_BEDRAG_ZEKERHEIDSSSTELLING_HYPOTHEEK_SOM	decimal			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_BEDRAG_ZEKERHEIDSSTELLING_HYPOTHEEK_VALUTA	string			
OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_IDENTIFICATIE	string			
OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_OMSCHRIJVING_GEKOZEN_WOONPLAATS	string			
OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_OMSCHRIJVING_KADASTRALE_OBJECTEN	string			
OVERGEGAAN_IN_PRODUCTIENUMMER	string			
OVERGEGAAN_IN_SIGNALERING_TUJDSTIP_BESLAGEN	datetime			
OVERGEGAAN_IN_SIGNALERING_TUJDSTIP_HYPOTHECAIR	datetime			
OVERGEGAAN_IN_SIGNALERING_TUJDSTIP_KADASTRAAL	datetime			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_AANDEEL_NOEMER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_AANDEEL_TELLER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_BETROKKEN_PARTNER_NATUURLIJK_PERSONEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_BETROKKEN_PARTNER_NIET_NATUURLIJK_PERSONEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_BETROKKEN_SAMENWERKINGSVERBAND_NATUURLIJK_PERSONEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_BETROKKEN_SAMENWERKINGSVERBAND_NIET_NATUURLIJK_PERSONEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_BURGERLIJKE_STAAT_TEN_TIJD_VAN_VERKRIJGING	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_GEBASEERD_OP	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_GELDT_VOOR_AANDEEL_NOEMER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_GELDT_VOOR_AANDEEL_TELLER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_GELDT_VOOR_IDENTIFICATIE	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_OMSCHRIJVING	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_TEN_NAME_VAN_NATUURLIJK_PERSONEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_TEN_NAME_VAN_NIET_NATUURLIJK_PERSONEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_AARD	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BELAST_MET	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BEPERKT_TOT	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BESTEMT_TOT_GEBASEERD_OP	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BESTEMT_TOT_HOORT_BIJ	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BESTEMT_TOT_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_GEBASEERD_OP	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_TYPE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_AANVULLINGEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_DOSSIER_NUMMER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_INDICATIE_BESCHIKKINGSBEVOEGDHEID	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_	string			

Name	Data Type	Label	Required	Documentation
POSTLOCATIE_LOCATIE_BINNEN AND_HUISLETTER				
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_BETROKKEN_BI J_VERENIGING_VAN_EIGENAREN_ POSTLOCATIE_LOCATIE_BINNEN AND_HUISNUMMER	int64			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_BETROKKEN_BI J_VERENIGING_VAN_EIGENAREN_ POSTLOCATIE_LOCATIE_BINNEN AND_HUISNUMMERTOEVOEGING	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_BETROKKEN_BI J_VERENIGING_VAN_EIGENAREN_ POSTLOCATIE_LOCATIE_BINNEN AND_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_BETROKKEN_BI J_VERENIGING_VAN_EIGENAREN_ POSTLOCATIE_LOCATIE_BINNEN AND_IN_ONDERZOEK	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_BETROKKEN_BI J_VERENIGING_VAN_EIGENAREN_ POSTLOCATIE_LOCATIE_BINNEN AND_POSTCODE	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_BETROKKEN_BI J_VERENIGING_VAN_EIGENAREN_ POSTLOCATIE_LOCATIE_BINNEN AND_STRAATNAAM	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_BETROKKEN_BI J_VERENIGING_VAN_EIGENAREN_ POSTLOCATIE_LOCATIE_BINNEN AND_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_BETROKKEN_BI J_VERENIGING_VAN_EIGENAREN_ POSTLOCATIE_LOCATIE_BUITEN AND_ADRES_REGELS	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_BETROKKEN_BI J_VERENIGING_VAN_EIGENAREN_ POSTLOCATIE_LOCATIE_BUITEN AND_ADRES	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_BETROKKEN_BI J_VERENIGING_VAN_EIGENAREN_ POSTLOCATIE_LOCATIE_BUITEN AND_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_BETROKKEN_BI J_VERENIGING_VAN_EIGENAREN_ POSTLOCATIE_LOCATIE_BUITEN AND_LAND	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_RECHTSVORM	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_RSIN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_STATUTAIRE_NAAM	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_STATUTAIRE_ZETEL	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_VERMELD_IN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ	int64			

Name	Data Type	Label	Required	Documentation
J_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER				
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEVOEING	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_LAND	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_	string			

Name	Data Type	Label	Required	Documentation
WOONLOCATIE_LOCATIE_BUITEN LAND_REGIO				
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_BETROKKEN_BI J_VERENIGING_VAN_EIGENAREN_ WOONLOCATIE_LOCATIE_BUITEN_ LAND_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_BETROKKEN_BI J_VERENIGING_VAN_EIGENAREN_ WOONLOCATIE_LOCATIE_POSTB US_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_BETROKKEN_BI J_VERENIGING_VAN_EIGENAREN_ WOONLOCATIE_LOCATIE_POSTB US_POSTBUS_NUMMER	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_BETROKKEN_BI J_VERENIGING_VAN_EIGENAREN_ WOONLOCATIE_LOCATIE_POSTB US_POSTCODE	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_BETROKKEN_BI J_VERENIGING_VAN_EIGENAREN_ WOONLOCATIE_LOCATIE_POSTB US_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_INDICATIE_SPLI TSING_BETROKKEN	boolean			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_AANTEKENINGEN_WKPB	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_AANVULLINGEN	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_AARD_CULTUUR_BEBOUW D	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_AARD_CULTUUR_ONBEO UWD	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_AARD	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_ADRESSEN	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_BELAST_MET	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_LOGISCH_TIJDSTIP_ONTSTAAN	datetime			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_LOGISCH_TIJDSTIP_VERVALLLEN	datetime			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_STATUS_HISTORIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_TECHNISCH_TIJDSTIP_ONTSTAAN	datetime			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_TECHNISCH_TIJDSTIP_VERVALLLEN	datetime			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_VOLGNUMMER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_INDICATIE_GEDEELTELIJK_BEZWAARD_OUD_OBJECT	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_INDICATIE_GESPLITST	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_INDICATIE_TWEEDE_SPLITTING	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_INDICATIE_VOORGENOMEN_AANTEKENING	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_INDICATIE_VOORLOPIGE_AANTEKENING	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_APPARTEMENTSRECHT_VOLGNUMMER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_KADASTRALE_GEMEENTE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_KADASTRALE_GEMEENTE	int64			

Name	Data Type	Label	Required	Documentation
ZAAK_KADASTRALE_AANDUIDING_PERCEELNUMMER				
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_SECTIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KADASTRALE_GROOTTE_SOORT_GROOTTE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KADASTRALE_GROOTTE_WAARDE	decimal			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KOOPSOM_BEDRAG_SOM	decimal			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KOOPSOM_BEDRAG_VALUTA	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KOOPSOM_INDICATIE_MEE_R_OBJECTEN	boolean			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KOOPSOM_KOOPDATUM	datetime			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KOOPSOM_KOOPJAAR	int32			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_OMSCHRIJVING_ONDERZOEK_ERFDIENSTBAARHEDEN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_OMSCHRIJVING	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_ONTSTAAN_UT	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_PLAATSCOORDINATEN_DESCRIPTION	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_PLAATSCOORDINATEN_IDENTIFIER	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_PLAATSCOORDINATEN_NAME	int64			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_PLAATSCOORDINATEN_NAME	string			

Name	Data Type	Label	Required	Documentation
ZAAK_PLAATSCOORDINATEN_RD _COORDINAAT_X				
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_PLAATSCOORDINATEN_RD _COORDINAAT_Y	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_TEKENINGEN	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_TOELICHTING_BEWAARDE R	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_TOESTANDSDATUM_ONDE RZOEK_ERFDIENSTBAARHEDEN	datetime			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_TYPE	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_UIN	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONROERENDE_ ZAAK_VERMELD_IN	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_GEBASEERD_OP	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_TYPE	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _AANVULLINGEN	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _DOSSIER_NUMMER	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _INDICATIE_BESCHIKKINGSBEVOE GDHEID	boolean			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN	string			

Name	Data Type	Label	Required	Documentation
_POSTLOCATIE_LOCATIE_BINNEN LAND_HUISLETTER				
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _POSTLOCATIE_LOCATIE_BINNEN LAND_HUISNUMMER	int64			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _POSTLOCATIE_LOCATIE_BINNEN LAND_HUISNUMMERTOEVOEGING	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _POSTLOCATIE_LOCATIE_BINNEN LAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _POSTLOCATIE_LOCATIE_BINNEN LAND_IN_ONDERZOEK	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _POSTLOCATIE_LOCATIE_BINNEN LAND_POSTCODE	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _POSTLOCATIE_LOCATIE_BINNEN LAND_STRAATNAAM	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _POSTLOCATIE_LOCATIE_BINNEN LAND_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _POSTLOCATIE_LOCATIE_BUITEN LAND_ADRES_REGELS	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _POSTLOCATIE_LOCATIE_BUITEN LAND_ADRES	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _POSTLOCATIE_LOCATIE_BUITEN LAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _POSTLOCATIE_LOCATIE_BUITEN LAND_LAND	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_RECHTSVORM	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_RSIN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_STATUTAIRE_NAAM	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_STATUTAIRE_ZETEL	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_VERMELD_IN	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT	int64			

Name	Data Type	Label	Required	Documentation
T_VERENIGING_VAN_EIGENAREN _WOONLOCATIE_LOCATIE_BINNE NLANDE_HUISNUMMER				
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _WOONLOCATIE_LOCATIE_BINNE NLANDE_HUISNUMMERTOEVOEGIN G	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _WOONLOCATIE_LOCATIE_BINNE NLANDE_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _WOONLOCATIE_LOCATIE_BINNE NLANDE_IN_ONDERZOEK	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _WOONLOCATIE_LOCATIE_BINNE NLANDE_POSTCODE	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _WOONLOCATIE_LOCATIE_BINNE NLANDE_STRAATNAAM	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _WOONLOCATIE_LOCATIE_BINNE NLANDE_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _WOONLOCATIE_LOCATIE_BUTE NLANDE_ADRES_REGELS	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _WOONLOCATIE_LOCATIE_BUTE NLANDE_ADRES	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _WOONLOCATIE_LOCATIE_BUTE NLANDE_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN _WOONLOCATIE_LOCATIE_BUTE NLANDE_LAND	string			
OVERGEGAAN_IN_TENAAMSTELL INGEN_ITEM_VAN_ONTSTAAN_UI T_VERENIGING_VAN_EIGENAREN	string			

Name	Data Type	Label	Required	Documentation
_WOONLOCATIE_LOCATIE_BUITENLAND_REGIO				
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VERKLARING_INZAKE_DERDEN_BESCHERMING	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VERKREGEN_NAMENS_SAMENWERKINGSVERBAND	string			
OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VERMELD_IN	string			
OVERGEGAAN_IN_TIJDSTIP_SAMENSTELLING_BERICHT	datetime			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_AARD	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BELAST_MET	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BEPERKT_TOT	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BESTEMT_TOT_GEBASEERD_OP	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BESTEMT_TOT_HOORT_BIJ	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BESTEMT_TOT_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_GEBASEERD_OP	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_TYPE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_AANVULLINGEN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_DOSSIER_NUMMER	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_INDICATIE_BESCHIKKINGSBEVOEGDHED	boolean			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEVOEGING	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IJN_ONDERZOEK	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POST	string			

Name	Data Type	Label	Required	Documentation
LOCATIE_LOCATIE_BINNENLAND_STRAATNAAM				
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_LAND	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_RECHTSVORM	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_RSIN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_STATUTAIRE_NAAM	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_STATUTAIRE_ZETEL	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_VERMELD_IN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEVOEGING	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOO	string			

Name	Data Type	Label	Required	Documentation
NLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS				
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_LAND	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_INDICATIE_SPLITSING_BETROKKEN	boolean			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_AANTEKENINGEN_WKPB	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_AANVULLINGEN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_AARD_CULTUUR_BEBOUWD	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_AARD_CULTUUR_ONBEBOUWD	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_AARD	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_ADRESSEN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_BELAST_MET	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_LOGISCH_TIJDSTIP_ONTSTAAN	datetime			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_LOGISCH_TIJDSTIP_VERVALLLEN	datetime			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_STATUS_HISTORIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_TECHNISCH_TIJDSTIP_ONTSTAAN	datetime			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_TECHNISCH_TIJDSTIP_VERVALLLEN	datetime			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_HISTORIE_VOLGNUMMER	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_INDICATIE_GEDEELTELIJK_BEZWAARD_OUD_OBJECT	boolean			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_INDICATIE_GESPLITST	boolean			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK	boolean			

Name	Data Type	Label	Required	Documentation
_INDICATIE_TWEEDE_SPLITSING				
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_INDICATIE_VOORGENOMEN_AAN_TEKENING	boolean			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_INDICATIE_VOORLOPIGE_AANTEKENING	boolean			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_AP_PARTEMENTSRECHT_VOLGNUMMER	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_KADASTRALE_GEMEENTE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_PER_CEELNUMMER	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_SECTIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_GROOTTE_SOORT_GROOTTE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_GROOTTE_WAARDE	decimal			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSOM_BEDRAG_SOM	decimal			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSOM_BEDRAG_VALUTA	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSOM_INDICATIE_MEER_OBJECTEN	boolean			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSOM_KOOPDATUM	datetime			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_KOOPSOM_KOOPJAAR	int32			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_OMSCHRIJVING_ONDERZOEK_ERFDIENSTBAARHEDEN	string			

Name	Data Type	Label	Required	Documentation
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_OMSCHRIJVING	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_ONTSTAAN_UIT	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATSCOORDINATEN_DESCRIPTION	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATSCOORDINATEN_IDENTIFIEER	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATSCOORDINATEN_NAME	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATSCOORDINATEN_RD_COORDINAAT_X	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_PLAATSCOORDINATEN_RD_COORDINAAT_Y	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_TEKENINGEN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_TOELICHTING_BEWAARDER	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_TOESTANDSDATUM_ONDERZOEK_ERFDIENSTBAARHEDEN	datetime			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_TYPE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_UIN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_VERMELD_IN	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_UIT_GEBASEERD_OP	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_UIT_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_UIT_TYPE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_UIT_VER	string			

Name	Data Type	Label	Required	Documentation
ENIGING_VAN_EIGENAREN_AANVULLINGEN				
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_DOSSIER_NUMMER	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_INDICATIE_BESCHIKKINGSBEVOEGDHED	boolean			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISLETTER	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER	int64			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEVOEGING	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IJN_ONDERZOEK	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_POSTCODE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VER	string			

Name	Data Type	Label	Required	Documentation
ENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_BUITENLAND_ ADRES_REGELS				
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_BUITENLAND_ ADRES	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_BUITENLAND_ IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_BUITENLAND_ LAND	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_BUITENLAND_ REGIO	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_BUITENLAND_ WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_POSTBUS_IDE NTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_POSTBUS_PO STBUS_NUMMER	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_POSTBUS_PO STCODE	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_POST LOCATIE_LOCATIE_POSTBUS_WO ONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_RECH TSVORM	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_RSIN	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER	string			

Name	Data Type	Label	Required	Documentation
ENIGING_VAN_EIGENAREN_STAT UTAIRE_NAAM				
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_STAT UTAIRE_ZETEL	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_VERM ELD_IN	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_WOO NLOCATIE_LOCATIE_BINNENLAND _HUISLETTER	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_WOO NLOCATIE_LOCATIE_BINNENLAND _HUISNUMMER	int64			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_WOO NLOCATIE_LOCATIE_BINNENLAND _HUISNUMMERTOEOVOEGING	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_WOO NLOCATIE_LOCATIE_BINNENLAND _IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_WOO NLOCATIE_LOCATIE_BINNENLAND _IN_ONDERZOEK	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_WOO NLOCATIE_LOCATIE_BINNENLAND _POSTCODE	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_WOO NLOCATIE_LOCATIE_BINNENLAND _STRAATNAAM	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_WOO NLOCATIE_LOCATIE_BINNENLAND _WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER ENIGING_VAN_EIGENAREN_WOO NLOCATIE_LOCATIE_BUITENLAND _ADRES_REGELS	string			
OVERGEGAAN_IN_ZAKELIJK_REC HTEN_ITEM_ONTSTAAN UIT_VER	string			

Name	Data Type	Label	Required	Documentation
ENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES				
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_LAND	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_REGIO	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTCODE	string			
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_WOONPLAATS	string			
POSTCODE_TREFFERS_ACTUALITEIT_TIJDSTIP_HYPOTHECAIR	datetime			
POSTCODE_TREFFERS_ACTUALITEIT_TIJDSTIP_KADASTRAAL	datetime			
POSTCODE_TREFFERS_BETREFT_HUISLETTER	string			
POSTCODE_TREFFERS_BETREFT_HUISNUMMER	int64			
POSTCODE_TREFFERS_BETREFT_HUISNUMMERTOEV/OEGING	string			
POSTCODE_TREFFERS_BETREFT_IDENTIFICATIE	string			

Name	Data Type	Label	Required	Documentation
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_HUISNUMMER_VOLLEDIG	string			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_IDENTIFICATIE	string			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_KADASTRALE_GROOTTE_SOORT_GROOTTE	string			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_KADASTRALE_GROOTTE_WAARDE	decimal			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_KOOPSOM_BEDRAG_SOM	decimal			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_KOOPSOM_BEDRAG_VALUTA	string			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_KOOPSOM_INDICATIE_MEER_OBJECTEN	boolean			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_KOOPSOM_KOOPDATUM	datetime			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_KOOPSOM_KOOPJAAR	int32			
POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_OMSCHRIJVING_CULTUUR	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_AANTEKENINGEN_WKPB	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_AANVULLINGEN	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_AARD_CULTUUR_BEBOUWD	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_AARD_CULTUUR_ONBEBOUWD	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_AARD	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_ADRESSEN	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_BELASTMET	string			

Name	Data Type	Label	Required	Documentation
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_HISTORIE_LOGISCH_TIJDSTIP_ONTSTAAN	datetime			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_HISTORIE_LOGISCH_TIJDSTIP_VERVALLEN	datetime			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_HISTORIE_STATUS_HISTORIE	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_HISTORIE_TECHNISCH_TIJDSTIP_ONTSTAAN	datetime			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_HISTORIE_TECHNISCH_TIJDSTIP_VERVALLEN	datetime			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_HISTORIE_VOLGNUMMER	int64			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_IDENTIFICATIE	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_INDICATIE_GEDEELTELIJK_BEZWAARD_OUD_OBJECT	boolean			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_INDICATIE_GESPLITST	boolean			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_INDICATIE_TWEEDE_SPLITSING	boolean			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_INDICATIE_VOORGENOMEN_AANTEKENING	boolean			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_INDICATIE_VOORLOPIGE_AANTEKENING	boolean			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_APPARTEMENTSRECHT_VOLGNUMMER	int64			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_KADASTRALE_GEMEENTE	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_PERCEELNUMMER	int64			

Name	Data Type	Label	Required	Documentation
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KAD_ASTRALE_AANDUIDING_SECTIE	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KAD_ASTRALE_GROOTTE_SOORT_GROOTTE	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KAD_ASTRALE_GROOTTE_WAARDE	decimal			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KOOP_SOM_BEDRAG_SOM	decimal			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KOOP_SOM_BEDRAG_VALUTA	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KOOP_SOM_INDICATIE_MEER_OBJECTEN	boolean			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KOOP_SOM_KOOPDATUM	datetime			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KOOP_SOM_KOOPJAAR	int32			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_OMSCHRIJVING_ONDERZOEK_ERFDIENSTBAARHEDEN	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_OMSCHRIJVING	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_ONTSTAAN_UT	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_OVERGEGAAN_IN	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_PLAATSCOORDINATEN_DESCRIPTION	int64			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_PLAATSCOORDINATEN_IDENTIFIER	int64			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_PLAATSCOORDINATEN_NAME	int64			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_PLAATSCOORDINATEN_RD_COORDINATAAT_X	string			
POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_PLA	string			

Name	Data Type	Label	Required	Documentation
ATSCOORDINATEN_RD_COORDIN AAT_Y				
POSTCODE_TREFFERS_BETREFT_ ONROERENDE_ZAKEN_ITEM_TEKE NINGEN	string			
POSTCODE_TREFFERS_BETREFT_ ONROERENDE_ZAKEN_ITEM_TOEL ICHTING_BEWAARDER	string			
POSTCODE_TREFFERS_BETREFT_ ONROERENDE_ZAKEN_ITEM_TOE STANDSDATUM_ONDERZOEK_ER FDIENSTBAARHEDEN	datetime			
POSTCODE_TREFFERS_BETREFT_ ONROERENDE_ZAKEN_ITEM_TYPE	string			
POSTCODE_TREFFERS_BETREFT_ ONROERENDE_ZAKEN_ITEM_UIN	string			
POSTCODE_TREFFERS_BETREFT_ ONROERENDE_ZAKEN_ITEM_VER MELD_IN	string			
POSTCODE_TREFFERS_BETREFT_ POSTCODE	string			
POSTCODE_TREFFERS_PRODUCTI ENUMMER	string			
POSTCODE_TREFFERS_SIGNALER ING_TIJDSTIP_BESLAGEN	datetime			
POSTCODE_TREFFERS_SIGNALER ING_TIJDSTIP_HYPOTHECAIR	datetime			
POSTCODE_TREFFERS_SIGNALER ING_TIJDSTIP_KADASTRAAL	datetime			
POSTCODE_TREFFERS_TIJDSTIP_ SAMENSTELLING_BERICHT	datetime			

3.1.231 kadasterValueListGetMunicipalities

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: kadasterValueListGetMunicipalities

Base

XPath: `/s:Envelope/s:Body/tns:kadasterValueListGetMunicipalitiesResponse/tns:out/tns:list/tns:item`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `kadasterValueListGetMunicipalities`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the

execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
kadasterValueListGetMunicipalities	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `kadasterValueListGetMunicipalities` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
KEY	string	Key		
VALUE	string	Value		

3.1.232 kadasterValueListGetRanges

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `kadasterValueListGetRanges`

Base

XPath: `/s:Envelope/s:Body/tns:kadasterValueListGetRangesResponse/tns:out/tns:list/tns:item`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `kadasterValueListGetRanges`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
kadasterValueListGetRanges	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `kadasterValueListGetRanges` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
KEY	string	Key		
VALUE	string	Value		

3.1.233 kvkGetDossier

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: kvkGetDossier

Base XPath: `/s:Envelope/s:Body/tns:kvkGetDossierResponse/tns:out`

Filters on API Server: `dossier_number- establishment_number`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `kvkGetDossier`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
dossier_number	string	<input type="checkbox"/>		
establishment_number	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `kvkGetDossier` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
AUTHORIZED_SHARE_CAPITAL_CURRENCY	string	Authorized Share Capital Currency		
AUTHORIZED_SHARE_CAPITAL	int64	Authorized Share Capital		
CHAMBER_NUMBER	string			
CLASS_PERSONNEL_FULLTIME	int32			
CLASS_PERSONNEL	int32	Class Personnel		
CONTACT_GENDER	string	Contact Gender		
CONTACT_INITIALS	string	Contact Initials		
CONTACT_PREFIX	string	Contact Prefix		
CONTACT_SURNAME	string	Surname		
CONTACT_TITLE1	string	Contact Title 1		
CONTACT_TITLE2	string	Contact Title 2		
CONTINUATION_DATE_DAY	int32	Continuation Date Day		
CONTINUATION_DATE_MONTH	int32	Continuation Date Month		
CONTINUATION_DATE_YEAR	int32	Continuation Date Year		
CORRESPONDENCE_CITY	string	Correspondence City		
CORRESPONDENCE_COUNTRY	string			
CORRESPONDENCE_HOUSE_NUMBER_ADDITION	string			
CORRESPONDENCE_HOUSE_NUMBER	int32			
CORRESPONDENCE_POSTCODE	string	Correspondence Postal Code		
CORRESPONDENCE_STREET	string	Correspondence Street		
DOMAIN_NAME	string			
DOSSIER_NUMBER	string	File Number		
ESTABLISHMENT_CITY	string	Establishment City		
ESTABLISHMENT_DATE_DAY	int32	Establishment Date Day		
ESTABLISHMENT_DATE_MONTH	int32	Establishment Date Month		
ESTABLISHMENT_DATE_YEAR	int32	Establishment Date Year		
ESTABLISHMENT_HOUSE_NUMBER_ADDITION	string			

Name	Data Type	Label	Required	Documentation
ESTABLISHMENT_HOUSE_NUMBER	int32			
ESTABLISHMENT_NUMBER	string	Establishment Number		
ESTABLISHMENT_POSTCODE	string	Establishment Postal Code		
ESTABLISHMENT_STREET	string	Establishment Street		
FOUNDING_DATE_DAY	int32	Founding Date Day		
FOUNDING_DATE_MONTH	int32	Founding Date Month		
FOUNDING_DATE_YEAR	int32	Founding Date Year		
INDICATION_BANKRUPTCY	boolean	Is Bankrupt		
INDICATION_DIP	boolean			
INDICATION_ECONOMICALLY_ACTIVE	boolean	Indication Economically Active		
INDICATION_EXPORT	boolean			
INDICATION_IMPORT	boolean			
INDICATION_MAIN_ESTABLISHMENT	boolean	Main Establishment		
INDICATION_NON_MAILING	boolean			
INDICATION_ORGANISATION_CODE	string			
ISSUED_SHARE_CAPITAL_CURRENCY	string			
ISSUED_SHARE_CAPITAL	int64			
LEGAL_FORM_CODE	string			
LEGAL_FORM_TEXT	string	Legal Form Text		
LEGAL_NAME	string	Legal Name		
MAIN_ESTABLISHMENT_NUMBER	string	Main Establishment Number		
MOBILE_NUMBER	string			
PAID_UP_SHARE_CAPITAL_CURRENCY	string	Paid-up Share Capital Currency		
PAID_UP_SHARE_CAPITAL	int64	Paid-up Share Capital		
PERSONNEL_FULLTIME	int32			
PERSONNEL_REFERENCE_DATE_DAY	int32	Personnel Reference Date Day		
PERSONNEL_REFERENCE_DATE_MONTH	int32	Personnel Reference Date Month		
PERSONNEL_REFERENCE_DATE_YEAR	int32	Personnel Reference Date Year		
PERSONNEL	int32	Personnel		
PRIMARY_SBI_CODE_TEXT	string			
PRIMARY_SBI_CODE	string			
RSIN_NUMBER	string	RSIN Number		
SECONDARY_SBI_CODE1_TEXT	string			
SECONDARY_SBI_CODE1	string			

Name	Data Type	Label	Required	Documentation
SECONDARY_SBI_CODE2_TEXT	string			
SECONDARY_SBI_CODE2	string			
TELEPHONE_NUMBER	string	Phone Number		
TRADE_NAME_45	string			
TRADE_NAME_FULL	string			
TRADE_NAMES_ITEM	string	Trace Names Item		
UPDATE_INFO_DATE_LAST_UPDATE	datetime	Update Info Last Update		
UPDATE_INFO_DOSSIER_NUMBER	string	Update Info File Number		
UPDATE_INFO_ESTABLISHMENT_NUMBER	string	Update Info Establishment Number		
UPDATE_INFO_UPDATE_TYPES_ITEM	string			

3.1.234 kvkGetExtractDocument

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: kvkGetExtractDocument

Base

XPath: `/s:Envelope/s:Body/tns:kvkGetExtractDocumentResponse/tns:out`

Filters on API Server: dossier_number- allow_caching

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `kvkGetExtractDocument`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
allow_caching	boolean	<input type="checkbox"/>		

Name	Data Type	Required	Default Value	Documentation
dossier_number	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `kvkGetExtractDocument` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
DOCUMENT_DATE	datetime	Document Date		
DOCUMENT	byte[]	Document		

3.1.235 kvkSearchDossierNumber

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: kvkSearchDossierNumber

Base

XPath: `/s:Envelope/s:Body/tns:kvkSearchDossierNumberResponse/tns:out/tns:results/tns:item`

Filters on API Server: dossier_number- establishment_number- rsin_number- page

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `kvkSearchDossierNumber`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
dossier_number	string	<input type="checkbox"/>		
establishment_number	string	<input type="checkbox"/>		
page	int32	<input type="checkbox"/>		
rsin_number	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `kvkSearchDossierNumber` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
CORRESPONDENCE_CITY	string	Correspondence City		
CORRESPONDENCE_STREET	string	Correspondence Street		
DOSSIER_NUMBER	string	File Number		
ESTABLISHMENT_CITY	string	Establishment City		
ESTABLISHMENT_NUMBER	string	Establishment Number		
ESTABLISHMENT_STREET	string	Establishment Street		
INDICATION_ECONOMICALLY_ACTIVE	boolean	Indication Economically Active		
TRADE_NAME	string	Trade Name		

3.1.236 kvkSearchParameters

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: kvkSearchParameters

Base

XPath: `/s:Envelope/s:Body/tns:kvkSearchParametersResponse/tns:out/tns:results/tns:item`

Filters on API Server: `trade_name- city- street- postcode- house_number- house_number_addition- telephone_number- domain_name- strict_search- page`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `kvkSearchParameters`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the

default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
city	string	<input type="checkbox"/>		
domain_name	string	<input type="checkbox"/>		
house_number_addition	string	<input type="checkbox"/>		
house_number	int32	<input type="checkbox"/>		
page	int32	<input type="checkbox"/>		
postcode	string	<input type="checkbox"/>		
street	string	<input type="checkbox"/>		
strict_search	boolean	<input type="checkbox"/>		
telephone_number	string	<input type="checkbox"/>		
trade_name	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `kvkSearchParameters` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
CORRESPONDENCE_CITY	string	Correspondence City		
CORRESPONDENCE_STREET	string	Correspondence Street		
DOSSIER_NUMBER	string	File Number		
ESTABLISHMENT_CITY	string	Establishment City		
ESTABLISHMENT_NUMBER	string	Establishment Number		
ESTABLISHMENT_STREET	string	Establishment Street		
INDICATION_ECONOMICALLY_ACTIVE	boolean	Indication Economically Active		
TRADE_NAME	string	Trade Name		

3.1.237 kvkSearchPostcode

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: kvkSearchPostcode

Base

XPath: `/s:Envelope/s:Body/tns:kvkSearchPostcodeResponse/tns:out/tns:results/tns:item`

Filters on API Server: `postcode- house_number- house_number_addition- page`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `kvkSearchPostcode`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
house_number_addition	string	<input type="checkbox"/>		
house_number	int32	<input type="checkbox"/>		
page	int32	<input type="checkbox"/>		
postcode	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `kvkSearchPostcode` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
CORRESPONDENCE_CITY	string	Correspondence City		
CORRESPONDENCE_STREET	string	Correspondence Street		
DOSSIER_NUMBER	string	File Number		
ESTABLISHMENT_CITY	string	Establishment City		
ESTABLISHMENT_NUMBER	string	Establishment Number		
ESTABLISHMENT_STREET	string	Establishment Street		
INDICATION_ECONOMICALLY_ACTIVE	boolean	Indication Economically Active		
TRADE_NAME	string	Trade Name		

3.1.238 kvkSearchSelection

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: kvkSearchSelection

Base

XPath: /s:Envelope/s:Body/tns:kvkSearchSelectionResponse/tns:out/tns:results/tns:item

Filters on API Server: city_item- postcode_item- sbi_item- primary_sbi_only- legal_form_item- employees_min- employees_max- economically_active- financial_status- changed_since- new_since- page

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function kvkSearchSelection. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
changed_since	string	<input type="checkbox"/>		
city_item	string	<input type="checkbox"/>		
economically_active	string	<input type="checkbox"/>		
employees_max	int32	<input type="checkbox"/>		
employees_min	int32	<input type="checkbox"/>		
financial_status	string	<input type="checkbox"/>		
legal_form_item	int32	<input type="checkbox"/>		
new_since	string	<input type="checkbox"/>		
page	int32	<input type="checkbox"/>		
postcode_item	string	<input type="checkbox"/>		
primary_sbi_only	boolean	<input type="checkbox"/>		
sbi_item	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function kvkSearchSelection are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
CORRESPONDENCE_CITY	string	Correspondence City		
CORRESPONDENCE_STREET	string	Correspondence Street		

Name	Data Type	Label	Required	Documentation
DOSSIER_NUMBER	string	File Number		
ESTABLISHMENT_CITY	string	Establishment City		
ESTABLISHMENT_NUMBER	string	Establishment Number		
ESTABLISHMENT_STREET	string	Establishment Street		
INDICATION_ECONOMICALLY_ACTIVE	boolean	Indication Economically Active		
TRADE_NAME	string	Trade Name		

3.1.239 kvkUpdateAddDossier

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: kvkUpdateAddDossier

Base XPath: `/s:Envelope/s:Body/tns:kvkUpdateAddDossierResponse`

Filters on API Server: dossier_number- establishment_number

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `kvkUpdateAddDossier`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
dossier_number	string	<input type="checkbox"/>		
establishment_number	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `kvkUpdateAddDossier` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
KVKUPDA TEADDOSSIERRESPONSE	string			

3.1.240 kvkUpdateCheckDossier

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: kvkUpdateCheckDossier

Base

XPath: `/s:Envelope/s:Body/tns:kvkUpdateCheckDossierResponse/tns:out`

Filters on API Server: dossier_number- establishment_number- update_types_item

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `kvkUpdateCheckDossier`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
dossier_number	string	<input type="checkbox"/>		
establishment_number	string	<input type="checkbox"/>		
update_types_item	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `kvkUpdateCheckDossier` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
DATE_LAST_UPDATE	datetime	Last Update		
DOSSIER_NUMBER	string	File Number		
ESTABLISHMENT_NUMBER	string	Establishment Number		

Name	Data Type	Label	Required	Documentation
UPDATE_TYPES_ITEM	string			

3.1.241 kvkUpdateGetChangedDossiers

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: kvkUpdateGetChangedDossiers

Base

XPath: `/s:Envelope/s:Body/tns:kvkUpdateGetChangedDossiersResponse/tns:out/tns:results/tns:item`

Filters on API Server: `changed_since- update_types_item- page`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `kvkUpdateGetChangedDossiers`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
<code>changed_since</code>	datetime	<input type="checkbox"/>		
<code>page</code>	int32	<input type="checkbox"/>		
<code>update_types_item</code>	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `kvkUpdateGetChangedDossiers` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
<code>DATE_LAST_UPDATE</code>	datetime	Last Update		
<code>DOSSIER_NUMBER</code>	string	File Number		
<code>ESTABLISHMENT_NUMBER</code>	string	Establishment Number		

Name	Data Type	Label	Required	Documentation
UPDATE_TYPER_ITEM	string			

3.1.242 kvkUpdateGetDossiers

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: kvkUpdateGetDossiers

Base

XPath: `/s:Envelope/s:Body/tns:kvkUpdateGetDossiersResponse/tns:out/tns:results/tns:item`

Filters on API Server: `update_types_item- page`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `kvkUpdateGetDossiers`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
page	int32	<input type="checkbox"/>		
update_types_item	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `kvkUpdateGetDossiers` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
DATE_LAST_UPDATE	datetime	Last Update		
DOSSIER_NUMBER	string	File Number		
ESTABLISHMENT_NUMBER	string	Establishment Number		
UPDATE_TYPER_ITEM	string			

3.1.243 kvkUpdateRemoveDossier

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: kvkUpdateRemoveDossier

Base XPath: `/s:Envelope/s:Body/tns:kvkUpdateRemoveDossierResponse`

Filters on API Server: dossier_number- establishment_number

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `kvkUpdateRemoveDossier`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
dossier_number	string	<input type="checkbox"/>		
establishment_number	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `kvkUpdateRemoveDossier` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
KVKUPDA TEREMOVEDOSSIERRESPONSE	string			

3.1.244 login

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: login

Base XPath: `/s:Envelope/s:Body/tns:loginResponse/tns:reactid`

Filters on API Server: username- password

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `login`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
password	string	<input type="checkbox"/>		
username	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `login` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
REACTID	string			

3.1.245 logout

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: logout

Base XPath: `/s:Envelope/s:Body/tns:logoutResponse`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `logout`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
logout	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `logout` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
LOGOUTRESPONSE	string			

3.1.246 mapViewInternationalLatLon

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: mapViewInternationalLatLon

Base

XPath: `/s:Envelope/s:Body/tns:mapViewInternationalLatLonResponse/tns:image`

Filters on API Server: latitude- longitude- format- width- height- zoom

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `mapViewInternationalLatLon`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four

parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
format	string	<input type="checkbox"/>		
height	int32	<input type="checkbox"/>		
latitude	decimal	<input type="checkbox"/>		
longitude	decimal	<input type="checkbox"/>		
width	int32	<input type="checkbox"/>		
zoom	decimal	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `mapViewInternationalLatLon` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
IMAGE	byte[]			

3.1.247 mapViewLatLon

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: mapViewLatLon

Base XPath: `/s:Envelope/s:Body/tns:mapViewLatLonResponse/tns:image`

Filters on API Server: center_lat- center_lon- extra_latlon_item_latitude- extra_latlon_item_longitude- format- width- height- zoom

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `mapViewLatLon`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
center_lat	decimal	<input type="checkbox"/>		
center_lon	decimal	<input type="checkbox"/>		
extra_latlon_item_latitude	decimal	<input type="checkbox"/>		
extra_latlon_item_longitude	decimal	<input type="checkbox"/>		
format	string	<input type="checkbox"/>		
height	int32	<input type="checkbox"/>		
width	int32	<input type="checkbox"/>		
zoom	decimal	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `mapViewLatLon` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
IMAGE	byte[]			

3.1.248 mapViewPostcodeV2

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: mapViewPostcodeV2

Base

XPath: `/s:Envelope/s:Body/tns:mapViewPostcodeV2Response/tns:image`

Filters on API Server: postcode- format- width- height- zoom

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `mapViewPostcodeV2`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
format	string	<input type="checkbox"/>		
height	int32	<input type="checkbox"/>		
postcode	string	<input type="checkbox"/>		
width	int32	<input type="checkbox"/>		
zoom	decimal	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `mapViewPostcodeV2` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
IMAGE	byte[]			

3.1.249 mapViewRD

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: mapViewRD

Base XPath: `/s:Envelope/s:Body/tns:mapViewRDResponse/tns:image`

Filters on API Server: `center_x- center_y- extra_xy_item_x- extra_xy_item_y- format- width- height- zoom`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `mapViewRD`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the

default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
center_x	int32	<input type="checkbox"/>		
center_y	int32	<input type="checkbox"/>		
extra_xy_item_x	int32	<input type="checkbox"/>		
extra_xy_item_y	int32	<input type="checkbox"/>		
format	string	<input type="checkbox"/>		
height	int32	<input type="checkbox"/>		
width	int32	<input type="checkbox"/>		
zoom	decimal	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `mapViewRD` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
IMAGE	byte[]			

3.1.250 metaGetMethod

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: metaGetMethod

Base XPath: `/s:Envelope/s:Body/tns:metaGetMethodResponse/tns:out`

Filters on API Server: `service_name- method_name`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `metaGetMethod`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the

default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
method_name	string	<input type="checkbox"/>		
service_name	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `metaGetMethod` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
DEPRECATED	boolean	Deprecated		
DESCRIPTION	string	Description		
DOCUMENTATION_URL	string			
DOCUMENTATION	string			
INPUT_ELEMENTS_ITEM_DEFAULT_VALUE	string			
INPUT_ELEMENTS_ITEM_DESCRIPTION	string			
INPUT_ELEMENTS_ITEM_DOCUMENTATION_URL	string			
INPUT_ELEMENTS_ITEM_NAME	string			
INPUT_ELEMENTS_ITEM_REQUIRED	boolean			
INPUT_ELEMENTS_ITEM_TYPE	string			
INPUT_ELEMENTS_ITEM_VALIDATIONS	string			
LATEST	boolean	Latest		
NAME	string	Name		
OUTPUT_ELEMENTS_ITEM_DEFAULT_VALUE	string			
OUTPUT_ELEMENTS_ITEM_DESCRIPTION	string			
OUTPUT_ELEMENTS_ITEM_DOCUMENTATION_URL	string			
OUTPUT_ELEMENTS_ITEM_NAME	string			
OUTPUT_ELEMENTS_ITEM_REQUIRED	boolean			
OUTPUT_ELEMENTS_ITEM_TYPE	string			
OUTPUT_ELEMENTS_ITEM_VALIDATIONS	string			
RELATED_METHODS_ITEM_DEPRECATED	boolean			
RELATED_METHODS_ITEM_DESCRIPTION	string			
RELATED_METHODS_ITEM_DOCUMENTATION_URL	string			

Name	Data Type	Label	Required	Documentation
RELATED_METHODS_ITEM_LATEST	boolean			
RELATED_METHODS_ITEM_NAME	string			
SERVICE_NAME	string			

3.1.251 metaGetService

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: metaGetService

Base XPath: `/s:Envelope/s:Body/tns:metaGetServiceResponse/tns:out`

Filters on API Server: `service_name`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `metaGetService`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
<code>service_name</code>	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `metaGetService` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
CATEGORY	string	Category		
DESCRIPTION	string	Description		
DOCUMENTATION_URL	string			

Name	Data Type	Label	Required	Documentation
METHODS_ITEM_DEPRECATED	boolean			
METHODS_ITEM_DESCRIPTION	string			
METHODS_ITEM_DOCUMENTATION_URL	string			
METHODS_ITEM_LATEST	boolean			
METHODS_ITEM_NAME	string			
NAME	string	Name		
PROTOCOLS_ITEM_DOCUMENTATION_URL	string			
PROTOCOLS_ITEM_LOCATION	string			
PROTOCOLS_ITEM_TYPE	string			
STATUS	string	Status		

3.1.252 metaGetServices

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: metaGetServices

Base

XPath: `/s:Envelope/s:Body/tns:metaGetServicesResponse/tns:out/tns:item`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `metaGetServices`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
<code>metaGetServices</code>	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `metaGetServices` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
CATEGORY	string	Category		
DESCRIPTION	string	Description		
DOCUMENTATION_URL	string			
NAME	string	Name		
STATUS	string	Status		

3.1.253 nbwoEstimateValue

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: nbwoEstimateValue

Base XPath: `/s:Envelope/s:Body/tns:nbwoEstimateValueResponse/tns:out`

Filters on API Server: postcode- huisnummer- huisnummer_toevoeging- prijspeil_datum- woningtype- inhoud- grootte

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `nbwoEstimateValue`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
grootte	int32	<input type="checkbox"/>		
huisnummer_toevoeging	string	<input type="checkbox"/>		
huisnummer	int32	<input type="checkbox"/>		
inhoud	int32	<input type="checkbox"/>		
postcode	string	<input type="checkbox"/>		

Name	Data Type	Required	Default Value	Documentation
prijspeil_datum	string	<input type="checkbox"/>		
woningtype	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `nbwoEstimateValue` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
BETROUWBAARHEID	string			
BOUWJAAR	int32			
CULTUURCODE	string			
DATUM_WAARDEBEPALING	datetime			
GARAGE	boolean			
GROOTTE	int32			
HUISNUMMER_TOEVOEGING	string			
HUISNUMMER	int32			
INHOUD	int32			
KENMERKEN_MODEL_RESULTAAT_AANTAL	int32			
KENMERKEN_MODEL_RESULTAAT_BETROUWBAARHEID	decimal			
KENMERKEN_MODEL_RESULTAAT_WAARDE	int32			
MONUMENT	boolean			
OPPERVLAK	int32			
PLAATS	string	City		
POSTCODE_MODEL_RESULTAAT_AANTAL	int32			
POSTCODE_MODEL_RESULTAAT_DATUM_VAN	datetime			
POSTCODE_MODEL_RESULTAAT_PLAATS	string			
POSTCODE_MODEL_RESULTAAT_STANDAARD_DEVIATIE	decimal			
POSTCODE_MODEL_RESULTAAT_STRAAT	string			
POSTCODE_MODEL_RESULTAAT_WAARDE	int32			
POSTCODE_MODEL_RESULTAAT_WAARDEVERDELINGEN_ITEM_AANTAL	int32			
POSTCODE_MODEL_RESULTAAT_WAARDEVERDELINGEN_ITEM_KOOPSOM_TOT	int32			

Name	Data Type	Label	Required	Documentation
POSTCODE_MODEL_RESULTAAT_WAARDEVERDELINGEN_ITEM_KOOPSOM_VAN	int32			
POSTCODE	string	Postal Code		
PRIJSPEIL_DATUM	datetime			
SCHUUR	boolean			
STRAAT_MODEL_RESULTAAT_AANTAL	int32			
STRAAT_MODEL_RESULTAAT_DATUM_VAN	datetime			
STRAAT_MODEL_RESULTAAT_PLAATS	string			
STRAAT_MODEL_RESULTAAT_STANDARDDEVIATIE	decimal			
STRAAT_MODEL_RESULTAAT_STRAAT	string			
STRAAT_MODEL_RESULTAAT_WAARDE	int32			
STRAAT_MODEL_RESULTAAT_WAARDEVERDELINGEN_ITEM_AANTAL	int32			
STRAAT_MODEL_RESULTAAT_WAARDEVERDELINGEN_ITEM_KOOPSOM_TOT	int32			
STRAAT_MODEL_RESULTAAT_WAARDEVERDELINGEN_ITEM_KOOPSOM_VAN	int32			
STRAAT	string	Street		
TUIN	boolean			
VORIGE_VERKOOP_MODEL_RESULTAAT_HUISNUMMER_TOEVOEGING	string			
VORIGE_VERKOOP_MODEL_RESULTAAT_HUISNUMMER	int32			
VORIGE_VERKOOP_MODEL_RESULTAAT_KOOPSOM	int32			
VORIGE_VERKOOP_MODEL_RESULTAAT_POSTCODE	string			
VORIGE_VERKOOP_MODEL_RESULTAAT_VORIGE_VERKOOP_DATUM	datetime			
VORIGE_VERKOOP_MODEL_RESULTAAT_VORIGE_VERKOOP_WAARDE	int32			
WAARDE	int32	Value		
WONINGTYPE	string			

3.1.254 riskCheckGetRiskPersonCompanyReport

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: riskCheckGetRiskPersonCompanyReport

Base

XPath: `/s:Envelope/s:Body/tns:riskCheckGetRiskPersonCompanyReportResponse/tns:out`

Filters on API Server: gender- initials- prefix- last_name- birth_date- street- house_number- house_number_addition- postcode- city

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `riskCheckGetRiskPersonCompanyReport`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
birth_date	string	<input type="checkbox"/>		
city	string	<input type="checkbox"/>		
gender	string	<input type="checkbox"/>		
house_number_addition	string	<input type="checkbox"/>		
house_number	int32	<input type="checkbox"/>		
initials	string	<input type="checkbox"/>		
last_name	string	<input type="checkbox"/>		
postcode	string	<input type="checkbox"/>		
prefix	string	<input type="checkbox"/>		
street	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `riskCheckGetRiskPersonCompanyReport` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
CONCLUSION_ADDRESS_SCORE	int64			
CONCLUSION_PERSON_SCORE	int64			
CONCLUSION_POSTCODE_SCORE	int64			
PERSON_ADDRESS_BUILDING	string			
PERSON_ADDRESS_CITY	string			
PERSON_ADDRESS_COUNTRY	string			
PERSON_ADDRESS_HOUSE_NUMBER_ADDITION	string			
PERSON_ADDRESS_HOUSE_NUMBER	int64			
PERSON_ADDRESS_MUNICIPALITY	string			
PERSON_ADDRESS_POSTCODE	string			
PERSON_ADDRESS_STATE	string			
PERSON_ADDRESS_STREET	string			
PERSON_BIRTH_DATE	datetime			
PERSON_FIRST_NAME	string			
PERSON_GENDER	string			
PERSON_INITIALS	string			
PERSON_LAST_NAME	string			
PERSON_PREFIX	string			
REPORT_DATA_COMPANIES_ITEM_ADDRESSES	string			
REPORT_DATA_COMPANIES_ITEM_DOSSIER_NUMBER	string			
REPORT_DATA_COMPANIES_ITEM_ESTABLISHMENT_NUMBER	string			
REPORT_DATA_COMPANIES_ITEM_FUNCTION_AUTHORIZATION	string			
REPORT_DATA_COMPANIES_ITEM_FUNCTION_END_DATE	datetime			
REPORT_DATA_COMPANIES_ITEM_FUNCTION_TITLE	string			
REPORT_DATA_COMPANIES_ITEM_INSOLVENCIES	string			
REPORT_DATA_COMPANIES_ITEM_MUTATION_DATE	datetime			
REPORT_DATA_COMPANIES_ITEM_STATUS	string			
REPORT_DATA_COMPANIES_ITEM_TRADE_NAMES	string			
REPORT_DATA_INSOLVENCIES_ITEM_CURATORS	string			
REPORT_DATA_INSOLVENCIES_ITEM_JUDGE_INITIALS	string			
REPORT_DATA_INSOLVENCIES_ITEM_JUDGE_LAST_NAME	string			

Name	Data Type	Label	Required	Documentation
REPORT_DATA_INSOLVENCIES_ITEM_JUDGE_PREFIX	string			
REPORT_DATA_INSOLVENCIES_ITEM_JUDGE_TITLES	string			
REPORT_DATA_INSOLVENCIES_ITEM_PUBLICATIONS	string			
REPORT_DATA_INSOLVENCIES_ITEM_REGISTRATION_CASE_NUMBER	string			
REPORT_DATA_INSOLVENCIES_ITEM_REGISTRATION_COURT	string			
REPORT_DATA_INSOLVENCIES_ITEM_REGISTRATION_DEPTOR	string			
REPORT_DATA_INSOLVENCIES_ITEM_REGISTRATION_DISTRICT	string			
REPORT_DATA_INSOLVENCIES_ITEM_REGISTRATION_JURISDICTION	string			
REPORT_DATA_INSOLVENCIES_ITEM_REGISTRATION_PARTNER	string			
REPORT_DATA_INSOLVENCIES_ITEM_REGISTRATION_PREVIOUS_NUMBER	string			
REPORT_DATA_LEGAL_RESTRAINT_DECISIONS_ITEM_ADMINISTRATOR_ADDRESS_BUILDING	string			
REPORT_DATA_LEGAL_RESTRAINT_DECISIONS_ITEM_ADMINISTRATOR_ADDRESS_CITY	string			
REPORT_DATA_LEGAL_RESTRAINT_DECISIONS_ITEM_ADMINISTRATOR_ADDRESS_COUNTRY	string			
REPORT_DATA_LEGAL_RESTRAINT_DECISIONS_ITEM_ADMINISTRATOR_ADDRESS_HOUSE_NUMBER_ADDITION	string			
REPORT_DATA_LEGAL_RESTRAINT_DECISIONS_ITEM_ADMINISTRATOR_ADDRESS_HOUSE_NUMBER	int64			
REPORT_DATA_LEGAL_RESTRAINT_DECISIONS_ITEM_ADMINISTRATOR_ADDRESS_MUNICIPALITY	string			
REPORT_DATA_LEGAL_RESTRAINT_DECISIONS_ITEM_ADMINISTRATOR_ADDRESS_POSTCODE	string			
REPORT_DATA_LEGAL_RESTRAINT_DECISIONS_ITEM_ADMINISTRATOR_ADDRESS_STATE	string			
REPORT_DATA_LEGAL_RESTRAINT_DECISIONS_ITEM_ADMINISTRATOR_ADDRESS_STREET	string			
REPORT_DATA_LEGAL_RESTRAINT_DECISIONS_ITEM_ADMINISTRATOR_NAME	string			

Name	Data Type	Label	Required	Documentation
REPORT_DATA_LEGAL_RESTRAINT_DECISIONS_ITEM_ADMINISTRATOR_ROLE	string			
REPORT_DATA_LEGAL_RESTRAINT_DECISIONS_ITEM_CAUSE	string			
REPORT_DATA_LEGAL_RESTRAINT_DECISIONS_ITEM_COURT	string			
REPORT_DATA_LEGAL_RESTRAINT_DECISIONS_ITEM_DATE	datetime			
REPORT_DATA_LEGAL_RESTRAINT_DECISIONS_ITEM_DISTRICT	string			
REPORT_DATA_LEGAL_RESTRAINT_DECISIONS_ITEM_JURISDICTION	string			
REPORT_DATA_LEGAL_RESTRAINT_DECISIONS_ITEM_NUMBER	string			
REPORT_DATA_LEGAL_RESTRAINT_PERSON_BIRTH_DATE	datetime			
REPORT_DATA_LEGAL_RESTRAINT_PERSON_FIRST_NAME	string			
REPORT_DATA_LEGAL_RESTRAINT_PERSON_LAST_NAME	string			
REPORT_DATA_LEGAL_RESTRAINT_PERSON_PREFIX	string			
REPORT_DATA_LEGAL_RESTRAINT_REGISTRY_ADDRESS_BUILDING	string			
REPORT_DATA_LEGAL_RESTRAINT_REGISTRY_ADDRESS_CITY	string			
REPORT_DATA_LEGAL_RESTRAINT_REGISTRY_ADDRESS_COUNTRY	string			
REPORT_DATA_LEGAL_RESTRAINT_REGISTRY_ADDRESS_HOUSE_NUMBER_ADDITION	string			
REPORT_DATA_LEGAL_RESTRAINT_REGISTRY_ADDRESS_HOUSE_NUMBER	int64			
REPORT_DATA_LEGAL_RESTRAINT_REGISTRY_ADDRESS_MUNICIPALITY	string			
REPORT_DATA_LEGAL_RESTRAINT_REGISTRY_ADDRESS_POSTCODE	string			
REPORT_DATA_LEGAL_RESTRAINT_REGISTRY_ADDRESS_STATE	string			
REPORT_DATA_LEGAL_RESTRAINT_REGISTRY_ADDRESS_STREET	string			
REPORT_DATA_LEGAL_RESTRAINT_REGISTRY_EMAIL_ADDRESS	string			
REPORT_DATA_LEGAL_RESTRAINT_REGISTRY_TELEPHONE_NUMBER	string			

Name	Data Type	Label	Required	Documentation
ER				
REPORT_DATA_LEGAL_RESTRAINT_VERDICT_NUMBER	string			

3.1.255 riskCheckPerson

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: riskCheckPerson

Base XPath: `/s:Envelope/s:Body/tns:riskCheckPersonResponse/tns:out`

Filters on API Server: gender- initials- prefix- last_name- birth_date- street- house_number- house_number_addition- postcode- city- account_number- phone_number- mobile_number- email- testing_date

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `riskCheckPerson`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
account_number	string	<input type="checkbox"/>		
birth_date	string	<input type="checkbox"/>		
city	string	<input type="checkbox"/>		
email	string	<input type="checkbox"/>		
gender	string	<input type="checkbox"/>		
house_number_addition	string	<input type="checkbox"/>		
house_number	int32	<input type="checkbox"/>		
initials	string	<input type="checkbox"/>		
last_name	string	<input type="checkbox"/>		
mobile_number	string	<input type="checkbox"/>		

Name	Data Type	Required	Default Value	Documentation
phone_number	string	<input type="checkbox"/>		
postcode	string	<input type="checkbox"/>		
prefix	string	<input type="checkbox"/>		
street	string	<input type="checkbox"/>		
testing_date	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `riskCheckPerson` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ADDRESS_SCORE	int64			
PERSON_SCORE	int64	Person Score		
POSTCODE_SCORE	int64			

3.1.256 routePlannerDescription

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: routePlannerDescription

Base

XPath: `/s:Envelope/s:Body/tns:routePlannerDescriptionResponse/tns:route/tns:item`

Filters on API Server: `postcodefrom- postcodeto- english`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `routePlannerDescription`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
english	boolean	<input type="checkbox"/>		
postcodefrom	string	<input type="checkbox"/>		
postcodeto	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `routePlannerDescription` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
DESCRIPTION	string	Description		
DISTANCE	int32	Distance		
TIME	int32	Time		

3.1.257 routePlannerDescriptionAddress

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `routePlannerDescriptionAddress`

Base

XPath: `/s:Envelope/s:Body/tns:routePlannerDescriptionAddressResponse/tns:route/tns:item`

Filters on API Server: `routetype- from_postalcode- from_houseno- from_street- from_city- from_country- to_postalcode- to_houseno- to_street- to_city- to_country- language`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `routePlannerDescriptionAddress`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
from_city	string	<input type="checkbox"/>		
from_country	string	<input type="checkbox"/>		
from_houseno	string	<input type="checkbox"/>		
from_postalcode	string	<input type="checkbox"/>		
from_street	string	<input type="checkbox"/>		
language	string	<input type="checkbox"/>		
routetype	string	<input type="checkbox"/>		
to_city	string	<input type="checkbox"/>		
to_country	string	<input type="checkbox"/>		
to_houseno	string	<input type="checkbox"/>		
to_postalcode	string	<input type="checkbox"/>		
to_street	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `routePlannerDescriptionAddress` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
DESCRIPTION	string	Description		
DISTANCE	int32	Distance		
TIME	int32	Time		

3.1.258 routePlannerDescriptionCoordinatesRD

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `routePlannerDescriptionCoordinatesRD`

Base

XPath: `/s:Envelope/s:Body/tns:routePlannerDescriptionCoordinatesRDResponse/tns:route`

Filters on API Server: `postalcodefrom- postcodeto- routetype- english`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `routePlannerDescriptionCoordinatesRD`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
english	boolean	<input type="checkbox"/>		
postcodefrom	string	<input type="checkbox"/>		
postcodeto	string	<input type="checkbox"/>		
routetype	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `routePlannerDescriptionCoordinatesRD` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
PARTS_ITEM_DESCRIPTION	string			
PARTS_ITEM_DISTANCE	int32			
PARTS_ITEM_TIME	int32			
ROUTECOORDINATES_COORDINATES	string			
ROUTECOORDINATES_NUMBER	int32			

3.1.259 routePlannerDescriptionDutchAddress

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `routePlannerDescriptionDutchAddress`

Base

XPath: `/s:Envelope/s:Body/tns:routePlannerDescriptionDutchAddressResponse/tns:route/tns:item`

Filters on API Server: `routetype- from_postalcode- from_housno- from_street- from_city- to_postalcode- to_housno- to_street- to_city- language`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `routePlannerDescriptionDutchAddress`. A value must be provided at all times for required

parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
from_city	string	<input type="checkbox"/>		
from_housno	string	<input type="checkbox"/>		
from_postalcode	string	<input type="checkbox"/>		
from_street	string	<input type="checkbox"/>		
language	string	<input type="checkbox"/>		
routetype	string	<input type="checkbox"/>		
to_city	string	<input type="checkbox"/>		
to_housno	string	<input type="checkbox"/>		
to_postalcode	string	<input type="checkbox"/>		
to_street	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `routePlannerDescriptionDutchAddress` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
DESCRIPTION	string	Description		
DISTANCE	int32	Distance		
TIME	int32	Time		

3.1.260 routePlannerDescriptionShortest

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `routePlannerDescriptionShortest`

Base

XPath: `/s:Envelope/s:Body/tns:routePlannerDescriptionShortestResponse/tns:route/tns:item`

Filters on API Server: postcodefrom- postcodeto- english

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `routePlannerDescriptionShortest`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
english	boolean	<input type="checkbox"/>		
postcodefrom	string	<input type="checkbox"/>		
postcodeto	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `routePlannerDescriptionShortest` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
DESCRIPTION	string	Description		
DISTANCE	int32	Distance		
TIME	int32	Time		

3.1.261 routePlannerEUDescription

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: routePlannerEUDescription

Base

XPath: `/s:Envelope/s:Body/tns:routePlannerEUDescriptionResponse/tns:route/tns:item`

Filters on API Server: latitudefrom- longitudefrom- latitudeto- longitudeto- routetype- language

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `routePlannerEUDescription`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
language	string	<input type="checkbox"/>		
latitudefrom	decimal	<input type="checkbox"/>		
latitudeto	decimal	<input type="checkbox"/>		
longitudefrom	decimal	<input type="checkbox"/>		
longitudeto	decimal	<input type="checkbox"/>		
routetype	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `routePlannerEUDescription` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
DESCRIPTION	string	Description		
DISTANCE	int32	Distance		
TIME	int32	Time		

3.1.262 routePlannerEUDescriptionCoordinatesLatLon

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `routePlannerEUDescriptionCoordinatesLatLon`

Base

XPath: `/s:Envelope/s:Body/tns:routePlannerEUDescriptionCoordinatesLatLonResponse/tns:route`

Filters on API Server: latitudefrom- longitudefrom- latitudeto- longitudeto- routetype- language

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `routePlannerEUDescriptionCoordinatesLatLon`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
language	string	<input type="checkbox"/>		
latitudefrom	decimal	<input type="checkbox"/>		
latitudeto	decimal	<input type="checkbox"/>		
longitudefrom	decimal	<input type="checkbox"/>		
longitudeto	decimal	<input type="checkbox"/>		
routetype	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `routePlannerEUDescriptionCoordinatesLatLon` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
PARTS_ITEM_DESCRIPTION	string			
PARTS_ITEM_DISTANCE	int32			
PARTS_ITEM_TIME	int32			
ROUTECOORDINATES_COORDINATES	string			
ROUTECOORDINATES_NUMBER	int32			

3.1.263 routePlannerEUInformation

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: routePlannerEUInformation

Base

XPath: /s:Envelope/s:Body/tns:routePlannerEUInformationResponse/tns:route

Filters on API Server: latitudefrom- longitudefrom- latitudeto- longitudeto- routetype

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `routePlannerEUInformation`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
latitudefrom	decimal	<input type="checkbox"/>		
latitudeto	decimal	<input type="checkbox"/>		
longitudefrom	decimal	<input type="checkbox"/>		
longitudeto	decimal	<input type="checkbox"/>		
routetype	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `routePlannerEUInformation` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
DISTANCE	int32	Distance		
TIME	int32	Time		

3.1.264 routePlannerEUMap

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: routePlannerEUMap

Base

XPath: /s:Envelope/s:Body/tns:routePlannerEUMapResponse/tns:image

Filters on API Server: latitudefrom- longitudefrom- latitudeto- longitudeto- routetype- language- format- width- height- view

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `routePlannerEUMap`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
format	string	<input type="checkbox"/>		
height	int32	<input type="checkbox"/>		
language	string	<input type="checkbox"/>		
latitudefrom	decimal	<input type="checkbox"/>		
latitudeto	decimal	<input type="checkbox"/>		
longitudefrom	decimal	<input type="checkbox"/>		
longitudeto	decimal	<input type="checkbox"/>		
routetype	string	<input type="checkbox"/>		
view	string	<input type="checkbox"/>		
width	int32	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `routePlannerEUMap` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
IMAGE	byte[]			

3.1.265 routePlannerGetRoute

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `routePlannerGetRoute`

Base

XPath: `/s:Envelope/s:Body/tns:routePlannerGetRouteResponse/tns:route`

Filters on API Server: `start_postcode- start_house_number- start_house_number_addition- start_street- start_city- start_country- destination_postcode- destination_house_number- destination_house_number_addition- destination_street- destination_city- destination_country- route_type- language`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `routePlannerGetRoute`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
<code>destination_city</code>	string	<input type="checkbox"/>		
<code>destination_country</code>	string	<input type="checkbox"/>		
<code>destination_house_number_addition</code>	string	<input type="checkbox"/>		
<code>destination_house_number</code>	int32	<input type="checkbox"/>		
<code>destination_postcode</code>	string	<input type="checkbox"/>		
<code>destination_street</code>	string	<input type="checkbox"/>		
<code>language</code>	string	<input type="checkbox"/>		
<code>route_type</code>	string	<input type="checkbox"/>		
<code>start_city</code>	string	<input type="checkbox"/>		
<code>start_country</code>	string	<input type="checkbox"/>		
<code>start_house_number_addition</code>	string	<input type="checkbox"/>		
<code>start_house_number</code>	int32	<input type="checkbox"/>		
<code>start_postcode</code>	string	<input type="checkbox"/>		
<code>start_street</code>	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `routePlannerGetRoute` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
DESCRIPTION_ITEM_DISTANCE	int32			
DESCRIPTION_ITEM_TIME	int32			
DESTINATION_ADDRESS_ADDRESSES_KEY	string			
DESTINATION_ADDRESS_CITY	string			
DESTINATION_ADDRESS_COUNTRY	string			
DESTINATION_ADDRESS_HOUSE_NUMBER_ADDITION	string			
DESTINATION_ADDRESS_HOUSE_NUMBER	int32			
DESTINATION_ADDRESS_POSTCODE	string			
DESTINATION_ADDRESS_STREET	string			
DESTINATION_COORDINATES_LATLONG_LATITUDE	decimal			
DESTINATION_COORDINATES_LATLONG_LONGITUDE	decimal			
DESTINATION_COORDINATES_RD_X	int32			
DESTINATION_COORDINATES_RD_Y	int32			
MAP	byte[]			
START_ADDRESS_ADDRESS_KEY	string			
START_ADDRESS_CITY	string			
START_ADDRESS_COUNTRY	string			
START_ADDRESS_HOUSE_NUMBER_ADDITION	string			
START_ADDRESS_HOUSE_NUMBER	int32			
START_ADDRESS_POSTCODE	string			
START_ADDRESS_STREET	string			
START_COORDINATES_LATLONG_LATITUDE	decimal			
START_COORDINATES_LATLONG_LONGITUDE	decimal			
START_COORDINATES_RD_X	int32			
START_COORDINATES_RD_Y	int32			
SUMMARY_DISTANCE	int32			
SUMMARY_TIME	int32			
SUMMARY_TYPE	string			

3.1.266 routePlannerInformation

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: routePlannerInformation

Base

XPath: `/s:Envelope/s:Body/tns:routePlannerInformationResponse/tns:route`

Filters on API Server: postcodefrom- postcodeto- routetype

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `routePlannerInformation`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
postcodefrom	string	<input type="checkbox"/>		
postcodeto	string	<input type="checkbox"/>		
routetype	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `routePlannerInformation` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
DISTANCE	int32	Distance		
TIME	int32	Time		

3.1.267 routePlannerInformationAddress

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `routePlannerInformationAddress`

Base

XPath: `/s:Envelope/s:Body/tns:routePlannerInformationAddressResponse/tns:route`

Filters on API Server: `routetype- from_postalcode- from_houseno- from_street- from_city- from_country- to_postalcode- to_houseno- to_street- to_city- to_country`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `routePlannerInformationAddress`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
<code>from_city</code>	string	<input type="checkbox"/>		
<code>from_country</code>	string	<input type="checkbox"/>		
<code>from_houseno</code>	string	<input type="checkbox"/>		
<code>from_postalcode</code>	string	<input type="checkbox"/>		
<code>from_street</code>	string	<input type="checkbox"/>		
<code>routetype</code>	string	<input type="checkbox"/>		
<code>to_city</code>	string	<input type="checkbox"/>		
<code>to_country</code>	string	<input type="checkbox"/>		
<code>to_houseno</code>	string	<input type="checkbox"/>		
<code>to_postalcode</code>	string	<input type="checkbox"/>		
<code>to_street</code>	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `routePlannerInformationAddress` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
DISTANCE	int32	Distance		

Name	Data Type	Label	Required	Documentation
TIME	int32	Time		

3.1.268 routePlannerInformationDutchAddress

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: routePlannerInformationDutchAddress

Base

XPath: `/s:Envelope/s:Body/tns:routePlannerInformationDutchAddressResponse/tns:route`

Filters on API Server: `routetype- from_postalcode- from_housno- from_street- from_city- to_postalcode- to_housno- to_street- to_city`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `routePlannerInformationDutchAddress`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
from_city	string	<input type="checkbox"/>		
from_housno	string	<input type="checkbox"/>		
from_postalcode	string	<input type="checkbox"/>		
from_street	string	<input type="checkbox"/>		
routetype	string	<input type="checkbox"/>		
to_city	string	<input type="checkbox"/>		
to_housno	string	<input type="checkbox"/>		
to_postalcode	string	<input type="checkbox"/>		
to_street	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `routePlannerInformationDutchAddress` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
DISTANCE	int32	Distance		
TIME	int32	Time		

3.1.269 routePlannerRDDescription

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: routePlannerRDDescription

Base

XPath: `/s:Envelope/s:Body/tns:routePlannerRDDescriptionResponse/tns:route/tns:item`

Filters on API Server: `xfrom- yfrom- xto- yto- routetype- english`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `routePlannerRDDescription`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
english	boolean	<input type="checkbox"/>		
routetype	string	<input type="checkbox"/>		
xfrom	int32	<input type="checkbox"/>		
xto	int32	<input type="checkbox"/>		
yfrom	int32	<input type="checkbox"/>		
yto	int32	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `routePlannerRDDescription` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
DESCRIPTION	string	Description		
DISTANCE	int32	Distance		
TIME	int32	Time		

3.1.270 routePlannerRDDescriptionCoordinatesRD

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariant SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `routePlannerRDDescriptionCoordinatesRD`

Base

XPath: `/s:Envelope/s:Body/tns:routePlannerRDDescriptionCoordinatesRD
Response/tns:route`

Filters on API Server: `xfrom- yfrom- xto- yto- routetype- english`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `routePlannerRDDescriptionCoordinatesRD`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
english	boolean	<input type="checkbox"/>		
routetype	string	<input type="checkbox"/>		
xfrom	int32	<input type="checkbox"/>		
xto	int32	<input type="checkbox"/>		
yfrom	int32	<input type="checkbox"/>		
yto	int32	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `routePlannerRDDescriptionCoordinatesRD` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
PARTS_ITEM_DESCRIPTION	string			
PARTS_ITEM_DISTANCE	int32			
PARTS_ITEM_TIME	int32			
ROUTECOORDINATES_COORDINATES	string			
ROUTECOORDINATES_NUMBER	int32			

3.1.271 routePlannerRDInformation

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: routePlannerRDInformation

Base

XPath: `/s:Envelope/s:Body/tns:routePlannerRDInformationResponse/tns:route`

Filters on API Server: `xfrom- yfrom- xto- yto- routetype`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `routePlannerRDInformation`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
routetype	string	<input type="checkbox"/>		
xfrom	int32	<input type="checkbox"/>		

Name	Data Type	Required	Default Value	Documentation
xto	int32	<input type="checkbox"/>		
yfrom	int32	<input type="checkbox"/>		
yto	int32	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `routePlannerRDInformation` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
DISTANCE	int32	Distance		
TIME	int32	Time		

3.1.272 sepaConvertBankAccountNumber

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `sepaConvertBankAccountNumber`

Base

XPath: `/s:Envelope/s:Body/tns:sepaConvertBankAccountNumberResponse/tns:response`

Filters on API Server: `account_number- nbi- country_code`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `sepaConvertBankAccountNumber`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
<code>account_number</code>	string	<input type="checkbox"/>		
<code>country_code</code>	string	<input type="checkbox"/>		

Name	Data Type	Required	Default Value	Documentation
nbi	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `sepaConvertBankAccountNumber` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
BANK_DETAILS_BANK_CODE	string			
BANK_DETAILS_BANK_NAME	string			
BANK_DETAILS_BIC	string			
IBAN_DETAILS_BBAN_DETAILS_B BAN_ACCOUNT_PREFIX	string			
IBAN_DETAILS_BBAN_DETAILS_B BAN_ACCOUNT_TYPE	string			
IBAN_DETAILS_BBAN_DETAILS_B BAN_ACCOUNT	string			
IBAN_DETAILS_BBAN_DETAILS_B BAN_BANK_ID	string			
IBAN_DETAILS_BBAN_DETAILS_B BAN_BRANCH_ID	string			
IBAN_DETAILS_BBAN_DETAILS_B BAN_CHECKSUM	string			
IBAN_DETAILS_BBAN_DETAILS_B BAN_CURRENCY	string			
IBAN_DETAILS_BBAN_DETAILS_B BAN HOLDER_KENNITALA	string			
IBAN_DETAILS_BBAN_DETAILS_B BAN_OWNER_NUMBER	string			
IBAN_DETAILS_BBAN_DETAILS_B BAN_SORT_CODE	string			
IBAN_DETAILS_BBAN_DETAILS_B BAN_ZERO	string			
IBAN_DETAILS_BBAN	string			
IBAN_DETAILS_CHECK_DIGITS	string			
IBAN_DETAILS_COUNTRY_CODE	string			
IBAN	string			
IS_SEPA_MEMBER	boolean			

3.1.273 sepaConvertBasicBankAccountNumber

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariant SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `sepaConvertBasicBankAccountNumber`

Base

XPath: `/s:Envelope/s:Body/tns:sepaConvertBasicBankAccountNumberResponse/tns:bankaccount`

Filters on API Server: `bban- country_iso`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `sepaConvertBasicBankAccountNumber`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
<code>bban</code>	string	<input type="checkbox"/>		
<code>country_iso</code>	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `sepaConvertBasicBankAccountNumber` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
BBAN	string			
BIC	string			
IBAN	string			

3.1.274 `sepalbanDetails`

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariant SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: sepalbanDetails

Base

XPath: /s:Envelope/s:Body/tns:sepaIbanDetailsResponse/tns:iban_details

Filters on API Server: iban

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function sepalbanDetails. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
iban	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function sepaIbanDetails are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
BANK_DETAILS_BANK_CODE	string			
BANK_DETAILS_BANK_NAME	string			
BANK_DETAILS_BIC	string			
IBAN_DETAILS_BBAN_DETAILS_B BAN_ACCOUNT_PREFIX	string			
IBAN_DETAILS_BBAN_DETAILS_B BAN_ACCOUNT_TYPE	string			
IBAN_DETAILS_BBAN_DETAILS_B BAN_ACCOUNT	string			
IBAN_DETAILS_BBAN_DETAILS_B BAN_BANK_ID	string			
IBAN_DETAILS_BBAN_DETAILS_B BAN_BRANCH_ID	string			
IBAN_DETAILS_BBAN_DETAILS_B BAN_CHECKSUM	string			
IBAN_DETAILS_BBAN_DETAILS_B BAN_CURRENCY	string			

Name	Data Type	Label	Required	Documentation
IBAN_DETAILS_BBAN_DETAILS_BBAN_HOLDER_KENNTALA	string			
IBAN_DETAILS_BBAN_DETAILS_BBAN_OWNER_NUMBER	string			
IBAN_DETAILS_BBAN_DETAILS_BBAN_SORT_CODE	string			
IBAN_DETAILS_BBAN_DETAILS_BBAN_ZERO	string			
IBAN_DETAILS_BBAN	string			
IBAN_DETAILS_CHECK_DIGITS	string			
IBAN_DETAILS_COUNTRY_CODE	string			
IBAN	string			
IS_SEPA_MEMBER	boolean			

3.1.275 sepaMatchAccountHolder

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: sepaMatchAccountHolder

Base

XPath: `/s:Envelope/s:Body/tns:sepaMatchAccountHolderResponse/tns:match_account_holder`

Filters on API Server: iban- name

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `sepaMatchAccountHolder`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
iban	string	<input type="checkbox"/>		

Name	Data Type	Required	Default Value	Documentation
name	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `sepaMatchAccountHolder` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
BANK_ACCOUNT_DETAILS_COUNTRY_CODE	string			
BANK_ACCOUNT_DETAILS_FOREIGN	boolean			
BANK_ACCOUNT_DETAILS_STATUS	string			
BANK_ACCOUNT_HOLDER_JOINT_ACCOUNT	boolean			
BANK_ACCOUNT_HOLDER_MUNICIPALITY	string			
BANK_ACCOUNT_HOLDER_NUMBER_OF_ACCOUNT_HOLDERS	int32			
BANK_ACCOUNT_HOLDER_TYPE	string			
IBAN_FOUND	boolean			
IBAN	string			
NAME_MATCHING_RESULT_NAME_SUGGESTION	string			
NAME_MATCHING_RESULT_TYPE	string			

3.1.276 sepaValidateInternationalBankAccountNumberFormat

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `sepaValidateInternationalBankAccountNumberFormat`

Base

XPath: `/s:Envelope/s:Body/tns:sepaValidateInternationalBankAccountNumberFormatResponse/tns:validation_report`

Filters on API Server: iban

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `sepaValidateInternationalBankAccountNumberFormat`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and

the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
iban	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `sepaValidateInternationalBankAccountNumberFormat` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
IBAN	string			
VALID	boolean	Valid		

3.1.277 userAddGroup

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: userAddGroup

Base XPath: `/s:Envelope/s:Body/tns:userAddGroupResponse`

Filters on API Server: `userid- usergroupid`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `userAddGroup`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
usergroupid	int32	<input type="checkbox"/>		
userid	int32	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `userAddGroup` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
USERADDDGROUPRESPONSE	string			

3.1.278 userChangePassword

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: userChangePassword

Base XPath: `/s:Envelope/s:Body/tns:userChangePasswordResponse`

Filters on API Server: `userid- old_password- new_password`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `userChangePassword`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
new_password	string	<input type="checkbox"/>		
old_password	string	<input type="checkbox"/>		

Name	Data Type	Required	Default Value	Documentation
userid	int32	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `userChangePassword` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
USERCHANGEPASSWORDRESPONSE	string			

3.1.279 userCreateV2

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: userCreateV2

Base XPath: `/s:Envelope/s:Body/tns:userCreateV2Response`

Filters on API Server: accountid- nickname- password- usergroups_item- email- companyname- address- contactname- contactemail- telephone- fax- clientcode- comments

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `userCreateV2`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
accountid	int32	<input type="checkbox"/>		
address	string	<input type="checkbox"/>		
clientcode	string	<input type="checkbox"/>		
comments	string	<input type="checkbox"/>		
companyname	string	<input type="checkbox"/>		

Name	Data Type	Required	Default Value	Documentation
contactemail	string	<input type="checkbox"/>		
contactname	string	<input type="checkbox"/>		
email	string	<input type="checkbox"/>		
fax	string	<input type="checkbox"/>		
nickname	string	<input type="checkbox"/>		
password	string	<input type="checkbox"/>		
telephone	string	<input type="checkbox"/>		
usergroups_item	int32	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `userCreateV2` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ID	int32	ID		
NICKNAME	string	Nick Name		
PASSWORD	string	Passw ord		

3.1.280 userEditBalance

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: userEditBalance

Base XPath: `/s:Envelope/s:Body/tns:userEditBalanceResponse`

Filters on API Server: `userid- balance`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `userEditBalance`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the

default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
balance	decimal	<input type="checkbox"/>		
userid	int32	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `userEditBalance` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
USEREDITBALANCERESPONSE	string			

3.1.281 userEditExtendedV2

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `userEditExtendedV2`

Base XPath: `/s:Envelope/s:Body/tns:userEditExtendedV2Response`

Filters on API Server: `userid- nickname- password- email- companyname- address- contactname- contactemail- telephone- fax- clientcode- comments- accountid- balancethreshold- notificationrecipients`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `userEditExtendedV2`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
accountid	int32	<input type="checkbox"/>		
address	string	<input type="checkbox"/>		

Name	Data Type	Required	Default Value	Documentation
balancethreshold	decimal	<input type="checkbox"/>		
clientcode	string	<input type="checkbox"/>		
comments	string	<input type="checkbox"/>		
companyname	string	<input type="checkbox"/>		
contactemail	string	<input type="checkbox"/>		
contactname	string	<input type="checkbox"/>		
email	string	<input type="checkbox"/>		
fax	string	<input type="checkbox"/>		
nickname	string	<input type="checkbox"/>		
notificationrecipients	string	<input type="checkbox"/>		
password	string	<input type="checkbox"/>		
telephone	string	<input type="checkbox"/>		
userid	int32	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `userEditExtendedV2` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
USEREDITEXTENDEDV2RESPONSE	string			

3.1.282 userEditHostRestrictions

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: userEditHostRestrictions

Base XPath: `/s:Envelope/s:Body/tns:userEditHostRestrictionsResponse`

Filters on API Server: `userid- restrictions`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `userEditHostRestrictions`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four

parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
restrictions	string	<input type="checkbox"/>		
userid	int32	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `userEditHostRestrictions` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
USEREDITHOSTRESTRICTIONSRESPONSE	string			

3.1.283 userEditV2

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: userEditV2

Base XPath: `/s:Envelope/s:Body/tns:userEditV2Response`

Filters on API Server: `userid- email- address- contactname- contactemail- telephone- fax- password`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `userEditV2`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
address	string	<input type="checkbox"/>		
contactemail	string	<input type="checkbox"/>		
contactname	string	<input type="checkbox"/>		
email	string	<input type="checkbox"/>		
fax	string	<input type="checkbox"/>		
password	string	<input type="checkbox"/>		
telephone	string	<input type="checkbox"/>		
userid	int32	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `userEditV2` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
USEREDITV2RESPONSE	string			

3.1.284 userListAssignableGroups

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `userListAssignableGroups`

Base

XPath: `/s:Envelope/s:Body/tns:userListAssignableGroupsResponse/tns:out/tns:results/tns:item`

Filters on API Server: `userid- page`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `userListAssignableGroups`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the

default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
page	int32	<input type="checkbox"/>		
userid	int32	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `userListAssignableGroups` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ID	int32	ID		
NAME	string	Name		

3.1.285 userNotify

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: userNotify

Base XPath: `/s:Envelope/s:Body/tns:userNotifyResponse/tns:out`

Filters on API Server: `userid- password`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `userNotify`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
password	string	<input type="checkbox"/>		
userid	int32	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `userNotify` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
OUT	string			

3.1.286 userRemove

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invariantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: userRemove

Base XPath: `/s:Envelope/s:Body/tns:userRemoveResponse`

Filters on API Server: `userid`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `userRemove`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
userid	int32	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `userRemove` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
USERREMOVERESPONSE	string			

3.1.287 userRemoveGroup

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: userRemoveGroup

Base XPath: `/s:Envelope/s:Body/tns:userRemoveGroupResponse`

Filters on API Server: `userid- usergroupid`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `userRemoveGroup`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
usergroupid	int32	<input type="checkbox"/>		
userid	int32	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `userRemoveGroup` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
USERREMOVEGROUPRESPONSE	string			

3.1.288 userSessionList

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `userSessionList`

Base

XPath: `/s:Envelope/s:Body/tns:userSessionListResponse/tns:out/tns:results/tns:item`

Filters on API Server: `userid- page`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `userSessionList`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
page	int32	<input type="checkbox"/>		
userid	int32	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `userSessionList` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
CREATIONTIME	string	Creation Time		
HITS	int32			
IP	string			
LASTVISIT	string			
REACTID	string	React ID		
USER_ID	int32			
USER_NICKNAME	string			

3.1.289 userSessionRemove

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: userSessionRemove

Base XPath: `/s:Envelope/s:Body/tns:userSessionRemoveResponse`

Filters on API Server: `userid- reactid`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `userSessionRemove`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
reactid	string	<input type="checkbox"/>		
userid	int32	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `userSessionRemove` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
USERSESSIONREMOVERESPONSE	string			

3.1.290 userViewBalance

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: `userViewBalance`

Base

XPath: `/s:Envelope/s:Body/tns:userViewBalanceResponse/tns:balance`

Filters on API Server: `userid`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `userViewBalance`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
<code>userid</code>	<code>int32</code>	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `userViewBalance` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
<code>BALANCE</code>	<code>decimal</code>			

3.1.291 `userViewHostRestrictions`

Catalog: `CompanyInfo`

Schema: `CompanyInfo`

This is a read-only table function. The `Company.info` API may not support changing the data or the `Invariantive SQL driver for Company.info` does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the `Company.info` API.

Topic: `userViewHostRestrictions`

Base

XPath: `/s:Envelope/s:Body/tns:userViewHostRestrictionsResponse/tns:out`

Filters on API Server: `userid`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `userViewHostRestrictions`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
userid	int32	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `userViewHostRestrictions` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
OUT	string			

3.1.292 userViewV2

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: userViewV2

Base XPath: `/s:Envelope/s:Body/tns:userViewV2Response/tns:out`

Filters on API Server: `userid`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `userViewV2`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
userid	int32	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `userViewV2` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ACCOUNT_ID	int32	Account ID		
ACCOUNT_NAME	string	Account Name		
ACTIVE	boolean	Active		
ADDRESS	string	Address		
BALANCE	decimal	Balance		
BALANCETHRESHOLD	decimal	Balance Threshold		
CLIENTCODE	string	Client Code		
COMMENTS	string	Comments		
COMPANYNAME	string	Company Name		
CONTACTEMAIL	string	Contact Email		
CONTACTNAME	string	Contact Name		
CREATIONTIME	string	Creation Time		
EMAIL	string	Email		
FAX	string	Fax		
ID	int32	ID		
LASTMODIFIED	string	Last Modified		
NICKNAME	string	Nick Name		
NOTIFICATIONRECIPIENTS	string	Notification Recipients		
TELEPHONE	string	Telephone		
USERGROUPS_ITEM_ID	int32	User Groups Item ID		
USERGROUPS_ITEM_NAME	string	User Groups Item Name		

3.1.293 vatValidate

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: vatValidate

Base XPath: /s:Envelope/s:Body/tns:vatValidateResponse/tns:out

Filters on API Server: vat_number

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `vatValidate`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
vat_number	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `vatValidate` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
VALID	boolean	Valid		
VAT_NUMBER	string	VAT Number		

3.1.294 vatViesProxyCheckVat

Catalog: CompanyInfo

Schema: CompanyInfo

This is a read-only table function. The Company.info API may not support changing the data or the Invantive SQL driver for Company.info does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Company.info API.

Topic: vatViesProxyCheckVat

Base

XPath: /s:Envelope/s:Body/tns:vatViesProxyCheckVatResponse/tns:out

Filters on API Server: vat_number

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `vatViesProxyCheckVat`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
vat_number	string	<input type="checkbox"/>		

Table Function Columns

The columns of the table function `vatViesProxyCheckVat` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ADDRESS	string	Address		
COUNTRY_CODE	string	Country Code		
NAME	string	Name		
REQUEST_DATE	datetime	Request Date		
VALID	boolean	Valid		
VAT_NUMBER	string	VAT Number		

4 Schema: Native

4.1 Tables

4.1.1 NATIVEPLATFORMSCALARREQUESTS: Company.info Native Platform Scalar Requests

Direct access to native API.

Catalog: CompanyInfo

Schema: Native

Alias: npt

Label: Native Platform Scalar Requests

Documentation:

The `NativePlatformScalarRequests` table provides direct access to the native API protocol over an established connection to the Company.info API server. It will contain a new row for every row inserted with a native API request in `PAYLOAD_TEXT` with the results of unaltered forwarding of the payload to the Company.info API server.

Retrieve: true

Insert: true

Update: false

Delete: false

View Columns

The columns of the view `NATIVEPLATFORMSCALARREQUESTS` are shown below. Each column has an SQL data type. A new non-null value must be provided for every required column at all times during insert.

Name	Data Type	Label	Required	Documentation
BLOB_PREFERRED	boolean	BLOB Preferred	<input checked="" type="checkbox"/>	Indicator whether a BLOB result is preferred over text.
BOL_RESPONSE_CACHE_MAX_AGE_SEC	int32	Response Cache Maximum Age (sec)	<input type="checkbox"/>	Maximum age in seconds of Bridge Online response cache entries to be used.
CONTENT_TYPE	string(240)	Content Type	<input type="checkbox"/>	
DATE_ENDED	datetime	End Date	<input checked="" type="checkbox"/>	
DATE_STARTED	datetime	Start Date	<input checked="" type="checkbox"/>	
DRY_RUN	boolean	Run without Actions	<input checked="" type="checkbox"/>	
DURATION_MS	int32	Duration (ms)	<input checked="" type="checkbox"/>	
ERROR_MESSAGE_CODE	string(30)	Error Message Code	<input type="checkbox"/>	
ERROR_MESSAGE_TEXT	string(32000)	Error Message Text	<input type="checkbox"/>	
FAIL_ON_ERROR	boolean	Fail on Error	<input checked="" type="checkbox"/>	Whether to raise an exception when processing the native request triggered an error from the provider.
HTTP_DISK_CACHE_MAX_AGE_SEC	int32	HTTP Disk Cache Maximum Age (sec)	<input type="checkbox"/>	Maximum age in seconds of HTTP disk cache entries to be used.
HTTP_DISK_CACHE_SAVE	boolean	Save HTTP Disk Cache	<input type="checkbox"/>	Whether results can be stored in HTTP disk cache.
HTTP_DISK_CACHE_USE	boolean	Use HTTP Disk Cache	<input type="checkbox"/>	Whether results can be fetched from HTTP disk cache.
HTTP_MEMORY_CACHE_MAX_AGE_SEC	int32	HTTP Memory Cache Maximum Age (sec)	<input type="checkbox"/>	Maximum age in seconds of HTTP memory cache entries to be used.
HTTP_MEMORY_CACHE_SAVE	boolean	Save HTTP Memory Cache	<input type="checkbox"/>	Whether results can be stored in HTTP memory cache.
HTTP_MEMORY_CACHE_USE	boolean	Use HTTP Memory Cache	<input type="checkbox"/>	Whether results can be fetched from HTTP memory cache.
HTTP_METHOD	string(30)	HTTP Method	<input type="checkbox"/>	
HTTP_STATUS_CODE	int16	HTTP Status Code	<input type="checkbox"/>	
ORIG_SYSTEM_GROUP	string(4000)	Original System Group	<input type="checkbox"/>	
ORIG_SYSTEM_REFERENCE	string(4000)	Original System Reference	<input type="checkbox"/>	
PAYLOAD_TEXT	string	Payload	<input type="checkbox"/>	
RESULT_BLOB	byte[]	Result BLOB	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
RESULT_DATE_TIME_UTC	datetime		<input type="checkbox"/>	
RESULT_NUMBER	decimal		<input type="checkbox"/>	
RESULT_TEXT	string	Result Text	<input type="checkbox"/>	
SUCCESSFUL	boolean	Successful	<input checked="" type="checkbox"/>	
TIMEOUT_SEC	int32	Timeout (sec)	<input type="checkbox"/>	Timeout in seconds.
TRANSACTION_ID	int32	Transaction ID	<input checked="" type="checkbox"/>	Incrementing ID of the transaction.
URL	string(4000)	URL	<input type="checkbox"/>	

Index

- A -

APK Due Date 98, 123, 125, 127

- B -

BIK Code 68
BPM Amount 98
Brand 98, 123, 125, 127

- C -

Category 98, 123, 125, 127
Colors 98, 123, 125, 127
Cylinder Capacity 98, 123, 125, 127
Cylinders 98, 123, 125, 127

- D -

Date First Issuing 98, 123, 125, 127
Date Latest Name Registration 98, 123, 125, 127
Description 68

- F -

First Admission 98, 123, 125, 127
Fuel Type 98, 123, 125, 127

- G -

Gross Vehicle Mass 98, 123, 125, 127

- L -

License Plate 98, 123, 125, 127

- M -

Mass Ready 98, 123, 125, 127
Maximum Mass Axle Braked 98, 123, 125, 127
Maximum Mass Braked 98, 123, 125, 127
Model 98, 123, 125, 127

- N -

Number of Seats 98, 123, 125, 127

- P -

Power 98

- S -

Standing Room 98, 123, 125, 127

- U -

Unladen Mass 98, 123, 125, 127
AANDRIJVING 102
aanduiding_soort_register 466
AANTAL_CILINDERS 102
AANTAL_VERSNELLINGEN 102
ABS_PAKKET 102
ABS_PRIJS 102
ABS_STANDAARD 102
ABS_STANDAARD_SINDS_DATUM 102
ACCELERATIE 102
ACCELERATION 137, 139
Account ID 11, 12, 1181
Account Name 11, 12, 1181
ACCOUNT_ID 11, 12, 1181
ACCOUNT_NAME 11, 12, 1181
account_number 1142, 1161
accountEditHostRestrictions 6
ACCOUNTEDITHOSTRESTRICTIONSRESPONSE 6
accountEditV2 7
ACCOUNTEDITV2RESPONSE 7
accountGetCreationStatus 8
accountGetCreationToken 9
accountGetOrderToken 10
accountid 6, 7, 8, 10, 11, 12, 13, 14, 15, 1169, 1171
ACCOUNTS_AUDITED 197
ACCOUNTS_PAYABLE 197
ACCOUNTS_RECEIVABLE 197
accountUserListV2 11
accountUserSearchV2 12
accountViewBalance 13
accountViewHostRestrictions 14
accountViewV2 15
ACHTERRUITVERWARMING_PAKKET 102

ACHTERRUITVERWARMING_PRIJS	102	ADDITIONAL_INFORMATION_BE_NEGATIVE_INFORMATION_BANKRUPTCY_EVENTS_ITEM_COMMER
ACHTERRUITVERWARMING_STANDAARD	102	CIAL_COURT
ACHTERRUITVERWARMING_STANDAARD_SINDSDATUM	102	147
ACTIVE	11, 12, 94, 1181	ADDITIONAL_INFORMATION_BE_NEGATIVE_INFORMATION_BANKRUPTCY_EVENTS_ITEM_COMPANY
ADDITIONAL_INFORMATION_BE_EVENTS_ITEM_DESCRIPTION	147	NAME
ADDITIONAL_INFORMATION_BE_EVENTS_ITEM_SERIAL_NUMBER	147	147
ADDITIONAL_INFORMATION_BE_INDUSTRY_COMPARISON_ACTIVITY_CODE	147	ADDITIONAL_INFORMATION_BE_NEGATIVE_INFORMATION_BANKRUPTCY_EVENTS_ITEM_DATE_OF_DEGREEE_OF_BANKRUPTCY
ADDITIONAL_INFORMATION_BE_INDUSTRY_COMPARISON_ACTIVITY_DESCRIPTION	147	147
ADDITIONAL_INFORMATION_BE_INDUSTRY_COMPARISON_INDUSTRY_AVERAGE_CREDIT_RATING	147	ADDITIONAL_INFORMATION_BE_NEGATIVE_INFORMATION_BANKRUPTCY_EVENTS_ITEM_NACE_BE_CODE
ADDITIONAL_INFORMATION_BE_INDUSTRY_COMPARISON_INDUSTRY_AVERAGE_DAY_SALES_OUTSTANDING	147	147
ADDITIONAL_INFORMATION_BE_INDUSTRY_COMPARISON_INDUSTRY_AVERAGE_PAYMENT_EXPECTATION_DAYS	147	ADDITIONAL_INFORMATION_BE_NEGATIVE_INFORMATION_BANKRUPTCY_EVENTS_ITEM_NACE_BE_DESCRIPTION
ADDITIONAL_INFORMATION_BE_INDUSTRY_QUARTILE_ANALYSIS_DAY_SALES_OUTSTANDING_LOWER	147	147
ADDITIONAL_INFORMATION_BE_INDUSTRY_QUARTILE_ANALYSIS_DAY_SALES_OUTSTANDING_MEDIAN	147	ADDITIONAL_INFORMATION_BE_NEGATIVE_INFORMATION_BANKRUPTCY_EVENTS_ITEM_NAME_OF_TRUSTEE
ADDITIONAL_INFORMATION_BE_INDUSTRY_QUARTILE_ANALYSIS_DAY_SALES_OUTSTANDING_UPPER	147	147
ADDITIONAL_INFORMATION_BE_INDUSTRY_QUARTILE_ANALYSIS_PAYMENT_EXPECTATION_DAYS_LOWER	147	ADDITIONAL_INFORMATION_BE_NEGATIVE_INFORMATION_BANKRUPTCY_EVENTS_ITEM_POSTCODE_OF_REGISTERED_OFFICE
ADDITIONAL_INFORMATION_BE_INDUSTRY_QUARTILE_ANALYSIS_PAYMENT_EXPECTATION_DAYS_MEDIAN	147	147
ADDITIONAL_INFORMATION_BE_INDUSTRY_QUARTILE_ANALYSIS_PAYMENT_EXPECTATION_DAYS_UPPER	147	ADDITIONAL_INFORMATION_BE_NEGATIVE_INFORMATION_BANKRUPTCY_EVENTS_ITEM_POSTCODE_OF_TRUSTEE
ADDITIONAL_INFORMATION_BE_MISC_FAX_NUMBER	147	147
ADDITIONAL_INFORMATION_BE_NEGATIVE_INFORMATION_BANKRUPTCY_EVENTS_ITEM_BANKRUPTCY_TYPE	147	ADDITIONAL_INFORMATION_BE_NEGATIVE_INFORMATION_BANKRUPTCY_EVENTS_ITEM_SOURCE
ADDITIONAL_INFORMATION_BE_NEGATIVE_INFORMATION_BANKRUPTCY_EVENTS_ITEM_CITY_OF_REGISTERED_OFFICE	147	147
ADDITIONAL_INFORMATION_BE_NEGATIVE_INFORMATION_BANKRUPTCY_EVENTS_ITEM_CITY_OF_TRUSTEE	147	ADDITIONAL_INFORMATION_BE_NEGATIVE_INFORMATION_BANKRUPTCY_EVENTS_ITEM_SOURCE_DATE
ADDITIONAL_INFORMATION_BE_NEGATIVE_INFORMATION_BANKRUPTCY_EVENTS_ITEM_CLOSING_DATE_OF_SUMMONS	147	147
		ADDITIONAL_INFORMATION_BE_NEGATIVE_INFORMATION_BANKRUPTCY_EVENTS_ITEM_STREET_OF_REGISTERED_OFFICE
		147
		ADDITIONAL_INFORMATION_BE_NEGATIVE_INFORMATION_BANKRUPTCY_EVENTS_ITEM_STREET_OF_TRUSTEE
		147
		ADDITIONAL_INFORMATION_BE_NEGATIVE_INFORMATION_NSSO_DETAILS_ITEM_BUSINESS_NUMBER
		147
		ADDITIONAL_INFORMATION_BE_NEGATIVE_INFORMATION_NSSO_DETAILS_ITEM_DATE_OF_SUMMONS
		147
		ADDITIONAL_INFORMATION_BE_NEGATIVE_INFORMATION_NSSO_DETAILS_ITEM_LABOUR_COURT
		147
		ADDITIONAL_INFORMATION_BE_NEGATIVE_INFORMATION_NSSO_DETAILS_ITEM_LEGAL_FORM_OF_DEFENDANT
		147
		ADDITIONAL_INFORMATION_BE_NEGATIVE_INFORMATION_NSSO_DETAILS_ITEM_NAME_OF_DEFENDANT
		147
		ADDITIONAL_INFORMATION_BE_NEGATIVE_INFORMATION_PROTESTED_BILLS_ITEM_BILL_AMOUNT
		147

ADDITIONAL_INFORMATION_BE_NEGATIVE_INFORMATION_PROTESTED_BILLS_ITEM_BILL_CURRENT_YEAR 147
 ADDITIONAL_INFORMATION_BE_NEGATIVE_INFORMATION_PROTESTED_BILLS_ITEM_CITY_OF_DRAWER 147
 ADDITIONAL_INFORMATION_BE_NEGATIVE_INFORMATION_PROTESTED_BILLS_ITEM_DRAWER_ADDRESS 147
 ADDITIONAL_INFORMATION_BE_NEGATIVE_INFORMATION_PROTESTED_BILLS_ITEM_DRAWER_NAME 147
 ADDITIONAL_INFORMATION_BE_NEGATIVE_INFORMATION_PROTESTED_BILLS_ITEM_MATURITY_OF_BILL_IN_MONTHS 147
 ADDITIONAL_INFORMATION_BE_NEGATIVE_INFORMATION_PROTESTED_BILLS_ITEM_NAME_OF_DRAWER 147
 ADDITIONAL_INFORMATION_BE_NEGATIVE_INFORMATION_PROTESTED_BILLS_ITEM_PAYMENT_DATE 147
 ADDITIONAL_INFORMATION_BE_PAYMENT_EXPECTATIONS_SUMMARY_DAY_SALES_OUTSTANDING 147
 ADDITIONAL_INFORMATION_BE_PAYMENT_EXPECTATIONS_SUMMARY_PAYMENT_EXPECTATION_DAYS 147
 ADDITIONAL_INFORMATION_BE_REGISTERED_CONTRACTORS_ITEM_CONTRACTOR_DESCRIPTION 147
 ADDITIONAL_INFORMATION_BE_REGISTERED_CONTRACTORS_ITEM_REGISTRATION_NUMBER 147
 ADDITIONAL_INFORMATION_BE_REGISTERED_CONTRACTORS_ITEM_STRIKING_OFF_DATE 147
 ADDITIONAL_INFORMATION_DE_BENEFICIARY_OWNERS_CITY 163
 ADDITIONAL_INFORMATION_DE_BENEFICIARY_OWNERS_COUNTRY 163
 ADDITIONAL_INFORMATION_DE_BENEFICIARY_OWNERS_NAME 163
 ADDITIONAL_INFORMATION_DE_BENEFICIARY_OWNERS_POSTAL_CODE 163
 ADDITIONAL_INFORMATION_DE_BENEFICIARY_OWNERS_SHARE_PERCENT 163
 ADDITIONAL_INFORMATION_DE_COMMENTS_ITEM_SENTIMENT 163
 ADDITIONAL_INFORMATION_DE_COMMENTS_ITEM_TEXT 163
 ADDITIONAL_INFORMATION_DE_HISTORICAL_EVENTS_ITEM_CURRENT_VALUE 163
 ADDITIONAL_INFORMATION_DE_HISTORICAL_EVENTS_ITEM_DATE 163
 ADDITIONAL_INFORMATION_DE_HISTORICAL_EVENTS_ITEM_DESCRIPTION 163
 ADDITIONAL_INFORMATION_DE_HISTORICAL_EVENTS_ITEM_PREVIOUS_VALUE 163
 ADDITIONAL_INFORMATION_DE_IMAGE_ACCOUNT_DOCUMENT_TYPE 163
 ADDITIONAL_INFORMATION_DE_IMAGE_ACCOUNT_S_END_DATE 163
 ADDITIONAL_INFORMATION_DE_IMAGE_ACCOUNT_FINANCIALS_TYPE 163
 ADDITIONAL_INFORMATION_DE_IMAGE_ACCOUNT_PUBLISHED_DATE 163
 ADDITIONAL_INFORMATION_DE_IMAGE_ACCOUNT_S_SERIAL_NUMBER 163
 ADDITIONAL_INFORMATION_DE_IMAGE_ACCOUNT_S_START_DATE 163
 ADDITIONAL_INFORMATION_DE_MISCELLANEOUS_BUSINESS_PURPOSE 163
 ADDITIONAL_INFORMATION_DE_MISCELLANEOUS_COMMERCIAL_REGISTER_CITY 163
 ADDITIONAL_INFORMATION_DE_MISCELLANEOUS_COMMERCIAL_REGISTER_ZIP 163
 ADDITIONAL_INFORMATION_DE_MISCELLANEOUS_COMPANY_TYPE 163
 ADDITIONAL_INFORMATION_DE_MISCELLANEOUS_COMPLEMENTARY_COMPANY 163
 ADDITIONAL_INFORMATION_DE_MISCELLANEOUS_CURRENT_RATING_MAX_VALUE 163
 ADDITIONAL_INFORMATION_DE_MISCELLANEOUS_CURRENT_RATING_MIN_VALUE 163
 ADDITIONAL_INFORMATION_DE_MISCELLANEOUS_CURRENT_RATING_VALUE 163
 ADDITIONAL_INFORMATION_DE_MISCELLANEOUS_FAX_NUMBER 163
 ADDITIONAL_INFORMATION_DE_MISCELLANEOUS_FINANCIALS_QUALITY 163
 ADDITIONAL_INFORMATION_DE_MISCELLANEOUS_NEGATIVE_RATING 163
 ADDITIONAL_INFORMATION_DE_MISCELLANEOUS_PREMISE_TYPE 163
 ADDITIONAL_INFORMATION_DE_MISCELLANEOUS_PREVIOUS_RATING_MAX_VALUE 163
 ADDITIONAL_INFORMATION_DE_MISCELLANEOUS_PREVIOUS_RATING_MIN_VALUE 163
 ADDITIONAL_INFORMATION_DE_MISCELLANEOUS_PREVIOUS_RATING_VALUE 163
 ADDITIONAL_INFORMATION_DE_MISCELLANEOUS_SMALL_OFFICE 163
 ADDITIONAL_INFORMATION_DE_MISCELLANEOUS_TURNOVER_RANGE 163
 ADDITIONAL_INFORMATION_DE_TURNOVER_RANGES_RANGE 163
 ADDITIONAL_INFORMATION_DE_TURNOVER_RANGES_YEAR 163
 ADDITIONAL_INFORMATION_GENERIC_ITEM_KEY 163

ADDITIONAL_INFORMATION_GENERIC_ITEM_VALUE 163	ADDITIONAL_INFORMATION_NL_LETTERS_OF_LIABILITY_INFORMATION_403_DATE_SUBMITTED 147
ADDITIONAL_INFORMATION_NL_COMMENTS_ITEM_SENTIMENT 163	ADDITIONAL_INFORMATION_NL_LETTERS_OF_LIABILITY_INFORMATION_403_FINANCIAL_YEAR 147
ADDITIONAL_INFORMATION_NL_COMMENTS_ITEM_TEXT 163	ADDITIONAL_INFORMATION_NL_LETTERS_OF_LIABILITY_INFORMATION_403_LETTERS_OF_LIABILITY_2ND_PARENT_ITEM_REMOVAL_DATE 147
ADDITIONAL_INFORMATION_NL_FINANCIAL_ITEMS_ITEM_CONSOLIDATED_SUBSIDIARIES 163	ADDITIONAL_INFORMATION_NL_LETTERS_OF_LIABILITY_INFORMATION_403_LETTERS_OF_LIABILITY_2ND_PARENT_ITEM_REMOVAL_SUBMITTED_DATE 147
ADDITIONAL_INFORMATION_NL_FINANCIAL_ITEMS_ITEM_DATE_YEAR_END 163	ADDITIONAL_INFORMATION_NL_LETTERS_OF_LIABILITY_INFORMATION_403_LETTERS_OF_LIABILITY_2ND_PARENT_ITEM_REMOVAL_SUBMITTED_DATE 147
ADDITIONAL_INFORMATION_NL_FINANCIAL_ITEMS_ITEM_JUDGEMENT 163	ADDITIONAL_INFORMATION_NL_LETTERS_OF_LIABILITY_INFORMATION_403_LETTERS_OF_LIABILITY_2ND_PARENT_ITEM_REMOVAL_SUBMITTED_DATE 147
ADDITIONAL_INFORMATION_NL_HISTORICAL_EVENTS_ITEM_CURRENT_VALUE 163	ADDITIONAL_INFORMATION_NL_LETTERS_OF_LIABILITY_INFORMATION_403_LETTERS_OF_LIABILITY_2ND_PARENT_ITEM_START_DATE 147
ADDITIONAL_INFORMATION_NL_HISTORICAL_EVENTS_ITEM_DATE 163	ADDITIONAL_INFORMATION_NL_LETTERS_OF_LIABILITY_INFORMATION_403_LETTERS_OF_LIABILITY_2ND_PARENT_ITEM_START_DATE 147
ADDITIONAL_INFORMATION_NL_HISTORICAL_EVENTS_ITEM_DESCRIPTION 163	ADDITIONAL_INFORMATION_NL_LETTERS_OF_LIABILITY_INFORMATION_403_LETTERS_OF_LIABILITY_2ND_PARENT_ITEM_START_DATE 147
ADDITIONAL_INFORMATION_NL_HISTORICAL_EVENTS_ITEM_PREVIOUS_VALUE 163	ADDITIONAL_INFORMATION_NL_LETTERS_OF_LIABILITY_INFORMATION_403_LETTERS_OF_LIABILITY_2ND_PARENT_ITEM_START_DATE 147
ADDITIONAL_INFORMATION_NL_INDUSTRY_QUARTILE_ANALYSIS_DAY_SALES_OUTSTANDING_LOWER 147, 163	ADDITIONAL_INFORMATION_NL_LETTERS_OF_LIABILITY_INFORMATION_403_LETTERS_OF_LIABILITY_2ND_PARENT_ITEM_START_DATE 147
ADDITIONAL_INFORMATION_NL_INDUSTRY_QUARTILE_ANALYSIS_DAY_SALES_OUTSTANDING_MEDIAN 147, 163	ADDITIONAL_INFORMATION_NL_LETTERS_OF_LIABILITY_INFORMATION_403_LETTERS_OF_LIABILITY_2ND_PARENT_ITEM_START_DATE 147
ADDITIONAL_INFORMATION_NL_INDUSTRY_QUARTILE_ANALYSIS_DAY_SALES_OUTSTANDING_UPPER 147, 163	ADDITIONAL_INFORMATION_NL_LETTERS_OF_LIABILITY_INFORMATION_403_LETTERS_OF_LIABILITY_2ND_PARENT_ITEM_START_DATE 147
ADDITIONAL_INFORMATION_NL_INDUSTRY_QUARTILE_ANALYSIS_PAYMENT_EXPECTATION_DAYS_LOWER 147, 163	ADDITIONAL_INFORMATION_NL_LETTERS_OF_LIABILITY_INFORMATION_403_LETTERS_OF_LIABILITY_2ND_PARENT_ITEM_START_DATE 147
ADDITIONAL_INFORMATION_NL_INDUSTRY_QUARTILE_ANALYSIS_PAYMENT_EXPECTATION_DAYS_MEDIAN 147, 163	ADDITIONAL_INFORMATION_NL_LETTERS_OF_LIABILITY_INFORMATION_403_LETTERS_OF_LIABILITY_2ND_PARENT_ITEM_START_DATE 147
ADDITIONAL_INFORMATION_NL_INDUSTRY_QUARTILE_ANALYSIS_PAYMENT_EXPECTATION_DAYS_UPPER 147, 163	ADDITIONAL_INFORMATION_NL_LETTERS_OF_LIABILITY_INFORMATION_403_LETTERS_OF_LIABILITY_2ND_PARENT_ITEM_START_DATE 147
ADDITIONAL_INFORMATION_NL_INDUSTRY_COMPARISON_INDUSTRY_AVERAGE_CREDIT_LIMIT 163	ADDITIONAL_INFORMATION_NL_LETTERS_OF_LIABILITY_INFORMATION_403_LETTERS_OF_LIABILITY_2ND_PARENT_ITEM_START_DATE 147
ADDITIONAL_INFORMATION_NL_INDUSTRY_COMPARISON_INDUSTRY_AVERAGE_CREDIT_RATING 163	ADDITIONAL_INFORMATION_NL_LETTERS_OF_LIABILITY_INFORMATION_403_LETTERS_OF_LIABILITY_2ND_PARENT_ITEM_START_DATE 147
ADDITIONAL_INFORMATION_NL_KVK_FILINGS_ITEM_DATE 163	ADDITIONAL_INFORMATION_NL_LETTERS_OF_LIABILITY_INFORMATION_403_LETTERS_OF_LIABILITY_2ND_PARENT_ITEM_START_DATE 147
ADDITIONAL_INFORMATION_NL_KVK_FILINGS_ITEM_EVENT 163	ADDITIONAL_INFORMATION_NL_LETTERS_OF_LIABILITY_INFORMATION_403_LETTERS_OF_LIABILITY_2ND_PARENT_ITEM_START_DATE 147
ADDITIONAL_INFORMATION_NL_LETTERS_OF_LIABILITY_INFORMATION_403_COMPANY_NAME 147	ADDITIONAL_INFORMATION_NL_LETTERS_OF_LIABILITY_INFORMATION_403_LETTERS_OF_LIABILITY_2ND_PARENT_ITEM_START_DATE 147
ADDITIONAL_INFORMATION_NL_LETTERS_OF_LIABILITY_INFORMATION_403_COMPANY_NUMBER 147	ADDITIONAL_INFORMATION_NL_LETTERS_OF_LIABILITY_INFORMATION_403_LETTERS_OF_LIABILITY_2ND_PARENT_ITEM_START_DATE 147

ADDITIONAL_INFORMATION_NL_LETTERS_OF_LIABILITY_INFORMATION403_ITEM_LETTER_OF_LIABILITY1_START_DATE 163
 ADDITIONAL_INFORMATION_NL_LETTERS_OF_LIABILITY_INFORMATION403_ITEM_LETTER_OF_LIABILITY1_START_DATE_PARENT2 163
 ADDITIONAL_INFORMATION_NL_LETTERS_OF_LIABILITY_INFORMATION403_ITEM_LETTER_OF_LIABILITY1_SUBMITTED_DATE 163
 ADDITIONAL_INFORMATION_NL_LETTERS_OF_LIABILITY_INFORMATION403_ITEM_LETTER_OF_LIABILITY2_REMOVAL_DATE 163
 ADDITIONAL_INFORMATION_NL_LETTERS_OF_LIABILITY_INFORMATION403_ITEM_LETTER_OF_LIABILITY2_REMOVAL_DATE_PARENT2 163
 ADDITIONAL_INFORMATION_NL_LETTERS_OF_LIABILITY_INFORMATION403_ITEM_LETTER_OF_LIABILITY2_REMOVAL_SUBMITTED 163
 ADDITIONAL_INFORMATION_NL_LETTERS_OF_LIABILITY_INFORMATION403_ITEM_LETTER_OF_LIABILITY2_START_DATE 163
 ADDITIONAL_INFORMATION_NL_LETTERS_OF_LIABILITY_INFORMATION403_ITEM_LETTER_OF_LIABILITY2_START_DATE_PARENT2 163
 ADDITIONAL_INFORMATION_NL_LETTERS_OF_LIABILITY_INFORMATION403_ITEM_LETTER_OF_LIABILITY2_SUBMITTED_DATE 163
 ADDITIONAL_INFORMATION_NL_MISC_CEASING_DATE 147
 ADDITIONAL_INFORMATION_NL_MISC_EXPORTER 147
 ADDITIONAL_INFORMATION_NL_MISC_IMPORTER 147
 ADDITIONAL_INFORMATION_NL_MISCELLANEOUS_BRANCH_NUMBER 163
 ADDITIONAL_INFORMATION_NL_MISCELLANEOUS_DATE_OF_CESSATION_TRADING 163
 ADDITIONAL_INFORMATION_NL_MISCELLANEOUS_DATE_OF_LEGAL_FORM 163
 ADDITIONAL_INFORMATION_NL_MISCELLANEOUS_EXPORTER 163
 ADDITIONAL_INFORMATION_NL_MISCELLANEOUS_IMPORTER 163
 ADDITIONAL_INFORMATION_NL_MISCELLANEOUS_NEGATIVE_RATING 163
 ADDITIONAL_INFORMATION_NL_MISCELLANEOUS_ADDRESIN_NUMBER 163
 ADDITIONAL_INFORMATION_NL_NEGATIVE_INFORMATION_COURT_DATA_FACTS_COURT_ACTION 147
 ADDITIONAL_INFORMATION_NL_NEGATIVE_INFORMATION_COURT_DATA_FACTS_DATE_OF_BANKRUPTCY 147
 ADDITIONAL_INFORMATION_NL_NEGATIVE_INFORMATION_COURT_DATA_RECEIVER_DETAILS_ADDRES 147
 ADDITIONAL_INFORMATION_NL_NEGATIVE_INFORMATION_COURT_DATA_RECEIVER_DETAILS_NAME 147
 ADDITIONAL_INFORMATION_NL_PAYMENT_EXPECTATIONS_SUMMARY_DAY_SALES_OUTSTANDING 147, 163
 ADDITIONAL_INFORMATION_NL_PAYMENT_EXPECTATIONS_SUMMARY_INDUSTRY_AVERAGE_DAY_SALES_OUTSTANDING 147, 163
 ADDITIONAL_INFORMATION_NL_PAYMENT_EXPECTATIONS_SUMMARY_INDUSTRY_AVERAGE_PAYMENT_EXPECTATION_DAYS 147, 163
 ADDITIONAL_INFORMATION_NL_PAYMENT_EXPECTATIONS_SUMMARY_PAYMENT_EXPECTATION_DAYS 147, 163
 ADDITIONAL_INFORMATION_NL_PAYMENT_EXPECTATIONS_SUMMARY_SUSPENSION_OF_PAYMENT_MORA 147, 163
 ADDRESS 7, 11, 12, 15, 30, 35, 41, 43, 191, 203, 207, 209, 222, 1169, 1171, 1173, 1181, 1183
 Address City 194
 Address Country 194
 Address Full Address 194
 Address House Number 194
 Address Item 195, 204
 Address Postal Code 194
 Address Street 194
 Address Telephone 194
 ADDRESS_CITY 194
 ADDRESS_COUNTRY 194
 ADDRESS_FULL_ADDRESS 194
 ADDRESS_HOUSE_NUMBER 194
 ADDRESS_ITEM 195, 204
 address_match_type 191
 ADDRESS_POSTAL_CODE 194
 ADDRESS_SCORE 1142
 ADDRESS_STREET 194
 ADDRESS_TELEPHONE 194
 addressCityListNeighborhoods 16
 addressCitySearchV2 17
 addressDistrictListCities 18

addressDistrictListNeighborhoods	19	AIRBAG_HOOFDVOOR_PAKKET	102
addressDistrictSearch	20	AIRBAG_HOOFDVOOR_PRIJS	102
ADDRESSES_ITEM_ADDRESS_LINES	140, 142	AIRBAG_HOOFDVOOR_STANDAARD	102
ADDRESSES_ITEM_CITY	140, 142	AIRBAG_HOOFDVOOR_STANDAARD_SINDS_DATUM	102
ADDRESSES_ITEM_COUNTRY	140, 142	AIRBAG_OPZIJACHTER_PAKKET	102
ADDRESSES_ITEM_COUNTY	140, 142	AIRBAG_OPZIJACHTER_PRIJS	102
ADDRESSES_ITEM_POSTAL_CODE	140, 142	AIRBAG_OPZIJACHTER_STANDAARD	102
addressNeighborhoodName	21	AIRBAG_OPZIJACHTER_STANDAARD_SINDS_DATUM	102
addressNeighborhoodPhraseSearch	22	AIRBAG_OPZIJVOOR_PAKKET	102
addressPerceelFullParameterSearch	23	AIRBAG_OPZIJVOOR_PRIJS	102
addressPerceelFullParameterSearchV2	25	AIRBAG_OPZIJVOOR_STANDAARD	102
addressPerceelParameterSearch	27	AIRBAG_OPZIJVOOR_STANDAARD_SINDS_DATUM	102
addressPerceelPhraseSearch	30	AIRBAG_PASSAGIER_PAKKET	102
addressProvinceList	32	AIRBAG_PASSAGIER_PRIJS	102
addressProvinceListDistricts	33	AIRBAG_PASSAGIER_STANDAARD	102
addressProvinceListNeighborhoods	34	AIRBAG_PASSAGIER_STANDAARD_SINDS_DATUM	102
addressProvinceSearch	35	AIRCONDITIONING_PAKKET	102
addressReeksAddressSearch	35	AIRCONDITIONING_PRIJS	102
addressReeksFullParameterSearch	37	AIRCONDITIONING_STANDAARD	102
addressReeksParameterSearch	39	AIRCONDITIONING_STANDAARD_SINDS_DATUM	102
addressReeksPhraseSearch	41	ALARM_ALARM_CODE	411, 412, 446, 449, 454
addressReeksPostcodeSearch	43	ALARM_ALARM_TEXT	411, 412, 446, 449, 454
addresstype	23, 25, 37	ALGEMENE_GARANTIE	102
AFBEELDINGEN_ITEM	572, 578	ALGEMENE_GARANTIE_KM	102
AFFECTED_COMPANIES_ITEM_ADDRESSES_ADDRESS	455	ALIASES_ITEM	140, 142
AFFECTED_COMPANIES_ITEM_ADDRESSES_HIDDEN	455	allow_caching	243, 244, 1115
AFFECTED_COMPANIES_ITEM_COC_NUMBER	455	analysis-enforce-row-uniqueness	2
AFFECTED_COMPANIES_ITEM_COC_REGISTERED_CITY	455	Annual Financial Statement Summary Assets Amount	233, 237
AFFECTED_COMPANIES_ITEM_IS_FORMER	455	Annual Financial Statement Summary Assets Currency	233, 237
AFFECTED_COMPANIES_ITEM_TRADE_NAME	455	Annual Financial Statement Summary Assets Formatted	233, 237
AFSTANDBEDIENING_DEURVERGRENDELING_PAKKET	102	Annual Sales Consolidated	204
AFSTANDBEDIENING_DEURVERGRENDELING_PAKKET_JS	102	Annual Sales Currency	204
AFSTANDBEDIENING_DEURVERGRENDELING_STANDAARD	102	Annual Sales Estimated	204
AFSTANDBEDIENING_DEURVERGRENDELING_STANDAARD_SINDS_DATUM	102	Annual Sales Value	204
AIRBAG_BESTUURDER_PAKKET	102	ANNUAL_FINANCIAL_STATEMENT_SUMMARY_ASSETS_AMOUNT	233, 237
AIRBAG_BESTUURDER_PRIJS	102	ANNUAL_FINANCIAL_STATEMENT_SUMMARY_ASSETS_CURRENCY	233, 237
AIRBAG_BESTUURDER_STANDAARD	102	ANNUAL_FINANCIAL_STATEMENT_SUMMARY_ASSETS_FORMATTED	233, 237
AIRBAG_BESTUURDER_STANDAARD_SINDS_DATUM	102	ANNUAL_FINANCIAL_STATEMENT_SUMMARY_ASSETS_AMOUNT_CURRENCY	233, 237
AIRBAG_HOOFDACHTER_PAKKET	102	ANNUAL_FINANCIAL_STATEMENT_SUMMARY_PR_OFIT_AMOUNT	233, 237
AIRBAG_HOOFDACHTER_PRIJS	102	ANNUAL_FINANCIAL_STATEMENT_SUMMARY_PR_OFIT_CURRENCY	233, 237
AIRBAG_HOOFDACHTER_STANDAARD	102		
AIRBAG_HOOFDACHTER_STANDAARD_SINDS_DATUM	102		

ANNUAL_FINANCIAL_STATEMENT_SUMMARY_PERIOD_FORMATTED 233, 237
 ANNUAL_FINANCIAL_STATEMENT_SUMMARY_TURN_NOVER_AMOUNT 233, 237
 ANNUAL_FINANCIAL_STATEMENT_SUMMARY_TURN_NOVER_CURRENCY 233, 237
 ANNUAL_FINANCIAL_STATEMENT_SUMMARY_TURN_NOVER_FORMATTED 233, 237
 ANNUAL_FINANCIAL_STATEMENT_SUMMARY_YEAR 233, 237
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_ACCOUNT_DATE_DAY 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_ACCOUNT_DATE_MONTH 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_ACCOUNT_DATE_YEAR 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_ADDED_VALUE 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_TYPE 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_CURRENT_ASSETS 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_CURRENT_RATIO 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_EQUITY 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_ACCRUED_CHARGES_DEFERRED_INCOME 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_ACCUMULATED_PROFITS_LOSSES 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_ADDED_VALUE 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_ADVANCE_PAYMENTS_PURCHASES_STOCKS 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_AMOUNTS_PAYABLE 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_AMOUNTS_PAYABLE_MORE_ONE_YEAR 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_AMOUNTS_PAYABLE_WITHIN_ONE_YEAR 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_AMOUNTS_RECEIVABLE_MORE_ONE_YEAR 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_AMOUNTS_RECEIVABLE_WITHIN_ONE_YEAR 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_AMOUNTS_WRITTEN_DOWN_CURRENT_ASSETS 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_AMOUNTS_WRITTEN_DOWN_FIXED_ASSETS 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_AMOUNTS_WRITTEN_DOWN_STOCKS_CONTRACTS_PROGRESS_TRADE_DEBTORS_APPROPRIATIONS_WRITE_BACKS 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_ASSETS 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_CAPITAL 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_CAPITAL_SUBSIDIES_GRANTED_PUBLIC_AUTHORITIES_RECORDED_INCOME_PERIOD 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_CASH_BANK_HAND 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_CHARGES_DISCOUNTING_AMOUNTS_RECEIVABLE 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_CONTRACTS_PROGRESS 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_CONTRIBUTIONS_GIFTS_LEGACIES_GRANTS 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_CURRENT_INVESTMENTS 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_CURRENT_PORTION_AMOUNTS_PAYABLE_MORE_ONE_YEAR_FALLING_DUE_WITHIN_ONE_YEAR 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_CURRENTS_ASSETS 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_DEBT_CHARGES 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_DEFERRED_CHARGES_ACCRUED_INCOME 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_DEPRECIATION_LOAN_ISSUE_EXPENSES_REIMBURSEMENT_PREMIUMS 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_DEPRECIATION_OTHER_AMOUNTS_WRITTEN_DOWN_FORMATION_EXPENSES_INTANGIBLE_TANGIBLE_FIXED_ASSETS 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_EMPLOYEES_RECORDED_PERSONNEL_REGISTER_AVERAGE_NUMBER_EMPLOYEES_CALCULATED_FULL_TIME_EQUIVALENTS 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_EMPLOYEES_RECORDED_PERSONNEL_REGISTER_TOTAL_NUMBER_CLOSING_DATE 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_EQUITY 47

ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_EQUITY_LIABILITIES 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_EXTRAORDINARY_CHARGES 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_EXTRAORDINARY_DEPRECIATION_AMOUNT_WRITTEN_DOWN_ACQUIRED_THIRD_PARTY 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_EXTRAORDINARY_INCOME 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_FINANCIAL_CHARGES 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_FINANCIAL_DEBTS_PAYABLE_WITHIN_ONE_YEAR 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_FINANCIAL_FIXED_ASSETS 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_FINANCIAL_INCOME 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_FIXED_ASSETS 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_FORMATION_EXPENSES 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_FURNITURE_VEHICLES_ACQUISITION_INCLUDING_PRODUCED_FIXED_ASSETS 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_FURNITURE_VEHICLES_DEPRECIATIONS_AMOUNT_WRITTEN_DOWN_ACQUIRED_THIRD_PARTY 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_FURNITURE_VEHICLES_REVALUATION_GAINS_THIRD_PARTIES 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_GAIN_LOSS_PERIOD 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_GROSS_OPERATING_MARGIN 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_HIRED_TEMPORARY_STAFF_COSTS_ENTERPRISE 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_INCOME_TAXES 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_INCOME_TAXES_RESULT_PERIOD 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_INCREASE_DECREASE_STOCKS_WORK_CONTRACTS_PROGRESS 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_INTANGIBLE_FIXED_ASSETS 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_INTEREST_SUBSIDIES_GRANTED_PUBLIC_AUTHORITIES_RECORDED_INCOME_PERIOD 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_INVESTMENTS 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_LAND_BUILDINGS_ACQUISITION_INCLUDING_PRODUCED_FIXED_ASSETS 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_LAND_BUILDINGS_DEPRECIATIONS_AMOUNT_WRITTEN_DOWN_ACQUIRED_THIRD_PARTY 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_LAND_BUILDINGS_REVALUATION_GAINS_THIRD_PARTIES 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_LEASING_OTHER_SIMILAR_RIGHTS_ACQUISITION_INCLUDING_PRODUCED_FIXED_ASSETS 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_LEASING_OTHER_SIMILAR_RIGHTS_DEPRECIATIONS_AMOUNT_WRITTEN_DOWN_ACQUIRED_THIRD_PARTY 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_LEASING_OTHER_SIMILAR_RIGHTS_REVALUATION_GAINS_THIRD_PARTIES 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_LOSSES_DISPOSAL_FIXED_ASSETS 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_NUMBER_EMPLOYEES_PERSONNEL_REGISTER_CLOSING_DATE_FINANCIAL_YEAR_MEN_FULL_TIME 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_NUMBER_EMPLOYEES_PERSONNEL_REGISTER_CLOSING_DATE_FINANCIAL_YEAR_MEN_PART_TIME 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_NUMBER_EMPLOYEES_PERSONNEL_REGISTER_CLOSING_DATE_FINANCIAL_YEAR_WOMEN_FULL_TIME 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_NUMBER_EMPLOYEES_PERSONNEL_REGISTER_CLOSING_DATE_FINANCIAL_YEAR_WOMEN_PART_TIME 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_NUMBER_OF_EMPLOYEES 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_NUMBER_OF_EMPLOYEES_MEN 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_NUMBER_OF_EMPLOYEES_WOMEN 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_OPERATING_CHARGES 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_OPERATING_INCOME 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_OPERATING_PROFIT_LOSS 47

ANNUAL FINANCIAL STATEMENTS_ITEM_FINANCIAL_VALUES_OPERATING_SUBSIDIES_COMPENSATORY AMOUNTS 47

ANNUAL FINANCIAL STATEMENTS_ITEM_FINANCIAL_VALUES_OTHER_OPERATING_INCOME 47

ANNUAL FINANCIAL STATEMENTS_ITEM_FINANCIAL_VALUES_OTHER_TANGIBLE_FIXED_ASSETS_ACQUISITION_INCLUDING_PRODUCED_FIXED_ASSETS 47

ANNUAL FINANCIAL STATEMENTS_ITEM_FINANCIAL_VALUES_OTHER_TANGIBLE_FIXED_ASSETS_DEPRECIATIONS_AMOUNT_WRITTEN_DOWN_ACQUIRED_THIRD_PARTY 47

ANNUAL FINANCIAL STATEMENTS_ITEM_FINANCIAL_VALUES_OTHER_TANGIBLE_FIXED_ASSETS_EVALUATION_GAINS_THIRD_PARTIES 47

ANNUAL FINANCIAL STATEMENTS_ITEM_FINANCIAL_VALUES_OUTSTANDING_TAXES_PAYABLE_TO_TAX_AUTHORITIES 47

ANNUAL FINANCIAL STATEMENTS_ITEM_FINANCIAL_VALUES_OWN_CONSTRUCTION_CAPITALISED 47

ANNUAL FINANCIAL STATEMENTS_ITEM_FINANCIAL_VALUES_PERSONAL_GUARANTEES_PROVIDED_OR_IRREVOCABLY_PROMISED_BY_ENTERPRISE 47

ANNUAL FINANCIAL STATEMENTS_ITEM_FINANCIAL_VALUES_PERSONS_PLACED_ENTERPRISE_DISPOSAL_COSTS_ENTERPRISE 47

ANNUAL FINANCIAL STATEMENTS_ITEM_FINANCIAL_VALUES_PLANT_MACHINERY_EQUIPMENT_ACQUISITION_INCLUDING_PRODUCED_FIXED_ASSETS 47

ANNUAL FINANCIAL STATEMENTS_ITEM_FINANCIAL_VALUES_PLANT_MACHINERY_EQUIPMENT_DEPRECIATIONS_AMOUNT_WRITTEN_DOWN_ACQUIRED_THIRD_PARTY 47

ANNUAL FINANCIAL STATEMENTS_ITEM_FINANCIAL_VALUES_PLANT_MACHINERY_EQUIPMENT_VALUATION_GAINS_THIRD_PARTIES 47

ANNUAL FINANCIAL STATEMENTS_ITEM_FINANCIAL_VALUES_PROVISIONS_DEFERRED_TAXES 47

ANNUAL FINANCIAL STATEMENTS_ITEM_FINANCIAL_VALUES_PROVISIONS_EXTRAORDINARY LIABILITIES_CHARGES_APPROPRIATIONS_USES 47

ANNUAL FINANCIAL STATEMENTS_ITEM_FINANCIAL_VALUES_PROVISIONS_FINANCIAL_NATURE_APPROPRIATIONS 47

ANNUAL FINANCIAL STATEMENTS_ITEM_FINANCIAL_VALUES_PROVISIONS_FINANCIAL_NATURE_SSES_WRITE_BACKS 47

ANNUAL FINANCIAL STATEMENTS_ITEM_FINANCIAL_VALUES_PROVISIONS_PENSIONS_SIMILAR_OBLIGATIONS_APPROPRIATIONS_WRITE_BACKS 47

ANNUAL FINANCIAL STATEMENTS_ITEM_FINANCIAL_VALUES_PROVISIONS_RISKS_CHARGES_APPROPRIATIONS_WRITE_BACKS 47

ANNUAL FINANCIAL STATEMENTS_ITEM_FINANCIAL_VALUES_PURCHASES_RAW_MATERIALS_CONSUMABLES 47

ANNUAL FINANCIAL STATEMENTS_ITEM_FINANCIAL_VALUES_RAW_MATERIALS_CONSUMABLES 47

ANNUAL FINANCIAL STATEMENTS_ITEM_FINANCIAL_VALUES_REMUNERATION_SOCIAL_SECURITY_PENSIONERS 47

ANNUAL FINANCIAL STATEMENTS_ITEM_FINANCIAL_VALUES_REMUNERATION_SOCIAL_SECURITY_RECIPIENT_NATIONAL_SOCIAL_SECURITY_OFFICE 47

ANNUAL FINANCIAL STATEMENTS_ITEM_FINANCIAL_VALUES_RESERVES 47

ANNUAL FINANCIAL STATEMENTS_ITEM_FINANCIAL_VALUES_SERVICES_OTHER_GOODS 47

ANNUAL FINANCIAL STATEMENTS_ITEM_FINANCIAL_VALUES_STOCK_FINISHED_GOODS 47

ANNUAL FINANCIAL STATEMENTS_ITEM_FINANCIAL_VALUES_STOCK_GOODS_PURCHASED_RESALE 47

ANNUAL FINANCIAL STATEMENTS_ITEM_FINANCIAL_VALUES_STOCK_IMMOVABLE_PROPERTY_IN_TENDED_SALE 47

ANNUAL FINANCIAL STATEMENTS_ITEM_FINANCIAL_VALUES_STOCK_RAW_MATERIALS_CONSUMABLES 47

ANNUAL FINANCIAL STATEMENTS_ITEM_FINANCIAL_VALUES_STOCK_WORK_PROGRESS 47

ANNUAL FINANCIAL STATEMENTS_ITEM_FINANCIAL_VALUES_STOCKS_CONTRACTS_PROGRESS 47

ANNUAL FINANCIAL STATEMENTS_ITEM_FINANCIAL_VALUES_TANGIBLE_FIXED_ASSETS 47

ANNUAL FINANCIAL STATEMENTS_ITEM_FINANCIAL_VALUES_TANGIBLE_FIXED_ASSETS_ACQUISITION_INCLUDING_PRODUCED_FIXED_ASSETS 47

ANNUAL FINANCIAL STATEMENTS_ITEM_FINANCIAL_VALUES_TANGIBLE_FIXED_ASSETS_DEPRECIATIONS_AMOUNT_WRITTEN_DOWN_ACQUIRED_THIRD_PARTY 47

ANNUAL FINANCIAL STATEMENTS_ITEM_FINANCIAL_VALUES_TANGIBLE_FIXED_ASSETS_REVALUATION_GAINS_THIRD_PARTIES 47

ANNUAL FINANCIAL STATEMENTS_ITEM_FINANCIAL_VALUES_TANGIBLE_FIXED_ASSETS_UNDER_CONSTRUCTION 47

ANNUAL FINANCIAL STATEMENTS_ITEM_FINANCIAL_VALUES_TANGIBLE_FIXED_ASSETS_UNDER_CONSTRUCTION_ADVANCE_PAYMENTS_DEPRECIATIONS 47

ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_TANGIBLE_FIXED_ASSETS_UNDER_CONSTRUCTION_ADVANCE_PAYMENTS_REVALUATION_GAINS_THIRD_PARTIES 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_RATIO_CURRENT_RATIO 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_TRADE_DEBTORS_WITHIN_ONE_YEAR 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_RATIO_DEBT_REPAYMENT 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_TRADE_DEBTS_PAYABLE_WITHIN_ONE_YEAR 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_RATIO_GROSS_OPERATING_SALES_MARGIN 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_TRANSFER_FROM_DEFERRED_TAXES 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_RATIO_IMMEDIATE_LIQUIDITY 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_TRANSFER_TO_DEFERRED_TAXES 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_RATIO_INVESTMENT_RATIO 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_TURNOVER 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_RATIO_INVESTMENTS 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_VALUE_ADDED_TAXES_CHARGED_ENTERPRISE 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_RATIO_LONG_TERM_DEBT_TO_SHORT_TERM_DEBT 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_VALUE_ADDED_TAXES_CHARGED_ENTERPRISE 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_RATIO_NET_ASSETS 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_WRITE_BACK_AMOUNTS_WRITTENDOWN_FINANCIAL_FIXED_ASSETS 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_RATIO_NET_CASH 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_WRITE_BACK_DEPRECIATION_AMOUNTS_WRITTENDOWN_INTANGIBLE_TANGIBLE_FIXED_ASSETS 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_RATIO_NET_CASH_RATIO 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_FINANCIAL_VALUES_WRITE_BACK_PROVISIONS_EXTRAORDINARY_LIABILITIES_CHARGES 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_RATIO_NET_CURRENT_ASSETS 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_GAIN_LOSS_PERIOD 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_RATIO_NET_OPERATING_SALES_MARGIN 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_GROSS_OPERATING_MARGIN 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_RATIO_NET_PROFIT_TO_ADDED_VALUE 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_ID 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_RATIO_NUMBER_DAYS_CUSTOMER_CREDIT 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_NET_CASH 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_RATIO_NUMBER_DAYS_SUPPLIER_CREDIT 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_NUMBER_OF_EMPLOYEES 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_RATIO_OUTSTANDING_TAX_TO_LIABILITIES 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_RATIO_ADDDED_VALUE 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_RATIO_RETURN_ON_EQUITY 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_RATIO_ADDDED_VALUE_PER_EMPLOYEE 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_RATIO_ROTATION_FIXED_ASSETS 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_RATIO_ADDDED_VALUE_TO_OPERATING_INCOME 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_RATIO_SELF_FINANCING_DEGREE 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_RATIO_CASH_FLOW 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_RATIO_TOTAL_ASSETS_TO_TURNOVER 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_RATIO_CASH_FLOW_TO_DEBT 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_RATIO_WRITE_DOWNS_TO_ADDED_VALUE 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_RATIO_CASH_FLOW_TO_LONG_TERM_DEBT 47
 ANNUAL_FINANCIAL_STATEMENTS_ITEM_RETURN_ON_EQUITY 47

ANNUAL_FINANCIAL_STATEMENTS_ITEM_REVISIONS 47
ANNUAL_FINANCIAL_STATEMENTS_ITEM_SELF_FINANCING_DEGREE 47
ANNUAL_FINANCIAL_STATEMENTS_ITEM_SOCIAL_BALANCE_EMPLOYEES_END_OF_YEAR_WORKERS_FTE 47
ANNUAL_FINANCIAL_STATEMENTS_ITEM_SOCIAL_BALANCE_EMPLOYEES_NEW_FTE 47
ANNUAL_FINANCIAL_STATEMENTS_ITEM_SOCIAL_BALANCE_AVERAGE_NUMBER_OF_EMPLOYEES_FTE 47
ANNUAL_FINANCIAL_STATEMENTS_ITEM_SOCIAL_BALANCE_EMPLOYEES_WORKED_HOURS 47
ANNUAL_FINANCIAL_STATEMENTS_ITEM_SOCIAL_BALANCE_EMPLOYEES_CONTRACT_DEFINITE_PERIOD_FTE 47
ANNUAL_FINANCIAL_STATEMENTS_ITEM_SOCIAL_BALANCE_EMPLOYEES_CONTRACT_INDEFINITE_PERIOD_FTE 47
ANNUAL_FINANCIAL_STATEMENTS_ITEM_SOCIAL_BALANCE_HIRED_TEMPORARY_STAFF_COSTS 47
ANNUAL_FINANCIAL_STATEMENTS_ITEM_SOCIAL_BALANCE_HIRED_TEMPORARY_STAFF_FTE 47
ANNUAL_FINANCIAL_STATEMENTS_ITEM_SOCIAL_BALANCE_HIRED_TEMPORARY_STAFF_WORKED_HOURS 47
ANNUAL_FINANCIAL_STATEMENTS_ITEM_SOCIAL_BALANCE_EMPLOYEES_CONTRACT_TERMINATION_ON_DISMISSAL 47
ANNUAL_FINANCIAL_STATEMENTS_ITEM_SOCIAL_BALANCE_EMPLOYEES_CONTRACT_TERMINATION_ON_EARLY_RETIREMENT_FTE 47
ANNUAL_FINANCIAL_STATEMENTS_ITEM_SOCIAL_BALANCE_EMPLOYEES_CONTRACT_TERMINATION_ON_FTE 47
ANNUAL_FINANCIAL_STATEMENTS_ITEM_SOCIAL_BALANCE_EMPLOYEES_CONTRACT_TERMINATION_ON_OTHER_REASON 47
ANNUAL_FINANCIAL_STATEMENTS_ITEM_SOCIAL_BALANCE_EMPLOYEES_CONTRACT_TERMINATION_ON_RETIREMENT_FTE 47
ANNUAL_FINANCIAL_STATEMENTS_ITEM_SOCIAL_BALANCE_EMPLOYEES_END_OF_YEAR 47
ANNUAL_FINANCIAL_STATEMENTS_ITEM_SOCIAL_BALANCE_EMPLOYEES_END_OF_YEAR_MANAGEMENT_FTE 47
ANNUAL_FINANCIAL_STATEMENTS_ITEM_SOCIAL_BALANCE_EMPLOYEES_END_OF_YEAR_MENUTE 47
ANNUAL_FINANCIAL_STATEMENTS_ITEM_SOCIAL_BALANCE_EMPLOYEES_END_OF_YEAR_NONUNIVERSITY_FTE 47
ANNUAL_FINANCIAL_STATEMENTS_ITEM_SOCIAL_BALANCE_EMPLOYEES_END_OF_YEAR_OTHERS_FTE 47
ANNUAL_FINANCIAL_STATEMENTS_ITEM_SOCIAL_BALANCE_EMPLOYEES_END_OF_YEAR_PRIMARY_EDUCATION_FTE 47
ANNUAL_FINANCIAL_STATEMENTS_ITEM_SOCIAL_BALANCE_EMPLOYEES_END_OF_YEAR_SECONDARY_EDUCATION_FTE 47
ANNUAL_FINANCIAL_STATEMENTS_ITEM_SOCIAL_BALANCE_EMPLOYEES_END_OF_YEAR_UNIVERSITY_FTE 47
ANNUAL_FINANCIAL_STATEMENTS_ITEM_SOCIAL_BALANCE_EMPLOYEES_END_OF_YEAR_WOMENS_FTE 47
ANNUAL_FINANCIAL_STATEMENTS_ITEM_SOCIAL_BALANCE_EMPLOYEES_END_OF_YEAR_WORKERS_FTE 47
ANNUAL_FINANCIAL_STATEMENTS_ITEM_SOCIAL_BALANCE_EMPLOYEES_NEW_FTE 47
ANNUAL_FINANCIAL_STATEMENTS_ITEM_SOCIAL_BALANCE_AVERAGE_NUMBER_OF_EMPLOYEES_FTE 47
ANNUAL_FINANCIAL_STATEMENTS_ITEM_SOCIAL_BALANCE_EMPLOYEES_WORKED_HOURS 47
ANNUAL_FINANCIAL_STATEMENTS_ITEM_SOCIAL_BALANCE_HIRED_TEMPORARY_STAFF_COSTS 47
ANNUAL_FINANCIAL_STATEMENTS_ITEM_SOCIAL_BALANCE_HIRED_TEMPORARY_STAFF_FTE 47
ANNUAL_FINANCIAL_STATEMENTS_ITEM_SOCIAL_BALANCE_HIRED_TEMPORARY_STAFF_WORKED_HOURS 47
ANNUAL_FINANCIAL_STATEMENTS_ITEM_SOCIAL_BALANCE_EMPLOYEES_CONTRACT_TERMINATION_ON_DISMISSAL 47
ANNUAL_FINANCIAL_STATEMENTS_ITEM_SOCIAL_BALANCE_EMPLOYEES_CONTRACT_TERMINATION_ON_EARLY_RETIREMENT_FTE 47
ANNUAL_FINANCIAL_STATEMENTS_ITEM_SOCIAL_BALANCE_EMPLOYEES_CONTRACT_TERMINATION_ON_FTE 47
ANNUAL_FINANCIAL_STATEMENTS_ITEM_SOCIAL_BALANCE_EMPLOYEES_CONTRACT_TERMINATION_ON_OTHER_REASON 47
ANNUAL_FINANCIAL_STATEMENTS_ITEM_SOCIAL_BALANCE_EMPLOYEES_CONTRACT_TERMINATION_ON_RETIREMENT_FTE 47
ANNUAL_FINANCIAL_STATEMENTS_ITEM_SOCIAL_BALANCE_EMPLOYEES_END_OF_YEAR 47
ANNUAL_FINANCIAL_STATEMENTS_ITEM_SOCIAL_BALANCE_EMPLOYEES_END_OF_YEAR_MANAGEMENT_FTE 47
ANNUAL_FINANCIAL_STATEMENTS_ITEM_SOCIAL_BALANCE_EMPLOYEES_END_OF_YEAR_MENUTE 47
ANNUAL_FINANCIAL_STATEMENTS_ITEM_SOCIAL_BALANCE_EMPLOYEES_END_OF_YEAR_NONUNIVERSITY_FTE 47
ANNUAL_FINANCIAL_STATEMENTS_ITEM_SOCIAL_BALANCE_EMPLOYEES_END_OF_YEAR_OTHERS_FTE 47
ANNUAL_FINANCIAL_STATEMENTS_ITEM_SOCIAL_BALANCE_EMPLOYEES_END_OF_YEAR_PRIMARY_EDUCATION_FTE 47
ANNUAL_FINANCIAL_STATEMENTS_ITEM_SOCIAL_BALANCE_EMPLOYEES_END_OF_YEAR_SECONDARY_EDUCATION_FTE 47
ANNUAL_FINANCIAL_STATEMENTS_ITEM_SOCIAL_BALANCE_EMPLOYEES_END_OF_YEAR_UNIVERSITY_FTE 47
ANNUAL_FINANCIAL_STATEMENTS_ITEM_TANGIBLE_FIXED_ASSETS 47
ANNUAL_FINANCIAL_STATEMENTS_ITEM_TURNOVER 47
ANNUAL_FINANCIAL_STATEMENTS_ITEM_YEAR 47
ANNUAL_SALES_CONSOLIDATED 204
ANNUAL_SALES_CURRENCY 204
ANNUAL_SALES_ESTIMATED 204
ANNUAL_SALES_VALUE 204
ANNUAL_SALES_VALUE_TEXT 204
APK Due Date 95, 97, 100, 129
APK_DUE_DATE 95, 97, 100, 129
appartementnummer 646, 847, 1043
application 146
areacode 45, 46
areaCodeLookup 45
areaCodePostcodeLookup 46
areaCodeToNeighborhoodcode 46
ATL_CODE 132, 134, 136, 137, 139
AUDIOSTUURBEDIENING_PAKKET 102
AUDIOSTUURBEDIENING_PRIJS 102
AUDIOSTUURBEDIENING_STANDAARD 102
AUDIOSTUURBEDIENING_STANDAARD_SINDS_DATUM 102
Authorized Share Capital 229, 233, 237, 1112
Authorized Share Capital Currency 229, 233, 237, 1112
AUTHORIZED_SHARE_CAPITAL 229, 233, 237, 1112

AUTHORIZED_SHARE_CAPITAL_CURRENCY 229, 233, 237, 1112	BANDENSPANNINGSSENSOR_PAKKET 102
AUTOMATISCH_INSCHAKELENDE_KOPLAMPEN_PAKKET 102	BANDENSPANNINGSSENSOR_PRIJS 102
AUTOMATISCH_INSCHAKELENDE_KOPLAMPEN_PAKKET_RIJS 102	BANDENSPANNINGSSENSOR_STANDAARD 102
AUTOMATISCH_INSCHAKELENDE_KOPLAMPEN_PAKKET_RIJS 102	BANDENSPANNINGSSENSOR_STANDAARD_SINDS_DATUM 102
AUTOMATISCH_INSCHAKELENDE_KOPLAMPEN_PAKKET_RIJS 102	BANK_ACCOUNT_DETAILS_COUNTRY_CODE 1165
AUTOMATISCH_INSCHAKELENDE_KOPLAMPEN_PAKKET_RIJS 102	BANK_ACCOUNT_DETAILS_FOREIGN 1165
AUTOMATISCH_INSCHAKELENDE_KOPLAMPEN_PAKKET_RIJS 102	BANK_ACCOUNT_DETAILS_STATUS 1165
AUTOMATISCH_INSCHAKELENDE_KOPLAMPEN_PAKKET_RIJS 102	BANK_ACCOUNT_HOLDER_JOINT_ACCOUNT 1165
AUTOMATISCH_INSCHAKELENDE_KOPLAMPEN_PAKKET_RIJS 102	BANK_ACCOUNT_HOLDER_MUNICIPALITY 1165
AUTOMATISCH_INSCHAKELENDE_KOPLAMPEN_PAKKET_RIJS 102	BANK_ACCOUNT_HOLDER_NUMBER_OF_ACCOUNT_HOLDERS 1165
AUTOMATISCH_INSCHAKELENDE_KOPLAMPEN_PAKKET_RIJS 102	BANK_ACCOUNT_HOLDER_TYPE 1165
AUTOMATISCH_INSCHAKELENDE_KOPLAMPEN_PAKKET_RIJS 102	BANK_ACCOUNTS_ITEM_BIC 47
AVAILABLE_LANGUAGES_ITEM 191	BANK_ACCOUNTS_ITEM_IBAN 47
AVAILABLE_REPORT_TYPES_ITEM 191	BANK_ACCOUNTS_ITEM_IBAN_VALID 47
AVERAGE_HIGH_CREDIT 197	BANK_ACCOUNTS_ITEM_START_DATE_DAY 47
Awaiting Inspection 100	BANK_ACCOUNTS_ITEM_START_DATE_MONTH 47
AWAITING_INSPECTION 100	BANK_ACCOUNTS_ITEM_START_DATE_YEAR 47
AXLE_INFORMATION_ITEM_INDICATION_BOGIE_LOAD_T 379, 383	BANK_DETAILS_BANK_CODE 1161, 1163
AXLE_INFORMATION_ITEM_INDICATION_DRIVEN_AXLE 379, 383	BANK_DETAILS_BANK_NAME 1161, 1163
AXLE_INFORMATION_ITEM_LOCATION_CODE 379, 383	BANK_DETAILS_BIC 1161, 1163
AXLE_INFORMATION_ITEM_MAX_AXLE_LOAD 379, 383	Basic File Part Class Personnel 69
AXLE_INFORMATION_ITEM_MAX_AXLE_LOAD_TECHNICAL 379, 383	Basic File Part Correspondence City 69
AXLE_INFORMATION_ITEM_NUMBER 379, 383	Basic File Part Correspondence House Number 69
AXLE_INFORMATION_ITEM_ROAD_BEHAVIOR_CODE 379, 383	Basic File Part Correspondence House Number Addition 69
AXLE_INFORMATION_ITEM_ROAD_BEHAVIOR_DESCRIPTION 379, 383	Basic File Part Correspondence Postal Code 69
AXLE_INFORMATION_ITEM_TRACK_WIDTH 379, 383	Basic File Part Correspondence Street Name 69
BALANCE 11, 12, 13, 15, 1170, 1179, 1181	Basic File Part Domain Name 69
Balance Sheet Cash 147, 163	Basic File Part Establishment City 69
Balance Sheet Consolidated Accounts 147, 163	Basic File Part Establishment House Number 69
Balance Sheet Currency 147	Basic File Part Establishment House Number Addition 69
Balance Sheet Finished Goods 147, 163	Basic File Part Establishment Postal Code 69
Balance Sheet Goodwill 147, 163	Basic File Part Establishment Street Name 69
Balance Sheet Investments 147, 163	Basic File Part File Number 69
Balance Sheet Loans to Group 147, 163	Basic File Part Full Tradename 69
Balance Sheet Total Assets 147, 163	Basic File Part Indication Economically Active 69
Balance Sheet Work in Progress 147, 163	Basic File Part Is Bankrupt 69
Balance Threshold 11, 12, 15, 1181	Basic File Part Legal Form Code 69
BALANCETHRESHOLD 7, 11, 12, 15, 1171, 1181	Basic File Part Legal Form Description 69
BANDENMAAT_ACHTER 102	Basic File Part Number of Chamber 69
BANDENMAAT_VOOR 102	Basic File Part Personnel 69
	Basic File Part Previous File Number 69
	Basic File Part Previous Subfile Number 69
	Basic File Part Primary SBI Code 69
	Basic File Part Primary SBI Description 69

Basic File Part Secondary SBI 2 Code	69	BASICDOSSIERPART_CHAMBERNO	69
Basic File Part Secondary SBI 2 Description	69	BASICDOSSIERPART_CLASSPERSONNEL	69
Basic File Part Secondary SBI Code	69	BASICDOSSIERPART_CORRESPONDENCECITY	69
Basic File Part Secondary SBI Description	69	BASICDOSSIERPART_CORRESPONDENCEHOUSE NO	69
Basic File Part Subfile Number	69	BASICDOSSIERPART_CORRESPONDENCEHOUSE NOADDITION	69
Basic File Part Telephone Number	69	BASICDOSSIERPART_CORRESPONDENCEPOSTC ODE	69
Basic File Part Tradename (45 characters)	69	BASICDOSSIERPART_CORRESPONDENCESTREE TNAME	69
BASIC_CAR_DATA_APK_DUE_DATE	123	BASICDOSSIERPART_DOMAINNAME	69
BASIC_CAR_DATA_BRAND	123	BASICDOSSIERPART_DOSSIERNO	69
BASIC_CAR_DATA_CATEGORY	123	BASICDOSSIERPART_ESTABLISHMENTCITY	69
BASIC_CAR_DATA_CO2_EMISSION	123	BASICDOSSIERPART_ESTABLISHMENTHOUSENO	69
BASIC_CAR_DATA_COLORS	123	BASICDOSSIERPART_ESTABLISHMENTHOUSENO ADDITION	69
BASIC_CAR_DATA_CYLINDER_CAPACITY	123	BASICDOSSIERPART_ESTABLISHMENTPOSTCOD E	69
BASIC_CAR_DATA_CYLINDERS	123	BASICDOSSIERPART_ESTABLISHMENTSTREETNA ME	69
BASIC_CAR_DATA_DATE_FIRST_ADMISSION	123	BASICDOSSIERPART_INDICATIONBANKRUPTCY	69
BASIC_CAR_DATA_DATE_FIRST_ISSUING	123	BASICDOSSIERPART_INDICATIONDIP	69
BASIC_CAR_DATA_DATE_LATEST_NAME_REGIST RATION	123	BASICDOSSIERPART_INDICATIONECONOMICALLY ACTIVE	69
BASIC_CAR_DATA_FUEL_TYPE	123	BASICDOSSIERPART_INDICATIONNONMAILING	69
BASIC_CAR_DATA_GROSS_VEHICLE_MASS	123	BASICDOSSIERPART_INDICATIONORGANISATION CODE	69
BASIC_CAR_DATA_LICENSE_PLATE	123	BASICDOSSIERPART_LEGALFORMCODE	69
BASIC_CAR_DATA_MASS_READY	123	BASICDOSSIERPART_LEGALFORMCODETEXT	69
BASIC_CAR_DATA_MAXIMUM_MASS_AXLE BRAK ED	123	BASICDOSSIERPART_PERSONNEL	69
BASIC_CAR_DATA_MAXIMUM_MASS_BRAKED	123	BASICDOSSIERPART_PREVIOUSDOSSIERNO	69
BASIC_CAR_DATA_MAXIMUM_MASS_PAYLOAD	123	BASICDOSSIERPART_PREVIOUSSUBDOSSIERNO	69
BASIC_CAR_DATA_MAXIMUM_MASS_SELF BRAK ED	123	BASICDOSSIERPART_PRIMARYSBICODE	69
BASIC_CAR_DATA_MAXIMUM_MASS_TRAILER BRAK AKED	123	BASICDOSSIERPART_PRIMARYSBICODETEXT	69
BASIC_CAR_DATA_MAXIMUM_MASS_UNBRAKED	123	BASICDOSSIERPART_REGISTERLETTER	69
BASIC_CAR_DATA_MODEL	123	BASICDOSSIERPART_SECONDARYSBICODE1	69
BASIC_CAR_DATA_SEATS	123	BASICDOSSIERPART_SECONDARYSBICODE1TEXT	69
BASIC_CAR_DATA_STANDING_ROOM	123	BASICDOSSIERPART_SECONDARYSBICODE2	69
BASIC_CAR_DATA_UNLADEN_MASS	123	BASICDOSSIERPART_SECONDARYSBICODE2TEXT	69
BASIC_DATA_BODY_STYLE	378, 379, 383	BASICDOSSIERPART_SUBDOSSIERNO	69
BASIC_DATA_BRAND	378, 379, 383	BASICDOSSIERPART_TELEPHONENO	69
BASIC_DATA_BRAND_CODE	378, 379, 383	BASICDOSSIERPART_TRADENAME45	69
BASIC_DATA_CATALOG_PRICE	378, 379, 383		
BASIC_DATA_CATEGORY	378, 379, 383		
BASIC_DATA_COLOR	378, 379, 383		
BASIC_DATA_LICENSE_PLATE	378, 379, 383		
BASIC_DATA_LOCATION_VIN_NUMBER	378, 379, 383		
BASIC_DATA_MODEL	378, 379, 383		
BASIC_DATA_SECONDARY_COLOR	378, 379, 383		
BASIC_DATA_TYPE	378, 379, 383		

BASICDOSSIERPART_TRADENAMEFULL BBAN 1162 BEKERHOUDER_ACHTER_PAKKET 102 BEKERHOUDER_ACHTER_PRIJS 102 BEKERHOUDER_ACHTER_STANDAARD 102 BEKERHOUDER_ACHTER_STANDAARD_SINDS_D ATUM 102 BEKERHOUDER_VOOR_PAKKET 102 BEKERHOUDER_VOOR_PRIJS 102 BEKERHOUDER_VOOR_STANDAARD 102 BEKERHOUDER_VOOR_STANDAARD_SINDS_D ATUM 102 BEKLEDINGSTOF_LEER_PAKKET 102 BEKLEDINGSTOF_LEER_PRIJS 102 BEKLEDINGSTOF_LEER_STANDAARD 102 BEKLEDINGSTOF_LEER_STANDAARD_SINDS_D ATUM 102 BELASTING_MAX 102 BELASTING_MIN 102 belgianBusinessGetDossier 47 BERICHT_AANTEKENINGEN_ITEM_AARD 585, 646, 708, 769, 847, 926 BERICHT_AANTEKENINGEN_ITEM_BESLAGLEGGI NGEN 585, 646, 708, 769, 847, 926 BERICHT_AANTEKENINGEN_ITEM_BETREFT_AAN TEKENINGEN_WKPB 585, 646, 708, 769, 847, 926 BERICHT_AANTEKENINGEN_ITEM_BETREFT_AAN VULLINGEN 585, 646, 708, 769, 847, 926 BERICHT_AANTEKENINGEN_ITEM_BETREFT_AAN D 585, 646, 708, 769, 847, 926 BERICHT_AANTEKENINGEN_ITEM_BETREFT_AAN D_CULTUUR_BEBOUWD 585, 646, 708, 769, 847, 926 BERICHT_AANTEKENINGEN_ITEM_BETREFT_AAN D_CULTUUR_ONBEBOUWD 585, 646, 708, 769, 847, 926 BERICHT_AANTEKENINGEN_ITEM_BETREFT_ADR ESSEN 585, 646, 708, 769, 847, 926 BERICHT_AANTEKENINGEN_ITEM_BETREFT_BEL ST_MET 585, 646, 708, 769, 847, 926 BERICHT_AANTEKENINGEN_ITEM_BETREFT_HIST ORIE_LOGISCH_TIJDSTIP_ONTSTAAN 585, 646, 708, 769, 847, 926 BERICHT_AANTEKENINGEN_ITEM_BETREFT_HIST ORIE_LOGISCH_TIJDSTIP_VERVALLLEN 585, 646, 708, 769, 847, 926 BERICHT_AANTEKENINGEN_ITEM_BETREFT_HIST ORIE_STATUS_HISTORIE 585, 646, 708, 769, 847, 926 BERICHT_AANTEKENINGEN_ITEM_BETREFT_HIST ORIE_TECHNISCH_TIJDSTIP_ONTSTAAN 585, 646, 708, 769, 847, 926	BERICHT_AANTEKENINGEN_ITEM_BETREFT_HIST ORIE_TECHNISCH_TIJDSTIP_VERVALLLEN 585, 646, 708, 769, 847, 926 BERICHT_AANTEKENINGEN_ITEM_BETREFT_HIST ORIE_VOLGNUMMER 585, 646, 708, 769, 847, 926 BERICHT_AANTEKENINGEN_ITEM_BETREFT_IDEN TIFICATIE 585, 646, 708, 769, 847, 926 BERICHT_AANTEKENINGEN_ITEM_BETREFT_INDIC ATIE_GEDEELTELIJK_BEZWAARD_OUD_OBJECT 585, 646, 708, 769, 847, 926 BERICHT_AANTEKENINGEN_ITEM_BETREFT_INDIC ATIE_GESPLITST 585, 646, 708, 769, 847, 926 BERICHT_AANTEKENINGEN_ITEM_BETREFT_INDIC ATIE_TWEEDE_SPLITSING 585, 646, 708, 769, 847, 926 BERICHT_AANTEKENINGEN_ITEM_BETREFT_INDIC ATIE_VOORGENOMEN_AANTEKENING 585, 646, 708, 769, 847, 926 BERICHT_AANTEKENINGEN_ITEM_BETREFT_INDIC ATIE_VOORLOPIGE_AANTEKENING 585, 646, 708, 769, 847, 926 BERICHT_AANTEKENINGEN_ITEM_BETREFT_KAD ASTRALE_AANDUIDING_APPARTEMENTSRECHT_ VOLGNUMMER 585, 646, 708, 769, 847, 926 BERICHT_AANTEKENINGEN_ITEM_BETREFT_KAD ASTRALE_AANDUIDING_KADASTRALE_GEMEENT E 585, 646, 708, 769, 847, 926 BERICHT_AANTEKENINGEN_ITEM_BETREFT_KAD ASTRALE_AANDUIDING_PERCEELNUMMER 585, 646, 708, 769, 847, 926 BERICHT_AANTEKENINGEN_ITEM_BETREFT_KAD ASTRALE_AANDUIDING_SECTIE 585, 646, 708, 769, 847, 926 BERICHT_AANTEKENINGEN_ITEM_BETREFT_KAD ASTRALE_GROOTTE_SOORT_GROOTTE 585, 646, 708, 769, 847, 926 BERICHT_AANTEKENINGEN_ITEM_BETREFT_KAD ASTRALE_GROOTTE_WAARDE 585, 646, 708, 769, 847, 926 BERICHT_AANTEKENINGEN_ITEM_BETREFT_KOO PSOM_BEDRAG_SOM 585, 646, 708, 769, 847, 926 BERICHT_AANTEKENINGEN_ITEM_BETREFT_KOO PSOM_BEDRAG_VALUTA 585, 646, 708, 769, 847, 926 BERICHT_AANTEKENINGEN_ITEM_BETREFT_KOO PSOM_INDICATIE_MEER_OBJECTEN 585, 646, 708, 769, 847, 926 BERICHT_AANTEKENINGEN_ITEM_BETREFT_KOO PSOM_KOOPDATUM 585, 646, 708, 769, 847, 926 BERICHT_AANTEKENINGEN_ITEM_BETREFT_KOO PSOM_KOOPJAAR 585, 646, 708, 769, 847, 926 BERICHT_AANTEKENINGEN_ITEM_BETREFT_OMS CHRIJVING 585, 646, 708, 769, 847, 926
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

BERICHT_AANTEKENINGEN_ITEM_BETREFT_OMBERICHT_AANTEKENINGEN_ITEM_GEBASEERD_
 CHRIJVING_ONDERZOEK_ERFDIENSTBAARHEDEOP_BEDRAG_TRANSACTIES_OM_LEVERING_VAL
 585, 646, 708, 769, 847, 926 UTA 585, 646, 708, 769, 847, 926
 BERICHT_AANTEKENINGEN_ITEM_BETREFT_ONBERICHT_AANTEKENINGEN_ITEM_GEBASEERD_
 STAAN_UIT 585, 646, 708, 769, 847, 926 OP_BEDRAG_VORDERINGSBESLAG_SOM 585,
 BERICHT_AANTEKENINGEN_ITEM_BETREFT_OV646, 708, 769, 847, 926
 RGEAAN_IN 585, 646, 708, 769, 847, 926 BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_
 BERICHT_AANTEKENINGEN_ITEM_BETREFT_PLAOP_BEDRAG_VORDERINGSBESLAG_VALUTA
 TSCOORDINATEN_DESCRIPTION 585, 646, 708, 585, 646, 708, 769, 847, 926
 769, 847, 926 BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_
 BERICHT_AANTEKENINGEN_ITEM_BETREFT_PLAOP_BEDRAG_ZEKERHEIDSSSTELLING_HYPOTHEE
 TSCOORDINATEN_IDENTIFIÉR 585, 646, 708, K_SOM 585, 646, 708, 769, 847, 926
 769, 847, 926 BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_
 BERICHT_AANTEKENINGEN_ITEM_BETREFT_PLAOP_BEDRAG_ZEKERHEIDSSSTELLING_HYPOTHEE
 TSCOORDINATEN_NAME 585, 646, 708, 769, 847, VALUTA 585, 646, 708, 769, 847, 926
 926 BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_
 BERICHT_AANTEKENINGEN_ITEM_BETREFT_PLAOP_IDENTIFICATIE 585, 646, 708, 769, 847, 926
 TSCOORDINATEN_RD_COORDINAAT_X 585, 646, BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_
 708, 769, 847, 926 OP_OMSCHRIJVING_GEKOZEN_WOONPLAATS
 585, 646, 708, 769, 847, 926
 BERICHT_AANTEKENINGEN_ITEM_BETREFT_PLA585, 646, 708, 769, 847, 926
 TSCOORDINATEN_RD_COORDINAAT_Y 585, 646, BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_
 708, 769, 847, 926 OP_OMSCHRIJVING_KADASTRALE_OBJECTEN
 585, 646, 708, 769, 847, 926
 BERICHT_AANTEKENINGEN_ITEM_BETREFT_TEK585, 646, 708, 769, 847, 926
 NINGEN 585, 646, 708, 769, 847, 926 BERICHT_AANTEKENINGEN_ITEM_GEBASEERD_
 BERICHT_AANTEKENINGEN_ITEM_BETREFT_TOEOP_VERMELD_IN 585, 646, 708, 769, 847, 926
 ICHTING_BEWAARDER 585, 646, 708, 769, 847, BERICHT_AANTEKENINGEN_ITEM_HERKAVELING
 926 _BLOKNUMMER 585, 646, 708, 769, 847, 926
 BERICHT_AANTEKENINGEN_ITEM_BETREFT_TOBERICHT_AANTEKENINGEN_ITEM_HYPOTHEKEN
 STANDSDATUM_ONDERZOEK_ERFDIENSTBAARH585, 646, 708, 769, 847, 926
 EDEN 585, 646, 708, 769, 847, 926 BERICHT_AANTEKENINGEN_ITEM_IDENTIFICATIE
 BERICHT_AANTEKENINGEN_ITEM_BETREFT_TY585, 646, 708, 769, 847, 926
 585, 646, 708, 769, 847, 926 BERICHT_AANTEKENINGEN_ITEM_OMSCHRIJVING
 BERICHT_AANTEKENINGEN_ITEM_BETREFT_UIN 585, 646, 708, 769, 847, 926
 585, 646, 708, 769, 847, 926 BERICHT_AANTEKENINGEN_ITEM_TENAAMSTELLI
 BERICHT_AANTEKENINGEN_ITEM_BETREFT_VERINGEN 585, 646, 708, 769, 847, 926
 MELD_IN 585, 646, 708, 769, 847, 926 BERICHT_AANTEKENINGEN_ITEM_VERMELD_IN
 BERICHT_AANTEKENINGEN_ITEM_BETROKKEN, 585, 646, 708, 769, 847, 926
 ERSONEN_NATUURLIJK_PERSONEN 585, 646, BERICHT_ACTUALITEIT_TIJDSTIP_HYPOTHECAIR
 708, 769, 847, 926 585, 646, 708, 769, 847, 926
 BERICHT_AANTEKENINGEN_ITEM_BETROKKEN, BERICHT_ACTUALITEIT_TIJDSTIP_KADASTRAAL
 ERSONEN_NIET_NATUURLIJK_PERSONEN 585, 585, 646, 708, 769, 847, 926
 646, 708, 769, 847, 926 BERICHT_BESLAGLEGGINGEN_ITEM_AANDEEL_I
 BERICHT_AANTEKENINGEN_ITEM_EINDDATUM N_BETROKKEN_RECHT_NOEMER 585, 646, 708
 585, 646, 708, 769, 847, 926 BERICHT_BESLAGLEGGINGEN_ITEM_AANDEEL_I
 BERICHT_AANTEKENINGEN_ITEM_EINDDATUM, N_BETROKKEN_RECHT_TELLER 585, 646, 708
 ECHT 585, 646, 708, 769, 847, 926 BERICHT_BESLAGLEGGINGEN_ITEM_AARD_BESL
 BERICHT_AANTEKENINGEN_ITEM_GEBASEERD, 585, 646, 708
 P_AANVULLING_OP 585, 646, 708, 769, 847, 926 BERICHT_BESLAGLEGGINGEN_ITEM_GEBASEER
 BERICHT_AANTEKENINGEN_ITEM_GEBASEERD, D_OP_AANVULLING_OP 585, 646, 708
 P_AARD 585, 646, 708, 769, 847, 926 BERICHT_BESLAGLEGGINGEN_ITEM_GEBASEER
 BERICHT_AANTEKENINGEN_ITEM_GEBASEERD, D_OP_AARD 585, 646, 708
 P_BEDRAG_TRANSACTIES_OM_LEVERING_SOMBERICHT_BESLAGLEGGINGEN_ITEM_GEBASEER
 585, 646, 708, 769, 847, 926 D_OP_BEDRAG_TRANSACTIES_OM_LEVERING_S
 OM 585, 646, 708

BERICHT_BESLAGLEGGINGEN_ITEM_GEBASEERD_OP_BEDRAG_TRANSACTIES_OM_LEVERING_ALUTA 585, 646, 708	BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_HISTORIE_TECHNISCH_TIJDSTIP_ONTSTAAN 585, 646, 708
BERICHT_BESLAGLEGGINGEN_ITEM_GEBASEERD_OP_BEDRAG_VORDERINGSBESLAG_SOM 585, 646, 708	BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_HISTORIE_TECHNISCH_TIJDSTIP_VERVOLGEN 585, 646, 708
BERICHT_BESLAGLEGGINGEN_ITEM_GEBASEERD_OP_BEDRAG_VORDERINGSBESLAG_VALUTA 585, 646, 708	BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_HISTORIE_VOLGNUMMER 585, 646, 708
BERICHT_BESLAGLEGGINGEN_ITEM_GEBASEERD_OP_BEDRAG_ZEKERHEIDSSTELLING_HYPOTHEEK_SOM 585, 646, 708	BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_IDENTIFICATIE 585, 646, 708
BERICHT_BESLAGLEGGINGEN_ITEM_GEBASEERD_OP_BEDRAG_ZEKERHEIDSSTELLING_HYPOTHEEK_VALUTA 585, 646, 708	BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_INDICATIE_GEDEELTELIJK_BEZWAARDHOUD_OBJECT 585, 646, 708
BERICHT_BESLAGLEGGINGEN_ITEM_GEBASEERD_OP_IDENTIFICATIE 585, 646, 708	BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_INDICATIE_GESPLITST 585, 646, 708
BERICHT_BESLAGLEGGINGEN_ITEM_GEBASEERD_OP_OMSCHRIJVING_GEKOZEN_WOONPLAATS 585, 646, 708	BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_INDICATIE_TWEEDE_SPLITTING 585, 646, 708
BERICHT_BESLAGLEGGINGEN_ITEM_GEBASEERD_OP_OMSCHRIJVING_KADASTRALE_OBJECTEN 585, 646, 708	BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_INDICATIE_VOORGENOMEN_AANTEKENING 585, 646, 708
BERICHT_BESLAGLEGGINGEN_ITEM_GEBASEERD_OP_VERMELD_IN 585, 646, 708	BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_INDICATIE_VOORLOPIGE_AANTEKENING 585, 646, 708
BERICHT_BESLAGLEGGINGEN_ITEM_IDENTIFICATIE 585, 646, 708	BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_APPARTEMENTENRECHT_VOLGNUMMER 585, 646, 708
BERICHT_BESLAGLEGGINGEN_ITEM_OMSCHRIJVING_BETROKKEN_RECHT 585, 646, 708	BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_KADASTRALE_GEMEENTE 585, 646, 708
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_AANVULLINGEN 585, 646, 708	BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_PERCEELNUMMER 585, 646, 708
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_AARD 585, 646, 708	BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_SECTIE 585, 646, 708
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_AARD_CULTUUR_BEBOUWD 585, 646, 708	BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_GROOTTE_SOORT_GROOTTE 585, 646, 708
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_AARD_CULTUUR_ONBEBOUWD 585, 646, 708	BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_KADASTRALE_GROOTTE_WAARDE 585, 646, 708
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_ADRESSEN 585, 646, 708	BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_KOOPSOM_BEDRAG_SOM 585, 646, 708
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_BELAST_MET 585, 646, 708	BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_KOOPSOM_BEDRAG_VALUTA 585, 646, 708
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_HISTORIE_LOGISCH_TIJDSTIP_ONTSTAAN 585, 646, 708	BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_KOOPSOM_INDICATIE_MEER_OBJECTEN 585, 646, 708
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_HISTORIE_LOGISCH_TIJDSTIP_VERVALLEN 585, 646, 708	BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_KOOPSOM_KOOPDATUM 585, 646, 708
BERICHT_BESLAGLEGGINGEN_ITEM_ONROERENDE_ZAAK_HISTORIE_STATUS_HISTORIE 585, 646, 708	

BERICHT_BESLAGLEGGINGEN_ITEM_ONROEREND_585, 646, 708
 DE_ZAAK_KOOPSOM_KOOPJAAR 585, 646, 708
 BERICHT_BESLAGLEGGINGEN_ITEM_ONROEREND_585, 646, 708
 DE_ZAAK_OMSCHRIJVING 585, 646, 708
 BERICHT_BESLAGLEGGINGEN_ITEM_ONROEREND_585, 646, 708
 DE_ZAAK_OMSCHRIJVING_ONDERZOEK_ERFDIENSTBAARHEDEN 585, 646, 708
 BERICHT_BESLAGLEGGINGEN_ITEM_ONROEREND_585, 646, 708
 DE_ZAAK_ONTSTAAN_UIT 585, 646, 708
 BERICHT_BESLAGLEGGINGEN_ITEM_ONROEREND_585, 646, 708
 DE_ZAAK_OVERGEGAAN_IN 585, 646, 708
 BERICHT_BESLAGLEGGINGEN_ITEM_ONROEREND_585, 646, 708
 DE_ZAAK_PLAATSCOORDINATEN_DESCRIPTION 585, 646, 708
 BERICHT_BESLAGLEGGINGEN_ITEM_ONROEREND_585, 646, 708
 DE_ZAAK_PLAATSCOORDINATEN_IDENTIFIEER 585, 646, 708
 BERICHT_BESLAGLEGGINGEN_ITEM_ONROEREND_585, 646, 708
 DE_ZAAK_PLAATSCOORDINATEN_NAME 585, 646, 708
 BERICHT_BESLAGLEGGINGEN_ITEM_ONROEREND_585, 646, 708
 DE_ZAAK_PLAATSCOORDINATEN_RD_COORDINAT 585, 646, 708
 AT_X 585, 646, 708
 BERICHT_BESLAGLEGGINGEN_ITEM_ONROEREND_585, 646, 708
 DE_ZAAK_PLAATSCOORDINATEN_RD_COORDINAT 585, 646, 708
 AT_Y 585, 646, 708
 BERICHT_BESLAGLEGGINGEN_ITEM_ONROEREND_585, 646, 708
 DE_ZAAK_TEKENINGEN 585, 646, 708
 BERICHT_BESLAGLEGGINGEN_ITEM_ONROEREND_585, 646, 708
 DE_ZAAK_TOELICHTING_BEWAARDER 585, 646, 708
 BERICHT_BESLAGLEGGINGEN_ITEM_ONROEREND_585, 646, 708
 DE_ZAAK_TOESTANDSDATUM_ONDERZOEK_ERFDIENSTBAARHEDEN 585, 646, 708
 BERICHT_BESLAGLEGGINGEN_ITEM_ONROEREND_585, 646, 708
 DE_ZAAK_TYPE 585, 646, 708
 BERICHT_BESLAGLEGGINGEN_ITEM_ONROEREND_585, 646, 708
 DE_ZAAK_UIN 585, 646, 708
 BERICHT_BESLAGLEGGINGEN_ITEM_ONROEREND_585, 646, 708
 DE_ZAAK_VERMELD_IN 585, 646, 708
 BERICHT_BESLAGLEGGINGEN_ITEM_PERSONEN_585, 646, 708
 NATUURLIJK_PERSONEN 585, 646, 708
 BERICHT_BESLAGLEGGINGEN_ITEM_PERSONEN_585, 646, 708
 NIET_NATUURLIJK_PERSONEN 585, 646, 708
 BERICHT_BESLAGLEGGINGEN_ITEM_VERMELDING_585, 646, 708
 N 585, 646, 708
 BERICHT_BETREFT_AANTEKENINGEN_WKPB_ITEM_585, 646, 708, 769, 847, 926
 M_DATUM_IN_WERKING 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_AANTEKENINGEN_WKPB_ITEM_585, 646, 708, 769, 847, 926
 M_GEMEENTELIJKE_REGISTRATIE_ID 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_AANTEKENINGEN_WKPB_ITEM_585, 646, 708, 769, 847, 926
 M_NUMMER 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_AANTEKENINGEN_WKPB_ITEM_585, 646, 708, 769, 847, 926
 M_OMSCHRIJVING 585, 646, 708, 769, 847, 926
 M_OMSCHRIJVING_PUBLIEKRECHTELIJKE_BEPELWIKING 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_AANVULLINGEN_ITEM_AANGEBODEN_STUK_AARD 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_AANVULLINGEN_ITEM_AANGEBODEN_STUK_DEEL_EN_NUMMER_DEEL 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_AANVULLINGEN_ITEM_AANGEBODEN_STUK_DEEL_EN_NUMMER_NUMMER 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_AANVULLINGEN_ITEM_AANGEBODEN_STUK_DEEL_EN_NUMMER_REEKS 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_AANVULLINGEN_ITEM_AANGEBODEN_STUK_DEEL_EN_NUMMER_REGISTERCODE 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_AANVULLINGEN_ITEM_AANGEBODEN_STUK_DEEL_EN_NUMMER_SOORT_REGISTER 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_AANVULLINGEN_ITEM_AANGEBODEN_STUK_IDENTIFICATIE 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_AANVULLINGEN_ITEM_AANGEBODEN_STUK_INDICATIE_ALLE_OBJECTEN_BETROKKEN 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_AANVULLINGEN_ITEM_AANGEBODEN_STUK_STATUS_STUK_OR 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_AANVULLINGEN_ITEM_AANGEBODEN_STUK_STUKDELEN 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_AANVULLINGEN_ITEM_AANGEBODEN_STUK_TIJDSTIP_AANBIEDING 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_AANVULLINGEN_ITEM_AANGEBODEN_STUK_TIJDSTIP_ONDERTEKENING 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_AANVULLINGEN_ITEM_AANGEBODEN_STUK_TOELICHTING_BEWAARDER 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_AANVULLINGEN_ITEM_AANGEBODEN_STUK_VERKLARING_BEWAARDER 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_AANVULLINGEN_ITEM_AANGEBODEN_STUK_VERZOEKEN 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_AANVULLINGEN_ITEM_TYPE 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_AARD 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_AARD_CULTUUR_BEBOUWD 585, 646, 708, 769, 847, 926

BERICHT_BETREFT_AARD_CULTUUR_ONBEBOUWING 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_AADRESSEN_ITEM_LOCATIE_INNENLAND_HUISLETTER 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_AADRESSEN_ITEM_LOCATIE_INNENLAND_HUISNUMMER 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_AADRESSEN_ITEM_LOCATIE_INNENLAND_HUISNUMMERTOEOVOEGING 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_AADRESSEN_ITEM_LOCATIE_INNENLAND_IDENTIFICATIE 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_AADRESSEN_ITEM_LOCATIE_INNENLAND_IN_ONDERZOEK 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_AADRESSEN_ITEM_LOCATIE_INNENLAND_POSTCODE 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_AADRESSEN_ITEM_LOCATIE_INNENLAND_STRAATNAAM 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_AADRESSEN_ITEM_LOCATIE_INNENLAND_WOONPLAATS 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_AADRESSEN_ITEM_LOCATIE_UITENLAND_ADRES 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_AADRESSEN_ITEM_LOCATIE_UITENLAND_ADRES_REGELS 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_AADRESSEN_ITEM_LOCATIE_UITENLAND_IDENTIFICATIE 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_AADRESSEN_ITEM_LOCATIE_UITENLAND_LAND 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_AADRESSEN_ITEM_LOCATIE_UITENLAND_REGIO 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_AADRESSEN_ITEM_LOCATIE_UITENLAND_WOONPLAATS 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_AADRESSEN_ITEM_LOCATIE_OSTBUS_IDENTIFICATIE 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_AADRESSEN_ITEM_LOCATIE_OSTBUS_POSTBUS_NUMMER 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_AADRESSEN_ITEM_LOCATIE_OSTBUS_POSTCODE 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_AADRESSEN_ITEM_LOCATIE_OSTBUS_WOONPLAATS 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_BELAST_MET_ITEM_BEDRAG_SOM 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_BELAST_MET_ITEM_BEDRAG_VALUTA 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_BELAST_MET_ITEM_EINDJAAAR 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_HISTORIE_LOGISCH_TIJDSTIP_ONTSTAAN 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_HISTORIE_LOGISCH_TIJDSTIP_VERVALLEN 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_HISTORIE_STATUS_HISTORIE_ONTSTAAN 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_HISTORIE_TECHNISCH_TIJDSTIP_ONTSTAAN 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_HISTORIE_TECHNISCH_TIJDSTIP_IP_VERVALLEN 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_HISTORIE_VOLGNUMMER 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_IDENTIFICATIE 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_INDICATIE_GEDEELTELIJK_BEZWAARD_OUD_OBJECT 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_INDICATIE_GESPLITST 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_INDICATIE_TWEEDE_SPLITSING 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_INDICATIE_VOORGENOMEN_PANTEKENING 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_INDICATIE_VOORLOPIGE_AANPTEKENING 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_KADASTRALE_AANDUIDING_APPARTEMENTSRECHT_VOLGNUMMER 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_KADASTRALE_AANDUIDING_KADASTRALE_GEMEENTE 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_KADASTRALE_AANDUIDING_PERCEELNUMMER 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_KADASTRALE_AANDUIDING_SECTIE 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_KADASTRALE_GROOTTE_SOORT_GROOTTE 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_KADASTRALE_GROOTTE_WAARDE 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_KOOPSOM_BEDRAG_SOM 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_KOOPSOM_BEDRAG_VALUTA 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_KOOPSOM_INDICATIE_MEER_OBJECTEN 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_KOOPSOM_KOOPDATUM 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_KOOPSOM_KOOPJAAR 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_OMSCHRIJVING 585, 646, 708, 769, 847, 926

BERICHT_BETREFT_OMSCHRIJVING_ONDERZOEK_ERFDIENSTBAARHEDEN 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_TOESTANDSDATUM_ONDERZOEK_ERFDIENSTBAARHEDEN 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_ONTSTAAN UIT ITEM AARDBERICHT_BETREFT_TYPE 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_ONTSTAAN UIT ITEM OVERBERICHT_BETREFT_UIN 585, 646, 708, 769, 847, 926
 ANSGROOTTE 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_OVERGEGAAN IN ITEM AARDBERICHT_BETREFT_VERMELD IN ITEM AANVULLING_OP 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_OVERGEGAAN IN ITEM OVERBERICHT_BETREFT_VERMELD IN ITEM AARDANGANGSGROOTTE 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_PLAATSCOORDINATEN_DESCRIPTORBERICHT_BETREFT_VERMELD IN ITEM BEDRAG_TRANSACTIES_OM_LEVERING_SOM 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_PLAATSCOORDINATEN_IDENTIFIER 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_PLAATSCOORDINATEN_NAMBERICHT_BETREFT_VERMELD IN ITEM BEDRAG_TRANSACTIES_OM_LEVERING_VALUTA 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_PLAATSCOORDINATEN_RDOORDINAAT_X 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_PLAATSCOORDINATEN_RDOORDINAAT_Y 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_TEKENINGEN_ITEM_AANVULLING_OP 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_TEKENINGEN_ITEM_AARDBERICHT_BETREFT_VERMELD IN ITEM BEDRAG_ZEKERHEIDSSTELLING_HYPOTHEEK_SOM 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_TEKENINGEN_ITEM_BEDRAG_TRANSACTIES_OM_LEVERING_SOM 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_TEKENINGEN_ITEM_BEDRAG_TRANSACTIES_OM_LEVERING_VALUTA 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_TEKENINGEN_ITEM_BEDRAG_VORDERINGSBESLAG_SOM 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_TEKENINGEN_ITEM_BEDRAG_VORDERINGSBESLAG_VALUTA 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_TEKENINGEN_ITEM_OMSCHRIJVING_GEKOZEN_WOONPLAATS 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_TEKENINGEN_ITEM_BEDRAG_VORDERINGSBESLAG_VALUTA 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_TEKENINGEN_ITEM_BEDRAG_ZEKERHEIDSSTELLING_HYPOTHEEK_SOM 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_TEKENINGEN_ITEM_BEDRAG_ZEKERHEIDSSTELLING_HYPOTHEEK_VALUTA 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_TEKENINGEN_ITEM_IDENTIFICATIE 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_TEKENINGEN_ITEM_OMSCHRIJVING_GEKOZEN_WOONPLAATS 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_TEKENINGEN_ITEM_OMSCHRIJVING_KADASTRALE_OBJECTEN 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_TEKENINGEN_ITEM_VERMEBERICHT_BETREFT_ERFPACHTCANON_ITEM_BETREFT_BED_IN 585, 646, 708, 769, 847, 926
 BERICHT_BETREFT_TOELICHTING_BEWAARDERBERICHT_BETREFT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_GEBASEERD_OP 769, 847, 926
 BERICHT_BETREFT_TOELICHTING_BEWAARDERBERICHT_BETREFT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_IDENTIFICATIE 769, 847, 926
 BERICHT_BETREFT_TOELICHTING_BEWAARDERBERICHT_BETREFT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_TYPE 769, 847, 926

BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_PO NVULLINGEN 769, 847, 926
 STLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE 769, 847, 926
 BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_PO SSIER_NUMMER 769, 847, 926
 STLOCATIE_LOCATIE_BUITENLAND_LAND 769, 847, 926
 BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_PO IDENTIFICATIE 769, 847, 926
 BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_PO IDENTIFICATIE_BESCHIKKINGSBEVOEGDHEID 769, 847, 926
 BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_PO STLOCATIE_LOCATIE_BUITENLAND_WOONPLAAT 769, 847, 926
 STLOCATIE_LOCATIE_BINNENLAND_HUISLETTERS 769, 847, 926
 BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_PO STLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE 769, 847, 926
 BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_PO STLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER 769, 847, 926
 TOEVOEGING 769, 847, 926
 BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_PO STLOCATIE_LOCATIE_POSTBUS_POSTCODE 769, 847, 926
 BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_PO STLOCATIE_LOCATIE_POSTBUS_WOONPLAATS 769, 847, 926
 STLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK 769, 847, 926
 BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_PO LICHTSVORM 769, 847, 926
 STLOCATIE_LOCATIE_BINNENLAND_POSTCODE 769, 847, 926
 BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_PO RSI 769, 847, 926
 BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_PO STRAATNAAM 769, 847, 926
 ATUTAIRE_NAAM 769, 847, 926
 BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_PO STLOCATIE_LOCATIE_BINNENLAND_WOONPLAAT 769, 847, 926
 ATUTAIRE_ZETEL 769, 847, 926
 BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_PO VERMELD_IN 769, 847, 926
 STLOCATIE_LOCATIE_BUITENLAND_ADRES 769, 847, 926
 BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_PO WOONLOCATIE_LOCATIE_BINNENLAND_HUISLETTER 769, 847, 926
 BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_PO STLOCATIE_LOCATIE_BUITENLAND_ADRES_REGIO 769, 847, 926
 BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_PO WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER 769, 847, 926

BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKE
 ROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER
 ONLOCATIE_LOCATIE_POSTBUS_POSTCODE
 RTOEVOEGING 769, 847, 926

BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKE
 ROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE
 ONLOCATIE_LOCATIE_POSTBUS_WOONPLAATS
 E 769, 847, 926

BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKE
 ROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK
 ONLOCATIE_LOCATIE_POSTBUS_POSTCODE
 EK 769, 847, 926

BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKE
 ROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_POSTCODE
 ONLOCATIE_LOCATIE_POSTBUS_POSTCODE
 769, 847, 926

BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKE
 ROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM
 ONLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM
 M 769, 847, 926

BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKE
 ROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS
 ONLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS
 S 769, 847, 926

BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKE
 ROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES
 ONLOCATIE_LOCATIE_BUITENLAND_ADRES
 769, 847, 926

BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKE
 ROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES_REGISTRATIE
 ONLOCATIE_LOCATIE_BUITENLAND_ADRES_REGISTRATIE
 ELS 769, 847, 926

BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKE
 ROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE
 ONLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE
 769, 847, 926

BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKE
 ROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_LAND
 ONLOCATIE_LOCATIE_BUITENLAND_LAND
 769, 847, 926

BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKE
 ROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_REGIO
 ONLOCATIE_LOCATIE_BUITENLAND_REGIO
 769, 847, 926

BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKE
 ROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS
 ONLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS
 S 769, 847, 926

BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKE
 ROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE
 ONLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE
 769, 847, 926

BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKE
 ROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMERS
 ONLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMERS
 MER 769, 847, 926

BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKE
 ROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTCODE
 ONLOCATIE_LOCATIE_POSTBUS_POSTCODE
 769, 847, 926

BERICHT_ERFPACHTCANON_ITEM_BETREFT_BETROKKE
 ROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_WOONPLAATS
 ONLOCATIE_LOCATIE_POSTBUS_WOONPLAATS
 769, 847, 926

BERICHT_ERFPACHTCANON_ITEM_BETREFT_IDE
 NOTIFICATIE 769, 847, 926

BERICHT_ERFPACHTCANON_ITEM_BETREFT_INDI
 CATIE_SPLITSING_BETROKKE 769, 847, 926

BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONR
 OERENDE_ZAAK_AANTEKENINGEN_WKPB 769,
 847, 926

BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONR
 OERENDE_ZAAK_AANVULLINGEN 769, 847, 926

BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONR
 OERENDE_ZAAK_AARD 769, 847, 926

BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONR
 OERENDE_ZAAK_AARD_CULTUUR_BEBOUWD
 769, 847, 926

BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONR
 OERENDE_ZAAK_AARD_CULTUUR_ONBEBOUWD
 769, 847, 926

BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONR
 OERENDE_ZAAK_ADRESSEN 769, 847, 926

BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONR
 OERENDE_ZAAK_BELAST_MET 769, 847, 926

BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONR
 OERENDE_ZAAK_HISTORIE_LOGISCH_TIJDSTIP_O
 NTSTAAN 769, 847, 926

BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONR
 OERENDE_ZAAK_HISTORIE_LOGISCH_TIJDSTIP_V
 ERVALLEN 769, 847, 926

BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONR
 OERENDE_ZAAK_HISTORIE_STATUS_HISTORIE
 769, 847, 926

BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONR
 OERENDE_ZAAK_HISTORIE_TECHNISCH_TIJDSTIP
 ONTSTAAN 769, 847, 926

BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONR
 OERENDE_ZAAK_HISTORIE_TECHNISCH_TIJDSTIP
 VERVALLEN 769, 847, 926

BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONR
 OERENDE_ZAAK_HISTORIE_VOLGNUMMER
 769, 847, 926

BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONR
 OERENDE_ZAAK_IDENTIFICATIE 769, 847, 926

BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONR
 OERENDE_ZAAK_INDICATIE_GEDEELTELIJK_BEZ
 WAARD_OUD_OBJECT 769, 847, 926

BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONR
 OERENDE_ZAAK_INDICATIE_GESPLITST 769,
 847, 926

BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_INDICATIE_TWEEDE_SPLITTING 769, 847, 926	BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_PLAATSCOORDINATEN_IDENTIFICATIE ER 769, 847, 926
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_INDICATIE_VOORGENOMEN_AFNEMING NTEKENING 769, 847, 926	BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_PLAATSCOORDINATEN_NAME 769, 847, 926
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_INDICATIE_VOORLOPIGE_AANDEKING EKENING 769, 847, 926	BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_PLAATSCOORDINATEN_RD_COORDINAT_X 769, 847, 926
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_APARTEMENTSRECHT_VOLGNUMMER 769, 847, 926	BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_PLAATSCOORDINATEN_RD_COORDINAT_Y 769, 847, 926
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_KADASTRALE_GEMEENTE 769, 847, 926	BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_TEKENINGEN 769, 847, 926
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_PARCEELNUMMER 769, 847, 926	BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_TOELICHTING_BEWAARDER 769, 847, 926
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_PORCEELNUMMER 769, 847, 926	BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_TOESTANDSDATUM_ONDERZOEK ERDIENSTBAARHEDEN 769, 847, 926
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_KADASTRALE_GROOTTE_SOOTGROOTTE 769, 847, 926	BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_TYPE 769, 847, 926
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_KADASTRALE_GROOTTE_WAARDE 769, 847, 926	BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_UIN 769, 847, 926
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_KOOPSOM_BEDRAG_SOM 769, 847, 926	BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_VERMELD_IN 769, 847, 926
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_KOOPSOM_BEDRAG_VALUTA 769, 847, 926	BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_UIT_GEBASEERD_OP 769, 847, 926
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_KOOPSOM_INDICATIE_MEERBJEKTEN 769, 847, 926	BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_UIT_IDENTIFICATIE 769, 847, 926
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_KOOPSOM_KOOPDATUM 769, 847, 926	BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_UIT_TYPE 769, 847, 926
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_KOOPSOM_KOOPJAAR 769, 847, 926	BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_UIT_VERENIGING_VAN_EIGENAREN_AANVULLINGEN 769, 847, 926
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_OMSCHRIJVING 769, 847, 926	BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_UIT_VERENIGING_VAN_EIGENAREN_DOSIER_NUMMER 769, 847, 926
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_OMSCHRIJVING_ONDERZOEK_ERDIENSTBAARHEDEN 769, 847, 926	BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_UIT_VERENIGING_VAN_EIGENAREN_IDENTIFICATIE 769, 847, 926
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_OMSCHRIJVING_ONDERZOEK_ERDIENSTBAARHEDEN 769, 847, 926	BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_UIT_VERENIGING_VAN_EIGENAREN_INDICATIE_BESCHIKKINGSBEVOEGDHEID 769, 847, 926
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_ONTSTAAN_UIT 769, 847, 926	BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_UIT_VERENIGING_VAN_EIGENAREN_POSITIE_LOCATIE_LOCATIE_BINNENLAND_HUISLETTER 769, 847, 926
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_OVERGEGAAN_IN 769, 847, 926	BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_UIT_VERENIGING_VAN_EIGENAREN_POSITIE_LOCATIE_LOCATIE_BINNENLAND_HUISNUMMER 769, 847, 926
BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONROERENDE_ZAAK_PLAATSCOORDINATEN_DESCRIPTION 769, 847, 926	

BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONSTAAN UIT VERENIGING VAN EIGENAREN_POST
 LOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTLOCATIE_LOCATIE_POSTBUS_POSTCODE 769,
 OEVOEGING 769, 847, 926 847, 926

BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONSTAAN UIT VERENIGING VAN EIGENAREN_POS
 LOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE TLOCATIE_LOCATIE_POSTBUS_WOONPLAATS
 769, 847, 926 769, 847, 926

BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONSTAAN UIT VERENIGING VAN EIGENAREN_REC
 LOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEKTSVORM 769, 847, 926
 769, 847, 926 BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONSTAAN UIT VERENIGING VAN EIGENAREN_RSIN
 STAAN UIT VERENIGING VAN EIGENAREN_POST769, 847, 926

LOCATIE_LOCATIE_BINNENLAND_POSTCODE BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONSTAAN UIT VERENIGING VAN EIGENAREN_STAT
 769, 847, 926 769, 847, 926

BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONSTAAN UIT VERENIGING VAN EIGENAREN_STAT
 LOCATIE_LOCATIE_BINNENLAND_STRAATNAAM STAAN UIT VERENIGING VAN EIGENAREN_STAT
 769, 847, 926 769, 847, 926

BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONSTAAN UIT VERENIGING VAN EIGENAREN_STAT
 LOCATIE_LOCATIE_BINNENLAND_WOONPLAATS MELD_IN 769, 847, 926
 769, 847, 926

BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONSTAAN UIT VERENIGING VAN EIGENAREN_WOO
 STAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISLETTER
 LOCATIE_LOCATIE_BUITENLAND_ADRES 769, 769, 847, 926
 847, 926

BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONSTAAN UIT VERENIGING VAN EIGENAREN_WOO
 STAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER
 LOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS 769, 847, 926
 769, 847, 926

BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONSTAAN UIT VERENIGING VAN EIGENAREN_WOO
 STAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER
 LOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE TOEVOEGING 769, 847, 926
 769, 847, 926

BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONSTAAN UIT VERENIGING VAN EIGENAREN_WOO
 STAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE
 LOCATIE_LOCATIE_BUITENLAND_LAND 769, 769, 847, 926
 847, 926

BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONSTAAN UIT VERENIGING VAN EIGENAREN_WOO
 STAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOE
 LOCATIE_LOCATIE_BUITENLAND_REGIO 769, K 769, 847, 926
 847, 926

BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONSTAAN UIT VERENIGING VAN EIGENAREN_WOO
 STAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_POSTCODE
 LOCATIE_LOCATIE_BUITENLAND_WOONPLAATS769, 847, 926
 769, 847, 926

BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONSTAAN UIT VERENIGING VAN EIGENAREN_WOO
 STAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM
 LOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE 769, 847, 926
 769, 847, 926

BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONSTAAN UIT VERENIGING VAN EIGENAREN_WOO
 STAAN UIT VERENIGING VAN EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS
 LOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMME 769, 847, 926
 R 769, 847, 926

BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE_BUITENLAND_ADRES 769, 847, 926
 BERICHT_ERFPACHTCANON_ITEM_GEBASEERD_OP_BEDRAG_VORDERINGSBESLAG_VALUTA 769, 847, 926
 BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE_BUITENLAND_ADRES_REGISTRASIE 769, 847, 926
 BERICHT_ERFPACHTCANON_ITEM_GEBASEERD_OP_BEDRAG_ZEKERHEIDSTELLING_HYPOTHEEK_SOM 769, 847, 926
 BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE_BUITENLAND_ADRES_REGISTRASIE 769, 847, 926
 BERICHT_ERFPACHTCANON_ITEM_GEBASEERD_OP_BEDRAG_ZEKERHEIDSTELLING_HYPOTHEEK_VALUTA 769, 847, 926
 BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE_BUITENLAND_IDENTIFICATIE 769, 847, 926
 BERICHT_ERFPACHTCANON_ITEM_GEBASEERD_OP_BEDRAG_ZEKERHEIDSTELLING_HYPOTHEEK_OMSCHRIJVING_GEKOZEN_WOONPLAATS 769, 847, 926
 BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE_BUITENLAND_LAND 769, 847, 926
 BERICHT_ERFPACHTCANON_ITEM_GEBASEERD_OP_BEDRAG_ZEKERHEIDSTELLING_HYPOTHEEK_OMSCHRIJVING_KADASTRALE_OBJECTEN 769, 847, 926
 BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE_BUITENLAND_REGIO 769, 847, 926
 BERICHT_ERFPACHTCANON_ITEM_GEBASEERD_OP_BEDRAG_ZEKERHEIDSTELLING_HYPOTHEEK_OMSCHRIJVING_KADASTRALE_OBJECTEN 769, 847, 926
 BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE_BUITENLAND_REGIO 769, 847, 926
 BERICHT_ERFPACHTCANON_ITEM_GEBASEERD_OP_BEDRAG_ZEKERHEIDSTELLING_HYPOTHEEK_OMSCHRIJVING_KADASTRALE_OBJECTEN 769, 847, 926
 BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE_BUITENLAND_WOONPLAATS 769, 847, 926
 BERICHT_ERFPACHTCANON_ITEM_GEBASEERD_OP_BEDRAG_ZEKERHEIDSTELLING_HYPOTHEEK_OMSCHRIJVING_KADASTRALE_OBJECTEN 769, 847, 926
 BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE_POSTBUS_IDENTIFICATIE 769, 847, 926
 BERICHT_ERFPACHTCANON_ITEM_GEBASEERD_OP_BEDRAG_ZEKERHEIDSTELLING_HYPOTHEEK_OMSCHRIJVING_KADASTRALE_OBJECTEN 769, 847, 926
 BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE_POSTBUS_POSTBUS_NUMMER 769, 847, 926
 BERICHT_ERFPACHTCANON_ITEM_GEBASEERD_OP_BEDRAG_ZEKERHEIDSTELLING_HYPOTHEEK_OMSCHRIJVING_KADASTRALE_OBJECTEN 769, 847, 926
 BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE_POSTBUS_POSTCODE 769, 847, 926
 BERICHT_ERFPACHTCANON_ITEM_GEBASEERD_OP_BEDRAG_ZEKERHEIDSTELLING_HYPOTHEEK_OMSCHRIJVING_KADASTRALE_OBJECTEN 769, 847, 926
 BERICHT_ERFPACHTCANON_ITEM_BETREFT_ONTSTAAN UIT VERENIGING VAN EIGENAREN WOONLOCATIE LOCATIE_POSTBUS_WOONPLAATS 769, 847, 926
 BERICHT_ERFPACHTCANON_ITEM_GEBASEERD_OP_BEDRAG_ZEKERHEIDSTELLING_HYPOTHEEK_OMSCHRIJVING_KADASTRALE_OBJECTEN 769, 847, 926
 BERICHT_ERFPACHTCANON_ITEM_EINDDATUM_AFKOOP 769, 847, 926
 BERICHT_HYPOTHEKEN_ITEM_AANDEEL_IN_BETROKKEN_RECHT_NOEMER 585, 646, 708
 BERICHT_ERFPACHTCANON_ITEM_GEBASEERD_OP_AANVULLING_OP 769, 847, 926
 BERICHT_HYPOTHEKEN_ITEM_GEBASEERD_OP_AANDEEL_IN_BETROKKEN_RECHT_TELLER 585, 646, 708
 BERICHT_ERFPACHTCANON_ITEM_GEBASEERD_OP_AARD 769, 847, 926
 BERICHT_HYPOTHEKEN_ITEM_GEBASEERD_OP_AANDEEL_IN_BETROKKEN_RECHT_TELLER 585, 646, 708
 BERICHT_ERFPACHTCANON_ITEM_GEBASEERD_OP_BEDRAG_TRANSACTIES_OM_LEVERING_SOM 769, 847, 926
 BERICHT_HYPOTHEKEN_ITEM_GEBASEERD_OP_AANDEEL_IN_BETROKKEN_RECHT_TELLER 585, 646, 708
 BERICHT_ERFPACHTCANON_ITEM_GEBASEERD_OP_BEDRAG_TRANSACTIES_OM_LEVERING_SOM 769, 847, 926
 BERICHT_HYPOTHEKEN_ITEM_GEBASEERD_OP_AANDEEL_IN_BETROKKEN_RECHT_TELLER 585, 646, 708
 BERICHT_ERFPACHTCANON_ITEM_GEBASEERD_OP_BEDRAG_TRANSACTIES_OM_LEVERING_VALUTA 769, 847, 926
 BERICHT_HYPOTHEKEN_ITEM_GEBASEERD_OP_AANDEEL_IN_BETROKKEN_RECHT_TELLER 585, 646, 708
 BERICHT_ERFPACHTCANON_ITEM_GEBASEERD_OP_BEDRAG_VORDERINGSBESLAG_SOM 769, 847, 926
 BERICHT_HYPOTHEKEN_ITEM_GEBASEERD_OP_AANDEEL_IN_BETROKKEN_RECHT_TELLER 585, 646, 708
 BERICHT_ERFPACHTCANON_ITEM_GEBASEERD_OP_BEDRAG_VORDERINGSBESLAG_SOM 769, 847, 926
 BERICHT_HYPOTHEKEN_ITEM_GEBASEERD_OP_AANDEEL_IN_BETROKKEN_RECHT_TELLER 585, 646, 708
 BERICHT_ERFPACHTCANON_ITEM_GEBASEERD_OP_BEDRAG_VORDERINGSBESLAG_VALUTA 769, 847, 926
 BERICHT_HYPOTHEKEN_ITEM_GEBASEERD_OP_AANDEEL_IN_BETROKKEN_RECHT_TELLER 585, 646, 708

BERICHT_HYPOTHEKEN_ITEM_GEBASEERD_OPBERICHT_HYPOTHEKEN_ITEM_ONROERENDE_ZA
 BEDRAG_ZEKERHEIDSTELLING_HYPOTHEEK_AK_INDICATIE_GEDEELTELIJK_BEZWAARD_OUD_ OM 585, 646, 708 OBJECT 585, 646, 708
 BERICHT_HYPOTHEKEN_ITEM_GEBASEERD_OPBERICHT_HYPOTHEKEN_ITEM_ONROERENDE_ZA
 BEDRAG_ZEKERHEIDSTELLING_HYPOTHEEK_AK_INDICATIE_GESPLITST 585, 646, 708
 ALUTA 585, 646, 708 BERICHT_HYPOTHEKEN_ITEM_ONROERENDE_ZA
 BERICHT_HYPOTHEKEN_ITEM_GEBASEERD_OPBERICHT_HYPOTHEKEN_ITEM_ONROERENDE_ZA
 DENTIFICATIE 585, 646, 708 AK_INDICATIE_TWEEDE_SPLITSING 585, 646, 708
 BERICHT_HYPOTHEKEN_ITEM_GEBASEERD_OPBERICHT_HYPOTHEKEN_ITEM_ONROERENDE_ZA
 OMSCHRIJVING_GEKOZEN_WOONPLAATS 585, 646, 708 AK_INDICATIE_VOORGENOMEN_AANTEKENING
 646, 708 585, 646, 708
 BERICHT_HYPOTHEKEN_ITEM_GEBASEERD_OPBERICHT_HYPOTHEKEN_ITEM_ONROERENDE_ZA
 OMSCHRIJVING_KADASTRALE_OBJECTEN 585, 646, 708 AK_INDICATIE_VOORLOPIGE_AANTEKENING
 646, 708 585, 646, 708
 BERICHT_HYPOTHEKEN_ITEM_GEBASEERD_OPBERICHT_HYPOTHEKEN_ITEM_ONROERENDE_ZA
 VERMELD_IN 585, 646, 708 AK_KADASTRALE_AANDUIDING_APPARTEMENTS
 BERICHT_HYPOTHEKEN_ITEM_IDENTIFICATIE RECHT_VOLGNUMMER 585, 646, 708
 585, 646, 708 BERICHT_HYPOTHEKEN_ITEM_ONROERENDE_ZA
 BERICHT_HYPOTHEKEN_ITEM_OMSCHRIJVING_AK_KADASTRALE_AANDUIDING_KADASTRALE_G
 ETROKKEN_RECHT 585, 646, 708 EMEENTE 585, 646, 708
 BERICHT_HYPOTHEKEN_ITEM_ONROERENDE_ZA BERICHT_HYPOTHEKEN_ITEM_ONROERENDE_ZA
 AK_AANTEKENINGEN_WKPB 585, 646, 708 AK_KADASTRALE_AANDUIDING_PERCEELNUMME
 BERICHT_HYPOTHEKEN_ITEM_ONROERENDE_ZA 585, 646, 708
 AK_AANVULLINGEN 585, 646, 708 BERICHT_HYPOTHEKEN_ITEM_ONROERENDE_ZA
 BERICHT_HYPOTHEKEN_ITEM_ONROERENDE_ZA AK_KADASTRALE_AANDUIDING_SECTIE 585,
 AK_AARD 585, 646, 708 646, 708
 BERICHT_HYPOTHEKEN_ITEM_ONROERENDE_ZA BERICHT_HYPOTHEKEN_ITEM_ONROERENDE_ZA
 AK_AARD_CULTUUR_BEBOUWD 585, 646, 708 AK_KADASTRALE_GROOTTE_SOORT_GROOTTE
 BERICHT_HYPOTHEKEN_ITEM_ONROERENDE_ZA 585, 646, 708
 AK_AARD_CULTUUR_ONBEBOUWD 585, 646, 708 BERICHT_HYPOTHEKEN_ITEM_ONROERENDE_ZA
 708 AK_KADASTRALE_GROOTTE_WAARDE 585,
 646, 708
 BERICHT_HYPOTHEKEN_ITEM_ONROERENDE_ZA BERICHT_HYPOTHEKEN_ITEM_ONROERENDE_ZA
 AK_ADRESSEN 585, 646, 708 AK_KOOPSOM_BEDRAG_SOM 585, 646, 708
 BERICHT_HYPOTHEKEN_ITEM_ONROERENDE_ZA AK_KOOPSOM_BEDRAG_VALUTA 585, 646, 708
 AK_BELAST_MET 585, 646, 708 BERICHT_HYPOTHEKEN_ITEM_ONROERENDE_ZA
 BERICHT_HYPOTHEKEN_ITEM_ONROERENDE_ZA AK_HISTORIE_LOGISCH_TIJDSTIP_ONTSTAAN
 585, 646, 708 AK_KOOPSOM_INDICATIE_MEER_OBJECTEN
 585, 646, 708
 BERICHT_HYPOTHEKEN_ITEM_ONROERENDE_ZA BERICHT_HYPOTHEKEN_ITEM_ONROERENDE_ZA
 AK_HISTORIE_LOGISCH_TIJDSTIP_VERVALLEN 585, 646, 708 AK_KOOPSOM_KOOPDATUM 585, 646, 708
 585, 646, 708
 BERICHT_HYPOTHEKEN_ITEM_ONROERENDE_ZA BERICHT_HYPOTHEKEN_ITEM_ONROERENDE_ZA
 AK_HISTORIE_STATUS_HISTORIE 585, 646, 708 AK_KOOPSOM_KOOPJAAR 585, 646, 708
 BERICHT_HYPOTHEKEN_ITEM_ONROERENDE_ZA BERICHT_HYPOTHEKEN_ITEM_ONROERENDE_ZA
 AK_HISTORIE_TECHNISCH_TIJDSTIP_ONTSTAAN AK_OMSCHRIJVING 585, 646, 708
 585, 646, 708 BERICHT_HYPOTHEKEN_ITEM_ONROERENDE_ZA
 BERICHT_HYPOTHEKEN_ITEM_ONROERENDE_ZA AK_OMSCHRIJVING_ONDERZOEK_ERFDIENSTBA
 AK_HISTORIE_TECHNISCH_TIJDSTIP_VERVALLEN ARHEDEN 585, 646, 708
 585, 646, 708 BERICHT_HYPOTHEKEN_ITEM_ONROERENDE_ZA
 BERICHT_HYPOTHEKEN_ITEM_ONROERENDE_ZA AK_ONTSTAAN UIT 585, 646, 708
 AK_HISTORIE_VOLGNUMMER 585, 646, 708 BERICHT_HYPOTHEKEN_ITEM_ONROERENDE_ZA
 BERICHT_HYPOTHEKEN_ITEM_ONROERENDE_ZA AK_OVERGEGAAN_IN 585, 646, 708
 AK_IDENTIFICATIE 585, 646, 708 BERICHT_HYPOTHEKEN_ITEM_ONROERENDE_ZA
 AK_PLAATSCOORDINATEN_DESCRIPTION 585,
 646, 708

BERICHT_HYPOTHEKEN_ITEM_ONROERENDE_ZAK_PLAATSCOORDINATEN_IDENTIFIE	585, 646, 708	BERICHT_STUKKEN_AANGEBODEN_STUKKEN_IT	585, 646, 708, 769, 847, 926
BERICHT_HYPOTHEKEN_ITEM_ONROERENDE_ZAK_PLAATSCOORDINATEN_NAME	585, 646, 708	BERICHT_STUKKEN_AANGEBODEN_STUKKEN_IT	585, 646, 708, 769, 847, 926
BERICHT_HYPOTHEKEN_ITEM_ONROERENDE_ZAK_PLAATSCOORDINATEN_RD_COORDINAAT_XEM_STATUS_STUK_OR	585, 646, 708	BERICHT_STUKKEN_AANGEBODEN_STUKKEN_IT	585, 646, 708, 769, 847, 926
BERICHT_HYPOTHEKEN_ITEM_ONROERENDE_ZAK_PLAATSCOORDINATEN_RD_COORDINAAT_YEM_STUKDELEN	585, 646, 708	BERICHT_STUKKEN_AANGEBODEN_STUKKEN_IT	585, 646, 708, 769, 847, 926
BERICHT_HYPOTHEKEN_ITEM_ONROERENDE_ZAK_TEKENINGEN	585, 646, 708	BERICHT_STUKKEN_AANGEBODEN_STUKKEN_IT	585, 646, 708, 769, 847, 926
BERICHT_HYPOTHEKEN_ITEM_ONROERENDE_ZAK_TOELICHTING_BEWAARDER	585, 646, 708	BERICHT_STUKKEN_AANGEBODEN_STUKKEN_IT	585, 646, 708, 769, 847, 926
BERICHT_HYPOTHEKEN_ITEM_ONROERENDE_ZAK_TOESTANDSDATUM_ONDERZOEK_ERFDIENSTBAARHEDEN	585, 646, 708	BERICHT_STUKKEN_AANGEBODEN_STUKKEN_IT	585, 646, 708, 769, 847, 926
BERICHT_HYPOTHEKEN_ITEM_ONROERENDE_ZAK_TYPE	585, 646, 708	BERICHT_STUKKEN_AANGEBODEN_STUKKEN_IT	585, 646, 708, 769, 847, 926
BERICHT_HYPOTHEKEN_ITEM_ONROERENDE_ZAK_UIN	585, 646, 708	BERICHT_STUKKEN_AANGEBODEN_STUKKEN_IT	585, 646, 708, 769, 847, 926
BERICHT_HYPOTHEKEN_ITEM_ONROERENDE_ZAK_VERMELD_IN	585, 646, 708	BERICHT_STUKKEN_AANGEBODEN_STUKKEN_IT	585, 646, 708, 769, 847, 926
BERICHT_HYPOTHEKEN_ITEM_PERSONEN_NATUURLIJK_PERSONEN	585, 646, 708	BERICHT_TENAAMSTELLINGEN_ITEM_AANDEEL_NOEMER	769, 847, 926
BERICHT_HYPOTHEKEN_ITEM_PERSONEN_NIETNATUURLIJK_PERSONEN	585, 646, 708	BERICHT_TENAAMSTELLINGEN_ITEM_AANDEEL_TELLER	769, 847, 926
BERICHT_HYPOTHEKEN_ITEM_VERMELD_IN	585, 646, 708	BERICHT_TENAAMSTELLINGEN_ITEM_BETROKKE	769, 847, 926
BERICHT_PRODUCTIENUMMER	585, 646, 708, 769, 847, 926	BERICHT_TENAAMSTELLINGEN_ITEM_BETROKKE	769, 847, 926
BERICHT_SIGNALERING_TIJDSTIP_BESLAGEN	585, 646, 708, 769, 847, 926	BERICHT_TENAAMSTELLINGEN_ITEM_BETROKKE	769, 847, 926
BERICHT_SIGNALERING_TIJDSTIP_HYPOTHECAIR	585, 646, 708, 769, 847, 926	BERICHT_TENAAMSTELLINGEN_ITEM_BETROKKE	769, 847, 926
BERICHT_SIGNALERING_TIJDSTIP_KADASTRAAL	585, 646, 708, 769, 847, 926	BERICHT_TENAAMSTELLINGEN_ITEM_BETROKKE	769, 847, 926
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_IT	585, 646, 708, 769, 847, 926	BERICHT_TENAAMSTELLINGEN_ITEM_BETROKKE	769, 847, 926
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_IT	585, 646, 708, 769, 847, 926	BERICHT_TENAAMSTELLINGEN_ITEM_BURGERLIJ	769, 847, 926
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_IT	585, 646, 708, 769, 847, 926	BERICHT_TENAAMSTELLINGEN_ITEM_GEBASEER	769, 847, 926
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_IT	585, 646, 708, 769, 847, 926	BERICHT_TENAAMSTELLINGEN_ITEM_GELDT_VO	769, 847, 926
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_IT	585, 646, 708, 769, 847, 926	BERICHT_TENAAMSTELLINGEN_ITEM_GELDT_VO	769, 847, 926
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_IT	585, 646, 708, 769, 847, 926	BERICHT_TENAAMSTELLINGEN_ITEM_GELDT_VO	769, 847, 926
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_IT	585, 646, 708, 769, 847, 926	BERICHT_TENAAMSTELLINGEN_ITEM_IDENTIFICA	769, 847, 926
BERICHT_STUKKEN_AANGEBODEN_STUKKEN_IT	585, 646, 708, 769, 847, 926	BERICHT_TENAAMSTELLINGEN_ITEM_OMSCHRIJV	769, 847, 926

BERICHT_TENAAMSTELLINGEN_ITEM_TEN_NAMBERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETR
 _VAN_NATUURLIJK_PERSONEN 769, 847, 926 OKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POS
 BERICHT_TENAAMSTELLINGEN_ITEM_TEN_NAMLOCATIE_LOCATIE_BINNENLAND_POSTCODE
 _VAN_NIET_NATUURLIJK_PERSONEN 769, 847, 926
 926 BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETR
 BERICHT_TENAAMSTELLINGEN_ITEM_VAN_AARDOKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POS
 769, 847, 926 TLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM
 BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BELA 769, 847, 926
 ST_MET 769, 847, 926 BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETR
 BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BEPOKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POS
 RKT_TOT 769, 847, 926 TLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS
 BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BEST 769, 847, 926
 EMT_TOT_GEBASEERD_OP 769, 847, 926 BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETR
 BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BESTOKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POS
 EMT_TOT_HOORT_BIJ 769, 847, 926 TLOCATIE_LOCATIE_BUITENLAND_ADRES 769,
 847, 926
 BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BEST BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETR
 EMT_TOT_IDENTIFICATIE 769, 847, 926 OKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POS
 BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETRTLOCATIE_LOCATIE_BUITENLAND_ADRES_REGEL
 OKKEN_BIJ_GEBASEERD_OP 769, 847, 926 S 769, 847, 926
 BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETRT BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETR
 OKKEN_BIJ_IDENTIFICATIE 769, 847, 926 OKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POS
 BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETRTLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE
 OKKEN_BIJ_TYPE 769, 847, 926 769, 847, 926
 BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETRT BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETR
 OKKEN_BIJ_VERENIGING_VAN_EIGENAREN_AANOKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POS
 VULLINGEN 769, 847, 926 TLOCATIE_LOCATIE_BUITENLAND_LAND 769,
 847, 926
 BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETRT BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETR
 OKKEN_BIJ_VERENIGING_VAN_EIGENAREN_DOSOKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POS
 SIER_NUMMER 769, 847, 926 TLOCATIE_LOCATIE_BUITENLAND_REGIO 769,
 847, 926
 BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETRT BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETR
 OKKEN_BIJ_VERENIGING_VAN_EIGENAREN_IDENOKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POS
 TIFICATIE 769, 847, 926 TLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS
 BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETRTLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS
 OKKEN_BIJ_VERENIGING_VAN_EIGENAREN_INDICATIE_BESCHIKKINGSBEVOEGDHEID 769, 847,
 769, 847, 926
 926 BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETR
 BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETRTOKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POS
 OKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE
 TLOCATIE_LOCATIE_BINNENLAND_HUISLETTER 769, 847, 926
 769, 847, 926 BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETR
 BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETRTOKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POS
 OKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMM
 TLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERER 769, 847, 926
 769, 847, 926 BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETR
 BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETRTOKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POS
 OKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSLOCATIE_LOCATIE_POSTBUS_POSTCODE 769,
 TLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER847, 926
 OEVOEGING 769, 847, 926 BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETR
 BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETRTOKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POS
 OKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSLOCATIE_LOCATIE_POSTBUS_WOONPLAATS
 TLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE 769, 847, 926
 769, 847, 926 BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETR
 BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETRTOKKEN_BIJ_VERENIGING_VAN_EIGENAREN_REC
 OKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSITSVORM 769, 847, 926
 TLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK 769, 847, 926

BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROK- OKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WO 769, 847, 926	BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROK- OKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WO ONLOCATIE_LOCATIE_BUITENLAND_LAND 769, 847, 926
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROK- OKKEN_BIJ_VERENIGING_VAN_EIGENAREN_STA- UTAIRE_NAAM 769, 847, 926	BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROK- OKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WO ONLOCATIE_LOCATIE_BUITENLAND_REGIO 769, 847, 926
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROK- OKKEN_BIJ_VERENIGING_VAN_EIGENAREN_VER- MELD_IN 769, 847, 926	BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROK- OKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WO ONLOCATIE_LOCATIE_BUITENLAND_WOONPLAAT S 769, 847, 926
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROK- OKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WO NLOCATIE_LOCATIE_BINNENLAND_HUISLETTER 769, 847, 926	BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROK- OKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WO ONLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE 769, 847, 926
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROK- OKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WO NLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER 769, 847, 926	BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROK- OKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WO ONLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUM- MER 769, 847, 926
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROK- OKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WO NLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER OEVOEGING 769, 847, 926	BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROK- OKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WO ONLOCATIE_LOCATIE_POSTBUS_POSTCODE 769, 847, 926
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROK- OKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WO NLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE 769, 847, 926	BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROK- OKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WO ONLOCATIE_LOCATIE_POSTBUS_WOONPLAATS 769, 847, 926
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROK- OKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WO NLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK K 769, 847, 926	BERICHT_TENAAMSTELLINGEN_ITEM_VAN_IDENTI- FICATIE 769, 847, 926
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROK- OKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WO NLOCATIE_LOCATIE_BINNENLAND_POSTCODE 769, 847, 926	BERICHT_TENAAMSTELLINGEN_ITEM_VAN_INDIC- ATIE_SPLITSING_BETROKKEN 769, 847, 926
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROK- OKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WO NLOCATIE_LOCATIE_BINNENLAND_POSTCODE 769, 847, 926	BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONRO- PENDE_ZAAK_AANTEKENINGEN_WKPB 769, 847, 926
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROK- OKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WO NLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM 769, 847, 926	BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONRO- PENDE_ZAAK_AANVULLINGEN 769, 847, 926
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROK- OKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WO NLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS 769, 847, 926	BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONRO- PENDE_ZAAK_AARD 769, 847, 926
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROK- OKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WO NLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS 769, 847, 926	BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONRO- PENDE_ZAAK_AARD_CULTUUR_BEBOUWD 769, 847, 926
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROK- OKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WO NLOCATIE_LOCATIE_BUITENLAND_ADRES 847, 926	BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONRO- PENDE_ZAAK_AARD_CULTUUR_ONBEBOUWD 769, 847, 926
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROK- OKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WO NLOCATIE_LOCATIE_BUITENLAND_ADRES_REGE- S 769, 847, 926	BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONRO- PENDE_ZAAK_ADRESSEN 769, 847, 926
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROK- OKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WO NLOCATIE_LOCATIE_BUITENLAND_ADRES_REGE- S 769, 847, 926	BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONRO- PENDE_ZAAK_BELAST_MET 769, 847, 926
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROK- OKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WO NLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE 769, 847, 926	BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONRO- PENDE_ZAAK_HISTORIE_LOGISCH_TIJDSTIP_ON- TSTAAN 769, 847, 926
BERICHT_TENAAMSTELLINGEN_ITEM_VAN_BETROK- OKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WO NLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE 769, 847, 926	BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONRO- PENDE_ZAAK_HISTORIE_LOGISCH_TIJDSTIP_VE- RVALLEN 769, 847, 926

BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_STATUS_HISTORIE 769, 847, 926
 BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_TECHNISCH_TIJDSTIPERENDE_ZAAK_HISTORIE_TECHNISCH_TIJDSTIPERENDE_ZAAK_HISTORIE_TECHNISCH_TIJDSTIPERENDE_ZAAK_HISTORIE_TECHNISCH_TIJDSTIPERENDE_ZAAK_KOOPSOM_INDICATIE_MEER_OBJECTEN 769, 847, 926
 BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_TECHNISCH_TIJDSTIPERENDE_ZAAK_KOOPSOM_KOOPDATUM 769, 847, 926
 BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_TECHNISCH_TIJDSTIPERENDE_ZAAK_KOOPSOM_KOOPJAAR 769, 926
 BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_VOLGNUMMER 769, 847, 926
 BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_OMSCHRIJVING 769, 847, 926
 BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_OMSCHRIJVING_ONDERZOEK_ERENDEN 769, 847, 926
 BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_INDICATIE_GEDEELTELIJK_BEZWAARD_OUD_OBJECT 769, 847, 926
 BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_INDICATIE_GESPLITST 769, 847, 926
 BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_INDICATIE_TWEEDE_SPLITSING 769, 847, 926
 BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_INDICATIE_VOORGENOMEN_AANTENING 769, 847, 926
 BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_INDICATIE_VOORLOPIGE_AANTENING 769, 847, 926
 BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_ARTEMENTSRECHT_VOLGNUMMER 769, 847, 926
 BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_KADASTRALE_GEMEENTE 769, 847, 926
 BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_PERCENTAGE 769, 847, 926
 BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_SEGMENT 769, 847, 926
 BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KADASTRALE_GROOTTE_SOORT_GROOTTE 769, 847, 926
 BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KADASTRALE_GROOTTE_WAARDEN 769, 847, 926
 BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KOOPSOM_BEDRAG_SOM 769, 847, 926
 BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KOOPSOM_BEDRAG_VALUTA 769, 847, 926
 BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KOOPSOM_INDICATIE_MEER_OBJECTEN 769, 847, 926
 BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KOOPSOM_KOOPDATUM 769, 847, 926
 BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KOOPSOM_KOOPJAAR 769, 847, 926
 BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_OMSCHRIJVING 769, 847, 926
 BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_OMSCHRIJVING_ONDERZOEK_ERENDEN 769, 847, 926
 BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_ONTSTAAN_UIT 769, 847, 926
 BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_OVERGEGAAN_IN 769, 847, 926
 BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_PLAATSCOORDINATEN_DESCRIPTIE 769, 847, 926
 BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_PLAATSCOORDINATEN_IDENTIFICATIE 769, 847, 926
 BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_PLAATSCOORDINATEN_NAME 769, 847, 926
 BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_PLAATSCOORDINATEN_RD_COORDINAT_X 769, 847, 926
 BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_PLAATSCOORDINATEN_RD_COORDINAT_Y 769, 847, 926
 BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_TEKENINGEN 769, 847, 926
 BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_TOELICHTING_BEWAARDER 769, 847, 926
 BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_TOESTANDSDATUM_ONDERZOEK_ERENDEN 769, 847, 926
 BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_TYPE 769, 847, 926
 BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_UIN 769, 847, 926
 BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_VERMELD_IN 769, 847, 926
 BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_VAN_UIT_GEBASEERD_OP 769, 847, 926
 BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_VAN_UIT_IDENTIFICATIE 769, 847, 926
 BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_VAN_UIT_TYPE 769, 847, 926

BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTS
 AAN UIT VERENIGING VAN EIGENAREN AANV
 LLINGEN 769, 847, 926

BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTS
 AAN UIT VERENIGING VAN EIGENAREN POSTL
 OCATIE LOCATIE BUITENLAND LAND 769, 847,
 926

BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTS
 R_NUMMER 769, 847, 926

BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTS
 AAN UIT VERENIGING VAN EIGENAREN POSTL
 OCATIE LOCATIE BUITENLAND REGIO 769,
 847, 926

BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTS
 AAN UIT VERENIGING VAN EIGENAREN IDENTIF
 CATIE 769, 847, 926

BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTS
 AAN UIT VERENIGING VAN EIGENAREN POSTL
 OCATIE LOCATIE BUITENLAND WOONPLAATS
 IE BESCHIKKINGSBEVOEGDHEID 769, 847, 926,
 926

BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTS
 AAN UIT VERENIGING VAN EIGENAREN POSTL
 OCATIE LOCATIE BINNENLAND HUISLETTER
 OCATIE LOCATIE POSTBUS IDENTIFICATIE
 769, 847, 926

BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTS
 AAN UIT VERENIGING VAN EIGENAREN POSTL
 OCATIE LOCATIE BINNENLAND HUISNUMMER
 OCATIE LOCATIE POSTBUS POSTBUS_NUMMER
 769, 847, 926

BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTS
 AAN UIT VERENIGING VAN EIGENAREN POSTL
 OCATIE LOCATIE BINNENLAND HUISNUMMERT
 OCATIE LOCATIE POSTBUS POSTCODE 769,
 EVOEGING 769, 847, 926

BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTS
 AAN UIT VERENIGING VAN EIGENAREN POSTL
 OCATIE LOCATIE BINNENLAND IDENTIFICATIE
 OCATIE LOCATIE POSTBUS WOONPLAATS
 769, 847, 926

BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTS
 AAN UIT VERENIGING VAN EIGENAREN POSTL
 OCATIE LOCATIE BINNENLAND IN ONDERZOEKSVORM
 769, 847, 926

BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTS
 AAN UIT VERENIGING VAN EIGENAREN RSIN
 AAN UIT VERENIGING VAN EIGENAREN POSTL
 OCATIE LOCATIE BINNENLAND POSTCODE
 769, 847, 926

BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTS
 AAN UIT VERENIGING VAN EIGENAREN POSTL
 OCATIE LOCATIE BINNENLAND STRAATNAAM
 TAAN UIT VERENIGING VAN EIGENAREN STATU
 TAIRE NAAM 769, 847, 926

BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTS
 AAN UIT VERENIGING VAN EIGENAREN POSTL
 OCATIE LOCATIE BINNENLAND STRAATNAAM
 TAAN UIT VERENIGING VAN EIGENAREN STATU
 TAIRE ZETEL 769, 847, 926

BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTS
 AAN UIT VERENIGING VAN EIGENAREN POSTL
 OCATIE LOCATIE BINNENLAND WOONPLAATS
 ELD_IN 769, 847, 926

BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTS
 AAN UIT VERENIGING VAN EIGENAREN WOON
 AAN UIT VERENIGING VAN EIGENAREN POSTL
 OCATIE LOCATIE BINNENLAND HUISLETTER
 OCATIE LOCATIE BUITENLAND ADRES 769, 769, 847, 926
 847, 926

BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTS
 AAN UIT VERENIGING VAN EIGENAREN WOON
 AAN UIT VERENIGING VAN EIGENAREN POSTL
 OCATIE LOCATIE BINNENLAND HUISNUMMER
 OCATIE LOCATIE BUITENLAND ADRES REGELS
 769, 847, 926

BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTS
 AAN UIT VERENIGING VAN EIGENAREN WOON
 AAN UIT VERENIGING VAN EIGENAREN POSTL
 OCATIE LOCATIE BINNENLAND HUISNUMMERT
 OCATIE LOCATIE BUITENLAND IDENTIFICATIE
 OEVOEGING 769, 847, 926

769, 847, 926

BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAANUIT_VERENIGING_VAN_EIGENAREN_WOONOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE 769, 847, 926

BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAANUIT_VERENIGING_VAN_EIGENAREN_WOONOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE 769, 847, 926

BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAANUIT_VERENIGING_VAN_EIGENAREN_WOONOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK 769, 847, 926

BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAANUIT_VERENIGING_VAN_EIGENAREN_WOONOCATIE_LOCATIE_BINNENLAND_POSTCODE 769, 847, 926

BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAANUIT_VERENIGING_VAN_EIGENAREN_WOONOCATIE_LOCATIE_BINNENLAND_POSTCODE 769, 847, 926

BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAANUIT_VERENIGING_VAN_EIGENAREN_WOONOCATIE_LOCATIE_BINNENLAND_STRAATNAAM 769, 847, 926

BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAANUIT_VERENIGING_VAN_EIGENAREN_WOONOCATIE_LOCATIE_BINNENLAND_WOONPLAATS 769, 847, 926

BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAANUIT_VERENIGING_VAN_EIGENAREN_WOONOCATIE_LOCATIE_BUITENLAND_ADRES 769, 847, 926

BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAANUIT_VERENIGING_VAN_EIGENAREN_WOONOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS 769, 847, 926

BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAANUIT_VERENIGING_VAN_EIGENAREN_WOONOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE 769, 847, 926

BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAANUIT_VERENIGING_VAN_EIGENAREN_WOONOCATIE_LOCATIE_BUITENLAND_LAND 769, 847, 926

BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAANUIT_VERENIGING_VAN_EIGENAREN_WOONOCATIE_LOCATIE_BUITENLAND_REGIO 769, 847, 926

BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAANUIT_VERENIGING_VAN_EIGENAREN_WOONOCATIE_LOCATIE_BUITENLAND_WOONPLAATS 769, 847, 926

BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAANUIT_VERENIGING_VAN_EIGENAREN_WOONOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE 769, 847, 926

BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAANUIT_VERENIGING_VAN_EIGENAREN_WOONOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER 769, 847, 926

BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAANUIT_VERENIGING_VAN_EIGENAREN_WOONOCATIE_LOCATIE_POSTBUS_POSTCODE 769, 847, 926

BERICHT_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAANUIT_VERENIGING_VAN_EIGENAREN_WOONOCATIE_LOCATIE_POSTBUS_WOONPLAATS 769, 847, 926

BERICHT_TENAAMSTELLINGEN_ITEM_VERKLARING_INZAKE_DERDEN_BESCHERMING 769, 847, 926

BERICHT_TENAAMSTELLINGEN_ITEM_VERKREGESITNAMENS_SAMENWERKINGSVERBAND 769, 847, 926

BERICHT_TENAAMSTELLINGEN_ITEM_VERMELDEN 769, 847, 926

BERICHT_TIJDSTIP_SAMENSTELLING_BERICHT 585, 646, 708, 769, 847, 926

BERICHT_ZAKELIJK_RECHTEN_ITEM_AARD 585, 646, 708, 769, 847, 926

BERICHT_ZAKELIJK_RECHTEN_ITEM_BELAST_ME 585, 646, 708, 769, 847, 926

BERICHT_ZAKELIJK_RECHTEN_ITEM_BEPERKT_OT 585, 646, 708, 769, 847, 926

BERICHT_ZAKELIJK_RECHTEN_ITEM_BESTEMT_OT_GEBASEERD_OP 585, 646, 708, 769, 847, 926

BERICHT_ZAKELIJK_RECHTEN_ITEM_BESTEMT_OT_HOORT_BIJ 585, 646, 708, 769, 847, 926

BERICHT_ZAKELIJK_RECHTEN_ITEM_BESTEMT_OT_IDENTIFICATIE 585, 646, 708, 769, 847, 926

BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_GEBASEERD_OP 585, 646, 708, 769, 847, 926

BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_IDENTIFICATIE 585, 646, 708, 769, 847, 926

BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_TYPE 585, 646, 708, 769, 847, 926

BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_AANVULLINGEN 585, 646, 708, 769, 847, 926

BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_DOSSIER_NUMMER 585, 646, 708, 769, 847, 926

BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_IDENTIFICATIE 585, 646, 708, 769, 847, 926

BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_INDICATIE_BESCHIKKINGSBEVOEGDHEID 585, 646, 708, 769, 847, 926

BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISLETTER 585, 646, 708, 769, 847, 926

BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER 585, 646, 708, 769, 847, 926

BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEVOEGING 585, 646, 708, 769, 847, 926

BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTCODE 585, 646, 708, 769, 847, 926

BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE 585, 646, 708, 769, 847, 926

BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_WOONPLAATS 585, 646, 708, 769, 847, 926

BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_RECHTSVOEGING 585, 646, 708, 769, 847, 926

BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_RSIN 585, 646, 708, 769, 847, 926

BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_STATUTAIRE_NAAM 585, 646, 708, 769, 847, 926

BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_STATUTAIRE_ZETEL 585, 646, 708, 769, 847, 926

BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_VERMELDING 585, 646, 708, 769, 847, 926

BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISLETTER 585, 646, 708, 769, 847, 926

BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER 585, 646, 708, 769, 847, 926

BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEVOEGING 585, 646, 708, 769, 847, 926

BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE 585, 646, 708, 769, 847, 926

BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK 585, 646, 708, 769, 847, 926

BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_POSTCODE 585, 646, 708, 769, 847, 926

BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM 585, 646, 708, 769, 847, 926

BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS 585, 646, 708, 769, 847, 926

BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER 585, 646, 708, 769, 847, 926

BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_B
 _BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE
 _LOCATIE_BUITENLAND_ADRES 585, 646, 646, 708, 769, 847, 926
 708, 769, 847, 926
 BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_B
 _BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE
 _LOCATIE_BUITENLAND_ADRES_REGELS 585, 646, 708, 769, 847, 926
 585, 646, 708, 769, 847, 926
 BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_B
 _BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE
 _LOCATIE_BUITENLAND_IDENTIFICATIE 585, 646, 708, 769, 847, 926
 646, 708, 769, 847, 926
 BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_B
 _BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE
 _LOCATIE_BUITENLAND_LAND 585, 646, 708, 769, 847, 926
 769, 847, 926
 BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_B
 _BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE
 _LOCATIE_BUITENLAND_REGIO 585, 646, 708, 769, 847, 926
 708, 769, 847, 926
 BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_B
 _BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE
 _LOCATIE_BUITENLAND_WOONPLAATS 585, 646, 708, 769, 847, 926
 646, 708, 769, 847, 926
 BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_B
 _BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE
 _LOCATIE_POSTBUS_IDENTIFICATIE 585, 646, 708, 769, 847, 926
 646, 708, 769, 847, 926
 BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_B
 _BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE
 _LOCATIE_POSTBUS_POSTBUS_NUMMER 585, 646, 708, 769, 847, 926
 585, 646, 708, 769, 847, 926
 BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_B
 _BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE
 _LOCATIE_POSTBUS_POSTCODE 585, 646, 708, 769, 847, 926
 708, 769, 847, 926
 BERICHT_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_B
 _BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE
 _LOCATIE_POSTBUS_WOONPLAATS 585, 646, 708, 769, 847, 926
 646, 708, 769, 847, 926
 BERICHT_ZAKELIJK_RECHTEN_ITEM_IDENTIFICATIE
 E 585, 646, 708, 769, 847, 926
 585, 646, 708, 769, 847, 926
 BERICHT_ZAKELIJK_RECHTEN_ITEM_INDICATIE_S
 PLITSING_BETROKKEN 585, 646, 708, 769, 847, 926
 585, 646, 708, 769, 847, 926
 BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROEREN
 DE_ZAAK_AANTEKENINGEN_WKPB 585, 646, 708, 769, 847, 926
 585, 646, 708, 769, 847, 926
 BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROEREN
 DE_ZAAK_AANVULLINGEN 585, 646, 708, 769, 847, 926
 585, 646, 708, 769, 847, 926
 BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROEREN
 DE_ZAAK_AARD 585, 646, 708, 769, 847, 926
 585, 646, 708, 769, 847, 926
 BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROEREN
 DE_ZAAK_AARD_CULTUUR_BEBOUWD 585, 646, 708, 769, 847, 926
 585, 646, 708, 769, 847, 926
 BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROEREN
 DE_ZAAK_AARD_CULTUUR_ONBEBOUWD 585, 646, 708, 769, 847, 926
 585, 646, 708, 769, 847, 926
 BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROEREN
 DE_ZAAK_ADRESSEN 585, 646, 708, 769, 847, 926
 585, 646, 708, 769, 847, 926
 BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROEREN
 DE_ZAAK_BELAST_MET 585, 646, 708, 769, 847, 926
 585, 646, 708, 769, 847, 926
 BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROEREN
 DE_ZAAK_HISTORIE_LOGISCH_TIJDSTIP_ONTSTA
 AN 585, 646, 708, 769, 847, 926
 585, 646, 708, 769, 847, 926
 BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROEREN
 DE_ZAAK_HISTORIE_LOGISCH_TIJDSTIP_VERVAL
 LEN 585, 646, 708, 769, 847, 926
 585, 646, 708, 769, 847, 926
 BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROEREN
 DE_ZAAK_HISTORIE_STATUS_HISTORIE 585, 646, 708, 769, 847, 926
 585, 646, 708, 769, 847, 926
 BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROEREN
 DE_ZAAK_HISTORIE_TECHNISCH_TIJDSTIP_ONTST
 AN 585, 646, 708, 769, 847, 926
 585, 646, 708, 769, 847, 926
 BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROEREN
 DE_ZAAK_HISTORIE_TECHNISCH_TIJDSTIP_VERV
 ALLEN 585, 646, 708, 769, 847, 926
 585, 646, 708, 769, 847, 926
 BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROEREN
 DE_ZAAK_HISTORIE_VOLGNUMMER 585, 646, 708, 769, 847, 926
 585, 646, 708, 769, 847, 926
 BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROEREN
 DE_ZAAK_IDENTIFICATIE 585, 646, 708, 769, 847, 926
 585, 646, 708, 769, 847, 926
 BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROEREN
 DE_ZAAK_INDICATIE_GEDEELTELIJK_BEZWAARD
 OUD_OBJECT 585, 646, 708, 769, 847, 926
 585, 646, 708, 769, 847, 926
 BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROEREN
 DE_ZAAK_INDICATIE_GESPLITST 585, 646, 708, 769, 847, 926
 585, 646, 708, 769, 847, 926
 BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROEREN
 DE_ZAAK_INDICATIE_TWEEDE_SPLITSING 585, 646, 708, 769, 847, 926
 585, 646, 708, 769, 847, 926
 BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROEREN
 DE_ZAAK_INDICATIE_VOORGENOMEN_AANTEKE
 NING 585, 646, 708, 769, 847, 926
 585, 646, 708, 769, 847, 926
 BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROEREN
 DE_ZAAK_INDICATIE_VOORLOPIGE_AANTEKENIN
 G 585, 646, 708, 769, 847, 926
 585, 646, 708, 769, 847, 926
 BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROEREN
 DE_ZAAK_KADASTRALE_AANDUIDING_APPARTE
 MENTSRECHT_VOLGNUMMER 585, 646, 708, 769, 847, 926
 585, 646, 708, 769, 847, 926
 BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROEREN
 DE_ZAAK_KADASTRALE_AANDUIDING_KADASTR
 ALE_GEMEENTE 585, 646, 708, 769, 847, 926
 585, 646, 708, 769, 847, 926
 BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROEREN
 DE_ZAAK_KADASTRALE_AANDUIDING_PERCEEL
 NUMMER 585, 646, 708, 769, 847, 926
 585, 646, 708, 769, 847, 926

BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENBERICHT_ZAKELIJK_RECHTEN_ITEM_ONROEREN
 DE_ZAAK_KADASTRALE_AANDUIDING_SECTIE DE_ZAAK_TOELICHTING_BEWAARDER 585, 646,
 585, 646, 708, 769, 847, 926 708, 769, 847, 926
 BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENBERICHT_ZAKELIJK_RECHTEN_ITEM_ONROEREN
 DE_ZAAK_KADASTRALE_GROOTTE_SOORT_GROE DE_ZAAK_TOESTANDSDATUM_ONDERZOEK_ERF
 OTTE 585, 646, 708, 769, 847, 926 DIENSTBAARHEDEN 585, 646, 708, 769, 847, 926
 BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENBERICHT_ZAKELIJK_RECHTEN_ITEM_ONROEREN
 DE_ZAAK_KADASTRALE_GROOTTE_WAARDE DE_ZAAK_TYPE 585, 646, 708, 769, 847, 926
 585, 646, 708, 769, 847, 926 BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROEREN
 BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENDE_ZAAK_UIN 585, 646, 708, 769, 847, 926
 DE_ZAAK_KOOPSOM_BEDRAG_SOM 585, 646BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROEREN
 708, 769, 847, 926 DE_ZAAK_VERMELD_IN 585, 646, 708, 769, 847,
 BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROEREN926
 DE_ZAAK_KOOPSOM_BEDRAG_VALUTA 585, BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_
 646, 708, 769, 847, 926 UIT_GEBASEERD_OP 585, 646, 708, 769, 847,
 BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROEREN926
 DE_ZAAK_KOOPSOM_INDICATIE_MEER_OBJECTBERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_
 N 585, 646, 708, 769, 847, 926 UIT_IDENTIFICATIE 585, 646, 708, 769, 847, 926
 BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENBERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_
 DE_ZAAK_KOOPSOM_KOOPDATUM 585, 646, UIT_TYPE 585, 646, 708, 769, 847, 926
 708, 769, 847, 926 BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_
 BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENUIT_VERENIGING_VAN_EIGENAREN_AANVULLING
 DE_ZAAK_KOOPSOM_KOOPJAAR 585, 646, 708, 769, 847, 926 EN 585, 646, 708, 769, 847, 926
 769, 847, 926 BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_
 BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENUIT_VERENIGING_VAN_EIGENAREN_DOSSIER_NU
 DE_ZAAK_OMSCHRIJVING 585, 646, 708, 769, MMR 585, 646, 708, 769, 847, 926
 847, 926 BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_
 BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENUIT_VERENIGING_VAN_EIGENAREN_IDENTIFICATI
 DE_ZAAK_OMSCHRIJVING_ONDERZOEK_ERFDIEN 585, 646, 708, 769, 847, 926
 STBAARHEDEN 585, 646, 708, 769, 847, 926 BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_
 BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENUIT_VERENIGING_VAN_EIGENAREN_INDICATIE_B
 DE_ZAAK_ONTSTAAN_UIT 585, 646, 708, 769, ESCHIKKINGSBEVOEGDHEID 585, 646, 708, 769,
 847, 926 847, 926
 BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENBERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_
 DE_ZAAK_OVERGEGAAN_IN 585, 646, 708, 769, 926UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATI
 847, 926 E_LOCATIE_BINNENLAND_HUISLETTER 585,
 BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROEREN646, 708, 769, 847, 926
 DE_ZAAK_PLAATSCOORDINATEN_DESCRIPTIONBERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_
 585, 646, 708, 769, 847, 926 UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATI
 BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENE_LOCATIE_BINNENLAND_HUISNUMMER 585,
 DE_ZAAK_PLAATSCOORDINATEN_IDENTIFIEER 646, 708, 769, 847, 926
 585, 646, 708, 769, 847, 926 BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_
 BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENUIT_VERENIGING_VAN_EIGENAREN_POSTLOCATI
 DE_ZAAK_PLAATSCOORDINATEN_NAME 585, E_LOCATIE_BINNENLAND_HUISNUMMERTOEVOE
 646, 708, 769, 847, 926 GING 585, 646, 708, 769, 847, 926
 BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENBERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_
 DE_ZAAK_PLAATSCOORDINATEN_RD_COORDINAIT_VERENIGING_VAN_EIGENAREN_POSTLOCATI
 AT_X 585, 646, 708, 769, 847, 926 E_LOCATIE_BINNENLAND_IDENTIFICATIE 585,
 646, 708, 769, 847, 926
 BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENBERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_
 DE_ZAAK_PLAATSCOORDINATEN_RD_COORDINAIT_VERENIGING_VAN_EIGENAREN_POSTLOCATI
 AT_Y 585, 646, 708, 769, 847, 926 UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATI
 BERICHT_ZAKELIJK_RECHTEN_ITEM_ONROERENE_LOCATIE_BINNENLAND_IN_ONDERZOEK 585,
 DE_ZAAK_TEKENINGEN 585, 646, 708, 769, 847, 926646, 708, 769, 847, 926
 926

BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_POSTCODE 585, 708, 769, 847, 926
 BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_STATUTAIRE_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM 585, 646, 708, 769, 847, 926
 BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS 585, 646, 708, 769, 847, 926
 BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISLETTER 585, 646, 708, 769, 847, 926
 BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER 585, 646, 708, 769, 847, 926
 BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEOVOEGING 585, 646, 708, 769, 847, 926
 BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE 585, 646, 708, 769, 847, 926
 BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK 585, 646, 708, 769, 847, 926
 BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_POSTCODE 585, 646, 708, 769, 847, 926
 BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM 585, 646, 708, 769, 847, 926
 BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS 585, 646, 708, 769, 847, 926
 BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES 585, 646, 708, 769, 847, 926
 BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE 585, 646, 708, 769, 847, 926
 BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_REGIO 585, 646, 708, 769, 847, 926
 BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE 585, 646, 708, 769, 847, 926
 BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMMER 585, 646, 708, 769, 847, 926
 BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_POSTBUS_POSTCODE 585, 646, 708, 769, 847, 926
 BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS 585, 646, 708, 769, 847, 926
 BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE 585, 646, 708, 769, 847, 926

BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAANUIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE	102	BINNENUIT_VERSTELBARE_BUITENSPIEGEL_PAKKET	102
IE_LOCATIE_BUITENLAND_LAND	585, 646, 708, 769, 847, 926	BINNENUIT_VERSTELBARE_BUITENSPIEGEL_PRIJS	102
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAANUIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE	102	BINNENUIT_VERSTELBARE_BUITENSPIEGEL_STANDARDDAARD	102
IE_LOCATIE_BUITENLAND_REGIO	585, 646, 708, 769, 847, 926	BINNENUIT_VERSTELBARE_BUITENSPIEGEL_STANDARDDAARD_SINDS_DATUM	102
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAANUIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE	102	birth_date	223, 387, 460, 1138, 1142
IE_LOCATIE_BUITENLAND_WOONPLAATS	585, 646, 708, 769, 847, 926	BLOB Preferred	1184
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAANUIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE	102	BLOB_PREFERRED	1184
IE_LOCATIE_POSTBUS_IDENTIFICATIE	585, 646, 708, 769, 847, 926	BOARDCOMPUTER_PAKKET	102
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAANUIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE	102	BOARDCOMPUTER_PRIJS	102
IE_LOCATIE_POSTBUS_IDENTIFICATIE	585, 646, 708, 769, 847, 926	BOARDCOMPUTER_STANDAARD	102
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAANUIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE	102	BOARDCOMPUTER_STANDAARD_SINDS_DATUM	102
IE_LOCATIE_POSTBUS_POSTBUS_NUMMER	585, 646, 708, 769, 847, 926	BODIES_ITEM_CODE	123
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAANUIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE	102	BODIES_ITEM_DESCRIPTION	123
IE_LOCATIE_POSTBUS_POSTBUS_NUMMER	585, 646, 708, 769, 847, 926	BODIES_ITEM_ID	123
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAANUIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE	102	Body Style	100, 132, 139
IE_LOCATIE_POSTBUS_POSTCODE	585, 646, 708, 769, 847, 926	BODY_APPROVAL_ITEM_DESCRIPTION	379, 383
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAANUIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE	102	BODY_APPROVAL_ITEM_TYPE_CODE	379, 383
IE_LOCATIE_POSTBUS_POSTCODE	585, 646, 708, 769, 847, 926	BODY_APPROVAL_ITEM_TYPE_ID	379, 383
BERICHT_ZAKELIJK_RECHTEN_ITEM_ONTSTAANUIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE	102	BODY_STYLE	100, 132, 139
IE_LOCATIE_POSTBUS_WOONPLAATS	585, 646, 708, 769, 847, 926	BODY_STYLE_ID	132
BESCHERMSTRIPS_OPZIJ_PAKKET	102	BOL_RESPONSE_CACHE_MAX_AGE_SEC	1184
BESCHERMSTRIPS_OPZIJ_PRIJS	102	BORING	102
BESCHERMSTRIPS_OPZIJ_STANDAARD	102	BOUWJAAR	1135
BESCHERMSTRIPS_OPZIJ_STANDAARD_SINDS_DATUM	102	BOUWWIJZE	102
BETROUWBAARHEID	1135	BOVAG ID	65, 66
BIC	1162	BOVAG_ID	65, 66
BIK Code	77	bovagGetMemberByBovagId	65
BIKCODE	67, 68, 77	bovagGetMemberByDutchBusiness	66
BIKCODES_ITEM_BIKCODE	68	BPM	97, 100, 123, 129
BIKCODES_ITEM_DESCRIPTION	68	BPM Amount	97, 100, 123, 129
BINNENUIT_TE_OPENEN_BAGAGEKLEP_PAKKET	102	BPM_CURRENCY	129
BINNENUIT_TE_OPENEN_BAGAGEKLEP_PRIJS	102	BRAKEASSIST_PAKKET	102
BINNENUIT_TE_OPENEN_BAGAGEKLEP_STANDAARD	102	BRAKEASSIST_PRIJS	102
BINNENUIT_TE_OPENEN_BAGAGEKLEP_STANDAARD_SINDS_DATUM	102	BRAKEASSIST_STANDAARD	102
BINNENUIT_TE_OPENEN_TANKKLEP_PAKKET	102	BRAKEASSIST_STANDAARD_SINDS_DATUM	102
BINNENUIT_TE_OPENEN_TANKKLEP_PRIJS	102	BRAND	93, 95, 97, 100, 376
BINNENUIT_TE_OPENEN_TANKKLEP_STANDAARD	102	Brand Code	100
BINNENUIT_TE_OPENEN_TANKKLEP_STANDAARD_SINDS_DATUM	102	BRAND_APPROVAL	129
		BRAND_ATL	129, 137, 139
		BRAND_CODE	100
		brand_id	130, 131, 132
		BRAND_NAME	130
		BRAND_RDW	129
		BRANDSTOFSYSTEEM	102
		BRANDSTOFTYPE	102
		BREEDTE	102
		building	461, 463

BUITENTEMPERATUURMETER_PAKKET	102	businessBIKToSBI	67
BUITENTEMPERATUURMETER_PRIJS	102	businessGetBIKDescription	68
BUITENTEMPERATUURMETER_STANDAARD	102	businessGetDossierExtended	69
BUITENTEMPERATUURMETER_STANDAARD_SINDS_DATUM	102	businessGetDossierSBI	72
bulk-delete-page-size-rows	2	businessGetDossierV3	74
bulk-insert-page-size-bytes	2	businessGetEstablishmentNumber	76
bulk-insert-page-size-rows	2	businessGetSBIDescription	76
BUMPERS_MEEGESPOTEN_PAKKET	102	businessSBIToBIK	77
BUMPERS_MEEGESPOTEN_PRIJS	102	businessSearchAddress	78
BUMPERS_MEEGESPOTEN_STANDAARD	102	businessSearchDossierNumber	79
BUMPERS_MEEGESPOTEN_STANDAARD_SINDS_DATUM	102	businessSearchName	80
Business Name	140	businessSearchParameters	81
Business Number	195, 204, 210	businessSearchParametersV2	83
Business Number Description	195, 204	businessSearchParametersV3	84
Business Number Type	195, 204, 210	businessSearchPostcode	85
BUSINESS_ENTITY_COMPANY_NAME	333	businessSearchSelection	86
BUSINESS_ENTITY_EXPIRATION_DATE	333	businessSearchSelectionV2	87
BUSINESS_ENTITY_EXPIRATION_REASON	333	businessUpdateAddDossier	89
BUSINESS_ENTITY_HEADQUARTERS_ADDRESS_CITY	333	BUSINESSUPDATEADDDOSSIERRESPONSE	89
BUSINESS_ENTITY_HEADQUARTERS_ADDRESS_COUNTRY	333	businessUpdateCheckDossier	90
BUSINESS_ENTITY_HEADQUARTERS_ADDRESS_POSTAL_CODE	333	businessUpdateGetChangedDossiers	91
BUSINESS_ENTITY_HEADQUARTERS_ADDRESS_REGION	333	businessUpdateGetDossiers	92
BUSINESS_ENTITY_HEADQUARTERS_ADDRESS_STREET_AND_NUMBER	333	businessUpdateRemoveDossier	93
BUSINESS_ENTITY_LEGAL_ADDRESS_CITY	333	BUSINESSUPDATEREMOVEDOSSIERRESPONSE	93
BUSINESS_ENTITY_LEGAL_ADDRESS_COUNTRY	333	CALCULATION_METHOD	376
BUSINESS_ENTITY_LEGAL_ADDRESS_POSTAL_CODE	333	Car ID	102
BUSINESS_ENTITY_LEGAL_ADDRESS_REGION	333	CAR_DATA_APK_DUE_DATE	98, 125, 127
BUSINESS_ENTITY_LEGAL_ADDRESS_STREET_AND_NUMBER	333	CAR_DATA_BPM	98
BUSINESS_ENTITY_LEGAL_FORM_LEGAL_FORM_CODE	333	CAR_DATA_BRAND	98, 125, 127
BUSINESS_ENTITY_LEGAL_STATUS	333	CAR_DATA_CATEGORY	98, 125, 127
BUSINESS_ENTITY_REGISTRATION_AUTHORITY_DOSSIER_NUMBER	333	CAR_DATA_CO2_EMISSION	127
BUSINESS_ENTITY_REGISTRATION_AUTHORITY_REGISTRATION_AUTHORITY_ID	333	CAR_DATA_COLORS	98, 125, 127
BUSINESS_ENTITY_SUCCESSOR_LEI_CODE	333	CAR_DATA_CYLINDER_CAPACITY	98, 125, 127
BUSINESS_ENTITY_SUCCESSOR_NAME	333	CAR_DATA_CYLINDERS	98, 125, 127
business_name	140, 144	CAR_DATA_DATE_FIRST_ADMISSION	98, 125, 127
BUSINESS_NUMBER	195, 204, 210	CAR_DATA_DATE_FIRST_ISSUING	98, 125, 127
BUSINESS_NUMBER_DESCRIPTION	195, 204	CAR_DATA_DATE_LATEST_NAME_REGISTRATION	98, 125, 127
BUSINESS_NUMBER_TYPE	195, 204, 210	CAR_DATA_FUEL_TYPE	98, 125, 127
		CAR_DATA_GROSS_VEHICLE_MASS	98, 125, 127
		CAR_DATA_LICENSE_PLATE	98, 125, 127
		CAR_DATA_MASS_READY	98, 125, 127
		CAR_DATA_MAXIMUM_MASS_AXLE_BRAKED	98, 125, 127
		CAR_DATA_MAXIMUM_MASS_BRAKED	98, 125, 127
		CAR_DATA_MAXIMUM_MASS_PAYLOAD	98, 125, 127

CAR_DATA_MAXIMUM_MASS_SELF_BRAKED	98, 125, 127	CENTRALE_DEURVERGREDELING_PAKKET	102
CAR_DATA_MAXIMUM_MASS_TRAILER_BRAKED	98, 125, 127	CENTRALE_DEURVERGREDELING_PRIJS	102
CAR_DATA_MAXIMUM_MASS_UNBRAKED	98, 125, 127	CENTRALE_DEURVERGREDELING_STANDAARD	102
CAR_DATA_MODEL	98, 125, 127	CENTRALE_DEURVERGREDELING_STANDAARD_SINDS_DATUM	102
CAR_DATA_POWER	98	CEO Name	204
CAR_DATA_SEATS	98, 125, 127	CEO Title	204
CAR_DATA_STANDING_ROOM	98, 125, 127	CEO_NAME	204
CAR_DATA_UNLADEN_MASS	98, 125, 127	CEO_TITLE	204
CAR_ID	102	Certificate URL	65, 66
carATDPrice	93	CERTIFICATE_URL	65, 66
carRDWCarCheckCode	94	CHAMBER_NUMBER	229, 233, 237, 1112
carRDWCarData	95	CHAMBERNO	74
carRDWCarDataBP	97	CHANGE_SET_CHANGES_ITEM	232
carRDWCarDataBPV2	98	CHANGE_SET_PERIOD_END_DATE	232
carRDWCarDataExtended	100	CHANGE_SET_PERIOD_START_DATE	232
carRDWCarDataOptions	102	changed_since	86, 87, 91, 190, 354, 356, 372, 1119, 1123
carRDWCarDataPrice	123	CHANGES_ITEM	190
carRDWCarDataV2	125	Character Combination	43
carRDWCarDataV3	127	Check Code Status	100
CARROSSERIE_GARANTIE	102	CHECK_CODE_STATUS	100
CARROSSERIETYPE	102	CILINDERINHOUD	102
carVWEBasicTypeData	129	cio	1
carVWEListBrands	130	city	23, 25, 27, 35, 37, 39, 78, 79, 80, 81, 85, 86, 87, 144, 191, 194, 195, 203, 204, 207, 209, 222, 345, 350, 352, 388, 389, 395, 396, 397, 399, 408, 465, 1117, 1135, 1138, 1142
carVWEListModels	131	City ID	17, 18, 43
carVWEListVersions	132	City Name	17, 18, 43
carVWEMeldcodeCheck	134	city_item	86, 87, 354, 356, 1119
carVWEOptions	134	CITYMATCH	388, 389
carVWEPhotos	136	cityname	78, 81, 83, 84, 207, 209
carVWEVersionPrice	137	CLAIMS_INDICATOR	197
carVWEVersionYearData	139	Class Personnel	74, 229, 233, 237, 1112
Catalog Price	100, 123	CLASS_PERSONNEL	229, 233, 237, 1112
CATALOG_PRICE	100, 123	CLASS_PERSONNEL_CI	233, 237
CATEGORY	95, 97, 100, 129, 1133, 1134	CLASS_PERSONNEL_FULLTIME	229, 233, 237, 1112
CDSPELER_PAKKET	102	CLASSPERSONNEL	74
CDSPELER_PRIJS	102	Client Code	11, 12, 15, 1181
CDSPELER_STANDAARD	102	CLIENTCODE	11, 12, 15, 1169, 1171, 1181
CDSPELER_STANDAARD_SINDS_DATUM	102	CO2_EMISSION	129
CDWISSELAAR_PAKKET	102	CO2_EMISSION_COMBINED	100
CDWISSELAAR_PRIJS	102	CO2_UITSTOOT	102
CDWISSELAAR_STANDAARD	102	coc_number	460
CDWISSELAAR_STANDAARD_SINDS_DATUM	102	CODE	100
Cebuco Code	17, 43	COLORS	95, 97
CEBUCO_CODE	222	Colors Item	100, 129
CEBUCOCODE	17, 43	COLORS_ITEM	100, 129
center_lat	1128		
center_lon	1128		
center_x	1130		
center_y	1130		

COMBINATIONS_ITEM_PARAMS	193	Company.info	1, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15,
COMMENTS	11, 12, 15, 1169, 1171, 1181		16, 17, 18, 19, 20, 21, 22, 23, 25, 27, 30, 32, 33, 34,
COMPANIES_ITEM_CONTACT_DETAILS_ADDRESSES	411		35, 37, 39, 41, 43, 45, 46, 47, 65, 66, 67, 68, 69, 72,
COMPANIES_ITEM_CONTACT_DETAILS_COMPANY_NAME	411		74, 76, 77, 78, 79, 80, 81, 83, 84, 85, 86, 87, 89, 90,
COMPANIES_ITEM_CONTACT_DETAILS_TELEPHONE_NUMBERS	411		91, 92, 93, 94, 95, 97, 98, 100, 102, 123, 125, 127,
COMPANIES_ITEM_DOSSIER_NUMBER	349		129, 130, 131, 132, 134, 136, 137, 139, 140, 142, 144,
COMPANIES_ITEM_FINANCIAL_CALAMITIES	411		145, 146, 147, 162, 163, 189, 190, 191, 193, 194, 195,
COMPANIES_ITEM_GRAYDON_COMPANY_ID	411		197, 203, 204, 207, 209, 210, 211, 215, 220, 221, 222,
COMPANIES_ITEM_NAME	349		223, 226, 227, 228, 229, 232, 233, 237, 243, 244, 255,
COMPANIES_ITEM_OFFICIAL_DATA_CHAMBER_NO	411		266, 279, 280, 281, 292, 304, 316, 329, 333, 335, 336,
F_COMMERCE_ADMINISTERING_CHAMBER_NO	411		337, 341, 342, 343, 344, 345, 347, 348, 349, 350, 352,
COMPANIES_ITEM_OFFICIAL_DATA_CHAMBER_NO	411		353, 354, 356, 357, 358, 359, 360, 369, 370, 371, 372,
F_COMMERCE_CHAMBER_NO	411		373, 374, 375, 376, 377, 378, 379, 383, 387, 388, 389,
COMPANIES_ITEM_OFFICIAL_DATA_CHAMBER_NO	411		390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 401,
F_COMMERCE_DOSSIER_NO	411		402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412,
COMPANIES_ITEM_OFFICIAL_DATA_CHAMBER_NO	411		446, 449, 451, 452, 453, 454, 455, 460, 461, 463, 465,
F_COMMERCE_SUB_DOSSIER_NO	411		466, 467, 470, 472, 483, 493, 503, 514, 522, 530, 537,
COMPANIES_ITEM_OFFICIAL_DATA_CHAMBER_NO	411		545, 553, 561, 563, 565, 567, 569, 570, 572, 573, 575,
F_COMMERCE_TRADE_REGISTER_LOCATION	411		578, 579, 582, 584, 585, 646, 708, 769, 847, 926,
COMPANIES_ITEM_OFFICIAL_DATA_PRESENT_LEGAL_FORM_CODE	411		1004, 1009, 1043, 1076, 1110, 1111, 1112, 1115,
COMPANIES_ITEM_OFFICIAL_DATA_PRESENT_LEGAL_FORM_TEXT	411		1116, 1117, 1118, 1119, 1121, 1122, 1123, 1124,
Company ID	147, 163, 190, 451, 452, 453		1125, 1126, 1127, 1128, 1129, 1130, 1131, 1133,
Company Name	11, 12, 1181		1134, 1135, 1138, 1142, 1143, 1144, 1145, 1146,
Company Type Code	47		1147, 1148, 1149, 1150, 1151, 1152, 1155, 1157,
			1158, 1159, 1160, 1161, 1162, 1163, 1165, 1166,
			1167, 1168, 1169, 1170, 1171, 1172, 1173, 1174,
			1175, 1176, 1177, 1179, 1180, 1181, 1182, 1183,
			COMPANY_ACTIVITIES_ITEM_CODE
			47
			COMPANY_ACTIVITIES_ITEM_END_DATE_DAY
			47
			COMPANY_ACTIVITIES_ITEM_END_DATE_MONTH
			47
			COMPANY_ACTIVITIES_ITEM_END_DATE_YEAR
			47
			COMPANY_ACTIVITIES_ITEM_LABEL
			47
			COMPANY_ACTIVITIES_ITEM_START_DATE_DAY
			47
			COMPANY_ACTIVITIES_ITEM_START_DATE_MONTH
			47
			COMPANY_ACTIVITIES_ITEM_START_DATE_YEAR
			47
			COMPANY_ADDRESSES_ITEM_BOX
			47
			COMPANY_ADDRESSES_ITEM_COUNTRY_CODE
			47
			COMPANY_ADDRESSES_ITEM_HOUSE_NUMBER
			47
			COMPANY_ADDRESSES_ITEM_MUNICIPALITY
			47
			COMPANY_ADDRESSES_ITEM_POST_CODE
			47
			COMPANY_ADDRESSES_ITEM_STREET
			47
			COMPANY_ESTABLISHMENT_UNITS
			47
			COMPANY_ID
			147, 162, 163, 189, 190, 195, 197,
			203, 204, 210, 211, 215, 451, 452, 453
			COMPANY_ID_TYPE
			195, 197, 203, 204, 210,
			211, 215, 451, 452, 453

COMPANY_IDENTIFICATION_ACTIVITIES_ITEM_ACTIVITY_CODE 147
 COMPANY_IDENTIFICATION_ACTIVITIES_ITEM_ACTIVITY_DESCRIPTION 147
 COMPANY_IDENTIFICATION_ACTIVITY_CLASSIFICATIONS_ITEM_ACTIVITIES 163
 COMPANY_IDENTIFICATION_ACTIVITY_CLASSIFICATIONS_ITEM_CLASSIFICATION 163
 COMPANY_IDENTIFICATION_BASIC_INFORMATION_BUSINESS_NAME 147, 163
 COMPANY_IDENTIFICATION_BASIC_INFORMATION_COMMERCIAL_COURT 147
 COMPANY_IDENTIFICATION_BASIC_INFORMATION_COMPANY_REGISTRATION_NUMBER 147, 163
 COMPANY_IDENTIFICATION_BASIC_INFORMATION_COMPANY_STATUS 147
 COMPANY_IDENTIFICATION_BASIC_INFORMATION_COMPANY_STATUS_DESCRIPTION 163
 COMPANY_IDENTIFICATION_BASIC_INFORMATION_COMPANY_STATUS_STATUS 163
 COMPANY_IDENTIFICATION_BASIC_INFORMATION_CONTACT_ADDRESS 147
 COMPANY_IDENTIFICATION_BASIC_INFORMATION_CONTACT_ADDRESS_CITY 163
 COMPANY_IDENTIFICATION_BASIC_INFORMATION_CONTACT_ADDRESS_COUNTRY 163
 COMPANY_IDENTIFICATION_BASIC_INFORMATION_CONTACT_ADDRESS_FULL_ADDRESS 163
 COMPANY_IDENTIFICATION_BASIC_INFORMATION_CONTACT_ADDRESS_HOUSE_NUMBER 163
 COMPANY_IDENTIFICATION_BASIC_INFORMATION_CONTACT_ADDRESS_POSTAL_CODE 163
 COMPANY_IDENTIFICATION_BASIC_INFORMATION_CONTACT_ADDRESS_STREET 163
 COMPANY_IDENTIFICATION_BASIC_INFORMATION_CONTACT_ADDRESS_TELEPHONE 163
 COMPANY_IDENTIFICATION_BASIC_INFORMATION_CONTACT_TELEPHONE_NUMBER 147
 COMPANY_IDENTIFICATION_BASIC_INFORMATION_COUNTRY 147, 163
 COMPANY_IDENTIFICATION_BASIC_INFORMATION_DATEOF_COMPANY_REGISTRATION 147, 163
 COMPANY_IDENTIFICATION_BASIC_INFORMATION_DATEOF_STARTING_OPERATIONS 147, 163
 COMPANY_IDENTIFICATION_BASIC_INFORMATION_LEGAL_FORM 147
 COMPANY_IDENTIFICATION_BASIC_INFORMATION_LEGAL_FORM_CODE 163
 COMPANY_IDENTIFICATION_BASIC_INFORMATION_LEGAL_FORM_DESCRIPTION 163
 COMPANY_IDENTIFICATION_BASIC_INFORMATION_LEGAL_FORM_VALUE 163
 COMPANY_IDENTIFICATION_BASIC_INFORMATION_PRINCIPAL_ACTIVITY_ACTIVITY_CODE 147
 COMPANY_IDENTIFICATION_BASIC_INFORMATION_PRINCIPAL_ACTIVITY_DESCRIPTION 163
 COMPANY_IDENTIFICATION_BASIC_INFORMATION_PRINCIPAL_ACTIVITY_CODE 163
 COMPANY_IDENTIFICATION_BASIC_INFORMATION_PRINCIPAL_ACTIVITY_DESCRIPTION 163
 COMPANY_IDENTIFICATION_BASIC_INFORMATION_PRINCIPAL_ACTIVITY_VALUE 163
 COMPANY_IDENTIFICATION_BASIC_INFORMATION_REGISTERED_COMPANY_NAME 147, 163
 COMPANY_IDENTIFICATION_BASIC_INFORMATION_REPORT_CURRENCY 147
 COMPANY_IDENTIFICATION_BASIC_INFORMATION_TYPEOF_OWNERSHIP 147
 COMPANY_IDENTIFICATION_BASIC_INFORMATION_VAT_REGISTRATION_DATE 147
 COMPANY_IDENTIFICATION_BASIC_INFORMATION_VAT_REGISTRATION_NUMBER 147, 163
 COMPANY_IDENTIFICATION_BASIC_INFORMATION_CONTACT_ADDRESS_CITY 163
 COMPANY_IDENTIFICATION_BASIC_INFORMATION_CONTACT_ADDRESS_COUNTRY 163
 COMPANY_IDENTIFICATION_BASIC_INFORMATION_CONTACT_ADDRESS_FULL_ADDRESS 163
 COMPANY_IDENTIFICATION_BASIC_INFORMATION_CONTACT_ADDRESS_HOUSE_NUMBER 163
 COMPANY_IDENTIFICATION_BASIC_INFORMATION_CONTACT_ADDRESS_POSTAL_CODE 163
 COMPANY_IDENTIFICATION_BASIC_INFORMATION_CONTACT_ADDRESS_STREET 163
 COMPANY_IDENTIFICATION_BASIC_INFORMATION_CONTACT_ADDRESS_TELEPHONE 163
 COMPANY_IDENTIFICATION_BASIC_INFORMATION_CONTACT_TELEPHONE_NUMBER 147
 COMPANY_IDENTIFICATION_BASIC_INFORMATION_COUNTRY 147, 163
 COMPANY_IDENTIFICATION_BASIC_INFORMATION_DATEOF_COMPANY_REGISTRATION 147, 163
 COMPANY_IDENTIFICATION_BASIC_INFORMATION_DATEOF_STARTING_OPERATIONS 147, 163
 COMPANY_IDENTIFICATION_BASIC_INFORMATION_LEGAL_FORM 147
 COMPANY_IDENTIFICATION_BASIC_INFORMATION_LEGAL_FORM_CODE 163
 COMPANY_IDENTIFICATION_BASIC_INFORMATION_LEGAL_FORM_DESCRIPTION 163
 COMPANY_IDENTIFICATION_BASIC_INFORMATION_LEGAL_FORM_VALUE 163
 COMPANY_IDENTIFICATION_BASIC_INFORMATION_PRINCIPAL_ACTIVITY_ACTIVITY_CODE 147
 COMPANY_IDENTIFICATION_BASIC_INFORMATION_PRINCIPAL_ACTIVITY_DESCRIPTION 163
 COMPANY_IDENTIFICATION_BASIC_INFORMATION_PRINCIPAL_ACTIVITY_CODE 163
 COMPANY_IDENTIFICATION_BASIC_INFORMATION_PRINCIPAL_ACTIVITY_DESCRIPTION 163
 COMPANY_IDENTIFICATION_BASIC_INFORMATION_PRINCIPAL_ACTIVITY_VALUE 163
 COMPANY_IDENTIFICATION_BASIC_INFORMATION_REGISTERED_COMPANY_NAME 147, 163
 COMPANY_IDENTIFICATION_BASIC_INFORMATION_REPORT_CURRENCY 147
 COMPANY_IDENTIFICATION_BASIC_INFORMATION_TYPEOF_OWNERSHIP 147
 COMPANY_IDENTIFICATION_BASIC_INFORMATION_VAT_REGISTRATION_DATE 147
 COMPANY_IDENTIFICATION_BASIC_INFORMATION_VAT_REGISTRATION_NUMBER 147, 163
 COMPANY_IDENTIFICATION_PREVIOUS_LEGAL_FORMS_ITEM_DATE_CHANGED 147
 COMPANY_IDENTIFICATION_PREVIOUS_LEGAL_FORMS_ITEM_VALUE 147
 COMPANY_IDENTIFICATION_PREVIOUS_NAMES_ITEM_DATE_CHANGED 147
 COMPANY_IDENTIFICATION_PREVIOUS_NAMES_ITEM_VALUE 147
 COMPANY_INFO_ITEM_DESCRIPTION 341
 COMPANY_INFO_ITEM_SBI_CODE 341
 COMPANY_JURIDICAL_FORM_CODE 47
 COMPANY_JURIDICAL_FORM_END_DATE_DAY 47
 COMPANY_JURIDICAL_FORM_END_DATE_MONTH 47
 COMPANY_JURIDICAL_FORM_END_DATE_YEAR 47
 COMPANY_JURIDICAL_FORM_LABEL 47
 COMPANY_JURIDICAL_FORM_START_DATE_DAY 47
 COMPANY_JURIDICAL_FORM_START_DATE_MONTH 47
 COMPANY_JURIDICAL_FORM_START_DATE_YEAR 47
 COMPANY_JURIDICAL_SITUATION_CODE 47
 COMPANY_JURIDICAL_SITUATION_END_DATE_DAY 47
 COMPANY_JURIDICAL_SITUATION_END_DATE_MONTH 47
 COMPANY_JURIDICAL_SITUATION_END_DATE_YEAR 47
 COMPANY_JURIDICAL_SITUATION_LABEL 47
 COMPANY_JURIDICAL_SITUATION_START_DATE_DAY 47

COMPANY_JURIDICAL_SITUATION_START_DATE_COMPANY_SUMMARY_CREDIT_RATING_PROVIDE
 MONTH 47 R_VALUE_MAX_VALUE 163
 COMPANY_JURIDICAL_SITUATION_START_DATE_COMPANY_SUMMARY_CREDIT_RATING_PROVIDE
 EAR 47 R_VALUE_MIN_VALUE 163
 COMPANY_LEGAL_REPRESENTATIVE_COMPANY_COMPANY_SUMMARY_CREDIT_RATING_PROVIDE
 S_COUNT 47 R_VALUE_VALUE 163
 COMPANY_LEGAL_REPRESENTATIVES_COUNT_COMPANY_SUMMARY_LATEST_SHAREHOLDERS
 47 _EQUITY_FIGURE 147, 163
 COMPANY_MANAGEMENT_FIRST_DIRECTORS_COMPANY_SUMMARY_LATEST_TURNOVER_FIGU
 EM_DATE_FROM 446 RE 147, 163
 COMPANY_MANAGEMENT_FIRST_DIRECTORS_COMPANY_SUMMARY_MAIN_ACTIVITY_ACTIVITY_
 EM_DATE_UNTIL 446 CODE 147, 163
 COMPANY_MANAGEMENT_FIRST_DIRECTORS_COMPANY_SUMMARY_MAIN_ACTIVITY_ACTIVITY_
 EM_GRAYDON_PERSON_ID 446 DESCRIPTION 147, 163
 COMPANY_MANAGEMENT_FIRST_DIRECTORS_COMPANY_SUMMARY_MAIN_ACTIVITY_CLASSIFI
 EM_IS_CURRENT 446 CATION 163
 COMPANY_MANAGEMENT_FIRST_DIRECTORS_COMPANY_SUMMARY_NUMBER 147, 163
 EM_JOB_TITLE_CODE 446 COMPANY_SUMMARY_RATING_DESCRIPTION
 COMPANY_MANAGEMENT_FIRST_DIRECTORS_IT 47
 EM_JOB_TITLE_TEXT 446 COMPANY_TYPE_CODE 47
 COMPANY_MANAGEMENT_MANAGEMENT_ITEM_COMPANY_TYPE_END_DATE_DAY 47
 GRAYDON_COMPANY_ID 446 COMPANY_TYPE_END_DATE_MONTH 47
 COMPANY_MANAGEMENT_MANAGEMENT_ITEM_COMPANY_TYPE_END_DATE_YEAR 47
 GRAYDON_PERSON_ID 446 COMPANY_TYPE_LABEL 47
 COMPANY_MANAGEMENT_MANAGEMENT_ITEM_COMPANY_TYPE_START_DATE_DAY 47
 S_CURRENT 446 COMPANY_TYPE_START_DATE_MONTH 47
 COMPANY_MANAGEMENT_MANAGEMENT_ITEM_COMPANY_TYPE_START_DATE_YEAR 47
 JOB_TITLES 446 COMPANY_VAT_NUMBER 47
 company_name 47, 452 COMPANY_WEBSITE 47
 COMPANY_PHONE_NUMBER 47 CompanyInfo 1
 COMPANY_START_DATE_DAY 47 COMPANYNAME 11, 12, 146, 1169, 1171, 1181
 COMPANY_START_DATE_MONTH 47 Compliance Business ID 140, 144
 COMPANY_START_DATE_YEAR 47 COMPLIANCE_BUSINESS_ID 140, 144
 COMPANY_SUMMARY_BUSINESS_NAME 147, COMPLIANCE_PERSON_ID 142, 145
 163 complianceGetBusiness 140
 COMPANY_SUMMARY_COMPANY_REGISTRATION complianceGetPerson 142
 _NUMBER 147, 163 complianceSearchBusinesses 144
 COMPANY_SUMMARY_COMPANY_STATUS 147 complianceSearchPersons 145
 COMPANY_SUMMARY_COMPANY_STATUS_DESCR COMPRESSION_EVERHOUDING 102
 RIPTION 163 CONCERN_LIAISONS_ITEM_GRAYDON_COMPANY
 COMPANY_SUMMARY_COMPANY_STATUS_STAT _ID 411
 US 163 CONCERN_LIAISONS_ITEM_LIAISON_CODE 411
 COMPANY_SUMMARY_COUNTRY 147, 163 CONCERN_LIAISONS_ITEM_LIAISON_TEXT 411
 COMPANY_SUMMARY_CREDIT_LIMIT 147 CONCLUSION_ADDRESS_SCORE 1138
 COMPANY_SUMMARY_CREDIT_RATING 147 CONCLUSION_PERSON_SCORE 1138
 COMPANY_SUMMARY_CREDIT_RATING_COMMON CONCLUSION_POSTCODE_SCORE 1138
 _DESCRIPTION 163 Confidence Code 203, 207, 209
 COMPANY_SUMMARY_CREDIT_RATING_COMMON CONFIDENCE_CODE 203, 207, 209
 _VALUE 163 Contact Email 11, 12, 15, 1181
 COMPANY_SUMMARY_CREDIT_RATING_CREDIT Contact Gender 229, 233, 237, 1112
 LIMIT 163 Contact Initials 229, 233, 237, 1112
 COMPANY_SUMMARY_CREDIT_RATING_PROVIDE Contact Main Address Address 147
 R_DESCRIPTION 163

Contact Main Address City	163	CONTACT_TITLE1	229, 233, 237, 1112
Contact Main Address Country	147, 163	CONTACT_TITLE2	229, 233, 237, 1112
Contact Main Address Full Address	163	CONTACTEMAIL	7, 11, 12, 15, 1169, 1171, 1173, 1181
Contact Main Address House Number	163	CONTACTNAME	7, 11, 12, 15, 146, 1169, 1171, 1173, 1181
Contact Main Address Postal Code	163	Content Type	1184
Contact Main Address Street	163	CONTENT_TYPE	1184
Contact Main Address Telephone	147, 163	Continuation Date Day	229, 233, 237, 1112
Contact Name	11, 12, 15, 1181	Continuation Date Month	229, 233, 237, 1112
Contact Prefix	229, 233, 237, 1112	Continuation Date Year	229, 233, 237, 1112
Contact Title 1	229, 233, 237, 1112	CONTINUATION_DATE_DAY	229, 233, 237, 1112
Contact Title 2	229, 233, 237, 1112	CONTINUATION_DATE_MONTH	229, 233, 237, 1112
CONTACT_GENDER	229, 233, 237, 1112	CONTINUATION_DATE_YEAR	229, 233, 237, 1112
CONTACT_INFORMATION_EMAIL_ADDRESSES_ITEM	147	CORRECT	94, 134
CONTACT_INFORMATION_MAIN_ADDRESS_ADDRESS	147	Correspondence City	74, 83, 84, 229, 233, 345, 347, 348, 350, 352, 353, 354, 356, 1112, 1116, 1117, 1118, 1119
CONTACT_INFORMATION_MAIN_ADDRESS_CITY	163	Correspondence House Number	74
CONTACT_INFORMATION_MAIN_ADDRESS_COUNTRY	147, 163	Correspondence House Number Addition	74
CONTACT_INFORMATION_MAIN_ADDRESS_FULL_ADDRESS	163	Correspondence Postal Code	74, 229, 233, 1112
CONTACT_INFORMATION_MAIN_ADDRESS_HOUSE_NUMBER	163	Correspondence Street	229, 233, 345, 347, 348, 350, 352, 353, 354, 356, 1112, 1116, 1117, 1118, 1119
CONTACT_INFORMATION_MAIN_ADDRESS_POSTAL_CODE	163	Correspondence Street Name	74, 83, 84
CONTACT_INFORMATION_MAIN_ADDRESS_STREET	163	CORRESPONDENCE_ADDRESS_FORMATTED_ADDRESS	237
CONTACT_INFORMATION_MAIN_ADDRESS_TELEPHONE	147, 163	CORRESPONDENCE_ADDRESS_FORMATTED_CITY	237
CONTACT_INFORMATION_OTHER_ADDRESSES_ITEM_EMAIL_ADDRESS	147	CORRESPONDENCE_ADDRESS_FORMATTED_COUNTRY	237
CONTACT_INFORMATION_OTHER_ADDRESSES_ITEM_EMAIL_CITY	163	CORRESPONDENCE_ADDRESS_FORMATTED_HOUSE_NUMBER	237
CONTACT_INFORMATION_OTHER_ADDRESSES_ITEM_EMAIL_COUNTRY	147, 163	CORRESPONDENCE_ADDRESS_FORMATTED_HOUSE_NUMBER_ADDITION	237
CONTACT_INFORMATION_OTHER_ADDRESSES_ITEM_EMAIL_FULL_ADDRESS	163	CORRESPONDENCE_ADDRESS_FORMATTED_POSTCODE	237
CONTACT_INFORMATION_OTHER_ADDRESSES_ITEM_EMAIL_HOUSE_NUMBER	163	CORRESPONDENCE_ADDRESS_FORMATTED_STREET	237
CONTACT_INFORMATION_OTHER_ADDRESSES_ITEM_EMAIL_POSTAL_CODE	163	CORRESPONDENCE_ADDRESS_OFFICIAL_ADDRESS	237
CONTACT_INFORMATION_OTHER_ADDRESSES_ITEM_EMAIL_STREET	163	CORRESPONDENCE_ADDRESS_OFFICIAL_CITY	237
CONTACT_INFORMATION_OTHER_ADDRESSES_ITEM_EMAIL_TELEPHONE	147, 163	CORRESPONDENCE_ADDRESS_OFFICIAL_COUNTRY	237
CONTACT_INFORMATION_PREVIOUS_ADDRESSES_ITEM_ADDRESS	147	CORRESPONDENCE_ADDRESS_OFFICIAL_HOUSE_NUMBER	237
CONTACT_INFORMATION_PREVIOUS_ADDRESSES_ITEM_COUNTRY	147	CORRESPONDENCE_ADDRESS_OFFICIAL_HOUSE_NUMBER_ADDITION	237
CONTACT_INFORMATION_WEBSITES_ITEM	147	CORRESPONDENCE_ADDRESS_OFFICIAL_POSTCODE	237
CONTACT_INITIALS	229, 233, 237, 1112	CORRESPONDENCE_ADDRESS_OFFICIAL_STREET	237
CONTACT_PREFIX	229, 233, 237, 1112		
CONTACT_SURNAME	229, 233, 237, 1112		

CORRESPONDENCE_ADDRESS_ORIGINAL_ADDRESS 237
CORRESPONDENCE_ADDRESS_ORIGINAL_CITY 237
CORRESPONDENCE_ADDRESS_ORIGINAL_COUNTRY 237
CORRESPONDENCE_ADDRESS_ORIGINAL_HOUSE_NUMBER 237
CORRESPONDENCE_ADDRESS_ORIGINAL_HOUSE_NUMBER_ADDITION 237
CORRESPONDENCE_ADDRESS_ORIGINAL_POSTCODE 237
CORRESPONDENCE_ADDRESS_ORIGINAL_STREET 237
CORRESPONDENCE_CITY 229, 233, 345, 347, 348, 350, 352, 353, 354, 356, 1112, 1116, 1117, 1118, 1119
CORRESPONDENCE_COUNTRY 229, 233, 1112
CORRESPONDENCE_HOUSE_NUMBER 229, 233, 1112
CORRESPONDENCE_HOUSE_NUMBER_ADDITION 229, 233, 1112
CORRESPONDENCE_POSTCODE 229, 233, 1112
CORRESPONDENCE_STREET 229, 233, 345, 347, 348, 350, 352, 353, 354, 356, 1112, 1116, 1117, 1118, 1119
CORRESPONDENCE_CITY 74, 83, 84
CORRESPONDENCEHOUSENO 74
CORRESPONDENCEHOUSENOADDITION 74
CORRESPONDENCEPOSTCODE 74
CORRESPONDENCESTREETNAME 74, 83, 84
countries_item 193, 194
country 144, 191, 194, 195, 203, 204, 207, 209, 395, 396, 397, 398, 461, 463
Country Calling Code 195, 204, 210
Country Code 1183
COUNTRY_CALLING_CODE 195, 204, 210
COUNTRY_CODE 1161, 1183
country_format 461, 463
country_iso 1162
COUNTRY_ISO2 209, 395, 396, 451, 452, 453
COUNTRY_ISO3 397, 461, 463
county 144
createTestUser 146
Creation Time 11, 12, 15, 1177, 1181
CREATIONTIME 11, 12, 15, 1177, 1181
CREDIT_ADVICE_AMOUNT 449
CREDIT_ADVICE_CURRENCY 449
CREDIT_ADVICE_FACTORS_ITEM_ADJUSTMENT 449
CREDIT_ADVICE_FACTORS_ITEM_DESCRIPTION 449
CREDIT_ADVICE_FACTORS_ITEM_TYPE 449
CREDIT_FLAG_CODE 449
CREDIT_FLAG_TEXT 449
CREDIT_SCORE_CURRENT_CONTRACT_LIMIT 147
CREDIT_SCORE_CURRENT_CREDIT_LIMIT 147
CREDIT_SCORE_CURRENT_CREDIT_RATING 147
CREDIT_SCORE_CURRENT_CREDIT_RATING_COMMON_DESCRIPTION 163
CREDIT_SCORE_CURRENT_CREDIT_RATING_COMMON_VALUE 163
CREDIT_SCORE_CURRENT_CREDIT_RATING_CREDIT_LIMIT 163
CREDIT_SCORE_CURRENT_CREDIT_RATING_PROVIDER_DESCRIPTION 163
CREDIT_SCORE_CURRENT_CREDIT_RATING_PROVIDER_VALUE_MAX_VALUE 163
CREDIT_SCORE_CURRENT_CREDIT_RATING_PROVIDER_VALUE_MIN_VALUE 163
CREDIT_SCORE_CURRENT_CREDIT_RATING_PROVIDER_VALUE_VALUE 163
CREDIT_SCORE_CURRENT_RATING_DESCRIPTION 147
CREDIT_SCORE_DATE_OF_LATEST_RATING_CHANGE 147
CREDIT_SCORE_ITEM_ALGORITHM_ID 197
CREDIT_SCORE_ITEM_INCIDENCE_OF_DEFAULT 197
CREDIT_SCORE_ITEM_INDUSTRY_INCIDENCE_OF_DEFAULT 197
CREDIT_SCORE_ITEM_INDUSTRY_NORM 197
CREDIT_SCORE_ITEM_INDUSTRY_PERCENTILE 197
CREDIT_SCORE_ITEM_NATIONAL_PERCENTILE 197
CREDIT_SCORE_ITEM_SCORE 197
CREDIT_SCORE_ITEM_SCORE_CLASS 197
CREDIT_SCORE_ITEM_SCORE_COMMENTARIES 197
CREDIT_SCORE_ITEM_SCORE_DATE 197
CREDIT_SCORE_ITEM_SCORE_OVERRIDE_CODE 197
CREDIT_SCORE_ITEM_UNNORMALIZED_SCORE 197
CREDIT_SCORE_PREVIOUS_CREDIT_LIMIT 147
CREDIT_SCORE_PREVIOUS_CREDIT_RATING 147
CREDIT_SCORE_PREVIOUS_CREDIT_RATING_COMMON_DESCRIPTION 163
CREDIT_SCORE_PREVIOUS_CREDIT_RATING_COMMON_VALUE 163
CREDIT_SCORE_PREVIOUS_CREDIT_RATING_CREDIT_LIMIT 163
CREDIT_SCORE_PREVIOUS_CREDIT_RATING_PROVIDER_DESCRIPTION 163

CREDIT_SCORE_PREVIOUS_CREDIT_RATING_PR VIDER_VALUE_MAX_VALUE 163	Current Control Year 204
CREDIT_SCORE_PREVIOUS_CREDIT_RATING_PR VIDER_VALUE_MIN_VALUE 163	CURRENT_CONTROL_YEAR 204
CREDIT_SCORE_PREVIOUS_CREDIT_RATING_PR VIDER_VALUE_VALUE 163	CURRENT_POSITIONS_ITEM_AUTHORIZATION_DE SCRIPTION 223
CREDIT_SCORE_PREVIOUS_RATING_DESCRIPTION N 147	CURRENT_POSITIONS_ITEM_COMPANY_ESTABL ISHMENT_NUMBER 223
CreditSafe Number 194	CURRENT_POSITIONS_ITEM_COMPANY_FINANCIA L_STATUS 223
CREDITSAFE_NUMBER 194	CURRENT_POSITIONS_ITEM_COMPANY_KVK 223
creditsafeGetReportFull 147	CURRENT_POSITIONS_ITEM_COMPANY_LEGAL_N AME 223
creditsafeGetReportFullPdfV2 162	CURRENT_POSITIONS_ITEM_COMPANY_PRIMARY _SBI_CODE 223
creditsafeGetReportFullV2 163	CURRENT_POSITIONS_ITEM_COMPANY_TRADE_N AME_FULL 223
creditsafeMonitorAddCompany 189	CURRENT_POSITIONS_ITEM_END_DATE 223
CREDITSAFEMONITORADDCOMPANYRESPONSE 189	CURRENT_POSITIONS_ITEM_END_DATE_SOURCE 223
creditsafeMonitorGetUpdatedCompanies 190	CURRENT_POSITIONS_ITEM_FUNCTION 223
creditsafeMonitorRemoveCompany 190	CURRENT_POSITIONS_ITEM_HISTORICAL_AUTHO RIZATIONS 223
CREDITSAFEMONITORREMOVECOMPANYRESPO NSE 190	CURRENT_POSITIONS_ITEM_ROLE 223
creditsafeSearch 191	CURRENT_POSITIONS_ITEM_START_DATE 223
creditsafeSearchCriteria 193	CURRENT_RATIO 197
creditsafeSearchV2 194	CW_WAARDE 102
CRIMINAL_PROCEEDINGS 204	Cylinder Capacity 95, 97, 100, 129, 137, 139
CRUISE_CONTROL_PAKKET 102	CYLINDER_CAPACITY 95, 97, 100, 129, 137, 139
CRUISE_CONTROL_PRIJS 102	CYLINDERS 95, 97, 100, 129
CRUISE_CONTROL_STANDAARD 102	D&B Key 195, 203, 204, 207, 209
CRUISE_CONTROL_STANDAARD_SINDS_DATUM 102	D&B Rating 204
CULTUURCODE 1135	DAGTELLER_PAKKET 102
CURATORS_CURATOR_ITEM_CONTACT_INFO_AD ITION 455	DAGTELLER_PRIJS 102
CURATORS_CURATOR_ITEM_CONTACT_INFO_CIP 455	DAGTELLER_STANDAARD 102
CURATORS_CURATOR_ITEM_CONTACT_INFO_HO USE_NUMBER 455	DAGTELLER_STANDAARD_SINDS_DATUM 102
CURATORS_CURATOR_ITEM_CONTACT_INFO_PH ONE_NUMBER 455	DAKRAILS_PAKKET 102
CURATORS_CURATOR_ITEM_CONTACT_INFO_PO STCODE 455	DAKRAILS_PRIJS 102
CURATORS_CURATOR_ITEM_CONTACT_INFO_STA RT_DATE 455	DAKRAILS_STANDAARD 102
CURATORS_CURATOR_ITEM_CONTACT_INFO_STR EET 455	DAKRAILS_STANDAARD_SINDS_DATUM 102
CURATORS_CURATOR_ITEM_CONTACT_INFO_TYP E 455	DATA_DOSSIER_NUMBER 255, 266, 292, 304, 316
CURATORS_CURATOR_ITEM_END_DATE 455	DATA_ENTERPRISE_ACTIVITY 255, 266, 292, 304, 316
CURATORS_CURATOR_ITEM_INITIALS 455	DATA_ENTERPRISE_DATE_SINCE_DAY 255, 266, 292, 304, 316
CURATORS_CURATOR_ITEM_LAST_NAME 455	DATA_ENTERPRISE_DATE_SINCE_MONTH 255, 266, 292, 304, 316
CURATORS_CURATOR_ITEM_PREFIX 455	DATA_ENTERPRISE_DATE_SINCE_YEAR 255, 266, 292, 304, 316
CURATORS_CURATOR_ITEM_START_DATE 455	DATA_ENTERPRISE_DESCRIPTION 255, 266, 292, 304, 316
CURATORS_CURATOR_ITEM_TITLES 455	DATA_ENTERPRISE_DISCONTINUATION_DATE_DA Y 255, 266, 292, 304, 316
CURRENCY 204	

DATA_ENTERPRISE_DISCONTINUATION_DATE_MONTH 255, 266, 292, 304, 316
 DATA_ENTERPRISE_DISCONTINUATION_DATE_YEAR 255, 266, 292, 304, 316
 DATA_ENTERPRISE_FOUNDDING_DATE_DAY 255, 266, 292, 304, 316
 DATA_ENTERPRISE_FOUNDDING_DATE_MONTH 255, 266, 292, 304, 316
 DATA_ENTERPRISE_FOUNDDING_DATE_YEAR 255, 266, 292, 304, 316
 DATA_ENTERPRISE_INCORPORATION_DATE_MONTH 255, 266, 292, 304, 316
 DATA_ENTERPRISE_INCORPORATION_DATE_YEAR 255, 266, 292, 304, 316
 DATA_ENTERPRISE_LEGAL_FORM_TEXT 255, 266, 292, 304, 316
 DATA_ENTERPRISE_NAME 255, 266, 292, 304, 316
 DATA_ENTERPRISE_PERSONNEL_FULLTIME 255, 266, 292, 304, 316
 DATA_ENTERPRISE_PERSONNEL_PARTTIME 255, 266, 292, 304, 316
 DATA_ENTERPRISE_PERSONNEL_TOTAL 255, 266, 292, 304, 316
 DATA_ENTERPRISE_REGISTRATION 255, 266, 292, 304, 316
 DATA_ENTERPRISE_REMARKS_ITEM 255, 266, 292, 304, 316
 DATA_ENTERPRISE_SBI_CODES_ITEM_DESCRIPTION 255, 266, 292, 304, 316
 DATA_ENTERPRISE_SBI_CODES_ITEM_SBI_CODE 255, 266, 292, 304, 316
 DATA_ENTERPRISE_TRADE_NAMES_ITEM 255, 266, 292, 304, 316
 DATA_ESTABLISHMENTS_ITEM_ACTIVITY 255, 266, 292, 304, 316
 DATA_ESTABLISHMENTS_ITEM_CORRESPONDENCE_ADDRESS_ADDRESS 266, 304, 316
 DATA_ESTABLISHMENTS_ITEM_CORRESPONDENCE_ADDRESS_CITY 255, 266, 292, 304, 316
 DATA_ESTABLISHMENTS_ITEM_CORRESPONDENCE_ADDRESS_COUNTRY 255, 266, 292, 304, 316
 DATA_ESTABLISHMENTS_ITEM_CORRESPONDENCE_ADDRESS_HOUSE_NUMBER 255, 266, 292, 304, 316
 DATA_ESTABLISHMENTS_ITEM_CORRESPONDENCE_ADDRESS_HOUSE_NUMBER_ADDITION 255, 266, 292, 304, 316
 DATA_ESTABLISHMENTS_ITEM_CORRESPONDENCE_ADDRESS_POSTCODE 255, 266, 292, 304, 316
 DATA_ESTABLISHMENTS_ITEM_CORRESPONDENCE_ADDRESS_STREET 255, 266, 292, 304, 316
 DATA_ESTABLISHMENTS_ITEM_DATE_SINCE_DAY 255, 266, 292, 304, 316
 DATA_ESTABLISHMENTS_ITEM_DATE_SINCE_MONTH 255, 266, 292, 304, 316
 DATA_ESTABLISHMENTS_ITEM_DATE_SINCE_YEAR 255, 266, 292, 304, 316
 DATA_ESTABLISHMENTS_ITEM_DESCRIPTION 255, 266, 292, 304, 316
 DATA_ESTABLISHMENTS_ITEM_DOMAIN_NAMES 255, 266, 292, 304, 316
 DATA_ESTABLISHMENTS_ITEM_EMAIL_ADDRESS 255, 266, 292, 304, 316
 DATA_ESTABLISHMENTS_ITEM_ESTABLISHMENT_ADDRESS_ADDRESS 266, 304, 316
 DATA_ESTABLISHMENTS_ITEM_ESTABLISHMENT_ADDRESS_CITY 255, 266, 292, 304, 316
 DATA_ESTABLISHMENTS_ITEM_ESTABLISHMENT_ADDRESS_COUNTRY 255, 266, 292, 304, 316
 DATA_ESTABLISHMENTS_ITEM_ESTABLISHMENT_ADDRESS_HOUSE_NUMBER 255, 266, 292, 304, 316
 DATA_ESTABLISHMENTS_ITEM_ESTABLISHMENT_ADDRESS_HOUSE_NUMBER_ADDITION 255, 266, 292, 304, 316
 DATA_ESTABLISHMENTS_ITEM_ESTABLISHMENT_ADDRESS_POSTCODE 255, 266, 292, 304, 316
 DATA_ESTABLISHMENTS_ITEM_ESTABLISHMENT_ADDRESS_STREET 255, 266, 292, 304, 316
 DATA_ESTABLISHMENTS_ITEM_ESTABLISHMENT_DATE_DAY 255, 266, 292, 304, 316
 DATA_ESTABLISHMENTS_ITEM_ESTABLISHMENT_DATE_MONTH 255, 266, 292, 304, 316
 DATA_ESTABLISHMENTS_ITEM_ESTABLISHMENT_DATE_YEAR 255, 266, 292, 304, 316
 DATA_ESTABLISHMENTS_ITEM_ESTABLISHMENT_NUMBER 255, 266, 292, 304, 316
 DATA_ESTABLISHMENTS_ITEM_FAX_NUMBERS 255, 266, 292, 304, 316
 DATA_ESTABLISHMENTS_ITEM_LEGAL_FORM_TEXT 255, 266, 292, 304, 316
 DATA_ESTABLISHMENTS_ITEM_MAIN_ESTABLISHMENT 255, 266, 292, 304, 316
 DATA_ESTABLISHMENTS_ITEM_PERSONNEL_FULLTIME 255, 266, 292, 304, 316
 DATA_ESTABLISHMENTS_ITEM_PERSONNEL_PARTTIME 255, 266, 292, 304, 316
 DATA_ESTABLISHMENTS_ITEM_PERSONNEL_TOTAL 255, 266, 292, 304, 316
 DATA_ESTABLISHMENTS_ITEM_REMARKS 255, 266, 292, 304, 316
 DATA_ESTABLISHMENTS_ITEM_SBI_CODES 255, 266, 292, 304, 316
 DATA_ESTABLISHMENTS_ITEM_TELEPHONE_NUMBERS 255, 266, 292, 304, 316

DATA_ESTABLISHMENTS_ITEM_TRADE_NAMES	DATA_LEGAL_ENTITY DISSOLUTION_DATE_YEAR
255, 266, 292, 304, 316	255, 266, 292, 304, 316
DATA_LEGAL_ENTITY_ACTIVITY	DATA_LEGAL_ENTITY DISSOLUTION_REASON
255, 266, 292, 304, 316	255, 266, 292, 304, 316
DATA_LEGAL_ENTITY_ALTERNATIVE_NAME	DATA_LEGAL_ENTITY_DOMAIN_NAMES_ITEM
255, 266, 292, 304, 316	255, 266, 292, 304, 316
DATA_LEGAL_ENTITY_ANNUAL_REPORT_SUBMISSION	DATA_LEGAL_ENTITY_DURATION
255, 266, 292, 304, 316	255, 266, 292, 304, 316
DATA_LEGAL_ENTITY_AUTHORIZED_SHARE_CAPITAL_AMOUNT	DATA_LEGAL_ENTITY_DURATION_END_DATE_DAY
255, 266, 292, 304, 316	255, 266, 292, 304, 316
DATA_LEGAL_ENTITY_AUTHORIZED_SHARE_CAPITAL_CURRENCY	DATA_LEGAL_ENTITY_DURATION_END_DATE_MONTH
255, 266, 292, 304, 316	255, 266, 292, 304, 316
DATA_LEGAL_ENTITY_AUTHORIZED_SHARE_CAPITAL_FORMATTED	DATA_LEGAL_ENTITY_DURATION_END_DATE_YEAR
255, 266, 292, 304, 316	255, 266, 292, 304, 316
DATA_LEGAL_ENTITY_COMPANY_ARRANGEMENTS	DATA_LEGAL_ENTITY_EMAIL_ADDRESSES_ITEM
255, 266, 292, 304, 316	255, 266, 292, 304, 316
DATA_LEGAL_ENTITY_CORRESPONDENCE_ADDRESS_ADDRESS	DATA_LEGAL_ENTITY_ESTABLISHMENT_ADDRESS_ADDRESS
266, 304, 316	266, 304, 316
DATA_LEGAL_ENTITY_CORRESPONDENCE_ADDRESS_CITY	DATA_LEGAL_ENTITY_ESTABLISHMENT_ADDRESS_CITY
255, 266, 292, 304, 316	255, 266, 292, 304, 316
DATA_LEGAL_ENTITY_CORRESPONDENCE_ADDRESS_COUNTRY	DATA_LEGAL_ENTITY_ESTABLISHMENT_ADDRESS_COUNTRY
255, 266, 292, 304, 316	255, 266, 292, 304, 316
DATA_LEGAL_ENTITY_CORRESPONDENCE_ADDRESS_HOUSE_NUMBER	DATA_LEGAL_ENTITY_ESTABLISHMENT_ADDRESS_HOUSE_NUMBER
255, 266, 292, 304, 316	255, 266, 292, 304, 316
DATA_LEGAL_ENTITY_CORRESPONDENCE_ADDRESS_HOUSE_NUMBER_ADDITION	DATA_LEGAL_ENTITY_ESTABLISHMENT_ADDRESS_HOUSE_NUMBER_ADDITION
255, 266, 292, 304, 316	255, 266, 292, 304, 316
DATA_LEGAL_ENTITY_CORRESPONDENCE_ADDRESS_POSTCODE	DATA_LEGAL_ENTITY_ESTABLISHMENT_ADDRESS_POSTCODE
255, 266, 292, 304, 316	255, 266, 292, 304, 316
DATA_LEGAL_ENTITY_CORRESPONDENCE_ADDRESS_STREET	DATA_LEGAL_ENTITY_ESTABLISHMENT_ADDRESS_STREET
255, 266, 292, 304, 316	255, 266, 292, 304, 316
DATA_LEGAL_ENTITY_DEED_INCORPORATION_DATE_DAY	DATA_LEGAL_ENTITY_FAX_NUMBERS_ITEM
255, 266, 292, 304, 316	255, 266, 292, 304, 316
DATA_LEGAL_ENTITY_DEED_INCORPORATION_DATE_MONTH	DATA_LEGAL_ENTITY_FOREIGN_LEGAL_FORM_DESCRIPTION
255, 266, 292, 304, 316	255, 266, 292, 304, 316
DATA_LEGAL_ENTITY_DEED_INCORPORATION_DATE_YEAR	DATA_LEGAL_ENTITY_FOUNDING_DATE_DAY
255, 266, 292, 304, 316	255, 266, 292, 304, 316
DATA_LEGAL_ENTITY_DEED_LAST_STATUTES_AMENDMENT_DATE_DAY	DATA_LEGAL_ENTITY_FOUNDING_DATE_MONTH
255, 266, 292, 304, 316	255, 266, 292, 304, 316
DATA_LEGAL_ENTITY_DEED_LAST_STATUTES_AMENDMENT_DATE_MONTH	DATA_LEGAL_ENTITY_FOUNDING_DATE_YEAR
255, 266, 292, 304, 316	255, 266, 292, 304, 316
DATA_LEGAL_ENTITY_DEED_LAST_STATUTES_AMENDMENT_DATE_YEAR	DATA_LEGAL_ENTITY_ISSUED_SHARE_CAPITAL_AMOUNT
255, 266, 292, 304, 316	255, 266, 292, 304, 316
DATA_LEGAL_ENTITY_DISCONTINUATION_DATE_DAY	DATA_LEGAL_ENTITY_ISSUED_SHARE_CAPITAL_CURRENCY
255, 266, 292, 304, 316	255, 266, 292, 304, 316
DATA_LEGAL_ENTITY_DISCONTINUATION_DATE_MONTH	DATA_LEGAL_ENTITY_ISSUED_SHARE_CAPITAL_FORMATTED
255, 266, 292, 304, 316	255, 266, 292, 304, 316
DATA_LEGAL_ENTITY_DISCONTINUATION_DATE_YEAR	DATA_LEGAL_ENTITY_LAST_STATUTES_AMENDMENT_DATE_DAY
255, 266, 292, 304, 316	255, 266, 292, 304, 316
DATA_LEGAL_ENTITY DISSOLUTION_DATE_DAY	DATA_LEGAL_ENTITY_LAST_STATUTES_AMENDMENT_DATE_MONTH
255, 266, 292, 304, 316	255, 266, 292, 304, 316
DATA_LEGAL_ENTITY DISSOLUTION_DATE_MONTH	DATA_LEGAL_ENTITY_LAST_STATUTES_AMENDMENT_DATE_YEAR
255, 266, 292, 304, 316	255, 266, 292, 304, 316
DATA_LEGAL_ENTITY DISSOLUTION_DATE_YEAR	DATA_LEGAL_ENTITY_LEGAL_ENTITY_END_DATE_DAY
255, 266, 292, 304, 316	255, 266, 292, 304, 316

DATA_LEGAL_ENTITY_LEGAL_ENTITY_END_DATE_YEAR	DATA_LEGAL_ENTITY_REMOVAL_DATE_YEAR
_MONTH 255, 266, 292, 304, 316	255, 266, 292, 304, 316
DATA_LEGAL_ENTITY_LEGAL_ENTITY_END_DATE_YEAR	DATA_LEGAL_ENTITY_RSIN_NUMBER
255, 266, 292, 304, 316	255, 266, 292, 304, 316
DATA_LEGAL_ENTITY_LEGAL_FORM_CHANGE	DATA_LEGAL_ENTITY_SBI_CODES_ITEM_DESCRIPTION
255, 266, 292, 304, 316	255, 266, 292, 304, 316
DATA_LEGAL_ENTITY_LEGAL_FORM_TEXT	DATA_LEGAL_ENTITY_SBI_CODES_ITEM_SBI_CODE
255, 266, 292, 304, 316	255, 266, 292, 304, 316
DATA_LEGAL_ENTITY_LEGAL_NAME	DATA_LEGAL_ENTITY_SHARE_HOLDERS
255, 266, 292, 304, 316	255, 266, 292, 304, 316
DATA_LEGAL_ENTITY_LIABILITY	DATA_LEGAL_ENTITY_SHARES
255, 266, 292, 304, 316	255, 266, 292, 304, 316
DATA_LEGAL_ENTITY_LIQUIDATION_CLOSURE_DATE_DAY	DATA_LEGAL_ENTITY_SHORTENED_NAME
255, 266, 292, 304, 316	255, 266, 292, 304, 316
DATA_LEGAL_ENTITY_LIQUIDATION_CLOSURE_DATE_MONTH	DATA_LEGAL_ENTITY_STATUTORY_SEAT
255, 266, 292, 304, 316	255, 266, 292, 304, 316
DATA_LEGAL_ENTITY_LIQUIDATION_CLOSURE_DATE_YEAR	DATA_LEGAL_ENTITY_TELEPHONE_NUMBERS_ITEM
255, 266, 292, 304, 316	255, 266, 292, 304, 316
DATA_LEGAL_ENTITY_LIQUIDATION_REOPENING_DATE_DAY	DATA_PARTNERSHIP_CORRESPONDENCE_ADDRESS_ADDRESS
255, 266, 292, 304, 316	266, 304, 316
DATA_LEGAL_ENTITY_LIQUIDATION_REOPENING_DATE_MONTH	DATA_PARTNERSHIP_CORRESPONDENCE_ADDRESS_CITY
255, 266, 292, 304, 316	255, 266, 292, 304, 316
DATA_LEGAL_ENTITY_LIQUIDATION_REOPENING_DATE_YEAR	DATA_PARTNERSHIP_CORRESPONDENCE_ADDRESS_COUNTRY
255, 266, 292, 304, 316	255, 266, 292, 304, 316
DATA_LEGAL_ENTITY_MERGER_DESCRIPTION	DATA_PARTNERSHIP_CORRESPONDENCE_ADDRESS_HOUSE_NUMBER
255, 266, 292, 304, 316	255, 266, 292, 304, 316
DATA_LEGAL_ENTITY_NAME	DATA_PARTNERSHIP_CORRESPONDENCE_ADDRESS_HOUSE_NUMBER_ADDITION
255, 266, 292, 304, 316	255, 266, 292, 304, 316
DATA_LEGAL_ENTITY_PAID_UP_SHARE_CAPITAL_AMOUNT	DATA_PARTNERSHIP_CORRESPONDENCE_ADDRESS_POSTCODE
255, 266, 292, 304, 316	255, 266, 292, 304, 316
DATA_LEGAL_ENTITY_PAID_UP_SHARE_CAPITAL_CURRENCY	DATA_PARTNERSHIP_CORRESPONDENCE_ADDRESS_STREET
255, 266, 292, 304, 316	255, 266, 292, 304, 316
DATA_LEGAL_ENTITY_PAID_UP_SHARE_CAPITAL_FORMATTED	DATA_PARTNERSHIP DISSOLUTION_DATE_DAY
255, 266, 292, 304, 316	255, 266, 292, 304, 316
DATA_LEGAL_ENTITY_REGISTRATION	DATA_PARTNERSHIP DISSOLUTION_DATE_MONTH
255, 266, 292, 304, 316	255, 266, 292, 304, 316
DATA_LEGAL_ENTITY_REGISTRATION_DATE_DAY	DATA_PARTNERSHIP DISSOLUTION_DATE_YEAR
255, 266, 292, 304, 316	255, 266, 292, 304, 316
DATA_LEGAL_ENTITY_REGISTRATION_DATE_MONTH	DATA_PARTNERSHIP DOSSIER_NUMBER
255, 266, 292, 304, 316	255, 266, 292, 304, 316
DATA_LEGAL_ENTITY_REGISTRATION_DATE_YEAR	DATA_PARTNERSHIP_DURATION
255, 266, 292, 304, 316	255, 266, 292, 304, 316
DATA_LEGAL_ENTITY_REGISTRATION_END_DATE_DAY	DATA_PARTNERSHIP_ESTABLISHMENT_ADDRESS_ADDRESS
255, 266, 292, 304, 316	266, 304, 316
DATA_LEGAL_ENTITY_REGISTRATION_END_DATE_MONTH	DATA_PARTNERSHIP_ESTABLISHMENT_ADDRESS_CITY
255, 266, 292, 304, 316	255, 266, 292, 304, 316
DATA_LEGAL_ENTITY_REGISTRATION_END_DATE_YEAR	DATA_PARTNERSHIP_ESTABLISHMENT_ADDRESS_COUNTRY
255, 266, 292, 304, 316	255, 266, 292, 304, 316
DATA_LEGAL_ENTITY_REMARKS_ITEM	DATA_PARTNERSHIP_ESTABLISHMENT_ADDRESS_HOUSE_NUMBER
255, 266, 292, 304, 316	255, 266, 292, 304, 316
DATA_LEGAL_ENTITY_REMOVAL_DATE_DAY	DATA_PARTNERSHIP_ESTABLISHMENT_ADDRESS_HOUSE_NUMBER_ADDITION
255, 266, 292, 304, 316	255, 266, 292, 304, 316
DATA_LEGAL_ENTITY_REMOVAL_DATE_MONTH	
255, 266, 292, 304, 316	

DATA_PARTNERSHIP_ESTABLISHMENT_ADDRESS_POSTCODE	255, 266, 292, 304, 316	DATA_POSITIONS_ITEM_CORRESPONDENCE_ADDRESS_CITY	255, 266, 292, 304, 316
DATA_PARTNERSHIP_ESTABLISHMENT_ADDRESS_STREET	255, 266, 292, 304, 316	DATA_POSITIONS_ITEM_CORRESPONDENCE_ADDRESS_COUNTRY	255, 266, 292, 304, 316
DATA_PARTNERSHIP_FOUNDING_DATE_DAY	255, 266, 292, 304, 316	DATA_POSITIONS_ITEM_CORRESPONDENCE_ADDRESS_HOUSE_NUMBER	255, 266, 292, 304, 316
DATA_PARTNERSHIP_FOUNDING_DATE_MONTH	255, 266, 292, 304, 316	DATA_POSITIONS_ITEM_CORRESPONDENCE_ADDRESS_HOUSE_NUMBER_ADDITION	255, 266, 292, 304, 316
DATA_PARTNERSHIP_FOUNDING_DATE_YEAR	255, 266, 292, 304, 316	DATA_POSITIONS_ITEM_CORRESPONDENCE_ADDRESS_POSTCODE	255, 266, 292, 304, 316
DATA_PARTNERSHIP_FUNCTION_START_DATE_YEAR	255, 266, 292, 304, 316	DATA_POSITIONS_ITEM_CORRESPONDENCE_ADDRESS_STREET	255, 266, 292, 304, 316
DATA_PARTNERSHIP_FUNCTION_START_DATE_MONTH	255, 266, 292, 304, 316	DATA_POSITIONS_ITEM_DATE_JOINED_DAY	255, 266, 292, 304, 316
DATA_PARTNERSHIP_FUNCTION_START_DATE_YEAR	255, 266, 292, 304, 316	DATA_POSITIONS_ITEM_DATE_JOINED_MONTH	255, 266, 292, 304, 316
DATA_PARTNERSHIP_LEGAL_FORM_TEXT	255, 266, 292, 304, 316	DATA_POSITIONS_ITEM_DATE_JOINED_YEAR	255, 266, 292, 304, 316
DATA_PARTNERSHIP_LIMITED_PARTNERSHIP_CAPITAL_AMOUNT	255, 266, 292, 304, 316	DATA_POSITIONS_ITEM_DATE_SINCE_DAY	255, 266, 292, 304, 316
DATA_PARTNERSHIP_LIMITED_PARTNERSHIP_CAPITAL_CURRENCY	255, 266, 292, 304, 316	DATA_POSITIONS_ITEM_DATE_SINCE_MONTH	255, 266, 292, 304, 316
DATA_PARTNERSHIP_LIMITED_PARTNERSHIP_CAPITAL_FORMATTED	255, 266, 292, 304, 316	DATA_POSITIONS_ITEM_DATE_SINCE_YEAR	255, 266, 292, 304, 316
DATA_PARTNERSHIP_NAME	255, 266, 292, 304, 316	DATA_POSITIONS_ITEM_ESTABLISHMENT_ADDRESS_ADDRESS	266, 304, 316
DATA_PARTNERSHIP_REGISTRATION	255, 266, 292, 304, 316	DATA_POSITIONS_ITEM_ESTABLISHMENT_ADDRESS_CITY	255, 266, 292, 304, 316
DATA_PARTNERSHIP_REMARKS_ITEM	255, 266, 292, 304, 316	DATA_POSITIONS_ITEM_ESTABLISHMENT_ADDRESS_COUNTRY	255, 266, 292, 304, 316
DATA_PARTNERSHIP_RSIN_NUMBER	255, 266, 292, 304, 316	DATA_POSITIONS_ITEM_ESTABLISHMENT_ADDRESS_HOUSE_NUMBER	255, 266, 292, 304, 316
DATA_PARTNERSHIP_SILENT_PARTNERS	255, 266, 292, 304, 316	DATA_POSITIONS_ITEM_ESTABLISHMENT_ADDRESS_HOUSE_NUMBER_ADDITION	255, 266, 292, 304, 316
DATA_POSITIONS_ITEM_AUTHORIZATION_CONSENTS	255, 266, 292, 304, 316	DATA_POSITIONS_ITEM_ESTABLISHMENT_ADDRESS_POSTCODE	255, 266, 292, 304, 316
DATA_POSITIONS_ITEM_AUTHORIZATION_DESCRIPTION	255, 266, 292, 304, 316	DATA_POSITIONS_ITEM_ESTABLISHMENT_ADDRESS_STREET	255, 266, 292, 304, 316
DATA_POSITIONS_ITEM_AUTHORIZATION_END_DATE_DAY	255, 266, 292, 304, 316	DATA_POSITIONS_ITEM_FUNCTION_AUTHORIZATION_DESCRIPTION	255, 266, 292, 304, 316
DATA_POSITIONS_ITEM_AUTHORIZATION_END_DATE_MONTH	255, 266, 292, 304, 316	DATA_POSITIONS_ITEM_FUNCTION_AUTHORIZATION_END_DATE_DAY	255, 266, 292, 304, 316
DATA_POSITIONS_ITEM_AUTHORIZATION_END_DATE_YEAR	255, 266, 292, 304, 316	DATA_POSITIONS_ITEM_FUNCTION_AUTHORIZATION_END_DATE_MONTH	255, 266, 292, 304, 316
DATA_POSITIONS_ITEM_AUTHORIZATION_ESTABLISHMENT_NUMBER	255, 266, 292, 304, 316	DATA_POSITIONS_ITEM_FUNCTION_AUTHORIZATION_END_DATE_YEAR	255, 266, 292, 304, 316
DATA_POSITIONS_ITEM_AUTHORIZATION_START_DATE_DAY	255, 266, 292, 304, 316	DATA_POSITIONS_ITEM_FUNCTION_AUTHORIZATION_SIGNING_POWER	255, 266, 292, 304, 316
DATA_POSITIONS_ITEM_AUTHORIZATION_START_DATE_MONTH	255, 266, 292, 304, 316	DATA_POSITIONS_ITEM_FUNCTION_AUTHORIZATION_START_DATE_DAY	255, 266, 292, 304, 316
DATA_POSITIONS_ITEM_AUTHORIZATION_START_DATE_YEAR	255, 266, 292, 304, 316		
DATA_POSITIONS_ITEM_CORRESPONDENCE_ADDRESS_ADDRESS	266, 304, 316		

DATA_POSITIONS_ITEM_FUNCTION_AUTHORIZATION_DATE 255, 266, 292, 304, 316
 DATA_POSITIONS_ITEM_FUNCTION_AUTHORIZATION_DATE_YEAR 255, 266, 292, 304, 316
 DATA_POSITIONS_ITEM_FUNCTION_DESCRIPTION 255, 266, 292, 304, 316
 DATA_POSITIONS_ITEM_FUNCTION_END_DATE 255, 266, 292, 304, 316
 DATA_POSITIONS_ITEM_FUNCTION_END_DATE_MONTH 255, 266, 292, 304, 316
 DATA_POSITIONS_ITEM_FUNCTION_END_DATE_YEAR 255, 266, 292, 304, 316
 DATA_POSITIONS_ITEM_FUNCTION_REGISTRATION_DATE 255, 266, 292, 304, 316
 DATA_POSITIONS_ITEM_FUNCTION_REGISTRATION_DATE_MONTH 255, 266, 292, 304, 316
 DATA_POSITIONS_ITEM_FUNCTION_REGISTRATION_DATE_YEAR 255, 266, 292, 304, 316
 DATA_POSITIONS_ITEM_FUNCTION_START_DATE 255, 266, 292, 304, 316
 DATA_POSITIONS_ITEM_FUNCTION_START_DATE_MONTH 255, 266, 292, 304, 316
 DATA_POSITIONS_ITEM_FUNCTION_START_DATE_YEAR 255, 266, 292, 304, 316
 DATA_POSITIONS_ITEM_FUNCTION_TITLE 255, 266, 292, 304, 316
 DATA_POSITIONS_ITEM_FUNCTION_TYPE 255, 266, 292, 304, 316
 DATA_POSITIONS_ITEM_FUNCTIONARY_COUNT_OF_BIRTH 255, 266, 292, 304, 316
 DATA_POSITIONS_ITEM_FUNCTIONARY_DATE_CEASED 255, 266, 292, 304, 316
 DATA_POSITIONS_ITEM_FUNCTIONARY_DATE_CEASED_MONTH 255, 266, 292, 304, 316
 DATA_POSITIONS_ITEM_FUNCTIONARY_DATE_CEASED_YEAR 255, 266, 292, 304, 316
 DATA_POSITIONS_ITEM_FUNCTIONARY_DATE_OF_BIRTH 255, 266, 292, 304, 316
 DATA_POSITIONS_ITEM_FUNCTIONARY_DATE_OF_BIRTH_YEAR 255, 266, 292, 304, 316
 DATA_POSITIONS_ITEM_FUNCTIONARY_FIRST_NAME 255, 266, 292, 304, 316
 DATA_POSITIONS_ITEM_FUNCTIONARY_GENDER 255, 266, 292, 304, 316
 DATA_POSITIONS_ITEM_FUNCTIONARY_INITIALS 255, 266, 292, 304, 316
 DATA_POSITIONS_ITEM_FUNCTIONARY_LAST_NAME 255, 266, 292, 304, 316
 DATA_POSITIONS_ITEM_FUNCTIONARY_PLACE_OF_BIRTH 255, 266, 292, 304, 316
 DATA_POSITIONS_ITEM_INAUGURATION 255, 266, 292, 304, 316
 DATA_POSITIONS_ITEM_INAUGURATION_BODY 255, 266, 292, 304, 316
 DATA_POSITIONS_ITEM_INAUGURATION_DATE_DAY 255, 266, 292, 304, 316
 DATA_POSITIONS_ITEM_INAUGURATION_DATE_MONTH 255, 266, 292, 304, 316
 DATA_POSITIONS_ITEM_INAUGURATION_DATE_YEAR 255, 266, 292, 304, 316
 DATA_POSITIONS_ITEM_INAUGURATION_DURATION 255, 266, 292, 304, 316
 DATA_POSITIONS_ITEM_INAUGURATION_FUNCTIONARY 255, 266, 292, 304, 316
 DATA_POSITIONS_ITEM_LONGEST_SERVING 255, 266, 292, 304, 316
 DATA_POSITIONS_ITEM_ORGANISATION_DOSSIER_NUMBER 255, 266, 292, 304, 316
 DATA_POSITIONS_ITEM_ORGANISATION_NAME 255, 266, 292, 304, 316
 DATA_POSITIONS_ITEM_ORGANISATION_REGISTRATION 255, 266, 292, 304, 316
 DATA_POSITIONS_ITEM_ORGANISATION_TRADE_NAMES 255, 266, 292, 304, 316
 DATA_POSITIONS_ITEM_RELEASE_OF_COVENANT 255, 266, 292, 304, 316
 DATA_POSITIONS_ITEM_REMARKS 255, 266, 292, 304, 316
 DATA_POSITIONS_ITEM_RESIDENTIAL_ADDRESS_ADDRESS 266, 304, 316
 DATA_POSITIONS_ITEM_RESIDENTIAL_ADDRESS_CITY 255, 266, 292, 304, 316
 DATA_POSITIONS_ITEM_RESIDENTIAL_ADDRESS_COUNTRY 255, 266, 292, 304, 316
 DATA_POSITIONS_ITEM_RESIDENTIAL_ADDRESS_HOUSE_NUMBER 255, 266, 292, 304, 316
 DATA_POSITIONS_ITEM_RESIDENTIAL_ADDRESS_HOUSE_NUMBER_ADDITION 255, 266, 292, 304, 316
 DATA_POSITIONS_ITEM_RESIDENTIAL_ADDRESS_POSTCODE 255, 266, 292, 304, 316
 DATA_POSITIONS_ITEM_RESIDENTIAL_ADDRESS_STREET 255, 266, 292, 304, 316
 DATA_POSITIONS_ITEM_RIGHTS_AGAINST_THIRD_PARTIES 255, 266, 292, 304, 316
 DATA_POSITIONS_ITEM_UNDER_RECEIVERSHIP 255, 266, 292, 304, 316
 DATA_REFERENCE_DATE 255, 266, 292, 304, 316
 DATA_REMARKS_ITEM_DATE 349, 460
 Date First Issuing 95, 97, 100, 129
 Date Latest Name Registration 95, 97, 100, 129

Date of Birth	142, 145	DESCRIPTION	15, 67, 77, 357, 1131, 1133, 1134, 1143, 1144, 1146, 1147, 1148, 1158
DATE_END	377	DESCRIPTION_ITEM_DISTANCE	1152
DATE_ENDED	1184	DESCRIPTION_ITEM_TIME	1152
DATE_FIRST_ADMISSION	95, 97, 100, 129	DESIGN	137
DATE_FIRST_ISSUING	95, 97, 100, 129	DESTINATION_ADDRESS_ADDRESS_KEY	1152
DATE_LAST_ACCOUNT	194	DESTINATION_ADDRESS_CITY	1152
DATE_LAST_CHANGE	194	DESTINATION_ADDRESS_COUNTRY	1152
DATE_LAST_UPDATE	190, 343, 371, 372, 373, 1122, 1123, 1124	DESTINATION_ADDRESS_HOUSE_NUMBER	1152
DATE_LATEST_NAME_REGISTRATION	95, 97, 100, 129	DESTINATION_ADDRESS_HOUSE_NUMBER_ADDITION	1152
DATE_OF_BIRTH	142, 145	DESTINATION_ADDRESS_POSTCODE	1152
DATE_OF_DEATH	142	DESTINATION_ADDRESS_STREET	1152
DATE_SINCE	357	destination_city	1152
DATE_START	377	DESTINATION_COORDINATES_LATLONG_LATITUDE	1152
DATE_STARTED	1184	DESTINATION_COORDINATES_LATLONG_LONGITUDE	1152
DATELASTUPDATE	90, 91, 92	DESTINATION_COORDINATES_RD_X	1152
DATUM_WAARDEBEPALING	1135	DESTINATION_COORDINATES_RD_Y	1152
DE Miscellaneous Business Purpose	163	destination_country	1152
DE Miscellaneous Commercial Register City	163	destination_house_number	1152
DE Miscellaneous Commercial Register ZIP Code	163	destination_house_number_addition	1152
DE Miscellaneous Company Type	163	destination_postcode	1152
DE Miscellaneous Complementary Company	163	destination_street	1152
DE Miscellaneous Fax Number	163	DETAILS_AXLES	379, 383
DE Miscellaneous Financials Quality	163	DETAILS_DISTANCE_CLUTCH_TO_REAR	379, 383
DE Miscellaneous Negative Rating	163	DETAILS_DISTANCE_FRONT_TO_CLUTCH	379, 383
DE Miscellaneous Premise Type	163	DETAILS_DOORS	379, 383
DE Miscellaneous Small Office	163	DETAILS_LENGTH	379, 383
DE Miscellaneous Turnover Range	163	DETAILS_SEATS	379, 383
Debtor in Possession	204	DETAILS_SPEED_LIMIT_DIFFERENCE	379, 383
DEBTOR_INPOSSESSION	204	DETAILS_STANDING_ROOM	379, 383
DECEASED	142	DETAILS_WEIGHT	379, 383
deel	466, 584	DETAILS_WHEEL_BASE	379, 383
DEPARTMENTS_ITEM_CODE	65, 66	DETAILS_WHEELS	379, 383
DEPARTMENTS_ITEM_DESCRIPTION	65, 66	DETAILS_WIDTH	379, 383
DEPRECATED	1131	DEUREN	102
DEPT_RESTRUCTURING_NUMBER	455	DIEPTEVERSTELLING_STUUR_PAKKET	102
DERDE_DRIEPUNTSGORDEL_ACHTER_PAKKET	102	DIEPTEVERSTELLING_STUUR_PRIJS	102
DERDE_DRIEPUNTSGORDEL_ACHTER_PRIJS	102	DIEPTEVERSTELLING_STUUR_STANDAARD	102
DERDE_DRIEPUNTSGORDEL_ACHTER_STANDAARD	102	DIEPTEVERSTELLING_STUUR_STANDAARD_SINDS_DATUM	102
DERDE_DRIEPUNTSGORDEL_ACHTER_STANDAARD_SINDS_DATUM	102	DIMMENDE_BINNENSPIEGEL_PAKKET	102
DERDE_HOOFDSTEUN_ACHTER_PAKKET	102	DIMMENDE_BINNENSPIEGEL_PRIJS	102
DERDE_HOOFDSTEUN_ACHTER_PRIJS	102	DIMMENDE_BINNENSPIEGEL_STANDAARD	102
DERDE_HOOFDSTEUN_ACHTER_STANDAARD	102	DIMMENDE_BINNENSPIEGEL_STANDAARD_SINDS_DATUM	102
DERDE_HOOFDSTEUN_ACHTER_STANDAARD_SINDS_DATUM	102	DIMMENDE_BUITENSPIEGEL_PAKKET	102

DIMMENDE_BUITENSPIEGEL_PRIJS 102
 DIMMENDE_BUITENSPIEGEL_STANDAARD 102
 DIMMENDE_BUITENSPIEGEL_STANDAARD_SINDSDATUM 102
 DIRECTORS_CURRENT_DIRECTORS_ITEM_ADDRESS_CITY 163
 DIRECTORS_CURRENT_DIRECTORS_ITEM_ADDRESS_COUNTRY 163
 DIRECTORS_CURRENT_DIRECTORS_ITEM_ADDRESS_FULL_ADDRESS 163
 DIRECTORS_CURRENT_DIRECTORS_ITEM_ADDRESS_HOUSE_NUMBER 163
 DIRECTORS_CURRENT_DIRECTORS_ITEM_ADDRESS_POSTAL_CODE 163
 DIRECTORS_CURRENT_DIRECTORS_ITEM_ADDRESS_STREET 163
 DIRECTORS_CURRENT_DIRECTORS_ITEM_ADDRESS_TELEPHONE 163
 DIRECTORS_CURRENT_DIRECTORS_ITEM_APPOINTMENT_DATE 147
 DIRECTORS_CURRENT_DIRECTORS_ITEM_DATE_OF_BIRTH 147, 163
 DIRECTORS_CURRENT_DIRECTORS_ITEM_DIRECTOR_TYPE 163
 DIRECTORS_CURRENT_DIRECTORS_ITEM_GENDER 147, 163
 DIRECTORS_CURRENT_DIRECTORS_ITEM_ID 163
 DIRECTORS_CURRENT_DIRECTORS_ITEM_NAME 147, 163
 DIRECTORS_CURRENT_DIRECTORS_ITEM_POSITION 147
 DIRECTORS_CURRENT_DIRECTORS_ITEM_POSITIONS 163
 DIRECTORS_PREVIOUS_DIRECTORS_ITEM_ADDRESS_CITY 163
 DIRECTORS_PREVIOUS_DIRECTORS_ITEM_ADDRESS_COUNTRY 163
 DIRECTORS_PREVIOUS_DIRECTORS_ITEM_ADDRESS_FULL_ADDRESS 163
 DIRECTORS_PREVIOUS_DIRECTORS_ITEM_ADDRESS_HOUSE_NUMBER 163
 DIRECTORS_PREVIOUS_DIRECTORS_ITEM_ADDRESS_POSTAL_CODE 163
 DIRECTORS_PREVIOUS_DIRECTORS_ITEM_ADDRESS_STREET 163
 DIRECTORS_PREVIOUS_DIRECTORS_ITEM_ADDRESS_TELEPHONE 163
 DIRECTORS_PREVIOUS_DIRECTORS_ITEM_DATE_OF_BIRTH 163
 DIRECTORS_PREVIOUS_DIRECTORS_ITEM_DIRECTOR_ADDRESS 147
 DIRECTORS_PREVIOUS_DIRECTORS_ITEM_DIRECTOR_APPOINTMENT_DATE 147
 DIRECTORS_PREVIOUS_DIRECTORS_ITEM_DIRECTOR_DATE_OF_BIRTH 147
 DIRECTORS_PREVIOUS_DIRECTORS_ITEM_DIRECTOR_GENDER 147
 DIRECTORS_PREVIOUS_DIRECTORS_ITEM_DIRECTOR_NAME 147
 DIRECTORS_PREVIOUS_DIRECTORS_ITEM_DIRECTOR_POSITIONS 163
 DIRECTORS_PREVIOUS_DIRECTORS_ITEM_DIRECTOR_RESIGNATION_DATE 147, 163
 DIRECTORS_PREVIOUS_DIRECTORS_ITEM_DIRECTOR_TYPE 163
 DIRECTORS_PREVIOUS_DIRECTORS_ITEM_GENDER 163
 DIRECTORS_PREVIOUS_DIRECTORS_ITEM_ID 163
 DIRECTORS_PREVIOUS_DIRECTORS_ITEM_NAME 163
 DIRECTORS_PREVIOUS_DIRECTORS_ITEM_POSITIONS 163
 DIRECTORS_PREVIOUS_DIRECTORS_ITEM_RESIGNATION_DATE 147, 163
 DISASTER 204
 Discontinuation Date Day 244, 281
 Discontinuation Date Month 244, 281
 Discontinuation Date Year 244, 281
 DISCONTINUATION_DATE_DAY 233, 237
 DISCONTINUATION_DATE_MONTH 233, 237
 DISCONTINUATION_DATE_YEAR 233, 237
 DISTANCE 390, 391, 392, 393, 394, 397, 399, 404, 407, 408, 1143, 1144, 1146, 1147, 1148, 1150, 1155, 1157, 1158, 1160
 DISTRICT 23, 25, 27, 37, 39, 399, 408
 DNB_KEY 195, 203, 204, 207, 209
 DNB_RATING 204
 dnbBusinessVerification 195
 dnbEnterpriseManagement 197
 dnbGetReference 203
 dnbQuickCheck 204
 dnbSearchReference 207
 dnbSearchReferenceV2 209
 dnbWorldbaseMarketing 210
 dnbWorldbaseMarketingPlus 211
 dnbWorldbaseMarketingPlusLinkage 215
 DOCUMENT 147, 226, 243, 244, 255, 266, 281, 292, 304, 316, 412, 466, 570, 584, 585, 646, 708, 769, 847, 926, 1004, 1009, 1043, 1076, 1115
 Document Date 243, 244, 281, 1115
 DOCUMENT_DATE 243, 244, 281, 1115
 DOCUMENTATION 1131
 DOCUMENTATION_URL 1131, 1133, 1134
 DOCUMENTS_ITEM_CACHED_URL 140, 142
 DOCUMENTS_ITEM_CATEGORIES 140, 142

DOCUMENTS_ITEM_DATE_COLLECTED	140, 142	dutchBusinessGetExtractDocumentData	244
DOCUMENTS_ITEM_ORIGINAL_URL	140, 142	dutchBusinessGetExtractDocumentDataV2	255
DODEHOEKSPIEGEL_BESTUURDER_PAKKET	102	dutchBusinessGetExtractDocumentDataV3	266
DODEHOEKSPIEGEL_BESTUURDER_PRIJS	102	dutchBusinessGetExtractHistory	279
DODEHOEKSPIEGEL_BESTUURDER_STANDAARD	102	dutchBusinessGetExtractHistoryChanged	280
DODEHOEKSPIEGEL_BESTUURDER_STANDAARD_SINDS_DATUM	102	dutchBusinessGetExtractHistoryDocumentData	281
Domain Name	74	dutchBusinessGetExtractHistoryDocumentDataV2	292
domain_name	229, 233, 237, 345, 350, 352, 1117, 1117	dutchBusinessGetExtractHistoryDocumentDataV3	304
DOMAINNAME	74	dutchBusinessGetExtractHistoryDocumentDataV3ByDossier	316
DOMESTIC_ULTIMATE_COUNTRY	197	dutchBusinessGetLegalEntity	329
DOMESTIC_ULTIMATE_DNB_KEY	197	dutchBusinessGetLei	333
DOMESTIC_ULTIMATE_DUNS	197	dutchBusinessGetNonMarketingIndicator	335
DOMESTIC_ULTIMATE_TRADE_NAME	197	dutchBusinessGetOrganizationTree	336
DOORS	129, 132, 137, 139	dutchBusinessGetPositions	337
dossier_number	66, 223, 226, 227, 228, 229, 232, 233, 237, 243, 244, 255, 266, 279, 280, 281, 316, 329, 333, 335, 336, 337, 341, 343, 344, 345, 347, 348, 349, 350, 352, 353, 354, 356, 360, 369, 370, 371, 372, 373, 374, 375, 1112, 1115, 1116, 1117, 1118, 1119, 1121, 1122, 1123, 1124, 1125	dutchBusinessGetSBI	341
dossierno	69, 72, 74, 76, 78, 79, 80, 81, 83, 84, 85, 86, 87, 89, 90, 91, 92, 93	dutchBusinessGetSBIDescription	342
DRAAICIRKEL	102	dutchBusinessGetVatNumber	343
driveInfoDistanceLookup	220	dutchBusinessLookALikes	344
driveInfoTimeLookup	221	dutchBusinessSearch	345
Driver	1	dutchBusinessSearchDossierNumber	347
DRY_RUN	1184	dutchBusinessSearchEstablishments	348
DUNS	195, 204, 210	dutchBusinessSearchNewsByDossier	349
DURATION	377	dutchBusinessSearchParameters	350
Duration (ms)	1184	dutchBusinessSearchParametersV2	352
DURATION_MS	1184	dutchBusinessSearchPostcode	353
Dutch Business Establishment Number	65, 66	dutchBusinessSearchSelection	354
Dutch Business File Number	65, 66	dutchBusinessSearchSelectionSimple	356
DUTCH_BUSINESS_IDENTIFIERS_DOSSIER_NUMBER	65, 66	dutchBusinessUBOCheckInvestigation	357
DUTCH_BUSINESS_IDENTIFIERS_ESTABLISHMENT_NUMBER	65, 66	dutchBusinessUBOClassifyInvestigation	358
DUTCH_BUSINESS_IDENTIFIERS_RSI_NUMBER	65, 66	dutchBusinessUBOCostsInvestigation	359
dutchAddressRangePostcodeSearch	222	dutchBusinessUBOPickupInvestigation	360
dutchBusinessGetAdditionalPositions	223	dutchBusinessUBOStartInvestigation	369
dutchBusinessGetAnnualFinancialStatement	226	dutchBusinessUpdateAddDossier	370
dutchBusinessGetConcernRelationsDetails	227	DUTCHBUSINESSUPDATEADDDOSSIERRESPONSE	370
dutchBusinessGetConcernRelationsOverview	228	dutchBusinessUpdateCheckDossier	371
dutchBusinessGetDossier	229	dutchBusinessUpdateGetChangedDossiers	372
dutchBusinessGetDossierHistory	232	dutchBusinessUpdateGetDossiers	373
dutchBusinessGetDossierV2	233	dutchBusinessUpdateGetOverview	374
dutchBusinessGetDossierV3	237	dutchBusinessUpdateRemoveDossier	375
dutchBusinessGetExtractDocument	243	DUTCHBUSINESSUPDATEREMOVEDOSSIERRESPONSE	375
		dutchVehicleGetMarketValue	376
		dutchVehicleGetOwnerHistory	377
		dutchVehicleGetPurchaseReference	378
		dutchVehicleGetVehicle	379
		dutchVehicleGetVehicleV2	383
		economically_active	86, 87, 354, 356, 1119

EDR Region Score 387
EDR_REGION_SCORE 387
edrGetScore 387
EIGENDOMSBERICHT_AFBEELDINGEN_ITEM 467, 470
EIGENDOMSBERICHT_DATUM_BIJGEWERKT 467, 470, 472, 483, 493, 503
EIGENDOMSBERICHT_DOCUMENT 467, 470, 472, 483, 493, 503
EIGENDOMSBERICHT_GEMEENTESTUKKEN_ITEM_DATUM_IN_WERKING 472, 483, 493, 503
EIGENDOMSBERICHT_GEMEENTESTUKKEN_ITEM_GEMEENTELIJKE_REGISTRATIE_ID 472, 483, 493, 503
EIGENDOMSBERICHT_GEMEENTESTUKKEN_ITEM_NUMMER 472, 483, 493, 503
EIGENDOMSBERICHT_KADASTRALE_AANDUIDING_GEMEENTECODE 467, 470
EIGENDOMSBERICHT_KADASTRALE_AANDUIDING_GEMEENTENAAM 467, 470
EIGENDOMSBERICHT_KADASTRALE_AANDUIDING_PERCEELNUMMER 467, 470
EIGENDOMSBERICHT_KADASTRALE_AANDUIDING_RELATIECODE 467, 470
EIGENDOMSBERICHT_KADASTRALE_AANDUIDING_SECTIE 467, 470
EIGENDOMSBERICHT_KADASTRALE_AANDUIDING_VOLGNUMMER 467, 470
EIGENDOMSBERICHT_LOCATIES_INDICATIE_COMPLEET 467, 470
EIGENDOMSBERICHT_LOCATIES_LOCATIES_BINNENLAND_ITEM_GEMEENTE 467, 470
EIGENDOMSBERICHT_LOCATIES_LOCATIES_BINNENLAND_ITEM_HUISLETTER 467, 470
EIGENDOMSBERICHT_LOCATIES_LOCATIES_BINNENLAND_ITEM_HUISNUMMER 467, 470
EIGENDOMSBERICHT_LOCATIES_LOCATIES_BINNENLAND_ITEM_HUISNUMMER_TOEVOEGING 467, 470
EIGENDOMSBERICHT_LOCATIES_LOCATIES_BINNENLAND_ITEM_POSTCODE 467, 470
EIGENDOMSBERICHT_LOCATIES_LOCATIES_BINNENLAND_ITEM_STRAATNAAM 467, 470
EIGENDOMSBERICHT_OBJECT_ID 467, 470
EIGENDOMSBERICHT_OMSCHRIJVING 467, 470
EIGENDOMSBERICHT_ONROERENDE_ZAAK_AANTEKENINGEN_KADASTRAAL_OBJECT_AANTEKENINGEN_LIJST_AANTEKENINGEN_ITEM_BESCHRIJVING_AANTEKENING 472, 483, 493, 503
EIGENDOMSBERICHT_ONROERENDE_ZAAK_AANTEKENINGEN_KADASTRAAL_OBJECT_AANTEKENINGEN_LIJST_AANTEKENINGEN_ITEM_BETROKKENE_ID 472, 483, 493, 503
EIGENDOMSBERICHT_ONROERENDE_ZAAK_AANTEKENINGEN_KADASTRAAL_OBJECT_AANTEKENINGEN_LIJST_AANTEKENINGEN_ITEM_OMSCHRIJVING_AANTEKENING 472, 483, 493, 503
EIGENDOMSBERICHT_ONROERENDE_ZAAK_AANTEKENINGEN_KADASTRAAL_OBJECT_AANTEKENINGEN_LIJST_AANTEKENINGEN_ITEM_STUK_ID 472, 483, 493, 503
EIGENDOMSBERICHT_ONROERENDE_ZAAK_AANTEKENINGEN_KADASTRAAL_OBJECT_AANTEKENINGEN_LIJST_INDICATIE_COMPLEET 472, 483, 493, 503
EIGENDOMSBERICHT_ONROERENDE_ZAAK_AANTEKENINGEN_KADASTRAAL_OBJECT_MELDING 472, 483, 493, 503
EIGENDOMSBERICHT_ONROERENDE_ZAAK_DATUM_ONTSTAAN 472, 483, 493, 503
EIGENDOMSBERICHT_ONROERENDE_ZAAK_INDICATIE_MEER_ONROERENDE_ZAKEN 472, 483, 493, 503
EIGENDOMSBERICHT_ONROERENDE_ZAAK_INDICATIE_VOORGENOMEN_SPLITSING 472, 483, 493, 503
EIGENDOMSBERICHT_ONROERENDE_ZAAK_INDICATIE_VOORLOPIGE_AANTEKENING 472, 483, 493, 503
EIGENDOMSBERICHT_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_GEMEENTECODE 472, 483, 493, 503
EIGENDOMSBERICHT_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_GEMEENTENAAM 472, 483, 493, 503
EIGENDOMSBERICHT_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_PERCEELNUMMER 472, 483, 493, 503
EIGENDOMSBERICHT_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_RELATIECODE 472, 483, 493, 503
EIGENDOMSBERICHT_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_SECTIE 472, 483, 493, 503
EIGENDOMSBERICHT_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_VOLGNUMMER 472, 483, 493, 503
EIGENDOMSBERICHT_ONROERENDE_ZAAK_KOOPEJAAR 472, 483, 493, 503
EIGENDOMSBERICHT_ONROERENDE_ZAAK_KOOPWISOM 472, 483, 493, 503
EIGENDOMSBERICHT_ONROERENDE_ZAAK_LAN DINRICHTINGSRENTE_BEDRAG 472, 483, 493, 503
EIGENDOMSBERICHT_ONROERENDE_ZAAK_LAN DINRICHTINGSRENTE_EINDJAAR 472, 483, 493, 503
EIGENDOMSBERICHT_ONROERENDE_ZAAK_LOCATIES_INDICATIE_COMPLEET 472, 483, 493, 503

EIGENDOMSBERICHT_ONROERENDE_ZAAK_LOCATIES_BINNENLAND_ITEM_GEMEENTECODE 472, 483, 493, 503
 EIGENDOMSBERICHT_ONROERENDE_ZAAK_MANDELIGE_PERCELEN_KADASTRALE_AANDUIDINGEN_ITEM_PERCEELNUMMER 472, 483, 493, 503
 EIGENDOMSBERICHT_ONROERENDE_ZAAK_LOCATIES_BINNENLAND_ITEM_HUISNUMMER 472, 483, 493, 503
 EIGENDOMSBERICHT_ONROERENDE_ZAAK_MANDELIGE_PERCELEN_KADASTRALE_AANDUIDINGEN_ITEM_RELATIECODE 472, 483, 493, 503
 EIGENDOMSBERICHT_ONROERENDE_ZAAK_MANDELIGE_PERCELEN_KADASTRALE_AANDUIDINGEN_ITEM_SECTIE 472, 483, 493, 503
 EIGENDOMSBERICHT_ONROERENDE_ZAAK_MANDELIGE_PERCELEN_KADASTRALE_AANDUIDINGEN_ITEM_VOLGNUMMER 472, 483, 493, 503
 EIGENDOMSBERICHT_ONROERENDE_ZAAK_NIET_VOLLEDIG_VERWERKT_STUKKEN_LIJST_INDICATIE_COMPLEET 472, 483, 493, 503
 EIGENDOMSBERICHT_ONROERENDE_ZAAK_NIET_VOLLEDIG_VERWERKT_STUKKEN_LIJST_STUKKEN_ITEM 472, 483, 493, 503
 EIGENDOMSBERICHT_ONROERENDE_ZAAK_OBJECT_ID 472, 483, 493, 503
 EIGENDOMSBERICHT_ONROERENDE_ZAAK_OMSCHRIJVING 472, 483, 493, 503
 EIGENDOMSBERICHT_ONROERENDE_ZAAK_ONROERENDE_ZAAK_HISTORIE_INDICATIE_COMPLEET 472, 483, 493, 503
 EIGENDOMSBERICHT_ONROERENDE_ZAAK_ONROERENDE_ZAAK_HISTORIE_KADASTRALE_AANDUIDINGEN_ITEM_GEMEENTECODE 472, 483, 493, 503
 EIGENDOMSBERICHT_ONROERENDE_ZAAK_ONROERENDE_ZAAK_HISTORIE_KADASTRALE_AANDUIDINGEN_ITEM_GEMEENTENAAM 472, 483, 493, 503
 EIGENDOMSBERICHT_ONROERENDE_ZAAK_ONROERENDE_ZAAK_HISTORIE_KADASTRALE_AANDUIDINGEN_ITEM_PERCEELNUMMER 472, 483, 493, 503
 EIGENDOMSBERICHT_ONROERENDE_ZAAK_ONROERENDE_ZAAK_HISTORIE_KADASTRALE_AANDUIDINGEN_ITEM_RELATIECODE 472, 483, 493, 503
 EIGENDOMSBERICHT_ONROERENDE_ZAAK_ONROERENDE_ZAAK_HISTORIE_KADASTRALE_AANDUIDINGEN_ITEM_SECTIE 472, 483, 493, 503
 EIGENDOMSBERICHT_ONROERENDE_ZAAK_ONROERENDE_ZAAK_HISTORIE_KADASTRALE_AANDUIDINGEN_ITEM_VOLGNUMMER 472, 483, 493, 503
 EIGENDOMSBERICHT_ONROERENDE_ZAAK_ONROERENDE_ZAAK_HISTORIE_KADASTRALE_AANDUIDINGEN_ITEM_RELATIECODE 472, 483, 493, 503
 EIGENDOMSBERICHT_ONROERENDE_ZAAK_ONROERENDE_ZAAK_HISTORIE_KADASTRALE_AANDUIDINGEN_ITEM_GEMEENTENAAM 472, 483, 493, 503
 EIGENDOMSBERICHT_ONROERENDE_ZAAK_PERCEEL_DETAILS_APPARTEMENTSRECHT_BESTUURDER_ID 472, 483, 493, 503

EIGENDOMSBERICHT_ONROERENDE_ZAAK_PERCEEL_DETAILS_APPARTEMENTSRECHT_NAAM 472, 483, 493, 503
 EIGENDOMSBERICHT_PERSONEN_ITEM_INDICATIE_MEER_ONROERENDE_ZAKEN 472, 483, 493, 503
 EIGENDOMSBERICHT_ONROERENDE_ZAAK_PERCEEL_DETAILS_PERCEEL_GROOTTE_PERCEELK_VAN_BELANG_STUKKEN_LIJST_INDICATIE_COMPLEET 472, 483, 493, 503
 EIGENDOMSBERICHT_PERSONEN_ITEM_MOGELIJK_VAN_BELANG_STUKKEN_LIJST_INDICATIE_COMPLEET 472, 483, 493, 503
 EIGENDOMSBERICHT_ONROERENDE_ZAAK_PERCEEL_DETAILS_INDICATIE_GROOTTEK_VAN_BELANG_STUKKEN_LIJST_STUKKEN_GESCHAT 472, 483, 493, 503
 EIGENDOMSBERICHT_PERSONEN_ITEM_MOGELIJK_PERSOON_ADELLIJKE_TITEL 472, 483, 493, 503
 EIGENDOMSBERICHT_ONROERENDE_ZAAK_PERCEEL_DETAILS_X_COORDINAAT 472, 483, 493, 503
 EIGENDOMSBERICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_ADELLIJKE_TITEL 483, 503
 EIGENDOMSBERICHT_ONROERENDE_ZAAK_PERCEEL_DETAILS_Y_COORDINAAT 472, 483, 493, 503
 EIGENDOMSBERICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_ADELLIJKE_TITEL_GESLACHTSNAAM 483, 503
 EIGENDOMSBERICHT_ONROERENDE_ZAAK_PERCEEL_DETAILS_Z_COORDINAAT 472, 483, 493, 503
 EIGENDOMSBERICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_DATUM_OVERLIJDEN 472, 483, 493, 503
 EIGENDOMSBERICHT_ONROERENDE_ZAAK_PERCEEL_DETAILS_Z_COORDINAAT 472, 483, 493, 503
 EIGENDOMSBERICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_GEBOORTEDATUM 472, 483, 493, 503
 EIGENDOMSBERICHT_ONROERENDE_ZAAK_PERCEEL_DETAILS_Z_COORDINAAT 472, 483, 493, 503
 EIGENDOMSBERICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_GEBOORTEPLAATS 472, 483, 493, 503
 EIGENDOMSBERICHT_ONROERENDE_ZAAK_PERCEEL_DETAILS_Z_COORDINAAT 472, 483, 493, 503
 EIGENDOMSBERICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_GESLACHT 472, 483, 493, 503
 EIGENDOMSBERICHT_ONROERENDE_ZAAK_PERCEEL_DETAILS_Z_COORDINAAT 472, 483, 493, 503
 EIGENDOMSBERICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_GESLACHTSNAAM 472, 483, 493, 503
 EIGENDOMSBERICHT_ONROERENDE_ZAAK_PERCEEL_DETAILS_Z_COORDINAAT 472, 483, 493, 503
 EIGENDOMSBERICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_INDICATIE_CONFORM_GBA 472, 483, 493, 503
 EIGENDOMSBERICHT_ONROERENDE_ZAAK_PERCEEL_DETAILS_Z_COORDINAAT 472, 483, 493, 503
 EIGENDOMSBERICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_INDICATIE_OVERLEDEN 472, 483, 493, 503
 EIGENDOMSBERICHT_ONROERENDE_ZAAK_PERCEEL_DETAILS_Z_COORDINAAT 472, 483, 493, 503
 EIGENDOMSBERICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_OMSCHRIJVING_RELATIE 472, 483, 493, 503
 EIGENDOMSBERICHT_ONROERENDE_ZAAK_PERCEEL_DETAILS_Z_COORDINAAT 472, 483, 493, 503
 EIGENDOMSBERICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_RELATIE_PARTNERID 472, 483, 493, 503
 EIGENDOMSBERICHT_ONROERENDE_ZAAK_PERCEEL_DETAILS_Z_COORDINAAT 472, 483, 493, 503
 EIGENDOMSBERICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_VOORNAMEN 472, 483, 493, 503
 EIGENDOMSBERICHT_ONROERENDE_ZAAK_PERCEEL_DETAILS_Z_COORDINAAT 472, 483, 493, 503
 EIGENDOMSBERICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_VOORVOEGSEL_GESLACHTSNAAM 472, 483, 493, 503
 EIGENDOMSBERICHT_ONROERENDE_ZAAK_PERCEEL_DETAILS_Z_COORDINAAT 472, 483, 493, 503
 EIGENDOMSBERICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_CODE 472, 483, 493, 503
 EIGENDOMSBERICHT_ONROERENDE_ZAAK_PERCEEL_DETAILS_Z_COORDINAAT 472, 483, 493, 503
 EIGENDOMSBERICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_LEDEN_LIJST_INDICATIE_COMPLEET 472, 483, 493, 503
 EIGENDOMSBERICHT_ONROERENDE_ZAAK_PERCEEL_DETAILS_Z_COORDINAAT 472, 483, 493, 503
 EIGENDOMSBERICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_LEDEN_LIJST_LEDEN 472, 483, 493, 503
 EIGENDOMSBERICHT_ONROERENDE_ZAAK_PERCEEL_DETAILS_Z_COORDINAAT 472, 483, 493, 503
 EIGENDOMSBERICHT_PERSONEN_ITEM_NATUURLIJK_PERSOON_NAAM 472, 483, 493, 503

EIGENDOMSBERICHT_PERSONEN_ITEM_NIET_NAIGENDOMSBERICHT_PERSONEN_ITEM_WOONL
 TUURLIJK_PERSOON_STATUTAIRE_ZETEL 472OCATIE_LOCATIE_BINNENLAND_STRAATNAAM
 483, 493, 503 472, 483, 493, 503

EIGENDOMSBERICHT_PERSONEN_ITEM_NIET_VOEIGENDOMSBERICHT_PERSONEN_ITEM_WOONL
 LLEDIG_VERWERKT_STUKKEN_LIJST_INDICATIEOCATIE_LOCATIE_BUITENLAND_ADRES_BUITENL
 COMPLEET 472, 483, 493, 503 AND1 472, 483, 493, 503

EIGENDOMSBERICHT_PERSONEN_ITEM_NIET_VOEIGENDOMSBERICHT_PERSONEN_ITEM_WOONL
 LLEDIG_VERWERKT_STUKKEN_LIJST_STUKKENOCATIE_LOCATIE_BUITENLAND_ADRES_BUITENL
 472, 483, 493, 503 AND2 472, 483, 493, 503

EIGENDOMSBERICHT_PERSONEN_ITEM_POSTLOEIGENDOMSBERICHT_PERSONEN_ITEM_WOONL
 CATIE_LOCATIE_BINNENLAND_GEMEENTE 472OCATIE_LOCATIE_BUITENLAND_ADRES_BUITENL
 483, 493, 503 AND3 472, 483, 493, 503

EIGENDOMSBERICHT_PERSONEN_ITEM_POSTLOEIGENDOMSBERICHT_PERSONEN_ITEM_WOONL
 CATIE_LOCATIE_BINNENLAND_HUISLETTER OCATIE_LOCATIE_BUITENLAND_LAND 472, 483,
 472, 483, 493, 503 493, 503

EIGENDOMSBERICHT_PERSONEN_ITEM_POSTLOEIGENDOMSBERICHT_RECHTEN_LIJST_INDICATIE
 CATIE_LOCATIE_BINNENLAND_HUISNUMMER _COMPLEET 472, 483, 493, 503
 472, 483, 493, 503 EIGENDOMSBERICHT_RECHTEN_LIJST_RECHTEN

EIGENDOMSBERICHT_PERSONEN_ITEM_POSTLOITEM_AANDEEL_IN_RECHT 472, 483, 493, 503
 CATIE_LOCATIE_BINNENLAND_HUISNUMMER_TOEIGENDOMSBERICHT_RECHTEN_LIJST_RECHTEN
 VOEGING 472, 483, 493, 503 _ITEM_AANTEKENINGEN_RECHT_LIJST_AANTEKE

EIGENDOMSBERICHT_PERSONEN_ITEM_POSTLOINGEN_RECHT 472, 483, 493, 503
 CATIE_LOCATIE_BINNENLAND_POSTCODE 472EIGENDOMSBERICHT_RECHTEN_LIJST_RECHTEN
 483, 493, 503 _ITEM_AANTEKENINGEN_RECHT_LIJST_INDICATIE

EIGENDOMSBERICHT_PERSONEN_ITEM_POSTLOCOMPLEET 472, 483, 493, 503
 CATIE_LOCATIE_BINNENLAND_STRAATNAAM EIGENDOMSBERICHT_RECHTEN_LIJST_RECHTEN
 472, 483, 493, 503 _ITEM_EINDDATUM_RECHT 472, 483, 493, 503

EIGENDOMSBERICHT_PERSONEN_ITEM_POSTLOEIGENDOMSBERICHT_RECHTEN_LIJST_RECHTEN
 CATIE_LOCATIE_BUITENLAND_ADRES_BUITENLANITEM_GERECHTIGDE_ID 472, 483, 493, 503
 D1 472, 483, 493, 503 EIGENDOMSBERICHT_RECHTEN_LIJST_RECHTEN

EIGENDOMSBERICHT_PERSONEN_ITEM_POSTLOITEM_INDICATIE_RECHT_BETROKKEN_IN_SPLITS
 CATIE_LOCATIE_BUITENLAND_ADRES_BUITENLANING 472, 483, 493, 503
 D2 472, 483, 493, 503 EIGENDOMSBERICHT_RECHTEN_LIJST_RECHTEN

EIGENDOMSBERICHT_PERSONEN_ITEM_POSTLOITEM_MOGELIJK_VAN_BELANG_STUKKEN_LIJST
 CATIE_LOCATIE_BUITENLAND_ADRES_BUITENLANINDICATIE_COMPLEET 472, 483, 493, 503
 D3 472, 483, 493, 503 EIGENDOMSBERICHT_RECHTEN_LIJST_RECHTEN

EIGENDOMSBERICHT_PERSONEN_ITEM_POSTLOITEM_MOGELIJK_VAN_BELANG_STUKKEN_LIJST
 CATIE_LOCATIE_BUITENLAND_LAND 472, 483, _STUKKEN 472, 483, 493, 503
 493, 503 EIGENDOMSBERICHT_RECHTEN_LIJST_RECHTEN

EIGENDOMSBERICHT_PERSONEN_ITEM_WOONLITEM_OBJECT_ID 472, 483, 493, 503
 OCATIE_LOCATIE_BINNENLAND_GEMEENTE EIGENDOMSBERICHT_RECHTEN_LIJST_RECHTEN
 472, 483, 493, 503 _ITEM_OMSCHRIJVING_RECHT 472, 483, 493,

EIGENDOMSBERICHT_PERSONEN_ITEM_WOONL503
 OCATIE_LOCATIE_BINNENLAND_HUISLETTER EIGENDOMSBERICHT_RECHTEN_LIJST_RECHTEN
 472, 483, 493, 503 _ITEM_ONTLEEND_AAN_STUKKEN_LIJST_INDICATI

EIGENDOMSBERICHT_PERSONEN_ITEM_WOONLCOMPLEET 472, 483, 493, 503
 OCATIE_LOCATIE_BINNENLAND_HUISNUMMER EIGENDOMSBERICHT_RECHTEN_LIJST_RECHTEN
 472, 483, 493, 503 _ITEM_ONTLEEND_AAN_STUKKEN_LIJST_STUKKE

EIGENDOMSBERICHT_PERSONEN_ITEM_WOONL 472, 483, 493, 503
 OCATIE_LOCATIE_BINNENLAND_HUISNUMMER _EIGENDOMSBERICHT_RECHTEN_LIJST_RECHTEN
 OEVOEGING 472, 483, 493, 503 _ITEM_TOTAAL_AANDEEL_IN_RECHT 472, 483,

EIGENDOMSBERICHT_PERSONEN_ITEM_WOONL493, 503
 OCATIE_LOCATIE_BINNENLAND_POSTCODE EIGENDOMSBERICHT_STUKKEN_ITEM_AANDUIDI
 472, 483, 493, 503 NG_SOORT_REGISTER 472, 483, 493, 503

EIGENDOMSBERICHT_STUKKEN_ITEM_DATUM	472, 483, 493, 503	EMPLOYEES_PRIMARY_EMPLOYEES	204
ANBIEDING	472, 483, 493, 503	EMPLOYEES_PRIMARY_EMPLOYEES_TEXT	204
EIGENDOMSBERICHT_STUKKEN_ITEM_DEEL	472, 483, 493, 503	EMPLOYEES_PRIMARY_ESTIMATED	204
EIGENDOMSBERICHT_STUKKEN_ITEM_ID	472, 483, 493, 503	EMPLOYEES_PRIMARY_QUALIFICATION_INDICATOR	204
EIGENDOMSBERICHT_STUKKEN_ITEM_NUMMER	472, 483, 493, 503	EMPLOYEES_PRIMARY_SUBSIDIARIES_INCLUDED	204
EIGENDOMSBERICHT_STUKKEN_ITEM_REEKS	472, 483, 493, 503	EMPLOYEES_TOTAL_EMPLOYEES	204
EIND_DATUM	569	EMPLOYEES_TOTAL_EMPLOYEES_TEXT	204
ELEKTRISCH_SCHUIFDAK_PAKKET	102	EMPLOYEES_TOTAL_ESTIMATED	204
ELEKTRISCH_SCHUIFDAK_PRIJS	102	EMPLOYEES_TOTAL_QUALIFICATION_INDICATOR	204
ELEKTRISCH_SCHUIFDAK_STANDAARD	102	EMPLOYEES_TOTAL_SUBSIDIARIES_INCLUDED	204
ELEKTRISCH_SCHUIFDAK_STANDAARD_SINDS_DATUM	102	End Date	1184
ELEKTRISCHE_RAMEN_ACHTER_PAKKET	102	Energy Label	100, 129, 137, 139
ELEKTRISCHE_RAMEN_ACHTER_PRIJS	102	ENERGY_LABEL	100, 129, 137, 139
ELEKTRISCHE_RAMEN_ACHTER_STANDAARD	102	ENGINE_CYLINDER_CAPACITY	379, 383
ELEKTRISCHE_RAMEN_ACHTER_STANDAARD_SINDS_DATUM	102	ENGINE_CYLINDERS	379, 383
ELEKTRISCHE_RAMEN_VOOR_PAKKET	102	ENGINE_ENERGY_LABEL	379, 383
ELEKTRISCHE_RAMEN_VOOR_PRIJS	102	ENGINE_G3_INDICATION	379, 383
ELEKTRISCHE_RAMEN_VOOR_STANDAARD	102	english	1143, 1145, 1147, 1158, 1159
ELEKTRISCHE_RAMEN_VOOR_STANDAARD_SINDS_DATUM	102	ENQUIRY_DUNS	195, 204
ELEKTRISCHE_SPIEGELS_PAKKET	102	Enterprise Activity	244, 281
ELEKTRISCHE_SPIEGELS_PRIJS	102	Enterprise Correspondence City	244, 281
ELEKTRISCHE_SPIEGELS_STANDAARD	102	Enterprise Correspondence Postal Code	244, 281
ELEKTRISCHE_SPIEGELS_STANDAARD_SINDS_DATUM	102	Enterprise Correspondence Street	244, 281
ELEKTRISCHE_STOELVERSTELLING_PAKKET	102	Enterprise Description	244, 281
ELEKTRISCHE_STOELVERSTELLING_PRIJS	102	Enterprise Establishment City	244, 281
ELEKTRISCHE_STOELVERSTELLING_STANDAARD	102	Enterprise Establishment Postal Code	244, 281
ELEKTRISCHE_STOELVERSTELLING_STANDAARD_SINDS_DATUM	102	Enterprise Establishment Street	244, 281
ELEKTRISCHE_STUURVERSTELLING_PAKKET	102	Enterprise Legal Form Text	244, 281
ELEKTRISCHE_STUURVERSTELLING_PRIJS	102	Enterprise Name	244, 281
ELEKTRISCHE_STUURVERSTELLING_STANDAARD	102	Enterprise Personnel	244, 281
ELEKTRISCHE_STUURVERSTELLING_STANDAARD_SINDS_DATUM	102	Enterprise Registration	244, 281
EMAIL	11, 12, 142, 146, 451, 452, 453, 1142, 1169, 1171, 1173, 1181	Enterprise RSIN Number	244, 281
Emission Code	100, 129, 137, 139	Enterprise Status	244, 281
EMISSION_CODE	100, 129, 137, 139	ENTERPRISE_ACTIVITY	244, 281
EMISSION_PARTICLES	129	ENTERPRISE_CORRESPONDENCE_CITY	244, 281
employees_max	86, 87, 354, 356, 1119	ENTERPRISE_CORRESPONDENCE_COUNTRY	244, 281
employees_min	86, 87, 354, 356, 1119	ENTERPRISE_CORRESPONDENCE_HOUSE_NUMBER	244, 281
		ENTERPRISE_CORRESPONDENCE_HOUSE_NUMBER_ADDITION	244, 281
		ENTERPRISE_CORRESPONDENCE_POSTCODE	244, 281
		ENTERPRISE_CORRESPONDENCE_STREET	244, 281
		ENTERPRISE_DATE_SINCE_DAY	244, 281
		ENTERPRISE_DATE_SINCE_MONTH	244, 281

ENTERPRISE_DATE_SINCE_YEAR	244, 281	ENVIRONMENT_DATA_FUEL_USAGE_CITY	123
ENTERPRISE_DESCRIPTION	244, 281	ENVIRONMENT_DATA_FUEL_USAGE_COMBINED	
ENTERPRISE_DISCONTINUATION_DATE_DAY	244, 281	123	
ENTERPRISE_DISCONTINUATION_DATE_MONTH	244, 281	ENVIRONMENT_DATA_FUEL_USAGE_HIGHWAY	
ENTERPRISE_DISCONTINUATION_DATE_YEAR	244, 281	ENVIRONMENT_DATA_G3_INDICATION	123
ENTERPRISE_DOMAIN_NAMES_ITEM	244, 281	ENVIRONMENT_DATA_PARTICULATE_FILTER	123
ENTERPRISE_EMAIL_ADDRESSES_ITEM	244, 281	ENVIRONMENTAL_IMPACT_ITEM_CO2_EMISSION_COMBINED	379, 383
ENTERPRISE_ESTABLISHMENT_CITY	244, 281	ENVIRONMENTAL_IMPACT_ITEM_CO2_EMISSION_WEIGHTED	379, 383
ENTERPRISE_ESTABLISHMENT_COUNTRY	244, 281	ENVIRONMENTAL_IMPACT_ITEM_EMISSION_CODE	379, 383
ENTERPRISE_ESTABLISHMENT_DATE_DAY	244, 281	ENVIRONMENTAL_IMPACT_ITEM_EMISSION_PARTICLES_HEAVY	379, 383
ENTERPRISE_ESTABLISHMENT_DATE_MONTH	244, 281	ENVIRONMENTAL_IMPACT_ITEM_EMISSION_PARTICLES_LIGHT	379, 383
ENTERPRISE_ESTABLISHMENT_DATE_YEAR	244, 281	ENVIRONMENTAL_IMPACT_ITEM_FUEL_CODE	379, 383
ENTERPRISE_ESTABLISHMENT_HOUSE_NUMBER	244, 281	ENVIRONMENTAL_IMPACT_ITEM_FUEL_TYPE	379, 383
ENTERPRISE_ESTABLISHMENT_HOUSE_NUMBER_ADDITION	244, 281	ENVIRONMENTAL_IMPACT_ITEM_MAX_POWER	379, 383
ENTERPRISE_ESTABLISHMENT_POSTCODE	244, 281	ENVIRONMENTAL_IMPACT_ITEM_MAX_POWER_CONTINUE	379, 383
ENTERPRISE_ESTABLISHMENT_STREET	244, 281	ENVIRONMENTAL_IMPACT_ITEM_NOISE_LEVEL_DURING	379, 383
ENTERPRISE_FAX_NUMBERS_ITEM	244, 281	ENVIRONMENTAL_IMPACT_ITEM_NOISE_LEVEL_STAT	379, 383
ENTERPRISE_FOUNDING_DATE_DAY	244, 281	ENVIRONMENTAL_IMPACT_ITEM_NOISE_LEVEL_STAT_RPM	379, 383
ENTERPRISE_FOUNDING_DATE_MONTH	244, 281	ENVIRONMENTAL_IMPACT_ITEM_PARTICULATE_EMISSION	379, 383
ENTERPRISE_FOUNDING_DATE_YEAR	244, 281	ENVIRONMENTAL_IMPACT_ITEM_PARTICULATE_FILTER	379, 383
ENTERPRISE_INCORPORATION_DATE_DAY	244, 281	ENVIRONMENTAL_IMPACT_ITEM_USAGE_CITY	379, 383
ENTERPRISE_INCORPORATION_DATE_MONTH	244, 281	ENVIRONMENTAL_IMPACT_ITEM_USAGE_COMBINED	379, 383
ENTERPRISE_INCORPORATION_DATE_YEAR	244, 281	ENVIRONMENTAL_IMPACT_ITEM_USAGE_HIGHWAY	379, 383
ENTERPRISE_LEGAL_FORM_TEXT	244, 281	Error Message Code	1184
ENTERPRISE_NAME	244, 281	Error Message Text	1184
ENTERPRISE_PERSONNEL	244, 281	ERROR_MESSAGE_CODE	1184
ENTERPRISE_REGISTRATION	244, 281	ERROR_MESSAGE_TEXT	1184
ENTERPRISE_RSIN_NUMBER	244, 281	ERRORS_ANNUAL_FINANCIAL_STATEMENTS_ERROR	47
ENTERPRISE_SBI_CODES_ITEM	244, 281	ERRORS_BANK_ACCOUNTS_ERROR	47
ENTERPRISE_SBI_CODES_TEXT_ITEM	244, 281	ERRORS_LEGAL_REPRESENTATIVE_COMPANIES_ERROR	47
ENTERPRISE_STATUS	244, 281	ERRORS_LEGAL_REPRESENTATIVES_ERROR	47
ENTERPRISE_TELEPHONE_NUMBERS_ITEM	244, 281	ERRORS_STAKEHOLDERS_ERROR	47
ENTERPRISE_TRADE_NAMES_ITEM	244, 281		
ENVIRONMENT	15		
ENVIRONMENT_DATA_EMISSION_CODE	123		
ENVIRONMENT_DATA_ENERGY_LABEL	123		

Establishment City 74, 83, 84, 229, 233, 345, 347, 348, 350, 352, 353, 354, 356, 1112, 1116, 1117, 1118, 237
 Establishment Date Day 229, 233, 237, 1112
 Establishment Date Month 229, 233, 237, 1112
 Establishment Date Year 229, 233, 237, 1112
 Establishment House Number 74
 Establishment House Number Addition 74
 Establishment Number 229, 233, 237, 244, 281, 335, 345, 347, 348, 350, 352, 353, 354, 356, 371, 372, 373, 374, 1112, 1116, 1117, 1118, 1119, 1122, 1123, 1124
 Establishment Postal Code 74, 229, 233, 1112
 Establishment Street 229, 233, 345, 347, 348, 350, 352, 353, 354, 356, 1112, 1116, 1117, 1118, 1119
 Establishment Street Name 74, 83, 84
 ESTABLISHMENT_ADDRESS_ADDRESS 210
 ESTABLISHMENT_ADDRESS_CITY 210
 ESTABLISHMENT_ADDRESS_COUNTRY 210
 ESTABLISHMENT_ADDRESS_COUNTRY_DNB 210
 ESTABLISHMENT_ADDRESS_COUNTRY_ISO 210
 ESTABLISHMENT_ADDRESS_FORMATTED_ADDRESS 237
 ESTABLISHMENT_ADDRESS_FORMATTED_CITY 237
 ESTABLISHMENT_ADDRESS_FORMATTED_COUNTRY 237
 ESTABLISHMENT_ADDRESS_FORMATTED_HOUSE_NUMBER 237
 ESTABLISHMENT_ADDRESS_FORMATTED_HOUSE_NUMBER_ADDITION 237
 ESTABLISHMENT_ADDRESS_FORMATTED_POSTCODE 237
 ESTABLISHMENT_ADDRESS_FORMATTED_STREET 237
 ESTABLISHMENT_ADDRESS_OFFICIAL_ADDRESS 237
 ESTABLISHMENT_ADDRESS_OFFICIAL_CITY 237
 ESTABLISHMENT_ADDRESS_OFFICIAL_COUNTRY 237
 ESTABLISHMENT_ADDRESS_OFFICIAL_HOUSE_NUMBER 237
 ESTABLISHMENT_ADDRESS_OFFICIAL_HOUSE_NUMBER_ADDITION 237
 ESTABLISHMENT_ADDRESS_OFFICIAL_POSTCODE 237
 ESTABLISHMENT_ADDRESS_OFFICIAL_STREET 237
 ESTABLISHMENT_ADDRESS_ORIGINAL_ADDRESS 237
 ESTABLISHMENT_ADDRESS_ORIGINAL_CITY 237
 ESTABLISHMENT_ADDRESS_ORIGINAL_COUNTRY 210
 ESTABLISHMENT_ADDRESS_ORIGINAL_HOUSE_NUMBER 237
 ESTABLISHMENT_ADDRESS_ORIGINAL_HOUSE_NUMBER_ADDITION 237
 ESTABLISHMENT_ADDRESS_ORIGINAL_POSTCODE 237
 ESTABLISHMENT_ADDRESS_ORIGINAL_STREET 210
 ESTABLISHMENT_ADDRESS_REGION 210
 ESTABLISHMENT_ADDRESS_REGION_CODE 210
 ESTABLISHMENT_ADDRESS_REGION_SHORT 210
 ESTABLISHMENT_CITY 229, 233, 345, 347, 348, 350, 352, 353, 354, 356, 1112, 1116, 1117, 1118, 1119
 ESTABLISHMENT_DATE_DAY 229, 233, 237, 1112
 ESTABLISHMENT_DATE_MONTH 229, 233, 237, 1112
 ESTABLISHMENT_DATE_YEAR 229, 233, 237, 1112
 ESTABLISHMENT_HOUSE_NUMBER 229, 233, 1112
 ESTABLISHMENT_HOUSE_NUMBER_ADDITION 229, 233, 1112
 establishment_number 66, 229, 233, 237, 244, 281, 335, 341, 345, 347, 348, 350, 352, 353, 354, 356, 370, 371, 372, 373, 374, 375, 1112, 1116, 1117, 1118, 1119, 1121, 1122, 1123, 1124, 1125
 ESTABLISHMENT_POSTCODE 229, 233, 1112
 ESTABLISHMENT_STREET 229, 233, 345, 347, 348, 350, 352, 353, 354, 356, 1112, 1116, 1117, 1118, 1119
 ESTABLISHMENTCITY 74, 83, 84
 ESTABLISHMENTHOUSENO 74
 ESTABLISHMENTHOUSENOADDITION 74
 ESTABLISHMENTPOSTCODE 74
 ESTABLISHMENTS_ITEM_ACTIVITY 244, 281
 ESTABLISHMENTS_ITEM_CORRESPONDENCE_CITY 244, 281
 ESTABLISHMENTS_ITEM_CORRESPONDENCE_COUNTRY 244, 281
 ESTABLISHMENTS_ITEM_CORRESPONDENCE_HOUSE_NUMBER 244, 281
 ESTABLISHMENTS_ITEM_CORRESPONDENCE_HOUSE_NUMBER_ADDITION 244, 281
 ESTABLISHMENTS_ITEM_CORRESPONDENCE_POSTCODE 244, 281
 ESTABLISHMENTS_ITEM_CORRESPONDENCE_STREET 244, 281

ESTABLISHMENTS_ITEM_CURATOR_CITY 281	244, ESTABLISHMENTS_ITEM_TELEPHONE_NUMBERS 244, 281
ESTABLISHMENTS_ITEM_CURATOR_COUNTRY 244, 281	ESTABLISHMENTS_ITEM_TRADE_NAMES 281
ESTABLISHMENTS_ITEM_CURATOR_HOUSE_NUMBER 244, 281	ESTABLISHMENTSSTREETNAME 74, 83, 84 EUROPEAN_TYPE_APPROVAL_MARK 100
ESTABLISHMENTS_ITEM_CURATOR_HOUSE_NUMBER_ADDITION 244, 281	EVENTS_EVENT_ITEM_AUTHORITY_CODE 455 EVENTS_EVENT_ITEM_CODE 455
ESTABLISHMENTS_ITEM_CURATOR_POSTCODE 244, 281	EVENTS_EVENT_ITEM_COURT_SESSION_ADDITION 455
ESTABLISHMENTS_ITEM_CURATOR_STREET 244, 281	EVENTS_EVENT_ITEM_COURT_SESSION_CITY 455
ESTABLISHMENTS_ITEM_DATE_SINCE_DAY 244, 281	EVENTS_EVENT_ITEM_COURT_SESSION_HOUSE_NUMBER 455
ESTABLISHMENTS_ITEM_DATE_SINCE_MONTH 244, 281	EVENTS_EVENT_ITEM_COURT_SESSION_STREET 455
ESTABLISHMENTS_ITEM_DATE_SINCE_YEAR 244, 281	EVENTS_EVENT_ITEM_DATE 455 EVENTS_EVENT_ITEM_DESCRIPTION 455
ESTABLISHMENTS_ITEM_DESCRIPTION 244, 281	EVENTS_EVENT_ITEM_PUBLICATION_ID 455 EVENTS_IS_LEGACY 455
ESTABLISHMENTS_ITEM_DOMAIN_NAMES 281	EXCHANGE 376 EXPORT_INDICATOR 197
ESTABLISHMENTS_ITEM_EMAIL_ADDRESSES 244, 281	Extended File Authorized Share Capital 69 Extended File Authorized Share Capital Currency 69
ESTABLISHMENTS_ITEM_ESTABLISHMENT_CITY 244, 281	Extended File Contact Gender 69 Extended File Contact Initials 69
ESTABLISHMENTS_ITEM_ESTABLISHMENT_COUNTRY 244, 281	Extended File Contact Prefix 69 Extended File Contact Title 1 69
ESTABLISHMENTS_ITEM_ESTABLISHMENT_DATE DAY 244, 281	Extended File Contact Title 2 69 Extended File Continuation Date Day 69
ESTABLISHMENTS_ITEM_ESTABLISHMENT_DATE MONTH 244, 281	Extended File Continuation Date Month 69 Extended File Continuation Date Year 69
ESTABLISHMENTS_ITEM_ESTABLISHMENT_DATE YEAR 244, 281	Extended File Establishment Date Day 69 Extended File Establishment Date Month 69
ESTABLISHMENTS_ITEM_ESTABLISHMENT_HOUSE NUMBER 244, 281	Extended File Establishment Date Year 69 Extended File Founding Date Day 69
ESTABLISHMENTS_ITEM_ESTABLISHMENT_HOUSE NUMBER_ADDITION 244, 281	Extended File Founding Date Month 69 Extended File Founding Date Year 69
ESTABLISHMENTS_ITEM_ESTABLISHMENT_NUMBER 244, 281	Extended File Indication Export 69 Extended File Indication Import 69
ESTABLISHMENTS_ITEM_ESTABLISHMENT_POST CODE 244, 281	Extended File Indication Main Branch 69 Extended File Legal Name 69
ESTABLISHMENTS_ITEM_ESTABLISHMENT_STREET 244, 281	Extended File Main Branch Subfile Number 69 Extended File Paid-up Share Capital 69
ESTABLISHMENTS_ITEM_FAX_NUMBERS 281	Extended File Paid-up Share Capital Currency 69 Extended File Surname 69
ESTABLISHMENTS_ITEM_LEGAL_FORM_TEXT 244, 281	EXTENDEDDOSSIERPART_AUTHORIZEDSHARECAPITAL 69
ESTABLISHMENTS_ITEM_MAIN_ESTABLISHMENT 244, 281	EXTENDEDDOSSIERPART_AUTHORIZEDSHARECAPITAL CURRENCY 69
ESTABLISHMENTS_ITEM_PERSONNEL 244, 281	EXTENDEDDOSSIERPART_CONTACTGENDER 69
ESTABLISHMENTS_ITEM_SBI_CODES 244, 281	
ESTABLISHMENTS_ITEM_SBI_CODES_TEXT 281	
ESTABLISHMENTS_ITEM_STATUS 244, 281	

EXTENDEDOSSIERPART_CONTACTINITIALS	69	extra_latlon_item_longitude	1128
EXTENDEDOSSIERPART_CONTACTPREFIX	69	EXTRA_LETTERCOMBINATIE	23, 25, 27, 30, 37,
EXTENDEDOSSIERPART_CONTACTSURNAME	39, 41		
69		EXTRA_PLAATS	23, 25, 27, 30, 37, 39, 41
EXTENDEDOSSIERPART_CONTACTTITLE1	69	EXTRA_PROVINCIE	23, 25, 27, 30, 37, 39, 41
EXTENDEDOSSIERPART_CONTACTTITLE2	69	EXTRA_REEKSINDICATIE	23, 25, 27, 30, 37, 39,
EXTENDEDOSSIERPART_CONTINUATIONDATE	41		
AY	69	EXTRA_STRAAT	23, 25, 27, 30, 37, 39, 41
EXTENDEDOSSIERPART_CONTINUATIONDATE	69	EXTRA_TOEVOEGING	23, 25, 27, 30, 37, 39, 41
ONTH	69	EXTRA_WIJKCODE	23, 25, 27, 30, 37, 39, 41
EXTENDEDOSSIERPART_CONTINUATIONDATE	69	extra_xy_item_x	1130
EAR	69	extra_xy_item_y	1130
EXTENDEDOSSIERPART_ESTABLISHMENTDATE	69	extract_id	281, 292, 304
DAY	69	Fail on Error	1184
EXTENDEDOSSIERPART_ESTABLISHMENTDATE	69	FAIL_ON_ERROR	1184
MONTH	69	FAILURE_SCORE_ITEM_ALGORITHM_ID	197
EXTENDEDOSSIERPART_ESTABLISHMENTDATE	69	FAILURE_SCORE_ITEM_INCIDENCE_OF_DEFAULT	197
YEAR	69	FAILURE_SCORE_ITEM_INDUSTRY_INCIDENCE_OF_DEFAULT	197
EXTENDEDOSSIERPART_EXPORTINDICATION	69	FAILURE_SCORE_ITEM_INDUSTRY_NORM	197
EXTENDEDOSSIERPART_FOUNDDINGDATE_DAY	69	FAILURE_SCORE_ITEM_INDUSTRY_PERCENTILE	197
EXTENDEDOSSIERPART_FOUNDDINGDATE_MONTH	69	FAILURE_SCORE_ITEM_NATIONAL_PERCENTILE	197
EXTENDEDOSSIERPART_FOUNDDINGDATE_YEAR	69	FAILURE_SCORE_ITEM_SCORE	197
EXTENDEDOSSIERPART_IMPORTINDICATION	69	FAILURE_SCORE_ITEM_SCORE_CLASS	197
EXTENDEDOSSIERPART_ISSUEDSHARECAPITAL	69	FAILURE_SCORE_ITEM_SCORE_COMMENTARIES	197
EXTENDEDOSSIERPART_ISSUEDSHARECAPITAL	69	FAILURE_SCORE_ITEM_SCORE_DATE	197
CURRENCY	69	FAILURE_SCORE_ITEM_SCORE_OVERRIDE_CODE	197
EXTENDEDOSSIERPART_LEGALNAME	69	FAILURE_SCORE_ITEM_UNNORMALIZED_SCORE	197
EXTENDEDOSSIERPART_MAINBRANCHDOSSIERNO	69	FASTEST	220, 221
EXTENDEDOSSIERPART_MAINBRANCHINDICATION	69	FAX	7, 11, 12, 15, 1169, 1171, 1173, 1181
EXTENDEDOSSIERPART_MAINBRANCHSUBDOSSIERNO	69	Fax Number	140, 142, 195, 204, 210
EXTENDEDOSSIERPART_PAIDUPSHARECAPITAL	69	FAX_NUMBER	140, 142, 195, 204, 210
EXTENDEDOSSIERPART_PAIDUPSHARECAPITAL	69	FIGURES_ESTIMATED	197
CURRENCY	69	FIGURES_FINAL	197
Extra Character Combination	23, 25, 27, 30, 37, 39, 41	FIGURES_FORECAST	197
Extra City	23, 25, 27, 30, 37, 39, 41	FIGURES_PROFORMA	197
Extra House Number	23, 25, 27, 30, 37, 39, 41	FIGURES_QUALIFIED	197
Extra Municipality	23, 25, 27, 30, 37, 39, 41	FIGURES_RESTATED	197
Extra Sequence Indicator	23, 25, 27, 30, 37, 39, 41	FIGURES_SIGNED	197
Extra State	23, 25, 27, 30, 37, 39, 41	FIGURES_UNBALANCED	197
Extra Street	23, 25, 27, 30, 37, 39, 41	File Number	74, 78, 79, 80, 81, 83, 84, 85, 86, 87, 90, 91, 92, 226, 227, 228, 229, 233, 237, 244, 281, 329, 335, 336, 337, 343, 344, 345, 347, 348, 350, 352, 353, 354, 356, 360, 371, 372, 373, 374, 1112, 1116, 1117, 1118, 1119, 1122, 1123, 1124
EXTRA_GEMEENTE	23, 25, 27, 30, 37, 39, 41	Financial Embarassment	204
EXTRA_HUISNR	23, 25, 27, 30, 37, 39, 41	Financial Statement Consolidated Accounts	163
extra_latlon_item_latitude	1128		

Financial Statement Currency	163	FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET
Financial Statement Date	204	_OTHER_INVENTORIES 147, 163
Financial Statement Total Assets	163	FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET
Financial Statement Type	163	_OTHER_LOANS 147, 163
FINANCIAL_EMBARRASSMENT	204	FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET
FINANCIAL_LEGAL_EVENTS	204	_OTHER_LOANS_OR_FINANCE 147, 163
FINANCIAL_STATEMENT_DATE	204	FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET		_OTHER_LOANS_OR_FINANCE_DUE_AFTER1_YE
_BANK_LIABILITIES	147, 163	AR 163
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET		FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET
_BANK_LIABILITIES_DUE_AFTER1YEAR	147, 163	_OTHER_LOANS_OR_FINANCE_DUE_AFTER1YEA
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET		R 147
_CALLED_UP_SHARE_CAPITAL	147, 163	FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET		_OTHER_RESERVES 147, 163
_CASH	147, 163	FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET		_OTHER_TANGIBLE_ASSETS 147, 163
_CONSOLIDATED_ACCOUNTS	147, 163	FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET		_PLANT_AND_MACHINERY 147, 163
_CURRENCY	147	FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET		_RAW_MATERIALS 147, 163
_FINISHED_GOODS	147, 163	FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET		_RECEIVABLES_DUE_AFTER1YEAR 147, 163
_GOODWILL	147, 163	FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET		_REVENUE_RESERVES 147, 163
_GROUP_PAYABLES	147, 163	FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET		_SHARE_PREMIUM 147, 163
_GROUP_PAYABLES_DUE_AFTER1YEAR	147, 163	FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET		_TOTAL_ASSETS 147, 163
_GROUP_RECEIVABLES	147, 163	FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET		_TOTAL_CURRENT_ASSETS 147, 163
_INVESTMENTS	147, 163	FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET		_TOTAL_CURRENT_LIABILITIES 147, 163
_LAND_AND_BUILDINGS	147, 163	FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET		_TOTAL_FIXED_ASSETS 147, 163
_LOANS_TO_GROUP	147, 163	FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET		_TOTAL_INTANGIBLE_ASSETS 147, 163
_MISCELLANEOUS_FIXED_ASSETS	147, 163	FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET		_TOTAL_INVENTORIES 147, 163
_MISCELLANEOUS_LIABILITIES	147, 163	FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET		_TOTAL_LIABILITIES 147, 163
_MISCELLANEOUS_LIABILITIES_DUE_AFTER1_YE	AR 163	FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET		_TOTAL_LONG_TERM_LIABILITIES 147, 163
_MISCELLANEOUS_LIABILITIES_DUE_AFTER1YEAR	147	FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET		_TOTAL_OTHER_FIXED_ASSETS 147, 163
_MISCELLANEOUS_RECEIVABLES	147, 163	FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET		_TOTAL_RECEIVABLES 147, 163
_NUMBER_OF_WEEKS	147	FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET		_TOTAL_SHAREHOLDERS_EQUITY 147, 163
_OTHER_CURRENT_ASSETS	147, 163	FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET
FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET		_TOTAL_TANGIBLE_ASSETS 147, 163
_OTHER_INTANGIBLE_ASSETS	147, 163	FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET
		_TRADE_PAYABLES 147, 163
		FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET
		_TRADE_PAYABLES_DUE_AFTER1YEAR 147, 163

FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_TRADE_RECEIVABLES 147, 163
 FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_WORK_IN_PROGRESS 147, 163
 FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_YEAR_END_DATE 147
 FINANCIAL_STATEMENTS_ITEM_CONSOLIDATED_ACCOUNTS 163
 FINANCIAL_STATEMENTS_ITEM_CURRENCY 163
 FINANCIAL_STATEMENTS_ITEM_NUMBER_OF_WEEKS 163
 FINANCIAL_STATEMENTS_ITEM_OTHER_FINANCIAL_LS_CONTINGENT_LIABILITIES 147
 FINANCIAL_STATEMENTS_ITEM_OTHER_FINANCIAL_LS_NET_WORTH 147, 163
 FINANCIAL_STATEMENTS_ITEM_OTHER_FINANCIAL_LS_WORKING_CAPITAL 147, 163
 FINANCIAL_STATEMENTS_ITEM_PROFIT_AND_LOSS_AMORTISATION 147
 FINANCIAL_STATEMENTS_ITEM_PROFIT_AND_LOSS_CONSOLIDATED_ACCOUNTS 147
 FINANCIAL_STATEMENTS_ITEM_PROFIT_AND_LOSS_CURRENCY 147
 FINANCIAL_STATEMENTS_ITEM_PROFIT_AND_LOSS_DEPRECIATION 147, 163
 FINANCIAL_STATEMENTS_ITEM_PROFIT_AND_LOSS_DIVIDENDS 147, 163
 FINANCIAL_STATEMENTS_ITEM_PROFIT_AND_LOSS_EXTRAORDINARY_COSTS 147
 FINANCIAL_STATEMENTS_ITEM_PROFIT_AND_LOSS_EXTRAORDINARY_INCOME 147
 FINANCIAL_STATEMENTS_ITEM_PROFIT_AND_LOSS_FINANCIAL_EXPENSES 147, 163
 FINANCIAL_STATEMENTS_ITEM_PROFIT_AND_LOSS_FINANCIAL_INCOME 147, 163
 FINANCIAL_STATEMENTS_ITEM_PROFIT_AND_LOSS_MINORITY_INTERESTS 147
 FINANCIAL_STATEMENTS_ITEM_PROFIT_AND_LOSS_NUMBER_OF_WEEKS 147
 FINANCIAL_STATEMENTS_ITEM_PROFIT_AND_LOSS_OPERATING_COSTS 147, 163
 FINANCIAL_STATEMENTS_ITEM_PROFIT_AND_LOSS_OPERATING_PROFIT 147, 163
 FINANCIAL_STATEMENTS_ITEM_PROFIT_AND_LOSS_OTHER_APPROPRIATIONS 147, 163
 FINANCIAL_STATEMENTS_ITEM_PROFIT_AND_LOSS_PENSION_COSTS 147, 163
 FINANCIAL_STATEMENTS_ITEM_PROFIT_AND_LOSS_PROFIT_AFTER_TAX 147, 163
 FINANCIAL_STATEMENTS_ITEM_PROFIT_AND_LOSS_PROFIT_BEFORE_TAX 147, 163
 FINANCIAL_STATEMENTS_ITEM_PROFIT_AND_LOSS_RETAINED_PROFIT 147, 163
 FINANCIAL_STATEMENTS_ITEM_PROFIT_AND_LOSS_REVENUE 147, 163
 FINANCIAL_STATEMENTS_ITEM_PROFIT_AND_LOSS_TAX 147, 163
 FINANCIAL_STATEMENTS_ITEM_PROFIT_AND_LOSS_WAGES_AND_SALARIES 147, 163
 FINANCIAL_STATEMENTS_ITEM_PROFIT_AND_LOSS_YEAR_END_DATE 147
 FINANCIAL_STATEMENTS_ITEM_RATIOS_CREDITORS_DAYS 147, 163
 FINANCIAL_STATEMENTS_ITEM_RATIOS_CURRENT_DEBT_RATIO 147, 163
 FINANCIAL_STATEMENTS_ITEM_RATIOS_CURRENT_RATIO 147, 163
 FINANCIAL_STATEMENTS_ITEM_RATIOS_DEBTOR_DAYS 147, 163
 FINANCIAL_STATEMENTS_ITEM_RATIOS_EQUITY_I_MPERCENTAGE 147, 163
 FINANCIAL_STATEMENTS_ITEM_RATIOS_GEARING 147, 163
 FINANCIAL_STATEMENTS_ITEM_RATIOS_LIQUIDITY_RATIO_OR_ACID_TEST 147, 163
 FINANCIAL_STATEMENTS_ITEM_RATIOS_PRE_TAX_PROFIT_MARGIN 147, 163
 FINANCIAL_STATEMENTS_ITEM_RATIOS_RETURN_ON_CAPITAL_EMPLOYED 147, 163
 FINANCIAL_STATEMENTS_ITEM_RATIOS_RETURN_ON_NET_ASSETS_EMPLOYED 147, 163
 FINANCIAL_STATEMENTS_ITEM_RATIOS_RETURN_ON_TOTAL_ASSETS_EMPLOYED 147, 163
 FINANCIAL_STATEMENTS_ITEM_RATIOS_SALES_OR_NET_WORKING_CAPITAL 147, 163
 FINANCIAL_STATEMENTS_ITEM_RATIOS_STOCK_TURNOVER_RATIO 147, 163
 FINANCIAL_STATEMENTS_ITEM_RATIOS_TOTAL_DEBT_RATIO 147, 163
 FINANCIAL_STATEMENTS_ITEM_TYPE 163
 FINANCIAL_STATEMENTS_ITEM_YEAR_END_DATE 163
 financial_status 86, 87, 354, 356, 1119
 First Admission 95, 97, 100, 129
 First Name 142, 145
 first_name 142, 145, 223
 Flag Item 140, 142, 144, 145
 FLAGS_ITEM 140, 142, 144, 145
 FOLDER_WEIGHT 137, 139
 force-case-sensitive-identifiers 2
 forced-casing-identifiers 2
 FORECAST_CHANGE_SET_CHANGES_ITEM 279, 280
 FORECAST_CHANGE_SET_PERIOD_END_DATE 279, 280
 FORECAST_CHANGE_SET_PERIOD_START_DATE 279, 280

format 466, 467, 470, 514, 522, 530, 537, 545, 553, 561, 563, 565, 567, 570, 572, 573, 575, 578, 579, 582M 102
 1127, 1128, 1129, 1130, 1151
 FORMER_DUNS 210
 FORMER_PRIMARY_NAME 210
 Founding Date Day 229, 233, 237, 1112
 Founding Date Month 229, 233, 237, 1112
 Founding Date Year 229, 233, 237, 1112
 FOUNDING_DATE_DAY 229, 233, 237, 1112
 FOUNDING_DATE_MONTH 229, 233, 237, 1112
 FOUNDING_DATE_YEAR 229, 233, 237, 1112
 from_city 1144, 1146, 1155, 1157
 from_country 1144, 1155
 from_houseno 1144, 1155
 from_housno 1146, 1157
 from_postalcode 1144, 1146, 1155, 1157
 from_street 1144, 1146, 1155, 1157
 Fuel Consumption City 100
 Fuel Consumption Combined 100
 Fuel Consumption Freeway 100
 Fuel Type 95, 97, 132, 137, 139
 FUEL_CONSUMPTION_CITY 100
 FUEL_CONSUMPTION_COMBINED 100
 FUEL_CONSUMPTION_FREEWAY 100
 FUEL_TYPE 95, 97, 132, 137, 139
 FUEL_TYPE_ID 132
 FUEL_TYPES_ITEM 100, 123, 129
 Full Tradename 74
 FUNCTIONARY_COUNTRY_OF_BIRTH 223
 FUNCTIONARY_DATE_DECEASED 223
 FUNCTIONARY_DATE_OF_BIRTH 223
 FUNCTIONARY_FIRST_NAME 223
 FUNCTIONARY_FULL_NAME 223
 FUNCTIONARY_INITIALS 223
 FUNCTIONARY_LAST_NAME 223
 FUNCTIONARY_PLACE_OF_BIRTH 223
 G3 Indicator 100
 G3_INDICATION 129
 G3_INDICATOR 100
 GARAGE 1135
 GEAR 129, 132, 137, 139
 GEAR_ID 132
 GEHEUGEN_STOELVERSTELLING_PAKKET 102
 GEHEUGEN_STOELVERSTELLING_PRIJS 102
 GEHEUGEN_STOELVERSTELLING_STANDAARD 102
 GEHEUGEN_STOELVERSTELLING_STANDAARD_SINDS_DATUM 102
 GELAAGDE_VOORRUIT_PAKKET 102
 GELAAGDE_VOORRUIT_PRIJS 102
 GELAAGDE_VOORRUIT_STANDAARD 102
 GELAAGDE_VOORRUIT_STANDAARD_SINDS_DATUM 102
 GEMEENTE 569
 gemeentecode 17, 20, 33, 43, 467, 472, 483, 514, 522, 530, 561, 563, 572, 573, 575
 GEMEENTEID 17, 18, 20, 33, 43
 gemeentenaam 17, 20, 33, 43, 467, 472, 483, 514, 522, 530, 561, 563, 572, 573, 575, 646, 847, 1043
 gender 142, 387, 1138, 1142
 geo_weight 344
 geoLocationAddressCoordinatesLatLon 388
 geoLocationAddressCoordinatesRD 389
 geoLocationDistanceSortedNeighborhoodCodes 390
 geoLocationDistanceSortedNeighborhoodCodesRadius 391
 geoLocationDistanceSortedPostcodes 392
 geoLocationDistanceSortedPostcodesRadius 393
 geoLocationHaversineDistance 394
 geoLocationInternationalAddressCoordinatesLatLon 395
 geoLocationInternationalAddressCoordinatesLatLonV2 396
 geoLocationInternationalLatLonToAddress 397
 geoLocationInternationalPostcodeCoordinatesLatLon 398
 geoLocationLatLonToAddressV2 399
 geoLocationLatLonToPostcode 401
 geoLocationLatLonToRD 401
 geoLocationNeighborhoodCoordinatesLatLon 402
 geoLocationNeighborhoodCoordinatesRD 403
 geoLocationNeighborhoodDistance 404
 geoLocationPostcodeCoordinatesLatLon 405
 geoLocationPostcodeCoordinatesRD 406
 geoLocationPostcodeDistance 407
 geoLocationRDToAddressV2 408
 geoLocationRDToLatLon 409
 geoLocationRDToPostcode 410
 GESCHIEDEN_TEMPERATUURREGELING_PAKKET 102
 GESCHIEDEN_TEMPERATUURREGELING_PRIJS 102
 GESCHIEDEN_TEMPERATUURREGELING_STANDAARD 102
 GESCHIEDEN_TEMPERATUURREGELING_STANDAARD_SINDS_DATUM 102
 GETINTGLAS_PAKKET 102
 GETINTGLAS_PRIJS 102
 GETINTGLAS_STANDAARD 102
 GETINTGLAS_STANDAARD_SINDS_DATUM 102
 GLOBAL_FAILURE_SCORE_ITEM_ALGORITHM_ID 197
 GLOBAL_FAILURE_SCORE_ITEM_INCIDENCE_OF_DEFAULT 197

GLOBAL_FAILURE_SCORE_ITEM_INDUSTRY_INCO	Group Structure Ultimate Parent Address Postal Code
ENCE_OF_DEFAULT 197	163
GLOBAL_FAILURE_SCORE_ITEM_INDUSTRY_NO	Group Structure Ultimate Parent Address Street
M 197	163
GLOBAL_FAILURE_SCORE_ITEM_INDUSTRY_PE	Group Structure Ultimate Parent Address Telephone
CENTILE 197	163
GLOBAL_FAILURE_SCORE_ITEM_NATIONAL_PE	GROUP_STRUCTURE_AFFILIATED_COMPANIES_IT
CENTILE 197	EM_ADDRESS_CITY 163
GLOBAL_FAILURE_SCORE_ITEM_SCORE 197	GROUP_STRUCTURE_AFFILIATED_COMPANIES_IT
GLOBAL_FAILURE_SCORE_ITEM_SCORE_CLASS	EM_ADDRESS_COUNTRY 163
197	GROUP_STRUCTURE_AFFILIATED_COMPANIES_IT
GLOBAL_FAILURE_SCORE_ITEM_SCORE_COMME	EM_ADDRESS_FULL_ADDRESS 163
NTARIES 197	GROUP_STRUCTURE_AFFILIATED_COMPANIES_IT
GLOBAL_FAILURE_SCORE_ITEM_SCORE_DATE	EM_ADDRESS_HOUSE_NUMBER 163
197	GROUP_STRUCTURE_AFFILIATED_COMPANIES_IT
GLOBAL_FAILURE_SCORE_ITEM_SCORE_OVERE	EM_ADDRESS_POSTAL_CODE 163
DE_CODE 197	GROUP_STRUCTURE_AFFILIATED_COMPANIES_IT
GLOBAL_FAILURE_SCORE_ITEM_UNNORMALIZED	EM_ADDRESS_STREET 163
_SCORE 197	GROUP_STRUCTURE_AFFILIATED_COMPANIES_IT
GLOBAL_ULTIMATE_COUNTRY 197	EM_ADDRESS_TELEPHONE 163
GLOBAL_ULTIMATE_DNB_KEY 197	GROUP_STRUCTURE_AFFILIATED_COMPANIES_IT
GLOBAL_ULTIMATE_DUNS 197	EM_COMPANY_ID 147
GLOBAL_ULTIMATE_TRADE_NAME 197	GROUP_STRUCTURE_AFFILIATED_COMPANIES_IT
GORDELSPANNERS_PAKKET 102	EM_COMPANY_NAME 147
GORDELSPANNERS_PRIJS 102	GROUP_STRUCTURE_AFFILIATED_COMPANIES_IT
GORDELSPANNERS_STANDAARD 102	EM_COUNTRY 147, 163
GORDELSPANNERS_STANDAARD_SINDS_DATUM	GROUP_STRUCTURE_AFFILIATED_COMPANIES_IT
102	EM_CREDITSAFE_NUMBER 163
GRAPH_LINKS_ITEM_SOURCE 227	GROUP_STRUCTURE_AFFILIATED_COMPANIES_IT
GRAPH_LINKS_ITEM_TARGET 227	EM_DATE_LAST_ACCOUNT 163
GRAPH_LINKS_ITEM_TYPE 227	GROUP_STRUCTURE_AFFILIATED_COMPANIES_IT
GRAPH_NODES_ITEM_ID 227	EM_DATE_LAST_CHANGE 163
GRAPH_NODES_ITEM_NAME 227	GROUP_STRUCTURE_AFFILIATED_COMPANIES_IT
graydon_company_id 411, 412, 446, 449, 454	EM_ID 163
graydonCreditCompanyLiaisons 411	GROUP_STRUCTURE_AFFILIATED_COMPANIES_IT
graydonCreditGetReport 412	EM_NAME 163
graydonCreditManagement 446	GROUP_STRUCTURE_AFFILIATED_COMPANIES_IT
graydonCreditQuickscan 449	EM_NUMBER 147
graydonCreditRatings 449	GROUP_STRUCTURE_AFFILIATED_COMPANIES_IT
graydonCreditSearchIdentification 451	EM_OFFICE_TYPE 163
graydonCreditSearchName 452	GROUP_STRUCTURE_AFFILIATED_COMPANIES_IT
graydonCreditSearchPostcode 453	EM_REGISTRATION_NUMBER 163
graydonCreditVatNumber 454	GROUP_STRUCTURE_AFFILIATED_COMPANIES_IT
GROOTTE 1135	EM_STATUS 163
Gross Vehicle Mass 95, 97, 100, 129	GROUP_STRUCTURE_AFFILIATED_COMPANIES_IT
GROSS_VEHICLE_MASS 95, 97, 100, 129	EM_TRADE_NAMES 163
Group Structure Ultimate Parent Address City	GROUP_STRUCTURE_AFFILIATED_COMPANIES_IT
163	EM_TYPE 163
Group Structure Ultimate Parent Address Country	GROUP_STRUCTURE_AFFILIATED_COMPANIES_IT
163	EM_VAT_NUMBERS 163
Group Structure Ultimate Parent Address Full Address	GROUP_STRUCTURE_IMMEDIATE_PARENT_ADDR
163	ESS_CITY 163
Group Structure Ultimate Parent Address House	GROUP_STRUCTURE_IMMEDIATE_PARENT_ADDR
Number 163	ESS_COUNTRY 163

GROUP_STRUCTURE_IMMEDIATE_PARENT_ADDRESS_FULL_ADDRESS	163	GROUP_STRUCTURE_SUBSIDIARY_COMPANIES_ITEM_COMPANY_ID	147
GROUP_STRUCTURE_IMMEDIATE_PARENT_ADDRESS_HOUSE_NUMBER	163	GROUP_STRUCTURE_SUBSIDIARY_COMPANIES_ITEM_COMPANY_NAME	147
GROUP_STRUCTURE_IMMEDIATE_PARENT_ADDRESS_POSTAL_CODE	163	GROUP_STRUCTURE_SUBSIDIARY_COMPANIES_ITEM_COUNTRY	147, 163
GROUP_STRUCTURE_IMMEDIATE_PARENT_ADDRESS_STREET	163	GROUP_STRUCTURE_SUBSIDIARY_COMPANIES_ITEM_CREDITS_SAFE_NUMBER	163
GROUP_STRUCTURE_IMMEDIATE_PARENT_ADDRESS_TELEPHONE	163	GROUP_STRUCTURE_SUBSIDIARY_COMPANIES_ITEM_DATE_LAST_ACCOUNT	163
GROUP_STRUCTURE_IMMEDIATE_PARENT_COMPANY_ID	147	GROUP_STRUCTURE_SUBSIDIARY_COMPANIES_ITEM_DATE_LAST_CHANGE	163
GROUP_STRUCTURE_IMMEDIATE_PARENT_COMPANY_NAME	147	GROUP_STRUCTURE_SUBSIDIARY_COMPANIES_ITEM_ID	163
GROUP_STRUCTURE_IMMEDIATE_PARENT_COUNTRY	147, 163	GROUP_STRUCTURE_SUBSIDIARY_COMPANIES_ITEM_NAME	163
GROUP_STRUCTURE_IMMEDIATE_PARENT_CREDITS_SAFE_NUMBER	163	GROUP_STRUCTURE_SUBSIDIARY_COMPANIES_ITEM_NUMBER	147
GROUP_STRUCTURE_IMMEDIATE_PARENT_DATE_LAST_ACCOUNT	163	GROUP_STRUCTURE_SUBSIDIARY_COMPANIES_ITEM_OFFICE_TYPE	163
GROUP_STRUCTURE_IMMEDIATE_PARENT_DATE_LAST_CHANGE	163	GROUP_STRUCTURE_SUBSIDIARY_COMPANIES_ITEM_REGISTRATION_NUMBER	163
GROUP_STRUCTURE_IMMEDIATE_PARENT_ID	163	GROUP_STRUCTURE_SUBSIDIARY_COMPANIES_ITEM_STATUS	163
GROUP_STRUCTURE_IMMEDIATE_PARENT_NAME	163	GROUP_STRUCTURE_SUBSIDIARY_COMPANIES_ITEM_TRADE_NAMES	163
GROUP_STRUCTURE_IMMEDIATE_PARENT_NUMBER	147	GROUP_STRUCTURE_SUBSIDIARY_COMPANIES_ITEM_TYPE	163
GROUP_STRUCTURE_IMMEDIATE_PARENT_OFFICE_TYPE	163	GROUP_STRUCTURE_SUBSIDIARY_COMPANIES_ITEM_VAT_NUMBERS	163
GROUP_STRUCTURE_IMMEDIATE_PARENT_REGISTRATION_NUMBER	163	GROUP_STRUCTURE_ULTIMATE_PARENT_ADDRESS_CITY	163
GROUP_STRUCTURE_IMMEDIATE_PARENT_STATUS	163	GROUP_STRUCTURE_ULTIMATE_PARENT_ADDRESS_COUNTRY	163
GROUP_STRUCTURE_IMMEDIATE_PARENT_TRADE_NAMES_ITEM	163	GROUP_STRUCTURE_ULTIMATE_PARENT_ADDRESS_FULL_ADDRESS	163
GROUP_STRUCTURE_IMMEDIATE_PARENT_TYPE	163	GROUP_STRUCTURE_ULTIMATE_PARENT_ADDRESS_HOUSE_NUMBER	163
GROUP_STRUCTURE_IMMEDIATE_PARENT_VAT_NUMBERS_ITEM	163	GROUP_STRUCTURE_ULTIMATE_PARENT_ADDRESS_POSTAL_CODE	163
GROUP_STRUCTURE_SUBSIDIARY_COMPANIES_ITEM_ADDRESS_CITY	163	GROUP_STRUCTURE_ULTIMATE_PARENT_ADDRESS_STREET	163
GROUP_STRUCTURE_SUBSIDIARY_COMPANIES_ITEM_ADDRESS_COUNTRY	163	GROUP_STRUCTURE_ULTIMATE_PARENT_ADDRESS_TELEPHONE	163
GROUP_STRUCTURE_SUBSIDIARY_COMPANIES_ITEM_ADDRESS_FULL_ADDRESS	163	GROUP_STRUCTURE_ULTIMATE_PARENT_COMPANY_ID	147
GROUP_STRUCTURE_SUBSIDIARY_COMPANIES_ITEM_ADDRESS_HOUSE_NUMBER	163	GROUP_STRUCTURE_ULTIMATE_PARENT_COMPANY_NAME	147
GROUP_STRUCTURE_SUBSIDIARY_COMPANIES_ITEM_ADDRESS_POSTAL_CODE	163	GROUP_STRUCTURE_ULTIMATE_PARENT_COUNTRY	147, 163
GROUP_STRUCTURE_SUBSIDIARY_COMPANIES_ITEM_ADDRESS_STREET	163	GROUP_STRUCTURE_ULTIMATE_PARENT_CREDITS_SAFE_NUMBER	163
GROUP_STRUCTURE_SUBSIDIARY_COMPANIES_ITEM_ADDRESS_TELEPHONE	163	GROUP_STRUCTURE_ULTIMATE_PARENT_DATE_LAST_ACCOUNT	163

GROUP_STRUCTURE_ULTIMATE_PARENT_DATE	HOOGTEVERSTELLING_PASSAGIER_PAKKET
AST_CHANGE 163	102
GROUP_STRUCTURE_ULTIMATE_PARENT_ID	HOOGTEVERSTELLING_PASSAGIER_PRIJS 102
163	HOOGTEVERSTELLING_PASSAGIER_STANDAARD
GROUP_STRUCTURE_ULTIMATE_PARENT_NAME	102
163	HOOGTEVERSTELLING_PASSAGIER_STANDAARD
GROUP_STRUCTURE_ULTIMATE_PARENT_NUMBER	SINDS_DATUM 102
R 147	HOOGTEVERSTELLING_STUUR_PAKKET 102
GROUP_STRUCTURE_ULTIMATE_PARENT_OFFICE	HOOGTEVERSTELLING_STUUR_PRIJS 102
_TYPE 163	HOOGTEVERSTELLING_STUUR_STANDAARD
GROUP_STRUCTURE_ULTIMATE_PARENT_REGISTRATION	102
NUMBER 163	HOOGTEVERSTELLING_STUUR_STANDAARD_SINDS
GROUP_STRUCTURE_ULTIMATE_PARENT_STATUS	DATUM 102
163	House Number 35
GROUP_STRUCTURE_ULTIMATE_PARENT_TRADE	House Number from 43, 222, 569
_NAMES_ITEM 163	House Number to 222
GROUP_STRUCTURE_ULTIMATE_PARENT_TYPE	House Number upto 43, 569
163	HOUSE_NO 399, 408, 451, 452, 453
GROUP_STRUCTURE_ULTIMATE_PARENT_VAT_NUMBERS	HOUSE_NO_ADDITION 399, 408, 451, 452, 453
ITEM 163	house_number 144, 191, 345, 350, 352, 353, 387, 460, 1117, 1118, 1138, 1142
HALOGEEN_KOPLAMPEN_PAKKET 102	house_number_addition 345, 350, 352, 353, 1117, 1118, 1138, 1142
HALOGEEN_KOPLAMPEN_PRIJS 102	HOUSE_NUMBER_FROM 222
HALOGEEN_KOPLAMPEN_STANDAARD 102	HOUSE_NUMBER_TO 222
HALOGEEN_KOPLAMPEN_STANDAARD_SINDS	houzeno 23, 25, 27, 37, 39, 78, 81, 83, 84, 85, 207, 209, 388, 389, 395, 396, 465
ATUM 102	houzenoaddition 23, 25, 27, 37, 39, 78, 81, 83, 84, 85, 207, 209, 465
HEADQUARTERS_COUNTRY 197	housesnr 461, 463
HEADQUARTERS_DNB_KEY 197	HTTP Disk Cache Maximum Age (sec) 1184
HEADQUARTERS_DUNS 197	HTTP Memory Cache Maximum Age (sec) 1184
HEADQUARTERS_TRADE_NAME 197	HTTP Method 1184
height 1127, 1128, 1129, 1130, 1151	HTTP Status Code 1184
HIGH_CREDIT 197	HTTP_DISK_CACHE_MAX_AGE_SEC 1184
HISTORY_DESCRIPTION 204	HTTP_DISK_CACHE_SAVE 1184
HISTORY_INDICATOR 204	HTTP_DISK_CACHE_USE 1184
HITS 1177	HTTP_MEMORY_CACHE_MAX_AGE_SEC 1184
HOOFDSTEUNEN_ACHTER_PAKKET 102	HTTP_MEMORY_CACHE_SAVE 1184
HOOFDSTEUNEN_ACHTER_PRIJS 102	HTTP_MEMORY_CACHE_USE 1184
HOOFDSTEUNEN_ACHTER_STANDAARD 102	HTTP_METHOD 1184
HOOFDSTEUNEN_ACHTER_STANDAARD_SINDS	HTTP_STATUS_CODE 1184
ATUM 102	http-disk-cache-compression-level 2
HOOFDSTEUNEN_VOOR_PAKKET 102	http-disk-cache-directory 2
HOOFDSTEUNEN_VOOR_PRIJS 102	http-disk-cache-ignore-write-errors 2
HOOFDSTEUNEN_VOOR_STANDAARD 102	http-disk-cache-max-age-sec 2
HOOFDSTEUNEN_VOOR_STANDAARD_SINDS	http-get-timeout-max-ms 2
DATUM 102	http-get-timeout-ms 2
HOOGTE 102	http-memory-cache-compression-level 2
HOOGTEVERSTELLING_BESTUURDER_PAKKET	http-memory-cache-max-age-sec 2
102	http-post-timeout-max-ms 2
HOOGTEVERSTELLING_BESTUURDER_PRIJS	http-post-timeout-ms 2
102	
HOOGTEVERSTELLING_BESTUURDER_STANDAARD	
D 102	
HOOGTEVERSTELLING_BESTUURDER_STANDAARD	
D_SINDS_DATUM 102	

huisletter	585, 769, 1004, 1009	HYPOTHECAIRBERICHT_HYPOTHEEK_STUK_LIJST	
HUISNR	35	_HYPOTHEEK_STUKKEN_ITEM_STUKDELEN	
HUISNR_TM	43, 569	514, 522, 530, 537, 545, 553	
HUISNR_TOEVOEGING	35	HYPOTHECAIRBERICHT_HYPOTHEEK_STUK_LIJST	
HUISNR_VAN	43, 569	_INDICATIE_COMPLEET	514, 522, 530, 537, 545, 553
HUISNUMMER	470, 493, 503, 537, 545, 553, 565, 567, 569, 570, 578, 579, 582, 585, 769, 1004, 1009, 1135	HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GE	
HUISNUMMER_TOEVOEGING	470, 493, 503, 537, 545, 553, 565, 567, 578, 579, 582, 585, 769, 1004, 1009, 1135	RECHTIGDE_AANTEKENING_BESCHIKKINGSBEVOEGDHEID	514, 522, 530, 537, 545, 553
HYPOTHECAIRBERICHT_DATUM_BIJGEWERKT	514, 522, 530, 537, 545, 553	HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GE	
HYPOTHECAIRBERICHT_HYPOTHECAIR_DOCUMENT_AFBEELDINGEN_ITEM	514, 522, 530, 537, 545, 553	RECHTIGDE_DOMICILIE_KEUZES_INDICATIE_COMPLEET	514, 522, 530, 537, 545, 553
HYPOTHECAIRBERICHT_HYPOTHECAIR_DOCUMENT_DOCUMENT	514, 522, 530, 537, 545, 553	HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GE	
HYPOTHECAIRBERICHT_HYPOTHEEK_STUK_LIJST_HYPOTHEEK_STUKKEN_ITEM_DATUM_AANBIEDING	514, 522, 530, 537, 545, 553	RECHTIGDE_KADASTRALE_IDENTIFICATIE	514, 522, 530, 537, 545, 553
HYPOTHECAIRBERICHT_HYPOTHEEK_STUK_LIJST_HYPOTHEEK_STUKKEN_ITEM_DATUM_ONDERTEKENING	514, 522, 530, 537, 545, 553	HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GE	
HYPOTHECAIRBERICHT_HYPOTHEEK_STUK_LIJST_HYPOTHEEK_STUKKEN_ITEM_EENZIJDIG_OPZEGBAAR	514, 522, 530, 537, 545, 553	RECHTIGDE_NATUURLIJK_PERSOON_BSN	514, 522, 530, 537, 545, 553
HYPOTHECAIRBERICHT_HYPOTHEEK_STUK_LIJST_HYPOTHEEK_STUKKEN_ITEM_GEFIATTEERD	514, 522, 530, 537, 545, 553	HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GE	
HYPOTHECAIRBERICHT_HYPOTHEEK_STUK_LIJST_HYPOTHEEK_STUKKEN_ITEM_OMSCHRIJVING	514, 522, 530, 537, 545, 553	RECHTIGDE_NATUURLIJK_PERSOON_BURGERLIJKE_STAAT	514, 522, 530, 537, 545, 553
HYPOTHECAIRBERICHT_HYPOTHEEK_STUK_LIJST_HYPOTHEEK_STUKKEN_ITEM_RECTIFICATIE_VERZOCHT	514, 522, 530, 537, 545, 553	HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GE	
HYPOTHECAIRBERICHT_HYPOTHEEK_STUK_LIJST_HYPOTHEEK_STUKKEN_ITEM_STUK_AANDUIDING_SOORT_REGISTER	514, 522, 530, 537, 545, 553	RECHTIGDE_NATUURLIJK_PERSOON_DATUM_OVERLIJDEN	514, 522, 530, 537, 545, 553
HYPOTHECAIRBERICHT_HYPOTHEEK_STUK_LIJST_HYPOTHEEK_STUKKEN_ITEM_STUK_DATUM_AANBIEDING	514, 522, 530, 537, 545, 553	HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GE	
HYPOTHECAIRBERICHT_HYPOTHEEK_STUK_LIJST_HYPOTHEEK_STUKKEN_ITEM_STUK_DEEL	514, 522, 530, 537, 545, 553	RECHTIGDE_NATUURLIJK_PERSOON_GEBOORTE_DATUM	514, 522, 530, 537, 545, 553
HYPOTHECAIRBERICHT_HYPOTHEEK_STUK_LIJST_HYPOTHEEK_STUKKEN_ITEM_STUK_ID	514, 522, 530, 537, 545, 553	HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GE	
HYPOTHECAIRBERICHT_HYPOTHEEK_STUK_LIJST_HYPOTHEEK_STUKKEN_ITEM_STUK_NUMMER	514, 522, 530, 537, 545, 553	RECHTIGDE_NATUURLIJK_PERSOON_GEBOORTE_PLAATS	514, 522, 530, 537, 545, 553
HYPOTHECAIRBERICHT_HYPOTHEEK_STUK_LIJST_HYPOTHEEK_STUKKEN_ITEM_STUK_REEKS	514, 522, 530, 537, 545, 553	HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GE	
		RECHTIGDE_NATUURLIJK_PERSOON_GESLACHT	514, 522, 530, 537, 545, 553
		HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GE	
		RECHTIGDE_NATUURLIJK_PERSOON_GESLACHT_SNAAM	514, 522, 530, 537, 545, 553
		HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GE	
		RECHTIGDE_NATUURLIJK_PERSOON_INDICATIE_OVERLEDEN	514, 522, 530, 537, 545, 553
		HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GE	
		RECHTIGDE_NATUURLIJK_PERSOON_VOORNAAM	514, 522, 530, 537, 545, 553
		HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GE	
		RECHTIGDE_NATUURLIJK_PERSOON_VOORVOEGSEL_GESLACHTSNAAM	514, 522, 530, 537, 545, 553
		HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GE	
		RECHTIGDE_NIET_NATUURLIJK_PERSOON_BEDRIJVEN_NUMMER	514, 522, 530, 537, 545, 553
		HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GE	
		RECHTIGDE_NIET_NATUURLIJK_PERSOON_NAAM	514, 522, 530, 537, 545, 553

HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GE
 RECHTIGDE_NIET_NATUURLIJK_PERSOON_RECHTIGDE_WOONLOCATIE_LOCATIE_BINNENLA
 SVORM 514, 522, 530, 537, 545, 553 ND_POSTCODE 514, 522, 530, 537, 545, 553
 HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GE
 RECHTIGDE_NIET_NATUURLIJK_PERSOON_STATRECHTIGDE_WOONLOCATIE_LOCATIE_BINNENLA
 TAIRE_ZETEL 514, 522, 530, 537, 545, 553 ND_STRAATNAAM 514, 522, 530, 537, 545, 553
 HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GE
 RECHTIGDE_POSTLOCATIE_LOCATIE_BINNENLANECHTIGDE_WOONLOCATIE_LOCATIE_BUITENLA
 D_HUISLETTER 514, 522, 530, 537, 545, 553 ND_ADRES 514, 522, 530, 537, 545, 553
 HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GE
 RECHTIGDE_POSTLOCATIE_LOCATIE_BINNENLANECHTIGDE_WOONLOCATIE_LOCATIE_BUITENLA
 D_HUISNUMMER 514, 522, 530, 537, 545, 553 ND_LAND 514, 522, 530, 537, 545, 553
 HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GE
 RECHTIGDE_POSTLOCATIE_LOCATIE_BINNENLANECHTIGDE_WOONLOCATIE_LOCATIE_BUITENLA
 D_HUISNUMMER_TOEVOEGING 514, 522, 530, ND_REGIO 514, 522, 530, 537, 545, 553
 537, 545, 553 HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GE
 HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GE
 RECHTIGDE_WOONLOCATIE_LOCATIE_BUITENLA
 RECHTIGDE_POSTLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS 514, 522, 530, 537, 545, 553
 D_PLAATS 514, 522, 530, 537, 545, 553 HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GR
 HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GE
 RECHTIGDE_POSTLOCATIE_LOCATIE_BINNENLANECHTIGDE_WOONLOCATIE_LOCATIE_BUITENLA
 D_POSITIE 514, 522, 530, 537, 545, 553 DASTRALE_AANDUIDING_GEMEENTECODE
 HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GE
 RECHTIGDE_POSTLOCATIE_LOCATIE_BINNENLANECHTIGDE_WOONLOCATIE_LOCATIE_BUITENLA
 D_POSTCODE 514, 522, 530, 537, 545, 553 DASTRALE_AANDUIDING_GEMEENTENAAM
 HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GE
 RECHTIGDE_POSTLOCATIE_LOCATIE_BINNENLANECHTIGDE_WOONLOCATIE_LOCATIE_BUITENLA
 D_STRAATNAAM 514, 522, 530, 537, 545, 553 DASTRALE_AANDUIDING_PERCEELNUMMER
 HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GE
 RECHTIGDE_POSTLOCATIE_LOCATIE_BUITENLANECHTIGDE_WOONLOCATIE_LOCATIE_BUITENLA
 D_ADRES 514, 522, 530, 537, 545, 553 DASTRALE_AANDUIDING_RELATIECODE 514,
 HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GE
 RECHTIGDE_POSTLOCATIE_LOCATIE_BUITENLANECHTIGDE_WOONLOCATIE_LOCATIE_BUITENLA
 D_LAND 514, 522, 530, 537, 545, 553 DASTRALE_AANDUIDING_SECTIE 514, 522, 530,
 HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GE
 RECHTIGDE_POSTLOCATIE_LOCATIE_BUITENLANECHTIGDE_WOONLOCATIE_LOCATIE_BUITENLA
 D_REGIO 514, 522, 530, 537, 545, 553 DASTRALE_AANDUIDING_VOLGNUMMER 514,
 HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GE
 RECHTIGDE_WOONLOCATIE_LOCATIE_BINNENLANECHTIGDE_WOONLOCATIE_LOCATIE_BUITENLA
 ND_HUISLETTER 514, 522, 530, 537, 545, 553 JECT_ID 514, 522, 530, 537, 545, 553
 HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GE
 RECHTIGDE_WOONLOCATIE_LOCATIE_BINNENLANECHTIGDE_WOONLOCATIE_LOCATIE_BUITENLA
 ND_HUISNUMMER 514, 522, 530, 537, 545, 553 KEN_ITEM_DATUM_AANBIEDING 514, 522, 530,
 HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GE
 RECHTIGDE_WOONLOCATIE_LOCATIE_BINNENLANECHTIGDE_WOONLOCATIE_LOCATIE_BUITENLA
 ND_HUISNUMMER_TOEVOEGING 514, 522, 530, VERWERKTE_DOCUMENTEN_HYPOTHEEK_STUK
 537, 545, 553 KEN_ITEM_DATUM_ONDERTEKENING 514, 522,
 HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GE
 RECHTIGDE_WOONLOCATIE_LOCATIE_BINNENLANECHTIGDE_WOONLOCATIE_LOCATIE_BUITENLA
 ND_PLAATS 514, 522, 530, 537, 545, 553 VERWERKTE_DOCUMENTEN_HYPOTHEEK_STUK
 HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_GE
 RECHTIGDE_WOONLOCATIE_LOCATIE_BINNENLANECHTIGDE_WOONLOCATIE_LOCATIE_BUITENLA
 ND_POSITIE 514, 522, 530, 537, 545, 553 KEN_ITEM_EENZIGDIG_OPZEGBAAR 514, 522,
 530, 537, 545, 553

HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONIBAN_DETAILS_BBAN_DETAILS_BBAN_ACCOUNT_1161, 1163
 VERWERKTE_DOCUMENTEN_HYPOTHEEK_STUKTYPE
 KEN_ITEM_GEFIATTEERD 514, 522, 530, 537, IBAN_DETAILS_BBAN_DETAILS_BBAN_BANK_ID 545, 553 1161, 1163
 HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONIBAN_DETAILS_BBAN_DETAILS_BBAN_BRANCH_I 1161, 1163
 VERWERKTE_DOCUMENTEN_HYPOTHEEK_STUK
 KEN_ITEM_OMSCHRIJVING 514, 522, 530, 537, IBAN_DETAILS_BBAN_DETAILS_BBAN_CHECKSU 545, 553 M 1161, 1163
 HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONIBAN_DETAILS_BBAN_DETAILS_BBAN_CURRENCY 1161, 1163
 VERWERKTE_DOCUMENTEN_HYPOTHEEK_STUK
 KEN_ITEM_RECTIFICATIE_VERZOCHT 514, 522, IBAN_DETAILS_BBAN_DETAILS_BBAN_HOLDER_K 530, 537, 545, 553 ENNITALA 1161, 1163
 HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONIBAN_DETAILS_BBAN_DETAILS_BBAN_OWNER_N 1161, 1163
 VERWERKTE_DOCUMENTEN_HYPOTHEEK_STUK UMBER
 KEN_ITEM_STUK_AANDUIDING_SOORT_REGISTER IBAN_DETAILS_BBAN_DETAILS_BBAN_SORT_COD 514, 522, 530, 537, 545, 553 E 1161, 1163
 HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONIBAN_DETAILS_BBAN_DETAILS_BBAN_ZERO 1161, 1163
 VERWERKTE_DOCUMENTEN_HYPOTHEEK_STUK
 KEN_ITEM_STUK_DATUM_AANBIEDING 514, IBAN_DETAILS_CHECK_DIGITS 522, 530, 537, 545, 553 1161, 1163
 HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONIBAN_DETAILS_COUNTRY_CODE 1161, 1163
 VERWERKTE_DOCUMENTEN_HYPOTHEEK_STUK IBAN_FOUND 1165
 KEN_ITEM_STUK_DEEL 514, 522, 530, 537, 545, id 191, 194 553
 HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONIMAGE 136, 1127, 1128, 1129, 1130, 1151
 VERWERKTE_DOCUMENTEN_HYPOTHEEK_STUK IMAGE_URL 142
 KEN_ITEM_STUK_ID 514, 522, 530, 537, 545, 553 IMAGES_ITEM 466
 HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONDELEN_NEERKLAPBAAR_ACHTERBANK_PAKK 197
 VERWERKTE_DOCUMENTEN_HYPOTHEEK_STUK IMPORT_INDICATOR
 KEN_ITEM_STUK_NUMMER 514, 522, 530, 537, IN_DELEN_NEERKLAPBAAR_ACHTERBANK_PRIJS 545, 553 102
 HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONDELEN_NEERKLAPBAAR_ACHTERBANK_STAN 102
 VERWERKTE_DOCUMENTEN_HYPOTHEEK_STUK DAARD
 KEN_ITEM_STUK_REEKS 514, 522, 530, 537, IN_DELEN_NEERKLAPBAAR_ACHTERBANK_STAN 545, 553 DAARD_SINDS_DATUM 102
 HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONin_radians 394
 VERWERKTE_DOCUMENTEN_HYPOTHEEK_STUK
 KEN_ITEM_STUKDELEN 514, 522, 530, 537, 545, INBRAAKALARM_PAKKET 102 553 INBRAAKALARM_PRIJS 102
 HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_ONINBRAAKALARM_STANDAARD 102
 VERWERKTE_DOCUMENTEN_INDICATIE_COMPLE INBRAAKALARM_STANDAARD_SINDS_DATUM 102
 ET 514, 522, 530, 537, 545, 553
 HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_Tinclude_source 227, 266, 304, 316, 360
 PE 514, 522, 530, 537, 545, 553 Income Statement Date 204
 HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_VAINCOME_STATEMENT_DATE 204
 STGESTELDE_GROOTTE 514, 522, 530, 537, 545, INCOME_STATEMENT_DATE_END 204 553 INCOME_STATEMENT_DATE_START 204
 HYPOTHECAIRBERICHT_ONROERENDE_ZAAK_VINCORPORATION_YEAR 195, 204
 ORLOPIGE_AANTEKENING 514, 522, 530, 537, INDATE_INDICATOR 197 545, 553
 IBAN 1161, 1162, 1163, 1165, 1166 Indication Economically Active 74, 84, 229, 233, 237, 347, 350, 352, 353, 354, 356, 1112, 1116, 1117, 1118, 1119
 IBAN_DETAILS_BBAN 1161, 1163
 IBAN_DETAILS_BBAN_DETAILS_BBAN_ACCOUNT Indication Main Branch 195, 197, 203, 207, 209 1161, 1163
 IBAN_DETAILS_BBAN_DETAILS_BBAN_ACCOUNT INDICATION_BANKRUPTCY 229, 233, 237, 1112
 PREFIX 1161, 1163 INDICATION_DIP 229, 233, 237, 1112

INDICATION_ECONOMICALLY_ACTIVE 229, 233, 237, 347, 350, 352, 353, 354, 356, 1112, 1116, 1117, 1118, 1119
 INDICATION_EXPORT 229, 233, 237, 1112
 INDICATION_IMPORT 229, 233, 237, 1112
 INDICATION_MAIN_ESTABLISHMENT 229, 233, 237, 345, 348, 1112
 INDICATION_NON_MAILING 229, 233, 237, 1112
 INDICATION_ORGANISATION_CODE 229, 233, 237, 1112
 INDICATIONBANKRUPTCY 74
 INDICATIONDIP 74
 INDICATIONECONOMICALLYACTIVE 74, 84
 INDICATIONNONMAILING 74
 INDICATIONORGANISATIONCODE 74
 Indicator Historical 204
 INDIVIDUAL_FEATURES_ITEM_NAME 344
 INDIVIDUAL_FEATURES_ITEM_SCORE 344
 INDIVIDUAL_FEATURES_ITEM_WEIGHT 344
 INHOUD 1135
 initials 387, 1138, 1142
 INKLAPBARE_SPIEGELS_PAKKET 102
 INKLAPBARE_SPIEGELS_PRIJS 102
 INKLAPBARE_SPIEGELS_STANDAARD 102
 INKLAPBARE_SPIEGELS_STANDAARD_SINDS_DATUM 102
 INPUT_ELEMENTS_ITEM_DEFAULT_VALUE 1131
 INPUT_ELEMENTS_ITEM_DESCRIPTION 1131
 INPUT_ELEMENTS_ITEM_DOCUMENTATION_URL 1131
 INPUT_ELEMENTS_ITEM_NAME 1131
 INPUT_ELEMENTS_ITEM_REQUIRED 1131
 INPUT_ELEMENTS_ITEM_TYPE 1131
 INPUT_ELEMENTS_ITEM_VALIDATIONS 1131
 INSOLVENCIES_ITEM_EVENTS 237
 INSOLVENCIES_ITEM_INSOLVENCY_ID 237
 INSOLVENCY_ID 455
 insolvencyGetCaseByPublication 455
 insolvencySearchPublicationsByCoCNumber 460
 insolvencySearchPublicationsByPerson 460
 INSURED 100
 INTANGIBLE_ASSETS 204
 INTERIOR_CODE 129
 INTERIOR_DESCRIPTION 129
 internationalAddressSearchInteractive 461
 internationalAddressSearchV2 463
 INTERVALRUITENWISSER_PAKKET 102
 INTERVALRUITENWISSER_PRIJS 102
 INTERVALRUITENWISSER_STANDAARD 102
 INTERVALRUITENWISSER_STANDAARD_SINDS_DATUM 102
 invantive-sql-compress-sparse-arrays 2
 invantive-sql-correct-invalid-date 2
 invantive-sql-forward-filters-to-data-containers 2
 invantive-sql-share-byte-arrays 2
 invantive-sql-share-strings 2
 invantive-sql-shuffle-fetch-results-data-containers 2
 invantive-use-cache 2
 INVENTORY 197
 IP 1177
 Is Bankrupt 74, 229, 233, 237, 1112
 IS_PRE_HGK_PUBLISHED 455
 IS_SEPA_MEMBER 1161, 1163
 IS_SUBSIDIARY_LOCATION 197
 ISO Country Code 2 Characters 209, 395, 396, 451, 452, 453
 ISSUED_SHARE_CAPITAL 229, 233, 237, 1112
 ISSUED_SHARE_CAPITAL_CURRENCY 229, 233, 237, 1112
 Item Brand 98, 100, 125, 127
 Item Car ID 98, 100, 125, 127
 Item Cebuco Code 23, 25, 27, 30, 37, 39, 41
 Item Character Combination 23, 25, 27, 30, 37, 39, 41
 Item City ID 23, 25, 27, 30, 37, 39, 41
 Item City Name 23, 25, 27, 30, 37, 39, 41
 Item Code 65, 66
 Item Description 65, 66
 Item Gearbox 98, 100, 125, 127
 Item House Number 23, 25, 27, 30
 Item House Number from 23, 25, 27, 30, 37, 39, 41
 Item House Number upto 23, 25, 27, 30, 37, 39, 41
 Item Last Year 98, 100, 125, 127
 Item Lot ID 23, 25, 27, 30
 Item Model 98, 100, 125, 127
 Item Municipality Code 23, 25, 27, 30, 37, 39, 41
 Item Municipality ID 23, 25, 27, 30, 37, 39, 41
 Item Municipality Name 23, 25, 27, 30, 37, 39, 41
 Item Place Name Extract 23, 25, 27, 30, 37, 39, 41
 Item Place Name TPG 23, 25, 27, 30, 37, 39, 41
 Item Sequence ID 23, 25, 27, 30, 37, 39, 41
 Item Sequence Indicator 23, 25, 27, 30, 37, 39, 41
 Item State Code 23, 25, 27, 30, 37, 39, 41
 Item State Name 23, 25, 27, 30, 37, 39, 41
 Item Street ID 23, 25, 27, 30, 37, 39, 41
 Item Street Name 23, 25, 27, 30, 37, 39, 41
 Item Street Name NEN 23, 25, 27, 30, 37, 39, 41
 Item Street Name TPG 23, 25, 27, 30, 37, 39, 41
 Item Type 98, 100, 125, 127
 KAART 572, 578
 kadaسترAddressCoordinates 465
 kadaسترBronDocument 466
 kadaسترEigendomsBerichtDocumentPerceel 467
 kadaسترEigendomsBerichtDocumentPostcode 470

kadasterEigendomsBerichtPerceel	472	KADASTRALE_AANDUIDINGEN_ITEM_SECTIE	572, 578
kadasterEigendomsBerichtPerceelV2	483	KADASTRALE_AANDUIDINGEN_ITEM_VOLGNUMMER	572, 578
kadasterEigendomsBerichtPostcode	493	KADASTRALE_KAART_AFBEELDINGEN_ITEM	561, 563, 565, 567, 573, 575, 579, 582
kadasterEigendomsBerichtPostcodeV2	503	KADASTRALE_KAART_KAART	561, 563, 565, 567, 573, 575, 579, 582
kadasterHypotheccairBerichtPerceel	514	KADASTRALE_KAART_SCHAAL	561, 563, 565, 567
kadasterHypotheccairBerichtPerceelV2	522	KATALYSATOR	102
kadasterHypotheccairBerichtPerceelV3	530	KENMERKEN_MODEL_RESULTAAT_AANTAL	1135
kadasterHypotheccairBerichtPostcode	537	KENMERKEN_MODEL_RESULTAAT_BETROUWBAARHEID	1135
kadasterHypotheccairBerichtPostcodeV2	545	KENMERKEN_MODEL_RESULTAAT_WAARDE	1135
kadasterHypotheccairBerichtPostcodeV3	553	KEY	1110, 1111
kadasterKadastraleKaartPerceel	561	KEYLESS_ENTRY_PAKKET	102
kadasterKadastraleKaartPerceelV2	563	KEYLESS_ENTRY_PRIJS	102
kadasterKadastraleKaartPostcode	565	KEYLESS_ENTRY_STANDAARD	102
kadasterKadastraleKaartPostcodeV2	567	KEYLESS_ENTRY_STANDAARD_SINDS_DATUM	102
kadasterKadastraleKaartPostcodeV3	569	kind_id	130, 131, 132
kadasterKoopsommenOverzicht	569	KLEPBEDIENING	102
kadasterKoopsommenOverzichtV2	570	KLEPPEN_PER_CILINDER	102
kadasterUittrekselKadastraleKaartPerceel	572	KLIMAATREGELING_PAKKET	102
kadasterUittrekselKadastraleKaartPerceelV2	573	KLIMAATREGELING_PRIJS	102
kadasterUittrekselKadastraleKaartPerceelV3	575	KLIMAATREGELING_STANDAARD	102
kadasterUittrekselKadastraleKaartPostcode	578	KLIMAATREGELING_STANDAARD_SINDS_DATUM	102
kadasterUittrekselKadastraleKaartPostcodeV2	579	KLOKJE_PAKKET	102
kadasterUittrekselKadastraleKaartPostcodeV3	582	KLOKJE_PRIJS	102
kadasterV2GetBronDocument	584	KLOKJE_STANDAARD	102
kadasterV2GetHypotheccairBerichtObjectByAdres	585	KLOKJE_STANDAARD_SINDS_DATUM	102
kadasterV2GetHypotheccairBerichtObjectByKadastraleAanduiding	646	KOFFER_MAX	102
kadasterV2GetHypotheccairBerichtObjectByObjectld	708	KOFFER_MIN	102
kadasterV2GetKadastraalBerichtObjectByAdres	769	KOOPSOMMEN_ITEM_BEDRAG	569
kadasterV2GetKadastraalBerichtObjectByKadastraleAanduiding	847	KOOPSOMMEN_ITEM_HUISNUMMER	569
kadasterV2GetKadastraalBerichtObjectByObjectld	926	KOOPSOMMEN_ITEM_HUISNUMMER_TOEVOEGING	569
kadasterV2GetKoopsommenOverzicht	1004	KOOPSOMMEN_ITEM_KOOPDATUM	569
kadasterV2GetUittrekselKadastraleKaartByAdres	1009	KOOPSOMMEN_ITEM_MEER_ONROERENDE_GOEDEREN	569
kadasterV2GetUittrekselKadastraleKaartByKadastraleAanduiding	1043	KOOPSOMMEN_ITEM_OMSCHRIJVING	569
kadasterV2GetUittrekselKadastraleKaartByObjectld	1076	KOOPSOMMEN_ITEM_OPPERVLAKTE	569
kadasterValueListGetMunicipalities	1110	KOPLAMPSPROEIERS_PAKKET	102
kadasterValueListGetRanges	1111	KOPLAMPSPROEIERS_PRIJS	102
KADASTRALE_AANDUIDINGEN_ITEM_GEMEENTE_CODE	572, 578	KOPLAMPSPROEIERS_STANDAARD	102
KADASTRALE_AANDUIDINGEN_ITEM_GEMEENTE_NAAM	572, 578	KOPLAMPSPROEIERS_STANDAARD_SINDS_DATUM	102
KADASTRALE_AANDUIDINGEN_ITEM_PERCEELNUMMER	572, 578	KOPPEL	102
KADASTRALE_AANDUIDINGEN_ITEM_RELATIECODE	572, 578	KOPPEL_TPM	102

kvkGetDossier 1112
 kvkGetExtractDocument 1115
 kvkSearchDossierNumber 1116
 kvkSearchParameters 1117
 kvkSearchPostcode 1118
 kvkSearchSelection 1119
 kvkUpdateAddDossier 1121
 KVKUPDATEADDDOSSIERRESPONSE 1121
 kvkUpdateCheckDossier 1122
 kvkUpdateGetChangedDossiers 1123
 kvkUpdateGetDossiers 1124
 kvkUpdateRemoveDossier 1125
 KVKUPDATEREMOVEDOSSIERRESPONSE 1125
 language 147, 162, 163, 341, 342, 395, 396, 461, 463, 1144, 1146, 1148, 1149, 1151, 1152
 LANGUAGES_ITEM 193
 Last Modified 11, 12, 15, 1181
 Last Name 142, 145
 Last Update 90, 91, 92, 190, 343, 371, 372, 373, 1122, 1123, 1124
 last_name 142, 145, 223, 387, 460, 1138, 1142
 LASTMODIFIED 11, 12, 15, 1181
 LASTVISIT 1177
 LATEST 1131
 latitude 388, 395, 396, 397, 398, 399, 401, 402, 405, 408, 409, 465, 1127
 latitude_coord_1 394
 latitude_coord_2 394
 latitudefrom 1148, 1149, 1150, 1151
 latitudeto 1148, 1149, 1150, 1151
 LAYOUT 137, 139
 LEER_BEKLEED_STUUR_PAKKET 102
 LEER_BEKLEED_STUUR_PRIJS 102
 LEER_BEKLEED_STUUR_STANDAARD 102
 LEER_BEKLEED_STUUR_STANDAARD_SINDS_DATUM 102
 LEESLAMPJE_ACHTER_PAKKET 102
 LEESLAMPJE_ACHTER_PRIJS 102
 LEESLAMPJE_ACHTER_STANDAARD 102
 LEESLAMPJE_ACHTER_STANDAARD_SINDS_DATUM 102
 LEESLAMPJE_VOOR_PAKKET 102
 LEESLAMPJE_VOOR_PRIJS 102
 LEESLAMPJE_VOOR_STANDAARD 102
 LEESLAMPJE_VOOR_STANDAARD_SINDS_DATUM 102
 Legal Entity Activity 244, 281, 329
 Legal Entity Alternative Name 244, 281, 329
 Legal Entity Authorized Share Capital 244, 281
 Legal Entity Authorized Share Capital Currency 244, 281
 Legal Entity Correspondence Address Address 329
 Legal Entity Correspondence Address City 329
 Legal Entity Correspondence Address Country 329
 Legal Entity Correspondence Address House Number 329
 Legal Entity Correspondence Address Postal Code 329
 Legal Entity Correspondence Address Street 329
 Legal Entity Correspondence City 244, 281
 Legal Entity Correspondence Postal Code 244, 281
 Legal Entity Correspondence Street 244, 281
 Legal Entity Establishment City 244, 281
 Legal Entity Establishment Postal Code 244, 281
 Legal Entity Establishment Street 244, 281
 Legal Entity Legal Form Text 244, 281, 329
 Legal Entity Legal Name 244, 281, 329
 Legal Entity Name 244, 281, 329
 Legal Entity Paid-up Share Capital 244, 281
 Legal Entity Paid-up Share Capital Currency 244, 281
 Legal Entity Registration 244, 281, 329
 Legal Entity RSIN Number 244, 281, 329
 Legal Entity Status 244, 281
 Legal Form Code 74
 Legal Form Description 74
 Legal Form Text 229, 233, 237, 1112
 Legal Name 229, 233, 237, 345, 348, 1112
 LEGAL_ENTITY_ACTIVITY 244, 281, 329
 LEGAL_ENTITY_ALTERNATIVE_NAME 244, 281, 329
 LEGAL_ENTITY_ANNUAL_REPORT_SUBMISSION 244, 281, 329
 LEGAL_ENTITY_AUTHORIZED_SHARE_CAPITAL 244, 281
 LEGAL_ENTITY_AUTHORIZED_SHARE_CAPITAL_A MOUNT 329
 LEGAL_ENTITY_AUTHORIZED_SHARE_CAPITAL_CURRENCY 244, 281, 329
 LEGAL_ENTITY_AUTHORIZED_SHARE_CAPITAL_FORMATTED 329
 LEGAL_ENTITY_COMPANY_ARRANGEMENT 244, 281, 329
 LEGAL_ENTITY_CORRESPONDENCE_ADDRESS_ADDRESS 329
 LEGAL_ENTITY_CORRESPONDENCE_ADDRESS_CITY 329
 LEGAL_ENTITY_CORRESPONDENCE_ADDRESS_COUNTRY 329
 LEGAL_ENTITY_CORRESPONDENCE_ADDRESS_HOUSE_NUMBER 329
 LEGAL_ENTITY_CORRESPONDENCE_ADDRESS_HOUSE_NUMBER_ADDITION 329
 LEGAL_ENTITY_CORRESPONDENCE_ADDRESS_POSTCODE 329

LEGAL_ENTITY_CORRESPONDENCE_ADDRESS_COUNTRY	329	LEGAL_ENTITY_ESTABLISHMENT_ADDRESS_COUNTRY	329
LEGAL_ENTITY_CORRESPONDENCE_CITY	244, 281	LEGAL_ENTITY_ESTABLISHMENT_ADDRESS_HOUSE_NUMBER	329
LEGAL_ENTITY_CORRESPONDENCE_COUNTRY	244, 281	LEGAL_ENTITY_ESTABLISHMENT_ADDRESS_HOUSE_NUMBER_ADDITION	329
LEGAL_ENTITY_CORRESPONDENCE_HOUSE_NUMBER	244, 281	LEGAL_ENTITY_ESTABLISHMENT_ADDRESS_POSTCODE	329
LEGAL_ENTITY_CORRESPONDENCE_HOUSE_NUMBER_ADDITION	244, 281	LEGAL_ENTITY_ESTABLISHMENT_ADDRESS_STREET	329
LEGAL_ENTITY_CORRESPONDENCE_POSTCODE	244, 281	LEGAL_ENTITY_ESTABLISHMENT_CITY	244, 281
LEGAL_ENTITY_CORRESPONDENCE_STREET	244, 281	LEGAL_ENTITY_ESTABLISHMENT_COUNTRY	
LEGAL_ENTITY_DEED_INCORPORATION_DATE_YEAR	244, 281, 329	LEGAL_ENTITY_ESTABLISHMENT_HOUSE_NUMBER	244, 281
LEGAL_ENTITY_DEED_INCORPORATION_DATE_MONTH	244, 281, 329	LEGAL_ENTITY_ESTABLISHMENT_HOUSE_NUMBER_ADDITION	244, 281
LEGAL_ENTITY_DEED_INCORPORATION_DATE_YEAR	244, 281, 329	LEGAL_ENTITY_ESTABLISHMENT_POSTCODE	244, 281
LEGAL_ENTITY_DEED_LAST_STATUTES_AMENDMENT_DATE_DAY	244, 281, 329	LEGAL_ENTITY_ESTABLISHMENT_STREET	244, 281
LEGAL_ENTITY_DEED_LAST_STATUTES_AMENDMENT_DATE_MONTH	244, 281, 329	LEGAL_ENTITY_FAX_NUMBERS_ITEM	244, 281, 329
LEGAL_ENTITY_DEED_LAST_STATUTES_AMENDMENT_DATE_YEAR	244, 281, 329	LEGAL_ENTITY_FOREIGN_LEGAL_FORM_DEFINITION	244, 281, 329
LEGAL_ENTITY_DISCONTINUATION_DATE_DAY	244, 281, 329	LEGAL_ENTITY_FOUNDING_DATE_DAY	244, 281, 329
LEGAL_ENTITY_DISCONTINUATION_DATE_MONTH	244, 281, 329	LEGAL_ENTITY_FOUNDING_DATE_MONTH	244, 281, 329
LEGAL_ENTITY_DISCONTINUATION_DATE_YEAR	244, 281, 329	LEGAL_ENTITY_FOUNDING_DATE_YEAR	244, 281, 329
LEGAL_ENTITY DISSOLUTION_DATE_DAY	244, 281, 329	LEGAL_ENTITY_ISSUED_SHARE_CAPITAL	244, 281, 329
LEGAL_ENTITY DISSOLUTION_DATE_MONTH	244, 281, 329	LEGAL_ENTITY_ISSUED_SHARE_CAPITAL_AMOUNT	329
LEGAL_ENTITY DISSOLUTION_DATE_YEAR	244, 281, 329	LEGAL_ENTITY_ISSUED_SHARE_CAPITAL_CURRENCY	244, 281, 329
LEGAL_ENTITY DISSOLUTION_REASON	244, 281, 329	LEGAL_ENTITY_ISSUED_SHARE_CAPITAL_FORMATED	329
LEGAL_ENTITY_DOMAIN_NAMES_ITEM	244, 281, 329	LEGAL_ENTITY_LAST_STATUTES_AMENDMENT_DATE_DAY	244, 281, 329
LEGAL_ENTITY_DURATION	244, 281, 329	LEGAL_ENTITY_LAST_STATUTES_AMENDMENT_DATE_MONTH	244, 281, 329
LEGAL_ENTITY_DURATION_END_DATE_DAY	244, 281, 329	LEGAL_ENTITY_LAST_STATUTES_AMENDMENT_DATE_YEAR	244, 281, 329
LEGAL_ENTITY_DURATION_END_DATE_MONTH	244, 281, 329	LEGAL_ENTITY_LEGAL_ENTITY_END_DATE_DAY	244, 281, 329
LEGAL_ENTITY_DURATION_END_DATE_YEAR	244, 281, 329	LEGAL_ENTITY_LEGAL_ENTITY_END_DATE_MONTH	244, 281, 329
LEGAL_ENTITY_EMAIL_ADDRESSES_ITEM	244, 281, 329	LEGAL_ENTITY_LEGAL_ENTITY_END_DATE_YEAR	244, 281, 329
LEGAL_ENTITY_ESTABLISHMENT_ADDRESS_ADDRESS	329	LEGAL_ENTITY_LEGAL_FORM_CHANGE	244, 281, 329
LEGAL_ENTITY_ESTABLISHMENT_ADDRESS_CITY	329	LEGAL_ENTITY_LEGAL_FORM_TEXT	244, 281, 329

LEGAL_ENTITY_LEGAL_NAME 244, 281, 329
 LEGAL_ENTITY_LIABILITY 244, 281, 329
 LEGAL_ENTITY_LIQUIDATION_CLOSURE_DATE_YEAR 244, 281, 329
 LEGAL_ENTITY_LIQUIDATION_CLOSURE_DATE_MONTH 244, 281, 329
 LEGAL_ENTITY_LIQUIDATION_CLOSURE_DATE_YEAR 244, 281, 329
 LEGAL_ENTITY_LIQUIDATION_REOPENING_DATE_DAY 244, 281, 329
 LEGAL_ENTITY_LIQUIDATION_REOPENING_DATE_MONTH 244, 281, 329
 LEGAL_ENTITY_LIQUIDATION_REOPENING_DATE_YEAR 244, 281, 329
 LEGAL_ENTITY_MERGER_DESCRIPTION 244, 281, 329
 LEGAL_ENTITY_NAME 244, 281, 329
 LEGAL_ENTITY_PAID_UP_SHARE_CAPITAL 244, 281
 LEGAL_ENTITY_PAID_UP_SHARE_CAPITAL_AMOUNT 329
 LEGAL_ENTITY_PAID_UP_SHARE_CAPITAL_CURRENCY 244, 281, 329
 LEGAL_ENTITY_PAID_UP_SHARE_CAPITAL_FORMATTED 329
 LEGAL_ENTITY_REGISTRATION 244, 281, 329
 LEGAL_ENTITY_REGISTRATION_DATE_DAY 244, 281, 329
 LEGAL_ENTITY_REGISTRATION_DATE_MONTH 244, 281, 329
 LEGAL_ENTITY_REGISTRATION_DATE_YEAR 244, 281, 329
 LEGAL_ENTITY_REGISTRATION_END_DATE_DAY 244, 281, 329
 LEGAL_ENTITY_REGISTRATION_END_DATE_MONTH 244, 281, 329
 LEGAL_ENTITY_REGISTRATION_END_DATE_YEAR 244, 281, 329
 LEGAL_ENTITY_REMARKS_ITEM 329
 LEGAL_ENTITY_REMOVAL_DATE_DAY 244, 281, 329
 LEGAL_ENTITY_REMOVAL_DATE_MONTH 244, 281, 329
 LEGAL_ENTITY_REMOVAL_DATE_YEAR 244, 281, 329
 LEGAL_ENTITY_RSIN_NUMBER 244, 281, 329
 LEGAL_ENTITY_SBI_CODES_ITEM 244, 281
 LEGAL_ENTITY_SBI_CODES_ITEM_DESCRIPTION 329
 LEGAL_ENTITY_SBI_CODES_ITEM_SBI_CODE 329
 LEGAL_ENTITY_SBI_CODES_TEXT_ITEM 244, 281
 LEGAL_ENTITY_SHARE_HOLDERS 244, 281, 329
 LEGAL_ENTITY_SHARES 244, 281, 329
 LEGAL_ENTITY_SHORTENED_NAME 244, 281, 329
 LEGAL_ENTITY_STATUS 244, 281
 LEGAL_ENTITY_STATUTORY_SEAT 244, 281, 329
 LEGAL_ENTITY_TELEPHONE_NUMBERS_ITEM 244, 281, 329
 LEGAL_FORM 204
 LEGAL_FORM_CODE 229, 233, 237, 1112
 LEGAL_FORM_DESCRIPTION 204
 legal_form_item 354, 356, 1119
 LEGAL_FORM_TEXT 229, 233, 237, 1112
 legal_forms_item 86, 87
 LEGAL_NAME 229, 233, 237, 345, 348, 1112
 LEGAL_REPRESENTATIVE_COMPANIES_ITEM_NAME 47
 LEGAL_REPRESENTATIVE_COMPANIES_ITEM_ROLE_CODE 47
 LEGAL_REPRESENTATIVE_COMPANIES_ITEM_ROLE_END_DATE_DAY 47
 LEGAL_REPRESENTATIVE_COMPANIES_ITEM_ROLE_END_DATE_MONTH 47
 LEGAL_REPRESENTATIVE_COMPANIES_ITEM_ROLE_END_DATE_YEAR 47
 LEGAL_REPRESENTATIVE_COMPANIES_ITEM_ROLE_LABEL 47
 LEGAL_REPRESENTATIVE_COMPANIES_ITEM_ROLE_START_DATE_DAY 47
 LEGAL_REPRESENTATIVE_COMPANIES_ITEM_ROLE_START_DATE_MONTH 47
 LEGAL_REPRESENTATIVE_COMPANIES_ITEM_ROLE_START_DATE_YEAR 47
 LEGAL_REPRESENTATIVE_COMPANIES_ITEM_VAT_NUMBER 47
 LEGAL_REPRESENTATIVES_ITEM_COMPANY_VAT_NUMBER 47
 LEGAL_REPRESENTATIVES_ITEM_FIRST_NAME 47
 LEGAL_REPRESENTATIVES_ITEM_LAST_NAME 47
 LEGAL_REPRESENTATIVES_ITEM_ROLE_CODE 47
 LEGAL_REPRESENTATIVES_ITEM_ROLE_END_DATE_DAY 47
 LEGAL_REPRESENTATIVES_ITEM_ROLE_END_DATE_MONTH 47
 LEGAL_REPRESENTATIVES_ITEM_ROLE_END_DATE_YEAR 47
 LEGAL_REPRESENTATIVES_ITEM_ROLE_LABEL 47
 LEGAL_REPRESENTATIVES_ITEM_ROLE_START_DATE_DAY 47
 LEGAL_REPRESENTATIVES_ITEM_ROLE_START_DATE_MONTH 47

LEGAL_REPRESENTATIVES_ITEM_ROLE_START_DATE_YEAR	47	LEGAL_SUBJECT_NATURAL_PERSON_FIRST_NAME	E	455
LEGAL_SUBJECT_LEGAL_ENTITY_ADDRESSES_ADDRESS_ITEM_ADDITION	455	LEGAL_SUBJECT_NATURAL_PERSON_INITIALS		455
LEGAL_SUBJECT_LEGAL_ENTITY_ADDRESSES_ADDRESS_ITEM_CITY	455	LEGAL_SUBJECT_NATURAL_PERSON_LAST_NAME	E	455
LEGAL_SUBJECT_LEGAL_ENTITY_ADDRESSES_ADDRESS_ITEM_HOUSE_NUMBER	455	LEGAL_SUBJECT_NATURAL_PERSON_PREFIX		455
LEGAL_SUBJECT_LEGAL_ENTITY_ADDRESSES_ADDRESS_ITEM_PHONE_NUMBER	455	LEGALFORMCODE		74
LEGAL_SUBJECT_LEGAL_ENTITY_ADDRESSES_ADDRESS_ITEM_POSTCODE	455	LEGALFORMCODETEXT		74
LEGAL_SUBJECT_LEGAL_ENTITY_ADDRESSES_ADDRESS_ITEM_START_DATE	455	LEI_CODE		333
LEGAL_SUBJECT_LEGAL_ENTITY_ADDRESSES_ADDRESS_ITEM_STREET	455	LENGTE		102
LEGAL_SUBJECT_LEGAL_ENTITY_ADDRESSES_ADDRESS_ITEM_TYPE	455	LERENBEKLEDING_PAKKET		102
LEGAL_SUBJECT_LEGAL_ENTITY_COC_NUMBER	455	LERENBEKLEDING_PRIJS		102
LEGAL_SUBJECT_LEGAL_ENTITY_COC_REGISTERED_CITY	455	LERENBEKLEDING_STANDAARD		102
LEGAL_SUBJECT_LEGAL_ENTITY_IS_FORMER	455	LERENBEKLEDING_STANDAARD_SINDS_DATUM		102
LEGAL_SUBJECT_LEGAL_ENTITY_TRADE_NAME	455	LETTER_COMBINATION		222
LEGAL_SUBJECT_NATURAL_PERSON_ADDRESS_ITEM_ADDITION	455	lettercomb		81, 85
LEGAL_SUBJECT_NATURAL_PERSON_ADDRESS_ITEM_CITY	455	LETTERCOMBINATIE		43
LEGAL_SUBJECT_NATURAL_PERSON_ADDRESS_ITEM_HOUSE_NUMBER	455	lettercombination		23, 25, 37
LEGAL_SUBJECT_NATURAL_PERSON_ADDRESS_ITEM_PHONE_NUMBER	455	LEVEL_OF_MATCHED_REGISTRATION		228
LEGAL_SUBJECT_NATURAL_PERSON_ADDRESS_ITEM_POSTCODE	455	LEVELS		228
LEGAL_SUBJECT_NATURAL_PERSON_ADDRESS_ITEM_START_DATE	455	License Plate		94, 95, 97, 100, 134
LEGAL_SUBJECT_NATURAL_PERSON_BIRTH_CITY	455	License Plate Signal		100, 129
LEGAL_SUBJECT_NATURAL_PERSON_BIRTH_COUNTRY	455	license_plate		93, 94, 95, 97, 98, 100, 123, 125, 127, 129, 134, 137, 376, 377, 378, 379, 383
LEGAL_SUBJECT_NATURAL_PERSON_BIRTH_DATE	455	LICENSE_PLATE_SIGNAL		100, 129
LEGAL_SUBJECT_NATURAL_PERSON_DECEASED_DATE	455	LICHTMETALEN_VELGEN_PAKKET		102
		LICHTMETALEN_VELGEN_PRIJS		102
		LICHTMETALEN_VELGEN_STANDAARD		102
		LICHTMETALEN_VELGEN_STANDAARD_SINDS_DATUM		102
		LINE_OF_BUSINESS		197
		LIQUID_ASSETS		197
		LOCAL_ACTIVITY_CODE		204
		LOCAL_ACTIVITY_CODE_TYPE		204
		LOCAL_ACTIVITY_DESCRIPTION		204
		LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_BANK_LIABILITIES		163
		LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_BANK_LIABILITIES_DUE_AFTER1YEAR		163
		LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_CALLED_UP_SHARE_CAPITAL		163
		LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_CASH		163
		LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_CONSOLIDATED_ACCOUNTS		163
		LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_FINISHED_GOODS		163
		LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_GOODWILL		163

LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_GROUP_PAYABLES 163
 LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_GROUP_PAYABLES_DUE_AFTER1YEAR 163
 LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_GROUP_RECEIVABLES 163
 LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_INVESTMENTS 163
 LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_LAND_AND_BUILDINGS 163
 LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_LOANS_TO_GROUP 163
 LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_MISCELLANEOUS_FIXED_ASSETS 163
 LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_MISCELLANEOUS_LIABILITIES 163
 LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_MISCELLANEOUS_LIABILITIES_DUE_AFTER1_YEAR 163
 LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_MISCELLANEOUS_RECEIVABLES 163
 LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_OTHER_CURRENT_ASSETS 163
 LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_OTHER_INTANGIBLE_ASSETS 163
 LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_OTHER_INVENTORIES 163
 LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_OTHER_LOANS 163
 LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_OTHER_LOANS_OR_FINANCE 163
 LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_OTHER_LOANS_OR_FINANCE_DUE_AFTER1_YEAR 163
 LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_OTHER_RESERVES 163
 LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_OTHER_TANGIBLE_ASSETS 163
 LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_PLANT_AND_MACHINERY 163
 LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_RAW_MATERIALS 163
 LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_RECEIVABLES_DUE_AFTER1YEAR 163
 LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_REVENUE_RESERVES 163
 LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_SHARE_PREMIUM 163
 LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_TOTAL_ASSETS 163
 LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_TOTAL_CURRENT_ASSETS 163
 LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_TOTAL_CURRENT_LIABILITIES 163
 LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_TOTAL_FIXED_ASSETS 163
 LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_TOTAL_INTANGIBLE_ASSETS 163
 LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_TOTAL_INVENTORIES 163
 LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_TOTAL_LIABILITIES 163
 LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_TOTAL_LONG_TERM_LIABILITIES 163
 LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_TOTAL_OTHER_FIXED_ASSETS 163
 LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_TOTAL_RECEIVABLES 163
 LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_TOTAL_SHAREHOLDERS_EQUITY 163
 LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_TOTAL_TANGIBLE_ASSETS 163
 LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_TRADE_PAYABLES 163
 LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_TRADE_PAYABLES_DUE_AFTER1YEAR 163
 LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_TRADE_RECEIVABLES 163
 LOCAL_FINANCIAL_STATEMENTS_ITEM_BALANCE_SHEET_WORK_IN_PROGRESS 163
 LOCAL_FINANCIAL_STATEMENTS_ITEM_CONSOLIDATED_ACCOUNTS 163
 LOCAL_FINANCIAL_STATEMENTS_ITEM_CURRENT_WEEKS 163
 LOCAL_FINANCIAL_STATEMENTS_ITEM_OTHER_FINANCIALS_NET_WORTH 163
 LOCAL_FINANCIAL_STATEMENTS_ITEM_OTHER_FINANCIALS_WORKING_CAPITAL 163
 LOCAL_FINANCIAL_STATEMENTS_ITEM_PROFIT_AND_LOSS_DEPRECIATION 163
 LOCAL_FINANCIAL_STATEMENTS_ITEM_PROFIT_AND_LOSS_DIVIDENDS 163
 LOCAL_FINANCIAL_STATEMENTS_ITEM_PROFIT_AND_LOSS_FINANCIAL_EXPENSES 163
 LOCAL_FINANCIAL_STATEMENTS_ITEM_PROFIT_AND_LOSS_FINANCIAL_INCOME 163
 LOCAL_FINANCIAL_STATEMENTS_ITEM_PROFIT_AND_LOSS_OPERATING_COSTS 163
 LOCAL_FINANCIAL_STATEMENTS_ITEM_PROFIT_AND_LOSS_OPERATING_PROFIT 163
 LOCAL_FINANCIAL_STATEMENTS_ITEM_PROFIT_AND_LOSS_OTHER_APPROPRIATIONS 163
 LOCAL_FINANCIAL_STATEMENTS_ITEM_PROFIT_AND_LOSS_PENSION_COSTS 163
 LOCAL_FINANCIAL_STATEMENTS_ITEM_PROFIT_AND_LOSS_PROFIT_AFTER_TAX 163

LOCAL_FINANCIAL_STATEMENTS_ITEM_PROFIT_MARGIN	163	Longitude	388, 395, 396, 397, 398, 399, 401, 402, 405, 408, 409, 465, 1127
LOCAL_FINANCIAL_STATEMENTS_ITEM_PROFIT_MARGIN_LOSS_BEFORE_TAX	163	Longitude_coord_1	394
LOCAL_FINANCIAL_STATEMENTS_ITEM_PROFIT_MARGIN_LOSS_RETAINED_PROFIT	163	Longitude_coord_2	394
LOCAL_FINANCIAL_STATEMENTS_ITEM_PROFIT_MARGIN_LOSS_REVENUE	163	Longitudefrom	1148, 1149, 1150, 1151
LOCAL_FINANCIAL_STATEMENTS_ITEM_PROFIT_MARGIN_LOSS_TAX	163	Longitudeeto	1148, 1149, 1150, 1151
LOCAL_FINANCIAL_STATEMENTS_ITEM_PROFIT_MARGIN_WAGES_AND_SALARIES	163	LUIDSPREKERS_PAKKET	102
LOCAL_FINANCIAL_STATEMENTS_ITEM_RATIOS_CURRENT_DEBT_RATIO	163	LUIDSPREKERS_PRIJS	102
LOCAL_FINANCIAL_STATEMENTS_ITEM_RATIOS_CURRENT_RATIO	163	LUIDSPREKERS_STANDAARD	102
LOCAL_FINANCIAL_STATEMENTS_ITEM_RATIOS_CURRENT_RATIO	163	LUIDSPREKERS_STANDAARD_SINDS_DATUM	102
LOCAL_FINANCIAL_STATEMENTS_ITEM_RATIOS_CURRENT_RATIO	163	MAGISTRATE	455
LOCAL_FINANCIAL_STATEMENTS_ITEM_RATIOS_CURRENT_RATIO	163	Main Establishment	229, 233, 237, 345, 348, 1112
LOCAL_FINANCIAL_STATEMENTS_ITEM_RATIOS_CURRENT_RATIO	163	Main Establishment Number	229, 233, 237, 1112
LOCAL_FINANCIAL_STATEMENTS_ITEM_RATIOS_CURRENT_RATIO	163	MAIN_BRANCH_INDICATION	195, 197, 203, 207, 209
LOCAL_FINANCIAL_STATEMENTS_ITEM_RATIOS_CURRENT_RATIO	163	MAIN_ESTABLISHMENT_NUMBER	229, 233, 237, 1112
LOCAL_FINANCIAL_STATEMENTS_ITEM_RATIOS_CURRENT_RATIO	163	MAP	1152
LOCAL_FINANCIAL_STATEMENTS_ITEM_RATIOS_CURRENT_RATIO	163	mapViewInternationalLatLon	1127
LOCAL_FINANCIAL_STATEMENTS_ITEM_RATIOS_CURRENT_RATIO	163	mapViewLatLon	1128
LOCAL_FINANCIAL_STATEMENTS_ITEM_RATIOS_CURRENT_RATIO	163	mapViewPostcodeV2	1129
LOCAL_FINANCIAL_STATEMENTS_ITEM_RATIOS_CURRENT_RATIO	163	mapViewRD	1130
LOCAL_FINANCIAL_STATEMENTS_ITEM_RATIOS_CURRENT_RATIO	163	MARKETABILITY_INDICATION	210
LOCAL_FINANCIAL_STATEMENTS_ITEM_RATIOS_CURRENT_RATIO	163	Marketing Business Number	211, 215
LOCAL_FINANCIAL_STATEMENTS_ITEM_RATIOS_CURRENT_RATIO	163	Marketing Business Number Type	211, 215
LOCAL_FINANCIAL_STATEMENTS_ITEM_RATIOS_CURRENT_RATIO	163	Marketing Country Calling Code	211, 215
LOCAL_FINANCIAL_STATEMENTS_ITEM_RATIOS_CURRENT_RATIO	163	Marketing DUNS	211, 215
LOCAL_FINANCIAL_STATEMENTS_ITEM_RATIOS_CURRENT_RATIO	163	Marketing Fax Number	211, 215
LOCAL_FINANCIAL_STATEMENTS_ITEM_RATIOS_CURRENT_RATIO	163	Marketing Phone Number	211, 215
LOCAL_FINANCIAL_STATEMENTS_ITEM_RATIOS_CURRENT_RATIO	163	Marketing Trade Name	211, 215
LOCAL_FINANCIAL_STATEMENTS_ITEM_RATIOS_CURRENT_RATIO	163	MARKETING_BUSINESS_NUMBER	211, 215
LOCAL_FINANCIAL_STATEMENTS_ITEM_RATIOS_CURRENT_RATIO	163	MARKETING_BUSINESS_NUMBER_TYPE	211, 215
LOCAL_FINANCIAL_STATEMENTS_ITEM_RATIOS_CURRENT_RATIO	163	MARKETING_COUNTRY_CALLING_CODE	211, 215
LOCAL_FINANCIAL_STATEMENTS_ITEM_RATIOS_CURRENT_RATIO	163	MARKETING_DUNS	211, 215
LOCAL_FINANCIAL_STATEMENTS_ITEM_RATIOS_CURRENT_RATIO	163	MARKETING_ESTABLISHMENT_ADDRESS_ADDRESS	211, 215
LOCAL_FINANCIAL_STATEMENTS_ITEM_YEAR_END_DATE	163	MARKETING_ESTABLISHMENT_ADDRESS_CITY	211, 215
locality	461, 463	MARKETING_ESTABLISHMENT_ADDRESS_COUNT	211, 215
LOCATION_OWNERSHIP	197	MARKETING_ESTABLISHMENT_ADDRESS_COUNT_DNB	211, 215
LOCATION_STATUS	197	MARKETING_ESTABLISHMENT_ADDRESS_COUNT_ISO	211, 215
login	1125	MARKETING_ESTABLISHMENT_ADDRESS_POSTCODE	211, 215
log-native-calls-to-disk-max-events	2	MARKETING_ESTABLISHMENT_ADDRESS_REGION	211, 215
log-native-calls-to-disk-max-seconds	2	MARKETING_ESTABLISHMENT_ADDRESS_REGION_CODE	211, 215
log-native-calls-to-disk-on-error	2		
log-native-calls-to-disk-on-success	2		
log-native-calls-to-trace	2		
logout	1126		
LOGOUTRESPONSE	1126		

MARKETING_ESTABLISHMENT_ADDRESS_REGION_SHORT 211, 215
 MARKETING_FAX_NUMBER 211, 215
 MARKETING_FORMER_DUNS 211, 215
 MARKETING_FORMER_PRIMARY_NAME 211, 215
 MARKETING_MARKETABILITY_INDICATION 211, 215
 MARKETING_PHONE_NUMBER 211, 215
 MARKETING_PLUS_AGENT_INDICATION 211, 215
 MARKETING_PLUS_ANNUAL_SALES 211, 215
 MARKETING_PLUS_ANNUAL_SALES_INDICATION 211, 215
 MARKETING_PLUS_ANNUAL_SALES_US 211, 215
 MARKETING_PLUS_CEO_NAME 211, 215
 MARKETING_PLUS_CEO_TITLE 211, 215
 MARKETING_PLUS_CORRESPONDENCE_ADDRESSES_ADDRESS 211, 215
 MARKETING_PLUS_CORRESPONDENCE_ADDRESSES_CITY 211, 215
 MARKETING_PLUS_CORRESPONDENCE_ADDRESSES_COUNTRY 211, 215
 MARKETING_PLUS_CORRESPONDENCE_ADDRESSES_COUNTRY_DNB 211, 215
 MARKETING_PLUS_CORRESPONDENCE_ADDRESSES_COUNTRY_ISO 211, 215
 MARKETING_PLUS_CORRESPONDENCE_ADDRESSES_POSTCODE 211, 215
 MARKETING_PLUS_CORRESPONDENCE_ADDRESSES_REGION 211, 215
 MARKETING_PLUS_CORRESPONDENCE_ADDRESSES_REGION_CODE 211, 215
 MARKETING_PLUS_CORRESPONDENCE_ADDRESSES_REGION_SHORT 211, 215
 MARKETING_PLUS_CORRESPONDENCE_DELIVERABILITY_INDICATION 211, 215
 MARKETING_PLUS_CURRENCY 211, 215
 MARKETING_PLUS_EMPLOYEES 211, 215
 MARKETING_PLUS_EMPLOYEES_INDICATION 211, 215
 MARKETING_PLUS_EMPLOYEES_TOTAL 211, 215
 MARKETING_PLUS_EMPLOYEES_TOTAL_INCLUDES_PRINCIPALS 211, 215
 MARKETING_PLUS_EMPLOYEES_TOTAL_INDICATION 211, 215
 MARKETING_PLUS_ESTABLISHMENT_DELIVERABILITY_INDICATION 211, 215
 MARKETING_PLUS_EXECUTIVE_NAMES_ITEM 211, 215
 MARKETING_PLUS_EXPORT_INDICATION 211, 215
 MARKETING_PLUS_IMPORT_INDICATION 211, 215
 MARKETING_PLUS_IS_SUBSIDIARY_LOCATION 211, 215
 MARKETING_PLUS_LEGAL_FORM 211, 215
 MARKETING_PLUS_LINE_OF_BUSINESS 211, 215
 MARKETING_PLUS_LINKAGE_DOMESTIC_ULTIMATE_ADDRESS_ADDRESS 215
 MARKETING_PLUS_LINKAGE_DOMESTIC_ULTIMATE_ADDRESS_CITY 215
 MARKETING_PLUS_LINKAGE_DOMESTIC_ULTIMATE_ADDRESS_COUNTRY 215
 MARKETING_PLUS_LINKAGE_DOMESTIC_ULTIMATE_ADDRESS_COUNTRY_DNB 215
 MARKETING_PLUS_LINKAGE_DOMESTIC_ULTIMATE_ADDRESS_COUNTRY_ISO 215
 MARKETING_PLUS_LINKAGE_DOMESTIC_ULTIMATE_ADDRESS_POSTCODE 215
 MARKETING_PLUS_LINKAGE_DOMESTIC_ULTIMATE_ADDRESS_REGION 215
 MARKETING_PLUS_LINKAGE_DOMESTIC_ULTIMATE_ADDRESS_REGION_CODE 215
 MARKETING_PLUS_LINKAGE_DOMESTIC_ULTIMATE_ADDRESS_REGION_SHORT 215
 MARKETING_PLUS_LINKAGE_DOMESTIC_ULTIMATE_DUNS 215
 MARKETING_PLUS_LINKAGE_DOMESTIC_ULTIMATE_NAME 215
 MARKETING_PLUS_LINKAGE_FAMILY_MEMBER_COUNT 215
 MARKETING_PLUS_LINKAGE_GLOBAL_ULTIMATE_ADDRESS_ADDRESS 215
 MARKETING_PLUS_LINKAGE_GLOBAL_ULTIMATE_ADDRESS_CITY 215
 MARKETING_PLUS_LINKAGE_GLOBAL_ULTIMATE_ADDRESS_COUNTRY 215
 MARKETING_PLUS_LINKAGE_GLOBAL_ULTIMATE_ADDRESS_COUNTRY_DNB 215
 MARKETING_PLUS_LINKAGE_GLOBAL_ULTIMATE_ADDRESS_COUNTRY_ISO 215
 MARKETING_PLUS_LINKAGE_GLOBAL_ULTIMATE_ADDRESS_POSTCODE 215
 MARKETING_PLUS_LINKAGE_GLOBAL_ULTIMATE_ADDRESS_REGION 215
 MARKETING_PLUS_LINKAGE_GLOBAL_ULTIMATE_ADDRESS_REGION_CODE 215
 MARKETING_PLUS_LINKAGE_GLOBAL_ULTIMATE_ADDRESS_REGION_SHORT 215
 MARKETING_PLUS_LINKAGE_GLOBAL_ULTIMATE_DUNS 215
 MARKETING_PLUS_LINKAGE_GLOBAL_ULTIMATE_INDICATION 215
 MARKETING_PLUS_LINKAGE_GLOBAL_ULTIMATE_NAME 215

MARKETING_PLUS_LINKAGE_HEADQUARTERS_MATCH_TYPE	345, 348, 352	
DDRESS_ADDRESS	215	matchrate 396
MARKETING_PLUS_LINKAGE_HEADQUARTERS_MAX_AANHANGER_GEREMD	102	
DDRESS_CITY	215	MAX_AANHANGER_ONGEREMD 102
MARKETING_PLUS_LINKAGE_HEADQUARTERS_MAX_DAKBELASTING	102	
DDRESS_COUNTRY	215	MAX_KOGELDRUK 102
MARKETING_PLUS_LINKAGE_HEADQUARTERS_MAX_TOELAATBARE_MASSA	102	
DDRESS_COUNTRY_DNB	215	Maximum Mass Axle Braked 95, 97, 100
MARKETING_PLUS_LINKAGE_HEADQUARTERS_Maximum Mass Braked	95, 97, 100	
DDRESS_COUNTRY_ISO	215	MAXIMUM_CREDIT 204
MARKETING_PLUS_LINKAGE_HEADQUARTERS_MAXIMUM_CREDIT_CURRENCY	204	
DDRESS_POSTCODE	215	MAXIMUM_MASS_AXLE_BRAKED 95, 97, 100
MARKETING_PLUS_LINKAGE_HEADQUARTERS_MAXIMUM_MASS_BRAKED	95, 97, 100	
DDRESS_REGION	215	MAXIMUM_MASS_PAYLOAD 95, 97, 100, 129
MARKETING_PLUS_LINKAGE_HEADQUARTERS_MAXIMUM_MASS_SELF_BRAKED	95, 97, 100	
DDRESS_REGION_CODE	215	MAXIMUM_MASS_TRAILER_BRAKED 95, 97, 100
MARKETING_PLUS_LINKAGE_HEADQUARTERS_MAXIMUM_MASS_UNBRAKED	95, 97, 100	
DDRESS_REGION_SHORT	215	Maximum-length-identifiers 2
MARKETING_PLUS_LINKAGE_HEADQUARTERS_max-url-length-accepted	2	
UNS	215	max-url-length-desired 2
MARKETING_PLUS_LINKAGE_HEADQUARTERS_MEEGESPOTEN_SPIEGELS_PAKKET	102	
AME	215	MEEGESPOTEN_SPIEGELS_PRIJS 102
MARKETING_PLUS_LINKAGE_LINKAGE_REPORT_DATE	215	MEEGESPOTEN_SPIEGELS_STANDAARD 102
MARKETING_PLUS_LOCAL_ACTIVITY_CODE	211, 215	MEEGESPOTEN_SPIEGELS_STANDAARD_SINDS_
211, 215		DATUM 102
MARKETING_PLUS_LOCAL_ACTIVITY_CODE_TYPE	211, 215	MERK 102
211, 215		metaGetMethod 1131
MARKETING_PLUS_LOCATION_STATUS	211, 215	metaGetService 1133
MARKETING_PLUS_NET_INCOME	211, 215	metaGetServices 1134
MARKETING_PLUS_NET_INCOME_US	211, 215	METALLIC_LAK_PAKKET 102
MARKETING_PLUS_NET_WORTH	211, 215	METALLIC_LAK_PRIJS 102
MARKETING_PLUS_NET_WORTH_US	211, 215	METALLIC_LAK_STANDAARD 102
MARKETING_PLUS_OUT_OF_BUSINESS	211, 215	METALLIC_LAK_STANDAARD_SINDS_DATUM
215		102
MARKETING_PLUS_REPORT_DATE	211, 215	method_name 1131
MARKETING_PLUS_SIC_ACTIVITY_CODES_ITEM	211, 215	METHODS_ITEM_DEPRECATED 1133
ODE	211, 215	METHODS_ITEM_DESCRIPTION 1133
MARKETING_PLUS_SIC_ACTIVITY_CODES_ITEM_DESCRIPTION	211, 215	METHODS_ITEM_DOCUMENTATION_URL 1133
MARKETING_PLUS_SIC8_ACTIVITY_CODES_ITEM	211, 215	METHODS_ITEM_LATEST 1133
CODE	211, 215	METHODS_ITEM_NAME 1133
MARKETING_PLUS_SIC8_ACTIVITY_CODES_ITEM	211, 215	MIDDENARMSTEUN_ACHTER_PAKKET 102
DESCRIPTION	211, 215	MIDDENARMSTEUN_ACHTER_PRIJS 102
MARKETING_PLUS_START_YEAR	211, 215	MIDDENARMSTEUN_ACHTER_STANDAARD 102
MARKETING_PLUS_STATEMENT_DATE	211, 215	MIDDENARMSTEUN_ACHTER_STANDAARD_SINDS
MARKETING_PRIMARY_NAME	211, 215	_DATUM 102
MARKETING_TRADE_NAME	211, 215	MIDDENARMSTEUN_VOOR_PAKKET 102
Mass Ready	95, 97, 100	MIDDENARMSTEUN_VOOR_PRIJS 102
MASS_READY	95, 97, 100	MIDDENARMSTEUN_VOOR_STANDAARD 102
MASSA	102	MIDDENARMSTEUN_VOOR_STANDAARD_SINDS_
Match Score	144, 145	DATUM 102
Match Type	345, 348, 352	MIDDLE_NAME 142
MATCH_SCORE	144, 145	MILEAGE_DESCRIPTION 383

MILEAGE_INDICATION 383
MILEAGE_REGISTRATION_YEAR 383
minimum-length-text 2
MISTLAMPEN_ACHTER_PAKKET 102
MISTLAMPEN_ACHTER_PRIJS 102
MISTLAMPEN_ACHTER_STANDAARD 102
MISTLAMPEN_ACHTER_STANDAARD_SINDS_DATUM 102
MISTLAMPEN_VOOR_PAKKET 102
MISTLAMPEN_VOOR_PRIJS 102
MISTLAMPEN_VOOR_STANDAARD 102
MISTLAMPEN_VOOR_STANDAARD_SINDS_DATUM 102
mobile_number 142, 229, 233, 237, 1112, 1142
MODEL 93, 95, 97, 102, 376
Model Item 100
MODEL_ATL 129, 137, 139
model_id 131, 132
MODEL_ITEM 100
MODEL_JAAR_TOT 102
MODEL_JAAR_VAN 102
MODEL_MAAND_TOT 102
MODEL_MAAND_VAN 102
MODEL_NAME 131
MODEL_RDW 129
MONUMENT 1135
Municipality 222, 569
Municipality Code 17, 20, 33, 43
Municipality ID 17, 18, 20, 33, 43
Municipality Name 17, 20, 33, 43
MUNICIPALITY_CODE 222
NAME 15, 16, 17, 18, 19, 20, 21, 22, 33, 34, 35, 65, 66, 144, 191, 194, 207, 209, 228, 336, 344, 352, 360, 1131, 1133, 1134, 1165, 1174, 1183
name_match_type 191
NAME_MATCHING_RESULT_NAME_SUGGESTION 1165
NAME_MATCHING_RESULT_TYPE 1165
NATIONALITY 142, 145
Native Platform Scalar Requests 1184
NATIVEPLATFORMSCALARREQUESTS 1184
NAVIGATIESYSTEEM_PAKKET 102
NAVIGATIESYSTEEM_PRIJS 102
NAVIGATIESYSTEEM_STANDAARD 102
NAVIGATIESYSTEEM_STANDAARD_SINDS_DATUM 102
nbcode 16, 19, 21, 22, 23, 25, 34, 37, 46, 81, 85, 402, 403
nbcodefrom 220, 221, 390, 391, 404
nbcodes_item 390
nbcodeto 220, 221, 404
nbi 1161
NBNAME 22
nbwoEstimateValue 1135
NEERKLAPBARE_ACHTERBANK_PAKKET 102
NEERKLAPBARE_ACHTERBANK_PRIJS 102
NEERKLAPBARE_ACHTERBANK_STANDAARD 102
NEERKLAPBARE_ACHTERBANK_STANDAARD_SINDS_DATUM 102
NEGATIVE_INFORMATION_DE_BANKRUPTCY_HAS_BANKRUPTCY 163
NEGATIVE_INFORMATION_DE_DIRECTOR_EVENTS_ITEM_CODE 163
NEGATIVE_INFORMATION_DE_DIRECTOR_EVENTS_ITEM_DATE 163
NEGATIVE_INFORMATION_DE_DIRECTOR_EVENTS_ITEM_DESCRIPTION 163
NEGATIVE_INFORMATION_DE_DIRECTOR_EVENTS_ITEM_NAME 163
NEGATIVE_INFORMATION_DE_DIRECTOR_EVENTS_ITEM_TYPE 163
NEGATIVE_INFORMATION_DE_INSOLVENCY_INFORMATION_DATEOF_INSOLVENCY 163
NEGATIVE_INFORMATION_DE_INSOLVENCY_INFORMATION_INSOLVENCY_EVENTS_ITEM_CREATED_AT 163
NEGATIVE_INFORMATION_DE_INSOLVENCY_INFORMATION_INSOLVENCY_EVENTS_ITEM_REFERENCE_NUMBER_COURT 163
NEGATIVE_INFORMATION_DE_INSOLVENCY_INFORMATION_TRUSTEE_CITY 163
NEGATIVE_INFORMATION_DE_INSOLVENCY_INFORMATION_TRUSTEE_CODE 163
NEGATIVE_INFORMATION_DE_INSOLVENCY_INFORMATION_TRUSTEE_EMAIL_ADDRESS 163
NEGATIVE_INFORMATION_DE_INSOLVENCY_INFORMATION_TRUSTEE_FAX_NUMBER 163
NEGATIVE_INFORMATION_DE_INSOLVENCY_INFORMATION_TRUSTEE_FIRST_NAME 163
NEGATIVE_INFORMATION_DE_INSOLVENCY_INFORMATION_TRUSTEE_LAST_NAME 163
NEGATIVE_INFORMATION_DE_INSOLVENCY_INFORMATION_TRUSTEE_NAME 163
NEGATIVE_INFORMATION_DE_INSOLVENCY_INFORMATION_TRUSTEE_TELEPHONE_NUMBER 163
NEGATIVE_INFORMATION_DE_INSOLVENCY_INFORMATION_TRUSTEE_TITLE 163
NEGATIVE_INFORMATION_GENERIC_ITEM_KEY 163
NEGATIVE_INFORMATION_GENERIC_ITEM_VALUE 163
NEGATIVE_INFORMATION_NL_COURT_ITEMS_ITEM_ADDRESS 163
NEGATIVE_INFORMATION_NL_COURT_ITEMS_ITEM_COURT_ACTION 163

NEGATIVE_INFORMATION_NL_COURT_ITEMS_ITEM_DATE_OF_BANKRUPTCY	163	OLIETEMPERATUURMETER_STANDAARD_SINDS_DATUM	102
Neighborhood Code	22, 222	ONLINE_REPORTS	191
Neighborhood Name	22	OP_AFSTAND_TE_OPENEN_BAGAGEKLEP_PAKKET	102
NEIGHBORHOOD_CODE	222	OP_AFSTAND_TE_OPENEN_BAGAGEKLEP_PRIJS	102
neighborhoodcode	45	OP_AFSTAND_TE_OPENEN_BAGAGEKLEP_STANDAARD	102
Net Worth	204	OP_AFSTAND_TE_OPENEN_BAGAGEKLEP_STANDAARD_SINDS_DATUM	102
NET_INCOME	197	OPBERGVAK_LINKERPORTIER_PAKKET	102
NET_WORTH	204	OPBERGVAK_LINKERPORTIER_PRIJS	102
new_password	1168	OPBERGVAK_LINKERPORTIER_STANDAARD	102
new_since	87, 354, 356, 1119	OPBERGVAK_LINKERPORTIER_STANDAARD_SINDS_DATUM	102
Nick Name	11, 12, 1169, 1181	OPENING_STATEMENT	197
NICKNAME	11, 12, 1169, 1171, 1181	OPERATIONAL_EVENTS	204
NIVEAUREGELING_PAKKET	102	OPPERVLAK	1135
NIVEAUREGELING_PRIJS	102	OPTIONS_MANUFACTURE_ATL_CODE	134
NIVEAUREGELING_STANDAARD	102	OPTIONS_MANUFACTURE_LICENSE_PLATE	134
NIVEAUREGELING_STANDAARD_SINDS_DATUM	102	OPTIONS_MANUFACTURE_OPTIONS_ITEM_DESCRIPTION	134
NL Miscellaneous Branch Number	163	OPTIONS_MANUFACTURE_OPTIONS_ITEM_DESCRIPTION_SHORT	134
NL Miscellaneous Date of Legal Form	163	OPTIONS_MANUFACTURE_OPTIONS_ITEM_OPTION_ID	134
NL Miscellaneous Exporter	163	OPTIONS_MANUFACTURE_OPTIONS_ITEM_PRICE	134
NL Miscellaneous Importer	163	OPTIONS_PACKAGE_ATL_CODE	134
NL Miscellaneous Negative Rating	163	OPTIONS_PACKAGE_LICENSE_PLATE	134
NL Miscellaneous RSIN Number	163	OPTIONS_PACKAGE_PACKAGES_ITEM_DESCRIPTION	134
NON_MARKETING_INDICATOR	335	OPTIONS_PACKAGE_PACKAGES_ITEM_OPTIONS	134
NOTES_ITEM_SOURCE	140, 142	OPTIONS_PACKAGE_PACKAGES_ITEM_PACKAGE_ID	134
NOTES_ITEM_TEXT	140, 142	OPTIONS_PACKAGE_PACKAGES_ITEM_PRICE	134
Notification Recipients	11, 12, 1181	OPTIONS_STANDARD_ATL_CODE	134
NOTIFICATIONRECIPIENTS	11, 12, 1171, 1181	OPTIONS_STANDARD_LICENSE_PLATE	134
npt	1184	OPTIONS_STANDARD_OPTIONS_ITEM_DESCRIPTION	134
nr_employees_weight	344	OPTIONS_STANDARD_OPTIONS_ITEM_DESCRIPTION_SHORT	134
Number of Chamber	74	OPTIONS_STANDARD_OPTIONS_ITEM_OPTION_ID	134
Number of Seats	95, 97, 100, 129, 137, 139	OPTIONS_STANDARD_OPTIONS_ITEM_PRICE	134
nummer	466, 584	ORDER_NUMBER	147, 163
object_id	708, 926, 1076	ORGANISATIONS_ITEM_CITY	360
OFFICE_TYPE	191, 194	ORGANISATIONS_ITEM_DOSSIER_NUMBER	360
old_password	1168		
oldest_extract_date	369		
OLIEDRUKMETER_PAKKET	102		
OLIEDRUKMETER_PRIJS	102		
OLIEDRUKMETER_STANDAARD	102		
OLIEDRUKMETER_STANDAARD_SINDS_DATUM	102		
OLIEPEILMETER_PAKKET	102		
OLIEPEILMETER_PRIJS	102		
OLIEPEILMETER_STANDAARD	102		
OLIEPEILMETER_STANDAARD_SINDS_DATUM	102		
OLIETEMPERATUURMETER_PAKKET	102		
OLIETEMPERATUURMETER_PRIJS	102		
OLIETEMPERATUURMETER_STANDAARD	102		

ORGANISATIONS_ITEM_EXTRACT_DATA_DOCUMENT 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_DOCUMENT_DATE 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_DOSSIER_NUMBER 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_ACTIVITY 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_CORRESPONDENCE_CITY 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_CORRESPONDENCE_COUNTRY 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_CORRESPONDENCE_HOUSE_NUMBER 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_CORRESPONDENCE_HOUSE_NUMBER_ADDITION 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_CORRESPONDENCE_POSTCODE 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_CORRESPONDENCE_STREET 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_DATE_SINCE_DAY 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_DATE_SINCE_MONTH 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_DATE_SINCE_YEAR 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_DESCRIPTION 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_DISCONTINUATION_DATE_DAY 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_DISCONTINUATION_DATE_MONTH 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_DISCONTINUATION_DATE_YEAR 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_DOMAIN_NAMES 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_EMAIL_ADDRESSES 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_ESTABLISHMENT_CITY 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_ESTABLISHMENT_COUNTRY 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_ESTABLISHMENT_DATE_DAY 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_ESTABLISHMENT_DATE_MONTH 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_ESTABLISHMENT_DATE_YEAR 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_ESTABLISHMENT_HOUSE_NUMBER 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_ESTABLISHMENT_HOUSE_NUMBER_ADDITION 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_RISE_ESTABLISHMENT_POSTCODE 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_RISE_ESTABLISHMENT_STREET 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_RISE_FAX_NUMBERS 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_RISE_FOUNDING_DATE_DAY 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_RISE_FOUNDING_DATE_MONTH 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_RISE_FOUNDING_DATE_YEAR 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_RISE_INCORPORATION_DATE_DAY 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_RISE_INCORPORATION_DATE_MONTH 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_RISE_INCORPORATION_DATE_YEAR 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_RISE_LEGAL_FORM_TEXT 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_RISE_NAME 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_RISE_PERSONNEL 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_RISE_REGISTRATION 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_RISE_RSIN_NUMBER 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_RISE_SBI_CODES 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_RISE_SBI_CODES_TEXT 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_RISE_STATUS 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_RISE_TELEPHONE_NUMBERS 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_ENTERPRISE_RISE_TRADE_NAMES 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_ESTABLISHMENT_NUMBER 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_ESTABLISHMENTS 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_ACTIVITY 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_ALTERNATIVE_NAME 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_ANNUAL_REPORT_SUBMISSION 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_AUTHORIZED_SHARE_CAPITAL 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_AUTHORIZED_SHARE_CAPITAL_CURRENCY 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_COMPANY_ARRANGEMENT 360

ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_CORRESPONDENCE_CITY 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_CORRESPONDENCE_COUNTRY 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_CORRESPONDENCE_HOUSE_NUMBER 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_CORRESPONDENCE_HOUSE_NUMBER_ADDITION 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_CORRESPONDENCE_POSTCODE 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_CORRESPONDENCE_STREET 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_DEED_INCORPORATION_DATE_DAY 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_DEED_INCORPORATION_DATE_MONTH 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_DEED_INCORPORATION_DATE_YEAR 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_DEED_LAST_STATUTES_AMENDMENT_DATE_DAY 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_DEED_LAST_STATUTES_AMENDMENT_DATE_MONTH 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_DEED_LAST_STATUTES_AMENDMENT_DATE_YEAR 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_DISCONTINUATION_DATE_DAY 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_DISCONTINUATION_DATE_MONTH 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_DISCONTINUATION_DATE_YEAR 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY DISSOLUTION_DATE_DAY 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY DISSOLUTION_DATE_MONTH 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY DISSOLUTION_DATE_YEAR 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY DISSOLUTION_REASON 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_DOMAIN_NAMES 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_DURATION 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_DURATION_END_DATE_DAY 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_DURATION_END_DATE_MONTH 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_DURATION_END_DATE_YEAR 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_EMAIL_ADDRESSES 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_ESTABLISHMENT_CITY 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_ESTABLISHMENT_COUNTRY 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_ESTABLISHMENT_HOUSE_NUMBER 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_ESTABLISHMENT_HOUSE_NUMBER_ADDITION 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_ESTABLISHMENT_POSTCODE 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_ESTABLISHMENT_STREET 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_FAX_NUMBERS 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_FOREIGN_LEGAL_FORM_DESCRIPTION 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_FOUNDING_DATE_DAY 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_FOUNDING_DATE_MONTH 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_FOUNDING_DATE_YEAR 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_ISSUED_SHARE_CAPITAL 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_ISSUED_SHARE_CAPITAL_CURRENCY 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_LAST_STATUTES_AMENDMENT_DATE_DAY 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_LAST_STATUTES_AMENDMENT_DATE_MONTH 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_LAST_STATUTES_AMENDMENT_DATE_YEAR 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_LEGAL_ENTITY_END_DATE_DAY 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_LEGAL_ENTITY_END_DATE_MONTH 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_LEGAL_ENTITY_END_DATE_YEAR 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_LEGAL_FORM_CHANGE 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_LEGAL_FORM_TEXT 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_LEGAL_NAME 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_LIABILITY 360

ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_LIQUIDATION_CLOSURE_DATE_DAY 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_LIQUIDATION_CLOSURE_DATE_MONTH 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_LIQUIDATION_CLOSURE_DATE_YEAR 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_LIQUIDATION_REOPENING_DATE_DAY 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_LIQUIDATION_REOPENING_DATE_MONTHS 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_LIQUIDATION_REOPENING_DATE_YEAR 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_MERGER_DESCRIPTION 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_NAME 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_PAID_UP_SHARE_CAPITAL 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_PAID_UP_SHARE_CAPITAL_CURRENCY 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_REGISTRATION 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_REGISTRATION_DATE_DAY 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_REGISTRATION_DATE_MONTH 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_REGISTRATION_DATE_YEAR 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_REGISTRATION_END_DATE_DAY 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_REGISTRATION_END_DATE_MONTH 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_REGISTRATION_END_DATE_YEAR 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_REMOVAL_DATE_DAY 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_REMOVAL_DATE_MONTH 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_REMOVAL_DATE_YEAR 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_RSIN_NUMBER 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_SBI_CODES 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_SBI_CODES_TEXT 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_SHARE_HOLDERS 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_SHARES 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_SHORTENED_NAME 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_STATUS 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_STATUTORY_SEAT 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_LEGAL_ENTITY_TELEPHONE_NUMBERS 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_PARTNERSHIP 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_POSITIONS 360
 ORGANISATIONS_ITEM_EXTRACT_DATA_STATUS 360
 ORGANISATIONS_ITEM_EXTRACT_DOCUMENT 360
 ORGANISATIONS_ITEM_EXTRACT_EXTRACT_DATE 360
 ORGANISATIONS_ITEM_EXTRACT_SOURCE 360
 ORGANISATIONS_ITEM_LEGAL_FORM_CODE 360
 ORGANISATIONS_ITEM_LEGAL_FORM_TEXT 360
 ORGANISATIONS_ITEM_NAME 360
 organization 461, 463
 ORIG_SYSTEM_GROUP 1184
 ORIG_SYSTEM_REFERENCE 1184
 Original System Group 1184
 Original System Reference 1184
 ORIGINAL_ITEM_DESCRIPTION 341
 ORIGINAL_ITEM_SBI_CODE 341
 OTHER_EVENTS 204
 OTHER_INFORMATION_ADVISORS_ITEM_AUDITOR_NAME 147, 163
 OTHER_INFORMATION_ADVISORS_ITEM_SOLICITOR_NAME 147, 163
 OTHER_INFORMATION_BANKERS_ITEM_ADDRESS_CITY 163
 OTHER_INFORMATION_BANKERS_ITEM_ADDRESS_COUNTRY 163
 OTHER_INFORMATION_BANKERS_ITEM_ADDRESS_FULL_ADDRESS 163
 OTHER_INFORMATION_BANKERS_ITEM_ADDRESS_HOUSE_NUMBER 163
 OTHER_INFORMATION_BANKERS_ITEM_ADDRESS_POSTAL_CODE 163
 OTHER_INFORMATION_BANKERS_ITEM_ADDRESS_STREET 163
 OTHER_INFORMATION_BANKERS_ITEM_ADDRESS_TELEPHONE 163
 OTHER_INFORMATION_BANKERS_ITEM_BANK_CODE 147, 163

OTHER_INFORMATION_BANKERS_ITEM_NAME 147, 163	OVERGEGAAN_IN_BETREFT_AANVULLINGEN_ITEM_AANGEBODEN_STUK_DEEL_EN_NUMMER_REGISTERCODE 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
OTHER_INFORMATION_EMPLOYEES_INFORMATION_ITEM_NUMBER_OF_EMPLOYEES 147, 163	OVERGEGAAN_IN_BETREFT_AANVULLINGEN_ITEM_AANGEBODEN_STUK_DEEL_EN_NUMMER_SOORT_REGISTER 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
OTHER_INFORMATION_EMPLOYEES_INFORMATION_ITEM_YEAR 147, 163	OVERGEGAAN_IN_BETREFT_AANVULLINGEN_ITEM_AANGEBODEN_STUK_IDENTIFICATIE 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
OUT 14, 76, 1175, 1180	OVERGEGAAN_IN_BETREFT_AANVULLINGEN_ITEM_AANGEBODEN_STUK_INDICATIE_ALLE_OBJECTEN_BETROKKEN 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
OUT_OF_BUSINESS 195, 204	OVERGEGAAN_IN_BETREFT_AANVULLINGEN_ITEM_AANGEBODEN_STUK_STATUS_STUK_OR 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
OUTPUT_ELEMENTS_ITEM_DEFAULT_VALUE 1131	OVERGEGAAN_IN_BETREFT_AANVULLINGEN_ITEM_AANGEBODEN_STUK_STUKDELEN 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
OUTPUT_ELEMENTS_ITEM_DESCRIPTION 1131	OVERGEGAAN_IN_BETREFT_AANVULLINGEN_ITEM_AANGEBODEN_STUK_TIJDSTIP_AANBIEDING 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
OUTPUT_ELEMENTS_ITEM_DOCUMENTATION_URI 1131	OVERGEGAAN_IN_BETREFT_AANVULLINGEN_ITEM_AANGEBODEN_STUK_TIJDSTIP_ONDERTEKENING 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
OUTPUT_ELEMENTS_ITEM_NAME 1131	OVERGEGAAN_IN_BETREFT_AANVULLINGEN_ITEM_AANGEBODEN_STUK_TOELICHTING_BEWAARDER 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
OUTPUT_ELEMENTS_ITEM_REQUIRED 1131	OVERGEGAAN_IN_BETREFT_AANVULLINGEN_ITEM_AANGEBODEN_STUK_VERKLARING_BEWAARDER 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
OUTPUT_ELEMENTS_ITEM_TYPE 1131	OVERGEGAAN_IN_BETREFT_AANVULLINGEN_ITEM_AANGEBODEN_STUK_VERZOEKEN 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
OUTPUT_ELEMENTS_ITEM_VALIDATIONS 1131	OVERGEGAAN_IN_BETREFT_AANVULLINGEN_ITEM_AANGEBODEN_STUK_VERZOEKEN 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
OVERGEGAAN_IN_ACTUALITEIT_TIJDSTIP_HYPOTHECAIR 585, 646, 708, 769, 847, 926, 1009, 1043, 1076	OVERGEGAAN_IN_BETREFT_AANVULLINGEN_ITEM_AANGEBODEN_STUK_TYPE 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
OVERGEGAAN_IN_ACTUALITEIT_TIJDSTIP_KADASTRAAL 585, 646, 708, 769, 847, 926, 1009, 1043, 1076	OVERGEGAAN_IN_BETREFT_AANVULLINGEN_ITEM_AANGEBODEN_STUK_AARD 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
OVERGEGAAN_IN_BETREFT_AANTEKENINGEN_KPB_ITEM_DATUM_IN_WERKING 585, 646, 708, 769, 847, 926, 1009, 1043, 1076	OVERGEGAAN_IN_BETREFT_AANVULLINGEN_ITEM_AANGEBODEN_STUK_CULTUUR_BEBOUWD 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
OVERGEGAAN_IN_BETREFT_AANTEKENINGEN_KPB_ITEM_GEMEENTELIJKE_REGISTRATIE_ID 585, 646, 708, 769, 847, 926, 1009, 1043, 1076	OVERGEGAAN_IN_BETREFT_AANVULLINGEN_ITEM_AANGEBODEN_STUK_CULTUUR_ONBEBOUWD 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
OVERGEGAAN_IN_BETREFT_AANTEKENINGEN_KPB_ITEM_NUMMER 585, 646, 708, 769, 847, 926, 1009, 1043, 1076	OVERGEGAAN_IN_BETREFT_AANVULLINGEN_ITEM_AANGEBODEN_STUK_ADRESSEN_ITEM_LOCATIE_BINNENLAND_HUISLETTER 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
OVERGEGAAN_IN_BETREFT_AANTEKENINGEN_KPB_ITEM_OMSCHRIJVING 585, 646, 708, 769, 847, 926, 1009, 1043, 1076	OVERGEGAAN_IN_BETREFT_AANVULLINGEN_ITEM_AANGEBODEN_STUK_ADRESSEN_ITEM_LOCATIE_BINNENLAND_HUISNUMMER 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
OVERGEGAAN_IN_BETREFT_AANTEKENINGEN_KPB_ITEM_OMSCHRIJVING_PUBLIEKRECHTELIJKE_BEPERKING 585, 646, 708, 769, 847, 926, 1009, 1043, 1076	OVERGEGAAN_IN_BETREFT_AANVULLINGEN_ITEM_AANGEBODEN_STUK_ADRESSEN_ITEM_LOCATIE_BINNENLAND_HUISNUMMERTOEOVOEGING 585, 646, 708, 769, 847, 926, 1009, 1043, 1076

OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_OVERGEGAAN_IN_BETREFT_HISTORIE_LOGISCH_OC
 OCATIE_BINNENLAND_IDENTIFICATIE 585, 646, TIJDSTIP_ONTSTAAN 585, 646, 708, 769, 847,
 708, 769, 847, 926, 1009, 1043, 1076 926, 1009, 1043, 1076
 OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_OVERGEGAAN_IN_BETREFT_HISTORIE_LOGISCH_OC
 OCATIE_BINNENLAND_IN_ONDERZOEK 585, TIJDSTIP_VERVALLEN 585, 646, 708, 769, 847,
 646, 708, 769, 847, 926, 1009, 1043, 1076 926, 1009, 1043, 1076
 OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_OVERGEGAAN_IN_BETREFT_HISTORIE_STATUS_OC
 OCATIE_BINNENLAND_POSTCODE 585, 646, HISTORIE 585, 646, 708, 769, 847, 926, 1009,
 708, 769, 847, 926, 1009, 1043, 1076 1043, 1076
 OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_OVERGEGAAN_IN_BETREFT_HISTORIE_TECHNISCH_OC
 OCATIE_BINNENLAND_STRAATNAAM 585, 646, TIJDSTIP_ONTSTAAN 585, 646, 708, 769, 847,
 708, 769, 847, 926, 1009, 1043, 1076 926, 1009, 1043, 1076
 OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_OVERGEGAAN_IN_BETREFT_HISTORIE_TECHNISCH_OC
 OCATIE_BINNENLAND_WOONPLAATS 585, 646, TIJDSTIP_VERVALLEN 585, 646, 708, 769, 847,
 708, 769, 847, 926, 1009, 1043, 1076 926, 1009, 1043, 1076
 OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_OVERGEGAAN_IN_BETREFT_HISTORIE_VOLGNUMMER_OC
 OCATIE_BUITENLAND_ADRES 585, 646, 708, MMR 585, 646, 708, 769, 847, 926, 1009, 1043,
 769, 847, 926, 1009, 1043, 1076 1076
 OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_OVERGEGAAN_IN_BETREFT_IDENTIFICATIE_OC
 OCATIE_BUITENLAND_ADRES_REGELS 585, 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 646, 708, 769, 847, 926, 1009, 1043, 1076 OVERGEGAAN_IN_BETREFT_INDICATIE_GEDEELT
 OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_ELIJK_BEZWAARD_OUD_OBJECT 585, 646, 708,
 OCATIE_BUITENLAND_IDENTIFICATIE 585, 646, 769, 847, 926, 1009, 1043, 1076
 708, 769, 847, 926, 1009, 1043, 1076 OVERGEGAAN_IN_BETREFT_INDICATIE_GESPLIT
 OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_ST 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OCATIE_BUITENLAND_LAND 585, 646, 708, 769, OVERGEGAAN_IN_BETREFT_INDICATIE_TWEEDE
 847, 926, 1009, 1043, 1076 _SPLITSING 585, 646, 708, 769, 847, 926, 1009,
 OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_1043, 1076
 OCATIE_BUITENLAND_REGIO 585, 646, 708, 769, OVERGEGAAN_IN_BETREFT_INDICATIE_VOORGE
 847, 926, 1009, 1043, 1076 NOMEN_AANTEKENING 585, 646, 708, 769, 847,
 OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_926, 1009, 1043, 1076
 OCATIE_BUITENLAND_WOONPLAATS 585, 646, OVERGEGAAN_IN_BETREFT_INDICATIE_VOORLO
 708, 769, 847, 926, 1009, 1043, 1076 PIGE_AANTEKENING 585, 646, 708, 769, 847,
 OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_926, 1009, 1043, 1076
 OCATIE_POSTBUS_IDENTIFICATIE 585, 646, 708, OVERGEGAAN_IN_BETREFT_KADASTRALE_AAND
 769, 847, 926, 1009, 1043, 1076 UIDING_APPARTEMENTSRECHT_VOLGNUMMER
 OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_L585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OCATIE_POSTBUS_POSTBUS_NUMMER 585, OVERGEGAAN_IN_BETREFT_KADASTRALE_AAND
 646, 708, 769, 847, 926, 1009, 1043, 1076 UIDING_KADASTRALE_GEMEENTE 585, 646,
 OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_I08, 769, 847, 926, 1009, 1043, 1076
 OCATIE_POSTBUS_POSTCODE 585, 646, 708, OVERGEGAAN_IN_BETREFT_KADASTRALE_AAND
 769, 847, 926, 1009, 1043, 1076 UIDING_PERCEELNUMMER 585, 646, 708, 769,
 OVERGEGAAN_IN_BETREFT_ADRESSEN_ITEM_847, 926, 1009, 1043, 1076
 OCATIE_POSTBUS_WOONPLAATS 585, 646, OVERGEGAAN_IN_BETREFT_KADASTRALE_AAND
 708, 769, 847, 926, 1009, 1043, 1076 UIDING_SECTIE 585, 646, 708, 769, 847, 926,
 OVERGEGAAN_IN_BETREFT_BELAST_MET_ITEM_I009, 1043, 1076
 BEDRAG_SOM 585, 646, 708, 769, 847, 926, OVERGEGAAN_IN_BETREFT_KADASTRALE_GRO
 1009, 1043, 1076 OTTE_SOORT_GROOTTE 585, 646, 708, 769, 847,
 OVERGEGAAN_IN_BETREFT_BELAST_MET_ITEM_I26, 1009, 1043, 1076
 BEDRAG_VALUTA 585, 646, 708, 769, 847, 926, OVERGEGAAN_IN_BETREFT_KADASTRALE_GRO
 1009, 1043, 1076 OTTE_WAARDE 585, 646, 708, 769, 847, 926,
 OVERGEGAAN_IN_BETREFT_BELAST_MET_ITEM_I009, 1043, 1076
 EINDJAAR 585, 646, 708, 769, 847, 926, 1009, OVERGEGAAN_IN_BETREFT_KOOPSOM_BEDRAG
 1043, 1076 _SOM 585, 646, 708, 769, 847, 926, 1009, 1043,
 1076

OVERGEGAAN_IN_BETREFT_KOOPSOM_BEDRAG_585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_BETREFT_KOOPSOM_INDICATOR_585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_BETREFT_KOOPSOM_KOOPJUM_585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_BETREFT_KOOPSOM_KOOPJAR_585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_BETREFT_OMSCHRIJVING_585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_BETREFT_OMSCHRIJVING_ONDERZOEK_ERFDIENSTBAARHEDEN_585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_BETREFT_ONTSTAAN UIT ITEM_AARD_585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_BETREFT_ONTSTAAN UIT ITEM_OVERGANGSGROOTTE_585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_BETREFT_PLAATSCOORDINATIE_EN_DESCRIPTION_585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_BETREFT_PLAATSCOORDINATIE_EN_IDENTIFIEER_585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_BETREFT_PLAATSCOORDINATIE_EN_NAME_585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_BETREFT_PLAATSCOORDINATIE_EN_RD_COORDINAAT_X_585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_BETREFT_PLAATSCOORDINATIE_EN_RD_COORDINAAT_Y_585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_AANVULLING_OP_585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_AARD_585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_BEDRAG_TRANSACTIES_OM_LEVERING_SOM_585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_BEDRAG_TRANSACTIES_OM_LEVERING_VALUTA_585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_BEDRAG_VORDERINGSBESLAG_SOM_585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_BEDRAG_VORDERINGSBESLAG_VALUTA_585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_BEDRAG_ZEKERHEIDSTELLING_HYPOTHEEK_SOM_585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_BEDRAG_ZEKERHEIDSTELLING_HYPOTHEEK_VALUTA_585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_DENTIFICATIE_585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_OMSCHRIJVING_GEKOZEN_WOONPLAATS_585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_OMSCHRIJVING_KADASTRALE_OBJECTEN_585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_BETREFT_TEKENINGEN_ITEM_VERMELD_IN_585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_BETREFT_TOELICHTING_BEWAARDER_585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_BETREFT_TOESTANDSDATUM_ONDERZOEK_ERFDIENSTBAARHEDEN_585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_BETREFT_TYPE_585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_BETREFT_UIN_585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_AANVULLING_OP_585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_AARD_585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_BEDRAG_TRANSACTIES_OM_LEVERING_SOM_585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_BEDRAG_TRANSACTIES_OM_LEVERING_VALUTA_585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_BEDRAG_VORDERINGSBESLAG_SOM_585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_BEDRAG_VORDERINGSBESLAG_VALUTA_585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_BEDRAG_ZEKERHEIDSTELLING_HYPOTHEEK_SOM_585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_BEDRAG_ZEKERHEIDSTELLING_HYPOTHEEK_VALUTA_585, 646, 708, 769, 847, 926, 1009, 1043, 1076

OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_IDENTIFICATIE 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_IDENTIFICATIE 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_IDENTIFICATIE 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_OMSCHRIJVING_GEKOZEN_WOONPLAATS 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_OMSCHRIJVING 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_BETREFT_VERMELD_IN_ITEM_IDENTIFICATIE 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_TEOMSCHRIJVING_KADASTRALE_OBJECTEN 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_TEOMSCHRIJVING_KADASTRALE_OBJECTEN 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_PRODUCTIENUMMER 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_TEN_NAME_VAN_NATUURLIJK_PERSONEN 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_SIGNALERING_TIJDSTIP_BESLAGEN 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_AARD 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_SIGNALERING_TIJDSTIP_HYPOTHECAIR 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BELAST_MET 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_SIGNALERING_TIJDSTIP_KADASTRAAL 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BEPERKT_TOT 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_AANDEEL_NOEMER 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BESTEMT_TOT_GEBASEERD_OP 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_AANDEEL_TELLER 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BESTEMT_TOT_HOORT_BIJ 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_BETROKKEN_BIJ_TROKKEN_PARTNER_NATUURLIJK_PERSONEN 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_IDENTIFICATIE 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_BETROKKEN_BIJ_TROKKEN_PARTNER_NIET_NATUURLIJK_PERSONEN 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_GEBASEERD_OP 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_BETROKKEN_BIJ_TROKKEN_SAMENWERKINGSVERBAND_NATUURLIJK_PERSONEN 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_IDENTIFICATIE 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_BETROKKEN_BIJ_TROKKEN_SAMENWERKINGSVERBAND_NIET_NATUURLIJK_PERSONEN 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_TYPE 585, 646, 708, 769, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_BETROKKEN_BIJ_TROKKEN_SAMENWERKINGSVERBAND_NIET_NATUURLIJK_PERSONEN 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAR 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_GEBASEERD_OP 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAR 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_GEBASEERD_OP 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAR 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 LDT_VOOR_AANDEEL_NOEMER 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAR 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_GEBASEERD_OP 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 LDT_VOOR_AANDEEL_TELLER 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAR 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_GEBASEERD_OP 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 LDT_VOOR_IDENTIFICATIE 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAR 585, 646, 708, 769, 847, 926, 1009, 1043, 1076

OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUIZEN_POSTLOCATIE_LOCATIE_BUITENLAND_LAND
 ETTER 585, 646, 708, 769, 847, 926, 1009, 1043, 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 1076 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_REGIO
 EN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 585, 646, 708, 769, 847, 926, 1009, 1043 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_WOON
 PLAATS 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 585, 646, 708, 769, 847, 926, 1009, 1043 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_IDENTIFIC
 ATIE 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 585, 646, 708, 769, 847, 926, 1009, 1043 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTBUS
 NUMMER 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 585, 646, 708, 769, 847, 926, 1009, 1043 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTCOD
 E 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 585, 646, 708, 769, 847, 926, 1009, 1043 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_WOONPL
 AATS 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 585, 646, 708, 769, 847, 926, 1009, 1043 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_STRADA
 TNAAM 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 585, 646, 708, 769, 847, 926, 1009, 1043 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_WOON
 PLAATS 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 585, 646, 708, 769, 847, 926, 1009, 1043 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_ADRES
 EN_STATUTAIRE_NAAM 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 585, 646, 708, 769, 847, 926, 1009, 1043, 1076 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_ADRES
 EN_STATUTAIRE_ZETEL 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 585, 646, 708, 769, 847, 926, 1009, 1043, 1076 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_IDENTIFIC
 ATIE 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 585, 646, 708, 769, 847, 926, 1009, 1043, 1076

OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_REGIEN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_WOONLOCATIE_LOCATIE_BUITENLAND_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEOVOEGING 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_WOONLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_WOONLOCATIE_LOCATIE_POSTBUS_POSTBUSNUMMER 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_WOONLOCATIE_LOCATIE_POSTCODE 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_WOONLOCATIE_LOCATIE_POSTBUS_WOONPLAATS 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_IDENTIFICATIE 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_INDICATIE_SPLITSING_BETROKKEN 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_AANTEKENINGEN_WKPB 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_AANVULLINGEN 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_AARD 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_AARD_CULTUUR_BEBOUWING 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_AARD_CULTUUR_ONBEBOUWD 585, 646, 708, 769, 847, 926, 1009, 1043, 1076

OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_ADRESSEN 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_KADASTRALE_GEMEENTE 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_BELAST_MET 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_PERCEELNUMMER 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_LOGISCH_TIJDSTIP_ONTSTAAN 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_SECTIE 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_LOGISCH_TIJDSTIP_VERVALLEN 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KADASTRALE_GROOTTE_SOORT_GROOTTE 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_STATUS_HISTORIE 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KADASTRALE_GROOTTE_VAARDE 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_TECHNISCH_JDSTIP_ONTSTAAN 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KOOPSOM_BEDRAG_SOORT 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_TECHNISCH_JDSTIP_VERVALLEN 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KOOPSOM_BEDRAG_VAARDE 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_HISTORIE_VOLGNUMMER 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KOOPSOM_INDICATIE_MER_OBJEKTEN 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_IDENTIFICATIE 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KOOPSOM_KOOPDATUM 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_INDICATIE_GEDEELTELIJK_BEZWAARD_OUD_OBJEKT 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KOOPSOM_KOOPJAAR 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_INDICATIE_GESPLITST 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_OMSCHRIJVING 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_INDICATIE_TWEEDE_SPOED 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_OMSCHRIJVING_ONDERZOEK_ERFDIENSTBAARHEDEN 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_INDICATIE_VOORGENOMMEN_AANTEKENING 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_ONTSTAAN_UIT 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_INDICATIE_VOORLOPIGEN_ONROERENDE_ZAAK_PLAATSCOORDINATEN_AANTEKENING 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_KADASTRALE_AANDUIDING_APPARTEMENTSRECHT_VOLGNUMMER 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_PLAATSCOORDINATEN_IDENTIFIERT 585, 646, 708, 769, 847, 926, 1009, 1043, 1076

OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_PLAATSCOORDINATEN 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_PLAATSCOORDINATEN_D_COORDINAAT_X 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_PLAATSCOORDINATEN_D_COORDINAAT_Y 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_TEKENINGEN 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_TOELICHTING_BEWAARDER 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_TOESTANDSDATUM_OND ERZOEK_ERFDIENSTBAARHEDEN 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_TYPE 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_UIN 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONROERENDE_ZAAK_VERMELD_IN 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_GEBASEERD_OP 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_IDENTIFICATIE 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_TYPE 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_AANVULLINGEN 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_DOSSIER_NUMMER 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_IDENTIFICATIE 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_INDICATIE_BESCHIKKINGSBEVOEGDHEID 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISLETTIER 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_POSTCODE 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_ADRES 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_ONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_LAND 585, 646, 708, 769, 847, 926, 1009, 1043, 1076

OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_NONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_REGIO 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_NONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEVOEGING 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_NONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_NONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_NONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_NONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZOEK 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_NONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_POSTBUSNUMMER 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_NONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_POSTCODE 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_NONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_STRAATNAAM 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_NONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_POSTLOCATIE_LOCATIE_POSTBUS_WOONPLAATS 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_NONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_WOONPLAATS 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_NONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES_RSIN 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_NONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES_STATUTAIRE_NAAM 585, 646, 708, 769, 847, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_NONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_ADRES_REGELS 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_NONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_NONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_LANDVERMELDING 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_NONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BINNENLAND_HUISNUMMERTOEVOEGING 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_NONTSTAAN_UIT_VERENIGING_VAN_EIGENAREN_WOONLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS 585, 646, 708, 769, 847, 926, 1009, 1043, 1076

OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_TROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_A
 N_ONTSTAAN UIT VERENIGING VAN EIGENAREN_A
 _WOONLOCATIE LOCATIE_POSTBUS_IDENTIFICANVULLINGEN 585, 646, 708, 769, 847, 926,
 TIE 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_TROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_D
 N_ONTSTAAN UIT VERENIGING VAN EIGENAREN_D
 _WOONLOCATIE LOCATIE_POSTBUS_POSTBUSOSSIER_NUMMER 585, 646, 708, 769, 847, 926,
 NUMMER 585, 646, 708, 769, 847, 926, 1009, 1009, 1043, 1076
 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_TROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_ID
 N_ONTSTAAN UIT VERENIGING VAN EIGENAREN_ID
 _WOONLOCATIE LOCATIE_POSTBUS_POSTCODE 585, 646, 708, 769, 847, 926, 1009,
 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_TROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_IN
 N_ONTSTAAN UIT VERENIGING VAN EIGENAREN_IN
 _WOONLOCATIE LOCATIE_POSTBUS_WOONPLAATS 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 ATS 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_TROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_P
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_TROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_P
 RKLARING_INZAKE_DERDEN_BESCHERMING 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_TROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_P
 RKREGEN_NAMENS_SAMENWERKINGSVERBANDS 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 ER 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_TENAAMSTELLINGEN_ITEM_VAN_TROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_P
 RMELD_IN 585, 646, 708, 769, 847, 926, 1009, 1009, 1043, 1076
 1043, 1076
 OVERGEGAAN_IN_TIJDSTIP_SAMENSTELLING_BETROEVOEGING 585, 646, 708, 769, 847, 926,
 RICHT 585, 646, 708, 769, 847, 926, 1009, 1043, 1009, 1043, 1076
 1076
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_P
 RD 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_P
 AST_MET 585, 646, 708, 769, 847, 926, 1009, 1009, 1043, 1076
 1043, 1076
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_P
 PERKT_TOT 585, 646, 708, 769, 847, 926, 1009, 1009, 1043, 1076
 1043, 1076
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_P
 STEM_TOT_GEBASEERD_OP 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_P
 STEM_TOT_HOORT_BIJ 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 926, 1009, 1043, 1076
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_P
 STEM_TOT_IDENTIFICATIE 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_GEBASEERD_OP 585, 646, 708,
 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_IDENTIFICATIE 585, 646, 708, 769,
 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BETROKKEN_BIJ_TYPE 585, 646, 708, 769, 847, 926,
 1009, 1043, 1076

OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BE
 ROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_PO
 STLOCATIE_LOCATIE_BUITENLAND_ADRES_REGIO
 LS 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BE
 ROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_PO
 STLOCATIE_LOCATIE_BUITENLAND_IDENTIFICATIE
 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BE
 ROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_PO
 STLOCATIE_LOCATIE_BUITENLAND_LAND 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OONLOCATIE_LOCATIE_BINNENLAND_HUISNUMM
 646, 708, 769, 847, 926, 1009, 1043, 1076
 ERTOEVOEGING 585, 646, 708, 769, 847, 926,
 1009, 1043, 1076
 ROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_PO
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BE
 STLOCATIE_LOCATIE_BUITENLAND_REGIO 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OONLOCATIE_LOCATIE_BINNENLAND_IDENTIFICA
 TIE 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BE
 ROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_PO
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BE
 STLOCATIE_LOCATIE_BUITENLAND_WOONPLAATROK
 KEN_BIJ_VERENIGING_VAN_EIGENAREN_W
 S 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OONLOCATIE_LOCATIE_BINNENLAND_IN_ONDERZ
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BE
 DEK 585, 646, 708, 769, 847, 926, 1009, 1043,
 1076
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BE
 STLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE
 TROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_W
 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OONLOCATIE_LOCATIE_BINNENLAND_POSTCODE
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BE
 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 ROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_PO
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BE
 STLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMM
 TROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_W
 MER 585, 646, 708, 769, 847, 926, 1009, 1043,
 OONLOCATIE_LOCATIE_BINNENLAND_STRAATNA
 1076
 AM 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BE
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BE
 ROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_PO
 ROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_W
 STLOCATIE_LOCATIE_POSTBUS_POSTCODE OONLOCATIE_LOCATIE_BINNENLAND_WOONPLA
 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 ATS 585, 646, 708, 769, 847, 926, 1009, 1043,
 1076
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BE
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BE
 ROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_PO
 ROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_W
 STLOCATIE_LOCATIE_POSTBUS_WOONPLAATS
 OONLOCATIE_LOCATIE_BUITENLAND_ADRES
 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BE
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BE
 ROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_R
 ROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_W
 CHTSVORM 585, 646, 708, 769, 847, 926, 1009,
 OONLOCATIE_LOCATIE_BUITENLAND_ADRES_RE
 1043, 1076
 GELS 585, 646, 708, 769, 847, 926, 1009, 1043,
 1076
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BE
 1076
 ROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_R
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BE
 N 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 TROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_W
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BE
 OONLOCATIE_LOCATIE_BUITENLAND_IDENTIFICAT
 TIE 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 ROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_S
 TIE 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 ATUTAIRE_NAAM 585, 646, 708, 769, 847, 926,
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BE
 1009, 1043, 1076
 TROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_W
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BE
 OONLOCATIE_LOCATIE_BUITENLAND_LAND
 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 ROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_S
 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 ATUTAIRE_ZETEL 585, 646, 708, 769, 847, 926,
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BE
 1009, 1043, 1076
 TROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_W
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BE
 OONLOCATIE_LOCATIE_BUITENLAND_REGIO
 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 ROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_V
 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 RMELD_IN 585, 646, 708, 769, 847, 926, 1009,
 1043, 1076

OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BROERENDE_ZAAK_HISTORIE_STATUS_HISTORIE
ROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WONPLAATS
ONLOCATIE_LOCATIE_BUITENLAND_WOONPLAATS 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
S 585, 646, 708, 769, 847, 926, 1009, 1043, 1076

OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BROERENDE_ZAAK_HISTORIE_TECHNISCH_TIJDSTI
ROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WONONTSTAAN 585, 646, 708, 769, 847, 926, 1009,
ONLOCATIE_LOCATIE_POSTBUS_IDENTIFICATIE 1043, 1076
585, 646, 708, 769, 847, 926, 1009, 1043, 1076

OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BROERENDE_ZAAK_HISTORIE_TECHNISCH_TIJDSTI
ROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WONVERVALLEN 585, 646, 708, 769, 847, 926,
ONLOCATIE_LOCATIE_POSTBUS_POSTBUS_NUMM009, 1043, 1076
MER 585, 646, 708, 769, 847, 926, 1009, 1043,

OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ON
ROERENDE_ZAAK_HISTORIE_VOLGNUMMER
585, 646, 708, 769, 847, 926, 1009, 1043, 1076

OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BROERENDE_ZAAK_HISTORIE_TECHNISCH_TIJDSTI
ROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WONONLOCATIE_LOCATIE_POSTBUS_POSTCODE
585, 646, 708, 769, 847, 926, 1009, 1043, 1076 769, 847, 926, 1009, 1043, 1076

OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_BROERENDE_ZAAK_INDICATIE_GEDEELTELIJK_BE
ROKKEN_BIJ_VERENIGING_VAN_EIGENAREN_WONONLOCATIE_LOCATIE_POSTBUS_WOONPLAATS
585, 646, 708, 769, 847, 926, 1009, 1043, 1076 926, 1009, 1043, 1076
ZWAARD_OUD_OBJECT 585, 646, 708, 769, 847,

OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_IDE
NTIFICATIE 585, 646, 708, 769, 847, 926, 1009, ROERENDE_ZAAK_INDICATIE_GESPLITST 585,
1043, 1076 646, 708, 769, 847, 926, 1009, 1043, 1076

OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_IND
CATIE_SPLITSING_BETROKKEN 585, 646, 708, ROERENDE_ZAAK_INDICATIE_TWEEDE_SPLITSIN
769, 847, 926, 1009, 1043, 1076 G 585, 646, 708, 769, 847, 926, 1009, 1043, 1076

OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ON
ROERENDE_ZAAK_AANTEKENINGEN_WKPB ROERENDE_ZAAK_INDICATIE_VOORGENOMEN_A
585, 646, 708, 769, 847, 926, 1009, 1043, 1076 ANTEKENING 585, 646, 708, 769, 847, 926, 1009,
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ON
1043, 1076

ROERENDE_ZAAK_AANVULLINGEN 585, 646, OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ON
708, 769, 847, 926, 1009, 1043, 1076 ROERENDE_ZAAK_INDICATIE_VOORLOPIGE_AAN
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ON
ROERENDE_ZAAK_AARD 585, 646, 708, 769, 1043, 1076
847, 926, 1009, 1043, 1076

OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ON
ROERENDE_ZAAK_AARD_CULTUUR_BEBOUWD PPARTEMENTSRECHT_VOLGNUMMER 585, 646,
585, 646, 708, 769, 847, 926, 1009, 1043, 1076 708, 769, 847, 926, 1009, 1043, 1076

OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ON
ROERENDE_ZAAK_AARD_CULTUUR_ONBEBOUWROERENDE_ZAAK_KADASTRALE_AANDUIDING_K
D 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
KADASTRALE_GEMEENTE 585, 646, 708, 769,
847, 926, 1009, 1043, 1076

OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ON
ROERENDE_ZAAK_ADRESSEN 585, 646, 708, OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ON
769, 847, 926, 1009, 1043, 1076 ROERENDE_ZAAK_KADASTRALE_AANDUIDING_P
OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ON
ROERENDE_ZAAK_BELAST_MET 585, 646, 708, 1009, 1043, 1076
769, 847, 926, 1009, 1043, 1076

OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ON
ROERENDE_ZAAK_HISTORIE_LOGISCH_TIJDSTI
FECTIE 585, 646, 708, 769, 847, 926, 1009, 1043,
ONTSTAAN 585, 646, 708, 769, 847, 926, 1009, 1076
1043, 1076

OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ON
ROERENDE_ZAAK_HISTORIE_LOGISCH_TIJDSTI
RT_GROOTTE 585, 646, 708, 769, 847, 926, 1009,
VERVALLEN 585, 646, 708, 769, 847, 926, 1009,
1043, 1076

OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ON
 ROERENDE_ZAAK_KADASTRALE_GROOTTE_WA
 RDE 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ON
 ROERENDE_ZAAK_KOOPSOM_BEDRAG_SOM ROERENDE_ZAAK_TYPE 585, 646, 708, 769,
 585, 646, 708, 769, 847, 926, 1009, 1043, 1076 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ON
 ROERENDE_ZAAK_KOOPSOM_BEDRAG_VALUTA ROERENDE_ZAAK_UIN 585, 646, 708, 769, 847,
 585, 646, 708, 769, 847, 926, 1009, 1043, 1076 926, 1009, 1043, 1076
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ON
 ROERENDE_ZAAK_KOOPSOM_INDICATIE_MEER ROERENDE_ZAAK_VERMELD_IN 585, 646, 708,
 OBJECTEN 585, 646, 708, 769, 847, 926, 1009, 769, 847, 926, 1009, 1043, 1076
 1043, 1076
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ON
 ROERENDE_ZAAK_KOOPSOM_KOOPDATUM ONSTAAN UIT_GEBASEERD_OP 585, 646, 708,
 585, 646, 708, 769, 847, 926, 1009, 1043, 1076 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ON
 ROERENDE_ZAAK_KOOPSOM_KOOPJAAR ONSTAAN UIT_IDENTIFICATIE 585, 646, 708, 769,
 585, 646, 708, 769, 847, 926, 1009, 1043, 1076 847, 926, 1009, 1043, 1076
 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ON
 ROERENDE_ZAAK_OMSCHRIJVING ONSTAAN UIT_TYPE 585, 646, 708, 769, 847, 926,
 585, 646, 708, 769, 847, 926, 1009, 1043, 1076 585, 646, 1009, 1043, 1076
 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ON
 ROERENDE_ZAAK_OMSCHRIJVING_ONDERZOEK/ULLINGEN ONSTAAN UIT_VERENIGING_VAN_EIGENAREN_AAN
 ERFDIENSTBAARHEDEN 585, 646, 708, 769, 847, 926, 1009, 585, 646, 708, 769, 847, 926, 1009,
 926, 1009, 1043, 1076 7043, 1076
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ON
 ROERENDE_ZAAK_ONTSTAAN UIT ONSTAAN UIT_VERENIGING_VAN_EIGENAREN_DO
 585, 646, 708, 769, 847, 926, 1009, 1043, 1076 SSIER_NUMMER 585, 646, 708, 769, 847, 926,
 708, 769, 847, 926, 1009, 1043, 1076 1009, 1043, 1076
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ON
 ROERENDE_ZAAK_PLAATSCOORDINATEN_DESC ONSTAAN UIT_VERENIGING_VAN_EIGENAREN_IDE
 RIPTION 585, 646, 708, 769, 847, 926, 1009, 1043, 1076 IDENTIFICATIE 585, 646, 708, 769, 847, 926, 1009,
 1076 1043, 1076
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ON
 ROERENDE_ZAAK_PLAATSCOORDINATEN_IDENT ONSTAAN UIT_VERENIGING_VAN_EIGENAREN_INDI
 FIER 585, 646, 708, 769, 847, 926, 1009, 1043, 1076 CATIE_BESCHIKKINGSBEVOEGDHEID 585, 646,
 1076 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ON
 ROERENDE_ZAAK_PLAATSCOORDINATEN_NAM ONSTAAN UIT_VERENIGING_VAN_EIGENAREN_PO
 585, 646, 708, 769, 847, 926, 1009, 1043, 1076 STLOCATIE_LOCATIE_BINNENLAND_HUISLETTER
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ON 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 ROERENDE_ZAAK_PLAATSCOORDINATEN_RD_CO ONSTAAN UIT_VERENIGING_VAN_EIGENAREN_PO
 ORDINAAT_X 585, 646, 708, 769, 847, 926, 1009, 1043, 1076 STLOCATIE_LOCATIE_BINNENLAND_HUISNUMMER
 1043, 1076
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ON 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 ROERENDE_ZAAK_PLAATSCOORDINATEN_RD_CO ONSTAAN UIT_VERENIGING_VAN_EIGENAREN_PO
 ORDINAAT_Y 585, 646, 708, 769, 847, 926, 1009, 1043, 1076 STLOCATIE_LOCATIE_BINNENLAND_HUISNUMME
 1043, 1076
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ON
 ROERENDE_ZAAK_TEKENINGEN ONTOEVOEGING 585, 646, 708, 769, 847, 926,
 585, 646, 708, 769, 847, 926, 1009, 1043, 1076 1009, 1043, 1076
 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ON
 ROERENDE_ZAAK_TOELICHTING_BEWAARDER ONSTAAN UIT_VERENIGING_VAN_EIGENAREN_PO
 585, 646, 708, 769, 847, 926, 1009, 1043, 1076 STLOCATIE_LOCATIE_BINNENLAND_IDENTIFICATIE
 585, 646, 708, 769, 847, 926, 1009, 1043, 1076 585, 646, 708, 769, 847, 926, 1009, 1043, 1076

OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ON
 TSTAAN UIT VERENIGING VAN EIGENAREN POST
 TLOCATIE LOCATIE BINNENLAND IN ONDERZOEKSVORM 585, 646, 708, 769, 847, 926, 1009,
 K 585, 646, 708, 769, 847, 926, 1009, 1043, 10761043, 1076
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ON
 TSTAAN UIT VERENIGING VAN EIGENAREN POST
 TLOCATIE LOCATIE BINNENLAND POSTCODE N 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 585, 646, 708, 769, 847, 926, 1009, 1043, 1076 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ON
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ON
 TSTAAN UIT VERENIGING VAN EIGENAREN STA
 TSTAAN UIT VERENIGING VAN EIGENAREN POST
 TLOCAITRE NAAM 585, 646, 708, 769, 847, 926,
 TLOCATIE LOCATIE BINNENLAND STRAATNAAM
 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 585, 646, 708, 769, 847, 926, 1009, 1043, 1076 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ON
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ON
 TSTAAN UIT VERENIGING VAN EIGENAREN STA
 TSTAAN UIT VERENIGING VAN EIGENAREN POST
 TLOCAITRE ZETEL 585, 646, 708, 769, 847, 926,
 TLOCATIE LOCATIE BINNENLAND WOONPLAATS
 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 585, 646, 708, 769, 847, 926, 1009, 1043, 1076 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ON
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ON
 TSTAAN UIT VERENIGING VAN EIGENAREN VER
 TSTAAN UIT VERENIGING VAN EIGENAREN POST
 TLOCATIE LOCATIE BUITENLAND ADRES 5851043, 1076
 646, 708, 769, 847, 926, 1009, 1043, 1076 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ON
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ON
 TSTAAN UIT VERENIGING VAN EIGENAREN WO
 TSTAAN UIT VERENIGING VAN EIGENAREN POST
 TLOCATIE LOCATIE BINNENLAND HUISLETTER
 TLOCATIE LOCATIE BUITENLAND ADRES REGEL 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 S 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ON
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ON
 TSTAAN UIT VERENIGING VAN EIGENAREN WO
 TSTAAN UIT VERENIGING VAN EIGENAREN POST
 TLOCATIE LOCATIE BINNENLAND HUISNUMME
 TLOCATIE LOCATIE BUITENLAND IDENTIFICATIE
 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 585, 646, 708, 769, 847, 926, 1009, 1043, 1076 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ON
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ON
 TSTAAN UIT VERENIGING VAN EIGENAREN WO
 TSTAAN UIT VERENIGING VAN EIGENAREN POST
 TLOCATIE LOCATIE BINNENLAND HUISNUMME
 TLOCATIE LOCATIE BUITENLAND LAND 585, RT
 TLOCATIE LOCATIE BUITENLAND IDENTIFICATIE
 585, 646, 708, 769, 847, 926,
 646, 708, 769, 847, 926, 1009, 1043, 1076
 1009, 1043, 1076
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ON
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ON
 TSTAAN UIT VERENIGING VAN EIGENAREN POST
 TSTAAN UIT VERENIGING VAN EIGENAREN WO
 TLOCATIE LOCATIE BUITENLAND REGIO 585,
 TLOCATIE LOCATIE BINNENLAND IDENTIFICATI
 646, 708, 769, 847, 926, 1009, 1043, 1076
 E 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ON
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ON
 TSTAAN UIT VERENIGING VAN EIGENAREN POST
 TSTAAN UIT VERENIGING VAN EIGENAREN WO
 TLOCATIE LOCATIE BUITENLAND WOONPLAATS
 TLOCATIE LOCATIE BINNENLAND IN ONDERZO
 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 EK 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ON
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ON
 TSTAAN UIT VERENIGING VAN EIGENAREN POST
 TSTAAN UIT VERENIGING VAN EIGENAREN WO
 TLOCATIE LOCATIE POSTBUS IDENTIFICATIE ON
 TLOCATIE LOCATIE BINNENLAND POSTCODE
 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ON
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ON
 TSTAAN UIT VERENIGING VAN EIGENAREN POST
 TSTAAN UIT VERENIGING VAN EIGENAREN WO
 TLOCATIE LOCATIE POSTBUS POSTBUS_NUMM
 TLOCATIE LOCATIE BINNENLAND STRAATNAA
 ER 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ON
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ON
 TSTAAN UIT VERENIGING VAN EIGENAREN POST
 TSTAAN UIT VERENIGING VAN EIGENAREN WO
 TLOCATIE LOCATIE POSTBUS POSTCODE 585,
 TLOCATIE LOCATIE BINNENLAND WOONPLAAT
 646, 708, 769, 847, 926, 1009, 1043, 1076
 S 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ON
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ON
 TSTAAN UIT VERENIGING VAN EIGENAREN POST
 TSTAAN UIT VERENIGING VAN EIGENAREN WO
 TLOCATIE LOCATIE POSTBUS WOONPLAATS ON
 TLOCATIE LOCATIE BUITENLAND ADRES
 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 585, 646, 708, 769, 847, 926, 1009, 1043, 1076

OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONDERZICHT_GEVRAAGD_GEBIED_KOOPSOM_GE
 TSTAAN UIT VERENIGING VAN EIGENAREN_WOONPLAATS 1004
 ONLOCATIE LOCATIE_BUITENLAND_ADRES_RANGE 1004
 ELS 585, 646, 708, 769, 847, 926, 1009, 1043, OVERZICHT_GEVRAAGD_GEBIED_KOOPSOM_GE
 1076 GEVENS_ITEM_KADASTRALE_GROOTTE_WAARD
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONDERZICHT_GEVRAAGD_GEBIED_KOOPSOM_GE
 TSTAAN UIT VERENIGING VAN EIGENAREN_WOONPLAATS 1004
 ONLOCATIE LOCATIE_BUITENLAND_IDENTIFICATIE GEVENS_ITEM_KOOPSOM_BEDRAG_SOM 1004
 585, 646, 708, 769, 847, 926, 1009, 1043, 1076 OVERZICHT_GEVRAAGD_GEBIED_KOOPSOM_GE
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONDERZICHT_GEVRAAGD_GEBIED_KOOPSOM_GE
 TSTAAN UIT VERENIGING VAN EIGENAREN_WOONPLAATS 1004
 ONLOCATIE LOCATIE_BUITENLAND_LAND 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 OVERZICHT_GEVRAAGD_GEBIED_KOOPSOM_GE
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONDERZICHT_GEVRAAGD_GEBIED_KOOPSOM_GE
 TSTAAN UIT VERENIGING VAN EIGENAREN_WOONPLAATS 1004
 ONLOCATIE LOCATIE_BUITENLAND_REGIO 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 GEVENS_ITEM_KOOPSOM_INDIICATIE_MEER_OBJ
 OVERZICHT_GEVRAAGD_GEBIED_KOOPSOM_GE
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONDERZICHT_GEVRAAGD_GEBIED_KOOPSOM_GE
 TSTAAN UIT VERENIGING VAN EIGENAREN_WOONPLAATS 1004
 ONLOCATIE LOCATIE_BUITENLAND_WOONPLAATS 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 GEVENS_ITEM_KOOPSOM_KOOPJAAR 1004
 OVERZICHT_GEVRAAGD_GEBIED_KOOPSOM_GE
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONDERZICHT_GEVRAAGD_GEBIED_KOOPSOM_GE
 TSTAAN UIT VERENIGING VAN EIGENAREN_WOONPLAATS 1004
 ONLOCATIE LOCATIE_POSTBUS_IDENTIFICATIE GEVENS_ITEM_OMSCHRIJVING_CULTUUR 1004
 585, 646, 708, 769, 847, 926, 1009, 1043, 1076 OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONDERZICHT_GEVRAAGD_GEBIED_KOOPSOM_GE
 TSTAAN UIT VERENIGING VAN EIGENAREN_WOONPLAATS 1004
 ONLOCATIE LOCATIE_POSTBUS_POSTBUS_NUMMER 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 ZAKEN_ITEM_AANTEKENINGEN_WKPB 1004
 OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONDERZICHT_GEVRAAGD_GEBIED_KOOPSOM_GE
 TSTAAN UIT VERENIGING VAN EIGENAREN_WOONPLAATS 1004
 ONLOCATIE LOCATIE_POSTBUS_POSTBUS_NUMMER 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 ZAKEN_ITEM_AANVULLINGEN 1004
 OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONDERZICHT_GEVRAAGD_GEBIED_KOOPSOM_GE
 TSTAAN UIT VERENIGING VAN EIGENAREN_WOONPLAATS 1004
 ONLOCATIE LOCATIE_POSTBUS_POSTBUS_NUMMER 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 ZAKEN_ITEM_AARD 1004
 OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONDERZICHT_GEVRAAGD_GEBIED_KOOPSOM_GE
 TSTAAN UIT VERENIGING VAN EIGENAREN_WOONPLAATS 1004
 ONLOCATIE LOCATIE_POSTBUS_POSTBUS_NUMMER 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 ZAKEN_ITEM_AARD_CULTUUR_BEBOUWD
 OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONDERZICHT_GEVRAAGD_GEBIED_KOOPSOM_GE
 TSTAAN UIT VERENIGING VAN EIGENAREN_WOONPLAATS 1004
 ONLOCATIE LOCATIE_POSTBUS_POSTBUS_NUMMER 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 ZAKEN_ITEM_AARD_CULTUUR_ONBEBOUWD
 OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONDERZICHT_GEVRAAGD_GEBIED_KOOPSOM_GE
 TSTAAN UIT VERENIGING VAN EIGENAREN_WOONPLAATS 1004
 ONLOCATIE LOCATIE_POSTBUS_POSTCODE 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 ZAKEN_ITEM_AARD 1004
 OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE
 OVERGEGAAN_IN_ZAKELIJK_RECHTEN_ITEM_ONDERZICHT_GEVRAAGD_GEBIED_KOOPSOM_GE
 TSTAAN UIT VERENIGING VAN EIGENAREN_WOONPLAATS 1004
 ONLOCATIE LOCATIE_POSTBUS_WOONPLAATS 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 ZAKEN_ITEM_AANVULLINGEN 1004
 OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE
 OVERZICHT_ACTUALITEITTIJDSTIP_KOOPSOMMEN 1004
 OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE
 OVERZICHT_ADRES_RANGE 1004 ZAKEN_ITEM_HISTORIE_LOGISCH_TIJDSTIP_VER
 OVERZICHT_EIND_DATUM 570 VALLEN 1004
 OVERZICHT_GEMEENTE 570 OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE
 OVERZICHT_GEVRAAGD_GEBIED_HUISLETTER 1004 ZAKEN_ITEM_HISTORIE_STATUS_HISTORIE
 OVERZICHT_GEVRAAGD_GEBIED_HUISNUMMER 1004
 OVERZICHT_GEVRAAGD_GEBIED_HUISNUMMERT 1004
 OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE
 OEVOEGING 1004 ZAKEN_ITEM_HISTORIE_TECHNISCH_TIJDSTIP_O
 OVERZICHT_GEVRAAGD_GEBIED_IDENTIFICATIE 1004 NTSTAAN 1004
 OVERZICHT_GEVRAAGD_GEBIED_KOOPSOM_GE 1004
 OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE
 GEVENS_ITEM_HUISNUMMER_VOLLEDIG 1004 ZAKEN_ITEM_HISTORIE_TECHNISCH_TIJDSTIP_V
 OVERZICHT_GEVRAAGD_GEBIED_KOOPSOM_GE 1004
 OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE
 GEVENS_ITEM_IDENTIFICATIE 1004 ZAKEN_ITEM_IDENTIFICATIE 1004

OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE
 ZAKEN_ITEM_INDICATIE_GEDEELTELIJK_BEZWAAR
 RD_OUD_OBJECT 1004

OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE
 ZAKEN_ITEM_INDICATIE_GESPLITST 1004

OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE_1004
 ZAKEN_ITEM_INDICATIE_TWEEDE_SPLITSING
 1004

OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE_1004
 ZAKEN_ITEM_INDICATIE_VOORGENOMEN_AANTEK
 KENING 1004

OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE
 ZAKEN_ITEM_INDICATIE_VOORLOPIGE_AANTEK
 NING 1004

OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE
 ZAKEN_ITEM_KADASTRALE_AANDUIDING_APPA
 TEMENTSRECHT_VOLGNUMMER 1004

OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE
 ZAKEN_ITEM_KADASTRALE_AANDUIDING_KADAS
 TRALE_GEMEENTE 1004

OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE
 ZAKEN_ITEM_KADASTRALE_AANDUIDING_PERCE
 ELNUMMER 1004

OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE
 ZAKEN_ITEM_KADASTRALE_AANDUIDING_SECTIE
 1004

OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE
 ZAKEN_ITEM_KADASTRALE_GROOTTE_SOORT_
 ROOTTE 1004

OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE
 ZAKEN_ITEM_KADASTRALE_GROOTTE_WAARDE
 1004

OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE
 ZAKEN_ITEM_KOOPSOM_BEDRAG_SOM 1004

OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE
 ZAKEN_ITEM_KOOPSOM_BEDRAG_VALUTA
 1004

OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE
 ZAKEN_ITEM_KOOPSOM_INDICATIE_MEER_OBJE
 CTEN 1004

OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE
 ZAKEN_ITEM_KOOPSOM_KOOPDATUM 1004

OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE
 ZAKEN_ITEM_KOOPSOM_KOOPJAAR 1004

OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE
 ZAKEN_ITEM_OMSCHRIJVING 1004

OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE
 ZAKEN_ITEM_OMSCHRIJVING_ONDERZOEK_ERFD
 IENSTBAARHEDEN 1004

OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE
 ZAKEN_ITEM_ONTSTAAN_UIT 1004

OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE
 ZAKEN_ITEM_OVERGEGAAN_IN 1004

OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE
 ZAKEN_ITEM_PLAATSCOORDINATEN_DESCRIPTOR
 ON 1004

OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE
 ZAKEN_ITEM_PLAATSCOORDINATEN_IDENTIFIER
 1004

OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE
 ZAKEN_ITEM_PLAATSCOORDINATEN_NAME
 1004

OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE
 ZAKEN_ITEM_PLAATSCOORDINATEN_RD_COOR
 DINAAT_X 1004

OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE
 ZAKEN_ITEM_PLAATSCOORDINATEN_RD_COOR
 DINAAT_Y 1004

OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE
 ZAKEN_ITEM_TEKENINGEN 1004

OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE
 ZAKEN_ITEM_TOELICHTING_BEWAARDER
 1004

OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE
 ZAKEN_ITEM_TOESTANDSDATUM_ONDERZOEK_
 CERFDIENSTBAARHEDEN 1004

OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE
 ZAKEN_ITEM_TYPE 1004

OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE
 ZAKEN_ITEM_UIN 1004

OVERZICHT_GEVRAAGD_GEBIED_ONROERENDE
 ZAKEN_ITEM_VERMELD_IN 1004

OVERZICHT_GEVRAAGD_GEBIED_POSTCODE
 1004

OVERZICHT_HUISNR_TM 570

OVERZICHT_HUISNR_VAN 570

OVERZICHT_KOOPSOMMEN_ITEM_BEDRAG
 570

OVERZICHT_KOOPSOMMEN_ITEM_HUISNUMMER
 570

OVERZICHT_KOOPSOMMEN_ITEM_HUISNUMMER
 TOEVOEGING 570

OVERZICHT_KOOPSOMMEN_ITEM_KOOPDATUM
 570

OVERZICHT_KOOPSOMMEN_ITEM_MEER_ONROE
 RENDE_GOEDEREN 570

OVERZICHT_KOOPSOMMEN_ITEM_OMSCHRIJVING
 570

OVERZICHT_KOOPSOMMEN_ITEM_OPPERVLAKT
 570

OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADAS
 TRALE_AANDUIDING_GEMEENTECODE 467,
 470, 472, 483, 493, 503, 514, 522, 530, 537, 545, 553,
 561, 563, 565, 567, 573, 575, 579, 582

OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADAS
 TRALE_AANDUIDING_GEMEENTENAAM 467,
 470, 472, 483, 493, 503, 514, 522, 530, 537, 545, 553,
 561, 563, 565, 567, 573, 575, 579, 582

OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_PERCEELNUMMER 467, 514, 522, 530, 537, 545, 553, 561, 565, 573, 575, 470, 472, 483, 493, 503, 514, 522, 530, 537, 545, 553, 561, 563, 565, 567, 573, 575, 579, 582
 OVERZICHT_PERSONEN_ITEM_AKR_SUBJECT_NR 472, 483, 493, 503, 514, 522, 530, 537, 545, 553, 561, 565, 573, 575, 579, 582
 OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_RELATIECODE 467, 470, 472, 483, 493, 503, 514, 522, 530, 537, 545, 553, 561, 563, 565, 567, 573, 575, 579, 582
 OVERZICHT_PERSONEN_ITEM_IDENTIFICATIE 514, 522, 530, 537, 545, 553, 561, 565, 573, 575, 579, 582
 OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_SECTIE 467, 470, 472, 483, 493, 503, 514, 522, 530, 537, 545, 553, 561, 563, 565, 567, 573, 575, 579, 582
 OVERZICHT_PERSONEN_ITEM_MELDING 483, 493, 503, 514, 522, 530, 537, 545, 553, 561, 563, 565, 567, 573, 575, 579, 582
 OVERZICHT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_VOLGNUMMER 467, 470, 472, 483, 493, 503, 514, 522, 530, 537, 545, 553, 561, 563, 565, 567, 573, 575, 579, 582
 OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PER_SOON_BSN 514, 522, 530, 537, 545, 553, 561, 565, 573, 575, 579, 582
 OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCALITEIT_E_GEMEENTE 467, 470, 472, 483, 493, 503, 514, 522, 530, 537, 545, 553, 561, 563, 565, 567, 573, 575, 579, 582
 OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PER_SOON_GESLACHT 514, 522, 530, 537, 545, 553, 561, 565, 573, 575, 579, 582
 OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCALITEIT_E_HUISLETTER 467, 470, 472, 483, 493, 503, 514, 522, 530, 537, 545, 553, 561, 563, 565, 567, 573, 575, 579, 582
 OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PER_SOON_VOORNAMEN 472, 483, 493, 503, 514, 522, 530, 537, 545, 553, 561, 565, 573, 575, 579, 582
 OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCALITEIT_E_HUISNUMMER 467, 470, 472, 483, 493, 503, 514, 522, 530, 537, 545, 553, 561, 563, 565, 567, 573, 575, 579, 582
 OVERZICHT_PERSONEN_ITEM_NATUURLIJK_PER_SOON_VOORVOEGSEL_GESLACHTSNAAM 472, 483, 493, 503, 514, 522, 530, 537, 545, 553, 561, 565, 573, 575, 579, 582
 OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCALITEIT_E_HUISNUMMER_TOEVOEGING 467, 470, 472, 483, 493, 503, 514, 522, 530, 537, 545, 553, 561, 563, 565, 567, 573, 575, 579, 582
 OVERZICHT_PERSONEN_ITEM_NIET_NATUURLIJK_PERSON_BEDRIJVEN_NUMMER 514, 522, 530, 537, 545, 553, 561, 565, 573, 575, 579, 582
 OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCALITEIT_E_PLAATS 514, 522, 530, 537, 545, 553, 561, 563, 565, 567, 573, 575, 579, 582
 OVERZICHT_PERSONEN_ITEM_NIET_NATUURLIJK_PERSON_CODE 472, 483, 493, 503
 OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCALITEIT_E_POSITIE 514, 522, 530, 537, 545, 553, 561, 563, 565, 567, 573, 575, 579, 582
 OVERZICHT_PERSONEN_ITEM_NIET_NATUURLIJK_PERSON_NAAM 472, 483, 493, 503, 514, 522, 530, 537, 545, 553, 561, 565, 573, 575, 579, 582
 OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCALITEIT_E_POSTCODE 467, 470, 472, 483, 493, 503, 514, 522, 530, 537, 545, 553, 561, 563, 565, 567, 573, 575, 579, 582
 OVERZICHT_PERSONEN_ITEM_NIET_NATUURLIJK_PERSON_RECHTSVORM 514, 522, 530, 537, 545, 553, 561, 565, 573, 575, 579, 582
 OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCALITEIT_E_STRAATNAAM 467, 470, 472, 483, 493, 503, 514, 522, 530, 537, 545, 553, 561, 563, 565, 567, 573, 575, 579, 582
 OVERZICHT_PERSONEN_ITEM_NIET_NATUURLIJK_PERSON_RECHTEN_ITEM_GERECHTIGDE_AKR 514, 522, 530, 537, 545, 553, 561, 565, 573, 575, 579, 582
 OVERZICHT_ONROERENDE_ZAKEN_ITEM_LOCALITEIT_E_STRAATNAAM 467, 470, 472, 483, 493, 503, 514, 522, 530, 537, 545, 553, 561, 563, 565, 567, 573, 575, 579, 582
 OVERZICHT_PERSONEN_ITEM_NIET_NATUURLIJK_PERSON_RECHTEN_ITEM_GERECHTIGDE_ID 472, 483, 493, 503
 OVERZICHT_ONROERENDE_ZAKEN_ITEM_OBJECT_ID 467, 470, 472, 483, 493, 503, 514, 522, 530, 537, 545, 553, 561, 563, 565, 567, 573, 575, 579, 582
 OVERZICHT_PERSONEN_ITEM_NIET_NATUURLIJK_PERSON_AKRALE_IDENTIFICATIE 514, 522, 530, 537, 545, 553, 561, 565, 573, 575, 579, 582
 OVERZICHT_ONROERENDE_ZAKEN_ITEM_OMSCHRIJVING 467, 470, 472, 483, 493, 503, 514, 522, 530, 537, 545, 553, 561, 563, 565, 567, 573, 575, 579, 582
 OVERZICHT_PERSONEN_ITEM_NIET_NATUURLIJK_PERSON_OBJECT_ID 472, 483, 493, 503, 514, 522, 530, 537, 545, 553, 561, 565, 573, 575, 579, 582
 OVERZICHT_ONROERENDE_ZAKEN_ITEM_TYPE 514, 522, 530, 537, 545, 553, 561, 565, 573, 575, 579, 582
 OVERZICHT_PERSONEN_ITEM_NIET_NATUURLIJK_PERSON_REEKSINDICATIE 570
 OVERZICHT_ONROERENDE_ZAKEN_ITEM_TYPE 514, 522, 530, 537, 545, 553, 561, 565, 573, 575, 579, 582
 OVERZICHT_PERSONEN_ITEM_NIET_NATUURLIJK_PERSON_STRAATNAAM 570
 OVERZICHT_ONROERENDE_ZAKEN_ITEM_TYPE 514, 522, 530, 537, 545, 553, 561, 565, 573, 575, 579, 582
 OVERZICHT_PERSONEN_ITEM_NIET_NATUURLIJK_PERSON_TIJDSTIP_SAMENSTELLING_BERICHT 1004
 OVERZICHT_ONROERENDE_ZAKEN_ITEM_TYPE 514, 522, 530, 537, 545, 553, 561, 565, 573, 575, 579, 582
 OVERZICHT_PERSONEN_ITEM_NIET_NATUURLIJK_PERSON_WOONPLAATS_NAAM 1004

page 11, 12, 16, 17, 18, 19, 20, 22, 23, 25, 27, 30, 32, 33, 34, 35, 37, 39, 41, 45, 46, 74, 78, 79, 80, 81, 83, 84, 85, 86, 87, 91, 92, 130, 131, 132, 144, 145, 190, 191, 207, 209, 344, 345, 347, 348, 349, 350, 352, 353, 354, 356, 372, 373, 374, 391, 393, 1116, 1117, 1118, 1119, 1123, 1124, 1174, 1177
 PARTNERSHIP_ITEM_ESTABLISHMENT_POSTCODE 244, 281
 PARTNERSHIP_ITEM_ESTABLISHMENT_STREET 244, 281
 PARTNERSHIP_ITEM_FOUNDING_DATE_DAY 244, 281
 PARTNERSHIP_ITEM_FOUNDING_DATE_MONTH 244, 281
 PARTNERSHIP_ITEM_FOUNDING_DATE_YEAR 244, 281
 PARTNERSHIP_ITEM_FUNCTION_START_DATE_DAY 244, 281
 PARTNERSHIP_ITEM_FUNCTION_START_DATE_MONTH 244, 281
 PARTNERSHIP_ITEM_FUNCTION_START_DATE_YEAR 244, 281
 PARTNERSHIP_ITEM_LEGAL_FORM_TEXT 244, 281
 PARTNERSHIP_ITEM_LIMITED_PARTNERSHIP_CAPITAL 244, 281
 PARTNERSHIP_ITEM_LIMITED_PARTNERSHIP_CAPITAL_CURRENCY 244, 281
 PARTNERSHIP_ITEM_NAME 244, 281
 PARTNERSHIP_ITEM_REGISTRATION 244, 281
 PARTNERSHIP_ITEM_RSIN_NUMBER 244, 281
 PARTNERSHIP_ITEM_SILENT_PARTNERS 244, 281
 PARTNERSHIP_ITEM_STATUS 244, 281
 PARTS_ITEM_DESCRIPTION 1145, 1149, 1159
 PARTS_ITEM_DISTANCE 1145, 1149, 1159
 PARTS_ITEM_TIME 1145, 1149, 1159
 password 146, 1125, 1169, 1171, 1173, 1175
 PAYDEX_NORM 204
 PAYDEX_SCORE 204
 PAYDEX_SCORE_EARLIER 197
 Payload 1184
 PAYLOAD_TEXT 1184
 PAYMENT_COST 359
 PAYMENT_DATA_GENERIC_ITEM_KEY 163
 PAYMENT_DATA_GENERIC_ITEM_VALUE 163
 PAYMENT_INFORMATION_ITEM_VALUE 449
 PAYMENT_INFORMATION_ITEM_YEAR_MONTH
 PAYMENT_PRE 359
 PAYMENT_REFUND 359
 PD_RATING 449
 PDF 227
 PENDING_UPDATES_ITEM 374
 PEP_LEVEL 142
 perceelnummer 467, 472, 483, 514, 522, 530, 561, 563, 572, 573, 575, 646, 847, 1043
 period_end 316, 349
 period_end_date 232, 279, 280

period_start	316, 349	PERSONS_ITEM_ADDRESS_HOUSE_NO_ADDITIO	N	446
period_start_date	232, 279, 280	PERSONS_ITEM_ADDRESS_IS_CURRENT		446
Person ID	142, 145	PERSONS_ITEM_ADDRESS_POBOX		446
Person Score	387, 1142	PERSONS_ITEM_ADDRESS_POSTCODE		446
PERSON_ADDRESS_BUILDING	1138	PERSONS_ITEM_ADDRESS_RESIDENCE		446
PERSON_ADDRESS_CITY	1138	PERSONS_ITEM_ADDRESS_STREET		446
PERSON_ADDRESS_COUNTRY	1138	PERSONS_ITEM_BIRTH_INFORMATION_COUNTRY		CODE
PERSON_ADDRESS_HOUSE_NUMBER	1138	PERSONS_ITEM_BIRTH_INFORMATION_COUNTRY		TEXT
PERSON_ADDRESS_HOUSE_NUMBER_ADDITION	1138	PERSONS_ITEM_BIRTH_INFORMATION_DATE		446
PERSON_ADDRESS_MUNICIPALITY	1138	PERSONS_ITEM_BIRTH_INFORMATION_RESIDENC		E
PERSON_ADDRESS_POSTCODE	1138	PERSONS_ITEM_COUNTRY_OF_BIRTH		360
PERSON_ADDRESS_STATE	1138	PERSONS_ITEM_DATE_OF_BIRTH		360
PERSON_ADDRESS_STREET	1138	PERSONS_ITEM_DATE_OF_DEATH		360
PERSON_BIRTH_DATE	1138	PERSONS_ITEM_FINANCIAL_CALAMITIES		446
PERSON_FIRST_NAME	1138	PERSONS_ITEM_FIRST_NAME		360
PERSON_GENDER	1138	PERSONS_ITEM_GENDER		360
PERSON_INITIALS	1138	PERSONS_ITEM_GRAYDON_PERSON_ID		446
PERSON_LAST_NAME	1138	PERSONS_ITEM_JOB_TITLES		446
PERSON_PREFIX	1138	PERSONS_ITEM_KEY		360
PERSON_SCORE	387, 1142	PERSONS_ITEM_LAST_NAME		360
PERSONNEL	74, 229, 233, 237, 1112	PERSONS_ITEM_MIDDLE_NAMES		360
Personnel Reference Date Day	229, 233, 237, 1112	PERSONS_ITEM_PERSONAL_DETAILS_GENDER		CODE
Personnel Reference Date Month	229, 233, 237, 1112	PERSONS_ITEM_PERSONAL_DETAILS_GENDER		TEXT
Personnel Reference Date Year	229, 233, 237, 1112	PERSONS_ITEM_PERSONAL_DETAILS_INITIALS		446
PERSONNEL_CI	233, 237	PERSONS_ITEM_PERSONAL_DETAILS_NAME		446
PERSONNEL_CI_REFERENCE_DATE_DAY	233, 237	PERSONS_ITEM_PERSONAL_DETAILS_PREFIXES		446
PERSONNEL_CI_REFERENCE_DATE_MONTH	233, 237	PERSONS_ITEM_PERSONAL_DETAILS_TITLES		446
PERSONNEL_CI_REFERENCE_DATE_YEAR	233, 237	PERSONS_ITEM_PLACE_OF_BIRTH		360
PERSONNEL_FULLTIME	229, 233, 237, 1112	PERSONS_ITEM_ROLES		360
PERSONNEL_REFERENCE_DATE_DAY	229, 233, 237, 1112	PERSONS_ITEM_TELEPHONE_NUMBER_COUNTR		Y_NUMBER
PERSONNEL_REFERENCE_DATE_MONTH	229, 233, 237, 1112	PERSONS_ITEM_TELEPHONE_NUMBER_NET_NU		MBER
PERSONNEL_REFERENCE_DATE_YEAR	229, 233, 237, 1112	PERSONS_ITEM_TELEPHONE_NUMBER_SUBSCRI		BER_NUMBER
PERSONS_ITEM_ADDRESS_ADDRESS_CODE	446	PERSONS_ITEM_TELEPHONE_NUMBER_TELEPH		ONE_CODE
PERSONS_ITEM_ADDRESS_ADDRESS_TEXT	446	PERSONS_ITEM_TELEPHONE_NUMBER_TELEPH		ONE_TEXT
PERSONS_ITEM_ADDRESS_COUNTRY_CODE	446	Phone Number	140, 142, 195, 203, 204, 207, 209, 210, 229, 233, 237, 1112	
PERSONS_ITEM_ADDRESS_COUNTRY_TEXT	446	phone_number	191, 195, 203, 204, 207, 209, 210, 387, 1142	
PERSONS_ITEM_ADDRESS_DATE_FROM	446			
PERSONS_ITEM_ADDRESS_DATE_UNTIL	446			
PERSONS_ITEM_ADDRESS_HOUSE_NO	446			

phrase 12
 PLAATS 1135
 PLAATSID 17, 18, 43
 PLAATSNAAM 17, 18, 43
 PLAATSNAAM_EXTRACT 17, 18, 43
 PLAATSNAAM_PTT 17, 18, 43
 Place Name Extract 17, 18, 43
 Place Name TPG 17, 18, 43
 pobox 461, 463
 POLLENFILTER_PAKKET 102
 POLLENFILTER_PRIJS 102
 POLLENFILTER_STANDAARD 102
 POLLENFILTER_STANDAARD_SINDS_DATUM
 102
 PORTIERVERLICHTING_PAKKET 102
 PORTIERVERLICHTING_PRIJS 102
 PORTIERVERLICHTING_STANDAARD 102
 PORTIERVERLICHTING_STANDAARD_SINDS_DATE
 M 102
 POSITIONS_ITEM_AUTHORIZATION_CONSTRAINTS
 337
 POSITIONS_ITEM_AUTHORIZATION_DESCRIPTION
 244, 281, 337
 POSITIONS_ITEM_AUTHORIZATION_END_DATE_DAY
 Y 244, 281, 337
 POSITIONS_ITEM_AUTHORIZATION_END_DATE_MONTH
 ONTH 244, 281, 337
 POSITIONS_ITEM_AUTHORIZATION_END_DATE_YEAR
 AR 244, 281, 337
 POSITIONS_ITEM_AUTHORIZATION_ESTABLISHMENT
 NUMBER 337
 POSITIONS_ITEM_AUTHORIZATION_START_DATE
 DAY 244, 281, 337
 POSITIONS_ITEM_AUTHORIZATION_START_DATE
 MONTH 244, 281, 337
 POSITIONS_ITEM_AUTHORIZATION_START_DATE
 YEAR 244, 281, 337
 POSITIONS_ITEM_CITY 244, 281
 POSITIONS_ITEM_CORRESPONDENCE_ADDRESS
 _CITY 337
 POSITIONS_ITEM_CORRESPONDENCE_ADDRESS
 _COUNTRY 337
 POSITIONS_ITEM_CORRESPONDENCE_ADDRESS
 _HOUSE_NUMBER 337
 POSITIONS_ITEM_CORRESPONDENCE_ADDRESS
 _HOUSE_NUMBER_ADDITION 337
 POSITIONS_ITEM_CORRESPONDENCE_ADDRESS
 _POSTCODE 337
 POSITIONS_ITEM_CORRESPONDENCE_ADDRESS
 _STREET 337
 POSITIONS_ITEM_COUNTRY 244, 281
 POSITIONS_ITEM_COUNTRY_OF_BIRTH 244, 281
 POSITIONS_ITEM_DATE_DECEASED_DAY 244,
 281
 POSITIONS_ITEM_DATE_DECEASED_MONTH
 244, 281
 POSITIONS_ITEM_DATE_DECEASED_YEAR 244,
 281
 POSITIONS_ITEM_DATE_JOINED_DAY 244, 281,
 337
 POSITIONS_ITEM_DATE_JOINED_MONTH 244,
 281, 337
 POSITIONS_ITEM_DATE_JOINED_YEAR 244,
 281, 337
 POSITIONS_ITEM_DATE_OF_BIRTH_DAY 244,
 281
 POSITIONS_ITEM_DATE_OF_BIRTH_MONTH 244,
 281
 POSITIONS_ITEM_DATE_OF_BIRTH_YEAR 244,
 281
 POSITIONS_ITEM_DATE_SINCE_DAY 244, 281,
 337
 POSITIONS_ITEM_DATE_SINCE_MONTH 244,
 281, 337
 POSITIONS_ITEM_DATE_SINCE_YEAR 244, 281,
 337
 POSITIONS_ITEM_DOSSIER_NUMBER 244, 281
 POSITIONS_ITEM_ESTABLISHMENT_ADDRESS_CI
 TY 337
 POSITIONS_ITEM_ESTABLISHMENT_ADDRESS_C
 MOUNTRY 337
 POSITIONS_ITEM_ESTABLISHMENT_ADDRESS_H
 USE_NUMBER 337
 POSITIONS_ITEM_ESTABLISHMENT_ADDRESS_H
 USE_NUMBER_ADDITION 337
 POSITIONS_ITEM_ESTABLISHMENT_ADDRESS_P
 OSTCODE 337
 POSITIONS_ITEM_ESTABLISHMENT_ADDRESS_ST
 REET 337
 POSITIONS_ITEM_ESTABLISHMENT_NUMBER
 244, 281
 POSITIONS_ITEM_FIRST_NAME 244, 281
 POSITIONS_ITEM_FUNCTION_AUTHORIZATION
 244, 281, 337
 POSITIONS_ITEM_FUNCTION_AUTHORIZATION_DE
 SCRIPTIEN 244, 281, 337
 POSITIONS_ITEM_FUNCTION_AUTHORIZATION_EN
 D_DATE_DAY 244, 281, 337
 POSITIONS_ITEM_FUNCTION_AUTHORIZATION_EN
 D_DATE_MONTH 244, 281, 337
 POSITIONS_ITEM_FUNCTION_AUTHORIZATION_EN
 D_DATE_YEAR 244, 281, 337
 POSITIONS_ITEM_FUNCTION_AUTHORIZATION_SIG
 NING_POWER 244, 281, 337
 POSITIONS_ITEM_FUNCTION_AUTHORIZATION_ST
 ART_DATE_DAY 244, 281, 337
 POSITIONS_ITEM_FUNCTION_AUTHORIZATION_ST
 ART_DATE_MONTH 244, 281, 337

POSITIONS_ITEM_FUNCTION_AUTHORIZATION_S	POSITIONS_ITEM_INAUGURATION_BODY	244,
ART_DATE_YEAR		281, 337
POSITIONS_ITEM_FUNCTION_DESCRIPTION	POSITIONS_ITEM_INAUGURATION_DATE_DAY	244, 281, 337
281, 337		
POSITIONS_ITEM_FUNCTION_END_DATE_DAY	POSITIONS_ITEM_INAUGURATION_DATE_MONTH	244, 281, 337
244, 281, 337		
POSITIONS_ITEM_FUNCTION_END_DATE_MONTH	POSITIONS_ITEM_INAUGURATION_DATE_YEAR	244, 281, 337
244, 281, 337		
POSITIONS_ITEM_FUNCTION_END_DATE_YEAR	POSITIONS_ITEM_INAUGURATION_DURATION	244, 281, 337
244, 281, 337		
POSITIONS_ITEM_FUNCTION_REGISTRATION_DATE	POSITIONS_ITEM_INAUGURATION_FUNCTION	244, 281, 337
E_DAY		
244, 281, 337		
POSITIONS_ITEM_FUNCTION_REGISTRATION_DATE	POSITIONS_ITEM_INITIALS	244, 281
E_MONTH		
244, 281, 337	POSITIONS_ITEM_LAST_NAME	244, 281
POSITIONS_ITEM_FUNCTION_REGISTRATION_DATE	POSITIONS_ITEM_LONGEST_SERVING	337
E_YEAR		
244, 281, 337	POSITIONS_ITEM_NAME	244, 281
POSITIONS_ITEM_FUNCTION_START_DATE_DAY	POSITIONS_ITEM_ORGANISATION_DOSSIER_NUMBER	337
244, 281, 337		
POSITIONS_ITEM_FUNCTION_START_DATE_MONTH	POSITIONS_ITEM_ORGANISATION_NAME	337
H		
244, 281, 337	POSITIONS_ITEM_ORGANISATION_REGISTRATION	337
POSITIONS_ITEM_FUNCTION_START_DATE_YEAR		
244, 281, 337	POSITIONS_ITEM_ORGANISATION_TRADE_NAMES	337
POSITIONS_ITEM_FUNCTION_TITLE		
244, 281, 337	POSITIONS_ITEM_PLACE_OF_BIRTH	244, 281
POSITIONS_ITEM_FUNCTION_TYPE		
244, 281, 337	POSITIONS_ITEM_POSTCODE	244, 281
POSITIONS_ITEM_FUNCTIONARY_COUNTRY_OF_BIRTH	POSITIONS_ITEM_RELEASE_OF_COVENANT	244, 281, 337
IRTH		
337	POSITIONS_ITEM_REMARKS	337
POSITIONS_ITEM_FUNCTIONARY_DATE_DECEASE		
D_DAY	POSITIONS_ITEM_RESIDENTIAL_ADDRESS_CITY	337
337		
POSITIONS_ITEM_FUNCTIONARY_DATE_DECEASE		
D_MONTH	POSITIONS_ITEM_RESIDENTIAL_ADDRESS_COUNTRY	337
337		
POSITIONS_ITEM_FUNCTIONARY_DATE_DECEASE	POSITIONS_ITEM_RESIDENTIAL_ADDRESS_HOUSE_NUMBER	337
D_YEAR		
337	POSITIONS_ITEM_RESIDENTIAL_ADDRESS_HOUSE_NUMBER_ADDITION	337
POSITIONS_ITEM_FUNCTIONARY_DATE_OF_BIRTH		
_DAY	POSITIONS_ITEM_RESIDENTIAL_ADDRESS_POST_CODE	337
337		
POSITIONS_ITEM_FUNCTIONARY_DATE_OF_BIRTH	POSITIONS_ITEM_RESIDENTIAL_ADDRESS_STREET	337
_MONTH		
337	POSITIONS_ITEM_RIGHTS_AGAINST_THIRD_PARTIES	244, 281, 337
POSITIONS_ITEM_FUNCTIONARY_DATE_OF_BIRTH		
_YEAR	POSITIONS_ITEM_STATUS	244, 281
337	POSITIONS_ITEM_STREET	244, 281
POSITIONS_ITEM_FUNCTIONARY_FIRST_NAME	POSITIONS_ITEM_TELEPHONE_NUMBERS	244, 281
337		
POSITIONS_ITEM_FUNCTIONARY_FULL_NAME	POSITIONS_ITEM_TITLE	244, 281
337		
POSITIONS_ITEM_FUNCTIONARY_GENDER	POSITIONS_ITEM_TRADE_NAMES	244, 281
337	POSITIONS_ITEM_UNDER_RECEIVERSHIP	244, 281, 337
POSITIONS_ITEM_FUNCTIONARY_INITIALS		
337	POSSIBLE_CURRENT_POSITIONS_ITEM_AUTHORIZATION_DESCRIPTION	223
POSITIONS_ITEM_FUNCTIONARY_LAST_NAME		
337	POSSIBLE_CURRENT_POSITIONS_ITEM_COMPANY_ESTABLISHMENT_NUMBER	223
POSITIONS_ITEM_FUNCTIONARY_PLACE_OF_BIRTH		
H		
337		
POSITIONS_ITEM_FUNCTIONARY_TITLE		
337		
POSITIONS_ITEM_HOUSE_NUMBER		
244, 281		
POSITIONS_ITEM_HOUSE_NUMBER_ADDITION		
244, 281		
POSITIONS_ITEM_INAUGURATION		
244, 281, 337		

POSSIBLE_CURRENT_POSITIONS_ITEM_COMPANY_FINANCIAL_STATUS	223	postalcode	35, 46, 83, 84, 195, 203, 204, 207, 209, 345, 350, 352, 353, 387, 388, 389, 390, 391, 392, 393, 395, 396, 397, 398, 399, 401, 405, 406, 408, 410, 451, 452, 453, 460, 461, 463, 465, 470, 493, 503, 537, 545, 553, 565, 567, 569, 570, 578, 579, 582, 585, 769, 1004, 1009, 1117, 1118, 1129, 1135, 1138, 1142
POSSIBLE_CURRENT_POSITIONS_ITEM_COMPANY_PRIMARY_SBI_CODE	223	postalcode_item	86, 87, 354, 356, 1119
POSSIBLE_CURRENT_POSITIONS_ITEM_COMPANY_TRADE_NAME_FULL	223	POSTCODE_MODEL_RESULTAAT_AANTAL	1135
POSSIBLE_CURRENT_POSITIONS_ITEM_END_DATE	223	POSTCODE_MODEL_RESULTAAT_DATUM_VAN	1135
POSSIBLE_CURRENT_POSITIONS_ITEM_END_DATE_SOURCE	223	POSTCODE_MODEL_RESULTAAT_PLAATS	1135
POSSIBLE_CURRENT_POSITIONS_ITEM_FUNCTION	223	POSTCODE_MODEL_RESULTAAT_STANDAARD_D	1135
POSSIBLE_CURRENT_POSITIONS_ITEM_HISTORY_AUTHORIZATIONS	223	POSTCODE_MODEL_RESULTAAT_STRAAT	1135
POSSIBLE_CURRENT_POSITIONS_ITEM_ROLE	223	POSTCODE_MODEL_RESULTAAT_WAARDE	1135
POSSIBLE_CURRENT_POSITIONS_ITEM_START_DATE	223	POSTCODE_MODEL_RESULTAAT_WAARDEVERDELINGEN_ITEM_AANTAL	1135
POSSIBLE_PREVIOUS_POSITIONS_ITEM_AUTHORIZATION_DESCRIPTION	223	POSTCODE_MODEL_RESULTAAT_WAARDEVERDELINGEN_ITEM_KOOPSOM_TOT	1135
POSSIBLE_PREVIOUS_POSITIONS_ITEM_COMPANY_ESTABLISHMENT_NUMBER	223	POSTCODE_MODEL_RESULTAAT_WAARDEVERDELINGEN_ITEM_KOOPSOM_VAN	1135
POSSIBLE_PREVIOUS_POSITIONS_ITEM_COMPANY_FINANCIAL_STATUS	223	POSTCODE_SCORE	1142
POSSIBLE_PREVIOUS_POSITIONS_ITEM_COMPANY_KVK	223	POSTCODE_TREFFERS_ACTUALITEIT_TIJDSTIP_H	585, 646, 708, 769, 847, 926, 1009, 1043, 1076
POSSIBLE_PREVIOUS_POSITIONS_ITEM_COMPANY_LEGAL_NAME	223	POSTCODE_TREFFERS_ACTUALITEIT_TIJDSTIP_K	585, 646, 708, 769, 847, 926, 1009, 1043, 1076
POSSIBLE_PREVIOUS_POSITIONS_ITEM_COMPANY_PRIMARY_SBI_CODE	223	POSTCODE_TREFFERS_BETREFT_HUISLETTER	585, 646, 708, 769, 847, 926, 1009, 1043, 1076
POSSIBLE_PREVIOUS_POSITIONS_ITEM_COMPANY_TRADE_NAME_FULL	223	POSTCODE_TREFFERS_BETREFT_HUISNUMMER	585, 646, 708, 769, 847, 926, 1009, 1043, 1076
POSSIBLE_PREVIOUS_POSITIONS_ITEM_END_DATE	223	POSTCODE_TREFFERS_BETREFT_HUISNUMMERT	585, 646, 708, 769, 847, 926, 1009, 1043, 1076
POSSIBLE_PREVIOUS_POSITIONS_ITEM_END_DATE_SOURCE	223	POSTCODE_TREFFERS_BETREFT_IDENTIFICATIE	585, 646, 708, 769, 847, 926, 1009, 1043, 1076
POSSIBLE_PREVIOUS_POSITIONS_ITEM_FUNCTION	223	POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_HUISNUMMER_VOLLEDIG	585, 646, 708, 769, 847, 926, 1009, 1043, 1076
POSSIBLE_PREVIOUS_POSITIONS_ITEM_HISTORY_AUTHORIZATIONS	223	POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_IDENTIFICATIE	585, 646, 708, 769, 847, 926, 1009, 1043, 1076
POSSIBLE_PREVIOUS_POSITIONS_ITEM_ROLE	223	POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_KADASTRALE_GROOTTE_SOORT_GROOTTE	585, 646, 708, 769, 847, 926, 1009, 1043, 1076
POSSIBLE_PREVIOUS_POSITIONS_ITEM_START_DATE	223	POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_KADASTRALE_GROOTTE_WAARDE	585, 646, 708, 769, 847, 926, 1009, 1043, 1076
Postal Code	195, 203, 204, 207, 209, 390, 391, 392, 393, 395, 396, 397, 399, 408, 451, 452, 453, 1135	POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEGEVENS_ITEM_KOOPSOM_BEDRAG_SOM	585, 646, 708, 769, 847, 926, 1009, 1043, 1076
postal_code	144, 191, 194		
postalcode	396		
postbus	16, 19, 34		

POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEVENS_ITEM_KOOPSOM_BEDRAG_VALUTA 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEVENS_ITEM_KOOPSOM_INDICATIE_MEER_OBJECTEN 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEVENS_ITEM_KOOPSOM_KOOPJAAR 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 POSTCODE_TREFFERS_BETREFT_KOOPSOM_GEVENS_ITEM_OMSCHRIJVING_CULTUUR 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_AANTEKENINGEN_WKPB 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_AANVULLINGEN 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_AARD 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_AARD_CULTUUR_BEBOUWD 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_AARD_CULTUUR_ONBEBOUWD 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_ADRESSSEN 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_BELAST_MET 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_SECTIE 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_HISTORIE_LOGISCH_TIJDSTIP_ONSTAAN 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_HISTORIE_LOGISCH_TIJDSTIP_VERVALLEN 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_HISTORIE_STATUS_HISTORIE 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_HISTORIE_TECHNISCH_TIJDSTIP_ONSTAAN 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_HISTORIE_TECHNISCH_TIJDSTIP_VERVALLEN 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_APPASMENTSRECHT_VOLGNUMMER 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_KADASTRALE_GEMEENTE 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_AANDUIDING_PERCEELNUMMER 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_GROOTTE_SOORT_GROOTTE 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KADASTRALE_GROOTTE_WAARDE 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KOOPSOM_BEDRAG_SOM 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KOOPSOM_BEDRAG_VALUTA 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 POSTCODE_TREFFERS_BETREFT_ONROERENDE_ZAKEN_ITEM_KOOPSOM_INDICATIE_MEER_OBJECTEN 585, 646, 708, 769, 847, 926, 1009, 1043, 1076

POSTCODE_TREFFERS_BETREFT_ONROERENDE_POSTCODE_TREFFERS_BETREFT_POSTCODE
 _ZAKEN_ITEM_KOOPSOM_KOOPDATUM 585, 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 646, 708, 769, 847, 926, 1009, 1043, 1076 POSTCODE_TREFFERS_PRODUCTIENUMMER
 POSTCODE_TREFFERS_BETREFT_ONROERENDE_585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 _ZAKEN_ITEM_KOOPSOM_KOOPJAAR 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 POSTCODE_TREFFERS_BETREFT_ONROERENDE_1043, 1076
 _ZAKEN_ITEM_OMSCHRIJVING 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 POSTCODE_TREFFERS_BETREFT_ONROERENDE_1009, 1043, 1076
 _ZAKEN_ITEM_OMSCHRIJVING_ONDERZOEK_ERFPOSTCODE_TREFFERS_SIGNALERING_TIJDSTIP_
 DIENSTBAARHEDEN 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 926, 1009, 1043, 1076 KADASTRAAL 585, 646, 708, 769, 847, 926, 1009,
 1043, 1076
 POSTCODE_TREFFERS_BETREFT_ONROERENDE_POSTCODE_TREFFERS_TIJDSTIP_SAMENSTELLIN
 _ZAKEN_ITEM_ONTSTAAN UIT 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 769, 847, 926, 1009, 1043, 1076 G_BERICHT 585, 646, 708, 769, 847, 926, 1009,
 1043, 1076
 POSTCODE_TREFFERS_BETREFT_ONROERENDE_postcodefrom 392, 393, 407, 1143, 1145, 1147,
 _ZAKEN_ITEM_OVERGEGAAN_IN 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 769, 847, 926, 1009, 1043, 1076 1155
 POSTCODE_TREFFERS_BETREFT_ONROERENDE_postcodes_item 392
 _ZAKEN_ITEM_PLAATSCOORDINATEN_DESCRIPTORpostcodeto 407, 1143, 1145, 1147, 1155
 ON 585, 646, 708, 769, 847, 926, 1009, 1043, 1076 POWER 97, 100, 123, 129, 132, 137, 139
 POSTCODE_TREFFERS_BETREFT_ONROERENDE_PRE_HGK_INSOLVENCY_ID 455
 _ZAKEN_ITEM_PLAATSCOORDINATEN_IDENTIFIERPRECISION 390, 391, 392, 393
 585, 646, 708, 769, 847, 926, 1009, 1043, 1076 prefix 460, 1138, 1142
 POSTCODE_TREFFERS_BETREFT_ONROERENDE_pre-request-delay-ms 2
 _ZAKEN_ITEM_PLAATSCOORDINATEN_NAME Previous File Number 74
 585, 646, 708, 769, 847, 926, 1009, 1043, 1076 Previous Subfile Number 74
 POSTCODE_TREFFERS_BETREFT_ONROERENDE_PREVIOUS_INSOLVENCY_ID 455
 _ZAKEN_ITEM_PLAATSCOORDINATEN_RD_COORPREVIOUS_MAGISTRATE 455
 DINAAT_X 585, 646, 708, 769, 847, 926, 1009, 1043, 1076 PREVIOUS_NET_WORTH 197
 1043, 1076 PREVIOUS_POSITIONS_ITEM_AUTHORIZATION_DE
 POSTCODE_TREFFERS_BETREFT_ONROERENDESCRIPTION 223
 _ZAKEN_ITEM_PLAATSCOORDINATEN_RD_COORPREVIOUS_POSITIONS_ITEM_COMPANY_ESTABLI
 DINAAT_Y 585, 646, 708, 769, 847, 926, 1009, 1043, 1076 SHMENT_NUMBER 223
 1043, 1076 PREVIOUS_POSITIONS_ITEM_COMPANY_FINANCI
 POSTCODE_TREFFERS_BETREFT_ONROERENDEAL_STATUS 223
 _ZAKEN_ITEM_TEKENINGEN 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 847, 926, 1009, 1043, 1076 PREVIOUS_POSITIONS_ITEM_COMPANY_KVK
 POSTCODE_TREFFERS_BETREFT_ONROERENDE_223
 _ZAKEN_ITEM_TOELICHTING_BEWAARDER 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 646, 708, 769, 847, 926, 1009, 1043, 1076 PREVIOUS_POSITIONS_ITEM_COMPANY_LEGAL_
 POSTCODE_TREFFERS_BETREFT_ONROERENDE_NAME 223
 _ZAKEN_ITEM_TOESTANDSDATUM_ONDERZOEK_PREVIOUS_POSITIONS_ITEM_COMPANY_PRIMAR
 ERFDIENSTBAARHEDEN 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 926, 1009, 1043, 1076 _SBI_CODE 223
 POSTCODE_TREFFERS_BETREFT_ONROERENDE_PREVIOUS_POSITIONS_ITEM_COMPANY_TRADE_
 _ZAKEN_ITEM_TYPE 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 926, 1009, 1043, 1076 NAME_FULL 223
 POSTCODE_TREFFERS_BETREFT_ONROERENDE_PREVIOUS_POSITIONS_ITEM_END_DATE 223
 _ZAKEN_ITEM_UIN 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 1009, 1043, 1076 PREVIOUS_POSITIONS_ITEM_END_DATE_SOURC
 1009, 1043, 1076 E 223
 POSTCODE_TREFFERS_BETREFT_ONROERENDE_PREVIOUS_POSITIONS_ITEM_FUNCTION 223
 _ZAKEN_ITEM_VERMELD_IN 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 1009, 1043, 1076 PREVIOUS_POSITIONS_ITEM_HISTORICAL_AUTHO
 1009, 1043, 1076 RIZATIONS 223
 POSTCODE_TREFFERS_BETREFT_ONROERENDE_PREVIOUS_POSITIONS_ITEM_ROLE 223
 _ZAKEN_ITEM_VERMELD_IN 585, 646, 708, 769, 847, 926, 1009, 1043, 1076
 847, 926, 1009, 1043, 1076 PREVIOUS_POSITIONS_ITEM_START_DATE 223
 847, 926, 1009, 1043, 1076 PREVIOUS_SALES 197
 847, 926, 1009, 1043, 1076 PREVIOUS_STATEMENT_DATE 197

PREVIOUSDOSSIerno	74	PURCHASE_DATA_PRICE_DATA_NET_PURCHASE_PRICE	378
PREVIUSSUBDOSSIerno	74	PURCHASE_DATA_PRICE_DATA_PURCHASE_PRICE	378
PRICES_BPM_NEW_PRICE	137, 139	PURCHASE_DATA_PRICE_DATA_VALUE_ADDED_TAX	378
PRICES_BTW_NEW_PRICE	137, 139	PURCHASE_DATA_PRICE_DATA_VEHICLE_PURCHASE_TAX	378
PRICES_CATALOG_PRICE	137, 139	PURCHASE_DATA_REFERENCE_DATE	378
PRICES_CURRENT_PRICE_EXCHANGE	137, 139	QUICK_RATIO	197
PRICES_CURRENT_PRICE_RETAIL	137, 139	QUICKCHECK_ADDRESS_ITEM	197
PRICES_CURRENT_PRICE_TRADE	137, 139	QUICKCHECK_ANNUAL_SALES_CONSOLIDATED	197
PRICES_DATE_PRICE_LIST	137, 139	QUICKCHECK_ANNUAL_SALES_CURRENCY	197
PRICES_NET_CATALOG_PRICE	137, 139	QUICKCHECK_ANNUAL_SALES_ESTIMATED	197
PRICES_RECALCULATED_BTW_NEW_PRICE	137, 139	QUICKCHECK_ANNUAL_SALES_VALUE	197
PRICES_RECALCULATED_CATALOG_PRICE	137, 139	QUICKCHECK_ANNUAL_SALES_VALUE_TEXT	197
PRICES_RECALCULATED_NET_CATALOG_PRICE	137, 139	QUICKCHECK_BUSINESS_NUMBER	197
PRIJSPEIL_DATUM	1135	QUICKCHECK_BUSINESS_NUMBER_DESCRIPTION	197
Primary Employees	204	QUICKCHECK_BUSINESS_NUMBER_TYPE	197
Primary Estimated	204	QUICKCHECK_CEO_NAME	197
Primary SBI Code	72, 74	QUICKCHECK_CEO_TITLE	197
Primary SBI Description	72, 74	QUICKCHECK_CITY	197
PRIMARY_NAME	210	QUICKCHECK_COUNTRY	197
PRIMARY_SBI_CODE	229, 233, 237, 1112	QUICKCHECK_COUNTRY_CALLING_CODE	197
PRIMARY_SBI_CODE_TEXT	229, 233, 237, 1112	QUICKCHECK_CRIMINAL_PROCEEDINGS	197
primary_sbi_only	86, 87, 354, 356, 1119	QUICKCHECK_CURRENCY	197
PRIMARYSBICODE	72, 74	QUICKCHECK_CURRENT_CONTROL_YEAR	197
PRIMARYSBICODETEXT	72, 74	QUICKCHECK_DEBTOR_INPOSSESSION	197
PRINCIPAL_NAME	204	QUICKCHECK_DISASTER	197
PRINCIPAL_TITLE	204	QUICKCHECK_DNB_KEY	197
production_year	130, 131, 132, 139	QUICKCHECK_DNB_RATING	197
PROFILE_URL	344	QUICKCHECK_DUNS	197
Profit & Loss Consolidated Accounts	147	QUICKCHECK_EMPLOYEES_PRIMARY_EMPLOYEES	197
Profit & Loss Currency	147	QUICKCHECK_EMPLOYEES_PRIMARY_EMPLOYEES_TEXT	197
Profit & Loss Depreciation	147, 163	QUICKCHECK_EMPLOYEES_PRIMARY_ESTIMATE	197
Profit & Loss Dividens	147, 163	QUICKCHECK_EMPLOYEES_PRIMARY_QUALIFICATION_INDICATOR	197
Profit & Loss Financial Expenses	147, 163	QUICKCHECK_EMPLOYEES_PRIMARY_SUBSIDIARIES_INCLUDED	197
Profit & Loss Operating Costs	147, 163	QUICKCHECK_EMPLOYEES_TOTAL_EMPLOYEES	197
Profit & Loss Total Assets	147	QUICKCHECK_EMPLOYEES_TOTAL_EMPLOYEES_TEXT	197
PROTOCOLS_ITEM_DOCUMENTATION_URL	1133	QUICKCHECK_EMPLOYEES_TOTAL_ESTIMATED	197
PROTOCOLS_ITEM_LOCATION	1133	QUICKCHECK_EMPLOYEES_TOTAL_QUALIFICATION_INDICATOR	197
PROTOCOLS_ITEM_TYPE	1133		
province	23, 25, 27, 37, 39, 191, 194, 222, 395, 396, 397, 399, 408, 461, 463		
PROVINCE_CODE	222		
provinces_item	354, 356		
PROVINCIECODE	17, 20, 32, 33, 35, 43		
PROVINCIAAAM	17, 32, 35, 43		
publication_id	455		
PUBLICATIONS_ITEM	460		
PURCHASE_DATA_PRICE_DATA_CALCULATION_METHOD	378		

QUICKCHECK_EMPLOYEES_TOTAL_SUBSIDIARIES_INCLUDED 197
 QUICKCHECK_ENQUIRY_DUNS 197
 QUICKCHECK_FAX_NUMBER 197
 QUICKCHECK_FINANCIAL_EMBARRASSMENT 197
 QUICKCHECK_FINANCIAL_LEGAL_EVENTS 197
 QUICKCHECK_FINANCIAL_STATEMENT_DATE 197
 QUICKCHECK_HISTORY_DESCRIPTION 197
 QUICKCHECK_HISTORY_INDICATOR 197
 QUICKCHECK_INCOME_STATEMENT_DATE 197
 QUICKCHECK_INCOME_STATEMENT_DATE_END 197
 QUICKCHECK_INCOME_STATEMENT_DATE_START 197
 QUICKCHECK_INCORPORATION_YEAR 197
 QUICKCHECK_INTANGIBLE_ASSETS 197
 QUICKCHECK_LEGAL_FORM 197
 QUICKCHECK_LEGAL_FORM_DESCRIPTION 197
 QUICKCHECK_LOCAL_ACTIVITY_CODE 197
 QUICKCHECK_LOCAL_ACTIVITY_CODE_TYPE 197
 QUICKCHECK_LOCAL_ACTIVITY_DESCRIPTION 197
 QUICKCHECK_MAXIMUM_CREDIT 197
 QUICKCHECK_MAXIMUM_CREDIT_CURRENCY 197
 QUICKCHECK_NET_WORTH 197
 QUICKCHECK_OPERATIONAL_EVENTS 197
 QUICKCHECK_OTHER_EVENTS 197
 QUICKCHECK_OUT_OF_BUSINESS 197
 QUICKCHECK_PAYDEX_NORM 197
 QUICKCHECK_PAYDEX_SCORE 197
 QUICKCHECK_PHONE_NUMBER 197
 QUICKCHECK_POSTCODE 197
 QUICKCHECK_PRINCIPAL_NAME 197
 QUICKCHECK_PRINCIPAL_TITLE 197
 QUICKCHECK_REGION 197
 QUICKCHECK_SALES 197
 QUICKCHECK_SECURED_FILINGS 197
 QUICKCHECK_SIC_ACTIVITY_CODE 197
 QUICKCHECK_SIC_ACTIVITY_DESCRIPTION 197
 QUICKCHECK_SIC_VERSION 197
 QUICKCHECK_START_YEAR 197
 QUICKCHECK_STATEMENT_CURRENCY 197
 QUICKCHECK_SUBREGION 197
 QUICKCHECK_SUIT_JUDGEMENT 197
 QUICKCHECK_TANGIBLE_NET_WORTH_CONSOLIDATED 197
 QUICKCHECK_TANGIBLE_NET_WORTH_CURRENCY 197
 QUICKCHECK_TANGIBLE_NET_WORTH_ESTIMATE 197
 QUICKCHECK_TANGIBLE_NET_WORTH_VALUE 197
 QUICKCHECK_TANGIBLE_NET_WORTH_VALUE_T 197
 QUICKCHECK_TRADE_NAME 197
 QUICKCHECK_TRADE_NAMES_ITEM 197
 RADAR_CRUISE_CONTROL_PAKKET 102
 RADAR_CRUISE_CONTROL_PRIJS 102
 RADAR_CRUISE_CONTROL_STANDAARD 102
 RADAR_CRUISE_CONTROL_STANDAARD_SINDSDATUM 102
 radius 391, 393
 RANGE_INDICATION 222
 RATINGS_ITEM_DESCRIPTION 449
 RATINGS_ITEM_TYPE 449
 RATINGS_ITEM_VALUE 449
 React ID 1177
 Reactid 1125, 1177, 1179
 reason 162, 163
 RECALL_DEFECTS 379, 383
 RECALL_STATUS 379, 383
 RECEIPT_ITEMS_ITEM_DESCRIPTION 359
 RECEIPT_ITEMS_ITEM_QUANTITY 359
 RECEIPT_ITEMS_ITEM_TOTAL_PRICE 359
 RECEIPT_ITEMS_ITEM_UNIT_PRICE 359
 RECEIPT_TOTAL_PRICE 359
 RECEIVERS_RECEIVER_ITEM_CONTACT_INFORMATION 455
 RECEIVERS_RECEIVER_ITEM_CONTACT_INFORMATION 455
 RECEIVERS_RECEIVER_ITEM_CONTACT_INFORMATION_HOUSE_NUMBER 455
 RECEIVERS_RECEIVER_ITEM_CONTACT_INFORMATION_PHONE_NUMBER 455
 RECEIVERS_RECEIVER_ITEM_CONTACT_INFORMATION_POSTCODE 455
 RECEIVERS_RECEIVER_ITEM_CONTACT_INFORMATION_START_DATE 455
 RECEIVERS_RECEIVER_ITEM_CONTACT_INFORMATION_STREET 455
 RECEIVERS_RECEIVER_ITEM_CONTACT_INFORMATION_TYPE 455
 RECEIVERS_RECEIVER_ITEM_END_DATE 455
 RECEIVERS_RECEIVER_ITEM_INITIALS 455
 RECEIVERS_RECEIVER_ITEM_LAST_NAME 455
 RECEIVERS_RECEIVER_ITEM_PREFIX 455
 RECEIVERS_RECEIVER_ITEM_START_DATE 455
 RECEIVERS_RECEIVER_ITEM_TITLES 455
 RECHTER_BUITENSPIEGEL_PAKKET 102
 RECHTER_BUITENSPIEGEL_PRIJS 102
 RECHTER_BUITENSPIEGEL_STANDAARD 102

RECHTER_BUITENSPIEGEL_STANDAARD_SINDS	102	REGELBARE_INTERVAL_STANDAARD	102
DATUM	102	REGELBARE_INTERVAL_STANDAARD_SINDS_DATUM	102
reeks	466, 584	REGELBARE_SCHOKDEMPING_PAKKET	102
REEKS_CEBUCOCODE	35	REGELBARE_SCHOKDEMPING_PRIJS	102
REEKS_GEMEENTECODE	35	REGELBARE_SCHOKDEMPING_STANDAARD	102
REEKS_GEMEENTEID	35	REGELBARE_SCHOKDEMPING_STANDAARD_SINDS_DATUM	102
REEKS_GEMEENTENAAM	35	REGENSENSOR_PAKKET	102
REEKS_HUISNR_TM	35	REGENSENSOR_PRIJS	102
REEKS_HUISNR_VAN	35	REGENSENSOR_STANDAARD	102
REEKS_LETTERCOMBINATIE	35	REGENSENSOR_STANDAARD_SINDS_DATUM	102
REEKS_PLAATSID	35	region	195, 204, 209
REEKS_PLAATSNAAM	35	Region Score	387
REEKS_PLAATSNAAM_EXTRACT	35	REGION_SCORE	387
REEKS_PLAATSNAAM_PTT	35	register_code	584
REEKS_PROVINCIECODE	35	REGISTERLETTER	74
REEKS_PROVINCIEAAM	35	Registration Date First Issuing	379, 383
REEKS_REEKSID	35	Registration Date Latest Name Registration	379, 383
REEKS_REEKSINDICATIE	35	Registration First Admission	379, 383
REEKS_STRAATID	35	Registration Number	191, 194
REEKS_STRAATNAAM	35	Registration Status	333
REEKS_STRAATNAAM_EXTRACT	35	REGISTRATION_ASSIGNMENT_DATE	333
REEKS_STRAATNAAM_NEN	35	REGISTRATION_DATE_APK_DUE_DATE	379, 383
REEKS_STRAATNAAM_PTT	35	REGISTRATION_DATE_FIRST_ADMISSION	379, 383
REEKS_WIJKCODE	35	REGISTRATION_DATE_FIRST_ISSUING	379, 383
REEKSID	43	REGISTRATION_DATE_LATEST_NAME_REGISTRATION	379, 383
REEKSINDICATIE	43, 569	REGISTRATION_DATE_SUSPENSION_END_DATE	379, 383
REFERENCE_DATE	329, 337	REGISTRATION_DATE_TACHOGRAPH_EXPIRATION	379, 383
REFERENCE_DATE_FIRST_ADMISSION	378	REGISTRATION_LAST_UPDATE	333
REFERENCE_FUEL_TYPE	378	REGISTRATION_MANAGING_LOU	333
REFERENCE_MAXIMUM_MASS_PAYLOAD	378	REGISTRATION_NUMBER	191, 194
REFERENCE_VERSION	378	REGISTRATION_OWNERSHIPS	379, 383
REFERENCE_WEIGHT	378	REGISTRATION_RENEWAL_DATE	333
REFERENCE_YEAR_MANUFACTURED	378	REGISTRATION_STATUS	333
REFERENCES_ITEM_CHANGE_SET_CHANGES	279, 280	REGISTRATION_TYPE	194, 197
REFERENCES_ITEM_CHANGE_SET_PERIOD_END_DATE	279, 280	REGISTRATION_VALIDATION_SOURCES	333
REFERENCES_ITEM_CHANGE_SET_PERIOD_START_DATE	279, 280	REGISTRATIONS	228
REFERENCES_ITEM_DOCUMENT_DATE	279, 280	RELATED_BUSINESSES_ITEM_COMPLIANCE_BUSINESS_ID	140, 142
REFERENCES_ITEM_EXTRACT_ID	279, 280	RELATED_BUSINESSES_ITEM_NAME	140, 142
REGELBARE_DASHBOARDVERLICHTING_PAKKET	102	RELATED_BUSINESSES_ITEM_RELATION_DESCRIPTION	140, 142
REGELBARE_DASHBOARDVERLICHTING_PRIJS	102	RELATED_METHODS_ITEM_DEPRECATED	1131
REGELBARE_DASHBOARDVERLICHTING_STANDAARD	102	RELATED_METHODS_ITEM_DESCRIPTION	1131
REGELBARE_DASHBOARDVERLICHTING_STANDAARD_SINDS_DATUM	102		
REGELBARE_INTERVAL_PAKKET	102		
REGELBARE_INTERVAL_PRIJS	102		

RELATED_METHODS_ITEM_DOCUMENTATION_UREPORT_ALARM_COMPANY_CONTACT_DETAILS_ L 1131
 RELATED_METHODS_ITEM_LATEST 1131
 RELATED_METHODS_ITEM_NAME 1131
 RELATED_PERSONS_ITEM_COMPLIANCE_PERSON_N_ID 140, 142
 RELATED_PERSONS_ITEM_DATE_OF_BIRTH 140, 142
 RELATED_PERSONS_ITEM_FIRST_NAME 140, 142
 RELATED_PERSONS_ITEM_LAST_NAME 140, 142
 RELATED_PERSONS_ITEM_RELATION_DESCRIPTION 140, 142
 relatiefcode 467, 472, 483, 514, 522, 530, 561, 565, 572, 573, 575
 REMARK_ITEM_DESCRIPTION 379, 383
 REMARK_ITEM_VARIABLE_CODE 379, 383
 REMARK_ITEM_VEHICLE_CODE 379, 383
 REMKRACHTVERDELING_PAKKET 102
 REMKRACHTVERDELING_PRIJS 102
 REMKRACHTVERDELING_STANDAARD 102
 REMKRACHTVERDELING_STANDAARD_SINDS_DATUM 102
 REMMEN_ACHTER 102
 REMMEN_ACHTER_MM 102
 REMMEN_VOOR 102
 REMMEN_VOOR_MM 102
 REMOVAL_DATE 455
 REPORT_ALARM_COMPANY_CONTACT_DETAILS_ADDRESSES_ITEM_ADDRESS_CODE 412
 REPORT_ALARM_COMPANY_CONTACT_DETAILS_ADDRESSES_ITEM_ADDRESS_TEXT 412
 REPORT_ALARM_COMPANY_CONTACT_DETAILS_ADDRESSES_ITEM_COUNTRY_CODE 412
 REPORT_ALARM_COMPANY_CONTACT_DETAILS_ADDRESSES_ITEM_COUNTRY_TEXT 412
 REPORT_ALARM_COMPANY_CONTACT_DETAILS_ADDRESSES_ITEM_DATE_FROM 412
 REPORT_ALARM_COMPANY_CONTACT_DETAILS_ADDRESSES_ITEM_DATE_UNTIL 412
 REPORT_ALARM_COMPANY_CONTACT_DETAILS_ADDRESSES_ITEM_HOUSE_NO 412
 REPORT_ALARM_COMPANY_CONTACT_DETAILS_ADDRESSES_ITEM_HOUSE_NO_ADDITION 412
 REPORT_ALARM_COMPANY_CONTACT_DETAILS_ADDRESSES_ITEM_IS_CURRENT 412
 REPORT_ALARM_COMPANY_CONTACT_DETAILS_ADDRESSES_ITEM_POBOX 412
 REPORT_ALARM_COMPANY_CONTACT_DETAILS_ADDRESSES_ITEM_POSTCODE 412
 REPORT_ALARM_COMPANY_CONTACT_DETAILS_ADDRESSES_ITEM_RESIDENCE 412
 ADDRESSSES_ITEM_STREET 412
 REPORT_ALARM_COMPANY_CONTACT_DETAILS_COMPANY_NAME 412
 REPORT_ALARM_COMPANY_CONTACT_DETAILS_TRADE_NAMES_ITEM_DATE_FROM 412
 REPORT_ALARM_COMPANY_CONTACT_DETAILS_TRADE_NAMES_ITEM_DATE_UNTIL 412
 REPORT_ALARM_COMPANY_CONTACT_DETAILS_TRADE_NAMES_ITEM_IS_CURRENT 412
 REPORT_ALARM_COMPANY_CONTACT_DETAILS_TRADE_NAMES_ITEM_NAME 412
 REPORT_ALARM_COMPANY_DISCONTINUANCE_DATE 412
 REPORT_ALARM_COMPANY_DISCONTINUANCE_REASON 412
 REPORT_ALARM_COMPANY_DISCONTINUANCE_TYPE 412
 REPORT_ALARM_COMPANY_GRAYDON_COMPANY_ID 412
 REPORT_ALARM_COMPANY_SPECIAL_COMPANY_INFORMATION_ITEM_SPECIAL_COMPANY_CODE 412
 REPORT_ALARM_COMPANY_SPECIAL_COMPANY_INFORMATION_ITEM_SPECIAL_COMPANY_TEXT 412
 REPORT_ALARM_COMPANY_SPECIAL_COMPANY_INFORMATION_ITEM_TEXTS 412
 REPORT_CALAMITY_COMPANY_BRANCH_OFFICES_ITEM_ADDRESSES 412
 REPORT_CALAMITY_COMPANY_BRANCH_OFFICES_ITEM_BRANCH_OFFICE_ID 412
 REPORT_CALAMITY_COMPANY_BRANCH_OFFICES_ITEM_BUSINESS_NAME 412
 REPORT_CALAMITY_COMPANY_BRANCH_OFFICES_ITEM_DISCONTINUANCE_DATE 412
 REPORT_CALAMITY_COMPANY_BRANCH_OFFICES_ITEM_DISCONTINUANCE_REASON 412
 REPORT_CALAMITY_COMPANY_BRANCH_OFFICES_ITEM_DISCONTINUANCE_TYPE 412
 REPORT_CALAMITY_COMPANY_BRANCH_OFFICES_ITEM_EMAIL_ADDRESSES 412
 REPORT_CALAMITY_COMPANY_BRANCH_OFFICES_ITEM_ESTABLISHMENT_DATE 412
 REPORT_CALAMITY_COMPANY_BRANCH_OFFICES_ITEM_TELEPHONE_NUMBERS 412
 REPORT_CALAMITY_COMPANY_BRANCH_OFFICES_ITEM_TRADE_NAMES 412
 REPORT_CALAMITY_COMPANY_COMPANY_MANAGEMENT_FIRST_DIRECTORS_ITEM_DATE_FROM 412
 REPORT_CALAMITY_COMPANY_COMPANY_MANAGEMENT_FIRST_DIRECTORS_ITEM_DATE_UNTIL 412

REPORT_CALAMITY_COMPANY_COMPANY_MANAGEMENT_FIRST_DIRECTORS_ITEM_GRAYDON_PERSON_ID 412
REPORT_CALAMITY_COMPANY_COMPANY_CONTACT_DETAILS_ADDRESSES_ITEM_STREET 412
REPORT_CALAMITY_COMPANY_COMPANY_MANAGEMENT_FIRST_DIRECTORS_ITEM_IS_CURRENT 412
REPORT_CALAMITY_COMPANY_COMPANY_CONTACT_DETAILS_COMPANY_NAME 412
REPORT_CALAMITY_COMPANY_COMPANY_MANAGEMENT_FIRST_DIRECTORS_ITEM_JOB_TITLE_CODE 412
REPORT_CALAMITY_COMPANY_COMPANY_CONTACT_DETAILS_TELEPHONE_NUMBERS_ITEM_COUNTRY_NUMBER 412
REPORT_CALAMITY_COMPANY_COMPANY_MANAGEMENT_FIRST_DIRECTORS_ITEM_JOB_TITLE_CODE 412
REPORT_CALAMITY_COMPANY_COMPANY_CONTACT_DETAILS_TELEPHONE_NUMBERS_ITEM_NET_NUMBER 412
REPORT_CALAMITY_COMPANY_COMPANY_MANAGEMENT_FIRST_DIRECTORS_ITEM_JOB_TITLE_CODE 412
REPORT_CALAMITY_COMPANY_COMPANY_CONTACT_DETAILS_TELEPHONE_NUMBERS_ITEM_SUBSCRIBER_NUMBER 412
REPORT_CALAMITY_COMPANY_COMPANY_MANAGEMENT_MANAGEMENT_ITEM_GRAYDON_COMPANY_ID 412
REPORT_CALAMITY_COMPANY_COMPANY_CONTACT_DETAILS_TELEPHONE_NUMBERS_ITEM_TELEPHONE_CODE 412
REPORT_CALAMITY_COMPANY_COMPANY_MANAGEMENT_MANAGEMENT_ITEM_GRAYDON_PERSON_ID 412
REPORT_CALAMITY_COMPANY_COMPANY_CONTACT_DETAILS_TELEPHONE_NUMBERS_ITEM_TELEPHONE_TEXT 412
REPORT_CALAMITY_COMPANY_COMPANY_MANAGEMENT_MANAGEMENT_ITEM_IS_CURRENT 412
REPORT_CALAMITY_COMPANY_COMPANY_CONTACT_DETAILS_TELEPHONE_NUMBERS_ITEM_DATE_FROM 412
REPORT_CALAMITY_COMPANY_COMPANY_MANAGEMENT_MANAGEMENT_ITEM_JOB_TITLES 412
REPORT_CALAMITY_COMPANY_COMPANY_CONTACT_DETAILS_TELEPHONE_NUMBERS_ITEM_DATE_UNTIL 412
REPORT_CALAMITY_COMPANY_CONCERN_LIAISONS_ITEM_GRAYDON_COMPANY_ID 412
REPORT_CALAMITY_COMPANY_COMPANY_CONTACT_DETAILS_TELEPHONE_NUMBERS_ITEM_IS_CURRENT 412
REPORT_CALAMITY_COMPANY_CONCERN_LIAISONS_ITEM_LIAISON_CODE 412
REPORT_CALAMITY_COMPANY_COMPANY_CONTACT_DETAILS_TELEPHONE_NUMBERS_ITEM_NAME 412
REPORT_CALAMITY_COMPANY_CONCERN_LIAISONS_ITEM_LIAISON_TEXT 412
REPORT_CALAMITY_COMPANY_COMPANY_FINANCIAL_CALAMITIES_ITEM_BANKRUPTCY_CURATORS 412
REPORT_CALAMITY_COMPANY_CONTACT_DETAILS_ADDRESSES_ITEM_ADDRESS_CODE 412
REPORT_CALAMITY_COMPANY_COMPANY_FINANCIAL_CALAMITIES_ITEM_BANKRUPTCY_CURRENTLY_ACTIVE 412
REPORT_CALAMITY_COMPANY_CONTACT_DETAILS_ADDRESSES_ITEM_ADDRESS_TEXT 412
REPORT_CALAMITY_COMPANY_COMPANY_FINANCIAL_CALAMITIES_ITEM_BANKRUPTCY_DATE_OF_VERDICT 412
REPORT_CALAMITY_COMPANY_CONTACT_DETAILS_ADDRESSES_ITEM_COUNTRY_CODE 412
REPORT_CALAMITY_COMPANY_COMPANY_FINANCIAL_CALAMITIES_ITEM_BANKRUPTCY_DEFINITE_DISCONTINUANCE_CODE 412
REPORT_CALAMITY_COMPANY_CONTACT_DETAILS_ADDRESSES_ITEM_COUNTRY_TEXT 412
REPORT_CALAMITY_COMPANY_COMPANY_FINANCIAL_CALAMITIES_ITEM_BANKRUPTCY_DEFINITE_DISCONTINUANCE_DATE 412
REPORT_CALAMITY_COMPANY_CONTACT_DETAILS_ADDRESSES_ITEM_DATE_FROM 412
REPORT_CALAMITY_COMPANY_COMPANY_FINANCIAL_CALAMITIES_ITEM_BANKRUPTCY_DEFINITE_DISCONTINUANCE_TEXT 412
REPORT_CALAMITY_COMPANY_CONTACT_DETAILS_ADDRESSES_ITEM_DATE_UNTIL 412
REPORT_CALAMITY_COMPANY_COMPANY_FINANCIAL_CALAMITIES_ITEM_BANKRUPTCY_DEFINITE_DISCONTINUANCE_TEXT 412
REPORT_CALAMITY_COMPANY_CONTACT_DETAILS_ADDRESSES_ITEM_HOUSE_NO 412
REPORT_CALAMITY_COMPANY_COMPANY_FINANCIAL_CALAMITIES_ITEM_BANKRUPTCY_OFFICIAL_REGISTRATION_NUMBER 412
REPORT_CALAMITY_COMPANY_CONTACT_DETAILS_ADDRESSES_ITEM_IS_CURRENT 412
REPORT_CALAMITY_COMPANY_COMPANY_FINANCIAL_CALAMITIES_ITEM_DEBT_RESTRUCTURING_PRIVATE_PERSONS_CURRENTLY_ACTIVE 412
REPORT_CALAMITY_COMPANY_CONTACT_DETAILS_ADDRESSES_ITEM_POBOX 412
REPORT_CALAMITY_COMPANY_COMPANY_FINANCIAL_CALAMITIES_ITEM_DEBT_RESTRUCTURING_PRIVATE_PERSONS_DEBT_RESTRUCTURING_TERM_IN_MONTHS 412
REPORT_CALAMITY_COMPANY_CONTACT_DETAILS_ADDRESSES_ITEM_POSTCODE 412
REPORT_CALAMITY_COMPANY_CONTACT_DETAILS_ADDRESSES_ITEM_RESIDENCE 412

REPORT_CALAMITY_COMPANY_FINANCIAL_CALAMITIES_ITEM_DEBT_RESTRUCTURING_PRIVATE_PERSONS_DEFINITE_DISCONTINUANCE_CODE 412
 REPORT_CALAMITY_COMPANY_FINANCIAL_CALAMITIES_ITEM_DEBT_RESTRUCTURING_PRIVATE_PERSONS_DEFINITE_DISCONTINUANCE_DATE 412
 REPORT_CALAMITY_COMPANY_FINANCIAL_CALAMITIES_ITEM_DEBT_RESTRUCTURING_PRIVATE_PERSONS_DEFINITE_DISCONTINUANCE_TEXT 412
 REPORT_CALAMITY_COMPANY_FINANCIAL_CALAMITIES_ITEM_DEBT_RESTRUCTURING_PRIVATE_PERSONS_DEFINITE_VERDICT_DATE 412
 REPORT_CALAMITY_COMPANY_FINANCIAL_CALAMITIES_ITEM_DEBT_RESTRUCTURING_PRIVATE_PERSONS_OFFICIAL_REGISTRATION_NUMBER 412
 REPORT_CALAMITY_COMPANY_FINANCIAL_CALAMITIES_ITEM_DEBT_RESTRUCTURING_PRIVATE_PERSONS_PROVISIONAL_DISCONTINUANCE_CODE 412
 REPORT_CALAMITY_COMPANY_FINANCIAL_CALAMITIES_ITEM_DEBT_RESTRUCTURING_PRIVATE_PERSONS_PROVISIONAL_DISCONTINUANCE_DATE 412
 REPORT_CALAMITY_COMPANY_FINANCIAL_CALAMITIES_ITEM_DEBT_RESTRUCTURING_PRIVATE_PERSONS_PROVISIONAL_DISCONTINUANCE_TEXT 412
 REPORT_CALAMITY_COMPANY_FINANCIAL_CALAMITIES_ITEM_DEBT_RESTRUCTURING_PRIVATE_PERSONS_PROVISIONAL_VERDICT_DATE 412
 REPORT_CALAMITY_COMPANY_FINANCIAL_CALAMITIES_ITEM_DEBT_RESTRUCTURING_PRIVATE_PERSONS_RECEIVERS 412
 REPORT_CALAMITY_COMPANY_FINANCIAL_CALAMITIES_ITEM_MORATORIUM_CURRENTLY_ACTIVE 412
 REPORT_CALAMITY_COMPANY_FINANCIAL_CALAMITIES_ITEM_MORATORIUM_DATE_FROM 412
 REPORT_CALAMITY_COMPANY_FINANCIAL_CALAMITIES_ITEM_MORATORIUM_DEFINITE_DISCONTINUANCE_CODE 412
 REPORT_CALAMITY_COMPANY_FINANCIAL_CALAMITIES_ITEM_MORATORIUM_DEFINITE_DISCONTINUANCE_DATE 412
 REPORT_CALAMITY_COMPANY_FINANCIAL_CALAMITIES_ITEM_MORATORIUM_DEFINITE_DISCONTINUANCE_TEXT 412
 REPORT_CALAMITY_COMPANY_FINANCIAL_CALAMITIES_ITEM_MORATORIUM_DEFINITE_VERDICT_DATE 412
 REPORT_CALAMITY_COMPANY_FINANCIAL_CALAMITIES_ITEM_MORATORIUM_MORATORIUM_TERM_IN_MONTHS 412
 REPORT_CALAMITY_COMPANY_FINANCIAL_CALAMITIES_ITEM_MORATORIUM_OFFICIAL_REGISTRATION_NUMBER 412
 REPORT_CALAMITY_COMPANY_FINANCIAL_CALAMITIES_ITEM_MORATORIUM_PROLONGATION_DATE 412
 REPORT_CALAMITY_COMPANY_FINANCIAL_CALAMITIES_ITEM_MORATORIUM_PROLONGATION_IN_MONTHS 412
 REPORT_CALAMITY_COMPANY_FINANCIAL_CALAMITIES_ITEM_MORATORIUM_PROVISIONAL_VERDICT_DATE 412
 REPORT_CALAMITY_COMPANY_FINANCIAL_CALAMITIES_ITEM_MORATORIUM_RECEIVERS 412
 REPORT_CALAMITY_COMPANY_FINANCIAL_CALAMITIES_ITEM_MORATORIUM_VOTE_CODE 412
 REPORT_CALAMITY_COMPANY_FINANCIAL_CALAMITIES_ITEM_MORATORIUM_VOTE_DATE 412
 REPORT_CALAMITY_COMPANY_FINANCIAL_CALAMITIES_ITEM_MORATORIUM_VOTE_TEXT 412
 REPORT_CALAMITY_COMPANY_GRAYDON_COMPANY_ID 412
 REPORT_CALAMITY_COMPANY_HISTORY_COMPANY_CONTINUED_UNDER_ITEM_CONTINUED_UNDER_CODE 412
 REPORT_CALAMITY_COMPANY_HISTORY_COMPANY_CONTINUED_UNDER_ITEM_CONTINUED_UNDER_TEXT 412
 REPORT_CALAMITY_COMPANY_HISTORY_COMPANY_CONTINUED_UNDER_ITEM_DATE_FROM 412
 REPORT_CALAMITY_COMPANY_HISTORY_COMPANY_CONTINUED_UNDER_ITEM_GRAYDON_COMPANY_ID 412
 REPORT_CALAMITY_COMPANY_HISTORY_CONTINUATION_ITEM_DATE_FROM 412
 REPORT_CALAMITY_COMPANY_HISTORY_CONTINUATION_ITEM_LEGAL_FORM_CODE 412
 REPORT_CALAMITY_COMPANY_HISTORY_CONTINUATION_ITEM_LEGAL_FORM_TEXT 412
 REPORT_CALAMITY_COMPANY_HISTORY_CONTINUATION_ITEM_RESIDENCE 412
 REPORT_CALAMITY_COMPANY_HISTORY_ORIGINATED_FROM_ITEM_DATE_FROM 412
 REPORT_CALAMITY_COMPANY_HISTORY_ORIGINATED_FROM_ITEM_GRAYDON_COMPANY_ID 412
 REPORT_CALAMITY_COMPANY_HISTORY_ORIGINATED_FROM_ITEM_ORIGINATED_FROM_CODE 412
 REPORT_CALAMITY_COMPANY_HISTORY_ORIGINATED_FROM_ITEM_ORIGINATED_FROM_TEXT 412

REPORT_CALAMITY_COMPANY_IMPORT_EXPORT_EXPORT_COUNTRIES_ITEM_COUNTRY_CODE	REPORT_CALAMITY_COMPANY_OFFICIAL_DATA_FOUNDED_ITEM_RESIDENCE	412
REPORT_CALAMITY_COMPANY_IMPORT_EXPORT_EXPORT_COUNTRIES_ITEM_COUNTRY_CODE	REPORT_CALAMITY_COMPANY_OFFICIAL_DATA_FOUNDED_ITEM_START_DATE	412
REPORT_CALAMITY_COMPANY_IMPORT_EXPORT_EXPORT_COUNTRIES_ITEM_COUNTRY_CODE	REPORT_CALAMITY_COMPANY_OFFICIAL_DATA_NUMBER_OF_NON_EXECUTIVE_PARTNERS	412
REPORT_CALAMITY_COMPANY_IMPORT_EXPORT_IMPORT_COUNTRIES_ITEM_COUNTRY_CODE	REPORT_CALAMITY_COMPANY_OFFICIAL_DATA_PRESENT_LEGAL_FORM_CODE	412
REPORT_CALAMITY_COMPANY_IMPORT_EXPORT_IMPORT_COUNTRIES_ITEM_COUNTRY_CODE	REPORT_CALAMITY_COMPANY_OFFICIAL_DATA_PRESENT_LEGAL_FORM_FINE_CODE	412
REPORT_CALAMITY_COMPANY_IMPORT_EXPORT_IMPORT_COUNTRIES_ITEM_COUNTRY_CODE	REPORT_CALAMITY_COMPANY_OFFICIAL_DATA_PRESENT_LEGAL_FORM_FINE_TEXT	412
REPORT_CALAMITY_COMPANY_OFFICIAL_DATA_CAPITAL_ITEM_CAPITAL_OF_COMMANDITE_PARTNERSHIP	REPORT_CALAMITY_COMPANY_OFFICIAL_DATA_PRESENT_LEGAL_FORM_TEXT	412
REPORT_CALAMITY_COMPANY_OFFICIAL_DATA_CAPITAL_ITEM_DATE_CHANGE	REPORT_CALAMITY_COMPANY_OFFICIAL_DATA_PUBLICATION_DUTY_CODE	412
REPORT_CALAMITY_COMPANY_OFFICIAL_DATA_CAPITAL_ITEM_IS_CURRENT	REPORT_CALAMITY_COMPANY_OFFICIAL_DATA_PUBLICATION_DUTY_TEXT	412
REPORT_CALAMITY_COMPANY_OFFICIAL_DATA_CAPITAL_ITEM_ISSUED_CAPITAL	REPORT_CALAMITY_COMPANY_OFFICIAL_DATA_VAT_NUMBER	412
REPORT_CALAMITY_COMPANY_OFFICIAL_DATA_CAPITAL_ITEM_MONETARY_AMOUNT_SPECIFIED_IN_CORPORATE_DEED	REPORT_CALAMITY_COMPANY_PARTICIPATIONS_ITEM_DATE_FROM	412
REPORT_CALAMITY_COMPANY_OFFICIAL_DATA_CAPITAL_ITEM_PAID_UP_CAPITAL	REPORT_CALAMITY_COMPANY_PARTICIPATIONS_ITEM_DATE_UNTIL	412
REPORT_CALAMITY_COMPANY_OFFICIAL_DATA_CAPITAL_ITEM_SOCIAL_CAPITAL	REPORT_CALAMITY_COMPANY_PARTICIPATIONS_ITEM_GRAYDON_COMPANY_ID	412
REPORT_CALAMITY_COMPANY_OFFICIAL_DATA_CHAMBER_OF_COMMERCE_ADMINISTERING_CHAMBER_NO	REPORT_CALAMITY_COMPANY_PARTICIPATIONS_ITEM_IS_CURRENT	412
REPORT_CALAMITY_COMPANY_OFFICIAL_DATA_CHAMBER_OF_COMMERCE_CHAMBER_NO	REPORT_CALAMITY_COMPANY_PARTICIPATIONS_ITEM_PERCENTAGE_OF_SHARES	412
REPORT_CALAMITY_COMPANY_OFFICIAL_DATA_CHAMBER_OF_COMMERCE_DOSSIER_NO	REPORT_CALAMITY_COMPANY_RELATIONS_COMPANIES_ITEM_CONTACT_DETAILS_ADDRESSES	412
REPORT_CALAMITY_COMPANY_OFFICIAL_DATA_CHAMBER_OF_COMMERCE_SUB_DOSSIER_NO	REPORT_CALAMITY_COMPANY_RELATIONS_COMPANIES_ITEM_CONTACT_DETAILS_COMPANY_NAME	412
REPORT_CALAMITY_COMPANY_OFFICIAL_DATA_CHAMBER_OF_COMMERCE_TRADE_REGISTER_LOCATION	REPORT_CALAMITY_COMPANY_RELATIONS_COMPANIES_ITEM_CONTACT_DETAILS_TELEPHONE_NUMBERS	412
REPORT_CALAMITY_COMPANY_OFFICIAL_DATA_DISCONTINUANCE_DATE	REPORT_CALAMITY_COMPANY_RELATIONS_COMPANIES_ITEM_CONTACT_DETAILS_TRADE_NAME	412
REPORT_CALAMITY_COMPANY_OFFICIAL_DATA_DISCONTINUANCE_REASON	REPORT_CALAMITY_COMPANY_RELATIONS_COMPANIES_ITEM_GRAYDON_COMPANY_ID	412
REPORT_CALAMITY_COMPANY_OFFICIAL_DATA_DISCONTINUANCE_TYPE	REPORT_CALAMITY_COMPANY_RELATIONS_COMPANIES_ITEM_HISTORY_COMPANY_CONTINUED_UNDER	412
REPORT_CALAMITY_COMPANY_OFFICIAL_DATA_FOUNDED_ITEM_DATE_FROM	REPORT_CALAMITY_COMPANY_RELATIONS_COMPANIES_ITEM_HISTORY_CONTINUATION	412
REPORT_CALAMITY_COMPANY_OFFICIAL_DATA_FOUNDED_ITEM_FOUNDED_AT	REPORT_CALAMITY_COMPANY_RELATIONS_COMPANIES_ITEM_HISTORY_ORIGINATED_FROM	412
REPORT_CALAMITY_COMPANY_OFFICIAL_DATA_FOUNDED_ITEM_LEGAL_FORM_CODE	REPORT_CALAMITY_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_CAPITAL	412
REPORT_CALAMITY_COMPANY_OFFICIAL_DATA_FOUNDED_ITEM_LEGAL_FORM_TEXT		

REPORT_CALAMITY_COMPANY_RELATIONS_COMPANY_ITEM_OFFICIAL_DATA_CHAMBER_OF_COMMERCE_ADMINISTERING_CHAMBER_NO 412
 REPORT_CALAMITY_COMPANY_RELATIONS_COMPANY_ITEM_OFFICIAL_DATA_CHAMBER_OF_COMMERCE_CHAMBER_NO 412
 REPORT_CALAMITY_COMPANY_RELATIONS_COMPANY_ITEM_OFFICIAL_DATA_CHAMBER_OF_COMMERCE_DOSSIER_NO 412
 REPORT_CALAMITY_COMPANY_RELATIONS_COMPANY_ITEM_OFFICIAL_DATA_CHAMBER_OF_COMMERCE_SUB_DOSSIER_NO 412
 REPORT_CALAMITY_COMPANY_RELATIONS_COMPANY_ITEM_OFFICIAL_DATA_CHAMBER_OF_COMMERCE_TRADE_REGISTER_LOCATION 412
 REPORT_CALAMITY_COMPANY_RELATIONS_COMPANY_ITEM_OFFICIAL_DATA_DISCONTINUANCE_DATE 412
 REPORT_CALAMITY_COMPANY_RELATIONS_COMPANY_ITEM_OFFICIAL_DATA_DISCONTINUANCE_REASON 412
 REPORT_CALAMITY_COMPANY_RELATIONS_COMPANY_ITEM_OFFICIAL_DATA_DISCONTINUANCE_TYPE 412
 REPORT_CALAMITY_COMPANY_RELATIONS_COMPANY_ITEM_OFFICIAL_DATA_FOUNDED 412
 REPORT_CALAMITY_COMPANY_RELATIONS_COMPANY_ITEM_OFFICIAL_DATA_NUMBER_OF_NON_EXECUTIVE_PARTNERS 412
 REPORT_CALAMITY_COMPANY_RELATIONS_COMPANY_ITEM_OFFICIAL_DATA_PRESENT_LEGAL_FORM_CODE 412
 REPORT_CALAMITY_COMPANY_RELATIONS_COMPANY_ITEM_OFFICIAL_DATA_PRESENT_LEGAL_FORM_FINE_CODE 412
 REPORT_CALAMITY_COMPANY_RELATIONS_COMPANY_ITEM_OFFICIAL_DATA_PRESENT_LEGAL_FORM_FINE_TEXT 412
 REPORT_CALAMITY_COMPANY_RELATIONS_COMPANY_ITEM_OFFICIAL_DATA_PRESENT_LEGAL_FORM_TEXT 412
 REPORT_CALAMITY_COMPANY_RELATIONS_COMPANY_ITEM_OFFICIAL_DATA_PUBLICATION_DUTY_CODE 412
 REPORT_CALAMITY_COMPANY_RELATIONS_COMPANY_ITEM_OFFICIAL_DATA_PUBLICATION_DUTY_TEXT 412
 REPORT_CALAMITY_COMPANY_RELATIONS_COMPANY_ITEM_OFFICIAL_DATA_VAT_NUMBER 412
 REPORT_CALAMITY_COMPANY_RELATIONS_COMPANY_ITEM_SECTORS_OF_INDUSTRY 412
 REPORT_CALAMITY_COMPANY_RELATIONS_COMPANY_ITEM_ADDRESS_ADDRESS_CODE 412
 REPORT_CALAMITY_COMPANY_RELATIONS_COMPANY_ITEM_ADDRESS_ADDRESS_TEXT 412
 REPORT_CALAMITY_COMPANY_RELATIONS_COMPANY_ITEM_ADDRESS_COUNTRY_CODE 412
 REPORT_CALAMITY_COMPANY_RELATIONS_COMPANY_ITEM_ADDRESS_COUNTRY_TEXT 412
 REPORT_CALAMITY_COMPANY_RELATIONS_COMPANY_ITEM_ADDRESS_DATE_FROM 412
 REPORT_CALAMITY_COMPANY_RELATIONS_COMPANY_ITEM_ADDRESS_DATE_UNTIL 412
 REPORT_CALAMITY_COMPANY_RELATIONS_COMPANY_ITEM_ADDRESS_HOUSE_NO 412
 REPORT_CALAMITY_COMPANY_RELATIONS_COMPANY_ITEM_ADDRESS_HOUSE_NO_ADDITION 412
 REPORT_CALAMITY_COMPANY_RELATIONS_COMPANY_ITEM_ADDRESS_IS_CURRENT 412
 REPORT_CALAMITY_COMPANY_RELATIONS_COMPANY_ITEM_ADDRESS_POBOX 412
 REPORT_CALAMITY_COMPANY_RELATIONS_COMPANY_ITEM_ADDRESS_POSTCODE 412
 REPORT_CALAMITY_COMPANY_RELATIONS_COMPANY_ITEM_ADDRESS_RESIDENCE 412
 REPORT_CALAMITY_COMPANY_RELATIONS_COMPANY_ITEM_ADDRESS_STREET 412
 REPORT_CALAMITY_COMPANY_RELATIONS_COMPANY_ITEM_BIRTH_INFORMATION_COUNTRY_CODE 412
 REPORT_CALAMITY_COMPANY_RELATIONS_COMPANY_ITEM_BIRTH_INFORMATION_COUNTRY_TEXT 412
 REPORT_CALAMITY_COMPANY_RELATIONS_COMPANY_ITEM_BIRTH_INFORMATION_DATE 412
 REPORT_CALAMITY_COMPANY_RELATIONS_COMPANY_ITEM_BIRTH_INFORMATION_RESIDENCE 412
 REPORT_CALAMITY_COMPANY_RELATIONS_COMPANY_ITEM_GRAYDON_PERSON_ID 412
 REPORT_CALAMITY_COMPANY_RELATIONS_COMPANY_ITEM_PERSONAL_DETAILS_GENDER_CODE 412
 REPORT_CALAMITY_COMPANY_RELATIONS_COMPANY_ITEM_PERSONAL_DETAILS_GENDER_TEXT 412
 REPORT_CALAMITY_COMPANY_RELATIONS_COMPANY_ITEM_PERSONAL_DETAILS_INITIALS 412
 REPORT_CALAMITY_COMPANY_RELATIONS_COMPANY_ITEM_PERSONAL_DETAILS_NAME 412
 REPORT_CALAMITY_COMPANY_RELATIONS_COMPANY_ITEM_PERSONAL_DETAILS_PREFIXES 412
 REPORT_CALAMITY_COMPANY_RELATIONS_COMPANY_ITEM_PERSONAL_DETAILS_TITLES 412
 REPORT_CALAMITY_COMPANY_SECTORS_OF_INDUSTRY_ITEM_IS_PRIMARY 412
 REPORT_CALAMITY_COMPANY_SECTORS_OF_INDUSTRY_ITEM_SECTOR_CODE 412

REPORT_CALAMITY_COMPANY_SECTORS_OF_INDUSTRY_ITEM_SECTOR_TEXT	412	REPORT_DATA_INSOLVENCIES_ITEM_REGISTRATION_CASE_NUMBER	1138
REPORT_CALAMITY_COMPANY_SHARE_HOLDERS_ITEM_DATE_FROM	412	REPORT_DATA_INSOLVENCIES_ITEM_REGISTRATION_COURT	1138
REPORT_CALAMITY_COMPANY_SHARE_HOLDERS_ITEM_DATE_UNTIL	412	REPORT_DATA_INSOLVENCIES_ITEM_REGISTRATION_DEPTOR	1138
REPORT_CALAMITY_COMPANY_SHARE_HOLDERS_ITEM_GRAYDON_COMPANY_ID	412	REPORT_DATA_INSOLVENCIES_ITEM_REGISTRATION_DISTRICT	1138
REPORT_CALAMITY_COMPANY_SHARE_HOLDERS_ITEM_GRAYDON_PERSON_ID	412	REPORT_DATA_INSOLVENCIES_ITEM_REGISTRATION_JURISDICTION	1138
REPORT_CALAMITY_COMPANY_SHARE_HOLDERS_ITEM_IS_CURRENT	412	REPORT_DATA_INSOLVENCIES_ITEM_REGISTRATION_PARTNER	1138
REPORT_CALAMITY_COMPANY_SHARE_HOLDERS_ITEM_PERCENTAGE_OF_SHARES	412	REPORT_DATA_INSOLVENCIES_ITEM_REGISTRATION_PREVIOUS_NUMBER	1138
REPORT_CALAMITY_COMPANY_SPECIAL_COMPANIES_INFORMATION_ITEM_SPECIAL_COMPANY_CODE	412	REPORT_DATA_LEGAL_RESTRAINT_DECISIONS_ITEM_ADMINISTRATOR_ADDRESS_BUILDING	1138
REPORT_CALAMITY_COMPANY_SPECIAL_COMPANIES_INFORMATION_ITEM_SPECIAL_COMPANY_CODE	412	REPORT_DATA_LEGAL_RESTRAINT_DECISIONS_ITEM_ADMINISTRATOR_ADDRESS_CITY	1138
REPORT_CALAMITY_COMPANY_SPECIAL_COMPANIES_INFORMATION_ITEM_SPECIAL_COMPANY_CODE	412	REPORT_DATA_LEGAL_RESTRAINT_DECISIONS_ITEM_ADMINISTRATOR_ADDRESS_COUNTRY	1138
REPORT_CALAMITY_COMPANY_SPECIAL_COMPANIES_INFORMATION_ITEM_SPECIAL_COMPANY_CODE	412	REPORT_DATA_LEGAL_RESTRAINT_DECISIONS_ITEM_ADMINISTRATOR_ADDRESS_CITY	1138
REPORT_DATA_COMPANIES_ITEM_ADDRESSES	1138	REPORT_DATA_LEGAL_RESTRAINT_DECISIONS_ITEM_ADMINISTRATOR_ADDRESS_HOUSE_NUMBER	1138
REPORT_DATA_COMPANIES_ITEM_DOSSIER_NUMBER	1138	REPORT_DATA_LEGAL_RESTRAINT_DECISIONS_ITEM_ADMINISTRATOR_ADDRESS_HOUSE_NUMBER_ADDITION	1138
REPORT_DATA_COMPANIES_ITEM_ESTABLISHMENT_NUMBER	1138	REPORT_DATA_LEGAL_RESTRAINT_DECISIONS_ITEM_ADMINISTRATOR_ADDRESS_MUNICIPALITY	1138
REPORT_DATA_COMPANIES_ITEM_FUNCTION_AUTHORIZATION	1138	REPORT_DATA_LEGAL_RESTRAINT_DECISIONS_ITEM_ADMINISTRATOR_ADDRESS_POSTCODE	1138
REPORT_DATA_COMPANIES_ITEM_FUNCTION_EFFECTIVE_DATE	1138	REPORT_DATA_LEGAL_RESTRAINT_DECISIONS_ITEM_ADMINISTRATOR_ADDRESS_STATE	1138
REPORT_DATA_COMPANIES_ITEM_FUNCTION_EFFECTIVE_DATE	1138	REPORT_DATA_LEGAL_RESTRAINT_DECISIONS_ITEM_ADMINISTRATOR_ADDRESS_STREET	1138
REPORT_DATA_COMPANIES_ITEM_FUNCTION_EFFECTIVE_DATE	1138	REPORT_DATA_LEGAL_RESTRAINT_DECISIONS_ITEM_ADMINISTRATOR_NAME	1138
REPORT_DATA_COMPANIES_ITEM_FUNCTION_EFFECTIVE_DATE	1138	REPORT_DATA_LEGAL_RESTRAINT_DECISIONS_ITEM_ADMINISTRATOR_ROLE	1138
REPORT_DATA_COMPANIES_ITEM_FUNCTION_EFFECTIVE_DATE	1138	REPORT_DATA_LEGAL_RESTRAINT_DECISIONS_ITEM_CAUSE	1138
REPORT_DATA_COMPANIES_ITEM_FUNCTION_EFFECTIVE_DATE	1138	REPORT_DATA_LEGAL_RESTRAINT_DECISIONS_ITEM_COURT	1138
REPORT_DATA_COMPANIES_ITEM_FUNCTION_EFFECTIVE_DATE	1138	REPORT_DATA_LEGAL_RESTRAINT_DECISIONS_ITEM_DATE	1138
REPORT_DATA_COMPANIES_ITEM_FUNCTION_EFFECTIVE_DATE	1138	REPORT_DATA_LEGAL_RESTRAINT_DECISIONS_ITEM_DISTRICT	1138
REPORT_DATA_COMPANIES_ITEM_FUNCTION_EFFECTIVE_DATE	1138	REPORT_DATA_LEGAL_RESTRAINT_DECISIONS_ITEM_JURISDICTION	1138
REPORT_DATA_COMPANIES_ITEM_FUNCTION_EFFECTIVE_DATE	1138	REPORT_DATA_LEGAL_RESTRAINT_DECISIONS_ITEM_NUMBER	1138
REPORT_DATA_COMPANIES_ITEM_FUNCTION_EFFECTIVE_DATE	1138	REPORT_DATA_LEGAL_RESTRAINT_PERSON_BIRTH_DATE	1138

REPORT_DATA_LEGAL_RESTRAINT_PERSON_FIRE
 ST_NAME 1138
 REPORT_DATA_LEGAL_RESTRAINT_PERSON_L
 T_NAME 1138
 REPORT_DATA_LEGAL_RESTRAINT_PERSON_P
 EFIX 1138
 REPORT_DATA_LEGAL_RESTRAINT_REGISTRY
 DDRESS_BUILDING 1138
 REPORT_DATA_LEGAL_RESTRAINT_REGISTRY
 DDRESS_CITY 1138
 REPORT_DATA_LEGAL_RESTRAINT_REGISTRY
 DDRESS_COUNTRY 1138
 REPORT_DATA_LEGAL_RESTRAINT_REGISTRY
 DDRESS_HOUSE_NUMBER 1138
 REPORT_DATA_LEGAL_RESTRAINT_REGISTRY
 DDRESS_HOUSE_NUMBER_ADDITION 1138
 REPORT_DATA_LEGAL_RESTRAINT_REGISTRY
 DDRESS_MUNICIPALITY 1138
 REPORT_DATA_LEGAL_RESTRAINT_REGISTRY
 DDRESS_POSTCODE 1138
 REPORT_DATA_LEGAL_RESTRAINT_REGISTRY
 DDRESS_STATE 1138
 REPORT_DATA_LEGAL_RESTRAINT_REGISTRY
 DDRESS_STREET 1138
 REPORT_DATA_LEGAL_RESTRAINT_REGISTRY
 MAIL_ADDRESS 1138
 REPORT_DATA_LEGAL_RESTRAINT_REGISTRY
 ELEPHONE_NUMBER 1138
 REPORT_DATA_LEGAL_RESTRAINT_VERDICT_N
 MBER 1138
 REPORT_NORMAL_COMPANY_ANNUAL_FIGURES
 _ITEM_BANK_AND_INSURER_DATA 412
 REPORT_NORMAL_COMPANY_ANNUAL_FIGURES
 _ITEM_COMPANY_ANNUAL_ACCOUNTS 412
 REPORT_NORMAL_COMPANY_ANNUAL_FIGURES
 _ITEM_GRAYDON_COMPANY_ID 412
 REPORT_NORMAL_COMPANY_CALAMITY_CALAMI
 TY_EVENTS_ITEM_DAMAGE_AMOUNT 412
 REPORT_NORMAL_COMPANY_CALAMITY_CALAMI
 TY_EVENTS_ITEM_DAMAGE_CURRENCY 412
 REPORT_NORMAL_COMPANY_CALAMITY_CALAMI
 TY_EVENTS_ITEM_EVENT_CODE 412
 REPORT_NORMAL_COMPANY_CALAMITY_CALAMI
 TY_EVENTS_ITEM_EVENT_DATE 412
 REPORT_NORMAL_COMPANY_CALAMITY_CALAMI
 TY_EVENTS_ITEM_EVENT_TEXT 412
 REPORT_NORMAL_COMPANY_CALAMITY_CALAMI
 TY_EVENTS_ITEM_EXPIRATION_DATE 412
 REPORT_NORMAL_COMPANY_CALAMITY_CALAMI
 TY_EVENTS_ITEM_INSTIGATOR_GRAYDON_COMP
 ANY_ID 412
 REPORT_NORMAL_COMPANY_CALAMITY_CALAMI
 TY_EVENTS_ITEM_INSURANCE_CODE 412
 REPORT_NORMAL_COMPANY_CALAMITY_CALAMI
 TY_EVENTS_ITEM_INSURANCE_TEXT 412
 REPORT_NORMAL_COMPANY_CALAMITY_OTHER
 _CALAMITIES_ITEM_CALAMITY_CODE 412
 REPORT_NORMAL_COMPANY_CALAMITY_OTHER
 _CALAMITIES_ITEM_CALAMITY_TEXT 412
 REPORT_NORMAL_COMPANY_CALAMITY_OTHER
 _CALAMITIES_ITEM_EXPIRATION_DATE 412
 REPORT_NORMAL_COMPANY_COMPANY_MANA
 GEMENT_FIRST_DIRECTORS_ITEM_DATE_FROM
 412
 REPORT_NORMAL_COMPANY_COMPANY_MANA
 GEMENT_FIRST_DIRECTORS_ITEM_DATE_UNTIL
 412
 REPORT_NORMAL_COMPANY_COMPANY_MANA
 GEMENT_FIRST_DIRECTORS_ITEM_GRAYDON_PE
 RSON_ID 412
 REPORT_NORMAL_COMPANY_COMPANY_MANA
 GEMENT_FIRST_DIRECTORS_ITEM_IS_CURRENT
 412
 REPORT_NORMAL_COMPANY_COMPANY_MANA
 GEMENT_FIRST_DIRECTORS_ITEM_JOB_TITLE_CO
 DE 412
 REPORT_NORMAL_COMPANY_COMPANY_MANA
 GEMENT_FIRST_DIRECTORS_ITEM_JOB_TITLE_TE
 XT 412
 REPORT_NORMAL_COMPANY_COMPANY_MANA
 GEMENT_MANAGEMENT_ITEM_GRAYDON_COMP
 ANY_ID 412
 REPORT_NORMAL_COMPANY_COMPANY_MANA
 GEMENT_MANAGEMENT_ITEM_GRAYDON_PERS
 ON_ID 412
 REPORT_NORMAL_COMPANY_COMPANY_MANA
 GEMENT_MANAGEMENT_ITEM_IS_CURRENT
 412
 REPORT_NORMAL_COMPANY_COMPANY_MANA
 GEMENT_MANAGEMENT_ITEM_JOB_TITLES 412
 REPORT_NORMAL_COMPANY_CONCERN_LIAISO
 NS_ITEM_GRAYDON_COMPANY_ID 412
 REPORT_NORMAL_COMPANY_CONCERN_LIAISO
 NS_ITEM_LIAISON_CODE 412
 REPORT_NORMAL_COMPANY_CONCERN_LIAISO
 NS_ITEM_LIAISON_TEXT 412
 REPORT_NORMAL_COMPANY_CONTACT_DETAIL
 S_ADDRESSES_ITEM_ADDRESS_CODE 412
 REPORT_NORMAL_COMPANY_CONTACT_DETAIL
 S_ADDRESSES_ITEM_ADDRESS_TEXT 412
 REPORT_NORMAL_COMPANY_CONTACT_DETAIL
 S_ADDRESSES_ITEM_COUNTRY_CODE 412
 REPORT_NORMAL_COMPANY_CONTACT_DETAIL
 S_ADDRESSES_ITEM_COUNTRY_TEXT 412
 REPORT_NORMAL_COMPANY_CONTACT_DETAIL
 S_ADDRESSES_ITEM_DATE_FROM 412
 REPORT_NORMAL_COMPANY_CONTACT_DETAIL
 S_ADDRESSES_ITEM_DATE_UNTIL 412
 REPORT_NORMAL_COMPANY_CONTACT_DETAIL
 S_ADDRESSES_ITEM_HOUSE_NO 412

REPORT_NORMAL_COMPANY_CONTACT_DETAILS	REPORT_NORMAL_COMPANY_CREDIT_ADVICE_D
_ADDRESSES_ITEM_HOUSE_NO_ADDITION 412	ATA_CREDIT_ADVICE_HISTORY ADVISED_LIMITS_
REPORT_NORMAL_COMPANY_CONTACT_DETAILS	ITEM_VALUE 412
_ADDRESSES_ITEM_IS_CURRENT 412	REPORT_NORMAL_COMPANY_CREDIT_ADVICE_D
REPORT_NORMAL_COMPANY_CONTACT_DETAILS	ATA_CREDIT_ADVICE_HISTORY ADVISED_LIMITS_
_ADDRESSES_ITEM_POBOX 412	ITEM_YEAR_MONTH 412
REPORT_NORMAL_COMPANY_CONTACT_DETAILS	REPORT_NORMAL_COMPANY_CREDIT_ADVICE_D
_ADDRESSES_ITEM_POSTCODE 412	ATA_CREDIT_ADVICE_MOTHER_AMOUNT 412
REPORT_NORMAL_COMPANY_CONTACT_DETAILS	REPORT_NORMAL_COMPANY_CREDIT_ADVICE_D
_ADDRESSES_ITEM_RESIDENCE 412	ATA_CREDIT_ADVICE_MOTHER_GRAYDON_COMP
REPORT_NORMAL_COMPANY_CONTACT_DETAILS	ANY_ID 412
_ADDRESSES_ITEM_STREET 412	REPORT_NORMAL_COMPANY_CREDIT_ADVICE_D
REPORT_NORMAL_COMPANY_CONTACT_DETAILS	ATA_CREDIT_RATING_CREDIT_FLAG_CODE 412
_COMPANY_NAME 412	REPORT_NORMAL_COMPANY_CREDIT_ADVICE_D
REPORT_NORMAL_COMPANY_CONTACT_DETAILS	ATA_CREDIT_RATING_CREDIT_FLAG_TEXT 412
_TELEPHONE_NUMBERS_ITEM_COUNTRY_NUMBE	REPORT_NORMAL_COMPANY_CREDIT_ADVICE_D
R 412	ATA_CREDIT_RATING_ERC_SCORE 412
REPORT_NORMAL_COMPANY_CONTACT_DETAILS	REPORT_NORMAL_COMPANY_CREDIT_ADVICE_D
_TELEPHONE_NUMBERS_ITEM_NET_NUMBER	ATA_CREDIT_RATING_PD_PERCENTAGE 412
412	REPORT_NORMAL_COMPANY_CREDIT_ADVICE_D
REPORT_NORMAL_COMPANY_CONTACT_DETAILS	ATA_CREDIT_RATING_PD_PERCENTAGE_HISTOR
_TELEPHONE_NUMBERS_ITEM_SUBSCRIBER_NU	ITEM_VALUE 412
MBER 412	REPORT_NORMAL_COMPANY_CREDIT_ADVICE_D
REPORT_NORMAL_COMPANY_CONTACT_DETAILS	ATA_CREDIT_RATING_PD_PERCENTAGE_HISTOR
_TELEPHONE_NUMBERS_ITEM_TELEPHONE_COD	E ITEM_YEAR_MONTH 412
E 412	REPORT_NORMAL_COMPANY_CREDIT_ADVICE_D
REPORT_NORMAL_COMPANY_CONTACT_DETAILS	ATA_CREDIT_RATING_PD_RATING 412
_TELEPHONE_NUMBERS_ITEM_TELEPHONE_TEN	REPORT_NORMAL_COMPANY_CREDIT_ADVICE_D
412	ATA_CREDIT_RATING_PD_RATING_HISTORY_ITEM
REPORT_NORMAL_COMPANY_CONTACT_DETAILS	VALUE 412
_TRADE_NAMES_ITEM_DATE_FROM 412	REPORT_NORMAL_COMPANY_CREDIT_ADVICE_D
REPORT_NORMAL_COMPANY_CONTACT_DETAILS	ATA_CREDIT_RATING_PD_RATING_HISTORY_ITEM
_TRADE_NAMES_ITEM_DATE_UNTIL 412	_YEAR_MONTH 412
REPORT_NORMAL_COMPANY_CONTACT_DETAILS	REPORT_NORMAL_COMPANY_CREDIT_ADVICE_D
_TRADE_NAMES_ITEM_IS_CURRENT 412	ATA_CREDIT_RATING_RATINGS_ITEM_DESCRIPTOR
REPORT_NORMAL_COMPANY_CONTACT_DETAILS	ON 412
_TRADE_NAMES_ITEM_NAME 412	REPORT_NORMAL_COMPANY_CREDIT_ADVICE_D
REPORT_NORMAL_COMPANY_CREDIT_ADVICE_D	ATA_CREDIT_RATING_RATINGS_ITEM_TYPE 412
ATA_CREDIT_ADVICE_CREDIT_AMOUNT 412	REPORT_NORMAL_COMPANY_CREDIT_ADVICE_D
REPORT_NORMAL_COMPANY_CREDIT_ADVICE_D	ATA_CREDIT_RATING_RATINGS_ITEM_VALUE
ATA_CREDIT_ADVICE_CREDIT_CURRENCY 412	412
REPORT_NORMAL_COMPANY_CREDIT_ADVICE_D	REPORT_NORMAL_COMPANY_CREDIT_ADVICE_D
ATA_CREDIT_ADVICE_CREDIT_FACTORS_ITEM_A	ATA_CREDIT_RATING_Y_RATING 412
DJUSTMENT 412	REPORT_NORMAL_COMPANY_CREDIT_ADVICE_D
REPORT_NORMAL_COMPANY_CREDIT_ADVICE_D	ATA_CREDIT_RATING_Y_RATING_HISTORY_ITEM_
ATA_CREDIT_ADVICE_CREDIT_FACTORS_ITEM_D	VALUE 412
ESCRPTION 412	REPORT_NORMAL_COMPANY_CREDIT_ADVICE_D
REPORT_NORMAL_COMPANY_CREDIT_ADVICE_D	ATA_CREDIT_RATING_Y_RATING_HISTORY_ITEM_
ATA_CREDIT_ADVICE_CREDIT_FACTORS_ITEM_T	YEAR_MONTH 412
PE 412	REPORT_NORMAL_COMPANY_CREDIT_ADVICE_D
REPORT_NORMAL_COMPANY_CREDIT_ADVICE_D	ATA_INCLUDING_PERSONAL_JUDGEMENT 412
ATA_CREDIT_ADVICE_GRAYDON_COMPANY_ID	REPORT_NORMAL_COMPANY_DECLARATIONS_O
412	F_LIABILITY_ITEM_DATE_FROM 412
	REPORT_NORMAL_COMPANY_DECLARATIONS_O
	F_LIABILITY_ITEM_DATE_UNTIL 412

REPORT_NORMAL_COMPANY_DECLARATIONS_REPORT_NORMAL_COMPANY_FINANCIAL_CALAM
 F_LIABILITY_ITEM_GRAYDON_COMPANY_ID 412 ITIES_ITEM_DEBT_RESTRUCTURING_PRIVATE_PE
 REPORT_NORMAL_COMPANY_DECLARATIONS_RSONS_PROVISIONAL_DISCONTINUANCE_TEXT
 F_LIABILITY_ITEM_IS_CURRENT 412 412
 REPORT_NORMAL_COMPANY_FINANCIAL_CALAM_REPORT_NORMAL_COMPANY_FINANCIAL_CALAM
 ITIES_ITEM_BANKRUPTCY_CURATORS 412 ITIES_ITEM_DEBT_RESTRUCTURING_PRIVATE_PE
 REPORT_NORMAL_COMPANY_FINANCIAL_CALAM_RSONS_PROVISIONAL_VERDICT_DATE 412
 ITIES_ITEM_BANKRUPTCY_CURRENTLY_ACTIVE_REPORT_NORMAL_COMPANY_FINANCIAL_CALAM
 412 ITIES_ITEM_DEBT_RESTRUCTURING_PRIVATE_PE
 REPORT_NORMAL_COMPANY_FINANCIAL_CALAM_RSONS_RECEIVERS 412
 ITIES_ITEM_BANKRUPTCY_DATE_OF_VERDICT_REPORT_NORMAL_COMPANY_FINANCIAL_CALAM
 412 ITIES_ITEM_MORATORIUM_CURRENTLY_ACTIVE
 REPORT_NORMAL_COMPANY_FINANCIAL_CALAM 412
 ITIES_ITEM_BANKRUPTCY_DEFINITE_DISCONTINUANCE_CODE 412
 REPORT_NORMAL_COMPANY_FINANCIAL_CALAM_REPORT_NORMAL_COMPANY_FINANCIAL_CALAM
 ITIES_ITEM_BANKRUPTCY_DEFINITE_DISCONTINUANCE_DATE 412 ITIES_ITEM_MORATORIUM_DATE_FROM 412
 REPORT_NORMAL_COMPANY_FINANCIAL_CALAM_REPORT_NORMAL_COMPANY_FINANCIAL_CALAM
 ITIES_ITEM_BANKRUPTCY_DEFINITE_DISCONTINUANCE_CODE 412 ITIES_ITEM_MORATORIUM_DEFINITE_DISCONTINU
 ANCE_CODE 412 ANCE_CODE 412
 REPORT_NORMAL_COMPANY_FINANCIAL_CALAM_REPORT_NORMAL_COMPANY_FINANCIAL_CALAM
 ITIES_ITEM_BANKRUPTCY_DEFINITE_DISCONTINUANCE_TEXT 412 ITIES_ITEM_MORATORIUM_DEFINITE_DISCONTINU
 ANCE_DATE 412 ANCE_DATE 412
 REPORT_NORMAL_COMPANY_FINANCIAL_CALAM_REPORT_NORMAL_COMPANY_FINANCIAL_CALAM
 ITIES_ITEM_BANKRUPTCY_OFFICIAL_REGISTRATION_NUMBER 412 ITIES_ITEM_MORATORIUM_DEFINITE_DISCONTINU
 ANCE_TEXT 412 ANCE_TEXT 412
 REPORT_NORMAL_COMPANY_FINANCIAL_CALAM_REPORT_NORMAL_COMPANY_FINANCIAL_CALAM
 ITIES_ITEM_DEBT_RESTRUCTURING_PRIVATE_PETIES_ITEM_MORATORIUM_DEFINITE_VERDICT_DA
 RSONS_CURRENTLY_ACTIVE 412 TE 412
 REPORT_NORMAL_COMPANY_FINANCIAL_CALAM_REPORT_NORMAL_COMPANY_FINANCIAL_CALAM
 ITIES_ITEM_DEBT_RESTRUCTURING_PRIVATE_PETIES_ITEM_MORATORIUM_MORATORIUM_TERM_I
 RSONS_DEBT_RESTRUCTURING_TERM_IN_MONTHS 412 MONTHS 412
 HS 412 REPORT_NORMAL_COMPANY_FINANCIAL_CALAM
 REPORT_NORMAL_COMPANY_FINANCIAL_CALAM ITIES_ITEM_MORATORIUM_OFFICIAL_REGISTRATI
 ON_NUMBER 412
 REPORT_NORMAL_COMPANY_FINANCIAL_CALAM ITIES_ITEM_MORATORIUM_PROLONGATION_DATE
 ITIES_ITEM_DEBT_RESTRUCTURING_PRIVATE_PE 412
 RSONS_DEFINITE_DISCONTINUANCE_CODE 412 REPORT_NORMAL_COMPANY_FINANCIAL_CALAM
 REPORT_NORMAL_COMPANY_FINANCIAL_CALAM ITIES_ITEM_MORATORIUM_PROLONGATION_IN_M
 ITIES_ITEM_DEBT_RESTRUCTURING_PRIVATE_PONTHS 412
 RSONS_DEFINITE_DISCONTINUANCE_TEXT 412 REPORT_NORMAL_COMPANY_FINANCIAL_CALAM
 REPORT_NORMAL_COMPANY_FINANCIAL_CALAM ITIES_ITEM_MORATORIUM_PROVISIONAL_VERDIC
 ITIES_ITEM_DEBT_RESTRUCTURING_PRIVATE_PETEDATE 412
 RSONS_DEFINITE_VERDICT_DATE 412 REPORT_NORMAL_COMPANY_FINANCIAL_CALAM
 REPORT_NORMAL_COMPANY_FINANCIAL_CALAM ITIES_ITEM_MORATORIUM_RECEIVERS 412
 ITIES_ITEM_DEBT_RESTRUCTURING_PRIVATE_PEREPORT_NORMAL_COMPANY_FINANCIAL_CALAM
 RSONS_OFFICIAL_REGISTRATION_NUMBER 412 ITIES_ITEM_MORATORIUM_VOTE_CODE 412
 REPORT_NORMAL_COMPANY_FINANCIAL_CALAM_REPORT_NORMAL_COMPANY_FINANCIAL_CALAM
 ITIES_ITEM_DEBT_RESTRUCTURING_PRIVATE_PETIES_ITEM_MORATORIUM_VOTE_DATE 412
 RSONS_PROVISIONAL_DISCONTINUANCE_CODE REPORT_NORMAL_COMPANY_FINANCIAL_CALAM
 412 ITIES_ITEM_MORATORIUM_VOTE_TEXT 412
 REPORT_NORMAL_COMPANY_FINANCIAL_CALAM_REPORT_NORMAL_COMPANY_FINANCIAL_DETAIL
 ITIES_ITEM_DEBT_RESTRUCTURING_PRIVATE_PES_GRAYDON_COMPANY_ID 412
 RSONS_PROVISIONAL_DISCONTINUANCE_DATE REPORT_NORMAL_COMPANY_FINANCIAL_DETAIL
 412 S_RESULTS_ITEM_AMOUNT 412

REPORT_NORMAL_COMPANY_FINANCIAL_DETAILS_RESULTS_ITEM_AMOUNT_CURRENCY 412
 REPORT_NORMAL_COMPANY_FINANCIAL_DETAILS_RESULTS_ITEM_FINANCIAL_CODE 412
 REPORT_NORMAL_COMPANY_FINANCIAL_DETAILS_RESULTS_ITEM_FINANCIAL_TEXT 412
 REPORT_NORMAL_COMPANY_FINANCIAL_DETAILS_RESULTS_ITEM_FORECAST 412
 REPORT_NORMAL_COMPANY_FINANCIAL_DETAILS_RESULTS_ITEM_YEAR 412
 REPORT_NORMAL_COMPANY_FINANCIAL_DETAILS_TURNOVERS_ITEM_AMOUNT 412
 REPORT_NORMAL_COMPANY_FINANCIAL_DETAILS_TURNOVERS_ITEM_AMOUNT_CURRENCY 412
 REPORT_NORMAL_COMPANY_FINANCIAL_DETAILS_TURNOVERS_ITEM_FINANCIAL_CODE 412
 REPORT_NORMAL_COMPANY_FINANCIAL_DETAILS_TURNOVERS_ITEM_FINANCIAL_TEXT 412
 REPORT_NORMAL_COMPANY_FINANCIAL_DETAILS_TURNOVERS_ITEM_FORECAST 412
 REPORT_NORMAL_COMPANY_FINANCIAL_DETAILS_TURNOVERS_ITEM_YEAR 412
 REPORT_NORMAL_COMPANY_GRAYDON_COMPANY_ID 412
 REPORT_NORMAL_COMPANY_HISTORY_COMPANY_Y_CONTINUED_UNDER_ITEM_CONTINUED_UNDER_CODE 412
 REPORT_NORMAL_COMPANY_HISTORY_COMPANY_Y_CONTINUED_UNDER_ITEM_CONTINUED_UNDER_TEXT 412
 REPORT_NORMAL_COMPANY_HISTORY_COMPANY_Y_CONTINUED_UNDER_ITEM_DATE_FROM 412
 REPORT_NORMAL_COMPANY_HISTORY_COMPANY_Y_CONTINUED_UNDER_ITEM_GRAYDON_COMPANY_ID 412
 REPORT_NORMAL_COMPANY_HISTORY_CONTINUATION_ITEM_DATE_FROM 412
 REPORT_NORMAL_COMPANY_HISTORY_CONTINUATION_ITEM_LEGAL_FORM_CODE 412
 REPORT_NORMAL_COMPANY_HISTORY_CONTINUATION_ITEM_LEGAL_FORM_TEXT 412
 REPORT_NORMAL_COMPANY_HISTORY_CONTINUATION_ITEM_RESIDENCE 412
 REPORT_NORMAL_COMPANY_HISTORY_ORIGINATED_FROM_ITEM_DATE_FROM 412
 REPORT_NORMAL_COMPANY_HISTORY_ORIGINATED_FROM_ITEM_GRAYDON_COMPANY_ID 412
 REPORT_NORMAL_COMPANY_HISTORY_ORIGINATED_FROM_ITEM_ORIGINATED_FROM_CODE 412
 REPORT_NORMAL_COMPANY_HISTORY_ORIGINATED_FROM_ITEM_ORIGINATED_FROM_TEXT 412
 REPORT_NORMAL_COMPANY_OFFICIAL_DATA_CAPITAL_ITEM_CAPITAL_OF_COMMANDITE_PARTNERSHIP 412
 REPORT_NORMAL_COMPANY_OFFICIAL_DATA_CAPITAL_ITEM_DATE_CHANGE 412
 REPORT_NORMAL_COMPANY_OFFICIAL_DATA_CAPITAL_ITEM_IS_CURRENT 412
 REPORT_NORMAL_COMPANY_OFFICIAL_DATA_CAPITAL_ITEM_ISSUED_CAPITAL 412
 REPORT_NORMAL_COMPANY_OFFICIAL_DATA_CAPITAL_ITEM_MONETARY_AMOUNT_SPECIFIED_IN_CORPORATE_DEED 412
 REPORT_NORMAL_COMPANY_OFFICIAL_DATA_CAPITAL_ITEM_PAID_UP_CAPITAL 412
 REPORT_NORMAL_COMPANY_OFFICIAL_DATA_CAPITAL_ITEM_SOCIAL_CAPITAL 412
 REPORT_NORMAL_COMPANY_OFFICIAL_DATA_CHAMBER_OF_COMMERCE_ADMINISTERING_CHAMBER_NO 412
 REPORT_NORMAL_COMPANY_OFFICIAL_DATA_CHAMBER_OF_COMMERCE_CHAMBER_NO 412
 REPORT_NORMAL_COMPANY_OFFICIAL_DATA_CHAMBER_OF_COMMERCE_DOSSIER_NO 412
 REPORT_NORMAL_COMPANY_OFFICIAL_DATA_CHAMBER_OF_COMMERCE_SUB_DOSSIER_NO 412
 REPORT_NORMAL_COMPANY_OFFICIAL_DATA_CHAMBER_OF_COMMERCE_TRADE_REGISTER_LOCATION 412
 REPORT_NORMAL_COMPANY_OFFICIAL_DATA_DISCONTINUANCE_DATE 412
 REPORT_NORMAL_COMPANY_OFFICIAL_DATA_DISCONTINUANCE_REASON 412
 REPORT_NORMAL_COMPANY_OFFICIAL_DATA_DISCONTINUANCE_TYPE 412
 REPORT_NORMAL_COMPANY_OFFICIAL_DATA_FOUNDED_ITEM_DATE_FROM 412
 REPORT_NORMAL_COMPANY_OFFICIAL_DATA_FOUNDED_ITEM_FOUNDED_AT 412
 REPORT_NORMAL_COMPANY_OFFICIAL_DATA_FOUNDED_ITEM_LEGAL_FORM_CODE 412
 REPORT_NORMAL_COMPANY_OFFICIAL_DATA_FOUNDED_ITEM_LEGAL_FORM_TEXT 412
 REPORT_NORMAL_COMPANY_OFFICIAL_DATA_FOUNDED_ITEM_RESIDENCE 412
 REPORT_NORMAL_COMPANY_OFFICIAL_DATA_FOUNDED_ITEM_START_DATE 412
 REPORT_NORMAL_COMPANY_OFFICIAL_DATA_NUMBER_OF_NON_EXECUTIVE_PARTNERS 412
 REPORT_NORMAL_COMPANY_OFFICIAL_DATA_PPRESENT_LEGAL_FORM_CODE 412
 REPORT_NORMAL_COMPANY_OFFICIAL_DATA_PPRESENT_LEGAL_FORM_FINE_CODE 412
 REPORT_NORMAL_COMPANY_OFFICIAL_DATA_PPRESENT_LEGAL_FORM_FINE_TEXT 412
 REPORT_NORMAL_COMPANY_OFFICIAL_DATA_PPRESENT_LEGAL_FORM_TEXT 412

REPORT_NORMAL_COMPANY_OFFICIAL_DATA_PUBLICATION_DUTY_CODE 412
 REPORT_NORMAL_COMPANY_OFFICIAL_DATA_PUBLICATION_DUTY_TEXT 412
 REPORT_NORMAL_COMPANY_OFFICIAL_DATA_AT_NUMBER 412
 REPORT_NORMAL_COMPANY_PAYMENT_INFORMATION_ITEM_VALUE 412
 REPORT_NORMAL_COMPANY_PAYMENT_INFORMATION_ITEM_YEAR_MONTH 412
 REPORT_NORMAL_COMPANY_PERSONNEL_EMPLOYEES_CLASS_CODE 412
 REPORT_NORMAL_COMPANY_PERSONNEL_EMPLOYEES_CLASS_TEXT 412
 REPORT_NORMAL_COMPANY_PERSONNEL_GRAYDON_COMPANY_ID 412
 REPORT_NORMAL_COMPANY_PERSONNEL_NUMBER_OF_EMPLOYEES_ITEM_YEAR 412
 REPORT_NORMAL_COMPANY_POSITIONS_IN_OTHER_COMPANIES_ITEM_AUTHORITY_CODE 412
 REPORT_NORMAL_COMPANY_POSITIONS_IN_OTHER_COMPANIES_ITEM_AUTHORITY_TEXT 412
 REPORT_NORMAL_COMPANY_POSITIONS_IN_OTHER_COMPANIES_ITEM_DATE_FROM 412
 REPORT_NORMAL_COMPANY_POSITIONS_IN_OTHER_COMPANIES_ITEM_DATE_UNTIL 412
 REPORT_NORMAL_COMPANY_POSITIONS_IN_OTHER_COMPANIES_COMPANY_GRAYDON_COMPANY_ID 412
 REPORT_NORMAL_COMPANY_POSITIONS_IN_OTHER_COMPANIES_ITEM_IS_CURRENT 412
 REPORT_NORMAL_COMPANY_POSITIONS_IN_OTHER_COMPANIES_ITEM_JOB_TITLE_CODE 412
 REPORT_NORMAL_COMPANY_POSITIONS_IN_OTHER_COMPANIES_ITEM_JOB_TITLE_TEXT 412
 REPORT_NORMAL_COMPANY_RELATIONS_COMPANIES_ITEM_ANNUAL_FIGURES 412
 REPORT_NORMAL_COMPANY_RELATIONS_COMPANIES_ITEM_CONTACT_DETAILS_ADDRESSES 412
 REPORT_NORMAL_COMPANY_RELATIONS_COMPANIES_ITEM_CONTACT_DETAILS_COMPANY_NAME 412
 REPORT_NORMAL_COMPANY_RELATIONS_COMPANIES_ITEM_CONTACT_DETAILS_TELEPHONE_NUMBERS 412
 REPORT_NORMAL_COMPANY_RELATIONS_COMPANIES_ITEM_CONTACT_DETAILS_TRADE_NAMES 412
 REPORT_NORMAL_COMPANY_RELATIONS_COMPANIES_ITEM_FINANCIAL_CALAMITIES 412
 REPORT_NORMAL_COMPANY_RELATIONS_COMPANIES_ITEM_FINANCIAL_DETAILS_GRAYDON_COMPANY_ID 412
 REPORT_NORMAL_COMPANY_RELATIONS_COMPANIES_ITEM_FINANCIAL_DETAILS_RESULTS 412
 REPORT_NORMAL_COMPANY_RELATIONS_COMPANIES_ITEM_FINANCIAL_DETAILS_TURNOVERS 412
 REPORT_NORMAL_COMPANY_RELATIONS_COMPANIES_ITEM_GRAYDON_COMPANY_ID 412
 REPORT_NORMAL_COMPANY_RELATIONS_COMPANIES_ITEM_HISTORY_COMPANY_CONTINUED_UNDER 412
 REPORT_NORMAL_COMPANY_RELATIONS_COMPANIES_ITEM_HISTORY_CONTINUATION 412
 REPORT_NORMAL_COMPANY_RELATIONS_COMPANIES_ITEM_HISTORY_ORIGINATED_FROM 412
 REPORT_NORMAL_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_CAPITAL 412
 REPORT_NORMAL_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_CHAMBER_OF_COMMERCE_ADMINISTERING_CHAMBER_NO 412
 REPORT_NORMAL_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_CHAMBER_OF_COMMERCE_CHAMBER_NO 412
 REPORT_NORMAL_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_CHAMBER_OF_COMMERCE_DOSSIER_NO 412
 REPORT_NORMAL_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_CHAMBER_OF_COMMERCE_SUB_DOSSIER_NO 412
 REPORT_NORMAL_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_CHAMBER_OF_COMMERCE_TRADE_REGISTER_LOCATION 412
 REPORT_NORMAL_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_DISCONTINUANCE_DATE 412
 REPORT_NORMAL_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_DISCONTINUANCE_REASON 412
 REPORT_NORMAL_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_DISCONTINUANCE_TYPE 412
 REPORT_NORMAL_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_FOUNDED 412
 REPORT_NORMAL_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_NUMBER_OF_NON_EXECUTIVE_PARTNERS 412
 REPORT_NORMAL_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_PRESENT_LEGAL_FORM_CODE 412
 REPORT_NORMAL_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_PRESENT_LEGAL_FORM_FINE_CODE 412
 REPORT_NORMAL_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_PRESENT_LEGAL_FORM_FINE_TEXT 412

REPORT_NORMAL_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_PRESENT_LEGAL_FORM_TEXT 412
 REPORT_NORMAL_COMPANY_RELATIONS_PERSONS_ITEM_FINANCIAL_CALAMITIES 412
 REPORT_NORMAL_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_PUBLICATION_DUTY_CODE 412
 REPORT_NORMAL_COMPANY_RELATIONS_PERSONS_ITEM_GRAYDON_PERSON_ID 412
 REPORT_NORMAL_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_PUBLICATION_DUTY_TEXT 412
 REPORT_NORMAL_COMPANY_RELATIONS_PERSONS_ITEM_JOB_TITLES 412
 REPORT_NORMAL_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_VAT_NUMBER 412
 REPORT_NORMAL_COMPANY_RELATIONS_PERSONS_ITEM_PERSONAL_DETAILS_GENDER_CODE 412
 REPORT_NORMAL_COMPANY_RELATIONS_COMPANIES_ITEM_POSITIONS_IN_OTHER_COMPANIES 412
 REPORT_NORMAL_COMPANY_RELATIONS_PERSONS_ITEM_PERSONAL_DETAILS_GENDER_TEXT 412
 REPORT_NORMAL_COMPANY_RELATIONS_COMPANIES_ITEM_SECTORS_OF_INDUSTRY 412
 REPORT_NORMAL_COMPANY_RELATIONS_PERSONS_ITEM_PERSONAL_DETAILS_INITIALS 412
 REPORT_NORMAL_COMPANY_RELATIONS_PERSONS_ITEM_ADDRESS_ADDRESS_CODE 412
 REPORT_NORMAL_COMPANY_RELATIONS_PERSONS_ITEM_PERSONAL_DETAILS_NAME 412
 REPORT_NORMAL_COMPANY_RELATIONS_PERSONS_ITEM_ADDRESS_ADDRESS_TEXT 412
 REPORT_NORMAL_COMPANY_RELATIONS_PERSONS_ITEM_PERSONAL_DETAILS_PREFIXES 412
 REPORT_NORMAL_COMPANY_RELATIONS_PERSONS_ITEM_ADDRESS_COUNTRY_CODE 412
 REPORT_NORMAL_COMPANY_RELATIONS_PERSONS_ITEM_PERSONAL_DETAILS_TITLES 412
 REPORT_NORMAL_COMPANY_RELATIONS_PERSONS_ITEM_ADDRESS_COUNTRY_TEXT 412
 REPORT_NORMAL_COMPANY_RELATIONS_PERSONS_ITEM_TELEPHONE_NUMBER_COUNTRY_NUMBER 412
 REPORT_NORMAL_COMPANY_RELATIONS_PERSONS_ITEM_ADDRESS_DATE_FROM 412
 REPORT_NORMAL_COMPANY_RELATIONS_PERSONS_ITEM_TELEPHONE_NUMBER_NET_NUMBER 412
 REPORT_NORMAL_COMPANY_RELATIONS_PERSONS_ITEM_ADDRESS_DATE_UNTIL 412
 REPORT_NORMAL_COMPANY_RELATIONS_PERSONS_ITEM_TELEPHONE_NUMBER_SUBSCRIBER_NUMBER 412
 REPORT_NORMAL_COMPANY_RELATIONS_PERSONS_ITEM_ADDRESS_HOUSE_NO 412
 REPORT_NORMAL_COMPANY_RELATIONS_PERSONS_ITEM_TELEPHONE_NUMBER_TELEPHONE_CODE 412
 REPORT_NORMAL_COMPANY_RELATIONS_PERSONS_ITEM_ADDRESS_HOUSE_NO_ADDITION 412
 REPORT_NORMAL_COMPANY_RELATIONS_PERSONS_ITEM_TELEPHONE_NUMBER_TELEPHONE_TEXT 412
 REPORT_NORMAL_COMPANY_RELATIONS_PERSONS_ITEM_ADDRESS_IS_CURRENT 412
 REPORT_NORMAL_COMPANY_SECTORS_OF_INDUSTRY_ITEM_IS_PRIMARY 412
 REPORT_NORMAL_COMPANY_RELATIONS_PERSONS_ITEM_ADDRESS_POBOX 412
 REPORT_NORMAL_COMPANY_SECTORS_OF_INDUSTRY_ITEM_SECTOR_CODE 412
 REPORT_NORMAL_COMPANY_RELATIONS_PERSONS_ITEM_ADDRESS_POSTCODE 412
 REPORT_NORMAL_COMPANY_SECTORS_OF_INDUSTRY_ITEM_SECTOR_TEXT 412
 REPORT_NORMAL_COMPANY_RELATIONS_PERSONS_ITEM_ADDRESS_RESIDENCE 412
 REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_COMPANIES_ITEM_ANNUAL FIGURES 412
 REPORT_NORMAL_COMPANY_RELATIONS_PERSONS_ITEM_BIRTH_INFORMATION_COUNTRY_CODE 412
 REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_COMPANIES_ITEM_CONTACT_DETAILS_ADDRESS 412
 REPORT_NORMAL_COMPANY_RELATIONS_PERSONS_ITEM_BIRTH_INFORMATION_COUNTRY_TEXT 412
 REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_COMPANIES_ITEM_CONTACT_DETAILS_COMPANY_NAME 412
 REPORT_NORMAL_COMPANY_RELATIONS_PERSONS_ITEM_BIRTH_INFORMATION_DATE 412
 REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_COMPANIES_ITEM_CONTACT_DETAILS_TELEPHONE_NUMBERS 412
 REPORT_NORMAL_COMPANY_RELATIONS_PERSONS_ITEM_BIRTH_INFORMATION_RESIDENCE 412
 REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_COMPANIES_ITEM_CONTACT_DETAILS_TRADE_NAMES 412

REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_COMPANIES_ITEM_FINANCIAL_CALAMITIES 412
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_COMPANIES_ITEM_FINANCIAL_DETAILS_GRANDYDON_COMPANY_ID 412
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_COMPANIES_ITEM_FINANCIAL_DETAILS_REVENUES 412
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_COMPANIES_ITEM_FINANCIAL_DETAILS_TURNSOVERS 412
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_COMPANIES_ITEM_GRAYDON_COMPANY_IDNS_COMPANIES_ITEM_OFFICIAL_DATA_PRESENT 412
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_COMPANIES_ITEM_HISTORY_COMPANY_CONS_TINUED_UNDER 412
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_COMPANIES_ITEM_HISTORY_CONTINUATIONS 412
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_COMPANIES_ITEM_HISTORY_ORIGINATED_DOM 412
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_CAPITAINS 412
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_CHAMBER_OF_COMMERCE_ADMINISTERING_CHAMBER_NO 412
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_CHAMBER_OF_COMMERCE_CHAMBER_NO 412
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_CHAMBER_OF_COMMERCE_DOSSIER_NO 412
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_CHAMBER_OF_COMMERCE_SUB_DOSSIER_NO 412
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_CHAMBER_OF_COMMERCE_TRADE_REGISTER_LOCATION 412
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_DISCONTINUANCE_DATE 412
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_DISCONTINUANCE_REASON 412
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_DISCONTINUANCE_TYPE 412
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_FOUNDATIONS 412
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_NUMBER_OF_NON_EXECUTIVE_PARTNERS 412
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_PRESENT_LEGAL_FORM_CODE 412
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_PRESENT_LEGAL_FORM_FINE_CODE 412
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_PRESENT_LEGAL_FORM_FINE_TEXT 412
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_PRESENT_LEGAL_FORM_TEXT 412
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_PUBLICATION_DUTY_CODE 412
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_PUBLICATION_DUTY_TEXT 412
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_COMPANIES_ITEM_OFFICIAL_DATA_VAT_NUMBER 412
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_COMPANIES_ITEM_POSITIONS_IN_OTHER_COMPANIES 412
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_COMPANIES_ITEM_SECTORS_OF_INDUSTRY 412
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_PERSONS_ITEM_ADDRESS_ADDRESS_CODE 412
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_PERSONS_ITEM_ADDRESS_ADDRESS_TEXT 412
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_PERSONS_ITEM_ADDRESS_COUNTRY_CODE 412
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_PERSONS_ITEM_ADDRESS_COUNTRY_TEXT 412
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_PERSONS_ITEM_ADDRESS_DATE_FROM 412
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_PERSONS_ITEM_ADDRESS_DATE_UNTIL 412
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_PERSONS_ITEM_ADDRESS_HOUSE_NO 412
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_PERSONS_ITEM_ADDRESS_HOUSE_NO_ADDITION 412
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONS_PERSONS_ITEM_ADDRESS_IS_CURRENT 412

REPORT_NORMAL_INDIRECT_COMPANY_RELATIONSHIP	NS_PERSONS_ITEM_ADDRESS_POBOX	412	REPORT_NORMAL_INDIRECT_COMPANY_RELATIONSHIP	NS_PERSONS_ITEM_TELEPHONE_NUMBER_TELEPHONE_CODE	412
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONSHIP	NS_PERSONS_ITEM_ADDRESS_POSTCODE	412	REPORT_NORMAL_INDIRECT_COMPANY_RELATIONSHIP	NS_PERSONS_ITEM_TELEPHONE_NUMBER_TELEPHONE_TEXT	412
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONSHIP	NS_PERSONS_ITEM_ADDRESS_RESIDENCE	412	REPORT_NORMAL_INDIRECT_COMPANY_RELATIONSHIP	REPORT_PDF	162
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONSHIP	NS_PERSONS_ITEM_ADDRESS_STREET	412	REPORTS_ITEM_DATE		455
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONSHIP	NS_PERSONS_ITEM_BIRTH_INFORMATION_COUNTRYS_CODE	412	REPORTS_ITEM_IS_FINAL		455
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONSHIP	NS_PERSONS_ITEM_BIRTH_INFORMATION_COUNTRYS_CODE	412	REPORTS_ITEM_REPORT_ID		455
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONSHIP	NS_PERSONS_ITEM_BIRTH_INFORMATION_COUNTRYS_CODE	412	REPORTS_ITEM_TITLE		455
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONSHIP	NS_PERSONS_ITEM_BIRTH_INFORMATION_COUNTRYS_CODE	412	Request Date		1183
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONSHIP	NS_PERSONS_ITEM_BIRTH_INFORMATION_COUNTRYS_CODE	412	REQUEST_DATE		1183
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONSHIP	NS_PERSONS_ITEM_BIRTH_INFORMATION_COUNTRYS_CODE	412	requested-page-size		2
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONSHIP	NS_PERSONS_ITEM_BIRTH_INFORMATION_COUNTRYS_CODE	412	requests-parallel-max		2
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONSHIP	NS_PERSONS_ITEM_BIRTH_INFORMATION_COUNTRYS_CODE	412	RESELLER		15
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONSHIP	NS_PERSONS_ITEM_BIRTH_INFORMATION_COUNTRYS_CODE	412	RESIDENCE		451, 452, 453
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONSHIP	NS_PERSONS_ITEM_BIRTH_INFORMATION_COUNTRYS_CODE	412	Response Cache Maximum Age (sec)		1184
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONSHIP	NS_PERSONS_ITEM_BIRTH_INFORMATION_COUNTRYS_CODE	412	Restrictions		6, 1172
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONSHIP	NS_PERSONS_ITEM_BIRTH_INFORMATION_COUNTRYS_CODE	412	Result BLOB		1184
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONSHIP	NS_PERSONS_ITEM_BIRTH_INFORMATION_COUNTRYS_CODE	412	Result Text		1184
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONSHIP	NS_PERSONS_ITEM_BIRTH_INFORMATION_COUNTRYS_CODE	412	RESULT_BLOB		1184
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONSHIP	NS_PERSONS_ITEM_BIRTH_INFORMATION_COUNTRYS_CODE	412	RESULT_DATE_TIME_UTC		1184
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONSHIP	NS_PERSONS_ITEM_BIRTH_INFORMATION_COUNTRYS_CODE	412	RESULT_ITEM_ADDRESS_BUILDING		461, 463
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONSHIP	NS_PERSONS_ITEM_BIRTH_INFORMATION_COUNTRYS_CODE	412	RESULT_ITEM_ADDRESS_CONTACT		461, 463
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONSHIP	NS_PERSONS_ITEM_BIRTH_INFORMATION_COUNTRYS_CODE	412	RESULT_ITEM_ADDRESS_COUNTRY		461, 463
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONSHIP	NS_PERSONS_ITEM_BIRTH_INFORMATION_COUNTRYS_CODE	412	RESULT_ITEM_ADDRESS_COUNTRYSPECIFIC_LOCALITY		461, 463
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONSHIP	NS_PERSONS_ITEM_BIRTH_INFORMATION_COUNTRYS_CODE	412	RESULT_ITEM_ADDRESS_DELIVERY_ADDRESS		461, 463
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONSHIP	NS_PERSONS_ITEM_BIRTH_INFORMATION_COUNTRYS_CODE	412	RESULT_ITEM_ADDRESS_DEPARTMENT		461, 463
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONSHIP	NS_PERSONS_ITEM_BIRTH_INFORMATION_COUNTRYS_CODE	412	RESULT_ITEM_ADDRESS_FORMATTED_ADDRESS		461, 463
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONSHIP	NS_PERSONS_ITEM_BIRTH_INFORMATION_COUNTRYS_CODE	412	RESULT_ITEM_ADDRESS_HOUSENUMBER		461, 463
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONSHIP	NS_PERSONS_ITEM_BIRTH_INFORMATION_COUNTRYS_CODE	412	RESULT_ITEM_ADDRESS_LOCALITY		461, 463
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONSHIP	NS_PERSONS_ITEM_BIRTH_INFORMATION_COUNTRYS_CODE	412	RESULT_ITEM_ADDRESS_MATCHRATE		461, 463
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONSHIP	NS_PERSONS_ITEM_BIRTH_INFORMATION_COUNTRYS_CODE	412	RESULT_ITEM_ADDRESS_ORGANIZATION		461, 463
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONSHIP	NS_PERSONS_ITEM_BIRTH_INFORMATION_COUNTRYS_CODE	412	RESULT_ITEM_ADDRESS_POBOX		461, 463
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONSHIP	NS_PERSONS_ITEM_BIRTH_INFORMATION_COUNTRYS_CODE	412	RESULT_ITEM_ADDRESS_POSTCODE		461, 463
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONSHIP	NS_PERSONS_ITEM_BIRTH_INFORMATION_COUNTRYS_CODE	412	RESULT_ITEM_ADDRESS_PROVINCE		461, 463
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONSHIP	NS_PERSONS_ITEM_BIRTH_INFORMATION_COUNTRYS_CODE	412	RESULT_ITEM_ADDRESS_STREET		461, 463
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONSHIP	NS_PERSONS_ITEM_BIRTH_INFORMATION_COUNTRYS_CODE	412	RESULT_ITEM_ELEMENT_MATCH_STATUS		461, 463
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONSHIP	NS_PERSONS_ITEM_BIRTH_INFORMATION_COUNTRYS_CODE	412	RESULT_ITEM_ELEMENT_RESULT_STATUS		461, 463
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONSHIP	NS_PERSONS_ITEM_BIRTH_INFORMATION_COUNTRYS_CODE	412	RESULT_NUMBER		1184
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONSHIP	NS_PERSONS_ITEM_BIRTH_INFORMATION_COUNTRYS_CODE	412	RESULT_TEXT		1184
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONSHIP	NS_PERSONS_ITEM_BIRTH_INFORMATION_COUNTRYS_CODE	412	RESULTS_ITEM_CEBUCOCODE		23, 25, 27, 30, 37, 39, 41
REPORT_NORMAL_INDIRECT_COMPANY_RELATIONSHIP	NS_PERSONS_ITEM_BIRTH_INFORMATION_COUNTRYS_CODE	412	RESULTS_ITEM_GEMEENTECODE		23, 25, 27, 30, 37, 39, 41

RESULTS_ITEM_GEMEENTEID 23, 25, 27, 30, 37, 39, 41
 RESULTS_ITEM_GEMEENTENAAM 23, 25, 27, 30, 37, 39, 41
 RESULTS_ITEM_HUISNR 23, 25, 27, 30
 RESULTS_ITEM_HUISNR_TM 23, 25, 27, 30, 37, 39, 41
 RESULTS_ITEM_HUISNR_TOEVOEGING 23, 25, 27, 30
 RESULTS_ITEM_HUISNR_VAN 23, 25, 27, 30, 37, 39, 41
 RESULTS_ITEM_LETTERCOMBINATIE 23, 25, 27, 30, 37, 39, 41
 RESULTS_ITEM_PERCEELID 23, 25, 27, 30
 RESULTS_ITEM_PERCEELNUMMER 23, 25, 27, 30
 RESULTS_ITEM_PLAATSID 23, 25, 27, 30, 37, 39, 41
 RESULTS_ITEM_PLAATSNAAM 23, 25, 27, 30, 37, 39, 41
 RESULTS_ITEM_PLAATSNAAM_EXTRACT 23, 25, 27, 30, 37, 39, 41
 RESULTS_ITEM_PLAATSNAAM_PTT 23, 25, 27, 30, 37, 39, 41
 RESULTS_ITEM_PROVINCIECODE 23, 25, 27, 30, 37, 39, 41
 RESULTS_ITEM_PROVINCIEAAM 23, 25, 27, 30, 37, 39, 41
 RESULTS_ITEM_REEKSID 23, 25, 27, 30, 37, 39, 41
 RESULTS_ITEM_REEKSINDICATIE 23, 25, 27, 30, 37, 39, 41
 RESULTS_ITEM_STRAATID 23, 25, 27, 30, 37, 39, 41
 RESULTS_ITEM_STRAATNAAM 23, 25, 27, 30, 37, 39, 41
 RESULTS_ITEM_STRAATNAAM_EXTRACT 23, 25, 27, 30, 37, 39, 41
 RESULTS_ITEM_STRAATNAAM_NEN 23, 25, 27, 30, 37, 39, 41
 RESULTS_ITEM_STRAATNAAM_PTT 23, 25, 27, 30, 37, 39, 41
 RESULTS_ITEM_WIJKCODE 23, 25, 27, 30, 37, 39, 41
 result-set-memory-cache 2
 RETAIL 376
 return_url 9, 10
 riskCheckGetRiskPersonCompanyReport 1138
 riskCheckPerson 1142
 ROLES_ITEM_COUNTRY 142
 ROLES_ITEM_END_DATE_DAY 142
 ROLES_ITEM_END_DATE_MONTH 142
 ROLES_ITEM_END_DATE_YEAR 142
 ROLES_ITEM_ROLE 142
 ROLES_ITEM_START_DATE_DAY 142
 ROLES_ITEM_START_DATE_MONTH 142
 ROLES_ITEM_START_DATE_YEAR 142
 route_type 1152
 ROUTECOORDINATES_COORDINATES 1145, 1149, 1159
 ROUTECOORDINATES_NUMBER 1145, 1149, 1159
 routePlannerDescription 1143
 routePlannerDescriptionAddress 1144
 routePlannerDescriptionCoordinatesRD 1145
 routePlannerDescriptionDutchAddress 1146
 routePlannerDescriptionShortest 1147
 routePlannerEUDescription 1148
 routePlannerEUDescriptionCoordinatesLatLon 1149
 routePlannerEUInformation 1150
 routePlannerEUMap 1151
 routePlannerGetRoute 1152
 routePlannerInformation 1155
 routePlannerInformationAddress 1155
 routePlannerInformationDutchAddress 1157
 routePlannerRDDescription 1158
 routePlannerRDDescriptionCoordinatesRD 1159
 routePlannerRDInformation 1160
 routetype 1144, 1145, 1146, 1148, 1149, 1150, 1151, 1155, 1157, 1158, 1159, 1160
 RSIN Number 229, 233, 237, 1112
 rsin_number 229, 233, 237, 347, 348, 1112, 1116
 RUITENWISSER_ACHTER_PAKKET 102
 RUITENWISSER_ACHTER_PRIJS 102
 RUITENWISSER_ACHTER_STANDAARD 102
 RUITENWISSER_ACHTER_STANDAARD_SINDS_DATUM 102
 Run without Actions 1184
 SALES 204
 SANCTIONS_ITEM_ACTIVE 140, 142
 SANCTIONS_ITEM_ORGANISATION 140, 142
 Save HTTP Disk Cache 1184
 Save HTTP Memory Cache 1184
 SBI Code 67
 sbi_code 342
 SBI_CODES_ITEM_DESCRIPTION 342
 SBI_CODES_ITEM_SBI_CODE 342
 SBI_COLLECTION_COMPANY_INFO_ITEM_DESCRIPTION 233, 237
 SBI_COLLECTION_COMPANY_INFO_ITEM_SBI_CODE 233, 237
 SBI_COLLECTION_ORIGINAL_ITEM_DESCRIPTION 233, 237
 SBI_COLLECTION_ORIGINAL_ITEM_SBI_CODE 233, 237
 sbi_item 86, 87, 354, 356, 1119

sbi_match_type	354	Sequence Indicator	43, 569
sbi_weight	344	Sequence Municipality Code	35
sbicode	67, 76, 77	Sequence Municipality ID	35
SBICODES_ITEM_DESCRIPTION	76	Sequence Municipality Name	35
SBICODES_ITEM_SBICODE	76	Sequence Place Name Extract	35
SCENARIO	358	Sequence Place Name TPG	35
schaal	561, 563, 565, 567	Sequence Sequence ID	35
SCHUIFDAK_PAKKET	102	Sequence Sequence Indicator	35
SCHUIFDAK_PRIJS	102	Sequence State Code	35
SCHUIFDAK_STANDAARD	102	Sequence State Name	35
SCHUIFDAK_STANDAARD_SINDS_DATUM	102	Sequence Street ID	35
SCHUUR	1135	Sequence Street Name	35
SEATS	95, 97, 100, 129, 137, 139	Sequence Street Name NEN	35
SECONDARY_SBI_CODE1	229, 233, 237, 1112	Sequence Street Name TPG	35
SECONDARY_SBI_CODE1_TEXT	229, 233, 237, 1112	SERIE	102
SECONDARY_SBI_CODE2	229, 233, 237, 1112	SERIE_JAAR_TOT	102
SECONDARY_SBI_CODE2_TEXT	229, 233, 237, 1112	SERIE_JAAR_VAN	102
SECONDARYSBICODE1	72, 74	service_name	1131, 1133
SECONDARYSBICODE1TEXT	72, 74	SHARE_CAPITAL_STRUCTURE_ISSUED_SHARE_C	APITAL 147, 163
SECONDARYSBICODE2	72, 74	SHARE_CAPITAL_STRUCTURE_NOMINAL_SHARE_	CAPITAL 147, 163
SECONDARYSBICODE2TEXT	72, 74	SHARE_CAPITAL_STRUCTURE_SHARE_HOLDERS	_ITEM_ADDRESS 147
Secondary SBI 2 Code	72, 74	SHARE_CAPITAL_STRUCTURE_SHARE_HOLDERS	_ITEM_ADDRESS_CITY 163
Secondary SBI 2 Description	72, 74	SHARE_CAPITAL_STRUCTURE_SHARE_HOLDERS	_ITEM_ADDRESS_COUNTRY 163
Secondary SBI Code	72, 74	SHARE_CAPITAL_STRUCTURE_SHARE_HOLDERS	_ITEM_ADDRESS_FULL_ADDRESS 163
Secondary SBI Description	72, 74	SHARE_CAPITAL_STRUCTURE_SHARE_HOLDERS	_ITEM_ADDRESS_HOUSE_NUMBER 163
sectie	467, 472, 483, 514, 522, 530, 561, 563, 572, 573, 575, 646, 847, 1043	SHARE_CAPITAL_STRUCTURE_SHARE_HOLDERS	_ITEM_ADDRESS_POSTAL_CODE 163
Section Code	342	SHARE_CAPITAL_STRUCTURE_SHARE_HOLDERS	_ITEM_ADDRESS_STREET 163
Section Description	76, 342	SHARE_CAPITAL_STRUCTURE_SHARE_HOLDERS	_ITEM_ADDRESS_TELEPHONE 163
Section Section Code	76	SHARE_CAPITAL_STRUCTURE_SHARE_HOLDERS	_ITEM_NAME 147, 163
SECTION_DESCRIPTION	76, 342	SHARE_CAPITAL_STRUCTURE_SHARE_HOLDERS	_ITEM_SHARE_PERCENT 147, 163
SECTION_SECTION_CODE	342	SHORT	349
SECTION_SECTIONCODE	76	SHORT_TYPE	129, 137, 139
SECTIONS_ITEM_DESCRIPTION	68	SHORTEST	220, 221
SECTIONS_ITEM_SECTIONCODE	68	SIC_ACTIVITY_CODE	195, 204
SECURED_FILINGS	204	SIC_ACTIVITY_DESCRIPTION	195, 204
SENTIMENT	349	SIC_VERSION	195, 204
sepaConvertBankAccountNumber	1161	SIDE	136
sepaConvertBasicBankAccountNumber	1162	SIMILARITY_SCORE	344
sepalbanDetails	1163	SINCE	335
sepaMatchAccountHolder	1165	SIZE	136
sepaValidateInternationalBankAccountNumberFormat	1166	SLAG	102
Sequence Cebuco Code	35		
Sequence Character Combination	35		
Sequence City ID	35		
Sequence City Name	35		
Sequence House Number from	35		
Sequence House Number upto	35		
Sequence ID	43		

slot-based-rate-limit-length-ms 2
 slot-based-rate-limit-slots 2
 soort_register 584
 SOORT_SCHAKELING 102
 sort_order 349
 SOURCE 227, 266, 304, 316, 349
 SPERDIFFERENTIEEL_PAKKET 102
 SPERDIFFERENTIEEL_PRIJS 102
 SPERDIFFERENTIEEL_STANDAARD 102
 SPERDIFFERENTIEEL_STANDAARD_SINDS_DATUM 102
 SPOORBREEDTE_ACHTER 102
 SPOORBREEDTE_VOOR 102
 SPORTIVITEIT 137, 139
 SPORTSTOELEN_PAKKET 102
 SPORTSTOELEN_PRIJS 102
 SPORTSTOELEN_STANDAARD 102
 SPORTSTOELEN_STANDAARD_SINDS_DATUM 102
 STABILISATOR_ACHTER 102
 STABILISATOR_VOOR 102
 STABILITEITSREGELING_PAKKET 102
 STABILITEITSREGELING_PRIJS 102
 STABILITEITSREGELING_STANDAARD 102
 STABILITEITSREGELING_STANDAARD_SINDS_DATUM 102
 STAKEHOLDERS_ITEM_ADDRESS_BOX 47
 STAKEHOLDERS_ITEM_ADDRESS_COUNTRY_CODE 47
 STAKEHOLDERS_ITEM_ADDRESS_HOUSE_NUMBER 47
 STAKEHOLDERS_ITEM_ADDRESS_MUNICIPALITY 47
 STAKEHOLDERS_ITEM_ADDRESS_POST_CODE 47
 STAKEHOLDERS_ITEM_ADDRESS_STREET 47
 STAKEHOLDERS_ITEM_COMPANY_NAME 47
 STAKEHOLDERS_ITEM_FIRST_NAME 47
 STAKEHOLDERS_ITEM_ID 47
 STAKEHOLDERS_ITEM_LAST_NAME 47
 STAKEHOLDERS_ITEM_MANDATE_CODE 47
 STAKEHOLDERS_ITEM_MANDATE_END_DATE_YEAR 47
 STAKEHOLDERS_ITEM_MANDATE_END_DATE_MONTH 47
 STAKEHOLDERS_ITEM_MANDATE_END_DATE_YEAR 47
 STAKEHOLDERS_ITEM_MANDATE_LABEL 47
 STAKEHOLDERS_ITEM_MANDATE_START_DATE_DAY 47
 STAKEHOLDERS_ITEM_MANDATE_START_DATE_MONTH 47
 STAKEHOLDERS_ITEM_MANDATE_START_DATE_YEAR 47
 STAKEHOLDERS_ITEM_PROFESSION 47
 STAKEHOLDERS_ITEM_SOURCE_DATE_DAY 47
 STAKEHOLDERS_ITEM_SOURCE_DATE_MONTH 47
 STAKEHOLDERS_ITEM_SOURCE_DATE_YEAR 47
 STAKEHOLDERS_ITEM_TYPE 47
 Standard Options License Plate 134
 standardize-identifiers 2
 standardize-identifiers-casing 2
 Standing Room 95, 97, 100, 129
 STANDING_ROOM 95, 97, 100, 129
 Start Date 1184
 START_ADDRESS_ADDRESS_KEY 1152
 START_ADDRESS_CITY 1152
 START_ADDRESS_COUNTRY 1152
 START_ADDRESS_HOUSE_NUMBER 1152
 START_ADDRESS_HOUSE_NUMBER_ADDITION 1152
 START_ADDRESS_POSTCODE 1152
 START_ADDRESS_STREET 1152
 start_city 1152
 START_COORDINATES_LATLONG_LATITUDE 1152
 START_COORDINATES_LATLONG_LONGITUDE 1152
 START_COORDINATES_RD_X 1152
 START_COORDINATES_RD_Y 1152
 start_country 1152
 start_house_number 1152
 start_house_number_addition 1152
 start_postcode 1152
 start_street 1152
 START_YEAR 195, 204
 STARTONDERBREKER_PAKKET 102
 STARTONDERBREKER_PRIJS 102
 STARTONDERBREKER_STANDAARD 102
 STARTONDERBREKER_STANDAARD_SINDS_DATUM 102
 State 222, 395, 396, 397, 399, 408
 State Code 17, 20, 32, 33, 35, 43, 222
 State Name 17, 32, 35, 43
 STATEMENT_CONSOLIDATED 197
 STATEMENT_CURRENCY 204
 STATUS 191, 194, 244, 281, 357, 359, 1133, 1134
 Status Awaiting Inspection 379, 383
 Status Insured 379, 383
 Status Stolen 379, 383
 STATUS_AWAITING_INSPECTION 379, 383
 STATUS_DATA_AWAITING_INSPECTION 123

STATUS_DATA_INSURED	123	STUURBEKRACHTIGING_PAKKET	102
STATUS_DATA_MISSING	123	STUURBEKRACHTIGING_PRIJS	102
STATUS_DATA_STOLEN	123	STUURBEKRACHTIGING_STANDAARD	102
STATUS_EXPORTED	379, 383	STUURBEKRACHTIGING_STANDAARD_SINDS_DATUM	102
STATUS_INSURED	379, 383	STUURSCHAKELING_PAKKET	102
STATUS_MISSED	379, 383	STUURSCHAKELING_PRIJS	102
STATUS_STOLEN	379, 383	STUURSCHAKELING_STANDAARD	102
STATUS_SUSPENDED	379, 383	STUURSCHAKELING_STANDAARD_SINDS_DATUM	102
STEREOINSTALLATIE_PAKKET	102	subdossierno	69, 72, 74, 76, 78, 79, 80, 81, 83, 84, 85, 86, 87, 89, 90, 91, 92, 93
STEREOINSTALLATIE_PRIJS	102	Subfile Number	74, 78, 79, 80, 81, 83, 84, 85, 86, 87, 90, 91, 92
STEREOINSTALLATIE_STANDAARD	102	SUBREGION	195, 204
STEREOINSTALLATIE_STANDAARD_SINDS_DATUM	102	Succesful	1184
STOLEN	100	SUCCESSFUL	1184
STRAAT	1135	SUIT_JUDGEMENT	204
STRAAT_MODEL_RESULTAAT_AANTAL	1135	Summary Business Name	147, 163
STRAAT_MODEL_RESULTAAT_DATUM_VAN	1135	Summary Company Status Description	163
STRAAT_MODEL_RESULTAAT_PLAATS	1135	Summary Company Status Status	163
STRAAT_MODEL_RESULTAAT_STANDAARD_DEV	1135	Summary Country	147, 163
ATIE	1135	Summary Credit Limit	147
STRAAT_MODEL_RESULTAAT_STRAAT	1135	Summary Credit Rating Common Description	163
STRAAT_MODEL_RESULTAAT_WAARDE	1135	Summary Credit Rating Common Value	163
STRAAT_MODEL_RESULTAAT_WAARDEVERDEL	1135	Summary Credit Rating Credit Limit	163
GEN_ITEM_AANTAL	1135	Summary Credit Rating Provider Value Maximum	163
STRAAT_MODEL_RESULTAAT_WAARDEVERDEL	1135	Value	163
GEN_ITEM_KOOPSOM_TOT	1135	Summary Credit Rating Provider Value Minimum	Value 163
STRAAT_MODEL_RESULTAAT_WAARDEVERDEL	1135	Value	163
GEN_ITEM_KOOPSOM_VAN	1135	Summary Credit Rating Provider Value Value	163
STRAATID	43	Summary Number	147, 163
STRAATNAAM	43, 569	SUMMARY_DISTANCE	1152
STRAATNAAM_EXTRACT	43	SUMMARY_TIME	1152
STRAATNAAM_NEN	43	SUMMARY_TYPE	1152
STRAATNAAM_PTT	43	Surname	229, 233, 237, 1112
street	23, 25, 27, 37, 39, 144, 191, 194, 345, 350, 352, 387, 388, 389, 395, 396, 451, 452, 453, 461, 463, 465, 1117, 1135, 1138, 1142	surname_prefix	387
Street ID	43	SUSPECTS_ITEM_CLASSIFICATION	358
Street Name	43, 78, 79, 80, 81, 85, 86, 87, 222, 397, 399, 408, 569	SUSPECTS_ITEM_KEY	358
Street Name (NEN)	222	SUSPECTS_ITEM_PERSON_DATE_OF_BIRTH	358
Street Name NEN	43	SUSPECTS_ITEM_PERSON_FIRST_NAME	358
Street Name TPG	43	SUSPECTS_ITEM_PERSON_LAST_NAME	358
STREET_NAME	222	SUSPECTS_ITEM_PERSON_MIDDLE_NAMES	358
STREET_NAME_NEN	222	SUSPECTS_ITEM_ROLE_DOSSIER_NUMBER	
STREETMATCH	388, 389	SUSPECTS_ITEM_ROLE_FUNCTION_TYPE	358
STREETNAME	78, 79, 80, 81, 83, 84, 85, 86, 87, 358	SUSPECTS_ITEM_ROLE_ORGANISATION_NAME	
207, 209, 397, 399, 408		SUSPECTS_ITEM_ROLE_TITLE	358
strict_search	345, 350, 352, 1117	TANGIBLE_NET_WORTH_CONSOLIDATED	204
STRUCTURE_NUMBER_OF_SUBSIDIARIES	233, 358		
237			
STRUCTURE_PARENT	233, 237		
STRUCTURE_ULTIMATE_PARENT	233, 237		

TANGIBLE_NET_WORTH_CURRENCY 204
 TANGIBLE_NET_WORTH_ESTIMATED 204
 TANGIBLE_NET_WORTH_VALUE 204
 TANGIBLE_NET_WORTH_VALUE_TEXT 204
 TANKINHOUD 102
 TAX_AMOUNT 379, 383
 TAX_BASE 379, 383
 TAX_WRITE_OFF 129
 TECHNICAL_WEIGHT_GROSS_VEHICLE_MASS 379, 383
 TECHNICAL_WEIGHT_MASS_READY 379, 383
 TECHNICAL_WEIGHT_MAXIMUM_MASS_AXLE_BRAKED 379, 383
 TECHNICAL_WEIGHT_MAXIMUM_MASS_BRAKED 379, 383
 TECHNICAL_WEIGHT_MAXIMUM_MASS_PAYLOAD 379, 383
 TECHNICAL_WEIGHT_MAXIMUM_MASS_SELF_BRAKED 379, 383
 TECHNICAL_WEIGHT_MAXIMUM_MASS_TRAILER_BRAKED 379, 383
 TECHNICAL_WEIGHT_MAXIMUM_MASS_UNBRAKED 379, 383
 TELEFOON_PAKKET 102
 TELEFOON_PRIJS 102
 TELEFOON_STANDAARD 102
 TELEFOON_STANDAARD_SINDS_DATUM 102
 TELEFOONVOORBEREIDING_PAKKET 102
 TELEFOONVOORBEREIDING_PRIJS 102
 TELEFOONVOORBEREIDING_STANDAARD 102
 TELEFOONVOORBEREIDING_STANDAARD_SINDS_DATUM 102
 TELEPHONE 7, 11, 12, 15, 146, 1169, 1171, 1173, 1181
 Telephone Number 74
 telephone_no 453
 telephone_number 140, 142, 229, 233, 237, 345, 350, 352, 1112, 1117
 telephoneno 74, 81, 83, 84
 TELEVISIE_PAKKET 102
 TELEVISIE_PRIJS 102
 TELEVISIE_STANDAARD 102
 TELEVISIE_STANDAARD_SINDS_DATUM 102
 TEMPERATUURMETER_PAKKET 102
 TEMPERATUURMETER_PRIJS 102
 TEMPERATUURMETER_STANDAARD 102
 TEMPERATUURMETER_STANDAARD_SINDS_DATUM 102
 testing_date 1142
 TIME 1143, 1144, 1146, 1147, 1148, 1150, 1155, 1157, 1158, 1160
 Timeout (sec) 1184
 TIMEOUT_SEC 1184
 TITLE 349
 to_city 1144, 1146, 1155, 1157
 to_country 1144, 1155
 to_houseno 1144, 1155
 to_housno 1146, 1157
 to_postalcode 1144, 1146, 1155, 1157
 to_street 1144, 1146, 1155, 1157
 TOERENTELLER_PAKKET 102
 TOERENTELLER_PRIJS 102
 TOERENTELLER_STANDAARD 102
 TOERENTELLER_STANDAARD_SINDS_DATUM 102
 TOKEN 8, 9, 10, 357, 358, 359, 360, 369
 Top Speed 100, 123, 129, 137, 139
 TOP_SPEED 100, 123, 129, 137, 139
 TOPICS_ITEM 349
 TOPSNELHEID 102
 Total Assets 197
 TOTAL_ASSETS 197
 TOTAL_CURRENT_ASSETS 197
 TOTAL_CURRENT_LIABILITIES 197
 TOTAL_LIABILITIES 197
 TOTAL_PAYMENTS 197
 Trace Names Item 194, 195, 203, 204, 207, 209, 229, 233, 237, 1112
 TRACTIECONTROLE_PAKKET 102
 TRACTIECONTROLE_PRIJS 102
 TRACTIECONTROLE_STANDAARD 102
 TRACTIECONTROLE_STANDAARD_SINDS_DATUM 102
 TRADE 376
 Trade Name 195, 203, 204, 207, 209, 210, 345, 347, 348, 350, 353, 354, 356, 451, 452, 453, 1116, 1117, 1118, 1119
 TRADE_NAME 195, 203, 204, 207, 209, 210, 345, 347, 348, 350, 352, 353, 354, 356, 451, 452, 453, 1116, 1117, 1118, 1119
 TRADE_NAME_45 229, 233, 237, 1112
 TRADE_NAME_FULL 229, 233, 237, 1112
 TRADE_NAMES_ITEM 194, 195, 203, 204, 207, 209, 229, 233, 237, 1112
 TRADENAME 78, 79, 80, 81, 83, 84, 85, 86, 87
 Tradename (45 characters) 74
 TRADENAME45 74
 TRADENAMEFULL 74
 TRAIN_WEIGHT 137, 139
 Transaction ID 1184
 TRANSACTION_ID 1184
 TREATING_AUTHORITY_CODE 455
 TREATING_AUTHORITY_ESTABLISHMENT_CODE 455

TREATING_AUTHORITY_ESTABLISHMENT_NAME	UPDATE_INFO_DOSSIER_NUMBER	229, 233, 455	237, 1112
TREATING_AUTHORITY_NAME	455	UPDATE_INFO_ESTABLISHMENT_NUMBER	229, 233, 237, 1112
TREE_CHILDREN_ITEM_ID	336	UPDATE_INFO_UPDATE_TYPES_ITEM	229, 233, 237, 1112
TREE_CHILDREN_ITEM_NAME	336	UPDATE_TYPES_ITEM	90, 91, 92, 371, 372, 373, 1122, 1123, 1124
TREE_CHILDREN_ITEM_TYPE	336	UPDATETYPES_ITEM	90, 91, 92
TREE_ID	336, 360	URL	9, 10, 349, 451, 452, 453, 1184
TREE_LEVEL	360	Use HTTP Disk Cache	1184
TREE_NAME	336, 360	Use HTTP Memory Cache	1184
TREE_PARENTS_ITEM_ID	360	use_updates	369
TREE_PARENTS_ITEM_LEVEL	360	use-fallback-environment	2
TREE_PARENTS_ITEM_NAME	360	use-http-disk-cache-read	2
TREE_PARENTS_ITEM_REGISTERED_IN	360	use-http-disk-cache-write	2
TREE_PARENTS_ITEM_ROLE_TYPE	360	use-http-memory-cache-read	2
TREE_PARENTS_ITEM_TYPE	360	use-http-memory-cache-write	2
TREE_REGISTERED_IN	360	use-metadata-memory-cache	2
TREE_ROLE_TYPE	360	User Groups Item ID	11, 12, 1181
TREE_TYPE	336, 360	User Groups Item Name	11, 12, 1181
TRIAL_BALANCE	197	User Name Prefix	15
TUIN	1135	USER_ID	1177
TURBO	102	USER_NICKNAME	1177
TURBODRUKMETER_PAKKET	102	userAddGroup	1167
TURBODRUKMETER_PRIJS	102	USERADDGROUPRESPONSE	1167
TURBODRUKMETER_STANDAARD	102	userChangePassword	1168
TURBODRUKMETER_STANDAARD_SINDS_DATUM	102	USERCHANGEPASSWORDRESPONSE	1168
TYPE	93, 191, 194, 226, 349, 376, 377	userCreateV2	1169
TYPE_APPROVAL_TYPE_APPROVAL_MARK	379, 383	userEditBalance	1170
TYPE_APPROVAL_TYPE_CODE	379, 383	USEREDITBALANCERESPONSE	1170
TYPE_APPROVAL_VERSION_CODE	379, 383	userEditExtendedV2	1171
TYPES_ITEM_ATL_CODE	129	USEREDITEXTENDEDV2RESPONSE	1171
TYPES_ITEM_BRAND	98, 100, 125, 127	userEditHostRestrictions	1172
TYPES_ITEM_CAR_ID	98, 100, 125, 127	USEREDITHOSTRESTRICTIONSRESPONSE	1172
TYPES_ITEM_FIRST_YEAR	98, 100, 125, 127	userEditV2	1173
TYPES_ITEM_GEARBOX	98, 100, 125, 127	USEREDITV2RESPONSE	1173
TYPES_ITEM_LAST_YEAR	98, 100, 125, 127	use-result-memory-cache	2
TYPES_ITEM_MODEL	98, 100, 125, 127	usergroupid	1167, 1177
TYPES_ITEM_MODEL_NAME	129	usergroups_item	1169
TYPES_ITEM_ORDER_NUMBER	129	USERGROUPS_ITEM_ID	11, 12, 1181
TYPES_ITEM_TYPE	98, 100, 125, 127	USERGROUPS_ITEM_NAME	11, 12, 1181
Unladen Mass	95, 97, 100, 129	userid	1167, 1168, 1170, 1171, 1172, 1173, 1174, 1175, 1176, 1177, 1179, 1180, 1181
UNLADEN_MASS	95, 97, 100, 129	userListAssignableGroups	1174
UP_TO_DATE	374	username	146, 1125
Update Info Establishment Number	229, 233, 237, 1112	USERNAMEPREFIX	15
Update Info File Number	229, 233, 237, 1112	userNotify	1175
Update Info Last Update	229, 233, 237, 1112	userRemove	1176
UPDATE_DATE	232	userRemoveGroup	1177
UPDATE_INFO_DATE_LAST_UPDATE	229, 233, 237, 1112	USERREMOVEGROUPRESPONSE	1177
		USERREMOVERESPONSE	1176

userSessionList 1177
 userSessionRemove 1179
 USERSESSIONREMOVERESPONSE 1179
 userViewBalance 1179
 userViewHostRestrictions 1180
 userViewV2 1181

- V -

VALID 1166, 1182, 1183
 VALID_FROM 132
 VALID_UNTIL 132
 VALIDATION_STATUS 461, 463
 VALUATIONS_ITEM_PRICE_EXCHANGE 93
 VALUATIONS_ITEM_PRICE_RETAIL 93
 VALUATIONS_ITEM_PRICE_TRADE 93
 VALUATIONS_ITEM_TYPE_ID 93
 VALUATIONS_ITEM_TYPE_NAMES 93
 Value 1110, 1111, 1135
 VAT Number 343, 454, 1182, 1183
 VAT Numbers Item 194
 VAT_NUMBER 47, 194, 343, 454, 1182, 1183
 VAT_NUMBERS_ITEM 194
 vatValidate 1182
 vatViesProxyCheckVat 1183
 VERBRUIK_BINNEN_BEBOUWDE_KOM 102
 VERBRUIK_BUITEN_BEBOUWDE_KOM 102
 VERBRUIK_GECOMBINEERD 102
 VERBRUIK_GEMIDDELD 102
 VERBRUIKSMETER_PAKKET 102
 VERBRUIKSMETER_PRIJS 102
 VERBRUIKSMETER_STANDAARD 102
 VERBRUIKSMETER_STANDAARD_SINDS_DATUM 102
 VERING_ACHTER 102
 VERING_VOOR 102
 VERLICHT_DASHBOARDKASTJE_PAKKET 102
 VERLICHT_DASHBOARDKASTJE_PRIJS 102
 VERLICHT_DASHBOARDKASTJE_STANDAARD 102
 VERLICHT_DASHBOARDKASTJE_STANDAARD_SINDS_DATUM 102
 VERLICHT_BAGAGERUIMTE_PAKKET 102
 VERLICHT_BAGAGERUIMTE_PRIJS 102
 VERLICHT_BAGAGERUIMTE_STANDAARD 102
 VERLICHT_BAGAGERUIMTE_STANDAARD_SINDS_DATUM 102
 VERLICHT_MAKEUPSPIEGEL_PAKKET 102
 VERLICHT_MAKEUPSPIEGEL_PRIJS 102
 VERLICHT_MAKEUPSPIEGEL_STANDAARD 102
 VERLICHT_MAKEUPSPIEGEL_STANDAARD_SINDS_DATUM 102
 VERLICHT_MOTORRUIMTE_PAKKET 102
 VERLICHT_MOTORRUIMTE_PRIJS 102
 VERLICHT_MOTORRUIMTE_STANDAARD 102
 VERLICHT_MOTORRUIMTE_STANDAARD_SINDS_DATUM 102
 VERMOGEN_KW 102
 VERMOGEN_PK 102
 VERMOGEN_TPM 102
 VERSION_ATL_CODE 137
 VERSION_MODEL_NAME 137
 VERSION_NAME 132, 139
 VERSION_ORDER_NUMBER 137
 VERSTELBARE_GORDELHOOGTE_PAKKET 102
 VERSTELBARE_GORDELHOOGTE_PRIJS 102
 VERSTELBARE_GORDELHOOGTE_STANDAARD 102
 VERSTELBARE_GORDELHOOGTE_STANDAARD_SINDS_DATUM 102
 VERSTELBARE_HOOFDSTEUNEN_ACHTER_PAKKET 102
 VERSTELBARE_HOOFDSTEUNEN_ACHTER_PRIJS 102
 VERSTELBARE_HOOFDSTEUNEN_ACHTER_STANDAARD 102
 VERSTELBARE_HOOFDSTEUNEN_ACHTER_STANDAARD_SINDS_DATUM 102
 VERSTELBARE_KOPLAMPEN_PAKKET 102
 VERSTELBARE_KOPLAMPEN_PRIJS 102
 VERSTELBARE_KOPLAMPEN_STANDAARD 102
 VERSTELBARE_KOPLAMPEN_STANDAARD_SINDS_DATUM 102
 VERSTELBARE_LENENSTEUN_BESTUURDER_PAKKET 102
 VERSTELBARE_LENENSTEUN_BESTUURDER_PRIJS 102
 VERSTELBARE_LENENSTEUN_BESTUURDER_STANDAARD 102
 VERSTELBARE_LENENSTEUN_BESTUURDER_STANDAARD_SINDS_DATUM 102
 VERSTELBARE_LENENSTEUN_PASSAGIER_PAKKET 102
 VERSTELBARE_LENENSTEUN_PASSAGIER_PRIJS 102
 VERSTELBARE_LENENSTEUN_PASSAGIER_STANDAARD 102
 VERSTELBARE_LENENSTEUN_PASSAGIER_STANDAARD_SINDS_DATUM 102
 VERSTRALERS_PAKKET 102
 VERSTRALERS_PRIJS 102
 VERSTRALERS_STANDAARD 102
 VERSTRALERS_STANDAARD_SINDS_DATUM 102

VERTRAGING_INTERIEURVERLICHTING_PAKKETVORIGE_VERKOOP_MODEL_RESULTAAT_VORIGE
 102 _VERKOOP_DATUM 1135
 VERTRAGING_INTERIEURVERLICHTING_PRIJS VORIGE_VERKOOP_MODEL_RESULTAAT_VORIGE
 102 _VERKOOP_WAARDE 1135
 VERTRAGING_INTERIEURVERLICHTING_STANDAA
 RD 102
 VERTRAGING_INTERIEURVERLICHTING_STANDAA **- W -**
 RD_SINDS_DATUM 102
 VERWARMDE_RUITENSPROEIERS_PAKKET WAARDE 1135
 102 web_weight 344
 VERWARMDE_RUITENSPROEIERS_PRIJS 102 WEBSITE_URL 140
 VERWARMDE_RUITENSPROEIERS_STANDAARD WEBSITE_URL 140
 102 Weighted Score 387
 VERWARMDE_RUITENSPROEIERS_STANDAARD WEIGHTED_SCORE 387
 SINDS_DATUM 102 width 1127, 1128, 1129, 1130, 1151
 VERWARMDE_SPIEGELS_PAKKET 102 WIELBASIS 102
 VERWARMDE_SPIEGELS_PRIJS 102 WIELOPHANGING_ACHTER 102
 VERWARMDE_SPIEGELS_STANDAARD 102 WIELOPHANGING_VOOR 102
 VERWARMDE_SPIEGELS_STANDAARD_SINDS_WIJKCODE 43
 ATUM 102 WITHIN_STRUCTURE 465
 VERWARMDE_ZITPLAATSEN_ACHTER_PAKKET WONINGTYPE 1135
 102
 VERWARMDE_ZITPLAATSEN_ACHTER_PRIJS **- X -**
 102
 VERWARMDE_ZITPLAATSEN_ACHTER_STANDAAR
 D 102 X 389, 399, 401, 403, 406, 408, 409, 410, 465
 VERWARMDE_ZITPLAATSEN_ACHTER_STANDAAR XENON_KOPLAMPEN_PAKKET 102
 D_SINDS_DATUM 102 XENON_KOPLAMPEN_PRIJS 102
 VERWARMDE_ZITPLAATSEN_VOOR_PAKKET XENON_KOPLAMPEN_STANDAARD 102
 102 XENON_KOPLAMPEN_STANDAARD_SINDS_DATU
 M 102
 VERWARMDE_ZITPLAATSEN_VOOR_PRIJS 102
 VERWARMDE_ZITPLAATSEN_VOOR_STANDAARD from 1158, 1159, 1160
 102 xto 1158, 1159, 1160
 VERWARMDE_ZITPLAATSEN_VOOR_STANDAARD
 _SINDS_DATUM 102
 view 1151 **- Y -**
 volgnummer 467, 472, 483, 514, 522, 530, 561, Y 389, 399, 401, 403, 406, 408, 409, 410, 465
 563, 572, 573, 575
 VOLTMETER_PAKKET 102 YEAR 226
 VOLTMETER_PRIJS 102 YEAR_PERIOD 197
 VOLTMETER_STANDAARD 102 yfrom 1158, 1159, 1160
 VOLTMETER_STANDAARD_SINDS_DATUM 102 yto 1158, 1159, 1160
 VOORRUITVERWARMING_PAKKET 102
 VOORRUITVERWARMING_PRIJS 102 **- Z -**
 VOORRUITVERWARMING_STANDAARD 102
 VOORRUITVERWARMING_STANDAARD_SINDS_ZOEMER_VERGETEN_VERLICHTING_PAKKET
 TUM 102 102
 VORIGE_VERKOOP_MODEL_RESULTAAT_HUISN ZOEMER_VERGETEN_VERLICHTING_PRIJS 102
 MMER 1135 ZOEMER_VERGETEN_VERLICHTING_STANDAARD
 VORIGE_VERKOOP_MODEL_RESULTAAT_HUISN 102
 MMER_TOEVOEGING 1135 ZOEMER_VERGETEN_VERLICHTING_STANDAARD
 VORIGE_VERKOOP_MODEL_RESULTAAT_KOOPS SINDS_DATUM 102
 OM 1135 ZONNESCHERM_ACHTERRUIT_PAKKET 102
 VORIGE_VERKOOP_MODEL_RESULTAAT_POST ZONNESCHERM_ACHTERRUIT_PRIJS 102
 ODE 1135

ZONNESCHEM_ACHTERRUIT_STANDAARD 102
ZONNESCHEM_ACHTERRUIT_STANDAARD_SIND
S_DATUM 102
zoom 1127, 1128, 1129, 1130



invantive the **SQL** company

Invantive B.V.
Biesteweg 11
3849 RD Hierden
Nederland

Tel: +31 88 00 26 500
Fax: +31 84 22 58 178
info@invantive.nl
invantive.nl

IBAN NL25 BUNQ 2098 2586 07
Kamer van Koophandel 13031406
BTW NL812602377B01
RSIN 8122602377
Algemeen Directeur: Guido Leenders
Statutaire zetel: Roermond