

# Data Cache Data Model

*for use with Invantive SQL*

23.0

# Copyright

(C) Copyright 2004-2023 Invantive Software B.V., the Netherlands. All rights reserved.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of the publisher.

Despite all the care taken in the compilation of this text, neither the author nor the publisher can accept liability for any damage, which might result from any error, which might appear in this publication.

This manual is a reference guide intended to clarify usage. If data in the sample images match data in your system, the similarity is coincidental.

## Important Safety and Usage Information

**Intended Use and Limitations:** This software, developed by Invantive, is designed to support a variety of business and information technology data processing functions, such as accounting, financial reporting and sales reporting. It is important to note that this software is not designed, tested, or approved for use in environments where malfunction or failure could lead to life-threatening situations or severe physical or environmental damage. This includes, but is not limited to:

- **Nuclear facilities:** The software should not be used for operations or functions related to the control, maintenance, or operation of nuclear facilities.
- **Defense and Military Applications:** This software is not suitable for use in defense-related applications, including but not limited to weaponry control, military strategy planning, or any other aspects of national defense.
- **Aviation:** The software is not intended for use in the operation, navigation, or communication systems of any aircraft or air traffic control environments.
- **Healthcare and Medicine Production:** This software should not be utilized for medical device operation, patient data analysis for critical health decisions, pharmaceutical production, or medical research where its failure or malfunction could impact patient health.
- **Chemical and Hazardous Material Handling:** This software is not intended for the management, control, or operational aspects of chemical plants or hazardous material handling facilities. Any malfunction in software used in these settings could result in dangerous chemical spills, explosions, or environmental disasters.
- **Transportation and Traffic Control Systems:** The software should not be used for the control, operation, or management of transportation systems, including railway signal controls, subway systems, or traffic light management. Malfunctions in such critical systems could lead to severe accidents and endanger public safety.
- **Energy Grid and Utility Control Systems:** This software is not designed for the control or operation of energy grid systems, including electrical substations, renewable energy control systems, or water utility control systems. The failure of software in these areas could lead to significant power outages, water supply disruptions, or other public utility failures, potentially endangering communities and causing extensive damage.
- **Other High-Risk Environments:** Any other critical infrastructure and environments where a failure of the software could result in significant harm to individuals or the environment.

**User Responsibility:** Users must ensure that they understand the intended use of the software and refrain from deploying it in any setting that falls outside of its designed purpose. It is the responsibility of the user to assess the suitability of the software for their intended application, especially in any scenarios that might pose a risk to life, health, or the environment.

**Disclaimer of Liability:** Invantive disclaims any responsibility for damage, injury, or legal consequences resulting from the use or misuse of this software in prohibited or unintended applications.

# Contents

<b>1</b>	<b>SQL Driver for Data Cache</b>	<b>1</b>
<b>2</b>	<b>SQL Driver Attributes for Data Cache</b>	<b>1</b>
<b>3</b>	<b>dc_data_containers: Data Cache Data Containers</b>	<b>8</b>
<b>4</b>	<b>dc_event_log: Data Cache Events</b>	<b>9</b>
<b>5</b>	<b>dc_fact_size_statistics: Data Cache Fact Size Statistics</b>	<b>11</b>
<b>6</b>	<b>dc_ime_statistics: Data Cache Incoming Message Statistics</b>	<b>12</b>
<b>7</b>	<b>dc_incoming_messages: Data Cache Incoming Messages</b>	<b>14</b>
<b>8</b>	<b>dc_my_incoming_messages: Data Cache My Incoming Messages</b>	<b>17</b>
<b>9</b>	<b>dc_partitions: Data Cache Partitions</b>	<b>19</b>
<b>10</b>	<b>dc_physical_statistics: Data Cache Physical Statistics</b>	<b>20</b>
<b>11</b>	<b>dc_repository_contents: Data Cache Repository Contents</b>	<b>21</b>
<b>12</b>	<b>dc_sessions: Data Cache Sessions</b>	<b>22</b>
<b>13</b>	<b>dc_settings: Data Cache Settings</b>	<b>24</b>
<b>14</b>	<b>dc_table_partition_versions: Data Cache Table Partition Versions</b>	<b>26</b>
<b>15</b>	<b>dc_table_partitions: Data Cache Table Partitions</b>	<b>29</b>
<b>16</b>	<b>dc_tables: Data Cache Tables</b>	<b>32</b>
<b>17</b>	<b>dc_tpn_states: Data Cache Table Version States</b>	<b>35</b>
<b>18</b>	<b>dc_versions: Data Cache Installation History</b>	<b>35</b>
<b>19</b>	<b>dc_warning_statistics: Data Cache Warning Statistics</b>	<b>36</b>
<b>20</b>	<b>dc_warnings: Data Cache Warnings</b>	<b>37</b>

## Index

**39**

# 1 SQL Driver for Data Cache

Use the "Search" option in the left menu to search for a specific term such as the table or column description. When you already know the term, please use the "Index" option. When you can't find the information needed, please click on the Chat button at the bottom or place your question in the [user community](#). Invantive Support or other users will try to help you.

Data replication driver for all Invantive SQL platforms.

The Data Cache driver covers 18 tables and 430 columns.

## Data Cache Clients

Invantive SQL is available on many user interfaces ("clients" in traditional server-client paradigm). All Invantive SQL statements can be exchanged with a close to 100% compatibility across all clients and operating systems (Windows, MacOS, Linux, iOS, Android).

The clients include Microsoft Excel, Microsoft Power BI, Microsoft Power Query, Microsoft Word and Microsoft Outlook. Web-based clients include Invantive Cloud, Invantive Bridge Online as OData proxy, Invantive App Online for interactive apps, Online SQL Editor for query execution and Invantive Data Access Point as extended proxy.

For technical users there are command-line editions of Invantive Data Hub running on iOS, Android, Windows, MacOS and Linux. Invantive Data Hub is also often used for enterprise server applications such as ETL.

## Specifications

The SQL driver for Data Cache does not support partitioning.

An introduction into the concepts of Invantive SQL such as databases, data containers and partitioning can be found in the [Invantive SQL grammar](#).

The configuration can be changed using various attributes from the database definition, on log on and during use. A full list of configuration options is listed in the [driver attributes](#).

The catalog name is used to compose the full qualified name of an object like a table or view. The schema name is used to compose the full qualified name of an object like a table or view. On Data Cache the comparison of two texts is case sensitive by default.

Changes and bug fixes on the Data Cache SQL driver can be found in the [release notes](#). Get access to the community through the [Data Cache section](#) of the Invantive forums.

Driver code for use in settings.xml: DataCache

Alias: cache

Recommended alias: idc

More technical documentation as provided by the supplier of Data Cache on the native connection used can be found at <https://documentation.invantive.com/2017R2/data-cache-data-model/webhelp/index.html>.

Updated 17-08-2023 08:37 using Invantive SQL version 22.1.262-BETA+4120.

## 2 SQL Driver Attributes for Data Cache

The SQL driver for Data Cache has many attributes that can be finetuned to improve handling in scenarios with unreliable network connections to the Data Cache server or high

volumes of data. Also, many drivers have driver-specific attributes to finetune actual behaviour or handle data not matching specifications.

The Data Cache driver attributes are assigned a default value which seldom requires change. However, changes can be applied when needed on four levels, which are reflected in the table below by separate checkmarks:

- Connection string: the connection string from the settings\*.xml file and applied during log on.
- Set SQL statement: a set SQL-statement to be executed once connection has been established.
- Log on: value to be specified interactively by user during log on in a user interface.

The connection string for Data Cache can be found in the settings\*.xml file used for the database. The reference manuals contain instructions how to relocate the settings\*.xml files. Settings\*.xml files are typically located in the %USERPROFILE%\invantive folder in most deployment scenarios. Each data container of a database in the connection string can have a `connectionString` element specifying the name and values of attributes. Both name and value must be properly escaped according to XML-semantics. Actual application of the value is solely done during log on. A new connection must be established to change the value of a driver attribute using a connection string.

The set SQL statement can be executed after log on. The syntax is: `set NAME VALUE`, or for a distributed database: `set NAME@ALIAS VALUE`. In some scenarios you may need to enclose the driver attribute name in square brackets to escape it from parsing, for instance when a reserved SQL keyword is part of the name. The new value takes effect straight after execution of the set-statement. The set-statement can be executed as often as needed during a session.

Driver attributes that can be interactively set to a value are typically presented in the log on window. Depending on the platform and design decisions of the user interface designer, some or all of the available driver attributes can have been made available.

The Data Cache driver can be configured using the following attributes:

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Driver's File	Set from Log On
analysis-enforce-row-uniqueness	Enforce rows to be unique for software analysis. A fingerprint is calculated from the whole row of data when the primary key column is unknown.	Shared	False	✓	✓	✓	
application-prefix-facts	A prefix applied after the environment prefix to every facts table, index and view.	Data Cache	dcd_	✓			
application-prefix-history	A prefix applied after the environment prefix to every history table, index and view.	Data Cache	dcs_	✓			
application-prefix-repository	A prefix applied after the environment prefix to every repository table, index and view.	Data Cache	dc_	✓			

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Driver's File	Set from Log On
backing-bulk-insert-page-size-bytes	Approximate maximum size in bytes of page when bulk inserting on backing database.	Data Cache		✓	✓	✓	
backing-bulk-insert-page-size-rows	Number of rows to insert per page when bulk inserting on backing database.	Data Cache		✓	✓	✓	
backing-bulk-insert-timeout-sec	Number of seconds after which a bulk insert on backing database times out.	Data Cache	3600	✓	✓	✓	
backing-command-timeout-sec	Number of seconds after which a command on backing database times out.	Data Cache	3600	✓	✓	✓	
backing-connection-string	The connection string for the backing database.	Data Cache		✓		✓	
backing-force-case-sensitive-identifiers	Consider identifiers on the backing database as case-sensitive independent of the platform capabilities.	Data Cache	False	✓	✓	✓	
backing-forced-casing-identifiers	Forced casing of identifiers on the backing database. Choose from Unset, Lower, Upper and Mixed.	Data Cache	Unset	✓	✓	✓	
backing-maximum-length-identifiers	Non-default maximum length on the backing database in characters of identifier names.	Data Cache		✓	✓	✓	
backing-maximum-number-of-pooled-connections	Maximum number of concurrent pooled connections on backing database.	Data Cache		✓	✓	✓	
backing-maximum-sleep-acquire-pooled-connection-ms	Maximum time in ms to wait for acquiring a free connection from a pool of connections on backing database.	Data Cache	300000	✓	✓	✓	
backing-maximum-sleep-acquire-unpooled-connection-ms	Maximum time in ms to wait for acquire a free connection when there is no connection pooling on backing database.	Data Cache	600000	✓	✓	✓	
backing-minimum-connection-timeout-sec	Minimum number of seconds after which a newly requested connection on backing database times out.	Data Cache	300	✓	✓	✓	
backing-preferred-number-of-pooled-connections	Preferred number of concurrent pooled connections on backing database.	Data Cache		✓	✓	✓	
backing-provider	Name of the Invariant connector for the backing database.	Data Cache		✓		✓	
backing-sql-server-connect-retry-count	Number of connect retries on connection failed on the backing SQL Server database (SQL Server only).	Data Cache	60	✓	✓	✓	
backing-sql-server-connect-retry-	Interval between connect retries on connection failed on the backing	Data Cache	15	✓	✓	✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Driver's File	Set from Log On
interval-sec	SQL Server database (SQL Server only).						
backing-standardize-identifiers	Rewrite all identifiers on the backing database to the preferred standards as configured by standardize-identifiers-casing and maximum-length-identifiers.	Data Cache	True	✓	✓	✓	
backing-standardize-identifiers-casing	Rewrite all identifiers on the backing database to the platform-specific recommended standard casing when changing a data model on a case-dependent platform.	Data Cache	True	✓	✓	✓	
beta-compress-facts-on-disk	Whether to compress facts in the disk cache.	Data Cache	True	✓	✓	✓	
beta-encrypt-facts-on-disk	Whether to encrypt facts in the disk cache.	Data Cache	True	✓	✓	✓	
beta-store-facts-in-database	Whether to store facts in the database containing the repository.	Data Cache	True	✓	✓	✓	
beta-store-facts-on-disk	Whether to store facts on the disk cache.	Data Cache	False	✓	✓	✓	
beta-use-facts-in-database	Whether to use facts in the database cache.	Data Cache	True	✓	✓	✓	
beta-use-facts-on-disk	Whether to use facts in the disk cache.	Data Cache	False	✓	✓	✓	
bulk-delete-page-size-rows	Number of rows to delete per batch when bulk deleting.	Shared	10000	✓	✓	✓	
bulk-insert-page-size-bytes	Approximate maximum size in bytes of batch when bulk inserting.	Shared	10000000	✓	✓	✓	
bulk-insert-page-size-rows	Number of rows to insert per batch when bulk inserting.	Shared	10000	✓	✓	✓	
cache-folder	Folder to store Data Cache cache files in.	Data Cache	C:\Users\gle3.WS212\Invasive\Cache\data-cache	✓	✓	✓	
default-skip-client-side-cacheable	Whether to skip client-side cacheable tables by default.	Data Cache	True	✓	✓	✓	
default-use-ods	Whether to use the Operational Data Store when no hint is specified.	Data Cache	True	✓	✓	✓	
delete-number-table-partition-versions-per-group	Maximum number of table partition versions selected in the IN-clause for a delete of facts.	Data Cache	50	✓	✓	✓	
development-use-http-disk-cache	Whether to allow use of the disk cache for platform HTTP requests.	Data Cache	False	✓	✓		
drop-backlog-factor	Maximum ratio between number of versions dropped and new versions loaded on refresh.	Data Cache		✓	✓	✓	



Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Driver's File	Set from Log On
environment-prefix-all	A prefix applied to repository, facts and history database tables, indexes and views.	Data Cache		✓			
environment-prefix-facts	A prefix applied to every facts table, index and view.	Data Cache		✓			
environment-prefix-history	A prefix applied to every history table, index and view.	Data Cache		✓			
environment-prefix-logical-view	A prefix applied to every logical view.	Data Cache		✓			
environment-prefix-repository	A prefix applied to every repository table, index and view.	Data Cache		✓			
event-log-entries-delete-page-size-rows	Number of rows to delete per batch on maintaining event log entries.	Data Cache	1000	✓	✓	✓	
event-log-memory-cache-flush-interval-sec	Maximum interval in seconds between flushes of in-memory cache of event log entries to database.	Data Cache	15	✓			
event-log-memory-cache-size	Size of in-memory cache of event log entries before they are written to the database.	Data Cache	100	✓			
facts-delete-page-size-characters	Number of characters to delete per batch on maintaining orphaned facts.	Data Cache	10000000	✓	✓	✓	
facts-delete-page-size-rows	Number of rows to delete per batch on purging orphaned facts during repository upgrade or maintenance.	Data Cache		✓	✓	✓	
facts-insert-page-size-rows	Number of rows to insert per batch on maintaining facts.	Data Cache		✓	✓	✓	
force-case-sensitive-identifiers	Consider identifiers as case-sensitive independent of the platform capabilities.	Shared	False	✓	✓	✓	
forced-casing-identifiers	Forced casing of identifiers. Choose from: Unset, Lower, Upper and Mixed.	Shared		✓	✓	✓	
forced-casing-logical-view-column-name	Forced casing of logical view column names. Choose from Unset, Lower, Upper and Mixed.	Data Cache	Unset	✓	✓	✓	
forced-casing-logical-view-name	Forced casing of logical view names. Choose from Unset, Lower, Upper and Mixed.	Data Cache	Unset	✓	✓	✓	
forwarded-incoming-messages-delete-max-runtime-sec	Maximum runtime of purge forwarded incoming messages in seconds.	Data Cache	3600	✓	✓	✓	
forwarded-incoming-messages-delete-page-size-rows	Number of rows to delete per batch on maintaining forwarded incoming messages.	Data Cache	10000	✓	✓	✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Driver's File	Set from Log On
garbage-collection-physical-memory-load-threshold	Percentage of physical memory load above which a full garbage collection is run after replication.	Data Cache	80	✓	✓	✓	
garbage-collection-replication-interval-count	itgen_pae_garbage_collection_replication_minimum_interval_count_desc	Data Cache	100	✓	✓	✓	
garbage-collection-replication-minimum-interval-sec	itgen_pae_garbage_collection_replication_minimum_interval_sec_desc	Data Cache	30	✓	✓	✓	
invantive-sql-compress-sparse-arrays	Whether to compress sparse arrays in result sets during compression.	SQL Engine V1	True	✓	✓	✓	
invantive-sql-correct-invalid-date	Whether to correct dates considered invalid since they are before 01-01-1753. When nullable, they are removed. Otherwise they are replaced by 01-01-1753.	SQL Engine V1	False	✓	✓	✓	
invantive-sql-forward-filters-to-data-containers	Whether to forward filters to data containers.	SQL Engine V1	True	✓	✓	✓	
invantive-sql-share-byte-arrays	Whether to share the memory used by identical byte arrays in result sets during compression.	SQL Engine V1	True	✓	✓	✓	
invantive-sql-share-strings	Whether to share the memory used by identical strings in result sets during compression.	SQL Engine V1	True	✓	✓	✓	
invantive-sql-shuffle-fetch-results-data-containers	Whether to shuffle results fetched from data containers.	SQL Engine V1	False	✓	✓	✓	
invantive-use-cache	Whether to cache the results of a query.	SQL Engine V1	True	✓	✓	✓	
log-native-calls-to-disk-max-events	Maximum number of call events to register from last activation.	Shared		✓	✓	✓	
log-native-calls-to-disk-max-seconds	Maximum number of seconds to register calls from last activation.	Shared		✓	✓	✓	
log-native-calls-to-disk-on-error	Registers native calls to data container backend as disk files when the call raised an error.	Shared	False	✓	✓	✓	
log-native-calls-to-disk-on-success	Registers native calls to data container backend as disk files when the call raised no error.	Shared	False	✓	✓	✓	
log-native-calls-to-trace	Log native calls to data container backend on the trace.	Shared	False	✓	✓	✓	
max-delete-facts-parallel	Maximum number of parallel deletes on facts tables.	Data Cache	8	✓	✓	✓	
maximum-length-identifiers	Non-default maximum length in characters of identifier names.	Shared		✓	✓	✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Driver's File	Set from Log On
maximum-length-logical-view-column-name	Maximum length of logical view column names.	Data Cache		✓	✓	✓	
maximum-length-logical-view-name	Maximum length of logical view names.	Data Cache		✓	✓	✓	
max-messages-per-customer-service-request	Maximum number of messages to download from Customer Service per request.	Data Cache	10000	✓	✓	✓	
max-percentage-trickle-loading	Maximum percentage of incoming messages versus known rows to use trickle loading with. When exceeded, reverts to copy approach.	Data Cache	2,5	✓	✓	✓	
max-refreshes-parallel	Maximum number of parallel refreshes.	Data Cache	32	✓	✓	✓	
max-url-length-accepted	The maximum accepted URL length before raising an error.	Shared	8000	✓	✓	✓	
max-url-length-desired	The maximum desired URL length.	Shared	8000	✓	✓	✓	
orphaned-facts-delete-page-size-rows	Number of rows to delete per batch on maintaining orphaned facts.	Data Cache	10000	✓	✓	✓	
partition-slot-based-rate-limit-length-ms	Total length in milliseconds across all slots of a partition-based rate limit.	Shared	60000	✓		✓	
partition-slot-based-rate-limit-slots	Number of slots per partition-based rate limit. Null means no slot-based rate limit.	Shared		✓		✓	
pre-request-delay-ms	Pre-request delay in milliseconds per request.	Shared	0	✓	✓	✓	
purge-interval-event-log-entries-minutes	Interval in minutes between completed purges of ancient event log entries.	Data Cache	60	✓	✓	✓	
requested-page-size	Preferred number of rows to exchange per round trip; only effective on limited platforms such as AFAS Online.	Shared		✓	✓	✓	
requests-parallel-max	Maximum number of parallel data requests from individual partitions on the data container.	Shared	32	✓	✓	✓	
retention-event-log-entries-days	Retention of event log entries in days.	Data Cache	35	✓	✓	✓	
session-terminated-threshold-hours	Number of hours after start a session is considered terminated.	Data Cache	168	✓	✓	✓	
slot-based-rate-limit-length-ms	Total length in milliseconds across all slots of a slot-based rate limit.	Shared	60000	✓		✓	
slot-based-rate-limit-slots	Number of slots of a slot-based rate limit. Null means no slot-based rate limit.	Shared		✓		✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Driver's File	Set from Log On
standardize-identifiers	Rewrite all identifiers to the preferred standards as configured by standardize-identifiers-casing and maximum-length-identifiers.	Shared	True	✓	✓	✓	
standardize-identifiers-casing	Rewrite all identifiers to the recommended standard platform-specific casing when changing a data model on a case-dependent platform.	Shared	True	✓	✓	✓	
update-number-table-partition-versions-per-group	Maximum number of table partition versions selected in the IN-clause for an update of metadata.	Data Cache	1000	✓	✓	✓	
upgrade-force-execute	Whether to force execution of possible upgrade steps, even when there are no reasons to perform an upgrade.	Data Cache	False	✓			
upgrade-force-repository-version-start	Specifies the repository version to start upgrade from when specified.	Data Cache		✓			
upgrade-force-specials	Execute special operations before the repository is opened.	Data Cache		✓			

### 3 dc\_data\_containers: Data Cache Data Containers

Bundle of one or more partitions with data in tables associated with a physical source.

Catalog: Cache

Schema: Invantive

Alias: dcr

Primary Keys: dcr\_id

Label: Data Containers

This is a read-only view. The Data Cache API may not support changing the data or the Invantive SQL driver for Data Cache does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the Data Cache API.

#### View Columns

The columns of the view dc\_data\_containers are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
dcr_created_at	string(60)	Created in	☑	The code of the function in the modules table from within which the user created the record. This value will never change after creation of the record.

Name	Data Type	Label	Required	Documentation
dcr_created_by	string(60)	Created by	<input checked="" type="checkbox"/>	Who created the record.
dcr_date_created	datetime	Created at	<input checked="" type="checkbox"/>	The system time in UTC at w hich the record w as created. This value w ill never change after creation of the record.
dcr_date_modified	datetime	Updated at	<input checked="" type="checkbox"/>	The system time in UTC at w hich the record w as last updated. This value w ill change for every mutation of the record.
dcr_description	string(5)	Description	<input type="checkbox"/>	Description.
dcr_fragment_code	string(5)	Table Name Fragment Code	<input checked="" type="checkbox"/>	Random sequence of characters used to compose the name of the facts table w ith.
dcr_id	decimal	ID	<input checked="" type="checkbox"/>	Unique identifier.
dcr_modified_at	string(60)	Updated in	<input checked="" type="checkbox"/>	The code of the function in the modules table from w ithin w hich the user last updated the record. This value w ill change for every mutation of the record.
dcr_modified_by	string(60)	Updated by	<input checked="" type="checkbox"/>	The name of the user in the users table w hom last updated the record. This value w ill change for every update of the record.
dcr_name	string(240)	Name	<input checked="" type="checkbox"/>	Name of the data container.
dcr_orig_system_group	string(240)	Original System Group	<input type="checkbox"/>	Reference for identifying the group of records on the system from w hich it originated. It is commonly used to group records for later validation in an application control.
dcr_orig_system_reference	string(240)	Original System Reference	<input type="checkbox"/>	Reference for identifying the record on the system from w hich it originated.
dcr_session_created	string(240)	Session Created	<input checked="" type="checkbox"/>	The ID of the session w hich created the record. This value w ill not change after insert.
dcr_session_modified	string(240)	Session Updated	<input checked="" type="checkbox"/>	The ID of the session w hich last updated the record.
dcr_transaction_created	string(240)	Transaction Created	<input checked="" type="checkbox"/>	The ID of the transaction w hich created the record.
dcr_transaction_modified	string(240)	Transaction Updated	<input checked="" type="checkbox"/>	The ID of the transaction w hich last updated the record.

## 4 dc\_event\_log: Data Cache Events

An action by the software and is typically used to aid analysis of what happened when.

Catalog: Cache

Schema: Invantive

Alias: deg

Primary Keys: deg\_id

Label: Events

This is a read-only view. The Data Cache API may not support changing the data or the Invantive SQL driver for Data Cache does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the Data Cache API.

## View Columns

The columns of the view dc\_event\_log are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
dcr_id	decimal	Data Container ID	<input type="checkbox"/>	Reference to a data container.
dcr_label	string(240)	Data Container Label	<input type="checkbox"/>	Reference to a data container.
deg_category_code	string(30)	Category Code	<input type="checkbox"/>	Code of category uniquely typing this event.
deg_created_at	string(60)	Created in	<input checked="" type="checkbox"/>	The code of the function in the modules table from within which the user created the record. This value will never change after creation of the record.
deg_created_by	string(60)	Created by	<input checked="" type="checkbox"/>	Who created the record.
deg_date_created	datetime	Created at	<input checked="" type="checkbox"/>	The system time in UTC at which the record was created. This value will never change after creation of the record.
deg_date_modified	datetime	Updated at	<input checked="" type="checkbox"/>	The system time in UTC at which the record was last updated. This value will change for every mutation of the record.
deg_date_started	datetime	Start Date	<input type="checkbox"/>	Date/time at which the action leading to this event started.
deg_free_field_1	string(240)	Free text column 1	<input type="checkbox"/>	Unstructured information related to the event.
deg_free_field_2	string(240)	Free text column 2	<input type="checkbox"/>	Unstructured information related to the event.
deg_free_field_3	string(240)	Free text column 3	<input type="checkbox"/>	Unstructured information related to the event.
deg_free_field_4	string(240)	Free text column 4	<input type="checkbox"/>	Unstructured information related to the event.
deg_free_field_5	string(240)	Free text column 5	<input type="checkbox"/>	Unstructured information related to the event.
deg_id	decimal	ID	<input checked="" type="checkbox"/>	Unique identifier.
deg_modified_at	string(60)	Updated in	<input checked="" type="checkbox"/>	The code of the function in the modules table from within which the user last updated the record. This value will change for every mutation of the record.
deg_modified_by	string(60)	Updated by	<input checked="" type="checkbox"/>	The name of the user in the users table with whom last updated the record. This value will change for every update of the record.

Name	Data Type	Label	Required	Documentation
deg_orig_system_group	string(240)	Original System Group	<input type="checkbox"/>	Reference for identifying the group of records on the system from which it originated. It is commonly used to group records for later validation in an application control.
deg_orig_system_reference	string(240)	Original System Reference	<input type="checkbox"/>	Reference for identifying the record on the system from which it originated.
deg_session_created	string(240)	Session Created	<input checked="" type="checkbox"/>	The ID of the session which created the record. This value will not change after insert.
deg_session_modified	string(240)	Session Updated	<input checked="" type="checkbox"/>	The ID of the session which last updated the record.
deg_transaction_created	string(240)	Transaction Created	<input checked="" type="checkbox"/>	The ID of the transaction which created the record.
deg_transaction_modified	string(240)	Transaction Updated	<input checked="" type="checkbox"/>	The ID of the transaction which last updated the record.
deg_txt	string(240)	Text	<input checked="" type="checkbox"/>	Text of message.
ptn_id	decimal	Partition ID	<input type="checkbox"/>	Reference to a partition.
ptn_label	string(240)	Partition Label	<input type="checkbox"/>	Reference to a partition.
tbe_id	decimal	Table ID	<input type="checkbox"/>	Reference to a table.
tbe_label	string(240)	Table Label	<input type="checkbox"/>	Reference to a table.
tpn_id	decimal	Table Partition Version ID	<input type="checkbox"/>	Reference to a table partition version.
tpn_label	string(240)	Table Partition Version Label	<input type="checkbox"/>	Reference to a table partition version.
tpt_id	decimal	Table Partition ID	<input type="checkbox"/>	Reference to a table partition.
tpt_label	string(240)	Table Partition Label	<input type="checkbox"/>	Reference to a table partition.

## 5 dc\_fact\_size\_statistics: Data Cache Fact Size Statistics

Statistics on the size of facts.

Catalog: Cache

Schema: Invantive

Alias: fsc

Label: Fact Size Statistics

This is a read-only view. The Data Cache API may not support changing the data or the Invantive SQL driver for Data Cache does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the Data Cache API.

### View Columns

The columns of the view dc\_fact\_size\_statistics are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
dcr_name	string(240)	Data Container ID	✓	Name of the data container.
fsc_active_count_partitions	decimal	Size of Active Versions (partitions)	✓	Total number of partitions in active versions.
fsc_active_size_characters_m	decimal	Size of Active Versions (million characters)	✓	Total number of characters in millions in active versions.
fsc_active_size_rows_m	decimal	Size of Active Versions (million rows)	✓	Total number of rows in millions in active versions.
fsc_deleted_count_partitions	decimal	Size of Deleted Versions (partitions)	✓	Total number of partitions in deleted versions.
fsc_deleted_size_characters_m	decimal	Size of Obsoleted Versions (million characters)	✓	Total number of characters in millions in deleted versions.
fsc_deleted_size_rows_m	decimal	Size of Deleted Versions (million rows)	✓	Total number of rows in millions in deleted versions.
fsc_obsoleted_count_partitions	decimal	Size of Obsoleted Versions (partitions)	✓	Total number of partitions in obsoleted versions.
fsc_obsoleted_size_characters_m	decimal	Size of Obsoleted Versions (million characters)	✓	Total number of characters in millions in obsoleted versions.
fsc_obsoleted_size_rows_m	decimal	Size of Obsoleted Versions (million rows)	✓	Total number of rows in millions in obsoleted versions.
fsc_total_count_partitions	decimal	Size of All Versions (partitions)	✓	Total number of partitions.
fsc_total_size_characters_m	decimal	Size of All Versions (million characters)	✓	Total number of characters in millions.
fsc_total_size_rows_m	decimal	Size of All Versions (million rows)	✓	Total number of rows in millions.
tbe_facts_table_name	string(30)	Facts Table Name	✓	Name of the facts table with last downloaded data for this table.
tbe_full_qualified_name	string(240)	Full Qualified Name	✓	Full qualified name of the table to be downloaded.

## 6 dc\_ime\_statistics: Data Cache Incoming Message Statistics

Statistics of incoming messages received over time.

Catalog: Cache

Schema: Invantive

Alias: imc

Primary Keys: imc\_id

Label: Incoming Message Statistics



This is a read-only view. The Data Cache API may not support changing the data or the Invariant SQL driver for Data Cache does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the Data Cache API.

## View Columns

The columns of the view dc\_ime\_statistics are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
imc_action	char	Action	<input type="checkbox"/>	Code of triggering action in source system where 'U' stands for 'Update', 'D' for 'Delete' and 'I' for 'Insert'.
imc_appl_partition_c	string(100)	Partition	<input type="checkbox"/>	Unique textual identifier of the partition within the data container.
imc_cnt	decimal	Count	<input checked="" type="checkbox"/>	Number of messages in this statistical group.
imc_created_at	string(60)	Created in	<input checked="" type="checkbox"/>	The code of the function in the modules table from within which the user created the record. This value will never change after creation of the record.
imc_created_by	string(60)	Created by	<input checked="" type="checkbox"/>	Who created the record.
imc_data_container_id	string(240)	Data Container ID	<input type="checkbox"/>	Unique textual identifier of the data container.
imc_date_created	datetime	Created at	<input checked="" type="checkbox"/>	The system time in UTC at which the record was created. This value will never change after creation of the record.
imc_date_modified	datetime	Updated at	<input checked="" type="checkbox"/>	The system time in UTC at which the record was last updated. This value will change for every mutation of the record.
imc_date_received_first	datetime	Date Received First	<input checked="" type="checkbox"/>	First receipt moment at Customer Service.
imc_date_received_last	datetime	Date Received Last	<input checked="" type="checkbox"/>	Last receipt moment at Customer Service.
imc_download_cnt	decimal	Download Count	<input checked="" type="checkbox"/>	Number of downloads in this statistical group.
imc_id	decimal	ID	<input checked="" type="checkbox"/>	Unique identifier.
imc_modified_at	string(60)	Updated in	<input checked="" type="checkbox"/>	The code of the function in the modules table from within which the user last updated the record. This value will change for every mutation of the record.
imc_modified_by	string(60)	Updated by	<input checked="" type="checkbox"/>	The name of the user in the users table with whom last updated the record. This value will change for every update of the record.
imc_object_entity	string(240)	Object Entity	<input type="checkbox"/>	Name of the object entity in the source system.

Name	Data Type	Label	Required	Documentation
imc_orig_system_group	string(240)	Original System Group	<input type="checkbox"/>	Reference for identifying the group of records on the system from which it originated. It is commonly used to group records for later validation in an application control.
imc_orig_system_reference	string(240)	Original System Reference	<input type="checkbox"/>	Reference for identifying the record on the system from which it originated.
imc_provider_name	string(240)	Provider Name	<input type="checkbox"/>	Name of the Invantive connector for which the message was received.
imc_session_created	string(240)	Session Created	<input checked="" type="checkbox"/>	The ID of the session which created the record. This value will not change after insert.
imc_session_modified	string(240)	Session Updated	<input checked="" type="checkbox"/>	The ID of the session which last updated the record.
imc_subobject_entity	string(240)	Subobject Entity	<input type="checkbox"/>	Sub-object, such as line with header.
imc_transaction_created	string(240)	Transaction Created	<input checked="" type="checkbox"/>	The ID of the transaction which created the record.
imc_transaction_modified	string(240)	Transaction Updated	<input checked="" type="checkbox"/>	The ID of the transaction which last updated the record.

## 7 dc\_incoming\_messages: Data Cache Incoming Messages

Trickle loading events received from Customer Service for seeding new tables on basis of deltas.

Catalog: Cache

Schema: Invantive

Alias: ime

Primary Keys: ime\_id

Label: Incoming Messages

This is a read-only view. The Data Cache API may not support changing the data or the Invantive SQL driver for Data Cache does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the Data Cache API.

### View Columns

The columns of the view dc\_incoming\_messages are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ime_action	char	Action	<input type="checkbox"/>	Code of triggering action in source system where 'U' stands for 'Update', 'D' for 'Delete' and 'I' for 'Insert'.
ime_appl_client_id	string(240)	Application Client ID	<input type="checkbox"/>	OAuth client ID of the application.

Name	Data Type	Label	Required	Documentation
ime_appl_partition_c	string(100)	Partition	<input type="checkbox"/>	Unique textual identifier of the partition within the data container.
ime_created_at	string(60)	Created in	<input checked="" type="checkbox"/>	The code of the function in the modules table from within which the user created the record. This value will never change after creation of the record.
ime_created_by	string(60)	Created by	<input checked="" type="checkbox"/>	Who created the record.
ime_cs_message_key	string	Customer Service Message Key	<input checked="" type="checkbox"/>	Customer Service Message Key.
ime_cs_ref_key	decimal	Customer Service Reference Key	<input checked="" type="checkbox"/>	Customer Service ID.
ime_data_container_id	string(240)	Data Container ID	<input type="checkbox"/>	Unique textual identifier of the data container.
ime_date_created	datetime	Created at	<input checked="" type="checkbox"/>	The system time in UTC at which the record was created. This value will never change after creation of the record.
ime_date_downloaded	datetime	Download Date	<input checked="" type="checkbox"/>	Date/time at which the message was downloaded from Customer Service.
ime_date_forwarded	datetime	Date Forwarded	<input type="checkbox"/>	Moment at which the message was processed.
ime_date_modified	datetime	Updated at	<input checked="" type="checkbox"/>	The system time in UTC at which the record was last updated. This value will change for every mutation of the record.
ime_date_occurred_server_local	datetime	Date Occurred Server Local Time	<input type="checkbox"/>	Occurrence at the originating server (server local time).
ime_date_occurred	datetime	Date Occurred	<input type="checkbox"/>	Occurrence at the originating server (UTC).
ime_date_received	datetime	Date Received	<input checked="" type="checkbox"/>	Receipt moment at Customer Service.
ime_description	string(240)	Description	<input type="checkbox"/>	Description of the event in human-readable language.
ime_forwarded_flag	char	Forwarded	<input checked="" type="checkbox"/>	Whether the message was processed.
ime_id	decimal	ID	<input checked="" type="checkbox"/>	Unique identifier.
ime_iid	string(240)	IID	<input type="checkbox"/>	Invantive Installation ID.
ime_ip_address_external_sender	string(240)	IP Address External Sender	<input checked="" type="checkbox"/>	Internet-side IP-address of the message sender.
ime_iuid	string(240)	IUID	<input type="checkbox"/>	Invantive User ID. A physical person can have multiple IUIDs.
ime_license_contract_code	string(240)	License Contract Code	<input type="checkbox"/>	Code of the Invantive license contract for which the message was registered.
ime_message_key	string(240)	Message Key	<input type="checkbox"/>	A unique ID of the message as presented by the sender.
ime_modified_at	string(60)	Updated in	<input checked="" type="checkbox"/>	The code of the function in the modules table from within which the user last updated the record.

Name	Data Type	Label	Required	Documentation
				This value will change for every mutation of the record.
ime_modified_by	string(60)	Updated by	<input checked="" type="checkbox"/>	The name of the user in the users table with whom last updated the record. This value will change for every update of the record.
ime_object_entity	string(240)	Object Entity	<input type="checkbox"/>	Name of the object entity in the source system.
ime_object_key	string(240)	Object Key	<input type="checkbox"/>	Unique identifier of the object entity in the source system.
ime_object_url	string(2000)	Object URL	<input type="checkbox"/>	Browser URL to display the object in the source system.
ime_orig_system_group	string(240)	Original System Group	<input type="checkbox"/>	Reference for identifying the group of records on the system from which it originated. It is commonly used to group records for later validation in an application control.
ime_orig_system_reference	string(240)	Original System Reference	<input type="checkbox"/>	Reference for identifying the record on the system from which it originated.
ime_provider_name	string(240)	Provider Name	<input type="checkbox"/>	Name of the Invantive connector for which the message was received.
ime_receiving_url	string(2000)	Receiving URL	<input checked="" type="checkbox"/>	URL on which the request was received including query string.
ime_session_created	string(240)	Session Created	<input checked="" type="checkbox"/>	The ID of the session with which created the record. This value will not change after insert.
ime_session_id	string(240)	Session ID	<input type="checkbox"/>	Unique ID of the Invantive session that registered the message.
ime_session_modified	string(240)	Session Updated	<input checked="" type="checkbox"/>	The ID of the session with which last updated the record.
ime_subobject_entity	string(240)	Subobject Entity	<input type="checkbox"/>	Sub-object, such as line with header.
ime_subobject_key	string(240)	Subobject Key	<input type="checkbox"/>	Unique identifier of the sub-object entity in the source system.
ime_table_full_qualified_name	string(240)	Full Qualified Table Name	<input type="checkbox"/>	Full name of the target table.
ime_text_payload	string	Text of Payload	<input type="checkbox"/>	Full contents of the payload received by a HTTP POST.
ime_transaction_created	string(240)	Transaction Created	<input checked="" type="checkbox"/>	The ID of the transaction with which created the record.
ime_transaction_modified	string(240)	Transaction Updated	<input checked="" type="checkbox"/>	The ID of the transaction with which last updated the record.
ime_type	string(30)	Type	<input checked="" type="checkbox"/>	Currently always 'WEBHOOK'.
ime_verb	string(30)	HTTP Verb	<input type="checkbox"/>	HTTP verb used to register the message.

## 8 dc\_my\_incoming\_messages: Data Cache My Incoming Messages

Events received from Customer Service for custom business processes.

Catalog: Cache

Schema: Invantive

Alias: mie

Primary Keys: mie\_id

Label: My Incoming Messages

This is a read-only view. The Data Cache API may not support changing the data or the Invantive SQL driver for Data Cache does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the Data Cache API.

### View Columns

The columns of the view dc\_my\_incoming\_messages are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
mie_action	char	Action	<input type="checkbox"/>	Code of triggering action in source system where 'U' stands for 'Update', 'D' for 'Delete' and 'I' for 'Insert'.
mie_appl_client_id	string(240)	Application Client ID	<input type="checkbox"/>	OAuth client ID of the application.
mie_appl_partition_c	string(100)	Partition	<input type="checkbox"/>	Unique textual identifier of the partition within the data container.
mie_created_at	string(60)	Created in	<input checked="" type="checkbox"/>	The code of the function in the modules table from within which the user created the record. This value will never change after creation of the record.
mie_created_by	string(60)	Created by	<input checked="" type="checkbox"/>	Who created the record.
mie_cs_message_key	string	Customer Service Message Key	<input checked="" type="checkbox"/>	Customer Service Message Key.
mie_cs_ref_key	decimal	Customer Service Reference Key	<input checked="" type="checkbox"/>	Customer Service ID.
mie_data_container_id	string(240)	Data Container ID	<input type="checkbox"/>	Unique textual identifier of the data container.
mie_date_created	datetime	Created at	<input checked="" type="checkbox"/>	The system time in UTC at which the record was created. This value will never change after creation of the record.
mie_date_downloaded	datetime	Download Date	<input checked="" type="checkbox"/>	Date/time at which the message was downloaded from Customer Service.
mie_date_modified	datetime	Updated at	<input checked="" type="checkbox"/>	The system time in UTC at which the record was last updated. This value will change for every mutation of the record.

Name	Data Type	Label	Required	Documentation
mie_date_occurred_server_local	datetime	Date Occurred Server Local Time	<input type="checkbox"/>	Occurrence at the originating server (server local time).
mie_date_occurred	datetime	Date Occurred	<input type="checkbox"/>	Occurrence at the originating server (UTC).
mie_date_received	datetime	Date Received	<input checked="" type="checkbox"/>	Receipt moment at Customer Service.
mie_description	string(240)	Description	<input type="checkbox"/>	Description of the event in human-readable language.
mie_forwarded_flag	char	Forwarded	<input checked="" type="checkbox"/>	Whether it was processed.
mie_id	decimal	ID	<input checked="" type="checkbox"/>	Unique identifier.
mie_iid	string(240)	IID	<input type="checkbox"/>	Invantive Installation ID.
mie_ip_address_external_sender	string(240)	IP Address External Sender	<input checked="" type="checkbox"/>	Internet-side IP-address of the message sender.
mie_iuid	string(240)	IUID	<input type="checkbox"/>	Invantive User ID. A physical person can have multiple IUIDs.
mie_license_contract_code	string(240)	License Contract Code	<input type="checkbox"/>	Code of the Invantive license contract for which the message was registered.
mie_message_key	string(240)	Message Key	<input type="checkbox"/>	A unique ID of the message as presented by the sender.
mie_modified_at	string(60)	Updated in	<input checked="" type="checkbox"/>	The code of the function in the modules table from within which the user last updated the record. This value will change for every mutation of the record.
mie_modified_by	string(60)	Updated by	<input checked="" type="checkbox"/>	The name of the user in the users table with whom last updated the record. This value will change for every update of the record.
mie_object_entity	string(240)	Object Entity	<input type="checkbox"/>	Name of the object entity in the source system.
mie_object_key	string(240)	Object Key	<input type="checkbox"/>	Unique identifier of the object entity in the source system.
mie_object_url	string(2000)	Object URL	<input type="checkbox"/>	Browser URL to display the object in the source system.
mie_orig_system_group	string(240)	Original System Group	<input type="checkbox"/>	Reference for identifying the group of records on the system from which it originated. It is commonly used to group records for later validation in an application control.
mie_orig_system_reference	string(240)	Original System Reference	<input type="checkbox"/>	Reference for identifying the record on the system from which it originated.
mie_provider_name	string(240)	Provider Name	<input type="checkbox"/>	Name of the Invantive connector for which the message was received.
mie_receiving_url	string(2000)	Receiving URL	<input checked="" type="checkbox"/>	URL on which the request was received including query string.
mie_session_created	string(240)	Session Created	<input checked="" type="checkbox"/>	The ID of the session which created the record. This value

Name	Data Type	Label	Required	Documentation
				w ill not change after insert.
mie_session_id	string(240)	Session ID	<input type="checkbox"/>	Unique ID of the Invantive session that registered the message.
mie_session_modified	string(240)	Session Updated	<input checked="" type="checkbox"/>	The ID of the session w hich last updated the record.
mie_subobject_entity	string(240)	Subobject Entity	<input type="checkbox"/>	Sub-object, such as line w ith header.
mie_subobject_key	string(240)	Subobject Key	<input type="checkbox"/>	Unique identifier of the sub-object entity in the source system.
mie_text_payload	string	Text of Payload	<input type="checkbox"/>	Full contents of the payload received by a HTTP POST.
mie_transaction_created	string(240)	Transaction Created	<input checked="" type="checkbox"/>	The ID of the transaction w hich created the record.
mie_transaction_modified	string(240)	Transaction Updated	<input checked="" type="checkbox"/>	The ID of the transaction w hich last updated the record.
mie_type	string(30)	Type	<input checked="" type="checkbox"/>	Currently alw ays 'WEBHOOK'.
mie_verb	string(30)	HTTP Verb	<input type="checkbox"/>	HTTP verb used to register the message.

## 9 dc\_partitions: Data Cache Partitions

A unique set of data in tables, typically for a combination of legal entity and a physical source defined by a data container.

Catalog: Cache

Schema: Invantive

Alias: ptn

Primary Keys: ptn\_id

Label: Partitions

This is a read-only view. The Data Cache API may not support changing the data or the Invantive SQL driver for Data Cache does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the Data Cache API.

### View Columns

The columns of the view dc\_partitions are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
dcr_id	decimal	Data Container ID	<input checked="" type="checkbox"/>	Reference to a data container.
ptn_created_at	string(60)	Created in	<input checked="" type="checkbox"/>	The code of the function in the modules table from w ithin w hich the user created the record. This value w ill never change after creation of the record.
ptn_created_by	string(60)	Created by	<input checked="" type="checkbox"/>	Who created the record.

Name	Data Type	Label	Required	Documentation
ptn_date_created	datetime	Created at	<input checked="" type="checkbox"/>	The system time in UTC at which the record was created. This value will never change after creation of the record.
ptn_date_modified	datetime	Updated at	<input checked="" type="checkbox"/>	The system time in UTC at which the record was last updated. This value will change for every mutation of the record.
ptn_description	string(5)	Description	<input type="checkbox"/>	Description.
ptn_fragment_code	string(5)	Table Name Fragment Code	<input checked="" type="checkbox"/>	Random sequence of characters used to compose the name of the facts table with.
ptn_id	decimal	ID	<input checked="" type="checkbox"/>	Unique identifier.
ptn_modified_at	string(60)	Updated in	<input checked="" type="checkbox"/>	The code of the function in the modules table from within which the user last updated the record. This value will change for every mutation of the record.
ptn_modified_by	string(60)	Updated by	<input checked="" type="checkbox"/>	The name of the user in the users table with whom last updated the record. This value will change for every update of the record.
ptn_name	string(240)	Name	<input checked="" type="checkbox"/>	Name.
ptn_orig_system_group	string(240)	Original System Group	<input type="checkbox"/>	Reference for identifying the group of records on the system from which it originated. It is commonly used to group records for later validation in an application control.
ptn_orig_system_reference	string(240)	Original System Reference	<input type="checkbox"/>	Reference for identifying the record on the system from which it originated.
ptn_session_created	string(240)	Session Created	<input checked="" type="checkbox"/>	The ID of the session which created the record. This value will not change after insert.
ptn_session_modified	string(240)	Session Updated	<input checked="" type="checkbox"/>	The ID of the session which last updated the record.
ptn_transaction_created	string(240)	Transaction Created	<input checked="" type="checkbox"/>	The ID of the transaction which created the record.
ptn_transaction_modified	string(240)	Transaction Updated	<input checked="" type="checkbox"/>	The ID of the transaction which last updated the record.
ptn_view_code	string(10)	View Name Fragment Code	<input type="checkbox"/>	Characters embedded in a partition logical view name to indicate that the view contains the data for this partition.

## 10 dc\_physical\_statistics: Data Cache Physical Statistics

Statistics on the physical storage.

Catalog: Cache



Schema: Invantive

Alias: psc

Label: Physical Statistics

This is a read-only view. The Data Cache API may not support changing the data or the Invantive SQL driver for Data Cache does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the Data Cache API.

## View Columns

The columns of the view dc\_physical\_statistics are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
index_space_mb	decimal	Index Space (MB)	<input checked="" type="checkbox"/>	Estimated storage allocated in MB by indexes of physical table.
row_count	decimal	Row s	<input checked="" type="checkbox"/>	Estimated number of row s in physical table.
table_name	string(240)	Table Name	<input checked="" type="checkbox"/>	Name of physical table.
table_space_mb	decimal	Table Space (MB)	<input checked="" type="checkbox"/>	Estimated storage allocated in MB by physical table.

## 11 dc\_repository\_contents: Data Cache Repository Contents

Contents of the tables in the repository for support purposes.

Catalog: Cache

Schema: Invantive

Alias: rct

Primary Keys: stg\_id

Label: Repository Contents

This is a read-only view. The Data Cache API may not support changing the data or the Invantive SQL driver for Data Cache does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the Data Cache API.

## View Columns

The columns of the view dc\_repository\_contents are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
rct_contents	string	Contents	<input type="checkbox"/>	Contents in JSON format of the table.
rct_error_message	string	Error Message	<input type="checkbox"/>	Error message that occurred during retrieval of the contents.
rct_file_name_recommended	string(240)	Recommended File Name	<input checked="" type="checkbox"/>	Recommended file name.

Name	Data Type	Label	Required	Documentation
rct_success	boolean	Success	<input checked="" type="checkbox"/>	Whether the contents w as successfully retrieved.
rct_table_name	string(240)	Table Name	<input checked="" type="checkbox"/>	Table from w hich the contents w ere taken.

## 12 dc\_sessions: Data Cache Sessions

Current and historical sessions connecting to the repository.

Catalog: Cache

Schema: Invantive

Alias: ssn

Primary Keys: ssn\_id

Label: Sessions

This is a read-only view. The Data Cache API may not support changing the data or the Invantive SQL driver for Data Cache does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the Data Cache API.

### View Columns

The columns of the view dc\_sessions are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ssn_application_name	string(240)	Application Name	<input checked="" type="checkbox"/>	Name and version of the application connected.
ssn_cnt_heart_beat	decimal		<input checked="" type="checkbox"/>	Number of times the last heart beat w as updated.
ssn_code	string(240)	Code	<input checked="" type="checkbox"/>	Unique code.
ssn_computer_manufacturer	string(240)		<input type="checkbox"/>	Computer system manufacturer.
ssn_computer_model	string(240)		<input type="checkbox"/>	Computer system model.
ssn_cpu_time_sec	decimal		<input checked="" type="checkbox"/>	CPU time spent by the process during the lifetime of the session.
ssn_created_at	string(60)	Created in	<input checked="" type="checkbox"/>	The code of the function in the modules table from w ithin w hich the user created the record. This value w ill never change after creation of the record.
ssn_created_by	string(60)	Created by	<input checked="" type="checkbox"/>	Who created the record.
ssn_date_created	datetime	Created at	<input checked="" type="checkbox"/>	The system time in UTC at w hich the record w as created. This value w ill never change after creation of the record.
ssn_date_end	datetime		<input type="checkbox"/>	Moment at w hich the session ended (UTC).
ssn_date_last_heart_beat	datetime		<input type="checkbox"/>	Moment at w hich the last heart beat w as registered for the session (UTC).

Name	Data Type	Label	Required	Documentation
ssn_date_modified	datetime	Updated at	<input checked="" type="checkbox"/>	The system time in UTC at w hich the record w as last updated. This value w ill change for every mutation of the record.
ssn_date_start	datetime	Start Date	<input checked="" type="checkbox"/>	Moment at w hich the session started (UTC).
ssn_event_modified	string(30)		<input type="checkbox"/>	Code of last event that modified the row .
ssn_id	decimal	ID	<input checked="" type="checkbox"/>	Unique identifier.
ssn_iiid	string(240)	IIID	<input checked="" type="checkbox"/>	Invantive installation ID.
ssn_ip_address_external	string(240)		<input checked="" type="checkbox"/>	External IP address.
ssn_ip_address_internal	string(240)		<input checked="" type="checkbox"/>	Internal IP address.
ssn_iuid	string(240)	IUID	<input checked="" type="checkbox"/>	Invantive user ID.
ssn_license_contract_code	string(240)	License Contract Code	<input checked="" type="checkbox"/>	License contract code.
ssn_license_key_identifier	string(240)	License Key Identifier	<input checked="" type="checkbox"/>	License key ID.
ssn_machine_name	string(240)	Machine Name	<input checked="" type="checkbox"/>	Name of the machine on w hich the session is running.
ssn_modified_at	string(60)	Updated in	<input checked="" type="checkbox"/>	The code of the function in the modules table from w ithin w hich the user last updated the record. This value w ill change for every mutation of the record.
ssn_modified_by	string(60)	Updated by	<input checked="" type="checkbox"/>	The name of the user in the users table w hom last updated the record. This value w ill change for every update of the record.
ssn_nk	string(240)	Natural Key	<input checked="" type="checkbox"/>	Natural key.
ssn_orig_system_group	string(240)	Original System Group	<input type="checkbox"/>	Reference for identifying the group of records on the system from w hich it originated. It is commonly used to group records for later validation in an application control.
ssn_orig_system_reference	string(240)	Original System Reference	<input type="checkbox"/>	Reference for identifying the record on the system from w hich it originated.
ssn_physical_memory_bytes	int64		<input type="checkbox"/>	Physical memory in bytes.
ssn_physical_memory_load	int32		<input type="checkbox"/>	Physical memory load (%).
ssn_pool_identity	string(240)	Pool Identity	<input type="checkbox"/>	Pool identity.
ssn_process_arguments	string(2000)		<input type="checkbox"/>	Arguments of the process running the session.
ssn_process_filename	string(240)	Executable	<input checked="" type="checkbox"/>	Executable started to create the process running the session.
ssn_process_label	string(240)		<input checked="" type="checkbox"/>	Identification of the running process on the operating system.
ssn_process_ow ner	string(240)		<input checked="" type="checkbox"/>	Ow ner on the operating system of the process in w hich the session is running.

Name	Data Type	Label	Required	Documentation
ssn_session_created	string(240)	Session Created	✓	The ID of the session w hich created the record. This value w ill not change after insert.
ssn_session_modified	string(240)	Session Updated	✓	The ID of the session w hich last updated the record.
ssn_transaction_created	string(240)	Transaction Created	✓	The ID of the transaction w hich created the record.
ssn_transaction_modified	string(240)	Transaction Updated	✓	The ID of the transaction w hich last updated the record.
ssn_working_directory	string(240)		✓	Working directory of the process running the session.

## 13 dc\_settings: Data Cache Settings

Central configuration of the software consisting of settings and defaults for configuration of other objects such as tables.

Catalog: Cache

Schema: Invantive

Alias: stg

Primary Keys: stg\_id

Label: Settings

This is a read-only view. The Data Cache API may not support changing the data or the Invantive SQL driver for Data Cache does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the Data Cache API.

## View Columns

The columns of the view dc\_settings are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
stg_allow_auto_upgrade_flag	string(1)	Allow Auto Upgrade	✓	Whether the repository data model must be checked for an upgrade (and executed w hen deemed necessary) on every new connection to the backing database.
stg_auto_upgrade_once_flag	string(1)	Auto Upgrade Once	✓	Whether the repository data model must be checked for an upgrade (and executed w hen deemed necessary) on the next connection established to the backing database.
stg_created_at	string(60)	Created in	✓	The code of the function in the modules table from w ithin w hich the user created the record. This value w ill never change after creation of the record.
stg_created_by	string(60)	Created by	✓	Who created the record.

Name	Data Type	Label	Required	Documentation
stg_date_created	datetime	Created at	<input checked="" type="checkbox"/>	The system time in UTC at which the record was created. This value will never change after creation of the record.
stg_date_modified	datetime	Updated at	<input checked="" type="checkbox"/>	The system time in UTC at which the record was last updated. This value will change for every mutation of the record.
stg_dummy	string(1)	Dummy	<input checked="" type="checkbox"/>	Placeholder for a unique value to ensure uniqueness and at most one row in this table.
stg_environment_id	string(30)		<input checked="" type="checkbox"/>	Unique environment ID.
stg_id	decimal	ID	<input checked="" type="checkbox"/>	Unique identifier.
stg_index_facts_tables_flag	char	Index Facts Tables	<input checked="" type="checkbox"/>	Default whether indexes on facts tables must be created and maintained.
stg_index_history_tables_flag	char	Index History Tables	<input checked="" type="checkbox"/>	Default whether indexes on history tables must be created and maintained.
stg_lv_overall_active_flag	char	Maintain Overall Logical Views	<input checked="" type="checkbox"/>	Default whether overall logical views must be created and maintained.
stg_lv_overall_view_name_postfix	string(240)	Postfix Overall Logical View Name	<input type="checkbox"/>	Default postfix for the name of the overall logical view.
stg_lv_overall_view_name_prefix	string(240)	Prefix Overall Logical View Name	<input type="checkbox"/>	Default prefix for the name of the overall logical view.
stg_lv_ptn_active_flag	char	Maintain Partition Logical Views	<input checked="" type="checkbox"/>	Default whether partition logical views must be created and maintained.
stg_lv_ptn_view_name_postfix	string(240)	Postfix Partition Logical View Name	<input type="checkbox"/>	Default postfix for the name of a partition logical view.
stg_lv_ptn_view_name_prefix	string(240)	Prefix Partition Logical View Name	<input type="checkbox"/>	Default prefix for the name of a partition logical view.
stg_modified_at	string(60)	Updated in	<input checked="" type="checkbox"/>	The code of the function in the modules table from which the user last updated the record. This value will change for every mutation of the record.
stg_modified_by	string(60)	Updated by	<input checked="" type="checkbox"/>	The name of the user in the users table with whom last updated the record. This value will change for every update of the record.
stg_orig_system_group	string(240)	Original System Group	<input type="checkbox"/>	Reference for identifying the group of records on the system from which it originated. It is commonly used to group records for later validation in an application control.
stg_orig_system_reference	string(240)	Original System Reference	<input type="checkbox"/>	Reference for identifying the record on the system from which it originated.
stg_sec_before_droppable	decimal	Seconds before Droppable	<input checked="" type="checkbox"/>	Number of seconds after becoming obsolete before a table

Name	Data Type	Label	Required	Documentation
				partition-specific facts table is droppable.
stg_sec_before_obsolete	decimal	Seconds before Obsolete	<input checked="" type="checkbox"/>	Number of seconds after download before the downloaded data is considered obsolete.
stg_sec_metadata_is_droppable	decimal	Seconds before Metadata Droppable	<input checked="" type="checkbox"/>	Number of seconds after the data became obsolete before the metadata is droppable.
stg_sec_retention_forwarded_incoming_messages	decimal	Seconds Retention Forwarded Incoming Messages	<input checked="" type="checkbox"/>	Number of seconds after an incoming messages has been forwarded before becoming eligible for a delete.
stg_session_created	string(240)	Session Created	<input checked="" type="checkbox"/>	The ID of the session which created the record. This value will not change after insert.
stg_session_modified	string(240)	Session Updated	<input checked="" type="checkbox"/>	The ID of the session which last updated the record.
stg_sql_engine_version	string(30)	SQL Engine Version	<input type="checkbox"/>	Version of the SQL engine used to update the repository data model.
stg_token	string(2000)	Token	<input type="checkbox"/>	Token for authentication to download messages from the Customer Service.
stg_transaction_created	string(240)	Transaction Created	<input checked="" type="checkbox"/>	The ID of the transaction which created the record.
stg_transaction_modified	string(240)	Transaction Updated	<input checked="" type="checkbox"/>	The ID of the transaction which last updated the record.

## 14 dc\_table\_partition\_versions: Data Cache Table Partition Versions

Data set replicated from a table for a specific partition at a specific moment in time.

Catalog: Cache

Schema: Invantive

Alias: tpn

Primary Keys: tpn\_id

Label: Table Partition Versions

This is a read-only view. The Data Cache API may not support changing the data or the Invantive SQL driver for Data Cache does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the Data Cache API.

### View Columns

The columns of the view dc\_table\_partition\_versions are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ptn_id	decimal	Partition ID	<input checked="" type="checkbox"/>	Reference to a partition.
tbe_id	decimal	Table ID	<input checked="" type="checkbox"/>	Reference to a table.
tpn_count_rows_deleted	decimal	Count of Deleted Rows	<input type="checkbox"/>	Number of rows deleted compared to previous table partition version.
tpn_count_rows_delta	decimal	Delta of Row Count	<input type="checkbox"/>	Number of rows changed compared to previous table partition version.
tpn_count_rows_inserted	decimal	Count of Inserted Rows	<input type="checkbox"/>	Number of rows inserted compared to previous table partition version.
tpn_count_rows_previous	decimal	Previous Row Count	<input type="checkbox"/>	Number of rows in the previous table partition version.
tpn_count_rows_updated	decimal	Count of Updated Rows	<input type="checkbox"/>	Number of rows updated compared to previous table partition version.
tpn_count_rows	decimal	Rows	<input type="checkbox"/>	Number of rows in the table partition version.
tpn_created_at	string(60)	Created in	<input checked="" type="checkbox"/>	The code of the function in the modules table from within which the user created the record. This value will never change after creation of the record.
tpn_created_by	string(60)	Created by	<input checked="" type="checkbox"/>	Who created the record.
tpn_data_file_name_path	string(500)	Data File Name Path	<input type="checkbox"/>	Storage location of the data on disk.
tpn_date_becomes_droppable	datetime	Date Becomes Droppable	<input type="checkbox"/>	Date/time at which the data in the facts table may first be deleted (UTC).
tpn_date_becomes_obsolete	datetime	Date Becomes Obsolete	<input type="checkbox"/>	Date/time at which the data in the facts table may first be declared obsolete (UTC).
tpn_date_created	datetime	Created at	<input checked="" type="checkbox"/>	The system time in UTC at which the record was created. This value will never change after creation of the record.
tpn_date_last_fresh_check	datetime	Date Last Freshness Check	<input type="checkbox"/>	Date/time at which the facts table was last checked for freshness (UTC).
tpn_date_last_got_created	datetime	Date Last Got Created	<input type="checkbox"/>	Date/time at which the facts table was last created (UTC).
tpn_date_last_got_dropped	datetime	Date Last Got Dropped	<input type="checkbox"/>	Date/time at which the data in the facts table was declared deleted (UTC).
tpn_date_last_got_obsoleted	datetime	Date Last Got Obsoleted	<input type="checkbox"/>	Date/time at which the data in the facts table was declared obsolete (UTC).
tpn_date_last_got_ready	datetime	Date Last Got Ready	<input type="checkbox"/>	Date/time at which the facts table was last made available for use (UTC).
tpn_date_last_got_seeding	datetime	Date Last Got Seeding	<input type="checkbox"/>	Date/time at which the facts table was last seeded for new data (UTC).

Name	Data Type	Label	Required	Documentation
tpn_date_last_load_start	datetime	Date Last Load Start	<input type="checkbox"/>	Date/time at w hich the facts table w as last loaded w ith new data (UTC).
tpn_date_metadata_is_droppable	datetime	Date Metadata is Droppable	<input type="checkbox"/>	Date/time at w hich the metadata on the facts table may first be declared deleted (UTC).
tpn_date_modified	datetime	Updated at	<input checked="" type="checkbox"/>	The system time in UTC at w hich the record w as last updated. This value w ill change for every mutation of the record.
tpn_estimated_size_characters	decimal	Estimated Size (characters)	<input type="checkbox"/>	Estimates size of characters in the data for the table partition version.
tpn_id	decimal	ID	<input checked="" type="checkbox"/>	Unique identifier.
tpn_lv_date_last_got_created	datetime	Date Logical View Last Got Created	<input type="checkbox"/>	Date/time at w hich the overall and/or partition logical view s w ere last maintained (UTC).
tpn_modified_at	string(60)	Updated in	<input checked="" type="checkbox"/>	The code of the function in the modules table from w ithin w hich the user last updated the record. This value w ill change for every mutation of the record.
tpn_modified_by	string(60)	Updated by	<input checked="" type="checkbox"/>	The name of the user in the users table w hom last updated the record. This value w ill change for every update of the record.
tpn_orig_system_group	string(240)	Original System Group	<input type="checkbox"/>	Reference for identifying the group of records on the system from w hich it originated. It is commonly used to group records for later validation in an application control.
tpn_orig_system_reference	string(240)	Original System Reference	<input type="checkbox"/>	Reference for identifying the record on the system from w hich it originated.
tpn_refresh_origin	string(1)	Refresh Origin	<input checked="" type="checkbox"/>	Origin of the refresh action leading to this version: 'S' for select, 'L' for load and 'R' for refresh.
tpn_seeding_approach_used_code	char	Seeding Approach Used Code	<input checked="" type="checkbox"/>	Seeding approach to get a up-to-date data set. Seeding approaches include 'C' for 'Complete', 'S' for 'Smart Sampling' and 'T' for 'Trickle Loading'.
tpn_seeding_approach_used_description	string	Seeding Approach Used Description	<input checked="" type="checkbox"/>	Description of the seeding approach.
tpn_seeding_parameter_used_1	string	Seeding Parameter Used #1	<input type="checkbox"/>	Value of a parameter used for the seeding process. Meaning depends on the seeding approach.
tpn_seeding_parameter_used_2	string	Seeding Parameter Used #2	<input type="checkbox"/>	Value of a parameter used for the seeding process. Meaning depends on the seeding approach.



Name	Data Type	Label	Required	Documentation
tpn_seeding_parameter_used_3	string	Seeding Parameter Used #3	<input type="checkbox"/>	Value of a parameter used for the seeding process. Meaning depends on the seeding approach.
tpn_seeding_parameter_used_4	string	Seeding Parameter Used #4	<input type="checkbox"/>	Value of a parameter used for the seeding process. Meaning depends on the seeding approach.
tpn_seeding_parameter_used_5	string	Seeding Parameter Used #5	<input type="checkbox"/>	Value of a parameter used for the seeding process. Meaning depends on the seeding approach.
tpn_session_created	string(240)	Session Created	<input checked="" type="checkbox"/>	The ID of the session w hich created the record. This value w ill not change after insert.
tpn_session_modified	string(240)	Session Updated	<input checked="" type="checkbox"/>	The ID of the session w hich last updated the record.
tpn_state_description	string(240)	State Description	<input checked="" type="checkbox"/>	Description of the state in w hich the table partition version is.
tpn_state_note	string(240)	State Note	<input type="checkbox"/>	Note on the state in w hich the table partition version is.
tpn_state	string(1)	State Code	<input checked="" type="checkbox"/>	Code of the state in w hich the table partition version is.
tpn_transaction_created	string(240)	Transaction Created	<input checked="" type="checkbox"/>	The ID of the transaction w hich created the record.
tpn_transaction_modified	string(240)	Transaction Updated	<input checked="" type="checkbox"/>	The ID of the transaction w hich last updated the record.
tpn_version	decimal	Version Number	<input checked="" type="checkbox"/>	Numeric incremental version of the table partition. Increased by 1 every time a new data set is dow nloaded and/or calculated.

## 15 dc\_table\_partitions: Data Cache Table Partitions

Structure for all rows in a data set of a specific partition.

Catalog: Cache

Schema: Invantive

Alias: tpt

Primary Keys: tpt\_id

Label: Table Partitions

This is a read-only view. The Data Cache API may not support changing the data or the Invantive SQL driver for Data Cache does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the Data Cache API.

### View Columns

The columns of the view dc\_table\_partitions are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ptn_id	decimal	Partition ID	<input checked="" type="checkbox"/>	Reference to a partition.
tbe_id	decimal	Table ID	<input checked="" type="checkbox"/>	Reference to a table.
tpt_check_count_row s_max	decimal	Check Count of Row s (Max)	<input type="checkbox"/>	Maximum number of row s that all table partitions of this table should contain.
tpt_check_count_row s_min	decimal	Check Count of Row s (Min)	<input type="checkbox"/>	Minimum number of row s that all table partitions of this table should contain.
tpt_count_row s_first	decimal	Number of Row s in First Load	<input type="checkbox"/>	Number of row s in first version.
tpt_count_row s_last	decimal	Number of Row s in Last Load	<input type="checkbox"/>	Number of row s in last version.
tpt_count_row s_max	decimal	Maximum Number of Row s in Load	<input type="checkbox"/>	Maximum number of row s in a version ever seen.
tpt_count_row s_min	decimal	Minimum Number of Row s in Load	<input type="checkbox"/>	Minimum number of row s in a version ever seen.
tpt_count_row s_total	decimal	Total Number of Row s	<input type="checkbox"/>	Total number of row s in all versions.
tpt_created_at	string(60)	Created in	<input checked="" type="checkbox"/>	The code of the function in the modules table from w ithin w hich the user created the record. This value w ill never change after creation of the record.
tpt_created_by	string(60)	Created by	<input checked="" type="checkbox"/>	Who created the record.
tpt_date_copy_activated	datetime	Date Copy Approach Activated	<input type="checkbox"/>	Moment in time at w hich the copy approach w as activated last.
tpt_date_created	datetime	Created at	<input checked="" type="checkbox"/>	The system time in UTC at w hich the record w as created. This value w ill never change after creation of the record.
tpt_date_modified	datetime	Updated at	<input checked="" type="checkbox"/>	The system time in UTC at w hich the record w as last updated. This value w ill change for every mutation of the record.
tpt_date_row_cnt_last_change	datetime	Date Row Count Last Changed	<input type="checkbox"/>	Moment in time at w hich the row count changed last.
tpt_date_smart_activated	datetime	Date Smart Approach Activated	<input type="checkbox"/>	Moment in time at w hich the smart approach w as activated last.
tpt_date_trickle_activated	datetime	Date Trickle Approach Activated	<input type="checkbox"/>	Moment in time at w hich the trickle approach w as activated last.
tpt_date_trickle_first_message	datetime	Date Reception First Message for Trickle Approach	<input type="checkbox"/>	Moment in time at w hich a first trickle message w as received first.
tpt_estimated_size_chars_first	decimal	Estimated Size in Characters in First Load	<input type="checkbox"/>	Estimated size in characters in first version.
tpt_estimated_size_chars_last	decimal	Estimated Size in Characters in Last Load	<input type="checkbox"/>	Estimated size in characters in last version.

Name	Data Type	Label	Required	Documentation
tpt_estimated_size_chars_max	decimal	Maximum Estimated Size in Characters	<input type="checkbox"/>	Maximum estimated size in characters in a version ever seen.
tpt_estimated_size_chars_min	decimal	Minimum Estimated Size in Characters	<input type="checkbox"/>	Minimum estimated size in characters in a version ever seen.
tpt_estimated_size_chars_total	decimal	Estimated Total Size (characters)	<input type="checkbox"/>	Total estimated size in characters in all versions.
tpt_id	decimal	ID	<input checked="" type="checkbox"/>	Unique identifier.
tpt_lv_ptn_view_md5	string(60)	Logical Partition View MD5	<input type="checkbox"/>	MD5 of the SQL used to create the logical partition view.
tpt_lv_ptn_view_name	string(240)	Logical Partition View Name	<input type="checkbox"/>	Name of the logical partition view in the database.
tpt_modified_at	string(60)	Updated in	<input checked="" type="checkbox"/>	The code of the function in the modules table from which the user last updated the record. This value will change for every mutation of the record.
tpt_modified_by	string(60)	Updated by	<input checked="" type="checkbox"/>	The name of the user in the users table with whom last updated the record. This value will change for every update of the record.
tpt_orig_system_group	string(240)	Original System Group	<input type="checkbox"/>	Reference for identifying the group of records on the system from which it originated. It is commonly used to group records for later validation in an application control.
tpt_orig_system_reference	string(240)	Original System Reference	<input type="checkbox"/>	Reference for identifying the record on the system from which it originated.
tpt_seconds_before_droppable	decimal	Seconds before Droppable	<input checked="" type="checkbox"/>	Minimum number of seconds before a table partition version facts table becomes droppable.
tpt_seconds_before_obsolete	decimal	Seconds before Obsolete	<input checked="" type="checkbox"/>	Minimum number of seconds before a table partition version facts table becomes obsolete.
tpt_seconds_metadata_is_droppable	decimal	Seconds before Metadata Droppable	<input checked="" type="checkbox"/>	Minimum number of seconds before a table partition version facts table becomes obsolete.
tpt_seeding_approach_used_code	char	Seeding Approach Used Code	<input checked="" type="checkbox"/>	Seeding approach to get a up-to-date data set. Seeding approaches include 'C' for 'Complete', 'S' for 'Smart Sampling' and 'T' for 'Trickle Loading'.
tpt_seeding_approach_used_description	string	Seeding Approach Used Description	<input checked="" type="checkbox"/>	Description of the seeding approach.
tpt_seeding_parameter_used_1	string	Seeding Parameter Used #1	<input type="checkbox"/>	Value of a parameter used for the seeding process. Meaning depends on the seeding approach.
tpt_seeding_parameter_used_2	string	Seeding Parameter Used #2	<input type="checkbox"/>	Value of a parameter used for the seeding process. Meaning

Name	Data Type	Label	Required	Documentation
				depends on the seeding approach.
tpt_seeding_parameter_used_3	string	Seeding Parameter Used #3	<input type="checkbox"/>	Value of a parameter used for the seeding process. Meaning depends on the seeding approach.
tpt_seeding_parameter_used_4	string	Seeding Parameter Used #4	<input type="checkbox"/>	Value of a parameter used for the seeding process. Meaning depends on the seeding approach.
tpt_seeding_parameter_used_5	string	Seeding Parameter Used #5	<input type="checkbox"/>	Value of a parameter used for the seeding process. Meaning depends on the seeding approach.
tpt_seeding_time_sec_first	decimal	Seeding Time in Seconds in First Load	<input type="checkbox"/>	Time in seconds to seed the facts table in first version.
tpt_seeding_time_sec_last	decimal	Seeding Time in Seconds in Last Load	<input type="checkbox"/>	Time in seconds to seed the facts table in last version.
tpt_seeding_time_sec_max	decimal	Maximum Seeding Time in Seconds in Load	<input type="checkbox"/>	Maximum time in seconds to seed the facts table in a version ever seen.
tpt_seeding_time_sec_min	decimal	Minimum Seeding Time in Seconds in Load	<input type="checkbox"/>	Minimum time in seconds to seed the facts table in a version ever seen.
tpt_seeding_time_sec_total	decimal		<input type="checkbox"/>	Total time in seconds to seed the facts table in all versions.
tpt_session_created	string(240)	Session Created	<input checked="" type="checkbox"/>	The ID of the session which created the record. This value will not change after insert.
tpt_session_modified	string(240)	Session Updated	<input checked="" type="checkbox"/>	The ID of the session which last updated the record.
tpt_transaction_created	string(240)	Transaction Created	<input checked="" type="checkbox"/>	The ID of the transaction which created the record.
tpt_transaction_modified	string(240)	Transaction Updated	<input checked="" type="checkbox"/>	The ID of the transaction which last updated the record.
tpt_version_last	decimal		<input type="checkbox"/>	Number of version that last got issued.

## 16 dc\_tables: Data Cache Tables

Structure for all rows in a data set.

Catalog: Cache

Schema: Invantive

Alias: tbe

Primary Keys: tbe\_id

Label: Tables

This is a read-only view. The Data Cache API may not support changing the data or the Invariant SQL driver for Data Cache does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the Data Cache API.

## View Columns

The columns of the view dc\_tables are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
dcr_id	decimal	Data Container ID	<input checked="" type="checkbox"/>	Reference to a data container.
tbe_check_count_rows_max	decimal	Check Count of Rows (Max)	<input type="checkbox"/>	Maximum number of rows that all table partitions of this table should contain.
tbe_check_count_rows_min	decimal	Check Count of Rows (Min)	<input type="checkbox"/>	Minimum number of rows that all table partitions of this table should contain.
tbe_created_at	string(60)	Created in	<input checked="" type="checkbox"/>	The code of the function in the modules table from within which the user created the record. This value will never change after creation of the record.
tbe_created_by	string(60)	Created by	<input checked="" type="checkbox"/>	Who created the record.
tbe_date_created	datetime	Created at	<input checked="" type="checkbox"/>	The system time in UTC at which the record was created. This value will never change after creation of the record.
tbe_date_lv_last_got_created	datetime	Date Logical View Last Got Created	<input type="checkbox"/>	Date/time at which the overall and/or partition logical views were last maintained.
tbe_date_modified	datetime	Updated at	<input checked="" type="checkbox"/>	The system time in UTC at which the record was last updated. This value will change for every mutation of the record.
tbe_facts_table_name	string(30)	Facts Table Name	<input checked="" type="checkbox"/>	Name of the facts table with last downloaded data for this table.
tbe_fragment_code	string(5)	Table Name Fragment Code	<input checked="" type="checkbox"/>	Random sequence of characters used to compose the name of the facts table with.
tbe_full_qualified_name	string(240)	Full Qualified Name	<input checked="" type="checkbox"/>	Full qualified name of the table to be downloaded.
tbe_history_table_md5	string(60)	MD5 of History Table	<input type="checkbox"/>	MD5 of the SQL used to create the history table.
tbe_history_table_name	string(30)	History Table Name	<input checked="" type="checkbox"/>	Name of the history table with current and all previous seen data for this table.
tbe_id	decimal	ID	<input checked="" type="checkbox"/>	Unique identifier.
tbe_index_facts_table_flag	string(1)	Index Facts Table?	<input checked="" type="checkbox"/>	Whether indexes on facts table must be created and maintained.
tbe_index_history_table_flag	string(1)	Index History Table?	<input checked="" type="checkbox"/>	Whether indexes on history table must be created and maintained.
tbe_lv_overall_active_flag	string(1)	Maintain Overall Logical Views	<input checked="" type="checkbox"/>	Whether overall logical views must be created and maintained.
tbe_lv_overall_view_name	string(240)	Name of Overall Logical View	<input type="checkbox"/>	Name of the overall logical view.

Name	Data Type	Label	Required	Documentation
tbe_lv_ptn_active_flag	string(1)	Maintain Partition Logical View s	<input checked="" type="checkbox"/>	Whether partition logical view s must be created and maintained.
tbe_lv_ptn_view_name_postfix	string(30)	Postfix Partition Logical View Name	<input type="checkbox"/>	Postfix for the name of a partition logical view .
tbe_lv_ptn_view_name_prefix	string(30)	Prefix Partition Logical View Name	<input type="checkbox"/>	Prefix for the name of a partition logical view .
tbe_modified_at	string(60)	Updated in	<input checked="" type="checkbox"/>	The code of the function in the modules table from w ithin w hich the user last updated the record. This value w ill change for every mutation of the record.
tbe_modified_by	string(60)	Updated by	<input checked="" type="checkbox"/>	The name of the user in the users table w hom last updated the record. This value w ill change for every update of the record.
tbe_orig_system_group	string(240)	Original System Group	<input type="checkbox"/>	Reference for identifying the group of records on the system from w hich it originated. It is commonly used to group records for later validation in an application control.
tbe_orig_system_reference	string(240)	Original System Reference	<input type="checkbox"/>	Reference for identifying the record on the system from w hich it originated.
tbe_seconds_before_droppable	decimal	Seconds before Droppable	<input checked="" type="checkbox"/>	Default for minimum number of seconds before a table partition version facts table becomes droppable.
tbe_seconds_before_obsolete	decimal	Seconds before Obsolete	<input checked="" type="checkbox"/>	Default for minimum number of seconds before a table partition version facts table becomes obsolete.
tbe_seconds_metadata_is_droppable	decimal	Seconds before Metadata Droppable	<input checked="" type="checkbox"/>	Default for minimum number of seconds before a table partition version facts table becomes obsolete.
tbe_session_created	string(240)	Session Created	<input checked="" type="checkbox"/>	The ID of the session w hich created the record. This value w ill not change after insert.
tbe_session_modified	string(240)	Session Updated	<input checked="" type="checkbox"/>	The ID of the session w hich last updated the record.
tbe_table_md5	string(60)	MD5 of Facts Table	<input type="checkbox"/>	MD5 of the SQL used to create the facts table.
tbe_transaction_created	string(240)	Transaction Created	<input checked="" type="checkbox"/>	The ID of the transaction w hich created the record.
tbe_transaction_modified	string(240)	Transaction Updated	<input checked="" type="checkbox"/>	The ID of the transaction w hich last updated the record.

## 17 dc\_tpn\_states: Data Cache Table Version States

Meaning of state value for table partition versions.

Catalog: Cache

Schema: Invantive

Alias: tse

Primary Keys: tse\_code

Label: Table Version States

This is a read-only view. The Data Cache API may not support changing the data or the Invantive SQL driver for Data Cache does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the Data Cache API.

### View Columns

The columns of the view dc\_tpn\_states are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
tse_code	char	Code	✓	Unique code for a state.
tse_description	string(240)	Description	✓	Human-readable description of the state code.
tse_notes	string(240)	Notes	✓	Notes on the specific state.

## 18 dc\_versions: Data Cache Installation History

Repository data model version installed.

Catalog: Cache

Schema: Invantive

Alias: vsn

Primary Keys: vsn\_id

Label: Installation History

This is a read-only view. The Data Cache API may not support changing the data or the Invantive SQL driver for Data Cache does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the Data Cache API.

### View Columns

The columns of the view dc\_versions are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
vsn_created_at	string(60)	Created in	✓	The code of the function in the modules table from within which the user created the record. This value will never change after creation of the record.
vsn_created_by	string(60)	Created by	✓	Who created the record.

Name	Data Type	Label	Required	Documentation
vs_n_data_model_version	decimal	Data Model Version	<input checked="" type="checkbox"/>	Version of the repository data model installed.
vs_n_date_created	datetime	Created at	<input checked="" type="checkbox"/>	The system time in UTC at which the record was created. This value will never change after creation of the record.
vs_n_date_modified	datetime	Updated at	<input checked="" type="checkbox"/>	The system time in UTC at which the record was last updated. This value will change for every mutation of the record.
vs_n_dummy	string(1)	Dummy	<input checked="" type="checkbox"/>	Placeholder for a unique value to ensure uniqueness and at most one row in this table.
vs_n_id	decimal	ID	<input checked="" type="checkbox"/>	Unique identifier.
vs_n_modified_at	string(60)	Updated in	<input checked="" type="checkbox"/>	The code of the function in the modules table from within which the user last updated the record. This value will change for every mutation of the record.
vs_n_modified_by	string(60)	Updated by	<input checked="" type="checkbox"/>	The name of the user in the users table with whom last updated the record. This value will change for every update of the record.
vs_n_orig_system_group	string(240)	Original System Group	<input type="checkbox"/>	Reference for identifying the group of records on the system from which it originated. It is commonly used to group records for later validation in an application control.
vs_n_orig_system_reference	string(240)	Original System Reference	<input type="checkbox"/>	Reference for identifying the record on the system from which it originated.
vs_n_session_created	string(240)	Session Created	<input checked="" type="checkbox"/>	The ID of the session which created the record. This value will not change after insert.
vs_n_session_modified	string(240)	Session Updated	<input checked="" type="checkbox"/>	The ID of the session which last updated the record.
vs_n_transaction_created	string(240)	Transaction Created	<input checked="" type="checkbox"/>	The ID of the transaction which created the record.
vs_n_transaction_modified	string(240)	Transaction Updated	<input checked="" type="checkbox"/>	The ID of the transaction which last updated the record.

## 19 dc\_warning\_statistics: Data Cache Warning Statistics

Statistics on the warnings.

Catalog: Cache

Schema: Invantive

Alias: vs\_n

Label: Warning Statistics



This is a read-only view. The Data Cache API may not support changing the data or the Invariantive SQL driver for Data Cache does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the Data Cache API.

## View Columns

The columns of the view dc\_warning\_statistics are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
wsc_cnt_errors	decimal	#Errors	<input checked="" type="checkbox"/>	Total number of errors.
wsc_cnt_warnings	decimal	#Warnings	<input checked="" type="checkbox"/>	Total number of warnings.
wsc_cnt	decimal	Count	<input checked="" type="checkbox"/>	Total number of messages.

## 20 dc\_warnings: Data Cache Warnings

Warnings on the loading process.

Catalog: Cache

Schema: Invariantive

Alias: vsn

Label: Warnings

This is a read-only view. The Data Cache API may not support changing the data or the Invariantive SQL driver for Data Cache does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the Data Cache API.

## View Columns

The columns of the view dc\_warnings are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
dcr_name	string(240)	Data Container ID	<input checked="" type="checkbox"/>	Name of the data container.
ptn_name	string(240)	Partition Name	<input type="checkbox"/>	Name of partition.
tbe_full_qualified_name	string(4000)	Full Qualified Table Name	<input type="checkbox"/>	Full name of the replicated table.
wng_date_parameter1	datetime	Date Parameter 1	<input type="checkbox"/>	Additional data #1 in date format on the warning.
wng_date_parameter2	datetime	Date Parameter 2	<input type="checkbox"/>	Additional data #2 in date format on the warning.
wng_explanation	string(240)	Explanation	<input checked="" type="checkbox"/>	Explanation.
wng_kind_request	string(240)	Kind Request	<input checked="" type="checkbox"/>	Kind request.
wng_label_parameter1	string	Label Parameter 1	<input type="checkbox"/>	Label for additional data #1 in date format on the warning.
wng_label_parameter2	string	Label Parameter 2	<input type="checkbox"/>	Label for additional data #2 in date format on the warning.
wng_lvl	string(1)	Level	<input checked="" type="checkbox"/>	Severity level of warning, either 'E' for 'Error' or 'W' for 'Warning'.

Name	Data Type	Label	Required	Documentation
w ng_message_code	string(60)	Message Code	<input type="checkbox"/>	Message code.
w ng_ref_key	decimal	Referential Key	<input checked="" type="checkbox"/>	Key of referenced source row .
w ng_ref_nk	string	Referential Natural Key	<input checked="" type="checkbox"/>	Natural key of reference source row .
w ng_ref_table	string(3)	Referential Table	<input checked="" type="checkbox"/>	Code of the table containing the referenced source row .

# Index

## - # -

#Errors 36  
#Warnings 36

## - A -

Action 12, 14, 17  
Allow Auto Upgrade 24  
analysis-enforce-row-uniqueness 1  
Application Client ID 14, 17  
Application Name 22  
application-prefix-facts 1  
application-prefix-history 1  
application-prefix-repository 1  
Auto Upgrade Once 24

## - B -

backing-bulk-insert-page-size-bytes 1  
backing-bulk-insert-page-size-rows 1  
backing-bulk-insert-timeout-sec 1  
backing-command-timeout-sec 1  
backing-connection-string 1  
backing-force-case-sensitive-identifiers 1  
backing-forced-casing-identifiers 1  
backing-maximum-length-identifiers 1  
backing-maximum-number-of-pooled-connections  
backing-maximum-sleep-acquire-pooled-connections 1  
backing-maximum-sleep-acquire-unpooled-connections ms 1  
backing-minimum-connection-timeout-sec 1  
backing-preferred-number-of-pooled-connections 1  
backing-provider 1  
backing-sql-server-connect-retry-count 1  
backing-sql-server-connect-retry-interval-sec 1  
backing-standardize-identifiers 1  
backing-standardize-identifiers-casing 1  
beta-compress-facts-on-disk 1  
beta-encrypt-facts-on-disk 1  
beta-store-facts-in-database 1  
beta-store-facts-on-disk 1  
beta-use-facts-in-database 1  
beta-use-facts-on-disk 1  
bulk-delete-page-size-rows 1

bulk-insert-page-size-bytes 1  
bulk-insert-page-size-rows 1

## - C -

cache 1  
cache-folder 1  
Category Code 9  
Check Count of Rows (Max) 29, 32  
Check Count of Rows (Min) 29, 32  
Contents 21  
Count 12, 36  
Count of Deleted Rows 26  
Count of Inserted Rows 26  
Count of Updated Rows 26  
Created at 8, 9, 12, 14, 17, 19, 22, 24, 26, 29, 32, 35  
Created by 8, 9, 12, 14, 17, 19, 22, 24, 26, 29, 32, 35  
Created in 8, 9, 12, 14, 17, 19, 22, 24, 26, 29, 32, 35  
Customer Service Message Key 14, 17  
Customer Service Reference Key 14, 17

## - D -

Data Cache 1, 8, 9, 11, 12, 14, 17, 19, 20, 21, 22, 24, 26, 29, 32, 35, 36, 37  
Data Container ID 9, 11, 12, 14, 17, 19, 32, 37  
Data Container Label 9  
Data Containers 8  
Data File Name Path 26  
Data Model Version 35  
Database Driver 1  
DataCache 1  
Date Becomes Droppable 26  
Date Becomes Obsolete 26  
Date Copy Approach Activated 29  
Date Forwarded 14  
Date Last Freshness Check 26  
Date Last Got Created 26  
Date Last Got Dropped 26  
Date Last Got Obsoleted 26  
Date Last Got Ready 26  
Date Last Got Seeding 26  
Date Last Load Start 26  
Date Logical View Last Got Created 26, 32  
Date Metadata is Droppable 26  
Date Occurred 14, 17  
Date Occurred Server Local Time 14, 17  
Date Parameter 1 37

- E -

- F -

- facts-delete-page-size-rows 1
- facts-insert-page-size-rows 1
- force-case-sensitive-identifiers 1
- forced-casing-identifiers 1
- forced-casing-logical-view-column-name 1
- forced-casing-logical-view-name 1
- Forwarded 14, 17
- forwarded-incoming-messages-delete-max-runtime-size 1
- forwarded-incoming-messages-delete-page-size-rows 1
- Free text column 1 9
- Free text column 2 9
- Free text column 3 9
- Free text column 4 9
- Free text column 5 9
- fsc 11
- fsc\_active\_count\_partitions 11
- fsc\_active\_size\_characters\_m 11
- fsc\_active\_size\_rows\_m 11
- fsc\_deleted\_count\_partitions 11
- fsc\_deleted\_size\_characters\_m 11
- fsc\_deleted\_size\_rows\_m 11
- fsc\_obsoleted\_count\_partitions 11
- fsc\_obsoleted\_size\_characters\_m 11
- fsc\_obsoleted\_size\_rows\_m 11
- fsc\_total\_count\_partitions 11
- fsc\_total\_size\_characters\_m 11
- fsc\_total\_size\_rows\_m 11
- Full Qualified Name 11, 32
- Full Qualified Table Name 14, 37
- G -**
- garbage-collection-physical-memory-load-threshold 1
- garbage-collection-replication-interval-count 1
- garbage-collection-replication-minimum-interval-sec 1
- H -**
- History Table Name 32
- HTTP Verb 14, 17
- I -**
- IID 14, 17, 22
- imc 12
- imc\_action 12
- imc\_appl\_partition\_c 12
- imc\_cnt 12
- imc\_created\_at 12
- imc\_created\_by 12
- imc\_data\_container\_id 12
- imc\_date\_created 12
- imc\_date\_modified 12
- imc\_date\_received\_first 12
- imc\_date\_received\_last 12
- imc\_download\_cnt 12
- imc\_id 12
- imc\_modified\_at 12
- imc\_modified\_by 12
- imc\_object\_entity 12
- imc\_orig\_system\_group 12
- imc\_orig\_system\_reference 12
- imc\_provider\_name 12
- imc\_session\_created 12
- imc\_session\_modified 12
- imc\_subobject\_entity 12
- imc\_transaction\_created 12
- imc\_transaction\_modified 12
- ime 14
- ime\_action 14
- ime\_appl\_client\_id 14
- ime\_appl\_partition\_c 14
- ime\_created\_at 14
- ime\_created\_by 14
- ime\_cs\_message\_key 14
- ime\_cs\_ref\_key 14
- ime\_data\_container\_id 14
- ime\_date\_created 14
- ime\_date\_downloaded 14
- ime\_date\_forwarded 14
- ime\_date\_modified 14
- ime\_date\_occurred 14
- ime\_date\_occurred\_server\_local 14
- ime\_date\_received 14
- ime\_description 14
- ime\_forwarded\_flag 14
- ime\_id 14
- ime\_iid 14
- ime\_ip\_address\_external\_sender 14
- ime\_iuid 14
- ime\_license\_contract\_code 14
- ime\_message\_key 14
- ime\_modified\_at 14
- ime\_modified\_by 14
- ime\_object\_entity 14
- ime\_object\_key 14
- ime\_object\_url 14
- ime\_orig\_system\_group 14

ime\_orig\_system\_reference 14  
 ime\_provider\_name 14  
 ime\_receiving\_url 14  
 ime\_session\_created 14  
 ime\_session\_id 14  
 ime\_session\_modified 14  
 ime\_subobject\_entity 14  
 ime\_subobject\_key 14  
 ime\_table\_full\_qualified\_name 14  
 ime\_text\_payload 14  
 ime\_transaction\_created 14  
 ime\_transaction\_modified 14  
 ime\_type 14  
 ime\_verb 14  
 Incoming Message Statistics 12  
 Incoming Messages 14  
 Index Facts Table? 32  
 Index Facts Tables 24  
 Index History Table? 32  
 Index History Tables 24  
 Index Space (MB) 20  
 index\_space\_mb 20  
 Installation History 35  
 invantive-sql-compress-sparse-arrays 1  
 invantive-sql-correct-invalid-date 1  
 invantive-sql-forward-filters-to-data-containers 1  
 invantive-sql-share-byte-arrays 1  
 invantive-sql-share-strings 1  
 invantive-sql-shuffle-fetch-results-data-containers 1  
 invantive-use-cache 1  
 IP Address External Sender 14, 17  
 IUID 14, 17, 22

## - K -

Kind Request 37

## - L -

Label Parameter 1 37  
 Label Parameter 2 37  
 Level 37  
 License Contract Code 14, 17, 22  
 License Key Identifier 22  
 Logical Partition View MD5 29  
 Logical Partition View Name 29  
 log-native-calls-to-disk-max-events 1  
 log-native-calls-to-disk-max-seconds 1  
 log-native-calls-to-disk-on-error 1  
 log-native-calls-to-disk-on-success 1

log-native-calls-to-trace 1

## - M -

Machine Name 22  
 Maintain Overall Logical Views 24, 32  
 Maintain Partition Logical Views 24, 32  
 max-delete-facts-parallel 1  
 Maximum Estimated Size in Characters 29  
 Maximum Number of Rows in Load 29  
 Maximum Seeding Time in Seconds in Load 29  
 maximum-length-identifiers 1  
 maximum-length-logical-view-column-name 1  
 maximum-length-logical-view-name 1  
 max-messages-per-customer-service-request 1  
 max-percentage-trickle-loading 1  
 max-refreshes-parallel 1  
 max-url-length-accepted 1  
 max-url-length-desired 1  
 MD5 of Facts Table 32  
 MD5 of History Table 32  
 Message Code 37  
 Message Key 14, 17  
 mie 17  
 mie\_action 17  
 mie\_appl\_client\_id 17  
 mie\_appl\_partition\_c 17  
 mie\_created\_at 17  
 mie\_created\_by 17  
 mie\_cs\_message\_key 17  
 mie\_cs\_ref\_key 17  
 mie\_data\_container\_id 17  
 mie\_date\_created 17  
 mie\_date\_downloaded 17  
 mie\_date\_modified 17  
 mie\_date\_occurred 17  
 mie\_date\_occurred\_server\_local 17  
 mie\_date\_received 17  
 mie\_description 17  
 mie\_forwarded\_flag 17  
 mie\_id 17  
 mie\_iid 17  
 mie\_ip\_address\_external\_sender 17  
 mie\_iuid 17  
 mie\_license\_contract\_code 17  
 mie\_message\_key 17  
 mie\_modified\_at 17  
 mie\_modified\_by 17  
 mie\_object\_entity 17  
 mie\_object\_key 17  
 mie\_object\_url 17

mie\_orig\_system\_group 17  
 mie\_orig\_system\_reference 17  
 mie\_provider\_name 17  
 mie\_receiving\_url 17  
 mie\_session\_created 17  
 mie\_session\_id 17  
 mie\_session\_modified 17  
 mie\_subobject\_entity 17  
 mie\_subobject\_key 17  
 mie\_text\_payload 17  
 mie\_transaction\_created 17  
 mie\_transaction\_modified 17  
 mie\_type 17  
 mie\_verb 17  
 Minimum Estimated Size in Characters 29  
 Minimum Number of Rows in Load 29  
 Minimum Seeding Time in Seconds in Load 29  
 My Incoming Messages 17

## - N -

Name 8, 19  
 Name of Overall Logical View 32  
 Natural Key 22  
 Number of Rows in First Load 29  
 Number of Rows in Last Load 29

## - O -

Object Entity 12, 14, 17  
 Object Key 14, 17  
 Object URL 14, 17  
 Original System Group 8, 9, 12, 14, 17, 19, 22, 24, 26, 29, 32, 35  
 Original System Reference 8, 9, 12, 14, 17, 19, 22, 24, 26, 29, 32, 35  
 orphaned-facts-delete-page-size-rows 1

## - P -

Partition 12, 14, 17  
 Partition ID 9, 26, 29  
 Partition Label 9  
 Partition Name 37  
 Partitions 19  
 partition-slot-based-rate-limit-length-ms 1  
 partition-slot-based-rate-limit-slots 1  
 Physical Statistics 20  
 Pool Identity 22  
 Postfix Overall Logical View Name 24

Postfix Partition Logical View Name 24, 32  
 Prefix Overall Logical View Name 24  
 Prefix Partition Logical View Name 24, 32  
 pre-request-delay-ms 1  
 Previous Row Count 26  
 Provider Name 12, 14, 17  
 psc 20  
 ptn 19  
 ptn\_created\_at 19  
 ptn\_created\_by 19  
 ptn\_date\_created 19  
 ptn\_date\_modified 19  
 ptn\_description 19  
 ptn\_fragment\_code 19  
 ptn\_id 9, 19, 26, 29  
 ptn\_label 9  
 ptn\_modified\_at 19  
 ptn\_modified\_by 19  
 ptn\_name 19, 37  
 ptn\_orig\_system\_group 19  
 ptn\_orig\_system\_reference 19  
 ptn\_session\_created 19  
 ptn\_session\_modified 19  
 ptn\_transaction\_created 19  
 ptn\_transaction\_modified 19  
 ptn\_view\_code 19  
 purge-interval-event-log-entries-minutes 1

## - R -

rct 21  
 rct\_contents 21  
 rct\_error\_message 21  
 rct\_file\_name\_recommended 21  
 rct\_success 21  
 rct\_table\_name 21  
 Receiving URL 14, 17  
 Recommended File Name 21  
 Referential Key 37  
 Referential Natural Key 37  
 Referential Table 37  
 Refresh Origin 26  
 Repository Contents 21  
 requested-page-size 1  
 requests-parallel-max 1  
 retention-event-log-entries-days 1  
 row\_count 20  
 Rows 20, 26

## - S -

Seconds before Droppable	24, 29, 32	ssn_date_modified	22
Seconds before Metadata Droppable	24, 29, 32	ssn_date_start	22
Seconds before Obsolete	24, 29, 32	ssn_event_modified	22
Seconds Retention Forwarded Incoming Messages	24	ssn_id	22
Seeding Approach Used Code	26, 29	ssn_iid	22
Seeding Approach Used Description	26, 29	ssn_ip_address_external	22
Seeding Parameter Used #1	26, 29	ssn_ip_address_internal	22
Seeding Parameter Used #2	26, 29	ssn_iuid	22
Seeding Parameter Used #3	26, 29	ssn_license_contract_code	22
Seeding Parameter Used #4	26, 29	ssn_license_key_identifier	22
Seeding Parameter Used #5	26, 29	ssn_machine_name	22
Seeding Time in Seconds in First Load	29	ssn_modified_at	22
Seeding Time in Seconds in Last Load	29	ssn_modified_by	22
Session Created	8, 9, 12, 14, 17, 19, 22, 24, 26, 29, 32, 35	ssn_nk	22
Session ID	14, 17	ssn_orig_system_group	22
Session Updated	8, 9, 12, 14, 17, 19, 22, 24, 26, 29, 32, 35	ssn_orig_system_reference	22
Sessions	22	ssn_physical_memory_bytes	22
session-terminated-threshold-hours	1	ssn_physical_memory_load	22
Settings	24	ssn_pool_identity	22
Size of Active Versions (million characters)	11	ssn_process_arguments	22
Size of Active Versions (million rows)	11	ssn_process_filename	22
Size of Active Versions (partitions)	11	ssn_process_label	22
Size of All Versions (million characters)	11	ssn_process_owner	22
Size of All Versions (million rows)	11	ssn_session_created	22
Size of All Versions (partitions)	11	ssn_session_modified	22
Size of Deleted Versions (million rows)	11	ssn_transaction_created	22
Size of Deleted Versions (partitions)	11	ssn_transaction_modified	22
Size of Obsoleted Versions (million characters)	11	ssn_working_directory	22
Size of Obsoleted Versions (million rows)	11	standardize-identifiers	1
Size of Obsoleted Versions (partitions)	11	standardize-identifiers-casing	1
slot-based-rate-limit-length-ms	1	Start Date	9, 22
slot-based-rate-limit-slots	1	State Code	26
SQL Engine Version	24	State Description	26
ssn	22	State Note	26
ssn_application_name	22	stg	24
ssn_cnt_heart_beat	22	stg_allow_auto_upgrade_flag	24
ssn_code	22	stg_auto_upgrade_once_flag	24
ssn_computer_manufacturer	22	stg_created_at	24
ssn_computer_model	22	stg_created_by	24
ssn_cpu_time_sec	22	stg_date_created	24
ssn_created_at	22	stg_date_modified	24
ssn_created_by	22	stg_dummy	24
ssn_date_created	22	stg_environment_id	24
ssn_date_end	22	stg_id	24
ssn_date_last_heart_beat	22	stg_index_facts_tables_flag	24
		stg_index_history_tables_flag	24
		stg_lv_overall_active_flag	24
		stg_lv_overall_view_name_postfix	24
		stg_lv_overall_view_name_prefix	24
		stg_lv_ptn_active_flag	24
		stg_lv_ptn_view_name_postfix	24



stg\_lv\_ptn\_view\_name\_prefix 24  
 stg\_modified\_at 24  
 stg\_modified\_by 24  
 stg\_orig\_system\_group 24  
 stg\_orig\_system\_reference 24  
 stg\_sec\_before\_droppable 24  
 stg\_sec\_before\_obsolete 24  
 stg\_sec\_metadata\_is\_droppable 24  
 stg\_sec\_retention\_forwarded\_incoming\_messages 24  
 stg\_session\_created 24  
 stg\_session\_modified 24  
 stg\_sql\_engine\_version 24  
 stg\_token 24  
 stg\_transaction\_created 24  
 stg\_transaction\_modified 24  
 Subobject Entity 12, 14, 17  
 Subobject Key 14, 17  
 Success 21

## - T -

Table ID 9, 26, 29  
 Table Label 9  
 Table Name 20, 21  
 Table Name Fragment Code 8, 19, 32  
 Table Partition ID 9  
 Table Partition Label 9  
 Table Partition Version ID 9  
 Table Partition Version Label 9  
 Table Partition Versions 26  
 Table Partitions 29  
 Table Space (MB) 20  
 Table Version States 35  
 table\_name 20  
 table\_space\_mb 20  
 Tables 32  
 tbe 32  
 tbe\_check\_count\_rows\_max 32  
 tbe\_check\_count\_rows\_min 32  
 tbe\_created\_at 32  
 tbe\_created\_by 32  
 tbe\_date\_created 32  
 tbe\_date\_lv\_last\_got\_created 32  
 tbe\_date\_modified 32  
 tbe\_facts\_table\_name 11, 32  
 tbe\_fragment\_code 32  
 tbe\_full\_qualified\_name 11, 32, 37  
 tbe\_history\_table\_md5 32  
 tbe\_history\_table\_name 32  
 tbe\_id 9, 26, 29, 32  
 tbe\_index\_facts\_table\_flag 32  
 tbe\_index\_history\_table\_flag 32  
 tbe\_label 9  
 tbe\_lv\_overall\_active\_flag 32  
 tbe\_lv\_overall\_view\_name 32  
 tbe\_lv\_ptn\_active\_flag 32  
 tbe\_lv\_ptn\_view\_name\_postfix 32  
 tbe\_lv\_ptn\_view\_name\_prefix 32  
 tbe\_modified\_at 32  
 tbe\_modified\_by 32  
 tbe\_orig\_system\_group 32  
 tbe\_orig\_system\_reference 32  
 tbe\_seconds\_before\_droppable 32  
 tbe\_seconds\_before\_obsolete 32  
 tbe\_seconds\_metadata\_is\_droppable 32  
 tbe\_session\_created 32  
 tbe\_session\_modified 32  
 tbe\_table\_md5 32  
 tbe\_transaction\_created 32  
 tbe\_transaction\_modified 32  
 Text 9  
 Text of Payload 14, 17  
 Token 24  
 Total Number of Rows 29  
 tpn 26  
 tpn\_count\_rows 26  
 tpn\_count\_rows\_deleted 26  
 tpn\_count\_rows\_delta 26  
 tpn\_count\_rows\_inserted 26  
 tpn\_count\_rows\_previous 26  
 tpn\_count\_rows\_updated 26  
 tpn\_created\_at 26  
 tpn\_created\_by 26  
 tpn\_data\_file\_name\_path 26  
 tpn\_date\_becomes\_droppable 26  
 tpn\_date\_becomes\_obsolete 26  
 tpn\_date\_created 26  
 tpn\_date\_last\_fresh\_check 26  
 tpn\_date\_last\_got\_created 26  
 tpn\_date\_last\_got\_dropped 26  
 tpn\_date\_last\_got\_obsoleted 26  
 tpn\_date\_last\_got\_ready 26  
 tpn\_date\_last\_got\_seeding 26  
 tpn\_date\_last\_load\_start 26  
 tpn\_date\_metadata\_is\_droppable 26  
 tpn\_date\_modified 26  
 tpn\_estimated\_size\_characters 26  
 tpn\_id 9, 26  
 tpn\_label 9  
 tpn\_lv\_date\_last\_got\_created 26  
 tpn\_modified\_at 26

tpn_modified_by	26	tpt_seconds_metadata_is_droppable	29
tpn_orig_system_group	26	tpt_seeding_approach_used_code	29
tpn_orig_system_reference	26	tpt_seeding_approach_used_description	29
tpn_refresh_origin	26	tpt_seeding_parameter_used_1	29
tpn_seeding_approach_used_code	26	tpt_seeding_parameter_used_2	29
tpn_seeding_approach_used_description	26	tpt_seeding_parameter_used_3	29
tpn_seeding_parameter_used_1	26	tpt_seeding_parameter_used_4	29
tpn_seeding_parameter_used_2	26	tpt_seeding_parameter_used_5	29
tpn_seeding_parameter_used_3	26	tpt_seeding_time_sec_first	29
tpn_seeding_parameter_used_4	26	tpt_seeding_time_sec_last	29
tpn_seeding_parameter_used_5	26	tpt_seeding_time_sec_max	29
tpn_session_created	26	tpt_seeding_time_sec_min	29
tpn_session_modified	26	tpt_seeding_time_sec_total	29
tpn_state	26	tpt_session_created	29
tpn_state_description	26	tpt_session_modified	29
tpn_state_note	26	tpt_transaction_created	29
tpn_transaction_created	26	tpt_transaction_modified	29
tpn_transaction_modified	26	tpt_version_last	29
tpn_version	26	Transaction Created	8, 9, 12, 14, 17, 19, 22, 24, 26, 29, 32, 35
tpt	29	Transaction Updated	8, 9, 12, 14, 17, 19, 22, 24, 26, 29, 32, 35
tpt_check_count_rows_max	29	tse	35
tpt_check_count_rows_min	29	tse_code	35
tpt_count_rows_first	29	tse_description	35
tpt_count_rows_last	29	tse_notes	35
tpt_count_rows_max	29	Type	14, 17
tpt_count_rows_min	29		
tpt_count_rows_total	29		
tpt_created_at	29		
tpt_created_by	29		
tpt_date_copy_activated	29		
tpt_date_created	29		
tpt_date_modified	29		
tpt_date_row_cnt_last_change	29		
tpt_date_smart_activated	29		
tpt_date_trickle_activated	29		
tpt_date_trickle_first_message	29		
tpt_estimated_size_chars_first	29		
tpt_estimated_size_chars_last	29		
tpt_estimated_size_chars_max	29		
tpt_estimated_size_chars_min	29		
tpt_estimated_size_chars_total	29		
tpt_id	9, 29		
tpt_label	9		
tpt_lv_ptn_view_md5	29		
tpt_lv_ptn_view_name	29		
tpt_modified_at	29		
tpt_modified_by	29		
tpt_orig_system_group	29		
tpt_orig_system_reference	29		
tpt_seconds_before_droppable	29		
tpt_seconds_before_obsolete	29		

## - U -

Updated at	8, 9, 12, 14, 17, 19, 22, 24, 26, 29, 32, 35
Updated by	8, 9, 12, 14, 17, 19, 22, 24, 26, 29, 32, 35
Updated in	8, 9, 12, 14, 17, 19, 22, 24, 26, 29, 32, 35
update-number-table-partition-versions-per-group	1
upgrade-force-execute	1
upgrade-force-repository-version-start	1
upgrade-force-specials	1

## - V -

Version Number	26
View Name Fragment Code	19
vsn	35, 36, 37
vsn_created_at	35
vsn_created_by	35
vsn_data_model_version	35
vsn_date_created	35
vsn_date_modified	35

vsn\_dummy 35  
vsn\_id 35  
vsn\_modified\_at 35  
vsn\_modified\_by 35  
vsn\_orig\_system\_group 35  
vsn\_orig\_system\_reference 35  
vsn\_session\_created 35  
vsn\_session\_modified 35  
vsn\_transaction\_created 35  
vsn\_transaction\_modified 35

## - W -

Warning Statistics 36  
Warnings 37  
wng\_date\_parameter1 37  
wng\_date\_parameter2 37  
wng\_explanation 37  
wng\_kind\_request 37  
wng\_label\_parameter1 37  
wng\_label\_parameter2 37  
wng\_lm 37  
wng\_message\_code 37  
wng\_ref\_key 37  
wng\_ref\_nk 37  
wng\_ref\_table 37  
wsc\_cnt 36  
wsc\_cnt\_errors 36  
wsc\_cnt\_warnings 36



# ***invantive*** ***the SQL company***

Invantive B.V.  
Biesteweg 11  
3849 RD Hierden  
the Netherlands

Tel: +31 88 00 26 500  
Fax: +31 84 22 58 178  
[info@invantive.com](mailto:info@invantive.com)  
[invantive.com](http://invantive.com)

IBAN NL25 BUNQ 2098 2586 07  
Chamber of Industry and Commerce  
13031406  
VAT NL812602377B01  
RSIN 8122602377  
Managing Director: Guido Leenders  
Registered office: Roermond