

Document Cloud Data Model

for use with Invantive SQL



Copyright

(C) Copyright 2004-2023 Invantive Software B.V., the Netherlands. All rights reserved.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of the publisher.

Despite all the care taken in the compilation of this text, neither the author nor the publisher can accept liability for any damage, which might result from any error, which might appear in this publication.

This manual is a reference guide intended to clarify usage. If data in the sample images match data in your system, the similarity is coincidental.

Important Safety and Usage Information

Intended Use and Limitations: This software, developed by Invantive, is designed to support a variety of business and information technology data processing functions, such as accounting, financial reporting and sales reporting. It is important to note that this software is not designed, tested, or approved for use in environments where malfunction or failure could lead to life-threatening situations or severe physical or environmental damage. This includes, but is not limited to:

- Nuclear facilities: The software should not be used for operations or functions related to the control, maintenance, or operation of nuclear facilities.
- Defense and Military Applications: This software is not suitable for use in defense-related applications, including but not limited to weaponry control, military strategy planning, or any other aspects of national defense.
- Aviation: The software is not intended for use in the operation, navigation, or communication systems of any aircraft or air traffic control environments.
- Healthcare and Medicine Production: This software should not be utilized for medical device operation, patient data analysis for critical health decisions, pharmaceutical production, or medical research where its failure or malfunction could impact patient health.
- Chemical and Hazardous Material Handling: This software is not intended for the management, control, or operational aspects of chemical plants or hazardous material handling facilities. Any malfunction in software used in these settings could result in dangerous chemical spills, explosions, or environmental disasters.
- Transportation and Traffic Control Systems: The software should not be used for the control, operation, or management of transportation systems, including railway signal controls, subway systems, or traffic light management. Malfunctions in such critical systems could lead to severe accidents and endanger public safety.
- Energy Grid and Utility Control Systems: This software is not designed for the control or operation of energy grid systems, including electrical substations, renewable energy control systems, or water utility control systems. The failure of software in these areas could lead to significant power outages, water supply disruptions, or other public utility failures, potentially endangering communities and causing extensive damage.
- Other High-Risk Environments: Any other critical infrastructure and environments where a failure of the software could result in significant harm to individuals or the environment.

User Responsibility: Users must ensure that they understand the intended use of the software and refrain from deploying it in any setting that falls outside of its designed purpose. It is the responsibility of the user to assess the suitability of the software for their intended application, especially in any scenarios that might pose a risk to life, health, or the environment.

Disclaimer of Liability: Invantive disclaims any responsibility for damage, injury, or legal consequences resulting from the use or misuse of this software in prohibited or unintended applications.

Contents

1	SQL Driver for DocumentCloud API	1
2	SQL Driver Attributes for DocumentCloud API	2
3	Schema: DocumentCloud	14
3.1	Tables	14
3.1.1	document_by_id: DocumentCloud Get Document	14
3.1.2	documents	16
3.1.3	documents_search: DocumentCloud Search Document	18
3.1.4	projects	20
3.1.5	users	21
4	Schema: Native	22
4.1	Tables	22
4.1.1	NATIVEPLATFORMSCALARREQUESTS: DocumentCloud Native Platform Scalar Requests	22
	Index	24

1 SQL Driver for DocumentCloud API

Invantive SQL is the fastest, easiest and most reliable way to exchange data with the DocumentCloud API.

Use the "Search" option in the left menu to search for a specific term such as the table or column description. When you already know the term, please use the "Index" option. When you can't find the information needed, please click on the Chat button at the bottom or place your question in the [user community](#). Other users or Invantive Support will try to help you to our best.

DocumentCloud is an online archive of documents collected mostly by journalists.

The DocumentCloud driver covers 6 tables and 121 columns.

DocumentCloud API Clients

Invantive SQL is available on many user interfaces ("clients" in traditional server-client paradigm). All Invantive SQL statements can be exchanged with a close to 100% compatibility across all clients and operating systems (Windows, MacOS, Linux, iOS, Android).

The clients include Microsoft Excel, Microsoft Power BI, Microsoft Power Query, Microsoft Word and Microsoft Outlook. Web-based clients include Invantive Cloud, Invantive Bridge Online as OData proxy, Invantive App Online for interactive apps, Online SQL Editor for query execution and Invantive Data Access Point as extended proxy.

For technical users there are command-line editions of Invantive Data Hub running on iOS, Android, Windows, MacOS and Linux. Invantive Data Hub is also often used for enterprise server applications such as ETL. High-volume replication of data taken from the DocumentCloud API into traditional databases such as SQL Server (on-premise and Azure), MySQL, PostgreSQL and Oracle is possible using [Invantive Data Replicator](#). Invantive Data Replicator automatically creates and maintains DocumentCloud datawarehouses, possibly in combination with data from over 70 other (cloud) platforms. Data Replicator supports data volumes up to over 1 TB and over 5.000 companies. The on-premise edition of Invantive Bridge offers an DocumentCloud ADO.net provider.

Monitor API Calls

When a query or DML-statement has been executed on Invantive SQL a developer can evaluate the actual calls made to the DocumentCloud API using a query on sessionios@DataDictionary. As an alternative, extensive request and response logging can be enabled by setting log-native-calls-to-disk to true. In the %USERPROFILE%\Invantive\NativeLog folder Invantive SQL will create log files per API request and response.

Specifications

The SQL driver for DocumentCloud does not support partitioning. Define one data container in a database for each company in DocumentCloud to enable parallel access for data from multiple companies.

An introduction into the concepts of Invantive SQL such as databases, data containers and partitioning can be found in the [Invantive SQL grammar](#).

The configuration can be changed using various attributes during log on and use. A full list of configuration options is listed in the [driver attributes](#) ².

The catalog name is used to compose the full qualified name of an object like a table or view. The schema name is used to compose the full qualified name of an object like a table or view. On DocumentCloud the comparison of two texts is case sensitive by default.

Changes and bug fixes on the DocumentCloud SQL driver can be found in the [release notes](#). There is currently no specific section on the [Invantive forums](#) for DocumentCloud. Please reach out to other users of DocumentCloud by leaving a question or contact request.

Driver code for use in settings.xml: `DocumentCloud`

Alias: `docc`

Recommended alias: `dc`

More technical documentation as provided by the supplier of the DocumentCloud API on the native APIconnection used can be found at <https://www.documentcloud.org/help/api>.

General documentation on DocumentCloud is available at <https://www.documentcloud.org/home>

Updated: 15-06-2022 21:30 using Invantive SQL version 22.0.232-PROD+3445.

2 SQL Driver Attributes for DocumentCloud API

The SQL driver for DocumentCloud has many attributes that can be finetuned to improve handling in scenarios with unreliable network connections to the API server of DocumentCloud or high-volumes of data. Also, many drivers have driver-specific attributes to finetune actual behaviour or handle data not matching specifications.

The DocumentCloud driver attributes are assigned a default value which seldom requires change. However, changes can be applied when needed on four levels, which are reflected in the table below by separate checkmarks:

- Connection string: the connection string from the settings*.xml file and applied during log on.
- Set SQL statement: a set SQL-statement to be executed once connection has been established.
- Drivers file: the providers.xml file (obsolete starting release 17.32).
- Log on: value to be specified interactively by user during log on in a user interface.

The connection string for DocumentCloud can be found in the settings*.xml file used for the database. Settings*.xml files are typically located in the %USERPROFILE%\invantive folder in most deployment scenarios. The reference manuals contain instructions how to relocate the settings*.xml files. Each data container of a database in the connection string can have a `connectionString` element specifying the name and values of attributes. Both name and value must be properly escaped according to XML-semantics. Actual application of the value is solely done during log on. A new connection must be established to change the value of a driver attribute using a connection string.

The set SQL statement can be executed after log on. The syntax is: `set NAME VALUE`, or for a distributed database: `set NAME@ALIAS VALUE`. In some scenarios you may need to enclose the driver attribute name in square brackets to escape it from parsing, for instance when a reserved SQL keyword is part of the name. The new value takes effect straight after execution of the set-statement. The set-statement can be executed as often as needed during a session.

Driver attributes that can be interactively set to a value are typically presented in the log on window. Depending on the platform and design decisions of the user interface designer, some or all of the available driver attributes can have been made available.

The DocumentCloud driver can be configured using the following attributes:

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Driver's File	Set from Log On
add-odata-mandatory-filters	Whether to automatically add OData filters deemed necessary by the platform.	OData	False	✓	✓	✓	
analysis-enforce-row-uniqueness	Use for analysis only! Enforce rows to be unique.	Shared	False	✓	✓	✓	
api-url	URL to access the API.	OData		✓		✓	
bulk-delete-page-size-rows	Number of rows to delete per batch when bulk deleting	Shared	10000	✓	✓	✓	
bulk-insert-page-size-bytes	Approximate maximum size in bytes of batch when bulk inserting	Shared	10000000	✓	✓	✓	
bulk-insert-page-size-rows	Number of rows to insert per batch when bulk inserting	Shared	250	✓	✓	✓	
download-error-400-bad-request-max-tries	Maximum number of tries when OData server reports bad format during retrieval of data.		3	✓	✓	✓	
download-error-400-bad-request-sleep-initial-ms	Initial sleep in milliseconds between retries when OData server reports that the API server is unavailable during retrieval of data.		500	✓	✓	✓	
download-error-400-bad-request-sleep-max-ms	Maximum sleep in milliseconds between retries when OData server reports that the API server is unavailable during retrieval of data.		5000	✓	✓	✓	
download-error-400-bad-request-sleep-multiplicator	Multiplication factor for sleep between retries OData server reports that the API server is unavailable during retrieval of data.		2	✓	✓	✓	
download-error-408-request-timeout-max-tries	Maximum number of tries when the website reports a HTTP status 408.		10	✓	✓	✓	
download-error-408-request-timeout-sleep-initial-ms	Initial sleep in milliseconds between retries when the website reports a HTTP status 408.		10000	✓	✓	✓	
download-error-408-request-timeout-sleep-max-ms	Maximum sleep in milliseconds between retries when the website reports a HTTP status 408.		300000	✓	✓	✓	
download-error-408-request-timeout-sleep-multiplicator	Multiplication factor for sleep between retries when the website reports a HTTP status 408.		2	✓	✓	✓	
download-error-422-bad-request-max-tries	Maximum number of tries when OData server reports unprocessable entity during retrieval of data.		30	✓	✓	✓	
download-error-422-bad-request-	Initial sleep in milliseconds between retries when OData server reports		10000	✓	✓	✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Driver's File	Set from Log On
sleep-initial-ms	unprocessable entity during retrieval of data.						
download-error-422-bad-request-sleep-max-ms	Maximum sleep in milliseconds between retries when OData server reports unprocessable entity during retrieval of data.		300000	✓	✓	✓	
download-error-422-bad-request-sleep-multiplicator	Multiplication factor for sleep between retries OData server reports unprocessable entity during retrieval of data.		2	✓	✓	✓	
download-error-429-too-many-requests-max-tries	Maximum number of tries when the website reports that too many requests have been made during a timeslot of one minute or one day.		10	✓	✓	✓	
download-error-429-too-many-requests-sleep-initial-ms	Initial sleep in milliseconds between retries when the website reports that too many requests have been made during a timeslot of one minute or one day.		10000	✓	✓	✓	
download-error-429-too-many-requests-sleep-max-ms	Maximum sleep in milliseconds between retries when the website reports that too many requests have been made during a timeslot of one minute or one day.		300000	✓	✓	✓	
download-error-429-too-many-requests-sleep-multiplicator	Multiplication factor for sleep between retries when the website reports that too many requests have been made during a timeslot of one minute or one day.		2	✓	✓	✓	
download-error-502-server-unavailable-max-tries	Maximum number of tries when OData server reports a bad gateway during retrieval of data.		30	✓	✓	✓	
download-error-502-server-unavailable-sleep-initial-ms	Initial sleep in milliseconds between retries when OData server reports a bad gateway during retrieval of data.		10000	✓	✓	✓	
download-error-502-server-unavailable-sleep-max-ms	Maximum sleep in milliseconds between retries when OData server reports that a bad gateway during retrieval of data.		300000	✓	✓	✓	
download-error-502-server-unavailable-sleep-multiplicator	Multiplication factor for sleep between retries OData server reports a bad gateway during retrieval of data.		2	✓	✓	✓	
download-error-503-server-unavailable-max-tries	Maximum number of tries when OData server reports that the API server is unavailable during retrieval of data.		30	✓	✓	✓	
download-error-503-server-	Initial sleep in milliseconds between retries when OData server reports		10000	✓	✓	✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Driver's File	Set from Log On
unavailable-sleep-initial-ms	that the API server is unavailable during retrieval of data.						
dow nload-error-503-server-unavailable-sleep-max-ms	Maximum sleep in milliseconds between retries when OData server reports that the API server is unavailable during retrieval of data.		300000	✓	✓	✓	
dow nload-error-503-server-unavailable-sleep-multiplicator	Multiplication factor for sleep between retries OData server reports that the API server is unavailable during retrieval of data.		2	✓	✓	✓	
dow nload-error-504-gateway-timeout-max-tries	Maximum number of tries when the website reports a gateway timeout.		10	✓	✓	✓	
dow nload-error-504-gateway-timeout-sleep-initial-ms	Initial sleep in milliseconds between retries when the website reports a gateway timeout.		10000	✓	✓	✓	
dow nload-error-504-gateway-timeout-sleep-max-ms	Maximum sleep in milliseconds between retries when the website reports a gateway timeout.		300000	✓	✓	✓	
dow nload-error-504-gateway-timeout-sleep-multiplicator	Multiplication factor for sleep between retries when the website reports a gateway timeout.		2	✓	✓	✓	
dow nload-error-590-netw ork-connect-timeout-max-tries	Maximum number of tries when the website reports a HTTP status 590.		10	✓	✓	✓	
dow nload-error-590-netw ork-connect-timeout-sleep-initial-ms	Initial sleep in milliseconds between retries when the website reports a HTTP status 590.		10000	✓	✓	✓	
dow nload-error-590-netw ork-connect-timeout-sleep-max-ms	Maximum sleep in milliseconds between retries when the website reports a HTTP status 590.		300000	✓	✓	✓	
dow nload-error-590-netw ork-connect-timeout-sleep-multiplicator	Multiplication factor for sleep between retries when the website reports a HTTP status 590.		2	✓	✓	✓	
dow nload-error-599-netw ork-connect-timeout-max-tries	Maximum number of tries when the website reports a HTTP status 599.		10	✓	✓	✓	
dow nload-error-599-netw ork-connect-timeout-sleep-initial-ms	Initial sleep in milliseconds between retries when the website reports a HTTP status 599.		10000	✓	✓	✓	
dow nload-error-599-netw ork-	Maximum sleep in milliseconds between retries when the website		300000	✓	✓	✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Driver's File	Set from Log On
connect-timeout-sleep-max-ms	reports a HTTP status 599.						
download-error-599-network-connect-timeout-sleep-multiplicator	Multiplication factor for sleep between retries when the website reports a HTTP status 599.		2	✓	✓	✓	
download-error-argument-exception-max-tries	Maximum number of tries when an argument exception is returned when downloading a blob.		10	✓	✓	✓	
download-error-argument-exception-sleep-initial-ms	Initial sleep in milliseconds between retries when an argument exception is returned when downloading a blob.		10000	✓	✓	✓	
download-error-argument-exception-sleep-max-ms	Maximum sleep in milliseconds between retries when an argument exception is returned when downloading a blob.		300000	✓	✓	✓	
download-error-argument-exception-sleep-multiplicator	Multiplication factor for sleep between retries when an argument exception is returned when downloading a blob.		2	✓	✓	✓	
download-error-internet-download-max-tries	Maximum number of tries when the Internet connection seems down during retrieval of data.		10	✓	✓	✓	
download-error-internet-download-sleep-initial-ms	Initial sleep in milliseconds between retries when the Internet connection seems down during retrieval of data.		10000	✓	✓	✓	
download-error-internet-download-sleep-max-ms	Maximum sleep in milliseconds between retries when the Internet connection seems down during retrieval of data.		300000	✓	✓	✓	
download-error-internet-download-sleep-multiplicator	Multiplication factor for sleep between retries when the Internet connection seems down during retrieval of data.		2	✓	✓	✓	
download-error-io-exception-max-tries	Maximum number of tries when a network I/O connection failure occurs during retrieval of data.		10	✓	✓	✓	
download-error-io-exception-sleep-initial-ms	Initial sleep in milliseconds between retries when a network I/O connection failure occurs during retrieval of data.		10000	✓	✓	✓	
download-error-io-exception-sleep-max-ms	Maximum sleep in milliseconds between retries when a network I/O connection failure occurs during retrieval of data.		300000	✓	✓	✓	
download-error-io-exception-sleep-multiplicator	Multiplication factor for sleep between retries when a network I/O connection failure occurs during retrieval of data.		2	✓	✓	✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Driver's File	Set from Log On
dow nload-error-json-exception-max-tries	Maximum number of tries w hen an invalid JSON body is returned.		3	✓	✓	✓	
dow nload-error-json-exception-sleep-initial-ms	Initial sleep in milliseconds betw een retries w hen an invalid JSON body is returned.		1000	✓	✓	✓	
dow nload-error-json-exception-sleep-max-ms	Maximum sleep in milliseconds betw een retries w hen an invalid JSON body is returned.		10000	✓	✓	✓	
dow nload-error-json-exception-sleep-multiplicator	Multiplication factor for sleep betw een retries w hen an invalid JSON body is returned.		2	✓	✓	✓	
dow nload-error-other-exception-max-tries	Maximum number of tries w hen an unqualified error occurs during retrieval of data.		3	✓	✓	✓	
dow nload-error-other-exception-sleep-initial-ms	Initial sleep in milliseconds betw een retries w hen an unqualified error occurs during retrieval of data.		10000	✓	✓	✓	
dow nload-error-other-exception-sleep-max-ms	Maximum sleep in milliseconds betw een retries w hen an unqualified error occurs during retrieval of data.		300000	✓	✓	✓	
dow nload-error-other-exception-sleep-multiplicator	Multiplication factor for sleep betw een retries w hen an unqualified error occurs during retrieval of data.		2	✓	✓	✓	
dow nload-error-socket-exception-max-tries	Maximum number of tries w hen the netw ork connection is forcible dropped during retrieval of data.		10	✓	✓	✓	
dow nload-error-socket-exception-sleep-initial-ms	Initial sleep in milliseconds betw een retries w hen the netw ork connection is forcible dropped during retrieval of data.		10000	✓	✓	✓	
dow nload-error-socket-exception-sleep-max-ms	Maximum sleep in milliseconds betw een retries w hen the netw ork connection is forcible dropped during retrieval of data.		300000	✓	✓	✓	
dow nload-error-socket-exception-sleep-multiplicator	Multiplication factor for sleep betw een retries w hen the netw ork connection is forcible dropped during retrieval of data.		2	✓	✓	✓	
dow nload-error-web-exception-max-tries	Maximum number of tries w hen a w eb connection failure occurs during retrieval of data.		10	✓	✓	✓	
dow nload-error-web-exception-sleep-initial-ms	Initial sleep in milliseconds betw een retries w hen a w eb connection failure occurs during retrieval of data.		10000	✓	✓	✓	
dow nload-error-web-exception-sleep-max-ms	Maximum sleep in milliseconds betw een retries w hen a w eb connection failure occurs during retrieval of data.		300000	✓	✓	✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Driver's File	Set from Log On
dow nload-error-w eb-exception-sleep-multiplicator	Multiplication factor for sleep between retries when a web connection failure occurs during retrieval of data.		2	✓	✓	✓	
dow nload-error-w eb-not-implemented-max-tries	Maximum number of tries when the connection reports not implemented.		1	✓	✓	✓	
dow nload-error-w eb-not-implemented-sleep-initial-ms	Initial sleep in milliseconds between retries when the connection reports not implemented.		10000	✓	✓	✓	
dow nload-error-w eb-not-implemented-sleep-max-ms	Maximum sleep in milliseconds between retries when the connection reports not implemented.		300000	✓	✓	✓	
dow nload-error-w eb-not-implemented-sleep-multiplicator	Multiplication factor for sleep between retries when the connection reports not implemented.		2	✓	✓	✓	
dow nload-error-w eb-timeout-max-tries	Maximum number of tries when the connection reports a timeout.		10	✓	✓	✓	
dow nload-error-w eb-timeout-sleep-initial-ms	Initial sleep in milliseconds between retries when the connection reports a timeout.		1000	✓	✓	✓	
dow nload-error-w eb-timeout-sleep-max-ms	Maximum sleep in milliseconds between retries when the connection reports a timeout.		30000	✓	✓	✓	
dow nload-error-w eb-timeout-sleep-multiplicator	Multiplication factor for sleep between retries when the connection reports a timeout.		2	✓	✓	✓	
dow nload-error-w eb-unauthorized-max-tries	Maximum number of tries when the connection reports an unauthorized error.		1	✓	✓	✓	
dow nload-error-w eb-unauthorized-sleep-initial-ms	Initial sleep in milliseconds between retries when the connection reports an unauthorized error.		10000	✓	✓	✓	
dow nload-error-w eb-unauthorized-sleep-max-ms	Maximum sleep in milliseconds between retries when the connection reports an unauthorized error.		300000	✓	✓	✓	
dow nload-error-w eb-unauthorized-sleep-multiplicator	Multiplication factor for sleep between retries when the connection reports an unauthorized error.		2	✓	✓	✓	
force-case-sensitive-identifiers	Consider identifiers as case-sensitive independent of the platform capabilities.	Shared	False	✓	✓	✓	
forced-casing-identifiers	Forced casing of identifiers. Choose from Unset, Lower, Upper and	Shared		✓	✓	✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Drivers File	Set from Log On
	Mixed.						
http-disk-cache-compression-level	Compression level for the HTTP disk cache, ranging from 1 (little) to 9 (intense). Default is 5.	Shared	5	✓	✓	✓	
http-disk-cache-directory	Directory where HTTP cache is stored.	Shared	C:\Users\gle3.WS212\Invasive\Cache\http\gle3\shared	✓	✓	✓	
http-disk-cache-ignore-write-errors	Whether to ignore write errors to disk cache.	Shared	False	✓	✓	✓	
http-disk-cache-max-age-sec	Maximum acceptable age in seconds for use of data in the HTTP disk cache.	Shared	2592000	✓	✓	✓	
http-get-timeout-max-ms	HTTP GET maximum timeout on retry (ms).		300000	✓	✓	✓	
http-get-timeout-ms	HTTP GET timeout (ms).		60000	✓	✓	✓	
http-memory-cache-compression-level	Compression level for the HTTP memory cache, ranging from 1 (little) to 9 (intense). Default is 5.	OData	5	✓	✓	✓	
http-memory-cache-max-age-sec	Maximum acceptable age in seconds for use of data in the HTTP memory cache.	OData	14400	✓	✓	✓	
http-post-timeout-max-ms	HTTP POST maximum timeout on retry (ms).		300000	✓	✓	✓	
http-post-timeout-ms	HTTP POST timeout (ms).		300000	✓	✓	✓	
ignore-http-400-errors	Ignore HTTP 400 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
ignore-http-401-errors	Ignore HTTP 401 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
ignore-http-402-errors	Ignore HTTP 402 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
ignore-http-403-errors	Ignore HTTP 403 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
ignore-http-404-errors	Ignore HTTP 404 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
ignore-http-422-errors	Ignore HTTP 422 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
ignore-http-429-errors	Ignore HTTP 429 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Driver's File	Set from Log On
ignore-http-500-errors	Ignore HTTP 500 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
ignore-http-502-errors	Ignore HTTP 502 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
ignore-http-503-errors	Ignore HTTP 503 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
invalid-json-on-get-max-tries	Maximum number of tries when the JSON received on GET is invalid.		10	✓	✓	✓	
invalid-json-on-get-sleep-initial-ms	Initial sleep in milliseconds between retries when the JSON received on GET is invalid.		10000	✓	✓	✓	
invalid-json-on-get-sleep-max-ms	Maximum sleep in milliseconds between retries when the JSON received on GET is invalid.		300000	✓	✓	✓	
invalid-json-on-get-sleep-multiplicator	Multiplication factor for sleep between retries when the JSON received on GET is invalid.		2	✓	✓	✓	
invalid-json-on-post-max-tries	Maximum number of tries when the JSON received on POST is invalid.		1	✓	✓	✓	
invalid-json-on-post-sleep-initial-ms	Initial sleep in milliseconds between retries when the JSON received on POST is invalid.		10000	✓	✓	✓	
invalid-json-on-post-sleep-max-ms	Maximum sleep in milliseconds between retries when the JSON received on POST is invalid.		300000	✓	✓	✓	
invalid-json-on-post-sleep-multiplicator	Multiplication factor for sleep between retries when the JSON received on POST is invalid.		2	✓	✓	✓	
invantive-sql-compress-sparse-arrays	Whether to compress sparse arrays in result sets during compression.	SQL Engine V1	True	✓	✓	✓	
invantive-sql-correct-invalid-date	Whether to correct dates considered invalid since they are before 01-01-1753. When nullable, they are removed. Otherwise they are replaced by 01-01-1753.	SQL Engine V1	False	✓	✓	✓	
invantive-sql-forward-filters-to-data-containers	Whether to forward filters to data containers.	SQL Engine V1	True	✓	✓	✓	
invantive-sql-share-byte-arrays	Whether to share the memory used by identical byte arrays in result sets during compression.	SQL Engine V1	True	✓	✓	✓	
invantive-sql-share-strings	Whether to share the memory used by identical strings in result sets during compression.	SQL Engine V1	True	✓	✓	✓	
invantive-sql-shuffle-fetch	Whether to shuffle results fetched from data containers.	SQL Engine V1	False	✓	✓	✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Drivers File	Set from Log On
results-data-containers							
invantive-use-cache	Whether to cache the results of a query.	SQL Engine V1	True	✓	✓	✓	
join-set-points-per-request	Maximum number of values in a request when executing a join set.	OData	60	✓	✓	✓	
limit-partition-calls-left	Minimum number of remaining API calls on a partition towards a hard limit. When below, an error is raised.	OData	500	✓	✓	✓	
log-native-calls-to-disk-max-events	Maximum number of events to register from last activation.	Shared		✓	✓	✓	
log-native-calls-to-disk-max-seconds	Maximum number of seconds to register from last activation.	Shared		✓	✓	✓	
log-native-calls-to-disk-on-error	Registers native calls to data container backend as disk files when an error occurred.	Shared	False	✓	✓	✓	
log-native-calls-to-disk-on-success	Registers native calls to data container backend as disk files when successful.	Shared	False	✓	✓	✓	
log-native-calls-to-trace	Log native calls to data container backend on the trace.	Shared	False	✓	✓	✓	
maximum-length-identifiers	Non-default maximum length in characters of identifier names.	Shared		✓	✓	✓	
max-odata-filters	The maximum number of OData filter elements.	OData	100	✓	✓	✓	
max-url-length-accepted	The maximum accepted URL length before raising an error.	Shared	8000	✓	✓	✓	
max-url-length-desired	The maximum desired URL length.	Shared	8000	✓	✓	✓	
metadata-cache-max-age-sec	Maximum acceptable age in seconds for re-use of metadata.	OData		✓	✓	✓	
oauth-unauthorized-max-tries	Maximum number of tries when an OAuth exception occurs.	OData	2	✓	✓	✓	
oauth-unauthorized-sleep-initial-ms	Initial sleep in milliseconds between OAuth reauthentication tries when the OAuth authentication fails.	OData	10000	✓	✓	✓	
oauth-unauthorized-sleep-max-ms	Maximum sleep in milliseconds between OAuth reauthentication tries when the OAuth authentication fails.	OData	1000	✓	✓	✓	
oauth-unauthorized-sleep-multiplicator	Multiplication factor for sleep between OAuth reauthentication tries when the OAuth authentication fails.	OData	2	✓	✓	✓	
partition-slot-based-rate-limit-length-ms	Total length in ms across all slots of a partition-based rate limit.	Shared	60000	✓		✓	
partition-slot-based-rate-limit-slots	Number of slots per partition-based rate limit. Null means no slot-based	Shared		✓		✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Driver's File	Set from Log On
	rate limit						
pre-request-delay-ms	Pre-request delay in milliseconds per request.	Shared	0	✓	✓	✓	
requested-page-size	Preferred number of rows to exchange per round trip; only effective on limited platforms such as AFAS Online	Shared		✓	✓	✓	
requests-parallel-max	Maximum number of parallel data requests from individual partitions on the data container.	Shared	32	✓	✓	✓	
simulate-http-400-errors	Simulate HTTP 400 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
simulate-http-400-errors-percentage	Percentage of simulated HTTP 400 errors when exchanging results with the OData endpoint.		0	✓	✓	✓	
simulate-http-401-errors	Simulate HTTP 401 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
simulate-http-401-errors-percentage	Percentage of simulated HTTP 401 errors when exchanging results with the OData endpoint.		0	✓	✓	✓	
simulate-http-403-errors	Simulate HTTP 403 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
simulate-http-403-errors-percentage	Percentage of simulated HTTP 403 errors when exchanging results with the OData endpoint.		0	✓	✓	✓	
simulate-http-408-errors	Simulate HTTP 408 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
simulate-http-408-errors-percentage	Percentage of simulated HTTP 408 errors when exchanging results with the OData endpoint.		0	✓	✓	✓	
simulate-http-429-errors	Simulate HTTP 429 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
simulate-http-429-errors-percentage	Percentage of simulated HTTP 429 errors when exchanging results with the OData endpoint.		0	✓	✓	✓	
simulate-http-500-errors	Simulate HTTP 500 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
simulate-http-500-errors-percentage	Percentage of simulated HTTP 500 errors when exchanging results with the OData endpoint.		0	✓	✓	✓	
simulate-http-502-errors	Simulate HTTP 502 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Driver's File	Set from Log On
simulate-http-502-errors-percentage	Percentage of simulated HTTP 502 errors when exchanging results with the OData endpoint.		0	✓	✓	✓	
simulate-http-503-errors	Simulate HTTP 503 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
simulate-http-503-errors-percentage	Percentage of simulated HTTP 503 errors when exchanging results with the OData endpoint.		0	✓	✓	✓	
simulate-http-protocol-errors	Simulate HTTP protocol errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
simulate-http-protocol-errors-percentage	Percentage of simulated HTTP protocol errors when exchanging results with the OData endpoint.		0	✓	✓	✓	
simulate-http-timeout-errors	Simulate HTTP timeout errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
simulate-http-timeout-errors-percentage	Percentage of simulated HTTP timeout errors when exchanging results with the OData endpoint.		0	✓	✓	✓	
slot-based-rate-limit-length-ms	Total length in ms across all slots of a slot-based rate limit.	Shared	60000	✓		✓	
slot-based-rate-limit-slots	Number of slots of a slot-based rate limit. Null means no slot-based rate limit	Shared		✓		✓	
standardize-identifiers	Rewrite all identifiers to the preferred standards as configured by standardize-identifiers-casing and maximum-length-identifiers.	Shared	True	✓	✓	✓	
standardize-identifiers-casing	Rewrite all identifiers to the recommended standard platform-specific casing when changing a data model on a case-dependent platform.	Shared	True	✓	✓	✓	
use-batch-insert	Whether to use batch insert.	OData	True	✓	✓	✓	
use-http-disk-cache-read	Whether to use HTTP responses from previous queries stored on disk to answer the current query.	Shared	False	✓	✓	✓	
use-http-disk-cache-write	Whether to memorize HTTP responses on disk.	Shared	False	✓	✓	✓	
use-http-memory-cache-read	Whether to use HTTP responses from previous queries stored in memory that can answer the current query.	OData	True	✓	✓	✓	
use-http-memory-cache-write	Whether to memorize HTTP responses from previous queries for use by future queries.	OData	True	✓	✓	✓	

3 Schema: DocumentCloud

3.1 Tables

3.1.1 document_by_id: DocumentCloud Get Document

Catalog: DocumentCloud

Schema: DocumentCloud

Primary Keys: id

Label: Get Document

This is a read-only table function. The DocumentCloud API may not support changing the data or the Invariant SQL driver for DocumentCloud does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the DocumentCloud API.

Select DocumentCloud API URL: `/documents/{id}`

Insert DocumentCloud API URL: `/documents/{id}`

Update DocumentCloud API URL: `/documents/{id}`

Delete DocumentCloud API URL: `/documents/{id}`

Field Selection Method: NotRequired

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `document_by_id`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input type="checkbox"/>		Filter by specific document ID.

Table Function Columns

The columns of the table function `document_by_id` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
access	string		<input type="checkbox"/>	The access level for the document. Defaults to 'private'.

Name	Data Type	Label	Required	Documentation
asset_url	string		<input type="checkbox"/>	The base URL to load this document's static assets from.
canonical_url	string		<input type="checkbox"/>	The canonical URL to view this document.
created_at	datetime		<input type="checkbox"/>	Time stamp when this document was created.
description	string		<input type="checkbox"/>	A brief description of the document.
edit_access	boolean		<input checked="" type="checkbox"/>	Does the current user have edit access to this document.
file_hash	string		<input type="checkbox"/>	File hash.
file_url	string		<input type="checkbox"/>	A URL to a publicly accessible document for the URL Upload Flow.
force_ocr	boolean		<input type="checkbox"/>	Force OCR even if the PDF contains embedded text - only include if file_url is set, otherwise should set force_ocr on the call to the processing endpoint.
id	int64		<input checked="" type="checkbox"/>	The ID for the document.
language	string		<input type="checkbox"/>	The language the document is in. Defaults to 'eng'.
organization	int64		<input checked="" type="checkbox"/>	The ID for the organization this document belongs to.
original_extension	string		<input type="checkbox"/>	Original file extension.
page_count	int32		<input type="checkbox"/>	The number of pages in this document.
page_spec	string		<input type="checkbox"/>	The dimensions for all pages in the document.
presigned_url	string		<input type="checkbox"/>	The pre-signed URL to directly PUT the PDF file to.
publish_at	datetime		<input type="checkbox"/>	A timestamp when to automatically make this document public.
published_url	string		<input type="checkbox"/>	The URL where this document is embedded.
related_article	string		<input type="checkbox"/>	The URL for the article about this document.
slug	string		<input type="checkbox"/>	The slug is a URL safe version of the title.
source	string		<input type="checkbox"/>	The source who produced the document.
status	string		<input type="checkbox"/>	The status for the document.
title	string		<input type="checkbox"/>	The document's title.
updated_at	datetime		<input type="checkbox"/>	Time stamp when the document was last updated.
user	int64		<input checked="" type="checkbox"/>	The ID for the user this document belongs to.

3.1.2 documents

Catalog: DocumentCloud

Schema: DocumentCloud

Primary Keys: id

This is a read-only table function. The DocumentCloud API may not support changing the data or the Invantive SQL driver for DocumentCloud does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the DocumentCloud API.

Select DocumentCloud API URL: `/documents`

Insert DocumentCloud API URL: `/documents`

Update DocumentCloud API URL: `/documents`

Delete DocumentCloud API URL: `/documents`

Field Selection Method: NotRequired

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `documents`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
<code>access</code>	string	<input type="checkbox"/>		Filter by the access level.
<code>created_at_gt</code>	string	<input type="checkbox"/>		Filter by documents created either before or after a given date. You may specify both to find documents created between two dates. This may be a date or date time, in the following formats: YYYY-MM-DD or YYYY-MM-DD+HH:MM:SS.
<code>created_at_lt</code>	string	<input type="checkbox"/>		Filter by documents created either before or after a given date. You may specify both to find documents created between two dates. This may be a date or date time, in the following formats: YYYY-MM-DD or YYYY-MM-DD+HH:MM:SS.
<code>document</code>	string	<input type="checkbox"/>		Filter by projects which contain the given document.

Name	Data Type	Required	Default Value	Documentation
id_in	string	<input type="checkbox"/>		Filter by specific document IDs, passed in as comma separated values.
organization	int64	<input type="checkbox"/>		Filter by the ID of the organization of the document.
page_count_gt	int32	<input type="checkbox"/>		Filter by documents with more than the specified number of pages.
page_count_lt	int32	<input type="checkbox"/>		Filter by documents with less than the specified number of pages.
page_count	int32	<input type="checkbox"/>		Filter by documents with a specified number of pages.
private	boolean	<input type="checkbox"/>		Filter by private or public projects. Specify either true or false.
project	int64	<input type="checkbox"/>		Filter by the ID of a project the document is in.
slug	string	<input type="checkbox"/>		Filter by projects with the given slug.
status	string	<input type="checkbox"/>		Filter by status.
title	string	<input type="checkbox"/>		Filter by projects with the given title.
user	int64	<input type="checkbox"/>		Filter by the ID of the owner of the document.
user	int64	<input type="checkbox"/>		Filter by the ID of the owner of the document.

Table Function Columns

The columns of the table function `documents` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
access	string		<input type="checkbox"/>	The access level for the document. Defaults to 'private'.
asset_url	string		<input type="checkbox"/>	The base URL to load this document's static assets from.
canonical_url	string		<input type="checkbox"/>	The canonical URL to view this document.
created_at	datetime		<input type="checkbox"/>	Time stamp when this document was created.
description	string		<input type="checkbox"/>	A brief description of the document.
edit_access	boolean		<input checked="" type="checkbox"/>	Does the current user have edit access to this document.
file_hash	string		<input type="checkbox"/>	File hash.
file_url	string		<input type="checkbox"/>	A URL to a publicly accessible document for the URL Upload Flow.

Name	Data Type	Label	Required	Documentation
force_ocr	boolean		<input type="checkbox"/>	Force OCR even if the PDF contains embedded text - only include if file_url is set, otherwise should set force_ocr on the call to the processing endpoint.
id	int64		<input checked="" type="checkbox"/>	The ID for the document.
language	string		<input type="checkbox"/>	The language the document is in. Defaults to 'eng'.
organization	int64		<input checked="" type="checkbox"/>	The ID for the organization this document belongs to.
original_extension	string		<input type="checkbox"/>	Original file extension.
page_count	int32		<input type="checkbox"/>	The number of pages in this document.
page_spec	string		<input type="checkbox"/>	The dimensions for all pages in the document.
presigned_url	string		<input type="checkbox"/>	The pre-signed URL to directly PUT the PDF file to.
publish_at	datetime		<input type="checkbox"/>	A timestamp when to automatically make this document public.
published_url	string		<input type="checkbox"/>	The URL where this document is embedded.
related_article	string		<input type="checkbox"/>	The URL for the article about this document.
slug	string		<input type="checkbox"/>	The slug is a URL safe version of the title.
source	string		<input type="checkbox"/>	The source who produced the document.
status	string		<input type="checkbox"/>	The status for the document.
title	string		<input type="checkbox"/>	The document's title.
updated_at	datetime		<input type="checkbox"/>	Time stamp when the document was last updated.
user	int64		<input checked="" type="checkbox"/>	The ID for the user this document belongs to.

3.1.3 documents_search: DocumentCloud Search Document

Catalog: DocumentCloud

Schema: DocumentCloud

Primary Keys: id

Label: Search Document

This is a read-only table function. The DocumentCloud API may not support changing the data or the Invariant SQL driver for DocumentCloud does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the DocumentCloud API.

Select DocumentCloud API URL: `/documents/search?q={query}§ions=false&annotations=false&data=false&mentions=false`

Insert DocumentCloud API URL: `/documents/search?q={query}§ions=false&annotations=false&data=false&mentions=false`

Update DocumentCloud API URL: `/documents/search?q={query}§ions=false&annotations=false&data=false&mentions=false`

Delete DocumentCloud API URL: `/documents/search?q={query}§ions=false&annotations=false&data=false&mentions=false`

Field Selection Method: NotRequired

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `documents_search`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
query	string	<input checked="" type="checkbox"/>		Search query in terms by Solr. See also https://www.documentcloud.org/help/search/ .

Table Function Columns

The columns of the table function `documents_search` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
access	string		<input type="checkbox"/>	The access level for the document. Defaults to 'private'.
asset_url	string		<input type="checkbox"/>	The base URL to load this document's static assets from.
canonical_url	string		<input type="checkbox"/>	The canonical URL to view this document.
created_at	datetime		<input type="checkbox"/>	Time stamp when this document was created.
description	string		<input type="checkbox"/>	A brief description of the document.

Name	Data Type	Label	Required	Documentation
edit_access	boolean		<input checked="" type="checkbox"/>	Does the current user have edit access to this document.
file_hash	string		<input type="checkbox"/>	File hash.
file_url	string		<input type="checkbox"/>	A URL to a publicly accessible document for the URL Upload Flow .
force_ocr	boolean		<input type="checkbox"/>	Force OCR even if the PDF contains embedded text - only include if file_url is set, otherwise should set force_ocr on the call to the processing endpoint.
id	int64		<input checked="" type="checkbox"/>	The ID for the document.
language	string		<input type="checkbox"/>	The language the document is in. Defaults to 'eng'.
organization	int64		<input checked="" type="checkbox"/>	The ID for the organization this document belongs to.
original_extension	string		<input type="checkbox"/>	Original file extension.
page_count	int32		<input type="checkbox"/>	The number of pages in this document.
page_spec	string		<input type="checkbox"/>	The dimensions for all pages in the document.
presigned_url	string		<input type="checkbox"/>	The pre-signed URL to directly PUT the PDF file to.
publish_at	datetime		<input type="checkbox"/>	A timestamp when to automatically make this document public.
published_url	string		<input type="checkbox"/>	The URL where this document is embedded.
related_article	string		<input type="checkbox"/>	The URL for the article about this document.
slug	string		<input type="checkbox"/>	The slug is a URL safe version of the title.
source	string		<input type="checkbox"/>	The source who produced the document.
status	string		<input type="checkbox"/>	The status for the document.
title	string		<input type="checkbox"/>	The document's title.
updated_at	datetime		<input type="checkbox"/>	Time stamp when the document was last updated.
user	int64		<input checked="" type="checkbox"/>	The ID for the user this document belongs to.

3.1.4 projects

Catalog: DocumentCloud

Schema: DocumentCloud

Primary Keys: id

This is a read-only table function. The DocumentCloud API may not support changing the data or the Invariant SQL driver for DocumentCloud does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the DocumentCloud API.

Select DocumentCloud API URL: `/projects`

Insert DocumentCloud API URL: `/projects`

Update DocumentCloud API URL: `/projects`

Delete DocumentCloud API URL: `/projects`

Field Selection Method: `NotRequired`

Table Function Columns

The columns of the table function `projects` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
<code>add_remove_access</code>	boolean		<input checked="" type="checkbox"/>	Does the current user have permission to add and remove documents to this project.
<code>created_at</code>	datetime		<input type="checkbox"/>	Time stamp when this project was created.
<code>description</code>	string		<input type="checkbox"/>	A brief description of the project.
<code>edit_access</code>	boolean		<input checked="" type="checkbox"/>	Does the current user have edit access to this project.
<code>id</code>	int64		<input checked="" type="checkbox"/>	The ID for the project.
<code>private</code>	boolean		<input checked="" type="checkbox"/>	Private projects may only be viewed by their collaborators.
<code>slug</code>	string		<input type="checkbox"/>	The slug is a URL safe version of the title.
<code>title</code>	string		<input type="checkbox"/>	The project's title.
<code>updated_at</code>	datetime		<input type="checkbox"/>	Time stamp when the project was last updated.
<code>user</code>	int64		<input checked="" type="checkbox"/>	The ID for the user this project belongs to.

3.1.5 users

Catalog: DocumentCloud

Schema: DocumentCloud

Primary Keys: `id`

This is a read-only table function. The DocumentCloud API may not support changing the data or the Invariant SQL driver for DocumentCloud does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the DocumentCloud API.

Select DocumentCloud API URL: `/users`

Insert DocumentCloud API URL: `/users`

Update DocumentCloud API URL: `/users`

Delete DocumentCloud API URL: `/users`

Field Selection Method: NotRequired

Table Function Columns

The columns of the table function `users` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
<code>avatar_url</code>	string		<input type="checkbox"/>	Avatar URL.
<code>id</code>	int64		<input checked="" type="checkbox"/>	The ID for the project.
<code>name</code>	string		<input checked="" type="checkbox"/>	Name of the user.
<code>organization</code>	int32		<input checked="" type="checkbox"/>	ID of the organization.
<code>username</code>	string		<input checked="" type="checkbox"/>	User name of the user.
<code>uuid</code>	guid		<input checked="" type="checkbox"/>	The unique ID.
<code>verified_journalist</code>	boolean		<input checked="" type="checkbox"/>	Has the user been verified as a journalist?

4 Schema: Native

4.1 Tables

4.1.1 NATIVEPLATFORMSCALARREQUESTS: DocumentCloud Native Platform Scalar Requests

Direct access to native API.

Catalog: DocumentCloud

Schema: Native

Alias: `npt`

Label: Native Platform Scalar Requests

Documentation:

The `NativePlatformScalarRequests` table provides direct access to the native API protocol over an established connection to the DocumentCloud API server. It will contain a new row for every row inserted with a native API request in `PAYLOAD_TEXT` with the results of unaltered forwarding of the payload to the DocumentCloud API server.

Retrieve: true

Insert: true

Update: false

Delete: false

View Columns

The columns of the view `NATIVEPLATFORMSCALARREQUESTS` are shown below. Each column has an SQL data type. A new non-null value must be provided for every required column at all times during insert.

Name	Data Type	Label	Required	Documentation
BLOB_PREFERRED	boolean	BLOB Preferred	<input checked="" type="checkbox"/>	Indicator whether a BLOB result is preferred over text.
BOL_RESPONSE_CACHE_MAX_AGE_SEC	int32	Response Cache Maximum Age (sec)	<input type="checkbox"/>	Maximum age in seconds of Bridge Online response cache entries to be used.
CONTENT_TYPE	string(240)	Content Type	<input type="checkbox"/>	
DATE_ENDED	datetime	End Date	<input checked="" type="checkbox"/>	
DATE_STARTED	datetime	Start Date	<input checked="" type="checkbox"/>	
DRY_RUN	boolean	Run without Actions	<input checked="" type="checkbox"/>	
DURATION_MS	int32	Duration (ms)	<input checked="" type="checkbox"/>	
ERROR_MESSAGE_CODE	string(30)	Error Message Code	<input type="checkbox"/>	
ERROR_MESSAGE_TEXT	string(32000)	Error Message Text	<input type="checkbox"/>	
FAIL_ON_ERROR	boolean	Fail on Error	<input checked="" type="checkbox"/>	Whether to raise an exception when processing the native request triggered an error from the provider.
HTTP_DISK_CACHE_MAX_AGE_SEC	int32	HTTP Disk Cache Maximum Age (sec)	<input type="checkbox"/>	Maximum age in seconds of HTTP disk cache entries to be used.
HTTP_DISK_CACHE_SAVE	boolean	Save HTTP Disk Cache	<input type="checkbox"/>	Whether results can be stored in HTTP disk cache.
HTTP_DISK_CACHE_USE	boolean	Use HTTP Disk Cache	<input type="checkbox"/>	Whether results can be fetched from HTTP disk cache.
HTTP_MEMORY_CACHE_MAX_AGE_SEC	int32	HTTP Memory Cache Maximum Age (sec)	<input type="checkbox"/>	Maximum age in seconds of HTTP memory cache entries to be used.
HTTP_MEMORY_CACHE_SAVE	boolean	Save HTTP Memory Cache	<input type="checkbox"/>	Whether results can be stored in HTTP memory cache.
HTTP_MEMORY_CACHE_USE	boolean	Use HTTP Memory Cache	<input type="checkbox"/>	Whether results can be fetched from HTTP memory cache.
HTTP_METHOD	string(30)	HTTP Method	<input type="checkbox"/>	
HTTP_STATUS_CODE	int16	HTTP Status Code	<input type="checkbox"/>	
ORIG_SYSTEM_GROUP	string(4000)	Original System Group	<input type="checkbox"/>	
ORIG_SYSTEM_REFERENCE	string(4000)	Original System Reference	<input type="checkbox"/>	
PAYLOAD_TEXT	string	Payload	<input type="checkbox"/>	
RESULT_BLOB	byte[]	Result BLOB	<input type="checkbox"/>	
RESULT_DATE_TIME_UTC	datetime		<input type="checkbox"/>	
RESULT_NUMBER	decimal		<input type="checkbox"/>	
RESULT_TEXT	string	Result Text	<input type="checkbox"/>	
SUCCESSFUL	boolean	Successful	<input checked="" type="checkbox"/>	
TIMEOUT_SEC	int32	Timeout (sec)	<input type="checkbox"/>	Timeout in seconds.
TRANSACTION_ID	int32	Transaction ID	<input checked="" type="checkbox"/>	Incrementing ID of the transaction.
URL	string(4000)	URL	<input type="checkbox"/>	

Index

- A -

access 14, 16, 18
 add_remove_access 20
 add-odata-mandatory-filters 2
 analysis-enforce-row-uniqueness 2
 api-url 2
 asset_url 14, 16, 18
 avatar_url 21

- B -

BLOB Preferred 22
 BLOB_PREFERRED 22
 BOL_RESPONSE_CACHE_MAX_AGE_SEC 22
 bulk-delete-page-size-rows 2
 bulk-insert-page-size-bytes 2
 bulk-insert-page-size-rows 2

- C -

canonical_url 14, 16, 18
 Content Type 22
 CONTENT_TYPE 22
 created_at 14, 16, 18, 20
 created_at_gt 16
 created_at_lt 16

- D -

DATE_ENDED 22
 DATE_STARTED 22
 docc 1
 document 16
 document_by_id 14
 DocumentCloud 1, 14, 16, 18, 20, 21, 22
 documents 16
 documents_search 18
 download-error-400-bad-request-max-tries 2
 download-error-400-bad-request-sleep-initial-ms 2
 download-error-400-bad-request-sleep-max-ms 2
 download-error-400-bad-request-sleep-multiplicator 2
 download-error-408-request-timeout-max-tries 2
 download-error-408-request-timeout-sleep-initial-ms 2

download-error-408-request-timeout-sleep-max-ms 2
 download-error-408-request-timeout-sleep-multiplicator 2
 download-error-422-bad-request-max-tries 2
 download-error-422-bad-request-sleep-initial-ms 2
 download-error-422-bad-request-sleep-max-ms 2
 download-error-422-bad-request-sleep-multiplicator 2
 download-error-429-too-many-requests-max-tries 2
 download-error-429-too-many-requests-sleep-initial-ms 2
 download-error-429-too-many-requests-sleep-max-ms 2
 download-error-429-too-many-requests-sleep-multiplicator 2
 download-error-502-server-unavailable-max-tries 2
 download-error-502-server-unavailable-sleep-initial-ms 2
 download-error-502-server-unavailable-sleep-max-ms 2
 download-error-502-server-unavailable-sleep-multiplicator 2
 download-error-503-server-unavailable-max-tries 2
 download-error-503-server-unavailable-sleep-initial-ms 2
 download-error-503-server-unavailable-sleep-max-ms 2
 download-error-503-server-unavailable-sleep-multiplicator 2
 download-error-504-gateway-timeout-max-tries 2
 download-error-504-gateway-timeout-sleep-initial-ms 2
 download-error-504-gateway-timeout-sleep-max-ms 2
 download-error-504-gateway-timeout-sleep-multiplicator 2
 download-error-590-network-connect-timeout-max-tries 2
 download-error-590-network-connect-timeout-sleep-initial-ms 2
 download-error-590-network-connect-timeout-sleep-max-ms 2
 download-error-590-network-connect-timeout-sleep-multiplicator 2
 download-error-599-network-connect-timeout-max-tries 2
 download-error-599-network-connect-timeout-sleep-initial-ms 2
 download-error-599-network-connect-timeout-sleep-max-ms 2
 download-error-599-network-connect-timeout-sleep-multiplicator 2
 download-error-argument-exception-max-tries 2

download-error-argument-exception-sleep-initial-ms	2	
download-error-argument-exception-sleep-max-ms	2	
download-error-argument-exception-sleep-multiplicator	2	
download-error-internet-down-max-tries	2	
download-error-internet-down-sleep-initial-ms	2	
download-error-internet-down-sleep-max-ms	2	
download-error-internet-down-sleep-multiplicator	2	
download-error-io-exception-max-tries	2	
download-error-io-exception-sleep-initial-ms	2	
download-error-io-exception-sleep-max-ms	2	
download-error-io-exception-sleep-multiplicator	2	
download-error-json-exception-max-tries	2	
download-error-json-exception-sleep-initial-ms	2	
download-error-json-exception-sleep-max-ms	2	
download-error-json-exception-sleep-multiplicator	2	
download-error-other-exception-max-tries	2	
download-error-other-exception-sleep-initial-ms	2	
download-error-other-exception-sleep-max-ms	2	
download-error-other-exception-sleep-multiplicator	2	
download-error-socket-exception-max-tries	2	
download-error-socket-exception-sleep-initial-ms	2	
download-error-socket-exception-sleep-max-ms	2	
download-error-socket-exception-sleep-multiplicator	2	
download-error-web-exception-max-tries	2	
download-error-web-exception-sleep-initial-ms	2	
download-error-web-exception-sleep-max-ms	2	
download-error-web-exception-sleep-multiplicator	2	
download-error-web-not-implemented-max-tries	2	
download-error-web-not-implemented-sleep-initial-ms	2	
download-error-web-not-implemented-sleep-max-ms	2	
download-error-web-not-implemented-sleep-multiplicator	2	
download-error-web-timeout-max-tries	2	
download-error-web-timeout-sleep-initial-ms	2	
download-error-web-timeout-sleep-max-ms	2	
download-error-web-timeout-sleep-multiplicator	2	
download-error-web-unauthorized-max-tries	2	
download-error-web-unauthorized-sleep-initial-ms	2	
download-error-web-unauthorized-sleep-max-ms	2	
download-error-web-unauthorized-sleep-multiplicator	2	
Driver	1	
DRY_RUN	22	
Duration (ms)	22	
DURATION_MS	22	

- E -

edit_access	14, 16, 18, 20
End Date	22
Error Message Code	22
Error Message Text	22
ERROR_MESSAGE_CODE	22
ERROR_MESSAGE_TEXT	22

- F -

Fail on Error	22
FAIL_ON_ERROR	22
file_hash	14, 16, 18
file_url	14, 16, 18
force_ocr	14, 16, 18
force-case-sensitive-identifiers	2
forced-casing-identifiers	2

- G -

Get Document	14
--------------	----

- H -

HTTP Disk Cache Maximum Age (sec)	22
HTTP Memory Cache Maximum Age (sec)	22
HTTP Method	22
HTTP Status Code	22
HTTP_DISK_CACHE_MAX_AGE_SEC	22
HTTP_DISK_CACHE_SAVE	22
HTTP_DISK_CACHE_USE	22
HTTP_MEMORY_CACHE_MAX_AGE_SEC	22
HTTP_MEMORY_CACHE_SAVE	22
HTTP_MEMORY_CACHE_USE	22
HTTP_METHOD	22
HTTP_STATUS_CODE	22
http-disk-cache-compression-level	2
http-disk-cache-directory	2
http-disk-cache-ignore-write-errors	2
http-disk-cache-max-age-sec	2
http-get-timeout-max-ms	2
http-get-timeout-ms	2
http-memory-cache-compression-level	2
http-memory-cache-max-age-sec	2
http-post-timeout-max-ms	2
http-post-timeout-ms	2

- I -

id 14
 id_in 16
 ignore-http-400-errors 2
 ignore-http-401-errors 2
 ignore-http-402-errors 2
 ignore-http-403-errors 2
 ignore-http-404-errors 2
 ignore-http-422-errors 2
 ignore-http-429-errors 2
 ignore-http-500-errors 2
 ignore-http-502-errors 2
 ignore-http-503-errors 2
 invalid-json-on-get-max-tries 2
 invalid-json-on-get-sleep-initial-ms 2
 invalid-json-on-get-sleep-max-ms 2
 invalid-json-on-get-sleep-multiplicator 2
 invalid-json-on-post-max-tries 2
 invalid-json-on-post-sleep-initial-ms 2
 invalid-json-on-post-sleep-max-ms 2
 invalid-json-on-post-sleep-multiplicator 2
 invantive-sql-compress-sparse-arrays 2
 invantive-sql-correct-invalid-date 2
 invantive-sql-forward-filters-to-data-containers 2
 invantive-sql-share-byte-arrays 2
 invantive-sql-share-strings 2
 invantive-sql-shuffle-fetch-results-data-containers
 invantive-use-cache 2

- J -

join-set-points-per-request 2

- L -

language 14, 16, 18
 limit-partition-calls-left 2
 log-native-calls-to-disk-max-events 2
 log-native-calls-to-disk-max-seconds 2
 log-native-calls-to-disk-on-error 2
 log-native-calls-to-disk-on-success 2
 log-native-calls-to-trace 2

- M -

maximum-length-identifiers 2
 max-odata-filters 2
 max-url-length-accepted 2

max-url-length-desired 2
 metadata-cache-max-age-sec 2

- N -

name 21
 Native Platform Scalar Requests 22
 NATIVEPLATFORMSCALARREQUESTS 22
 npt 22

- O -

oauth-unauthorized-max-tries 2
 oauth-unauthorized-sleep-initial-ms 2
 oauth-unauthorized-sleep-max-ms 2
 oauth-unauthorized-sleep-multiplicator 2
 organization 14, 16, 18, 21
 ORIG_SYSTEM_GROUP 22
 ORIG_SYSTEM_REFERENCE 22
 Original System Group 22
 Original System Reference 22
 original_extension 14, 16, 18

- P -

page_count 14, 16, 18
 page_count_gt 16
 page_count_lt 16
 page_spec 14, 16, 18
 partition-slot-based-rate-limit-length-ms 2
 partition-slot-based-rate-limit-slots 2
 Payload 22
 PAYLOAD_TEXT 22
 pre-request-delay-ms 2
 presigned_url 14, 16, 18
 private 16, 20
 project 16
 projects 20
 publish_at 14, 16, 18
 published_url 14, 16, 18

- Q -

query 18

- R -

related_article 14, 16, 18
 requested-page-size 2

requests-parallel-max 2
 Response Cache Maximum Age (sec) 22
 Result BLOB 22
 Result Text 22
 RESULT_BLOB 22
 RESULT_DATE_TIME_UTC 22
 RESULT_NUMBER 22
 RESULT_TEXT 22
 Run without Actions 22

- S -

Save HTTP Disk Cache 22
 Save HTTP Memory Cache 22
 Search Document 18
 simulate-http-400-errors 2
 simulate-http-400-errors-percentage 2
 simulate-http-401-errors 2
 simulate-http-401-errors-percentage 2
 simulate-http-403-errors 2
 simulate-http-403-errors-percentage 2
 simulate-http-408-errors 2
 simulate-http-408-errors-percentage 2
 simulate-http-429-errors 2
 simulate-http-429-errors-percentage 2
 simulate-http-500-errors 2
 simulate-http-500-errors-percentage 2
 simulate-http-502-errors 2
 simulate-http-502-errors-percentage 2
 simulate-http-503-errors 2
 simulate-http-503-errors-percentage 2
 simulate-http-protocol-errors 2
 simulate-http-protocol-errors-percentage 2
 simulate-http-timeout-errors 2
 simulate-http-timeout-errors-percentage 2
 slot-based-rate-limit-length-ms 2
 slot-based-rate-limit-slots 2
 slug 14, 16, 18, 20
 source 14, 16, 18
 standardize-identifiers 2
 standardize-identifiers-casing 2
 Start Date 22
 status 14, 16, 18
 Successful 22
 SUCCESSFUL 22

- T -

Timeout (sec) 22
 TIMEOUT_SEC 22

title 14, 16, 18, 20
 Transaction ID 22
 TRANSACTION_ID 22

- U -

updated_at 14, 16, 18, 20
 URL 22
 Use HTTP Disk Cache 22
 Use HTTP Memory Cache 22
 use-batch-insert 2
 use-http-disk-cache-read 2
 use-http-disk-cache-write 2
 use-http-memory-cache-read 2
 use-http-memory-cache-write 2
 user 14, 16, 18, 20
 username 21
 users 21
 uuid 21

- V -

verified_journalist 21



invantive the **SQL** company

Invantive B.V.
Biesteweg 11
3849 RD Hierden
the Netherlands

Tel: +31 88 00 26 500
Fax: +31 84 22 58 178
info@invantive.com
invantive.com

IBAN NL25 BUNQ 2098 2586 07
Chamber of Industry and Commerce
13031406
VAT NL812602377B01
RSIN 8122602377
Managing Director: Guido Leenders
Registered office: Roermond