



# Document Cloud Data Model

*for use with Invantive SQL*

# Copyright

(C) Copyright 2004-2023 Invantive Software B.V., the Netherlands. All rights reserved.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of the publisher.

Despite all the care taken in the compilation of this text, neither the author nor the publisher can accept liability for any damage, which might result from any error, which might appear in this publication.

This manual is a reference guide intended to clarify usage. If data in the sample images match data in your system, the similarity is coincidental.

## Important Safety and Usage Information

**Intended Use and Limitations:** This software, developed by Invantive, is designed to support a variety of business and information technology data processing functions, such as accounting, financial reporting and sales reporting. It is important to note that this software is not designed, tested, or approved for use in environments where malfunction or failure could lead to life-threatening situations or severe physical or environmental damage. This includes, but is not limited to:

- Nuclear facilities: The software should not be used for operations or functions related to the control, maintenance, or operation of nuclear facilities.
- Defense and Military Applications: This software is not suitable for use in defense-related applications, including but not limited to weaponry control, military strategy planning, or any other aspects of national defense.
- Aviation: The software is not intended for use in the operation, navigation, or communication systems of any aircraft or air traffic control environments.
- Healthcare and Medicine Production: This software should not be utilized for medical device operation, patient data analysis for critical health decisions, pharmaceutical production, or medical research where its failure or malfunction could impact patient health.
- Chemical and Hazardous Material Handling: This software is not intended for the management, control, or operational aspects of chemical plants or hazardous material handling facilities. Any malfunction in software used in these settings could result in dangerous chemical spills, explosions, or environmental disasters.
- Transportation and Traffic Control Systems: The software should not be used for the control, operation, or management of transportation systems, including railway signal controls, subway systems, or traffic light management. Malfunctions in such critical systems could lead to severe accidents and endanger public safety.
- Energy Grid and Utility Control Systems: This software is not designed for the control or operation of energy grid systems, including electrical substations, renewable energy control systems, or water utility control systems. The failure of software in these areas could lead to significant power outages, water supply disruptions, or other public utility failures, potentially endangering communities and causing extensive damage.
- Other High-Risk Environments: Any other critical infrastructure and environments where a failure of the software could result in significant harm to individuals or the environment.

**User Responsibility:** Users must ensure that they understand the intended use of the software and refrain from deploying it in any setting that falls outside of its designed purpose. It is the responsibility of the user to assess the suitability of the software for their intended application, especially in any scenarios that might pose a risk to life, health, or the environment.

**Disclaimer of Liability:** Invantive disclaims any responsibility for damage, injury, or legal consequences resulting from the use or misuse of this software in prohibited or unintended applications.

# Contents

<b>1</b>	<b>SQL Driver for DocumentCloud API</b>	<b>1</b>
<b>2</b>	<b>SQL Driver Attributes for DocumentCloud API</b>	<b>2</b>
<b>3</b>	<b>Schema: DocumentCloud</b>	<b>14</b>
<b>3.1</b>	<b>Tables .....</b>	<b>14</b>
3.1.1	document_by_id: DocumentCloud Get Document .....	14
3.1.2	documents .....	16
3.1.3	documents_search: DocumentCloud Search Document .....	18
3.1.4	projects .....	20
3.1.5	users .....	21
<b>4</b>	<b>Schema: Native</b>	<b>22</b>
<b>4.1</b>	<b>Tables .....</b>	<b>22</b>
4.1.1	NATIVEPLATFORMSCALARREQUESTS: DocumentCloud Native Platform Scalar Requests .....	22
	<b>Index</b>	<b>24</b>

## 1 SQL Driver for DocumentCloud API

Invantive SQL is the fastest, easiest and most reliable way to exchange data with the DocumentCloud API.

Use the "Search" option in the left menu to search for a specific term such as the table or column description. When you already know the term, please use the "Index" option. When you can't find the information needed, please click on the Chat button at the bottom or place your question in the [user community](#). Other users or Invantive Support will try to help you to our best.

DocumentCloud is an online archive of documents collected mostly by journalists.

The DocumentCloud driver covers 6 tables and 121 columns.

### DocumentCloud API Clients

Invantive SQL is available on many user interfaces ("clients" in traditional server-client paradigm). All Invantive SQL statements can be exchanged with a close to 100% compatibility across all clients and operating systems (Windows, MacOS, Linux, iOS, Android).

The clients include Microsoft Excel, Microsoft Power BI, Microsoft Power Query, Microsoft Word and Microsoft Outlook. Web-based clients include Invantive Cloud, Invantive Bridge Online as OData proxy, Invantive App Online for interactive apps, Online SQL Editor for query execution and Invantive Data Access Point as extended proxy.

For technical users there are command-line editions of Invantive Data Hub running on iOS, Android, Windows, MacOS and Linux. Invantive Data Hub is also often used for enterprise server applications such as ETL. High-volume replication of data taken from the DocumentCloud API into traditional databases such as SQL Server (on-premise and Azure), MySQL, PostgreSQL and Oracle is possible using [Invantive Data Replicator](#). Invantive Data Replicator automatically creates and maintains DocumentCloud datawarehouses, possibly in combination with data from over 70 other (cloud) platforms. Data Replicator supports data volumes up to over 1 TB and over 5.000 companies. The on-premise edition of Invantive Bridge offers an DocumentCloud ADO.net provider.

### Monitor API Calls

When a query or DML-statement has been executed on Invantive SQL a developer can evaluate the actual calls made to the DocumentCloud API using a query on sessionios@DataDictionary. As an alternative, extensive request and response logging can be enabled by setting log-native-calls-to-disk to true. In the %USERPROFILE%\Invantive\NativeLog folder Invantive SQL will create log files per API request and response.

### Specifications

The SQL driver for DocumentCloud does not support partitioning. Define one data container in a database for each company in DocumentCloud to enable parallel access for data from multiple companies.

An introduction into the concepts of Invantive SQL such as databases, data containers and partitioning can be found in the [Invantive SQL grammar](#).

The configuration can be changed using various attributes during log on and use. A full list of configuration options is listed in the [driver attributes](#) .

The catalog name is used to compose the full qualified name of an object like a table or view. The schema name is used to compose the full qualified name of an object like a table or view. On DocumentCloud the comparison of two texts is case sensitive by default.

Changes and bug fixes on the DocumentCloud SQL driver can be found in the [release notes](#). There is currently no specific section on the [Invantive forums](#) for DocumentCloud. Please reach out to other users of DocumentCloud by leaving a question or contact request.

Driver code for use in settings.xml: DocumentCloud

Alias: docc

Recommended alias: dc

More technical documentation as provided by the supplier of the DocumentCloud API on the native APIconnection used can be found at <https://www.documentcloud.org/help/api>.

General documentation on DocumentCloud is available at  
<https://www.documentcloud.org/home>

Updated: 15-06-2022 21:30 using Invantive SQL version 22.0.232-PROD+3445.

## 2 SQL Driver Attributes for DocumentCloud API

The SQL driver for DocumentCloud has many attributes that can be finetuned to improve handling in scenarios with unreliable network connections to the API server of DocumentCloud or high-volumes of data. Also, many drivers have driver-specific attributes to finetune actual behaviour or handle data not matching specifications.

The DocumentCloud driver attributes are assigned a default value which seldom requires change. However, changes can be applied when needed on four levels, which are reflected in the table below by separate checkmarks:

- Connection string: the connection string from the settings\*.xml file and applied during log on.
- Set SQL statement: a set SQL-statement to be executed once connection has been established.
- Drivers file: the providers.xml file (obsolete starting release 17.32).
- Log on: value to be specified interactively by user during log on in a user interface.

The connection string for DocumentCloud can be found in the settings\*.xml file used for the database. Settings\*.xml files are typically located in the %USERPROFILE%\invantive folder in most deployment scenarios. The reference manuals contain instructions how to relocate the settings\*.xml files. Each data container of a database in the connection string can have a connectionString element specifying the name and values of attributes. Both name and value must be properly escaped according to XML-semantics. Actual application of the value is solely done during log on. A new connection must be established to change the value of a driver attribute using a connection string.

The set SQL statement can be executed after log on. The syntax is: set NAME VALUE, or for a distributed database: set NAME@ALIAS VALUE. In some scenarios you may need to enclose the driver attribute name in square brackets to escape it from parsing, for instance when a reserved SQL keyword is part of the name. The new value takes effect straight after execution of the set-statement. The set-statement can be executed as often as needed during a session.

Driver attributes that can be interactively set to a value are typically presented in the log on window. Depending on the platform and design decisions of the user interface designer, some or all of the available driver attributes can have been made available.

The DocumentCloud driver can be configured using the following attributes:

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Driver's File	Set from Log On
add-odata-mandatory-filters	Whether to automatically add OData filters deemed necessary by the platform.	OData	False	✓	✓	✓	
analysis-enforce-row-uniqueness	Use for analysis only! Enforce rows to be unique.	Shared	False	✓	✓	✓	
api-url	URL to access the API.	OData		✓		✓	
bulk-delete-page-size-rows	Number of rows to delete per batch when bulk deleting	Shared	10000	✓	✓	✓	
bulk-insert-page-size-bytes	Approximate maximum size in bytes of batch when bulk inserting	Shared	10000000	✓	✓	✓	
bulk-insert-page-size-rows	Number of rows to insert per batch when bulk inserting	Shared	250	✓	✓	✓	
dow nload-error-400-bad-request-max-tries	Maximum number of tries when OData server reports bad format during retrieval of data.		3	✓	✓	✓	
dow nload-error-400-bad-request-sleep-initial-ms	Initial sleep in milliseconds between retries when OData server reports that the API server is unavailable during retrieval of data.		500	✓	✓	✓	
dow nload-error-400-bad-request-sleep-max-ms	Maximum sleep in milliseconds between retries when OData server reports that the API server is unavailable during retrieval of data.		5000	✓	✓	✓	
dow nload-error-400-bad-request-sleep-multiplicator	Multiplication factor for sleep between retries OData server reports that the API server is unavailable during retrieval of data.		2	✓	✓	✓	
dow nload-error-408-request-timeout-max-tries	Maximum number of tries when the website reports a HTTP status 408.		10	✓	✓	✓	
dow nload-error-408-request-timeout-sleep-initial-ms	Initial sleep in milliseconds between retries when the website reports a HTTP status 408.		10000	✓	✓	✓	
dow nload-error-408-request-timeout-sleep-max-ms	Maximum sleep in milliseconds between retries when the website reports a HTTP status 408.		300000	✓	✓	✓	
dow nload-error-408-request-timeout-sleep-multiplicator	Multiplication factor for sleep between retries when the website reports a HTTP status 408.		2	✓	✓	✓	
dow nload-error-422-bad-request-max-tries	Maximum number of tries when OData server reports unprocessable entity during retrieval of data.		30	✓	✓	✓	
dow nload-error-422-bad-request-sleep-initial-ms	Initial sleep in milliseconds between retries when OData server reports		10000	✓	✓	✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from SQL-Statement	Set from Drivers File	Set from Log On
sleep-initial-ms	unprocessable entity during retrieval of data.						
dow nload-error-422-bad-request-sleep-max-ms	Maximum sleep in milliseconds between retries when OData server reports unprocessable entity during retrieval of data.		300000	✓	✓	✓	
dow nload-error-422-bad-request-sleep-multiplicator	Multiplication factor for sleep between retries OData server reports unprocessable entity during retrieval of data.		2	✓	✓	✓	
dow nload-error-429-too-many-requests-max-tries	Maximum number of tries when the website reports that too many requests have been made during a timeslot of one minute or one day.		10	✓	✓	✓	
dow nload-error-429-too-many-requests-sleep-initial-ms	Initial sleep in milliseconds between retries when the website reports that too many requests have been made during a timeslot of one minute or one day.		10000	✓	✓	✓	
dow nload-error-429-too-many-requests-sleep-max-ms	Maximum sleep in milliseconds between retries when the website reports that too many requests have been made during a timeslot of one minute or one day.		300000	✓	✓	✓	
dow nload-error-429-too-many-requests-sleep-multiplicator	Multiplication factor for sleep between retries when the website reports that too many requests have been made during a timeslot of one minute or one day.		2	✓	✓	✓	
dow nload-error-502-server-unavailable-max-tries	Maximum number of tries when OData server reports a bad gateway during retrieval of data.		30	✓	✓	✓	
dow nload-error-502-server-unavailable-sleep-initial-ms	Initial sleep in milliseconds between retries when OData server reports a bad gateway during retrieval of data.		10000	✓	✓	✓	
dow nload-error-502-server-unavailable-sleep-max-ms	Maximum sleep in milliseconds between retries when OData server reports that a bad gateway during retrieval of data.		300000	✓	✓	✓	
dow nload-error-502-server-unavailable-sleep-multiplicator	Multiplication factor for sleep between retries OData server reports a bad gateway during retrieval of data.		2	✓	✓	✓	
dow nload-error-503-server-unavailable-max-tries	Maximum number of tries when OData server reports that the API server is unavailable during retrieval of data.		30	✓	✓	✓	
dow nload-error-503-server-	Initial sleep in milliseconds between retries when OData server reports		10000	✓	✓	✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Drivers File	Set from Log On
unavailable-sleep-initial-ms	that the API server is unavailable during retrieval of data.						
dow nload-error-503-server-unavailable-sleep-max-ms	Maximum sleep in milliseconds between retries when OData server reports that the API server is unavailable during retrieval of data.		300000	✓	✓	✓	
dow nload-error-503-server-unavailable-sleep-multiplicator	Multiplication factor for sleep between retries OData server reports that the API server is unavailable during retrieval of data.		2	✓	✓	✓	
dow nload-error-504-gateway-timeout-max-tries	Maximum number of tries when the website reports a gateway timeout.		10	✓	✓	✓	
dow nload-error-504-gateway-timeout-sleep-initial-ms	Initial sleep in milliseconds between retries when the website reports a gateway timeout.		10000	✓	✓	✓	
dow nload-error-504-gateway-timeout-sleep-max-ms	Maximum sleep in milliseconds between retries when the website reports a gateway timeout.		300000	✓	✓	✓	
dow nload-error-504-gateway-timeout-sleep-multiplicator	Multiplication factor for sleep between retries when the website reports a gateway timeout.		2	✓	✓	✓	
dow nload-error-590-network-connect-timeout-max-tries	Maximum number of tries when the website reports a HTTP status 590.		10	✓	✓	✓	
dow nload-error-590-network-connect-timeout-sleep-initial-ms	Initial sleep in milliseconds between retries when the website reports a HTTP status 590.		10000	✓	✓	✓	
dow nload-error-590-network-connect-timeout-sleep-max-ms	Maximum sleep in milliseconds between retries when the website reports a HTTP status 590.		300000	✓	✓	✓	
dow nload-error-590-network-connect-timeout-sleep-multiplicator	Multiplication factor for sleep between retries when the website reports a HTTP status 590.		2	✓	✓	✓	
dow nload-error-599-network-connect-timeout-max-tries	Maximum number of tries when the website reports a HTTP status 599.		10	✓	✓	✓	
dow nload-error-599-network-connect-timeout-sleep-initial-ms	Initial sleep in milliseconds between retries when the website reports a HTTP status 599.		10000	✓	✓	✓	
dow nload-error-599-network-connect-timeout-sleep-max-ms	Maximum sleep in milliseconds between retries when the website reports a HTTP status 599.		300000	✓	✓	✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Drivers File	Set from Log On
connect-timeout-sleep-max-ms	reports a HTTP status 599.						
dow nload-error-599-netw ork-connect-timeout-sleep-multiplicator	Multiplication factor for sleep between retries when the website reports a HTTP status 599.		2	✓	✓	✓	
dow nload-error-argument-exception-max-tries	Maximum number of tries when an argument exception is returned when downloading a blob.		10	✓	✓	✓	
dow nload-error-argument-exception-sleep-initial-ms	Initial sleep in milliseconds between retries when an argument exception is returned when downloading a blob.		10000	✓	✓	✓	
dow nload-error-argument-exception-sleep-max-ms	Maximum sleep in milliseconds between retries when an argument exception is returned when downloading a blob.		300000	✓	✓	✓	
dow nload-error-argument-exception-sleep-multiplicator	Multiplication factor for sleep between retries when an argument exception is returned when downloading a blob.		2	✓	✓	✓	
dow nload-error-internet-dow n-max-tries	Maximum number of tries when the Internet connection seems down during retrieval of data.		10	✓	✓	✓	
dow nload-error-internet-dow n-sleep-initial-ms	Initial sleep in milliseconds between retries when the Internet connection seems down during retrieval of data.		10000	✓	✓	✓	
dow nload-error-internet-dow n-sleep-max-ms	Maximum sleep in milliseconds between retries when the Internet connection seems down during retrieval of data.		300000	✓	✓	✓	
dow nload-error-internet-dow n-sleep-multiplicator	Multiplication factor for sleep between retries when the Internet connection seems down during retrieval of data.		2	✓	✓	✓	
dow nload-error-io-exception-max-tries	Maximum number of tries when a network I/O connection failure occurs during retrieval of data.		10	✓	✓	✓	
dow nload-error-io-exception-sleep-initial-ms	Initial sleep in milliseconds between retries when a network I/O connection failure occurs during retrieval of data.		10000	✓	✓	✓	
dow nload-error-io-exception-sleep-max-ms	Maximum sleep in milliseconds between retries when a network I/O connection failure occurs during retrieval of data.		300000	✓	✓	✓	
dow nload-error-io-exception-sleep-multiplicator	Multiplication factor for sleep between retries when a network I/O connection failure occurs during retrieval of data.		2	✓	✓	✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Drivers File	Set from Log On
dow nload-error-json-exception-max-tries	Maximum number of tries when an invalid JSON body is returned.		3	✓	✓	✓	
dow nload-error-json-exception-sleep-initial-ms	Initial sleep in milliseconds between retries when an invalid JSON body is returned.		1000	✓	✓	✓	
dow nload-error-json-exception-sleep-max-ms	Maximum sleep in milliseconds between retries when an invalid JSON body is returned.		10000	✓	✓	✓	
dow nload-error-json-exception-sleep-multiplicator	Multiplication factor for sleep between retries when an invalid JSON body is returned.		2	✓	✓	✓	
dow nload-error-other-exception-max-tries	Maximum number of tries when an unqualified error occurs during retrieval of data.		3	✓	✓	✓	
dow nload-error-other-exception-sleep-initial-ms	Initial sleep in milliseconds between retries when an unqualified error occurs during retrieval of data.		10000	✓	✓	✓	
dow nload-error-other-exception-sleep-max-ms	Maximum sleep in milliseconds between retries when an unqualified error occurs during retrieval of data.		300000	✓	✓	✓	
dow nload-error-other-exception-sleep-multiplicator	Multiplication factor for sleep between retries when an unqualified error occurs during retrieval of data.		2	✓	✓	✓	
dow nload-error-socket-exception-max-tries	Maximum number of tries when the network connection is forcibly dropped during retrieval of data.		10	✓	✓	✓	
dow nload-error-socket-exception-sleep-initial-ms	Initial sleep in milliseconds between retries when the network connection is forcibly dropped during retrieval of data.		10000	✓	✓	✓	
dow nload-error-socket-exception-sleep-max-ms	Maximum sleep in milliseconds between retries when the network connection is forcibly dropped during retrieval of data.		300000	✓	✓	✓	
dow nload-error-socket-exception-sleep-multiplicator	Multiplication factor for sleep between retries when the network connection is forcibly dropped during retrieval of data.		2	✓	✓	✓	
dow nload-error-web-exception-max-tries	Maximum number of tries when a web connection failure occurs during retrieval of data.		10	✓	✓	✓	
dow nload-error-web-exception-sleep-initial-ms	Initial sleep in milliseconds between retries when a web connection failure occurs during retrieval of data.		10000	✓	✓	✓	
dow nload-error-web-exception-sleep-max-ms	Maximum sleep in milliseconds between retries when a web connection failure occurs during retrieval of data.		300000	✓	✓	✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from SQL-Statement	Set from Drivers File	Set from Log On
dow nload-error-w eb-exception-sleep-multiplicator	Multiplication factor for sleep between retries when a web connection failure occurs during retrieval of data.		2	✓	✓	✓	
dow nload-error-w eb-not-implemented-max-tries	Maximum number of tries when the connection reports not implemented.		1	✓	✓	✓	
dow nload-error-w eb-not-implemented-sleep-initial-ms	Initial sleep in milliseconds between retries when the connection reports not implemented.		10000	✓	✓	✓	
dow nload-error-w eb-not-implemented-sleep-max-ms	Maximum sleep in milliseconds between retries when the connection reports not implemented.		300000	✓	✓	✓	
dow nload-error-w eb-not-implemented-sleep-multiplicator	Multiplication factor for sleep between retries when the connection reports not implemented.		2	✓	✓	✓	
dow nload-error-w eb-timeout-max-tries	Maximum number of tries when the connection reports a timeout.		10	✓	✓	✓	
dow nload-error-w eb-timeout-sleep-initial-ms	Initial sleep in milliseconds between retries when the connection reports a timeout.		1000	✓	✓	✓	
dow nload-error-w eb-timeout-sleep-max-ms	Maximum sleep in milliseconds between retries when the connection reports a timeout.		30000	✓	✓	✓	
dow nload-error-w eb-timeout-sleep-multiplicator	Multiplication factor for sleep between retries when the connection reports a timeout.		2	✓	✓	✓	
dow nload-error-w eb-unauthorized-max-tries	Maximum number of tries when the connection reports an unauthorized error.		1	✓	✓	✓	
dow nload-error-w eb-unauthorized-sleep-initial-ms	Initial sleep in milliseconds between retries when the connection reports an unauthorized error.		10000	✓	✓	✓	
dow nload-error-w eb-unauthorized-sleep-max-ms	Maximum sleep in milliseconds between retries when the connection reports an unauthorized error.		300000	✓	✓	✓	
dow nload-error-w eb-unauthorized-sleep-multiplicator	Multiplication factor for sleep between retries when the connection reports an unauthorized error.		2	✓	✓	✓	
force-case-sensitive-identifiers	Consider identifiers as case-sensitive independent of the platform capabilities.	Shared	False	✓	✓	✓	
forced-casing-identifiers	Forced casing of identifiers. Choose from Unset, Lower, Upper and	Shared		✓	✓	✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Drivers File	Set from Log On
	Mixed.						
http-disk-cache-compression-level	Compression level for the HTTP disk cache, ranging from 1 (little) to 9 (intense). Default is 5.	Shared	5	✓	✓	✓	
http-disk-cache-directory	Directory where HTTP cache is stored.	Shared	C:\Users\gle3.WS212\Inventive\Cache\http\gle3\shared	✓	✓	✓	
http-disk-cache-ignore-write-errors	Whether to ignore write errors to disk cache.	Shared	False	✓	✓	✓	
http-disk-cache-max-age-sec	Maximum acceptable age in seconds for use of data in the HTTP disk cache.	Shared	2592000	✓	✓	✓	
http-get-timeout-max-ms	HTTP GET maximum timeout on retry (ms).		300000	✓	✓	✓	
http-get-timeout-ms	HTTP GET timeout (ms).		60000	✓	✓	✓	
http-memory-cache-compression-level	Compression level for the HTTP memory cache, ranging from 1 (little) to 9 (intense). Default is 5.	OData	5	✓	✓	✓	
http-memory-cache-max-age-sec	Maximum acceptable age in seconds for use of data in the HTTP memory cache.	OData	14400	✓	✓	✓	
http-post-timeout-max-ms	HTTP POST maximum timeout on retry (ms).		300000	✓	✓	✓	
http-post-timeout-ms	HTTP POST timeout (ms).		300000	✓	✓	✓	
ignore-http-400-errors	Ignore HTTP 400 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
ignore-http-401-errors	Ignore HTTP 401 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
ignore-http-402-errors	Ignore HTTP 402 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
ignore-http-403-errors	Ignore HTTP 403 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
ignore-http-404-errors	Ignore HTTP 404 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
ignore-http-422-errors	Ignore HTTP 422 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
ignore-http-429-errors	Ignore HTTP 429 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from SQL-Statement	Set from Drivers File	Set from Log On
ignore-http-500-errors	Ignore HTTP 500 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
ignore-http-502-errors	Ignore HTTP 502 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
ignore-http-503-errors	Ignore HTTP 503 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
invalid-json-on-get-max-tries	Maximum number of tries when the JSON received on GET is invalid.		10	✓	✓	✓	
invalid-json-on-get-sleep-initial-ms	Initial sleep in milliseconds between retries when the JSON received on GET is invalid.		10000	✓	✓	✓	
invalid-json-on-get-sleep-max-ms	Maximum sleep in milliseconds between retries when the JSON received on GET is invalid.		300000	✓	✓	✓	
invalid-json-on-get-sleep-multiplicator	Multiplication factor for sleep between retries when the JSON received on GET is invalid.		2	✓	✓	✓	
invalid-json-on-post-max-tries	Maximum number of tries when the JSON received on POST is invalid.		1	✓	✓	✓	
invalid-json-on-post-sleep-initial-ms	Initial sleep in milliseconds between retries when the JSON received on POST is invalid.		10000	✓	✓	✓	
invalid-json-on-post-sleep-max-ms	Maximum sleep in milliseconds between retries when the JSON received on POST is invalid.		300000	✓	✓	✓	
invalid-json-on-post-sleep-multiplicator	Multiplication factor for sleep between retries when the JSON received on POST is invalid.		2	✓	✓	✓	
invantive-sql-compress-sparse-arrays	Whether to compress sparse arrays in result sets during compression.	SQL Engine V1	True	✓	✓	✓	
invantive-sql-correct-invalid-date	Whether to correct dates considered invalid since they are before 01-01-1753. When nullable, they are removed. Otherwise they are replaced by 01-01-1753.	SQL Engine V1	False	✓	✓	✓	
invantive-sql-forward-filters-to-data-containers	Whether to forward filters to data containers.	SQL Engine V1	True	✓	✓	✓	
invantive-sql-share-byte-arrays	Whether to share the memory used by identical byte arrays in result sets during compression.	SQL Engine V1	True	✓	✓	✓	
invantive-sql-share-strings	Whether to share the memory used by identical strings in result sets during compression.	SQL Engine V1	True	✓	✓	✓	
invantive-sql-shuffle-fetch-	Whether to shuffle results fetched from data containers.	SQL Engine V1	False	✓	✓	✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Drivers File	Set from Log On
results-data-containers							
invantive-use-cache	Whether to cache the results of a query.	SQL Engine V1	True	✓	✓	✓	
join-set-points-per-request	Maximum number of values in a request when executing a join set.	OData	60	✓	✓	✓	
limit-partition-calls-left	Minimum number of remaining API calls on a partition towards a hard limit. When below , an error is raised.	OData	500	✓	✓	✓	
log-native-calls-to-disk-max-events	Maximum number of events to register from last activation.	Shared		✓	✓	✓	
log-native-calls-to-disk-max-seconds	Maximum number of seconds to register from last activation.	Shared		✓	✓	✓	
log-native-calls-to-disk-on-error	Registers native calls to data container backend as disk files when an error occurred.	Shared	False	✓	✓	✓	
log-native-calls-to-disk-on-success	Registers native calls to data container backend as disk files when successful.	Shared	False	✓	✓	✓	
log-native-calls-to-trace	Log native calls to data container backend on the trace.	Shared	False	✓	✓	✓	
maximum-length-identifiers	Non-default maximum length in characters of identifier names.	Shared		✓	✓	✓	
max-odata-filters	The maximum number of OData filter elements.	OData	100	✓	✓	✓	
max-url-length-accepted	The maximum accepted URL length before raising an error.	Shared	8000	✓	✓	✓	
max-url-length-desired	The maximum desired URL length.	Shared	8000	✓	✓	✓	
metadata-cache-max-age-sec	Maximum acceptable age in seconds for re-use of metadata.	OData		✓	✓	✓	
oauth-unauthorized-max-tries	Maximum number of tries when an OAuth exception occurs.	OData	2	✓	✓	✓	
oauth-unauthorized-sleep-initial-ms	Initial sleep in milliseconds between OAuth reauthentication tries when the OAuth authentication fails.	OData	10000	✓	✓	✓	
oauth-unauthorized-sleep-max-ms	Maximum sleep in milliseconds between OAuth reauthentication tries when the OAuth authentication fails.	OData	1000	✓	✓	✓	
oauth-unauthorized-sleep-multiplicator	Multiplication factor for sleep between OAuth reauthentication tries when the OAuth authentication fails.	OData	2	✓	✓	✓	
partition-slot-based-rate-limit-length-ms	Total length in ms across all slots of a partition-based rate limit.	Shared	60000	✓		✓	
partition-slot-based-rate-limit-slots	Number of slots per partition-based rate limit. Null means no slot-based	Shared		✓		✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from SQL-Statement	Set from Drivers File	Set from Log On
	rate limit						
pre-request-delay-ms	Pre-request delay in milliseconds per request.	Shared	0	✓	✓	✓	
requested-page-size	Preferred number of rows to exchange per round trip; only effective on limited platforms such as AFAS Online	Shared		✓	✓	✓	
requests-parallel-max	Maximum number of parallel data requests from individual partitions on the data container.	Shared	32	✓	✓	✓	
simulate-http-400-errors	Simulate HTTP 400 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
simulate-http-400-errors-percentage	Percentage of simulated HTTP 400 errors when exchanging results with the OData endpoint.		0	✓	✓	✓	
simulate-http-401-errors	Simulate HTTP 401 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
simulate-http-401-errors-percentage	Percentage of simulated HTTP 401 errors when exchanging results with the OData endpoint.		0	✓	✓	✓	
simulate-http-403-errors	Simulate HTTP 403 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
simulate-http-403-errors-percentage	Percentage of simulated HTTP 403 errors when exchanging results with the OData endpoint.		0	✓	✓	✓	
simulate-http-408-errors	Simulate HTTP 408 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
simulate-http-408-errors-percentage	Percentage of simulated HTTP 408 errors when exchanging results with the OData endpoint.		0	✓	✓	✓	
simulate-http-429-errors	Simulate HTTP 429 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
simulate-http-429-errors-percentage	Percentage of simulated HTTP 429 errors when exchanging results with the OData endpoint.		0	✓	✓	✓	
simulate-http-500-errors	Simulate HTTP 500 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
simulate-http-500-errors-percentage	Percentage of simulated HTTP 500 errors when exchanging results with the OData endpoint.		0	✓	✓	✓	
simulate-http-502-errors	Simulate HTTP 502 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Drivers File	Set from Log On
simulate-http-502-errors-percentage	Percentage of simulated HTTP 502 errors when exchanging results with the OData endpoint.		0	✓	✓	✓	
simulate-http-503-errors	Simulate HTTP 503 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
simulate-http-503-errors-percentage	Percentage of simulated HTTP 503 errors when exchanging results with the OData endpoint.		0	✓	✓	✓	
simulate-http-protocol-errors	Simulate HTTP protocol errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
simulate-http-protocol-errors-percentage	Percentage of simulated HTTP protocol errors when exchanging results with the OData endpoint.		0	✓	✓	✓	
simulate-http-timeout-errors	Simulate HTTP timeout errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
simulate-http-timeout-errors-percentage	Percentage of simulated HTTP timeout errors when exchanging results with the OData endpoint.		0	✓	✓	✓	
slot-based-rate-limit-length-ms	Total length in ms across all slots of a slot-based rate limit.	Shared	60000	✓		✓	
slot-based-rate-limit-slots	Number of slots of a slot-based rate limit. Null means no slot-based rate limit	Shared		✓		✓	
standardize-identifiers	Rewrite all identifiers to the preferred standards as configured by standardize-identifiers-casing and maximum-length-identifiers.	Shared	True	✓	✓	✓	
standardize-identifiers-casing	Rewrite all identifiers to the recommended standard platform-specific casing when changing a data model on a case-dependent platform.	Shared	True	✓	✓	✓	
use-batch-insert	Whether to use batch insert.	OData	True	✓	✓	✓	
use-http-disk-cache-read	Whether to use HTTP responses from previous queries stored on disk to answer the current query.	Shared	False	✓	✓	✓	
use-http-disk-cache-write	Whether to memorize HTTP responses on disk.	Shared	False	✓	✓	✓	
use-http-memory-cache-read	Whether to use HTTP responses from previous queries stored in memory that can answer the current query.	OData	True	✓	✓	✓	
use-http-memory-cache-write	Whether to memorize HTTP responses from previous queries for use by future queries.	OData	True	✓	✓	✓	

## 3 Schema: DocumentCloud

### 3.1 Tables

#### 3.1.1 document\_by\_id: DocumentCloud Get Document

Catalog: DocumentCloud

Schema: DocumentCloud

Primary Keys: id

Label: Get Document

This is a read-only table function. The DocumentCloud API may not support changing the data or the Invantive SQL driver for DocumentCloud does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the DocumentCloud API.

Select DocumentCloud API URL: /documents/{id}

Insert DocumentCloud API URL: /documents/{id}

Update DocumentCloud API URL: /documents/{id}

Delete DocumentCloud API URL: /documents/{id}

Field Selection Method: NotRequired

### Parameters of Table Function

The following parameters can be used to control the behaviour of the table function document\_by\_id. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select \* from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select \* from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input type="checkbox"/>		Filter by specific document ID.

### Table Function Columns

The columns of the table function document\_by\_id are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
access	string		<input type="checkbox"/>	The access level for the document. Defaults to 'private'.

Name	Data Type	Label	Required	Documentation
asset_url	string		<input type="checkbox"/>	The base URL to load this document's static assets from.
canonical_url	string		<input type="checkbox"/>	The canonical URL to view this document.
created_at	datetime		<input type="checkbox"/>	Time stamp when this document was created.
description	string		<input type="checkbox"/>	A brief description of the document.
edit_access	boolean		<input checked="" type="checkbox"/>	Does the current user have edit access to this document.
file_hash	string		<input type="checkbox"/>	File hash.
file_url	string		<input type="checkbox"/>	A URL to a publicly accessible document for the URL Upload Flow .
force_ocr	boolean		<input type="checkbox"/>	Force OCR even if the PDF contains embedded text - only include if file_url is set, otherwise should set force_ocr on the call to the processing endpoint.
id	int64		<input checked="" type="checkbox"/>	The ID for the document.
language	string		<input type="checkbox"/>	The language the document is in. Defaults to 'eng'.
organization	int64		<input checked="" type="checkbox"/>	The ID for the organization this document belongs to.
original_extension	string		<input type="checkbox"/>	Original file extension.
page_count	int32		<input type="checkbox"/>	The number of pages in this document.
page_spec	string		<input type="checkbox"/>	The dimensions for all pages in the document.
presigned_url	string		<input type="checkbox"/>	The pre-signed URL to directly PUT the PDF file to.
publish_at	datetime		<input type="checkbox"/>	A timestamp when to automatically make this document public.
published_url	string		<input type="checkbox"/>	The URL where this document is embedded.
related_article	string		<input type="checkbox"/>	The URL for the article about this document.
slug	string		<input type="checkbox"/>	The slug is a URL safe version of the title.
source	string		<input type="checkbox"/>	The source who produced the document.
status	string		<input type="checkbox"/>	The status for the document.
title	string		<input type="checkbox"/>	The document's title.
updated_at	datetime		<input type="checkbox"/>	Time stamp when the document was last updated.
user	int64		<input checked="" type="checkbox"/>	The ID for the user this document belongs to.

### 3.1.2 documents

Catalog: DocumentCloud

Schema: DocumentCloud

Primary Keys: id

This is a read-only table function. The DocumentCloud API may not support changing the data or the Invantive SQL driver for DocumentCloud does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the DocumentCloud API.

Select DocumentCloud API URL: /documents

Insert DocumentCloud API URL: /documents

Update DocumentCloud API URL: /documents

Delete DocumentCloud API URL: /documents

Field Selection Method: NotRequired

## Parameters of Table Function

The following parameters can be used to control the behaviour of the table function documents. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select \* from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select \* from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
access	string	<input type="checkbox"/>		Filter by the access level.
created_at__gt	string	<input type="checkbox"/>		Filter by documents created either before or after a given date. You may specify both to find documents created between two dates. This may be a date or date time, in the following formats: YYYY-MM-DD or YYYY-MM-DD+HH:MM:SS.
created_at__lt	string	<input type="checkbox"/>		Filter by documents created either before or after a given date. You may specify both to find documents created between two dates. This may be a date or date time, in the following formats: YYYY-MM-DD or YYYY-MM-DD+HH:MM:SS.
document	string	<input type="checkbox"/>		Filter by projects which contain the given document.

Name	Data Type	Required	Default Value	Documentation
id_in	string	<input type="checkbox"/>		Filter by specific document IDs, passed in as comma separated values.
organization	int64	<input type="checkbox"/>		Filter by the ID of the organization of the document.
page_count_gt	int32	<input type="checkbox"/>		Filter by documents with more than the specified number of pages.
page_count_lt	int32	<input type="checkbox"/>		Filter by documents with less than the specified number of pages.
page_count	int32	<input type="checkbox"/>		Filter by documents with a specified number of pages.
private	boolean	<input type="checkbox"/>		Filter by private or public projects. Specify either true or false.
project	int64	<input type="checkbox"/>		Filter by the ID of a project the document is in.
slug	string	<input type="checkbox"/>		Filter by projects with the given slug.
status	string	<input type="checkbox"/>		Filter by status.
title	string	<input type="checkbox"/>		Filter by projects with the given title.
user	int64	<input type="checkbox"/>		Filter by the ID of the owner of the document.
user	int64	<input type="checkbox"/>		Filter by the ID of the owner of the document.

## Table Function Columns

The columns of the table function documents are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
access	string		<input type="checkbox"/>	The access level for the document. Defaults to 'private'.
asset_url	string		<input type="checkbox"/>	The base URL to load this document's static assets from.
canonical_url	string		<input type="checkbox"/>	The canonical URL to view this document.
created_at	datetime		<input type="checkbox"/>	Time stamp when this document was created.
description	string		<input type="checkbox"/>	A brief description of the document.
edit_access	boolean		<input checked="" type="checkbox"/>	Does the current user have edit access to this document.
file_hash	string		<input type="checkbox"/>	File hash.
file_url	string		<input type="checkbox"/>	A URL to a publicly accessible document for the URL Upload Flow .

Name	Data Type	Label	Required	Documentation
force_ocr	boolean		<input type="checkbox"/>	Force OCR even if the PDF contains embedded text - only include if file_url is set, otherwise should set force_ocr on the call to the processing endpoint.
id	int64		<input checked="" type="checkbox"/>	The ID for the document.
language	string		<input type="checkbox"/>	The language the document is in. Defaults to 'eng'.
organization	int64		<input checked="" type="checkbox"/>	The ID for the organization this document belongs to.
original_extension	string		<input type="checkbox"/>	Original file extension.
page_count	int32		<input type="checkbox"/>	The number of pages in this document.
page_spec	string		<input type="checkbox"/>	The dimensions for all pages in the document.
presigned_url	string		<input type="checkbox"/>	The pre-signed URL to directly PUT the PDF file to.
publish_at	datetime		<input type="checkbox"/>	A timestamp when to automatically make this document public.
published_url	string		<input type="checkbox"/>	The URL where this document is embedded.
related_article	string		<input type="checkbox"/>	The URL for the article about this document.
slug	string		<input type="checkbox"/>	The slug is a URL safe version of the title.
source	string		<input type="checkbox"/>	The source who produced the document.
status	string		<input type="checkbox"/>	The status for the document.
title	string		<input type="checkbox"/>	The document's title.
updated_at	datetime		<input type="checkbox"/>	Time stamp when the document was last updated.
user	int64		<input checked="" type="checkbox"/>	The ID for the user this document belongs to.

### 3.1.3 documents\_search: DocumentCloud Search Document

Catalog: DocumentCloud

Schema: DocumentCloud

Primary Keys: id

Label: Search Document

This is a read-only table function. The DocumentCloud API may not support changing the data or the Invantive SQL driver for DocumentCloud does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the DocumentCloud API.

Select DocumentCloud API URL: /documents/search?q={query}&sections=false&annotations=false&data=false&mentions=false

Insert DocumentCloud API URL: /documents/search?q={query}&sections=false&annotations=false&data=false&mentions=false

Update DocumentCloud API URL: /documents/search?q={query}&sections=false&annotations=false&data=false&mentions=false

Delete DocumentCloud API URL: /documents/search?q={query}&sections=false&annotations=false&data=false&mentions=false

Field Selection Method: NotRequired

## Parameters of Table Function

The following parameters can be used to control the behaviour of the table function documents\_search. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select \* from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select \* from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
query	string	<input checked="" type="checkbox"/>		Search query in terms by Solr. See also <a href="https://www.documentcloud.org/help/search/">https://www.documentcloud.org/help/search/</a> .

## Table Function Columns

The columns of the table function documents\_search are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
access	string		<input type="checkbox"/>	The access level for the document. Defaults to 'private'.
asset_url	string		<input type="checkbox"/>	The base URL to load this document's static assets from.
canonical_url	string		<input type="checkbox"/>	The canonical URL to view this document.
created_at	datetime		<input type="checkbox"/>	Time stamp when this document was created.
description	string		<input type="checkbox"/>	A brief description of the document.

Name	Data Type	Label	Required	Documentation
edit_access	boolean		<input checked="" type="checkbox"/>	Does the current user have edit access to this document.
file_hash	string		<input type="checkbox"/>	File hash.
file_url	string		<input type="checkbox"/>	A URL to a publicly accessible document for the URL Upload Flow .
force_ocr	boolean		<input type="checkbox"/>	Force OCR even if the PDF contains embedded text - only include if file_url is set, otherwise should set force_ocr on the call to the processing endpoint.
id	int64		<input checked="" type="checkbox"/>	The ID for the document.
language	string		<input type="checkbox"/>	The language the document is in. Defaults to 'eng'.
organization	int64		<input checked="" type="checkbox"/>	The ID for the organization this document belongs to.
original_extension	string		<input type="checkbox"/>	Original file extension.
page_count	int32		<input type="checkbox"/>	The number of pages in this document.
page_spec	string		<input type="checkbox"/>	The dimensions for all pages in the document.
presigned_url	string		<input type="checkbox"/>	The pre-signed URL to directly PUT the PDF file to.
publish_at	datetime		<input type="checkbox"/>	A timestamp when to automatically make this document public.
published_url	string		<input type="checkbox"/>	The URL where this document is embedded.
related_article	string		<input type="checkbox"/>	The URL for the article about this document.
slug	string		<input type="checkbox"/>	The slug is a URL safe version of the title.
source	string		<input type="checkbox"/>	The source who produced the document.
status	string		<input type="checkbox"/>	The status for the document.
title	string		<input type="checkbox"/>	The document's title.
updated_at	datetime		<input type="checkbox"/>	Time stamp when the document was last updated.
user	int64		<input checked="" type="checkbox"/>	The ID for the user this document belongs to.

### 3.1.4 projects

Catalog: DocumentCloud

Schema: DocumentCloud

Primary Keys: id

This is a read-only table function. The DocumentCloud API may not support changing the data or the Invantive SQL driver for DocumentCloud does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the DocumentCloud API.

Select DocumentCloud API URL: /projects

Insert DocumentCloud API URL: /projects

Update DocumentCloud API URL: /projects

Delete DocumentCloud API URL: /projects

Field Selection Method: NotRequired

## Table Function Columns

The columns of the table function projects are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
add_remove_access	boolean		<input checked="" type="checkbox"/>	Does the current user have permission to add and remove documents to this project.
created_at	datetime		<input type="checkbox"/>	Time stamp when this project was created.
description	string		<input type="checkbox"/>	A brief description of the project.
edit_access	boolean		<input checked="" type="checkbox"/>	Does the current user have edit access to this project.
id	int64		<input checked="" type="checkbox"/>	The ID for the project.
private	boolean		<input checked="" type="checkbox"/>	Private projects may only be viewed by their collaborators.
slug	string		<input type="checkbox"/>	The slug is a URL safe version of the title.
title	string		<input type="checkbox"/>	The project's title.
updated_at	datetime		<input type="checkbox"/>	Time stamp when the project was last updated.
user	int64		<input checked="" type="checkbox"/>	The ID for the user this project belongs to.

### 3.1.5 users

Catalog: DocumentCloud

Schema: DocumentCloud

Primary Keys: id

This is a read-only table function. The DocumentCloud API may not support changing the data or the Invantive SQL driver for DocumentCloud does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the DocumentCloud API.

Select DocumentCloud API URL: /users

Insert DocumentCloud API URL: /users

Update DocumentCloud API URL: /users

Delete DocumentCloud API URL: /users

Field Selection Method: NotRequired

## Table Function Columns

The columns of the table function `users` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
avatar_url	string		<input type="checkbox"/>	Avatar URL.
id	int64		<input checked="" type="checkbox"/>	The ID for the project.
name	string		<input checked="" type="checkbox"/>	Name of the user.
organization	int32		<input checked="" type="checkbox"/>	ID of the organization.
username	string		<input checked="" type="checkbox"/>	User name of the user.
uuid	guid		<input checked="" type="checkbox"/>	The unique ID.
verified_journalist	boolean		<input checked="" type="checkbox"/>	Has the user been verified as a journalist?

## 4 Schema: Native

### 4.1 Tables

#### 4.1.1 NATIVEPLATFORMSCALARREQUESTS: DocumentCloud Native Platform Scalar Requests

Direct access to native API.

Catalog: DocumentCloud

Schema: Native

Alias: npt

Label: Native Platform Scalar Requests

Documentation:

The NativePlatformScalarRequests table provides direct access to the native API protocol over an established connection to the DocumentCloud API server. It will contain a new row for every row inserted with a native API request in PAYLOAD\_TEXT with the results of unaltered forwarding of the payload to the DocumentCloud API server.

Retrieve: true

Insert: true

Update: false

Delete: false

## View Columns

The columns of the view NATIVEPLATFORMSCALARREQUESTS are shown below. Each column has an SQL data type. A new non-null value must be provided for every required column at all times during insert.

Name	Data Type	Label	Required	Documentation
BLOB_PREFERRED	boolean	BLOB Preferred	<input checked="" type="checkbox"/>	Indicator whether a BLOB result is preferred over text.
BOL_RESPONSE_CACHE_MAX_AGE_SEC	int32	Response Cache Maximum Age (sec)	<input type="checkbox"/>	Maximum age in seconds of Bridge Online response cache entries to be used.
CONTENT_TYPE	string(240)	Content Type	<input type="checkbox"/>	
DATE_ENDED	datetime	End Date	<input checked="" type="checkbox"/>	
DATE_STARTED	datetime	Start Date	<input checked="" type="checkbox"/>	
DRY_RUN	boolean	Run without Actions	<input checked="" type="checkbox"/>	
DURATION_MS	int32	Duration (ms)	<input checked="" type="checkbox"/>	
ERROR_MESSAGE_CODE	string(30)	Error Message Code	<input type="checkbox"/>	
ERROR_MESSAGE_TEXT	string(32000)	Error Message Text	<input type="checkbox"/>	
FAIL_ON_ERROR	boolean	Fail on Error	<input checked="" type="checkbox"/>	Whether to raise an exception when processing the native request triggered an error from the provider.
HTTP_DISK_CACHE_MAX_AGE_SEC	int32	HTTP Disk Cache Maximum Age (sec)	<input type="checkbox"/>	Maximum age in seconds of HTTP disk cache entries to be used.
HTTP_DISK_CACHE_SAVE	boolean	Save HTTP Disk Cache	<input type="checkbox"/>	Whether results can be stored in HTTP disk cache.
HTTP_DISK_CACHE_USE	boolean	Use HTTP Disk Cache	<input type="checkbox"/>	Whether results can be fetched from HTTP disk cache.
HTTP_MEMORY_CACHE_MAX_AGE_SEC	int32	HTTP Memory Cache Maximum Age (sec)	<input type="checkbox"/>	Maximum age in seconds of HTTP memory cache entries to be used.
HTTP_MEMORY_CACHE_SAVE	boolean	Save HTTP Memory Cache	<input type="checkbox"/>	Whether results can be stored in HTTP memory cache.
HTTP_MEMORY_CACHE_USE	boolean	Use HTTP Memory Cache	<input type="checkbox"/>	Whether results can be fetched from HTTP memory cache.
HTTP_METHOD	string(30)	HTTP Method	<input type="checkbox"/>	
HTTP_STATUS_CODE	int16	HTTP Status Code	<input type="checkbox"/>	
ORIG_SYSTEM_GROUP	string(4000)	Original System Group	<input type="checkbox"/>	
ORIG_SYSTEM_REFERENCE	string(4000)	Original System Reference	<input type="checkbox"/>	
PAYOUT_TEXT	string	Payout	<input type="checkbox"/>	
RESULT_BLOB	byte[]	Result BLOB	<input type="checkbox"/>	
RESULT_DATE_TIME_UTC	datetime		<input type="checkbox"/>	
RESULT_NUMBER	decimal		<input type="checkbox"/>	
RESULT_TEXT	string	Result Text	<input type="checkbox"/>	
SUCCESSFUL	boolean	Successful	<input checked="" type="checkbox"/>	
TIMEOUT_SEC	int32	Timeout (sec)	<input type="checkbox"/>	Timeout in seconds.
TRANSACTION_ID	int32	Transaction ID	<input checked="" type="checkbox"/>	Incrementing ID of the transaction.
URL	string(4000)	URL	<input type="checkbox"/>	

# Index

## - A -

access 14, 16, 18  
 add\_remove\_access 20  
 add-odata-mandatory-filters 2  
 analysis-enforce-row-uniqueness 2  
 api-url 2  
 asset\_url 14, 16, 18  
 avatar\_url 21

## - B -

BLOB Preferred 22  
 BLOB\_PREFERRED 22  
 BOL\_RESPONSE\_CACHE\_MAX\_AGE\_SEC 22  
 bulk-delete-page-size-rows 2  
 bulk-insert-page-size-bytes 2  
 bulk-insert-page-size-rows 2

## - C -

canonical\_url 14, 16, 18  
 Content Type 22  
 CONTENT\_TYPE 22  
 created\_at 14, 16, 18, 20  
 created\_at\_gt 16  
 created\_at\_lt 16

## - D -

DATE\_ENDED 22  
 DATE\_STARTED 22  
 docc 1  
 document 16  
 document\_by\_id 14  
 DocumentCloud 1, 14, 16, 18, 20, 21, 22  
 documents 16  
 documents\_search 18  
 download-error-400-bad-request-max-tries 2  
 download-error-400-bad-request-sleep-initial-ms 2  
 download-error-400-bad-request-sleep-max-ms 2  
 download-error-400-bad-request-sleep-multiplicator 2  
 download-error-408-request-timeout-max-tries 2  
 download-error-408-request-timeout-sleep-initial-ms 2

download-error-408-request-timeout-sleep-max-ms  
 download-error-408-request-timeout-sleep-multiplicator 2  
 download-error-422-bad-request-max-tries 2  
 download-error-422-bad-request-sleep-initial-ms 2  
 download-error-422-bad-request-sleep-max-ms 2  
 download-error-422-bad-request-sleep-multiplicator 2  
 download-error-429-too-many-requests-max-tries 2  
 download-error-429-too-many-requests-sleep-initial-ms 2  
 download-error-429-too-many-requests-sleep-max-ms 2  
 download-error-429-too-many-requests-sleep-multiplicator 2  
 download-error-502-server-unavailable-max-tries 2  
 download-error-502-server-unavailable-sleep-initial-ms 2  
 download-error-502-server-unavailable-sleep-max-ms 2  
 download-error-502-server-unavailable-sleep-multiplicator 2  
 download-error-503-server-unavailable-max-tries 2  
 download-error-503-server-unavailable-sleep-initial-ms 2  
 download-error-503-server-unavailable-sleep-max-ms 2  
 download-error-503-server-unavailable-sleep-multiplicator 2  
 download-error-504-gateway-timeout-max-tries 2  
 download-error-504-gateway-timeout-sleep-initial-ms 2  
 download-error-504-gateway-timeout-sleep-max-ms 2  
 download-error-504-gateway-timeout-sleep-multiplicator 2  
 download-error-590-network-connect-timeout-max-tries 2  
 download-error-590-network-connect-timeout-sleep-initial-ms 2  
 download-error-590-network-connect-timeout-sleep-max-ms 2  
 download-error-590-network-connect-timeout-sleep-multiplicator 2  
 download-error-599-network-connect-timeout-max-tries 2  
 download-error-599-network-connect-timeout-sleep-initial-ms 2  
 download-error-599-network-connect-timeout-sleep-max-ms 2  
 download-error-599-network-connect-timeout-sleep-multiplicator 2  
 download-error-argument-exception-max-tries 2

download-error-argument-exception-sleep-initial-ms

2

download-error-argument-exception-sleep-max-ms

download-error-argument-exception-sleep-multiplicator

2

download-error-internet-down-max-tries

2

download-error-internet-down-sleep-initial-ms

2

download-error-internet-down-sleep-max-ms

2

download-error-internet-down-sleep-multiplicator

download-error-io-exception-max-tries

2

download-error-io-exception-sleep-initial-ms

2

download-error-io-exception-sleep-max-ms

2

download-error-io-exception-sleep-multiplicator

download-error-json-exception-max-tries

2

download-error-json-exception-sleep-initial-ms

2

download-error-json-exception-sleep-max-ms

2

download-error-json-exception-sleep-multiplicator

download-error-other-exception-max-tries

2

download-error-other-exception-sleep-initial-ms

2

download-error-other-exception-sleep-max-ms

2

download-error-other-exception-sleep-multiplicator

download-error-socket-exception-max-tries

2

download-error-socket-exception-sleep-initial-ms

2

download-error-socket-exception-sleep-max-ms

2

download-error-socket-exception-sleep-multiplicator

or 2

download-error-web-exception-max-tries

2

download-error-web-exception-sleep-initial-ms

2

download-error-web-exception-sleep-max-ms

2

download-error-web-exception-sleep-multiplicator

download-error-web-not-implemented-max-tries

2

download-error-web-not-implemented-sleep-initial-ms

2

download-error-web-not-implemented-sleep-max-ms

2

download-error-web-not-implemented-sleep-multiplicator

2

Driver

1

DRY\_RUN

22

Duration (ms)

22

DURATION\_MS

22

## - E -

edit\_access

14, 16, 18, 20

End Date

22

Error Message Code

22

Error Message Text

22

ERROR\_MESSAGE\_CODE

22

ERROR\_MESSAGE\_TEXT

22

## - F -

Fail on Error

22

FAIL\_ON\_ERROR

22

file\_hash

14, 16, 18

file\_url

14, 16, 18

force\_ocr

14, 16, 18

force-case-sensitive-identifiers

2

forced-casing-identifiers

2

2

## - G -

Get Document

14

## - H -

HTTP Disk Cache Maximum Age (sec)

22

HTTP Memory Cache Maximum Age (sec)

22

HTTP Method

22

HTTP Status Code

22

HTTP\_DISK\_CACHE\_MAX\_AGE\_SEC

22

HTTP\_MEMORY\_CACHE\_SAVE

22

HTTP\_DISK\_CACHE\_USE

22

HTTP\_MEMORY\_CACHE\_MAX\_AGE\_SEC

22

HTTP\_MEMORY\_CACHE\_SAVE

22

HTTP\_MEMORY\_CACHE\_USE

22

HTTP\_METHOD

22

HTTP\_STATUS\_CODE

22

http-disk-cache-compression-level

2

http-disk-cache-directory

2

http-disk-cache-ignore-write-errors

2

http-disk-cache-max-age-sec

2

http-get-timeout-ms

2

http-memory-cache-compression-level

2

http-memory-cache-max-age-sec

2

http-post-timeout-max-ms

2

http-post-timeout-ms

2

**- I -**

id 14  
 id\_in 16  
 ignore-http-400-errors 2  
 ignore-http-401-errors 2  
 ignore-http-402-errors 2  
 ignore-http-403-errors 2  
 ignore-http-404-errors 2  
 ignore-http-422-errors 2  
 ignore-http-429-errors 2  
 ignore-http-500-errors 2  
 ignore-http-502-errors 2  
 ignore-http-503-errors 2  
 invalid-json-on-get-max-tries 2  
 invalid-json-on-get-sleep-initial-ms 2  
 invalid-json-on-get-sleep-max-ms 2  
 invalid-json-on-get-sleep-multiplicator 2  
 invalid-json-on-post-max-tries 2  
 invalid-json-on-post-sleep-initial-ms 2  
 invalid-json-on-post-sleep-max-ms 2  
 invalid-json-on-post-sleep-multiplicator 2  
 invantive-sql-compress-sparse-arrays 2  
 invantive-sql-correct-invalid-date 2  
 invantive-sql-forward-filters-to-data-containers 2  
 invantive-sql-share-byte-arrays 2  
 invantive-sql-share-strings 2  
 invantive-sql-shuffle-fetch-results-data-containers  
 invantive-use-cache 2

**- J -**

join-set-points-per-request 2

**- L -**

language 14, 16, 18  
 limit-partition-calls-left 2  
 log-native-calls-to-disk-max-events 2  
 log-native-calls-to-disk-max-seconds 2  
 log-native-calls-to-disk-on-error 2  
 log-native-calls-to-disk-on-success 2  
 log-native-calls-to-trace 2

**- M -**

maximum-length-identifiers 2  
 max-odata-filters 2  
 max-url-length-accepted 2

max-url-length-desired 2  
 metadata-cache-max-age-sec 2

**- N -**

name 21  
 Native Platform Scalar Requests 22  
 NATIVEPLATFORMSCALARREQUESTS 22  
 npt 22

**- O -**

oauth-unauthorized-max-tries 2  
 oauth-unauthorized-sleep-initial-ms 2  
 oauth-unauthorized-sleep-max-ms 2  
 oauth-unauthorized-sleep-multiplicator 2  
 organization 14, 16, 18, 21  
 ORIG\_SYSTEM\_GROUP 22  
 ORIG\_SYSTEM\_REFERENCE 22  
 Original System Group 22  
 Original System Reference 22  
 original\_extension 14, 16, 18

**- P -**

page\_count 14, 16, 18  
 page\_count\_gt 16  
 page\_count\_lt 16  
 page\_spec 14, 16, 18  
 partition-slot-based-rate-limit-length-ms 2  
 partition-slot-based-rate-limit-slots 2  
 Payload 22  
 PAYLOAD\_TEXT 22  
 pre-request-delay-ms 2  
 presigned\_url 14, 16, 18  
 private 16, 20  
 project 16  
 projects 20  
 publish\_at 14, 16, 18  
 published\_url 14, 16, 18

**- Q -**

query 18

**- R -**

related\_article 14, 16, 18  
 requested-page-size 2

requests-parallel-max 2  
 Response Cache Maximum Age (sec) 22  
 Result BLOB 22  
 Result Text 22  
 RESULT\_BLOB 22  
 RESULT\_DATE\_TIME\_UTC 22  
 RESULT\_NUMBER 22  
 RESULT\_TEXT 22  
 Run without Actions 22

**- S -**

Save HTTP Disk Cache 22  
 Save HTTP Memory Cache 22  
 Search Document 18  
 simulate-http-400-errors 2  
 simulate-http-400-errors-percentage 2  
 simulate-http-401-errors 2  
 simulate-http-401-errors-percentage 2  
 simulate-http-403-errors 2  
 simulate-http-403-errors-percentage 2  
 simulate-http-408-errors 2  
 simulate-http-408-errors-percentage 2  
 simulate-http-429-errors 2  
 simulate-http-429-errors-percentage 2  
 simulate-http-500-errors 2  
 simulate-http-500-errors-percentage 2  
 simulate-http-502-errors 2  
 simulate-http-502-errors-percentage 2  
 simulate-http-503-errors 2  
 simulate-http-503-errors-percentage 2  
 simulate-http-protocol-errors 2  
 simulate-http-protocol-errors-percentage 2  
 simulate-http-timeout-errors 2  
 simulate-http-timeout-errors-percentage 2  
 slot-based-rate-limit-length-ms 2  
 slot-based-rate-limit-slots 2  
 slug 14, 16, 18, 20  
 source 14, 16, 18  
 standardize-identifiers 2  
 standardize-identifiers-casing 2  
 Start Date 22  
 status 14, 16, 18  
 Succesful 22  
 SUCCESSFUL 22

**- T -**

Timeout (sec) 22  
 TIMEOUT\_SEC 22

title 14, 16, 18, 20  
 Transaction ID 22  
 TRANSACTION\_ID 22

**- U -**

updated\_at 14, 16, 18, 20  
 URL 22  
 Use HTTP Disk Cache 22  
 Use HTTP Memory Cache 22  
 use-batch-insert 2  
 use-http-disk-cache-read 2  
 use-http-disk-cache-write 2  
 use-http-memory-cache-read 2  
 use-http-memory-cache-write 2  
 user 14, 16, 18, 20  
 username 21  
 users 21  
 uuid 21

**- V -**

verified\_journalist 21



Invantive B.V.  
Biesteweg 11  
3849 RD Hierden  
the Netherlands

Tel: +31 88 00 26 500  
Fax: +31 84 22 58 178  
[info@invantive.com](mailto:info@invantive.com)  
[invantive.com](http://invantive.com)

IBAN NL25 BUNQ 2098 2586 07  
Chamber of Industry and Commerce  
13031406

VAT NL812602377B01  
RSIN 8122602377

Managing Director: Guido Leenders  
Registered office: Roermond