

Auteursrecht

(C) Copyright 2004-2023 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Alle rechten voorbehouden. Niets uit deze uitgave mag worden vervoelvoudigd, opgeslagen in een geautomatiseerd gegevensbestand, of openbaar gemaakt, in enige vorm of op enige wijze, hetzij elektronisch, mechanisch, door fotokopieën, opnamen, of enig andere manier, zonder voorafgaande schriftelijke toestemming van de uitgever.

Ondanks alle aan de samenstelling van deze tekst bestede zorg, kan noch de schrijver noch de uitgever aansprakelijkheid aanvaarden voor eventuele schade, die zou kunnen voortvloeien uit enige fout, die in deze uitgave zou kunnen voorkomen.

Deze handleiding is een naslagwerk bedoeld om het gebruik te verduidelijken. Indien gegevens in de voorbeeldafbeeldingen overeenkomen met gegevens in uw systeem, dan is de overeenkomst toevallig.

Belangrijke Informatie over Veiligheid en Gebruik

Beoogd gebruik en beperkingen: Deze software, ontwikkeld door Invantive, is ontworpen om een verscheidenheid aan zakelijke en informatietechnologische gegevensverwerkingsfuncties te ondersteunen, zoals boekhouding, financiële rapportage en verkooprapportage. Het is belangrijk om op te merken dat deze software niet is ontworpen, getest of goedgekeurd voor gebruik in omgevingen waar een storing of defect kan leiden tot levensbedreigende situaties, ernstige fysieke schade of milieuschade. Dit omvat, maar is niet beperkt tot:

- Nucleaire faciliteiten: de software mag niet worden gebruikt voor operaties of functies die verband houden met de controle, het onderhoud of de werking van nucleaire faciliteiten.
- Defensie en militaire toepassingen: deze software is niet geschikt voor gebruik in defensiegerelateerde toepassingen, inclusief maar niet beperkt tot wapenbeheer, militaire strategieplanning of andere aspecten van nationale defensie.
- Luchtvaart: de software is niet bedoeld voor gebruik in de bediening, navigatie of communicatiesystemen van vliegtuigen of luchtverkeersleidingomgevingen.
- Gezondheidszorg en medicijnproductie: deze software mag niet worden gebruikt voor de werking van medische apparaten, de analyse van patiëntgegevens voor kritieke gezondheidsbeslissingen, farmaceutische productie of medisch onderzoek waarbij een storing of defect de gezondheid van de patiënt kan beïnvloeden.
- Verwerking van chemische en/of gevaarlijke stoffen: deze software is niet bedoeld voor het beheer, de controle of de operationele aspecten van chemische fabrieken of faciliteiten voor de verwerking van chemische en/of gevaarlijke stoffen. Elke storing in de software die in deze omgevingen wordt gebruikt kan leiden tot gevaarlijke chemische lozingen, explosies of milieurampen.
- Transport- en verkeerscontrolesystemen: de software mag niet worden gebruikt voor de besturing, bediening of het beheer van transportsystemen, waaronder de besturing van spoorwegsignalen, metrosystemen of verkeerslichten. Storingen in dergelijke kritieke systemen kunnen tot ernstige ongelukken leiden en de openbare veiligheid in gevaar brengen.
- Energienetwerk- en nutsbesturingssystemen: deze software is niet ontworpen voor de besturing of bediening van energienetwerksystemen, waaronder elektrische onderstations, besturingssystemen voor hernieuwbare energie of besturingssystemen van waternutsbedrijven. Het falen van software op deze gebieden kan leiden tot aanzienlijke stroomonderbrekingen, onderbrekingen in de watervoorziening of andere storingen in openbare voorzieningen, waardoor gemeenschappen in gevaar kunnen komen en grote schade kan worden aangericht.
- Andere omgevingen met een hoog risico: alle andere kritieke infrastructuren en omgevingen waar een storing in de software kan leiden tot aanzienlijke schade aan personen of het milieu.

Gebruikersverantwoordelijkheid: gebruikers moeten ervoor zorgen dat ze het beoogde gebruik van de software begrijpen en de software niet gebruiken in een omgeving die buiten het beoogde doel valt. Het is de verantwoordelijkheid van de gebruiker om de geschiktheid van de software voor de beoogde toepassing te beoordelen, vooral in scenario's die een risico kunnen vormen voor leven, gezondheid en/of milieu.

Afwijzing van aansprakelijkheid: Invantive wijst elke verantwoordelijkheid af voor schade, letsel of wettelijke gevolgen die voortvloeien uit het gebruik of misbruik van deze software in verboden en/of onbedoelde toepassingen.

Inhoud

1	SQL Driver for EZ-base	1
2	SQL Driver Attributes for EZ-base	2
3	Schema:	5
3.1	Tables	5
3.1.1	WebshopArticleGroupArticleAssets: EZ-base Webshop Article Group Article Assets	5
3.1.2	WebshopArticleGroupArticleEtimFeatures: EZ-base Webshop Article Group Article ETIM Features	8
3.1.3	WebshopArticleGroupArticleEtimFeatureValues: EZ-base Webshop Article Group Article ETIM Feature Values	
3.1.4	WebshopArticleGroupArticleNormalizedProperties: EZ-base Webshop Article Group Article Normalized Properties	
3.1.5	WebshopArticleGroupArticleNormalizedPropertyValues: EZ-base Webshop Article Group Article Normalized Property Values	
3.1.6	WebshopArticleGroupArticleOw nFreeFields: EZ-base Webshop Article Group Article Ow n Free Fields	23
3.1.7	WebshopArticleGroupArticleOw nPersonalProperties: EZ-base Webshop Article Group Article Ow n Personal Properties	
3.1.8	WebshopArticleGroupArticleOw nRelatedArticles: EZ-base Webshop Article Group Article Ow n Related Articles	
3.1.9	WebshopArticleGroupArticleOw nSelections: EZ-base Webshop Article Group Article Ow n Selections	35
3.1.10	WebshopArticleGroupArticleOw nSynonyms: EZ-base Webshop Article Group Article Ow n Synonyms	39
3.1.11	WebshopArticleGroupArticleProductDetailPrices: EZ-base Webshop Article Group Article Prices	43
3.1.12	WebshopArticleGroupArticleRelatedArticles: EZ-base Webshop Article Group Article Related Articles ..	47
3.1.13	WebshopArticleGroupArticles: EZ-base Webshop Article Group Articles	51
3.1.14	WebshopArticleGroupArticleSupplierPropertyAssets: EZ-base Webshop Article Group Article Supplier Property Assets	
3.1.15	WebshopArticleGroupArticleSupplierPropertyValues: EZ-base Webshop Article Group Article Supplier Property Values	
3.1.16	WebshopArticleGroupArticleTablePropertyAssets: EZ-base Webshop Article Group Article Table Property Assets	
3.1.17	WebshopArticleGroupArticleTablePropertyValues: EZ-base Webshop Article Group Article Table Property Values	
3.1.18	WebshopArticleGroupAssets: EZ-base Webshop Article Group Assets	71
3.1.19	WebshopArticleGroupBluePencilDataTableAssets: EZ-base Webshop Article Group Edit Data Table Assets	
3.1.20	WebshopArticleGroupBluePencilDataTableGroupHeaders: EZ-base Webshop Article Group Edit Data Table Grouped Headers	
3.1.21	WebshopArticleGroupBluePencilDataTableHeaders: EZ-base Webshop Article Group Edit Data Table Headers	
3.1.22	WebshopArticleGroupClassifications: EZ-base Webshop Article Group Classifications	83
3.1.23	WebshopArticleGroupNormalizedHeaders: EZ-base Webshop Article Group Normalized Headers	85
3.1.24	WebshopArticleGroups: EZ-base Webshop Article Groups	88
3.1.25	WebshopArticleGroupSpecificationProperties: EZ-base Webshop Article Group Specification Properties	90
3.1.26	WebshopArticleGroupSpecifications: EZ-base Webshop Article Group Specifications	92
3.1.27	WebshopArticleGroupSubGroups: EZ-base Webshop Article Group Sub Groups	95
3.1.28	WebshopArticleGroupSupplierHeaderAssets: EZ-base Webshop Article Group Supplier Header Assets	97
3.1.29	WebshopArticleGroupSupplierHeaders: EZ-base Webshop Article Group Supplier Headers	101
3.1.30	WebshopAssetCategories: EZ-base Webshop Asset Categories	103
3.1.31	WebshopClassificationNodeAssets: EZ-base Webshop Classification Node Assets	104
3.1.32	WebshopClassificationNodePersonalHeaders: EZ-base Webshop Classification Node Personal Headers	106
3.1.33	WebshopClassificationNodes: EZ-base Webshop Classification Nodes	108
3.1.34	WebshopClassificationNodeSynonyms: EZ-base Webshop Classification Node Synonyms	109
3.1.35	WebshopClassifications: EZ-base Webshop Classifications	111
3.1.36	WebshopEtimGroupClasses: EZ-base Webshop ETIM Group Classes	112
3.1.37	WebshopEtimGroupClassFeatures: EZ-base Webshop ETIM Group Class Features	113
3.1.38	WebshopEtimGroupClassSynonyms: EZ-base Webshop ETIM Group Class Synonyms	114
3.1.39	WebshopEtimGroups: EZ-base Webshop ETIM Groups	116
3.1.40	Webshops: EZ-base Webshops	117
4	Schema: CodeValues	117
4.1	Tables	117
4.1.1	Acronyms: EZ-base Domain Acronyms	117
4.1.2	EtimFeatureTypes: EZ-base Domain EtimFeatureTypes	118

1 SQL Driver for EZ-base

Invantive SQL is the fastest, easiest and most reliable way to exchange data with EZ-base.

Use the "Search" option in the left menu to search for a specific term such as the table or column description. When you already know the term, please use the "Index" option. When you can't find the information needed, please click on the Chat button at the bottom or place your question in the [user community](#). Other users or Invantive Support will try to help you to our best.

Product catalog.

The EZ-base driver covers 42 tables and 1897 columns.

EZ-base Clients

Invantive SQL is available on many user interfaces ("clients" in traditional server-client paradigm). All Invantive SQL statements can be exchanged with a close to 100% compatibility across all clients and operating systems (Windows, MacOS, Linux, iOS, Android).

The clients include Microsoft Excel, Microsoft Power BI, Microsoft Power Query, Microsoft Word and Microsoft Outlook. Web-based clients include Invantive Cloud, Invantive Bridge Online as OData proxy, Invantive App Online for interactive apps, Online SQL Editor for query execution and Invantive Data Access Point as extended proxy.

For technical users there are command-line editions of Invantive Data Hub running on iOS, Android, Windows, MacOS and Linux. Invantive Data Hub is also often used for enterprise server applications such as ETL. High-volume replication of data taken from EZ-base into traditional databases such as SQL Server (on-premise and Azure), MySQL, PostgreSQL and Oracle is possible using [Invantive Data Replicator](#). Invantive Data Replicator automatically creates and maintains EZ-base datawarehouses, possibly in combination with data from over 70 other (cloud) platforms. Data Replicator supports data volumes up to over 1 TB and over 5.000 companies. The on-premise edition of Invantive Bridge offers an EZ-base ADO.net provider.

Specifications

The SQL driver for EZ-base does not support partitioning. Define one data container in a database for each company in EZ-base to enable parallel access for data from multiple companies.

An introduction into the concepts of Invantive SQL such as databases, data containers and partitioning can be found in the [Invantive SQL grammar](#).

The configuration can be changed using various attributes during log on and use. A full list of configuration options is listed in the [driver attributes](#) ².

The catalog name is used to compose the full qualified name of an object like a table or view. The schema name is used to compose the full qualified name of an object like a table or view. On EZ-base the comparison of two texts is case sensitive by default.

Changes and bug fixes on the EZ-base SQL driver can be found in the [release notes](#). There is currently no specific section on the [Invantive forums](#) for EZ-base. Please reach out to other users of EZ-base by leaving a question or contact request.

Driver code for use in settings.xml: EzBase

Alias: ezbase

Recommended alias: ezb

Updated: 15-06-2022 21:34 using Invantive SQL version 22.0.232-PROD+3445.

2 SQL Driver Attributes for EZ-base

The SQL driver for EZ-base has many attributes that can be finetuned to improve handling in scenarios with unreliable network connections to the EZ-base server or high-volumes of data. Also, many drivers have driver-specific attributes to finetune actual behaviour or handle data not matching specifications.

The EZ-base driver attributes are assigned a default value which seldom requires change. However, changes can be applied when needed on four levels, which are reflected in the table below by separate checkmarks:

- Connection string: the connection string from the settings*.xml file and applied during log on.
- Set SQL statement: a set SQL-statement to be executed once connection has been established.
- Drivers file: the providers.xml file (obsolete starting release 17.32).
- Log on: value to be specified interactively by user during log on in a user interface.

The connection string for EZ-base can be found in the settings*.xml file used for the database. Settings*.xml files are typically located in the %USERPROFILE%\invantive folder in most deployment scenarios. The reference manuals contain instructions how to relocate the settings*.xml files. Each data container of a database in the connection string can have a `connectionString` element specifying the name and values of attributes. Both name and value must be properly escaped according to XML-semantics. Actual application of the value is solely done during log on. A new connection must be established to change the value of a driver attribute using a connection string.

The set SQL statement can be executed after log on. The syntax is: `set NAME VALUE`, or for a distributed database: `set NAME@ALIAS VALUE`. In some scenarios you may need to enclose the driver attribute name in square brackets to escape it from parsing, for instance when a reserved SQL keyword is part of the name. The new value takes effect straight after execution of the set-statement. The set-statement can be executed as often as needed during a session.

Driver attributes that can be interactively set to a value are typically presented in the log on window. Depending on the platform and design decisions of the user interface designer, some or all of the available driver attributes can have been made available.

The EZ-base driver can be configured using the following attributes:

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Drivers File	Set from Log On
analysis-enforce-row-uniqueness	Use for analysis only! Enforce rows to be unique.	Shared	False	✓	✓	✓	
bulk-delete-page-size-rows	Number of rows to delete per batch when bulk deleting	Shared	10000	✓	✓	✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Driver's File	Set from Log On
bulk-insert-page-size-bytes	Approximate maximum size in bytes of batch when bulk inserting	Shared	10000000	✓	✓	✓	
bulk-insert-page-size-rows	Number of rows to insert per batch when bulk inserting	Shared	10000	✓	✓	✓	
force-case-sensitive-identifiers	Consider identifiers as case-sensitive independent of the platform capabilities.	Shared	False	✓	✓	✓	
forced-casing-identifiers	Forced casing of identifiers. Choose from Unset, Lower, Upper and Mixed.	Shared		✓	✓	✓	
invariantive-sql-compress-sparse-arrays	Whether to compress sparse arrays in result sets during compression.	SQL Engine V1	True	✓	✓	✓	
invariantive-sql-correct-invalid-date	Whether to correct dates considered invalid since they are before 01-01-1753. When nullable, they are removed. Otherwise they are replaced by 01-01-1753.	SQL Engine V1	False	✓	✓	✓	
invariantive-sql-forward-filters-to-data-containers	Whether to forward filters to data containers.	SQL Engine V1	True	✓	✓	✓	
invariantive-sql-share-byte-arrays	Whether to share the memory used by identical byte arrays in result sets during compression.	SQL Engine V1	True	✓	✓	✓	
invariantive-sql-share-strings	Whether to share the memory used by identical strings in result sets during compression.	SQL Engine V1	True	✓	✓	✓	
invariantive-sql-shuffle-fetch-results-data-containers	Whether to shuffle results fetched from data containers.	SQL Engine V1	False	✓	✓	✓	
invariantive-use-cache	Whether to cache the results of a query.	SQL Engine V1	True	✓	✓	✓	
log-native-calls-to-disk-max-events	Maximum number of events to register from last activation.	Shared		✓	✓	✓	
log-native-calls-to-disk-max-seconds	Maximum number of seconds to register from last activation.	Shared		✓	✓	✓	
log-native-calls-to-disk-on-error	Registers native calls to data container backend as disk files when an error occurred.	Shared	False	✓	✓	✓	
log-native-calls-to-disk-on-success	Registers native calls to data container backend as disk files when successful.	Shared	False	✓	✓	✓	
log-native-calls-to-trace	Log native calls to data container backend on the trace.	Shared	False	✓	✓	✓	
maximum-length-identifiers	Non-default maximum length in characters of identifier names.	Shared		✓	✓	✓	
max-url-length-accepted	The maximum accepted URL length before raising an error.	Shared	8000	✓	✓	✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Driver's File	Set from Log On
max-url-length-desired	The maximum desired URL length.	Shared	8000	✓	✓	✓	
minimum-length-text	Extend all text columns to this length to allow processing of XML that uses longer text values than the XSD specifies.	XML		✓			✓
partition-slot-based-rate-limit-length-ms	Total length in ms across all slots of a partition-based rate limit.	Shared	60000	✓		✓	
partition-slot-based-rate-limit-slots	Number of slots per partition-based rate limit. Null means no slot-based rate limit	Shared		✓		✓	
pre-request-delay-ms	Pre-request delay in milliseconds per request.	Shared	0	✓	✓	✓	
requested-page-size	Preferred number of rows to exchange per round trip; only effective on limited platforms such as AFAS Online	Shared		✓	✓	✓	
requests-parallel-max	Maximum number of parallel data requests from individual partitions on the data container.	Shared	32	✓	✓	✓	
result-set-memory-cache	Action: provide 'empty' to empty.	XML			✓		
slot-based-rate-limit-length-ms	Total length in ms across all slots of a slot-based rate limit.	Shared	60000	✓		✓	
slot-based-rate-limit-slots	Number of slots of a slot-based rate limit. Null means no slot-based rate limit	Shared		✓		✓	
standardize-identifiers	Rewrite all identifiers to the preferred standards as configured by standardize-identifiers-casing and maximum-length-identifiers.	Shared	True	✓	✓	✓	
standardize-identifiers-casing	Rewrite all identifiers to the recommended standard platform-specific casing when changing a data model on a case-dependent platform.	Shared	True	✓	✓	✓	
use-metadata-memory-cache	Whether to use the metadata in memory calculated previously Has only practical use during development on a XML provider.	XML	True	✓	✓	✓	
use-result-memory-cache	Whether to use result sets cached in memory from previous queries that can answer the current query.	XML	False	✓	✓	✓	
xml-directories	{res:itgen_provider_attribute_xml_directories_description}			✓	✓	✓	✓
xml-extension	{res:itgen_provider_attribute_xml_extension_description}		*.xml	✓	✓	✓	✓
xml-namespaces	Comma-separated list of namespace prefixes and their URI			✓	✓	✓	

3 Schema:

3.1 Tables

3.1.1 WebshopArticleGroupArticleAssets: EZ-base Webshop Article Group Article Assets

Catalog: EZBase

Label: Webshop Article Group Article Assets

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopArticleGroupArticleAssets

Base XPath: /Webshop

XPath: /ArticleGroups/ArticleGroup/Articles/Article/Assets/Asset

Table Columns

The columns of the table `WebshopArticleGroupArticleAssets` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ASSETS_ARTICLE_ARTICLEGTIN	string	Article Article GTIN		
ASSETS_ARTICLE_ARTICLENUMBER	string	Article Article Number		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR	string	Classification Name		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR	int32	Language		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR	string	Company Name		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR	string	Sender GLN		

Name	Data Type	Label	Required	Documentation
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR	decimal	Version		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_ASSETS	string	Article Group Assets		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR	boolean	Edit Data Specification Bullets		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR	boolean	Edit Data Transposed		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_BRAND	string	Article Group Brand		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR	int32	Classification ID		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR	string	Classification Name		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR	string	ETIM Class Code		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_ID_ATTR	int32	Article Group ID		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_KIND	string	Article Group Kind		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_LEGACYID_ATTR	string	Article Group Legacy ID		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_MANUFACTURERGLN	string	Article Group Manufacturer GLN		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_NAME	string	Article Group Name		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_POSITION_ATTR	int32	Article Group Position		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE	string	State Available First		

Name	Data Type	Label	Required	Documentation
E_FIRST_ATTR				
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR	string	State Available Last		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_BLUEPENCL	string	State Edit		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CLASSIFICATION	string	State Classification		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CONFIRM	string	State Confirm		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_LIFETIME	string	State Life Time		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_PRODUCTION	string	State Production		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_DATA_PROVIDERGLN_ATTR	string	Article Group Supplier Data Provider GLN		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_GLN_ATTR	string	Article Group Supplier GLN		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_ID_ATTR	int32	Article Group Supplier ID		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_NAME_ATTR	string	Article Group Supplier Name		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR	string	Article Group Supplier Purchase Combination GLN		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_TEMPLATE	string	Article Group Template		
ASSETS_ARTICLE_ARTICLESUBGROUP_ATTR	int32	Article Sub Group		
ASSETS_ARTICLE_CBSNUMBER	string	Article CBS Article Class Number		
ASSETS_ARTICLE_DESCRIPTION	string	Article Description		
ASSETS_ARTICLE_ID_ATTR	int32	Article ID		
ASSETS_ARTICLE_MANUFACTURERARTICLEGTIN	string	Article Manufacturer Article EAN		
ASSETS_ARTICLE_MANUFACTURERARTICLENUMBER	string	Article Manufacturer Article Number		
ASSETS_ARTICLE_OWNINGINFORMATION_ABCClassification	string	ABC Classification		
ASSETS_ARTICLE_OWNINGINFORMATION_OWNINGARTICLENUMBER	string	Own Article Number		
ASSETS_ARTICLE_OWNINGINFORMATION_OWNINGDESCRIPTION	string	Own Description		
ASSETS_ARTICLE_OWNINGINFORMATION_OWNINGPURCHASECOMBINATION	string	Own Purchase Combination Number		

Name	Data Type	Label	Required	Documentation
ONNUMBER				
ASSETS_ARTICLE_OWNINGINFORMATION_OWNINGSTATE	string	Own State		
ASSETS_ARTICLE_POSITION_ATTR	int32	Article Position		
ASSETS_ARTICLE_STATES_AVAILABLE_END_ATTR	string	Article Available State End		
ASSETS_ARTICLE_STATES_AVAILABLE_START_ATTR	string	Article Available State Start		
ASSETS_ARTICLE_STATES_LIFETIME	string	Life Time		
ASSETS_ARTICLE_STATES_STATE	string	State		
ASSETS_ARTICLE_TYPENUMBER	string	Article Type Number		
CATEGORY_ATTR	int32	Category		
DESCRIPTION	string	Description		
ID_ATTR	string	ID		
INTERFACE_URL	string(4000)	Interface URL	<input checked="" type="checkbox"/>	
ORIGINALEXTENSION	string	Original Extension		
ORIGINALFILE	string	Original File		
POSITION_ATTR	int32	Position		
THUMBNAILURL	string	Thumbnail (URL)		
TYPE_ATTR	string	Type		
URL	string	URL		

3.1.2 WebshopArticleGroupArticleEtimFeatures: EZ-base Webshop Article Group Article ETIM Features

Catalog: EZBase

Label: Webshop Article Group Article ETIM Features

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopArticleGroupArticleEtimFeatures

Base XPath: /Webshop

XPath: /ArticleGroups/ArticleGroup/Articles/Article/Etim/Ef

Table Columns

The columns of the table `WebshopArticleGroupArticleEtimFeatures` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
CODE_ATTR	string	Code		
ETIM_ARTICLE_ARTICLEGTIN	string	Article Article GTIN		

Name	Data Type	Label	Required	Documentation
ETIM_ARTICLE_ARTICLENUMBER	string	Article Article Number		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR	string	Classification Name		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR	int32	Language		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR	string	Company Name		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR	string	Sender GLN		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR	decimal	Version		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ASSETS	string	Article Group Assets		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR	boolean	Edit Data Specification Bullets		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR	boolean	Edit Data Transposed		

Name	Data Type	Label	Required	Documentation
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_BRAND	string	Article Group Brand		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR	int32	Classification ID		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR	string	Classification Name		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR	string	ETIM Class Code		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ID_ATTR	int32	Article Group ID		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_KIND	string	Article Group Kind		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_LEGACYID_ATTR	string	Article Group Legacy ID		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_MANUFACTURERGLN	string	Article Group Manufacturer GLN		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_NAME	string	Article Group Name		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_POSITION_ATTR	int32	Article Group Position		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR	string	State Available First		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR	string	State Available Last		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_BLUEPENCIL	string	State Edit		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CLASSIFICATION	string	State Classification		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CONFIRM	string	State Confirm		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_LIFETIME	string	State Life Time		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_PRODUCTION	string	State Production		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR	string	Article Group Supplier Data Provider GLN		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_GLN_ATTR	string	Article Group Supplier GLN		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_ID_ATTR	int32	Article Group Supplier ID		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_NAME_ATTR	string	Article Group Supplier Name		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR	string	Article Group Supplier Purchase Combination GLN		

Name	Data Type	Label	Required	Documentation
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_TEMPLATE	string	Article Group Template		
ETIM_ARTICLE_ARTICLESUBGROUP_ATTR	int32	Article Sub Group		
ETIM_ARTICLE_ASSETS	string	Article Assets		
ETIM_ARTICLE_CBSNUMBER	string	Article CBS Article Class Number		
ETIM_ARTICLE_DESCRIPTION	string	Article Description		
ETIM_ARTICLE_ID_ATTR	int32	Article ID		
ETIM_ARTICLE_MANUFACTURERARTICLEGTIN	string	Article Manufacturer Article EAN		
ETIM_ARTICLE_MANUFACTURERARTICLENUMBER	string	Article Manufacturer Article Number		
ETIM_ARTICLE_OWNINFORMATION_ABCCLASSIFICATION	string	ABC Classification		
ETIM_ARTICLE_OWNINFORMATION_OWNArtICLENUMBER	string	Own Article Number		
ETIM_ARTICLE_OWNINFORMATION_OWNDDESCRIPTION	string	Own Description		
ETIM_ARTICLE_OWNINFORMATION_OWNPURCHASECOMBINATIONNUMBER	string	Own Purchase Combination Number		
ETIM_ARTICLE_OWNINFORMATION_OWNSTATE	string	Own State		
ETIM_ARTICLE_POSITION_ATTR	int32	Article Position		
ETIM_ARTICLE_STATES_AVAILABLE_END_ATTR	string	Article Available State End		
ETIM_ARTICLE_STATES_AVAILABLE_START_ATTR	string	Article Available State Start		
ETIM_ARTICLE_STATES_LIFETIME	string	Life Time		
ETIM_ARTICLE_STATES_STATE	string	State		
ETIM_ARTICLE_TYPENUMBER	string	Article Type Number		
INTERFACE_URL	string(4000)	Interface URL	<input checked="" type="checkbox"/>	

3.1.3 WebshopArticleGroupArticleEtimFeatureValues: EZ-base Webshop Article Group Article ETIM Feature Values

Catalog: EZBase

Label: Webshop Article Group Article ETIM Feature Values

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopArticleGroupArticleEtimFeatureValues

Base XPath: /Webshop

XPath: /ArticleGroups/ArticleGroup/Articles/Article/Etim/Ef/Ev

Table Columns

The columns of the table `WebshopArticleGroupArticleEtimFeatureValues` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
CODE_ATTR	string	Code		
EF_CODE_ATTR	string	ETIM Feature Code		
EF_ETIM_ARTICLE_ARTICLEGTIN	string	Article Article GTIN		
EF_ETIM_ARTICLE_ARTICLENUMBER	string	Article Article Number		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR	string	Classification Name		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR	int32	Language		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR	string	Company Name		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR	string	Sender GLN		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		

Name	Data Type	Label	Required	Documentation
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR	decimal	Version		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ASSETS	string	Article Group Assets		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR	boolean	Edit Data Specification Bullets		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR	boolean	Edit Data Transposed		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_BRAND	string	Article Group Brand		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR	int32	Classification ID		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR	string	Classification Name		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR	string	ETIM Class Code		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ID_ATTR	int32	Article Group ID		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_KIND	string	Article Group Kind		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_LEGACYID_ATTR	string	Article Group Legacy ID		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_MANUFACTURERGLN	string	Article Group Manufacturer GLN		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_NAME	string	Article Group Name		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_POSITION_ATTR	int32	Article Group Position		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR	string	State Available First		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR	string	State Available Last		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_BLUEPENCIL	string	State Edit		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CLASSIFICATION	string	State Classification		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CONFIRM	string	State Confirm		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_LIFETIME	string	State Life Time		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_PRODUCTION	string	State Production		

Name	Data Type	Label	Required	Documentation
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR	string	Article Group Supplier Data Provider GLN		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_GLN_ATTR	string	Article Group Supplier GLN		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_ID_ATTR	int32	Article Group Supplier ID		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_NAME_ATTR	string	Article Group Supplier Name		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR	string	Article Group Supplier Purchase Combination GLN		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_TEMPLATE	string	Article Group Template		
EF_ETIM_ARTICLE_ARTICLESUBGROUP_ATTR	int32	Article Sub Group		
EF_ETIM_ARTICLE_ASSETS	string	Article Assets		
EF_ETIM_ARTICLE_CBSNUMBER	string	Article CBS Article Class Number		
EF_ETIM_ARTICLE_DESCRIPTION	string	Article Description		
EF_ETIM_ARTICLE_ID_ATTR	int32	Article ID		
EF_ETIM_ARTICLE_MANUFACTURERARTICLEGTIN	string	Article Manufacturer Article EAN		
EF_ETIM_ARTICLE_MANUFACTURERARTICLENUMBER	string	Article Manufacturer Article Number		
EF_ETIM_ARTICLE_OWNINFORMATION_ABCClassification	string	ABC Classification		
EF_ETIM_ARTICLE_OWNINFORMATION_OWNArticleNumber	string	Own Article Number		
EF_ETIM_ARTICLE_OWNINFORMATION_OWNDescription	string	Own Description		
EF_ETIM_ARTICLE_OWNINFORMATION_OWNPURCHASECOMBINATIONNUMBER	string	Own Purchase Combination Number		
EF_ETIM_ARTICLE_OWNINFORMATION_OWNSState	string	Own State		
EF_ETIM_ARTICLE_POSITION_ATTR	int32	Article Position		
EF_ETIM_ARTICLE_STATES_AVAILABLE_END_ATTR	string	Article Available State End		
EF_ETIM_ARTICLE_STATES_AVAILABLE_START_ATTR	string	Article Available State Start		
EF_ETIM_ARTICLE_STATES_LIFETIME	string	Life Time		
EF_ETIM_ARTICLE_STATES_STATE	string	State		
EF_ETIM_ARTICLE_TYPENUMBER	string	Article Type Number		
EV	string	ETIM Feature Value		

Name	Data Type	Label	Required	Documentation
INTERFACE_URL	string(4000)	Interface URL	<input checked="" type="checkbox"/>	
MAX_ATTR	decimal			
MIN_ATTR	decimal			

3.1.4 WebshopArticleGroupArticleNormalizedProperties: EZ-base Webshop Article Group Article Normalized Properties

Catalog: EZBase

Label: Webshop Article Group Article Normalized Properties

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopArticleGroupArticleNormalizedProperties

Base XPath: /Webshop

XPath: /ArticleGroups/ArticleGroup/Articles/Article/NormalizedProperties/Property

Table Columns

The columns of the table `WebshopArticleGroupArticleNormalizedProperties` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
HEADER_ATTR	int32	Header		
INTERFACE_URL	string(4000)	Interface URL	<input checked="" type="checkbox"/>	
NORMALIZEDPROPERTIES_ARTICLE_ARTICLEGTIN	string	Article Article GTIN		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLENUMBER	string	Article Article Number		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR	string	Classification Name		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR	int32	Language		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		

Name	Data Type	Label	Required	Documentation
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR	string	Company Name		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR	string	Sender GLN		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR	decimal	Version		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ASSETS	string	Article Group Assets		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR	boolean	Edit Data Specification Bullets		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR	boolean	Edit Data Transposed		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_BRAND	string	Article Group Brand		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR	int32	Classification ID		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR	string	Classification Name		

Name	Data Type	Label	Required	Documentation
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR	string	ETIM Class Code		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ID_ATTR	int32	Article Group ID		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_KIND	string	Article Group Kind		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_LEGACYID_ATTR	string	Article Group Legacy ID		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_MANUFACTURERGLN	string	Article Group Manufacturer GLN		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_NAME	string	Article Group Name		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_POSITION_ATTR	int32	Article Group Position		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR	string	State Available First		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR	string	State Available Last		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_BLUEPENCIL	string	State Edit		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CLASSIFICATION	string	State Classification		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CONFIRM	string	State Confirm		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_LIFETIME	string	State Life Time		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_PRODUCTION	string	State Production		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR	string	Article Group Supplier Data Provider GLN		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_GLN_ATTR	string	Article Group Supplier GLN		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_ID_ATTR	int32	Article Group Supplier ID		

Name	Data Type	Label	Required	Documentation
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_NAME_ATTR	string	Article Group Supplier Name		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATION_GLN_ATTR	string	Article Group Supplier Purchase Combination GLN		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_TEMPLATE	string	Article Group Template		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLESUBGROUP_ATTR	int32	Article Sub Group		
NORMALIZEDPROPERTIES_ARTICLE_ASSETS	string	Article Assets		
NORMALIZEDPROPERTIES_ARTICLE_CBSNUMBER	string	Article CBS Article Class Number		
NORMALIZEDPROPERTIES_ARTICLE_DESCRIPTION	string	Article Description		
NORMALIZEDPROPERTIES_ARTICLE_ID_ATTR	int32	Article ID		
NORMALIZEDPROPERTIES_ARTICLE_MANUFACTURERARTICLEGTIN	string	Article Manufacturer Article EAN		
NORMALIZEDPROPERTIES_ARTICLE_MANUFACTURERARTICLENUMBER	string	Article Manufacturer Article Number		
NORMALIZEDPROPERTIES_ARTICLE_OWNINFORMATION_ABCCLASSIFICATION	string	ABC Classification		
NORMALIZEDPROPERTIES_ARTICLE_OWNINFORMATION_OWNARTICLENUMBER	string	Own Article Number		
NORMALIZEDPROPERTIES_ARTICLE_OWNINFORMATION_OWNDSCRIPTION	string	Own Description		
NORMALIZEDPROPERTIES_ARTICLE_OWNINFORMATION_OWNPURCHASECOMBINATIONNUMBER	string	Own Purchase Combination Number		
NORMALIZEDPROPERTIES_ARTICLE_OWNINFORMATION_OWNSTATE	string	Own State		
NORMALIZEDPROPERTIES_ARTICLE_POSITION_ATTR	int32	Article Position		
NORMALIZEDPROPERTIES_ARTICLE_STATES_AVAILABLE_END_ATTR	string	Article Available State End		
NORMALIZEDPROPERTIES_ARTICLE_STATES_AVAILABLE_START_ATTR	string	Article Available State Start		
NORMALIZEDPROPERTIES_ARTICLE_STATES_LIFETIME	string	Life Time		
NORMALIZEDPROPERTIES_ARTICLE_STATES_STATE	string	State		

Name	Data Type	Label	Required	Documentation
NORMALIZEDPROPERTIES_ARTICLE_TYPERNUMBER	string	Article Type Number		

3.1.5 WebshopArticleGroupArticleNormalizedPropertyValues: EZ-base Webshop Article Group Article Normalized Property Values

Catalog: EZBase

Label: Webshop Article Group Article Normalized Property Values

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopArticleGroupArticleNormalizedPropertyValues

Base XPath: /Webshop

XPath: /ArticleGroups/ArticleGroup/Articles/Article/NormalizedProperties/Property/Value

Table Columns

The columns of the table

WebshopArticleGroupArticleNormalizedPropertyValues are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
INTERFACE_URL	string(4000)	Interface URL	<input checked="" type="checkbox"/>	
MAX_ATTR	string			
MIN_ATTR	string			
PROPERTY_HEADER_ATTR	int32	Article Normalized Property Header		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLEGTIN	string	Article Article GTIN		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLENUMBER	string	Article Article Number		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR	string	Classification Name		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLE	int32	Language		

Name	Data Type	Label	Required	Documentation
EGROUP_ARTICLEGROUPS_WEBS HOP_LANGUAGE_ATTR				
PROPERTY_NORMALIZEDPROPER TIES_ARTICLE_ARTICLES_ARTIC LEGROUP_ARTICLEGROUPS_WEBS HOP_RECEIVERGLN_ATTR	string	Receiver GLN		
PROPERTY_NORMALIZEDPROPER TIES_ARTICLE_ARTICLES_ARTIC LEGROUP_ARTICLEGROUPS_WEBS HOP_RELATION_ATTR	string	Company Name		
PROPERTY_NORMALIZEDPROPER TIES_ARTICLE_ARTICLES_ARTIC LEGROUP_ARTICLEGROUPS_WEBS HOP_RELATIONGLN_ATTR	string	Company GLN		
PROPERTY_NORMALIZEDPROPER TIES_ARTICLE_ARTICLES_ARTIC LEGROUP_ARTICLEGROUPS_WEBS HOP_SENDERGLN_ATTR	string	Sender GLN		
PROPERTY_NORMALIZEDPROPER TIES_ARTICLE_ARTICLES_ARTIC LEGROUP_ARTICLEGROUPS_WEBS HOP_TEMPLATESETTINGS_CLASS IFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		
PROPERTY_NORMALIZEDPROPER TIES_ARTICLE_ARTICLES_ARTIC LEGROUP_ARTICLEGROUPS_WEBS HOP_TEMPLATESETTINGS_DISPLA YSYNONYMS	boolean	Export Settings Display Synonyms		
PROPERTY_NORMALIZEDPROPER TIES_ARTICLE_ARTICLES_ARTIC LEGROUP_ARTICLEGROUPS_WEBS HOP_TEMPLATESETTINGS_IMAGE COUNT	int32	Export Settings Number of Images Displayed		
PROPERTY_NORMALIZEDPROPER TIES_ARTICLE_ARTICLES_ARTIC LEGROUP_ARTICLEGROUPS_WEBS HOP_TEMPLATESETTINGS_PROPE RTYCOUNT	int32	Export Settings Number of Properties Displayed		
PROPERTY_NORMALIZEDPROPER TIES_ARTICLE_ARTICLES_ARTIC LEGROUP_ARTICLEGROUPS_WEBS HOP_VERSION_ATTR	decimal	Version		
PROPERTY_NORMALIZEDPROPER TIES_ARTICLE_ARTICLES_ARTIC LEGROUP_ASSETS	string	Article Group Assets		
PROPERTY_NORMALIZEDPROPER TIES_ARTICLE_ARTICLES_ARTIC LEGROUP_BLUEPENCILDATA_SPEC IFICATIONBULLETS_ATTR	boolean	Edit Data Specification Bullets		
PROPERTY_NORMALIZEDPROPER TIES_ARTICLE_ARTICLES_ARTIC LEGROUP_BLUEPENCILDATA_TRA NSPOSED_ATTR	boolean	Edit Data Transposed		
PROPERTY_NORMALIZEDPROPER TIES_ARTICLE_ARTICLES_ARTIC LEGROUP_BRAND	string	Article Group Brand		

Name	Data Type	Label	Required	Documentation
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR	int32	Classification ID		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR	string	Classification Name		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR	string	ETIM Class Code		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ID_ATTR	int32	Article Group ID		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_KIND	string	Article Group Kind		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_LEGACYID_ATTR	string	Article Group Legacy ID		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_MANUFACTURERGLN	string	Article Group Manufacturer GLN		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_NAME	string	Article Group Name		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_POSITION_ATTR	int32	Article Group Position		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR	string	State Available First		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR	string	State Available Last		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_BLUEPENCIL	string	State Edit		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CLASSIFICATION	string	State Classification		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CONFIRM	string	State Confirm		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_LIFETIME	string	State Life Time		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_PRODUCTION	string	State Production		

Name	Data Type	Label	Required	Documentation
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR	string	Article Group Supplier Data Provider GLN		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_GLN_ATTR	string	Article Group Supplier GLN		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_ID_ATTR	int32	Article Group Supplier ID		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_NAME_ATTR	string	Article Group Supplier Name		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR	string	Article Group Supplier Purchase Combination GLN		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_TEMPLATE	string	Article Group Template		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLESUBGROUP_ATTR	int32	Article Sub Group		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ASSETS	string	Article Assets		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_CBSNUMBER	string	Article CBS Article Class Number		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_DESCRIPTION	string	Article Description		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ID_ATTR	int32	Article ID		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_MANUFACTURERARTICLEGTIN	string	Article Manufacturer Article EAN		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_MANUFACTURERARTICLENUMBER	string	Article Manufacturer Article Number		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_OWNINFORMATION_ABCCLASSIFICATION	string	ABC Classification		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_OWNINFORMATION_OWNArtICLENUMBER	string	Own Article Number		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_OWNINFORMATION_OWNDDESCRIPTION	string	Own Description		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_OWNINFORMATION_OWNPURCHASECOMBINATIONNUMBER	string	Own Purchase Combination Number		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_OWNINFORMATION_OWNSTATE	string	Own State		

Name	Data Type	Label	Required	Documentation
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_POSITION_ATTR	int32	Article Position		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_STATES_AVAILABLE_END_ATTR	string	Article Available State End		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_STATES_AVAILABLE_START_ATTR	string	Article Available State Start		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_STATES_LIFETIME	string	Life Time		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_STATES_STATE	string	State		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_TYPENUMBER	string	Article Type Number		
VALUE	string	Article Normalized Property Value		

3.1.6 WebshopArticleGroupArticleOwnFreeFields: EZ-base Webshop Article Group Article Own Free Fields

Catalog: EZBase

Label: Webshop Article Group Article Own Free Fields

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopArticleGroupArticleOwnFreeFields

Base XPath: /Webshop

XPath: /ArticleGroups/ArticleGroup/Articles/Article/OwnInformation/FreeFields/Field

Table Columns

The columns of the table `WebshopArticleGroupArticleOwnFreeFields` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
FIELD	string	Article Own Information Free Field		
FREEFIELDS_OWNINFORMATION_ABCLASSIFICATION	string	ABC Classification		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLEGTIN	string	Article Article GTIN		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLENUMBER	string	Article Article Number		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR	string	Classification Name		

Name	Data Type	Label	Required	Documentation
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_UP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_UP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_UP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR	int32	Language		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_UP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_UP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR	string	Company Name		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_UP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_UP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR	string	Sender GLN		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_UP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_UP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_UP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_UP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_UP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR	decimal	Version		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_UP_ASSETS	string	Article Group Assets		

Name	Data Type	Label	Required	Documentation
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR	boolean	Edit Data Specification Bullets		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR	boolean	Edit Data Transposed		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_BRAND	string	Article Group Brand		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR	int32	Classification ID		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR	string	Classification Name		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCECODE_ATTR	string	ETIM Class Code		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ID_ATTR	int32	Article Group ID		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_KIND	string	Article Group Kind		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_LEGACYID_ATTR	string	Article Group Legacy ID		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_MANUFACTURERGLN	string	Article Group Manufacturer GLN		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_NAME	string	Article Group Name		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_POSITION_ATTR	int32	Article Group Position		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR	string	State Available First		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR	string	State Available Last		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_BLUEPENCIL	string	State Edit		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CLASSIFICATION	string	State Classification		

Name	Data Type	Label	Required	Documentation
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CONFIRM	string	State Confirm		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_LIFETIME	string	State Life Time		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_PRODUCTION	string	State Production		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_DATA_PROVIDER_GLN_ATTR	string	Article Group Supplier Data Provider GLN		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_GLN_ATTR	string	Article Group Supplier GLN		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_ID_ATTR	int32	Article Group Supplier ID		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_NAME_ATTR	string	Article Group Supplier Name		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_PURCHASE_COMBINATION_GLN_ATTR	string	Article Group Supplier Purchase Combination GLN		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_TEMPLATE	string	Article Group Template		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLESUBGROUP_ATTR	int32	Article Sub Group		
FREEFIELDS_OWNINFORMATION_ARTICLE_ASSETS	string	Article Assets		
FREEFIELDS_OWNINFORMATION_ARTICLE_CBSNUMBER	string	Article CBS Article Class Number		
FREEFIELDS_OWNINFORMATION_ARTICLE_DESCRIPTION	string	Article Description		
FREEFIELDS_OWNINFORMATION_ARTICLE_ID_ATTR	int32	Article ID		
FREEFIELDS_OWNINFORMATION_ARTICLE_MANUFACTURERARTICLE_EAN	string	Article Manufacturer Article EAN		
FREEFIELDS_OWNINFORMATION_ARTICLE_MANUFACTURERARTICLE_NUMBER	string	Article Manufacturer Article Number		
FREEFIELDS_OWNINFORMATION_ARTICLE_POSITION_ATTR	int32	Article Position		
FREEFIELDS_OWNINFORMATION_ARTICLE_STATES_AVAILABLE_END_ATTR	string	Article Available State End		
FREEFIELDS_OWNINFORMATION_ARTICLE_STATES_AVAILABLE_START	string	Article Available State Start		

Name	Data Type	Label	Required	Documentation
TART_ATTR				
FREEFIELDS_OWNINFORMATION_ARTICLE_STATES_LIFETIME	string	Life Time		
FREEFIELDS_OWNINFORMATION_ARTICLE_STATES_STATE	string	State		
FREEFIELDS_OWNINFORMATION_ARTICLE_TYENUMBER	string	Article Type Number		
FREEFIELDS_OWNINFORMATION_OWNARTICLENUMBER	string	Own Article Number		
FREEFIELDS_OWNINFORMATION_OWNDESCRIPTION	string	Own Description		
FREEFIELDS_OWNINFORMATION_OWNPURCHASECOMBINATIONNUMBER	string	Own Purchase Combination Number		
FREEFIELDS_OWNINFORMATION_OWNSTATE	string	Own State		
INTERFACE_URL	string(4000)	Interface URL	<input checked="" type="checkbox"/>	
TYPE_ATTR	string	Type		

3.1.7 WebshopArticleGroupArticleOwnPersonalProperties: EZ-base Webshop Article Group Article Own Personal Properties

Catalog: EZBase

Label: Webshop Article Group Article Own Personal Properties

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopArticleGroupArticleOwnPersonalProperties

Base XPath: /Webshop

XPath: /ArticleGroups/ArticleGroup/Articles/Article/OwnInformation/PersonalProperties/Property

Table Columns

The columns of the table WebshopArticleGroupArticleOwnPersonalProperties are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
HEADER_ATTR	int32	Header		
INTERFACE_URL	string(4000)	Interface URL	<input checked="" type="checkbox"/>	
PERSONALPROPERTIES_OWNINFORMATION_ABCCLASSIFICATION	string	ABC Classification		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLEGTIN	string	Article Article GTIN		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLENUMBER	string	Article Article Number		

Name	Data Type	Label	Required	Documentation
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR	string	Classification Name		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR	int32	Language		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR	string	Company Name		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR	string	Sender GLN		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION	decimal	Version		

Name	Data Type	Label	Required	Documentation
TICLEGROUP_ARTICLEGROUPS_W EBSHOP_VERSION_ATTR				
PERSONALPROPERTIES_OWNINFO RMATION_ARTICLE_ARTICLES_AR TICLEGROUP_ASSETS	string	Article Group Assets		
PERSONALPROPERTIES_OWNINFO RMATION_ARTICLE_ARTICLES_AR TICLEGROUP_BLUEPENCILDATA_ SPECIFICATIONBULLETS_ATTR	boolean	Edit Data Specification Bullets		
PERSONALPROPERTIES_OWNINFO RMATION_ARTICLE_ARTICLES_AR TICLEGROUP_BLUEPENCILDATA_T RANSPOSED_ATTR	boolean	Edit Data Transposed		
PERSONALPROPERTIES_OWNINFO RMATION_ARTICLE_ARTICLES_AR TICLEGROUP_BRAND	string	Article Group Brand		
PERSONALPROPERTIES_OWNINFO RMATION_ARTICLE_ARTICLES_AR TICLEGROUP_CLASSIFICATIONS_ CLASSIFICATION_ID_ATTR	int32	Classification ID		
PERSONALPROPERTIES_OWNINFO RMATION_ARTICLE_ARTICLES_AR TICLEGROUP_CLASSIFICATIONS_ CLASSIFICATION_NAME_ATTR	string	Classification Name		
PERSONALPROPERTIES_OWNINFO RMATION_ARTICLE_ARTICLES_AR TICLEGROUP_CLASSIFICATIONS_ ETIM_ECCODE_ATTR	string	ETIM Class Code		
PERSONALPROPERTIES_OWNINFO RMATION_ARTICLE_ARTICLES_AR TICLEGROUP_ID_ATTR	int32	Article Group ID		
PERSONALPROPERTIES_OWNINFO RMATION_ARTICLE_ARTICLES_AR TICLEGROUP_KIND	string	Article Group Kind		
PERSONALPROPERTIES_OWNINFO RMATION_ARTICLE_ARTICLES_AR TICLEGROUP_LEGACYID_ATTR	string	Article Group Legacy ID		
PERSONALPROPERTIES_OWNINFO RMATION_ARTICLE_ARTICLES_AR TICLEGROUP_MANUFACTURERGL N	string	Article Group Manufacturer GLN		
PERSONALPROPERTIES_OWNINFO RMATION_ARTICLE_ARTICLES_AR TICLEGROUP_NAME	string	Article Group Name		
PERSONALPROPERTIES_OWNINFO RMATION_ARTICLE_ARTICLES_AR TICLEGROUP_POSITION_ATTR	int32	Article Group Position		
PERSONALPROPERTIES_OWNINFO RMATION_ARTICLE_ARTICLES_AR TICLEGROUP_STATES_AVAILABL E_FIRST_ATTR	string	State Available First		
PERSONALPROPERTIES_OWNINFO RMATION_ARTICLE_ARTICLES_AR TICLEGROUP_STATES_AVAILABL E_LAST_ATTR	string	State Available Last		

Name	Data Type	Label	Required	Documentation
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_BLUEPENCL	string	State Edit		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CLASSIFICATION	string	State Classification		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CONFIRM	string	State Confirm		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_LIFETIME	string	State Life Time		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_PRODUCTION	string	State Production		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR	string	Article Group Supplier Data Provider GLN		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_GLN_ATTR	string	Article Group Supplier GLN		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_ID_ATTR	int32	Article Group Supplier ID		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_NAME_ATTR	string	Article Group Supplier Name		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR	string	Article Group Supplier Purchase Combination GLN		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_TEMPLATE	string	Article Group Template		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLESUBGROUP_ATTR	int32	Article Sub Group		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ASSETS	string	Article Assets		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_CBSNUMBER	string	Article CBS Article Class Number		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_DESCRIPTION	string	Article Description		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ID_ATTR	int32	Article ID		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_MANUFACTURERARTICLEGTIN	string	Article Manufacturer Article EAN		

Name	Data Type	Label	Required	Documentation
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_MANUFACTURERARTICLENUMBER	string	Article Manufacturer Article Number		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_POSITION_ATTR	int32	Article Position		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_STATES_AVAILABLE_END_ATTR	string	Article Available State End		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_STATES_AVAILABLE_START_ATTR	string	Article Available State Start		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_STATES_LIFETIME	string	Life Time		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_STATES_STATE	string	State		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_TYPENUMBER	string	Article Type Number		
PERSONALPROPERTIES_OWNINFORMATION_OWNArticleNUMBER	string	Own Article Number		
PERSONALPROPERTIES_OWNINFORMATION_OWNDDESCRIPTION	string	Own Description		
PERSONALPROPERTIES_OWNINFORMATION_OWNPURCHASECOMBINATIONNUMBER	string	Own Purchase Combination Number		
PERSONALPROPERTIES_OWNINFORMATION_OWNSTATE	string	Own State		
PROPERTY	string	Article Own Information Personal Property		

3.1.8 WebshopArticleGroupArticleOwnRelatedArticles: EZ-base Webshop Article Group Article Own Related Articles

Catalog: EZBase

Label: Webshop Article Group Article Own Related Articles

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopArticleGroupArticleOwnRelatedArticles

Base XPath: /Webshop

XPath: /ArticleGroups/ArticleGroup/Articles/Article/OwnInformation/RelatedArticles/Article

Table Columns

The columns of the table WebshopArticleGroupArticleOwnRelatedArticles are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ID_ATTR	int32	ID		
INTERFACE_URL	string(4000)	Interface URL	<input checked="" type="checkbox"/>	
POSITION_ATTR	int32	Position		
RELATEDARTICLES_OWNINFORMATION_ABCClassification	string	ABC Classification		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLEGTIN	string	Article Article GTIN		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLENUMBER	string	Article Article Number		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEB_SHOP_CLASSIFICATION_NAME_ATTR	string	Classification Name		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEB_SHOP_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEB_SHOP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEB_SHOP_LANGUAGE_ATTR	int32	Language		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEB_SHOP_RECEIVERGLN_ATTR	string	Receiver GLN		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEB_SHOP_RELATION_ATTR	string	Company Name		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEB_SHOP_RELATIONGLN_ATTR	string	Company GLN		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEB_SHOP_SENDERGLN_ATTR	string	Sender GLN		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEB_SHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEB_SHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		

Name	Data Type	Label	Required	Documentation
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR	decimal	Version		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ASSETS	string	Article Group Assets		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR	boolean	Edit Data Specification Bullets		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR	boolean	Edit Data Transposed		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_BRAND	string	Article Group Brand		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR	int32	Classification ID		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR	string	Classification Name		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR	string	ETIM Class Code		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ID_ATTR	int32	Article Group ID		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_KIND	string	Article Group Kind		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_LEGACYID_ATTR	string	Article Group Legacy ID		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_MANUFACTURERGLN	string	Article Group Manufacturer GLN		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_NAME	string	Article Group Name		

Name	Data Type	Label	Required	Documentation
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_POSITION_ATTR	int32	Article Group Position		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR	string	State Available First		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR	string	State Available Last		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_BLUEPENCIL	string	State Edit		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CLASSIFICATION	string	State Classification		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CONFIRM	string	State Confirm		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_LIFETIME	string	State Life Time		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_PRODUCTION	string	State Production		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR	string	Article Group Supplier Data Provider GLN		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_GLN_ATTR	string	Article Group Supplier GLN		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_ID_ATTR	int32	Article Group Supplier ID		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_NAME_ATTR	string	Article Group Supplier Name		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR	string	Article Group Supplier Purchase Combination GLN		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_TEMPLATE	string	Article Group Template		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLESUBGROUP_ATTR	int32	Article Sub Group		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ASSETS	string	Article Assets		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_CBSNUMBER	string	Article CBS Article Class Number		

Name	Data Type	Label	Required	Documentation
RELATEDARTICLES_OWNINFORMATION_ARTICLE_DESCRIPTION	string	Article Description		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ID_ATTR	int32	Article ID		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_MANUFACTURER_ARTICLEGTIN	string	Article Manufacturer Article EAN		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_MANUFACTURER_ARTICLENUMBER	string	Article Manufacturer Article Number		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_POSITION_ATTR	int32	Article Position		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_STATES_AVAILABLE_END_ATTR	string	Article Available State End		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_STATES_AVAILABLE_START_ATTR	string	Article Available State Start		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_STATES_LIFETIME	string	Life Time		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_STATES_STATE	string	State		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_TYPENUMBER	string	Article Type Number		
RELATEDARTICLES_OWNINFORMATION_OWNArtICLENUMBER	string	Own Article Number		
RELATEDARTICLES_OWNINFORMATION_OWNDDESCRIPTION	string	Own Description		
RELATEDARTICLES_OWNINFORMATION_OWNPURCHASECOMBINATIONNUMBER	string	Own Purchase Combination Number		
RELATEDARTICLES_OWNINFORMATION_OWNSTATE	string	Own State		
TYPE_ATTR	string	Type		

3.1.9 WebshopArticleGroupArticleOwnSelections: EZ-base Webshop Article Group Article Own Selections

Catalog: EZBase

Label: Webshop Article Group Article Own Selections

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopArticleGroupArticleOwnSelections

Base XPath: /Webshop

XPath: /ArticleGroups/ArticleGroup/Articles/Article/OwnInformation/Selections/Selection

Table Columns

The columns of the table `WebshopArticleGroupArticleOwnSelections` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
INTERFACE_URL	string(4000)	Interface URL	<input checked="" type="checkbox"/>	
SELECTION	string	Selection		
SELECTIONS_OWNINFORMATION_ABCCLASSIFICATION	string	ABC Classification		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLEGTIN	string	Article Article GTIN		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLENUMBER	string	Article Article Number		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR	string	Classification Name		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR	int32	Language		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR	string	Company Name		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR	string	Sender GLN		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		

Name	Data Type	Label	Required	Documentation
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR	decimal	Version		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ASSETS	string	Article Group Assets		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR	boolean	Edit Data Specification Bullets		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR	boolean	Edit Data Transposed		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_BRAND	string	Article Group Brand		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR	int32	Classification ID		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR	string	Classification Name		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCECODE_ATTR	string	ETIM Class Code		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ID_ATTR	int32	Article Group ID		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_KIND	string	Article Group Kind		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_LEGACYID_ATTR	string	Article Group Legacy ID		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_MANUFACTURERGLN	string	Article Group Manufacturer GLN		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_NAME	string	Article Group Name		

Name	Data Type	Label	Required	Documentation
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_POSITION_ATTR	int32	Article Group Position		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR	string	State Available First		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR	string	State Available Last		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_BLUEPENCIL	string	State Edit		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CLASSIFICATION	string	State Classification		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CONFIRM	string	State Confirm		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_LIFETIME	string	State Life Time		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_PRODUCTION	string	State Production		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_DATA_PROVIDER_GLN_ATTR	string	Article Group Supplier Data Provider GLN		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_GLN_ATTR	string	Article Group Supplier GLN		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_ID_ATTR	int32	Article Group Supplier ID		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_NAME_ATTR	string	Article Group Supplier Name		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATION_GLN_ATTR	string	Article Group Supplier Purchase Combination GLN		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_TEMPLATE	string	Article Group Template		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLESUBGROUP_ATTR	int32	Article Sub Group		
SELECTIONS_OWNINFORMATION_ARTICLE_ASSETS	string	Article Assets		
SELECTIONS_OWNINFORMATION_ARTICLE_CBSNUMBER	string	Article CBS Article Class Number		

Name	Data Type	Label	Required	Documentation
SELECTIONS_OWNINFORMATION_ARTICLE_DESCRIPTION	string	Article Description		
SELECTIONS_OWNINFORMATION_ARTICLE_ID_ATTR	int32	Article ID		
SELECTIONS_OWNINFORMATION_ARTICLE_MANUFACTURERARTICLE_EAN	string	Article Manufacturer Article EAN		
SELECTIONS_OWNINFORMATION_ARTICLE_MANUFACTURERARTICLE_NUMBER	string	Article Manufacturer Article Number		
SELECTIONS_OWNINFORMATION_ARTICLE_POSITION_ATTR	int32	Article Position		
SELECTIONS_OWNINFORMATION_ARTICLE_STATES_AVAILABLE_END_ATTR	string	Article Available State End		
SELECTIONS_OWNINFORMATION_ARTICLE_STATES_AVAILABLE_START_ATTR	string	Article Available State Start		
SELECTIONS_OWNINFORMATION_ARTICLE_STATES_LIFETIME	string	Life Time		
SELECTIONS_OWNINFORMATION_ARTICLE_STATES_STATE	string	State		
SELECTIONS_OWNINFORMATION_ARTICLE_TYPENUMBER	string	Article Type Number		
SELECTIONS_OWNINFORMATION_OWNARTICLENUMBER	string	Own Article Number		
SELECTIONS_OWNINFORMATION_OWNDESCRIPTION	string	Own Description		
SELECTIONS_OWNINFORMATION_OWNPURCHASECOMBINATIONNUMBER	string	Own Purchase Combination Number		
SELECTIONS_OWNINFORMATION_OWNSTATE	string	Own State		

3.1.10 WebshopArticleGroupArticleOwnSynonyms: EZ-base Webshop Article Group Article Own Synonyms

Catalog: EZBase

Label: Webshop Article Group Article Own Synonyms

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopArticleGroupArticleOwnSynonyms

Base XPath: /Webshop

XPath: /ArticleGroups/ArticleGroup/Articles/Article/OwnInformation/Synonyms/Synonym

Table Columns

The columns of the table `WebshopArticleGroupArticleOwnSynonyms` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
<code>INTERFACE_URL</code>	string(4000)	Interface URL	<input checked="" type="checkbox"/>	
<code>SYNONYM</code>	string	Article Own Information Synonym		
<code>SYNONYMS_OWNINFORMATION_ABCCLASSIFICATION</code>	string	ABC Classification		
<code>SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLEGTIN</code>	string	Article Article GTIN		
<code>SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLENUMBER</code>	string	Article Article Number		
<code>SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR</code>	string	Classification Name		
<code>SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR</code>	string	ETIM Classification		
<code>SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR</code>	string	Export Selection Name		
<code>SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR</code>	int32	Language		
<code>SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR</code>	string	Receiver GLN		
<code>SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR</code>	string	Company Name		
<code>SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR</code>	string	Company GLN		
<code>SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR</code>	string	Sender GLN		
<code>SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL</code>	int32	Export Settings Maximum Number of Classifications Displayed		
<code>SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS</code>	boolean	Export Settings Display Synonyms		

Name	Data Type	Label	Required	Documentation
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR	decimal	Version		
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ASSETS	string	Article Group Assets		
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR	boolean	Edit Data Specification Bullets		
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR	boolean	Edit Data Transposed		
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_BRAND	string	Article Group Brand		
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR	int32	Classification ID		
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR	string	Classification Name		
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCECODE_ATTR	string	ETIM Class Code		
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ID_ATTR	int32	Article Group ID		
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_KIND	string	Article Group Kind		
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_LEGACYID_ATTR	string	Article Group Legacy ID		
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_MANUFACTURERGLN	string	Article Group Manufacturer GLN		
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_NAME	string	Article Group Name		

Name	Data Type	Label	Required	Documentation
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_POSITION_ATTR	int32	Article Group Position		
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR	string	State Available First		
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR	string	State Available Last		
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_BLUEPENCIL	string	State Edit		
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CLASSIFICATION	string	State Classification		
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CONFIRM	string	State Confirm		
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_LIFETIME	string	State Life Time		
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_PRODUCTION	string	State Production		
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_DATA_PROVIDER_GLN_ATTR	string	Article Group Supplier Data Provider GLN		
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_GLN_ATTR	string	Article Group Supplier GLN		
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_ID_ATTR	int32	Article Group Supplier ID		
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_NAME_ATTR	string	Article Group Supplier Name		
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATION_GLN_ATTR	string	Article Group Supplier Purchase Combination GLN		
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_TEMPLATE	string	Article Group Template		
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLESUBGROUP_ATTR	int32	Article Sub Group		
SYNONYMS_OWNINFORMATION_ARTICLE_ASSETS	string	Article Assets		
SYNONYMS_OWNINFORMATION_ARTICLE_CBSNUMBER	string	Article CBS Article Class Number		

Name	Data Type	Label	Required	Documentation
SYNONYMS_OWNINFORMATION_ARTICLE_DESCRIPTION	string	Article Description		
SYNONYMS_OWNINFORMATION_ARTICLE_ID_ATTR	int32	Article ID		
SYNONYMS_OWNINFORMATION_ARTICLE_MANUFACTURERARTICLEGTIN	string	Article Manufacturer Article EAN		
SYNONYMS_OWNINFORMATION_ARTICLE_MANUFACTURERARTICLENUMBER	string	Article Manufacturer Article Number		
SYNONYMS_OWNINFORMATION_ARTICLE_POSITION_ATTR	int32	Article Position		
SYNONYMS_OWNINFORMATION_ARTICLE_STATES_AVAILABLE_END_ATTR	string	Article Available State End		
SYNONYMS_OWNINFORMATION_ARTICLE_STATES_AVAILABLE_START_ATTR	string	Article Available State Start		
SYNONYMS_OWNINFORMATION_ARTICLE_STATES_LIFETIME	string	Life Time		
SYNONYMS_OWNINFORMATION_ARTICLE_STATES_STATE	string	State		
SYNONYMS_OWNINFORMATION_ARTICLE_TYPENUMBER	string	Article Type Number		
SYNONYMS_OWNINFORMATION_OWNARTICLENUMBER	string	Own Article Number		
SYNONYMS_OWNINFORMATION_OWNDESCRIPTION	string	Own Description		
SYNONYMS_OWNINFORMATION_OWNPURCHASECOMBINATIONNUMBER	string	Own Purchase Combination Number		
SYNONYMS_OWNINFORMATION_OWNSTATE	string	Own State		

3.1.11 WebshopArticleGroupArticleProductDetailPrices: EZ-base Webshop Article Group Article Prices

Catalog: EZBase

Label: Webshop Article Group Article Prices

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopArticleGroupArticleProductDetailPrices

Base XPath: /Webshop

XPath: /ArticleGroups/ArticleGroup/Articles/Article/ProductDetailPrices/Price

Table Columns

The columns of the table `WebshopArticleGroupArticleProductDetailPrices` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ARTICLEDESCRIPTION	string	Article Description		
GROSSPRICE	string	Gross Price		
INTERFACE_URL	string(4000)	Interface URL	<input checked="" type="checkbox"/>	
MINIMUMBUYINGQUANTITY	string	Minimum Buying Quantity		
NETPRICE	string	Net Price		
PRICEBASEQUANTITY	string	Price Base Quantity		
PRICELISTNAME_ATTR	string	Price List Name		
PRODUCTDETAILPRICES_ARTICLE_ARTICLEGTIN	string	Article Article GTIN		
PRODUCTDETAILPRICES_ARTICLE_ARTICLENUMBER	string	Article Article Number		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR	string	Classification Name		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR	int32	Language		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR	string	Company Name		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR	string	Sender GLN		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		

Name	Data Type	Label	Required	Documentation
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR	decimal	Version		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_ASSETS	string	Article Group Assets		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR	boolean	Edit Data Specification Bullets		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR	boolean	Edit Data Transposed		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_BRAND	string	Article Group Brand		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR	int32	Classification ID		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR	string	Classification Name		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR	string	ETIM Class Code		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_ID_ATTR	int32	Article Group ID		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_KIND	string	Article Group Kind		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_LEGACYID_ATTR	string	Article Group Legacy ID		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_MANUFACTURERGLN	string	Article Group Manufacturer GLN		

Name	Data Type	Label	Required	Documentation
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_NAME	string	Article Group Name		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_POSITION_ATTR	int32	Article Group Position		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR	string	State Available First		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR	string	State Available Last		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_BLUEPENCIL	string	State Edit		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CLASSIFICATION	string	State Classification		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CONFIRM	string	State Confirm		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_LIFETIME	string	State Life Time		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_PRODUCTION	string	State Production		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR	string	Article Group Supplier Data Provider GLN		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_GLN_ATTR	string	Article Group Supplier GLN		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_ID_ATTR	int32	Article Group Supplier ID		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_NAME_ATTR	string	Article Group Supplier Name		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR	string	Article Group Supplier Purchase Combination GLN		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_TEMPLATE	string	Article Group Template		
PRODUCTDETAILPRICES_ARTICLE_ARTICLESUBGROUP_ATTR	int32	Article Sub Group		
PRODUCTDETAILPRICES_ARTICLE_ASSETS	string	Article Assets		
PRODUCTDETAILPRICES_ARTICLE_CBSNUMBER	string	Article CBS Article Class Number		

Name	Data Type	Label	Required	Documentation
PRODUCTDETAILPRICES_ARTICLE_DESCRIPTION	string	Article Description		
PRODUCTDETAILPRICES_ARTICLE_ID_ATTR	int32	Article ID		
PRODUCTDETAILPRICES_ARTICLE_MANUFACTURERARTICLEGTIN	string	Article Manufacturer Article EAN		
PRODUCTDETAILPRICES_ARTICLE_MANUFACTURERARTICLENUMBER	string	Article Manufacturer Article Number		
PRODUCTDETAILPRICES_ARTICLE_OWNINFORMATION_ABCClassification	string	ABC Classification		
PRODUCTDETAILPRICES_ARTICLE_OWNINFORMATION_OWNArticleNumber	string	Own Article Number		
PRODUCTDETAILPRICES_ARTICLE_OWNINFORMATION_OWNDescription	string	Own Description		
PRODUCTDETAILPRICES_ARTICLE_OWNINFORMATION_OWNPurchaseCombinationNumber	string	Own Purchase Combination Number		
PRODUCTDETAILPRICES_ARTICLE_OWNINFORMATION_OWNSState	string	Own State		
PRODUCTDETAILPRICES_ARTICLE_POSITION_ATTR	int32	Article Position		
PRODUCTDETAILPRICES_ARTICLE_STATES_AVAILABLE_END_ATTR	string	Article Available State End		
PRODUCTDETAILPRICES_ARTICLE_STATES_AVAILABLE_START_ATTR	string	Article Available State Start		
PRODUCTDETAILPRICES_ARTICLE_STATES_LIFETIME	string	Life Time		
PRODUCTDETAILPRICES_ARTICLE_STATES_STATE	string	State		
PRODUCTDETAILPRICES_ARTICLE_TYPENumber	string	Article Type Number		
UNITOFMEASUREPRICEBASE	string	UOM Price Base		

3.1.12 WebshopArticleGroupArticleRelatedArticles: EZ-base Webshop Article Group Article Related Articles

Catalog: EZBase

Label: Webshop Article Group Article Related Articles

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopArticleGroupArticleRelatedArticles

Base XPath: /webshop

XPath: /ArticleGroups/ArticleGroup/Articles/Article/RelatedArticles/Article

Table Columns

The columns of the table `WebshopArticleGroupArticleRelatedArticles` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ID_ATTR	int32	ID		
INTERFACE_URL	string(4000)	Interface URL	<input checked="" type="checkbox"/>	
POSITION_ATTR	int32	Position		
RELATEDARTICLES_ARTICLE_ARTICLEGTIN	string	Article Article GTIN		
RELATEDARTICLES_ARTICLE_ARTICLENUMBER	string	Article Article Number		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR	string	Classification Name		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSION_NUMBER_ATTR	string	ETIM Classification		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR	int32	Language		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR	string	Company Name		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR	string	Sender GLN		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		

Name	Data Type	Label	Required	Documentation
ROUPS_WEBSHOP_TEMPLA T ESET TINGS_DISPLAYSYNONYMS				
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLA T ESET TINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLA T ESET TINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR	decimal	Version		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_ASSETS	string	Article Group Assets		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCI LDATA_SPECIFICATIONBULLETS_ATTR	boolean	Edit Data Specification Bullets		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCI LDATA_TRANSPOSED_ATTR	boolean	Edit Data Transposed		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_BRAND	string	Article Group Brand		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATI ONS_CLASSIFICATION_ID_ATTR	int32	Classification ID		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATI ONS_CLASSIFICATION_NAME_ATTR	string	Classification Name		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATI ONS_ETIM_ECCODE_ATTR	string	ETIM Class Code		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_ID_ATTR	int32	Article Group ID		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_KIND	string	Article Group Kind		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_LEGACYID_ATTR	string	Article Group Legacy ID		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_MANUFAC TURERGLN	string	Article Group Manufacturer GLN		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_NAME	string	Article Group Name		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_POSITION_ATTR	int32	Article Group Position		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR	string	State Available First		

Name	Data Type	Label	Required	Documentation
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR	string	State Available Last		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_BLUEPENCIL	string	State Edit		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CLASSIFICATION	string	State Classification		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CONFIRM	string	State Confirm		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_LIFETIME	string	State Life Time		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_PRODUCTION	string	State Production		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR	string	Article Group Supplier Data Provider GLN		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_GLN_ATTR	string	Article Group Supplier GLN		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_ID_ATTR	int32	Article Group Supplier ID		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_NAME_ATTR	string	Article Group Supplier Name		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR	string	Article Group Supplier Purchase Combination GLN		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_TEMPLATE	string	Article Group Template		
RELATEDARTICLES_ARTICLE_ARTICLESUBGROUP_ATTR	int32	Article Sub Group		
RELATEDARTICLES_ARTICLE_ASSETS	string	Article Assets		
RELATEDARTICLES_ARTICLE_CBSNUMBER	string	Article CBS Article Class Number		
RELATEDARTICLES_ARTICLE_DESCRIPTION	string	Article Description		
RELATEDARTICLES_ARTICLE_ID_ATTR	int32	Article ID		
RELATEDARTICLES_ARTICLE_MANUFACTURERARTICLEGTIN	string	Article Manufacturer Article EAN		
RELATEDARTICLES_ARTICLE_MANUFACTURERARTICLENUMBER	string	Article Manufacturer Article Number		
RELATEDARTICLES_ARTICLE_OWNINGINFORMATION_ABCCLASSIFICATION	string	ABC Classification		

Name	Data Type	Label	Required	Documentation
RELATEDARTICLES_ARTICLE_OW NINFORMATION_OWNArticleNu MBER	string	Own Article Number		
RELATEDARTICLES_ARTICLE_OW NINFORMATION_OWnDESCRIPTIO N	string	Own Description		
RELATEDARTICLES_ARTICLE_OW NINFORMATION_OWNPURCHASEC OMBINATIONNUMBER	string	Own Purchase Combination Number		
RELATEDARTICLES_ARTICLE_OW NINFORMATION_OWnSTATE	string	Own State		
RELATEDARTICLES_ARTICLE_POS ITION_ATTR	int32	Article Position		
RELATEDARTICLES_ARTICLE_STA TES_AVAILABLE_END_ATTR	string	Article Available State End		
RELATEDARTICLES_ARTICLE_STA TES_AVAILABLE_START_ATTR	string	Article Available State Start		
RELATEDARTICLES_ARTICLE_STA TES_LIFETIME	string	Life Time		
RELATEDARTICLES_ARTICLE_STA TES_STATE	string	State		
RELATEDARTICLES_ARTICLE_TYP ENUMBER	string	Article Type Number		
TYPE_ATTR	string	Type		

3.1.13 WebshopArticleGroupArticles: EZ-base Webshop Article Group Articles

Catalog: EZBase

Label: Webshop Article Group Articles

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopArticleGroupArticles

Base XPath: /Webshop

XPath: /ArticleGroups/ArticleGroup/Articles/Article

Table Columns

The columns of the table `WebshopArticleGroupArticles` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ARTICLEGTIN	string	Article GTIN		
ARTICLENUMBER	string	Article Number		
ARTICLES_ARTICLEGROUP_ARTIC LEGROUPS_WEBSHOP_CLASSIFIC ATION_NAME_ATTR	string	Classification Name		

Name	Data Type	Label	Required	Documentation
ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR	int32	Language		
ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		
ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR	string	Company Name		
ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		
ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR	string	Sender GLN		
ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		
ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		
ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR	decimal	Version		
ARTICLES_ARTICLEGROUP_ASSETS	string	Article Group Assets		
ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR	boolean	Edit Data Specification Bullets		
ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR	boolean	Edit Data Transposed		
ARTICLES_ARTICLEGROUP_BRAND	string	Article Group Brand		
ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR	int32	Classification ID		
ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR	string	Classification Name		

Name	Data Type	Label	Required	Documentation
ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR	string	ETIM Class Code		
ARTICLES_ARTICLEGROUP_ID_ATTR	int32	Article Group ID		
ARTICLES_ARTICLEGROUP_KIND	string	Article Group Kind		
ARTICLES_ARTICLEGROUP_LEGACYID_ATTR	string	Article Group Legacy ID		
ARTICLES_ARTICLEGROUP_MANUFACTURERGLN	string	Article Group Manufacturer GLN		
ARTICLES_ARTICLEGROUP_NAME	string	Article Group Name		
ARTICLES_ARTICLEGROUP_POSITION_ATTR	int32	Article Group Position		
ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR	string	State Available First		
ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR	string	State Available Last		
ARTICLES_ARTICLEGROUP_STATES_BLUEPENCIL	string	State Edit		
ARTICLES_ARTICLEGROUP_STATES_CLASSIFICATION	string	State Classification		
ARTICLES_ARTICLEGROUP_STATES_CONFIRM	string	State Confirm		
ARTICLES_ARTICLEGROUP_STATES_LIFETIME	string	State Life Time		
ARTICLES_ARTICLEGROUP_STATES_PRODUCTION	string	State Production		
ARTICLES_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR	string	Article Group Supplier Data Provider GLN		
ARTICLES_ARTICLEGROUP_SUPPLIER_GLN_ATTR	string	Article Group Supplier GLN		
ARTICLES_ARTICLEGROUP_SUPPLIER_ID_ATTR	int32	Article Group Supplier ID		
ARTICLES_ARTICLEGROUP_SUPPLIER_NAME_ATTR	string	Article Group Supplier Name		
ARTICLES_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR	string	Article Group Supplier Purchase Combination GLN		
ARTICLES_ARTICLEGROUP_TEMPLATE	string	Article Group Template		
ARTICLESUBGROUP_ATTR	int32	Sub Group		
ASSETS	string	Assets		
CBSNUMBER	string	CBS Article Class Number		
DESCRIPTION	string	Description		
ID_ATTR	int32	ID		
INTERFACE_URL	string(4000)	Interface URL	<input checked="" type="checkbox"/>	
MANUFACTURERARTICLEGTIN	string	Manufacturer Article EAN		

Name	Data Type	Label	Required	Documentation
MANUFACTURERARTICLENUMBER	string	Manufacturer Article Number		
OWNINFORMATION_ABCCLASSIFICATION	string	Own Information ABC Classification		
OWNINFORMATION_OWNArtICLENUMBER	string	Own Information Own Article Number		
OWNINFORMATION_OWNDSCRIPTION	string	Own Information Own Description		
OWNINFORMATION_OWNPURCHASECOMBINATIONNUMBER	string	Own Information Own Purchase Combination Number		
OWNINFORMATION_OWNSTATE	string	Own Information Own State		
POSITION_ATTR	int32	Position		
STATES_AVAILABLE_END_ATTR	string	Available State End		
STATES_AVAILABLE_START_ATTR	string	Available State Start		
STATES_LIFETIME	string	State Life Time		
STATES_STATE	string	State State		
TYPENUMBER	string	Type Number		

3.1.14 WebshopArticleGroupArticleSupplierPropertyAssets: EZ-base Webshop Article Group Article Supplier Property Assets

Catalog: EZBase

Label: Webshop Article Group Article Supplier Property Assets

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopArticleGroupArticleSupplierPropertyAssets

Base XPath: /Webshop

XPath: /ArticleGroups/ArticleGroup/Articles/Article/SupplierProperties/Property/Assets/Asset

Table Columns

The columns of the table WebshopArticleGroupArticleSupplierPropertyAssets are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ASSETS_PROPERTY_EZBASEUNIT_ATTR	string			
ASSETS_PROPERTY_EZBASEUNITCATEGORY_ATTR	string			
ASSETS_PROPERTY_EZBASEUNITDESCRIPTION_ATTR	string			

Name	Data Type	Label	Required	Documentation
ASSETS_PROPERTY_HEADER_ATTR	int32			
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLEGTIN	string	Article Article GTIN		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLENUMBER	string	Article Article Number		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR	string	Classification Name		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR	int32	Language		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR	string	Company Name		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR	string	Sender GLN		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_	int32	Export Settings Number of Images Displayed		

Name	Data Type	Label	Required	Documentation
WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT				
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR	decimal	Version		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ASSETS	string	Article Group Assets		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR	boolean	Edit Data Specification Bullets		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR	boolean	Edit Data Transposed		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_BRAND	string	Article Group Brand		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR	int32	Classification ID		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR	string	Classification Name		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR	string	ETIM Class Code		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ID_ATTR	int32	Article Group ID		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_KIND	string	Article Group Kind		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_LEGACYID_ATTR	string	Article Group Legacy ID		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_MANUFACTURERGLN	string	Article Group Manufacturer GLN		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_NAME	string	Article Group Name		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_POSITION	int32	Article Group Position		

Name	Data Type	Label	Required	Documentation
RTICLEGROUP_POSITION_ATTR				
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR	string	State Available First		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR	string	State Available Last		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_BLUEPEN_CIL	string	State Edit		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CLASSIFICATION	string	State Classification		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CONFIRM	string	State Confirm		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_LIFETIME	string	State Life Time		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_PRODUCTION	string	State Production		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_DATA_PROVIDERGLN_ATTR	string	Article Group Supplier Data Provider GLN		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_GLN_ATTR	string	Article Group Supplier GLN		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_ID_ATTR	int32	Article Group Supplier ID		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_NAME_ATTR	string	Article Group Supplier Name		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR	string	Article Group Supplier Purchase Combination GLN		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_TEMPLATE	string	Article Group Template		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLESUBGROUP_ATTR	int32	Article Sub Group		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ASSETS	string	Article Assets		

Name	Data Type	Label	Required	Documentation
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_CBSNUMBER	string	Article CBS Article Class Number		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_DESCRIPTION	string	Article Description		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ID_ATTR	int32	Article ID		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_MANUFACTURERARTICLEGTIN	string	Article Manufacturer Article EAN		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_MANUFACTURERARTICLENUMBER	string	Article Manufacturer Article Number		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_OWNINFORMATION_ABCClassification	string	ABC Classification		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_OWNINFORMATION_OWNArticleNumber	string	Own Article Number		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_OWNINFORMATION_OWNDescription	string	Own Description		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_OWNINFORMATION_OWNPURCHASECOMBINATIONNUMBER	string	Own Purchase Combination Number		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_OWNINFORMATION_OWNSTATE	string	Own State		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_POSITION_ATTR	int32	Article Position		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_STATES_AVAILABLE_END_ATTR	string	Article Available State End		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_STATES_AVAILABLE_START_ATTR	string	Article Available State Start		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_STATES_LIFETIME	string	Life Time		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_STATES_STATE	string	State		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_TYPENUMBER	string	Article Type Number		
ASSETS_PROPERTY_UNIT_ATTR	string			
ASSETS_PROPERTY_VALUE	string			
CATEGORY_ATTR	int32	Category		
DESCRIPTION	string	Description		
ID_ATTR	string	ID		
INTERFACE_URL	string(4000)	Interface URL	<input checked="" type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
ORIGINALEXTENSION	string	Original Extension		
ORIGINALFILE	string	Original File		
POSITION_ATTR	int32	Position		
THUMBNAILURL	string	Thumbnail (URL)		
TYPE_ATTR	string	Type		
URL	string	URL		

3.1.15 WebshopArticleGroupArticleSupplierPropertyValues: EZ-base Webshop Article Group Article Supplier Property Values

Catalog: EZBase

Label: Webshop Article Group Article Supplier Property Values

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopArticleGroupArticleSupplierPropertyValues

Base XPath: /Webshop

XPath: /ArticleGroups/ArticleGroup/Articles/Article/SupplierProperties/Property

Table Columns

The columns of the table `WebshopArticleGroupArticleSupplierPropertyValues` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ASSETS	string	Assets		
EZBASEUNIT_ATTR	string	Unit		
EZBASEUNITCATEGORY_ATTR	string	Unit Category		
EZBASEUNITDESCRIPTION_ATTR	string	Unit Description		
HEADER_ATTR	int32	Header		
INTERFACE_URL	string(4000)	Interface URL	<input checked="" type="checkbox"/>	
SUPPLIERPROPERTIES_ARTICLE_ARTICLEGTIN	string	Article Article GTIN		
SUPPLIERPROPERTIES_ARTICLE_ARTICLENUMBER	string	Article Article Number		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR	string	Classification Name		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLE	string	Export Selection Name		

Name	Data Type	Label	Required	Documentation
EGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR				
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR	int32	Language		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR	string	Company Name		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR	string	Sender GLN		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR	decimal	Version		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ASSETS	string	Article Group Assets		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCDATA_SPECIFICATIONBULLETS_ATTR	boolean	Edit Data Specification Bullets		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCDATA_TRANSPOSED_ATTR	boolean	Edit Data Transposed		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_BRAND	string	Article Group Brand		

Name	Data Type	Label	Required	Documentation
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR	int32	Classification ID		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR	string	Classification Name		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR	string	ETIM Class Code		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ID_ATTR	int32	Article Group ID		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_KIND	string	Article Group Kind		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_LEGACY_ID_ATTR	string	Article Group Legacy ID		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_MANUFACTURERGLN	string	Article Group Manufacturer GLN		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_NAME	string	Article Group Name		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_POSITION_ATTR	int32	Article Group Position		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR	string	State Available First		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR	string	State Available Last		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_BLUEPENCIL	string	State Edit		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CLASSIFICATION	string	State Classification		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CONFIRM	string	State Confirm		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_LIFETIME	string	State Life Time		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_PRODUCTION	string	State Production		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR	string	Article Group Supplier Data Provider GLN		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_GLN_ATTR	string	Article Group Supplier GLN		

Name	Data Type	Label	Required	Documentation
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_ID_ATTR	int32	Article Group Supplier ID		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_NAME_ATTR	string	Article Group Supplier Name		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR	string	Article Group Supplier Purchase Combination GLN		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_TEMPLATE	string	Article Group Template		
SUPPLIERPROPERTIES_ARTICLE_ARTICLESUBGROUP_ATTR	int32	Article Sub Group		
SUPPLIERPROPERTIES_ARTICLE_ASSETS	string	Article Assets		
SUPPLIERPROPERTIES_ARTICLE_CBSNUMBER	string	Article CBS Article Class Number		
SUPPLIERPROPERTIES_ARTICLE_DESCRIPTION	string	Article Description		
SUPPLIERPROPERTIES_ARTICLE_ID_ATTR	int32	Article ID		
SUPPLIERPROPERTIES_ARTICLE_MANUFACTURERARTICLEGTIN	string	Article Manufacturer Article EAN		
SUPPLIERPROPERTIES_ARTICLE_MANUFACTURERARTICLENUMBER	string	Article Manufacturer Article Number		
SUPPLIERPROPERTIES_ARTICLE_OWNINFORMATION_ABCClassification	string	ABC Classification		
SUPPLIERPROPERTIES_ARTICLE_OWNINFORMATION_OWNArticleNumber	string	Own Article Number		
SUPPLIERPROPERTIES_ARTICLE_OWNINFORMATION_OWNDescription	string	Own Description		
SUPPLIERPROPERTIES_ARTICLE_OWNINFORMATION_OWNPurchaseCombinationNumber	string	Own Purchase Combination Number		
SUPPLIERPROPERTIES_ARTICLE_OWNINFORMATION_OWNSState	string	Own State		
SUPPLIERPROPERTIES_ARTICLE_POSITION_ATTR	int32	Article Position		
SUPPLIERPROPERTIES_ARTICLE_STATES_AVAILABLE_END_ATTR	string	Article Available State End		
SUPPLIERPROPERTIES_ARTICLE_STATES_AVAILABLE_START_ATTR	string	Article Available State Start		
SUPPLIERPROPERTIES_ARTICLE_STATES_LIFETIME	string	Life Time		
SUPPLIERPROPERTIES_ARTICLE_STATES_STATE	string	State		

Name	Data Type	Label	Required	Documentation
SUPPLIERPROPERTIES_ARTICLE_T YPENUMBER	string	Article Type Number		
UNIT_ATTR	string	Unit		
VALUE	string	Value		

3.1.16 WebshopArticleGroupArticleTablePropertyAssets: EZ-base Webshop Article Group Article Table Property Assets

Catalog: EZBase

Label: Webshop Article Group Article Table Property Assets

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopArticleGroupArticleTablePropertyAssets

Base XPath: /Webshop

XPath: /ArticleGroups/ArticleGroup/Articles/Article/TableProperties/
Property/Assets/Asset

Table Columns

The columns of the table `WebshopArticleGroupArticleTablePropertyAssets` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ASSETS_PROPERTY_TABLEHEAD ER_ATTR	int32			
ASSETS_PROPERTY_TABLEPROP ERTIES_ARTICLE_ARTICLEGTIN	string	Article Article GTIN		
ASSETS_PROPERTY_TABLEPROP ERTIES_ARTICLE_ARTICLENUMB ER	string	Article Article Number		
ASSETS_PROPERTY_TABLEPROP ERTIES_ARTICLE_ARTICLES_ARTI CLEGROUP_ARTICLEGROUPS_WE BSHOP_CLASSIFICATION_NAME_ ATTR	string	Classification Name		
ASSETS_PROPERTY_TABLEPROP ERTIES_ARTICLE_ARTICLES_ARTI CLEGROUP_ARTICLEGROUPS_WE BSHOP_ETIM_VERSIONNUMBER_A TTR	string	ETIM Classification		
ASSETS_PROPERTY_TABLEPROP ERTIES_ARTICLE_ARTICLES_ARTI CLEGROUP_ARTICLEGROUPS_WE BSHOP_EXPORTSELECTIONNAME_ ATTR	string	Export Selection Name		
ASSETS_PROPERTY_TABLEPROP ERTIES_ARTICLE_ARTICLES_ARTI CLEGROUP_ARTICLEGROUPS_WE BSHOP_LANGUAGE_ATTR	int32	Language		

Name	Data Type	Label	Required	Documentation
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR	string	Company Name		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR	string	Sender GLN		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR	decimal	Version		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ASSETS	string	Article Group Assets		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR	boolean	Edit Data Specification Bullets		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR	boolean	Edit Data Transposed		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_BRAND	string	Article Group Brand		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONID	int32	Classification ID		

Name	Data Type	Label	Required	Documentation
CLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR				
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR	string	Classification Name		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR	string	ETIM Class Code		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ID_ATTR	int32	Article Group ID		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_KIND	string	Article Group Kind		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_LEGACYID_ATTR	string	Article Group Legacy ID		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_MANUFACTURERGLN	string	Article Group Manufacturer GLN		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_NAME	string	Article Group Name		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_POSITION_ATTR	int32	Article Group Position		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR	string	State Available First		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR	string	State Available Last		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_BLUEPENCIL	string	State Edit		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CLASSIFICATION	string	State Classification		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CONFIRM	string	State Confirm		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_LIFETIME	string	State Life Time		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_PRODUCTION	string	State Production		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_DATA_PROVIDER_GLN	string	Article Group Supplier Data Provider GLN		

Name	Data Type	Label	Required	Documentation
CLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR				
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_GLN_ATTR	string	Article Group Supplier GLN		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_ID_ATTR	int32	Article Group Supplier ID		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_NAME_ATTR	string	Article Group Supplier Name		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_PURCHASE_COMBINATIONGLN_ATTR	string	Article Group Supplier Purchase Combination GLN		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_TEMPLATE	string	Article Group Template		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLESUBGROUP_ATTR	int32	Article Sub Group		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ASSETS	string	Article Assets		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_CBSNUMBER	string	Article CBS Article Class Number		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_DESCRIPTION	string	Article Description		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ID_ATTR	int32	Article ID		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_MANUFACTURERARTICLEGTIN	string	Article Manufacturer Article EAN		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_MANUFACTURERARTICLENUMBER	string	Article Manufacturer Article Number		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_OWNINFORMATION_ABCClassification	string	ABC Classification		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_OWNINFORMATION_OWNArticleNumber	string	Own Article Number		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_OWNINFORMATION_OWNDescription	string	Own Description		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_OWNINFORMATION_OWNPURCHASECOMBINATIONNUMBER	string	Own Purchase Combination Number		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_OWNINFORMATION_OWNSTATE	string	Own State		

Name	Data Type	Label	Required	Documentation
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_POSITION_ATTR	int32	Article Position		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_STATES_AVAILABLE_END_ATTR	string	Article Available State End		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_STATES_AVAILABLE_START_ATTR	string	Article Available State Start		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_STATES_LIFETIME	string	Life Time		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_STATES_STATE	string	State		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_TYPENUMBER	string	Article Type Number		
ASSETS_PROPERTY_VALUE	string			
CATEGORY_ATTR	int32	Category		
DESCRIPTION	string	Description		
ID_ATTR	string	ID		
INTERFACE_URL	string(4000)	Interface URL	<input checked="" type="checkbox"/>	
ORIGINALEXTENSION	string	Original Extension		
ORIGINALFILE	string	Original File		
POSITION_ATTR	int32	Position		
THUMBNAILURL	string	Thumbnail (URL)		
TYPE_ATTR	string	Type		
URL	string	URL		

3.1.17 WebshopArticleGroupArticleTablePropertyValues: EZ-base Webshop Article Group Article Table Property Values

Catalog: EZBase

Label: Webshop Article Group Article Table Property Values

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopArticleGroupArticleTablePropertyValues

Base XPath: /Webshop

XPath: /ArticleGroups/ArticleGroup/Articles/Article/TableProperties/Property

Table Columns

The columns of the table WebshopArticleGroupArticleTablePropertyValues are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ASSETS	string	Assets		
INTERFACE_URL	string(4000)	Interface URL	<input checked="" type="checkbox"/>	
TABLEHEADER_ATTR	int32	Table Header		
TABLEPROPERTIES_ARTICLE_ARTICLEGTIN	string	Article Article GTIN		
TABLEPROPERTIES_ARTICLE_ARTICLENUMBER	string	Article Article Number		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR	string	Classification Name		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR	int32	Language		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR	string	Company Name		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR	string	Sender GLN		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTIESCOUNT	int32	Export Settings Number of Properties Displayed		

Name	Data Type	Label	Required	Documentation
ROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT				
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR	decimal	Version		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ASSETS	string	Article Group Assets		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCLDATA_SPECIFICATIONBULLETS_ATTR	boolean	Edit Data Specification Bullets		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCLDATA_TRANSPOSED_ATTR	boolean	Edit Data Transposed		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_BRAND	string	Article Group Brand		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR	int32	Classification ID		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR	string	Classification Name		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR	string	ETIM Class Code		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ID_ATTR	int32	Article Group ID		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_KIND	string	Article Group Kind		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_LEGACYID_ATTR	string	Article Group Legacy ID		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_MANUFACTURERGLN	string	Article Group Manufacturer GLN		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_NAME	string	Article Group Name		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_POSITION_ATTR	int32	Article Group Position		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR	string	State Available First		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR	string	State Available Last		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_BLUEPENCIL	string	State Edit		

Name	Data Type	Label	Required	Documentation
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CLASSIFICATION	string	State Classification		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CONFIRM	string	State Confirm		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_LIFETIME	string	State Life Time		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_PRODUCTION	string	State Production		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR	string	Article Group Supplier Data Provider GLN		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_GLN_ATTR	string	Article Group Supplier GLN		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_ID_ATTR	int32	Article Group Supplier ID		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_NAME_ATTR	string	Article Group Supplier Name		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR	string	Article Group Supplier Purchase Combination GLN		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_TEMPLATE	string	Article Group Template		
TABLEPROPERTIES_ARTICLE_ARTICLESUBGROUP_ATTR	int32	Article Sub Group		
TABLEPROPERTIES_ARTICLE_ASSETS	string	Article Assets		
TABLEPROPERTIES_ARTICLE_CBSNUMBER	string	Article CBS Article Class Number		
TABLEPROPERTIES_ARTICLE_DESCRIPTION	string	Article Description		
TABLEPROPERTIES_ARTICLE_ID_ATTR	int32	Article ID		
TABLEPROPERTIES_ARTICLE_MANUFACTURERARTICLEGTIN	string	Article Manufacturer Article EAN		
TABLEPROPERTIES_ARTICLE_MANUFACTURERARTICLENUMBER	string	Article Manufacturer Article Number		
TABLEPROPERTIES_ARTICLE_OWNINFORMATION_ABCCLASSIFICATION	string	ABC Classification		
TABLEPROPERTIES_ARTICLE_OWNINFORMATION_OWNArticleNUMBER	string	Own Article Number		
TABLEPROPERTIES_ARTICLE_OWNINFORMATION_OWNDescription	string	Own Description		

Name	Data Type	Label	Required	Documentation
TABLEPROPERTIES_ARTICLE_OW NINFORMATION_OWNPURCHASEC OMBINATIONNUMBER	string	Ow n Purchase Combination Number		
TABLEPROPERTIES_ARTICLE_OW NINFORMATION_OWNSTATE	string	Ow n State		
TABLEPROPERTIES_ARTICLE_POS ITION_ATTR	int32	Article Position		
TABLEPROPERTIES_ARTICLE_STA TES_AVAILABLE_END_ATTR	string	Article Available State End		
TABLEPROPERTIES_ARTICLE_STA TES_AVAILABLE_START_ATTR	string	Article Available State Start		
TABLEPROPERTIES_ARTICLE_STA TES_LIFETIME	string	Life Time		
TABLEPROPERTIES_ARTICLE_STA TES_STATE	string	State		
TABLEPROPERTIES_ARTICLE_TYP ENUMBER	string	Article Type Number		
VALUE	string	Value		

3.1.18 WebshopArticleGroupAssets: EZ-base Webshop Article Group Assets

Catalog: EZBase

Label: Webshop Article Group Assets

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopArticleGroupAssets

Base XPath: /Webshop

XPath: /ArticleGroups/ArticleGroup/Assets/Asset

Table Columns

The columns of the table `webshopArticleGroupAssets` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ASSETS_ARTICLEGROUP_ARTICL EGROUPS_WEBSHOP_CLASSIFIC ATION_NAME_ATTR	string	Classification Name		
ASSETS_ARTICLEGROUP_ARTICL EGROUPS_WEBSHOP_ETIM_VERSI ONNUMBER_ATTR	string	ETIM Classification		
ASSETS_ARTICLEGROUP_ARTICL EGROUPS_WEBSHOP_EXPORTSE LECTIONNAME_ATTR	string	Export Selection Name		
ASSETS_ARTICLEGROUP_ARTICL EGROUPS_WEBSHOP_LANGUAGE _ATTR	int32	Language		

Name	Data Type	Label	Required	Documentation
ASSETS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		
ASSETS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR	string	Company Name		
ASSETS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		
ASSETS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR	string	Sender GLN		
ASSETS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATE_SETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		
ASSETS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATE_SETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		
ASSETS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATE_SETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
ASSETS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATE_SETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
ASSETS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR	decimal	Version		
ASSETS_ARTICLEGROUP_BLUEPENCDATA_SPECIFICATIONBULLETS_ATTR	boolean	Edit Data Specification Bullets		
ASSETS_ARTICLEGROUP_BLUEPENCDATA_TRANSPOSED_ATTR	boolean	Edit Data Transposed		
ASSETS_ARTICLEGROUP_BRAND	string	Article Group Brand		
ASSETS_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR	int32	Classification ID		
ASSETS_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR	string	Classification Name		
ASSETS_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR	string	ETIM Class Code		
ASSETS_ARTICLEGROUP_ID_ATTR	int32	Article Group ID		
ASSETS_ARTICLEGROUP_KIND	string	Article Group Kind		
ASSETS_ARTICLEGROUP_LEGACYID_ATTR	string	Article Group Legacy ID		
ASSETS_ARTICLEGROUP_MANUFACTURERGLN	string	Article Group Manufacturer GLN		
ASSETS_ARTICLEGROUP_NAME	string	Article Group Name		
ASSETS_ARTICLEGROUP_POSITION_ATTR	int32	Article Group Position		

Name	Data Type	Label	Required	Documentation
ASSETS_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR	string	State Available First		
ASSETS_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR	string	State Available Last		
ASSETS_ARTICLEGROUP_STATES_BLUEPENCIL	string	State Edit		
ASSETS_ARTICLEGROUP_STATES_CLASSIFICATION	string	State Classification		
ASSETS_ARTICLEGROUP_STATES_CONFIRM	string	State Confirm		
ASSETS_ARTICLEGROUP_STATES_LIFETIME	string	State Life Time		
ASSETS_ARTICLEGROUP_STATES_PRODUCTION	string	State Production		
ASSETS_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR	string	Article Group Supplier Data Provider GLN		
ASSETS_ARTICLEGROUP_SUPPLIER_GLN_ATTR	string	Article Group Supplier GLN		
ASSETS_ARTICLEGROUP_SUPPLIER_ID_ATTR	int32	Article Group Supplier ID		
ASSETS_ARTICLEGROUP_SUPPLIER_NAME_ATTR	string	Article Group Supplier Name		
ASSETS_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR	string	Article Group Supplier Purchase Combination GLN		
ASSETS_ARTICLEGROUP_TEMPLATE	string	Article Group Template		
CATEGORY_ATTR	int32	Category		
DESCRIPTION	string	Description		
ID_ATTR	string	ID		
INTERFACE_URL	string(4000)	Interface URL	<input checked="" type="checkbox"/>	
ORIGINALEXTENSION	string	Original Extension		
ORIGINALFILE	string	Original File		
POSITION_ATTR	int32	Position		
THUMBNAILURL	string	Thumbnail (URL)		
TYPE_ATTR	string	Type		
URL	string	URL		

3.1.19 WebshopArticleGroupBluePencilDataTableAssets: EZ-base Webshop Article Group Edit Data Table Assets

Catalog: EZBase

Label: Webshop Article Group Edit Data Table Assets

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopArticleGroupBluePencilDataTableAssets

Base XPath: /Webshop

XPath: /ArticleGroups/ArticleGroup/BluePencilData/ArticleTableHeader/Assets/Asset

Table Columns

The columns of the table WebshopArticleGroupBluePencilDataTableAssets are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR	string	Classification Name		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR	int32	Language		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR	string	Company Name		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR	string	Sender GLN		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP	int32	Export Settings Number of Images Displayed		

Name	Data Type	Label	Required	Documentation
P_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT				
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_P_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_P_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR	decimal	Version		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_P_ASSETS	string	Article Group Assets		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_P_BRAND	string	Article Group Brand		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_P_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR	int32	Classification ID		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_P_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR	string	Classification Name		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_P_CLASSIFICATIONS_ETIM_ECCECODE_ATTR	string	ETIM Class Code		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_P_ID_ATTR	int32	Article Group ID		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_P_KIND	string	Article Group Kind		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_P_LEGACYID_ATTR	string	Article Group Legacy ID		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_P_MANUFACTURERGLN	string	Article Group Manufacturer GLN		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_P_NAME	string	Article Group Name		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_P_POSITION_ATTR	int32	Article Group Position		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_P_STATES_AVAILABLE_FIRST_ATTR	string	State Available First		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_P_STATES_AVAILABLE_LAST_ATTR	string	State Available Last		

Name	Data Type	Label	Required	Documentation
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_STATES_BLUEPENCIL	string	State Edit		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_STATES_CLASSIFICATION	string	State Classification		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_STATES_CONFIRM	string	State Confirm		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_STATES_LIFETIME	string	State Life Time		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_STATES_PRODUCTION	string	State Production		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR	string	Article Group Supplier Data Provider GLN		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_SUPPLIER_GLN_ATTR	string	Article Group Supplier GLN		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_SUPPLIER_ID_ATTR	int32	Article Group Supplier ID		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_SUPPLIER_NAME_ATTR	string	Article Group Supplier Name		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR	string	Article Group Supplier Purchase Combination GLN		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_TEMPLATE	string	Article Group Template		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_SPECIFICATION_BULLETS_ATTR	boolean	Edit Data Specification Bullets		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_TRANSPOSED_ATTR	boolean	Edit Data Transposed		
ASSETS_ARTICLETABLEHEADER_HEADERID_ATTR	int32	Edit Article Table Header Header ID		
ASSETS_ARTICLETABLEHEADER_ID_ATTR	int32	Edit Article Table Header ID		
ASSETS_ARTICLETABLEHEADER_ISGROUPED_ATTR	boolean	Edit Article Table Header Is Grouped		
ASSETS_ARTICLETABLEHEADER_ISHIDDEN_ATTR	boolean	Edit Article Table Header Is Hidden		
ASSETS_ARTICLETABLEHEADER_NAME	string	Edit Article Table Header Name		
ASSETS_ARTICLETABLEHEADER_POSITION_ATTR	int32	Edit Article Table Header Position		

Name	Data Type	Label	Required	Documentation
ASSETS_ARTICLETABLEHEADER_SEPARATOR_ATTR	string	Edit Article Table Header Separator		
ASSETS_ARTICLETABLEHEADER_TOSPECIFICATION_ATTR	boolean	Edit Article Table Header Copy to Specification		
CATEGORY_ATTR	int32	Category		
DESCRIPTION	string	Description		
ID_ATTR	string	ID		
INTERFACE_URL	string(4000)	Interface URL	<input checked="" type="checkbox"/>	
ORIGINALEXTENSION	string	Original Extension		
ORIGINALFILE	string	Original File		
POSITION_ATTR	int32	Position		
THUMBNAILURL	string	Thumbnail (URL)		
TYPE_ATTR	string	Type		
URL	string	URL		

3.1.20 WebshopArticleGroupBluePencilDataTableGroupHeaders: EZ-base Webshop Article Group Edit Data Table Grouped Headers

Catalog: EZBase

Label: Webshop Article Group Edit Data Table Grouped Headers

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopArticleGroupBluePencilDataTableGroupHeaders

Base XPath: /Webshop

XPath: /ArticleGroups/ArticleGroup/BluePencilData/ArticleTableHeader/GroupHeader

Table Columns

The columns of the table

WebshopArticleGroupBluePencilDataTableGroupHeaders are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ARTICLETABLEHEADER_ASSETS	string	Edit Article Table Header Assets		
ARTICLETABLEHEADER_BLUEPEN CILDATA_ARTICLEGROUP_ARTICLE GROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR	string	Classification Name		
ARTICLETABLEHEADER_BLUEPEN CILDATA_ARTICLEGROUP_ARTICLE GROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		

Name	Data Type	Label	Required	Documentation
ARTICLETABLEHEADER_BLUEPEN CILDATA_ARTICLEGROUP_ARTICLE EGROUPS_WEBSHOP_EXPORTSE LECTIONNAME_ATTR	string	Export Selection Name		
ARTICLETABLEHEADER_BLUEPEN CILDATA_ARTICLEGROUP_ARTICLE EGROUPS_WEBSHOP_LANGUAGE _ATTR	int32	Language		
ARTICLETABLEHEADER_BLUEPEN CILDATA_ARTICLEGROUP_ARTICLE EGROUPS_WEBSHOP_RECEIVERG LN_ATTR	string	Receiver GLN		
ARTICLETABLEHEADER_BLUEPEN CILDATA_ARTICLEGROUP_ARTICLE EGROUPS_WEBSHOP_RELATION_ ATTR	string	Company Name		
ARTICLETABLEHEADER_BLUEPEN CILDATA_ARTICLEGROUP_ARTICLE EGROUPS_WEBSHOP_RELATIONG LN_ATTR	string	Company GLN		
ARTICLETABLEHEADER_BLUEPEN CILDATA_ARTICLEGROUP_ARTICLE EGROUPS_WEBSHOP_SENDERGL N_ATTR	string	Sender GLN		
ARTICLETABLEHEADER_BLUEPEN CILDATA_ARTICLEGROUP_ARTICLE EGROUPS_WEBSHOP_TEMPLATE SETTINGS_CLASSIFICATIONMAXL EVEL	int32	Export Settings Maximum Number of Classifications Displayed		
ARTICLETABLEHEADER_BLUEPEN CILDATA_ARTICLEGROUP_ARTICLE EGROUPS_WEBSHOP_TEMPLATE SETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		
ARTICLETABLEHEADER_BLUEPEN CILDATA_ARTICLEGROUP_ARTICLE EGROUPS_WEBSHOP_TEMPLATE SETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
ARTICLETABLEHEADER_BLUEPEN CILDATA_ARTICLEGROUP_ARTICLE EGROUPS_WEBSHOP_TEMPLATE SETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
ARTICLETABLEHEADER_BLUEPEN CILDATA_ARTICLEGROUP_ARTICLE EGROUPS_WEBSHOP_VERSION_ ATTR	decimal	Version		
ARTICLETABLEHEADER_BLUEPEN CILDATA_ARTICLEGROUP_ASSET S	string	Article Group Assets		
ARTICLETABLEHEADER_BLUEPEN CILDATA_ARTICLEGROUP_BRAND	string	Article Group Brand		
ARTICLETABLEHEADER_BLUEPEN CILDATA_ARTICLEGROUP_CLASS IFICATIONS_CLASSIFICATION_ID_ ATTR	int32	Classification ID		
ARTICLETABLEHEADER_BLUEPEN CILDATA_ARTICLEGROUP_CLASS	string	Classification Name		

Name	Data Type	Label	Required	Documentation
IFICATIONS_CLASSIFICATION_NAME_ATTR				
ARTICLETABLEHEADER_BLUEPEN CILDATA_ARTICLEGROUP_CLASS IFICATIONS_ETIM_ECCODE_ATTR	string	ETIM Class Code		
ARTICLETABLEHEADER_BLUEPEN CILDATA_ARTICLEGROUP_ID_ATT R	int32	Article Group ID		
ARTICLETABLEHEADER_BLUEPEN CILDATA_ARTICLEGROUP_KIND	string	Article Group Kind		
ARTICLETABLEHEADER_BLUEPEN CILDATA_ARTICLEGROUP_LEGAC YID_ATTR	string	Article Group Legacy ID		
ARTICLETABLEHEADER_BLUEPEN CILDATA_ARTICLEGROUP_MANUF ACTURERGLN	string	Article Group Manufacturer GLN		
ARTICLETABLEHEADER_BLUEPEN CILDATA_ARTICLEGROUP_NAME	string	Article Group Name		
ARTICLETABLEHEADER_BLUEPEN CILDATA_ARTICLEGROUP_POSITI ON_ATTR	int32	Article Group Position		
ARTICLETABLEHEADER_BLUEPEN CILDATA_ARTICLEGROUP_STATE S_AVAILABLE_FIRST_ATTR	string	State Available First		
ARTICLETABLEHEADER_BLUEPEN CILDATA_ARTICLEGROUP_STATE S_AVAILABLE_LAST_ATTR	string	State Available Last		
ARTICLETABLEHEADER_BLUEPEN CILDATA_ARTICLEGROUP_STATE S_BLUEPENCIL	string	State Edit		
ARTICLETABLEHEADER_BLUEPEN CILDATA_ARTICLEGROUP_STATE S_CLASSIFICATION	string	State Classification		
ARTICLETABLEHEADER_BLUEPEN CILDATA_ARTICLEGROUP_STATE S_CONFIRM	string	State Confirm		
ARTICLETABLEHEADER_BLUEPEN CILDATA_ARTICLEGROUP_STATE S_LIFETIME	string	State Life Time		
ARTICLETABLEHEADER_BLUEPEN CILDATA_ARTICLEGROUP_STATE S_PRODUCTION	string	State Production		
ARTICLETABLEHEADER_BLUEPEN CILDATA_ARTICLEGROUP_SUPPLI ER_DATAPROVIDERGLN_ATTR	string	Article Group Supplier Data Provider GLN		
ARTICLETABLEHEADER_BLUEPEN CILDATA_ARTICLEGROUP_SUPPLI ER_GLN_ATTR	string	Article Group Supplier GLN		
ARTICLETABLEHEADER_BLUEPEN CILDATA_ARTICLEGROUP_SUPPLI ER_ID_ATTR	int32	Article Group Supplier ID		
ARTICLETABLEHEADER_BLUEPEN CILDATA_ARTICLEGROUP_SUPPLI	string	Article Group Supplier Name		

Name	Data Type	Label	Required	Documentation
ER_NAME_ATTR				
ARTICLETABLEHEADER_BLUEPEN CILDATA_ARTICLEGROUP_SUPPLI ER_PURCHASECOMBINATIONGLN _ATTR	string	Article Group Supplier Purchase Combination GLN		
ARTICLETABLEHEADER_BLUEPEN CILDATA_ARTICLEGROUP_TEMPL ATE	string	Article Group Template		
ARTICLETABLEHEADER_BLUEPEN CILDATA_SPECIFICATIONBULLETS _ATTR	boolean	Edit Data Specification Bullets		
ARTICLETABLEHEADER_BLUEPEN CILDATA_TRANSPOSED_ATTR	boolean	Edit Data Transposed		
ARTICLETABLEHEADER_HEADERI D_ATTR	int32	Edit Article Table Header Header ID		
ARTICLETABLEHEADER_ID_ATTR	int32	Edit Article Table Header ID		
ARTICLETABLEHEADER_ISGROUP ED_ATTR	boolean	Edit Article Table Header Is Grouped		
ARTICLETABLEHEADER_ISHIDDEN _ATTR	boolean	Edit Article Table Header Is Hidden		
ARTICLETABLEHEADER_NAME	string	Edit Article Table Header Name		
ARTICLETABLEHEADER_POSITION _ATTR	int32	Edit Article Table Header Position		
ARTICLETABLEHEADER_SEPARAT OR_ATTR	string	Edit Article Table Header Separator		
ARTICLETABLEHEADER_TOSPECIF ICATION_ATTR	boolean	Edit Article Table Header Copy to Specification		
INTERFACE_URL	string(4000)	Interface URL	<input checked="" type="checkbox"/>	

3.1.21 WebshopArticleGroupBluePencilDataTableHeaders: EZ-base Webshop Article Group Edit Data Table Headers

Catalog: EZBase

Label: Webshop Article Group Edit Data Table Headers

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopArticleGroupBluePencilDataTableHeaders

Base XPath: /Webshop

XPath: /ArticleGroups/ArticleGroup/BluePencilData/ArticleTableHeader

Table Columns

The columns of the table `WebshopArticleGroupBluePencilDataTableHeaders` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ASSETS	string	Assets		
BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR	string	Classification Name		
BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR	int32	Language		
BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		
BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR	string	Company Name		
BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		
BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR	string	Sender GLN		
BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		
BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		
BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR	decimal	Version		
BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUP_ASSETS	string	Article Group Assets		
BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUP_BRAND	string	Article Group Brand		
BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR	int32	Classification ID		
BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR	string	Classification Name		

Name	Data Type	Label	Required	Documentation
BLUEPENCILDATA_ARTICLEGROUP_CLASSIFICATIONS_ETIM_EC CODE_ATTR	string	ETIM Class Code		
BLUEPENCILDATA_ARTICLEGROUP_ID_ATTR	int32	Article Group ID		
BLUEPENCILDATA_ARTICLEGROUP_KIND	string	Article Group Kind		
BLUEPENCILDATA_ARTICLEGROUP_LEGACYID_ATTR	string	Article Group Legacy ID		
BLUEPENCILDATA_ARTICLEGROUP_MANUFACTURERGLN	string	Article Group Manufacturer GLN		
BLUEPENCILDATA_ARTICLEGROUP_NAME	string	Article Group Name		
BLUEPENCILDATA_ARTICLEGROUP_POSITION_ATTR	int32	Article Group Position		
BLUEPENCILDATA_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR	string	State Available First		
BLUEPENCILDATA_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR	string	State Available Last		
BLUEPENCILDATA_ARTICLEGROUP_STATES_BLUEPENCIL	string	State Edit		
BLUEPENCILDATA_ARTICLEGROUP_STATES_CLASSIFICATION	string	State Classification		
BLUEPENCILDATA_ARTICLEGROUP_STATES_CONFIRM	string	State Confirm		
BLUEPENCILDATA_ARTICLEGROUP_STATES_LIFETIME	string	State Life Time		
BLUEPENCILDATA_ARTICLEGROUP_STATES_PRODUCTION	string	State Production		
BLUEPENCILDATA_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR	string	Article Group Supplier Data Provider GLN		
BLUEPENCILDATA_ARTICLEGROUP_SUPPLIER_GLN_ATTR	string	Article Group Supplier GLN		
BLUEPENCILDATA_ARTICLEGROUP_SUPPLIER_ID_ATTR	int32	Article Group Supplier ID		
BLUEPENCILDATA_ARTICLEGROUP_SUPPLIER_NAME_ATTR	string	Article Group Supplier Name		
BLUEPENCILDATA_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR	string	Article Group Supplier Purchase Combination GLN		
BLUEPENCILDATA_ARTICLEGROUP_TEMPLATE	string	Article Group Template		
BLUEPENCILDATA_SPECIFICATION_BULLETS_ATTR	boolean	Edit Data Specification Bullets		
BLUEPENCILDATA_TRANSPOSED_ATTR	boolean	Edit Data Transposed		
HEADERID_ATTR	int32	Header ID		
ID_ATTR	int32	ID		

Name	Data Type	Label	Required	Documentation
INTERFACE_URL	string(4000)	Interface URL	<input checked="" type="checkbox"/>	
ISGROUPED_ATTR	boolean	Is Grouped		
ISHIDDEN_ATTR	boolean	Is Hidden		
NAME	string	Name		
POSITION_ATTR	int32	Position		
SEPARATOR_ATTR	string	Separator		
TOSPECIFICATION_ATTR	boolean	Copy to Specification		

3.1.22 WebshopArticleGroupClassifications: EZ-base Webshop Article Group Classifications

Catalog: EZBase

Label: Webshop Article Group Classifications

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopArticleGroupClassifications

Base XPath: /Webshop

XPath: /ArticleGroups/ArticleGroup/Classifications/Classification

Table Columns

The columns of the table WebshopArticleGroupClassifications are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
CLASSIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR	string	Classification Name		
CLASSIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
CLASSIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
CLASSIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR	int32	Language		
CLASSIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		
CLASSIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR	string	Company Name		
CLASSIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		
CLASSIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR	string	Sender GLN		

Name	Data Type	Label	Required	Documentation
ENDERGLN_ATTR				
CLASSIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		
CLASSIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		
CLASSIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
CLASSIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
CLASSIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR	decimal	Version		
CLASSIFICATIONS_ARTICLEGROUP_ASSETS	string	Article Group Assets		
CLASSIFICATIONS_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR	boolean	Edit Data Specification Bullets		
CLASSIFICATIONS_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR	boolean	Edit Data Transposed		
CLASSIFICATIONS_ARTICLEGROUP_BRAND	string	Article Group Brand		
CLASSIFICATIONS_ARTICLEGROUP_ID_ATTR	int32	Article Group ID		
CLASSIFICATIONS_ARTICLEGROUP_KIND	string	Article Group Kind		
CLASSIFICATIONS_ARTICLEGROUP_LEGACYID_ATTR	string	Article Group Legacy ID		
CLASSIFICATIONS_ARTICLEGROUP_MANUFACTURERGLN	string	Article Group Manufacturer GLN		
CLASSIFICATIONS_ARTICLEGROUP_NAME	string	Article Group Name		
CLASSIFICATIONS_ARTICLEGROUP_POSITION_ATTR	int32	Article Group Position		
CLASSIFICATIONS_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR	string	State Available First		
CLASSIFICATIONS_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR	string	State Available Last		
CLASSIFICATIONS_ARTICLEGROUP_STATES_BLUEPENCIL	string	State Edit		
CLASSIFICATIONS_ARTICLEGROUP_STATES_CLASSIFICATION	string	State Classification		

Name	Data Type	Label	Required	Documentation
CLASSIFICATIONS_ARTICLEGROUP_STATES_CONFIRM	string	State Confirm		
CLASSIFICATIONS_ARTICLEGROUP_STATES_LIFETIME	string	State Life Time		
CLASSIFICATIONS_ARTICLEGROUP_STATES_PRODUCTION	string	State Production		
CLASSIFICATIONS_ARTICLEGROUP_SUPPLIER_DATA_PROVIDER_GLN_ATTR	string	Article Group Supplier Data Provider GLN		
CLASSIFICATIONS_ARTICLEGROUP_SUPPLIER_GLN_ATTR	string	Article Group Supplier GLN		
CLASSIFICATIONS_ARTICLEGROUP_SUPPLIER_ID_ATTR	int32	Article Group Supplier ID		
CLASSIFICATIONS_ARTICLEGROUP_SUPPLIER_NAME_ATTR	string	Article Group Supplier Name		
CLASSIFICATIONS_ARTICLEGROUP_SUPPLIER_PURCHASE_COMBINATION_GLN_ATTR	string	Article Group Supplier Purchase Combination GLN		
CLASSIFICATIONS_ARTICLEGROUP_TEMPLATE	string	Article Group Template		
CLASSIFICATIONS_ETIM_ECCODE_ATTR	string	ETIM Class Code		
ID_ATTR	int32	ID		
INTERFACE_URL	string(4000)	Interface URL	<input checked="" type="checkbox"/>	
NAME_ATTR	string	Name		

3.1.23 WebshopArticleGroupNormalizedHeaders: EZ-base Webshop Article Group Normalized Headers

Catalog: EZBase

Label: Webshop Article Group Normalized Headers

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopArticleGroupNormalizedHeaders

Base XPath: /Webshop

XPath: /ArticleGroups/ArticleGroup/NormalizedHeaders/NormalizedHeader

Table Columns

The columns of the table WebshopArticleGroupNormalizedHeaders are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ID_ATTR	int32	ID		
INTERFACE_URL	string(4000)	Interface URL	<input checked="" type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
NORMALIZEDHEADER	string	Article Group Normalized Header		
NORMALIZEDHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOPP_CLASSIFICATION_NAME_ATTR	string	Classification Name		
NORMALIZEDHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOPP_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
NORMALIZEDHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOPP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
NORMALIZEDHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOPP_LANGUAGE_ATTR	int32	Language		
NORMALIZEDHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOPP_RECEIVERGLN_ATTR	string	Receiver GLN		
NORMALIZEDHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOPP_RELATION_ATTR	string	Company Name		
NORMALIZEDHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOPP_RELATIONGLN_ATTR	string	Company GLN		
NORMALIZEDHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOPP_SENDERGLN_ATTR	string	Sender GLN		
NORMALIZEDHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOPP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		
NORMALIZEDHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOPP_TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		
NORMALIZEDHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOPP_TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
NORMALIZEDHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOPP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
NORMALIZEDHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOPP_VERSION_ATTR	decimal	Version		
NORMALIZEDHEADERS_ARTICLEGROUP_ARTICLEGROUPS_ASSETS	string	Article Group Assets		
NORMALIZEDHEADERS_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR	boolean	Edit Data Specification Bullets		
NORMALIZEDHEADERS_ARTICLEGROUP_BLUEPENCILDATA_TRANSPPOSED_ATTR	boolean	Edit Data Transposed		

Name	Data Type	Label	Required	Documentation
NORMALIZEDHEADERS_ARTICLEGROUP_BRAND	string	Article Group Brand		
NORMALIZEDHEADERS_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR	int32	Classification ID		
NORMALIZEDHEADERS_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR	string	Classification Name		
NORMALIZEDHEADERS_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECODE_ATTR	string	ETIM Class Code		
NORMALIZEDHEADERS_ARTICLEGROUP_ID_ATTR	int32	Article Group ID		
NORMALIZEDHEADERS_ARTICLEGROUP_KIND	string	Article Group Kind		
NORMALIZEDHEADERS_ARTICLEGROUP_LEGACYID_ATTR	string	Article Group Legacy ID		
NORMALIZEDHEADERS_ARTICLEGROUP_MANUFACTURERGLN	string	Article Group Manufacturer GLN		
NORMALIZEDHEADERS_ARTICLEGROUP_NAME	string	Article Group Name		
NORMALIZEDHEADERS_ARTICLEGROUP_POSITION_ATTR	int32	Article Group Position		
NORMALIZEDHEADERS_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR	string	State Available First		
NORMALIZEDHEADERS_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR	string	State Available Last		
NORMALIZEDHEADERS_ARTICLEGROUP_STATES_BLUEPENCIL	string	State Edit		
NORMALIZEDHEADERS_ARTICLEGROUP_STATES_CLASSIFICATION	string	State Classification		
NORMALIZEDHEADERS_ARTICLEGROUP_STATES_CONFIRM	string	State Confirm		
NORMALIZEDHEADERS_ARTICLEGROUP_STATES_LIFETIME	string	State Life Time		
NORMALIZEDHEADERS_ARTICLEGROUP_STATES_PRODUCTION	string	State Production		
NORMALIZEDHEADERS_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR	string	Article Group Supplier Data Provider GLN		
NORMALIZEDHEADERS_ARTICLEGROUP_SUPPLIER_GLN_ATTR	string	Article Group Supplier GLN		
NORMALIZEDHEADERS_ARTICLEGROUP_SUPPLIER_ID_ATTR	int32	Article Group Supplier ID		
NORMALIZEDHEADERS_ARTICLEGROUP_SUPPLIER_NAME_ATTR	string	Article Group Supplier Name		
NORMALIZEDHEADERS_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR	string	Article Group Supplier Purchase Combination GLN		

Name	Data Type	Label	Required	Documentation
NORMALIZEDHEADERS_ARTICLEGROUP_TEMPLATE	string	Article Group Template		
TYPE_ATTR	string	Type		
UNIT_ATTR	string	Unit		

3.1.24 WebshopArticleGroups: EZ-base Webshop Article Groups

Catalog: EZBase

Label: Webshop Article Groups

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopArticleGroups

Base XPath: /Webshop

XPath: /ArticleGroups/ArticleGroup

Table Columns

The columns of the table `WebshopArticleGroups` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR	string	Classification Name		
ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR	int32	Language		
ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		
ARTICLEGROUPS_WEBSHOP_RELATION_ATTR	string	Company Name		
ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		
ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR	string	Sender GLN		
ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATION_MAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		
ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		
ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		

Name	Data Type	Label	Required	Documentation
ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
ARTICLEGROUPS_WEBSHOP_VERSION_ATTR	decimal	Version		
ASSETS	string	Assets		
BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR	boolean	Edit Data Specification Bullets		
BLUEPENCILDATA_TRANSPOSED_ATTR	boolean	Edit Data Transposed		
BRAND	string	Brand		
CLASSIFICATIONS_CLASSIFICATION_ID_ATTR	int32	Classification ID		
CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR	string	Classification Name		
CLASSIFICATIONS_ETIM_ECCODE_ATTR	string	ETIM Class Code		
ID_ATTR	int32	ID		
INTERFACE_URL	string(4000)	Interface URL	<input checked="" type="checkbox"/>	
KIND	string	Kind		
LEGACYID_ATTR	string	Legacy ID		
MANUFACTURERGLN	string	Manufacturer GLN		
NAME	string	Name		
POSITION_ATTR	int32	Position		
STATES_AVAILABLE_FIRST_ATTR	string	Available State First		
STATES_AVAILABLE_LAST_ATTR	string	Available State Last		
STATES_BLUEPENCIL	string	State Edit		
STATES_CLASSIFICATION	string	State Classification		
STATES_CONFIRM	string	State Confirm		
STATES_LIFETIME	string	State Life Time		
STATES_PRODUCTION	string	State Production		
SUPPLIER_DATAPROVIDERGLN_ATTR	string	Supplier Data Provider GLN		
SUPPLIER_GLN_ATTR	string	Supplier GLN		
SUPPLIER_ID_ATTR	int32	Supplier ID		
SUPPLIER_NAME_ATTR	string	Supplier Name		
SUPPLIER_PURCHASECOMBINATIONGLN_ATTR	string	Supplier Purchase Combination GLN		
TEMPLATE	string	Template		

3.1.25 WebshopArticleGroupSpecificationProperties: EZ-base Webshop Article Group Specification Properties

Catalog: EZBase

Label: Webshop Article Group Specification Properties

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopArticleGroupSpecificationProperties

Base XPath: /Webshop

XPath: /ArticleGroups/ArticleGroup/SpecificationProperties/Property

Table Columns

The columns of the table `WebshopArticleGroupSpecificationProperties` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
INTERFACE_URL	string(4000)	Interface URL	<input checked="" type="checkbox"/>	
PROPERTY	string	Article Group Specification Property		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR	string	Classification Name		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR	int32	Language		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR	string	Company Name		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR	string	Sender GLN		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		

Name	Data Type	Label	Required	Documentation
SPECIFICATIONPROPERTIES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR	decimal	Version		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_ASSETS	string	Article Group Assets		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR	boolean	Edit Data Specification Bullets		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR	boolean	Edit Data Transposed		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_BRAND	string	Article Group Brand		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR	int32	Classification ID		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR	string	Classification Name		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR	string	ETIM Class Code		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_ID_ATTR	int32	Article Group ID		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_KIND	string	Article Group Kind		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_LEGACYID_ATTR	string	Article Group Legacy ID		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_MANUFACTURERGLN	string	Article Group Manufacturer GLN		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_NAME	string	Article Group Name		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_POSITION_ATTR	int32	Article Group Position		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR	string	State Available First		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR	string	State Available Last		

Name	Data Type	Label	Required	Documentation
SPECIFICATIONPROPERTIES_ARTICLEGROUP_STATES_BLUEPENCIL	string	State Edit		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_STATES_CLASSIFICATION	string	State Classification		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_STATES_CONFIRM	string	State Confirm		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_STATES_LIFETIME	string	State Life Time		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_STATES_PRODUCTION	string	State Production		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR	string	Article Group Supplier Data Provider GLN		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_SUPPLIER_GLN_ATTR	string	Article Group Supplier GLN		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_SUPPLIER_ID_ATTR	int32	Article Group Supplier ID		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_SUPPLIER_NAME_ATTR	string	Article Group Supplier Name		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR	string	Article Group Supplier Purchase Combination GLN		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_TEMPLATE	string	Article Group Template		
TABLEHEADER_ATTR	int32	Table Header		

3.1.26 WebshopArticleGroupSpecifications: EZ-base Webshop Article Group Specifications

Catalog: EZBase

Label: Webshop Article Group Specifications

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopArticleGroupSpecifications

Base XPath: /Webshop

XPath: /ArticleGroups/ArticleGroup/Specifications/Specification

Table Columns

The columns of the table `WebshopArticleGroupSpecifications` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
FOOTER	string	Footer		
HEADER	string	Header		

Name	Data Type	Label	Required	Documentation
INTERFACE_URL	string(4000)	Interface URL	<input checked="" type="checkbox"/>	
SPECIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR	string	Classification Name		
SPECIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
SPECIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
SPECIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR	int32	Language		
SPECIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		
SPECIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR	string	Company Name		
SPECIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		
SPECIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR	string	Sender GLN		
SPECIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		
SPECIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		
SPECIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
SPECIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
SPECIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR	decimal	Version		
SPECIFICATIONS_ARTICLEGROUP_ASSETS	string	Article Group Assets		
SPECIFICATIONS_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR	boolean	Edit Data Specification Bullets		
SPECIFICATIONS_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR	boolean	Edit Data Transposed		
SPECIFICATIONS_ARTICLEGROUP_BRAND	string	Article Group Brand		

Name	Data Type	Label	Required	Documentation
SPECIFICATIONS_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR	int32	Classification ID		
SPECIFICATIONS_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR	string	Classification Name		
SPECIFICATIONS_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR	string	ETIM Class Code		
SPECIFICATIONS_ARTICLEGROUP_ID_ATTR	int32	Article Group ID		
SPECIFICATIONS_ARTICLEGROUP_KIND	string	Article Group Kind		
SPECIFICATIONS_ARTICLEGROUP_LEGACYID_ATTR	string	Article Group Legacy ID		
SPECIFICATIONS_ARTICLEGROUP_MANUFACTURERGLN	string	Article Group Manufacturer GLN		
SPECIFICATIONS_ARTICLEGROUP_NAME	string	Article Group Name		
SPECIFICATIONS_ARTICLEGROUP_POSITION_ATTR	int32	Article Group Position		
SPECIFICATIONS_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR	string	State Available First		
SPECIFICATIONS_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR	string	State Available Last		
SPECIFICATIONS_ARTICLEGROUP_STATES_BLUEPENCIL	string	State Edit		
SPECIFICATIONS_ARTICLEGROUP_STATES_CLASSIFICATION	string	State Classification		
SPECIFICATIONS_ARTICLEGROUP_STATES_CONFIRM	string	State Confirm		
SPECIFICATIONS_ARTICLEGROUP_STATES_LIFETIME	string	State Life Time		
SPECIFICATIONS_ARTICLEGROUP_STATES_PRODUCTION	string	State Production		
SPECIFICATIONS_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR	string	Article Group Supplier Data Provider GLN		
SPECIFICATIONS_ARTICLEGROUP_SUPPLIER_GLN_ATTR	string	Article Group Supplier GLN		
SPECIFICATIONS_ARTICLEGROUP_SUPPLIER_ID_ATTR	int32	Article Group Supplier ID		
SPECIFICATIONS_ARTICLEGROUP_SUPPLIER_NAME_ATTR	string	Article Group Supplier Name		
SPECIFICATIONS_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR	string	Article Group Supplier Purchase Combination GLN		
SPECIFICATIONS_ARTICLEGROUP_TEMPLATE	string	Article Group Template		

Name	Data Type	Label	Required	Documentation
TYPE_ATTR	string	Type		

3.1.27 WebshopArticleGroupSubGroups: EZ-base Webshop Article Group Sub Groups

Catalog: EZBase

Label: Webshop Article Group Sub Groups

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopArticleGroupSubGroups

Base XPath: /Webshop

XPath: /ArticleGroups/ArticleGroup/ArticleSubGroups/ArticleSubGroup

Table Columns

The columns of the table WebshopArticleGroupSubGroups are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ARTICLESUBGROUPS_ARTICLEGR OUP_ARTICLEGROUPS_WEBSHOP _CLASSIFICATION_NAME_ATTR	string	Classification Name		
ARTICLESUBGROUPS_ARTICLEGR OUP_ARTICLEGROUPS_WEBSHOP _ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
ARTICLESUBGROUPS_ARTICLEGR OUP_ARTICLEGROUPS_WEBSHOP _EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
ARTICLESUBGROUPS_ARTICLEGR OUP_ARTICLEGROUPS_WEBSHOP _LANGUAGE_ATTR	int32	Language		
ARTICLESUBGROUPS_ARTICLEGR OUP_ARTICLEGROUPS_WEBSHOP _RECEIVERGLN_ATTR	string	Receiver GLN		
ARTICLESUBGROUPS_ARTICLEGR OUP_ARTICLEGROUPS_WEBSHOP _RELATION_ATTR	string	Company Name		
ARTICLESUBGROUPS_ARTICLEGR OUP_ARTICLEGROUPS_WEBSHOP _RELATIONGLN_ATTR	string	Company GLN		
ARTICLESUBGROUPS_ARTICLEGR OUP_ARTICLEGROUPS_WEBSHOP _SENDERGLN_ATTR	string	Sender GLN		
ARTICLESUBGROUPS_ARTICLEGR OUP_ARTICLEGROUPS_WEBSHOP _TEMPLATESETTINGS_CLASSIFIC ATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		
ARTICLESUBGROUPS_ARTICLEGR OUP_ARTICLEGROUPS_WEBSHOP	boolean	Export Settings Display Synonyms		

Name	Data Type	Label	Required	Documentation
_TEMPLATESETTINGS_DISPLAYSYNONYMS				
ARTICLESUBGROUPS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
ARTICLESUBGROUPS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
ARTICLESUBGROUPS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR	decimal	Version		
ARTICLESUBGROUPS_ARTICLEGROUP_ASSETS	string	Article Group Assets		
ARTICLESUBGROUPS_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR	boolean	Edit Data Specification Bullets		
ARTICLESUBGROUPS_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR	boolean	Edit Data Transposed		
ARTICLESUBGROUPS_ARTICLEGROUP_BRAND	string	Article Group Brand		
ARTICLESUBGROUPS_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR	int32	Classification ID		
ARTICLESUBGROUPS_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR	string	Classification Name		
ARTICLESUBGROUPS_ARTICLEGROUP_CLASSIFICATIONS_ETIM_EC_CODE_ATTR	string	ETIM Class Code		
ARTICLESUBGROUPS_ARTICLEGROUP_ID_ATTR	int32	Article Group ID		
ARTICLESUBGROUPS_ARTICLEGROUP_KIND	string	Article Group Kind		
ARTICLESUBGROUPS_ARTICLEGROUP_LEGACYID_ATTR	string	Article Group Legacy ID		
ARTICLESUBGROUPS_ARTICLEGROUP_MANUFACTURERGLN	string	Article Group Manufacturer GLN		
ARTICLESUBGROUPS_ARTICLEGROUP_NAME	string	Article Group Name		
ARTICLESUBGROUPS_ARTICLEGROUP_POSITION_ATTR	int32	Article Group Position		
ARTICLESUBGROUPS_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR	string	State Available First		
ARTICLESUBGROUPS_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR	string	State Available Last		
ARTICLESUBGROUPS_ARTICLEGROUP_STATES_BLUEPENCIL	string	State Edit		

Name	Data Type	Label	Required	Documentation
ARTICLESUBGROUPS_ARTICLEGROUP_STATES_CLASSIFICATION	string	State Classification		
ARTICLESUBGROUPS_ARTICLEGROUP_STATES_CONFIRM	string	State Confirm		
ARTICLESUBGROUPS_ARTICLEGROUP_STATES_LIFETIME	string	State Life Time		
ARTICLESUBGROUPS_ARTICLEGROUP_STATES_PRODUCTION	string	State Production		
ARTICLESUBGROUPS_ARTICLEGROUP_SUPPLIER_DATA_PROVIDER_GLN_ATTR	string	Article Group Supplier Data Provider GLN		
ARTICLESUBGROUPS_ARTICLEGROUP_SUPPLIER_GLN_ATTR	string	Article Group Supplier GLN		
ARTICLESUBGROUPS_ARTICLEGROUP_SUPPLIER_ID_ATTR	int32	Article Group Supplier ID		
ARTICLESUBGROUPS_ARTICLEGROUP_SUPPLIER_NAME_ATTR	string	Article Group Supplier Name		
ARTICLESUBGROUPS_ARTICLEGROUP_SUPPLIER_PURCHASE_COMBINATION_GLN_ATTR	string	Article Group Supplier Purchase Combination GLN		
ARTICLESUBGROUPS_ARTICLEGROUP_TEMPLATE	string	Article Group Template		
FOOTER	string	Footer		
HEADER	string	Header		
ID_ATTR	int32	ID		
INTERFACE_URL	string(4000)	Interface URL	<input checked="" type="checkbox"/>	
POSITION_ATTR	int32	Position		

3.1.28 WebshopArticleGroupSupplierHeaderAssets: EZ-base Webshop Article Group Supplier Header Assets

Catalog: EZBase

Label: Webshop Article Group Supplier Header Assets

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopArticleGroupSupplierHeaderAssets

Base XPath: /Webshop

XPath: /ArticleGroups/ArticleGroup/SupplierHeaders/SupplierHeader/Assets/Asset

Table Columns

The columns of the table `WebshopArticleGroupSupplierHeaderAssets` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ASSETS_SUPPLIERHEADER_DESCRIPTION	string			
ASSETS_SUPPLIERHEADER_ID_ATTR	int32			
ASSETS_SUPPLIERHEADER_NAME_ATTR	string			
ASSETS_SUPPLIERHEADER_SPLIT_MODE_ATTR	string			
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR	string	Classification Name		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR	int32	Language		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR	string	Company Name		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR	string	Sender GLN		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLETESETTINGS_CLASSIFICATION_MAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLETESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLETESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		

Name	Data Type	Label	Required	Documentation
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMP_LATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR	decimal	Version		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_ASSETS	string	Article Group Assets		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR	boolean	Edit Data Specification Bullets		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR	boolean	Edit Data Transposed		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_BRAND	string	Article Group Brand		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR	int32	Classification ID		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR	string	Classification Name		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR	string	ETIM Class Code		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_ID_ATTR	int32	Article Group ID		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_KIND	string	Article Group Kind		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_LEGACYID_ATTR	string	Article Group Legacy ID		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_MANUFACTURERGLN	string	Article Group Manufacturer GLN		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_NAME	string	Article Group Name		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_POSITION_ATTR	int32	Article Group Position		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR	string	State Available First		

Name	Data Type	Label	Required	Documentation
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR	string	State Available Last		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_STATES_BLUEPENCIL	string	State Edit		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_STATES_CLASSIFICATION	string	State Classification		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_STATES_CONFIRM	string	State Confirm		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_STATES_LIFETIME	string	State Life Time		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_STATES_PRODUCTION	string	State Production		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR	string	Article Group Supplier Data Provider GLN		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_SUPPLIER_GLN_ATTR	string	Article Group Supplier GLN		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_SUPPLIER_ID_ATTR	int32	Article Group Supplier ID		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_SUPPLIER_NAME_ATTR	string	Article Group Supplier Name		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATION_GLN_ATTR	string	Article Group Supplier Purchase Combination GLN		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_TEMPLATE	string	Article Group Template		
CATEGORY_ATTR	int32	Category		
DESCRIPTION	string	Description		
ID_ATTR	string	ID		
INTERFACE_URL	string(4000)	Interface URL	<input checked="" type="checkbox"/>	
ORIGINALEXTENSION	string	Original Extension		
ORIGINALFILE	string	Original File		
POSITION_ATTR	int32	Position		
THUMBNAILURL	string	Thumbnail (URL)		
TYPE_ATTR	string	Type		
URL	string	URL		

3.1.29 WebshopArticleGroupSupplierHeaders: EZ-base Webshop Article Group Supplier Headers

Catalog: EZBase

Label: Webshop Article Group Supplier Headers

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopArticleGroupSupplierHeaders

Base XPath: /Webshop

XPath: /ArticleGroups/ArticleGroup/SupplierHeaders/SupplierHeader

Table Columns

The columns of the table `WebshopArticleGroupSupplierHeaders` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ASSETS	string	Assets		
DESCRIPTION	string	Description		
ID_ATTR	int32	ID		
INTERFACE_URL	string(4000)	Interface URL	<input checked="" type="checkbox"/>	
NAME_ATTR	string	Name		
SPLITMODE_ATTR	string			
SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR	string	Classification Name		
SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR	int32	Language		
SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		
SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR	string	Company Name		
SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		
SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR	string	Sender GLN		
SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		

Name	Data Type	Label	Required	Documentation
SUPPLIERHEADERS_ARTICLEGROUP_UP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		
SUPPLIERHEADERS_ARTICLEGROUP_UP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
SUPPLIERHEADERS_ARTICLEGROUP_UP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
SUPPLIERHEADERS_ARTICLEGROUP_UP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR	decimal	Version		
SUPPLIERHEADERS_ARTICLEGROUP_UP_ASSETS	string	Article Group Assets		
SUPPLIERHEADERS_ARTICLEGROUP_UP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR	boolean	Edit Data Specification Bullets		
SUPPLIERHEADERS_ARTICLEGROUP_UP_BLUEPENCILDATA_TRANSPOSED_ATTR	boolean	Edit Data Transposed		
SUPPLIERHEADERS_ARTICLEGROUP_UP_BRAND	string	Article Group Brand		
SUPPLIERHEADERS_ARTICLEGROUP_UP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR	int32	Classification ID		
SUPPLIERHEADERS_ARTICLEGROUP_UP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR	string	Classification Name		
SUPPLIERHEADERS_ARTICLEGROUP_UP_CLASSIFICATIONS_ETIM_ECCECODE_ATTR	string	ETIM Class Code		
SUPPLIERHEADERS_ARTICLEGROUP_UP_ID_ATTR	int32	Article Group ID		
SUPPLIERHEADERS_ARTICLEGROUP_UP_KIND	string	Article Group Kind		
SUPPLIERHEADERS_ARTICLEGROUP_UP_LEGACYID_ATTR	string	Article Group Legacy ID		
SUPPLIERHEADERS_ARTICLEGROUP_UP_MANUFACTURERGLN	string	Article Group Manufacturer GLN		
SUPPLIERHEADERS_ARTICLEGROUP_UP_NAME	string	Article Group Name		
SUPPLIERHEADERS_ARTICLEGROUP_UP_POSITION_ATTR	int32	Article Group Position		
SUPPLIERHEADERS_ARTICLEGROUP_UP_STATES_AVAILABLE_FIRST_ATTR	string	State Available First		
SUPPLIERHEADERS_ARTICLEGROUP_UP_STATES_AVAILABLE_LAST_ATTR	string	State Available Last		

Name	Data Type	Label	Required	Documentation
SUPPLIERHEADERS_ARTICLEGROUP_STATES_BLUEPENCIL	string	State Edit		
SUPPLIERHEADERS_ARTICLEGROUP_STATES_CLASSIFICATION	string	State Classification		
SUPPLIERHEADERS_ARTICLEGROUP_STATES_CONFIRM	string	State Confirm		
SUPPLIERHEADERS_ARTICLEGROUP_STATES_LIFETIME	string	State Life Time		
SUPPLIERHEADERS_ARTICLEGROUP_STATES_PRODUCTION	string	State Production		
SUPPLIERHEADERS_ARTICLEGROUP_SUPPLIER_DATA_PROVIDER_GLN_ATTR	string	Article Group Supplier Data Provider GLN		
SUPPLIERHEADERS_ARTICLEGROUP_SUPPLIER_GLN_ATTR	string	Article Group Supplier GLN		
SUPPLIERHEADERS_ARTICLEGROUP_SUPPLIER_ID_ATTR	int32	Article Group Supplier ID		
SUPPLIERHEADERS_ARTICLEGROUP_SUPPLIER_NAME_ATTR	string	Article Group Supplier Name		
SUPPLIERHEADERS_ARTICLEGROUP_SUPPLIER_PURCHASE_COMBINATION_GLN_ATTR	string	Article Group Supplier Purchase Combination GLN		
SUPPLIERHEADERS_ARTICLEGROUP_TEMPLATE	string	Article Group Template		

3.1.30 WebshopAssetCategories: EZ-base Webshop Asset Categories

Catalog: EZBase

Label: Webshop Asset Categories

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopAssetCategories

Base XPath: /Webshop

XPath: /AssetCategories/Category

Table Columns

The columns of the table `WebshopAssetCategories` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ASSETCATEGORIES_WEBSHOP_CLASSIFICATION_NAME_ATTR	string	Classification Name		
ASSETCATEGORIES_WEBSHOP_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
ASSETCATEGORIES_WEBSHOP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		

Name	Data Type	Label	Required	Documentation
ASSETCATEGORIES_WEBSHOP_LANGUAGE_ATTR	int32	Language		
ASSETCATEGORIES_WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		
ASSETCATEGORIES_WEBSHOP_RELATION_ATTR	string	Company Name		
ASSETCATEGORIES_WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		
ASSETCATEGORIES_WEBSHOP_SENDERGLN_ATTR	string	Sender GLN		
ASSETCATEGORIES_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		
ASSETCATEGORIES_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		
ASSETCATEGORIES_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
ASSETCATEGORIES_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
ASSETCATEGORIES_WEBSHOP_VERSION_ATTR	decimal	Version		
ID_ATTR	int32	ID		
INTERFACE_URL	string(4000)	Interface URL	<input checked="" type="checkbox"/>	
NAME_ATTR	string	Name		
TYPE_ATTR	string	Type		

3.1.31 WebshopClassificationNodeAssets: EZ-base Webshop Classification Node Assets

Catalog: EZBase

Label: Webshop Classification Node Assets

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopClassificationNodeAssets

Base XPath: /Webshop

XPath: /Classification/Node/Assets/Asset

Table Columns

The columns of the table `webshopClassificationNodeAssets` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ASSETS_NODE_BODY	string	Classification Node Body Text		
ASSETS_NODE_CLASSIFICATION_NAME_ATTR	string	Classification Name		
ASSETS_NODE_CLASSIFICATION_WEBSHOP_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
ASSETS_NODE_CLASSIFICATION_WEBSHOP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
ASSETS_NODE_CLASSIFICATION_WEBSHOP_LANGUAGE_ATTR	int32	Language		
ASSETS_NODE_CLASSIFICATION_WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		
ASSETS_NODE_CLASSIFICATION_WEBSHOP_RELATION_ATTR	string	Company Name		
ASSETS_NODE_CLASSIFICATION_WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		
ASSETS_NODE_CLASSIFICATION_WEBSHOP_SENDERGLN_ATTR	string	Sender GLN		
ASSETS_NODE_CLASSIFICATION_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		
ASSETS_NODE_CLASSIFICATION_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		
ASSETS_NODE_CLASSIFICATION_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
ASSETS_NODE_CLASSIFICATION_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
ASSETS_NODE_CLASSIFICATION_WEBSHOP_VERSION_ATTR	decimal	Version		
ASSETS_NODE_CODE_ATTR	string	Classification Node Code		
ASSETS_NODE_DEPTH_ATTR	int32	Classification Node Depth		
ASSETS_NODE_DESCRIPTION	string	Classification Node Description		
ASSETS_NODE_ID_ATTR	int32	Classification Node ID		
ASSETS_NODE_NAME	string	Classification Node Name		
ASSETS_NODE_OWNINFORMATION_BODY	string	Classification Node Own Information Body Text		
ASSETS_NODE_OWNINFORMATION_DESCRIPTION	string	Classification Node Own Information Description		
ASSETS_NODE_OWNINFORMATION_TITLE	string	Classification Node Own Information Title		

Name	Data Type	Label	Required	Documentation
ASSETS_NODE_PARENT_ATTR	int32	Classification Node Parent		
ASSETS_NODE_POSITION_ATTR	int32	Classification Node Position		
ASSETS_NODE_TITLE	string	Classification Node Title		
CATEGORY_ATTR	int32	Category		
DESCRIPTION	string	Description		
ID_ATTR	string	ID		
INTERFACE_URL	string(4000)	Interface URL	<input checked="" type="checkbox"/>	
ORIGINALEXTENSION	string	Original Extension		
ORIGINALFILE	string	Original File		
POSITION_ATTR	int32	Position		
THUMBNAILURL	string	Thumbnail (URL)		
TYPE_ATTR	string	Type		
URL	string	URL		

3.1.32 WebshopClassificationNodePersonalHeaders: EZ-base Webshop Classification Node Personal Headers

Catalog: EZBase

Label: Webshop Classification Node Personal Headers

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopClassificationNodePersonalHeaders

Base XPath: /Webshop

XPath: /Classification/Node/OwnInformation/PersonalHeaders/Header

Table Columns

The columns of the table `WebshopClassificationNodePersonalHeaders` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ID_ATTR	int32	ID		
INTERFACE_URL	string(4000)	Interface URL	<input checked="" type="checkbox"/>	
ISNORMALIZED_ATTR	boolean	Is Normalized		
NAME_ATTR	string	Name		
PERSONALHEADERS_OWNINGINFORMATION_BODY	string	Classification Node Own Information Body Text		
PERSONALHEADERS_OWNINGINFORMATION_DESCRIPTION	string	Classification Node Own Information Description		

Name	Data Type	Label	Required	Documentation
PERSONALHEADERS_OWNINFORMATION_NODE_ASSETS	string	Classification Node Assets		
PERSONALHEADERS_OWNINFORMATION_NODE_BODY	string	Classification Node Body Text		
PERSONALHEADERS_OWNINFORMATION_NODE_CLASSIFICATION_NAME_ATTR	string	Classification Name		
PERSONALHEADERS_OWNINFORMATION_NODE_CLASSIFICATION_WEBSHOP_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
PERSONALHEADERS_OWNINFORMATION_NODE_CLASSIFICATION_WEBSHOP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
PERSONALHEADERS_OWNINFORMATION_NODE_CLASSIFICATION_WEBSHOP_LANGUAGE_ATTR	int32	Language		
PERSONALHEADERS_OWNINFORMATION_NODE_CLASSIFICATION_WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		
PERSONALHEADERS_OWNINFORMATION_NODE_CLASSIFICATION_WEBSHOP_RELATION_ATTR	string	Company Name		
PERSONALHEADERS_OWNINFORMATION_NODE_CLASSIFICATION_WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		
PERSONALHEADERS_OWNINFORMATION_NODE_CLASSIFICATION_WEBSHOP_SENDERGLN_ATTR	string	Sender GLN		
PERSONALHEADERS_OWNINFORMATION_NODE_CLASSIFICATION_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		
PERSONALHEADERS_OWNINFORMATION_NODE_CLASSIFICATION_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		
PERSONALHEADERS_OWNINFORMATION_NODE_CLASSIFICATION_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
PERSONALHEADERS_OWNINFORMATION_NODE_CLASSIFICATION_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
PERSONALHEADERS_OWNINFORMATION_NODE_CLASSIFICATION_WEBSHOP_VERSION_ATTR	decimal	Version		
PERSONALHEADERS_OWNINFORMATION_NODE_CODE_ATTR	string	Classification Node Code		
PERSONALHEADERS_OWNINFORMATION_NODE_DEPTH_ATTR	int32	Classification Node Depth		

Name	Data Type	Label	Required	Documentation
PERSONALHEADERS_OWNINFORMATION_NODE_DESCRIPTION	string	Classification Node Description		
PERSONALHEADERS_OWNINFORMATION_NODE_ID_ATTR	int32	Classification Node ID		
PERSONALHEADERS_OWNINFORMATION_NODE_NAME	string	Classification Node Name		
PERSONALHEADERS_OWNINFORMATION_NODE_PARENT_ATTR	int32	Classification Node Parent		
PERSONALHEADERS_OWNINFORMATION_NODE_POSITION_ATTR	int32	Classification Node Position		
PERSONALHEADERS_OWNINFORMATION_NODE_TITLE	string	Classification Node Title		
PERSONALHEADERS_OWNINFORMATION_TITLE	string	Classification Node Own Information Title		
POSITION_ATTR	int32	Position		

3.1.33 WebshopClassificationNodes: EZ-base Webshop Classification Nodes

Catalog: EZBase

Label: Webshop Classification Nodes

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopClassificationNodes

Base XPath: /Webshop

XPath: /Classification/Node

Table Columns

The columns of the table `WebshopClassificationNodes` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ASSETS	string	Assets		
BODY	string	Body Text		
CLASSIFICATION_NAME_ATTR	string	Classification Name		
CLASSIFICATION_WEBSHOP_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
CLASSIFICATION_WEBSHOP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
CLASSIFICATION_WEBSHOP_LANGUAGE_ATTR	int32	Language		
CLASSIFICATION_WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		
CLASSIFICATION_WEBSHOP_RELATION_ATTR	string	Company Name		

Name	Data Type	Label	Required	Documentation
CLASSIFICATION_WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		
CLASSIFICATION_WEBSHOP_SENDERGLN_ATTR	string	Sender GLN		
CLASSIFICATION_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATION_MAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		
CLASSIFICATION_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		
CLASSIFICATION_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
CLASSIFICATION_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
CLASSIFICATION_WEBSHOP_VERSION_ATTR	decimal	Version		
CODE_ATTR	string	Code		
DEPTH_ATTR	int32	Depth		
DESCRIPTION	string	Description		
ID_ATTR	int32	ID		
INTERFACE_URL	string(4000)	Interface URL	<input checked="" type="checkbox"/>	
NAME	string	Name		
OWNINFORMATION_BODY	string	Own Information Body Text		
OWNINFORMATION_DESCRIPTION	string	Own Information Description		
OWNINFORMATION_TITLE	string	Own Information Title		
PARENT_ATTR	int32	Parent		
POSITION_ATTR	int32	Position		
TITLE	string	Title		

3.1.34 WebshopClassificationNodeSynonyms: EZ-base Webshop Classification Node Synonyms

Catalog: EZBase

Label: Webshop Classification Node Synonyms

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopClassificationNodeSynonyms

Base XPath: /Webshop

XPath: /Classification/Node/Synonyms/Synonym

Table Columns

The columns of the table `WebshopClassificationNodeSynonyms` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
<code>INTERFACE_URL</code>	string(4000)	Interface URL	<input checked="" type="checkbox"/>	
<code>SYNONYM</code>	string	Synonym		
<code>SYNONYMS_NODE_ASSETS</code>	string	Classification Node Assets		
<code>SYNONYMS_NODE_BODY</code>	string	Classification Node Body Text		
<code>SYNONYMS_NODE_CLASSIFICATION_NAME_ATTR</code>	string	Classification Name		
<code>SYNONYMS_NODE_CLASSIFICATION_WEBSHOP_ETIM_VERSIONNUMBER_ATTR</code>	string	ETIM Classification		
<code>SYNONYMS_NODE_CLASSIFICATION_WEBSHOP_EXPORTSELECTIONNAME_ATTR</code>	string	Export Selection Name		
<code>SYNONYMS_NODE_CLASSIFICATION_WEBSHOP_LANGUAGE_ATTR</code>	int32	Language		
<code>SYNONYMS_NODE_CLASSIFICATION_WEBSHOP_RECEIVERGLN_ATTR</code>	string	Receiver GLN		
<code>SYNONYMS_NODE_CLASSIFICATION_WEBSHOP_RELATION_ATTR</code>	string	Company Name		
<code>SYNONYMS_NODE_CLASSIFICATION_WEBSHOP_RELATIONGLN_ATTR</code>	string	Company GLN		
<code>SYNONYMS_NODE_CLASSIFICATION_WEBSHOP_SENDERGLN_ATTR</code>	string	Sender GLN		
<code>SYNONYMS_NODE_CLASSIFICATION_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL</code>	int32	Export Settings Maximum Number of Classifications Displayed		
<code>SYNONYMS_NODE_CLASSIFICATION_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS</code>	boolean	Export Settings Display Synonyms		
<code>SYNONYMS_NODE_CLASSIFICATION_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT</code>	int32	Export Settings Number of Images Displayed		
<code>SYNONYMS_NODE_CLASSIFICATION_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT</code>	int32	Export Settings Number of Properties Displayed		
<code>SYNONYMS_NODE_CLASSIFICATION_WEBSHOP_VERSION_ATTR</code>	decimal	Version		
<code>SYNONYMS_NODE_CODE_ATTR</code>	string	Classification Node Code		
<code>SYNONYMS_NODE_DEPTH_ATTR</code>	int32	Classification Node Depth		
<code>SYNONYMS_NODE_DESCRIPTION</code>	string	Classification Node Description		
<code>SYNONYMS_NODE_ID_ATTR</code>	int32	Classification Node ID		

Name	Data Type	Label	Required	Documentation
SYNONYMS_NODE_NAME	string	Classification Node Name		
SYNONYMS_NODE_OWNNINFORMATION_BODY	string	Classification Node Own Information Body Text		
SYNONYMS_NODE_OWNNINFORMATION_DESCRIPTION	string	Classification Node Own Information Description		
SYNONYMS_NODE_OWNNINFORMATION_TITLE	string	Classification Node Own Information Title		
SYNONYMS_NODE_PARENT_ATTR	int32	Classification Node Parent		
SYNONYMS_NODE_POSITION_ATTR	int32	Classification Node Position		
SYNONYMS_NODE_TITLE	string	Classification Node Title		

3.1.35 WebshopClassifications: EZ-base Webshop Classifications

Catalog: EZBase

Label: Webshop Classifications

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopClassifications

Base XPath: /Webshop

XPath: /Classification

Table Columns

The columns of the table `WebshopClassifications` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
INTERFACE_URL	string(4000)	Interface URL	<input checked="" type="checkbox"/>	
NAME_ATTR	string	Name		
WEBSHOP_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
WEBSHOP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
WEBSHOP_LANGUAGE_ATTR	int32	Language		
WEBSHOP_RECEVERGLN_ATTR	string	Receiver GLN		
WEBSHOP_RELATION_ATTR	string	Company Name		
WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		
WEBSHOP_SENDERGLN_ATTR	string	Sender GLN		
WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of		

Name	Data Type	Label	Required	Documentation
		Classifications Displayed		
WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		
WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
WEBSHOP_VERSION_ATTR	decimal	Version		

3.1.36 WebshopEtimGroupClasses: EZ-base Webshop ETIM Group Classes

Catalog: EZBase

Label: Webshop ETIM Group Classes

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopEtimGroupClasses

Base XPath: /Webshop

XPath: /Etim/Eg/Ec

Table Columns

The columns of the table `WebshopEtimGroupClasses` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
CODE_ATTR	string	Code		
DESCRIPTION	string	Description		
EG_CODE_ATTR	string	ETIM Group Code		
EG_DESCRIPTION	string	ETIM Group Description		
EG_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
EG_ETIM_WEBSHOP_CLASSIFICATION_NAME_ATTR	string	Classification Name		
EG_ETIM_WEBSHOP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
EG_ETIM_WEBSHOP_LANGUAGE_ATTR	int32	Language		
EG_ETIM_WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		
EG_ETIM_WEBSHOP_RELATION_ATTR	string	Company Name		
EG_ETIM_WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		

Name	Data Type	Label	Required	Documentation
EG_ETIM_WEBSHOP_SENDEGLN_ATTR	string	Sender GLN		
EG_ETIM_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		
EG_ETIM_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		
EG_ETIM_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
EG_ETIM_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
EG_ETIM_WEBSHOP_VERSION_ATTR	decimal	Version		
INTERFACE_URL	string(4000)	Interface URL	<input checked="" type="checkbox"/>	

3.1.37 WebshopEtimGroupClassFeatures: EZ-base Webshop ETIM Group Class Features

Catalog: EZBase

Label: Webshop ETIM Group Class Features

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopEtimGroupClassFeatures

Base XPath: /Webshop

XPath: /Etim/Eg/Ec/Features/Ef

Table Columns

The columns of the table `WebshopEtimGroupClassFeatures` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
CODE_ATTR	string	Code		
DESCRIPTION	string	Description		
EU_CODE_ATTR	string	ETIM Unit Code		
EU	string	ETIM Unit		
FEATURES_EC_CODE_ATTR	string	ETIM Group Class Code		
FEATURES_EC_DESCRIPTION	string	ETIM Group Class Description		
FEATURES_EC_EG_CODE_ATTR	string	ETIM Group Code		
FEATURES_EC_EG_DESCRIPTION	string	ETIM Group Description		

Name	Data Type	Label	Required	Documentation
FEATURES_EC_EG_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
FEATURES_EC_EG_ETIM_WEBSHOP_CLASSIFICATION_NAME_ATTR	string	Classification Name		
FEATURES_EC_EG_ETIM_WEBSHOP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
FEATURES_EC_EG_ETIM_WEBSHOP_LANGUAGE_ATTR	int32	Language		
FEATURES_EC_EG_ETIM_WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		
FEATURES_EC_EG_ETIM_WEBSHOP_RELATION_ATTR	string	Company Name		
FEATURES_EC_EG_ETIM_WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		
FEATURES_EC_EG_ETIM_WEBSHOP_SENDERGLN_ATTR	string	Sender GLN		
FEATURES_EC_EG_ETIM_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		
FEATURES_EC_EG_ETIM_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		
FEATURES_EC_EG_ETIM_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
FEATURES_EC_EG_ETIM_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
FEATURES_EC_EG_ETIM_WEBSHOP_VERSION_ATTR	decimal	Version		
INTERFACE_URL	string(4000)	Interface URL	<input checked="" type="checkbox"/>	
POSITION_ATTR	int32	Position		
TYPE_ATTR	string	Type		

3.1.38 WebshopEtimGroupClassSynonyms: EZ-base Webshop ETIM Group Class Synonyms

Catalog: EZBase

Label: Webshop ETIM Group Class Synonyms

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopEtimGroupClassSynonyms

Base XPath: /Webshop

XPath: /Etim/Eg/Ec/Synonyms/Synonym

Table Columns

The columns of the table `WebshopEtimGroupClassSynonyms` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
INTERFACE_URL	string(4000)	Interface URL	<input checked="" type="checkbox"/>	
SYNONYM	string	Synonym		
SYNONYMS_EC_CODE_ATTR	string	ETIM Group Class Code		
SYNONYMS_EC_DESCRIPTION	string	ETIM Group Class Description		
SYNONYMS_EC_EG_CODE_ATTR	string	ETIM Group Code		
SYNONYMS_EC_EG_DESCRIPTION	string	ETIM Group Description		
SYNONYMS_EC_EG_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
SYNONYMS_EC_EG_ETIM_WEBSHOP_CLASSIFICATION_NAME_ATTR	string	Classification Name		
SYNONYMS_EC_EG_ETIM_WEBSHOP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
SYNONYMS_EC_EG_ETIM_WEBSHOP_LANGUAGE_ATTR	int32	Language		
SYNONYMS_EC_EG_ETIM_WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		
SYNONYMS_EC_EG_ETIM_WEBSHOP_RELATION_ATTR	string	Company Name		
SYNONYMS_EC_EG_ETIM_WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		
SYNONYMS_EC_EG_ETIM_WEBSHOP_SENDERGLN_ATTR	string	Sender GLN		
SYNONYMS_EC_EG_ETIM_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		
SYNONYMS_EC_EG_ETIM_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		
SYNONYMS_EC_EG_ETIM_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
SYNONYMS_EC_EG_ETIM_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
SYNONYMS_EC_EG_ETIM_WEBSHOP_VERSION_ATTR	decimal	Version		

3.1.39 WebshopEtimGroups: EZ-base Webshop ETIM Groups

Catalog: EZBase

Label: Webshop ETIM Groups

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopEtimGroups

Base XPath: /Webshop

XPath: /Etim/Eg

Table Columns

The columns of the table `WebshopEtimGroups` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
CODE_ATTR	string	Code		
DESCRIPTION	string	Description		
ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
ETIM_WEBSHOP_CLASSIFICATION_NAME_ATTR	string	Classification Name		
ETIM_WEBSHOP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
ETIM_WEBSHOP_LANGUAGE_ATTR	int32	Language		
ETIM_WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		
ETIM_WEBSHOP_RELATION_ATTR	string	Company Name		
ETIM_WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		
ETIM_WEBSHOP_SENDERGLN_ATTR	string	Sender GLN		
ETIM_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		
ETIM_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		
ETIM_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
ETIM_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
ETIM_WEBSHOP_VERSION_ATTR	decimal	Version		
INTERFACE_URL	string(4000)	Interface URL	<input checked="" type="checkbox"/>	

3.1.40 Webshops: EZ-base Webshops

Catalog: EZBase

Label: Webshops

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: Webshops

Base XPath: /Webshop

Table Columns

The columns of the table `webshops` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
CLASSIFICATION_NAME_ATTR	string	Classification Name		
ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
INTERFACE_URL	string(4000)	Interface URL	<input checked="" type="checkbox"/>	
LANGUAGE_ATTR	int32	Language		
RECEIVERGLN_ATTR	string	Receiver GLN		
RELATION_ATTR	string	Company Name		
RELATIONGLN_ATTR	string	Company GLN		
SENDERGLN_ATTR	string	Sender GLN		
TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		
TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		
TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
VERSION_ATTR	decimal	Version		

4 Schema: CodeValues

4.1 Tables

4.1.1 Acronyms: EZ-base Domain Acronyms

Lookup-table that translates code values of the domain 'Acronyms' into descriptions.

Catalog: EZBase

Schema: CodeValues

Label: Domain Acronyms

Example: The code value 'EU' means 'Unit'.

Retrieve: true

View Columns

The columns of the view `Acronyms` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
code	string(240)	Code	<input checked="" type="checkbox"/>	Unique code within the domain.
description	string(240)	Description	<input type="checkbox"/>	Meaning of the unique code within the domain.
domain	string(240)	Domain	<input checked="" type="checkbox"/>	Each domain defines a map of codes to values.

Values

Code	Description
EC	Class
EF	Feature
EG	ETIM Group
EU	Unit
EV	Value
GTIN	Global Trade Item Number

4.1.2 EtimFeatureTypes: EZ-base Domain EtimFeatureTypes

Lookup-table that translates code values of the domain 'EtimFeatureTypes' into descriptions.

Catalog: EZBase

Schema: CodeValues

Label: Domain EtimFeatureTypes

Example: The code value 'A' means 'Alphanumeric'.

Retrieve: true

View Columns

The columns of the view `EtimFeatureTypes` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
code	string(240)	Code	<input checked="" type="checkbox"/>	Unique code within the domain.
description	string(240)	Description	<input type="checkbox"/>	Meaning of the unique code within the domain.
domain	string(240)	Domain	<input checked="" type="checkbox"/>	Each domain defines a map of codes to values.

Values

Code	Description
A	Alphanumeric
L	Logical boolean
N	Numeric
R	Range

Index

- A -

ABC Classification 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 54, 59, 63, 67

- E -

ETIM Class Code 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 88, 90, 92, 95, 97, 101

- L -

Life Time 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 54, 59, 63, 67

- O -

Own Article Number 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 54, 59, 63, 67

Own Description 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 54, 59, 63, 67

Own Purchase Combination Number 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 54, 59, 63, 67

Own State 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 54, 59, 63, 67

- S -

Selection 35

State 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 54, 59, 63, 67

Synonym 109, 114

Acronyms 117

analysis-enforce-row-uniqueness 2

Article Article GTIN 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 54, 59, 63, 67

Article Article Number 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 54, 59, 63, 67

Article Assets 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 54, 59, 63, 67

Article Available State End 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 54, 59, 63, 67

Article Available State Start 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 54, 59, 63, 67

Article CBS Article Class Number 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 54, 59, 63, 67

Article Description 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 54, 59, 63, 67

Article Group Assets 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 73, 77, 80, 83, 85, 90, 92, 95, 97, 101

Article Group Brand 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 90, 92, 95, 97, 101

Article Group ID 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 90, 92, 95, 97, 101

Article Group Kind 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 90, 92, 95, 97, 101

Article Group Legacy ID 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 90, 92, 95, 97, 101

Article Group Manufacturer GLN 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 90, 92, 95, 97, 101

Article Group Name 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 90, 92, 95, 97, 101

Article Group Normalized Header 85

Article Group Position 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 90, 92, 95, 97, 101

Article Group Specification Property 90

Article Group Supplier Data Provider GLN 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 90, 92, 95, 97, 101

Article Group Supplier GLN 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 90, 92, 95, 97, 101

Article Group Supplier ID 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 90, 92, 95, 97, 101

Article Group Supplier Name 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 90, 92, 95, 97, 101

Article Group Supplier Purchase Combination GLN 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 90, 92, 95, 97, 101

Article Group Template 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 90, 92, 95, 97, 101

Article GTIN 51

Article ID 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 54, 59, 63, 67

Article Manufacturer Article EAN 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 54, 59, 63, 67

Article Manufacturer Article Number 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 54, 59, 63, 67

Article Normalized Property Header 19

Article Normalized Property Value 19

Article Number 51
 Article Own Information Free Field 23
 Article Own Information Personal Property 27
 Article Own Information Synonym 39
 Article Position 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 54, 59, 63, 67
 Article Sub Group 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 54, 59, 63, 67
 Article Type Number 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 54, 59, 63, 67
 ARTICLEDESCRIPTION 43
 ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR 88
 ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR 88
 ARTICLEGROUPS_WEBSHOP_EXPORTSELECTION_NAME_ATTR 88
 ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR 88
 ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR 88
 ARTICLEGROUPS_WEBSHOP_RELATION_ATTR 88
 ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR 88
 ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR 88
 ARTICLEGROUPS_WEBSHOP_TEMPLATESETTING_S_CLASSIFICATIONMAXLEVEL 88
 ARTICLEGROUPS_WEBSHOP_TEMPLATESETTING_S_DISPLAYSYNONYMS 88
 ARTICLEGROUPS_WEBSHOP_TEMPLATESETTING_S_IMAGECOUNT 88
 ARTICLEGROUPS_WEBSHOP_TEMPLATESETTING_S_PROPERTYCOUNT 88
 ARTICLEGLTN 51
 ARTICLENUMBER 51
 ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR 51
 ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR 51
 ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTION_NAME_ATTR 51
 ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR 51
 ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR 51
 ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR 51
 ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR 51
 ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR 51
 ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTING_S_CLASSIFICATIONMAXLEVEL 51
 ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTING_S_DISPLAYSYNONYMS 51
 ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTING_S_IMAGECOUNT 51
 ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTING_S_PROPERTYCOUNT 51
 ARTICLES_ARTICLEGROUP_ASSETS 51
 ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR 51
 ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR 51
 ARTICLES_ARTICLEGROUP_BRAND 51
 ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR 51
 ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR 51
 ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR 51
 ARTICLES_ARTICLEGROUP_ID_ATTR 51
 ARTICLES_ARTICLEGROUP_KIND 51
 ARTICLES_ARTICLEGROUP_LEGACYID_ATTR 51
 ARTICLES_ARTICLEGROUP_MANUFACTURERGLN 51
 ARTICLES_ARTICLEGROUP_NAME 51
 ARTICLES_ARTICLEGROUP_POSITION_ATTR 51
 ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR 51
 ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 51
 ARTICLES_ARTICLEGROUP_STATES_BLUEPENCIL 51
 ARTICLES_ARTICLEGROUP_STATES_CLASSIFICATION 51
 ARTICLES_ARTICLEGROUP_STATES_CONFIRM 51
 ARTICLES_ARTICLEGROUP_STATES_LIFETIME 51
 ARTICLES_ARTICLEGROUP_STATES_PRODUCTIO 51
 ARTICLES_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR 51
 ARTICLES_ARTICLEGROUP_SUPPLIER_GLN_ATTR 51
 ARTICLES_ARTICLEGROUP_SUPPLIER_ID_ATTR 51

ARTICLES_ARTICLEGROUP_SUPPLIER_NAME_ATTR 51
 ARTICLESUBGROUPS_ARTICLEGROUP_KIND 95
 ARTICLESUBGROUPS_ARTICLEGROUP_LEGACYI
 ARTICLES_ARTICLEGROUP_SUPPLIER_PURCHASE_ATTR 95
 ECOMBINATIONGLN_ATTR 51
 ARTICLESUBGROUPS_ARTICLEGROUP_MANUFAC
 ARTICLES_ARTICLEGROUP_TEMPLATE 51 TURERGLN 95
 ARTICLESUBGROUP_ATTR 51
 ARTICLESUBGROUPS_ARTICLEGROUP_NAME
 ARTICLESUBGROUPS_ARTICLEGROUP_ARTICLEGROUPS
 ROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR 95
 ARTICLESUBGROUPS_ARTICLEGROUP_POSITION
 ATTR 95
 ARTICLESUBGROUPS_ARTICLEGROUP_ARTICLEGROUPS
 ROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR 95
 ARTICLESUBGROUPS_ARTICLEGROUP_STATES_
 R 95 AVAILABLE_FIRST_ATTR 95
 ARTICLESUBGROUPS_ARTICLEGROUP_STATES_
 ARTICLESUBGROUPS_ARTICLEGROUP_ARTICLEGROUPS
 AVAILABLE_LAST_ATTR 95
 ROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR 95
 ARTICLESUBGROUPS_ARTICLEGROUP_STATES_
 TR 95 BLUEPENCIL 95
 ARTICLESUBGROUPS_ARTICLEGROUP_ARTICLEGROUPS
 ROUPS_WEBSHOP_LANGUAGE_ATTR 95 CLASSIFICATION 95
 ARTICLESUBGROUPS_ARTICLEGROUP_ARTICLEGROUPS
 ROUPS_WEBSHOP_RECEIVERGLN_ATTR 95 CONFIRM 95
 ARTICLESUBGROUPS_ARTICLEGROUP_ARTICLEGROUPS
 ROUPS_WEBSHOP_RELATION_ATTR 95 IFETIME 95
 ARTICLESUBGROUPS_ARTICLEGROUP_ARTICLEGROUPS
 ROUPS_WEBSHOP_RELATIONGLN_ATTR 95 PRODUCTION 95
 ARTICLESUBGROUPS_ARTICLEGROUP_ARTICLEGROUPS
 ROUPS_WEBSHOP_SENDERGLN_ATTR 95 DATAPROVIDERGLN_ATTR 95
 ARTICLESUBGROUPS_ARTICLEGROUP_ARTICLEGROUPS
 ROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSGLN_ATTR 95
 FICATIONMAXLEVEL 95
 ARTICLESUBGROUPS_ARTICLEGROUP_SUPPLIER
 ARTICLESUBGROUPS_ARTICLEGROUP_ARTICLEGROUPS
 ROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAY
 YSYNONYMS 95 NAME_ATTR 95
 ARTICLESUBGROUPS_ARTICLEGROUP_ARTICLEGROUPS
 ROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGE
 PURCHASECOMBINATIONGLN_ATTR 95
 COUNT 95
 ARTICLESUBGROUPS_ARTICLEGROUP_TEMPLATE
 ARTICLESUBGROUPS_ARTICLEGROUP_ARTICLEGROUPS
 ROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTY
 COUNT 95
 ARTICLESUBGROUPS_ARTICLEGROUP_ARTICLEGROUPS
 ROUPS_WEBSHOP_VERSION_ATTR 95
 ARTICLESUBGROUPS_ARTICLEGROUP_ASSETS
 95
 ARTICLESUBGROUPS_ARTICLEGROUP_BLUEPEN
 CILDATA_SPECIFICATIONBULLETS_ATTR 95
 ARTICLESUBGROUPS_ARTICLEGROUP_BLUEPEN
 CILDATA_TRANSPOSED_ATTR 95
 ARTICLESUBGROUPS_ARTICLEGROUP_BRAND
 95
 ARTICLESUBGROUPS_ARTICLEGROUP_CLASSIFI
 CATIONS_CLASSIFICATION_ID_ATTR 95
 ARTICLESUBGROUPS_ARTICLEGROUP_CLASSIFI
 CATIONS_CLASSIFICATION_NAME_ATTR 95
 ARTICLESUBGROUPS_ARTICLEGROUP_CLASSIFI
 CATIONS_ETIM_ECCODE_ATTR 95
 ARTICLESUBGROUPS_ARTICLEGROUP_ID_ATTR
 95

ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_STATES_CONFIRM 77
 LEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR 77
 ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_STATES_LIFETIME 77
 LEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR 77
 ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_STATES_PRODUCTION 77
 LEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATE_SUPPLIER_DATA_PROVIDERGLN_ATTR
 TESETTINGS_CLASSIFICATIONMAXLEVEL 77 77
 ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_SUPPLIER_GLN_ATTR 77
 LEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATE_SUPPLIER_ID_ATTR 77
 TESETTINGS_DISPLAYSYNONYMS 77
 ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_SUPPLIER_NAME_ATTR 77
 LEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATE_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR
 TESETTINGS_PROPERTYCOUNT 77 LN_ATTR 77
 ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_TEMPLATE 77
 LEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR 77
 ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ASSETS 77
 ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_BRAND 77
 ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR 77
 ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR 77
 ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR 77
 ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR 77
 ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ID_ATTR 77
 ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_KIND 77
 ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_LEGACYID_ATTR 77
 ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_MANUFACTURERGLN 77
 ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_NAME 77
 ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_POSITION_ATTR 77
 ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_POSITION_ATTR 77
 ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR 77
 ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 77
 ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_STATES_BLUEPENCIL 77
 ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_STATES_CLASSIFICATION 77

ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_STATES_CONFIRM 77
 ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_STATES_LIFETIME 77
 ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_STATES_PRODUCTION 77
 ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_SUPPLIER_DATA_PROVIDERGLN_ATTR
 ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_SUPPLIER_GLN_ATTR 77
 ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_SUPPLIER_ID_ATTR 77
 ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_SUPPLIER_NAME_ATTR 77
 ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR
 ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_TEMPLATE 77
 ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_TEMPLATE 77
 ARTICLETABLEHEADER_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR 77
 ARTICLETABLEHEADER_BLUEPENCILDATA_TRANSACTIONPOSED_ATTR 77
 ARTICLETABLEHEADER_HEADERID_ATTR 77
 ARTICLETABLEHEADER_ID_ATTR 77
 ARTICLETABLEHEADER_ISGROUPED_ATTR 77
 ARTICLETABLEHEADER_ISHIDDEN_ATTR 77
 ARTICLETABLEHEADER_NAME 77
 ARTICLETABLEHEADER_POSITION_ATTR 77
 ARTICLETABLEHEADER_SEPARATOR_ATTR 77
 ARTICLETABLEHEADER_TOSPECIFICATION_ATTR 77
 ASSETCATEGORIES_WEBSHOP_CLASSIFICATION_NAME_ATTR 103
 ASSETCATEGORIES_WEBSHOP_ETIM_VERSIONNUMBER_ATTR 103
 ASSETCATEGORIES_WEBSHOP_EXPORTSELECTIONNAME_ATTR 103
 ASSETCATEGORIES_WEBSHOP_LANGUAGE_ATTR 103
 ASSETCATEGORIES_WEBSHOP_RECEIVERGLN_ATTR 103
 ASSETCATEGORIES_WEBSHOP_RELATION_ATTR 103
 ASSETCATEGORIES_WEBSHOP_RELATIONGLN_ATTR 103
 ASSETCATEGORIES_WEBSHOP_SENDERGLN_ATTR 103
 ASSETCATEGORIES_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL 103
 ASSETCATEGORIES_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS 103

ASSETCATEGORIES_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	103	ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR	5
ASSETCATEGORIES_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	103	ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR	5
ASSETCATEGORIES_WEBSHOP_VERSION_ATTR	103	ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR	5
ASSETS	51, 59, 67, 80, 88, 101, 108	ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_ID_ATTR	5
ASSETS_ARTICLE_ARTICLEGTIN	5	ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_KIND	5
ASSETS_ARTICLE_ARTICLENUMBER	5	ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_LEAD_CACYID_ATTR	5
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR	5	ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_MANUFACTURERGLN	5
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR	5	ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_NAME	5
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR	5	ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_POSITION_ATTR	5
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR	5	ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR	5
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR	5	ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR	5
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR	5	ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_BLUEPENCIL	5
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR	5	ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CLASSIFICATION	5
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR	5	ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CONFIRM	5
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	5	ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_LIFETIME	5
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	5	ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_PRODUCTION	5
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_MAGECOUNT	5	ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR	5
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	5	ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_GLN_ATTR	5
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR	5	ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_ID_ATTR	5
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_ASSETS	5	ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_NAME_ATTR	5
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR	5	ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR	5
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR	5	ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_TEMPLATE	5
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR	5	ASSETS_ARTICLE_ARTICLESUBGROUP_ATTR	5
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR	5	ASSETS_ARTICLE_CBSSNUMBER	5
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR	5	ASSETS_ARTICLE_DESCRIPTION	5
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR	5	ASSETS_ARTICLE_ID_ATTR	5
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR	5	ASSETS_ARTICLE_MANUFACTURERARTICLEGTIN	5
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR	5	ASSETS_ARTICLE_MANUFACTURERARTICLENUMBER	5
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR	5	ASSETS_ARTICLE_OWNINFORMATION_ABCLASSIFICATION	5

ASSETS_ARTICLE_OWNINFORMATION_OWNARTICLE_LENGTH 5
 ASSETS_ARTICLE_OWNINFORMATION_OWNDESCRIPTION 5
 ASSETS_ARTICLE_OWNINFORMATION_OWNPURCHASECOMBINATIONNUMBER 5
 ASSETS_ARTICLE_OWNINFORMATION_OWNSTATE 5
 ASSETS_ARTICLE_POSITION_ATTR 5
 ASSETS_ARTICLE_STATES_AVAILABLE_END_ATTR 5
 ASSETS_ARTICLE_STATES_AVAILABLE_START_ATTR 5
 ASSETS_ARTICLE_STATES_LIFETIME 5
 ASSETS_ARTICLE_STATES_STATE 5
 ASSETS_ARTICLE_TYPENUMBER 5
 ASSETS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR 71
 ASSETS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR 71
 ASSETS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR 71
 ASSETS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR 71
 ASSETS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR 71
 ASSETS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR 71
 ASSETS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR 71
 ASSETS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR 71
 ASSETS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL 71
 ASSETS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS 71
 ASSETS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT 71
 ASSETS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT 71
 ASSETS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR 71
 ASSETS_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR 71
 ASSETS_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR 71
 ASSETS_ARTICLEGROUP_BRAND 71
 ASSETS_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR 71
 ASSETS_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR 71
 ASSETS_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR 71
 ASSETS_ARTICLEGROUP_ID_ATTR 71
 ASSETS_ARTICLEGROUP_KIND 71
 ASSETS_ARTICLEGROUP_LEGACYID_ATTR 71
 ASSETS_ARTICLEGROUP_MANUFACTURERGLN 71
 ASSETS_ARTICLEGROUP_NAME 71
 ASSETS_ARTICLEGROUP_POSITION_ATTR 71
 ASSETS_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR 71
 ASSETS_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 71
 ASSETS_ARTICLEGROUP_STATES_BLUEPENCIL 71
 ASSETS_ARTICLEGROUP_STATES_CLASSIFICATION 71
 ASSETS_ARTICLEGROUP_STATES_CONFIRM 71
 ASSETS_ARTICLEGROUP_STATES_LIFETIME 71
 ASSETS_ARTICLEGROUP_STATES_PRODUCTION 71
 ASSETS_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR 71
 ASSETS_ARTICLEGROUP_SUPPLIER_GLN_ATTR 71
 ASSETS_ARTICLEGROUP_SUPPLIER_ID_ATTR 71
 ASSETS_ARTICLEGROUP_SUPPLIER_NAME_ATTR 71
 ASSETS_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR 71
 ASSETS_ARTICLEGROUP_TEMPLATE 71
 ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR 73
 ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR 73
 ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR 73
 ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR 73
 ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR 73
 ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR 73
 ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR 73

ASSETS_ARTICLETABLEHEADER_BLUEPENCILDA
 TA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP
 _SENDERGLN_ATTR 73
 ASSETS_ARTICLETABLEHEADER_BLUEPENCILDA
 TA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP
 _TEMPLATESETTINGS_CLASSIFICATIONMAXLEVE
 L 73
 ASSETS_ARTICLETABLEHEADER_BLUEPENCILDA
 TA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP
 _TEMPLATESETTINGS_DISPLAYSYNONYMS 73
 ASSETS_ARTICLETABLEHEADER_BLUEPENCILDA
 TA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP
 _TEMPLATESETTINGS_IMAGECOUNT 73
 ASSETS_ARTICLETABLEHEADER_BLUEPENCILDA
 TA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP
 _TEMPLATESETTINGS_PROPERTYCOUNT 73
 ASSETS_ARTICLETABLEHEADER_BLUEPENCILDA
 TA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP
 _VERSION_ATTR 73
 ASSETS_ARTICLETABLEHEADER_BLUEPENCILDA
 TA_ARTICLEGROUP_ASSETS 73
 ASSETS_ARTICLETABLEHEADER_BLUEPENCILDA
 TA_ARTICLEGROUP_BRAND 73
 ASSETS_ARTICLETABLEHEADER_BLUEPENCILDA
 TA_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFI
 CATION_ID_ATTR 73
 ASSETS_ARTICLETABLEHEADER_BLUEPENCILDA
 TA_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFI
 CATION_NAME_ATTR 73
 ASSETS_ARTICLETABLEHEADER_BLUEPENCILDA
 TA_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECC
 ODE_ATTR 73
 ASSETS_ARTICLETABLEHEADER_BLUEPENCILDA
 TA_ARTICLEGROUP_ID_ATTR 73
 ASSETS_ARTICLETABLEHEADER_BLUEPENCILDA
 TA_ARTICLEGROUP_KIND 73
 ASSETS_ARTICLETABLEHEADER_BLUEPENCILDA
 TA_ARTICLEGROUP_LEGACYID_ATTR 73
 ASSETS_ARTICLETABLEHEADER_BLUEPENCILDA
 TA_ARTICLEGROUP_MANUFACTURERGLN 73
 ASSETS_ARTICLETABLEHEADER_BLUEPENCILDA
 TA_ARTICLEGROUP_NAME 73
 ASSETS_ARTICLETABLEHEADER_BLUEPENCILDA
 TA_ARTICLEGROUP_POSITION_ATTR 73
 ASSETS_ARTICLETABLEHEADER_BLUEPENCILDA
 TA_ARTICLEGROUP_STATES_AVAILABLE_FIRST
 ATTR 73
 ASSETS_ARTICLETABLEHEADER_BLUEPENCILDA
 TA_ARTICLEGROUP_STATES_AVAILABLE_LAST
 ATTR 73
 ASSETS_ARTICLETABLEHEADER_BLUEPENCILDA
 TA_ARTICLEGROUP_STATES_BLUEPENCIL 73
 ASSETS_ARTICLETABLEHEADER_BLUEPENCILDA
 TA_ARTICLEGROUP_STATES_CLASSIFICATION
 73
 ASSETS_ARTICLETABLEHEADER_BLUEPENCILDA
 TA_ARTICLEGROUP_STATES_CONFIRM 73
 ASSETS_ARTICLETABLEHEADER_BLUEPENCILDA
 TA_ARTICLEGROUP_STATES_LIFETIME 73
 ASSETS_ARTICLETABLEHEADER_BLUEPENCILDA
 TA_ARTICLEGROUP_STATES_PRODUCTION 73
 ASSETS_ARTICLETABLEHEADER_BLUEPENCILDA
 TA_ARTICLEGROUP_SUPPLIER_DATAPROVIDER
 ID_ATTR 73
 ASSETS_ARTICLETABLEHEADER_BLUEPENCILDA
 TA_ARTICLEGROUP_SUPPLIER_GLN_ATTR 73
 ASSETS_ARTICLETABLEHEADER_BLUEPENCILDA
 TA_ARTICLEGROUP_SUPPLIER_ID_ATTR 73
 ASSETS_ARTICLETABLEHEADER_BLUEPENCILDA
 TA_ARTICLEGROUP_SUPPLIER_NAME_ATTR 73
 ASSETS_ARTICLETABLEHEADER_BLUEPENCILDA
 TA_ARTICLEGROUP_SUPPLIER_PURCHASECOMB
 INATIONGLN_ATTR 73
 ASSETS_ARTICLETABLEHEADER_BLUEPENCILDA
 TA_ARTICLEGROUP_TEMPLATE 73
 ASSETS_ARTICLETABLEHEADER_BLUEPENCILDA
 TA_SPECIFICATIONBULLETS_ATTR 73
 ASSETS_ARTICLETABLEHEADER_BLUEPENCILDA
 TA_TRANSPOSED_ATTR 73
 ASSETS_ARTICLETABLEHEADER_HEADERID_ATT
 R 73
 ASSETS_ARTICLETABLEHEADER_ID_ATTR 73
 ASSETS_ARTICLETABLEHEADER_ISGROUPED_AT
 TR 73
 ASSETS_ARTICLETABLEHEADER_ISHIDDEN_ATTR
 73
 ASSETS_ARTICLETABLEHEADER_NAME 73
 ASSETS_ARTICLETABLEHEADER_POSITION_ATTR
 73
 ASSETS_ARTICLETABLEHEADER_SEPARATOR_A
 TTR 73
 ASSETS_ARTICLETABLEHEADER_TOSPECIFICATI
 ON_ATTR 73
 ASSETS_NODE_BODY 104
 ASSETS_NODE_CLASSIFICATION_NAME_ATTR
 104
 ASSETS_NODE_CLASSIFICATION_WEBSHOP_ETI
 M_VERSIONNUMBER_ATTR 104
 ASSETS_NODE_CLASSIFICATION_WEBSHOP_EXP
 ORTSELECTIONNAME_ATTR 104
 ASSETS_NODE_CLASSIFICATION_WEBSHOP_LAN
 GUAGE_ATTR 104
 ASSETS_NODE_CLASSIFICATION_WEBSHOP_RE
 CEIVERGLN_ATTR 104
 ASSETS_NODE_CLASSIFICATION_WEBSHOP_REL
 ATION_ATTR 104
 ASSETS_NODE_CLASSIFICATION_WEBSHOP_REL
 ATIONGLN_ATTR 104
 ASSETS_NODE_CLASSIFICATION_WEBSHOP_SE
 NDERGLN_ATTR 104

ASSETS_NODE_CLASSIFICATION_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL 104
 ASSETS_NODE_CLASSIFICATION_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS 104
 ASSETS_NODE_CLASSIFICATION_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT 104
 ASSETS_NODE_CLASSIFICATION_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT 104
 ASSETS_NODE_CLASSIFICATION_WEBSHOP_VERSION_ATTR 104
 ASSETS_NODE_CODE_ATTR 104
 ASSETS_NODE_DEPTH_ATTR 104
 ASSETS_NODE_DESCRIPTION 104
 ASSETS_NODE_ID_ATTR 104
 ASSETS_NODE_NAME 104
 ASSETS_NODE_OWNINFORMATION_BODY 104
 ASSETS_NODE_OWNINFORMATION_DESCRIPTION 104
 ASSETS_NODE_OWNINFORMATION_TITLE 104
 ASSETS_NODE_PARENT_ATTR 104
 ASSETS_NODE_POSITION_ATTR 104
 ASSETS_NODE_TITLE 104
 ASSETS_PROPERTY_EZBASEUNIT_ATTR 54
 ASSETS_PROPERTY_EZBASEUNITCATEGORY_ATTR 54
 ASSETS_PROPERTY_EZBASEUNITDESCRIPTION_ATTR 54
 ASSETS_PROPERTY_HEADER_ATTR 54
 ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLEGTIN 54
 ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLENUMBER 54
 ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUP_PS_WEBSHOP_CLASSIFICATION_NAME_ATTR 54
 ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUP_PS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR 54
 ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUP_PS_WEBSHOP_EXPORTSELECTIONNAME_ATTR 54
 ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUP_PS_WEBSHOP_LANGUAGE_ATTR 54
 ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUP_PS_WEBSHOP_RECEIVERGLN_ATTR 54
 ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUP_PS_WEBSHOP_RELATION_ATTR 54
 ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUP_PS_WEBSHOP_RELATIONGLN_ATTR 54
 ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUP_PS_WEBSHOP_SENDERGLN_ATTR 54
 ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUP_PS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL 54
 ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUP_PS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS 54
 ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUP_PS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT 54
 ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUP_PS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT 54
 ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUP_PS_WEBSHOP_VERSION_ATTR 54
 ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ASSETS 54
 ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR 54
 ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR 54
 ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_BRAND 54
 ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONNS_CLASSIFICATION_ID_ATTR 54
 ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONNS_CLASSIFICATION_NAME_ATTR 54
 ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONNS_ETIM_ECCODE_ATTR 54
 ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ID_ATTR 54
 ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_KIND 54
 ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_LEGACYID_ATTR 54
 ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_MANUFACTURERGLN 54
 ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_NAME 54

ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPSE
 WEBSHOP_SENDERGLN_ATTR 63 E_FIRST_ATTR 63
 ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPSE
 WEBSHOP_TEMPLATESETTINGS_CLASSIFICATION_LAST_ATTR 63
 NMAXLEVEL 63 ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_BLUEPEN
 ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPSCIL 63
 WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNOPSIS ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CLASSIFI
 YMS 63 E_ARTICLES_ARTICLEGROUP_STATES_CONFIRM
 ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CONFIRM
 WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT 63
 ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_LIFETIME
 WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT 63
 ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_PRODUCTI
 ON 63
 WEBSHOP_VERSION_ATTR 63 ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_DATAP
 ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ASSETS 63 ROVIDERGLN_ATTR 63
 ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATE ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_GLN_AT
 SPECIFICATIONBULLETS_ATTR 63 TR 63
 ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATE ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_ID_ATTR
 TRANSPOSED_ATTR 63 63
 ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_BRAND 63 ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_NAME_
 ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_PURCH
 CLASSIFICATION_ID_ATTR 63 E_ARTICLES_ARTICLEGROUP_SUPPLIER_PURCH
 ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS ASSECOMBINATIONGLN_ATTR 63
 CLASSIFICATION_NAME_ATTR 63 E_ARTICLES_ARTICLEGROUP_TEMPLATE 63
 ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_TEMPLATE
 ETIM_ECCODE_ATTR 63 E_ARTICLES_ARTICLEGROUP_TEMPLATE
 ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ID_ATTR 63 ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_TEMPLATE
 ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_KIND 63 ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_TEMPLATE
 ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_KIND 63 ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_TEMPLATE
 ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_LEGACYID_ATTR ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_TEMPLATE
 63 E_ID_ATTR 63
 ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_MANUFACTURER ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_TEMPLATE
 LN 63 @_MANUFACTURERARTICLEGLN 63
 ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_NAME 63 ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_TEMPLATE
 ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_POSITION_ATTR ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_TEMPLATE
 63 @_OWNINFORMATION_ABCCCLASSIFICATION 63

ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_	ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS
E_OWNINFORMATION_OWNPURCHASECOMBINATI	_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_T
IONNUMBER 63	EMPLATESETTINGS_CLASSIFICATIONMAXLEVEL
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_	97
E_OWNINFORMATION_OWNDDESCRIPTION 63	ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_	ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_T
E_OWNINFORMATION_OWNPURCHASECOMBINATI	EMPLATESETTINGS_DISPLAYSYNONYMS 97
IONNUMBER 63	ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_	ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_T
E_OWNINFORMATION_OWNSTATE 63	EMPLATESETTINGS_IMAGECOUNT 97
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_	ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS
E_POSITION_ATTR 63	_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_T
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_	EMPLATESETTINGS_PROPERTYCOUNT 97
E_STATES_AVAILABLE_END_ATTR 63	ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_	ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_V
E_STATES_AVAILABLE_START_ATTR 63	ERSION_ATTR 97
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_	ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS
E_STATES_LIFETIME 63	_ARTICLEGROUP_ASSETS 97
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_	ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS
E_STATES_STATE 63	_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATI
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_	ONBULLETS_ATTR 97
E_TYPENUMBER 63	ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS
ASSETS_PROPERTY_UNIT_ATTR 54	_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOS
ASSETS_PROPERTY_VALUE 54, 63	ED_ATTR 97
ASSETS_SUPPLIERHEADER_DESCRIPTION 97	ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS
ASSETS_SUPPLIERHEADER_ID_ATTR 97	_ARTICLEGROUP_BRAND 97
ASSETS_SUPPLIERHEADER_NAME_ATTR 97	ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS
ASSETS_SUPPLIERHEADER_SPLITMODE_ATTR	_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICA
97	TION_ID_ATTR 97
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS	ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS
_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_T	_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICA
CLASSIFICATION_NAME_ATTR 97	TION_NAME_ATTR 97
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS	ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS
_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_T	_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCO
ETIM_VERSIONNUMBER_ATTR 97	DE_ATTR 97
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS	ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS
_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_T	_ARTICLEGROUP_ID_ATTR 97
EXPORTSELECTIONNAME_ATTR 97	ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS	_ARTICLEGROUP_KIND 97
_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_T	ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS
LANGUAGE_ATTR 97	_ARTICLEGROUP_LEGACYID_ATTR 97
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS	ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS
_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_T	_ARTICLEGROUP_MANUFACTURERGLN 97
RECEIVERGLN_ATTR 97	ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS	_ARTICLEGROUP_NAME 97
_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_T	ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS
RELATION_ATTR 97	_ARTICLEGROUP_POSITION_ATTR 97
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS	ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS
_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_T	_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATT
RELATIONGLN_ATTR 97	TR 97
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS	ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS
_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_T	_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATT
ENDERGLN_ATTR 97	R 97
	ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS
	_ARTICLEGROUP_STATES_BLUEPENCIL 97

ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGRO
 _ARTICLEGROUP_STATES_CLASSIFICATION 97 UPS_WEBSHOP_TEMPLATESETTINGS_PROPERT
 ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_COUNT 80
 _ARTICLEGROUP_STATES_CONFIRM 97 BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGRO
 ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS UPS_WEBSHOP_VERSION_ATTR 80
 _ARTICLEGROUP_STATES_LIFETIME 97 BLUEPENCILDATA_ARTICLEGROUP_ASSETS 80
 ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_BLUEPENCILDATA_ARTICLEGROUP_BRAND 80
 _ARTICLEGROUP_STATES_PRODUCTION 97 BLUEPENCILDATA_ARTICLEGROUP_CLASSIFICATI
 ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ONS_CLASSIFICATION_ID_ATTR 80
 _ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN BLUEPENCILDATA_ARTICLEGROUP_CLASSIFICATI
 _ATTR 97 ONS_CLASSIFICATION_NAME_ATTR 80
 ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_BLUEPENCILDATA_ARTICLEGROUP_CLASSIFICATI
 _ARTICLEGROUP_SUPPLIER_GLN_ATTR 97 ONS_ETIM_ECCODE_ATTR 80
 ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_BLUEPENCILDATA_ARTICLEGROUP_ID_ATTR 80
 _ARTICLEGROUP_SUPPLIER_ID_ATTR 97 BLUEPENCILDATA_ARTICLEGROUP_KIND 80
 ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_BLUEPENCILDATA_ARTICLEGROUP_LEGACYID_A
 _ARTICLEGROUP_SUPPLIER_NAME_ATTR 97 TTR 80
 ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_BLUEPENCILDATA_ARTICLEGROUP_MANUFACTU
 _ARTICLEGROUP_SUPPLIER_PURCHASECOMBIN RERGLN 80
 ATIONGLN_ATTR 97 BLUEPENCILDATA_ARTICLEGROUP_NAME 80
 ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_BLUEPENCILDATA_ARTICLEGROUP_POSITION_AT
 _ARTICLEGROUP_TEMPLATE 97 TR 80
 Available State End 51 BLUEPENCILDATA_ARTICLEGROUP_STATES_AVA
 Available State First 88 ILABLE_FIRST_ATTR 80
 Available State Last 88 BLUEPENCILDATA_ARTICLEGROUP_STATES_AVA
 Available State Start 51 ILABLE_LAST_ATTR 80
 BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGRO_BLUEPENCILDATA_ARTICLEGROUP_STATES_BLU
 UPS_WEBSHOP_CLASSIFICATION_NAME_ATTR EPENCIL 80
 80 BLUEPENCILDATA_ARTICLEGROUP_STATES_CLA
 BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGRO SIFICATION 80
 UPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR BLUEPENCILDATA_ARTICLEGROUP_STATES_CON
 80 FIRM 80
 BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGRO_BLUEPENCILDATA_ARTICLEGROUP_STATES_LIFE
 UPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR TIME 80
 80 BLUEPENCILDATA_ARTICLEGROUP_STATES_PRO
 BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGRO DDUCTION 80
 UPS_WEBSHOP_LANGUAGE_ATTR 80 BLUEPENCILDATA_ARTICLEGROUP_SUPPLIER_D
 BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGRO ATAPROVIDERGLN_ATTR 80
 UPS_WEBSHOP_RECEIVERGLN_ATTR 80 BLUEPENCILDATA_ARTICLEGROUP_SUPPLIER_G
 BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGRO LN_ATTR 80
 UPS_WEBSHOP_RELATION_ATTR 80 BLUEPENCILDATA_ARTICLEGROUP_SUPPLIER_ID
 BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGRO _ATTR 80
 UPS_WEBSHOP_RELATIONGLN_ATTR 80 BLUEPENCILDATA_ARTICLEGROUP_SUPPLIER_N
 BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGRO AME_ATTR 80
 UPS_WEBSHOP_SENDERGLN_ATTR 80 BLUEPENCILDATA_ARTICLEGROUP_SUPPLIER_P
 BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGRO URCHASECOMBINATIONGLN_ATTR 80
 UPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFIC BLUEPENCILDATA_ARTICLEGROUP_TEMPLATE
 ATIONMAXLEVEL 80 80
 BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGRO_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR
 UPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYS 80, 88
 YNONYMS 80 BLUEPENCILDATA_TRANSPOSED_ATTR 80, 88
 BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGRO BODY 108
 UPS_WEBSHOP_TEMPLATESETTINGS_IMAGECO Body Text 108
 UNT 80 BRAND 88

bulk-delete-page-size-rows	2	CLASSIFICATION_WEBSHOP_VERSION_ATTR	108
bulk-insert-page-size-bytes	2	CLASSIFICATIONS_ARTICLEGROUP_ARTICLEGRO	
bulk-insert-page-size-rows	2	UPS_WEBSHOP_CLASSIFICATION_NAME_ATTR	83
Category	5, 54, 63, 71, 73, 97, 104	CLASSIFICATIONS_ARTICLEGROUP_ARTICLEGRO	
CATEGORY_ATTR	5, 54, 63, 71, 73, 97, 104	UPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR	83
CBS Article Class Number	51	CLASSIFICATIONS_ARTICLEGROUP_ARTICLEGRO	
CBSNUMBER	51	UPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR	83
Classification ID	5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 85, 88, 90, 92, 95, 97, 101	CLASSIFICATIONS_ARTICLEGROUP_ARTICLEGRO	
Classification Name	5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 88, 90, 92, 95, 97, 101, 103, 104, 106, 108, 109, 112, 113, 114, 116, 117	UPS_WEBSHOP_LANGUAGE_ATTR	83
Classification Node Assets	106, 109	CLASSIFICATIONS_ARTICLEGROUP_ARTICLEGRO	
Classification Node Body Text	104, 106, 109	UPS_WEBSHOP_RECEIVERGLN_ATTR	83
Classification Node Code	104, 106, 109	CLASSIFICATIONS_ARTICLEGROUP_ARTICLEGRO	
Classification Node Depth	104, 106, 109	UPS_WEBSHOP_RELATION_ATTR	83
Classification Node Description	104, 106, 109	CLASSIFICATIONS_ARTICLEGROUP_ARTICLEGRO	
Classification Node ID	104, 106, 109	UPS_WEBSHOP_RELATIONGLN_ATTR	83
Classification Node Name	104, 106, 109	CLASSIFICATIONS_ARTICLEGROUP_ARTICLEGRO	
Classification Node Own Information Body Text	104, 109	UPS_WEBSHOP_SENDEGLN_ATTR	83
Classification Node Own Information Description	104, 106, 109	CLASSIFICATIONS_ARTICLEGROUP_ARTICLEGRO	
Classification Node Own Information Title	104, 109	UPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFIC	
Classification Node Parent	104, 106, 109	ATIONMAXLEVEL	83
Classification Node Position	104, 106, 109	CLASSIFICATIONS_ARTICLEGROUP_ARTICLEGRO	
Classification Node Title	104, 106, 109	UPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYS	
CLASSIFICATION_NAME_ATTR	108, 117	YNONYMS	83
CLASSIFICATION_WEBSHOP_ETIM_VERSIONNUM		CLASSIFICATIONS_ARTICLEGROUP_ARTICLEGRO	
BER_ATTR	108	UPS_WEBSHOP_TEMPLATESETTINGS_IMAGECO	
CLASSIFICATION_WEBSHOP_EXPORTSELECTION		UNT	83
NAME_ATTR	108	CLASSIFICATIONS_ARTICLEGROUP_ARTICLEGRO	
CLASSIFICATION_WEBSHOP_LANGUAGE_ATTR	108	UPS_WEBSHOP_TEMPLATESETTINGS_PROPERT	
CLASSIFICATION_WEBSHOP_RECEIVERGLN_ATT		YCOUNT	83
R	108	CLASSIFICATIONS_ARTICLEGROUP_ARTICLEGRO	
CLASSIFICATION_WEBSHOP_RELATION_ATTR	108	UPS_WEBSHOP_VERSION_ATTR	83
CLASSIFICATION_WEBSHOP_RELATIONGLN_ATTR	108	CLASSIFICATIONS_ARTICLEGROUP_ASSETS	83
CLASSIFICATION_WEBSHOP_SENDEGLN_ATTR	108	CLASSIFICATIONS_ARTICLEGROUP_BLUEPENCIL	
CLASSIFICATION_WEBSHOP_TEMPLATESETTING		DATA_SPECIFICATIONBULLETS_ATTR	83
S_CLASSIFICATIONMAXLEVEL	108	CLASSIFICATIONS_ARTICLEGROUP_BLUEPENCIL	
CLASSIFICATION_WEBSHOP_TEMPLATESETTING		DATA_TRANSPOSED_ATTR	83
S_DISPLAYSYNONYMS	108	CLASSIFICATIONS_ARTICLEGROUP_BRAND	83
CLASSIFICATION_WEBSHOP_TEMPLATESETTING		CLASSIFICATIONS_ARTICLEGROUP_ID_ATTR	83
S_IMAGECOUNT	108	CLASSIFICATIONS_ARTICLEGROUP_KIND	83
CLASSIFICATION_WEBSHOP_TEMPLATESETTING		CLASSIFICATIONS_ARTICLEGROUP_LEGACYID_A	
S_PROPERTYCOUNT	108	TR	83
		CLASSIFICATIONS_ARTICLEGROUP_MANUFACTU	
		RERGLN	83
		CLASSIFICATIONS_ARTICLEGROUP_NAME	83
		CLASSIFICATIONS_ARTICLEGROUP_POSITION_AT	
		TR	83
		CLASSIFICATIONS_ARTICLEGROUP_STATES_AVAI	
		LABLE_FIRST_ATTR	83
		CLASSIFICATIONS_ARTICLEGROUP_STATES_AVAI	
		LABLE_LAST_ATTR	83

CLASSIFICATIONS_ARTICLEGROUP_STATES_BLEND	83	Edit Data Specification Bullets	5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 88, 90, 92, 95, 97, 101
CLASSIFICATIONS_ARTICLEGROUP_STATES_CLASSIFICATION	83	Edit Data Transposed	5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 88, 90, 92, 95, 97, 101
CLASSIFICATIONS_ARTICLEGROUP_STATES_CODE	83	EF_CODE_ATTR	11
CLASSIFICATIONS_ARTICLEGROUP_STATES_LIFE	83	EF_ETIM_ARTICLE_ARTICLEGTIN	11
CLASSIFICATIONS_ARTICLEGROUP_STATES_PRO	83	EF_ETIM_ARTICLE_ARTICLENUMBER	11
CLASSIFICATIONS_ARTICLEGROUP_STATES_P	83	EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_A	RTICLEGROUPS_WEBSHOP_CLASSIFICATION_NA
CLASSIFICATIONS_ARTICLEGROUP_SUPPLIER	83	ME_ATTR	11
CLASSIFICATIONS_ARTICLEGROUP_SUPPLIER	83	EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_A	RTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUM
CLASSIFICATIONS_ARTICLEGROUP_SUPPLIER	83	BER_ATTR	11
CLASSIFICATIONS_ARTICLEGROUP_SUPPLIER	83	EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_A	RTICLEGROUPS_WEBSHOP_EXPORTSELECTIONN
CLASSIFICATIONS_ARTICLEGROUP_SUPPLIER	83	AME_ATTR	11
CLASSIFICATIONS_ARTICLEGROUP_SUPPLIER	83	EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_A	RTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR
CLASSIFICATIONS_ARTICLEGROUP_TEMPLATE	83	11	
CLASSIFICATIONS_CLASSIFICATION_ID_ATTR	83	EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_A	RTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR
CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR	88	11	
CLASSIFICATIONS_ETIM_ECCODE_ATTR	83, 88	EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_A	RTICLEGROUPS_WEBSHOP_RELATION_ATTR
CODE_ATTR	8, 11, 108, 112, 113, 116	EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_A	RTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR
Company GLN	5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 88, 90, 92, 95, 97, 101, 103, 104, 106, 108, 109, 111, 112, 113, 114, 116, 117	11	
Company Name	5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 88, 90, 92, 95, 97, 101, 103, 104, 106, 108, 109, 111, 112, 113, 114, 116, 117	EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_A	RTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS
Copy to Specification	80	_CLASSIFICATIONMAXLEVEL	11
Depth	108	EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_A	RTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS
DEPTH_ATTR	108	_DISPLAYSYNONYMS	11
DESCRIPTION	5, 51, 54, 63, 71, 73, 97, 101, 104, 108, 112, 113, 116	EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_A	RTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS
Domain	117, 118	_IMAGECOUNT	11
Domain Acronyms	117	EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_A	RTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS
Domain EtimFeatureTypes	118	_PROPERTYCOUNT	11
Driver	1	EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_A	RTICLEGROUPS_WEBSHOP_VERSION_ATTR
Edit Article Table Header Assets	77	11	
Edit Article Table Header Copy to Specification	77	EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_A	SSETS
Edit Article Table Header Header ID	73, 77	11	
Edit Article Table Header ID	73, 77	EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_B	UEPENCILDATA_SPECIFICATIONBULLETS_ATTR
Edit Article Table Header Is Grouped	73, 77	11	
Edit Article Table Header Is Hidden	73, 77	EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_B	UEPENCILDATA_TRANSPOSED_ATTR
Edit Article Table Header Name	73, 77	11	
Edit Article Table Header Position	73, 77	EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_B	RAND
Edit Article Table Header Separator	73, 77	11	

EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ASSIFICATIONS_CLASSIFICATION_ID_ATTR	11	EF_ETIM_ARTICLE_OWNINFORMATION_ABCCLAS SIFICATION	11
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ASSIFICATIONS_CLASSIFICATION_NAME_ATTR	11	EF_ETIM_ARTICLE_OWNINFORMATION_OWNARTI CLENUMBER	11
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ASSIFICATIONS_ETIM_ECCODE_ATTR	11	EF_ETIM_ARTICLE_OWNINFORMATION_OWNPUR CHASECOMBINATIONNUMBER	11
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ID_ATTR	11	EF_ETIM_ARTICLE_OWNINFORMATION_OWNSTAT US	11
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_POSITION_ATTR	11	EF_ETIM_ARTICLE_POSITION_ATTR	11
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR	11	EF_ETIM_ARTICLE_STATES_AVAILABLE_END_A TT	11
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR	11	EF_ETIM_ARTICLE_STATES_AVAILABLE_START_A TT	11
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR	11	EF_ETIM_ARTICLE_STATES_LIFETIME	11
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR	11	EF_ETIM_ARTICLE_STATES_STATE	11
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_BLUEPENCIL	11	EF_ETIM_ARTICLE_TYPENUMBER	11
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CLASSIFICATION	11	EG_CODE_ATTR	112
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CONFIRM	11	EG_DESCRIPTION	112
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_LIFETIME	11	EG_ETIM_VERSIONNUMBER_ATTR	112
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_PRODUCTION	11	EG_ETIM_WEBSHOP_CLASSIFICATION_NAME_A TT	112
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_PPLIER_DATAPROVIDERGLN_ATTR	11	EG_ETIM_WEBSHOP_EXPORTSELECTIONNAME_A TT	112
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_PPLIER_GLN_ATTR	11	EG_ETIM_WEBSHOP_LANGUAGE_ATTR	112
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_PPLIER_ID_ATTR	11	EG_ETIM_WEBSHOP_RECEIVERGLN_ATTR	112
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_PPLIER_NAME_ATTR	11	EG_ETIM_WEBSHOP_RELATION_ATTR	112
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_PPLIER_PURCHASECOMBINATIONGLN_ATTR	11	EG_ETIM_WEBSHOP_RELATIONGLN_ATTR	112
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_PPLIER_PURCHASECOMBINATIONGLN_ATTR	11	EG_ETIM_WEBSHOP_SENDERGLN_ATTR	112
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_PPLIER_PURCHASECOMBINATIONGLN_ATTR	11	EG_ETIM_WEBSHOP_TEMPLATESETTINGS_CLAS SIFICATIONMAXLEVEL	112
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_PPLIER_PURCHASECOMBINATIONGLN_ATTR	11	EG_ETIM_WEBSHOP_TEMPLATESETTINGS_DISPL AYSYNONYMS	112
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_PPLIER_PURCHASECOMBINATIONGLN_ATTR	11	EG_ETIM_WEBSHOP_TEMPLATESETTINGS_IMAG ECOUNT	112
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_PPLIER_PURCHASECOMBINATIONGLN_ATTR	11	EG_ETIM_WEBSHOP_TEMPLATESETTINGS_PROP ERTYCOUNT	112
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_PPLIER_PURCHASECOMBINATIONGLN_ATTR	11	EG_ETIM_WEBSHOP_VERSION_ATTR	112
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_PPLIER_PURCHASECOMBINATIONGLN_ATTR	11	ETIM Classification	5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 88, 90, 92, 95, 97, 101, 103, 104, 106, 108, 109, 111, 112, 113, 114, 116, 117
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_PPLIER_PURCHASECOMBINATIONGLN_ATTR	11	ETIM Feature Code	11
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_PPLIER_PURCHASECOMBINATIONGLN_ATTR	11	ETIM Feature Value	11
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_PPLIER_PURCHASECOMBINATIONGLN_ATTR	11	ETIM Group Class Code	113, 114
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_PPLIER_PURCHASECOMBINATIONGLN_ATTR	11	ETIM Group Class Description	113, 114
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_PPLIER_PURCHASECOMBINATIONGLN_ATTR	11	ETIM Group Code	112, 113, 114
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_PPLIER_PURCHASECOMBINATIONGLN_ATTR	11	ETIM Group Description	112, 113, 114
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_PPLIER_PURCHASECOMBINATIONGLN_ATTR	11	ETIM Unit	113
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_PPLIER_PURCHASECOMBINATIONGLN_ATTR	11	ETIM Unit Code	113
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_PPLIER_PURCHASECOMBINATIONGLN_ATTR	11	ETIM_ARTICLE_ARTICLEGTIN	8
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_PPLIER_PURCHASECOMBINATIONGLN_ATTR	11	ETIM_ARTICLE_ARTICLENUMBER	8

ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUP_NAME
 LEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ 8
 ATTR 8
 ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_POSITION
 ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ACTION_ATTR 8
 LEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER
 ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_STATE
 ATTR 8
 S_AVAILABLE_FIRST_ATTR 8
 ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUP_STATE
 LEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_AVAILABLE_LAST_ATTR 8
 _ATTR 8
 ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_STATE
 ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUP_STATE
 LEGROUPS_WEBSHOP_LANGUAGE_ATTR 8
 S_BLUEPENCIL 8
 ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_STATE
 ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUP_STATE
 LEGROUPS_WEBSHOP_RECEIVERGLN_ATTR 8
 S_CLASSIFICATION 8
 ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_STATE
 ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUP_STATE
 LEGROUPS_WEBSHOP_RELATION_ATTR 8
 S_CONFIRM 8
 ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_STATE
 ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUP_STATE
 LEGROUPS_WEBSHOP_RELATIONGLN_ATTR 8
 S_LIFETIME 8
 ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_STATE
 ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUP_STATE
 LEGROUPS_WEBSHOP_SENDERGLN_ATTR 8
 S_PRODUCTION 8
 ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_SUPP
 ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUP_SUPP
 LEGROUPS_WEBSHOP_TEMPLATESETTINGS_CHARACTERIZATIONMAXLEVEL 8
 LIER_GLN_ATTR 8
 ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUP_SUPP
 LEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYER_ID_ATTR 8
 PLAYSYNONYMS 8
 ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUP_SUPP
 ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUP_SUPP
 LEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGEER_NAME_ATTR 8
 GECOUNT 8
 ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUP_SUPP
 LEGROUPS_WEBSHOP_TEMPLATESETTINGS_PICTUREPURCHASECOMBINATIONGLN_ATTR 8
 OPERTYCOUNT 8
 DATE 8
 ETIM_ARTICLE_ARTICLESUBGROUP_ATTR 8
 ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUP_SUPP
 LEGROUPS_WEBSHOP_VERSION_ATTR 8
 ETIM_ARTICLE_ASSETS 8
 ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ASSETS 8
 ETIM_ARTICLE_CBSNUMBER 8
 ETIM_ARTICLE_DESCRIPTION 8
 ETIM_ARTICLE_ID_ATTR 8
 ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR 8
 ETIM_ARTICLE_MANUFACTURERARTICLEGTIN 8
 ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR 8
 ETIM_ARTICLE_MANUFACTURERARTICLENUMBER
 8
 ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_BRAND
 D 8
 ETIM_ARTICLE_OWNINFORMATION_ABCCCLASSIFI
 CATION 8
 ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR 8
 ETIM_ARTICLE_OWNINFORMATION_OWNARTICLE
 NUMBER 8
 ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR 8
 ETIM_ARTICLE_OWNINFORMATION_OWNDERSCRIPTION 8
 ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR 8
 ETIM_ARTICLE_OWNINFORMATION_OWNPURCHASECOMBINATIONNUMBER 8
 ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ID_ATTR 8
 ETIM_ARTICLE_OWNINFORMATION_OWNSTATE
 8
 ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_KIND
 8
 ETIM_ARTICLE_POSITION_ATTR 8
 ETIM_ARTICLE_STATES_AVAILABLE_END_ATTR
 8
 ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_LEGACYID_ATTR 8
 ETIM_ARTICLE_STATES_AVAILABLE_START_ATTR
 8
 ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_MANUFACTURERGLN 8
 ETIM_ARTICLE_STATES_LIFETIME 8

ETIM_ARTICLE_STATES_STATE	8	EZBASEUNITDESCRIPTION_ATTR	59
ETIM_ARTICLE_TYPENUMBER	8	FEATURES_EC_CODE_ATTR	113
ETIM_VERSIONNUMBER_ATTR	116, 117	FEATURES_EC_DESCRIPTION	113
ETIM_WEBSHOP_CLASSIFICATION_NAME_ATTR	116	FEATURES_EC_EG_CODE_ATTR	113
ETIM_WEBSHOP_EXPORTSELECTIONNAME_ATTR	116	FEATURES_EC_EG_DESCRIPTION	113
ETIM_WEBSHOP_LANGUAGE_ATTR	116	FEATURES_EC_EG_ETIM_VERSIONNUMBER_ATTR	113
ETIM_WEBSHOP_RECEIVERGLN_ATTR	116	FEATURES_EC_EG_ETIM_WEBSHOP_CLASSIFICATION_NAME_ATTR	113
ETIM_WEBSHOP_RELATION_ATTR	116	FEATURES_EC_EG_ETIM_WEBSHOP_EXPORTSELECTIONNAME_ATTR	113
ETIM_WEBSHOP_RELATIONGLN_ATTR	116	FEATURES_EC_EG_ETIM_WEBSHOP_LANGUAGE_ATTR	113
ETIM_WEBSHOP_SENDERGLN_ATTR	116	FEATURES_EC_EG_ETIM_WEBSHOP_RECEIVERGLN_ATTR	113
ETIM_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	116	FEATURES_EC_EG_ETIM_WEBSHOP_RELATION_ATTR	113
ETIM_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	116	FEATURES_EC_EG_ETIM_WEBSHOP_RELATIONGLN_ATTR	113
ETIM_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	116	FEATURES_EC_EG_ETIM_WEBSHOP_RELATIONGLN_ATTR	113
ETIM_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	116	FEATURES_EC_EG_ETIM_WEBSHOP_SENDERGLN_ATTR	113
ETIM_WEBSHOP_VERSION_ATTR	116	FEATURES_EC_EG_ETIM_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	113
EtimFeatureTypes	118	FEATURES_EC_EG_ETIM_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	113
EU	113	FEATURES_EC_EG_ETIM_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	113
EU_CODE_ATTR	113	FEATURES_EC_EG_ETIM_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	113
EV	11	FEATURES_EC_EG_ETIM_WEBSHOP_VERSION_ATTR	113
Export Selection Name	5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 88, 90, 92, 95, 97, 101, 103, 104, 106, 108, 109, 111, 112, 113, 114, 116, 117	FIELD	23
Export Settings Display Synonyms	5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 88, 90, 92, 95, 97, 101, 103, 104, 106, 108, 109, 111, 112, 113, 114, 116, 117	FOOTER	92, 95
Export Settings Maximum Number of Classifications Displayed	5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 88, 90, 92, 95, 97, 101, 103, 104, 106, 108, 109, 111, 112, 113, 114, 116, 117	force-case-sensitive-identifiers	2
Export Settings Number of Images Displayed	5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 88, 90, 92, 95, 97, 101, 103, 104, 106, 108, 109, 111, 112, 113, 114, 116, 117	forced-casing-identifiers	2
Export Settings Number of Properties Displayed	5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 88, 90, 92, 95, 97, 101, 103, 104, 106, 108, 109, 111, 112, 113, 114, 116, 117	FREEFIELDS_OWNINFORMATION_ABCClassification	23
EzBase	1	FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR	23
EZ-base	1, 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 88, 90, 92, 95, 97, 101, 103, 104, 106, 108, 109, 111, 112, 113, 114, 116, 117, 118	FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR	23
EZBASEUNIT_ATTR	59	FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR	23
EZBASEUNITCATEGORY_ATTR	59	FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR	23

FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLE
 LES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHO
 P_RECEIVERGLN_ATTR 23
 FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLE
 LES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHO
 P_RELATION_ATTR 23
 FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLE
 LES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHO
 P_RELATIONGLN_ATTR 23
 FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLE
 LES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHO
 P_SENDERGLN_ATTR 23
 FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLE
 LES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHO
 P_TEMPLATESETTINGS_CLASSIFICATIONMAXLEV
 EL 23
 FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLE
 LES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHO
 P_TEMPLATESETTINGS_DISPLAYSYNONYMS
 23
 FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLE
 LES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHO
 P_TEMPLATESETTINGS_IMAGECOUNT 23
 FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLE
 LES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHO
 P_TEMPLATESETTINGS_PROPERTYCOUNT 23
 FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLE
 LES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHO
 P_VERSION_ATTR 23
 FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLE
 LES_ARTICLEGROUP_ASSETS 23
 FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLE
 LES_ARTICLEGROUP_BLUEPENCILDATA_SPECIF
 ICATIONBULLETS_ATTR 23
 FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLE
 LES_ARTICLEGROUP_BLUEPENCILDATA_TRANSF
 OSED_ATTR 23
 FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLE
 LES_ARTICLEGROUP_BRAND 23
 FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLE
 LES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIF
 ICATION_ID_ATTR 23
 FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLE
 LES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIF
 ICATION_NAME_ATTR 23
 FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLE
 LES_ARTICLEGROUP_CLASSIFICATIONS_ETIM_EC
 CODE_ATTR 23
 FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLE
 LES_ARTICLEGROUP_ID_ATTR 23
 FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLE
 LES_ARTICLEGROUP_KIND 23
 FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLE
 LES_ARTICLEGROUP_LEGACYID_ATTR 23
 FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLE
 LES_ARTICLEGROUP_MANUFACTURERGLN 23

FREEFIELDS_OWNINFORMATION_ARTICLE_STATE	log-native-calls-to-disk-max-events	2
S_AVAILABLE_START_ATTR	23	log-native-calls-to-disk-max-seconds
FREEFIELDS_OWNINFORMATION_ARTICLE_STATE	log-native-calls-to-disk-on-error	2
S_LIFETIME	23	log-native-calls-to-disk-on-success
FREEFIELDS_OWNINFORMATION_ARTICLE_STATE	log-native-calls-to-trace	2
S_STATE	23	Manufacturer Article EAN
FREEFIELDS_OWNINFORMATION_ARTICLE_TYPE	Manufacturer Article Number	51
NUMBER	23	Manufacturer GLN
FREEFIELDS_OWNINFORMATION_OWNARTICLE	MANUFACTURERARTICLEGTIN	51
NUMBER	23	MANUFACTURERARTICLENUMBER
FREEFIELDS_OWNINFORMATION_OWNING	MANUFACTURERGLN	88
DESCRIPTION	23	MAX_ATTR
FREEFIELDS_OWNINFORMATION_OWNPURCHASE	11, 19	maximum-length-identifiers
COMBINATIONNUMBER	23	max-url-length-accepted
FREEFIELDS_OWNINFORMATION_OWNSTATE	23	max-url-length-desired
Gross Price	43	MIN_ATTR
GROSSPRICE	43	Minimum Buying Quantity
HEADER	15, 27, 59, 92, 95	MINIMUMBUYINGQUANTITY
Header ID	80	minimum-length-text
HEADER_ATTR	15, 27, 59	Name
HEADERID_ATTR	80	80, 83, 88, 101, 103, 106, 108, 111
ID_ATTR	5, 31, 47, 51, 54, 63, 71, 73, 80, 83, 85, 88, 95, 97, 101, 103, 104, 106, 108	NAME_ATTR
Interface URL	5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 88, 90, 92, 95, 97, 101, 103, 104, 106, 108, 109, 111, 113, 114, 116, 117	Net Price
INTERFACE_URL	5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 88, 90, 92, 95, 97, 101, 103, 104, 106, 108, 109, 111, 112, 113, 114, 116, 117	43
invantive-sql-compress-sparse-arrays	2	NETPRICE
invantive-sql-correct-invalid-date	2	NORMALIZEDHEADER
invantive-sql-forward-filters-to-data-containers	2	85
invantive-sql-share-byte-arrays	2	NORMALIZEDHEADERS_ARTICLEGROUP_ARTICLE
invantive-sql-share-strings	2	GROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR
invantive-sql-shuffle-fetch-results-data-containers	2	TR
invantive-use-cache	2	85
Is Grouped	80	NORMALIZEDHEADERS_ARTICLEGROUP_ARTICLE
Is Hidden	80	GROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR
Is Normalized	106	TR
ISGROUPED_ATTR	80	85
ISHIDDEN_ATTR	80	NORMALIZEDHEADERS_ARTICLEGROUP_ARTICLE
ISNORMALIZED_ATTR	106	GROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR
KIND	88	ATTR
Language	5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 88, 90, 92, 95, 97, 101, 103, 104, 106, 108, 109, 111, 112, 113, 114, 116, 117	85
LANGUAGE_ATTR	117	NORMALIZEDHEADERS_ARTICLEGROUP_ARTICLE
Legacy ID	88	GROUPS_WEBSHOP_LANGUAGE_ATTR
LEGACYID_ATTR	88	85
		NORMALIZEDHEADERS_ARTICLEGROUP_ARTICLE
		GROUPS_WEBSHOP_RECEIVERGLN_ATTR
		85
		NORMALIZEDHEADERS_ARTICLEGROUP_ARTICLE
		GROUPS_WEBSHOP_RELATION_ATTR
		85
		NORMALIZEDHEADERS_ARTICLEGROUP_ARTICLE
		GROUPS_WEBSHOP_RELATIONGLN_ATTR
		85
		NORMALIZEDHEADERS_ARTICLEGROUP_ARTICLE
		GROUPS_WEBSHOP_SENDERGLN_ATTR
		85
		NORMALIZEDHEADERS_ARTICLEGROUP_ARTICLE
		GROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL
		85
		NORMALIZEDHEADERS_ARTICLEGROUP_ARTICLE
		GROUPS_WEBSHOP_TEMPLATESETTINGS_DISPL
		AYSYNONYMS
		85
		NORMALIZEDHEADERS_ARTICLEGROUP_ARTICLE
		GROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT
		85

NORMALIZEDHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT 85
 NORMALIZEDHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR 85
 NORMALIZEDHEADERS_ARTICLEGROUP_ASSETNUMBER 85
 NORMALIZEDHEADERS_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR 85
 NORMALIZEDHEADERS_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR 85
 NORMALIZEDHEADERS_ARTICLEGROUP_BRANDNUMBER 85
 NORMALIZEDHEADERS_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR 85
 NORMALIZEDHEADERS_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR 85
 NORMALIZEDHEADERS_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR 85
 NORMALIZEDHEADERS_ARTICLEGROUP_ID_ATTR 85
 NORMALIZEDHEADERS_ARTICLEGROUP_KIND 85
 NORMALIZEDHEADERS_ARTICLEGROUP_LEGACY_ID_ATTR 85
 NORMALIZEDHEADERS_ARTICLEGROUP_MANUFACTURERGLN 85
 NORMALIZEDHEADERS_ARTICLEGROUP_NAME 85
 NORMALIZEDHEADERS_ARTICLEGROUP_POSITION_ATTR 85
 NORMALIZEDHEADERS_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR 85
 NORMALIZEDHEADERS_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 85
 NORMALIZEDHEADERS_ARTICLEGROUP_STATES_BLUEPENCIL 85
 NORMALIZEDHEADERS_ARTICLEGROUP_STATES_CLASSIFICATION 85
 NORMALIZEDHEADERS_ARTICLEGROUP_STATES_CONFIRM 85
 NORMALIZEDHEADERS_ARTICLEGROUP_STATES_LIFETIME 85
 NORMALIZEDHEADERS_ARTICLEGROUP_STATES_PRODUCTION 85
 NORMALIZEDHEADERS_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR 85
 NORMALIZEDHEADERS_ARTICLEGROUP_SUPPLIER_GLN_ATTR 85
 NORMALIZEDHEADERS_ARTICLEGROUP_SUPPLIER_ID_ATTR 85
 NORMALIZEDHEADERS_ARTICLEGROUP_SUPPLIER_NAME_ATTR 85
 NORMALIZEDHEADERS_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR 85
 NORMALIZEDHEADERS_ARTICLEGROUP_TEMPLATESETTINGS_PROPERTYCOUNT 15
 NORMALIZEDHEADERS_ARTICLEGROUP_TEMPLATESETTINGS_CLASSIFICATION_NAME_ATTR 15
 NORMALIZEDHEADERS_ARTICLEGROUP_TEMPLATESETTINGS_VERSIONNUMBER_ATTR 15
 NORMALIZEDHEADERS_ARTICLEGROUP_TEMPLATESETTINGS_EXPORTESELECTIONNAME_ATTR 15
 NORMALIZEDHEADERS_ARTICLEGROUP_TEMPLATESETTINGS_LANGUAGE_ATTR 15
 NORMALIZEDHEADERS_ARTICLEGROUP_TEMPLATESETTINGS_RECEIVERGLN_ATTR 15
 NORMALIZEDHEADERS_ARTICLEGROUP_TEMPLATESETTINGS_RELATION_ATTR 15
 NORMALIZEDHEADERS_ARTICLEGROUP_TEMPLATESETTINGS_SENDERGLN_ATTR 15
 NORMALIZEDHEADERS_ARTICLEGROUP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL 15
 NORMALIZEDHEADERS_ARTICLEGROUP_TEMPLATESETTINGS_DISPLAYSYNONYMS 15
 NORMALIZEDHEADERS_ARTICLEGROUP_TEMPLATESETTINGS_IMAGECOUNT 15
 NORMALIZEDHEADERS_ARTICLEGROUP_TEMPLATESETTINGS_PROPERTYCOUNT 15
 NORMALIZEDHEADERS_ARTICLEGROUP_TEMPLATESETTINGS_VERSION_ATTR 15
 NORMALIZEDHEADERS_ARTICLEGROUP_ASSETS 15
 NORMALIZEDHEADERS_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR 15
 NORMALIZEDHEADERS_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR 15
 NORMALIZEDHEADERS_ARTICLEGROUP_BRAND 15

NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_	NORMALIZEDPROPERTIES_ARTICLE_CBSNUMBE
RTICLEGROUP_CLASSIFICATIONS_CLASSIFICATIO	15
N_ID_ATTR 15	NORMALIZEDPROPERTIES_ARTICLE_DESCRIPTOR
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_	15
RTICLEGROUP_CLASSIFICATIONS_CLASSIFICATIO	NORMALIZEDPROPERTIES_ARTICLE_ID_ATTR
N_NAME_ATTR 15	15
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_	NORMALIZEDPROPERTIES_ARTICLE_MANUFACTU
RTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODER	ERARTICLEGTIN 15
_ATTR 15	NORMALIZEDPROPERTIES_ARTICLE_MANUFACTU
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_	ERARTICLENUMBER 15
RTICLEGROUP_ID_ATTR 15	NORMALIZEDPROPERTIES_ARTICLE_OWNINFOR
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_	MATION_ABCCCLASSIFICATION 15
RTICLEGROUP_KIND 15	NORMALIZEDPROPERTIES_ARTICLE_OWNINFOR
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_	MATION_OWNARTICLENUMBER 15
RTICLEGROUP_LEGACYID_ATTR 15	NORMALIZEDPROPERTIES_ARTICLE_OWNINFOR
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_	MATION_OWNINGDESCRIPTION 15
RTICLEGROUP_MANUFACTURERGLN 15	NORMALIZEDPROPERTIES_ARTICLE_OWNINFOR
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_	MATION_OWNPURCHASECOMBINATIONNUMBER
RTICLEGROUP_NAME 15	15
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_	NORMALIZEDPROPERTIES_ARTICLE_OWNINFOR
RTICLEGROUP_POSITION_ATTR 15	MATION_OWNINGSTATE 15
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_	NORMALIZEDPROPERTIES_ARTICLE_POSITION_A
RTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR	TR 15
15	NORMALIZEDPROPERTIES_ARTICLE_STATES_AV
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_	AILABLE_END_ATTR 15
RTICLEGROUP_STATES_AVAILABLE_LAST_ATTR	NORMALIZEDPROPERTIES_ARTICLE_STATES_AV
15	AILABLE_START_ATTR 15
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_	NORMALIZEDPROPERTIES_ARTICLE_STATES_LIF
RTICLEGROUP_STATES_BLUEPENCIL 15	ETIME 15
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_	NORMALIZEDPROPERTIES_ARTICLE_STATES_ST
RTICLEGROUP_STATES_CLASSIFICATION 15	ATE 15
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_	NORMALIZEDPROPERTIES_ARTICLE_TYPENUMBE
RTICLEGROUP_STATES_CONFIRM 15	R 15
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_	Original Extension 5, 54, 63, 71, 73, 97, 104
RTICLEGROUP_STATES_LIFETIME 15	Original File 5, 54, 63, 71, 73, 97, 104
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_	ORIGINALEXTENSION 5, 54, 63, 71, 73, 97, 104
RTICLEGROUP_STATES_PRODUCTION 15	ORIGINALFILE 5, 54, 63, 71, 73, 97, 104
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_	Own Information ABC Classification 51
RTICLEGROUP_SUPPLIER_DATAPROVIDERGLN	A
TTR 15	Own Information Body Text 108
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_	Own Information Description 108
RTICLEGROUP_SUPPLIER_GLN_ATTR 15	Own Information Own Article Number 51
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_	Own Information Own Description 51
RTICLEGROUP_SUPPLIER_ID_ATTR 15	Own Information Own Purchase Combination Number
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_	51
RTICLEGROUP_SUPPLIER_NAME_ATTR 15	Own Information Own State 51
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_	Own Information Title 108
RTICLEGROUP_SUPPLIER_PURCHASECOMBINATIO	OWNINFORMATION_ABCCCLASSIFICATION 51
ONGLN_ATTR 15	OWNINFORMATION_BODY 108
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_	OWNINFORMATION_DESCRIPTION 108
RTICLEGROUP_TEMPLATE 15	OWNINFORMATION_OWNARTICLENUMBER 51
NORMALIZEDPROPERTIES_ARTICLE_ARTICLESUB	OWNINFORMATION_OWNINGDESCRIPTION 51
GROUP_ATTR 15	OWNINFORMATION_OWNPURCHASECOMBINATIO
NORMALIZEDPROPERTIES_ARTICLE_ASSETS	NNUMBER 51
15	OWNINFORMATION_OWNINGSTATE 51

OWNINFORMATION_TITLE 108
 Parent 108
 PARENT_ATTR 108
 partition-slot-based-rate-limit-length-ms 2
 partition-slot-based-rate-limit-slots 2
 PERSONALHEADERS_OWNINFORMATION_BODY 106
 PERSONALHEADERS_OWNINFORMATION_DESCRIPTION 106
 PERSONALHEADERS_OWNINFORMATION_NODE_ASSETS 106
 PERSONALHEADERS_OWNINFORMATION_NODE_BODY 106
 PERSONALHEADERS_OWNINFORMATION_NODE_CLASSIFICATION_NAME_ATTR 106
 PERSONALHEADERS_OWNINFORMATION_NODE_CLASSIFICATION_WEBSHOP_ETIM_VERSIONNUMBER_ATTR 106
 PERSONALHEADERS_OWNINFORMATION_NODE_CLASSIFICATION_WEBSHOP_EXPORTSELECTION_NAME_ATTR 106
 PERSONALHEADERS_OWNINFORMATION_NODE_CLASSIFICATION_WEBSHOP_LANGUAGE_ATTR 106
 PERSONALHEADERS_OWNINFORMATION_NODE_CLASSIFICATION_WEBSHOP_RECEIVERGLN_ATTR 106
 PERSONALHEADERS_OWNINFORMATION_NODE_CLASSIFICATION_WEBSHOP_RELATION_ATTR 106
 PERSONALHEADERS_OWNINFORMATION_NODE_CLASSIFICATION_WEBSHOP_RELATIONGLN_ATTR 106
 PERSONALHEADERS_OWNINFORMATION_NODE_CLASSIFICATION_WEBSHOP_SENDERGLN_ATTR 106
 PERSONALHEADERS_OWNINFORMATION_NODE_CLASSIFICATION_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL 106
 PERSONALHEADERS_OWNINFORMATION_NODE_CLASSIFICATION_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS 106
 PERSONALHEADERS_OWNINFORMATION_NODE_CLASSIFICATION_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT 106
 PERSONALHEADERS_OWNINFORMATION_NODE_CLASSIFICATION_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT 106
 PERSONALHEADERS_OWNINFORMATION_NODE_CLASSIFICATION_WEBSHOP_VERSION_ATTR 106
 PERSONALHEADERS_OWNINFORMATION_NODE_CODE_ATTR 106
 PERSONALHEADERS_OWNINFORMATION_NODE_DEPTH_ATTR 106
 PERSONALHEADERS_OWNINFORMATION_NODE_DESCRIPTION 106
 PERSONALHEADERS_OWNINFORMATION_NODE_ID_ATTR 106
 PERSONALHEADERS_OWNINFORMATION_NODE_NAME 106
 PERSONALHEADERS_OWNINFORMATION_NODE_PARENT_ATTR 106
 PERSONALHEADERS_OWNINFORMATION_NODE_POSITION_ATTR 106
 PERSONALHEADERS_OWNINFORMATION_NODE_TITLE 106
 PERSONALHEADERS_OWNINFORMATION_TITLE 106
 PERSONALPROPERTIES_OWNINFORMATION_ABCLASSIFICATION 27
 PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLEGTIN 27
 PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLENUMBER 27
 PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR 27
 PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR 27
 PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR 27
 PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR 27
 PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR 27
 PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR 27
 PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR 27
 PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR 27
 PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL 27
 PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS 27

PERSONALPROPERTIES_OWNINFORMATION_OW
 NARTICLENUMBER 27
 PERSONALPROPERTIES_OWNINFORMATION_OW
 NDESCRIPTION 27
 PERSONALPROPERTIES_OWNINFORMATION_OW
 NPURCHASECOMBINATIONNUMBER 27
 PERSONALPROPERTIES_OWNINFORMATION_OW
 NSTATE 27
 Position 5, 31, 47, 51, 54, 63, 71, 73, 80, 88, 95,
 97, 104, 106, 108, 113
 POSITION_ATTR 5, 31, 47, 51, 54, 63, 71, 73, 80,
 88, 95, 97, 104, 106, 108, 113
 pre-request-delay-ms 2
 Price Base Quantity 43
 Price List Name 43
 PRICEBASEQUANTITY 43
 PRICELISTNAME_ATTR 43
 PRODUCTDETAILPRICES_ARTICLE_ARTICLEGTIN
 43
 PRODUCTDETAILPRICES_ARTICLE_ARTICLENUMB
 ER 43
 PRODUCTDETAILPRICES_ARTICLE_ARTICLES_AR
 TICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLAS
 SIFICATION_NAME_ATTR 43
 PRODUCTDETAILPRICES_ARTICLE_ARTICLES_AR
 TICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM
 VERSIONNUMBER_ATTR 43
 PRODUCTDETAILPRICES_ARTICLE_ARTICLES_AR
 TICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPO
 RTSELECTIONNAME_ATTR 43
 PRODUCTDETAILPRICES_ARTICLE_ARTICLES_AR
 TICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANG
 UAGE_ATTR 43
 PRODUCTDETAILPRICES_ARTICLE_ARTICLES_AR
 TICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECE
 VERGLN_ATTR 43
 PRODUCTDETAILPRICES_ARTICLE_ARTICLES_AR
 TICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELAT
 ION_ATTR 43
 PRODUCTDETAILPRICES_ARTICLE_ARTICLES_AR
 TICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELAT
 IONGLN_ATTR 43
 PRODUCTDETAILPRICES_ARTICLE_ARTICLES_AR
 TICLEGROUP_ARTICLEGROUPS_WEBSHOP_SEN
 DERGLN_ATTR 43
 PRODUCTDETAILPRICES_ARTICLE_ARTICLES_AR
 TICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMP
 LATESETTINGS_CLASSIFICATIONMAXLEVEL 43
 PRODUCTDETAILPRICES_ARTICLE_ARTICLES_AR
 TICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMP
 LATESETTINGS_DISPLAYSYNONYMS 43
 PRODUCTDETAILPRICES_ARTICLE_ARTICLES_AR
 TICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMP
 LATESETTINGS_IMAGECOUNT 43
 PRODUCTDETAILPRICES_ARTICLE_ARTICLES_AR
 TICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEM
 PLATESETTINGS_PROPERTYCOUNT 43
 PRODUCTDETAILPRICES_ARTICLE_ARTICLES_AR
 TICLEGROUP_ARTICLEGROUPS_WEBSHOP_VER
 SION_ATTR 43
 PRODUCTDETAILPRICES_ARTICLE_ARTICLES_AR
 TICLEGROUP_ASSETS 43
 PRODUCTDETAILPRICES_ARTICLE_ARTICLES_AR
 TICLEGROUP_BLUEPENCILDATA_SPECIFICATION
 BULLETS_ATTR 43
 PRODUCTDETAILPRICES_ARTICLE_ARTICLES_AR
 TICLEGROUP_BLUEPENCILDATA_TRANSPOSED_
 ATTR 43
 PRODUCTDETAILPRICES_ARTICLE_ARTICLES_AR
 TICLEGROUP_BRAND 43
 PRODUCTDETAILPRICES_ARTICLE_ARTICLES_AR
 TICLEGROUP_CLASSIFICATIONS_CLASSIFICATION
 ID_ATTR 43
 PRODUCTDETAILPRICES_ARTICLE_ARTICLES_AR
 TICLEGROUP_CLASSIFICATIONS_CLASSIFICATION
 NAME_ATTR 43
 PRODUCTDETAILPRICES_ARTICLE_ARTICLES_AR
 TICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_
 ATTR 43
 PRODUCTDETAILPRICES_ARTICLE_ARTICLES_AR
 TICLEGROUP_ID_ATTR 43
 PRODUCTDETAILPRICES_ARTICLE_ARTICLES_AR
 TICLEGROUP_KIND 43
 PRODUCTDETAILPRICES_ARTICLE_ARTICLES_AR
 TICLEGROUP_LEGACYID_ATTR 43
 PRODUCTDETAILPRICES_ARTICLE_ARTICLES_AR
 TICLEGROUP_MANUFACTURERGLN 43
 PRODUCTDETAILPRICES_ARTICLE_ARTICLES_AR
 TICLEGROUP_NAME 43
 PRODUCTDETAILPRICES_ARTICLE_ARTICLES_AR
 TICLEGROUP_POSITION_ATTR 43
 PRODUCTDETAILPRICES_ARTICLE_ARTICLES_AR
 TICLEGROUP_STATES_AVAILABLE_FIRST_ATTR
 43
 PRODUCTDETAILPRICES_ARTICLE_ARTICLES_AR
 TICLEGROUP_STATES_AVAILABLE_LAST_ATTR
 43
 PRODUCTDETAILPRICES_ARTICLE_ARTICLES_AR
 TICLEGROUP_STATES_BLUEPENCIL 43
 PRODUCTDETAILPRICES_ARTICLE_ARTICLES_AR
 TICLEGROUP_STATES_CLASSIFICATION 43
 PRODUCTDETAILPRICES_ARTICLE_ARTICLES_AR
 TICLEGROUP_STATES_CONFIRM 43
 PRODUCTDETAILPRICES_ARTICLE_ARTICLES_AR
 TICLEGROUP_STATES_LIFETIME 43
 PRODUCTDETAILPRICES_ARTICLE_ARTICLES_AR
 TICLEGROUP_STATES_PRODUCTION 43

PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR 43	PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR 19
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_GLN_ATTR 43	PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR 19
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_ID_ATTR 43	PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR 19
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_NAME_ATTR 43	PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR 19
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATION_GLN_ATTR 43	PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR 19
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_TEMPLATE 43	PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR 19
PRODUCTDETAILPRICES_ARTICLE_ARTICLESARTICLEGROUP_ATTR 43	PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR 19
PRODUCTDETAILPRICES_ARTICLE_ASSETS 43	PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR 19
PRODUCTDETAILPRICES_ARTICLE_CBSNUMBER 43	PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL 19
PRODUCTDETAILPRICES_ARTICLE_DESCRIPTION 43	PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONMS 19
PRODUCTDETAILPRICES_ARTICLE_ID_ATTR 43	PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT 19
PRODUCTDETAILPRICES_ARTICLE_MANUFACTURERARTICLEGTIN 43	PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT 19
PRODUCTDETAILPRICES_ARTICLE_MANUFACTURERARTICLENUMBER 43	PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR 19
PRODUCTDETAILPRICES_ARTICLE_OWNINFORMATION_ABCClassification 43	PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ASSETS 19
PRODUCTDETAILPRICES_ARTICLE_OWNINFORMATION_OWNARTICLENUMBER 43	PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR 19
PRODUCTDETAILPRICES_ARTICLE_OWNINFORMATION_OWNDescription 43	PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_ANSPOSED_ATTR 19
PRODUCTDETAILPRICES_ARTICLE_OWNINFORMATION_OWNPURCHASECOMBINATIONNUMBER 43	PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_BRAND 19
PRODUCTDETAILPRICES_ARTICLE_OWNINFORMATION_OWNSTATE 43	PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR 19
PRODUCTDETAILPRICES_ARTICLE_POSITION_ATTR 43	PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR 19
PRODUCTDETAILPRICES_ARTICLE_STATES_AVAILABLE_END_ATTR 43	PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR 19
PRODUCTDETAILPRICES_ARTICLE_STATES_AVAILABLE_START_ATTR 43	PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR 19
PRODUCTDETAILPRICES_ARTICLE_STATES_LIFETIME 43	PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR 19
PRODUCTDETAILPRICES_ARTICLE_STATES_SPECIFICATION 43	PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR 19
PRODUCTDETAILPRICES_ARTICLE_TYPENUMBER 43	PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR 19
PROPERTY 27, 90	PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR 19
PROPERTY_HEADER_ATTR 19	PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR 19
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLEGTIN 19	PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR 19
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLENUMBER 19	PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR 19

PROPERTY_NORMALIZEDPROPERTIES_ARTICLEPROPERTY_NORMALIZEDPROPERTIES_ARTICLE
 ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_ARTICLES_ARTICLEGROUP_TEMPLATE 19
 ASSIFICATION_NAME_ATTR 19 PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_
 PROPERTY_NORMALIZEDPROPERTIES_ARTICLEARTICLESUBGROUP_ATTR 19
 ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_ATTRPROPERTY_NORMALIZEDPROPERTIES_ARTICLE_
 M_ECCODE_ATTR 19 ASSETS 19
 PROPERTY_NORMALIZEDPROPERTIES_ARTICLEPROPERTY_NORMALIZEDPROPERTIES_ARTICLE_
 ARTICLES_ARTICLEGROUP_ID_ATTR 19 CBSNUMBER 19
 PROPERTY_NORMALIZEDPROPERTIES_ARTICLEPROPERTY_NORMALIZEDPROPERTIES_ARTICLE_
 ARTICLES_ARTICLEGROUP_KIND 19 DESCRIPTION 19
 PROPERTY_NORMALIZEDPROPERTIES_ARTICLEPROPERTY_NORMALIZEDPROPERTIES_ARTICLE_
 ARTICLES_ARTICLEGROUP_LEGACYID_ATTR ID_ATTR 19
 PROPERTY_NORMALIZEDPROPERTIES_ARTICLEPROPERTY_NORMALIZEDPROPERTIES_ARTICLE_
 ARTICLES_ARTICLEGROUP_MANUFACTURERGLNMANUFACTURERARTICLEGTIN 19
 19 PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_
 PROPERTY_NORMALIZEDPROPERTIES_ARTICLEMANUFACTURERARTICLENUMBER 19
 ARTICLES_ARTICLEGROUP_NAME 19 PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_
 PROPERTY_NORMALIZEDPROPERTIES_ARTICLEOWNINFORMATION_ABCClassification 19
 ARTICLES_ARTICLEGROUP_POSITION_ATTR 19PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_
 PROPERTY_NORMALIZEDPROPERTIES_ARTICLEOWNINFORMATION_OWNARTICLENUMBER 19
 ARTICLES_ARTICLEGROUP_STATES_AVAILABLEPROPERTY_NORMALIZEDPROPERTIES_ARTICLE_
 FIRST_ATTR 19 OWNINFORMATION_OWNDescription 19
 PROPERTY_NORMALIZEDPROPERTIES_ARTICLEPROPERTY_NORMALIZEDPROPERTIES_ARTICLE_
 ARTICLES_ARTICLEGROUP_STATES_AVAILABLEOWNINFORMATION_OWNPURCHASECOMBINATIO
 LAST_ATTR 19 NNUMBER 19
 PROPERTY_NORMALIZEDPROPERTIES_ARTICLEPROPERTY_NORMALIZEDPROPERTIES_ARTICLE_
 ARTICLES_ARTICLEGROUP_STATES_BLUEPENCHOWNINFORMATION_OWNSTATE 19
 19 PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_
 PROPERTY_NORMALIZEDPROPERTIES_ARTICLEPOSITION_ATTR 19
 ARTICLES_ARTICLEGROUP_STATES_CLASSIFICATI
 ON 19 PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_
 STATES_AVAILABLE_END_ATTR 19
 PROPERTY_NORMALIZEDPROPERTIES_ARTICLEPROPERTY_NORMALIZEDPROPERTIES_ARTICLE_
 ARTICLES_ARTICLEGROUP_STATES_CONFIRM STATES_AVAILABLE_START_ATTR 19
 19 PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_
 STATES_LIFETIME 19
 PROPERTY_NORMALIZEDPROPERTIES_ARTICLEPROPERTY_NORMALIZEDPROPERTIES_ARTICLE_
 ARTICLES_ARTICLEGROUP_STATES_LIFETIME STATES_STATE 19
 19 PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_
 STATES_STATE 19
 PROPERTY_NORMALIZEDPROPERTIES_ARTICLEPROPERTY_NORMALIZEDPROPERTIES_ARTICLE_
 ARTICLES_ARTICLEGROUP_STATES_PRODUCTIO
 N 19 TYPENUMBER 19
 PROPERTY_NORMALIZEDPROPERTIES_ARTICLEReceiver GLN 5, 8, 11, 15, 19, 23, 27, 31, 35, 39,
 ARTICLES_ARTICLEGROUP_SUPPLIER_DATAAPR
 VIDERGLN_ATTR 19 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 88,
 90, 92, 95, 97, 101, 103, 104, 106, 108, 109, 111,
 112, 113, 114, 116, 117
 PROPERTY_NORMALIZEDPROPERTIES_ARTICLERECEIVERGLN_ATTR 117
 ARTICLES_ARTICLEGROUP_SUPPLIER_GLN_ATTR
 19 RELATEDARTICLES_ARTICLE_ARTICLEGTIN 47
 PROPERTY_NORMALIZEDPROPERTIES_ARTICLERELATEDARTICLES_ARTICLE_ARTICLENUMBER
 ARTICLES_ARTICLEGROUP_SUPPLIER_ID_ATTR 47
 19 RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLE
 GROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFIC
 ACTION_NAME_ATTR 47
 PROPERTY_NORMALIZEDPROPERTIES_ARTICLERELATEDARTICLES_ARTICLE_ARTICLES_ARTICLE
 ARTICLES_ARTICLEGROUP_SUPPLIER_NAME_ATT
 R 19 GROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VER
 PROPERTY_NORMALIZEDPROPERTIES_ARTICLESIONNUMBER_ATTR 47
 ARTICLES_ARTICLEGROUP_SUPPLIER_PURCHAS
 ECOMBINATIONGLN_ATTR 19

RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLE
 GROUP_ARTICLEGROUPS_WEBSHOP_EXPORTS
 LECTIONNAME_ATTR 47
 RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLE
 GROUP_ARTICLEGROUPS_WEBSHOP_EXPORTS
 GROUP_LEGACYID_ATTR 47
 RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLE
 GROUP_ARTICLEGROUPS_WEBSHOP_EXPORTS
 GROUP_MANUFACTURERGLN 47
 RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLE
 GROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE
 E_ATTR 47
 RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLE
 GROUP_ARTICLEGROUPS_WEBSHOP_RECEIVE
 GLN_ATTR 47
 RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLE
 GROUP_ARTICLEGROUPS_WEBSHOP_RECEIVE
 GROUP_POSITION_ATTR 47
 RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLE
 GROUP_ARTICLEGROUPS_WEBSHOP_RELATION
 ATTR 47
 RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLE
 GROUP_ARTICLEGROUPS_WEBSHOP_RELATION
 GLN_ATTR 47
 RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLE
 GROUP_ARTICLEGROUPS_WEBSHOP_SENDER
 LN_ATTR 47
 RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLE
 GROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATE
 SETTINGS_CLASSIFICATIONMAXLEVEL 47
 RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLE
 GROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATE
 SETTINGS_DISPLAYSYNONYMS 47
 RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLE
 GROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATE
 SETTINGS_IMAGECOUNT 47
 RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLE
 GROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATE
 SETTINGS_PROPERTYCOUNT 47
 RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLE
 GROUP_ARTICLEGROUPS_WEBSHOP_VERSION
 ATTR 47
 RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLE
 GROUP_ASSETS 47
 RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLE
 GROUP_BLUEPENCILDATA_SPECIFICATIONBULLE
 TS_ATTR 47
 RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLE
 GROUP_BLUEPENCILDATA_TRANSPOSED_ATTR
 47
 RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLE
 GROUP_BRAND 47
 RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLE
 GROUP_CLASSIFICATIONS_CLASSIFICATION_ID_A
 TTR 47
 RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLE
 GROUP_CLASSIFICATIONS_CLASSIFICATION_NAM
 E_ATTR 47
 RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLE
 GROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR
 47
 RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLE
 GROUP_ID_ATTR 47
 RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLE
 GROUP_KIND 47
 RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLE
 GROUP_LEGACYID_ATTR 47
 RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLE
 GROUP_MANUFACTURERGLN 47
 RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLE
 GROUP_NAME 47
 RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLE
 GROUP_POSITION_ATTR 47
 RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLE
 GROUP_STATES_AVAILABLE_FIRST_ATTR 47
 RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLE
 GROUP_STATES_AVAILABLE_LAST_ATTR 47
 RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLE
 GROUP_STATES_BLUEPENCIL 47
 RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLE
 GROUP_STATES_CLASSIFICATION 47
 RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLE
 GROUP_STATES_CONFIRM 47
 RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLE
 GROUP_STATES_LIFETIME 47
 RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLE
 GROUP_STATES_PRODUCTION 47
 RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLE
 GROUP_SUPPLIER_DATAPROVIDERGLN_ATTR
 47
 RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLE
 GROUP_SUPPLIER_GLN_ATTR 47
 RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLE
 GROUP_SUPPLIER_ID_ATTR 47
 RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLE
 GROUP_SUPPLIER_NAME_ATTR 47
 RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLE
 GROUP_SUPPLIER_PURCHASECOMBINATIONGLN
 _ATTR 47
 RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLE
 GROUP_TEMPLATE 47
 RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLE
 SUBGROUP_ATTR 47
 RELATEDARTICLES_ARTICLE_ASSETS 47
 RELATEDARTICLES_ARTICLE_CBSNUMBER 47
 RELATEDARTICLES_ARTICLE_DESCRIPTION 47
 RELATEDARTICLES_ARTICLE_ID_ATTR 47
 RELATEDARTICLES_ARTICLE_MANUFACTURERAR
 TICLEGTIN 47
 RELATEDARTICLES_ARTICLE_MANUFACTURERAR
 TICLENUMBER 47
 RELATEDARTICLES_ARTICLE_OWNINFORMATION
 _ABCCCLASSIFICATION 47
 RELATEDARTICLES_ARTICLE_OWNINFORMATION
 OWNARTICLENUMBER 47
 RELATEDARTICLES_ARTICLE_OWNINFORMATION
 OWNDESCRIPTION 47
 RELATEDARTICLES_ARTICLE_OWNINFORMATION
 OWNPURCHASECOMBINATIONNUMBER 47

RELATEDARTICLES_ARTICLE_OWNINFORMATION_OWNSTATE 47
 RELATEDARTICLES_ARTICLE_POSITION_ATTR 47
 RELATEDARTICLES_ARTICLE_STATES_AVAILABLE_END_ATTR 47
 RELATEDARTICLES_ARTICLE_STATES_AVAILABLE_START_ATTR 47
 RELATEDARTICLES_ARTICLE_STATES_LIFETIME 47
 RELATEDARTICLES_ARTICLE_STATES_STATE 47
 RELATEDARTICLES_ARTICLE_TYPENUMBER 47
 RELATEDARTICLES_OWNINFORMATION_ABCLASSIFICATION 31
 RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLEGTIN 31
 RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLENUMBER 31
 RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WBSHOP_CLASSIFICATION_NAME_ATTR 31
 RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WBSHOP_ETIM_VERSIONNUMBER_ATTR 31
 RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WBSHOP_EXPORTSELECTIONNAME_ATTR 31
 RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WBSHOP_LANGUAGE_ATTR 31
 RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WBSHOP_RECEIVERGLN_ATTR 31
 RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WBSHOP_RELATION_ATTR 31
 RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WBSHOP_RELATIONGLN_ATTR 31
 RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WBSHOP_SENDERGLN_ATTR 31
 RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMXLLEVEL 31
 RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS 31
 RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WBSHOP_TEMPLATESETTINGS_IMAGECOUNT 31
 RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT 31
 RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WBSHOP_VERSION_ATTR 31
 RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ASSETS 31
 RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR 31
 RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR 31
 RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_BRAND 31
 RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR 31
 RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR 31
 RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR 31
 RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ID_ATTR 31
 RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_KIND 31
 RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_LEGACYID_ATTR 31
 RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_MANUFACTURERGLN 31
 RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_NAME 31
 RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_POSITION_ATTR 31
 RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR 31
 RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 31
 RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_BLUEPENCIL 31
 RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CLASSIFICATION 31
 RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CONFIRM 31

RELATEDARTICLES_OWNINFORMATION_ARTICLE	RELATEDARTICLES_OWNINFORMATION_OWNSTA
ARTICLES_ARTICLEGROUP_STATES_LIFETIME	TE 31
31	RELATION_ATTR 117
RELATEDARTICLES_OWNINFORMATION_ARTICLE	RELATIONGLN_ATTR 117
ARTICLES_ARTICLEGROUP_STATES_PRODUCTIO	requested-page-size 2
N 31	requests-parallel-max 2
RELATEDARTICLES_OWNINFORMATION_ARTICLE	result-set-memory-cache 2
ARTICLES_ARTICLEGROUP_SUPPLIER_DATAPRO	SELECTION 35
VIDERGLN_ATTR 31	SELECTIONS_OWNINFORMATION_ABCCCLASSIFIC
RELATEDARTICLES_OWNINFORMATION_ARTICLE	ACTION 35
ARTICLES_ARTICLEGROUP_SUPPLIER_GLN_ATTR	SELECTIONS_OWNINFORMATION_ARTICLE_ARTIC
31	LEGTIN 35
RELATEDARTICLES_OWNINFORMATION_ARTICLE	SELECTIONS_OWNINFORMATION_ARTICLE_ARTIC
ARTICLES_ARTICLEGROUP_SUPPLIER_ID_ATTR	LENUMBER 35
31	SELECTIONS_OWNINFORMATION_ARTICLE_ARTIC
RELATEDARTICLES_OWNINFORMATION_ARTICLE	LES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHO
ARTICLES_ARTICLEGROUP_SUPPLIER_NAME_ATT	P_CLASSIFICATION_NAME_ATTR 35
R 31	SELECTIONS_OWNINFORMATION_ARTICLE_ARTIC
RELATEDARTICLES_OWNINFORMATION_ARTICLE	LES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHO
ARTICLES_ARTICLEGROUP_SUPPLIER_PURCHAS	P_ETIM_VERSIONNUMBER_ATTR 35
ECOMBINATIONGLN_ATTR 31	SELECTIONS_OWNINFORMATION_ARTICLE_ARTIC
RELATEDARTICLES_OWNINFORMATION_ARTICLE	LES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHO
ARTICLES_ARTICLEGROUP_TEMPLATE 31	P_EXPORTSELECTIONNAME_ATTR 35
RELATEDARTICLES_OWNINFORMATION_ARTICLE	SELECTIONS_OWNINFORMATION_ARTICLE_ARTIC
ARTICLESUBGROUP_ATTR 31	LES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHO
RELATEDARTICLES_OWNINFORMATION_ARTICLE	P_LANGUAGE_ATTR 35
ASSETS 31	SELECTIONS_OWNINFORMATION_ARTICLE_ARTIC
RELATEDARTICLES_OWNINFORMATION_ARTICLE	LES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHO
CBSNUMBER 31	P_RECEIVERGLN_ATTR 35
RELATEDARTICLES_OWNINFORMATION_ARTICLE	SELECTIONS_OWNINFORMATION_ARTICLE_ARTIC
DESCRIPTION 31	LES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHO
RELATEDARTICLES_OWNINFORMATION_ARTICLE	P_RELATION_ATTR 35
ID_ATTR 31	SELECTIONS_OWNINFORMATION_ARTICLE_ARTIC
RELATEDARTICLES_OWNINFORMATION_ARTICLE	LES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHO
MANUFACTURERARTICLEGTLN 31	P_RELATIONGLN_ATTR 35
RELATEDARTICLES_OWNINFORMATION_ARTICLE	SELECTIONS_OWNINFORMATION_ARTICLE_ARTIC
MANUFACTURERARTICLENUMBER 31	LES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHO
RELATEDARTICLES_OWNINFORMATION_ARTICLE	P_SENDERGLN_ATTR 35
POSITION_ATTR 31	SELECTIONS_OWNINFORMATION_ARTICLE_ARTIC
RELATEDARTICLES_OWNINFORMATION_ARTICLE	LES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHO
STATES_AVAILABLE_END_ATTR 31	P_TEMPLATESETTINGS_CLASSIFICATIONMAXLEV
RELATEDARTICLES_OWNINFORMATION_ARTICLE	EL 35
STATES_AVAILABLE_START_ATTR 31	SELECTIONS_OWNINFORMATION_ARTICLE_ARTIC
RELATEDARTICLES_OWNINFORMATION_ARTICLE	LES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHO
STATES_LIFETIME 31	P_TEMPLATESETTINGS_DISPLAYSYNONYMS
RELATEDARTICLES_OWNINFORMATION_ARTICLE	35
STATES_STATE 31	SELECTIONS_OWNINFORMATION_ARTICLE_ARTIC
RELATEDARTICLES_OWNINFORMATION_ARTICLE	LES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHO
TYPENUMBER 31	P_TEMPLATESETTINGS_IMAGECOUNT 35
RELATEDARTICLES_OWNINFORMATION_OWNARTI	SELECTIONS_OWNINFORMATION_ARTICLE_ARTIC
CLENUMBER 31	LES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHO
RELATEDARTICLES_OWNINFORMATION_OWNDE	S_TEMPLATESETTINGS_PROPERTYCOUNT 35
SCRIPTION 31	SELECTIONS_OWNINFORMATION_ARTICLE_ARTIC
RELATEDARTICLES_OWNINFORMATION_OWNPUR	LES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHO
CHASECOMBINATIONNUMBER 31	P_VERSION_ATTR 35

SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLE
 LES_ARTICLEGROUP_ASSETS 35
 SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLE
 LES_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR 35
 SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLE
 LES_ARTICLEGROUP_BLUEPENCILDATA_TRANSPPOSED_ATTR 35
 SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLE
 LES_ARTICLEGROUP_BRAND 35
 SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLE
 LES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR 35
 SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLE
 LES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR 35
 SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLE
 LES_ARTICLEGROUP_CLASSIFICATIONS_ETIM_CODE_ATTR 35
 SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLE
 LES_ARTICLEGROUP_ID_ATTR 35
 SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLE
 LES_ARTICLEGROUP_KIND 35
 SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLE
 LES_ARTICLEGROUP_LEGACYID_ATTR 35
 SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLE
 LES_ARTICLEGROUP_MANUFACTURERGLN 35
 SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLE
 LES_ARTICLEGROUP_NAME 35
 SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLE
 LES_ARTICLEGROUP_POSITION_ATTR 35
 SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLE
 LES_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR 35
 SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLE
 LES_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 35
 SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLE
 LES_ARTICLEGROUP_STATES_BLUEPENCIL 35
 SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLE
 LES_ARTICLEGROUP_STATES_CLASSIFICATION 35
 SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLE
 LES_ARTICLEGROUP_STATES_CONFIRM 35
 SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLE
 LES_ARTICLEGROUP_STATES_LIFETIME 35
 SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLE
 LES_ARTICLEGROUP_STATES_PRODUCTION 35
 SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLE
 LES_ARTICLEGROUP_SUPPLIER_DATAPROVIDER_GLN_ATTR 35
 SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLE
 LES_ARTICLEGROUP_SUPPLIER_GLN_ATTR 35
 SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLE
 LES_ARTICLEGROUP_SUPPLIER_ID_ATTR 35
 SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLE
 LES_ARTICLEGROUP_SUPPLIER_NAME_ATTR
 SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLE
 LES_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR 35
 SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLE
 LES_ARTICLEGROUP_TEMPLATE 35
 SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLE
 LESUBGROUP_ATTR 35
 SELECTIONS_OWNINFORMATION_ARTICLE_ASSESSMENT 35
 SELECTIONS_OWNINFORMATION_ARTICLE_CBSNUMBER 35
 SELECTIONS_OWNINFORMATION_ARTICLE_DESCRIPTION 35
 SELECTIONS_OWNINFORMATION_ARTICLE_ID_ATTR 35
 SELECTIONS_OWNINFORMATION_ARTICLE_MANUFACTURERARTICLEGTIN 35
 SELECTIONS_OWNINFORMATION_ARTICLE_MANUFACTURERARTICLENUMBER 35
 SELECTIONS_OWNINFORMATION_ARTICLE_POSITION_ATTR 35
 SELECTIONS_OWNINFORMATION_ARTICLE_STATUSES_AVAILABLE_END_ATTR 35
 SELECTIONS_OWNINFORMATION_ARTICLE_STATUSES_AVAILABLE_START_ATTR 35
 SELECTIONS_OWNINFORMATION_ARTICLE_STATUSES_LIFETIME 35
 SELECTIONS_OWNINFORMATION_ARTICLE_STATUSES_STATE 35
 SELECTIONS_OWNINFORMATION_ARTICLE_TYPE_NUMBER 35
 SELECTIONS_OWNINFORMATION_OWNARTICLENUMBER 35
 SELECTIONS_OWNINFORMATION_OWNDERSCRIPTION 35
 SELECTIONS_OWNINFORMATION_OWNPURCHASECOMBINATIONNUMBER 35
 SELECTIONS_OWNINFORMATION_OWNSTATE 35
 Sender GLN 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 88, 90, 92, 95, 97, 101, 103, 104, 106, 108, 109, 111, 112, 113, 114, 116, 117
 SENDERGLN_ATTR 117
 Separator 80
 SEPARATOR_ATTR 80
 slot-based-rate-limit-length-ms 2
 slot-based-rate-limit-slots 2
 SPECIFICATIONPROPERTIES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR 90

SPECIFICATIONPROPERTIES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR 90
 SPECIFICATIONPROPERTIES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR 90
 SPECIFICATIONPROPERTIES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR 90
 SPECIFICATIONPROPERTIES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR 90
 SPECIFICATIONPROPERTIES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR 90
 SPECIFICATIONPROPERTIES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR 90
 SPECIFICATIONPROPERTIES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDEGLN_ATTR 90
 SPECIFICATIONPROPERTIES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL 90
 SPECIFICATIONPROPERTIES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS 90
 SPECIFICATIONPROPERTIES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_MAGECOUNT 90
 SPECIFICATIONPROPERTIES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT 90
 SPECIFICATIONPROPERTIES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR 90
 SPECIFICATIONPROPERTIES_ARTICLEGROUP_ARTICLEGROUPSETS 90
 SPECIFICATIONPROPERTIES_ARTICLEGROUP_BULLETPENCILDATA_SPECIFICATIONBULLETS_ATTR 90
 SPECIFICATIONPROPERTIES_ARTICLEGROUP_BULLETPENCILDATA_TRANSPOSED_ATTR 90
 SPECIFICATIONPROPERTIES_ARTICLEGROUP_BINARYAND 90
 SPECIFICATIONPROPERTIES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR 90
 SPECIFICATIONPROPERTIES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR 90
 SPECIFICATIONPROPERTIES_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR 90
 SPECIFICATIONPROPERTIES_ARTICLEGROUP_ID_ATTR 90
 SPECIFICATIONPROPERTIES_ARTICLEGROUP_KIND 90
 SPECIFICATIONPROPERTIES_ARTICLEGROUP_LETACYID_ATTR 90
 SPECIFICATIONPROPERTIES_ARTICLEGROUP_MANUFACTURERGLN 90
 SPECIFICATIONPROPERTIES_ARTICLEGROUP_NAME 90
 SPECIFICATIONPROPERTIES_ARTICLEGROUP_POSITION_ATTR 90
 SPECIFICATIONPROPERTIES_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR 90
 SPECIFICATIONPROPERTIES_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 90
 SPECIFICATIONPROPERTIES_ARTICLEGROUP_STATES_BLUEPENCIL 90
 SPECIFICATIONPROPERTIES_ARTICLEGROUP_STATES_CLASSIFICATION 90
 SPECIFICATIONPROPERTIES_ARTICLEGROUP_STATES_CONFIRM 90
 SPECIFICATIONPROPERTIES_ARTICLEGROUP_STATES_LIFETIME 90
 SPECIFICATIONPROPERTIES_ARTICLEGROUP_STATES_PRODUCTION 90
 SPECIFICATIONPROPERTIES_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR 90
 SPECIFICATIONPROPERTIES_ARTICLEGROUP_SUPPLIER_GLN_ATTR 90
 SPECIFICATIONPROPERTIES_ARTICLEGROUP_SUPPLIER_ID_ATTR 90
 SPECIFICATIONPROPERTIES_ARTICLEGROUP_SUPPLIER_NAME_ATTR 90
 SPECIFICATIONPROPERTIES_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR 90
 SPECIFICATIONPROPERTIES_ARTICLEGROUP_TEMPLATE 90
 SPECIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR 92
 SPECIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR 92
 SPECIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR 92
 SPECIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR 92
 SPECIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR 92
 SPECIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR 92
 SPECIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR 92
 SPECIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDEGLN_ATTR 92

SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUP_NAME
 OUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR 101
 101 SUPPLIERHEADERS_ARTICLEGROUP_POSITION_ATTR 101
 SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUP_ATTR 101
 OUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR 101 SUPPLIERHEADERS_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR 101
 101 SUPPLIERHEADERS_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 101
 SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 101
 OUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR 101 SUPPLIERHEADERS_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 101
 R 101 SUPPLIERHEADERS_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 101
 SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 101
 OUPS_WEBSHOP_LANGUAGE_ATTR 101 SUPPLIERHEADERS_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 101
 SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 101
 OUPS_WEBSHOP_RECEIVERGLN_ATTR 101 SUPPLIERHEADERS_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 101
 SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 101
 OUPS_WEBSHOP_RELATION_ATTR 101 SUPPLIERHEADERS_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 101
 SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 101
 OUPS_WEBSHOP_RELATIONGLN_ATTR 101 SUPPLIERHEADERS_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 101
 SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 101
 OUPS_WEBSHOP_SENDERGLN_ATTR 101 SUPPLIERHEADERS_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 101
 SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 101
 OUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL 101 SUPPLIERHEADERS_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 101
 SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 101
 OUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAY_ATTR 101 SUPPLIERHEADERS_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 101
 SYNONYMS 101 SUPPLIERHEADERS_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 101
 SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 101
 OUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT 101 SUPPLIERHEADERS_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 101
 SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 101
 OUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYSYMBOLCOUNT 101 SUPPLIERHEADERS_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 101
 TYCOUNT 101 SUPPLIERHEADERS_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 101
 SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 101
 OUPS_WEBSHOP_VERSION_ATTR 101 SUPPLIERHEADERS_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 101
 SUPPLIERHEADERS_ARTICLEGROUP_ASSETS 101 SUPPLIERHEADERS_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 101
 101 SUPPLIERHEADERS_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 101
 SUPPLIERHEADERS_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR 101 SUPPLIERHEADERS_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 101
 SUPPLIERHEADERS_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR 101 SUPPLIERHEADERS_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 101
 SUPPLIERHEADERS_ARTICLEGROUP_BRAND 101 SUPPLIERHEADERS_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 101
 101 SUPPLIERHEADERS_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 101
 SUPPLIERHEADERS_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR 101 SUPPLIERHEADERS_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 101
 SUPPLIERHEADERS_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR 101 SUPPLIERHEADERS_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 101
 SUPPLIERHEADERS_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR 101 SUPPLIERHEADERS_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 101
 SUPPLIERHEADERS_ARTICLEGROUP_ID_ATTR 101 SUPPLIERHEADERS_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 101
 101 SUPPLIERHEADERS_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 101
 SUPPLIERHEADERS_ARTICLEGROUP_KIND 101 SUPPLIERHEADERS_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 101
 SUPPLIERHEADERS_ARTICLEGROUP_LEGACYID_ATTR 101 SUPPLIERHEADERS_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 101
 SUPPLIERHEADERS_ARTICLEGROUP_MANUFACTURERGLN 101 SUPPLIERHEADERS_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 101

SUPPLIERPROPERTIES_ARTICLE_STATES_STATE	59	SYNONYMS_NODE_CLASSIFICATION_WEBSHOP_	109
SUPPLIERPROPERTIES_ARTICLE_TYPENUMBER	59	TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	109
SYNONYM	39, 109, 114	SYNONYMS_NODE_CLASSIFICATION_WEBSHOP_	109
SYNONYMS_EC_CODE_ATTR	114	TEMPLATESETTINGS_DISPLAYSYNONYMS	109
SYNONYMS_EC_DESCRIPTION	114	SYNONYMS_NODE_CLASSIFICATION_WEBSHOP_	109
SYNONYMS_EC_EG_CODE_ATTR	114	TEMPLATESETTINGS_IMAGECOUNT	109
SYNONYMS_EC_EG_DESCRIPTION	114	SYNONYMS_NODE_CLASSIFICATION_WEBSHOP_	109
SYNONYMS_EC_EG_ETIM_VERSIONNUMBER_ATTR	114	TEMPLATESETTINGS_PROPERTYCOUNT	109
SYNONYMS_EC_EG_ETIM_WEBSHOP_CLASSIFICATION_NAME_ATTR	114	SYNONYMS_NODE_CLASSIFICATION_WEBSHOP_	109
SYNONYMS_EC_EG_ETIM_WEBSHOP_EXPORTSELECTIONNAME_ATTR	114	VERSION_ATTR	109
SYNONYMS_EC_EG_ETIM_WEBSHOP_LANGUAGE_ATTR	114	SYNONYMS_NODE_CODE_ATTR	109
SYNONYMS_EC_EG_ETIM_WEBSHOP_RECEIVERGLN_ATTR	114	SYNONYMS_NODE_DEPTH_ATTR	109
SYNONYMS_EC_EG_ETIM_WEBSHOP_RELATION_ATTR	114	SYNONYMS_NODE_DESCRIPTION	109
SYNONYMS_EC_EG_ETIM_WEBSHOP_RELATIONGLN_ATTR	114	SYNONYMS_NODE_ID_ATTR	109
SYNONYMS_EC_EG_ETIM_WEBSHOP_SENDERGLN_ATTR	114	SYNONYMS_NODE_NAME	109
SYNONYMS_EC_EG_ETIM_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	114	SYNONYMS_NODE_OWNINGINFORMATION_BODY	109
SYNONYMS_EC_EG_ETIM_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	114	SYNONYMS_NODE_OWNINGINFORMATION_DESCRIPTION	109
SYNONYMS_EC_EG_ETIM_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	114	SYNONYMS_NODE_OWNINGINFORMATION_TITLE	109
SYNONYMS_EC_EG_ETIM_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	114	SYNONYMS_NODE_PARENT_ATTR	109
SYNONYMS_EC_EG_ETIM_WEBSHOP_VERSIONNUMBER_ATTR	114	SYNONYMS_NODE_POSITION_ATTR	109
SYNONYMS_NODE_ASSETS	109	SYNONYMS_NODE_TITLE	109
SYNONYMS_NODE_BODY	109	SYNONYMS_OWNINGINFORMATION_ABCClassification	39
SYNONYMS_NODE_CLASSIFICATION_NAME_ATTR	109	SYNONYMS_OWNINGINFORMATION_ARTICLE_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR	39
SYNONYMS_NODE_CLASSIFICATION_WEBSHOP_ETIM_VERSIONNUMBER_ATTR	109	SYNONYMS_OWNINGINFORMATION_ARTICLE_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR	39
SYNONYMS_NODE_CLASSIFICATION_WEBSHOP_EXPORTSELECTIONNAME_ATTR	109	SYNONYMS_OWNINGINFORMATION_ARTICLE_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR	39
SYNONYMS_NODE_CLASSIFICATION_WEBSHOP_LANGUAGE_ATTR	109	SYNONYMS_OWNINGINFORMATION_ARTICLE_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR	39
SYNONYMS_NODE_CLASSIFICATION_WEBSHOP_RECEIVERGLN_ATTR	109	SYNONYMS_OWNINGINFORMATION_ARTICLE_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR	39
SYNONYMS_NODE_CLASSIFICATION_WEBSHOP_RELATION_ATTR	109	SYNONYMS_OWNINGINFORMATION_ARTICLE_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR	39
SYNONYMS_NODE_CLASSIFICATION_WEBSHOP_RELATIONGLN_ATTR	109	SYNONYMS_OWNINGINFORMATION_ARTICLE_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR	39
SYNONYMS_NODE_CLASSIFICATION_WEBSHOP_SENDERGLN_ATTR	109	SYNONYMS_OWNINGINFORMATION_ARTICLE_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR	39

SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLE
 ES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOTS
 P_TEMPLATESETTINGS_CLASSIFICATIONMAXLENGTH
 EL 39
 SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLE
 ES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOTS
 P_TEMPLATESETTINGS_DISPLAYSYNONYMS
 39
 SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLE
 ES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOTS
 P_TEMPLATESETTINGS_IMAGECOUNT 39
 SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLE
 ES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOTS
 P_TEMPLATESETTINGS_PROPERTYCOUNT 39
 SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLE
 ES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOTS
 P_VERSION_ATTR 39
 SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLE
 ES_ARTICLEGROUP_ASSETS 39
 SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLE
 ES_ARTICLEGROUP_BLUEPENCILDATA_SPECIFIC
 ATIONBULLETS_ATTR 39
 SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLE
 ES_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOR
 TED_ATTR 39
 SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLE
 ES_ARTICLEGROUP_BRAND 39
 SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLE
 ES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFI
 CATION_ID_ATTR 39
 SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLE
 ES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFI
 CATION_NAME_ATTR 39
 SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLE
 ES_ARTICLEGROUP_CLASSIFICATIONS_ETIM_EC
 CODE_ATTR 39
 SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLE
 ES_ARTICLEGROUP_ID_ATTR 39
 SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLE
 ES_ARTICLEGROUP_KIND 39
 SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLE
 ES_ARTICLEGROUP_LEGACYID_ATTR 39
 SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLE
 ES_ARTICLEGROUP_MANUFACTURERGLN 39
 SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLE
 ES_ARTICLEGROUP_NAME 39
 SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLE
 ES_ARTICLEGROUP_POSITION_ATTR 39
 SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLE
 ES_ARTICLEGROUP_STATES_AVAILABLE_FIRST
 ATTR 39
 SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLE
 ES_ARTICLEGROUP_STATES_AVAILABLE_LAST_A
 TTR 39
 SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLE
 ES_ARTICLEGROUP_STATES_BLUEPENCIL 39
 SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLE
 ES_ARTICLEGROUP_STATES_CLASSIFICATION
 39
 SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLE
 ES_ARTICLEGROUP_STATES_CONFIRM 39
 SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLE
 ES_ARTICLEGROUP_STATES_LIFETIME 39
 SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLE
 ES_ARTICLEGROUP_STATES_PRODUCTION 39
 SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLE
 ES_ARTICLEGROUP_SUPPLIER_DATAPROVIDER
 GLN_ATTR 39
 SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLE
 ES_ARTICLEGROUP_SUPPLIER_GLN_ATTR 39
 SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLE
 ES_ARTICLEGROUP_SUPPLIER_ID_ATTR 39
 SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLE
 ES_ARTICLEGROUP_SUPPLIER_NAME_ATTR 39
 SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLE
 ES_ARTICLEGROUP_SUPPLIER_PURCHASECOMB
 INATIONGLN_ATTR 39
 SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLE
 ES_ARTICLEGROUP_TEMPLATE 39
 SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLE
 ESUBGROUP_ATTR 39
 SYNONYMS_OWNINFORMATION_ARTICLE_ASSET
 ID_ATTR 39
 SYNONYMS_OWNINFORMATION_ARTICLE_CBSNU
 MBER 39
 SYNONYMS_OWNINFORMATION_ARTICLE_DESCR
 IPTION 39
 SYNONYMS_OWNINFORMATION_ARTICLE_ID_ATT
 R 39
 SYNONYMS_OWNINFORMATION_ARTICLE_MANU
 FACTURERARTICLEGTIN 39
 SYNONYMS_OWNINFORMATION_ARTICLE_MANU
 FACTURERARTICLENUMBER 39
 SYNONYMS_OWNINFORMATION_ARTICLE_POSITI
 ON_ATTR 39
 SYNONYMS_OWNINFORMATION_ARTICLE_STATE
 S_AVAILABLE_END_ATTR 39
 SYNONYMS_OWNINFORMATION_ARTICLE_STATE
 S_AVAILABLE_START_ATTR 39
 SYNONYMS_OWNINFORMATION_ARTICLE_STATE
 S_LIFETIME 39
 SYNONYMS_OWNINFORMATION_ARTICLE_STATE
 S_STATE 39
 SYNONYMS_OWNINFORMATION_ARTICLE_TYPER
 NUMBER 39
 SYNONYMS_OWNINFORMATION_OWNARTICLENU
 MBER 39
 SYNONYMS_OWNINFORMATION_OWNDERSCRIPTI
 ON 39

SYNONYMS_OWNINFORMATION_OWNPURCHASECOMBINATIONNUMBER 39
 SYNONYMS_OWNINFORMATION_OWNSTATE

- T -

Table Header 67, 90
 TABLEHEADER_ATTR 67, 90
 TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLE
 GROUP_BLUEPENCILDATA_TRANSPOSED_ATTR
 397
 TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLE
 GROUP_BRAND 67
 TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLE
 GROUP_CLASSIFICATIONS_CLASSIFICATION_ID_A
 TTR 67
 TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLE
 GROUP_CLASSIFICATIONS_CLASSIFICATION_NAM
 E_ATTR 67
 TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLE
 GROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR
 67
 TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLE
 GROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFIC
 ATION_NAME_ATTR 67
 TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLE
 GROUP_ID_ATTR 67
 TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLE
 GROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VER
 SIONNUMBER_ATTR 67
 TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLE
 GROUP_ARTICLEGROUPS_WEBSHOP_EXPORTS
 LECTIIONNAME_ATTR 67
 TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLE
 GROUP_ARTICLEGROUPS_WEBSHOP_LANGUAG
 E_ATTR 67
 TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLE
 GROUP_ARTICLEGROUPS_WEBSHOP_RECEIVE
 GLN_ATTR 67
 TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLE
 GROUP_ARTICLEGROUPS_WEBSHOP_RELATION
 ATTR 67
 TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLE
 GROUP_ARTICLEGROUPS_WEBSHOP_RELATION
 GLN_ATTR 67
 TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLE
 GROUP_ARTICLEGROUPS_WEBSHOP_SENDER
 LN_ATTR 67
 TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLE
 GROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATE
 SETTINGS_CLASSIFICATIONMAXLEVEL 67
 TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLE
 GROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATE
 SETTINGS_DISPLAYSYNONYMS 67
 TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLE
 GROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATE
 SETTINGS_IMAGECOUNT 67
 TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLE
 GROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATE
 SETTINGS_PROPERTYCOUNT 67
 TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLE
 GROUP_ARTICLEGROUPS_WEBSHOP_VERSION
 ATTR 67
 TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLE
 GROUP_ASSETS 67
 TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLE
 GROUP_BLUEPENCILDATA_SPECIFICATIONBULLE
 TS_ATTR 67

TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLE
 GROUP_BRAND 67
 TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLE
 GROUP_CLASSIFICATIONS_CLASSIFICATION_ID_A
 TTR 67
 TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLE
 GROUP_CLASSIFICATIONS_CLASSIFICATION_NAM
 E_ATTR 67
 TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLE
 GROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR
 67
 TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLE
 GROUP_ID_ATTR 67
 TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLE
 GROUP_KIND 67
 TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLE
 GROUP_LEGACYID_ATTR 67
 TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLE
 GROUP_MANUFACTURERGLN 67
 TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLE
 GROUP_NAME 67
 TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLE
 GROUP_POSITION_ATTR 67
 TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLE
 GROUP_STATES_AVAILABLE_FIRST_ATTR 67
 TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLE
 GROUP_STATES_AVAILABLE_LAST_ATTR 67
 TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLE
 GROUP_STATES_BLUEPENCIL 67
 TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLE
 GROUP_STATES_CLASSIFICATION 67
 TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLE
 GROUP_STATES_CONFIRM 67
 TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLE
 GROUP_STATES_LIFETIME 67
 TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLE
 GROUP_STATES_PRODUCTION 67
 TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLE
 GROUP_SUPPLIER_DATAPROVIDERGLN_ATTR
 67
 TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLE
 GROUP_SUPPLIER_GLN_ATTR 67
 TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLE
 GROUP_SUPPLIER_ID_ATTR 67
 TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLE
 GROUP_SUPPLIER_NAME_ATTR 67
 TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLE
 GROUP_SUPPLIER_PURCHASECOMBINATIONGLN
 ATTR 67
 TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLE
 GROUP_TEMPLATE 67

TABLEPROPERTIES_ARTICLE_ARTICLESUBGROUP	UNIT_ATTR	59, 85
P_ATTR	67	
TABLEPROPERTIES_ARTICLE_ASSETS	67	
TABLEPROPERTIES_ARTICLE_CBSNUMBER	67	
TABLEPROPERTIES_ARTICLE_DESCRIPTION	67	
TABLEPROPERTIES_ARTICLE_ID_ATTR	67	
TABLEPROPERTIES_ARTICLE_MANUFACTURER	ARTICLEGTIN	67
TABLEPROPERTIES_ARTICLE_MANUFACTURER	ARTICLENUMBER	67
TABLEPROPERTIES_ARTICLE_OWNINFORMATION	_ABCClassification	67
TABLEPROPERTIES_ARTICLE_OWNINFORMATION	_OWNARTICLENUMBER	67
TABLEPROPERTIES_ARTICLE_OWNINFORMATION	_OWNDESCRIPTION	67
TABLEPROPERTIES_ARTICLE_OWNINFORMATION	_OWNPURCHASECOMBINATIONNUMBER	67
TABLEPROPERTIES_ARTICLE_OWNINFORMATION	_OWNSTATE	67
TABLEPROPERTIES_ARTICLE_POSITION_ATTR	67	
TABLEPROPERTIES_ARTICLE_STATES_AVAILABLE_END_ATTR	67	
TABLEPROPERTIES_ARTICLE_STATES_AVAILABLE_START_ATTR	67	
TABLEPROPERTIES_ARTICLE_STATES_LIFETIME	67	
TABLEPROPERTIES_ARTICLE_STATES_STATE	67	
TABLEPROPERTIES_ARTICLE_TYPENUMBER	TEMPLATE	88
TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	117	
TEMPLATESETTINGS_DISPLAYSYNONYMS	117	
TEMPLATESETTINGS_IMAGECOUNT	117	
TEMPLATESETTINGS_PROPERTYCOUNT	117	
Thumbnail (URL)	5, 54, 63, 71, 73, 97, 104	
THUMBNAILURL	5, 54, 63, 71, 73, 97, 104	
TITLE	108	
TOSPECIFICATION_ATTR	80	
Type	5, 23, 31, 47, 54, 63, 71, 73, 85, 92, 97, 103, 104, 113	
Type Number	51	
TYPE_ATTR	5, 23, 31, 47, 54, 63, 71, 73, 85, 92, 97, 103, 104, 113	
TYPENUMBER	51	
- U -		
Unit	59, 85	
Unit Category	59	
Unit Description	59	
UNITATTR	59, 85	
UNITOFMEASUREPRICEBASE	43	
UOM Price Base	43	
URL	5, 54, 63, 71, 73, 97, 104	
use-metadata-memory-cache	2	
use-result-memory-cache	2	
- V -		
VALUE	19, 59, 67	
Version	5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 88, 90, 92, 95, 97, 101, 103, 104, 106, 108, 109, 111, 112, 113, 114, 116, 117	
VERSION_ATTR	117	
- W -		
Webshop Article Group Article Assets	5	
Webshop Article Group Article ETIM Feature Values	11	
Webshop Article Group Article ETIM Features	8	
Webshop Article Group Article Normalized Properties	15	
Webshop Article Group Article Normalized Property Values	19	
Webshop Article Group Article Own Free Fields	23	
Webshop Article Group Article Own Personal Properties	27	
Webshop Article Group Article Own Related Articles	31	
Webshop Article Group Article Own Selections	35	
Webshop Article Group Article Own Synonyms	39	
Webshop Article Group Article Prices	43	
Webshop Article Group Article Related Articles	47	
Webshop Article Group Article Supplier Property Assets	54	
Webshop Article Group Article Supplier Property Values	59	
Webshop Article Group Article Table Property Assets	63	
Webshop Article Group Article Table Property Values	67	
Webshop Article Group Articles	51	
Webshop Article Group Assets	71	
Webshop Article Group Classifications	83	
Webshop Article Group Edit Data Table Assets	73	
Webshop Article Group Edit Data Table Grouped Headers	77	
Webshop Article Group Edit Data Table Headers	80	
Webshop Article Group Normalized Headers	85	
Webshop Article Group Specification Properties	90	

Webshop Article Group Specifications	92	WebshopArticleGroupArticleTablePropertyAssets	63
Webshop Article Group Sub Groups	95	WebshopArticleGroupArticleTablePropertyValues	67
Webshop Article Group Supplier Header Assets	97	WebshopArticleGroupAssets	71
Webshop Article Group Supplier Headers	101	WebshopArticleGroupBluePencilDataTableAssets	73
Webshop Article Groups	88	WebshopArticleGroupBluePencilDataTableGroupHead ers	77
Webshop Asset Categories	103	WebshopArticleGroupBluePencilDataTableHeaders	80
Webshop Classification Node Assets	104	WebshopArticleGroupClassifications	83
Webshop Classification Node Personal Headers	106	WebshopArticleGroupNormalizedHeaders	85
Webshop Classification Node Synonyms	109	WebshopArticleGroups	88
Webshop Classification Nodes	108	WebshopArticleGroupSpecificationProperties	90
Webshop Classifications	111	WebshopArticleGroupSpecifications	92
Webshop ETIM Group Class Features	113	WebshopArticleGroupSubGroups	95
Webshop ETIM Group Class Synonyms	114	WebshopArticleGroupSupplierHeaderAssets	97
Webshop ETIM Group Classes	112	WebshopArticleGroupSupplierHeaders	101
Webshop ETIM Groups	116	WebshopAssetCategories	103
WEBSHOP_ETIM_VERSIONNUMBER_ATTR	111	WebshopClassificationNodeAssets	104
WEBSHOP_EXPORTSELECTIONNAME_ATTR	111	WebshopClassificationNodePersonalHeaders	106
WEBSHOP_LANGUAGE_ATTR	111	WebshopClassificationNodes	108
WEBSHOP_RECEIVERGLN_ATTR	111	WebshopClassificationNodeSynonyms	109
WEBSHOP_RELATION_ATTR	111	WebshopClassifications	111
WEBSHOP_RELATIONGLN_ATTR	111	WebshopEtimGroupClasses	112
WEBSHOP_SENDERGLN_ATTR	111	WebshopEtimGroupClassFeatures	113
WEBSHOP_TEMPLATESETTINGS_CLASSIFICATION NMAXLEVEL	111	WebshopEtimGroupClassSynonyms	114
WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNON YMS	111	WebshopEtimGroups	116
WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	111	Webshops	117
WEBSHOP_TEMPLATESETTINGS_PROPERTYCOU NT	111		
WEBSHOP_VERSION_ATTR	111		
WebshopArticleGroupArticleAssets	5		
WebshopArticleGroupArticleEtimFeatures	8		
WebshopArticleGroupArticleEtimFeatureValues	11		
WebshopArticleGroupArticleNormalizedProperties	15		
WebshopArticleGroupArticleNormalizedPropertyValue s	19		
WebshopArticleGroupArticleOwnFreeFields	23		
WebshopArticleGroupArticleOwnPersonalProperties	27		
WebshopArticleGroupArticleOwnRelatedArticles	31		
WebshopArticleGroupArticleOwnSelections	35		
WebshopArticleGroupArticleOwnSynonyms	39		
WebshopArticleGroupArticleProductDetailPrices	43		
WebshopArticleGroupArticleRelatedArticles	47		
WebshopArticleGroupArticles	51		
WebshopArticleGroupArticleSupplierPropertyAssets	54		
WebshopArticleGroupArticleSupplierPropertyValues	59		

- X -

xml-directories	2
xml-extension	2
xml-namespaces	2



invantive the **SQL** company

Invantive B.V.
Biesteweg 11
3849 RD Hierden
Nederland

Tel: +31 88 00 26 500
Fax: +31 84 22 58 178
info@invantive.nl
invantive.nl

IBAN NL25 BUNQ 2098 2586 07
Kamer van Koophandel 13031406
BTW NL812602377B01
RSIN 8122602377
Algemeen Directeur: Guido Leenders
Statutaire zetel: Roermond