



NASA Data Model

for use with Invantive SQL

23.0



Copyright

(C) Copyright 2004-2023 Invantive Software B.V., the Netherlands. All rights reserved.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of the publisher.

Despite all the care taken in the compilation of this text, neither the author nor the publisher can accept liability for any damage, which might result from any error, which might appear in this publication.

This manual is a reference guide intended to clarify usage. If data in the sample images match data in your system, the similarity is coincidental.

Important Safety and Usage Information

Intended Use and Limitations: This software, developed by Invantive, is designed to support a variety of business and information technology data processing functions, such as accounting, financial reporting and sales reporting. It is important to note that this software is not designed, tested, or approved for use in environments where malfunction or failure could lead to life-threatening situations or severe physical or environmental damage. This includes, but is not limited to:

- Nuclear facilities: The software should not be used for operations or functions related to the control, maintenance, or operation of nuclear facilities.
- Defense and Military Applications: This software is not suitable for use in defense-related applications, including but not limited to weaponry control, military strategy planning, or any other aspects of national defense.
- Aviation: The software is not intended for use in the operation, navigation, or communication systems of any aircraft or air traffic control environments.
- Healthcare and Medicine Production: This software should not be utilized for medical device operation, patient data analysis for critical health decisions, pharmaceutical production, or medical research where its failure or malfunction could impact patient health.
- Chemical and Hazardous Material Handling: This software is not intended for the management, control, or operational aspects of chemical plants or hazardous material handling facilities. Any malfunction in software used in these settings could result in dangerous chemical spills, explosions, or environmental disasters.
- Transportation and Traffic Control Systems: The software should not be used for the control, operation, or management of transportation systems, including railway signal controls, subway systems, or traffic light management. Malfunctions in such critical systems could lead to severe accidents and endanger public safety.
- Energy Grid and Utility Control Systems: This software is not designed for the control or operation of energy grid systems, including electrical substations, renewable energy control systems, or water utility control systems. The failure of software in these areas could lead to significant power outages, water supply disruptions, or other public utility failures, potentially endangering communities and causing extensive damage.
- Other High-Risk Environments: Any other critical infrastructure and environments where a failure of the software could result in significant harm to individuals or the environment.

User Responsibility: Users must ensure that they understand the intended use of the software and refrain from deploying it in any setting that falls outside of its designed purpose. It is the responsibility of the user to assess the suitability of the software for their intended application, especially in any scenarios that might pose a risk to life, health, or the environment.

Disclaimer of Liability: Invantive disclaims any responsibility for damage, injury, or legal consequences resulting from the use or misuse of this software in prohibited or unintended applications.

Contents

1	SQL Driver for NASA API	1
2	SQL Driver Attributes for NASA API	2
3	Schema: NASA	14
3.1	Tables	14
3.1.1	asteroid_approaches: NASA Asteroid Approaches	14
3.1.2	asteroid_feeds: NASA Feeds	15
3.1.3	asteroids: NASA Asteroids	17
3.1.4	astronomy_pictures_of_day: NASA Astronomy Pictures of Day	19
3.1.5	astronomy_pictures_of_today: NASA Astronomy Pictures of Today	20
3.1.6	earth_polychromatic_imaging_camera_photos: NASA Earth Polychromatic Imaging Camera Photos	21
3.1.7	eonet_assets: NASA Earth Observatory Natural Event Tracker Assets	22
3.1.8	eonet_images: NASA Earth Observatory Images	23
3.1.9	mars_rover_photo_cameras: NASA Mars Rover Photos Camera	24
3.1.10	mars_rover_photos: NASA Mars Rover Photos	26
4	Schema: Native	27
4.1	Tables	27
4.1.1	NATIVEPLATFORMSCALARREQUESTS: NASA Native Platform Scalar Requests	27
	Index	30

1 SQL Driver for NASA API

Invantive SQL is the fastest, easiest and most reliable way to exchange data with the NASA API.

Use the "Search" option in the left menu to search for a specific term such as the table or column description. When you already know the term, please use the "Index" option. When you can't find the information needed, please click on the Chat button at the bottom or place your question in the [user community](#). Other users or Invantive Support will try to help you to our best.

NASA space information.

The NASA driver covers 11 tables and 160 columns.

NASA API Clients

Invantive SQL is available on many user interfaces ("clients" in traditional server-client paradigm). All Invantive SQL statements can be exchanged with a close to 100% compatibility across all clients and operating systems (Windows, MacOS, Linux, iOS, Android).

The clients include Microsoft Excel, Microsoft Power BI, Microsoft Power Query, Microsoft Word and Microsoft Outlook. Web-based clients include Invantive Cloud, Invantive Bridge Online as OData proxy, Invantive App Online for interactive apps, Online SQL Editor for query execution and Invantive Data Access Point as extended proxy.

For technical users there are command-line editions of Invantive Data Hub running on iOS, Android, Windows, MacOS and Linux. Invantive Data Hub is also often used for enterprise server applications such as ETL. High-volume replication of data taken from the NASA API into traditional databases such as SQL Server (on-premise and Azure), MySQL, PostgreSQL and Oracle is possible using [Invantive Data Replicator](#). Invantive Data Replicator automatically creates and maintains NASA datawarehouses, possibly in combination with data from over 70 other (cloud) platforms. Data Replicator supports data volumes up to over 1 TB and over 5.000 companies. The on-premise edition of Invantive Bridge offers an NASA ADO.net provider.

Monitor API Calls

When a query or DML-statement has been executed on Invantive SQL a developer can evaluate the actual calls made to the NASA API using a query on sessionios@DataDictionary. As an alternative, extensive request and response logging can be enabled by setting log-native-calls-to-disk to true. In the %USERPROFILE%\Invantive\NativeLog folder Invantive SQL will create log files per API request and response.

Specifications

The SQL driver for NASA does not support partitioning. Define one data container in a database for each company in NASA to enable parallel access for data from multiple companies.

An introduction into the concepts of Invantive SQL such as databases, data containers and partitioning can be found in the [Invantive SQL grammar](#).

The configuration can be changed using various attributes during log on and use. A full list of configuration options is listed in the [driver attributes](#) ².

The catalog name is used to compose the full qualified name of an object like a table or view. The schema name is used to compose the full qualified name of an object like a table or view. On NASA the comparison of two texts is case sensitive by default.

Changes and bug fixes on the NASA SQL driver can be found in the [release notes](#). There is currently no specific section on the [Invantive forums](#) for NASA. Please reach out to other users of NASA by leaving a question or contact request.

Driver code for use in settings.xml: `Nasa`

Alias: `nasa`

Recommended alias: `nsa`

More technical documentation as provided by the supplier of the NASA API on the native APIconnection used can be found at <https://api.nasa.gov/api.html#NeoWS>.

General documentation on NASA is available at <https://api.nasa.gov/api.html#NeoWS>

Updated: 15-06-2022 21:39 using Invantive SQL version 22.0.232-PROD+3445.

2 SQL Driver Attributes for NASA API

The SQL driver for NASA has many attributes that can be finetuned to improve handling in scenarios with unreliable network connections to the API server of NASA or high-volumes of data. Also, many drivers have driver-specific attributes to finetune actual behaviour or handle data not matching specifications.

The NASA driver attributes are assigned a default value which seldom requires change. However, changes can be applied when needed on four levels, which are reflected in the table below by separate checkmarks:

- Connection string: the connection string from the settings*.xml file and applied during log on.
- Set SQL statement: a set SQL-statement to be executed once connection has been established.
- Drivers file: the providers.xml file (obsolete starting release 17.32).
- Log on: value to be specified interactively by user during log on in a user interface.

The connection string for NASA can be found in the settings*.xml file used for the database. Settings*.xml files are typically located in the %USERPROFILE%\invantive folder in most deployment scenarios. The reference manuals contain instructions how to relocate the settings*.xml files. Each data container of a database in the connection string can have a `connectionString` element specifying the name and values of attributes. Both name and value must be properly escaped according to XML-semantics. Actual application of the value is solely done during log on. A new connection must be established to change the value of a driver attribute using a connection string.

The set SQL statement can be executed after log on. The syntax is: `set NAME VALUE`, or for a distributed database: `set NAME@ALIAS VALUE`. In some scenarios you may need to enclose the driver attribute name in square brackets to escape it from parsing, for instance when a reserved SQL keyword is part of the name. The new value takes effect straight after execution of the set-statement. The set-statement can be executed as often as needed during a session.

Driver attributes that can be interactively set to a value are typically presented in the log on window. Depending on the platform and design decisions of the user interface designer, some or all of the available driver attributes can have been made available.

The NASA driver can be configured using the following attributes:

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Driver's File	Set from Log On
add-odata-mandatory-filters	Whether to automatically add OData filters deemed necessary by the platform.	OData	False	✓	✓	✓	
analysis-enforce-row-uniqueness	Use for analysis only! Enforce rows to be unique.	Shared	False	✓	✓	✓	
api-url	URL to access the API.	OData		✓		✓	
bulk-delete-page-size-rows	Number of rows to delete per batch when bulk deleting	Shared	10000	✓	✓	✓	
bulk-insert-page-size-bytes	Approximate maximum size in bytes of batch when bulk inserting	Shared	10000000	✓	✓	✓	
bulk-insert-page-size-rows	Number of rows to insert per batch when bulk inserting	Shared	250	✓	✓	✓	
download-error-400-bad-request-max-tries	Maximum number of tries when OData server reports bad format during retrieval of data.		3	✓	✓	✓	
download-error-400-bad-request-sleep-initial-ms	Initial sleep in milliseconds between retries when OData server reports that the API server is unavailable during retrieval of data.		500	✓	✓	✓	
download-error-400-bad-request-sleep-max-ms	Maximum sleep in milliseconds between retries when OData server reports that the API server is unavailable during retrieval of data.		5000	✓	✓	✓	
download-error-400-bad-request-sleep-multiplicator	Multiplication factor for sleep between retries OData server reports that the API server is unavailable during retrieval of data.		2	✓	✓	✓	
download-error-408-request-timeout-max-tries	Maximum number of tries when the website reports a HTTP status 408.		10	✓	✓	✓	
download-error-408-request-timeout-sleep-initial-ms	Initial sleep in milliseconds between retries when the website reports a HTTP status 408.		10000	✓	✓	✓	
download-error-408-request-timeout-sleep-max-ms	Maximum sleep in milliseconds between retries when the website reports a HTTP status 408.		300000	✓	✓	✓	
download-error-408-request-timeout-sleep-multiplicator	Multiplication factor for sleep between retries when the website reports a HTTP status 408.		2	✓	✓	✓	
download-error-422-bad-request-max-tries	Maximum number of tries when OData server reports unprocessable entity during retrieval of data.		30	✓	✓	✓	
download-error-422-bad-request-	Initial sleep in milliseconds between retries when OData server reports		10000	✓	✓	✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Driver's File	Set from Log On
sleep-initial-ms	unprocessable entity during retrieval of data.						
download-error-422-bad-request-sleep-max-ms	Maximum sleep in milliseconds between retries when OData server reports unprocessable entity during retrieval of data.		300000	✓	✓	✓	
download-error-422-bad-request-sleep-multiplicator	Multiplication factor for sleep between retries OData server reports unprocessable entity during retrieval of data.		2	✓	✓	✓	
download-error-429-too-many-requests-max-tries	Maximum number of tries when the website reports that too many requests have been made during a timeslot of one minute or one day.		10	✓	✓	✓	
download-error-429-too-many-requests-sleep-initial-ms	Initial sleep in milliseconds between retries when the website reports that too many requests have been made during a timeslot of one minute or one day.		10000	✓	✓	✓	
download-error-429-too-many-requests-sleep-max-ms	Maximum sleep in milliseconds between retries when the website reports that too many requests have been made during a timeslot of one minute or one day.		300000	✓	✓	✓	
download-error-429-too-many-requests-sleep-multiplicator	Multiplication factor for sleep between retries when the website reports that too many requests have been made during a timeslot of one minute or one day.		2	✓	✓	✓	
download-error-502-server-unavailable-max-tries	Maximum number of tries when OData server reports a bad gateway during retrieval of data.		30	✓	✓	✓	
download-error-502-server-unavailable-sleep-initial-ms	Initial sleep in milliseconds between retries when OData server reports a bad gateway during retrieval of data.		10000	✓	✓	✓	
download-error-502-server-unavailable-sleep-max-ms	Maximum sleep in milliseconds between retries when OData server reports that a bad gateway during retrieval of data.		300000	✓	✓	✓	
download-error-502-server-unavailable-sleep-multiplicator	Multiplication factor for sleep between retries OData server reports a bad gateway during retrieval of data.		2	✓	✓	✓	
download-error-503-server-unavailable-max-tries	Maximum number of tries when OData server reports that the API server is unavailable during retrieval of data.		30	✓	✓	✓	
download-error-503-server-	Initial sleep in milliseconds between retries when OData server reports		10000	✓	✓	✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Driver's File	Set from Log On
unavailable-sleep-initial-ms	that the API server is unavailable during retrieval of data.						
dow nload-error-503-server-unavailable-sleep-max-ms	Maximum sleep in milliseconds between retries when OData server reports that the API server is unavailable during retrieval of data.		300000	✓	✓	✓	
dow nload-error-503-server-unavailable-sleep-multiplicator	Multiplication factor for sleep between retries OData server reports that the API server is unavailable during retrieval of data.		2	✓	✓	✓	
dow nload-error-504-gateway-timeout-max-tries	Maximum number of tries when the website reports a gateway timeout.		10	✓	✓	✓	
dow nload-error-504-gateway-timeout-sleep-initial-ms	Initial sleep in milliseconds between retries when the website reports a gateway timeout.		10000	✓	✓	✓	
dow nload-error-504-gateway-timeout-sleep-max-ms	Maximum sleep in milliseconds between retries when the website reports a gateway timeout.		300000	✓	✓	✓	
dow nload-error-504-gateway-timeout-sleep-multiplicator	Multiplication factor for sleep between retries when the website reports a gateway timeout.		2	✓	✓	✓	
dow nload-error-590-netw ork-connect-timeout-max-tries	Maximum number of tries when the website reports a HTTP status 590.		10	✓	✓	✓	
dow nload-error-590-netw ork-connect-timeout-sleep-initial-ms	Initial sleep in milliseconds between retries when the website reports a HTTP status 590.		10000	✓	✓	✓	
dow nload-error-590-netw ork-connect-timeout-sleep-max-ms	Maximum sleep in milliseconds between retries when the website reports a HTTP status 590.		300000	✓	✓	✓	
dow nload-error-590-netw ork-connect-timeout-sleep-multiplicator	Multiplication factor for sleep between retries when the website reports a HTTP status 590.		2	✓	✓	✓	
dow nload-error-599-netw ork-connect-timeout-max-tries	Maximum number of tries when the website reports a HTTP status 599.		10	✓	✓	✓	
dow nload-error-599-netw ork-connect-timeout-sleep-initial-ms	Initial sleep in milliseconds between retries when the website reports a HTTP status 599.		10000	✓	✓	✓	
dow nload-error-599-netw ork-	Maximum sleep in milliseconds between retries when the website		300000	✓	✓	✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Driver's File	Set from Log On
connect-timeout-sleep-max-ms	reports a HTTP status 599.						
download-error-599-network-connect-timeout-sleep-multiplicator	Multiplication factor for sleep between retries when the website reports a HTTP status 599.		2	✓	✓	✓	
download-error-argument-exception-max-tries	Maximum number of tries when an argument exception is returned when downloading a blob.		10	✓	✓	✓	
download-error-argument-exception-sleep-initial-ms	Initial sleep in milliseconds between retries when an argument exception is returned when downloading a blob.		10000	✓	✓	✓	
download-error-argument-exception-sleep-max-ms	Maximum sleep in milliseconds between retries when an argument exception is returned when downloading a blob.		300000	✓	✓	✓	
download-error-argument-exception-sleep-multiplicator	Multiplication factor for sleep between retries when an argument exception is returned when downloading a blob.		2	✓	✓	✓	
download-error-internet-download-max-tries	Maximum number of tries when the Internet connection seems down during retrieval of data.		10	✓	✓	✓	
download-error-internet-download-sleep-initial-ms	Initial sleep in milliseconds between retries when the Internet connection seems down during retrieval of data.		10000	✓	✓	✓	
download-error-internet-download-sleep-max-ms	Maximum sleep in milliseconds between retries when the Internet connection seems down during retrieval of data.		300000	✓	✓	✓	
download-error-internet-download-sleep-multiplicator	Multiplication factor for sleep between retries when the Internet connection seems down during retrieval of data.		2	✓	✓	✓	
download-error-io-exception-max-tries	Maximum number of tries when a network I/O connection failure occurs during retrieval of data.		10	✓	✓	✓	
download-error-io-exception-sleep-initial-ms	Initial sleep in milliseconds between retries when a network I/O connection failure occurs during retrieval of data.		10000	✓	✓	✓	
download-error-io-exception-sleep-max-ms	Maximum sleep in milliseconds between retries when a network I/O connection failure occurs during retrieval of data.		300000	✓	✓	✓	
download-error-io-exception-sleep-multiplicator	Multiplication factor for sleep between retries when a network I/O connection failure occurs during retrieval of data.		2	✓	✓	✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Driver's File	Set from Log On
dow nload-error-json-exception-max-tries	Maximum number of tries w hen an invalid JSON body is returned.		3	✓	✓	✓	
dow nload-error-json-exception-sleep-initial-ms	Initial sleep in milliseconds betw een retries w hen an invalid JSON body is returned.		1000	✓	✓	✓	
dow nload-error-json-exception-sleep-max-ms	Maximum sleep in milliseconds betw een retries w hen an invalid JSON body is returned.		10000	✓	✓	✓	
dow nload-error-json-exception-sleep-multiplicator	Multiplication factor for sleep betw een retries w hen an invalid JSON body is returned.		2	✓	✓	✓	
dow nload-error-other-exception-max-tries	Maximum number of tries w hen an unqualified error occurs during retrieval of data.		3	✓	✓	✓	
dow nload-error-other-exception-sleep-initial-ms	Initial sleep in milliseconds betw een retries w hen an unqualified error occurs during retrieval of data.		10000	✓	✓	✓	
dow nload-error-other-exception-sleep-max-ms	Maximum sleep in milliseconds betw een retries w hen an unqualified error occurs during retrieval of data.		300000	✓	✓	✓	
dow nload-error-other-exception-sleep-multiplicator	Multiplication factor for sleep betw een retries w hen an unqualified error occurs during retrieval of data.		2	✓	✓	✓	
dow nload-error-socket-exception-max-tries	Maximum number of tries w hen the netw ork connection is forcible dropped during retrieval of data.		10	✓	✓	✓	
dow nload-error-socket-exception-sleep-initial-ms	Initial sleep in milliseconds betw een retries w hen the netw ork connection is forcible dropped during retrieval of data.		10000	✓	✓	✓	
dow nload-error-socket-exception-sleep-max-ms	Maximum sleep in milliseconds betw een retries w hen the netw ork connection is forcible dropped during retrieval of data.		300000	✓	✓	✓	
dow nload-error-socket-exception-sleep-multiplicator	Multiplication factor for sleep betw een retries w hen the netw ork connection is forcible dropped during retrieval of data.		2	✓	✓	✓	
dow nload-error-web-exception-max-tries	Maximum number of tries w hen a w eb connection failure occurs during retrieval of data.		10	✓	✓	✓	
dow nload-error-web-exception-sleep-initial-ms	Initial sleep in milliseconds betw een retries w hen a w eb connection failure occurs during retrieval of data.		10000	✓	✓	✓	
dow nload-error-web-exception-sleep-max-ms	Maximum sleep in milliseconds betw een retries w hen a w eb connection failure occurs during retrieval of data.		300000	✓	✓	✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Driver's File	Set from Log On
dow nload-error-web-exception-sleep-multiplicator	Multiplication factor for sleep between retries when a web connection failure occurs during retrieval of data.		2	✓	✓	✓	
dow nload-error-web-not-implemented-max-tries	Maximum number of tries when the connection reports not implemented.		1	✓	✓	✓	
dow nload-error-web-not-implemented-sleep-initial-ms	Initial sleep in milliseconds between retries when the connection reports not implemented.		10000	✓	✓	✓	
dow nload-error-web-not-implemented-sleep-max-ms	Maximum sleep in milliseconds between retries when the connection reports not implemented.		300000	✓	✓	✓	
dow nload-error-web-not-implemented-sleep-multiplicator	Multiplication factor for sleep between retries when the connection reports not implemented.		2	✓	✓	✓	
dow nload-error-web-timeout-max-tries	Maximum number of tries when the connection reports a timeout.		10	✓	✓	✓	
dow nload-error-web-timeout-sleep-initial-ms	Initial sleep in milliseconds between retries when the connection reports a timeout.		1000	✓	✓	✓	
dow nload-error-web-timeout-sleep-max-ms	Maximum sleep in milliseconds between retries when the connection reports a timeout.		30000	✓	✓	✓	
dow nload-error-web-timeout-sleep-multiplicator	Multiplication factor for sleep between retries when the connection reports a timeout.		2	✓	✓	✓	
dow nload-error-web-unauthorized-max-tries	Maximum number of tries when the connection reports an unauthorized error.		1	✓	✓	✓	
dow nload-error-web-unauthorized-sleep-initial-ms	Initial sleep in milliseconds between retries when the connection reports an unauthorized error.		10000	✓	✓	✓	
dow nload-error-web-unauthorized-sleep-max-ms	Maximum sleep in milliseconds between retries when the connection reports an unauthorized error.		300000	✓	✓	✓	
dow nload-error-web-unauthorized-sleep-multiplicator	Multiplication factor for sleep between retries when the connection reports an unauthorized error.		2	✓	✓	✓	
force-case-sensitive-identifiers	Consider identifiers as case-sensitive independent of the platform capabilities.	Shared	False	✓	✓	✓	
forced-casing-identifiers	Forced casing of identifiers. Choose from Unset, Lower, Upper and	Shared		✓	✓	✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Driver's File	Set from Log On
	Mixed.						
http-disk-cache-compression-level	Compression level for the HTTP disk cache, ranging from 1 (little) to 9 (intense). Default is 5.	Shared	5	✓	✓	✓	
http-disk-cache-directory	Directory where HTTP cache is stored.	Shared	C:\Users\gle3.WS212\Invasive\Cache\http\gle3\shared	✓	✓	✓	
http-disk-cache-ignore-write-errors	Whether to ignore write errors to disk cache.	Shared	False	✓	✓	✓	
http-disk-cache-max-age-sec	Maximum acceptable age in seconds for use of data in the HTTP disk cache.	Shared	2592000	✓	✓	✓	
http-get-timeout-max-ms	HTTP GET maximum timeout on retry (ms).		300000	✓	✓	✓	
http-get-timeout-ms	HTTP GET timeout (ms).		60000	✓	✓	✓	
http-memory-cache-compression-level	Compression level for the HTTP memory cache, ranging from 1 (little) to 9 (intense). Default is 5.	OData	5	✓	✓	✓	
http-memory-cache-max-age-sec	Maximum acceptable age in seconds for use of data in the HTTP memory cache.	OData	14400	✓	✓	✓	
http-post-timeout-max-ms	HTTP POST maximum timeout on retry (ms).		300000	✓	✓	✓	
http-post-timeout-ms	HTTP POST timeout (ms).		300000	✓	✓	✓	
ignore-http-400-errors	Ignore HTTP 400 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
ignore-http-401-errors	Ignore HTTP 401 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
ignore-http-402-errors	Ignore HTTP 402 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
ignore-http-403-errors	Ignore HTTP 403 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
ignore-http-404-errors	Ignore HTTP 404 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
ignore-http-422-errors	Ignore HTTP 422 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
ignore-http-429-errors	Ignore HTTP 429 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Driver's File	Set from Log On
ignore-http-500-errors	Ignore HTTP 500 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
ignore-http-502-errors	Ignore HTTP 502 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
ignore-http-503-errors	Ignore HTTP 503 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
invalid-json-on-get-max-tries	Maximum number of tries when the JSON received on GET is invalid.		10	✓	✓	✓	
invalid-json-on-get-sleep-initial-ms	Initial sleep in milliseconds between retries when the JSON received on GET is invalid.		10000	✓	✓	✓	
invalid-json-on-get-sleep-max-ms	Maximum sleep in milliseconds between retries when the JSON received on GET is invalid.		300000	✓	✓	✓	
invalid-json-on-get-sleep-multiplicator	Multiplication factor for sleep between retries when the JSON received on GET is invalid.		2	✓	✓	✓	
invalid-json-on-post-max-tries	Maximum number of tries when the JSON received on POST is invalid.		1	✓	✓	✓	
invalid-json-on-post-sleep-initial-ms	Initial sleep in milliseconds between retries when the JSON received on POST is invalid.		10000	✓	✓	✓	
invalid-json-on-post-sleep-max-ms	Maximum sleep in milliseconds between retries when the JSON received on POST is invalid.		300000	✓	✓	✓	
invalid-json-on-post-sleep-multiplicator	Multiplication factor for sleep between retries when the JSON received on POST is invalid.		2	✓	✓	✓	
invantive-sql-compress-sparse-arrays	Whether to compress sparse arrays in result sets during compression.	SQL Engine V1	True	✓	✓	✓	
invantive-sql-correct-invalid-date	Whether to correct dates considered invalid since they are before 01-01-1753. When nullable, they are removed. Otherwise they are replaced by 01-01-1753.	SQL Engine V1	False	✓	✓	✓	
invantive-sql-forward-filters-to-data-containers	Whether to forward filters to data containers.	SQL Engine V1	True	✓	✓	✓	
invantive-sql-share-byte-arrays	Whether to share the memory used by identical byte arrays in result sets during compression.	SQL Engine V1	True	✓	✓	✓	
invantive-sql-share-strings	Whether to share the memory used by identical strings in result sets during compression.	SQL Engine V1	True	✓	✓	✓	
invantive-sql-shuffle-fetch	Whether to shuffle results fetched from data containers.	SQL Engine V1	False	✓	✓	✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Driver's File	Set from Log On
results-data-containers							
invantive-use-cache	Whether to cache the results of a query.	SQL Engine V1	True	✓	✓	✓	
join-set-points-per-request	Maximum number of values in a request when executing a join set.	OData	60	✓	✓	✓	
limit-partition-calls-left	Minimum number of remaining API calls on a partition towards a hard limit. When below, an error is raised.	OData	500	✓	✓	✓	
log-native-calls-to-disk-max-events	Maximum number of events to register from last activation.	Shared		✓	✓	✓	
log-native-calls-to-disk-max-seconds	Maximum number of seconds to register from last activation.	Shared		✓	✓	✓	
log-native-calls-to-disk-on-error	Registers native calls to data container backend as disk files when an error occurred.	Shared	False	✓	✓	✓	
log-native-calls-to-disk-on-success	Registers native calls to data container backend as disk files when successful.	Shared	False	✓	✓	✓	
log-native-calls-to-trace	Log native calls to data container backend on the trace.	Shared	False	✓	✓	✓	
maximum-length-identifiers	Non-default maximum length in characters of identifier names.	Shared		✓	✓	✓	
max-odata-filters	The maximum number of OData filter elements.	OData	100	✓	✓	✓	
max-url-length-accepted	The maximum accepted URL length before raising an error.	Shared	8000	✓	✓	✓	
max-url-length-desired	The maximum desired URL length.	Shared	8000	✓	✓	✓	
metadata-cache-max-age-sec	Maximum acceptable age in seconds for re-use of metadata.	OData		✓	✓	✓	
oauth-unauthorized-max-tries	Maximum number of tries when an OAuth exception occurs.	OData	2	✓	✓	✓	
oauth-unauthorized-sleep-initial-ms	Initial sleep in milliseconds between OAuth reauthentication tries when the OAuth authentication fails.	OData	10000	✓	✓	✓	
oauth-unauthorized-sleep-max-ms	Maximum sleep in milliseconds between OAuth reauthentication tries when the OAuth authentication fails.	OData	1000	✓	✓	✓	
oauth-unauthorized-sleep-multiplicator	Multiplication factor for sleep between OAuth reauthentication tries when the OAuth authentication fails.	OData	2	✓	✓	✓	
partition-slot-based-rate-limit-length-ms	Total length in ms across all slots of a partition-based rate limit.	Shared	60000	✓		✓	
partition-slot-based-rate-limit-slots	Number of slots per partition-based rate limit. Null means no slot-based	Shared		✓		✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Driver's File	Set from Log On
	rate limit						
pre-request-delay-ms	Pre-request delay in milliseconds per request.	Shared	0	✓	✓	✓	
requested-page-size	Preferred number of rows to exchange per round trip; only effective on limited platforms such as AFAS Online	Shared		✓	✓	✓	
requests-parallel-max	Maximum number of parallel data requests from individual partitions on the data container.	Shared	32	✓	✓	✓	
simulate-http-400-errors	Simulate HTTP 400 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
simulate-http-400-errors-percentage	Percentage of simulated HTTP 400 errors when exchanging results with the OData endpoint.		0	✓	✓	✓	
simulate-http-401-errors	Simulate HTTP 401 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
simulate-http-401-errors-percentage	Percentage of simulated HTTP 401 errors when exchanging results with the OData endpoint.		0	✓	✓	✓	
simulate-http-403-errors	Simulate HTTP 403 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
simulate-http-403-errors-percentage	Percentage of simulated HTTP 403 errors when exchanging results with the OData endpoint.		0	✓	✓	✓	
simulate-http-408-errors	Simulate HTTP 408 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
simulate-http-408-errors-percentage	Percentage of simulated HTTP 408 errors when exchanging results with the OData endpoint.		0	✓	✓	✓	
simulate-http-429-errors	Simulate HTTP 429 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
simulate-http-429-errors-percentage	Percentage of simulated HTTP 429 errors when exchanging results with the OData endpoint.		0	✓	✓	✓	
simulate-http-500-errors	Simulate HTTP 500 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
simulate-http-500-errors-percentage	Percentage of simulated HTTP 500 errors when exchanging results with the OData endpoint.		0	✓	✓	✓	
simulate-http-502-errors	Simulate HTTP 502 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Driver's File	Set from Log On
simulate-http-502-errors-percentage	Percentage of simulated HTTP 502 errors when exchanging results with the OData endpoint.		0	✓	✓	✓	
simulate-http-503-errors	Simulate HTTP 503 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
simulate-http-503-errors-percentage	Percentage of simulated HTTP 503 errors when exchanging results with the OData endpoint.		0	✓	✓	✓	
simulate-http-protocol-errors	Simulate HTTP protocol errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
simulate-http-protocol-errors-percentage	Percentage of simulated HTTP protocol errors when exchanging results with the OData endpoint.		0	✓	✓	✓	
simulate-http-timeout-errors	Simulate HTTP timeout errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
simulate-http-timeout-errors-percentage	Percentage of simulated HTTP timeout errors when exchanging results with the OData endpoint.		0	✓	✓	✓	
slot-based-rate-limit-length-ms	Total length in ms across all slots of a slot-based rate limit.	Shared	60000	✓		✓	
slot-based-rate-limit-slots	Number of slots of a slot-based rate limit. Null means no slot-based rate limit	Shared		✓		✓	
standardize-identifiers	Rewrite all identifiers to the preferred standards as configured by standardize-identifiers-casing and maximum-length-identifiers.	Shared	True	✓	✓	✓	
standardize-identifiers-casing	Rewrite all identifiers to the recommended standard platform-specific casing when changing a data model on a case-dependent platform.	Shared	True	✓	✓	✓	
use-batch-insert	Whether to use batch insert.	OData	True	✓	✓	✓	
use-http-disk-cache-read	Whether to use HTTP responses from previous queries stored on disk to answer the current query.	Shared	False	✓	✓	✓	
use-http-disk-cache-write	Whether to memorize HTTP responses on disk.	Shared	False	✓	✓	✓	
use-http-memory-cache-read	Whether to use HTTP responses from previous queries stored in memory that can answer the current query.	OData	True	✓	✓	✓	
use-http-memory-cache-write	Whether to memorize HTTP responses from previous queries for use by future queries.	OData	True	✓	✓	✓	

3 Schema: NASA

3.1 Tables

3.1.1 asteroid_approaches: NASA Asteroid Approaches

Catalog: NASA

Schema: NASA

Primary Keys: id

Label: Asteroid Approaches

This is a read-only table function. The NASA API may not support changing the data or the Invariantive SQL driver for NASA does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the NASA API.

Select NASA API URL: `neo/rest/v1/neo/{asteroid_id}`

Insert NASA API URL: `neo/rest/v1/neo/{asteroid_id}`

Update NASA API URL: `neo/rest/v1/neo/{asteroid_id}`

Delete NASA API URL: `neo/rest/v1/neo/{asteroid_id}`

Field Selection Method: NotRequired

Base Path: `close_approach_data[*]`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `asteroid_approaches`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
<code>asteroid_id</code>	<code>int64</code>	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `asteroid_approaches` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
<code>close_approach_data_miss_distance_astronomical</code>	<code>string</code>		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
close_approach_data_miss_distance_kilometers	string		<input type="checkbox"/>	
close_approach_data_miss_distance_lunar	string		<input type="checkbox"/>	
close_approach_data_miss_distance_miles	string		<input type="checkbox"/>	
close_approach_data_orbiting_body	string		<input type="checkbox"/>	
close_approach_data_relative_velocity_kilometers_per_hour	string		<input type="checkbox"/>	
close_approach_data_relative_velocity_kilometers_per_second	string		<input type="checkbox"/>	
close_approach_data_relative_velocity_miles_per_hour	string		<input type="checkbox"/>	
close_approach_date	datetime		<input type="checkbox"/>	
epoch_date_close_approach	int64		<input type="checkbox"/>	

3.1.2 asteroid_feeds: NASA Feeds

Catalog: NASA

Schema: NASA

Primary Keys: id

Label: Feeds

This is a read-only table function. The NASA API may not support changing the data or the Invariantive SQL driver for NASA does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the NASA API.

Select NASA API URL: `neo/rest/v1/feed?start_date={date}&end_date={date}`

Insert NASA API URL: `neo/rest/v1/feed?start_date={date}&end_date={date}`

Update NASA API URL: `neo/rest/v1/feed?start_date={date}&end_date={date}`

Delete NASA API URL: `neo/rest/v1/feed?start_date={date}&end_date={date}`

Field Selection Method: NotRequired

Base Path: `near_earth_objects.*.[*]`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `asteroid_feeds`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four

parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
date	datetime	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `asteroid_feeds` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
absolute_magnitude_h	decimal		<input type="checkbox"/>	
close_approach_date	string		<input type="checkbox"/>	
close_approach_epoch_date	int64		<input type="checkbox"/>	
close_approach_miss_distance_astromical	string		<input type="checkbox"/>	
close_approach_miss_distance_kilometers	string		<input type="checkbox"/>	
close_approach_miss_distance_lunar	string		<input type="checkbox"/>	
close_approach_miss_distance_miles	string		<input type="checkbox"/>	
close_approach_orbiting_body	string		<input type="checkbox"/>	
close_approach_relative_velocity_kilometers_per_hour	string		<input type="checkbox"/>	
close_approach_relative_velocity_kilometers_per_second	string		<input type="checkbox"/>	
close_approach_relative_velocity_miles_per_hour	string		<input type="checkbox"/>	
estimated_diameter_feet_max	decimal		<input type="checkbox"/>	
estimated_diameter_feet_min	decimal		<input type="checkbox"/>	
estimated_diameter_kilometers_max	string		<input type="checkbox"/>	
estimated_diameter_kilometers_min	decimal		<input type="checkbox"/>	
estimated_diameter_meters_max	decimal		<input type="checkbox"/>	
estimated_diameter_meters_min	decimal		<input type="checkbox"/>	
estimated_diameter_miles_max	decimal		<input type="checkbox"/>	
estimated_diameter_miles_min	decimal		<input type="checkbox"/>	
is_potentially_hazardous_asteroid	boolean		<input type="checkbox"/>	
name	string		<input type="checkbox"/>	
nasa_jpl_url	string		<input type="checkbox"/>	
neo_reference_id	string		<input type="checkbox"/>	

3.1.3 asteroids: NASA Asteroids

Catalog: NASA

Schema: NASA

Primary Keys: id

Label: Asteroids

This is a read-only table function. The NASA API may not support changing the data or the Invariantive SQL driver for NASA does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the NASA API.

Select NASA API URL: `neo/rest/v1/neo/{asteroid_id}`

Insert NASA API URL: `neo/rest/v1/neo/{asteroid_id}`

Update NASA API URL: `neo/rest/v1/neo/{asteroid_id}`

Delete NASA API URL: `neo/rest/v1/neo/{asteroid_id}`

Field Selection Method: NotRequired

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `asteroids`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
<code>asteroid_id</code>	<code>int64</code>	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `asteroids` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
<code>absolute_magnitude_h</code>	<code>decimal</code>		<input type="checkbox"/>	
<code>close_approach_date</code>	<code>datetime</code>		<input type="checkbox"/>	
<code>close_approach_epoch_date</code>	<code>int64</code>		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
close_approach_miss_distance_astronomical	string		<input type="checkbox"/>	
close_approach_miss_distance_kilometers	string		<input type="checkbox"/>	
close_approach_miss_distance_lunar	string		<input type="checkbox"/>	
close_approach_miss_distance_miles	string		<input type="checkbox"/>	
close_approach_orbiting_body	string		<input type="checkbox"/>	
close_approach_relative_velocity_kilometers_per_hour	string		<input type="checkbox"/>	
close_approach_relative_velocity_kilometers_per_second	string		<input type="checkbox"/>	
close_approach_relative_velocity_miles_per_hour	string		<input type="checkbox"/>	
estimated_diameter_feet_max	string		<input type="checkbox"/>	
estimated_diameter_feet_min	string		<input type="checkbox"/>	
estimated_diameter_kilometers_max	string		<input type="checkbox"/>	
estimated_diameter_kilometers_min	string		<input type="checkbox"/>	
estimated_diameter_meters_max	string		<input type="checkbox"/>	
estimated_diameter_meters_min	string		<input type="checkbox"/>	
estimated_diameter_miles_max	string		<input type="checkbox"/>	
estimated_diameter_miles_min	string		<input type="checkbox"/>	
is_potentially_hazardous_asteroid	boolean		<input type="checkbox"/>	
name	string		<input type="checkbox"/>	
nasa_jpl_url	string		<input type="checkbox"/>	
neo_reference_id	string		<input type="checkbox"/>	
orbital_data_aphelion_distance	string		<input type="checkbox"/>	
orbital_data_ascending_node_longitude	string		<input type="checkbox"/>	
orbital_data_eccentricity	string		<input type="checkbox"/>	
orbital_data_epoch_osculation	string		<input type="checkbox"/>	
orbital_data_equinox	string		<input type="checkbox"/>	
orbital_data_inclination	string		<input type="checkbox"/>	
orbital_data_jupiter_tisserand_invariant	string		<input type="checkbox"/>	
orbital_data_mean_anomaly	string		<input type="checkbox"/>	
orbital_data_mean_motion	string		<input type="checkbox"/>	
orbital_data_minimum_orbit_intersection	string		<input type="checkbox"/>	
orbital_data_orbit_determination_date	datetime		<input type="checkbox"/>	
orbital_data_orbit_id	int32		<input type="checkbox"/>	
orbital_data_orbit_uncertainty	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
orbital_data_orbital_period	string		<input type="checkbox"/>	
orbital_data_perihelion_argument	string		<input type="checkbox"/>	
orbital_data_perihelion_distance	string		<input type="checkbox"/>	
orbital_data_perihelion_time	string		<input type="checkbox"/>	
orbital_data_semi_major_axis	string		<input type="checkbox"/>	

3.1.4 astronomy_pictures_of_day: NASA Astronomy Pictures of Day

Catalog: NASA

Schema: NASA

Primary Keys: id

Label: Astronomy Pictures of Day

This is a read-only table function. The NASA API may not support changing the data or the Invariantive SQL driver for NASA does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the NASA API.

Select NASA API URL: `planetary/apod?date={apod_date}&hd={hd}`

Insert NASA API URL: `planetary/apod?date={apod_date}&hd={hd}`

Update NASA API URL: `planetary/apod?date={apod_date}&hd={hd}`

Delete NASA API URL: `planetary/apod?date={apod_date}&hd={hd}`

Field Selection Method: NotRequired

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `astronomy_pictures_of_day`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
apod_date	datetime	<input checked="" type="checkbox"/>		
hd	boolean	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `astronomy_pictures_of_day` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
<code>date</code>	string	Date	<input type="checkbox"/>	
<code>explanation</code>	string		<input type="checkbox"/>	
<code>hdurl</code>	string		<input type="checkbox"/>	
<code>media_type</code>	string		<input type="checkbox"/>	
<code>service_version</code>	string		<input type="checkbox"/>	
<code>title</code>	string		<input type="checkbox"/>	
<code>url</code>	string		<input type="checkbox"/>	

3.1.5 `astronomy_pictures_of_today`: NASA Astronomy Pictures of Today

Catalog: NASA

Schema: NASA

Primary Keys: `id`

Label: Astronomy Pictures of Today

This is a read-only table. The NASA API may not support changing the data or the Invantive SQL driver for NASA does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the NASA API.

Select NASA API URL: `planetary/apod?`

Insert NASA API URL: `planetary/apod?`

Update NASA API URL: `planetary/apod?`

Delete NASA API URL: `planetary/apod?`

Field Selection Method: `NotRequired`

Table Columns

The columns of the table `astronomy_pictures_of_today` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
<code>date</code>	string	Date	<input type="checkbox"/>	
<code>explanation</code>	string		<input type="checkbox"/>	
<code>hdurl</code>	string		<input type="checkbox"/>	
<code>media_type</code>	string		<input type="checkbox"/>	
<code>service_version</code>	string		<input type="checkbox"/>	
<code>title</code>	string		<input type="checkbox"/>	
<code>url</code>	string		<input type="checkbox"/>	

3.1.6 earth_polychromatic_imaging_camera_photos: NASA Earth Polychromatic Imaging Camera Photos

Catalog: NASA

Schema: NASA

Primary Keys: id

Label: Earth Polychromatic Imaging Camera Photos

This is a read-only table function. The NASA API may not support changing the data or the Invariantive SQL driver for NASA does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the NASA API.

Select NASA API URL: `EPIC/api/natural/date/{date}`

Insert NASA API URL: Returns image of earth at the specified date

Update NASA API URL: `EPIC/api/natural/date/{date}`

Delete NASA API URL: `EPIC/api/natural/date/{date}`

Field Selection Method: NotRequired

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `earth_polychromatic_imaging_camera_photos`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
date	datetime	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `earth_polychromatic_imaging_camera_photos` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
caption	string		<input type="checkbox"/>	
coords_attitude_quaternions_q1	decimal		<input type="checkbox"/>	
coords_attitude_quaternions_q2	decimal		<input type="checkbox"/>	
coords_attitude_quaternions_q3	decimal		<input type="checkbox"/>	
coords_attitude_quaternions_q4	decimal		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
coords_centroid_coordinates_lat	double		<input type="checkbox"/>	
coords_centroid_coordinates_lon	decimal		<input type="checkbox"/>	
coords_dscover_j2000_position_x	decimal		<input type="checkbox"/>	
coords_dscover_j2000_position_y	decimal		<input type="checkbox"/>	
coords_dscover_j2000_position_z	decimal		<input type="checkbox"/>	
coords_lunar_j2000_position_x	decimal		<input type="checkbox"/>	
coords_lunar_j2000_position_y	decimal		<input type="checkbox"/>	
coords_lunar_j2000_position_z	decimal		<input type="checkbox"/>	
coords_sun_j2000_position_x	decimal		<input type="checkbox"/>	
coords_sun_j2000_position_y	decimal		<input type="checkbox"/>	
coords_sun_j2000_position_z	decimal		<input type="checkbox"/>	
date	datetime	Date	<input type="checkbox"/>	
image	string		<input type="checkbox"/>	

3.1.7 eonet_assets: NASA Earth Observatory Natural Event Tracker Assets

Catalog: NASA

Schema: NASA

Primary Keys: id

Label: Earth Observatory Natural Event Tracker Assets

This is a read-only table function. The NASA API may not support changing the data or the Invariant SQL driver for NASA does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the NASA API.

Select NASA API URL: `planetary/earth/assets?lon={lon}&lat={lat}&begin={begin_date}&end={end_date}`

Insert NASA API URL: `planetary/earth/assets?lon={lon}&lat={lat}&begin={begin_date}&end={end_date}`

Update NASA API URL: `planetary/earth/assets?lon={lon}&lat={lat}&begin={begin_date}&end={end_date}`

Delete NASA API URL: `planetary/earth/assets?lon={lon}&lat={lat}&begin={begin_date}&end={end_date}`

Field Selection Method: NotRequired

Base Path: `results[*]`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `eonet_assets`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
begin_date	datetime	<input checked="" type="checkbox"/>		
end_date	datetime	<input checked="" type="checkbox"/>		
lat	decimal	<input checked="" type="checkbox"/>		
lon	decimal	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `eonet_assets` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
results_date	datetime		<input type="checkbox"/>	
results_id	string		<input type="checkbox"/>	

3.1.8 eonet_images: NASA Earth Observatory Images

Catalog: NASA

Schema: NASA

Primary Keys: id

Label: Earth Observatory Images

Documentation:

Returns picture of earth at the specified longitude and latitude and the specified cloud score (percentage of image that is covered by clouds)

This is a read-only table function. The NASA API may not support changing the data or the Invariantive SQL driver for NASA does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the NASA API.

Select NASA API URL: `planetary/earth/imagery?lon={lon}&lat={lat}&date={date}&cloud_score={cloud_score}`

Insert NASA API URL: `planetary/earth/imagery?lon={lon}&lat={lat}&date={date}&cloud_score={cloud_score}`

Update NASA API URL: `planetary/earth/imagery?lon={lon}&lat={lat}&date={date}&cloud_score={cloud_score}`

Delete NASA API URL: `planetary/earth/imagery?lon={lon}&lat={lat}&date={date}&cloud_score={cloud_score}`

Field Selection Method: NotRequired

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `eonet_images`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
cloud_score	boolean	<input checked="" type="checkbox"/>		
date	datetime	<input checked="" type="checkbox"/>		
lat	decimal	<input checked="" type="checkbox"/>		
lon	decimal	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `eonet_images` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
cloud_score	decimal		<input type="checkbox"/>	
date	string	Date	<input type="checkbox"/>	
hdurl	string		<input type="checkbox"/>	
id	string		<input type="checkbox"/>	
url	string		<input type="checkbox"/>	

3.1.9 mars_rover_photo_cameras: NASA Mars Rover Photos Camera

Catalog: NASA

Schema: NASA

Primary Keys: id

Label: Mars Rover Photos Camera

Documentation:

Return photos made by the specified camera of the curiosity rover at the specified amount of sol(length of a day on mars)

This is a read-only table function. The NASA API may not support changing the data or the Invariantive SQL driver for NASA does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the NASA API.

Select NASA API URL: `mars-photos/api/v1/rovers/curiosity/photos?sol={sol}&camera={camera}`

Insert NASA API URL: `mars-photos/api/v1/rovers/curiosity/photos?sol={sol}&camera={camera}`

Update NASA API URL: `mars-photos/api/v1/rovers/curiosity/photos?sol={sol}&camera={camera}`

Delete NASA API URL: `mars-photos/api/v1/rovers/curiosity/photos?sol={sol}&camera={camera}`

Field Selection Method: `NotRequired`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `mars_rover_photo_cameras`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
camera	string	<input checked="" type="checkbox"/>		
sol	int64	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `mars_rover_photo_cameras` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
photos__rover_cameras_full_name	string		<input type="checkbox"/>	
photos__rover_cameras_name	string		<input type="checkbox"/>	
photos__rover_landing_date	string		<input type="checkbox"/>	
photos__rover_launch_date	string		<input type="checkbox"/>	
photos__rover_max_date	string		<input type="checkbox"/>	
photos__rover_max_sol	int32		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
photos__rover_status	string		<input type="checkbox"/>	
photos__rover_total_photos	int32		<input type="checkbox"/>	
photos_rover_id	int32		<input type="checkbox"/>	
photos_rover_name	string		<input type="checkbox"/>	

3.1.10 mars_rover_photos: NASA Mars Rover Photos

Catalog: NASA

Schema: NASA

Primary Keys: id

Label: Mars Rover Photos

Documentation:

Return photos made by the the curiosity rover at the specified amount of sol(length of a day on mars)

This is a read-only table function. The NASA API may not support changing the data or the Invariant SQL driver for NASA does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the NASA API.

Select NASA API URL: `mars-photos/api/v1/rovers/curiosity/photos?sol={sol}`

Insert NASA API URL: `mars-photos/api/v1/rovers/curiosity/photos?sol={sol}`

Update NASA API URL: `mars-photos/api/v1/rovers/curiosity/photos?sol={sol}`

Delete NASA API URL: `mars-photos/api/v1/rovers/curiosity/photos?sol={sol}`

Field Selection Method: NotRequired

Base Path: `photos[*]`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `mars_rover_photos`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the

default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
sol	int64	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `mars_rover_photos` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
photos_camera_full_name	string		<input type="checkbox"/>	
photos_camera_id	int32		<input type="checkbox"/>	
photos_camera_name	string		<input type="checkbox"/>	
photos_camera_rover_id	int32		<input type="checkbox"/>	
photos_earth_date	datetime		<input type="checkbox"/>	
photos_id	int32		<input type="checkbox"/>	
photos_img_src	string		<input type="checkbox"/>	
photos_sol	int32		<input type="checkbox"/>	

4 Schema: Native

4.1 Tables

4.1.1 NATIVEPLATFORMSCALARREQUESTS: NASA Native Platform Scalar Requests

Direct access to native API.

Catalog: NASA

Schema: Native

Alias: `npt`

Label: Native Platform Scalar Requests

Documentation:

The `NativePlatformScalarRequests` table provides direct access to the native API protocol over an established connection to the NASA API server. It will contain a new row for every row inserted with a native API request in `PAYLOAD_TEXT` with the results of unaltered forwarding of the payload to the NASA API server.

Retrieve: true

Insert: true

Update: false

Delete: false

View Columns

The columns of the view NATIVEPLATFORMSCALARREQUESTS are shown below. Each column has an SQL data type. A new non-null value must be provided for every required column at all times during insert.

Name	Data Type	Label	Required	Documentation
BLOB_PREFERRED	boolean	BLOB Preferred	<input checked="" type="checkbox"/>	Indicator whether a BLOB result is preferred over text.
BOL_RESPONSE_CACHE_MAX_AGE_SEC	int32	Response Cache Maximum Age (sec)	<input type="checkbox"/>	Maximum age in seconds of Bridge Online response cache entries to be used.
CONTENT_TYPE	string(240)	Content Type	<input type="checkbox"/>	
DATE_ENDED	datetime	End Date	<input checked="" type="checkbox"/>	
DATE_STARTED	datetime	Start Date	<input checked="" type="checkbox"/>	
DRY_RUN	boolean	Run without Actions	<input checked="" type="checkbox"/>	
DURATION_MS	int32	Duration (ms)	<input checked="" type="checkbox"/>	
ERROR_MESSAGE_CODE	string(30)	Error Message Code	<input type="checkbox"/>	
ERROR_MESSAGE_TEXT	string(32000)	Error Message Text	<input type="checkbox"/>	
FAIL_ON_ERROR	boolean	Fail on Error	<input checked="" type="checkbox"/>	Whether to raise an exception when processing the native request triggered an error from the provider.
HTTP_DISK_CACHE_MAX_AGE_SEC	int32	HTTP Disk Cache Maximum Age (sec)	<input type="checkbox"/>	Maximum age in seconds of HTTP disk cache entries to be used.
HTTP_DISK_CACHE_SAVE	boolean	Save HTTP Disk Cache	<input type="checkbox"/>	Whether results can be stored in HTTP disk cache.
HTTP_DISK_CACHE_USE	boolean	Use HTTP Disk Cache	<input type="checkbox"/>	Whether results can be fetched from HTTP disk cache.
HTTP_MEMORY_CACHE_MAX_AGE_SEC	int32	HTTP Memory Cache Maximum Age (sec)	<input type="checkbox"/>	Maximum age in seconds of HTTP memory cache entries to be used.
HTTP_MEMORY_CACHE_SAVE	boolean	Save HTTP Memory Cache	<input type="checkbox"/>	Whether results can be stored in HTTP memory cache.
HTTP_MEMORY_CACHE_USE	boolean	Use HTTP Memory Cache	<input type="checkbox"/>	Whether results can be fetched from HTTP memory cache.
HTTP_METHOD	string(30)	HTTP Method	<input type="checkbox"/>	
HTTP_STATUS_CODE	int16	HTTP Status Code	<input type="checkbox"/>	
ORIG_SYSTEM_GROUP	string(4000)	Original System Group	<input type="checkbox"/>	
ORIG_SYSTEM_REFERENCE	string(4000)	Original System Reference	<input type="checkbox"/>	
PAYLOAD_TEXT	string	Payload	<input type="checkbox"/>	
RESULT_BLOB	byte[]	Result BLOB	<input type="checkbox"/>	
RESULT_DATE_TIME_UTC	datetime		<input type="checkbox"/>	
RESULT_NUMBER	decimal		<input type="checkbox"/>	
RESULT_TEXT	string	Result Text	<input type="checkbox"/>	
SUCCESSFUL	boolean	Successful	<input checked="" type="checkbox"/>	
TIMEOUT_SEC	int32	Timeout (sec)	<input type="checkbox"/>	Timeout in seconds.
TRANSACTION_ID	int32	Transaction ID	<input checked="" type="checkbox"/>	Incrementing ID of the transaction.

Name	Data Type	Label	Required	Documentation
URL	string(4000)	URL	<input type="checkbox"/>	

Index

- A -

absolute_magnitude_h 15, 17
 add-odata-mandatory-filters 2
 analysis-enforce-row-uniqueness 2
 api-url 2
 apod_date 19
 Asteroid Approaches 14
 asteroid_approaches 14
 asteroid_feeds 15
 asteroid_id 14, 17
 Asteroids 17
 Astronomy Pictures of Day 19
 Astronomy Pictures of Today 20
 astronomy_pictures_of_day 19
 astronomy_pictures_of_today 20

- B -

begin_date 22
 BLOB Preferred 27
 BLOB_PREFERRED 27
 BOL_RESPONSE_CACHE_MAX_AGE_SEC 27
 bulk-delete-page-size-rows 2
 bulk-insert-page-size-bytes 2
 bulk-insert-page-size-rows 2

- C -

camera 24
 caption 21
 close_approach_data_miss_distance_astronomical 14
 close_approach_data_miss_distance_kilometers
 close_approach_data_miss_distance_lunar 14
 close_approach_data_miss_distance_miles 14
 close_approach_data_orbiting_body 14
 close_approach_data_relative_velocity_kilometers_per_hour 14
 close_approach_data_relative_velocity_kilometers_per_second 14
 close_approach_data_relative_velocity_miles_per_hour 14
 close_approach_date 14, 15, 17
 close_approach_epoch_date 15, 17
 close_approach_miss_distance_astronomical 15, 17

close_approach_miss_distance_kilometers 15, 17
 close_approach_miss_distance_lunar 15, 17
 close_approach_miss_distance_miles 15, 17
 close_approach_orbiting_body 15, 17
 close_approach_relative_velocity_kilometers_per_hour 15, 17
 close_approach_relative_velocity_kilometers_per_second 15, 17
 close_approach_relative_velocity_miles_per_hour 15, 17
 cloud_score 23
 Content Type 27
 CONTENT_TYPE 27
 coords_attitude_quaternions_q1 21
 coords_attitude_quaternions_q2 21
 coords_attitude_quaternions_q3 21
 coords_attitude_quaternions_q4 21
 coords_centroid_coordinates_lat 21
 coords_centroid_coordinates_lon 21
 coords_dscovr_j2000_position_x 21
 coords_dscovr_j2000_position_y 21
 coords_dscovr_j2000_position_z 21
 coords_lunar_j2000_position_x 21
 coords_lunar_j2000_position_y 21
 coords_lunar_j2000_position_z 21
 coords_sun_j2000_position_x 21
 coords_sun_j2000_position_y 21
 coords_sun_j2000_position_z 21

- D -

Date 15, 19, 20, 21, 23
 DATE_ENDED 27
 DATE_STARTED 27
 download-error-400-bad-request-max-tries 2
 download-error-400-bad-request-sleep-initial-ms 2
 download-error-400-bad-request-sleep-max-ms 2
 download-error-400-bad-request-sleep-multiplicator 2
 download-error-408-request-timeout-max-tries 2
 download-error-408-request-timeout-sleep-initial-ms 2
 download-error-408-request-timeout-sleep-max-ms 2
 download-error-408-request-timeout-sleep-multiplicator 2
 download-error-422-bad-request-max-tries 2
 download-error-422-bad-request-sleep-initial-ms 2
 download-error-422-bad-request-sleep-max-ms 2
 download-error-422-bad-request-sleep-multiplicator 2
 download-error-429-too-many-requests-max-tries 2

download-error-429-too-many-requests-sleep-initial-ms	2	download-error-io-exception-sleep-initial-ms	2
download-error-429-too-many-requests-sleep-max-ms	2	download-error-io-exception-sleep-max-ms	2
download-error-429-too-many-requests-sleep-multiplicat	2	download-error-io-exception-sleep-multiplicator	2
download-error-502-server-unavailable-max-tries	2	download-error-json-exception-max-tries	2
download-error-502-server-unavailable-sleep-initial-ms	2	download-error-json-exception-sleep-initial-ms	2
download-error-502-server-unavailable-sleep-max-ms	2	download-error-json-exception-sleep-max-ms	2
download-error-502-server-unavailable-sleep-multiplicat	2	download-error-json-exception-sleep-multiplicator	2
download-error-503-server-unavailable-max-tries	2	download-error-other-exception-max-tries	2
download-error-503-server-unavailable-sleep-initial-ms	2	download-error-other-exception-sleep-initial-ms	2
download-error-503-server-unavailable-sleep-max-ms	2	download-error-other-exception-sleep-max-ms	2
download-error-503-server-unavailable-sleep-multiplicat	2	download-error-other-exception-sleep-multiplicator	2
download-error-504-gateway-timeout-max-tries	2	download-error-socket-exception-max-tries	2
download-error-504-gateway-timeout-sleep-initial-ms	2	download-error-socket-exception-sleep-initial-ms	2
download-error-504-gateway-timeout-sleep-max-ms	2	download-error-socket-exception-sleep-max-ms	2
download-error-504-gateway-timeout-sleep-multiplicat	2	download-error-socket-exception-sleep-multiplicator	2
download-error-590-network-connect-timeout-max-tries	2	download-error-web-exception-max-tries	2
download-error-590-network-connect-timeout-sleep-initi	2	download-error-web-exception-sleep-initial-ms	2
download-error-590-network-connect-timeout-sleep-max	2	download-error-web-exception-sleep-max-ms	2
download-error-590-network-connect-timeout-sleep-mul	2	download-error-web-exception-sleep-multiplicator	2
download-error-599-network-connect-timeout-max-tries	2	download-error-web-not-implemented-max-tries	2
download-error-599-network-connect-timeout-sleep-initi	2	download-error-web-not-implemented-sleep-initial-ms	2
download-error-599-network-connect-timeout-sleep-max	2	download-error-web-not-implemented-sleep-max-ms	2
download-error-599-network-connect-timeout-sleep-mul	2	download-error-web-not-implemented-sleep-multiplicat	2
download-error-argument-exception-max-tries	2	download-error-web-timeout-max-tries	2
download-error-argument-exception-sleep-initial-ms	2	download-error-web-timeout-sleep-initial-ms	2
download-error-argument-exception-sleep-max-ms	2	download-error-web-timeout-sleep-max-ms	2
download-error-argument-exception-sleep-multiplicat	2	download-error-web-timeout-sleep-multiplicator	2
download-error-internet-down-max-tries	2	download-error-web-unauthorized-max-tries	2
download-error-internet-down-sleep-initial-ms	2	download-error-web-unauthorized-sleep-initial-ms	2
download-error-internet-down-sleep-max-ms	2	download-error-web-unauthorized-sleep-max-ms	2
download-error-internet-down-sleep-multiplicator	2	download-error-web-unauthorized-sleep-multiplicator	2
download-error-io-exception-max-tries	2	Driver	1
		DRY_RUN	27
		Duration (ms)	27
		DURATION_MS	27
		- E -	
		Earth Observatory Images	23
		Earth Observatory Natural Event Tracker Assets	22
		Earth Polychromatic Imaging Camera Photos	21
		earth_polychromatic_imaging_camera_photos	21
		End Date	27
		end_date	22
		eonet_assets	22
		eonet_images	23

epoch_date_close_approach 14
 Error Message Code 27
 Error Message Text 27
 ERROR_MESSAGE_CODE 27
 ERROR_MESSAGE_TEXT 27
 estimated_diameter_feet_max 15, 17
 estimated_diameter_feet_min 15, 17
 estimated_diameter_kilometers_max 15, 17
 estimated_diameter_kilometers_min 15, 17
 estimated_diameter_meters_max 15, 17
 estimated_diameter_meters_min 15, 17
 estimated_diameter_miles_max 15, 17
 estimated_diameter_miles_min 15, 17
 explanation 19, 20

- F -

Fail on Error 27
 FAIL_ON_ERROR 27
 Feeds 15
 force-case-sensitive-identifiers 2
 forced-casing-identifiers 2

- H -

hd 19
 hdurl 19, 20, 23
 HTTP Disk Cache Maximum Age (sec) 27
 HTTP Memory Cache Maximum Age (sec) 27
 HTTP Method 27
 HTTP Status Code 27
 HTTP_DISK_CACHE_MAX_AGE_SEC 27
 HTTP_DISK_CACHE_SAVE 27
 HTTP_DISK_CACHE_USE 27
 HTTP_MEMORY_CACHE_MAX_AGE_SEC 27
 HTTP_MEMORY_CACHE_SAVE 27
 HTTP_MEMORY_CACHE_USE 27
 HTTP_METHOD 27
 HTTP_STATUS_CODE 27
 http-disk-cache-compression-level 2
 http-disk-cache-directory 2
 http-disk-cache-ignore-write-errors 2
 http-disk-cache-max-age-sec 2
 http-get-timeout-max-ms 2
 http-get-timeout-ms 2
 http-memory-cache-compression-level 2
 http-memory-cache-max-age-sec 2
 http-post-timeout-max-ms 2
 http-post-timeout-ms 2

- I -

ignore-http-400-errors 2
 ignore-http-401-errors 2
 ignore-http-402-errors 2
 ignore-http-403-errors 2
 ignore-http-404-errors 2
 ignore-http-422-errors 2
 ignore-http-429-errors 2
 ignore-http-500-errors 2
 ignore-http-502-errors 2
 ignore-http-503-errors 2
 image 21
 invalid-json-on-get-max-tries 2
 invalid-json-on-get-sleep-initial-ms 2
 invalid-json-on-get-sleep-max-ms 2
 invalid-json-on-get-sleep-multiplier 2
 invalid-json-on-post-max-tries 2
 invalid-json-on-post-sleep-initial-ms 2
 invalid-json-on-post-sleep-max-ms 2
 invalid-json-on-post-sleep-multiplier 2
 invantive-sql-compress-sparse-arrays 2
 invantive-sql-correct-invalid-date 2
 invantive-sql-forward-filters-to-data-containers 2
 invantive-sql-share-byte-arrays 2
 invantive-sql-share-strings 2
 invantive-sql-shuffle-fetch-results-data-containers 2
 invantive-use-cache 2
 is_potentially_hazardous_asteroid 15, 17

- J -

join-set-points-per-request 2

- L -

lat 22, 23
 limit-partition-calls-left 2
 log-native-calls-to-disk-max-events 2
 log-native-calls-to-disk-max-seconds 2
 log-native-calls-to-disk-on-error 2
 log-native-calls-to-disk-on-success 2
 log-native-calls-to-trace 2
 lon 22, 23

- M -

Mars Rover Photos 26
 Mars Rover Photos Camera 24

mars_rover_photo_cameras 24
 mars_rover_photos 26
 maximum-length-identifiers 2
 max-odata-filters 2
 max-url-length-accepted 2
 max-url-length-desired 2
 media_type 19, 20
 metadata-cache-max-age-sec 2

- N -

name 15, 17
 NASA 1, 14, 15, 17, 19, 20, 21, 22, 23, 24, 26, 27
 nasa_jpl_url 15, 17
 Native Platform Scalar Requests 27
 NATIVEPLATFORMSCALARREQUESTS 27
 neo_reference_id 15, 17
 npt 27

- O -

oauth-unauthorized-max-tries 2
 oauth-unauthorized-sleep-initial-ms 2
 oauth-unauthorized-sleep-max-ms 2
 oauth-unauthorized-sleep-multiplicator 2
 orbital_data_aphelion_distance 17
 orbital_data_ascending_node_longitude 17
 orbital_data_eccentricity 17
 orbital_data_epoch_osculation 17
 orbital_data_equinox 17
 orbital_data_inclination 17
 orbital_data_jupiter_tisserand_invariant 17
 orbital_data_mean_anomaly 17
 orbital_data_mean_motion 17
 orbital_data_minimum_orbit_intersection 17
 orbital_data_orbit_determination_date 17
 orbital_data_orbit_id 17
 orbital_data_orbit_uncertainty 17
 orbital_data_orbital_period 17
 orbital_data_perihelion_argument 17
 orbital_data_perihelion_distance 17
 orbital_data_perihelion_time 17
 orbital_data_semi_major_axis 17
 ORIG_SYSTEM_GROUP 27
 ORIG_SYSTEM_REFERENCE 27
 Original System Group 27
 Original System Reference 27

- P -

partition-slot-based-rate-limit-length-ms 2
 partition-slot-based-rate-limit-slots 2
 Payload 27
 PAYLOAD_TEXT 27
 photos__rover_cameras_full_name 24
 photos__rover_cameras_name 24
 photos__rover_landing_date 24
 photos__rover_launch_date 24
 photos__rover_max_date 24
 photos__rover_max_sol 24
 photos__rover_status 24
 photos__rover_total_photos 24
 photos_camera_full_name 26
 photos_camera_id 26
 photos_camera_name 26
 photos_camera_rover_id 26
 photos_earth_date 26
 photos_id 26
 photos_img_src 26
 photos_rover_id 24
 photos_rover_name 24
 photos_sol 26
 pre-request-delay-ms 2

- R -

requested-page-size 2
 requests-parallel-max 2
 Response Cache Maximum Age (sec) 27
 Result BLOB 27
 Result Text 27
 RESULT_BLOB 27
 RESULT_DATE_TIME_UTC 27
 RESULT_NUMBER 27
 RESULT_TEXT 27
 results_date 22
 results_id 22
 Run without Actions 27

- S -

Save HTTP Disk Cache 27
 Save HTTP Memory Cache 27
 service_version 19, 20
 simulate-http-400-errors 2
 simulate-http-400-errors-percentage 2
 simulate-http-401-errors 2

simulate-http-401-errors-percentage 2
simulate-http-403-errors 2
simulate-http-403-errors-percentage 2
simulate-http-408-errors 2
simulate-http-408-errors-percentage 2
simulate-http-429-errors 2
simulate-http-429-errors-percentage 2
simulate-http-500-errors 2
simulate-http-500-errors-percentage 2
simulate-http-502-errors 2
simulate-http-502-errors-percentage 2
simulate-http-503-errors 2
simulate-http-503-errors-percentage 2
simulate-http-protocol-errors 2
simulate-http-protocol-errors-percentage 2
simulate-http-timeout-errors 2
simulate-http-timeout-errors-percentage 2
slot-based-rate-limit-length-ms 2
slot-based-rate-limit-slots 2
sol 24, 26
standardize-identifiers 2
standardize-identifiers-casing 2
Start Date 27
Successful 27
SUCCESSFUL 27

- T -

Timeout (sec) 27
TIMEOUT_SEC 27
title 19, 20
Transaction ID 27
TRANSACTION_ID 27

- U -

URL 19, 20, 23, 27
Use HTTP Disk Cache 27
Use HTTP Memory Cache 27
use-batch-insert 2
use-http-disk-cache-read 2
use-http-disk-cache-write 2
use-http-memory-cache-read 2
use-http-memory-cache-write 2



invantive the **SQL** company

Invantive B.V.
Biesteweg 11
3849 RD Hierden
the Netherlands

Tel: +31 88 00 26 500
Fax: +31 84 22 58 178
info@invantive.com
invantive.com

IBAN NL25 BUNQ 2098 2586 07
Chamber of Industry and Commerce
13031406
VAT NL812602377B01
RSIN 8122602377
Managing Director: Guido Leenders
Registered office: Roermond