



# Octopus API Data Model

*for use with Invantive SQL*

# Auteursrecht

(C) Copyright 2004-2023 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Alle rechten voorbehouden. Niets uit deze uitgave mag worden verveelvoudigd, opgeslagen in een geautomatiseerd gegevensbestand, of openbaar gemaakt, in enige vorm of op enige wijze, hetzij elektronisch, mechanisch, door fotokopieën, opnemen, of enig andere manier, zonder voorafgaande schriftelijke toestemming van de uitgever.

Ondanks alle aan de samenstelling van deze tekst bestede zorg, kan noch de schrijver noch de uitgever aansprakelijkheid aanvaarden voor eventuele schade, die zou kunnen voortvloeien uit enige fout, die in deze uitgave zou kunnen voorkomen.

Deze handleiding is een naslagwerk bedoeld om het gebruik te verduidelijken. Indien gegevens in de voorbeeldafbeeldingen overeenkomen met gegevens in uw systeem, dan is de overeenkomst toevallig.

## Belangrijke Informatie over Veiligheid en Gebruik

Beoogd gebruik en beperkingen: Deze software, ontwikkeld door Invantive, is ontworpen om een verscheidenheid aan zakelijke en informatietechnologische gegevensverwerkingsfuncties te ondersteunen, zoals boekhouding, financiële rapportage en verkooprapportage. Het is belangrijk om op te merken dat deze software niet is ontworpen, getest of goedgekeurd voor gebruik in omgevingen waar een storing of defect kan leiden tot levensbedreigende situaties, ernstige fysieke schade of milieuschade. Dit omvat, maar is niet beperkt tot:

- Nucleaire faciliteiten: de software mag niet worden gebruikt voor operaties of functies die verband houden met de controle, het onderhoud of de werking van nucleaire faciliteiten.
- Defensie en militaire toepassingen: deze software is niet geschikt voor gebruik in defensiegerelateerde toepassingen, inclusief maar niet beperkt tot wapenbeheer, militaire strategieplanning of andere aspecten van nationale defensie.
- Luchtvaart: de software is niet bedoeld voor gebruik in de bediening, navigatie of communicatiesystemen van vliegtuigen of luchtverkeersleidingsomgevingen.
- Gezondheidszorg en medicijnproductie: deze software mag niet worden gebruikt voor de werking van medische apparaten, de analyse van patiëntgegevens voor kritieke gezondheidsbeslissingen, farmaceutische productie of medisch onderzoek waarbij een storing of defect de gezondheid van de patiënt kan beïnvloeden.
- Verwerking van chemische en/of gevaarlijke stoffen: deze software is niet bedoeld voor het beheer, de controle of de operationele aspecten van chemische fabrieken of faciliteiten voor de verwerking van chemische en/of gevaarlijke stoffen. Elke storing in de software die in deze omgevingen wordt gebruikt kan leiden tot gevaarlijke chemische lozingen, explosies of milieurampen.
- Transport- en verkeerscontrolesystemen: de software mag niet worden gebruikt voor de besturing, bediening of het beheer van transportsystemen, waaronder de besturing van spoorwegsignalen, metrosystemen of verkeerslichten. Storingen in dergelijke kritieke systemen kunnen tot ernstige ongelukken leiden en de openbare veiligheid in gevaar brengen.
- Energienetwerken- en nutsbesturingssystemen: deze software is niet ontworpen voor de besturing of bediening van energienetwerksystemen, waaronder elektrische onderstations, besturingssystemen voor hernieuwbare energie of besturingssystemen van watermolenbedrijven. Het falen van software op deze gebieden kan leiden tot aanzienlijke stroomonderbrekingen, onderbrekingen in de watervoorziening of andere storingen in openbare voorzieningen, waardoor gemeenschappen in gevaar kunnen komen en grote schade kan worden aangericht.
- Andere omgevingen met een hoog risico: alle andere kritieke infrastructuren en omgevingen waar een storing in de software kan leiden tot aanzienlijke schade aan personen of het milieu.

Gebruikersverantwoordelijkheid: gebruikers moeten ervoor zorgen dat ze het beoogde gebruik van de software begrijpen en de software niet gebruiken in een omgeving die buiten het beoogde doel valt. Het is de verantwoordelijkheid van de gebruiker om de geschiktheid van de software voor de beoogde toepassing te beoordelen, vooral in scenario's die een risico kunnen vormen voor leven, gezondheid en/of milieu.

Afwijzing van aansprakelijkheid: Invantive wijst elke verantwoordelijkheid af voor schade, letsel of wettelijke gevolgen die voortvloeien uit het gebruik of misbruik van deze software in verboden en/of onbedoelde toepassingen.

# Inhoud

<b>1</b>	<b>Provider Octopus: Octopus.</b>	<b>1</b>
<b>2</b>	<b>Catalog: Octopus</b>	<b>2</b>
<b>2.1</b>	<b>Schemas .....</b>	<b>2</b>
2.1.1	Schema: OctopusWS .....	2
2.1.2	Schema: View s .....	76
	<b>Index</b>	<b>92</b>

# 1 Provider Octopus: Octopus.

Octopus.

Code for use in settings.xml: Octopus

Alias: octopus

Status: Production

Available in Editions: Paid

Updated: 26-03-2019 22:28 using Invantive SQL version 17.31.54-BETA+1985.

Technical Documentation: <https://login.octopus.be/manual/octopus-webservice/api/index.html>

Non-technical Documentation: <https://octopus.be>

## Provider Attributes

The following provider attributes are available for Octopus:

Code	Description	Default Value	Set from Connection String	Set from SQL-Statement	Set from Providers File
api-url	URL of Octopus web service		✓		✓
force-case-sensitive-identifiers	Consider identifiers as case-sensitive independent of the platform capabilities.	False	✓	✓	✓
forced-casing-identifiers	Forced casing of identifiers. Choose from Unset, Lower, Upper and Mixed.		✓	✓	✓
http-disk-cache-compression-level	Compression level for the HTTP disk cache, ranging from 1 (little) to 9 (intense). Default is 5.	5	✓	✓	✓
http-disk-cache-directory	Directory where HTTP cache is stored.	C:\Users\gle3\Invantive\Cache	✓	✓	✓
http-disk-cache-max-age-sec	Maximum acceptable age in seconds for use of data in the HTTP disk cache.	2592000	✓	✓	✓
http-get-timeout-ms	HTTP GET timeout (ms)	300000	✓	✓	✓
http-memory-cache-compression-level	Compression level for the HTTP memory cache, ranging from 1 (little) to 9 (intense). Default is 5.	5	✓	✓	✓
http-memory-cache-max-age-sec	Maximum acceptable age in seconds for use of data in the HTTP memory cache.	14400	✓	✓	✓
http-post-timeout-ms	HTTP POST timeout (ms)	300000	✓	✓	✓
invantive-sql-forward-filters-to-data-containers	Whether to forward filters to data containers.	True	✓	✓	✓
invantive-sql-shuffle-fetch-results-data-containers	Whether to shuffle results fetched from data containers.	False	✓	✓	✓
invantive-use-cache	Whether to cache the results of a query.	True	✓	✓	✓
maximum-length-identifiers	Non-default maximum length in characters of identifier names.		✓	✓	✓
partition-slot-based-rate-limit-length-ms	Length in ms of a partition-based rate limit across all slots.	60000	✓		✓

Code	Description	Default Value	Set from Connection String	Set from SQL-Statement	Set from Providers File
partition-slot-based-rate-limit-slots	Number of slots per partition-based rate limit. Null means no slot-based rate limit		✓		✓
pre-request-delay-ms	Pre-request delay in milliseconds per request.	0	✓	✓	✓
requests-parallel-max	Maximum number of parallel data requests from individual partitions on the data container.	32	✓	✓	✓
result-set-cache	Action: provide 'empty' to empty.			✓	
slot-based-rate-limit-length-ms	Length in ms of a slot-based rate limit across all slots.	60000	✓		✓
slot-based-rate-limit-slots	Number of slots of a slot-based rate limit. Null means no slot-based rate limit		✓		✓
standardize-identifiers	Rewrite all identifiers to the preferred standards as configured by standardize-identifiers-casing and maximum-length-identifiers.	True	✓	✓	✓
standardize-identifiers-casing	Rewrite all identifiers to the recommended standard platform-specific casing when changing a data model on a case-dependent platform.	True	✓	✓	✓
trace-native-calls	Trace native calls to data container backend.	False	✓	✓	✓
use-http-disk-cache-read	Whether to use HTTP responses from previous queries stored on disk to answer the current query.	True	✓	✓	✓
use-http-disk-cache-write	Whether to memorize HTTP responses on disk.	True	✓	✓	✓
use-http-memory-cache-read	Whether to use HTTP responses from previous queries stored in memory to answer the current query	True	✓	✓	✓
use-http-memory-cache-write	Whether to memorize HTTP responses in memory	True	✓	✓	✓
use-metadata-cache	Whether to use the metadata calculated previously Has only practical use during development on a XML provider.	True	✓	✓	✓
use-result-cache	Whether to use result sets from previous queries that can answer the current query	True	✓	✓	✓

## 2 Catalog: Octopus

### 2.1 Schemas

#### 2.1.1 Schema: OctopusWS

##### 2.1.1.1 Tables

###### Accounts

Name: Accounts

Catalog: Octopus

Schema: OctopusWS

## Parameters

Name	Data Type	Required	Default Value	Documentation
bookyearKey_id	int32	<input type="checkbox"/>		
COMPANY_CODE	string	<input type="checkbox"/>		

## Table Columns

Name	Data Type	Label	Required	Documentation
ACCOUNTKEY	string	General Ledger Account Key		
ACCOUNTKEY_BOOKYEARKEY	string	General Ledger Account Key Financial Year Key		
ACCOUNTKEY_BOOKYEARKEY_ID	int32	Financial Year Key ID		
ACCOUNTKEY_ID	int32	General Ledger Account Key ID		
COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
COSTCENTRETYPE	int32	Cost Center Type		
DEFAULTCOSTCENTREKEY	string	Default Cost Centre Key		
DEFAULTCOSTCENTREKEY_ID	int32	Default Cost Centre Key ID		
DESCRIPTION_DESCRIPTION_FR	string	Description Description (FR)		
DESCRIPTION_DESCRIPTION_NL	string	Description Description (NL)		
FISCPROFESSIONALPERCENTAGE	double	itgen_octopus_fisc_professional_percentage		
FISCRECUPPERCENTAGE	double	itgen_octopus_fisc_recup_percentage		
PURCHASEVATCODE	string	Purchase VAT Code		
SALESVATCODE	string	Sales VAT Code		
VATRECUPPERCENTAGE	double	itgen_octopus_vat_recup_percentage		

## AddAttachmentToBooking

Name: AddAttachmentToBooking

Catalog: Octopus

Schema: OctopusWS

## Parameters

Name	Data Type	Required	Default Value	Documentation
attachement_fileData	byte[]	<input type="checkbox"/>		
attachement_fileName	string	<input type="checkbox"/>		
bookyearKey_id	int32	<input type="checkbox"/>		
COMPANY_CODE	string	<input type="checkbox"/>		
documentSequenceNr	int32	<input type="checkbox"/>		
journalKey	string	<input type="checkbox"/>		

## Table Columns

Name	Data Type	Label	Required	Documentation
COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
RETURN	int32	Return		

### Authenticate

Name: Authenticate

Catalog: Octopus

Schema: OctopusWS

## Parameters

Name	Data Type	Required	Default Value	Documentation
COMPANY_CODE	string	<input type="checkbox"/>		
credentials_password	string	<input type="checkbox"/>		
credentials_user	string	<input type="checkbox"/>		
softwareHouseUuid	string	<input type="checkbox"/>		

## Table Columns

Name	Data Type	Label	Required	Documentation
COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
RETURN	int32	Return		

### AuthenticateAndConnect

Name: AuthenticateAndConnect

Catalog: Octopus

Schema: OctopusWS

## Parameters

Name	Data Type	Required	Default Value	Documentation
COMPANY_CODE	string	<input type="checkbox"/>		
credentials_password	string	<input type="checkbox"/>		
credentials_user	string	<input type="checkbox"/>		
dossierKey	string	<input type="checkbox"/>		
dossierKey_id	int32	<input type="checkbox"/>		
softwareHouseUuid	string	<input type="checkbox"/>		

## Table Columns

Name	Data Type	Label	Required	Documentation
COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
RETURN	int32	Return		

### AuthenticateAndConnectWithToken

Name: AuthenticateAndConnectWithToken

Catalog: Octopus

Schema: OctopusWS

## Parameters

Name	Data Type	Required	Default Value	Documentation
accessToken	string	<input type="checkbox"/>		
COMPANY_CODE	string	<input type="checkbox"/>		
dossierKey	string	<input type="checkbox"/>		
dossierKey_id	int32	<input type="checkbox"/>		
softwareHouseUuid	string	<input type="checkbox"/>		

## Table Columns

Name	Data Type	Label	Required	Documentation
COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
RETURN	int32	Return		

**AuthenticateWithToken**

Name: AuthenticateWithToken

Catalog: Octopus

Schema: OctopusWS

**Parameters**

Name	Data Type	Required	Default Value	Documentation
accessToken	string	<input type="checkbox"/>		
COMPANY_CODE	string	<input type="checkbox"/>		
softwareHouseUuid	string	<input type="checkbox"/>		

**Table Columns**

Name	Data Type	Label	Required	Documentation
COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
RETURN	int32	Return		

**BookYearPeriods: Financial Periods**

Name: BookYearPeriods

Catalog: Octopus

Schema: OctopusWS

Label: Financial Periods

**Parameters**

Name	Data Type	Required	Default Value	Documentation
COMPANY_CODE	string	<input type="checkbox"/>		
GetBookyears	string	<input type="checkbox"/>		

**Table Columns**

Name	Data Type	Label	Required	Documentation
BOOKYEARPERIOD	int32	Period		
COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
ENDDATE	datetime	End Date		
RETURN_BOOKYEARDESCRIPTION	string	Financial Year Description		
RETURN_BOOKYEARKEY	string	Financial Year Key		

Name	Data Type	Label	Required	Documentation
RETURN_BOOKYEARKEY_ID	int32	Financial Year Key ID		
RETURN_CLOSED	boolean	Closed		
RETURN_ENDDATE	datetime	End Date		
RETURN_STARTDATE	datetime	Start Date		
STARTDATE	datetime	Start Date		

## Bookyears

Name: Bookyears

Catalog: Octopus

Schema: OctopusWS

## Parameters

Name	Data Type	Required	Default Value	Documentation
COMPANY_CODE	string	<input type="checkbox"/>		
GetBookyears	string	<input type="checkbox"/>		

## Table Columns

Name	Data Type	Label	Required	Documentation
BOOKYEARDESCRIPTION	string	Financial Year Description		
BOOKYEARKEY	string	Financial Year Key		
BOOKYEARKEY_ID	int32	Financial Year Key ID		
CLOSED	boolean	Closed		
COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
ENDDATE	datetime	End Date		
PERIODS_BOOKYEARPERIOD	int32	Period		
PERIODS_ENDDATE	datetime	End Date		
PERIODS_STARTDATE	datetime	Start Date		
STARTDATE	datetime	Start Date		

## BuySellBooking

Name: BuySellBooking

Catalog: Octopus

Schema: OctopusWS

## Parameters

Name	Data Type	Required	Default Value	Documentation
bookyearKey_id	int32	<input type="checkbox"/>		
COMPANY_CODE	string	<input type="checkbox"/>		
documentSequenceNr	int32	<input type="checkbox"/>		
journalKey	string	<input type="checkbox"/>		

## Table Columns

Name	Data Type	Label	Required	Documentation
AMOUNT	double	Amount		
BOOKINGLINES_ACCOUNTKEY	int32	General Ledger Account Key		
BOOKINGLINES_BASEAMOUNT	double	Base Amount		
BOOKINGLINES_COMMENT	string	Comment		
BOOKINGLINES_COSTCENTREKEY	string	Cost Center Key		
BOOKINGLINES_COSTCENTREKEY_ID	int32	Cost Center Key ID		
BOOKINGLINES_VATAMOUNT	double	VAT Amount		
BOOKINGLINES_VATCODEKEY	string	VAT Code Key		
BOOKINGLINES_VATRECUPPERCENTAGE	double	itgen_oc-topus_vat_recup_percentage		
BOOKYEARKEY	string	Financial Year Key		
BOOKYEARKEY_ID	int32	Financial Year Key ID		
BOOKYEARPERIODNR	int32	Period Number		
COMMENT	string	Comment		
COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
CURRENCY CODE	string	Currency Code		
DOCUMENTDATE	datetime	Document Date		
DOCUMENTSEQUENCENR	int32	Document Number		
EXCHANGERATE	double	Exchange Rate		
EXPIRY DATE	datetime	Expiry Date		
EXTERNALRELATIONID	int32	External Relation ID		
JOURNALKEY	string	Journal Key		
REFERENCE	string	Reference		
RELATIONKEY	string	Relation Key		
RELATIONKEY_ID	int32	Relation Key ID		

### BuySellBookingLines: Buy/Sell Transaction Lines

Name: BuySellBookingLines

Catalog: Octopus

Schema: OctopusWS

Label: Buy/Sell Transaction Lines

## Parameters

Name	Data Type	Required	Default Value	Documentation
bookyearKey_id	int32	<input type="checkbox"/>		
COMPANY_CODE	string	<input type="checkbox"/>		
documentSequenceNr	int32	<input type="checkbox"/>		
journalKey	string	<input type="checkbox"/>		

## Table Columns

Name	Data Type	Label	Required	Documentation
ACCOUNTKEY	int32	General Ledger Account Key		
BASEAMOUNT	double	Base Amount		
COMMENT	string	Comment		
COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
COSTCENTREKEY	string	Cost Center Key		
COSTCENTREKEY_ID	int32	Cost Center Key ID		
RETURN_AMOUNT	double	Amount		
RETURN_BOOKYEARKEY	string	Financial Year Key		
RETURN_BOOKYEARKEY_ID	int32	Financial Year Key ID		
RETURN_BOOKYEARPERIODNR	int32	Period Number		
RETURN_COMMENT	string	Comment		
RETURN_CURRENCYCODE	string	Currency Code		
RETURN_DOCUMENTDATE	datetime	Document Date		
RETURN_DOCUMENTSEQUENCENR	int32	Document Number		
RETURN_EXCHANGERATE	double	Exchange Rate		
RETURN_EXPIRYDATE	datetime	Expiry Date		
RETURN_EXTERNALRELATIONID	int32	External Relation ID		
RETURN_JOURNALKEY	string	Journal Key		
RETURN_REFERENCE	string	Reference		
RETURN_RELATIONKEY	string	Relation Key		
RETURN_RELATIONKEY_ID	int32	Relation Key ID		
VATAMOUNT	double	VAT Amount		
VATCODEKEY	string	VAT Code Key		
VATRECUPPERCENTAGE	double	itgen_octopus_vat_recup_percentage		

**CloseDossier**

Name: CloseDossier

Catalog: Octopus

Schema: OctopusWS

**Parameters**

Name	Data Type	Required	Default Value	Documentation
CloseDossier	string	<input type="checkbox"/>		
COMPANY_CODE	string	<input type="checkbox"/>		

**Table Columns**

Name	Data Type	Label	Required	Documentation
COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
RETURN	int32	Cost Center Key Return		

**ConnectToDossier**

Name: ConnectToDossier

Catalog: Octopus

Schema: OctopusWS

**Parameters**

Name	Data Type	Required	Default Value	Documentation
COMPANY_CODE	string	<input type="checkbox"/>		
dossierKey	string	<input type="checkbox"/>		
dossierKey_id	int32	<input type="checkbox"/>		

**Table Columns**

Name	Data Type	Label	Required	Documentation
COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
RETURN	int32	Return		

**CostCentres**

Name: CostCentres

Catalog: Octopus

Schema: OctopusWS

## Parameters

Name	Data Type	Required	Default Value	Documentation
COMPANY_CODE	string	<input type="checkbox"/>		
GetCostCentres	string	<input type="checkbox"/>		

## Table Columns

Name	Data Type	Label	Required	Documentation
CLOSED	boolean	Closed		
COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
COSTCENTREKEY	string	Cost Center Key		
COSTCENTREKEY_ID	int32	Cost Center Key ID		
DESCRIPTION_DESCRIPTION_FR	string	Description Description (FR)		
DESCRIPTION_DESCRIPTION_NL	string	Description Description (NL)		

## DeliveryNote

Name: DeliveryNote

Catalog: Octopus

Schema: OctopusWS

## Parameters

Name	Data Type	Required	Default Value	Documentation
bookyearKey_id	int32	<input type="checkbox"/>		
COMPANY_CODE	string	<input type="checkbox"/>		
documentSequenceNr	int32	<input type="checkbox"/>		
journalKey	string	<input type="checkbox"/>		

## Table Columns

Name	Data Type	Label	Required	Documentation
BOOKYEARKEY	string	Financial Year Key		
BOOKYEARKEY_ID	int32	Financial Year Key ID		
BOOKYEARPERIODNR	int32	Period Number		
COMMENT	string	Comment		
COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
CURRENCYCODE	string	Currency Code		
DELIVERYNOTELINES_BOOKINGACCOUNTNR	int32	Delivery Note Lines Account Number		
DELIVERYNOTELINES_COSTCENTREKEY	string	Delivery Note Lines Cost Center Key		
DELIVERYNOTELINES_COSTCENTREKEY_ID	int32	Delivery Note Lines Cost Center Key ID		
DELIVERYNOTELINES_COUNT	double	Delivery Note Lines Count		
DELIVERYNOTELINES_DESCRIPTION	string	Delivery Note Lines Description		
DELIVERYNOTELINES_DISCOUNTPERCENTAGE	double	Delivery Note Lines Discount Percentage		
DELIVERYNOTELINES_EXTERNPRODUCTNR	string	Delivery Note Lines External Product Number		
DELIVERYNOTELINES_UNIT	string	Delivery Note Lines Unit		
DELIVERYNOTELINES_UNITPRICE	double	Delivery Note Lines Unit Price		
DELIVERYNOTELINES_VATCODEKEY	string	Delivery Note Lines VAT Code Key		
DOCUMENTDATE	datetime	Document Date		
DOCUMENTSEQUENCENR	int32	Document Number		
EXCHANGERATE	double	Exchange Rate		
EXPIRYDATE	datetime	Expiry Date		
EXTERNALRELATIONID	int32	External Relation ID		
FINANCIALDISCOUNT	double	Financial Discount		
JOURNALKEY	string	Journal Key		
REFERENCE	string	Reference		

### DeliveryNoteLines: Delivery Note Lines

Name: DeliveryNoteLines

Catalog: Octopus

Schema: OctopusWS

Label: Delivery Note Lines

### Parameters

Name	Data Type	Required	Default Value	Documentation
bookyearKey_id	int32	<input type="checkbox"/>		
COMPANY_CODE	string	<input type="checkbox"/>		
documentSequenceNr	int32	<input type="checkbox"/>		

Name	Data Type	Required	Default Value	Documentation
journalKey	string	<input type="checkbox"/>		

## Table Columns

Name	Data Type	Label	Required	Documentation
BOOKINGACCOUNTNR	int32	Account Number		
COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
COSTCENTREKEY	string	Cost Center Key		
COSTCENTREKEY_ID	int32	Cost Center Key ID		
COUNT	double	Count		
DESCRIPTION	string	Description		
DISCOUNTPERCENTAGE	double	Discount Percentage		
EXTERNPRODUCTNR	string	External Product Number		
RETURN_BOOKYEARKEY	string	Delivery Note Financial Year Key		
RETURN_BOOKYEARKEY_ID	int32	Financial Year Key ID		
RETURN_BOOKYEARPERIODENR	int32	Delivery Note Period Number		
RETURN_COMMENT	string	Delivery Note Comment		
RETURN_CURRENCYCODE	string	Delivery Note Currency Code		
RETURN_DOCUMENTDATE	datetime	Delivery Note Document Date		
RETURN_DOCUMENTSEQUENCENR	int32	Delivery Note Document Number		
RETURN_EXCHANGERATE	double	Delivery Note Exchange Rate		
RETURN_EXPIRYDATE	datetime	Delivery Note Expiry Date		
RETURN_EXTERNALRELATIONID	int32	Delivery Note External Relation ID		
RETURN_FINANCIALDISCOUNT	double	Delivery Note Financial Discount		
RETURN_JOURNALKEY	string	Delivery Note Journal Key		
RETURN_REFERENCE	string	Delivery Note Reference		
UNIT	string	Unit		
UNITPRICE	double	Unit Price		
VATCODEKEY	string	VAT Code Key		

## Dossiers

Name: Dossiers

Catalog: Octopus

Schema: OctopusWS

## Parameters

Name	Data Type	Required	Default Value	Documentation
GetDossiers	string	<input type="checkbox"/>		

## Table Columns

Name	Data Type	Label	Required	Documentation
DOSSIERDESCRIPTION	string	Company Description		
DOSSIERKEY	string	Company Key		
DOSSIERKEY_ID	int32	Company Key ID		

## ErrorDescription

Name: ErrorDescription

Catalog: Octopus

Schema: OctopusWS

## Parameters

Name	Data Type	Required	Default Value	Documentation
COMPANY_CODE	string	<input type="checkbox"/>		
errorNr	int32	<input type="checkbox"/>		

## Table Columns

Name	Data Type	Label	Required	Documentation
COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
RETURN	string	Error Description Response Return		

## ExportDeliveryNote

Name: ExportDeliveryNote

Catalog: Octopus

Schema: OctopusWS

## Parameters

Name	Data Type	Required	Default Value	Documentation
bookyearKey_id	int32	<input type="checkbox"/>		
COMPANY_CODE	string	<input type="checkbox"/>		
documentSequenceNr	int32	<input type="checkbox"/>		
journalKey	string	<input type="checkbox"/>		
returnDeliverynote	boolean	<input type="checkbox"/>		
returnPdfDocument	boolean	<input type="checkbox"/>		

## Table Columns

Name	Data Type	Label	Required	Documentation
COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
DELIVERYNOTE_BOOKYEARKEY	string	Delivery Note Financial Year Key		
DELIVERYNOTE_BOOKYEARKEY_ID	int32	Financial Year Key ID		
DELIVERYNOTE_BOOKYEARPERIODENR	int32	Delivery Note Period Number		
DELIVERYNOTE_COMMENT	string	Delivery Note Comment		
DELIVERYNOTE_CURRENCYCODE	string	Delivery Note Currency Code		
DELIVERYNOTE_DELIVERYNOTELINES_BOOKINGACCOUNTNR	int32	Account Number		
DELIVERYNOTE_DELIVERYNOTELINES_COSTCENTREKEY	string	Cost Center Key		
DELIVERYNOTE_DELIVERYNOTELINES_COSTCENTREKEY_ID	int32	ID		
DELIVERYNOTE_DELIVERYNOTELINES_COUNT	double	Count		
DELIVERYNOTE_DELIVERYNOTELINES_DESCRIPTION	string	Description		
DELIVERYNOTE_DELIVERYNOTELINES_DISCOUNTPERCENTAGE	double	Discount Percentage		
DELIVERYNOTE_DELIVERYNOTELINES_EXTERNPRODUCTNR	string	External Product Number		
DELIVERYNOTE_DELIVERYNOTELINES_UNIT	string	Unit		
DELIVERYNOTE_DELIVERYNOTELINES_UNITPRICE	double	Unit Price		
DELIVERYNOTE_DELIVERYNOTELINES_VATCODEKEY	string	VAT Code Key		
DELIVERYNOTE_DOCUMENTDATE	datetime	Delivery Note Document Date		

Name	Data Type	Label	Required	Documentation
DELIVERYNOTE_DOCUMENTSEQUENCENR	int32	Delivery Note Document Number		
DELIVERYNOTE_EXCHANGERATE	double	Delivery Note Exchange Rate		
DELIVERYNOTE_EXPIRYDATE	datetime	Delivery Note Expiry Date		
DELIVERYNOTE_EXTERNALRELATIONID	int32	Delivery Note External Relation ID		
DELIVERYNOTE_FINANCIALDISCOUNT	double	Delivery Note Financial Discount		
DELIVERYNOTE_JOURNALKEY	string	Delivery Note Journal Key		
DELIVERYNOTE_REFERENCE	string	Delivery Note Reference		
PDFDOCUMENT	byte[]	PDF Document		
PUBLISHURL	string	Publish URL		
RETURN	int32	Return		

## ExportInvoice

Name: ExportInvoice

Catalog: Octopus

Schema: OctopusWS

## Parameters

Name	Data Type	Required	Default Value	Documentation
bookyearKey_id	int32	<input type="checkbox"/>		
COMPANY_CODE	string	<input type="checkbox"/>		
documentSequenceNr	int32	<input type="checkbox"/>		
journalKey	string	<input type="checkbox"/>		
returnElnvoice	boolean	<input type="checkbox"/>		
returnInvoice	boolean	<input type="checkbox"/>		
returnPdfDocument	boolean	<input type="checkbox"/>		

## Table Columns

Name	Data Type	Label	Required	Documentation
COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
EINVOICEXML	byte[]	eInvoice XML		
INVOICE_BOOKYEARKEY	string	Invoice Financial Year Key		
INVOICE_BOOKYEARKEY_ID	int32	Financial Year Key ID		

Name	Data Type	Label	Required	Documentation
INVOICE_BOOKYEARPERIODNR	int32	Invoice Period Number		
INVOICE_COMMENT	string	Invoice Comment		
INVOICE_CURRENCYCODE	string	Invoice Currency Code		
INVOICE_DOCUMENTDATE	datetime	Invoice Document Date		
INVOICE_DOCUMENTSEQUENCENR	int32	Invoice Document Number		
INVOICE_EXCHANGERATE	double	Invoice Exchange Rate		
INVOICE_EXPIRYDATE	datetime	Invoice Expiry Date		
INVOICE_EXTERNALRELATIONID	int32	Invoice External Relation ID		
INVOICE_FINANCIALDISCOUNT	double	Invoice Financial Discount		
INVOICE_INVOICELINES_BOOKINGACCOUNTNR	int32	Invoice Lines Account Number		
INVOICE_INVOICELINES_COSTCENTREKEY	string	Invoice Lines Cost Center Key		
INVOICE_INVOICELINES_COSTCENTER_ID	int32	Invoice Lines Cost Center Key ID		
INVOICE_INVOICELINES_COUNT	double	Invoice Lines Count		
INVOICE_INVOICELINES_DESCRIPTION	string	Invoice Lines Description		
INVOICE_INVOICELINES_DISCOUNTPERCENTAGE	double	Invoice Lines Discount Percentage		
INVOICE_INVOICELINES_EXTERNALPRODUCTNR	string	Invoice Lines External Product Number		
INVOICE_INVOICELINES_UNIT	string	Invoice Lines Unit		
INVOICE_INVOICELINES_UNITPRICE	double	Invoice Lines Unit Price		
INVOICE_INVOICELINES_VATCODEKEY	string	Invoice Lines VAT Code Key		
INVOICE_JOURNALKEY	string	Invoice Journal Key		
INVOICE_REFERENCE	string	Invoice Reference		
PDFDOCUMENT	byte[]	PDF Document		
PUBLISHURL	string	Publish URL		
RETURN	int32	Return		

### ExportRappel

Name: ExportRappel

Catalog: Octopus

Schema: OctopusWS

## Parameters

Name	Data Type	Required	Default Value	Documentation
COMPANY_CODE	string	<input type="checkbox"/>		
rappelld	int32	<input type="checkbox"/>		
relationKey	string	<input type="checkbox"/>		
relationKey_id	int32	<input type="checkbox"/>		

## Table Columns

Name	Data Type	Label	Required	Documentation
COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
PDFDOCUMENT	byte[]	PDF Document		
PUBLISHURL	string	Publish URL		
RETURN	int32	Return		

### FinancialDiversBooking

Name: FinancialDiversBooking

Catalog: Octopus

Schema: OctopusWS

## Parameters

Name	Data Type	Required	Default Value	Documentation
bookyearKey_id	int32	<input type="checkbox"/>		
COMPANY_CODE	string	<input type="checkbox"/>		
documentSequenceNr	int32	<input type="checkbox"/>		
journalKey	string	<input type="checkbox"/>		

## Table Columns

Name	Data Type	Label	Required	Documentation
BOOKINGLINES_ACCOUNTKEY	int32	General Ledger Account Key		
BOOKINGLINES_AMOUNT	double	Amount		
BOOKINGLINES_CODAINFO_CODA MOVELINE DATA	string	itgen_octopus_booking_lines_coda_info itgen_octopus_coda_move_line_data		
BOOKINGLINES_CODAINFO_CODA VERSION	string	itgen_octopus_booking_lines_coda_info itgen_octopus_coda_version		
BOOKINGLINES_COSTCENTREKEY	string	Cost Center Key		

Name	Data Type	Label	Required	Documentation
BOOKINGLINES_COSTCENTREKEY_ID	int32	Cost Center Key ID		
BOOKINGLINES_EXTERNALRELATIONID	int32	External Relation ID		
BOOKINGLINES_REFERENCE	string	Reference		
BOOKINGLINES_TYPE	string	Type		
BOOKYEARKEY	string	Financial Year Key		
BOOKYEARKEY_ID	int32	Financial Year Key ID		
BOOKYEARPERIODNR	int32	Period Number		
COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
DOCUMENTDATE	datetime	Document Date		
DOCUMENTSEQUENCENR	int32	Document Number		
EXCHANGERATE	double	Exchange Rate		
JOURNALKEY	string	Journal Key		

**FinancialDiversBookingLines: itgen\_octopus\_financial\_divers\_booking\_lines**

Name: FinancialDiversBookingLines

Catalog: Octopus

Schema: OctopusWS

Label: itgen\_octopus\_financial\_divers\_booking\_lines

**Parameters**

Name	Data Type	Required	Default Value	Documentation
bookyearKey_id	int32	<input type="checkbox"/>		
COMPANY_CODE	string	<input type="checkbox"/>		
documentSequenceNr	int32	<input type="checkbox"/>		
journalKey	string	<input type="checkbox"/>		

**Table Columns**

Name	Data Type	Label	Required	Documentation
ACCOUNTKEY	int32	General Ledger Account Key		
AMOUNT	double	Amount		
CODAINFO_CODAMOVELINEDATA	string	itgen_octopus_coda_info_itgen_octopus_coda_move_line_data		
CODAINFO_CODAVERSION	string	itgen_octopus_coda_info_itgen_octopus_coda_version		

Name	Data Type	Label	Required	Documentation
COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
COSTCENTREKEY	string	Cost Center Key		
COSTCENTREKEY_ID	int32	Cost Center Key ID		
EXTERNALRELATIONID	int32	External Relation ID		
REFERENCE	string	Reference		
RETURN_BOOKYEARKEY	string	itgen_octopus_body_-get_financial_divers_-booking_response_return Financial Year Key		
RETURN_BOOKYEARKEY_ID	int32	itgen_octopus_body_-get_financial_divers_-booking_response_return_bookyear_key ID		
RETURN_BOOKYEARPERIODNR	int32	itgen_octopus_body_-get_financial_divers_-booking_response_return Period Number		
RETURN_DOCUMENTDATE	datetime	itgen_octopus_body_-get_financial_divers_-booking_response_return Document Date		
RETURN_DOCUMENTSEQUENCENR	int32	itgen_octopus_body_-get_financial_divers_-booking_response_return Document Number		
RETURN_EXCHANGERATE	double	itgen_octopus_body_-get_financial_divers_-booking_response_return Exchange Rate		
RETURN_JOURNALKEY	string	itgen_octopus_body_-get_financial_divers_-booking_response_return Journal Key		
TYPE	string	Type		

### FinancialJournalBalance

Name: FinancialJournalBalance

Catalog: Octopus

Schema: OctopusWS

## Parameters

Name	Data Type	Required	Default Value	Documentation
bookyearKey_id	int32	<input type="checkbox"/>		
COMPANY_CODE	string	<input type="checkbox"/>		
journalKey	string	<input type="checkbox"/>		

## Table Columns

Name	Data Type	Label	Required	Documentation
BALANCE	double	Balance		
BOOKYEARKEY	string	Financial Year Key		
BOOKYEARKEY_ID	int32	Financial Year Key ID		
COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
JOURNALKEY	string	Journal Key		

### ImportCoda

Name: ImportCoda

Catalog: Octopus

Schema: OctopusWS

## Parameters

Name	Data Type	Required	Default Value	Documentation
coda	string	<input type="checkbox"/>		
COMPANY_CODE	string	<input type="checkbox"/>		

## Table Columns

Name	Data Type	Label	Required	Documentation
CODAIMPORTITEMREPORTLINES_B OOKYEARKEY	string	itgen_octopus_- coda_import_item_re- port_lines Financial Year Key		
CODAIMPORTITEMREPORTLINES_B OOKYEARKEY_ID	int32	Financial Year Key ID		
CODAIMPORTITEMREPORTLINES_D OCUMENTSEQUENCNR	int32	itgen_octopus_- coda_import_item_re- port_lines Document Number		
CODAIMPORTITEMREPORTLINES_E RRORCODE	int32	itgen_octopus_- coda_import_item_re- port_lines Error Code		
CODAIMPORTITEMREPORTLINES_J OURNALKEY	string	itgen_octopus_- coda_import_item_re- port_lines Journal Key		
COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
ERRORCODE	int32	Error Code		

**InsertBalancing**

Name: InsertBalancing

Catalog: Octopus

Schema: OctopusWS

**Parameters**

Name	Data Type	Required	Default Value	Documentation
balacing_balanceAmount	double	<input type="checkbox"/>		
balacing_creditKey_bookyearKey	string	<input type="checkbox"/>		
balacing_creditKey_-bookyearKey_id	int32	<input type="checkbox"/>		
balacing_creditKey_documentSequenceNr	int32	<input type="checkbox"/>		
balacing_creditKey_journalKey	string	<input type="checkbox"/>		
balacing_creditKey_lineSequenceNr	int32	<input type="checkbox"/>		
balacing_debetKey_bookyearKey	string	<input type="checkbox"/>		
balacing_debetKey_-bookyearKey_id	int32	<input type="checkbox"/>		
balacing_debetKey_documentSequenceNr	int32	<input type="checkbox"/>		
balacing_debetKey_journalKey	string	<input type="checkbox"/>		
balacing_debetKey_lineSequenceNr	int32	<input type="checkbox"/>		
COMPANY_CODE	string	<input type="checkbox"/>		

**Table Columns**

Name	Data Type	Label	Required	Documentation
COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
RETURN	int32	Return		

**InsertBuySellBooking**

Name: InsertBuySellBooking

Catalog: Octopus

Schema: OctopusWS

**Parameters**

Name	Data Type	Required	Default Value	Documentation
booking_amount	double	<input type="checkbox"/>		
booking_bookingLines_accountKey	int32	<input type="checkbox"/>		

Name	Data Type	Required	Default Value	Documentation
booking_bookingLines_baseAmount	double	<input type="checkbox"/>		
booking_bookingLines_comment	string	<input type="checkbox"/>		
booking_bookingLines_costCentreKey	string	<input type="checkbox"/>		
booking_bookingLines_costCentreKey_id	int32	<input type="checkbox"/>		
booking_bookingLines_vatAmount	double	<input type="checkbox"/>		
booking_bookingLines_vatCodeKey	string	<input type="checkbox"/>		
booking_bookingLines_vatRecupPercentage	double	<input type="checkbox"/>		
booking_bookyearKey	string	<input type="checkbox"/>		
booking_bookyearKey_id	int32	<input type="checkbox"/>		
booking_bookyearPeriodeNr	int32	<input type="checkbox"/>		
booking_comment	string	<input type="checkbox"/>		
booking_currencyCode	string	<input type="checkbox"/>		
booking_documentDate	datetime	<input type="checkbox"/>		
booking_documentSequenceNr	int32	<input type="checkbox"/>		
booking_exchangeRate	double	<input type="checkbox"/>		
booking_expiryDate	datetime	<input type="checkbox"/>		
booking_externalRelationId	int32	<input type="checkbox"/>		
booking_journalKey	string	<input type="checkbox"/>		
booking_reference	string	<input type="checkbox"/>		
booking_relationKey	string	<input type="checkbox"/>		
booking_relationKey_id	int32	<input type="checkbox"/>		
COMPANY_CODE	string	<input type="checkbox"/>		

## Table Columns

Name	Data Type	Label	Required	Documentation
COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
RETURN	int32	Return		

### InsertBuySellBookingWithAttachments

Name: InsertBuySellBookingWithAttachments

Catalog: Octopus

Schema: OctopusWS

## Parameters

Name	Data Type	Required	Default Value	Documentation
attachementList_fileData	byte[]	<input type="checkbox"/>		
attachementList_fileName	string	<input type="checkbox"/>		
booking_amount	double	<input type="checkbox"/>		
booking_bookingLines_accountKey	int32	<input type="checkbox"/>		
booking_bookingLines_baseAmount	double	<input type="checkbox"/>		
booking_bookingLines_comment	string	<input type="checkbox"/>		
booking_bookingLines_costCentreKey	string	<input type="checkbox"/>		
booking_bookingLines_costCentreKey_id	int32	<input type="checkbox"/>		
booking_bookingLines_vatAmount	double	<input type="checkbox"/>		
booking_book- ingLines_vatCodeKey	string	<input type="checkbox"/>		
booking_book- ingLines_vatRecupPercentage	double	<input type="checkbox"/>		
booking_bookyearKey	string	<input type="checkbox"/>		
booking_bookyearKey_id	int32	<input type="checkbox"/>		
booking_bookyearPeriodeNr	int32	<input type="checkbox"/>		
booking_comment	string	<input type="checkbox"/>		
booking_currencyCode	string	<input type="checkbox"/>		
booking_documentDate	datetime	<input type="checkbox"/>		
booking_documentSequenceNr	int32	<input type="checkbox"/>		
booking_exchangeRate	double	<input type="checkbox"/>		
booking_expiryDate	datetime	<input type="checkbox"/>		
booking_externalRelationId	int32	<input type="checkbox"/>		
booking_journalKey	string	<input type="checkbox"/>		
booking_reference	string	<input type="checkbox"/>		
booking_relationKey	string	<input type="checkbox"/>		
booking_relationKey_id	int32	<input type="checkbox"/>		
COMPANY_CODE	string	<input type="checkbox"/>		

## Table Columns

Name	Data Type	Label	Required	Documentation
COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
RETURN	int32	Return		

**InsertDeliveryNote**

Name: InsertDeliveryNote

Catalog: Octopus

Schema: OctopusWS

**Parameters**

Name	Data Type	Required	Default Value	Documentation
COMPANY_CODE	string	<input type="checkbox"/>		
deliveryNote_bookyearKey	string	<input type="checkbox"/>		
deliveryNote_bookyearKey_id	int32	<input type="checkbox"/>		
deliveryNote_bookyearPeriodeNr	int32	<input type="checkbox"/>		
deliveryNote_comment	string	<input type="checkbox"/>		
deliveryNote_currencyCode	string	<input type="checkbox"/>		
deliveryNote_deliveryNoteLines_-bookingAccountNr	int32	<input type="checkbox"/>		
deliveryNote_deliveryNoteLines_-costCentreKey	string	<input type="checkbox"/>		
deliveryNote_deliveryNoteLines_-costCentreKey_id	int32	<input type="checkbox"/>		
deliveryNote_deliveryNoteLines_-count	double	<input type="checkbox"/>		
deliveryNote_deliveryNoteLines_-description	string	<input type="checkbox"/>		
deliveryNote_deliveryNoteLines_discountPercentage	double	<input type="checkbox"/>		
deliveryNote_deliveryNoteLines_externProductNr	string	<input type="checkbox"/>		
deliveryNote_deliveryNoteLines_unit	string	<input type="checkbox"/>		
deliveryNote_deliveryNoteLines_unitPrice	double	<input type="checkbox"/>		
deliveryNote_deliveryNoteLines_vatCodeKey	string	<input type="checkbox"/>		
deliveryNote_documentDate	datetime	<input type="checkbox"/>		
deliveryNote_documentSequenceNr	int32	<input type="checkbox"/>		
deliveryNote_exchangeRate	double	<input type="checkbox"/>		
deliveryNote_expiryDate	datetime	<input type="checkbox"/>		
deliveryNote_externalRelationId	int32	<input type="checkbox"/>		
deliveryNote_financialDiscount	double	<input type="checkbox"/>		
deliveryNote_journalKey	string	<input type="checkbox"/>		
deliveryNote_reference	string	<input type="checkbox"/>		

**Table Columns**

Name	Data Type	Label	Required	Documentation
COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
RETURN	int32	Return		

### InsertFinancialDiversBooking

Name: InsertFinancialDiversBooking

Catalog: Octopus

Schema: OctopusWS

## Parameters

Name	Data Type	Required	Default Value	Documentation
booking_bookingLines_accountKey	int32	<input type="checkbox"/>		
booking_bookingLines_amount	double	<input type="checkbox"/>		
booking_bookingLines_codaInfo_codaMoveLineData	string	<input type="checkbox"/>		
booking_bookingLines_codaInfo_codaVersion	string	<input type="checkbox"/>		
booking_bookingLines_costCentreKey	string	<input type="checkbox"/>		
booking_bookingLines_costCentreKey_id	int32	<input type="checkbox"/>		
booking_bookingLines_externalRelationId	int32	<input type="checkbox"/>		
booking_bookingLines_reference	string	<input type="checkbox"/>		
booking_bookingLines_type	string	<input type="checkbox"/>		
booking_bookyearKey	string	<input type="checkbox"/>		
booking_bookyearKey_id	int32	<input type="checkbox"/>		
booking_bookyearPeriodNr	int32	<input type="checkbox"/>		
booking_documentDate	datetime	<input type="checkbox"/>		
booking_documentSequenceNr	int32	<input type="checkbox"/>		
booking_exchangeRate	double	<input type="checkbox"/>		
booking_journalKey	string	<input type="checkbox"/>		
COMPANY_CODE	string	<input type="checkbox"/>		

## Table Columns

Name	Data Type	Label	Required	Documentation
COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
RETURN	int32	Return		

**InsertFinancialDiversBookingWithAttachments**

Name: InsertFinancialDiversBookingWithAttachments

Catalog: Octopus

Schema: OctopusWS

**Parameters**

Name	Data Type	Required	Default Value	Documentation
attachmentList_fileData	byte[]	<input type="checkbox"/>		
attachmentList_fileName	string	<input type="checkbox"/>		
booking_bookingLines_accountKey	int32	<input type="checkbox"/>		
booking_bookingLines_amount	double	<input type="checkbox"/>		
booking_bookingLines_codalInfo_codaMoveLineData	string	<input type="checkbox"/>		
booking_bookingLines_codalInfo_codaVersion	string	<input type="checkbox"/>		
booking_bookingLines_costCentreKey	string	<input type="checkbox"/>		
booking_bookingLines_costCentreId	int32	<input type="checkbox"/>		
booking_bookingLines_externalRelationId	int32	<input type="checkbox"/>		
booking_bookingLines_reference	string	<input type="checkbox"/>		
booking_bookingLines_type	string	<input type="checkbox"/>		
booking_bookyearKey	string	<input type="checkbox"/>		
booking_bookyearKey_id	int32	<input type="checkbox"/>		
booking_bookyearPeriodeNr	int32	<input type="checkbox"/>		
booking_documentDate	datetime	<input type="checkbox"/>		
booking_documentSequenceNr	int32	<input type="checkbox"/>		
booking_exchangeRate	double	<input type="checkbox"/>		
booking_journalKey	string	<input type="checkbox"/>		
COMPANY_CODE	string	<input type="checkbox"/>		

**Table Columns**

Name	Data Type	Label	Required	Documentation
COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
RETURN	int32	Return		

**InsertInvoice**

Name: InsertInvoice

Catalog: Octopus

Schema: OctopusWS

## Parameters

Name	Data Type	Required	Default Value	Documentation
COMPANY_CODE	string	<input type="checkbox"/>		
invoice_bookyearKey	string	<input type="checkbox"/>		
invoice_bookyearKey_id	int32	<input type="checkbox"/>		
invoice_bookyearPeriodeNr	int32	<input type="checkbox"/>		
invoice_comment	string	<input type="checkbox"/>		
invoice_currencyCode	string	<input type="checkbox"/>		
invoice_documentDate	datetime	<input type="checkbox"/>		
invoice_documentSequenceNr	int32	<input type="checkbox"/>		
invoice_exchangeRate	double	<input type="checkbox"/>		
invoice_expiryDate	datetime	<input type="checkbox"/>		
invoice_externalRelationId	int32	<input type="checkbox"/>		
invoice_financialDiscount	double	<input type="checkbox"/>		
invoice_invoiceLines_bookingAccountNr	int32	<input type="checkbox"/>		
invoice_invoiceLines_costCentreKey	string	<input type="checkbox"/>		
invoice_invoiceLines_costCentreKey_id	int32	<input type="checkbox"/>		
invoice_invoiceLines_count	double	<input type="checkbox"/>		
invoice_invoiceLines_description	string	<input type="checkbox"/>		
invoice_invoiceLines_discountPercentage	double	<input type="checkbox"/>		
invoice_invoiceLines_externProductNr	string	<input type="checkbox"/>		
invoice_invoiceLines_unit	string	<input type="checkbox"/>		
invoice_invoiceLines_unitPrice	double	<input type="checkbox"/>		
invoice_invoiceLines_vatCodeKey	string	<input type="checkbox"/>		
invoice_journalKey	string	<input type="checkbox"/>		
invoice_reference	string	<input type="checkbox"/>		

## Table Columns

Name	Data Type	Label	Required	Documentation
COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
RETURN	int32	Return		

**InsertUpdateAccount**

Name: InsertUpdateAccount

Catalog: Octopus

Schema: OctopusWS

**Parameters**

Name	Data Type	Required	Default Value	Documentation
account_accountKey	string	<input type="checkbox"/>		
account_accountKey_-bookyearKey	string	<input type="checkbox"/>		
account_accountKey_-bookyearKey_id	int32	<input type="checkbox"/>		
account_accountKey_id	int32	<input type="checkbox"/>		
account_costCentreType	int32	<input type="checkbox"/>		
account_defaultCostCentreKey	string	<input type="checkbox"/>		
account_defaultCostCentreKey_id	int32	<input type="checkbox"/>		
account_description_descrip-tion_FR	string	<input type="checkbox"/>		
account_description_descrip-tion_NL	string	<input type="checkbox"/>		
account_fiscProfessionalPer-centage	double	<input type="checkbox"/>		
account_fiscRecupPercentage	double	<input type="checkbox"/>		
account_purchaseVatCode	string	<input type="checkbox"/>		
account_salesVatCode	string	<input type="checkbox"/>		
account_vatRecupPercentage	double	<input type="checkbox"/>		
COMPANY_CODE	string	<input type="checkbox"/>		

**Table Columns**

Name	Data Type	Label	Required	Documentation
COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
RETURN	int32	Return		

**InsertUpdateCostcentre**

Name: InsertUpdateCostcentre

Catalog: Octopus

Schema: OctopusWS

**Parameters**

Name	Data Type	Required	Default Value	Documentation
COMPANY_CODE	string	<input type="checkbox"/>		
costcentre_closed	boolean	<input type="checkbox"/>		
costcentre_costCentreKey	string	<input type="checkbox"/>		
costcentre_costCentreKey_id	int32	<input type="checkbox"/>		
costcentre_description_descrip-tion_FR	string	<input type="checkbox"/>		
costcentre_description_descrip-tion_NL	string	<input type="checkbox"/>		

## Table Columns

Name	Data Type	Label	Required	Documentation
COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
RETURN	int32	Return		

### InsertUpdateProduct

Name: InsertUpdateProduct

Catalog: Octopus

Schema: OctopusWS

## Parameters

Name	Data Type	Required	Default Value	Documentation
COMPANY_CODE	string	<input type="checkbox"/>		
product_code_description_FR	string	<input type="checkbox"/>		
product_code_description_NL	string	<input type="checkbox"/>		
product_currencyCode	string	<input type="checkbox"/>		
product_defaultBookingAccountNr	int32	<input type="checkbox"/>		
product_defaultCostCentre	string	<input type="checkbox"/>		
product_defaultCostCentre_id	int32	<input type="checkbox"/>		
product_description_descrip-tion_FR	string	<input type="checkbox"/>		
product_description_descrip-tion_NL	string	<input type="checkbox"/>		
product_externProductNr	string	<input type="checkbox"/>		
product_priceVatExclusive	double	<input type="checkbox"/>		
product_priceVatInclusive	double	<input type="checkbox"/>		
product_productGroup	string	<input type="checkbox"/>		
product_productGroup_id	int32	<input type="checkbox"/>		
product_productKey	string	<input type="checkbox"/>		

Name	Data Type	Required	Default Value	Documentation
product_productKey_id	int32	<input type="checkbox"/>		
product_supplierInfo	string	<input type="checkbox"/>		
product_unit	string	<input type="checkbox"/>		
product_vatCode	string	<input type="checkbox"/>		

## Table Columns

Name	Data Type	Label	Required	Documentation
COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
RETURN	int32	Return		

### InsertUpdateRelation

Name: InsertUpdateRelation

Catalog: Octopus

Schema: OctopusWS

## Parameters

Name	Data Type	Required	Default Value	Documentation
COMPANY_CODE	string	<input type="checkbox"/>		
relation_active	boolean	<input type="checkbox"/>		
relation_bankAccountNr	string	<input type="checkbox"/>		
relation_bicCode	string	<input type="checkbox"/>		
relation_city	string	<input type="checkbox"/>		
relation_client	boolean	<input type="checkbox"/>		
relation_contactPerson	string	<input type="checkbox"/>		
relation_corporationType	int32	<input type="checkbox"/>		
relation_country	string	<input type="checkbox"/>		
relation_defaultBookingAccountClient	int32	<input type="checkbox"/>		
relation_defaultBookingAccountSupplier	int32	<input type="checkbox"/>		
relation_email	string	<input type="checkbox"/>		
relation_expirationDays	int32	<input type="checkbox"/>		
relation_expirationType	int32	<input type="checkbox"/>		
relation_externalRelationNr	int32	<input type="checkbox"/>		
relation_factLanguage	int32	<input type="checkbox"/>		
relation_fax	string	<input type="checkbox"/>		
relation(firstName	string	<input type="checkbox"/>		
relation_ibanAccountNr	string	<input type="checkbox"/>		

Name	Data Type	Required	Default Value	Documentation
relation_mobile	string	<input type="checkbox"/>		
relation_name	string	<input type="checkbox"/>		
relation_postalCode	string	<input type="checkbox"/>		
relation_relationKey	string	<input type="checkbox"/>		
relation_relationKey_id	int32	<input type="checkbox"/>		
relation_remarks	string	<input type="checkbox"/>		
relation_searchField1	string	<input type="checkbox"/>		
relation_searchField2	string	<input type="checkbox"/>		
relation_streetAndNr	string	<input type="checkbox"/>		
relation_supplier	boolean	<input type="checkbox"/>		
relation_telephone	string	<input type="checkbox"/>		
relation_url	string	<input type="checkbox"/>		
relation_vatNr	string	<input type="checkbox"/>		
relation_vatType	int32	<input type="checkbox"/>		

## Table Columns

Name	Data Type	Label	Required	Documentation
COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
RETURN	int32	Return		

## Invoice

Name: Invoice

Catalog: Octopus

Schema: OctopusWS

## Parameters

Name	Data Type	Required	Default Value	Documentation
bookyearKey_id	int32	<input type="checkbox"/>		
COMPANY_CODE	string	<input type="checkbox"/>		
documentSequenceNr	int32	<input type="checkbox"/>		
journalKey	string	<input type="checkbox"/>		

## Table Columns

Name	Data Type	Label	Required	Documentation
BOOKYEARKEY	string	Financial Year Key		

Name	Data Type	Label	Required	Documentation
BOOKYEARKEY_ID	int32	Financial Year Key ID		
BOOKYEARPERIODNR	int32	Period Number		
COMMENT	string	Comment		
COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
CURRENCYCODE	string	Currency Code		
DOCUMENTDATE	datetime	Document Date		
DOCUMENTSEQUENCNR	int32	Document Number		
EXCHANGERATE	double	Exchange Rate		
EXPIRYDATE	datetime	Expiry Date		
EXTERNALRELATIONID	int32	External Relation ID		
FINANCIALDISCOUNT	double	Financial Discount		
INVOICELINES_BOOKINGACCOUNTNR	int32	Invoice Lines Account Number		
INVOICELINES_COSTCENTREKEY	string	Invoice Lines Cost Center Key		
INVOICELINES_COSTCENTREKEY_ID	int32	itgen_octopus_invoice_lines_cost_centre_key ID		
INVOICELINES_COUNT	double	Invoice Lines Count		
INVOICELINES_DESCRIPTION	string	Invoice Lines Description		
INVOICELINES_DISCOUNTPERCENTAGE	double	Invoice Lines Discount Percentage		
INVOICELINES_EXTERNPRODUCTNR	string	Invoice Lines External Product Number		
INVOICELINES_UNIT	string	Invoice Lines Unit		
INVOICELINES_UNITPRICE	double	Invoice Lines Unit Price		
INVOICELINES_VATCODEKEY	string	Invoice Lines VAT Code Key		
JOURNALKEY	string	Journal Key		
REFERENCE	string	Reference		

### InvoiceLines: Invoice Lines

Name: InvoiceLines

Catalog: Octopus

Schema: OctopusWS

Label: Invoice Lines

## Parameters

Name	Data Type	Required	Default Value	Documentation
bookyearKey_id	int32	<input type="checkbox"/>		
COMPANY_CODE	string	<input type="checkbox"/>		
documentSequenceNr	int32	<input type="checkbox"/>		
journalKey	string	<input type="checkbox"/>		

## Table Columns

Name	Data Type	Label	Required	Documentation
BOOKINGACCOUNTNR	int32	Account Number		
COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
COSTCENTREKEY	string	Cost Center Key		
COSTCENTREKEY_ID	int32	Cost Center Key ID		
COUNT	double	Count		
DESCRIPTION	string	Description		
DISCOUNTPERCENTAGE	double	Discount Percentage		
EXTERNPRODUCTNR	string	External Product Number		
RETURN_BOOKYEARKEY	string	Financial Year Key		
RETURN_BOOKYEARKEY_ID	int32	Financial Year ID		
RETURN_BOOKYEARPERIODENR	int32	Period Number		
RETURN_COMMENT	string	Comment		
RETURN_CURRENCYCODE	string	Currency Code		
RETURN_DOCUMENTDATE	datetime	Document Date		
RETURN_DOCUMENTSEQUENCENR	int32	Document Number		
RETURN_EXCHANGERATE	double	Exchange Rate		
RETURN_EXPIRYDATE	datetime	Expiry Date		
RETURN_EXTERNALRELATIONID	int32	External Relation ID		
RETURN_FINANCIALDISCOUNT	double	Financial Discount		
RETURN_JOURNALKEY	string	Journal Key		
RETURN_REFERENCE	string	Reference		
UNIT	string	Unit		
UNITPRICE	double	Unit Price		
VATCODEKEY	string	VAT Code Key		

## Journals

Name: Journals

Catalog: Octopus

Schema: OctopusWS

## Parameters

Name	Data Type	Required	Default Value	Documentation
bookyearKey_id	int32	<input type="checkbox"/>		
COMPANY_CODE	string	<input type="checkbox"/>		

## Table Columns

Name	Data Type	Label	Required	Documentation
BOOKYEARKEY	string	Financial Year Key		
BOOKYEARKEY_ID	int32	Financial Year Key ID		
CLOSED	boolean	Closed		
CLOSEDPERIOD	int32	Closed Period		
COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
CURRENCY CODE	string	Currency Code		
INSERTIONTYPE	int32	Insertion Type		
JOURNALKEY	string	Journal Key		
LASTBOOKEDDOCUMENTNR	int32	Last Book Document Number		
NAME	string	Name		
PROTECTEDPERIOD	int32	Protected Period		

### LastError

Name: LastError

Catalog: Octopus

Schema: OctopusWS

## Parameters

Name	Data Type	Required	Default Value	Documentation
COMPANY_CODE	string	<input type="checkbox"/>		
GetLastError	string	<input type="checkbox"/>		

## Table Columns

Name	Data Type	Label	Required	Documentation
COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
RETURN	string	Last Error Response Return		

## ModifiedAccountAmounts

Name: ModifiedAccountAmounts

Catalog: Octopus

Schema: OctopusWS

## Parameters

Name	Data Type	Required	Default Value	Documentation
COMPANY_CODE	string	<input type="checkbox"/>		
modifiedSince	datetime	<input type="checkbox"/>		

## Table Columns

Name	Data Type	Label	Required	Documentation
COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
DELETEDACCOUNTAMOUNTS_ACOUNTAMOUNTKEY	string	Deleted Account Amount Key		
DELETEDACCOUNTAMOUNTS_ACOUNTAMOUNTKEY_ACCOUNTKEY	string	General Ledger Account Key		
DELETEDACCOUNTAMOUNTS_ACOUNTAMOUNTKEY_ACCOUNTKEY_BOOKYEARKEY	string	Deleted Financial Year Key		
DELETEDACCOUNTAMOUNTS_ACOUNTAMOUNTKEY_ACCOUNTKEY_BOOKYEARKEY_ID	int32	itgen_octopus_deleted_account_amounts_account_amount_key_account_key_bookyear_key ID		
DELETEDACCOUNTAMOUNTS_ACOUNTAMOUNTKEY_ACCOUNTKEY_ID	int32	Deleted ID		
DELETEDACCOUNTAMOUNTS_ACOUNTAMOUNTKEY_BOOKYEAR_PERIODKEY	string	Financial Period Key		
DELETEDACCOUNTAMOUNTS_ACOUNTAMOUNTKEY_BOOKYEAR_PERIODKEY_BOOKYEARKEY	string	itgen_octopus_deleted_account_amounts_account_amount_key_bookyear_period_key_Financial Year Key		
DELETEDACCOUNTAMOUNTS_ACOUNTAMOUNTKEY_BOOKYEAR_PERIODKEY_BOOKYEARKEY_ID	int32	itgen_octopus_deleted_account_amounts_account_amount_key_bookyear_period_key_bookyear_key_ID		

Name	Data Type	Label	Required	Documentation
DELETEDACCOUNTAMOUNTS_AC COUNTAMOUNTKEY_BOOKYEAR PERIODKEY_BOOKYEARPERIODN R	int32	itgen_octopus_de- leted_acoun- t_amounts_acoun- t_amount_key_- bookyear_period_key Financial Period Num- ber		
DELETEDACCOUNTAMOUNTS_BA LANCE	double	Deleted Balance		
MODIFIEDACCOUNTAMOUNTS_AC COUNTAMOUNTKEY	string	Account Amount Key		
MODIFIEDACCOUNTAMOUNTS_AC COUNTAMOUNTKEY_ACCOUNTKE Y	string	itgen_octopus_modi- fied_account_amounts_ccount_amoun- t_key General Ledger Account Key		
MODIFIEDACCOUNTAMOUNTS_AC COUNTAMOUNTKEY_ACCOUNTKE Y_BOOKYEARKEY	string	itgen_octopus_modi- fied_account_amounts_ccount_amoun- t_key_account_key Financial Year Key		
MODIFIEDACCOUNTAMOUNTS_AC COUNTAMOUNTKEY_ACCOUNTKE Y_BOOKYEARKEY_ID	int32	itgen_octopus_modi- fied_account_amounts_ccount_amoun- t_key_account_key_- bookyear_key ID		
MODIFIEDACCOUNTAMOUNTS_AC COUNTAMOUNTKEY_ACCOUNTKE Y_ID	int32	itgen_octopus_modi- fied_account_amounts_ccount_amoun- t_key_account_key_ID		
MODIFIEDACCOUNTAMOUNTS_AC COUNTAMOUNTKEY_BOOKYEAR PERIODKEY	string	itgen_octopus_modi- fied_account_amounts_ccount_amoun- t_key_Financial Period Key		
MODIFIEDACCOUNTAMOUNTS_AC COUNTAMOUNTKEY_BOOKYEAR PERIODKEY_BOOKYEARKEY	string	itgen_octopus_modi- fied_account_amounts_ccount_amoun- t_key_bookyear_peri- od_key_Financial Year Key		
MODIFIEDACCOUNTAMOUNTS_AC COUNTAMOUNTKEY_BOOKYEAR PERIODKEY_BOOKYEARKEY_ID	int32	itgen_octopus_modi- fied_account_amounts_ccount_amoun- t_key_bookyear_peri- od_key_bookyear_key ID		
MODIFIEDACCOUNTAMOUNTS_AC COUNTAMOUNTKEY_BOOKYEAR PERIODKEY_BOOKYEARPERIODN R	int32	itgen_octopus_modi- fied_account_amounts_ccount_amoun- t_key_bookyear_peri- od_key_Financial Period Number		
MODIFIEDACCOUNTAMOUNTS_BA LANCE	double	Balance		
RETURN	int32	Return		

## ModifiedAccounts

Name: ModifiedAccounts

Catalog: Octopus

Schema: OctopusWS

## Parameters

Name	Data Type	Required	Default Value	Documentation
COMPANY_CODE	string	<input type="checkbox"/>		
modifiedSince	datetime	<input type="checkbox"/>		

## Table Columns

Name	Data Type	Label	Required	Documentation
COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
DELETEDACCOUNTS_ACCOUNTKEY	string	itgen_octopus_deleted_accounts General Ledger Account Key		
DELETEDACCOUNTS_ACCOUNTKEY_BOOKYEARKEY	string	Deleted Financial Year Key		
DELETEDACCOUNTS_ACCOUNTKEY_BOOKYEARKEY_ID	int32	itgen_octopus_deleted_accounts_account_key_-bookyear_key ID		
DELETEDACCOUNTS_ACCOUNTKEY_ID	int32	Deleted ID		
DELETEDACCOUNTS_COSTCENTRETYPE	int32	itgen_octopus_deleted_accounts Cost Center Type		
DELETEDACCOUNTS_DEFAULTCOSTCENTREKEY	string	itgen_octopus_deleted_accounts Default Cost Centre Key		
DELETEDACCOUNTS_DEFAULTCOSTCENTREKEY_ID	int32	itgen_octopus_deleted_accounts_default_cost_centre_key ID		
DELETEDACCOUNTS_DESCRIPTION_FR	string	itgen_octopus_deleted_accounts_description Description (FR)		
DELETEDACCOUNTS_DESCRIPTION_NL	string	itgen_octopus_deleted_accounts_description Description (NL)		
DELETEDACCOUNTS_FISCPROFESIONALPERCENTAGE	double	itgen_octopus_deleted_accounts_itgen_octopus_fisc_-		

Name	Data Type	Label	Required	Documentation
		professional_percent-age		
DELETEDACCOUNTS_FISCRECUPPERCENTAGE	double	itgen_octopus_deleted_accounts_it-gen_octopus_fisc_recup_percentage		
DELETEDACCOUNTS_PURCHASEVATCODE	string	itgen_octopus_deleted_accounts_Purchase VAT Code		
DELETEDACCOUNTS_SALESVATCODE	string	itgen_octopus_deleted_accounts_Sales VAT Code		
DELETEDACCOUNTS_VATRECUPPERCENTAGE	double	itgen_octopus_deleted_accounts_it-gen_octopus_vat_recup_percentage		
MODIFIEDACCOUNTS_ACCOUNTKEY	string	itgen_octopus_modified_accounts_General Ledger Account Key		
MODIFIEDACCOUNTS_ACCOUNTKEY_BOOKYEARKEY	string	Modified Financial Year Key		
MODIFIEDACCOUNTS_ACCOUNTKEY_BOOKYEARKEY_ID	int32	itgen_octopus_modified_accounts_account_key_-bookyear_key ID		
MODIFIEDACCOUNTS_ACCOUNTKEY_ID	int32	Modified ID		
MODIFIEDACCOUNTS_COSTCENTRETYPE	int32	itgen_octopus_modified_accounts_Cost Center Type		
MODIFIEDACCOUNTS_DEFAULTCOSTCENTREKEY	string	itgen_octopus_modified_accounts_Default Cost Centre Key		
MODIFIEDACCOUNTS_DEFAULTCOSTCENTREKEY_ID	int32	itgen_octopus_modified_accounts_default_cost_centre_key ID		
MODIFIEDACCOUNTS_DESCRIPTION_FR	string	itgen_octopus_modified_accounts_description Description (FR)		
MODIFIEDACCOUNTS_DESCRIPTION_NL	string	itgen_octopus_modified_accounts_description Description (NL)		
MODIFIEDACCOUNTS_FISCPROFESSIONALPERCENTAGE	double	itgen_octopus_modified_accounts_it-gen_octopus_fisc_professional_percentage		
MODIFIEDACCOUNTS_FISCRECUPPERCENTAGE	double	itgen_octopus_modified_accounts_it-gen_octopus_fisc_recup_percentage		

Name	Data Type	Label	Required	Documentation
MODIFIEDACCOUNTS_PURCHASEVATCODE	string	itgen_octopus_modified_accounts Purchase VAT Code		
MODIFIEDACCOUNTS_SALESVATCODE	string	itgen_octopus_modified_accounts Sales VAT Code		
MODIFIEDACCOUNTS_VATRECUPPERCENTAGE	double	itgen_octopus_modified_accounts itgen_octopus_vat_recup_percentage		
RETURN	int32	Return		

### ModifiedBalancingRelations

Name: ModifiedBalancingRelations

Catalog: Octopus

Schema: OctopusWS

### Parameters

Name	Data Type	Required	Default Value	Documentation
COMPANY_CODE	string	<input type="checkbox"/>		
modifiedSince	datetime	<input type="checkbox"/>		

### Table Columns

Name	Data Type	Label	Required	Documentation
COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
DELETEDBALANCINGARRAY_CREDITBALANCEDBOOKINGAMOUNT	double	itgen_octopus_deleted_balancing_array itgen_octopus_credit_balanced_booking_amount		
DELETEDBALANCINGARRAY_CREDITDOCUMENT_BALANCINGKEY_BOOKYEARKEY	string	itgen_octopus_deleted_balancing_array_credit_document_balancing_key Financial Year Key		
DELETEDBALANCINGARRAY_CREDITDOCUMENT_BALANCINGKEY_BOOKYEARKEY_ID	int32	itgen_octopus_deleted_balancing_array_credit_document_balancing_key_bookyear_key ID		
DELETEDBALANCINGARRAY_CREDITDOCUMENT_BALANCINGKEY_DOCUMENTSEQUENCENR	int32	itgen_octopus_deleted_balancing_array_credit_document_balancing_key Document Number		

Name	Data Type	Label	Required	Documentation
DELETEDBALANCINGARRAY_CREDITDOCUMENT_BALANCINGKEY_JOURNALKEY	string	itgen_octopus_deleted_balancing_array_credit_document_balancing_key Journal Key		
DELETEDBALANCINGARRAY_CREDITDOCUMENT_BALANCINGKEY_LINESEQUENCENR	int32	itgen_octopus_deleted_balancing_array_credit_document_balancing_key Line Sequence Number		
DELETEDBALANCINGARRAY_CREDITDOCUMENT_COMMENT	string	itgen_octopus_deleted_balancing_array_credit_document Comment		
DELETEDBALANCINGARRAY_CREDITDOCUMENT_CREDITBOOKINGAMOUNT	double	itgen_octopus_deleted_balancing_array_credit_document Credit Booking Amount		
DELETEDBALANCINGARRAY_CREDITDOCUMENT_CREDITDOCUMENTAMOUNT	double	itgen_octopus_deleted_balancing_array_credit_document Credit Document Amount		
DELETEDBALANCINGARRAY_CREDITDOCUMENT_CURRENCYCODE	string	itgen_octopus_deleted_balancing_array_credit_document Currency Code		
DELETEDBALANCINGARRAY_CREDITDOCUMENT_DEBETBOOKINGAMOUNT	double	itgen_octopus_deleted_balancing_array_credit_document Debit Booking Amount		
DELETEDBALANCINGARRAY_CREDITDOCUMENT_DEBETDOCUMENTAMOUNT	double	itgen_octopus_deleted_balancing_array_credit_document Debet Document Amount		
DELETEDBALANCINGARRAY_CREDITDOCUMENT_DOCUMENTDATE	datetime	itgen_octopus_deleted_balancing_array_credit_document Document Date		
DELETEDBALANCINGARRAY_CREDITDOCUMENT_EXCHANGERATE	double	itgen_octopus_deleted_balancing_array_credit_document Exchange Rate		
DELETEDBALANCINGARRAY_CREDITDOCUMENT_REFERENCE	string	itgen_octopus_deleted_balancing_array_credit_document Reference		
DELETEDBALANCINGARRAY_DEBETBALANCEDBOOKINGAMOUNT	double	itgen_octopus_deleted_balancing_array itgen_octopus_debet_balanced_booking_amount		
DELETEDBALANCINGARRAY_DEBETDOCUMENT_BALANCINGKEY_BOOKYEARKEY	string	itgen_octopus_deleted_balancing_array_debet_docu-		

Name	Data Type	Label	Required	Documentation
		ment_balancing_key Financial Year Key		
DELETEDBALANCINGARRAY_DEBETDOCUMENT_BALANCINGKEY_BOOKYEARKEY_ID	int32	itgen_octopus_deleted_balancing_array_debet_document_balancing_key_bookyear_key ID		
DELETEDBALANCINGARRAY_DEBETDOCUMENT_BALANCINGKEY_DOCUMENTSEQUENCENR	int32	itgen_octopus_deleted_balancing_array_debet_document_balancing_key Document Number		
DELETEDBALANCINGARRAY_DEBETDOCUMENT_BALANCINGKEY_JOURNALKEY	string	itgen_octopus_deleted_balancing_array_debet_document_balancing_key Journal Key		
DELETEDBALANCINGARRAY_DEBETDOCUMENT_BALANCINGKEY_LINSEQUENCENR	int32	itgen_octopus_deleted_balancing_array_debet_document_balancing_key Line Sequence Number		
DELETEDBALANCINGARRAY_DEBETDOCUMENT_COMMENT	string	itgen_octopus_deleted_balancing_array_debet_document Comment		
DELETEDBALANCINGARRAY_DEBETDOCUMENT_CREDITBOOKINGAMOUNT	double	itgen_octopus_deleted_balancing_array_debet_document Credit Booking Amount		
DELETEDBALANCINGARRAY_DEBETDOCUMENT_CREDITDOCUMENTAMOUNT	double	itgen_octopus_deleted_balancing_array_debet_document Credit Document Amount		
DELETEDBALANCINGARRAY_DEBETDOCUMENT_CURRENCYCODE	string	itgen_octopus_deleted_balancing_array_debet_document Currency Code		
DELETEDBALANCINGARRAY_DEBETDOCUMENT_DEBETBOOKINGAMOUNT	double	itgen_octopus_deleted_balancing_array_debet_document Debit Booking Amount		
DELETEDBALANCINGARRAY_DEBETDOCUMENT_DEBETDOCUMENTAMOUNT	double	itgen_octopus_deleted_balancing_array_debet_document Debet Document Amount		
DELETEDBALANCINGARRAY_DEBETDOCUMENT_DOCUMENTDATE	datetime	itgen_octopus_deleted_balancing_array_debet_document Document Date		
DELETEDBALANCINGARRAY_DEBETDOCUMENT_EXCHANGERATE	double	itgen_octopus_deleted_balancing_array_debet_document Exchange Rate		

Name	Data Type	Label	Required	Documentation
DELETEDBALANCINGARRAY_DEBETDOCUMENT_REFERENCE	string	itgen_octopus_deleted_balancing_array_debet_document Reference		
DELETEDBALANCINGARRAY_TYPE_ACCOUNTNR	int32	itgen_octopus_deleted_balancing_array_type itgen_octopus_account_nr		
DELETEDBALANCINGARRAY_TYPE_EXTERNALRELATIONID	int32	itgen_octopus_deleted_balancing_array_type External Relation ID		
DELETEDBALANCINGARRAY_TYPE_RELATIONKEY	string	itgen_octopus_deleted_balancing_array_type Relation Key		
DELETEDBALANCINGARRAY_TYPE_RELATIONKEY_ID	int32	itgen_octopus_deleted_balancing_array_type_relation_key ID		
MODIFIEDBALANCINGARRAY_CREDITBALANCEDBOOKINGAMOUNT	double	itgen_octopus_modified_balancing_array itgen_octopus_credit_balanced_booking_amount		
MODIFIEDBALANCINGARRAY_CREDITDOCUMENT_BALANCINGKEY_BOOKYEARKEY	string	itgen_octopus_modified_balancing_array_credit_document_balancing_key Financial Year Key		
MODIFIEDBALANCINGARRAY_CREDITDOCUMENT_BALANCINGKEY_BOOKYEARKEY_ID	int32	itgen_octopus_modified_balancing_array_credit_document_balancing_key_bookyear_key ID		
MODIFIEDBALANCINGARRAY_CREDITDOCUMENT_BALANCINGKEY_DOCUMENTSEQUENCENR	int32	itgen_octopus_modified_balancing_array_credit_document_balancing_key Document Number		
MODIFIEDBALANCINGARRAY_CREDITDOCUMENT_BALANCINGKEY_JOURNALKEY	string	itgen_octopus_modified_balancing_array_credit_document_balancing_key Journal Key		
MODIFIEDBALANCINGARRAY_CREDITDOCUMENT_BALANCINGKEY_LINESEQUENCENR	int32	itgen_octopus_modified_balancing_array_credit_document_balancing_key Line Sequence Number		
MODIFIEDBALANCINGARRAY_CREDITDOCUMENT_COMMENT	string	Modified Comment		
MODIFIEDBALANCINGARRAY_CREDITDOCUMENT_CREDITBOOKINGAMOUNT	double	Modified Credit Booking Amount		

Name	Data Type	Label	Required	Documentation
MODIFIEDBALANCINGARRAY_CREDITDOCUMENT_CREDITDOCUMENTAMOUNT	double	Modified Credit Document Amount		
MODIFIEDBALANCINGARRAY_CREDITDOCUMENT_CURRENCYCODE	string	Modified Currency Code		
MODIFIEDBALANCINGARRAY_CREDITDOCUMENT_DEBETBOOKINGAMOUNT	double	Modified Debit Booking Amount		
MODIFIEDBALANCINGARRAY_CREDITDOCUMENT_DEBETDOCUMENTAMOUNT	double	Modified Debet Document Amount		
MODIFIEDBALANCINGARRAY_CREDITDOCUMENT_DOCUMENTDATE	datetime	Modified Document Date		
MODIFIEDBALANCINGARRAY_CREDITDOCUMENT_EXCHANGERATE	double	Modified Exchange Rate		
MODIFIEDBALANCINGARRAY_CREDITDOCUMENT_REFERENCE	string	Modified Reference		
MODIFIEDBALANCINGARRAY_DEBETBALANCEDBOOKINGAMOUNT	double	itgen_octopus_modified_balancing_array_itgen_octopus_debet_balanced_booking_amount		
MODIFIEDBALANCINGARRAY_DEBETDOCUMENT_BALANCINGKEY_BOOKYEARKEY	string	itgen_octopus_modified_balancing_array_debet_document_balancing_key_Financial Year Key		
MODIFIEDBALANCINGARRAY_DEBETDOCUMENT_BALANCINGKEY_BOOKYEARKEY_ID	int32	itgen_octopus_modified_balancing_array_debet_document_balancing_key_bookyear_key_ID		
MODIFIEDBALANCINGARRAY_DEBETDOCUMENT_BALANCINGKEY_DOCUMENTSEQUENCENR	int32	itgen_octopus_modified_balancing_array_debet_document_balancing_key_Document Number		
MODIFIEDBALANCINGARRAY_DEBETDOCUMENT_BALANCINGKEY_JOURNALKEY	string	itgen_octopus_modified_balancing_array_debet_document_balancing_key_Journal Key		
MODIFIEDBALANCINGARRAY_DEBETDOCUMENT_BALANCINGKEY_LINSEQUENCENR	int32	itgen_octopus_modified_balancing_array_debet_document_balancing_key_Line Sequence Number		
MODIFIEDBALANCINGARRAY_DEBETDOCUMENT_COMMENT	string	itgen_octopus_modified_balancing_array_debet_document_Comment		
MODIFIEDBALANCINGARRAY_DEBETDOCUMENT_CREDITBOOKINGAMOUNT	double	itgen_octopus_modified_balancing_array_debet_document_Credit Booking Amount		

Name	Data Type	Label	Required	Documentation
MODIFIEDBALANCINGARRAY_DEBETDOCUMENT_AMOUNT	double	itgen_octopus_modified_balancing_array_debet_document Credit Document Amount		
MODIFIEDBALANCINGARRAY_DEBETDOCUMENT_CURRENCYCODE	string	itgen_octopus_modified_balancing_array_debet_document Currency Code		
MODIFIEDBALANCINGARRAY_DEBETBOOKINGAMOUNT	double	itgen_octopus_modified_balancing_array_debet_document Debit Booking Amount		
MODIFIEDBALANCINGARRAY_DEBETDOCUMENTAMOUNT	double	itgen_octopus_modified_balancing_array_debet_document Debet Document Amount		
MODIFIEDBALANCINGARRAY_DEBETDOCUMENTDATE	datetime	itgen_octopus_modified_balancing_array_debet_document Document Date		
MODIFIEDBALANCINGARRAY_DEBETDOCUMENT_EXCHANGERATE	double	itgen_octopus_modified_balancing_array_debet_document Exchange Rate		
MODIFIEDBALANCINGARRAY_DEBETDOCUMENT_REFERENCE	string	itgen_octopus_modified_balancing_array_debet_document Reference		
MODIFIEDBALANCINGARRAY_TYPE_ACCOUNTNR	int32	itgen_octopus_modified_balancing_array_type itgen_octopus_account_nr		
MODIFIEDBALANCINGARRAY_TYPE_EXTERNALRELATIONID	int32	itgen_octopus_modified_balancing_array_type External Relation ID		
MODIFIEDBALANCINGARRAY_TYPE_RELATIONKEY	string	itgen_octopus_modified_balancing_array_type Relation Key		
MODIFIEDBALANCINGARRAY_TYPE_RELATIONKEY_ID	int32	itgen_octopus_modified_balancing_array_type_relation_key ID		
RETURN	int32	Return		

### ModifiedBuySellBookings

Name: ModifiedBuySellBookings

Catalog: Octopus

Schema: OctopusWS

## Parameters

Name	Data Type	Required	Default Value	Documentation
bookyearKey_id	int32	<input type="checkbox"/>		
COMPANY_CODE	string	<input type="checkbox"/>		
journalKey	string	<input type="checkbox"/>		
modifiedSince	datetime	<input type="checkbox"/>		

## Table Columns

Name	Data Type	Label	Required	Documentation
COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
MODIFIEDBUYSELLBOOKINGARRA Y_AMOUNT	double	Amount		
MODIFIEDBUYSELLBOOKINGARRA Y_BOOKINGLINES_ACCOUNTKEY	int32	itgen_octopus_modified_buy_sell_booking_array_booking_lines General Ledger Account Key		
MODIFIEDBUYSELLBOOKINGARRA Y_BOOKINGLINES_BASEAMOUNT	double	itgen_octopus_modified_buy_sell_booking_array_booking_lines Base Amount		
MODIFIEDBUYSELLBOOKINGARRA Y_BOOKINGLINES_COMMENT	string	itgen_octopus_modified_buy_sell_booking_array_booking_lines Comment		
MODIFIEDBUYSELLBOOKINGARRA Y_BOOKINGLINES_COSTCENTREK EY	string	itgen_octopus_modified_buy_sell_booking_array_booking_lines Cost Center Key		
MODIFIEDBUYSELLBOOKINGARRA Y_BOOKINGLINES_COSTCENTREK EY_ID	int32	ID		
MODIFIEDBUYSELLBOOKINGARRA Y_BOOKINGLINES_VATAMOUNT	double	itgen_octopus_modified_buy_sell_booking_array_booking_lines VAT Amount		
MODIFIEDBUYSELLBOOKINGARRA Y_BOOKINGLINES_VATCODEKEY	string	itgen_octopus_modified_buy_sell_booking_array_booking_lines VAT Code Key		
MODIFIEDBUYSELLBOOKINGARRA Y_BOOKINGLINES_VATRECUPPER CENTAGE	double	itgen_octopus_modified_buy_sell_booking_array_booking_lines itgen_octopus_vat_recup_percentage		

Name	Data Type	Label	Required	Documentation
MODIFIEDBUYSELLBOOKINGARRA_Y_BOOKYEARKEY	string	Financial Year Key		
MODIFIEDBUYSELLBOOKINGARRA_Y_BOOKYEARKEY_ID	int32	itgen_octopus_modified_buy_sell_booking_array_-bookyear_key ID		
MODIFIEDBUYSELLBOOKINGARRA_Y_BOOKYEARPERIODENR	int32	Period Number		
MODIFIEDBUYSELLBOOKINGARRA_Y_COMMENT	string	Comment		
MODIFIEDBUYSELLBOOKINGARRA_Y_CURRENCYCODE	string	Currency Code		
MODIFIEDBUYSELLBOOKINGARRA_Y_DOCUMENTDATE	datetime	Document Date		
MODIFIEDBUYSELLBOOKINGARRA_Y_DOCUMENTSEQUENCENR	int32	Document Number		
MODIFIEDBUYSELLBOOKINGARRA_Y_EXCHANGERATE	double	Exchange Rate		
MODIFIEDBUYSELLBOOKINGARRA_Y_EXPIRYDATE	datetime	Expiry Date		
MODIFIEDBUYSELLBOOKINGARRA_Y_EXTERNALRELATIONID	int32	External Relation ID		
MODIFIEDBUYSELLBOOKINGARRA_Y_JOURNALKEY	string	Journal Key		
MODIFIEDBUYSELLBOOKINGARRA_Y_REFERENCE	string	Reference		
MODIFIEDBUYSELLBOOKINGARRA_Y_RELATIONKEY	string	Relation Key		
MODIFIEDBUYSELLBOOKINGARRA_Y_RELATIONKEY_ID	int32	itgen_octopus_modified_buy_sell_booking_array_relation_key ID		
RETURN	int32	Return		

### ModifiedDeliveryNotes

Name: ModifiedDeliveryNotes

Catalog: Octopus

Schema: OctopusWS

### Parameters

Name	Data Type	Required	Default Value	Documentation
bookyearKey_id	int32	<input type="checkbox"/>		
COMPANY_CODE	string	<input type="checkbox"/>		
journalKey	string	<input type="checkbox"/>		
modifiedSince	datetime	<input type="checkbox"/>		

## Table Columns

Name	Data Type	Label	Required	Documentation
COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
MODIFIEDDELIVERYNOTEARRAY_BOOKYEARKEY	string	Financial Year Key		
MODIFIEDDELIVERYNOTEARRAY_BOOKYEARKEY_ID	int32	itgen_octopus_modified_delivery_note_array_bookyear_key ID		
MODIFIEDDELIVERYNOTEARRAY_BOOKYEARPERIODNR	int32	Period Number		
MODIFIEDDELIVERYNOTEARRAY_COMMENT	string	Comment		
MODIFIEDDELIVERYNOTEARRAY_CURRENCYCODE	string	Currency Code		
MODIFIEDDELIVERYNOTEARRAY_DELIVERYNOTELINES_BOOKINGACCOUNTNR	int32	itgen_octopus_modified_delivery_note_array_delivery_note_lines Account Number		
MODIFIEDDELIVERYNOTEARRAY_DELIVERYNOTELINES_COSTCENTREKEY	string	itgen_octopus_modified_delivery_note_array_delivery_note_lines Cost Center Key		
MODIFIEDDELIVERYNOTEARRAY_DELIVERYNOTELINES_COSTCENTREKEY_ID	int32	itgen_octopus_modified_delivery_note_array_delivery_note_lines_cost_centre_key ID		
MODIFIEDDELIVERYNOTEARRAY_DELIVERYNOTELINES_COUNT	double	itgen_octopus_modified_delivery_note_array_delivery_note_lines Count		
MODIFIEDDELIVERYNOTEARRAY_DELIVERYNOTELINES_DESCRIPTION	string	itgen_octopus_modified_delivery_note_array_delivery_note_lines Description		
MODIFIEDDELIVERYNOTEARRAY_DELIVERYNOTELINES_DISCOUNTPERCENTAGE	double	itgen_octopus_modified_delivery_note_array_delivery_note_lines Discount Percentage		
MODIFIEDDELIVERYNOTEARRAY_DELIVERYNOTELINES_EXTERNPRODUCTNR	string	itgen_octopus_modified_delivery_note_array_delivery_note_lines External Product Number		
MODIFIEDDELIVERYNOTEARRAY_DELIVERYNOTELINES_UNIT	string	itgen_octopus_modified_delivery_note_array_delivery_note_lines Unit		
MODIFIEDDELIVERYNOTEARRAY_DELIVERYNOTELINES_UNITPRICE	double	itgen_octopus_modified_delivery_note_array_delivery_note_lines Unit Price		

Name	Data Type	Label	Required	Documentation
		ray_delivery_- note_lines Unit Price		
MODIFIEDDELIVERYNOTEARRAY_ DELIVERYNOTELINES_VATCODEKEY	string	itgen_octopus_modi- fied_delivery_note_ar- ray_delivery_- note_lines VAT Code Key		
MODIFIEDDELIVERYNOTEARRAY_ DOCUMENTDATE	datetime	Document Date		
MODIFIEDDELIVERYNOTEARRAY_ DOCUMENTSEQUENCENR	int32	Document Number		
MODIFIEDDELIVERYNOTEARRAY_ EXCHANGERATE	double	Exchange Rate		
MODIFIEDDELIVERYNOTEARRAY_ EXPIRYDATE	datetime	Expiry Date		
MODIFIEDDELIVERYNOTEARRAY_ EXTERNALRELATIONID	int32	External Relation ID		
MODIFIEDDELIVERYNOTEARRAY_ FINANCIALDISCOUNT	double	Financial Discount		
MODIFIEDDELIVERYNOTEARRAY_ JOURNALKEY	string	Journal Key		
MODIFIEDDELIVERYNOTEARRAY_ REFERENCE	string	Reference		
RETURN	int32	Return		

### ModifiedFinancialDiversBookings

Name: ModifiedFinancialDiversBookings

Catalog: Octopus

Schema: OctopusWS

### Parameters

Name	Data Type	Required	Default Value	Documentation
bookyearKey_id	int32	<input type="checkbox"/>		
COMPANY_CODE	string	<input type="checkbox"/>		
journalKey	string	<input type="checkbox"/>		
modifiedSince	datetime	<input type="checkbox"/>		

### Table Columns

Name	Data Type	Label	Required	Documentation
COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
MODIFIEDFINANCIALDIVERSBOOKINGARRAY_BOOKINGLINES_ACCOUNT	int32	General Ledger Account Key		

Name	Data Type	Label	Required	Documentation
UNTKEY				
MODIFIEDFINANCIALDIVERSBOOKINGARRAY_BOOKINGLINES_AMOUNT	double	Amount		
MODIFIEDFINANCIALDIVERSBOOKINGARRAY_BOOKINGLINES_CODAINFO_CODAMOVELINEDATA	string	itgen_octopus_modified_financial_divers_booking_array_booking_lines_coda_info it-gen_octopus_coda-move_line_data		
MODIFIEDFINANCIALDIVERSBOOKINGARRAY_BOOKINGLINES_CODAINFO_CODAVERSION	string	itgen_octopus_modified_financial_divers_booking_array_booking_lines_coda_info it-gen_octopus_coda_version		
MODIFIEDFINANCIALDIVERSBOOKINGARRAY_BOOKINGLINES_COSTCENTREKEY	string	Cost Center Key		
MODIFIEDFINANCIALDIVERSBOOKINGARRAY_BOOKINGLINES_COSTCENTREKEY_ID	int32	itgen_octopus_modified_financial_divers_booking_array_booking_lines_cost_centre_key ID		
MODIFIEDFINANCIALDIVERSBOOKINGARRAY_BOOKINGLINES_EXTERNALRELATIONID	int32	External Relation ID		
MODIFIEDFINANCIALDIVERSBOOKINGARRAY_BOOKINGLINES_REFERENCE	string	Reference		
MODIFIEDFINANCIALDIVERSBOOKINGARRAY_BOOKINGLINES_TYPE	string	Type		
MODIFIEDFINANCIALDIVERSBOOKINGARRAY_BOOKYEARKEY	string	itgen_octopus_modified_financial_divers_booking_array Financial Year Key		
MODIFIEDFINANCIALDIVERSBOOKINGARRAY_BOOKYEARKEY_ID	int32	itgen_octopus_modified_financial_divers_booking_array_bookyear_key ID		
MODIFIEDFINANCIALDIVERSBOOKINGARRAY_BOOKYEARPERIODENR	int32	itgen_octopus_modified_financial_divers_booking_array Period Number		
MODIFIEDFINANCIALDIVERSBOOKINGARRAY_DOCUMENTDATE	datetime	itgen_octopus_modified_financial_divers_booking_array Document Date		
MODIFIEDFINANCIALDIVERSBOOKINGARRAY_DOCUMENTSEQUENCENR	int32	itgen_octopus_modified_financial_divers_booking_array Document Number		
MODIFIEDFINANCIALDIVERSBOOKINGARRAY_EXCHANGERATE	double	itgen_octopus_modified_financial_divers_booking_array Exchange Rate		

Name	Data Type	Label	Required	Documentation
MODIFIEDFINANCIALDIVERSBOOKINGARRAY_JOURNALKEY	string	itgen_octopus_modified_financial_divers_-booking_array Journal Key		
RETURN	int32	Return		

**ModifiedInvoices**

Name: ModifiedInvoices

Catalog: Octopus

Schema: OctopusWS

**Parameters**

Name	Data Type	Required	Default Value	Documentation
bookyearKey_id	int32	<input type="checkbox"/>		
COMPANY_CODE	string	<input type="checkbox"/>		
journalKey	string	<input type="checkbox"/>		
modifiedSince	datetime	<input type="checkbox"/>		

**Table Columns**

Name	Data Type	Label	Required	Documentation
COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
MODIFIEDINVOICEARRAY_BOOKYEARKEY	string	Financial Year Key		
MODIFIEDINVOICEARRAY_BOOKYEARKEY_ID	int32	Financial Year Key ID		
MODIFIEDINVOICEARRAY_BOOKYEARPERIODENR	int32	Period Number		
MODIFIEDINVOICEARRAY_COMMENT	string	Comment		
MODIFIEDINVOICEARRAY_CURRENCYCODE	string	Currency Code		
MODIFIEDINVOICEARRAY_DOCUMENTDATE	datetime	Document Date		
MODIFIEDINVOICEARRAY_DOCUMENTSEQUENCENR	int32	Document Number		
MODIFIEDINVOICEARRAY_EXCHANGERATE	double	Exchange Rate		
MODIFIEDINVOICEARRAY_EXPIRYDATE	datetime	Expiry Date		
MODIFIEDINVOICEARRAY_EXTERNALRELATIONID	int32	External Relation ID		

Name	Data Type	Label	Required	Documentation
MODIFIEDINVOICEARRAY_FINANCIALDISCOUNT	double	Financial Discount		
MODIFIEDINVOICEARRAY_INVOICE_LINES_BOOKINGACCOUNTNR	int32	itgen_octopus_modified_invoice_array_invoice_lines Account Number		
MODIFIEDINVOICEARRAY_INVOICE_LINES_COSTCENTREKEY	string	itgen_octopus_modified_invoice_array_invoice_lines Cost Center Key		
MODIFIEDINVOICEARRAY_INVOICE_LINES_COSTCENTREKEY_ID	int32	itgen_octopus_modified_invoice_array_invoice_lines_cost_centre_key ID		
MODIFIEDINVOICEARRAY_INVOICE_LINES_COUNT	double	itgen_octopus_modified_invoice_array_invoice_lines Count		
MODIFIEDINVOICEARRAY_INVOICE_LINES_DESCRIPTION	string	itgen_octopus_modified_invoice_array_invoice_lines Description		
MODIFIEDINVOICEARRAY_INVOICE_LINES_DISCOUNTPERCENTAGE	double	itgen_octopus_modified_invoice_array_invoice_lines Discount Percentage		
MODIFIEDINVOICEARRAY_INVOICE_LINES_EXTERNPRODUCTNR	string	itgen_octopus_modified_invoice_array_invoice_lines External Product Number		
MODIFIEDINVOICEARRAY_INVOICE_LINES_UNIT	string	itgen_octopus_modified_invoice_array_invoice_lines Unit		
MODIFIEDINVOICEARRAY_INVOICE_LINES_UNITPRICE	double	itgen_octopus_modified_invoice_array_invoice_lines Unit Price		
MODIFIEDINVOICEARRAY_INVOICE_LINES_VATCODEKEY	string	itgen_octopus_modified_invoice_array_invoice_lines VAT Code Key		
MODIFIEDINVOICEARRAY_JOURNALKEY	string	Journal Key		
MODIFIEDINVOICEARRAY_REFERENCENCE	string	Reference		
RETURN	int32	Return		

## ModifiedRelations

Name: ModifiedRelations

Catalog: Octopus

Schema: OctopusWS

## Parameters

Name	Data Type	Required	Default Value	Documentation
COMPANY_CODE	string	<input type="checkbox"/>		
modifiedSince	datetime	<input type="checkbox"/>		

## Table Columns

Name	Data Type	Label	Required	Documentation
COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
DELETEDRELATIONS_ACTIVE	boolean	itgen_octopus_deleted_relations Active		
DELETEDRELATIONS_BANKACCO UNTR	string	itgen_octopus_deleted_relations Bank Account Number		
DELETEDRELATIONS_BICCODE	string	itgen_octopus_deleted_relations BIC Code		
DELETEDRELATIONS_CITY	string	itgen_octopus_deleted_relations City		
DELETEDRELATIONS_CLIENT	boolean	itgen_octopus_deleted_relations Client		
DELETEDRELATIONS_CONTACTPE RSON	string	itgen_octopus_deleted_relations Contact Person		
DELETEDRELATIONS_CORPORATI ONTYPE	int32	itgen_octopus_deleted_relations Corporation Type		
DELETEDRELATIONS_COUNTRY	string	itgen_octopus_deleted_relations Country		
DELETEDRELATIONS_DEFAULTBO OKINGACCOUNTCLIENT	int32	itgen_octopus_deleted_relations Default Booking Account Client		
DELETEDRELATIONS_DEFAULTBO OKINGACCOUNTSUPPLIER	int32	itgen_octopus_deleted_relations Default Booking Account Supplier		
DELETEDRELATIONS_EMAIL	string	itgen_octopus_deleted_relations Email		
DELETEDRELATIONS_EXPIRATION DAYS	int32	itgen_octopus_deleted_relations Expiration Days		
DELETEDRELATIONS_EXPIRATION TYPE	int32	itgen_octopus_deleted_relations Expiration Type		
DELETEDRELATIONS_EXTERNALR ELATIONNR	int32	itgen_octopus_deleted_relations External Relation Number		
DELETEDRELATIONS_FACTLANGU AGE	int32	itgen_octopus_deleted_relations Invoice Language		

Name	Data Type	Label	Required	Documentation
DELETEDRELATIONS_FAX	string	itgen_octopus_deleted_relations Fax		
DELETEDRELATIONS_FIRSTNAME	string	itgen_octopus_deleted_relations First Name		
DELETEDRELATIONS_IBANACCOU NTNR	string	itgen_octopus_deleted_relations IBAN Account Number		
DELETEDRELATIONS_MOBILE	string	itgen_octopus_deleted_relations Mobile		
DELETEDRELATIONS_NAME	string	itgen_octopus_deleted_relations Name		
DELETEDRELATIONS_POSTALCOD E	string	itgen_octopus_deleted_relations Postal Code		
DELETEDRELATIONS_RELATIONKE Y	string	itgen_octopus_deleted_relations Relation Key		
DELETEDRELATIONS_RELATIONKE Y_ID	int32	itgen_octopus_deleted_relations_relation_key ID		
DELETEDRELATIONS_REMARKS	string	itgen_octopus_deleted_relations Remarks		
DELETEDRELATIONS_SEARCHFIEL D1	string	itgen_octopus_deleted_relations Search Field 1		
DELETEDRELATIONS_SEARCHFIEL D2	string	itgen_octopus_deleted_relations Search Field 2		
DELETEDRELATIONS_STREETAND NR	string	itgen_octopus_deleted_relations Street and House Number		
DELETEDRELATIONS_SUPPLIER	boolean	itgen_octopus_deleted_relations Supplier		
DELETEDRELATIONS_TELEPHONE	string	itgen_octopus_deleted_relations Telephone		
DELETEDRELATIONS_URL	string	itgen_octopus_deleted_relations URL		
DELETEDRELATIONS_VATNR	string	itgen_octopus_deleted_relations VAT Number		
DELETEDRELATIONS_VATTYPE	int32	itgen_octopus_deleted_relations VAT Type		
MODIFIEDRELATIONS_ACTIVE	boolean	Active		
MODIFIEDRELATIONS_BANKACCO UNTNR	string	Bank Account Number		
MODIFIEDRELATIONS_BICCODE	string	BIC Code		
MODIFIEDRELATIONS_CITY	string	City		

Name	Data Type	Label	Required	Documentation
MODIFIEDRELATIONS_CLIENT	boolean	Client		
MODIFIEDRELATIONS_CONTACTPERSON	string	Contact Person		
MODIFIEDRELATIONS_CORPORATIONTYPE	int32	Corporation Type		
MODIFIEDRELATIONS_COUNTRY	string	Country		
MODIFIEDRELATIONS_DEFAULTBOOKINGACCOUNTCLIENT	int32	Default Booking Account Client		
MODIFIEDRELATIONS_DEFAULTBOOKINGACCOUNTSUPPLIER	int32	Default Booking Account Supplier		
MODIFIEDRELATIONS_EMAIL	string	Email		
MODIFIEDRELATIONS_EXPIRATIONDAYS	int32	Expiration Days		
MODIFIEDRELATIONS_EXPIRATIONTYPE	int32	Expiration Type		
MODIFIEDRELATIONS_EXTERNALRELATIONNR	int32	External Relation Number		
MODIFIEDRELATIONS_FACTLANGUAGE	int32	Invoice Language		
MODIFIEDRELATIONS_FAX	string	Fax		
MODIFIEDRELATIONS_FIRSTNAME	string	First Name		
MODIFIEDRELATIONS_IBANACCOUNTNR	string	IBAN Account Number		
MODIFIEDRELATIONS_MOBILE	string	Mobile		
MODIFIEDRELATIONS_NAME	string	Name		
MODIFIEDRELATIONS_POSTALCODE	string	Postal Code		
MODIFIEDRELATIONS_RELATIONKEY	string	Relation Key		
MODIFIEDRELATIONS_RELATIONKEY_ID	int32	itgen_octopus_modified_relations_relation_key ID		
MODIFIEDRELATIONS_REMARKS	string	Remarks		
MODIFIEDRELATIONS_SEARCHFIELD1	string	Search Field 1		
MODIFIEDRELATIONS_SEARCHFIELD2	string	Search Field 2		
MODIFIEDRELATIONS_STREETANDNR	string	Street and House Number		
MODIFIEDRELATIONS_SUPPLIER	boolean	Supplier		
MODIFIEDRELATIONS_TELEPHONE	string	Telephone		
MODIFIEDRELATIONS_URL	string	URL		
MODIFIEDRELATIONS_VATNR	string	VAT Number		
MODIFIEDRELATIONS_VATTYPE	int32	VAT Type		
RETURN	int32	Return		

## ProductGroups

Name: ProductGroups

Catalog: Octopus

Schema: OctopusWS

## Parameters

Name	Data Type	Required	Default Value	Documentation
COMPANY_CODE	string	<input type="checkbox"/>		
GetProductGroups	string	<input type="checkbox"/>		

## Table Columns

Name	Data Type	Label	Required	Documentation
COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
DESCRIPTION_DESCRIPTION_FR	string	Description Description (FR)		
DESCRIPTION_DESCRIPTION_NL	string	Description Description (NL)		
PRODUCTGROUPKEY	string	Product Group Key		
PRODUCTGROUPKEY_ID	int32	Product Group Key ID		

## Products

Name: Products

Catalog: Octopus

Schema: OctopusWS

## Parameters

Name	Data Type	Required	Default Value	Documentation
COMPANY_CODE	string	<input type="checkbox"/>		
GetProducts	string	<input type="checkbox"/>		

## Table Columns

Name	Data Type	Label	Required	Documentation
CODE_DESCRIPTION_FR	string	Code Description (FR)		
CODE_DESCRIPTION_NL	string	Code Description (NL)		
COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
CURRENCY CODE	string	Currency Code		

Name	Data Type	Label	Required	Documentation
DEFAULTBOOKINGACCOUNTNR	int32	Default Booking Account Number		
DEFAULTCOSTCENTRE	string	Default Cost Center		
DEFAULTCOSTCENTRE_ID	int32	Default Cost Center ID		
DESCRIPTION_DESCRIPTION_FR	string	Description Description (FR)		
DESCRIPTION_DESCRIPTION_NL	string	Description Description (NL)		
EXTERNPRODUCTNR	string	External Product Number		
PRICEVATEXCLUSIVE	double	Price Excluding VAT		
PRICEVATINCLUSIVE	double	Price Including VAT		
PRODUCTGROUP	string	Product Group		
PRODUCTGROUP_ID	int32	Product Group ID		
PRODUCTKEY	string	Product Key		
PRODUCTKEY_ID	int32	Product Key ID		
SUPPLIERINFO	string	Supplier Information		
UNIT	string	Unit		
VATCODE	string	VAT Code		

## RappelInformation

Name: RappelInformation

Catalog: Octopus

Schema: OctopusWS

## Parameters

Name	Data Type	Required	Default Value	Documentation
COMPANY_CODE	string	<input type="checkbox"/>		
expirationDate	datetime	<input type="checkbox"/>		

## Table Columns

Name	Data Type	Label	Required	Documentation
COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
INVOICELIST_BOOKYEARKEY	string	Financial Year Key		
INVOICELIST_BOOKYEARKEY_ID	int32	Financial Year Key ID		
INVOICELIST_COMMENT	string	Comment		
INVOICELIST_CURRENCYCODE	string	Currency Code		
INVOICELIST_DOCUMENTDATE	datetime	Document Date		

Name	Data Type	Label	Required	Documentation
INVOICELIST_DOCUMENTSEQUENCENR	int32	Document Number		
INVOICELIST_EXPIRATIONDATE	datetime	Expiration Date		
INVOICELIST_JOURNALKEY	string	Journal Key		
INVOICELIST_OPENAMOUNT	double	Open Amount		
INVOICELIST_RAPPELINFOLIST_RAPPELDATE	datetime	Dunning Date		
INVOICELIST_RAPPELINFOLIST_RAPPELID	int32	Dunning ID		
INVOICELIST_REFERENCE	string	Reference		
RELATION_ACTIVE	boolean	Relation Active		
RELATION_BANKACCOUNTNR	string	Relation Bank Account Number		
RELATION_BICCODE	string	Relation BIC Code		
RELATION_CITY	string	Relation City		
RELATION_CLIENT	boolean	Relation Client		
RELATION_CONTACTPERSON	string	Relation Contact Person		
RELATION CORPORATIONTYPE	int32	Relation Corporation Type		
RELATION_COUNTRY	string	Relation Country		
RELATION_DEFAULTBOOKINGACCOUNTCLIENT	int32	Relation Default Booking Account Client		
RELATION_DEFAULTBOOKINGACOUNTSUPPLIER	int32	Relation Default Booking Account Supplier		
RELATION_EMAIL	string	Relation Email		
RELATION_EXPIRATIONDAYS	int32	Relation Expiration Days		
RELATION_EXPIRATIONTYPE	int32	Relation Expiration Type		
RELATION_EXTERNALRELATIONNR	int32	Relation External Relation Number		
RELATION_FACTLANGUAGE	int32	Relation Invoice Language		
RELATION_FAX	string	Relation Fax		
RELATION_FIRSTNAME	string	Relation First Name		
RELATION_IBANACCOUNTNR	string	Relation IBAN Account Number		
RELATION_MOBILE	string	Relation Mobile		
RELATION_NAME	string	Relation Name		
RELATION_POSTALCODE	string	Relation Postal Code		
RELATION_RELATIONKEY	string	Relation Relation Key		
RELATION_RELATIONKEY_ID	int32	Relation Key ID		
RELATION_REMARKS	string	Relation Remarks		
RELATION_SEARCHFIELD1	string	Relation Search Field 1		

Name	Data Type	Label	Required	Documentation
RELATION_SEARCHFIELD2	string	Relation Search Field 2		
RELATION_STREETANDNR	string	Relation Street and House Number		
RELATION_SUPPLIER	boolean	Relation Supplier		
RELATION_TELEPHONE	string	Relation Telephone		
RELATION_URL	string	Relation URL		
RELATION_VATNR	string	Relation VAT Number		
RELATION_VATTYPE	int32	Relation VAT Type		

## Relations

Name: Relations

Catalog: Octopus

Schema: OctopusWS

## Parameters

Name	Data Type	Required	Default Value	Documentation
COMPANY_CODE	string	<input type="checkbox"/>		
GetRelations	string	<input type="checkbox"/>		

## Table Columns

Name	Data Type	Label	Required	Documentation
ACTIVE	boolean	Active		
BANKACCOUNTNR	string	Bank Account Number		
BICCODE	string	BIC Code		
CITY	string	City		
CLIENT	boolean	Client		
COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
CONTACTPERSON	string	Contact Person		
CORPORATIONTYPE	int32	Corporation Type		
COUNTRY	string	Country		
DEFAULTBOOKINGACCOUNTCLIENT	int32	Default Booking Account Client		
DEFAULTBOOKINGACCOUNTSUPPLIER	int32	Default Booking Account Supplier		
EMAIL	string	Email		
EXPIRATIONDAYS	int32	Expiration Days		
EXPIRATIONTYPE	int32	Expiration Type		

Name	Data Type	Label	Required	Documentation
EXTERNALRELATIONNR	int32	External Relation Number		
FACTLANGUAGE	int32	Invoice Language		
FAX	string	Fax		
FIRSTNAME	string	First Name		
IBANACCOUNTNR	string	IBAN Account Number		
MOBILE	string	Mobile		
NAME	string	Name		
POSTALCODE	string	Postal Code		
RELATIONKEY	string	Relation Key		
RELATIONKEY_ID	int32	Relation Key ID		
REMARKS	string	Remarks		
SEARCHFIELD1	string	Search Field 1		
SEARCHFIELD2	string	Search Field 2		
STREETANDNR	string	Street and House Number		
SUPPLIER	boolean	Supplier		
TELEPHONE	string	Telephone		
URL	string	URL		
VATNR	string	VAT Number		
VATTYPE	int32	VAT Type		

### ReportHistoryAccount

Name: ReportHistoryAccount

Catalog: Octopus

Schema: OctopusWS

## Parameters

Name	Data Type	Required	Default Value	Documentation
COMPANY_CODE	string	<input type="checkbox"/>		
historyAccountQueryData_ac- countNr	int32	<input type="checkbox"/>		
historyAccountQueryData_- fromBookyearKey	string	<input type="checkbox"/>		
historyAccountQueryData_- fromBookyearKey_id	int32	<input type="checkbox"/>		
historyAccountQueryData_- fromBookyearPeriodNr	int32	<input type="checkbox"/>		
historyAccoun- tQueryData_toBookyearKey	string	<input type="checkbox"/>		
historyAccoun- tQueryData_toBookyearKey_id	int32	<input type="checkbox"/>		

Name	Data Type	Required	Default Value	Documentation
historyAccoun-tQueryData_toBookyearPeriodNr	int32	<input type="checkbox"/>		

## Table Columns

Name	Data Type	Label	Required	Documentation
BOOKYEARKEY	string	Financial Year Key		
BOOKYEARKEY_ID	int32	Financial Year Key ID		
BOOKYEARPERIODNR	int32	Financial Period Number		
COMMENT	string	Comment		
COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
CREDITBOOKINGAMOUNT	double	Credit Booking Amount		
CREDITDOCUMENTAMOUNT	double	Credit Document Amount		
CURRENCYCODE	string	Currency Code		
DEBETBOOKINGAMOUNT	double	Debit Booking Amount		
DEBETDOCUMENTAMOUNT	double	Debet Document Amount		
DOCUMENTDATE	datetime	Document Date		
DOCUMENTSEQUENCNR	int32	Document Number		
EXCHANGERATE	double	Exchange Rate		
JOURNALKEY	string	Journal Key		
REFERENCE	string	Reference		

## ReportHistoryClient

Name: ReportHistoryClient

Catalog: Octopus

Schema: OctopusWS

## Parameters

Name	Data Type	Required	Default Value	Documentation
COMPANY_CODE	string	<input type="checkbox"/>		
historyClientQueryData_externalRelationId	int32	<input type="checkbox"/>		
historyClientQueryData_fromBookyearKey	string	<input type="checkbox"/>		
historyClientQueryData_fromBookyearKey_id	int32	<input type="checkbox"/>		
historyClientQueryData_fromBookyearPeriodNr	int32	<input type="checkbox"/>		

Name	Data Type	Required	Default Value	Documentation
historyClientQueryData_toBookyearKey	string	<input type="checkbox"/>		
historyClientQueryData_toBookyearKey_id	int32	<input type="checkbox"/>		
historyClientQueryData_toBookyearPeriodNr	int32	<input type="checkbox"/>		

## Table Columns

Name	Data Type	Label	Required	Documentation
BOOKYEARKEY	string	Financial Year Key		
BOOKYEARKEY_ID	int32	Financial Year Key ID		
BOOKYEARPERIODNR	int32	Financial Period Number		
COMMENT	string	Comment		
COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
CREDITBOOKINGAMOUNT	double	Credit Booking Amount		
CREDITDOCUMENTAMOUNT	double	Credit Document Amount		
CURRENCYCODE	string	Currency Code		
DEBETBOOKINGAMOUNT	double	Debit Booking Amount		
DEBETDOCUMENTAMOUNT	double	Debet Document Amount		
DOCUMENTDATE	datetime	Document Date		
DOCUMENTSEQUENCENR	int32	Document Number		
EXCHANGERATE	double	Exchange Rate		
JOURNALKEY	string	Journal Key		
REFERENCE	string	Reference		

## ReportHistoryCostCentre

Name: ReportHistoryCostCentre

Catalog: Octopus

Schema: OctopusWS

## Parameters

Name	Data Type	Required	Default Value	Documentation
COMPANY_CODE	string	<input type="checkbox"/>		
historyCostCentreQueryData_-fromAccountNr	int32	<input type="checkbox"/>		
historyCostCentreQueryData_-fromBookyearKey	string	<input type="checkbox"/>		

Name	Data Type	Required	Default Value	Documentation
historyCostCentreQueryData_fromBookyearKey_id	int32	<input type="checkbox"/>		
historyCostCentreQueryData_fromBookyearPeriodNr	int32	<input type="checkbox"/>		
historyCostCentreQueryData_show ActiveCostCentres	boolean	<input type="checkbox"/>		
historyCostCentreQueryData_show EmptyCostcentres	boolean	<input type="checkbox"/>		
historyCostCentreQueryData_show InactiveCostCentres	boolean	<input type="checkbox"/>		
historyCostCentreQueryData_toAccountNr	int32	<input type="checkbox"/>		
historyCostCentreQueryData_toBookyearKey	string	<input type="checkbox"/>		
historyCostCentreQueryData_toBookyearKey_id	int32	<input type="checkbox"/>		
historyCostCentreQueryData_toBookyearPeriodNr	int32	<input type="checkbox"/>		

## Table Columns

Name	Data Type	Label	Required	Documentation
ACCOUNTKEY	string	General Ledger Account Key		
ACCOUNTKEY_BOOKYEARKEY	string	General Ledger Account Key Financial Year Key		
ACCOUNTKEY_BOOKYEARKEY_ID	int32	Financial Year Key ID		
ACCOUNTKEY_ID	int32	General Ledger Account Key ID		
ACCOUNTNAME	string	Account Name		
ACTIVECOSTCENTRE	boolean	Active Cost Center		
BOOKYEARKEY	string	Financial Year Key		
BOOKYEARKEY_ID	int32	Financial Year Key ID		
BOOKYEARPERIODNR	int32	Financial Period Number		
COMMENT	string	Comment		
COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
COSTCENTREKEY	string	Cost Center Key		
COSTCENTREKEY_ID	int32	Cost Center Key ID		
COSTCENTRENAME	string	Cost Center Name		
CREDITBOOKINGAMOUNT	double	Credit Booking Amount		

Name	Data Type	Label	Required	Documentation
DEBETBOOKINGAMOUNT	double	Debit Booking Amount		
DOCUMENTDATE	datetime	Document Date		
DOCUMENTSEQUENCENR	int32	Document Number		
JOURNALKEY	string	Journal Key		
RELATIONKEY	string	Relation Key		
RELATIONKEY_ID	int32	Relation Key ID		
RELATIONNAME	string	Relation Name		

### ReportHistorySupplier

Name: ReportHistorySupplier

Catalog: Octopus

Schema: OctopusWS

## Parameters

Name	Data Type	Required	Default Value	Documentation
COMPANY_CODE	string	<input type="checkbox"/>		
historySupplierQueryData_externalRelationId	int32	<input type="checkbox"/>		
historySupplierQueryData_fromBookyearKey	string	<input type="checkbox"/>		
historySupplierQueryData_fromBookyearKey_id	int32	<input type="checkbox"/>		
historySupplierQueryData_fromBookyearPeriodNr	int32	<input type="checkbox"/>		
historySupplierQueryData_toBookyearKey	string	<input type="checkbox"/>		
historySupplierQueryData_toBookyearKey_id	int32	<input type="checkbox"/>		
historySupplierQueryData_toBookyearPeriodNr	int32	<input type="checkbox"/>		

## Table Columns

Name	Data Type	Label	Required	Documentation
BOOKYEARKEY	string	Financial Year Key		
BOOKYEARKEY_ID	int32	Financial Year Key ID		
BOOKYEARPERIODNR	int32	Financial Period Number		
COMMENT	string	Comment		
COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
CREDITBOOKINGAMOUNT	double	Credit Booking Amount		

Name	Data Type	Label	Required	Documentation
CREDITDOCUMENTAMOUNT	double	Credit Document Amount		
CURRENCYCODE	string	Currency Code		
DEBETBOOKINGAMOUNT	double	Debit Booking Amount		
DEBETDOCUMENTAMOUNT	double	Debet Document Amount		
DOCUMENTDATE	datetime	Document Date		
DOCUMENTSEQUENCENR	int32	Document Number		
EXCHANGERATE	double	Exchange Rate		
JOURNALKEY	string	Journal Key		
REFERENCE	string	Reference		

### ReportModifiedBooking

Name: ReportModifiedBooking

Catalog: Octopus

Schema: OctopusWS

### Parameters

Name	Data Type	Required	Default Value	Documentation
bookyearKey_id	int32	<input type="checkbox"/>		
COMPANY_CODE	string	<input type="checkbox"/>		
journalTypeld	int32	<input type="checkbox"/>		
modifiedSince	datetime	<input type="checkbox"/>		

### Table Columns

Name	Data Type	Label	Required	Documentation
COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
DELETEDBOOKINGLIST_BOOKYEARKEY	string	Deleted Financial Year Key		
DELETEDBOOKINGLIST_BOOKYEAR_ID	int32	itgen_octopus_deleted_booking_list-bookyear_key ID		
DELETEDBOOKINGLIST_DOCUMENTSEQUENCENR	int32	Deleted Document Number		
DELETEDBOOKINGLIST_JOURNALSEQUENCENR	int32	Deleted Journal Sequence Number		
DELETEDBOOKINGLIST_JOURNALTYPE	int32	Deleted Journal Type		
MODIFIEDBOOKINGLIST_ACCOUNTKEY	int32	General Ledger Account Key		

Name	Data Type	Label	Required	Documentation
MODIFIEDBOOKINGLIST_BOOKINGAMOUNT	double	Booking Amount		
MODIFIEDBOOKINGLIST_BOOKYEARKEY	string	Financial Year Key		
MODIFIEDBOOKINGLIST_BOOKYEARKEY_ID	int32	Financial Year Key ID		
MODIFIEDBOOKINGLIST_BOOKYEARPERIODNR	int32	Period Number		
MODIFIEDBOOKINGLIST_COMMENT	string	Comment		
MODIFIEDBOOKINGLIST_COSTCENTREKEY	string	Cost Center Key		
MODIFIEDBOOKINGLIST_COSTCENTREKEY_ID	int32	itgen_octopus_modified_booking_list_cost_centre_key ID		
MODIFIEDBOOKINGLIST_CURRENCYCODE	string	Currency Code		
MODIFIEDBOOKINGLIST_DOCUMENTAMOUNT	double	Document Amount		
MODIFIEDBOOKINGLIST_DOCUMENTDATE	datetime	Document Date		
MODIFIEDBOOKINGLIST_DOCUMENTSEQUENCENR	int32	Document Number		
MODIFIEDBOOKINGLIST_EXCHANGERATE	double	Exchange Rate		
MODIFIEDBOOKINGLIST_EXPIRYDATE	datetime	Expiry Date		
MODIFIEDBOOKINGLIST_JOURNALNR	int32	Journal Number		
MODIFIEDBOOKINGLIST_JOURNALTYPE	int32	Journal Type		
MODIFIEDBOOKINGLIST_LINSEQUENCENR	int32	Line Sequence Number		
MODIFIEDBOOKINGLIST_REFERENCCE	string	Reference		
MODIFIEDBOOKINGLIST_RELATIONKEY	string	Relation Key		
MODIFIEDBOOKINGLIST_RELATIONKEY_ID	int32	itgen_octopus_modified_booking_list_relation_key ID		
MODIFIEDBOOKINGLIST_VATRECEPTIONPERCENTAGE	double	itgen_octopus_vat_recuperation_percentage		
MODIFIEDBOOKINGLIST_VATSECTIONCODE	string	VAT Section Code		
RETURN	int32	Return		

**ReportOpenAccount**

Name: ReportOpenAccount

Catalog: Octopus

Schema: OctopusWS

**Parameters**

Name	Data Type	Required	Default Value	Documentation
COMPANY_CODE	string	<input type="checkbox"/>		
openAccountQueryData_accountNr	int32	<input type="checkbox"/>		
openAccountQueryData_fromBookyearKey	string	<input type="checkbox"/>		
openAccountQueryData_fromBookyearKey_id	int32	<input type="checkbox"/>		
openAccountQueryData_fromBookyearPeriodNr	int32	<input type="checkbox"/>		
openAccountQueryData_toBookyearKey	string	<input type="checkbox"/>		
openAccountQueryData_toBookyearKey_id	int32	<input type="checkbox"/>		
openAccountQueryData_toBookyearPeriodNr	int32	<input type="checkbox"/>		

**Table Columns**

Name	Data Type	Label	Required	Documentation
BOOKYEARKEY	string	Financial Year Key		
BOOKYEARKEY_ID	int32	Financial Year Key ID		
BOOKYEARPERIODNR	int32	Financial Period Number		
COMMENT	string	Comment		
COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
CREDITBOOKINGAMOUNT	double	Credit Booking Amount		
CREDITDOCUMENTAMOUNT	double	Credit Document Amount		
CURRENCYCODE	string	Currency Code		
DEBETBOOKINGAMOUNT	double	Debit Booking Amount		
DEBETDOCUMENTAMOUNT	double	Debet Document Amount		
DOCUMENTDATE	datetime	Document Date		
DOCUMENTSEQUENCENR	int32	Document Number		
EXCHANGERATE	double	Exchange Rate		
EXPIRATIONDATE	datetime	Expiration Date		
EXTERNALRELATIONID	int32	External Relation ID		

Name	Data Type	Label	Required	Documentation
JOURNALKEY	string	Journal Key		
LINESEQUENCNR	int32	Line Sequence Number		
OPENBOOKINGAMOUNT	double	Open Booking Amount		
OPENDOCAMOUNT	double	Open Document Amount		
REFERENCE	string	Reference		
RELATIONKEY	string	Relation Key		
RELATIONKEY_ID	int32	Relation Key ID		

## ReportOpenClient

Name: ReportOpenClient

Catalog: Octopus

Schema: OctopusWS

## Parameters

Name	Data Type	Required	Default Value	Documentation
COMPANY_CODE	string	<input type="checkbox"/>		
openClientQueryData_externalRelationId	int32	<input type="checkbox"/>		
openClientQueryData_fromBookyearKey	string	<input type="checkbox"/>		
openClientQueryData_fromBookyearKey_id	int32	<input type="checkbox"/>		
openClientQueryData_fromBookyearPeriodNr	int32	<input type="checkbox"/>		
openClientQueryData_toBookyearKey	string	<input type="checkbox"/>		
openClientQueryData_toBookyearKey_id	int32	<input type="checkbox"/>		
openClientQueryData_toBookyearPeriodNr	int32	<input type="checkbox"/>		

## Table Columns

Name	Data Type	Label	Required	Documentation
BOOKYEARKEY	string	Financial Year Key		
BOOKYEARKEY_ID	int32	Financial Year Key ID		
BOOKYEARPERIODNR	int32	Financial Period Number		
COMMENT	string	Comment		
COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
CREDITBOOKINGAMOUNT	double	Credit Booking Amount		
CREDITDOCUMENTAMOUNT	double	Credit Document Amount		
CURRENCYCODE	string	Currency Code		
DEBETBOOKINGAMOUNT	double	Debit Booking Amount		
DEBETDOCUMENTAMOUNT	double	Debet Document Amount		
DOCUMENTDATE	datetime	Document Date		
DOCUMENTSEQUENCENR	int32	Document Number		
EXCHANGERATE	double	Exchange Rate		
EXPIRATIONDATE	datetime	Expiration Date		
EXTERNALRELATIONID	int32	External Relation ID		
JOURNALKEY	string	Journal Key		
LINESEQUENCENR	int32	Line Sequence Number		
OPENBOOKINGAMOUNT	double	Open Booking Amount		
OPENDOCAMOUNT	double	Open Document Amount		
REFERENCE	string	Reference		
RELATIONKEY	string	Relation Key		
RELATIONKEY_ID	int32	Relation Key ID		

### ReportOpenSupplier

Name: ReportOpenSupplier

Catalog: Octopus

Schema: OctopusWS

### Parameters

Name	Data Type	Required	Default Value	Documentation
COMPANY_CODE	string	<input type="checkbox"/>		
openSupplierQueryData_externalRelationId	int32	<input type="checkbox"/>		
openSupplierQueryData_-fromBookyearKey	string	<input type="checkbox"/>		
openSupplierQueryData_-fromBookyearKey_id	int32	<input type="checkbox"/>		
openSupplierQueryData_-fromBookyearPeriodNr	int32	<input type="checkbox"/>		
openSupplierQueryData_toBookyearKey	string	<input type="checkbox"/>		
openSupplierQueryData_toBookyearKey_id	int32	<input type="checkbox"/>		

Name	Data Type	Required	Default Value	Documentation
openSupplier-QueryData_toBookyearPeriodNr	int32	<input type="checkbox"/>		

## Table Columns

Name	Data Type	Label	Required	Documentation
BOOKYEARKEY	string	Financial Year Key		
BOOKYEARKEY_ID	int32	Financial Year Key ID		
BOOKYEARPERIODNR	int32	Financial Period Number		
COMMENT	string	Comment		
COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
CREDITBOOKINGAMOUNT	double	Credit Booking Amount		
CREDITDOCUMENTAMOUNT	double	Credit Document Amount		
CURRENCYCODE	string	Currency Code		
DEBETBOOKINGAMOUNT	double	Debit Booking Amount		
DEBETDOCUMENTAMOUNT	double	Debet Document Amount		
DOCUMENTDATE	datetime	Document Date		
DOCUMENTSEQUENCENR	int32	Document Number		
EXCHANGERATE	double	Exchange Rate		
EXPIRATIONDATE	datetime	Expiration Date		
EXTERNALRELATIONID	int32	External Relation ID		
JOURNALKEY	string	Journal Key		
LINESEQUENCENR	int32	Line Sequence Number		
OPENBOOKINGAMOUNT	double	Open Booking Amount		
OPENDOCAMOUNT	double	Open Document Amount		
REFERENCE	string	Reference		
RELATIONKEY	string	Relation Key		
RELATIONKEY_ID	int32	Relation Key ID		

## SetLocale

Name: SetLocale

Catalog: Octopus

Schema: OctopusWS

## Parameters

Name	Data Type	Required	Default Value	Documentation
COMPANY_CODE	string	<input type="checkbox"/>		
locale	string	<input type="checkbox"/>		
locale_id	int32	<input type="checkbox"/>		

## Table Columns

Name	Data Type	Label	Required	Documentation
COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
RETURN	int32	Return		

### UpdateBuySellBooking

Name: UpdateBuySellBooking

Catalog: Octopus

Schema: OctopusWS

## Parameters

Name	Data Type	Required	Default Value	Documentation
booking_amount	double	<input type="checkbox"/>		
booking_bookingLines_accountKey	int32	<input type="checkbox"/>		
booking_bookingLines_baseAmount	double	<input type="checkbox"/>		
booking_bookingLines_comment	string	<input type="checkbox"/>		
booking_bookingLines_costCentreKey	string	<input type="checkbox"/>		
booking_bookingLines_costCentreId	int32	<input type="checkbox"/>		
booking_bookingLines_vatAmount	double	<input type="checkbox"/>		
booking_book- ingLines_vatCodeKey	string	<input type="checkbox"/>		
booking_book- ingLines_vatRecupPercentage	double	<input type="checkbox"/>		
booking_bookyearKey	string	<input type="checkbox"/>		
booking_bookyearKey_id	int32	<input type="checkbox"/>		
booking_bookyearPeriodeNr	int32	<input type="checkbox"/>		
booking_comment	string	<input type="checkbox"/>		
booking_currencyCode	string	<input type="checkbox"/>		
booking_documentDate	datetime	<input type="checkbox"/>		
booking_documentSequenceNr	int32	<input type="checkbox"/>		
booking_exchangeRate	double	<input type="checkbox"/>		
booking_expiryDate	datetime	<input type="checkbox"/>		

Name	Data Type	Required	Default Value	Documentation
booking_externalRelationId	int32	<input type="checkbox"/>		
booking_jurnalKey	string	<input type="checkbox"/>		
booking_reference	string	<input type="checkbox"/>		
booking_relationKey	string	<input type="checkbox"/>		
booking_relationKey_id	int32	<input type="checkbox"/>		
COMPANY_CODE	string	<input type="checkbox"/>		

## Table Columns

Name	Data Type	Label	Required	Documentation
COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
RETURN	int32	Return		

### UpdateDeliveryNote

Name: UpdateDeliveryNote

Catalog: Octopus

Schema: OctopusWS

## Parameters

Name	Data Type	Required	Default Value	Documentation
COMPANY_CODE	string	<input type="checkbox"/>		
deliveryNote_bookyearKey	string	<input type="checkbox"/>		
deliveryNote_bookyearKey_id	int32	<input type="checkbox"/>		
deliveryNote_bookyearPeriodeNr	int32	<input type="checkbox"/>		
deliveryNote_comment	string	<input type="checkbox"/>		
deliveryNote_currencyCode	string	<input type="checkbox"/>		
deliveryNote_deliveryNoteLines_-bookignAccountNr	int32	<input type="checkbox"/>		
deliveryNote_deliveryNoteLines_-costCentreKey	string	<input type="checkbox"/>		
deliveryNote_deliveryNoteLines_-costCentreKey_id	int32	<input type="checkbox"/>		
deliveryNote_deliveryNoteLines_-count	double	<input type="checkbox"/>		
deliveryNote_deliveryNoteLines_-description	string	<input type="checkbox"/>		
deliveryNote_deliveryNoteLines_-discountPercentage	double	<input type="checkbox"/>		
deliveryNote_deliveryNoteLines_-externProductNr	string	<input type="checkbox"/>		

Name	Data Type	Required	Default Value	Documentation
deliveryNote_deliveryNoteLines_unit	string	<input type="checkbox"/>		
deliveryNote_deliveryNoteLines_unitPrice	double	<input type="checkbox"/>		
deliveryNote_deliveryNoteLines_vatCodeKey	string	<input type="checkbox"/>		
deliveryNote_documentDate	datetime	<input type="checkbox"/>		
deliveryNote_documentSequenceNr	int32	<input type="checkbox"/>		
deliveryNote_exchangeRate	double	<input type="checkbox"/>		
deliveryNote_expiryDate	datetime	<input type="checkbox"/>		
deliveryNote_externalRelationId	int32	<input type="checkbox"/>		
deliveryNote_financialDiscount	double	<input type="checkbox"/>		
deliveryNote_journalKey	string	<input type="checkbox"/>		
deliveryNote_reference	string	<input type="checkbox"/>		

## Table Columns

Name	Data Type	Label	Required	Documentation
COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
RETURN	int32	Return		

### UpdateFinancialDiversBooking

Name: UpdateFinancialDiversBooking

Catalog: Octopus

Schema: OctopusWS

## Parameters

Name	Data Type	Required	Default Value	Documentation
booking_bookingLines_accountKey	int32	<input type="checkbox"/>		
booking_bookingLines_amount	double	<input type="checkbox"/>		
booking_bookingLines_codaInfo_codaMoveLineData	string	<input type="checkbox"/>		
booking_bookingLines_codaInfo_codaVersion	string	<input type="checkbox"/>		
booking_bookingLines_costCentreKey	string	<input type="checkbox"/>		
booking_bookingLines_costCentreKey_id	int32	<input type="checkbox"/>		
booking_bookingLines_externalRelationId	int32	<input type="checkbox"/>		

Name	Data Type	Required	Default Value	Documentation
booking_bookingLines_reference	string	<input type="checkbox"/>		
booking_bookingLines_type	string	<input type="checkbox"/>		
booking_bookyearKey	string	<input type="checkbox"/>		
booking_bookyearKey_id	int32	<input type="checkbox"/>		
booking_bookyearPeriodeNr	int32	<input type="checkbox"/>		
booking_documentDate	datetime	<input type="checkbox"/>		
booking_documentSequenceNr	int32	<input type="checkbox"/>		
booking_exchangeRate	double	<input type="checkbox"/>		
booking_journalKey	string	<input type="checkbox"/>		
COMPANY_CODE	string	<input type="checkbox"/>		

## Table Columns

Name	Data Type	Label	Required	Documentation
COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
RETURN	int32	Return		

## UpdateInvoice

Name: UpdateInvoice

Catalog: Octopus

Schema: OctopusWS

## Parameters

Name	Data Type	Required	Default Value	Documentation
COMPANY_CODE	string	<input type="checkbox"/>		
invoice_bookyearKey	string	<input type="checkbox"/>		
invoice_bookyearKey_id	int32	<input type="checkbox"/>		
invoice_bookyearPeriodeNr	int32	<input type="checkbox"/>		
invoice_comment	string	<input type="checkbox"/>		
invoice_currencyCode	string	<input type="checkbox"/>		
invoice_documentDate	datetime	<input type="checkbox"/>		
invoice_documentSequenceNr	int32	<input type="checkbox"/>		
invoice_exchangeRate	double	<input type="checkbox"/>		
invoice_expiryDate	datetime	<input type="checkbox"/>		
invoice_externalRelationId	int32	<input type="checkbox"/>		
invoice_financialDiscount	double	<input type="checkbox"/>		
invoice_invoiceLines_bookingAccountNr	int32	<input type="checkbox"/>		

Name	Data Type	Required	Default Value	Documentation
invoice_invoiceLines_costCentreKey	string	<input type="checkbox"/>		
invoice_invoiceLines_costCentreKey_id	int32	<input type="checkbox"/>		
invoice_invoiceLines_count	double	<input type="checkbox"/>		
invoice_invoiceLines_description	string	<input type="checkbox"/>		
invoice_invoiceLines_discountPercentage	double	<input type="checkbox"/>		
invoice_invoiceLines_externProductNr	string	<input type="checkbox"/>		
invoice_invoiceLines_unit	string	<input type="checkbox"/>		
invoice_invoiceLines_unitPrice	double	<input type="checkbox"/>		
invoice_invoiceLines_vatCodeKey	string	<input type="checkbox"/>		
invoice_journalKey	string	<input type="checkbox"/>		
invoice_reference	string	<input type="checkbox"/>		

## Table Columns

Name	Data Type	Label	Required	Documentation
COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
RETURN	int32	Return		

### VatCodes

Name: VatCodes

Catalog: Octopus

Schema: OctopusWS

## Parameters

Name	Data Type	Required	Default Value	Documentation
COMPANY_CODE	string	<input type="checkbox"/>		
GetVatCodes	string	<input type="checkbox"/>		

## Table Columns

Name	Data Type	Label	Required	Documentation
BASEPERCENTAGE	double	Base Percentage		
CODE	string	Code		
COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
DEFAULTSELLBOOKINGACCOUNTNR	int32	Default Sell Booking Account Number		
DESCRIPTION	string	Description		
TYPE	int32	Type		

## 2.1.2 Schema: Views

### 2.1.2.1 Tables

#### AccountsAll

Name: AccountsAll

Catalog: Octopus

Schema: Views

## Table Columns

Name	Data Type	Label	Required	Documentation
act_ACCOUNTKEY	string	General Ledger Account Key		
act_ACCOUNTKEY_BOOKYEARKEY	string	General Ledger Account Key Financial Year Key		
act_ACCOUNTKEY_BOOKYEARKEY_ID	int32	Financial Year Key ID		
act_ACCOUNTKEY_ID	int32	General Ledger Account Key ID		
act_COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
act_COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
act_COSTCENTRETYPE	int32	Cost Center Type		
act_DEFAULTCOSTCENTREKEY	string	Default Cost Centre Key		
act_DEFAULTCOSTCENTREKEY_ID	int32	Default Cost Centre Key ID		
act_DESCRIPTION_DESCRIPTION_FR	string	Description Description (FR)		
act_DESCRIPTION_DESCRIPTION_NL	string	Description Description (NL)		
act_FISCPROFESSIONALPERCENTAGE	double	itgen_octopus_fisc_professional_percent-age		
act_FISCRECUPPERCENTAGE	double	itgen_octopus_fisc_recup_percentage		
act_PURCHASEVATCODE	string	Purchase VAT Code		
act_SALESVATCODE	string	Sales VAT Code		
act_VATRECUPPERCENTAGE	double	itgen_octopus_vat_recup_percentage		
byr_BOOKYEARDESCRIPTION	string	Financial Year Description		

Name	Data Type	Label	Required	Documentation
byr_BOOKYEARKEY	string	Financial Year Key		
byr_BOOKYEARKEY_ID	int32	Financial Year Key ID		
byr_CLOSED	boolean	Closed		
byr_COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
byr_COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
byr_ENDDATE	datetime	End Date		
byr_PERIODS_BOOKYEARPERIOD	int32	Period		
byr_PERIODS_ENDDATE	datetime	End Date		
byr_PERIODS_STARTDATE	datetime	Start Date		
byr_STARTDATE	datetime	Start Date		

**BuySellBookingLinesAll**

Name: BuySellBookingLinesAll

Catalog: Octopus

Schema: Views

**Table Columns**

Name	Data Type	Label	Required	Documentation
bke_ACCOUNTKEY	int32	General Ledger Account Key		
bke_BASEAMOUNT	double	Base Amount		
bke_COMMENT	string	Comment		
bke_COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
bke_COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
bke_COSTCENTREKEY	string	Cost Center Key		
bke_COSTCENTREKEY_ID	int32	Cost Center Key ID		
bke_RETURN_AMOUNT	double	Amount		
bke_RETURN_BOOKYEARKEY	string	Financial Year Key		
bke_RETURN_BOOKYEARKEY_ID	int32	Financial Year Key ID		
bke_RETURN_BOOKYEARPERIODE_NR	int32	Period Number		
bke_RETURN_COMMENT	string	Comment		
bke_RETURN_CURRENCYCODE	string	Currency Code		
bke_RETURN_DOCUMENTDATE	datetime	Document Date		
bke_RETURN_DOCUMENTSEQUENCENR	int32	Document Number		
bke_RETURN_EXCHANGERATE	double	Exchange Rate		
bke_RETURN_EXPIRYDATE	datetime	Expiry Date		
bke_RETURN_EXTERNALRELATIONID	int32	External Relation ID		
bke_RETURN_JOURNALKEY	string	Journal Key		

Name	Data Type	Label	Required	Documentation
bke_RETURN_REFERENCE	string	Reference		
bke_RETURN_RELATIONKEY	string	Relation Key		
bke_RETURN_RELATIONKEY_ID	int32	Relation Key ID		
bke_VATAMOUNT	double	VAT Amount		
bke_VATCODEKEY	string	VAT Code Key		
bke_VATRECUPPERCENTAGE	double	itgen_octopus_vat_recup_percentage		
byr_BOOKYEARDESCRIPTION	string	Financial Year Description		
byr_BOOKYEARKEY	string	Financial Year Key		
byr_BOOKYEARKEY_ID	int32	Financial Year Key ID		
byr_CLOSED	boolean	Closed		
byr_COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
byr_COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
byr_ENDDATE	datetime	End Date		
byr_PERIODS_BOOKYEARPERIOD	int32	Period		
byr_PERIODS_ENDDATE	datetime	End Date		
byr_PERIODS_STARTDATE	datetime	Start Date		
byr_STARTDATE	datetime	Start Date		
jnl_BOOKYEARKEY	string	Financial Year Key		
jnl_BOOKYEARKEY_ID	int32	Financial Year Key ID		
jnl_CLOSED	boolean	Closed		
jnl_CLOSEREDPERIOD	int32	Closed Period		
jnl_COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
jnl_COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
jnl_CURRENCYCODE	string	Currency Code		
jnl_INSERTIONTYPE	int32	Insertion Type		
jnl_JOURNALKEY	string	Journal Key		
jnl_LASTBOOKEDDOCUMENTNR	int32	Last Book Document Number		
jnl_NAME	string	Name		
jnl_PROTECTEDPERIOD	int32	Protected Period		

## BuySellBookingsAll

Name: BuySellBookingsAll

Catalog: Octopus

Schema: Views

## Table Columns

Name	Data Type	Label	Required	Documentation
bkg_AMOUNT	double	Amount		

Name	Data Type	Label	Required	Documentation
bkg_BOOKINGLINES_ACCOUNTKEY	int32	General Ledger Account Key		
bkg_BOOKINGLINES_BASEAMOUNT	double	Base Amount		
bkg_BOOKINGLINES_COMMENT	string	Comment		
bkg_BOOKINGLINES_COSTCENTREKEY	string	Cost Center Key		
bkg_BOOKINGLINES_COSTCENTREKEY_ID	int32	Cost Center Key ID		
bkg_BOOKINGLINES_VATAMOUNT	double	VAT Amount		
bkg_BOOKINGLINES_VATCODEKEY	string	VAT Code Key		
bkg_BOOKINGLINES_VATRECUPPERCENTAGE	double	itgen_octopus_vat_recup_percentage		
bkg_BOOKYEARKEY	string	Financial Year Key		
bkg_BOOKYEARKEY_ID	int32	Financial Year Key ID		
bkg_BOOKYEARPERIODENR	int32	Period Number		
bkg_COMMENT	string	Comment		
bkg_COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
bkg_COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
bkg_CURRENCYCODE	string	Currency Code		
bkg_DOCUMENTDATE	datetime	Document Date		
bkg_DOCUMENTSEQUENCENR	int32	Document Number		
bkg_EXCHANGERATE	double	Exchange Rate		
bkg_EXPIRYDATE	datetime	Expiry Date		
bkg_EXTERNALRELATIONID	int32	External Relation ID		
bkg_JOURNALKEY	string	Journal Key		
bkg_REFERENCE	string	Reference		
bkg_RELATIONKEY	string	Relation Key		
bkg_RELATIONKEY_ID	int32	Relation Key ID		
byr_BOOKYEARDESCRIPTION	string	Financial Year Description		
byr_BOOKYEARKEY	string	Financial Year Key		
byr_BOOKYEARKEY_ID	int32	Financial Year Key ID		
byr_CLOSED	boolean	Closed		
byr_COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
byr_COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
byr_ENDDATE	datetime	End Date		
byr_PERIODS_BOOKYEARPERIOD	int32	Period		
byr_PERIODS_ENDDATE	datetime	End Date		
byr_PERIODS_STARTDATE	datetime	Start Date		
byr_STARTDATE	datetime	Start Date		
jnl_BOOKYEARKEY	string	Financial Year Key		

Name	Data Type	Label	Required	Documentation
jnl_BOOKYEARKEY_ID	int32	Financial Year Key ID		
jnl_CLOSED	boolean	Closed		
jnl_CLOSEREDPERIOD	int32	Closed Period		
jnl_COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
jnl_COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
jnl_CURRENCYCODE	string	Currency Code		
jnl_INSERTIONTYPE	int32	Insertion Type		
jnl_JOURNALKEY	string	Journal Key		
jnl_LASTBOOKEDDOCUMENTNR	int32	Last Book Document Number		
jnl_NAME	string	Name		
jnl_PROTECTEDPERIOD	int32	Protected Period		

### DeliveryNoteLinesAll

Name: DeliveryNoteLinesAll

Catalog: Octopus

Schema: Views

## Table Columns

Name	Data Type	Label	Required	Documentation
byr_BOOKYEARDESCRIPTION	string	Financial Year Description		
byr_BOOKYEARKEY	string	Financial Year Key		
byr_BOOKYEARKEY_ID	int32	Financial Year Key ID		
byr_CLOSED	boolean	Closed		
byr_COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
byr_COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
byr_ENDDATE	datetime	End Date		
byr_PERIODS_BOOKYEARPERIOD	int32	Period		
byr_PERIODS_ENDDATE	datetime	End Date		
byr_PERIODS_STARTDATE	datetime	Start Date		
byr_STARTDATE	datetime	Start Date		
dne_BOOKINGACCOUNTNR	int32	Account Number		
dne_COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
dne_COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
dne_COSTCENTREKEY	string	Cost Center Key		
dne_COSTCENTREKEY_ID	int32	Cost Center Key ID		
dne_COUNT	double	Count		
dne_DESCRIPTION	string	Description		
dne_DISCOUNTPERCENTAGE	double	Discount Percentage		

Name	Data Type	Label	Required	Documentation
dne_EXTERNPRODUCTNR	string	External Product Number		
dne_RETURN_BOOKYEARKEY	string	Delivery Note Financial Year Key		
dne_RETURN_BOOKYEARKEY_ID	int32	Financial Year Key ID		
dne_RETURN_BOOKYEARPERIODENR	int32	Delivery Note Period Number		
dne_RETURN_COMMENT	string	Delivery Note Comment		
dne_RETURN_CURRENCYCODE	string	Delivery Note Currency Code		
dne_RETURN_DOCUMENTDATE	datetime	Delivery Note Document Date		
dne_RETURN_DOCUMENTSEQUENCENR	int32	Delivery Note Document Number		
dne_RETURN_EXCHANGERATE	double	Delivery Note Exchange Rate		
dne_RETURN_EXPIRYDATE	datetime	Delivery Note Expiry Date		
dne_RETURN_EXTERNALRELATIONID	int32	Delivery Note External Relation ID		
dne_RETURN_FINANCIALDISCOUNT	double	Delivery Note Financial Discount		
dne_RETURN_JOURNALKEY	string	Delivery Note Journal Key		
dne_RETURN_REFERENCE	string	Delivery Note Reference		
dne_UNIT	string	Unit		
dne_UNITPRICE	double	Unit Price		
dne_VATCODEKEY	string	VAT Code Key		
jnl_BOOKYEARKEY	string	Financial Year Key		
jnl_BOOKYEARKEY_ID	int32	Financial Year Key ID		
jnl_CLOSED	boolean	Closed		
jnl_CLOSEDPERIOD	int32	Closed Period		
jnl_COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
jnl_COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
jnl_CURRENCYCODE	string	Currency Code		
jnl_INSERTIONTYPE	int32	Insertion Type		
jnl_JOURNALKEY	string	Journal Key		
jnl_LASTBOOKEDDOCUMENTNR	int32	Last Book Document Number		
jnl_NAME	string	Name		
jnl_PROTECTEDPERIOD	int32	Protected Period		

**DeliveryNotesAll**

Name: DeliveryNotesAll

Catalog: Octopus

Schema: Views

**Table Columns**

Name	Data Type	Label	Required	Documentation
byr_BOOKYEARDESCRIPTION	string	Financial Year Description		
byr_BOOKYEARKEY	string	Financial Year Key		
byr_BOOKYEARKEY_ID	int32	Financial Year Key ID		
byr_CLOSED	boolean	Closed		
byr_COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
byr_COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
byr_ENDDATE	datetime	End Date		
byr_PERIODS_BOOKYEARPERIOD	int32	Period		
byr_PERIODS_ENDDATE	datetime	End Date		
byr_PERIODS_STARTDATE	datetime	Start Date		
byr_STARTDATE	datetime	Start Date		
dne_BOOKYEARKEY	string	Financial Year Key		
dne_BOOKYEARKEY_ID	int32	Financial Year Key ID		
dne_BOOKYEARPERIODNR	int32	Period Number		
dne_COMMENT	string	Comment		
dne_COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
dne_COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
dne_CURRENCYCODE	string	Currency Code		
dne_DELIVERYNOTELINES_BOOKINGACCOUNTNR	int32	Delivery Note Lines Account Number		
dne_DELIVERYNOTELINES_COSTCENTREKEY	string	Delivery Note Lines Cost Center Key		
dne_DELIVERYNOTELINES_COSTCENTREKEY_ID	int32	Delivery Note Lines Cost Center Key ID		
dne_DELIVERYNOTELINES_COUNT	double	Delivery Note Lines Count		
dne_DELIVERYNOTELINES_DESCRIPTION	string	Delivery Note Lines Description		
dne_DELIVERYNOTELINES_DISCOUNTPERCENTAGE	double	Delivery Note Lines Discount Percentage		
dne_DELIVERYNOTELINES_EXTERNPROMOTENR	string	Delivery Note Lines External Product Number		
dne_DELIVERYNOTELINES_UNIT	string	Delivery Note Lines Unit		
dne_DELIVERYNOTELINES_UNITPRICE	double	Delivery Note Lines Unit Price		

Name	Data Type	Label	Required	Documentation
dne_DELIVERYNOTELINES_VATCODEKEY	string	Delivery Note Lines VAT Code Key		
dne_DOCUMENTDATE	datetime	Document Date		
dne_DOCUMENTSEQUENCENR	int32	Document Number		
dne_EXCHANGERATE	double	Exchange Rate		
dne_EXPIRYDATE	datetime	Expiry Date		
dne_EXTERNALRELATIONID	int32	External Relation ID		
dne_FINANCIALDISCOUNT	double	Financial Discount		
dne_JOURNALKEY	string	Journal Key		
dne_REFERENCE	string	Reference		
jnl_BOOKYEARKEY	string	Financial Year Key		
jnl_BOOKYEARKEY_ID	int32	Financial Year Key ID		
jnl_CLOSED	boolean	Closed		
jnl_CLOSEREDPERIOD	int32	Closed Period		
jnl_COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
jnl_COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
jnl_CURRENCYCODE	string	Currency Code		
jnl_INSERTIONTYPE	int32	Insertion Type		
jnl_JOURNALKEY	string	Journal Key		
jnl_LASTBOOKEDDOCUMENTNR	int32	Last Book Document Number		
jnl_NAME	string	Name		
jnl_PROTECTEDPERIOD	int32	Protected Period		

**FinancialDiversBookingLinesAll**

Name: FinancialDiversBookingLinesAll

Catalog: Octopus

Schema: Views

**Table Columns**

Name	Data Type	Label	Required	Documentation
byr_BOOKYEARDESCRIPTION	string	Financial Year Description		
byr_BOOKYEARKEY	string	Financial Year Key		
byr_BOOKYEARKEY_ID	int32	Financial Year Key ID		
byr_CLOSED	boolean	Closed		
byr_COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
byr_COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
byr_ENDDATE	datetime	End Date		
byr_PERIODS_BOOKYEARPERIOD	int32	Period		

Name	Data Type	Label	Required	Documentation
byr_PERIODS_ENDDATE	datetime	End Date		
byr_PERIODS_STARTDATE	datetime	Start Date		
byr_STARTDATE	datetime	Start Date		
ile_ACCOUNTKEY	int32	General Ledger Account Key		
ile_AMOUNT	double	Amount		
ile_CODAINFO_CODAMOVELINEDATA	string	itgen_octopus_- coda_info itgen_oc- topus_coda_- move_line_data		
ile_CODAINFO_CODAVERSION	string	itgen_octopus_- coda_info itgen_oc- topus_coda_version		
ile_COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
ile_COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
ile_COSTCENTREKEY	string	Cost Center Key		
ile_COSTCENTREKEY_ID	int32	Cost Center Key ID		
ile_EXTERNALRELATIONID	int32	External Relation ID		
ile_REFERENCE	string	Reference		
ile_RETURN_BOOKYEARKEY	string	itgen_octopus_body_- get_financial_divers_- booking_response_re- turn Financial Year Key		
ile_RETURN_BOOKYEARKEY_ID	int32	itgen_octopus_body_- get_financial_divers_- booking_response_re- turn_bookyear_key ID		
ile_RETURN_BOOKYEARPERIODENR	int32	itgen_octopus_body_- get_financial_divers_- booking_response_re- turn Period Number		
ile_RETURN_DOCUMENTDATE	datetime	itgen_octopus_body_- get_financial_divers_- booking_response_re- turn Document Date		
ile_RETURN_DOCUMENTSEQUENCENR	int32	itgen_octopus_body_- get_financial_divers_- booking_response_re- turn Document Number		
ile_RETURN_EXCHANGERATE	double	itgen_octopus_body_- get_financial_divers_- booking_response_re- turn Exchange Rate		
ile_RETURN_JOURNALKEY	string	itgen_octopus_body_- get_financial_divers_- booking_response_re- turn Journal Key		
ile_TYPE	string	Type		
jnl_BOOKYEARKEY	string	Financial Year Key		
jnl_BOOKYEARKEY_ID	int32	Financial Year Key ID		

Name	Data Type	Label	Required	Documentation
jnl_CLOSED	boolean	Closed		
jnl_CLOSEDPERIOD	int32	Closed Period		
jnl_COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
jnl_COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
jnl_CURRENCYCODE	string	Currency Code		
jnl_INSERTIONTYPE	int32	Insertion Type		
jnl_JOURNALKEY	string	Journal Key		
jnl_LASTBOOKEDDOCUMENTNR	int32	Last Book Document Number		
jnl_NAME	string	Name		
jnl_PROTECTEDPERIOD	int32	Protected Period		

**FinancialDiversBookingsAll**

Name: FinancialDiversBookingsAll

Catalog: Octopus

Schema: Views

**Table Columns**

Name	Data Type	Label	Required	Documentation
byr_BOOKYEARDESCRIPTION	string	Financial Year Description		
byr_BOOKYEARKEY	string	Financial Year Key		
byr_BOOKYEARKEY_ID	int32	Financial Year Key ID		
byr_CLOSED	boolean	Closed		
byr_COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
byr_COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
byr_ENDDATE	datetime	End Date		
byr_PERIODS_BOOKYEARPERIOD	int32	Period		
byr_PERIODS_ENDDATE	datetime	End Date		
byr_PERIODS_STARTDATE	datetime	Start Date		
byr_STARTDATE	datetime	Start Date		
fdg_BOOKINGLINES_ACCOUNTKEY	int32	General Ledger Account Key		
fdg_BOOKINGLINES_AMOUNT	double	Amount		
fdg_BOOKINGLINES_CODAINFO_CODAMOVELINEDATA	string	itgen_octopus_booking_lines_coda_info_itgen_octopus_coda_move_line_data		
fdg_BOOKINGLINES_CODAINFO_CODAVERSION	string	itgen_octopus_booking_lines_coda_info_itgen_octopus_coda_version		

Name	Data Type	Label	Required	Documentation
fdg_BOOKINGLINES_COSTCENTREKEY	string	Cost Center Key		
fdg_BOOKINGLINES_COSTCENTREKEY_ID	int32	Cost Center Key ID		
fdg_BOOKINGLINES_EXTERNALRELATIONID	int32	External Relation ID		
fdg_BOOKINGLINES_REFERENCE	string	Reference		
fdg_BOOKINGLINES_TYPE	string	Type		
fdg_BOOKYEARKEY	string	Financial Year Key		
fdg_BOOKYEARKEY_ID	int32	Financial Year Key ID		
fdg_BOOKYEARPERIODENR	int32	Period Number		
fdg_COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
fdg_COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
fdg_DOCUMENTDATE	datetime	Document Date		
fdg_DOCUMENTSEQUENCENR	int32	Document Number		
fdg_EXCHANGERATE	double	Exchange Rate		
fdg_JOURNALKEY	string	Journal Key		
jnl_BOOKYEARKEY	string	Financial Year Key		
jnl_BOOKYEARKEY_ID	int32	Financial Year Key ID		
jnl_CLOSED	boolean	Closed		
jnl_CLOSEREDPERIOD	int32	Closed Period		
jnl_COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
jnl_COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
jnl_CURRENCYCODE	string	Currency Code		
jnl_INSERTIONTYPE	int32	Insertion Type		
jnl_JOURNALKEY	string	Journal Key		
jnl_LASTBOOKEDDOCUMENTNR	int32	Last Book Document Number		
jnl_NAME	string	Name		
jnl_PROTECTEDPERIOD	int32	Protected Period		

### FinancialJournalBalanceAll

Name: FinancialJournalBalanceAll

Catalog: Octopus

Schema: Views

### Table Columns

Name	Data Type	Label	Required	Documentation
byr_BOOKYEARDESCRIPTION	string	Financial Year Description		
byr_BOOKYEARKEY	string	Financial Year Key		

Name	Data Type	Label	Required	Documentation
byr_BOOKYEARKEY_ID	int32	Financial Year Key ID		
byr_CLOSED	boolean	Closed		
byr_COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
byr_COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
byr_ENDDATE	datetime	End Date		
byr_PERIODS_BOOKYEARPERIOD	int32	Period		
byr_PERIODS_ENDDATE	datetime	End Date		
byr_PERIODS_STARTDATE	datetime	Start Date		
byr_STARTDATE	datetime	Start Date		
fje_BALANCE	double	Balance		
fje_BOOKYEARKEY	string	Financial Year Key		
fje_BOOKYEARKEY_ID	int32	Financial Year Key ID		
fje_COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
fje_COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
fje_JOURNALKEY	string	Journal Key		
jnl_BOOKYEARKEY	string	Financial Year Key		
jnl_BOOKYEARKEY_ID	int32	Financial Year Key ID		
jnl_CLOSED	boolean	Closed		
jnl_CLOSEDPERIOD	int32	Closed Period		
jnl_COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
jnl_COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
jnl_CURRENCYCODE	string	Currency Code		
jnl_INSERTIONTYPE	int32	Insertion Type		
jnl_JOURNALKEY	string	Journal Key		
jnl_LASTBOOKEDDOCUMENTNR	int32	Last Book Document Number		
jnl_NAME	string	Name		
jnl_PROTECTEDPERIOD	int32	Protected Period		

### InvoiceLinesAll

Name: InvoiceLinesAll

Catalog: Octopus

Schema: Views

### Table Columns

Name	Data Type	Label	Required	Documentation
byr_BOOKYEARDESCRIPTION	string	Financial Year Description		
byr_BOOKYEARKEY	string	Financial Year Key		
byr_BOOKYEARKEY_ID	int32	Financial Year Key ID		

Name	Data Type	Label	Required	Documentation
byr_CLOSED	boolean	Closed		
byr_COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
byr_COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
byr_ENDDATE	datetime	End Date		
byr_PERIODS_BOOKYEARPERIOD	int32	Period		
byr_PERIODS_ENDDATE	datetime	End Date		
byr_PERIODS_STARTDATE	datetime	Start Date		
byr_STARTDATE	datetime	Start Date		
ile_BOOKINGACCOUNTNR	int32	Account Number		
ile_COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
ile_COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
ile_COSTCENTREKEY	string	Cost Center Key		
ile_COSTCENTREKEY_ID	int32	Cost Center Key ID		
ile_COUNT	double	Count		
ile_DESCRIPTION	string	Description		
ile_DISCOUNTPERCENTAGE	double	Discount Percentage		
ile_EXTERNPRODUCTNR	string	External Product Number		
ile_RETURN_BOOKYEARKEY	string	Financial Year Key		
ile_RETURN_BOOKYEARKEY_ID	int32	Financial Year ID		
ile_RETURN_BOOKYEARPERIODENR	int32	Period Number		
ile_RETURN_COMMENT	string	Comment		
ile_RETURN_CURRENCYCODE	string	Currency Code		
ile_RETURN_DOCUMENTDATE	datetime	Document Date		
ile_RETURN_DOCUMENTSEQUENCENR	int32	Document Number		
ile_RETURN_EXCHANGERATE	double	Exchange Rate		
ile_RETURN_EXPIRYDATE	datetime	Expiry Date		
ile_RETURN_EXTERNALRELATIONID	int32	External Relation ID		
ile_RETURN_FINANCIALDISCOUNT	double	Financial Discount		
ile_RETURN_JOURNALKEY	string	Journal Key		
ile_RETURN_REFERENCE	string	Reference		
ile_UNIT	string	Unit		
ile_UNITPRICE	double	Unit Price		
ile_VATCODEKEY	string	VAT Code Key		
jnl_BOOKYEARKEY	string	Financial Year Key		
jnl_BOOKYEARKEY_ID	int32	Financial Year Key ID		
jnl_CLOSED	boolean	Closed		
jnl_CLOSEDPERIOD	int32	Closed Period		
jnl_COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
jnl_COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
jnl_CURRENCYCODE	string	Currency Code		
jnl_INSERTIONTYPE	int32	Insertion Type		
jnl_JOURNALKEY	string	Journal Key		
jnl_LASTBOOKEDDOCUMENTNR	int32	Last Book Document Number		
jnl_NAME	string	Name		
jnl_PROTECTEDPERIOD	int32	Protected Period		

**InvoicesAll**

Name: InvoicesAll

Catalog: Octopus

Schema: Views

**Table Columns**

Name	Data Type	Label	Required	Documentation
byr_BOOKYEARDESCRIPTION	string	Financial Year Description		
byr_BOOKYEARKEY	string	Financial Year Key		
byr_BOOKYEARKEY_ID	int32	Financial Year Key ID		
byr_CLOSED	boolean	Closed		
byr_COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
byr_COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
byr_ENDDATE	datetime	End Date		
byr_PERIODS_BOOKYEARPERIOD	int32	Period		
byr_PERIODS_ENDDATE	datetime	End Date		
byr_PERIODS_STARTDATE	datetime	Start Date		
byr_STARTDATE	datetime	Start Date		
ive_BOOKYEARKEY	string	Financial Year Key		
ive_BOOKYEARKEY_ID	int32	Financial Year Key ID		
ive_BOOKYEARPERIODNR	int32	Period Number		
ive_COMMENT	string	Comment		
ive_COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
ive_COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
ive_CURRENCYCODE	string	Currency Code		
ive_DOCUMENTDATE	datetime	Document Date		
ive_DOCUMENTSEQUENCENR	int32	Document Number		
ive_EXCHANGERATE	double	Exchange Rate		
ive_EXPIRYDATE	datetime	Expiry Date		
ive_EXTERNALRELATIONID	int32	External Relation ID		

Name	Data Type	Label	Required	Documentation
ive_FINANCIALDISCOUNT	double	Financial Discount		
ive_INVOICELINES_BOOKINGACCOUNTNR	int32	Invoice Lines Account Number		
ive_INVOICELINES_COSTCENTREKEY	string	Invoice Lines Cost Center Key		
ive_INVOICELINES_COSTCENTREKEY_ID	int32	itgen_octopus_invoice_lines_cost_centre_key ID		
ive_INVOICELINES_COUNT	double	Invoice Lines Count		
ive_INVOICELINES_DESCRIPTION	string	Invoice Lines Description		
ive_INVOICELINES_DISCOUNTPERCENTAGE	double	Invoice Lines Discount Percentage		
ive_INVOICELINES_EXTERNPRODUCTNR	string	Invoice Lines External Product Number		
ive_INVOICELINES_UNIT	string	Invoice Lines Unit		
ive_INVOICELINES_UNITPRICE	double	Invoice Lines Unit Price		
ive_INVOICELINES_VATCODEKEY	string	Invoice Lines VAT Code Key		
ive_JOURNALKEY	string	Journal Key		
ive_REFERENCE	string	Reference		
jnl_BOOKYEARKEY	string	Financial Year Key		
jnl_BOOKYEARKEY_ID	int32	Financial Year Key ID		
jnl_CLOSED	boolean	Closed		
jnl_CLOSEDPERIOD	int32	Closed Period		
jnl_COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
jnl_COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
jnl_CURRENCYCODE	string	Currency Code		
jnl_INSERTIONTYPE	int32	Insertion Type		
jnl_JOURNALKEY	string	Journal Key		
jnl_LASTBOOKEDDOCUMENTNR	int32	Last Book Document Number		
jnl_NAME	string	Name		
jnl_PROTECTEDPERIOD	int32	Protected Period		

## JournalsAll

Name: JournalsAll

Catalog: Octopus

Schema: Views

## Table Columns

Name	Data Type	Label	Required	Documentation
byr_BOOKYEARDESCRIPTION	string	Financial Year Description		
byr_BOOKYEARKEY	string	Financial Year Key		
byr_BOOKYEARKEY_ID	int32	Financial Year Key ID		
byr_CLOSED	boolean	Closed		
byr_COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
byr_COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
byr_ENDDATE	datetime	End Date		
byr_PERIODS_BOOKYEARPERIOD	int32	Period		
byr_PERIODS_ENDDATE	datetime	End Date		
byr_PERIODS_STARTDATE	datetime	Start Date		
byr_STARTDATE	datetime	Start Date		
jnl_BOOKYEARKEY	string	Financial Year Key		
jnl_BOOKYEARKEY_ID	int32	Financial Year Key ID		
jnl_CLOSED	boolean	Closed		
jnl_CLOSEDPERIOD	int32	Closed Period		
jnl_COMPANY_CODE	string	Partition Code	<input checked="" type="checkbox"/>	
jnl_COMPANY_NAME	string	Partition Name	<input checked="" type="checkbox"/>	
jnl_CURRENCYCODE	string	Currency Code		
jnl_INSERTIONTYPE	int32	Insertion Type		
jnl_JOURNALKEY	string	Journal Key		
jnl_LASTBOOKEDDOCUMENTNR	int32	Last Book Document Number		
jnl_NAME	string	Name		
jnl_PROTECTEDPERIOD	int32	Protected Period		

# Index

## - A -

Account Amount Key 36  
 Account Number 14  
 Active 52  
 Amount 8, 18, 45, 49, 77, 85

Exchange Rate 8, 33, 45, 47, 51, 65, 77, 87  
 Expiration Date 57  
 Expiration Days 52  
 Expiration Type 52  
 Expiry Date 8, 33, 45, 47, 51, 65, 77, 87  
 External Product Number 14  
 External Relation ID 8, 18, 33, 45, 47, 49, 51, 77, 85, 87  
 External Relation Number 52

## - B -

Balance 36  
 Bank Account Number 52  
 Base Amount 7, 78  
 BIC Code 52  
 Booking Amount 65

## - F -

Fax 52  
 Financial Discount 33, 47, 51, 87  
 Financial Period Key 36  
 Financial Year Description 6  
 Financial Year Key 6, 8, 33, 45, 47, 51, 57, 65, 77, 87  
 First Name 52

## - C -

City 52  
 Client 52  
 Closed 6  
 Comment 7, 8, 33, 45, 47, 51, 57, 65, 77, 78, 87  
 Contact Person 52  
 Corporation Type 52  
 Cost Center Key 7, 14, 18, 49, 65, 78, 85  
 Count 14  
 Country 52  
 Currency Code 8, 33, 45, 47, 51, 57, 65, 77, 87

General Ledger Account Key 7, 18, 36, 49, 65, 78, 85

## - I -

IBAN Account Number 52  
 ID 14, 45  
 Invoice Language 52

## - D -

Default Booking Account Client 52  
 Default Booking Account Supplier 52  
 Description 14  
 Discount Percentage 14  
 Document Amount 65  
 Document Date 8, 33, 45, 47, 51, 57, 65, 77, 87  
 Document Number 8, 33, 45, 47, 51, 57, 65, 77, 87  
 Dunning Date 57  
 Dunning ID 57

Journal Key 8, 33, 45, 47, 51, 57, 77, 87  
 Journal Number 65  
 Journal Type 65

## - L -

Line Sequence Number 65

## - M -

Mobile 52

## - E -

Email 52  
 End Date 6, 7, 76, 77, 78, 80, 82, 83, 85, 86, 87, Name 52  
 89, 90

## - N -

**- O -**

Open Amount 57

**- P -**

Period 7, 76, 77, 78, 80, 82, 83, 85, 86, 87, 89, 90

Period Number 8, 33, 45, 47, 51, 65, 77, 87

Postal Code 52

**- R -**

Reference 8, 18, 33, 45, 47, 49, 51, 57, 65, 77, 85,

87

Relation Key 8, 45, 52, 65, 77

Remarks 52

Return 3, 4, 5, 6, 10, 22, 23, 25, 26, 27, 29, 30,

70, 71, 72, 73, 74

**- S -**

Search Field 1 52

Search Field 2 52

Start Date 6, 7, 76, 77, 78, 80, 82, 83, 85, 86, 87,

89, 90

Street and House Number 52

Supplier 52

**- T -**

Telephone 52

Type 18, 49, 85

**- U -**

Unit 14

Unit Price 14

URL 52

**- V -**

VAT Amount 7, 78

VAT Code Key 7, 14, 78

VAT Number 52

VAT Section Code 65

VAT Type 52

accessToken 5, 6

Account Name 62

Account Number 12, 33, 80, 87  
 account\_accountKey 29  
 account\_accountKey\_bookyearKey 29  
 account\_accountKey\_bookyearKey\_id 29  
 account\_accountKey\_id 29  
 account\_costCentreType 29  
 account\_defaultCostCentreKey 29  
 account\_defaultCostCentreKey\_id 29  
 account\_description\_description\_FR 29  
 account\_description\_description\_NL 29  
 account\_fiscProfessionalPercentage 29  
 account\_fiscRecupPercentage 29  
 account\_purchaseVatCode 29  
 account\_salesVatCode 29

account\_vatRecupPercentage 29  
 ACCOUNTKEY 2, 8, 19, 62  
 ACCOUNTKEY\_BOOKYEARKEY 2, 62  
 ACCOUNTKEY\_BOOKYEARKEY\_ID 2, 62  
 ACCOUNTKEY\_ID 2, 62  
 ACCOUNTNAME 62  
 Accounts 2  
 AccountsAll 76  
 act\_ACCOUNTKEY 76  
 act\_ACCOUNTKEY\_BOOKYEARKEY 76  
 act\_ACCOUNTKEY\_BOOKYEARKEY\_ID 76  
 act\_ACCOUNTKEY\_ID 76  
 act\_COMPANY\_CODE 76  
 act\_COMPANY\_NAME 76  
 act\_COSTCENTRETYPE 76  
 act\_DEFAULTCOSTCENTREKEY 76  
 act\_DEFAULTCOSTCENTREKEY\_ID 76  
 act\_DESCRIPTION\_DESCRIPTION\_FR 76  
 act\_DESCRIPTION\_DESCRIPTION\_NL 76  
 act\_FISCPROFESSIONALPERCENTAGE 76  
 act\_FISCRECUPPERCENTAGE 76  
 act\_PURCHASEVATCODE 76  
 act\_SALESVATCODE 76  
 act\_VATRECUPPERCENTAGE 76

ACTIVE 59  
 Active Cost Center 62  
 ACTIVECOSTCENTRE 62  
 AddAttachementToBooking 3  
 Amount 7, 19, 78, 83  
 api-url 1  
 attachement\_fileData 3  
 attachement\_fileName 3  
 attachementList\_fileData 23, 27  
 attachementList\_fileName 23, 27  
 Authenticate 4  
 AuthenticateAndConnect 4  
 AuthenticateAndConnectWithToken 5

AuthenticateWithToken	6	bkg_BOOKINGLINES_COSTCENTREKEY_ID	78
balacing_balanceAmount	22	bkg_BOOKINGLINES_VATAMOUNT	78
balacing_creditKey_bookyearKey	22	bkg_BOOKINGLINES_VATCODEKEY	78
balacing_creditKey_bookyearKey_id	22	bkg_BOOKINGLINES_VATRECUPPERCENTAGE	
balacing_creditKey_documentSequenceNr	22	78	
balacing_creditKey_journalKey	22	bkg_BOOKYEARKEY	78
balacing_creditKey_lineSequenceNr	22	bkg_BOOKYEARKEY_ID	78
balacing_debetKey_bookyearKey	22	bkg_BOOKYEARPERIODNR	78
balacing_debetKey_bookyearKey_id	22	bkg_COMMENT	78
balacing_debetKey_documentSequenceNr	22	bkg_COMPANY_CODE	78
balacing_debetKey_journalKey	22	bkg_COMPANY_NAME	78
balacing_debetKey_lineSequenceNr	22	bkg_CURRENCYCODE	78
Balance	20, 86	bkg_DOCUMENTDATE	78
Bank Account Number	59	bkg_DOCUMENTSEQUENCENR	78
BANKACCOUNTNR	59	bkg_EXCHANGERATE	78
Base Amount	8, 77	bkg_EXPIRYDATE	78
Base Percentage	75	bkg_EXTERNALRELATIONID	78
BASEAMOUNT	8	bkg_JOURNALKEY	78
BASEPERCENTAGE	75	bkg_REFERENCE	78
BIC Code	59	bkg_RELATIONKEY	78
BICCODE	59	bkg_RELATIONKEY_ID	78
bke_ACCOUNTKEY	77	booking_amount	22, 23, 71
bke_BASEAMOUNT	77	booking_bookingLines_accountKey	22, 23, 26, 27, 71, 73
bke_COMMENT	77	booking_bookingLines_amount	26, 27, 73
bke_COMPANY_CODE	77	booking_bookingLines_baseAmount	22, 23, 71
bke_COMPANY_NAME	77	booking_bookingLines_codaInfo_codaMoveLineData	
bke_COSTCENTREKEY	77	26, 27, 73	
bke_COSTCENTREKEY_ID	77	booking_bookingLines_codaInfo_codaVersion	26, 27, 73
bke_RETURN_AMOUNT	77	booking_bookingLines_comment	22, 23, 71
bke_RETURN_BOOKYEARKEY	77	booking_bookingLines_costCentreKey	22, 23, 26, 27, 71, 73
bke_RETURN_BOOKYEARKEY_ID	77	booking_bookingLines_costCentreKey_id	22, 23, 26, 27, 71, 73
bke_RETURN_BOOKYEARPERIODNR	77	booking_bookingLines_externalRelationId	26, 27, 73
bke_RETURN_COMMENT	77	booking_bookingLines_reference	26, 27, 73
bke_RETURN_CURRENCYCODE	77	booking_bookingLines_type	26, 27, 73
bke_RETURN_DOCUMENTDATE	77	booking_bookingLines_vatAmount	22, 23, 71
bke_RETURN_DOCUMENTSEQUENCENR	77	booking_bookingLines_vatCodeKey	22, 23, 71
bke_RETURN_EXCHANGERATE	77	booking_bookingLines_vatRecupPercentage	22, 23, 71
bke_RETURN_EXPIRYDATE	77	booking_bookyearKey	22, 23, 26, 27, 71, 73
bke_RETURN_EXTERNALRELATIONID	77	booking_bookyearKey_id	22, 23, 26, 27, 71, 73
bke_RETURN_JOURNALKEY	77	booking_bookyearPeriodeNr	22, 23, 26, 27, 71, 73
bke_RETURN_REFERENCE	77	booking_comment	22, 23, 71
bke_RETURN_RELATIONKEY	77	booking_currencyCode	22, 23, 71
bke_RETURN_RELATIONKEY_ID	77	booking_documentDate	22, 23, 26, 27, 71, 73
bke_VATAMOUNT	77	booking_documentSequenceNr	22, 23, 26, 27, 71, 73
bke_VATCODEKEY	77	booking_exchangeRate	22, 23, 26, 27, 71, 73
bke_VATRECUPPERCENTAGE	77	booking_expiryDate	22, 23, 71
bkg_AMOUNT	78		
bkg_BOOKINGLINES_ACCOUNTKEY	78		
bkg_BOOKINGLINES_BASEAMOUNT	78		
bkg_BOOKINGLINES_COMMENT	78		
bkg_BOOKINGLINES_COSTCENTREKEY	78		

booking\_externalRelationId 22, 23, 71  
 booking\_journalKey 22, 23, 26, 27, 71, 73  
 booking\_reference 22, 23, 71  
 booking\_relationKey 22, 23, 71  
 booking\_relationKey\_id 22, 23, 71  
 BOOKINGACCOUNTNR 12, 33  
 BOOKINGLINES\_ACCOUNTKEY 7, 18  
 BOOKINGLINES\_AMOUNT 18  
 BOOKINGLINES\_BASEAMOUNT 7  
 BOOKINGLINES\_CODAINFO\_CODAMOVELINEDATA 18  
 BOOKINGLINES\_CODAINFO\_CODAVERSION 18  
 BOOKINGLINES\_COMMENT 7  
 BOOKINGLINES\_COSTCENTREKEY 7, 18  
 BOOKINGLINES\_COSTCENTREKEY\_ID 7, 18  
 BOOKINGLINES\_EXTERNALRELATIONID 18  
 BOOKINGLINES\_REFERENCE 18  
 BOOKINGLINES\_TYPE 18  
 BOOKINGLINES\_VATAMOUNT 7  
 BOOKINGLINES\_VATCODEKEY 7  
 BOOKINGLINES\_VATRECUPPERCENTAGE 7  
 BOOKYEARDESCRIPTION 7  
 BOOKYEARKEY 7, 11, 18, 20, 32, 34, 60, 61, 62, 64, 67, 68, 69  
 BOOKYEARKEY\_ID 2, 3, 7, 8, 11, 12, 14, 16, 18, 19, 20, 32, 33, 34, 45, 47, 49, 51, 60, 61, 62, 64, 65, 67, 68, 69  
 BOOKYEARPERIOD 6  
 BOOKYEARPERIODENR 7, 11, 18, 32  
 BOOKYEARPERIODNR 60, 61, 62, 64, 67, 68, 69  
 BookYearPeriods 6  
 Bookyears 7  
 Buy/Sell Transaction Lines 8  
 BuySellBooking 7  
 BuySellBookingLines 8  
 BuySellBookingLinesAll 77  
 BuySellBookingsAll 78  
 byr\_BOOKYEARDESCRIPTION 76, 77, 78, 80, 81, 83, 84, 85, 86, 87, 88, 89, 90  
 byr\_BOOKYEARKEY 76, 77, 78, 80, 82, 83, 85, 86, 87, 88, 89, 90  
 byr\_BOOKYEARKEY\_ID 76, 77, 78, 80, 82, 83, 85, 86, 87, 88, 89, 90  
 byr\_CLOSED 76, 77, 78, 80, 82, 83, 85, 86, 87, 88, 89, 90  
 byr\_COMPANY\_CODE 76, 77, 78, 80, 82, 83, 85, 86, 87, 88, 89, 90  
 byr\_COMPANY\_NAME 76, 77, 78, 80, 82, 83, 85, 86, 87, 88, 89, 90  
 byr\_ENDDATE 76, 77, 78, 80, 82, 83, 85, 86, 87, 88, 89, 90  
 byr\_PERIODS\_BOOKYEARPERIOD 76, 77, 78, 80, 82, 83, 85, 86, 87, 88, 89, 90  
 byr\_PERIODS\_ENDDATE 76, 77, 78, 80, 82, 83, 85, 86, 87, 88, 89, 90  
 byr\_PERIODS\_STARTDATE 76, 77, 78, 80, 82, 83, 85, 86, 87, 88, 89, 90  
 byr\_STARTDATE 76, 77, 78, 80, 82, 83, 85, 86, 87, 88, 90  
 CITY 59  
 CLIENT 59  
 Closed 7, 10, 34, 76, 77, 78, 80, 82, 83, 85, 86, 87, 88, 90  
 Closed Period 34, 77, 78, 80, 82, 83, 85, 86, 87, 88, 90  
 CloseDossier 10  
 CLOSEDPERIOD 34  
 coda 21  
 CODAIMPORTITEMREPORTLINES\_BOOKYEARKEY 21  
 CODAIMPORTITEMREPORTLINES\_BOOKYEARKEY\_ID 21  
 CODAIMPORTITEMREPORTLINES\_DOCUMENTSEQ 21  
 UENCENR 21  
 CODAIMPORTITEMREPORTLINES\_ERRORCODE 21  
 CODAIMPORTITEMREPORTLINES\_JOURNALKEY 21  
 CODE 75  
 Code Description (FR) 56  
 Code Description (NL) 56  
 CODE\_DESCRIPTION\_FR 56  
 CODE\_DESCRIPTION\_NL 56  
 Comment 7, 8, 11, 32, 60, 61, 62, 64, 67, 68, 69, 77, 78, 82, 89  
 Company Description 14  
 Company Key 14  
 Company Key ID 14  
 COMPANY\_CODE 2, 3, 4, 5, 6, 7, 8, 10, 11, 12, 14, 16, 17, 18, 19, 20, 21, 22, 23, 25, 26, 27, 29, 30, 31, 32, 33, 34, 35, 36, 38, 40, 45, 47, 49, 51, 52, 56, 57, 59, 60, 61, 62, 64, 65, 67, 68, 69, 70, 71, 72, 73, 74, 75  
 COMPANY\_NAME 2, 3, 4, 5, 6, 7, 8, 10, 11, 12, 14, 16, 17, 18, 19, 20, 21, 22, 23, 25, 26, 27, 29, 30, 31, 32, 33, 34, 35, 36, 38, 40, 45, 47, 49, 51, 52, 56, 57, 59, 60, 61, 62, 64, 65, 67, 68, 69, 70, 71, 72, 73, 74, 75  
 ConnectToDossier 10  
 Contact Person 59  
 CONTACTPERSON 59  
 Corporation Type 59  
 CORPORATIONTYPE 59  
 Cost Center Key 8, 10, 12, 19, 33, 62, 77, 80, 83, 87  
 88, 89, 90  
 87

Cost Center Key ID 7, 8, 10, 12, 18, 19, 33, 62, 70  
 Deleted Document Number 65  
 78, 80, 83, 85, 87  
 Deleted Financial Year Key 36, 38, 65  
 Cost Center Key Return 10  
 Deleted ID 36, 38  
 Cost Center Name 62  
 Deleted Journal Sequence Number 65  
 Cost Center Type 2, 76  
 Deleted Journal Type 65  
 costcentre\_closed 29  
 DELETEDACCOUNTAMOUNTS\_ACCOUNTAMOUNT  
 costcentre\_costCentreKey 29 KEY 36  
 costcentre\_costCentreKey\_id 29  
 DELETEDACCOUNTAMOUNTS\_ACCOUNTAMOUNT  
 costcentre\_description\_description\_FR 29 KEY\_ACCOUNTKEY 36  
 costcentre\_description\_description\_NL 29  
 DELETEDACCOUNTAMOUNTS\_ACCOUNTAMOUNT  
 COSTCENTREKEY 8, 10, 12, 19, 33, 62 KEY\_ACCOUNTKEY\_BOOKYEARKEY 36  
 COSTCENTREKEY\_ID 8, 10, 12, 19, 33, 62  
 DELETEDACCOUNTAMOUNTS\_ACCOUNTAMOUNT  
 COSTCENTRENAME 62 KEY\_ACCOUNTKEY\_BOOKYEARKEY\_ID 36  
 DELETEDACCOUNTAMOUNTS\_ACCOUNTAMOUNT  
 CostCentres 10 KEY\_ACCOUNTKEY\_ID 36  
 DELETEDACCOUNTAMOUNTS\_ACCOUNTAMOUNT  
 COSTCENTRETYPE 2 KEY\_BOOKYEARPERIODKEY 36  
 Count 12, 33, 80, 87  
 DELETEDACCOUNTAMOUNTS\_ACCOUNTAMOUNT  
 COUNTRY 59 KEY\_BOOKYEARPERIODKEY\_BOOKYEARKEY  
 credentials\_password 4 36  
 credentials\_user 4  
 Credit Booking Amount 60, 61, 62, 64, 67, 68, 69  
 DELETEDACCOUNTAMOUNTS\_ACCOUNTAMOUNT  
 Credit Document Amount 60, 61, 64, 67, 68, 69 KEY\_BOOKYEARPERIODKEY\_BOOKYEARKEY\_ID  
 CREDITBOOKINGAMOUNT 60, 61, 62, 64, 67, 68, 36  
 69  
 DELETEDACCOUNTAMOUNTS\_ACCOUNTAMOUNT  
 CREDITDOCUMENTAMOUNT 60, 61, 64, 67, 68, KEY\_BOOKYEARPERIODKEY\_BOOKYEARPERIOD  
 69 NR 36  
 Currency Code 7, 11, 32, 34, 56, 60, 61, 64, 67, 68, 69  
 DELETEDACCOUNTAMOUNTS\_BALANCE 36  
 69, 77, 78, 80, 82, 83, 85, 86, 87, 89, 90  
 DELETEDACCOUNTS\_ACCOUNTKEY 38  
 CURRENCYCODE 7, 11, 32, 34, 56, 60, 61, 64, 69  
 DELETEDACCOUNTS\_ACCOUNTKEY\_BOOKYEAR  
 68, 69 KEY 38  
 Debet Document Amount 60, 61, 64, 67, 68, 69  
 DELETEDACCOUNTS\_ACCOUNTKEY\_BOOKYEAR  
 DEBETBOOKINGAMOUNT 60, 61, 62, 64, 67, 68, KEY\_ID 38  
 69  
 DELETEDACCOUNTS\_ACCOUNTKEY\_ID 38  
 DEBETDOCUMENTAMOUNT 60, 61, 64, 67, 68, 69  
 DELETEDACCOUNTS\_COSTCENTRETYPE 38  
 Debit Booking Amount 60, 61, 62, 64, 67, 68, 69  
 DELETEDACCOUNTS\_DEFAULTCOSTCENTREKEY  
 Default Booking Account Client 59 38  
 Default Booking Account Number 56  
 DELETEDACCOUNTS\_DEFAULTCOSTCENTREKEY  
 Default Booking Account Supplier 59 \_ID 38  
 Default Cost Center 56  
 DELETEDACCOUNTS\_DESCRIPTION\_DESCRIPTION  
 Default Cost Center ID 56 FR 38  
 Default Cost Centre Key 2, 76  
 DELETEDACCOUNTS\_DESCRIPTION\_DESCRIPTION  
 Default Cost Centre Key ID 2, 76 NL 38  
 Default Sell Booking Account Number 75  
 DELETEDACCOUNTS\_FISCPROFESSIONALPERCE  
 DEFAULTBOOKINGACCOUNTCLIENT 59 NTAGE 38  
 DEFAULTBOOKINGACCOUNTNR 56  
 DELETEDACCOUNTS\_FISCRECUPPERCENTAGE  
 DEFAULTBOOKINGACCOUNTSUPPLIER 59 38  
 DEFAULTCOSTCENTRE 56  
 DELETEDACCOUNTS\_PURCHASEVATCODE 38  
 DEFAULTCOSTCENTRE\_ID 56  
 DELETEDACCOUNTS\_SALESVATCODE 38  
 DEFAULTCOSTCENTREKEY 2  
 DELETEDACCOUNTS\_VATRECUPPERCENTAGE  
 DEFAULTCOSTCENTREKEY\_ID 2 38  
 DEFAULTSELLBOOKINGACCOUNTNR 75  
 DELETEDBALANCINGARRAY\_CREDITBALANCEDB  
 Deleted Account Amount Key 36  
 DELETEDBALANCINGARRAY\_CREDITDOCUMENT  
 Deleted Balance 36 BALANCINGKEY\_BOOKYEARKEY 40

DELETEDBALANCINGARRAY\_CREDITDOCUMENTDELETEDBALANCINGARRAY\_DEBETDOCUMENT\_  
 BALANCINGKEY\_BOOKYEARKEY\_ID 40 REFERENCE 40  
 DELETEDBALANCINGARRAY\_CREDITDOCUMENTDELETEDBALANCINGARRAY\_TYPE\_ACCOUNTNR  
 BALANCINGKEY\_DOCUMENTSEQUENCENR 40 40  
 DELETEDBALANCINGARRAY\_CREDITDOCUMENTDELETEDBALANCINGARRAY\_TYPE\_EXTERNALRE  
 BALANCINGKEY\_JOURNALKEY 40 LATIONID 40  
 DELETEDBALANCINGARRAY\_CREDITDOCUMENTDELETEDBALANCINGARRAY\_TYPE\_RELATIONKE  
 BALANCINGKEY\_LINESSEQUENCENR 40 Y 40  
 DELETEDBALANCINGARRAY\_CREDITDOCUMENTDELETEDBALANCINGARRAY\_TYPE\_RELATIONKE  
 COMMENT 40 Y\_ID 40  
 DELETEDBALANCINGARRAY\_CREDITDOCUMENTDELETEDBOOKINGLIST\_BOOKYEARKEY 65  
 CREDITBOOKINGAMOUNT 40 DELETEDBOOKINGLIST\_BOOKYEARKEY\_ID 65  
 DELETEDBALANCINGARRAY\_CREDITDOCUMENTDELETEDBOOKINGLIST\_DOCUMENTSEQUENCENR  
 CREDITDOCUMENTAMOUNT 40 R 65  
 DELETEDBALANCINGARRAY\_CREDITDOCUMENTDELETEDBOOKINGLIST\_JOURNALSEQUENCENR  
 CURRENCYCODE 40 65  
 DELETEDBALANCINGARRAY\_CREDITDOCUMENTDELETEDBOOKINGLIST\_JOURNALTYPE 65  
 DEBETBOOKINGAMOUNT 40 DELETEDRELATIONS\_ACTIVE 52  
 DELETEDBALANCINGARRAY\_CREDITDOCUMENTDELETEDRELATIONS\_BANKACCOUNTNR 52  
 DEBETDOCUMENTAMOUNT 40 DELETEDRELATIONS\_BICCODE 52  
 DELETEDBALANCINGARRAY\_CREDITDOCUMENTDELETEDRELATIONS\_CITY 52  
 DOCUMENTDATE 40  
 DELETEDBALANCINGARRAY\_CREDITDOCUMENTDELETEDRELATIONS\_CLIENT 52  
 EXCHANGERATE 40 DELETEDRELATIONS\_CONTACTPERSON 52  
 DELETEDBALANCINGARRAY\_CREDITDOCUMENTDELETEDRELATIONS\_CORPORATIONTYPE 52  
 REFERENCE 40 DELETEDRELATIONS\_COUNTRY 52  
 DELETEDBALANCINGARRAY\_DEBETBALANCEDBOOKINGAMOUNTDELETEDRELATIONS\_DEFAULTBOOKINGACCOUN  
 BOOKINGAMOUNT 40 TCLIENT 52  
 DELETEDBALANCINGARRAY\_DEBETDOCUMENTDELETEDRELATIONS\_DEFAULTBOOKINGACCOUN  
 BALANCINGKEY\_BOOKYEARKEY 40 TSUPPLIER 52  
 DELETEDBALANCINGARRAY\_DEBETDOCUMENTDELETEDRELATIONS\_EMAIL 52  
 BALANCINGKEY\_BOOKYEARKEY\_ID 40 DELETEDRELATIONS\_EXPIRATIONDAYS 52  
 DELETEDBALANCINGARRAY\_DEBETDOCUMENTDELETEDRELATIONS\_EXPIRATIONTYPE 52  
 BALANCINGKEY\_DOCUMENTSEQUENCENR 40 DELETEDRELATIONS\_EXTERNALRELATIONNR  
 DELETEDBALANCINGARRAY\_DEBETDOCUMENT52  
 BALANCINGKEY\_JOURNALKEY 40 DELETEDRELATIONS\_FACTLANGUAGE 52  
 DELETEDBALANCINGARRAY\_DEBETDOCUMENTDELETEDRELATIONS\_FAX 52  
 BALANCINGKEY\_LINESSEQUENCENR 40 DELETEDRELATIONS\_FIRSTNAME 52  
 DELETEDBALANCINGARRAY\_DEBETDOCUMENTDELETEDRELATIONS\_IBANACCOUNTNR 52  
 COMMENT 40 DELETEDRELATIONS\_MOBILE 52  
 DELETEDBALANCINGARRAY\_DEBETDOCUMENTDELETEDRELATIONS\_NAME 52  
 CREDITBOOKINGAMOUNT 40 DELETEDRELATIONS\_POSTALCODE 52  
 DELETEDBALANCINGARRAY\_DEBETDOCUMENTDELETEDRELATIONS\_RELATIONKEY 52  
 CREDITDOCUMENTAMOUNT 40 DELETEDRELATIONS\_RELATIONKEY\_ID 52  
 DELETEDBALANCINGARRAY\_DEBETDOCUMENTDELETEDRELATIONS\_REMARKS 52  
 CURRENCYCODE 40 DELETEDRELATIONS\_SEARCHFIELD1 52  
 DEBETBOOKINGAMOUNT 40 DELETEDRELATIONS\_SEARCHFIELD2 52  
 DELETEDBALANCINGARRAY\_DEBETDOCUMENTDELETEDRELATIONS\_STREETANDNR 52  
 DEBETDOCUMENTAMOUNT 40 DELETEDRELATIONS\_SUPPLIER 52  
 DELETEDBALANCINGARRAY\_DEBETDOCUMENTDELETEDRELATIONS\_TELEPHONE 52  
 DOCUMENTDATE 40 DELETEDRELATIONS\_URL 52  
 DELETEDBALANCINGARRAY\_DEBETDOCUMENTDELETEDRELATIONS\_VATNR 52  
 EXCHANGERATE 40 DELETEDRELATIONS\_VATTYPE 52

Delivery Note Comment 12, 14, 80  
 Delivery Note Currency Code 12, 14, 80  
 Delivery Note Document Date 12, 14, 80  
 Delivery Note Document Number 12, 14, 80  
 Delivery Note Exchange Rate 12, 14, 80  
 Delivery Note Expiry Date 12, 14, 80  
 Delivery Note External Relation ID 12, 14, 80  
 Delivery Note Financial Discount 12, 14, 80  
 Delivery Note Financial Year Key 12, 14, 80  
 Delivery Note Journal Key 12, 14, 80  
 Delivery Note Lines 12  
 Delivery Note Lines Account Number 11, 82  
 Delivery Note Lines Cost Center Key 11, 82  
 Delivery Note Lines Cost Center Key ID 11, 82  
 Delivery Note Lines Count 11, 82  
 Delivery Note Lines Description 11, 82  
 Delivery Note Lines Discount Percentage 11, 82  
 Delivery Note Lines External Product Number 11, 82  
 Delivery Note Lines Unit 11, 82  
 Delivery Note Lines Unit Price 11, 82  
 Delivery Note Lines VAT Code Key 11, 82  
 Delivery Note Period Number 12, 14, 80  
 Delivery Note Reference 12, 14, 80  
 DeliveryNote 11  
 deliveryNote\_bookyearKey 14, 25, 72  
 deliveryNote\_bookyearKey\_id 14, 25, 72  
 deliveryNote\_bookyearPeriodeNr 14, 25, 72  
 deliveryNote\_comment 14, 25, 72  
 deliveryNote\_currencyCode 14, 25, 72  
 deliveryNote\_deliveryNoteLines\_bookingAccountNr 14, 25, 72  
 deliveryNote\_deliveryNoteLines\_costCentreKey 14, 25, 72  
 deliveryNote\_deliveryNoteLines\_costCentreKey\_id 14, 25, 72  
 deliveryNote\_deliveryNoteLines\_count 14, 25, 72  
 deliveryNote\_deliveryNoteLines\_description 14, 25, 72  
 deliveryNote\_deliveryNoteLines\_discountPercentage 14, 25, 72  
 deliveryNote\_deliveryNoteLines\_externProductNr 14, 25, 72  
 deliveryNote\_deliveryNoteLines\_unit 14, 25, 72  
 deliveryNote\_deliveryNoteLines\_unitPrice 14, 25, 72  
 deliveryNote\_deliveryNoteLines\_vatCodeKey 14, 25, 72  
 deliveryNote\_documentDate 14, 25, 72  
 deliveryNote\_documentSequenceNr 14, 25, 72  
 deliveryNote\_exchangeRate 14, 25, 72  
 deliveryNote\_expiryDate 14, 25, 72  
 deliveryNote\_externalRelationId 14, 25, 72  
 deliveryNote\_financialDiscount 14, 25, 72  
 deliveryNote\_journalKey 14, 25, 72  
 deliveryNote\_reference 14, 25, 72  
 DeliveryNoteLines 12  
 DELIVERYNOTELINES\_BOOKINGACCOUNTNR 11  
 DELIVERYNOTELINES\_COSTCENTREKEY 11  
 DELIVERYNOTELINES\_COSTCENTREKEY\_ID 11  
 DELIVERYNOTELINES\_COUNT 11  
 DELIVERYNOTELINES\_DESCRIPTION 11  
 DELIVERYNOTELINES\_DISCOUNTPERCENTAGE 11  
 DELIVERYNOTELINES\_EXTERNPRODUCTNR 11  
 DELIVERYNOTELINES\_UNIT 11  
 DELIVERYNOTELINES\_UNITPRICE 11  
 DELIVERYNOTELINES\_VATCODEKEY 11  
 DeliveryNoteLinesAll 80  
 DeliveryNotesAll 82  
 DESCRIPTION 12, 33, 75  
 Description Description (FR) 2, 10, 56, 76  
 Description Description (NL) 2, 10, 56, 76  
 DESCRIPTION\_DESCRIPTION\_FR 2, 10, 56  
 DESCRIPTION\_DESCRIPTION\_NL 2, 10, 56  
 Discount Percentage 12, 33, 80, 87  
 DISCOUNTPERCENTAGE 12, 33  
 dne\_BOOKINGACCOUNTNR 80  
 dne\_BOOKYEARKEY 82  
 dne\_BOOKYEARKEY\_ID 82  
 dne\_BOOKYEARPERIODENR 82  
 dne\_COMMENT 82  
 dne\_COMPANY\_CODE 80, 82  
 dne\_COMPANY\_NAME 80, 82  
 dne\_COSTCENTREKEY 80  
 dne\_COSTCENTREKEY\_ID 80  
 dne\_COUNT 80  
 dne\_CURRENCYCODE 82  
 dne\_DELIVERYNOTELINES\_BOOKINGACCOUNTNR 82  
 dne\_DELIVERYNOTELINES\_COSTCENTREKEY 82  
 dne\_DELIVERYNOTELINES\_COSTCENTREKEY\_ID 82  
 dne\_DELIVERYNOTELINES\_COUNT 82  
 dne\_DELIVERYNOTELINES\_DESCRIPTION 82  
 dne\_DELIVERYNOTELINES\_DISCOUNTPERCENTAGE 82  
 dne\_DELIVERYNOTELINES\_EXTERNPRODUCTNR 82  
 dne\_DELIVERYNOTELINES\_UNIT 82  
 dne\_DELIVERYNOTELINES\_UNITPRICE 82  
 dne\_DELIVERYNOTELINES\_VATCODEKEY 82  
 dne\_DESCRIPTION 80

dhe_DISCOUNTPERCENTAGE	80	EXCHANGERATE	7, 11, 18, 32, 60, 61, 64, 67, 68, 69
dhe_DOCUMENTDATE	82	Expiration Date	67, 68, 69
dhe_DOCUMENTSEQUENCENR	82	Expiration Days	59
dhe_EXCHANGERATE	82	Expiration Type	59
dhe_EXPIRYDATE	82	EXPIRATIONDATE	57, 67, 68, 69
dhe_EXTERNALRELATIONID	82	EXPIRATIONDAYS	59
dhe_EXTERNPRODUCTNR	80	EXPIRATIONTYPE	59
dhe_FINANCIALDISCOUNT	82	Expiry Date	7, 11, 32, 78, 82, 89
dhe_JOURNALKEY	82	EXPIRYDATE	7, 11, 32
dhe_REFERENCE	82	ExportDeliveryNote	14
dhe_RETURN_BOOKYEARKEY	80	ExportInvoice	16
dhe_RETURN_BOOKYEARKEY_ID	80	ExportRappel	17
dhe_RETURN_BOOKYEARPERIODNR	80	External Product Number	12, 33, 56, 80, 87
dhe_RETURN_COMMENT	80	External Relation ID	7, 11, 19, 32, 67, 68, 69, 78, 82, 83, 89
dhe_RETURN_CURRENCYCODE	80	External Relation Number	59
dhe_RETURN_DOCUMENTDATE	80	EXTERNALRELATIONID	7, 11, 19, 32, 67, 68, 69
dhe_RETURN_DOCUMENTSEQUENCENR	80	EXTERNALRELATIONNR	59
dhe_RETURN_EXCHANGERATE	80	EXTERNPRODUCTNR	12, 33, 56
dhe_RETURN_EXPIRYDATE	80	FACTLANGUAGE	59
dhe_RETURN_EXTERNALRELATIONID	80	FAX	59
dhe_RETURN_FINANCIALDISCOUNT	80	fdg_BOOKINGLINES_ACCOUNTKEY	85
dhe_RETURN_JOURNALKEY	80	fdg_BOOKINGLINES_AMOUNT	85
dhe_RETURN_REFERENCE	80	fdg_BOOKINGLINES_CODAINFO_CODAMOVELINE DATA	85
dhe_UNIT	80	fdg_BOOKINGLINES_CODAINFO_CODAVERSION	85
dhe_UNITPRICE	80	fdg_BOOKINGLINES_COSTCENTREKEY	85
dhe_VATCODEKEY	80	fdg_BOOKINGLINES_COSTCENTREKEY_ID	85
Document Date	7, 11, 18, 32, 60, 61, 62, 64, 67, 68, 69, 78, 82, 85, 89	fdg_BOOKINGLINES_EXTERNALRELATIONID	85
Document Number	7, 11, 18, 32, 60, 61, 62, 64, 67, 68, 69, 78, 82, 85, 89	fdg_BOOKINGLINES_REFERENCE	85
DOCUMENTDATE	7, 11, 18, 32, 60, 61, 62, 64, 67, 68, 69	fdg_BOOKINGLINES_TYPE	85
DOCUMENTSEQUENCENR	3, 7, 8, 11, 12, 14, 18, 19, 32, 33, 60, 61, 62, 64, 67, 68, 69	fdg_BOOKYEARKEY	85
DOSSIERDESCRIPTION	14	fdg_BOOKYEARKEY_ID	85
DOSSIERKEY	4, 5, 10, 14	fdg_BOOKYEARPERIODNR	85
DOSSIERKEY_ID	4, 5, 10, 14	fdg_COMPANY_CODE	85
Dossiers	14	fdg_COMPANY_NAME	85
eInvoice XML	16	fdg_DOCUMENTDATE	85
EINVOICEXML	16	fdg_DOCUMENTSEQUENCENR	85
EMAIL	59	fdg_EXCHANGERATE	85
End Date	6, 7, 76, 77, 78, 80, 82, 83, 85, 86, 87, 89, 90	fdg_JOURNALKEY	85
ENDDATE	6, 7	Financial Discount	11, 32, 82, 89
Error Code	21	Financial Period Number	60, 61, 62, 64, 67, 68, 69
Error Description Response Return	14	Financial Periods	6
ERRORCODE	21	Financial Year Description	7, 76, 77, 78, 80, 82, 83, 85, 86, 87, 89, 90
ErrorDescription	14	Financial Year ID	33, 87
errorNr	14	Financial Year Key	7, 11, 18, 20, 32, 34, 60, 61, 62, 64, 67, 68, 69, 76, 77, 78, 80, 82, 83, 85, 86, 87, 89, 90
Exchange Rate	7, 11, 18, 32, 60, 61, 64, 67, 68, 69, 78, 82, 85, 89		

Financial Year Key ID 2, 6, 7, 8, 11, 12, 14, 16, 18  
 historyCostCentreQueryData\_fromBookyearKey\_id  
 20, 21, 32, 34, 51, 57, 60, 61, 62, 64, 65, 67, 68, 69, 62  
 76, 77, 78, 80, 82, 83, 85, 86, 87, 89, 90  
**FINANCIALDISCOUNT** 11, 32  
**FinancialDiversBooking** 18  
**FinancialDiversBookingLines** 19  
**FinancialDiversBookingLinesAll** 83  
**FinancialDiversBookingsAll** 85  
**FinancialJournalBalance** 20  
**FinancialJournalBalanceAll** 86  
 First Name 59  
**FIRSTNAME** 59  
**FISCPROFESSIONALPERCENTAGE** 2  
**FISCRECUPPERCENTAGE** 2  
**fje\_BALANCE** 86  
**fje\_BOOKYEARKEY** 86  
**fje\_BOOKYEARKEY\_ID** 86  
**fje\_COMPANY\_CODE** 86  
**fje\_COMPANY\_NAME** 86  
**fje\_JOURNALKEY** 86  
 force-case-sensitive-identifiers 1  
 forced-casing-identifiers 1  
 General Ledger Account Key 2, 8, 19, 62, 76, 77, 83  
 General Ledger Account Key Financial Year Key 62, 76  
 General Ledger Account Key ID 2, 62, 76  
**GetBookyears** 6, 7  
**GetCostCentres** 10  
**GetDossiers** 14  
**GetLastError** 35  
**GetProductGroups** 56  
**GetProducts** 56  
**GetRelations** 59  
**GetVatCodes** 75  
 historyAccountQueryData\_accountNr 60  
 historyAccountQueryData\_fromBookyearKey 60  
 historyAccountQueryData\_fromBookyearKey\_id 60  
 historyAccountQueryData\_fromBookyearPeriodNr 60  
 historyAccountQueryData\_toBookyearKey 60  
 historyAccountQueryData\_toBookyearKey\_id 60  
 historyAccountQueryData\_toBookyearPeriodNr 60  
 historyClientQueryData\_externalRelationId 61  
 historyClientQueryData\_fromBookyearKey 61  
 historyClientQueryData\_fromBookyearKey\_id 61  
 historyClientQueryData\_fromBookyearPeriodNr 61  
 historyClientQueryData\_toBookyearKey 61  
 historyClientQueryData\_toBookyearKey\_id 61  
 historyClientQueryData\_toBookyearPeriodNr 61  
 historyCostCentreQueryData\_fromAccountNr 62  
 historyCostCentreQueryData\_fromBookyearKey 62  
 historyCostCentreQueryData\_fromBookyearKey\_id 62  
 historyCostCentreQueryData\_fromBookyearPeriodNr 62  
 historyCostCentreQueryData\_showActiveCostCentres 62  
 historyCostCentreQueryData\_showEmptyCostcentres 62  
 historyCostCentreQueryData\_showInactiveCostCentre s 62  
 historyCostCentreQueryData\_toAccountNr 62  
 historyCostCentreQueryData\_toBookyearKey 62  
 historyCostCentreQueryData\_toBookyearKey\_id 62  
 historyCostCentreQueryData\_toBookyearPeriodNr 62  
 historySupplierQueryData\_externalRelationId 64  
 historySupplierQueryData\_fromBookyearKey 64  
 historySupplierQueryData\_fromBookyearKey\_id 64  
 historySupplierQueryData\_fromBookyearPeriodNr 64  
 historySupplierQueryData\_toBookyearKey 64  
 historySupplierQueryData\_toBookyearKey\_id 64  
 historySupplierQueryData\_toBookyearPeriodNr 64  
 http-disk-cache-compression-level 1  
 http-disk-cache-directory 1  
 http-disk-cache-max-age-sec 1  
 http-get-timeout-ms 1  
 http-memory-cache-compression-level 1  
 http-memory-cache-max-age-sec 1  
 http-post-timeout-ms 1  
 IBAN Account Number 59  
 IBANACCOUNTNR 59  
**ile\_ACCOUNTKEY** 83  
**ile\_AMOUNT** 83  
**ile\_BOOKINGACCOUNTNR** 87  
**ile\_CODAINFO\_CODAMOVELINEDATA** 83  
**ile\_CODAINFO\_CODAVERSION** 83  
**ile\_COMPANY\_CODE** 83, 87  
**ile\_COMPANY\_NAME** 83, 87  
**ile\_COSTCENTREKEY** 83, 87  
**ile\_COSTCENTREKEY\_ID** 83, 87  
**ile\_COUNT** 87  
**ile\_DESCRIPTION** 87  
**ile\_DISCOUNTPERCENTAGE** 87  
**ile\_EXTERNALRELATIONID** 83  
**ile\_EXTERNPRODUCTNR** 87  
**ile\_REFERENCE** 83  
**ile\_RETURN\_BOOKYEARKEY** 83, 87  
**ile\_RETURN\_BOOKYEARKEY\_ID** 83, 87  
**ile\_RETURN\_BOOKYEARPERIODNR** 83, 87  
**ile\_RETURN\_COMMENT** 87  
**ile\_RETURN\_CURRENCYCODE** 87

ile_RETURN_DOCUMENTDATE	83, 87	Invoice Lines Unit Price	16, 32, 89
ile_RETURN_DOCUMENTSEQUENCENR	83, 87	Invoice Lines VAT Code Key	16, 32, 89
ile_RETURN_EXCHANGERATE	83, 87	Invoice Period Number	16
ile_RETURN_EXPIRYDATE	87	Invoice Reference	16
ile_RETURN_EXTERNALRELATIONID	87	invoice_bookyearKey	16, 27, 74
ile_RETURN_FINANCIALDISCOUNT	87	invoice_bookyearKey_id	16, 27, 74
ile_RETURN_JOURNALKEY	83, 87	invoice_bookyearPeriodeNr	16, 27, 74
ile_RETURN_REFERENCE	87	invoice_comment	16, 27, 74
ile_TYPE	83	invoice_currencyCode	16, 27, 74
ile_UNIT	87	invoice_documentDate	16, 27, 74
ile_UNITPRICE	87	invoice_documentSequenceNr	16, 27, 74
ile_VATCODEKEY	87	invoice_exchangeRate	16, 27, 74
ImportCoda	21	invoice_expiryDate	16, 27, 74
InsertBalancing	22	invoice_externalRelationId	16, 27, 74
InsertBuySellBooking	22	invoice_financialDiscount	16, 27, 74
InsertBuySellBookingWithAttachments	23	invoice_invoiceLines_bookingAccountNr	16, 27, 74
InsertDeliveryNote	25	invoice_invoiceLines_costCentreKey	16, 27, 74
InsertFinancialDiversBooking	26	invoice_invoiceLines_costCentreKey_id	16, 27, 74
InsertFinancialDiversBookingWithAttachments	27	invoice_invoiceLines_count	16, 27, 74
InsertInvoice	27	invoice_invoiceLines_description	16, 27, 74
Insertion Type	34, 77, 78, 80, 82, 83, 85, 86, 87, 89, 90	invoice_invoiceLines_discountPercentage	16, 27, 74
INSERTIONTYPE	34	invoice_invoiceLines_externProductNr	16, 27, 74
InsertUpdateAccount	29	invoice_invoiceLines_unit	16, 27, 74
InsertUpdateCostcentre	29	invoice_invoiceLines_unitPrice	16, 27, 74
InsertUpdateProduct	30	invoice_invoiceLines_vatCodeKey	16, 27, 74
InsertUpdateRelation	31	invoice_journalKey	16, 27, 74
invantive-sql-forward-filters-to-data-containers	1	invoice_reference	16, 27, 74
invantive-sql-shuffle-fetch-results-data-containers		InvoiceLines	33
invantive-use-cache	1	INVOICELINES_BOOKINGACCOUNTNR	32
Invoice	32	INVOICELINES_COSTCENTREKEY	32
Invoice Comment	16	INVOICELINES_COSTCENTREKEY_ID	32
Invoice Currency Code	16	INVOICELINES_COUNT	32
Invoice Document Date	16	INVOICELINES_DESCRIPTION	32
Invoice Document Number	16	INVOICELINES_DISCOUNTPERCENTAGE	32
Invoice Exchange Rate	16	INVOICELINES_EXTERNPRODUCTNR	32
Invoice Expiry Date	16	INVOICELINES_UNIT	32
Invoice External Relation ID	16	INVOICELINES_UNITPRICE	32
Invoice Financial Discount	16	INVOICELINES_VATCODEKEY	32
Invoice Financial Year Key	16	InvoiceLinesAll	87
Invoice Journal Key	16	INVOICELIST_BOOKYEARKEY	57
Invoice Language	59	INVOICELIST_BOOKYEARKEY_ID	57
Invoice Lines	33	INVOICELIST_COMMENT	57
Invoice Lines Account Number	16, 32, 89	INVOICELIST_CURRENCYCODE	57
Invoice Lines Cost Center Key	16, 32, 89	INVOICELIST_DOCUMENTDATE	57
Invoice Lines Cost Center Key ID	16	INVOICELIST_DOCUMENTSEQUENCENR	57
Invoice Lines Count	16, 32, 89	INVOICELIST_EXPIRATIONDATE	57
Invoice Lines Description	16, 32, 89	INVOICELIST_JOURNALKEY	57
Invoice Lines Discount Percentage	16, 32, 89	INVOICELIST_OPENAMOUNT	57
Invoice Lines External Product Number	16, 32, 8957	INVOICELIST_RAPPELINFOLIST_RAPPELDATE	
Invoice Lines Unit	16, 32, 89	INVOICELIST_RAPPELINFOLIST_RAPPELID	57

INVOICELIST\_REFERENCE 57  
 InvoicesAll 89  
 ive\_BOOKYEARKEY 89  
 ive\_BOOKYEARKEY\_ID 89  
 ive\_BOOKYEARPERIODNR 89  
 ive\_COMMENT 89  
 ive\_COMPANY\_CODE 89  
 ive\_COMPANY\_NAME 89  
 ive\_CURRENCYCODE 89  
 ive\_DOCUMENTDATE 89  
 ive\_DOCUMENTSEQUENCENR 89  
 ive\_EXCHANGERATE 89  
 ive\_EXPIRYDATE 89  
 ive\_EXTERNALRELATIONID 89  
 ive\_FINANCIALDISCOUNT 89  
 ive\_INVOICELINES\_BOOKINGACCOUNTNR 89  
 ive\_INVOICELINES\_COSTCENTREKEY 89  
 ive\_INVOICELINES\_COSTCENTREKEY\_ID 89  
 ive\_INVOICELINES\_COUNT 89  
 ive\_INVOICELINES\_DESCRIPTION 89  
 ive\_INVOICELINES\_DISCOUNTPERCENTAGE 89  
 ive\_INVOICELINES\_EXTERNPRODUCTNR 89  
 ive\_INVOICELINES\_UNIT 89  
 ive\_INVOICELINES\_UNITPRICE 89  
 ive\_INVOICELINES\_VATCODEKEY 89  
 ive\_JOURNALKEY 89  
 ive\_REFERENCE 89  
 jnl\_BOOKYEARKEY 77, 78, 80, 82, 83, 85, 86, 87, 89, 90  
 jnl\_BOOKYEARKEY\_ID 77, 78, 80, 82, 83, 85, 86, 87, 89, 90  
 jnl\_CLOSED 77, 78, 80, 82, 83, 85, 86, 87, 89, 90  
 jnl\_CLOSEDPERIOD 77, 78, 80, 82, 83, 85, 86, 87, 89, 90  
 jnl\_COMPANY\_CODE 77, 78, 80, 82, 83, 85, 86, 87, 89, 90  
 jnl\_COMPANY\_NAME 77, 78, 80, 82, 83, 85, 86, 87, 89, 90  
 jnl\_CURRENCYCODE 77, 78, 80, 82, 83, 85, 86, 87, 89, 90  
 jnl\_INSERTIONTYPE 77, 78, 80, 82, 83, 85, 86, 87, 89, 90  
 jnl\_JOURNALKEY 77, 78, 80, 82, 83, 85, 86, 87, 89, 90  
 jnl\_LASTBOOKEDDOCUMENTNR 77, 78, 80, 82, 83, 85, 86, 87, 89, 90  
 jnl\_NAME 77, 78, 80, 82, 83, 85, 86, 87, 89, 90  
 jnl\_PROTECTEDPERIOD 77, 78, 80, 82, 83, 85, 86, 87, 89, 90  
 Journal Key 7, 11, 18, 20, 32, 34, 60, 61, 62, 64, 67, 68, 69, 77, 78, 80, 82, 83, 85, 86, 87, 89, 90  
 JOURNALKEY 3, 7, 8, 11, 12, 14, 16, 18, 19, 20, 32, 33, 34, 45, 47, 49, 51, 60, 61, 62, 64, 67, 68, 69  
 Journals 34  
 JournalsAll 90  
 journalTypeld 65  
 Last Book Document Number 34, 77, 78, 80, 82, 83, 85, 86, 87, 89, 90  
 Last Error Response Return 35  
 LASTBOOKEDDOCUMENTNR 34  
 LastName 35  
 Line Sequence Number 67, 68, 69  
 LINESEQUENCENR 67, 68, 69  
 locale 70  
 locale\_id 70  
 maximum-length-identifiers 1  
 MOBILE 59  
 Modified Comment 40  
 Modified Credit Booking Amount 40  
 Modified Credit Document Amount 40  
 Modified Currency Code 40  
 Modified Debet Document Amount 40  
 Modified Debit Booking Amount 40  
 Modified Document Date 40  
 Modified Exchange Rate 40  
 Modified Financial Year Key 38  
 Modified ID 38  
 Modified Reference 40  
 ModifiedAccountAmounts 36  
 MODIFIEDACCOUNTAMOUNTS\_ACCOUNTAMOUNTKEY 36  
 MODIFIEDACCOUNTAMOUNTS\_ACCOUNTAMOUNTKEY\_ACCOUNTKEY 36  
 MODIFIEDACCOUNTAMOUNTS\_ACCOUNTAMOUNTKEY\_ACCOUNTKEY\_BOOKYEARKEY 36  
 MODIFIEDACCOUNTAMOUNTS\_ACCOUNTAMOUNTKEY\_ACCOUNTKEY\_BOOKYEARKEY\_ID 36  
 MODIFIEDACCOUNTAMOUNTS\_ACCOUNTAMOUNTKEY\_ACCOUNTKEY\_ID 36  
 MODIFIEDACCOUNTAMOUNTS\_ACCOUNTAMOUNTKEY\_BOOKYEARPERIODKEY 36  
 MODIFIEDACCOUNTAMOUNTS\_ACCOUNTAMOUNTKEY\_BOOKYEARPERIODKEY\_BOOKYEARKEY 36  
 MODIFIEDACCOUNTAMOUNTS\_ACCOUNTAMOUNTKEY\_BOOKYEARPERIODKEY\_BOOKYEARKEY\_ID 36  
 MODIFIEDACCOUNTAMOUNTS\_ACCOUNTAMOUNTKEY\_BOOKYEARPERIODKEY\_BOOKYEARKEY\_ID 36  
 MODIFIEDACCOUNTAMOUNTS\_ACCOUNTAMOUNTKEY\_BOOKYEARPERIODKEY\_BOOKYEARPERIODNR 36  
 MODIFIEDACCOUNTAMOUNTS\_BALANCE 36  
 ModifiedAccounts 38  
 MODIFIEDACCOUNTS\_ACCOUNTKEY 38  
 MODIFIEDACCOUNTS\_ACCOUNTKEY\_BOOKYEARKEY 38

```

MODIFIEDACCOUNTS_ACCOUNTKEY_BOOKYEAR 38 MODIFIEDBALANCINGARRAY_DEBETDOCUMENT_
BALANCINGKEY_BOOKYEARKEY_ID 40
MODIFIEDACCOUNTS_ACCOUNTKEY_ID 38 MODIFIEDBALANCINGARRAY_DEBETDOCUMENT_
MODIFIEDACCOUNTS_COSTCENTRETYPE 38 BALANCINGKEY_DOCUMENTSEQUENCENR 40
MODIFIEDACCOUNTS_DEFAULTCOSTCENTREKEY 38 MODIFIEDBALANCINGARRAY_DEBETDOCUMENT_
BALANCINGKEY_JOURNALKEY 40
MODIFIEDACCOUNTS_DEFAULTCOSTCENTREKEY 38 MODIFIEDBALANCINGARRAY_DEBETDOCUMENT_
BALANCINGKEY_LINESEQUENCENR 40
MODIFIEDACCOUNTS_DESCRIPTION_DESCRIPTION_N_FR 38 MODIFIEDBALANCINGARRAY_DEBETDOCUMENT_
COMMENT 40
MODIFIEDACCOUNTS_DESCRIPTION_DESCRIPTION_N_NL 38 MODIFIEDBALANCINGARRAY_DEBETDOCUMENT_
CREDITBOOKINGAMOUNT 40
MODIFIEDACCOUNTS_FISCPROFESSIONALPERSONAGE 38 MODIFIEDBALANCINGARRAY_DEBETDOCUMENT_
CREDITDOCUMENTAMOUNT 40
MODIFIEDACCOUNTS_FISCRECUPPERCENTAGE 38 MODIFIEDBALANCINGARRAY_DEBETDOCUMENT_
CURRENCYCODE 40
MODIFIEDACCOUNTS_PURCHASEVATCODE 38 MODIFIEDBALANCINGARRAY_DEBETDOCUMENT_
DEBETBOOKINGAMOUNT 40
MODIFIEDACCOUNTS_SALESVATCODE 38 MODIFIEDBALANCINGARRAY_DEBETDOCUMENT_
DEBETDOCUMENTAMOUNT 40
MODIFIEDACCOUNTS_VATRECUPPERCENTAGE 38 MODIFIEDBALANCINGARRAY_DEBETDOCUMENT_
DEBETDOCUMENTAMOUNT 40
MODIFIEDBALANCINGARRAY_CREDITBALANCEDBOOKINGAMOUNT 40 MODIFIEDBALANCINGARRAY_DEBETDOCUMENT_
DOCUMENTDATE 40
MODIFIEDBALANCINGARRAY_CREDITDOCUMENTBALANCINGKEY_BOOKYEARKEY 40 MODIFIEDBALANCINGARRAY_DEBETDOCUMENT_
EXCHANGERATE 40
MODIFIEDBALANCINGARRAY_CREDITDOCUMENTBALANCINGKEY_BOOKYEARKEY_ID 40 MODIFIEDBALANCINGARRAY_DEBETDOCUMENT_
REFERENCE 40
MODIFIEDBALANCINGARRAY_CREDITDOCUMENTBALANCINGKEY_DOCUMENTSEQUENCENR 40 MODIFIEDBALANCINGARRAY_TYPE_ACCOUNTNR
MODIFIEDBALANCINGARRAY_CREDITDOCUMENTBALANCINGKEY_JOURNALKEY 40 MODIFIEDBALANCINGARRAY_TYPE_EXTERNALRELATIONID 40
MODIFIEDBALANCINGARRAY_CREDITDOCUMENTBALANCINGKEY_LINESSEQUENCENR 40 Y 40 MODIFIEDBALANCINGARRAY_TYPE_RELATIONKEY_ID 40
MODIFIEDBALANCINGARRAY_CREDITDOCUMENTCOMMENT 40 MODIFIEDBALANCINGARRAY_TYPE_RELATIONKEY_ID 40
MODIFIEDBALANCINGARRAY_CREDITDOCUMENTCREDITBOOKINGAMOUNT 40 ModifiedBalancingRelations 40
MODIFIEDBALANCINGARRAY_CREDITDOCUMENTCREDITDOCUMENTAMOUNT 40 MODIFIEDBOOKINGLIST_ACCOUNTKEY 65
MODIFIEDBALANCINGARRAY_CREDITDOCUMENTCURRENCYCODE 40 MODIFIEDBOOKINGLIST_BOOKINGAMOUNT 65
MODIFIEDBALANCINGARRAY_CREDITDOCUMENTDEBETBOOKINGAMOUNT 40 MODIFIEDBOOKINGLIST_BOOKYEARKEY 65
MODIFIEDBALANCINGARRAY_CREDITDOCUMENTMODIFIEDBOOKINGLIST_BOOKYEARKEY_ID 65
MODIFIEDBALANCINGARRAY_CREDITDOCUMENTMODIFIEDBOOKINGLIST_BOOKYEARPERIODENR
MODIFIEDBALANCINGARRAY_CREDITDOCUMENT65
DEBETBOOKINGAMOUNT 40 MODIFIEDBOOKINGLIST_COMMENT 65
MODIFIEDBALANCINGARRAY_CREDITDOCUMENTDEBETDOCUMENTAMOUNT 40 MODIFIEDBOOKINGLIST_COSTCENTREKEY 65
MODIFIEDBALANCINGARRAY_CREDITDOCUMENTDOCUMENTDATE 40 MODIFIEDBOOKINGLIST_COSTCENTREKEY_ID
MODIFIEDBALANCINGARRAY_CREDITDOCUMENTEXCHANGERATE 40 65
MODIFIEDBALANCINGARRAY_CREDITDOCUMENTREFERENCE 40 MODIFIEDBOOKINGLIST_DOCUMENTDATE 65
MODIFIEDBALANCINGARRAY_DEBETBALANCEDBOOKINGAMOUNT 40 MODIFIEDBOOKINGLIST_DOCUMENTSEQUENCENR 65
MODIFIEDBALANCINGARRAY_DEBETDOCUMENTBALANCINGKEY_BOOKYEARKEY 40 MODIFIEDBOOKINGLIST_EXCHANGERATE 65
MODIFIEDBALANCINGARRAY_DEBETDOCUMENTMODIFIEDBOOKINGLIST_EXPIRYDATE 65
MODIFIEDBALANCINGARRAY_DEBETDOCUMENTBALANCINGKEY_JOURNALNR 65

```

MODIFIEDBOOKINGLIST\_JOURNALTYPE 65      ModifiedBuySellBookings 45  
 MODIFIEDBOOKINGLIST\_LINESSEQUENCENR 65      MODIFIEDDELIVERYNOTEARRAY\_BOOKYEARKEY  
 MODIFIEDBOOKINGLIST\_REFERENCE 65      47  
 MODIFIEDBOOKINGLIST\_RELATIONKEY 65      MODIFIEDDELIVERYNOTEARRAY\_BOOKYEARKEY  
 MODIFIEDBOOKINGLIST\_RELATIONKEY\_ID 65      ID 47  
 MODIFIEDBOOKINGLIST\_VATRECUPERATIONPERCENTAGE 65      MODIFIEDDELIVERYNOTEARRAY\_BOOKYEARPERIODENR 47  
 MODIFIEDBOOKINGLIST\_VATSECTIONCODE 65      MODIFIEDDELIVERYNOTEARRAY\_COMMENT 47  
 MODIFIEDBUYSELLBOOKINGARRAY\_AMOUNT 45      MODIFIEDDELIVERYNOTEARRAY\_CURRENCYCODE 47  
 MODIFIEDBUYSELLBOOKINGARRAY\_BOOKINGLINES\_ACCOUNTKEY 45      MODIFIEDDELIVERYNOTEARRAY\_DELIVERYNOTELINES\_BOOKINGACCOUNTNR 47  
 MODIFIEDBUYSELLBOOKINGARRAY\_BOOKINGLINES\_BASEAMOUNT 45      MODIFIEDDELIVERYNOTEARRAY\_DELIVERYNOTELINES\_COSTCENTREKEY 47  
 MODIFIEDBUYSELLBOOKINGARRAY\_BOOKINGLINES\_COMMENT 45      MODIFIEDDELIVERYNOTEARRAY\_DELIVERYNOTELINES\_COSTCENTREKEY\_ID 47  
 MODIFIEDBUYSELLBOOKINGARRAY\_BOOKINGLINES\_COSTCENTREKEY 45      MODIFIEDDELIVERYNOTEARRAY\_DELIVERYNOTELINES\_COUNT 47  
 MODIFIEDBUYSELLBOOKINGARRAY\_BOOKINGLINES\_COSTCENTREKEY\_ID 45      MODIFIEDDELIVERYNOTEARRAY\_DELIVERYNOTELINES\_DESCRIPTION 47  
 MODIFIEDBUYSELLBOOKINGARRAY\_BOOKINGLINES\_VATAMOUNT 45      MODIFIEDDELIVERYNOTEARRAY\_DELIVERYNOTELINES\_DISCOUNTPERCENTAGE 47  
 MODIFIEDBUYSELLBOOKINGARRAY\_BOOKINGLINES\_VATCODEKEY 45      MODIFIEDDELIVERYNOTEARRAY\_DELIVERYNOTELINES\_EXTERNPRODUCTNR 47  
 MODIFIEDBUYSELLBOOKINGARRAY\_BOOKINGLINES\_VATRECUPERCENTAGE 45      MODIFIEDDELIVERYNOTEARRAY\_DELIVERYNOTELINES\_UNIT 47  
 MODIFIEDBUYSELLBOOKINGARRAY\_BOOKYEARKEY 45      MODIFIEDDELIVERYNOTEARRAY\_DELIVERYNOTELINES\_UNITPRICE 47  
 MODIFIEDBUYSELLBOOKINGARRAY\_BOOKYEARKEY\_ID 45      MODIFIEDDELIVERYNOTEARRAY\_DELIVERYNOTELINES\_VATCODEKEY 47  
 MODIFIEDBUYSELLBOOKINGARRAY\_BOOKYEARPERIODENR 45      MODIFIEDDELIVERYNOTEARRAY\_DOCUMENTDATE 47  
 MODIFIEDBUYSELLBOOKINGARRAY\_COMMENT 45      MODIFIEDDELIVERYNOTEARRAY\_DOCUMENTSEQURENCENR 47  
 MODIFIEDBUYSELLBOOKINGARRAY\_CURRENCYCODE 45      MODIFIEDDELIVERYNOTEARRAY\_EXCHANGERATE 47  
 MODIFIEDBUYSELLBOOKINGARRAY\_DOCUMENTATE 45      MODIFIEDDELIVERYNOTEARRAY\_EXPIRYDATE 47  
 MODIFIEDBUYSELLBOOKINGARRAY\_DOCUMENTSSEQUENCENR 45      MODIFIEDDELIVERYNOTEARRAY\_EXTERNALRELATIONID 47  
 MODIFIEDBUYSELLBOOKINGARRAY\_EXCHANGERATE 45      MODIFIEDDELIVERYNOTEARRAY\_FINANCIALDISCOUNT 47  
 MODIFIEDBUYSELLBOOKINGARRAY\_EXPIRYDATE 45      MODIFIEDDELIVERYNOTEARRAY\_JOURNALKEY 47  
 MODIFIEDBUYSELLBOOKINGARRAY\_EXTERNALRELATIONID 45      MODIFIEDDELIVERYNOTEARRAY\_REFERENCE 47  
 MODIFIEDBUYSELLBOOKINGARRAY\_JOURNALKEY 45      ModifiedDeliveryNotes 47  
 MODIFIEDBUYSELLBOOKINGARRAY\_REFERENCE 45      MODIFIEDFINANCIALDIVERSBOOKINGARRAY\_BOQLINGLINES\_ACCOUNTKEY 49  
 MODIFIEDBUYSELLBOOKINGARRAY\_RELATIONKEY 45      MODIFIEDFINANCIALDIVERSBOOKINGARRAY\_BOQLINGLINES\_AMOUNT 49  
 MODIFIEDBUYSELLBOOKINGARRAY\_RELATIONKEY\_ID 45      MODIFIEDFINANCIALDIVERSBOOKINGARRAY\_BOQLINGLINES\_CODAINFO\_CODAMOVELINEDATA 49

MODIFIEDFINANCIALDIVERSBOOKINGARRAY\_B0MODIFIEDINVOICEARRAY\_INVOICELINES\_DISCOU  
 OKINGLINES\_CODAINFO\_CODAVERSION 49 NTPERCENTAGE 51  
 MODIFIEDFINANCIALDIVERSBOOKINGARRAY\_B0MODIFIEDINVOICEARRAY\_INVOICELINES\_EXTERN  
 OKINGLINES\_COSTCENTREKEY 49 PRODUCTNR 51  
 MODIFIEDFINANCIALDIVERSBOOKINGARRAY\_B0MODIFIEDINVOICEARRAY\_INVOICELINES\_UNIT  
 OKINGLINES\_COSTCENTREKEY\_ID 49 51  
 MODIFIEDFINANCIALDIVERSBOOKINGARRAY\_B0MODIFIEDINVOICEARRAY\_INVOICELINES\_UNITPRI  
 OKINGLINES\_EXTERNALRELATIONID 49 CE 51  
 MODIFIEDFINANCIALDIVERSBOOKINGARRAY\_B0MODIFIEDINVOICEARRAY\_INVOICELINES\_VATCO  
 OKINGLINES\_REFERENCE 49 DEKEY 51  
 MODIFIEDFINANCIALDIVERSBOOKINGARRAY\_B0MODIFIEDINVOICEARRAY\_JOURNALKEY 51  
 OKINGLINES\_TYPE 49 MODIFIEDINVOICEARRAY\_REFERENCE 51  
 MODIFIEDFINANCIALDIVERSBOOKINGARRAY\_B0ModifiedInvoices 51  
 OKYEARKEY 49 ModifiedRelations 52  
 MODIFIEDFINANCIALDIVERSBOOKINGARRAY\_B0MODIFIEDRELATIONS\_ACTIVE 52  
 OKYEARKEY\_ID 49 MODIFIEDRELATIONS\_BANKACCOUNTNR 52  
 MODIFIEDFINANCIALDIVERSBOOKINGARRAY\_B0MODIFIEDRELATIONS\_BICCODE 52  
 OKYEARPERIODENR 49 MODIFIEDRELATIONS\_CITY 52  
 MODIFIEDFINANCIALDIVERSBOOKINGARRAY\_D0MODIFIEDRELATIONS\_CLIENT 52  
 CUMENTDATE 49 MODIFIEDRELATIONS\_CONTACTPERSON 52  
 MODIFIEDFINANCIALDIVERSBOOKINGARRAY\_D0MODIFIEDRELATIONS\_CORPORATIONTYPE 52  
 CUMENTSEQUENCENR 49 MODIFIEDRELATIONS\_COUNTRY 52  
 MODIFIEDFINANCIALDIVERSBOOKINGARRAY\_EXC  
 HANGERATE 49 MODIFIEDRELATIONS\_DEFAULTBOOKINGACCOU  
 MODIFIEDFINANCIALDIVERSBOOKINGARRAY\_JOCLIENT 52  
 RNALKEY 49 MODIFIEDRELATIONS\_DEFAULTBOOKINGACCOU  
 ModifiedFinancialDiversBookings 49 TSUPPLIER 52  
 MODIFIEDINVOICEARRAY\_BOOKYEARKEY 51 MODIFIEDRELATIONS\_EMAIL 52  
 MODIFIEDINVOICEARRAY\_BOOKYEARKEY\_ID 51 MODIFIEDRELATIONS\_EXPIRATIONDAYS 52  
 51 MODIFIEDRELATIONS\_EXPIRATIONTYPE 52  
 MODIFIEDINVOICEARRAY\_BOOKYEARPERIODENR MODIFIEDRELATIONS\_EXTERNALRELATIONNR  
 51 52  
 MODIFIEDINVOICEARRAY\_COMMENT 51 MODIFIEDRELATIONS\_FACTLANGUAGE 52  
 MODIFIEDINVOICEARRAY\_CURRENCYCODE 51 MODIFIEDRELATIONS\_FAX 52  
 MODIFIEDINVOICEARRAY\_DOCUMENTDATE 51 MODIFIEDRELATIONS\_FIRSTNAME 52  
 MODIFIEDINVOICEARRAY\_DOCUMENTSEQUENCE 51 MODIFIEDRELATIONS\_IBANACCOUNTNR 52  
 NR 51 MODIFIEDRELATIONS\_MOBILE 52  
 MODIFIEDINVOICEARRAY\_EXCHANGERATE 51 MODIFIEDRELATIONS\_NAME 52  
 MODIFIEDINVOICEARRAY\_EXPIRYDATE 51 MODIFIEDRELATIONS\_POSTALCODE 52  
 MODIFIEDINVOICEARRAY\_EXTERNALRELATIONID MODIFIEDRELATIONS\_RELATIONKEY 52  
 51 MODIFIEDRELATIONS\_RELATIONKEY\_ID 52  
 MODIFIEDINVOICEARRAY\_FINANCIALDISCOUNT 51 MODIFIEDRELATIONS\_REMARKS 52  
 51 MODIFIEDRELATIONS\_SEARCHFIELD1 52  
 MODIFIEDINVOICEARRAY\_INVOICELINES\_BOOKIN 51 MODIFIEDRELATIONS\_SEARCHFIELD2 52  
 GACCOUNTNR 51 MODIFIEDRELATIONS\_STREETANDNR 52  
 MODIFIEDINVOICEARRAY\_INVOICELINES\_COSTCE 51 MODIFIEDRELATIONS\_SUPPLIER 52  
 NTREKEY 51 MODIFIEDRELATIONS\_TELEPHONE 52  
 MODIFIEDINVOICEARRAY\_INVOICELINES\_COSTCE 51 MODIFIEDRELATIONS\_URL 52  
 NTREKEY\_ID 51 MODIFIEDRELATIONS\_VATNR 52  
 MODIFIEDINVOICEARRAY\_INVOICELINES\_COUNT 51 MODIFIEDRELATIONS\_VATTYPE 52  
 51 modifiedSince 36, 38, 40, 45, 47, 49, 51, 52, 65  
 MODIFIEDINVOICEARRAY\_INVOICELINES\_DESCR PTION 51 Name 34, 59, 77, 78, 80, 82, 83, 85, 86, 87, 89, 90

Octopus 1, 2, 3, 4, 5, 6, 7, 8, 10, 11, 12, 14, 16, Price Including VAT 56  
 17, 18, 19, 20, 21, 22, 23, 25, 26, 27, 29, 30, 31, 32  
 PRICEVATEXCLUSIVE 56  
 33, 34, 35, 36, 38, 40, 45, 47, 49, 51, 52, 56, 57, 59  
 PRICEVATINCLUSIVE 56  
 60, 61, 62, 64, 65, 67, 68, 69, 70, 71, 72, 73, 74, 75  
 Product Group 56  
 76, 77, 78, 80, 82, 83, 85, 86, 87, 89, 90  
 Product Group ID 56  
 Product Group Key 56  
 Product Group Key ID 56  
 Product Key 56  
 Product Key ID 56  
 product\_code\_description\_FR 30  
 product\_code\_description\_NL 30  
 product\_currencyCode 30  
 product\_defaultBookingAccountNr 30  
 product\_defaultCostCentre 30  
 product\_defaultCostCentre\_id 30  
 product\_description\_description\_FR 30  
 product\_description\_description\_NL 30  
 product\_externProductNr 30  
 product\_priceVatExclusive 30  
 product\_priceVatInclusive 30  
 product\_productGroup 30  
 product\_productGroup\_id 30  
 product\_productKey 30  
 product\_productKey\_id 30  
 product\_supplierInfo 30  
 product\_unit 30  
 product\_vatCode 30  
 PRODUCTGROUP 56  
 PRODUCTGROUP\_ID 56  
 PRODUCTGROUPKEY 56  
 PRODUCTGROUPKEY\_ID 56  
 Product Groups 56  
 PRODUCTKEY 56  
 PRODUCTKEY\_ID 56  
 Products 56  
 Protected Period 34, 77, 78, 80, 82, 83, 85, 86, 87,  
 16, 17, 18, 19, 20, 21, 22, 23, 25, 26, 27, 29, 30, 31, 32  
 34, 35, 36, 38, 40, 45, 47, 49, 51, 52, 56, 57, 59  
 60, 61, 62, 64, 65, 67, 68, 69, 70, 71, 72, 73, 74, 75  
 PROTECTEDPERIOD 34  
 Publish URL 14, 16, 17  
 PUBLISHURL 14, 16, 17  
 Purchase VAT Code 2, 76  
 PURCHASEVATCODE 2  
 rappelId 17  
 RappelInformation 57  
 Reference 7, 11, 19, 32, 60, 61, 64, 67, 68, 69, 78,  
 82, 83, 89  
 Relation Active 57  
 Relation Bank Account Number 57  
 Relation BIC Code 57  
 Relation City 57  
 Relation Client 57  
 Period 6  
 Period Number 7, 11, 18, 32, 78, 82, 85, 89  
 PERIODS\_BOOKYEARPERIOD 7  
 PERIODS\_ENDDATE 7  
 PERIODS\_STARTDATE 7  
 Postal Code 59  
 POSTALCODE 59  
 pre-request-delay-ms 1  
 Price Excluding VAT 56

Relation Contact Person 57  
 Relation Corporation Type 57  
 Relation Country 57  
 Relation Default Booking Account Client 57  
 Relation Default Booking Account Supplier 57  
 Relation Email 57  
 Relation Expiration Days 57  
 Relation Expiration Type 57  
 Relation External Relation Number 57  
 Relation Fax 57  
 Relation First Name 57  
 Relation IBAN Account Number 57  
 Relation Invoice Language 57  
 Relation Key 7, 59, 62, 67, 68, 69, 78  
 Relation Key ID 7, 8, 57, 59, 62, 67, 68, 69, 77, 78  
 Relation Mobile 57  
 Relation Name 57, 62  
 Relation Postal Code 57  
 Relation Relation Key 57  
 Relation Remarks 57  
 Relation Search Field 1 57  
 Relation Search Field 2 57  
 Relation Street and House Number 57  
 Relation Supplier 57  
 Relation Telephone 57  
 Relation URL 57  
 Relation VAT Number 57  
 Relation VAT Type 57  
 RELATION\_ACTIVE 31, 57  
 RELATION\_BANKACCOUNTNR 31, 57  
 RELATION\_BICCODE 31, 57  
 RELATION\_CITY 31, 57  
 RELATION\_CLIENT 31, 57  
 RELATION\_CONTACTPERSON 31, 57  
 RELATION\_CORPORATIONTYPE 31, 57  
 RELATION\_COUNTRY 31, 57  
 RELATION\_DEFAULTBOOKINGACCOUNTCLIENT 31, 57  
 RELATION\_DEFAULTBOOKINGACCOUNTSUPPLIER 31, 57  
 RELATION\_EMAIL 31, 57  
 RELATION\_EXPIRATIONDAYS 31, 57  
 RELATION\_EXPIRATIONTYPE 31, 57  
 RELATION\_EXTERNALRELATIONNR 31, 57  
 RELATION\_FACTLANGUAGE 31, 57  
 RELATION\_FAX 31, 57  
 RELATION\_FIRSTNAME 31, 57  
 RELATION\_IBANACCOUNTNR 31, 57  
 RELATION\_MOBILE 31, 57  
 RELATION\_NAME 31, 57  
 RELATION\_POSTALCODE 31, 57  
 RELATION\_RELATIONKEY 31, 57  
 RELATION\_RELATIONKEY\_ID 31, 57  
 RELATION\_REMARKS 31, 57  
 RELATION\_SEARCHFIELD1 31, 57  
 RELATION\_SEARCHFIELD2 31, 57  
 RELATION\_STREETANDNR 31, 57  
 RELATION\_SUPPLIER 31, 57  
 RELATION\_TELEPHONE 31, 57  
 RELATION\_URL 31, 57  
 RELATION\_VATNR 31, 57  
 RELATION\_VATTYPE 31, 57  
 RELATIONKEY 7, 17, 59, 62, 67, 68, 69  
 RELATIONKEY\_ID 7, 17, 59, 62, 67, 68, 69  
 RELATIONNAME 62  
 Relations 59  
 REMARKS 59  
 ReportHistoryAccount 60  
 ReportHistoryClient 61  
 ReportHistoryCostCentre 62  
 ReportHistorySupplier 64  
 ReportModifiedBooking 65  
 ReportOpenAccount 67  
 ReportOpenClient 68  
 ReportOpenSupplier 69  
 requests-parallel-max 1  
 result-set-cache 1  
 RETURN 3, 4, 5, 6, 10, 14, 16, 17, 22, 23, 25, 26, 27, 29, 30, 31, 35, 36, 38, 40, 45, 47, 49, 51, 52, 65, 70, 71, 72, 73, 74  
 RETURN\_AMOUNT 8  
 RETURN\_BOOKYEARDESCRIPTION 6  
 RETURN\_BOOKYEARKEY 6, 8, 12, 19, 33  
 RETURN\_BOOKYEARKEY\_ID 6, 8, 12, 19, 33  
 RETURN\_BOOKYEARPERIODNR 8, 12, 19, 33  
 RETURN\_CLOSED 6  
 RETURN\_COMMENT 8, 12, 33  
 RETURN\_CURRENCYCODE 8, 12, 33  
 RETURN\_DOCUMENTDATE 8, 12, 19, 33  
 RETURN\_DOCUMENTSEQUENCENR 8, 12, 19, 33  
 RETURN\_ENDDATE 6  
 RETURN\_EXCHANGERATE 8, 12, 19, 33  
 RETURN\_EXPIRYDATE 8, 12, 33  
 RETURN\_EXTERNALRELATIONID 8, 12, 33  
 RETURN\_FINANCIALDISCOUNT 12, 33  
 RETURN\_JOURNALKEY 8, 12, 19, 33  
 RETURN\_REFERENCE 8, 12, 33  
 RETURN\_RELATIONKEY 8  
 RETURN\_RELATIONKEY\_ID 8  
 RETURN\_STARTDATE 6  
 returnDeliverynote 14  
 returnEInvoice 16

returnInvoice 16  
returnPdfDocument 14, 16  
Sales VAT Code 2, 76  
SALESVATCODE 2  
Search Field 1 59  
Search Field 2 59  
SEARCHFIELD1 59  
SEARCHFIELD2 59  
SetLocale 70  
slot-based-rate-limit-length-ms 1  
slot-based-rate-limit-slots 1  
softwareHouseUuid 4, 5, 6  
standardize-identifiers 1  
standardize-identifiers-casing 1  
Start Date 6, 7, 76, 77, 78, 80, 82, 83, 85, 86, 87, 89, 90  
STARTDATE 6, 7  
Street and House Number 59  
STREETANDNR 59  
SUPPLIER 59  
Supplier Information 56  
SUPPLIERINFO 56  
TELEPHONE 59  
trace-native-calls 1  
Type 19, 75, 83  
Unit 12, 33, 56, 80, 87  
Unit Price 12, 33, 80, 87  
UNITPRICE 12, 33  
UpdateBuySellBooking 71  
UpdateDeliveryNote 72  
UpdateFinancialDiversBooking 73  
UpdateInvoice 74  
URL 59  
use-http-disk-cache-read 1  
use-http-disk-cache-write 1  
use-http-memory-cache-read 1  
use-http-memory-cache-write 1  
use-metadata-cache 1  
use-result-cache 1  
VAT Amount 8, 77  
VAT Code 56  
VAT Code Key 8, 12, 33, 77, 80, 87  
VAT Number 59  
VAT Type 59  
VATAMOUNT 8  
VATCODE 56  
VATCODEKEY 8, 12, 33  
VatCodes 75  
VATNR 59  
VATRECPPERCENTAGE 2, 8  
VATTYPE 59

