



# Open Exchange Rates API Data

---

## Mode

*for use with Invantive SQL*

23.0

# Copyright

(C) Copyright 2004-2023 Invantive Software B.V., the Netherlands. All rights reserved.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of the publisher.

Despite all the care taken in the compilation of this text, neither the author nor the publisher can accept liability for any damage, which might result from any error, which might appear in this publication.

This manual is a reference guide intended to clarify usage. If data in the sample images match data in your system, the similarity is coincidental.

## Important Safety and Usage Information

**Intended Use and Limitations:** This software, developed by Invantive, is designed to support a variety of business and information technology data processing functions, such as accounting, financial reporting and sales reporting. It is important to note that this software is not designed, tested, or approved for use in environments where malfunction or failure could lead to life-threatening situations or severe physical or environmental damage. This includes, but is not limited to:

- Nuclear facilities: The software should not be used for operations or functions related to the control, maintenance, or operation of nuclear facilities.
- Defense and Military Applications: This software is not suitable for use in defense-related applications, including but not limited to weaponry control, military strategy planning, or any other aspects of national defense.
- Aviation: The software is not intended for use in the operation, navigation, or communication systems of any aircraft or air traffic control environments.
- Healthcare and Medicine Production: This software should not be utilized for medical device operation, patient data analysis for critical health decisions, pharmaceutical production, or medical research where its failure or malfunction could impact patient health.
- Chemical and Hazardous Material Handling: This software is not intended for the management, control, or operational aspects of chemical plants or hazardous material handling facilities. Any malfunction in software used in these settings could result in dangerous chemical spills, explosions, or environmental disasters.
- Transportation and Traffic Control Systems: The software should not be used for the control, operation, or management of transportation systems, including railway signal controls, subway systems, or traffic light management. Malfunctions in such critical systems could lead to severe accidents and endanger public safety.
- Energy Grid and Utility Control Systems: This software is not designed for the control or operation of energy grid systems, including electrical substations, renewable energy control systems, or water utility control systems. The failure of software in these areas could lead to significant power outages, water supply disruptions, or other public utility failures, potentially endangering communities and causing extensive damage.
- Other High-Risk Environments: Any other critical infrastructure and environments where a failure of the software could result in significant harm to individuals or the environment.

**User Responsibility:** Users must ensure that they understand the intended use of the software and refrain from deploying it in any setting that falls outside of its designed purpose. It is the responsibility of the user to assess the suitability of the software for their intended application, especially in any scenarios that might pose a risk to life, health, or the environment.

**Disclaimer of Liability:** Invantive disclaims any responsibility for damage, injury, or legal consequences resulting from the use or misuse of this software in prohibited or unintended applications.

# Contents

<b>1</b>	<b>SQL Driver for Open Exchange Rates API</b>	<b>1</b>
<b>2</b>	<b>SQL Driver Attributes for Open Exchange Rates API</b>	<b>2</b>
<b>3</b>	<b>Schema: Native</b>	<b>14</b>
3.1	<b>Tables</b> .....	14
3.1.1	NATIVEPLATFORMSCALARREQUESTS: Open Exchange Rates Native Platform Scalar Requests .....	14
<b>4</b>	<b>Schema: OpenExchangeRates</b>	<b>15</b>
4.1	<b>Tables</b> .....	15
4.1.1	ConvertAmount: Open Exchange Rates Convert Amount .....	15
4.1.2	Currencies: Open Exchange Rates Currencies .....	16
4.1.3	HistoricalRatesByDateAndBase .....	22
4.1.4	LatestRatesByBase .....	24
4.1.5	OpenHighLow Close: Open Exchange Rates Exchange Rates across a Day: Open, High, Low and Close	25
4.1.6	RateTimeSeriesByDateRangeAndBase: Open Exchange Rates Exchange Rate Time Series by Date Range and Base Currency	
4.1.7	Usage: Open Exchange Rates Usage .....	32
	<b>Index</b>	<b>34</b>

## 1 SQL Driver for Open Exchange Rates API

Invantive SQL is the fastest, easiest and most reliable way to exchange data with the Open Exchange Rates API.

Use the "Search" option in the left menu to search for a specific term such as the table or column description. When you already know the term, please use the "Index" option. When you can't find the information needed, please click on the Chat button at the bottom or place your question in the [user community](#). Other users or Invantive Support will try to help you to our best.

Open Exchange Rates.

The Open Exchange Rates driver covers 8 tables and 458 columns.

## Open Exchange Rates API Clients

Invantive SQL is available on many user interfaces ("clients" in traditional server-client paradigm). All Invantive SQL statements can be exchanged with a close to 100% compatibility across all clients and operating systems (Windows, MacOS, Linux, iOS, Android).

The clients include Microsoft Excel, Microsoft Power BI, Microsoft Power Query, Microsoft Word and Microsoft Outlook. Web-based clients include Invantive Cloud, Invantive Bridge Online as OData proxy, Invantive App Online for interactive apps, Online SQL Editor for query execution and Invantive Data Access Point as extended proxy.

For technical users there are command-line editions of Invantive Data Hub running on iOS, Android, Windows, MacOS and Linux. Invantive Data Hub is also often used for enterprise server applications such as ETL. High-volume replication of data taken from the Open Exchange Rates API into traditional databases such as SQL Server (on-premise and Azure), MySQL, PostgreSQL and Oracle is possible using [Invantive Data Replicator](#). Invantive Data Replicator automatically creates and maintains Open Exchange Rates datawarehouses, possibly in combination with data from over 70 other (cloud) platforms. Data Replicator supports data volumes up to over 1 TB and over 5.000 companies. The on-premise edition of Invantive Bridge offers an Open Exchange Rates ADO.net provider.

## Monitor API Calls

When a query or DML-statement has been executed on Invantive SQL a developer can evaluate the actual calls made to the Open Exchange Rates API using a query on sessionios@DataDictionary. As an alternative, extensive request and response logging can be enabled by setting log-native-calls-to-disk to true. In the %USERPROFILE%\Invantive\NativeLog folder Invantive SQL will create log files per API request and response.

## Specifications

The SQL driver for Open Exchange Rates does not support partitioning. Define one data container in a database for each company in Open Exchange Rates to enable parallel access for data from multiple companies.

An introduction into the concepts of Invantive SQL such as databases, data containers and partitioning can be found in the [Invantive SQL grammar](#).

The configuration can be changed using various attributes during log on and use. A full list of configuration options is listed in the [driver attributes](#).

The catalog name is used to compose the full qualified name of an object like a table or view. The schema name is used to compose the full qualified name of an object like a table or view. On Open Exchange Rates the comparison of two texts is case sensitive by default.

Changes and bug fixes on the Open Exchange Rates SQL driver can be found in the [release notes](#). There is currently no specific section on the [Invantive forums](#) for Open Exchange Rates. Please reach out to other users of Open Exchange Rates by leaving a question or contact request.

Driver code for use in settings.xml: OpenExchangeRates

Alias: openexra

Recommended alias: exr

More technical documentation as provided by the supplier of the Open Exchange Rates API on the native API connection used can be found at <https://docs.openexchangerates.org/>.

General documentation on Open Exchange Rates is available at  
<https://docs.openexchangerates.org/docs>

Updated: 15-06-2022 20:38 using Invantive SQL version 22.0.232-PROD+3445.

## 2 SQL Driver Attributes for Open Exchange Rates API

The SQL driver for Open Exchange Rates has many attributes that can be finetuned to improve handling in scenarios with unreliable network connections to the API server of Open Exchange Rates or high-volumes of data. Also, many drivers have driver-specific attributes to finetune actual behaviour or handle data not matching specifications.

The Open Exchange Rates driver attributes are assigned a default value which seldom requires change. However, changes can be applied when needed on four levels, which are reflected in the table below by separate checkmarks:

- Connection string: the connection string from the settings\*.xml file and applied during log on.
- Set SQL statement: a set SQL-statement to be executed once connection has been established.
- Drivers file: the providers.xml file (obsolete starting release 17.32).
- Log on: value to be specified interactively by user during log on in a user interface.

The connection string for Open Exchange Rates can be found in the settings\*.xml file used for the database. Settings\*.xml files are typically located in the %USERPROFILE%\invantive folder in most deployment scenarios. The reference manuals contain instructions how to relocate the settings\*.xml files. Each data container of a database in the connection string can have a connectionString element specifying the name and values of attributes. Both name and value must be properly escaped according to XML-semantics. Actual application of the value is solely done during log on. A new connection must be established to change the value of a driver attribute using a connection string.

The set SQL statement can be executed after log on. The syntax is: set NAME VALUE, or for a distributed database: set NAME@ALIAS VALUE. In some scenarios you may need to enclose the driver attribute name in square brackets to escape it from parsing, for instance when a reserved SQL keyword is part of the name. The new value takes effect straight after execution of the set-statement. The set-statement can be executed as often as needed during a session.

Driver attributes that can be interactively set to a value are typically presented in the log on window. Depending on the platform and design decisions of the user interface designer, some or all of the available driver attributes can have been made available.

The Open Exchange Rates driver can be configured using the following attributes:

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Driver's File	Set from Log On
add-odata-mandatory-filters	Whether to automatically add OData filters deemed necessary by the platform.	OData	False	✓	✓	✓	
analysis-enforce-row-uniqueness	Use for analysis only! Enforce rows to be unique.	Shared	False	✓	✓	✓	
api-url	URL to access the API.	OData		✓		✓	
bulk-delete-page-size-rows	Number of rows to delete per batch when bulk deleting	Shared	10000	✓	✓	✓	
bulk-insert-page-size-bytes	Approximate maximum size in bytes of batch when bulk inserting	Shared	10000000	✓	✓	✓	
bulk-insert-page-size-rows	Number of rows to insert per batch when bulk inserting	Shared	250	✓	✓	✓	
dow nload-error-400-bad-request-max-tries	Maximum number of tries when OData server reports bad format during retrieval of data.		3	✓	✓	✓	
dow nload-error-400-bad-request-sleep-initial-ms	Initial sleep in milliseconds between retries when OData server reports that the API server is unavailable during retrieval of data.		500	✓	✓	✓	
dow nload-error-400-bad-request-sleep-max-ms	Maximum sleep in milliseconds between retries when OData server reports that the API server is unavailable during retrieval of data.		5000	✓	✓	✓	
dow nload-error-400-bad-request-sleep-multiplicator	Multiplication factor for sleep between retries OData server reports that the API server is unavailable during retrieval of data.		2	✓	✓	✓	
dow nload-error-408-request-timeout-max-tries	Maximum number of tries when the website reports a HTTP status 408.		10	✓	✓	✓	
dow nload-error-408-request-timeout-sleep-initial-ms	Initial sleep in milliseconds between retries when the website reports a HTTP status 408.		10000	✓	✓	✓	
dow nload-error-408-request-timeout-sleep-max-ms	Maximum sleep in milliseconds between retries when the website reports a HTTP status 408.		300000	✓	✓	✓	
dow nload-error-408-request-timeout-sleep-multiplicator	Multiplication factor for sleep between retries when the website reports a HTTP status 408.		2	✓	✓	✓	
dow nload-error-422-bad-request-max-tries	Maximum number of tries when OData server reports unprocessable entity during retrieval of data.		30	✓	✓	✓	
dow nload-error-422-bad-request-sleep-initial-ms	Initial sleep in milliseconds between retries when OData server reports		10000	✓	✓	✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from SQL-Statement	Set from Drivers File	Set from Log On
sleep-initial-ms	unprocessable entity during retrieval of data.						
dow nload-error-422-bad-request-sleep-max-ms	Maximum sleep in milliseconds between retries when OData server reports unprocessable entity during retrieval of data.		300000	✓	✓	✓	
dow nload-error-422-bad-request-sleep-multiplicator	Multiplication factor for sleep between retries OData server reports unprocessable entity during retrieval of data.		2	✓	✓	✓	
dow nload-error-429-too-many-requests-max-tries	Maximum number of tries when the website reports that too many requests have been made during a timeslot of one minute or one day.		10	✓	✓	✓	
dow nload-error-429-too-many-requests-sleep-initial-ms	Initial sleep in milliseconds between retries when the website reports that too many requests have been made during a timeslot of one minute or one day.		10000	✓	✓	✓	
dow nload-error-429-too-many-requests-sleep-max-ms	Maximum sleep in milliseconds between retries when the website reports that too many requests have been made during a timeslot of one minute or one day.		300000	✓	✓	✓	
dow nload-error-429-too-many-requests-sleep-multiplicator	Multiplication factor for sleep between retries when the website reports that too many requests have been made during a timeslot of one minute or one day.		2	✓	✓	✓	
dow nload-error-502-server-unavailable-max-tries	Maximum number of tries when OData server reports a bad gateway during retrieval of data.		30	✓	✓	✓	
dow nload-error-502-server-unavailable-sleep-initial-ms	Initial sleep in milliseconds between retries when OData server reports a bad gateway during retrieval of data.		10000	✓	✓	✓	
dow nload-error-502-server-unavailable-sleep-max-ms	Maximum sleep in milliseconds between retries when OData server reports that a bad gateway during retrieval of data.		300000	✓	✓	✓	
dow nload-error-502-server-unavailable-sleep-multiplicator	Multiplication factor for sleep between retries OData server reports a bad gateway during retrieval of data.		2	✓	✓	✓	
dow nload-error-503-server-unavailable-max-tries	Maximum number of tries when OData server reports that the API server is unavailable during retrieval of data.		30	✓	✓	✓	
dow nload-error-503-server-	Initial sleep in milliseconds between retries when OData server reports		10000	✓	✓	✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Drivers File	Set from Log On
unavailable-sleep-initial-ms	that the API server is unavailable during retrieval of data.						
dow nload-error-503-server-unavailable-sleep-max-ms	Maximum sleep in milliseconds between retries when OData server reports that the API server is unavailable during retrieval of data.		300000	✓	✓	✓	
dow nload-error-503-server-unavailable-sleep-multiplicator	Multiplication factor for sleep between retries OData server reports that the API server is unavailable during retrieval of data.		2	✓	✓	✓	
dow nload-error-504-gateway-timeout-max-tries	Maximum number of tries when the website reports a gateway timeout.		10	✓	✓	✓	
dow nload-error-504-gateway-timeout-sleep-initial-ms	Initial sleep in milliseconds between retries when the website reports a gateway timeout.		10000	✓	✓	✓	
dow nload-error-504-gateway-timeout-sleep-max-ms	Maximum sleep in milliseconds between retries when the website reports a gateway timeout.		300000	✓	✓	✓	
dow nload-error-504-gateway-timeout-sleep-multiplicator	Multiplication factor for sleep between retries when the website reports a gateway timeout.		2	✓	✓	✓	
dow nload-error-590-network-connect-timeout-max-tries	Maximum number of tries when the website reports a HTTP status 590.		10	✓	✓	✓	
dow nload-error-590-network-connect-timeout-sleep-initial-ms	Initial sleep in milliseconds between retries when the website reports a HTTP status 590.		10000	✓	✓	✓	
dow nload-error-590-network-connect-timeout-sleep-max-ms	Maximum sleep in milliseconds between retries when the website reports a HTTP status 590.		300000	✓	✓	✓	
dow nload-error-590-network-connect-timeout-sleep-multiplicator	Multiplication factor for sleep between retries when the website reports a HTTP status 590.		2	✓	✓	✓	
dow nload-error-599-network-connect-timeout-max-tries	Maximum number of tries when the website reports a HTTP status 599.		10	✓	✓	✓	
dow nload-error-599-network-connect-timeout-sleep-initial-ms	Initial sleep in milliseconds between retries when the website reports a HTTP status 599.		10000	✓	✓	✓	
dow nload-error-599-network-connect-timeout-sleep-max-ms	Maximum sleep in milliseconds between retries when the website reports a HTTP status 599.		300000	✓	✓	✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Drivers File	Set from Log On
connect-timeout-sleep-max-ms	reports a HTTP status 599.						
dow nload-error-599-netw ork-connect-timeout-sleep-multiplicator	Multiplication factor for sleep between retries when the website reports a HTTP status 599.		2	✓	✓	✓	
dow nload-error-argument-exception-max-tries	Maximum number of tries when an argument exception is returned when downloading a blob.		10	✓	✓	✓	
dow nload-error-argument-exception-sleep-initial-ms	Initial sleep in milliseconds between retries when an argument exception is returned when downloading a blob.		10000	✓	✓	✓	
dow nload-error-argument-exception-sleep-max-ms	Maximum sleep in milliseconds between retries when an argument exception is returned when downloading a blob.		300000	✓	✓	✓	
dow nload-error-argument-exception-sleep-multiplicator	Multiplication factor for sleep between retries when an argument exception is returned when downloading a blob.		2	✓	✓	✓	
dow nload-error-internet-dow n-max-tries	Maximum number of tries when the Internet connection seems down during retrieval of data.		10	✓	✓	✓	
dow nload-error-internet-dow n-sleep-initial-ms	Initial sleep in milliseconds between retries when the Internet connection seems down during retrieval of data.		10000	✓	✓	✓	
dow nload-error-internet-dow n-sleep-max-ms	Maximum sleep in milliseconds between retries when the Internet connection seems down during retrieval of data.		300000	✓	✓	✓	
dow nload-error-internet-dow n-sleep-multiplicator	Multiplication factor for sleep between retries when the Internet connection seems down during retrieval of data.		2	✓	✓	✓	
dow nload-error-io-exception-max-tries	Maximum number of tries when a network I/O connection failure occurs during retrieval of data.		10	✓	✓	✓	
dow nload-error-io-exception-sleep-initial-ms	Initial sleep in milliseconds between retries when a network I/O connection failure occurs during retrieval of data.		10000	✓	✓	✓	
dow nload-error-io-exception-sleep-max-ms	Maximum sleep in milliseconds between retries when a network I/O connection failure occurs during retrieval of data.		300000	✓	✓	✓	
dow nload-error-io-exception-sleep-multiplicator	Multiplication factor for sleep between retries when a network I/O connection failure occurs during retrieval of data.		2	✓	✓	✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Drivers File	Set from Log On
dow nload-error-json-exception-max-tries	Maximum number of tries when an invalid JSON body is returned.		3	✓	✓	✓	
dow nload-error-json-exception-sleep-initial-ms	Initial sleep in milliseconds between retries when an invalid JSON body is returned.		1000	✓	✓	✓	
dow nload-error-json-exception-sleep-max-ms	Maximum sleep in milliseconds between retries when an invalid JSON body is returned.		10000	✓	✓	✓	
dow nload-error-json-exception-sleep-multiplicator	Multiplication factor for sleep between retries when an invalid JSON body is returned.		2	✓	✓	✓	
dow nload-error-other-exception-max-tries	Maximum number of tries when an unqualified error occurs during retrieval of data.		3	✓	✓	✓	
dow nload-error-other-exception-sleep-initial-ms	Initial sleep in milliseconds between retries when an unqualified error occurs during retrieval of data.		10000	✓	✓	✓	
dow nload-error-other-exception-sleep-max-ms	Maximum sleep in milliseconds between retries when an unqualified error occurs during retrieval of data.		300000	✓	✓	✓	
dow nload-error-other-exception-sleep-multiplicator	Multiplication factor for sleep between retries when an unqualified error occurs during retrieval of data.		2	✓	✓	✓	
dow nload-error-socket-exception-max-tries	Maximum number of tries when the network connection is forcibly dropped during retrieval of data.		10	✓	✓	✓	
dow nload-error-socket-exception-sleep-initial-ms	Initial sleep in milliseconds between retries when the network connection is forcibly dropped during retrieval of data.		10000	✓	✓	✓	
dow nload-error-socket-exception-sleep-max-ms	Maximum sleep in milliseconds between retries when the network connection is forcibly dropped during retrieval of data.		300000	✓	✓	✓	
dow nload-error-socket-exception-sleep-multiplicator	Multiplication factor for sleep between retries when the network connection is forcibly dropped during retrieval of data.		2	✓	✓	✓	
dow nload-error-web-exception-max-tries	Maximum number of tries when a web connection failure occurs during retrieval of data.		10	✓	✓	✓	
dow nload-error-web-exception-sleep-initial-ms	Initial sleep in milliseconds between retries when a web connection failure occurs during retrieval of data.		10000	✓	✓	✓	
dow nload-error-web-exception-sleep-max-ms	Maximum sleep in milliseconds between retries when a web connection failure occurs during retrieval of data.		300000	✓	✓	✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from SQL-Statement	Set from Drivers File	Set from Log On
dow nload-error-w eb-exception-sleep-multiplicator	Multiplication factor for sleep between retries when a web connection failure occurs during retrieval of data.		2	✓	✓	✓	
dow nload-error-w eb-not-implemented-max-tries	Maximum number of tries when the connection reports not implemented.		1	✓	✓	✓	
dow nload-error-w eb-not-implemented-sleep-initial-ms	Initial sleep in milliseconds between retries when the connection reports not implemented.		10000	✓	✓	✓	
dow nload-error-w eb-not-implemented-sleep-max-ms	Maximum sleep in milliseconds between retries when the connection reports not implemented.		300000	✓	✓	✓	
dow nload-error-w eb-not-implemented-sleep-multiplicator	Multiplication factor for sleep between retries when the connection reports not implemented.		2	✓	✓	✓	
dow nload-error-w eb-timeout-max-tries	Maximum number of tries when the connection reports a timeout.		10	✓	✓	✓	
dow nload-error-w eb-timeout-sleep-initial-ms	Initial sleep in milliseconds between retries when the connection reports a timeout.		1000	✓	✓	✓	
dow nload-error-w eb-timeout-sleep-max-ms	Maximum sleep in milliseconds between retries when the connection reports a timeout.		30000	✓	✓	✓	
dow nload-error-w eb-timeout-sleep-multiplicator	Multiplication factor for sleep between retries when the connection reports a timeout.		2	✓	✓	✓	
dow nload-error-w eb-unauthorized-max-tries	Maximum number of tries when the connection reports an unauthorized error.		1	✓	✓	✓	
dow nload-error-w eb-unauthorized-sleep-initial-ms	Initial sleep in milliseconds between retries when the connection reports an unauthorized error.		10000	✓	✓	✓	
dow nload-error-w eb-unauthorized-sleep-max-ms	Maximum sleep in milliseconds between retries when the connection reports an unauthorized error.		300000	✓	✓	✓	
dow nload-error-w eb-unauthorized-sleep-multiplicator	Multiplication factor for sleep between retries when the connection reports an unauthorized error.		2	✓	✓	✓	
force-case-sensitive-identifiers	Consider identifiers as case-sensitive independent of the platform capabilities.	Shared	False	✓	✓	✓	
forced-casing-identifiers	Forced casing of identifiers. Choose from Unset, Lower, Upper and	Shared		✓	✓	✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Drivers File	Set from Log On
	Mixed.						
http-disk-cache-compression-level	Compression level for the HTTP disk cache, ranging from 1 (little) to 9 (intense). Default is 5.	Shared	5	✓	✓	✓	
http-disk-cache-directory	Directory where HTTP cache is stored.	Shared	C:\Users\gle3.WS212\Inventive\Cache\http\gle3\shared	✓	✓	✓	
http-disk-cache-ignore-write-errors	Whether to ignore write errors to disk cache.	Shared	False	✓	✓	✓	
http-disk-cache-max-age-sec	Maximum acceptable age in seconds for use of data in the HTTP disk cache.	Shared	2592000	✓	✓	✓	
http-get-timeout-max-ms	HTTP GET maximum timeout on retry (ms).		300000	✓	✓	✓	
http-get-timeout-ms	HTTP GET timeout (ms).		60000	✓	✓	✓	
http-memory-cache-compression-level	Compression level for the HTTP memory cache, ranging from 1 (little) to 9 (intense). Default is 5.	OData	5	✓	✓	✓	
http-memory-cache-max-age-sec	Maximum acceptable age in seconds for use of data in the HTTP memory cache.	OData	14400	✓	✓	✓	
http-post-timeout-max-ms	HTTP POST maximum timeout on retry (ms).		300000	✓	✓	✓	
http-post-timeout-ms	HTTP POST timeout (ms).		300000	✓	✓	✓	
ignore-http-400-errors	Ignore HTTP 400 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
ignore-http-401-errors	Ignore HTTP 401 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
ignore-http-402-errors	Ignore HTTP 402 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
ignore-http-403-errors	Ignore HTTP 403 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
ignore-http-404-errors	Ignore HTTP 404 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
ignore-http-422-errors	Ignore HTTP 422 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
ignore-http-429-errors	Ignore HTTP 429 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from SQL-Statement	Set from Drivers File	Set from Log On
ignore-http-500-errors	Ignore HTTP 500 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
ignore-http-502-errors	Ignore HTTP 502 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
ignore-http-503-errors	Ignore HTTP 503 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
invalid-json-on-get-max-tries	Maximum number of tries when the JSON received on GET is invalid.		10	✓	✓	✓	
invalid-json-on-get-sleep-initial-ms	Initial sleep in milliseconds between retries when the JSON received on GET is invalid.		10000	✓	✓	✓	
invalid-json-on-get-sleep-max-ms	Maximum sleep in milliseconds between retries when the JSON received on GET is invalid.		300000	✓	✓	✓	
invalid-json-on-get-sleep-multiplicator	Multiplication factor for sleep between retries when the JSON received on GET is invalid.		2	✓	✓	✓	
invalid-json-on-post-max-tries	Maximum number of tries when the JSON received on POST is invalid.		1	✓	✓	✓	
invalid-json-on-post-sleep-initial-ms	Initial sleep in milliseconds between retries when the JSON received on POST is invalid.		10000	✓	✓	✓	
invalid-json-on-post-sleep-max-ms	Maximum sleep in milliseconds between retries when the JSON received on POST is invalid.		300000	✓	✓	✓	
invalid-json-on-post-sleep-multiplicator	Multiplication factor for sleep between retries when the JSON received on POST is invalid.		2	✓	✓	✓	
invantive-sql-compress-sparse-arrays	Whether to compress sparse arrays in result sets during compression.	SQL Engine V1	True	✓	✓	✓	
invantive-sql-correct-invalid-date	Whether to correct dates considered invalid since they are before 01-01-1753. When nullable, they are removed. Otherwise they are replaced by 01-01-1753.	SQL Engine V1	False	✓	✓	✓	
invantive-sql-forward-filters-to-data-containers	Whether to forward filters to data containers.	SQL Engine V1	True	✓	✓	✓	
invantive-sql-share-byte-arrays	Whether to share the memory used by identical byte arrays in result sets during compression.	SQL Engine V1	True	✓	✓	✓	
invantive-sql-share-strings	Whether to share the memory used by identical strings in result sets during compression.	SQL Engine V1	True	✓	✓	✓	
invantive-sql-shuffle-fetch-	Whether to shuffle results fetched from data containers.	SQL Engine V1	False	✓	✓	✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Drivers File	Set from Log On
results-data-containers							
invantive-use-cache	Whether to cache the results of a query.	SQL Engine V1	True	✓	✓	✓	
join-set-points-per-request	Maximum number of values in a request when executing a join set.	OData	60	✓	✓	✓	
limit-partition-calls-left	Minimum number of remaining API calls on a partition towards a hard limit. When below , an error is raised.	OData	500	✓	✓	✓	
log-native-calls-to-disk-max-events	Maximum number of events to register from last activation.	Shared		✓	✓	✓	
log-native-calls-to-disk-max-seconds	Maximum number of seconds to register from last activation.	Shared		✓	✓	✓	
log-native-calls-to-disk-on-error	Registers native calls to data container backend as disk files when an error occurred.	Shared	False	✓	✓	✓	
log-native-calls-to-disk-on-success	Registers native calls to data container backend as disk files when successful.	Shared	False	✓	✓	✓	
log-native-calls-to-trace	Log native calls to data container backend on the trace.	Shared	False	✓	✓	✓	
maximum-length-identifiers	Non-default maximum length in characters of identifier names.	Shared		✓	✓	✓	
max-odata-filters	The maximum number of OData filter elements.	OData	100	✓	✓	✓	
max-url-length-accepted	The maximum accepted URL length before raising an error.	Shared	8000	✓	✓	✓	
max-url-length-desired	The maximum desired URL length.	Shared	8000	✓	✓	✓	
metadata-cache-max-age-sec	Maximum acceptable age in seconds for re-use of metadata.	OData		✓	✓	✓	
oauth-unauthorized-max-tries	Maximum number of tries when an OAuth exception occurs.	OData	2	✓	✓	✓	
oauth-unauthorized-sleep-initial-ms	Initial sleep in milliseconds between OAuth reauthentication tries when the OAuth authentication fails.	OData	10000	✓	✓	✓	
oauth-unauthorized-sleep-max-ms	Maximum sleep in milliseconds between OAuth reauthentication tries when the OAuth authentication fails.	OData	1000	✓	✓	✓	
oauth-unauthorized-sleep-multiplicator	Multiplication factor for sleep between OAuth reauthentication tries when the OAuth authentication fails.	OData	2	✓	✓	✓	
partition-slot-based-rate-limit-length-ms	Total length in ms across all slots of a partition-based rate limit.	Shared	60000	✓		✓	
partition-slot-based-rate-limit-slots	Number of slots per partition-based rate limit. Null means no slot-based	Shared		✓		✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from SQL-Statement	Set from Drivers File	Set from Log On
	rate limit						
pre-request-delay-ms	Pre-request delay in milliseconds per request.	Shared	0	✓	✓	✓	
requested-page-size	Preferred number of rows to exchange per round trip; only effective on limited platforms such as AFAS Online	Shared		✓	✓	✓	
requests-parallel-max	Maximum number of parallel data requests from individual partitions on the data container.	Shared	32	✓	✓	✓	
simulate-http-400-errors	Simulate HTTP 400 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
simulate-http-400-errors-percentage	Percentage of simulated HTTP 400 errors when exchanging results with the OData endpoint.		0	✓	✓	✓	
simulate-http-401-errors	Simulate HTTP 401 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
simulate-http-401-errors-percentage	Percentage of simulated HTTP 401 errors when exchanging results with the OData endpoint.		0	✓	✓	✓	
simulate-http-403-errors	Simulate HTTP 403 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
simulate-http-403-errors-percentage	Percentage of simulated HTTP 403 errors when exchanging results with the OData endpoint.		0	✓	✓	✓	
simulate-http-408-errors	Simulate HTTP 408 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
simulate-http-408-errors-percentage	Percentage of simulated HTTP 408 errors when exchanging results with the OData endpoint.		0	✓	✓	✓	
simulate-http-429-errors	Simulate HTTP 429 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
simulate-http-429-errors-percentage	Percentage of simulated HTTP 429 errors when exchanging results with the OData endpoint.		0	✓	✓	✓	
simulate-http-500-errors	Simulate HTTP 500 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
simulate-http-500-errors-percentage	Percentage of simulated HTTP 500 errors when exchanging results with the OData endpoint.		0	✓	✓	✓	
simulate-http-502-errors	Simulate HTTP 502 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Drivers File	Set from Log On
simulate-http-502-errors-percentage	Percentage of simulated HTTP 502 errors when exchanging results with the OData endpoint.		0	✓	✓	✓	
simulate-http-503-errors	Simulate HTTP 503 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
simulate-http-503-errors-percentage	Percentage of simulated HTTP 503 errors when exchanging results with the OData endpoint.		0	✓	✓	✓	
simulate-http-protocol-errors	Simulate HTTP protocol errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
simulate-http-protocol-errors-percentage	Percentage of simulated HTTP protocol errors when exchanging results with the OData endpoint.		0	✓	✓	✓	
simulate-http-timeout-errors	Simulate HTTP timeout errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
simulate-http-timeout-errors-percentage	Percentage of simulated HTTP timeout errors when exchanging results with the OData endpoint.		0	✓	✓	✓	
slot-based-rate-limit-length-ms	Total length in ms across all slots of a slot-based rate limit.	Shared	60000	✓		✓	
slot-based-rate-limit-slots	Number of slots of a slot-based rate limit. Null means no slot-based rate limit	Shared		✓		✓	
standardize-identifiers	Rewrite all identifiers to the preferred standards as configured by standardize-identifiers-casing and maximum-length-identifiers.	Shared	True	✓	✓	✓	
standardize-identifiers-casing	Rewrite all identifiers to the recommended standard platform-specific casing when changing a data model on a case-dependent platform.	Shared	True	✓	✓	✓	
use-batch-insert	Whether to use batch insert.	OData	True	✓	✓	✓	
use-http-disk-cache-read	Whether to use HTTP responses from previous queries stored on disk to answer the current query.	Shared	True	✓	✓	✓	
use-http-disk-cache-write	Whether to memorize HTTP responses on disk.	Shared	True	✓	✓	✓	
use-http-memory-cache-read	Whether to use HTTP responses from previous queries stored in memory that can answer the current query.	OData	True	✓	✓	✓	
use-http-memory-cache-write	Whether to memorize HTTP responses from previous queries for use by future queries.	OData	True	✓	✓	✓	

## 3 Schema: Native

### 3.1 Tables

#### 3.1.1 NATIVEPLATFORMSCALARREQUESTS: Open Exchange Rates Native Platform Scalar Requests

Direct access to native API.

Catalog: OpenExchangeRates

Schema: Native

Alias: npt

Label: Native Platform Scalar Requests

Documentation:

The NativePlatformScalarRequests table provides direct access to the native API protocol over an established connection to the Open Exchange Rates API server. It will contain a new row for every row inserted with a native API request in PAYLOAD\_TEXT with the results of unaltered forwarding of the payload to the Open Exchange Rates API server.

Retrieve: true

Insert: true

Update: false

Delete: false

## View Columns

The columns of the view NATIVEPLATFORMSCALARREQUESTS are shown below. Each column has an SQL data type. A new non-null value must be provided for every required column at all times during insert.

Name	Data Type	Label	Required	Documentation
BLOB_PREFERRED	boolean	BLOB Preferred	<input checked="" type="checkbox"/>	Indicator whether a BLOB result is preferred over text.
BOL_RESPONSE_CACHE_MAX_AGE_SEC	int32	Response Cache Maximum Age (sec)	<input type="checkbox"/>	Maximum age in seconds of Bridge Online response cache entries to be used.
CONTENT_TYPE	string(240)	Content Type	<input type="checkbox"/>	
DATE_ENDED	datetime	End Date	<input checked="" type="checkbox"/>	
DATE_STARTED	datetime	Start Date	<input checked="" type="checkbox"/>	
DRY_RUN	boolean	Run without Actions	<input checked="" type="checkbox"/>	
DURATION_MS	int32	Duration (ms)	<input checked="" type="checkbox"/>	
ERROR_MESSAGE_CODE	string(30)	Error Message Code	<input type="checkbox"/>	
ERROR_MESSAGE_TEXT	string(32000)	Error Message Text	<input type="checkbox"/>	
FAIL_ON_ERROR	boolean	Fail on Error	<input checked="" type="checkbox"/>	Whether to raise an exception when processing the native request triggered an error from the provider.
HTTP_DISK_CACHE_MAX_AGE_SEC	int32	HTTP Disk Cache Maximum Age (sec)	<input type="checkbox"/>	Maximum age in seconds of HTTP disk cache entries to be used.

Name	Data Type	Label	Required	Documentation
HTTP_DISK_CACHE_SAVE	boolean	Save HTTP Disk Cache	<input type="checkbox"/>	Whether results can be stored in HTTP disk cache.
HTTP_DISK_CACHE_USE	boolean	Use HTTP Disk Cache	<input type="checkbox"/>	Whether results can be fetched from HTTP disk cache.
HTTP_MEMORY_CACHE_MAX_AGE_SEC	int32	HTTP Memory Cache Maximum Age (sec)	<input type="checkbox"/>	Maximum age in seconds of HTTP memory cache entries to be used.
HTTP_MEMORY_CACHE_SAVE	boolean	Save HTTP Memory Cache	<input type="checkbox"/>	Whether results can be stored in HTTP memory cache.
HTTP_MEMORY_CACHE_USE	boolean	Use HTTP Memory Cache	<input type="checkbox"/>	Whether results can be fetched from HTTP memory cache.
HTTP_METHOD	string(30)	HTTP Method	<input type="checkbox"/>	
HTTP_STATUS_CODE	int16	HTTP Status Code	<input type="checkbox"/>	
ORIG_SYSTEM_GROUP	string(4000)	Original System Group	<input type="checkbox"/>	
ORIG_SYSTEM_REFERENCE	string(4000)	Original System Reference	<input type="checkbox"/>	
PAYOUT_TEXT	string	Payout	<input type="checkbox"/>	
RESULT_BLOB	byte[]	Result BLOB	<input type="checkbox"/>	
RESULT_DATE_TIME_UTC	datetime		<input type="checkbox"/>	
RESULT_NUMBER	decimal		<input type="checkbox"/>	
RESULT_TEXT	string	Result Text	<input type="checkbox"/>	
SUCCESSFUL	boolean	Successful	<input checked="" type="checkbox"/>	
TIMEOUT_SEC	int32	Timeout (sec)	<input type="checkbox"/>	Timeout in seconds.
TRANSACTION_ID	int32	Transaction ID	<input checked="" type="checkbox"/>	Incrementing ID of the transaction.
URL	string(4000)	URL	<input type="checkbox"/>	

## 4 Schema: OpenExchangeRates

### 4.1 Tables

#### 4.1.1 ConvertAmount: Open Exchange Rates Convert Amount

Catalog: OpenExchangeRates

Schema: OpenExchangeRates

Label: Convert Amount

Documentation:

Convert any money value from one currency to another at the latest API rates using the /convert API endpoint. This feature works differently to other endpoints in our API, using a REST-based approach and an alternate response format. Currency conversion requests are currently available for clients on the Unlimited plan.

This is a read-only table function. The Open Exchange Rates API may not support changing the data or the Invantive SQL driver for Open Exchange Rates does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the Open Exchange Rates API.

Select Open Exchange Rates API URL: `convert/{value}/{from}/{to}`

Insert Open Exchange Rates API URL: convert/{value}/{from}/{to}

Update Open Exchange Rates API URL: convert/{value}/{from}/{to}

Delete Open Exchange Rates API URL: convert/{value}/{from}/{to}

Field Selection Method: NotRequired

## Parameters of Table Function

The following parameters can be used to control the behaviour of the table function ConvertAmount. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select \* from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select \* from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
from	string	<input checked="" type="checkbox"/>		The base ('from') currency (3-letter code).
to	string	<input checked="" type="checkbox"/>		The target ('to') currency (3-letter code).
value	string	<input checked="" type="checkbox"/>		The value to be converted.

## Table Function Columns

The columns of the table function ConvertAmount are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
amount	decimal	Amount	<input type="checkbox"/>	
from	string	From	<input type="checkbox"/>	
query	string	Query	<input type="checkbox"/>	
rate	decimal	Rate	<input type="checkbox"/>	
response	decimal	Response	<input type="checkbox"/>	
timestamp	datetime		<input type="checkbox"/>	
to	string	To	<input type="checkbox"/>	

### 4.1.2 Currencies: Open Exchange Rates Currencies

Catalog: OpenExchangeRates

Schema: OpenExchangeRates

Label: Currencies

Documentation:

List of all currency symbols available from the Open Exchange Rates API, along with their full names, for use in your integration. This list will always mirror the currencies available in the latest rates (given as their 3-letter codes).

This is a read-only table function. The Open Exchange Rates API may not support changing the data or the Invantive SQL driver for Open Exchange Rates does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Open Exchange Rates API.

Select Open Exchange Rates API URL: `currencies.json?`  
`show_alternative={show_alternative}`

Insert Open Exchange Rates API URL: `currencies.json?`  
`show_alternative={show_alternative}`

Update Open Exchange Rates API URL: `currencies.json?`  
`show_alternative={show_alternative}`

Delete Open Exchange Rates API URL: `currencies.json?`  
`show_alternative={show_alternative}`

Field Selection Method: NotRequired

## Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `Currencies`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
<code>show_alternative</code>	boolean	<input type="checkbox"/>	True	Include alternative currencies.

## Table Function Columns

The columns of the table function `Currencies` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
AED	string		<input type="checkbox"/>	
AFN	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
ALL	string		<input type="checkbox"/>	
AMD	string		<input type="checkbox"/>	
ANG	string		<input type="checkbox"/>	
AOA	string		<input type="checkbox"/>	
ARS	string		<input type="checkbox"/>	
AUD	string		<input type="checkbox"/>	
AWG	string		<input type="checkbox"/>	
AZN	string		<input type="checkbox"/>	
BAM	string		<input type="checkbox"/>	
BBD	string		<input type="checkbox"/>	
BDT	string		<input type="checkbox"/>	
BGN	string		<input type="checkbox"/>	
BHD	string		<input type="checkbox"/>	
BIF	string		<input type="checkbox"/>	
BMD	string		<input type="checkbox"/>	
BND	string		<input type="checkbox"/>	
BOB	string		<input type="checkbox"/>	
BRL	string		<input type="checkbox"/>	
BSD	string		<input type="checkbox"/>	
BTC	string		<input type="checkbox"/>	
BTN	string		<input type="checkbox"/>	
BTS	string		<input type="checkbox"/>	
BWP	string		<input type="checkbox"/>	
BYN	string		<input type="checkbox"/>	
BZD	string		<input type="checkbox"/>	
CAD	string		<input type="checkbox"/>	
CDF	string		<input type="checkbox"/>	
CHF	string		<input type="checkbox"/>	
CLF	string		<input type="checkbox"/>	
CLP	string		<input type="checkbox"/>	
CNH	string		<input type="checkbox"/>	
CNY	string		<input type="checkbox"/>	
COP	string		<input type="checkbox"/>	
CRC	string		<input type="checkbox"/>	
CUC	string		<input type="checkbox"/>	
CUP	string		<input type="checkbox"/>	
CVE	string		<input type="checkbox"/>	
CZK	string		<input type="checkbox"/>	
DASH	string		<input type="checkbox"/>	
DJF	string		<input type="checkbox"/>	
DKK	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
DOGE	string		<input type="checkbox"/>	
DOP	string		<input type="checkbox"/>	
DZD	string		<input type="checkbox"/>	
EAC	string		<input type="checkbox"/>	
EGP	string		<input type="checkbox"/>	
EMC	string		<input type="checkbox"/>	
ERN	string		<input type="checkbox"/>	
ETB	string		<input type="checkbox"/>	
ETH	string		<input type="checkbox"/>	
EUR	string		<input type="checkbox"/>	
FCT	string		<input type="checkbox"/>	
FJD	string		<input type="checkbox"/>	
FKP	string		<input type="checkbox"/>	
FTC	string		<input type="checkbox"/>	
GBP	string		<input type="checkbox"/>	
GEL	string		<input type="checkbox"/>	
GGP	string		<input type="checkbox"/>	
GHS	string		<input type="checkbox"/>	
GIP	string		<input type="checkbox"/>	
GMD	string		<input type="checkbox"/>	
GNF	string		<input type="checkbox"/>	
GTQ	string		<input type="checkbox"/>	
GYD	string		<input type="checkbox"/>	
HKD	string		<input type="checkbox"/>	
HNL	string		<input type="checkbox"/>	
HRK	string		<input type="checkbox"/>	
HTG	string		<input type="checkbox"/>	
HUF	string		<input type="checkbox"/>	
IDR	string		<input type="checkbox"/>	
ILS	string		<input type="checkbox"/>	
IMP	string		<input type="checkbox"/>	
INR	string		<input type="checkbox"/>	
IQD	string		<input type="checkbox"/>	
IRR	string		<input type="checkbox"/>	
ISK	string		<input type="checkbox"/>	
JEP	string		<input type="checkbox"/>	
JMD	string		<input type="checkbox"/>	
JOD	string		<input type="checkbox"/>	
JPY	string		<input type="checkbox"/>	
KES	string		<input type="checkbox"/>	
KGS	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
KHR	string		<input type="checkbox"/>	
KMF	string		<input type="checkbox"/>	
KPW	string		<input type="checkbox"/>	
KRW	string		<input type="checkbox"/>	
KWD	string		<input type="checkbox"/>	
KYD	string		<input type="checkbox"/>	
KZT	string		<input type="checkbox"/>	
LAK	string		<input type="checkbox"/>	
LBP	string		<input type="checkbox"/>	
LD	string		<input type="checkbox"/>	
LKR	string		<input type="checkbox"/>	
LRD	string		<input type="checkbox"/>	
LSL	string		<input type="checkbox"/>	
LTC	string		<input type="checkbox"/>	
LYD	string		<input type="checkbox"/>	
MAD	string		<input type="checkbox"/>	
MDL	string		<input type="checkbox"/>	
MGA	string		<input type="checkbox"/>	
MKD	string		<input type="checkbox"/>	
MMK	string		<input type="checkbox"/>	
MNT	string		<input type="checkbox"/>	
MOP	string		<input type="checkbox"/>	
MRO	string		<input type="checkbox"/>	
MRU	string		<input type="checkbox"/>	
MUR	string		<input type="checkbox"/>	
MVR	string		<input type="checkbox"/>	
MWK	string		<input type="checkbox"/>	
MXN	string		<input type="checkbox"/>	
MYR	string		<input type="checkbox"/>	
MZN	string		<input type="checkbox"/>	
NAD	string		<input type="checkbox"/>	
NGN	string		<input type="checkbox"/>	
NIO	string		<input type="checkbox"/>	
NMC	string		<input type="checkbox"/>	
NOK	string		<input type="checkbox"/>	
NPR	string		<input type="checkbox"/>	
NVC	string		<input type="checkbox"/>	
NXT	string		<input type="checkbox"/>	
NZD	string		<input type="checkbox"/>	
OMR	string		<input type="checkbox"/>	
PAB	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
PEN	string		<input type="checkbox"/>	
PGK	string		<input type="checkbox"/>	
PHP	string		<input type="checkbox"/>	
PKR	string		<input type="checkbox"/>	
PLN	string		<input type="checkbox"/>	
PPC	string		<input type="checkbox"/>	
PYG	string		<input type="checkbox"/>	
QAR	string		<input type="checkbox"/>	
RON	string		<input type="checkbox"/>	
RSD	string		<input type="checkbox"/>	
RUB	string		<input type="checkbox"/>	
RWF	string		<input type="checkbox"/>	
SAR	string		<input type="checkbox"/>	
SBD	string		<input type="checkbox"/>	
SCR	string		<input type="checkbox"/>	
SDG	string		<input type="checkbox"/>	
SEK	string		<input type="checkbox"/>	
SGD	string		<input type="checkbox"/>	
SHP	string		<input type="checkbox"/>	
SLL	string		<input type="checkbox"/>	
SOS	string		<input type="checkbox"/>	
SRD	string		<input type="checkbox"/>	
SSP	string		<input type="checkbox"/>	
STD	string		<input type="checkbox"/>	
STN	string		<input type="checkbox"/>	
STR	string		<input type="checkbox"/>	
SVC	string		<input type="checkbox"/>	
SYP	string		<input type="checkbox"/>	
SZL	string		<input type="checkbox"/>	
THB	string		<input type="checkbox"/>	
TJS	string		<input type="checkbox"/>	
TMT	string		<input type="checkbox"/>	
TND	string		<input type="checkbox"/>	
TOP	string		<input type="checkbox"/>	
TRY	string		<input type="checkbox"/>	
TTD	string		<input type="checkbox"/>	
TWD	string		<input type="checkbox"/>	
TZS	string		<input type="checkbox"/>	
UAH	string		<input type="checkbox"/>	
UGX	string		<input type="checkbox"/>	
USD	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
UYU	string		<input type="checkbox"/>	
UZS	string		<input type="checkbox"/>	
VEF_BLKMKT	string		<input type="checkbox"/>	
VEF_DICOM	string		<input type="checkbox"/>	
VEF_DIPRO	string		<input type="checkbox"/>	
VEF	string		<input type="checkbox"/>	
VES	string		<input type="checkbox"/>	
VND	string		<input type="checkbox"/>	
VTC	string		<input type="checkbox"/>	
VUV	string		<input type="checkbox"/>	
WST	string		<input type="checkbox"/>	
XAF	string		<input type="checkbox"/>	
XAG	string		<input type="checkbox"/>	
XAU	string		<input type="checkbox"/>	
XCD	string		<input type="checkbox"/>	
XDR	string		<input type="checkbox"/>	
XMR	string		<input type="checkbox"/>	
XOF	string		<input type="checkbox"/>	
XPD	string		<input type="checkbox"/>	
XPF	string		<input type="checkbox"/>	
XPM	string		<input type="checkbox"/>	
XPT	string		<input type="checkbox"/>	
XRP	string		<input type="checkbox"/>	
YER	string		<input type="checkbox"/>	
ZAR	string		<input type="checkbox"/>	
ZMW	string		<input type="checkbox"/>	
ZWL	string		<input type="checkbox"/>	

#### 4.1.3 HistoricalRatesByDateAndBase

Catalog: OpenExchangeRates

Schema: OpenExchangeRates

Documentation:

Provides a standard response object containing all the conversion rates for all available symbols/currencies on your requested date, labeled by their international-standard 3-letter ISO currency codes. Historical data are End-Of-Day values, and are currently available from Jan 1st, 1999.

This is a read-only table function. The Open Exchange Rates API may not support changing the data or the Invantive SQL driver for Open Exchange Rates does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the Open Exchange Rates API.

Select Open Exchange Rates API URL: historical/{date}.json?base={base}&show\_alternative={show\_alternative}

Insert Open Exchange Rates API URL: historical/{date}.json?base={base}&show\_alternative={show\_alternative}

Update Open Exchange Rates API URL: historical/{date}.json?base={base}&show\_alternative={show\_alternative}

Delete Open Exchange Rates API URL: historical/{date}.json?base={base}&show\_alternative={show\_alternative}

Field Selection Method: NotRequired

## Parameters of Table Function

The following parameters can be used to control the behaviour of the table function HistoricalRatesByDateAndBase. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select \* from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select \* from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
base	string	<input type="checkbox"/>	USD	Change base currency (3-letter code, default: USD)
date	datetime	<input checked="" type="checkbox"/>		Date without time.
show_alternative	boolean	<input type="checkbox"/>	True	Extend returned values with alternative, black market and digital currency rates

## Table Function Columns

The columns of the table function HistoricalRatesByDateAndBase are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
base	string		<input type="checkbox"/>	
name	string		<input type="checkbox"/>	
rate	decimal	Rate	<input type="checkbox"/>	
timestamp_utc	datetime	Timestamp (UTC)	<input type="checkbox"/>	

#### 4.1.4 LatestRatesByBase

Catalog: OpenExchangeRates

Schema: OpenExchangeRates

Documentation:

Provides a standard response object containing all the conversion rates for all of the currently available symbols/currencies, labeled by their international-standard 3-letter ISO currency codes. The latest rates will always be the most up-to-date data available on your plan.

This is a read-only table function. The Open Exchange Rates API may not support changing the data or the Invantive SQL driver for Open Exchange Rates does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the Open Exchange Rates API.

Select Open Exchange Rates API URL: `latest.json?base={base}&show_alternative={show_alternative}`

Insert Open Exchange Rates API URL: `latest.json?base={base}&show_alternative={show_alternative}`

Update Open Exchange Rates API URL: `latest.json?base={base}&show_alternative={show_alternative}`

Delete Open Exchange Rates API URL: `latest.json?base={base}&show_alternative={show_alternative}`

Field Selection Method: NotRequired

## Parameters of Table Function

The following parameters can be used to control the behaviour of the table function LatestRatesByBase. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select \* from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select \* from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
base	string	<input type="checkbox"/>	USD	Change base currency (3-letter code, default: USD).
show_alternative	boolean	<input type="checkbox"/>	True	Extend returned values with alternative, black market and digital currency rates.

## Table Function Columns

The columns of the table function `LatestRatesByBase` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
base	string		<input type="checkbox"/>	
name	string		<input type="checkbox"/>	
rate	decimal	Rate	<input type="checkbox"/>	
timestamp_utc	datetime	Timestamp (UTC)	<input type="checkbox"/>	

#### 4.1.5 OpenHighLowClose: Open Exchange Rates Exchange Rates across a Day: Open, High, Low and Close

Catalog: `OpenExchangeRates`

Schema: `OpenExchangeRates`

Label: Exchange Rates across a Day: Open, High, Low and Close

Documentation:

Get historical Open, High Low, Close (OHLC) and Average exchange rates for a given time period, ranging from 1 month to 1 minute, where available. Values for 'high', 'low' and 'average' are based on all recorded prices we published (up to every 1 second). OHLC requests are currently available for clients of our VIP Platinum tier.

This is a read-only table function. The Open Exchange Rates API may not support changing the data or the Invantive SQL driver for Open Exchange Rates does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Open Exchange Rates API.

Select Open Exchange Rates API URL: `ohlc.json?start_time={start_time}&period={period}&base={base}`

Insert Open Exchange Rates API URL: `ohlc.json?start_time={start_time}&period={period}&base={base}`

Update Open Exchange Rates API URL: `ohlc.json?start_time={start_time}&period={period}&base={base}`

Delete Open Exchange Rates API URL: `ohlc.json?start_time={start_time}&period={period}&base={base}`

Field Selection Method: `NotRequired`

## Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `OpenHighLowClose`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `'select * from table(value1, value2, value3)'` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select \* from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
base	string	<input type="checkbox"/>	USD	Change base currency (3-letter code, default: USD).
period	string	<input checked="" type="checkbox"/>		The requested period (starting on the start_time), e.g. 1m, 30m, 1d.
start_time	datetime	<input checked="" type="checkbox"/>		The start time for the requested OHLC period (ISO-8601 format, UTC only).

## Table Function Columns

The columns of the table function `OpenHighLowClose` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
base	string		<input type="checkbox"/>	
end_time	datetime		<input type="checkbox"/>	
EUR_average	decimal		<input type="checkbox"/>	
EUR_close	decimal		<input type="checkbox"/>	
EUR_high	decimal		<input type="checkbox"/>	
EUR_low	decimal		<input type="checkbox"/>	
EUR_open	decimal		<input type="checkbox"/>	
start_time	datetime		<input type="checkbox"/>	

### 4.1.6 RateTimeSeriesByDateRangeAndBase: Open Exchange Rates Exchange Rate Time Series by Date Range and Base Currency

Catalog: OpenExchangeRates

Schema: OpenExchangeRates

Label: Exchange Rate Time Series by Date Range and Base Currency

Documentation:

Get historical exchange rates for a given time period, where available, using the time series / bulk download API endpoint. Please read all the details before integrating. Time Series requests are currently available for clients on the Enterprise and Unlimited plans.

This is a read-only table function. The Open Exchange Rates API may not support changing the data or the Invantive SQL driver for Open Exchange Rates does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the Open Exchange Rates API.

Select Open Exchange Rates API URL: `time-series.json?start={start}&end={end}&base={base}&show_alternative={show_alternative}`

Insert Open Exchange Rates API URL: `time-series.json?start={start}&end={end}&base={base}&show_alternative={show_alternative}`

Update Open Exchange Rates API URL: `time-series.json?start={start}&end={end}&base={base}&show_alternative={show_alternative}`

Delete Open Exchange Rates API URL: `time-series.json?start={start}&end={end}&base={base}&show_alternative={show_alternative}`

Field Selection Method: NotRequired

## Parameters of Table Function

The following parameters can be used to control the behaviour of the table function RateTimeSeriesByDateRangeAndBase. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
base	string	<input type="checkbox"/>	USD	Change base currency (3-letter code, default: USD).
end	datetime	<input checked="" type="checkbox"/>		The time series end date without time.
show_alternative	boolean	<input type="checkbox"/>	True	Extend returned values with alternative, black market and digital currency rates.
start	datetime	<input checked="" type="checkbox"/>		The time series start date without time.

## Table Function Columns

The columns of the table function RateTimeSeriesByDateRangeAndBase are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
base	string		<input type="checkbox"/>	
date	string		<input type="checkbox"/>	
end_date	datetime		<input type="checkbox"/>	
rate_AED	decimal		<input type="checkbox"/>	
rate_AFN	decimal		<input type="checkbox"/>	
rate_ALL	decimal		<input type="checkbox"/>	
rate_AMD	decimal		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
rate_ANG	decimal		<input type="checkbox"/>	
rate_AOA	decimal		<input type="checkbox"/>	
rate_ARS	decimal		<input type="checkbox"/>	
rate_AUD	decimal		<input type="checkbox"/>	
rate_AWG	decimal		<input type="checkbox"/>	
rate_AZN	decimal		<input type="checkbox"/>	
rate_BAM	decimal		<input type="checkbox"/>	
rate_BBD	decimal		<input type="checkbox"/>	
rate_BDT	decimal		<input type="checkbox"/>	
rate_BGN	decimal		<input type="checkbox"/>	
rate_BHD	decimal		<input type="checkbox"/>	
rate_BIF	decimal		<input type="checkbox"/>	
rate_BMD	decimal		<input type="checkbox"/>	
rate_BND	decimal		<input type="checkbox"/>	
rate_BOB	decimal		<input type="checkbox"/>	
rate_BRL	decimal		<input type="checkbox"/>	
rate BSD	decimal		<input type="checkbox"/>	
rate_BTC	decimal		<input type="checkbox"/>	
rate_BTN	decimal		<input type="checkbox"/>	
rate_BTS	decimal		<input type="checkbox"/>	
rate_BWP	decimal		<input type="checkbox"/>	
rate_BYN	decimal		<input type="checkbox"/>	
rate_BZD	decimal		<input type="checkbox"/>	
rate_CAD	decimal		<input type="checkbox"/>	
rate_CDF	decimal		<input type="checkbox"/>	
rate_CHF	decimal		<input type="checkbox"/>	
rate_CLF	decimal		<input type="checkbox"/>	
rate_CLP	decimal		<input type="checkbox"/>	
rate_CNH	decimal		<input type="checkbox"/>	
rate_CNY	decimal		<input type="checkbox"/>	
rate_COP	decimal		<input type="checkbox"/>	
rate_CRC	decimal		<input type="checkbox"/>	
rate_CUC	decimal		<input type="checkbox"/>	
rate_CUP	decimal		<input type="checkbox"/>	
rate CVE	decimal		<input type="checkbox"/>	
rate_CZK	decimal		<input type="checkbox"/>	
rate_DASH	decimal		<input type="checkbox"/>	
rate_DJF	decimal		<input type="checkbox"/>	
rate_DKK	decimal		<input type="checkbox"/>	
rate_DOGE	decimal		<input type="checkbox"/>	
rate_DOP	decimal		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
rate_DZD	decimal		<input type="checkbox"/>	
rate_EAC	decimal		<input type="checkbox"/>	
rate_EGP	decimal		<input type="checkbox"/>	
rate_ESC	decimal		<input type="checkbox"/>	
rate_ERN	decimal		<input type="checkbox"/>	
rate_ETB	decimal		<input type="checkbox"/>	
rate_ETH	decimal		<input type="checkbox"/>	
rate_EUR	decimal		<input type="checkbox"/>	
rate_FCT	decimal		<input type="checkbox"/>	
rate_FJD	decimal		<input type="checkbox"/>	
rate_FKP	decimal		<input type="checkbox"/>	
rate_FTC	decimal		<input type="checkbox"/>	
rate_GBP	decimal		<input type="checkbox"/>	
rate_GEL	decimal		<input type="checkbox"/>	
rate_GGP	decimal		<input type="checkbox"/>	
rate_GHS	decimal		<input type="checkbox"/>	
rate_GIP	decimal		<input type="checkbox"/>	
rate_GMD	decimal		<input type="checkbox"/>	
rate_GNF	decimal		<input type="checkbox"/>	
rate_GTQ	decimal		<input type="checkbox"/>	
rate_GYD	decimal		<input type="checkbox"/>	
rate_HKD	decimal		<input type="checkbox"/>	
rate_HNL	decimal		<input type="checkbox"/>	
rate_HRK	decimal		<input type="checkbox"/>	
rateHTG	decimal		<input type="checkbox"/>	
rate_HUF	decimal		<input type="checkbox"/>	
rate_IDR	decimal		<input type="checkbox"/>	
rate_ILS	decimal		<input type="checkbox"/>	
rate_IMP	decimal		<input type="checkbox"/>	
rate_INR	decimal		<input type="checkbox"/>	
rate_IQD	decimal		<input type="checkbox"/>	
rate_IRR	decimal		<input type="checkbox"/>	
rate_ISK	decimal		<input type="checkbox"/>	
rate_JEP	decimal		<input type="checkbox"/>	
rate_JMD	decimal		<input type="checkbox"/>	
rate_JOD	decimal		<input type="checkbox"/>	
rate_JPY	decimal		<input type="checkbox"/>	
rate_KES	decimal		<input type="checkbox"/>	
rate_KGS	decimal		<input type="checkbox"/>	
rate_KHR	decimal		<input type="checkbox"/>	
rate_KMF	decimal		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
rate_KPW	decimal		<input type="checkbox"/>	
rate_KRW	decimal		<input type="checkbox"/>	
rate_KWD	decimal		<input type="checkbox"/>	
rate_KYD	decimal		<input type="checkbox"/>	
rate_KZT	decimal		<input type="checkbox"/>	
rate_LAK	decimal		<input type="checkbox"/>	
rate_LBP	decimal		<input type="checkbox"/>	
rate_LD	decimal		<input type="checkbox"/>	
rate_LKR	decimal		<input type="checkbox"/>	
rate_LRD	decimal		<input type="checkbox"/>	
rate_LSL	decimal		<input type="checkbox"/>	
rate_LTC	decimal		<input type="checkbox"/>	
rate_LYD	decimal		<input type="checkbox"/>	
rate_MAD	decimal		<input type="checkbox"/>	
rate_MDL	decimal		<input type="checkbox"/>	
rate_MGA	decimal		<input type="checkbox"/>	
rate_MKD	decimal		<input type="checkbox"/>	
rate_MMK	decimal		<input type="checkbox"/>	
rate_MNT	decimal		<input type="checkbox"/>	
rate_MOP	decimal		<input type="checkbox"/>	
rate_MRO	decimal		<input type="checkbox"/>	
rate_MRU	decimal		<input type="checkbox"/>	
rate_MUR	decimal		<input type="checkbox"/>	
rate_MVR	decimal		<input type="checkbox"/>	
rate_MWK	decimal		<input type="checkbox"/>	
rate_MXN	decimal		<input type="checkbox"/>	
rate_MYR	decimal		<input type="checkbox"/>	
rate_MZN	decimal		<input type="checkbox"/>	
rate_NAD	decimal		<input type="checkbox"/>	
rate_NGN	decimal		<input type="checkbox"/>	
rate_NIO	decimal		<input type="checkbox"/>	
rate_NMC	decimal		<input type="checkbox"/>	
rate_NOK	decimal		<input type="checkbox"/>	
rate_NPR	decimal		<input type="checkbox"/>	
rate_NVC	decimal		<input type="checkbox"/>	
rate_NXT	decimal		<input type="checkbox"/>	
rate_NZD	decimal		<input type="checkbox"/>	
rate_OMR	decimal		<input type="checkbox"/>	
rate_PAB	decimal		<input type="checkbox"/>	
rate_PEN	decimal		<input type="checkbox"/>	
rate_PGK	decimal		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
rate_PHP	decimal		<input type="checkbox"/>	
rate_PKR	decimal		<input type="checkbox"/>	
rate_PLN	decimal		<input type="checkbox"/>	
rate_PPC	decimal		<input type="checkbox"/>	
rate_PYG	decimal		<input type="checkbox"/>	
rate_QAR	decimal		<input type="checkbox"/>	
rate_RON	decimal		<input type="checkbox"/>	
rate_RSD	decimal		<input type="checkbox"/>	
rate_RUB	decimal		<input type="checkbox"/>	
rate_RWF	decimal		<input type="checkbox"/>	
rate_SAR	decimal		<input type="checkbox"/>	
rate_SBD	decimal		<input type="checkbox"/>	
rate_SCR	decimal		<input type="checkbox"/>	
rate_SDG	decimal		<input type="checkbox"/>	
rate_SEK	decimal		<input type="checkbox"/>	
rate SGD	decimal		<input type="checkbox"/>	
rate SHP	decimal		<input type="checkbox"/>	
rate SLL	decimal		<input type="checkbox"/>	
rate SOS	decimal		<input type="checkbox"/>	
rate SRD	decimal		<input type="checkbox"/>	
rate SSP	decimal		<input type="checkbox"/>	
rate STD	decimal		<input type="checkbox"/>	
rate STN	decimal		<input type="checkbox"/>	
rate STR	decimal		<input type="checkbox"/>	
rate SVC	decimal		<input type="checkbox"/>	
rate SYP	decimal		<input type="checkbox"/>	
rate SZL	decimal		<input type="checkbox"/>	
rate THB	decimal		<input type="checkbox"/>	
rate TJS	decimal		<input type="checkbox"/>	
rate TMT	decimal		<input type="checkbox"/>	
rate TND	decimal		<input type="checkbox"/>	
rate TOP	decimal		<input type="checkbox"/>	
rate TRY	decimal		<input type="checkbox"/>	
rate TTD	decimal		<input type="checkbox"/>	
rate TWD	decimal		<input type="checkbox"/>	
rate TZS	decimal		<input type="checkbox"/>	
rate UAH	decimal		<input type="checkbox"/>	
rate UGX	decimal		<input type="checkbox"/>	
rate USD	decimal		<input type="checkbox"/>	
rate UYU	decimal		<input type="checkbox"/>	
rate UZS	decimal		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
rate_VEF_BLKMKT	decimal		<input type="checkbox"/>	
rate_VEF_DICOM	decimal		<input type="checkbox"/>	
rate_VEF_DIPRO	decimal		<input type="checkbox"/>	
rate_VEF	decimal		<input type="checkbox"/>	
rate_VES	decimal		<input type="checkbox"/>	
rate_VND	decimal		<input type="checkbox"/>	
rate_VTC	decimal		<input type="checkbox"/>	
rate_VUV	decimal		<input type="checkbox"/>	
rate_WST	decimal		<input type="checkbox"/>	
rate_XAF	decimal		<input type="checkbox"/>	
rate_XAG	decimal		<input type="checkbox"/>	
rate_XAU	decimal		<input type="checkbox"/>	
rate_XCD	decimal		<input type="checkbox"/>	
rate_XDR	decimal		<input type="checkbox"/>	
rate_XMR	decimal		<input type="checkbox"/>	
rate_XOF	decimal		<input type="checkbox"/>	
rate_XPD	decimal		<input type="checkbox"/>	
rate_XPF	decimal		<input type="checkbox"/>	
rate_XPM	decimal		<input type="checkbox"/>	
rate_XPT	decimal		<input type="checkbox"/>	
rate_XRP	decimal		<input type="checkbox"/>	
rate_YER	decimal		<input type="checkbox"/>	
rate_ZAR	decimal		<input type="checkbox"/>	
rate_ZMW	decimal		<input type="checkbox"/>	
rate_ZWL	decimal		<input type="checkbox"/>	
start_date	datetime		<input type="checkbox"/>	

#### 4.1.7 Usage: Open Exchange Rates Usage

Catalog: OpenExchangeRates

Schema: OpenExchangeRates

Label: Usage

Documentation:

Get basic plan information and usage statistics for an Open Exchange Rates App ID.

This is a read-only table. The Open Exchange Rates API may not support changing the data or the Invantive SQL driver for Open Exchange Rates does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the Open Exchange Rates API.

Select Open Exchange Rates API URL: `usage.json`

Insert Open Exchange Rates API URL: `usage.json`

Update Open Exchange Rates API URL: usage.json

Delete Open Exchange Rates API URL: usage.json

Field Selection Method: NotRequired

## Table Columns

The columns of the table Usage are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
app_id	string	App ID	<input type="checkbox"/>	
plan_convert	boolean		<input type="checkbox"/>	
plan_experimental	boolean		<input type="checkbox"/>	
plan_features_base	boolean		<input type="checkbox"/>	
plan_name	string		<input type="checkbox"/>	
plan_quota	string		<input type="checkbox"/>	
plan_symbols	boolean		<input type="checkbox"/>	
plan_time_series	boolean		<input type="checkbox"/>	
plan_update_frequency	string		<input type="checkbox"/>	
status	string		<input type="checkbox"/>	
usage_daily_average	int32		<input type="checkbox"/>	
usage_days_elapsed	int32		<input type="checkbox"/>	
usage_days_remaining	int32		<input type="checkbox"/>	
usage_requests_quota	int32		<input type="checkbox"/>	
usage_requests_remaining	int32		<input type="checkbox"/>	
usage_requests	int32		<input type="checkbox"/>	

# Index

## - A -

add-odata-mandatory-filters 2  
 AED 16  
 AFN 16  
 ALL 16  
 AMD 16  
 Amount 15  
 analysis-enforce-row-uniqueness 2  
 ANG 16  
 AOA 16  
 api-url 2  
 App ID 32  
 app\_id 32  
 ARS 16  
 AUD 16  
 AWG 16  
 AZN 16

## - B -

BAM 16  
 base 22, 24, 25, 26  
 BBD 16  
 BDT 16  
 BGN 16  
 BHD 16  
 BIF 16  
 BLOB Preferred 14  
 BLOB\_PREFERRED 14  
 BMD 16  
 BND 16  
 BOB 16  
 BOL\_RESPONSE\_CACHE\_MAX\_AGE\_SEC 14  
 BRL 16  
 BSD 16  
 BTC 16  
 BTN 16  
 BTS 16  
 bulk-delete-page-size-rows 2  
 bulk-insert-page-size-bytes 2  
 bulk-insert-page-size-rows 2  
 BWP 16  
 BYN 16  
 BZD 16

## - C -

CAD 16  
 CDF 16  
 CHF 16  
 CLF 16  
 CLP 16  
 CNH 16  
 CNY 16  
 Content Type 14  
 CONTENT\_TYPE 14  
 Convert Amount 15  
 ConvertAmount 15  
 COP 16  
 CRC 16  
 CUC 16  
 CUP 16  
 Currencies 16  
 CVE 16  
 CZK 16

## - D -

DASH 16  
 date 22, 26  
 DATE\_ENDED 14  
 DATE\_STARTED 14  
 DJF 16  
 DKK 16  
 DOGE 16  
 DOP 16  
 download-error-400-bad-request-max-tries 2  
 download-error-400-bad-request-sleep-initial-ms 2  
 download-error-400-bad-request-sleep-max-ms 2  
 download-error-400-bad-request-sleep-multiplicator 2  
 download-error-408-request-timeout-max-tries 2  
 download-error-408-request-timeout-sleep-initial-ms 2  
 download-error-408-request-timeout-sleep-max-ms 2  
 download-error-408-request-timeout-sleep-multiplicator 2  
 download-error-422-bad-request-max-tries 2  
 download-error-422-bad-request-sleep-initial-ms 2  
 download-error-422-bad-request-sleep-max-ms 2  
 download-error-422-bad-request-sleep-multiplicator 2  
 download-error-429-too-many-requests-max-tries 2  
 download-error-429-too-many-requests-sleep-initial-ms 2

download-error-429-too-many-requests-sleep-max-ms  
 2  
 download-error-429-too-many-requests-sleep-multiplicator  
 2  
 download-error-502-server-unavailable-max-tries  
 2  
 download-error-502-server-unavailable-sleep-initial-ms  
 2  
 download-error-502-server-unavailable-sleep-max-ms  
 2  
 download-error-502-server-unavailable-sleep-multiplicat  
 or  
 2  
 download-error-503-server-unavailable-max-tries  
 2  
 download-error-503-server-unavailable-sleep-initial-ms  
 2  
 download-error-503-server-unavailable-sleep-max-ms  
 2  
 download-error-503-server-unavailable-sleep-multiplicat  
 or  
 2  
 download-error-504-gateway-timeout-max-tries  
 2  
 download-error-504-gateway-timeout-sleep-initial-ms  
 2  
 download-error-504-gateway-timeout-sleep-max-ms  
 2  
 download-error-504-gateway-timeout-sleep-multiplica  
 r  
 2  
 download-error-590-network-connect-timeout-max-tries  
 2  
 download-error-590-network-connect-timeout-sleep-init  
 al-ms  
 2  
 download-error-590-network-connect-timeout-sleep-ma  
 x-ms  
 2  
 download-error-590-network-connect-timeout-sleep-mul  
 tiplicator  
 2  
 download-error-599-network-connect-timeout-max-tries  
 2  
 download-error-599-network-connect-timeout-sleep-init  
 al-ms  
 2  
 download-error-599-network-connect-timeout-sleep-ma  
 x-ms  
 2  
 download-error-599-network-connect-timeout-sleep-mul  
 tiplicator  
 2  
 download-error-argument-exception-max-tries  
 2  
 download-error-argument-exception-sleep-initial-ms  
 2  
 download-error-argument-exception-sleep-max-ms  
 2  
 download-error-argument-exception-sleep-multiplicator  
 2  
 download-error-internet-down-max-tries  
 2  
 download-error-internet-down-sleep-initial-ms  
 2  
 download-error-internet-down-sleep-max-ms  
 2  
 download-error-internet-down-sleep-multiplicator  
 2  
 download-error-io-exception-max-tries  
 2  
 download-error-io-exception-sleep-initial-ms  
 2  
 download-error-io-exception-sleep-max-ms  
 2

- E -

download-error-io-exception-sleep-multiplicator 2  
 download-error-json-exception-max-tries 2  
 download-error-json-exception-sleep-initial-ms 2  
 download-error-json-exception-sleep-max-ms 2  
 download-error-json-exception-sleep-multiplicator 2  
 download-error-other-exception-max-tries 2  
 download-error-other-exception-sleep-initial-ms 2  
 download-error-other-exception-sleep-max-ms 2  
 download-error-other-exception-sleep-multiplicator 2  
 download-error-socket-exception-max-tries 2  
 download-error-socket-exception-sleep-initial-ms 2  
 download-error-socket-exception-sleep-max-ms 2  
 download-error-socket-exception-sleep-multiplicator 2  
 download-error-web-exception-max-tries 2  
 download-error-web-exception-sleep-initial-ms 2  
 download-error-web-exception-sleep-max-ms 2  
 download-error-web-exception-sleep-multiplicator 2  
 download-error-web-not-implemented-max-tries 2  
 download-error-web-not-implemented-sleep-initial-ms  
 download-error-web-not-implemented-sleep-max-ms  
 download-error-web-not-implemented-sleep-multiplicat  
 or 2  
 download-error-web-timeout-max-tries 2  
 download-error-web-timeout-sleep-initial-ms 2  
 download-error-web-timeout-sleep-max-ms 2  
 download-error-web-timeout-sleep-multiplicator 2  
 download-error-web-unauthorized-max-tries 2  
 download-error-web-unauthorized-sleep-initial-ms 2  
 download-error-web-unauthorized-sleep-max-ms 2  
 download-error-web-unauthorized-sleep-multiplicator 2  
 Driver 1  
 DRY\_RUN 14  
 Duration (ms) 14  
 DURATION\_MS 14  
 DZD 16

EAC 16  
 EGP 16  
 EMC 16  
 end 26  
 End Date 14  
 end\_date 26  
 end\_time 25  
 ERN 16  
 Error Message Code 14

Error Message Text	14	HTTP Status Code	14
ERROR_MESSAGE_CODE	14	HTTP_DISK_CACHE_MAX_AGE_SEC	14
ERROR_MESSAGE_TEXT	14	HTTP_DISK_CACHE_SAVE	14
ETB	16	HTTP_DISK_CACHE_USE	14
ETH	16	HTTP_MEMORY_CACHE_MAX_AGE_SEC	14
EUR	16	HTTP_MEMORY_CACHE_SAVE	14
EUR_average	25	HTTP_MEMORY_CACHE_USE	14
EUR_close	25	HTTP_METHOD	14
EUR_high	25	HTTP_STATUS_CODE	14
EUR_low	25	http-disk-cache-compression-level	2
EUR_open	25	http-disk-cache-directory	2
Exchange Rate Time Series by Date Range and Base Currency	26	http-disk-cache-ignore-write-errors	2
Exchange Rates across a Day: Open, High, Low and Close	25	http-disk-cache-max-age-sec	2
		http-get-timeout-max-ms	2
		http-get-timeout-ms	2
		http-memory-cache-compression-level	2
		http-memory-cache-max-age-sec	2
		http-post-timeout-max-ms	2
		http-post-timeout-ms	2
		HUF	16
<b>- F -</b>			
Fail on Error	14	IDR	16
FAIL_ON_ERROR	14	ignore-http-400-errors	2
FCT	16	ignore-http-401-errors	2
FJD	16	ignore-http-402-errors	2
FKP	16	ignore-http-403-errors	2
force-case-sensitive-identifiers	2	ignore-http-404-errors	2
forced-casing-identifiers	2	ignore-http-422-errors	2
From	15	ignore-http-429-errors	2
FTC	16	ignore-http-500-errors	2
<b>- G -</b>			
GBP	16	ignore-http-502-errors	2
GEL	16	ignore-http-503-errors	2
GGP	16	ILS	16
GHS	16	IMP	16
GIP	16	INR	16
GMD	16	invalid-json-on-get-max-tries	2
GNF	16	invalid-json-on-get-sleep-initial-ms	2
GTQ	16	invalid-json-on-get-sleep-max-ms	2
GYD	16	invalid-json-on-get-sleep-multiplicator	2
<b>- H -</b>			
HistoricalRatesByDateAndBase	22	invalid-json-on-post-max-tries	2
HKD	16	invalid-json-on-post-sleep-initial-ms	2
HNL	16	invalid-json-on-post-sleep-max-ms	2
HRK	16	invalid-json-on-post-sleep-multiplicator	2
HTG	16	invantive-sql-compress-sparse-arrays	2
HTTP Disk Cache Maximum Age (sec)	14	invantive-sql-correct-invalid-date	2
HTTP Memory Cache Maximum Age (sec)	14	invantive-sql-forward-filters-to-data-containers	2
HTTP Method	14	invantive-sql-share-byte-arrays	2
		invantive-sql-share-strings	2
		invantive-sql-shuffle-fetch-results-data-containers	2

invantive-use-cache 2

IQD 16

IRR 16

ISK 16

## - J -

JEP 16

JMD 16

JOD 16

join-set-points-per-request 2

JPY 16

MDL 16

metadata-cache-max-age-sec 2

MGA 16

MKD 16

MMK 16

MNT 16

MOP 16

MRO 16

MRU 16

MUR 16

MVR 16

MWK 16

MXN 16

MYR 16

MZN 16

## - K -

KES 16

KGS 16

KHR 16

KMF 16

KPW 16

KRW 16

KWD 16

KYD 16

KZT 16

## - N -

NAD 16

name 22, 24

Native Platform Scalar Requests 14

NATIVEPLATFORMSCALARREQUESTS 14

NGN 16

NIO 16

NMC 16

NOK 16

NPR 16

npt 14

NVC 16

NXT 16

NZD 16

## - L -

LAK 16

LatestRatesByBase 24

LBP 16

LD 16

limit-partition-calls-left 2

LKR 16

log-native-calls-to-disk-max-events 2

log-native-calls-to-disk-max-seconds 2

log-native-calls-to-disk-on-error 2

log-native-calls-to-disk-on-success 2

log-native-calls-to-trace 2

LRD 16

LSL 16

LTC 16

LYD 16

## - O -

oauth-unauthorized-max-tries 2

oauth-unauthorized-sleep-initial-ms 2

oauth-unauthorized-sleep-max-ms 2

oauth-unauthorized-sleep-multiplicator 2

OMR 16

Open Exchange Rates 1, 14, 15, 16, 22, 24, 25, 26, 32

OpenExchangeRates 1

openextra 1

OpenHighLowClose 25

ORIG\_SYSTEM\_GROUP 14

ORIG\_SYSTEM\_REFERENCE 14

Original System Group 14

Original System Reference 14

## - M -

MAD 16

maximum-length-identifiers 2

max-odata-filters 2

max-url-length-accepted 2

max-url-length-desired 2

**- P -**

PAB	16	rate_BMD	26
partition-slot-based-rate-limit-length-ms	2	rate_BND	26
partition-slot-based-rate-limit-slots	2	rate_BOB	26
Payload	14	rate_BRL	26
PAYLOAD_TEXT	14	rate_BSD	26
PEN	16	rate_BTG	26
period	25	rate_BTN	26
PGK	16	rate_BTS	26
PHP	16	rate_BWP	26
PKR	16	rate_BYN	26
plan_convert	32	rate_BZD	26
plan_experimental	32	rate_CAD	26
plan_features_base	32	rate_CDF	26
plan_name	32	rate_CHF	26
plan_quota	32	rate_CLF	26
plan_symbols	32	rate_CLP	26
plan_time_series	32	rate_CNH	26
plan_update_frequency	32	rate_CNY	26
PLN	16	rate_COP	26
PPC	16	rate_CRC	26
pre-request-delay-ms	2	rate_CUC	26
PYG	16	rate_CUP	26
		rate_CVE	26
		rate_CZK	26
		rate_DASH	26
		rate_DJF	26
		rate_DKK	26
		rate_DOGE	26
		rate_DOP	26
		rate_DZD	26
		rate_EAC	26
		rate_EGP	26
		rate_EMU	26
		rate_ERN	26
		rate_ETB	26
		rate_ETH	26
		rate_EUR	26
		rate_FCT	26
		rate_FJD	26
		rate_FKP	26
		rate_FTC	26
		rate_GBP	26
		rate_GEL	26
		rate_GGP	26
		rate_GHS	26
		rate_GIP	26
		rate_GMD	26
		rate_GNF	26
		rate_GTQ	26
		rate_GYD	26
		rate_HKD	26

**- Q -**

QAR	16
Query	15

**- R -**

Rate	15, 22, 24	rate_AED	26
rate_AFN	26	rate_AFN	26
rate_ALL	26	rate_ALL	26
rate_AMD	26	rate_AMD	26
rate_ANG	26	rate_ANG	26
rate_AOA	26	rate_AOA	26
rate_ARS	26	rate_ARS	26
rate_AUD	26	rate_AUD	26
rate_AWG	26	rate_AWG	26
rate_AZN	26	rate_AZN	26
rate_BAM	26	rate_BAM	26
rate_BBD	26	rate_BBD	26
rate_BDT	26	rate_BDT	26
rate_BGN	26	rate_BGN	26
rate_BHD	26	rate_BHD	26
rate_BIF	26	rate_BIF	26

rate_HNL	26	rate_NOK	26
rate_HRK	26	rate_NPR	26
rateHTG	26	rate_NVC	26
rate_HUF	26	rate_NXT	26
rate_IDR	26	rate_NZD	26
rate_ILS	26	rate_OMR	26
rate_IMP	26	rate_PAB	26
rate_INR	26	rate_PEN	26
rate_IQD	26	rate_PGK	26
rateIRR	26	rate_PHP	26
rate_ISK	26	rate_PKR	26
rate_JEP	26	rate_PLN	26
rate_JMD	26	rate_PPC	26
rate_JOD	26	rate_PYG	26
rate_JPY	26	rate_QAR	26
rate_KES	26	rate_RON	26
rate_KGS	26	rate_RSD	26
rate_KHR	26	rate_RUB	26
rate_KMF	26	rate_RWF	26
rate_KPW	26	rate_SAR	26
rate_KRW	26	rate_SBD	26
rate_KWD	26	rate_SCR	26
rate_KYD	26	rate_SDG	26
rate_KZT	26	rate_SEK	26
rate_LAK	26	rate_SGD	26
rate_LBP	26	rate_SHP	26
rate_LD	26	rate_SLL	26
rate_LKR	26	rate_SOS	26
rate_LRD	26	rate_SRD	26
rate_LSL	26	rate_SSP	26
rate_LTC	26	rate_STD	26
rate_LYD	26	rate_STN	26
rate_MAD	26	rate_STR	26
rate_MDL	26	rate_SVC	26
rate_MGA	26	rate_SYP	26
rate_MKD	26	rate_SZL	26
rate_MMK	26	rate_THB	26
rate_MNT	26	rate_TJS	26
rate_MOP	26	rate_TMT	26
rate_MRO	26	rate_TND	26
rate_MRU	26	rate_TOP	26
rate_MUR	26	rate_TRY	26
rate_MVR	26	rate_TTD	26
rate_MWK	26	rate_TWD	26
rate_MXN	26	rate_TZS	26
rate_MYR	26	rate_UAH	26
rate_MZN	26	rate_UGX	26
rate_NAD	26	rate_USD	26
rate_NGN	26	rate_UYU	26
rate_NIO	26	rate_UZS	26
rate_NMC	26	rate_VEF	26

rate\_VEF\_BLKMKT 26  
 rate\_VEF\_DICOM 26  
 rate\_VEF\_DIPRO 26  
 rate\_VES 26  
 rate\_VND 26  
 rate\_VTC 26  
 rate\_VUV 26  
 rate\_WST 26  
 rate\_XAF 26  
 rate\_XAG 26  
 rate\_XAU 26  
 rate\_XCD 26  
 rate\_XDR 26  
 rate\_XMR 26  
 rate\_XOF 26  
 rate\_XPD 26  
 rate\_XPF 26  
 rate\_XPM 26  
 rate\_XPT 26  
 rate\_XRP 26  
 rate\_YER 26  
 rate\_ZAR 26  
 rate\_ZMW 26  
 rate\_ZWL 26  
 RateTimeSeriesByDateRangeAndBase 26  
 requested-page-size 2  
 requests-parallel-max 2  
 Response 15  
 Response Cache Maximum Age (sec) 14  
 Result BLOB 14  
 Result Text 14  
 RESULT\_BLOB 14  
 RESULT\_DATE\_TIME\_UTC 14  
 RESULT\_NUMBER 14  
 RESULT\_TEXT 14  
 RON 16  
 RSD 16  
 RUB 16  
 Run without Actions 14  
 RWF 16

show\_alternative 16, 22, 24, 26  
 SHP 16  
 simulate-http-400-errors 2  
 simulate-http-400-errors-percentage 2  
 simulate-http-401-errors 2  
 simulate-http-401-errors-percentage 2  
 simulate-http-403-errors 2  
 simulate-http-403-errors-percentage 2  
 simulate-http-408-errors 2  
 simulate-http-408-errors-percentage 2  
 simulate-http-429-errors 2  
 simulate-http-429-errors-percentage 2  
 simulate-http-500-errors 2  
 simulate-http-500-errors-percentage 2  
 simulate-http-502-errors 2  
 simulate-http-502-errors-percentage 2  
 simulate-http-503-errors 2  
 simulate-http-503-errors-percentage 2  
 simulate-http-protocol-errors 2  
 simulate-http-protocol-errors-percentage 2  
 simulate-http-timeout-errors 2  
 simulate-http-timeout-errors-percentage 2  
 SLL 16  
 slot-based-rate-limit-length-ms 2  
 slot-based-rate-limit-slots 2  
 SOS 16  
 SRD 16  
 SSP 16  
 standardize-identifiers 2  
 standardize-identifiers-casing 2  
 start 26  
 Start Date 14  
 start\_date 26  
 start\_time 25  
 status 32  
 STD 16  
 STN 16  
 STR 16  
 Succesful 14  
 SUCCESSFUL 14  
 SVC 16  
 SYP 16  
 SZL 16

## - S -

SAR 16  
 Save HTTP Disk Cache 14  
 Save HTTP Memory Cache 14  
 SBD 16  
 SCR 16  
 SDG 16  
 SEK 16  
 SGD 16

## - T -

THB 16  
 Timeout (sec) 14  
 TIMEOUT\_SEC 14  
 timestamp 15  
 Timestamp (UTC) 22, 24

timestamp\_utc 22, 24

TJS 16

TMT 16

TND 16

To 15

TOP 16

Transaction ID 14

TRANSACTION\_ID 14

TRY 16

TTD 16

TWD 16

TZS 16

## - U -

UAH 16

UGX 16

URL 14

Usage 32

usage\_daily\_average 32

usage\_days\_elapsed 32

usage\_days\_remaining 32

usage\_requests 32

usage\_requests\_quota 32

usage\_requests\_remaining 32

USD 16

Use HTTP Disk Cache 14

Use HTTP Memory Cache 14

use-batch-insert 2

use-http-disk-cache-read 2

use-http-disk-cache-write 2

use-http-memory-cache-read 2

use-http-memory-cache-write 2

UYU 16

UZS 16

## - V -

value 15

VEF 16

VEF\_BLKMKT 16

VEF\_DICOM 16

VEF\_DIPRO 16

VES 16

VND 16

VTC 16

VUV 16

## - W -

WST 16

## - X -

XAF 16

XAG 16

XAU 16

XCD 16

XDR 16

XMR 16

XOF 16

XPD 16

XPF 16

XPM 16

XPT 16

XRP 16

## - Y -

YER 16

## - Z -

ZAR 16

ZMW 16

ZWL 16



Invantive B.V.  
Biesteweg 11  
3849 RD Hierden  
the Netherlands

Tel: +31 88 00 26 500  
Fax: +31 84 22 58 178  
[info@invantive.com](mailto:info@invantive.com)  
[invantive.com](http://invantive.com)

IBAN NL25 BUNQ 2098 2586 07  
Chamber of Industry and Commerce  
13031406

VAT NL812602377B01  
RSIN 8122602377

Managing Director: Guido Leenders  
Registered office: Roermond