



OpenSpending Data Model

for use with Invantive SQL

23.0



Auteursrecht

(C) Copyright 2004-2023 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Alle rechten voorbehouden. Niets uit deze uitgave mag worden vervoelvoudigd, opgeslagen in een geautomatiseerd gegevensbestand, of openbaar gemaakt, in enige vorm of op enige wijze, hetzij elektronisch, mechanisch, door fotokopieën, opnamen, of enig andere manier, zonder voorafgaande schriftelijke toestemming van de uitgever.

Ondanks alle aan de samenstelling van deze tekst bestede zorg, kan noch de schrijver noch de uitgever aansprakelijkheid aanvaarden voor eventuele schade, die zou kunnen voortvloeien uit enige fout, die in deze uitgave zou kunnen voorkomen.

Deze handleiding is een naslagwerk bedoeld om het gebruik te verduidelijken. Indien gegevens in de voorbeeldafbeeldingen overeenkomen met gegevens in uw systeem, dan is de overeenkomst toevallig.

Belangrijke Informatie over Veiligheid en Gebruik

Beoogd gebruik en beperkingen: Deze software, ontwikkeld door Invantive, is ontworpen om een verscheidenheid aan zakelijke en informatietechnologische gegevensverwerkingsfuncties te ondersteunen, zoals boekhouding, financiële rapportage en verkooprapportage. Het is belangrijk om op te merken dat deze software niet is ontworpen, getest of goedgekeurd voor gebruik in omgevingen waar een storing of defect kan leiden tot levensbedreigende situaties, ernstige fysieke schade of milieuschade. Dit omvat, maar is niet beperkt tot:

- Nucleaire faciliteiten: de software mag niet worden gebruikt voor operaties of functies die verband houden met de controle, het onderhoud of de werking van nucleaire faciliteiten.
- Defensie en militaire toepassingen: deze software is niet geschikt voor gebruik in defensiegerelateerde toepassingen, inclusief maar niet beperkt tot wapenbeheer, militaire strategieplanning of andere aspecten van nationale defensie.
- Luchtvaart: de software is niet bedoeld voor gebruik in de bediening, navigatie of communicatiesystemen van vliegtuigen of luchtverkeersleidingomgevingen.
- Gezondheidszorg en medicijnproductie: deze software mag niet worden gebruikt voor de werking van medische apparaten, de analyse van patiëntgegevens voor kritieke gezondheidsbeslissingen, farmaceutische productie of medisch onderzoek waarbij een storing of defect de gezondheid van de patiënt kan beïnvloeden.
- Verwerking van chemische en/of gevaarlijke stoffen: deze software is niet bedoeld voor het beheer, de controle of de operationele aspecten van chemische fabrieken of faciliteiten voor de verwerking van chemische en/of gevaarlijke stoffen. Elke storing in de software die in deze omgevingen wordt gebruikt kan leiden tot gevaarlijke chemische lozingen, explosies of milieurampen.
- Transport- en verkeerscontrolesystemen: de software mag niet worden gebruikt voor de besturing, bediening of het beheer van transportsystemen, waaronder de besturing van spoorwegsignalen, metrosystemen of verkeerslichten. Storingen in dergelijke kritieke systemen kunnen tot ernstige ongelukken leiden en de openbare veiligheid in gevaar brengen.
- Energienetwerk- en nutsbesturingssystemen: deze software is niet ontworpen voor de besturing of bediening van energienetwerksystemen, waaronder elektrische onderstations, besturingssystemen voor hernieuwbare energie of besturingssystemen van waternutsbedrijven. Het falen van software op deze gebieden kan leiden tot aanzienlijke stroomonderbrekingen, onderbrekingen in de watervoorziening of andere storingen in openbare voorzieningen, waardoor gemeenschappen in gevaar kunnen komen en grote schade kan worden aangericht.
- Andere omgevingen met een hoog risico: alle andere kritieke infrastructuren en omgevingen waar een storing in de software kan leiden tot aanzienlijke schade aan personen of het milieu.

Gebruikersverantwoordelijkheid: gebruikers moeten ervoor zorgen dat ze het beoogde gebruik van de software begrijpen en de software niet gebruiken in een omgeving die buiten het beoogde doel valt. Het is de verantwoordelijkheid van de gebruiker om de geschiktheid van de software voor de beoogde toepassing te beoordelen, vooral in scenario's die een risico kunnen vormen voor leven, gezondheid en/of milieu.

Afwijzing van aansprakelijkheid: Invantive wijst elke verantwoordelijkheid af voor schade, letsel of wettelijke gevolgen die voortvloeien uit het gebruik of misbruik van deze software in verboden en/of onbedoelde toepassingen.

Inhoud

1	SQL Driver for openspending.nl API	1
2	SQL Driver Attributes for openspending.nl API	2
3	Schema: Native	14
3.1	Tables	14
3.1.1	NATIVEPLATFORMSCALARREQUESTS	14
4	Schema: OpenSpendingNI	15
4.1	Tables	15
4.1.1	documents	15
4.1.2	entries	16
4.1.3	governments	17
4.1.4	labels	18
4.1.5	metrics	19
4.1.6	transaction_columns	19
4.1.7	transaction_views	21
	Index	23

1 SQL Driver for openspending.nl API

Invantive SQL is the fastest, easiest and most reliable way to exchange data with the openspending.nl API.

Use the "Search" option in the left menu to search for a specific term such as the table or column description. When you already know the term, please use the "Index" option. When you can't find the information needed, please click on the Chat button at the bottom or place your question in the [user community](#). Other users or Invantive Support will try to help you to our best.

OpenSpending is an online web service on the budget and spending of governments in the Netherlands. It includes data from various sources, including IV3 of CBS.

The openspending.nl driver covers 8 tables and 178 columns.

openspending.nl API Clients

Invantive SQL is available on many user interfaces ("clients" in traditional server-client paradigm). All Invantive SQL statements can be exchanged with a close to 100% compatibility across all clients and operating systems (Windows, MacOS, Linux, iOS, Android).

The clients include Microsoft Excel, Microsoft Power BI, Microsoft Power Query, Microsoft Word and Microsoft Outlook. Web-based clients include Invantive Cloud, Invantive Bridge Online as OData proxy, Invantive App Online for interactive apps, Online SQL Editor for query execution and Invantive Data Access Point as extended proxy.

For technical users there are command-line editions of Invantive Data Hub running on iOS, Android, Windows, MacOS and Linux. Invantive Data Hub is also often used for enterprise server applications such as ETL. High-volume replication of data taken from the openspending.nl API into traditional databases such as SQL Server (on-premise and Azure), MySQL, PostgreSQL and Oracle is possible using [Invantive Data Replicator](#). Invantive Data Replicator automatically creates and maintains openspending.nl datawarehouses, possibly in combination with data from over 70 other (cloud) platforms. Data Replicator supports data volumes up to over 1 TB and over 5.000 companies. The on-premise edition of Invantive Bridge offers an openspending.nl ADO.net provider.

Monitor API Calls

When a query or DML-statement has been executed on Invantive SQL a developer can evaluate the actual calls made to the openspending.nl API using a query on sessionios@DataDictionary. As an alternative, extensive request and response logging can be enabled by setting log-native-calls-to-disk to true. In the %USERPROFILE%\Invantive\NativeLog folder Invantive SQL will create log files per API request and response.

Specifications

The SQL driver for openspending.nl does not support partitioning. Define one data container in a database for each company in openspending.nl to enable parallel access for data from multiple companies.

An introduction into the concepts of Invantive SQL such as databases, data containers and partitioning can be found in the [Invantive SQL grammar](#).

The configuration can be changed using various attributes during log on and use. A full list of configuration options is listed in the [driver attributes](#) ².

The catalog name is used to compose the full qualified name of an object like a table or view. The schema name is used to compose the full qualified name of an object like a table or view. On openspending.nl the comparison of two texts is case sensitive by default.

Changes and bug fixes on the openspending.nl SQL driver can be found in the [release notes](#). There is currently no specific section on the [Invantive forums](#) for openspending.nl. Please reach out to other users of openspending.nl by leaving a question or contact request.

Driver code for use in settings.xml: `OpenSpendingNL`

Alias: `osnl`

Recommended alias: `osl`

More technical documentation as provided by the supplier of the openspending.nl API on the native APIconnection used can be found at <http://openspending.nl/api/v1/doc>.

General documentation on openspending.nl is available at <http://openspending.nl/pagina/data>

Updated: 29-05-2022 01:01 using Invantive SQL version 22.0.196-PROD+3400.

2 SQL Driver Attributes for openspending.nl API

The SQL driver for openspending.nl has many attributes that can be finetuned to improve handling in scenarios with unreliable network connections to the API server of openspending.nl or high-volumes of data. Also, many drivers have driver-specific attributes to finetune actual behaviour or handle data not matching specifications.

The openspending.nl driver attributes are assigned a default value which seldom requires change. However, changes can be applied when needed on four levels, which are reflected in the table below by separate checkmarks:

- Connection string: the connection string from the settings*.xml file and applied during log on.
- Set SQL statement: a set SQL-statement to be executed once connection has been established.
- Drivers file: the providers.xml file (obsolete starting release 17.32).
- Log on: value to be specified interactively by user during log on in a user interface.

The connection string for openspending.nl can be found in the settings*.xml file used for the database. Settings*.xml files are typically located in the %USERPROFILE%\invantive folder in most deployment scenarios. The reference manuals contain instructions how to relocate the settings*.xml files. Each data container of a database in the connection string can have a `connectionString` element specifying the name and values of attributes. Both name and value must be properly escaped according to XML-semantics. Actual application of the value is solely done during log on. A new connection must be established to change the value of a driver attribute using a connection string.

The set SQL statement can be executed after log on. The syntax is: `set NAME VALUE`, or for a distributed database: `set NAME@ALIAS VALUE`. In some scenarios you may need to enclose the driver attribute name in square brackets to escape it from parsing, for instance when a reserved SQL keyword is part of the name. The new value takes effect straight after execution of the set-statement. The set-statement can be executed as often as needed during a session.

Driver attributes that can be interactively set to a value are typically presented in the log on window. Depending on the platform and design decisions of the user interface designer, some or all of the available driver attributes can have been made available.

The openspending.nl driver can be configured using the following attributes:

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Drivers File	Set from Log On
add-odata-mandatory-filters	Whether to automatically add OData filters deemed necessary by the platform.	OData	False	✓	✓	✓	
analysis-enforce-row-uniqueness	Use for analysis only! Enforce rows to be unique.	Shared	False	✓	✓	✓	
api-url	URL to access the API.	OData		✓		✓	
bulk-delete-page-size-rows	Number of rows to delete per batch when bulk deleting	Shared	10000	✓	✓	✓	
bulk-insert-page-size-bytes	Approximate maximum size in bytes of batch when bulk inserting	Shared	10000000	✓	✓	✓	
bulk-insert-page-size-rows	Number of rows to insert per batch when bulk inserting	Shared	250	✓	✓	✓	
download-error-400-bad-request-max-tries	Maximum number of tries when OData server reports bad format during retrieval of data.		30	✓	✓	✓	
download-error-400-bad-request-sleep-initial-ms	Initial sleep in milliseconds between retries when OData server reports that the API server is unavailable during retrieval of data.		10000	✓	✓	✓	
download-error-400-bad-request-sleep-max-ms	Maximum sleep in milliseconds between retries when OData server reports that the API server is unavailable during retrieval of data.		300000	✓	✓	✓	
download-error-400-bad-request-sleep-multiplicator	Multiplication factor for sleep between retries OData server reports that the API server is unavailable during retrieval of data.		2	✓	✓	✓	
download-error-408-request-timeout-max-tries	Maximum number of tries when the website reports a HTTP status 408.		10	✓	✓	✓	
download-error-408-request-timeout-sleep-initial-ms	Initial sleep in milliseconds between retries when the website reports a HTTP status 408.		10000	✓	✓	✓	
download-error-408-request-timeout-sleep-max-ms	Maximum sleep in milliseconds between retries when the website reports a HTTP status 408.		300000	✓	✓	✓	
download-error-408-request-timeout-sleep-multiplicator	Multiplication factor for sleep between retries when the website reports a HTTP status 408.		2	✓	✓	✓	
download-error-422-bad-request-max-tries	Maximum number of tries when OData server reports unprocessable entity during retrieval of data.		30	✓	✓	✓	
download-error-422-bad-request-	Initial sleep in milliseconds between retries when OData server reports		10000	✓	✓	✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Driver's File	Set from Log On
sleep-initial-ms	unprocessable entity during retrieval of data.						
dow nload-error-422-bad-request-sleep-max-ms	Maximum sleep in milliseconds between retries when OData server reports unprocessable entity during retrieval of data.		300000	✓	✓	✓	
dow nload-error-422-bad-request-sleep-multiplicator	Multiplication factor for sleep between retries OData server reports unprocessable entity during retrieval of data.		2	✓	✓	✓	
dow nload-error-429-too-many-requests-max-tries	Maximum number of tries when the website reports that too many requests have been made during a timeslot of one minute or one day.		10	✓	✓	✓	
dow nload-error-429-too-many-requests-sleep-initial-ms	Initial sleep in milliseconds between retries when the website reports that too many requests have been made during a timeslot of one minute or one day.		10000	✓	✓	✓	
dow nload-error-429-too-many-requests-sleep-max-ms	Maximum sleep in milliseconds between retries when the website reports that too many requests have been made during a timeslot of one minute or one day.		300000	✓	✓	✓	
dow nload-error-429-too-many-requests-sleep-multiplicator	Multiplication factor for sleep between retries when the website reports that too many requests have been made during a timeslot of one minute or one day.		2	✓	✓	✓	
dow nload-error-502-server-unavailable-max-tries	Maximum number of tries when OData server reports a bad gateway during retrieval of data.		30	✓	✓	✓	
dow nload-error-502-server-unavailable-sleep-initial-ms	Initial sleep in milliseconds between retries when OData server reports a bad gateway during retrieval of data.		10000	✓	✓	✓	
dow nload-error-502-server-unavailable-sleep-max-ms	Maximum sleep in milliseconds between retries when OData server reports that a bad gateway during retrieval of data.		300000	✓	✓	✓	
dow nload-error-502-server-unavailable-sleep-multiplicator	Multiplication factor for sleep between retries OData server reports a bad gateway during retrieval of data.		2	✓	✓	✓	
dow nload-error-503-server-unavailable-max-tries	Maximum number of tries when OData server reports that the API server is unavailable during retrieval of data.		30	✓	✓	✓	
dow nload-error-503-server-	Initial sleep in milliseconds between retries when OData server reports		10000	✓	✓	✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Driver's File	Set from Log On
unavailable-sleep-initial-ms	that the API server is unavailable during retrieval of data.						
dow nload-error-503-server-unavailable-sleep-max-ms	Maximum sleep in milliseconds between retries when OData server reports that the API server is unavailable during retrieval of data.		300000	✓	✓	✓	
dow nload-error-503-server-unavailable-sleep-multiplicator	Multiplication factor for sleep between retries OData server reports that the API server is unavailable during retrieval of data.		2	✓	✓	✓	
dow nload-error-504-gateway-timeout-max-tries	Maximum number of tries when the website reports a gateway timeout.		10	✓	✓	✓	
dow nload-error-504-gateway-timeout-sleep-initial-ms	Initial sleep in milliseconds between retries when the website reports a gateway timeout.		10000	✓	✓	✓	
dow nload-error-504-gateway-timeout-sleep-max-ms	Maximum sleep in milliseconds between retries when the website reports a gateway timeout.		300000	✓	✓	✓	
dow nload-error-504-gateway-timeout-sleep-multiplicator	Multiplication factor for sleep between retries when the website reports a gateway timeout.		2	✓	✓	✓	
dow nload-error-590-netw ork-connect-timeout-max-tries	Maximum number of tries when the website reports a HTTP status 590.		10	✓	✓	✓	
dow nload-error-590-netw ork-connect-timeout-sleep-initial-ms	Initial sleep in milliseconds between retries when the website reports a HTTP status 590.		10000	✓	✓	✓	
dow nload-error-590-netw ork-connect-timeout-sleep-max-ms	Maximum sleep in milliseconds between retries when the website reports a HTTP status 590.		300000	✓	✓	✓	
dow nload-error-590-netw ork-connect-timeout-sleep-multiplicator	Multiplication factor for sleep between retries when the website reports a HTTP status 590.		2	✓	✓	✓	
dow nload-error-599-netw ork-connect-timeout-max-tries	Maximum number of tries when the website reports a HTTP status 599.		10	✓	✓	✓	
dow nload-error-599-netw ork-connect-timeout-sleep-initial-ms	Initial sleep in milliseconds between retries when the website reports a HTTP status 599.		10000	✓	✓	✓	
dow nload-error-599-netw ork-	Maximum sleep in milliseconds between retries when the website		300000	✓	✓	✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Driver's File	Set from Log On
connect-timeout-sleep-max-ms	reports a HTTP status 599.						
download-error-599-network-connect-timeout-sleep-multiplicator	Multiplication factor for sleep between retries when the website reports a HTTP status 599.		2	✓	✓	✓	
download-error-argument-exception-max-tries	Maximum number of tries when an argument exception is returned when downloading a blob.		10	✓	✓	✓	
download-error-argument-exception-sleep-initial-ms	Initial sleep in milliseconds between retries when an argument exception is returned when downloading a blob.		10000	✓	✓	✓	
download-error-argument-exception-sleep-max-ms	Maximum sleep in milliseconds between retries when an argument exception is returned when downloading a blob.		300000	✓	✓	✓	
download-error-argument-exception-sleep-multiplicator	Multiplication factor for sleep between retries when an argument exception is returned when downloading a blob.		2	✓	✓	✓	
download-error-internet-download-max-tries	Maximum number of tries when the Internet connection seems down during retrieval of data.		10	✓	✓	✓	
download-error-internet-download-sleep-initial-ms	Initial sleep in milliseconds between retries when the Internet connection seems down during retrieval of data.		10000	✓	✓	✓	
download-error-internet-download-sleep-max-ms	Maximum sleep in milliseconds between retries when the Internet connection seems down during retrieval of data.		300000	✓	✓	✓	
download-error-internet-download-sleep-multiplicator	Multiplication factor for sleep between retries when the Internet connection seems down during retrieval of data.		2	✓	✓	✓	
download-error-io-exception-max-tries	Maximum number of tries when a network I/O connection failure occurs during retrieval of data.		10	✓	✓	✓	
download-error-io-exception-sleep-initial-ms	Initial sleep in milliseconds between retries when a network I/O connection failure occurs during retrieval of data.		10000	✓	✓	✓	
download-error-io-exception-sleep-max-ms	Maximum sleep in milliseconds between retries when a network I/O connection failure occurs during retrieval of data.		300000	✓	✓	✓	
download-error-io-exception-sleep-multiplicator	Multiplication factor for sleep between retries when a network I/O connection failure occurs during retrieval of data.		2	✓	✓	✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Driver's File	Set from Log On
dow nload-error-json-exception-max-tries	Maximum number of tries w hen an invalid JSON body is returned.		3	✓	✓	✓	
dow nload-error-json-exception-sleep-initial-ms	Initial sleep in milliseconds betw een retries w hen an invalid JSON body is returned.		1000	✓	✓	✓	
dow nload-error-json-exception-sleep-max-ms	Maximum sleep in milliseconds betw een retries w hen an invalid JSON body is returned.		10000	✓	✓	✓	
dow nload-error-json-exception-sleep-multiplicator	Multiplication factor for sleep betw een retries w hen an invalid JSON body is returned.		2	✓	✓	✓	
dow nload-error-other-exception-max-tries	Maximum number of tries w hen an unqualified error occurs during retrieval of data.		3	✓	✓	✓	
dow nload-error-other-exception-sleep-initial-ms	Initial sleep in milliseconds betw een retries w hen an unqualified error occurs during retrieval of data.		10000	✓	✓	✓	
dow nload-error-other-exception-sleep-max-ms	Maximum sleep in milliseconds betw een retries w hen an unqualified error occurs during retrieval of data.		300000	✓	✓	✓	
dow nload-error-other-exception-sleep-multiplicator	Multiplication factor for sleep betw een retries w hen an unqualified error occurs during retrieval of data.		2	✓	✓	✓	
dow nload-error-socket-exception-max-tries	Maximum number of tries w hen the netw ork connection is forcible dropped during retrieval of data.		10	✓	✓	✓	
dow nload-error-socket-exception-sleep-initial-ms	Initial sleep in milliseconds betw een retries w hen the netw ork connection is forcible dropped during retrieval of data.		10000	✓	✓	✓	
dow nload-error-socket-exception-sleep-max-ms	Maximum sleep in milliseconds betw een retries w hen the netw ork connection is forcible dropped during retrieval of data.		300000	✓	✓	✓	
dow nload-error-socket-exception-sleep-multiplicator	Multiplication factor for sleep betw een retries w hen the netw ork connection is forcible dropped during retrieval of data.		2	✓	✓	✓	
dow nload-error-web-exception-max-tries	Maximum number of tries w hen a w eb connection failure occurs during retrieval of data.		10	✓	✓	✓	
dow nload-error-web-exception-sleep-initial-ms	Initial sleep in milliseconds betw een retries w hen a w eb connection failure occurs during retrieval of data.		10000	✓	✓	✓	
dow nload-error-web-exception-sleep-max-ms	Maximum sleep in milliseconds betw een retries w hen a w eb connection failure occurs during retrieval of data.		300000	✓	✓	✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Driver's File	Set from Log On
dow nload-error-web-exception-sleep-multiplicator	Multiplication factor for sleep between retries when a web connection failure occurs during retrieval of data.		2	✓	✓	✓	
dow nload-error-web-not-implemented-max-tries	Maximum number of tries when the connection reports not implemented.		1	✓	✓	✓	
dow nload-error-web-not-implemented-sleep-initial-ms	Initial sleep in milliseconds between retries when the connection reports not implemented.		10000	✓	✓	✓	
dow nload-error-web-not-implemented-sleep-max-ms	Maximum sleep in milliseconds between retries when the connection reports not implemented.		300000	✓	✓	✓	
dow nload-error-web-not-implemented-sleep-multiplicator	Multiplication factor for sleep between retries when the connection reports not implemented.		2	✓	✓	✓	
dow nload-error-web-timeout-max-tries	Maximum number of tries when the connection reports a timeout.		10	✓	✓	✓	
dow nload-error-web-timeout-sleep-initial-ms	Initial sleep in milliseconds between retries when the connection reports a timeout.		10000	✓	✓	✓	
dow nload-error-web-timeout-sleep-max-ms	Maximum sleep in milliseconds between retries when the connection reports a timeout.		300000	✓	✓	✓	
dow nload-error-web-timeout-sleep-multiplicator	Multiplication factor for sleep between retries when the connection reports a timeout.		2	✓	✓	✓	
dow nload-error-web-unauthorized-max-tries	Maximum number of tries when the connection reports an unauthorized error.		1	✓	✓	✓	
dow nload-error-web-unauthorized-sleep-initial-ms	Initial sleep in milliseconds between retries when the connection reports an unauthorized error.		10000	✓	✓	✓	
dow nload-error-web-unauthorized-sleep-max-ms	Maximum sleep in milliseconds between retries when the connection reports an unauthorized error.		300000	✓	✓	✓	
dow nload-error-web-unauthorized-sleep-multiplicator	Multiplication factor for sleep between retries when the connection reports an unauthorized error.		2	✓	✓	✓	
force-case-sensitive-identifiers	Consider identifiers as case-sensitive independent of the platform capabilities.	Shared	False	✓	✓	✓	
forced-casing-identifiers	Forced casing of identifiers. Choose from Unset, Lower, Upper and	Shared		✓	✓	✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Drivers File	Set from Log On
	Mixed.						
http-disk-cache-compression-level	Compression level for the HTTP disk cache, ranging from 1 (little) to 9 (intense). Default is 5.	Shared	5	✓	✓	✓	
http-disk-cache-directory	Directory where HTTP cache is stored.	Shared	C:\Users\gle3.WS212\Inventive\Cache\http\gle3\shared	✓	✓	✓	
http-disk-cache-ignore-write-errors	Whether to ignore write errors to disk cache.	Shared	False	✓	✓	✓	
http-disk-cache-max-age-sec	Maximum acceptable age in seconds for use of data in the HTTP disk cache.	Shared	2592000	✓	✓	✓	
http-get-timeout-ms	HTTP GET timeout (ms).		300000	✓	✓	✓	
http-memory-cache-compression-level	Compression level for the HTTP memory cache, ranging from 1 (little) to 9 (intense). Default is 5.	OData	5	✓	✓	✓	
http-memory-cache-max-age-sec	Maximum acceptable age in seconds for use of data in the HTTP memory cache.	OData	14400	✓	✓	✓	
http-post-timeout-ms	HTTP POST timeout (ms).		300000	✓	✓	✓	
ignore-http-400-errors	Ignore HTTP 400 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
ignore-http-401-errors	Ignore HTTP 401 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
ignore-http-402-errors	Ignore HTTP 402 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
ignore-http-403-errors	Ignore HTTP 403 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
ignore-http-404-errors	Ignore HTTP 404 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
ignore-http-422-errors	Ignore HTTP 422 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
ignore-http-429-errors	Ignore HTTP 429 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
ignore-http-500-errors	Ignore HTTP 500 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
ignore-http-502-errors	Ignore HTTP 502 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Driver's File	Set from Log On
ignore-http-503-errors	Ignore HTTP 503 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
invalid-json-on-get-max-tries	Maximum number of tries when the JSON received on GET is invalid.		10	✓	✓	✓	
invalid-json-on-get-sleep-initial-ms	Initial sleep in milliseconds between retries when the JSON received on GET is invalid.		10000	✓	✓	✓	
invalid-json-on-get-sleep-max-ms	Maximum sleep in milliseconds between retries when the JSON received on GET is invalid.		300000	✓	✓	✓	
invalid-json-on-get-sleep-multiplicator	Multiplication factor for sleep between retries when the JSON received on GET is invalid.		2	✓	✓	✓	
invalid-json-on-post-max-tries	Maximum number of tries when the JSON received on POST is invalid.		1	✓	✓	✓	
invalid-json-on-post-sleep-initial-ms	Initial sleep in milliseconds between retries when the JSON received on POST is invalid.		10000	✓	✓	✓	
invalid-json-on-post-sleep-max-ms	Maximum sleep in milliseconds between retries when the JSON received on POST is invalid.		300000	✓	✓	✓	
invalid-json-on-post-sleep-multiplicator	Multiplication factor for sleep between retries when the JSON received on POST is invalid.		2	✓	✓	✓	
invantive-sql-compress-sparse-arrays	Whether to compress sparse arrays in result sets during compression.	SQL Engine V1	True	✓	✓	✓	
invantive-sql-correct-invalid-date	Whether to correct dates considered invalid since they are before 01-01-1753. When nullable, they are removed. Otherwise they are replaced by 01-01-1753.	SQL Engine V1	False	✓	✓	✓	
invantive-sql-forward-filters-to-data-containers	Whether to forward filters to data containers.	SQL Engine V1	True	✓	✓	✓	
invantive-sql-share-byte-arrays	Whether to share the memory used by identical byte arrays in result sets during compression.	SQL Engine V1	True	✓	✓	✓	
invantive-sql-share-strings	Whether to share the memory used by identical strings in result sets during compression.	SQL Engine V1	True	✓	✓	✓	
invantive-sql-shuffle-fetch-results-data-containers	Whether to shuffle results fetched from data containers.	SQL Engine V1	False	✓	✓	✓	
invantive-use-cache	Whether to cache the results of a query.	SQL Engine V1	True	✓	✓	✓	
join-set-points-per-request	Maximum number of values in a request when executing a join set.	OData	60	✓	✓	✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Drivers File	Set from Log On
limit-partition-calls-left	Minimum number of remaining API calls on a partition towards a hard limit. When below, an error is raised.	OData	500	✓	✓	✓	
log-native-calls-to-disk-max-events	Maximum number of events to register from last activation.	Shared		✓	✓	✓	
log-native-calls-to-disk-max-seconds	Maximum number of seconds to register from last activation.	Shared		✓	✓	✓	
log-native-calls-to-disk-on-error	Registers native calls to data container backend as disk files when an error occurred.	Shared	False	✓	✓	✓	
log-native-calls-to-disk-on-success	Registers native calls to data container backend as disk files when successful.	Shared	False	✓	✓	✓	
log-native-calls-to-trace	Log native calls to data container backend on the trace.	Shared	False	✓	✓	✓	
maximum-length-identifiers	Non-default maximum length in characters of identifier names.	Shared		✓	✓	✓	
max-odata-filters	The maximum number of OData filter elements.	OData	100	✓	✓	✓	
max-url-length-accepted	The maximum accepted URL length before raising an error.	Shared	8000	✓	✓	✓	
max-url-length-desired	The maximum desired URL length.	Shared	8000	✓	✓	✓	
metadata-cache-max-age-sec	Maximum acceptable age in seconds for re-use of metadata.	OData		✓	✓	✓	
oauth-unauthorized-max-tries	Maximum number of tries when an OAuth exception occurs.	OData	2	✓	✓	✓	
oauth-unauthorized-sleep-initial-ms	Initial sleep in milliseconds between OAuth reauthentication tries when the OAuth authentication fails.	OData	10000	✓	✓	✓	
oauth-unauthorized-sleep-max-ms	Maximum sleep in milliseconds between OAuth reauthentication tries when the OAuth authentication fails.	OData	1000	✓	✓	✓	
oauth-unauthorized-sleep-multiplicator	Multiplication factor for sleep between OAuth reauthentication tries when the OAuth authentication fails.	OData	2	✓	✓	✓	
partition-slot-based-rate-limit-length-ms	Total length in ms across all slots of a partition-based rate limit.	Shared	60000	✓		✓	
partition-slot-based-rate-limit-slots	Number of slots per partition-based rate limit. Null means no slot-based rate limit	Shared		✓		✓	
pre-request-delay-ms	Pre-request delay in milliseconds per request.	Shared	0	✓	✓	✓	
requested-page-size	Preferred number of rows to exchange per round trip; only	Shared		✓	✓	✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Driver's File	Set from Log On
	effective on limited platforms such as AFAS Online						
requests-parallel-max	Maximum number of parallel data requests from individual partitions on the data container.	Shared	32	✓	✓	✓	
simulate-http-400-errors	Simulate HTTP 400 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
simulate-http-400-errors-percentage	Percentage of simulated HTTP 400 errors when exchanging results with the OData endpoint.		0	✓	✓	✓	
simulate-http-401-errors	Simulate HTTP 401 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
simulate-http-401-errors-percentage	Percentage of simulated HTTP 401 errors when exchanging results with the OData endpoint.		0	✓	✓	✓	
simulate-http-403-errors	Simulate HTTP 403 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
simulate-http-403-errors-percentage	Percentage of simulated HTTP 403 errors when exchanging results with the OData endpoint.		0	✓	✓	✓	
simulate-http-408-errors	Simulate HTTP 408 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
simulate-http-408-errors-percentage	Percentage of simulated HTTP 408 errors when exchanging results with the OData endpoint.		0	✓	✓	✓	
simulate-http-429-errors	Simulate HTTP 429 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
simulate-http-429-errors-percentage	Percentage of simulated HTTP 429 errors when exchanging results with the OData endpoint.		0	✓	✓	✓	
simulate-http-500-errors	Simulate HTTP 500 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
simulate-http-500-errors-percentage	Percentage of simulated HTTP 500 errors when exchanging results with the OData endpoint.		0	✓	✓	✓	
simulate-http-502-errors	Simulate HTTP 502 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
simulate-http-502-errors-percentage	Percentage of simulated HTTP 502 errors when exchanging results with the OData endpoint.		0	✓	✓	✓	
simulate-http-503-errors	Simulate HTTP 503 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Driver's File	Set from Log On
simulate-http-503-errors-percentage	Percentage of simulated HTTP 503 errors when exchanging results with the OData endpoint.		0	✓	✓	✓	
simulate-http-protocol-errors	Simulate HTTP protocol errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
simulate-http-protocol-errors-percentage	Percentage of simulated HTTP protocol errors when exchanging results with the OData endpoint.		0	✓	✓	✓	
simulate-http-timeout-errors	Simulate HTTP timeout errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
simulate-http-timeout-errors-percentage	Percentage of simulated HTTP timeout errors when exchanging results with the OData endpoint.		0	✓	✓	✓	
slot-based-rate-limit-length-ms	Total length in ms across all slots of a slot-based rate limit.	Shared	60000	✓		✓	
slot-based-rate-limit-slots	Number of slots of a slot-based rate limit. Null means no slot-based rate limit	Shared		✓		✓	
standardize-identifiers	Rewrite all identifiers to the preferred standards as configured by standardize-identifiers-casing and maximum-length-identifiers.	Shared	True	✓	✓	✓	
standardize-identifiers-casing	Rewrite all identifiers to the recommended standard platform-specific casing when changing a data model on a case-dependent platform.	Shared	True	✓	✓	✓	
use-batch-insert	Whether to use batch insert.	OData	True	✓	✓	✓	
use-http-disk-cache-read	Whether to use HTTP responses from previous queries stored on disk to answer the current query.	Shared	False	✓	✓	✓	
use-http-disk-cache-write	Whether to memorize HTTP responses on disk.	Shared	False	✓	✓	✓	
use-http-memory-cache-read	Whether to use HTTP responses from previous queries stored in memory that can answer the current query.	OData	True	✓	✓	✓	
use-http-memory-cache-write	Whether to memorize HTTP responses from previous queries for use by future queries.	OData	True	✓	✓	✓	

3 Schema: Native

3.1 Tables

3.1.1 NATIVEPLATFORMSCALARREQUESTS

Direct access to native API.

Catalog: OpenSpendingNL

Schema: Native

Alias: npt

Documentation:

The NativePlatformScalarRequests table provides direct access to the native API protocol over an established connection to the openspending.nl API server. It will contain a new row for every row inserted with a native API request in PAYLOAD_TEXT with the results of unaltered forwarding of the payload to the openspending.nl API server.

Retrieve: true

Insert: true

Update: false

Delete: false

View Columns

The columns of the view NATIVEPLATFORMSCALARREQUESTS are shown below. Each column has an SQL data type. A new non-null value must be provided for every required column at all times during insert.

Name	Data Type	Label	Required	Documentation
BLOB_PREFERRED	boolean		<input checked="" type="checkbox"/>	Indicator whether a BLOB result is preferred over text.
BOL_RESPONSE_CACHE_MAX_AGE_SEC	int32		<input type="checkbox"/>	Maximum age in seconds of Bridge Online response cache entries to be used.
CONTENT_TYPE	string(240)		<input type="checkbox"/>	
DATE_ENDED	datetime		<input checked="" type="checkbox"/>	
DATE_STARTED	datetime		<input checked="" type="checkbox"/>	
DRY_RUN	boolean		<input checked="" type="checkbox"/>	
DURATION_MS	int32		<input checked="" type="checkbox"/>	
ERROR_MESSAGE_CODE	string(30)		<input type="checkbox"/>	
ERROR_MESSAGE_TEXT	string(32000)		<input type="checkbox"/>	
FAIL_ON_ERROR	boolean		<input checked="" type="checkbox"/>	Whether to raise an exception when processing the native request triggered an error from the provider.
HTTP_DISK_CACHE_MAX_AGE_SEC	int32		<input type="checkbox"/>	Maximum age in seconds of HTTP disk cache entries to be used.
HTTP_DISK_CACHE_SAVE	boolean		<input type="checkbox"/>	Whether results can be stored in HTTP disk cache.

Name	Data Type	Label	Required	Documentation
HTTP_DISK_CACHE_USE	boolean		<input type="checkbox"/>	Whether results can be fetched from HTTP disk cache.
HTTP_MEMORY_CACHE_MAX_AGE_SEC	int32		<input type="checkbox"/>	Maximum age in seconds of HTTP memory cache entries to be used.
HTTP_MEMORY_CACHE_SAVE	boolean		<input type="checkbox"/>	Whether results can be stored in HTTP memory cache.
HTTP_MEMORY_CACHE_USE	boolean		<input type="checkbox"/>	Whether results can be fetched from HTTP memory cache.
HTTP_METHOD	string(30)		<input type="checkbox"/>	
HTTP_STATUS_CODE	int16		<input type="checkbox"/>	
ORIG_SYSTEM_GROUP	string(4000)		<input type="checkbox"/>	
ORIG_SYSTEM_REFERENCE	string(4000)		<input type="checkbox"/>	
PAYLOAD_TEXT	string		<input type="checkbox"/>	
RESULT_BLOB	byte[]		<input type="checkbox"/>	
RESULT_DATE_TIME_UTC	datetime		<input type="checkbox"/>	
RESULT_NUMBER	decimal		<input type="checkbox"/>	
RESULT_TEXT	string		<input type="checkbox"/>	
SUCCESSFUL	boolean		<input checked="" type="checkbox"/>	
TIMEOUT_SEC	int32		<input type="checkbox"/>	Timeout in seconds.
TRANSACTION_ID	int32		<input checked="" type="checkbox"/>	Incrementing ID of the transaction.
URL	string(4000)		<input type="checkbox"/>	

4 Schema: OpenSpendingNI

4.1 Tables

4.1.1 documents

Catalog: OpenSpendingNI

Schema: OpenSpendingNI

Primary Keys: id

This is a read-only table. The openspending.nl API may not support changing the data or the Invariantive SQL driver for openspending.nl does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the openspending.nl API.

Select openspending.nl API URL: `/documents/?limit=1000`

Insert openspending.nl API URL: `/documents/?limit=1000`

Update openspending.nl API URL: `/documents/?limit=1000`

Delete openspending.nl API URL: `/documents/?limit=1000`

Field Selection Method: NotRequired

Table Columns

The columns of the table `documents` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
<code>calendar_year</code>	<code>int32</code>		<input type="checkbox"/>	
<code>created_at</code>	<code>datetime</code>		<input type="checkbox"/>	
<code>document</code>	<code>string</code>		<input type="checkbox"/>	
<code>gov_code</code>	<code>string</code>		<input type="checkbox"/>	
<code>gov_type</code>	<code>string</code>		<input type="checkbox"/>	
<code>government_aggregation</code>	<code>string</code>		<input type="checkbox"/>	
<code>government_code</code>	<code>string</code>		<input type="checkbox"/>	
<code>government_country</code>	<code>string</code>		<input type="checkbox"/>	
<code>government_created_at</code>	<code>datetime</code>		<input type="checkbox"/>	
<code>government_display_kind</code>	<code>string</code>		<input type="checkbox"/>	
<code>government_id</code>	<code>int32</code>		<input type="checkbox"/>	
<code>government_intro</code>	<code>string</code>		<input type="checkbox"/>	
<code>government_kind</code>	<code>string</code>		<input type="checkbox"/>	
<code>government_latitude</code>	<code>double</code>		<input type="checkbox"/>	
<code>government_location</code>	<code>string</code>		<input type="checkbox"/>	
<code>government_longitude</code>	<code>double</code>		<input type="checkbox"/>	
<code>government_metrics</code>	<code>string</code>		<input type="checkbox"/>	
<code>government_name</code>	<code>string</code>		<input type="checkbox"/>	
<code>government_resource_uri</code>	<code>string</code>		<input type="checkbox"/>	
<code>government_slug</code>	<code>string</code>		<input type="checkbox"/>	
<code>government_state</code>	<code>string</code>		<input type="checkbox"/>	
<code>government_updated_at</code>	<code>string</code>		<input type="checkbox"/>	
<code>government_website</code>	<code>string</code>		<input type="checkbox"/>	
<code>id</code>	<code>int32</code>		<input type="checkbox"/>	
<code>kind</code>	<code>string</code>		<input type="checkbox"/>	
<code>parsed_at</code>	<code>datetime</code>		<input type="checkbox"/>	
<code>period</code>	<code>int32</code>		<input type="checkbox"/>	
<code>plan</code>	<code>string</code>		<input type="checkbox"/>	
<code>resource_uri</code>	<code>string</code>		<input type="checkbox"/>	
<code>updated_at</code>	<code>datetime</code>		<input type="checkbox"/>	
<code>url</code>	<code>string</code>		<input type="checkbox"/>	

4.1.2 entries

Catalog: OpenSpendingNI

Schema: OpenSpendingNI

Primary Keys: `document_id`

This is a read-only table. The openspending.nl API may not support changing the data or the Invariantive SQL driver for openspending.nl does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the openspending.nl API.

Select openspending.nl API URL: `/entries/?limit=1000`

Insert openspending.nl API URL: `/entries/?limit=1000`

Update openspending.nl API URL: `/entries/?limit=1000`

Delete openspending.nl API URL: `/entries/?limit=1000`

Field Selection Method: `NotRequired`

Table Columns

The columns of the table `entries` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
<code>calendar_year</code>	<code>int32</code>		<input type="checkbox"/>	
<code>code_cat</code>	<code>string</code>		<input type="checkbox"/>	
<code>code_main</code>	<code>string</code>		<input type="checkbox"/>	
<code>code_sub</code>	<code>string</code>		<input type="checkbox"/>	
<code>direction</code>	<code>string</code>		<input type="checkbox"/>	
<code>document_id</code>	<code>int32</code>		<input type="checkbox"/>	
<code>gov_code</code>	<code>string</code>		<input type="checkbox"/>	
<code>gov_type</code>	<code>string</code>		<input type="checkbox"/>	
<code>labels</code>	<code>string</code>		<input type="checkbox"/>	
<code>period</code>	<code>int32</code>		<input type="checkbox"/>	
<code>plaatsing</code>	<code>string</code>		<input type="checkbox"/>	
<code>resource_uri</code>	<code>string</code>		<input type="checkbox"/>	
<code>type</code>	<code>string</code>		<input type="checkbox"/>	
<code>value</code>	<code>string</code>		<input type="checkbox"/>	

4.1.3 governments

Catalog: `OpenSpendingNI`

Schema: `OpenSpendingNI`

Primary Keys: `id`

This is a read-only table. The openspending.nl API may not support changing the data or the Invariantive SQL driver for openspending.nl does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the openspending.nl API.

Select openspending.nl API URL: `/governments/?limit=1000`

Insert openspending.nl API URL: `/governments/?limit=1000`

Update openspending.nl API URL: `/governments/?limit=1000`

Delete openspending.nl API URL: `/governments/?limit=1000`

Field Selection Method: NotRequired

Table Columns

The columns of the table `governments` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
aggregation	string		<input type="checkbox"/>	
code	string		<input type="checkbox"/>	
country	string		<input type="checkbox"/>	
created_at	datetime		<input type="checkbox"/>	
display_kind	string		<input type="checkbox"/>	
id	int32		<input type="checkbox"/>	
intro	string		<input type="checkbox"/>	
kind	string		<input type="checkbox"/>	
latitude	double		<input type="checkbox"/>	
location	string		<input type="checkbox"/>	
longitude	double		<input type="checkbox"/>	
metrics	string		<input type="checkbox"/>	
name	string		<input type="checkbox"/>	
resource_uri	string		<input type="checkbox"/>	
slug	string		<input type="checkbox"/>	
state	string		<input type="checkbox"/>	
updated_at	string		<input type="checkbox"/>	
website	string		<input type="checkbox"/>	

4.1.4 labels

Catalog: OpenSpendingNI

Schema: OpenSpendingNI

Primary Keys: code

This is a read-only table. The `openspending.nl` API may not support changing the data or the Invariantive SQL driver for `openspending.nl` does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the `openspending.nl` API.

Select `openspending.nl` API URL: `/labels/?limit=1000`

Insert `openspending.nl` API URL: `/labels/?limit=1000`

Update `openspending.nl` API URL: `/labels/?limit=1000`

Delete `openspending.nl` API URL: `/labels/?limit=1000`

Field Selection Method: NotRequired

Table Columns

The columns of the table `labels` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
<code>code</code>	string		<input type="checkbox"/>	
<code>direction</code>	string		<input type="checkbox"/>	
<code>document_id</code>	int32		<input type="checkbox"/>	
<code>label</code>	string		<input type="checkbox"/>	
<code>resource_uri</code>	string		<input type="checkbox"/>	
<code>slug</code>	string		<input type="checkbox"/>	
<code>type</code>	string		<input type="checkbox"/>	

4.1.5 metrics

Catalog: OpenSpendingNI

Schema: OpenSpendingNI

Primary Keys: `id`

This is a read-only table. The `openspending.nl` API may not support changing the data or the Invariantive SQL driver for `openspending.nl` does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the `openspending.nl` API.

Select `openspending.nl` API URL: `/metrics/?limit=1000`

Insert `openspending.nl` API URL: `/metrics/?limit=1000`

Update `openspending.nl` API URL: `/metrics/?limit=1000`

Delete `openspending.nl` API URL: `/metrics/?limit=1000`

Field Selection Method: `NotRequired`

Table Columns

The columns of the table `metrics` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
<code>calendar_year</code>	int32		<input type="checkbox"/>	
<code>factor</code>	decimal		<input type="checkbox"/>	
<code>id</code>	int32		<input type="checkbox"/>	
<code>metric</code>	string		<input type="checkbox"/>	
<code>resource_uri</code>	string		<input type="checkbox"/>	

4.1.6 transaction_columns

Catalog: OpenSpendingNI

Schema: OpenSpendingNI

Primary Keys: `id`

This is a read-only table. The openspending.nl API may not support changing the data or the Invariantive SQL driver for openspending.nl does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the openspending.nl API.

Select openspending.nl API URL: `/transactions/columns/?limit=1000`

Insert openspending.nl API URL: `/transactions/columns/?limit=1000`

Update openspending.nl API URL: `/transactions/columns/?limit=1000`

Delete openspending.nl API URL: `/transactions/columns/?limit=1000`

Field Selection Method: NotRequired

Table Columns

The columns of the table `transaction_columns` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
<code>created_at</code>	<code>datetime</code>		<input type="checkbox"/>	
<code>document_byline</code>	<code>string</code>		<input type="checkbox"/>	
<code>document_created_at</code>	<code>datetime</code>		<input type="checkbox"/>	
<code>document_doc_type</code>	<code>string</code>		<input type="checkbox"/>	
<code>document_document</code>	<code>string</code>		<input type="checkbox"/>	
<code>document_government_aggregation</code>	<code>string</code>		<input type="checkbox"/>	
<code>document_government_code</code>	<code>string</code>		<input type="checkbox"/>	
<code>document_government_country</code>	<code>string</code>		<input type="checkbox"/>	
<code>document_government_created_at</code>	<code>datetime</code>		<input type="checkbox"/>	
<code>document_government_display_kind</code>	<code>string</code>		<input type="checkbox"/>	
<code>document_government_id</code>	<code>int32</code>		<input type="checkbox"/>	
<code>document_government_intro</code>	<code>string</code>		<input type="checkbox"/>	
<code>document_government_kind</code>	<code>string</code>		<input type="checkbox"/>	
<code>document_government_latitude</code>	<code>double</code>		<input type="checkbox"/>	
<code>document_government_location</code>	<code>string</code>		<input type="checkbox"/>	
<code>document_government_longitude</code>	<code>double</code>		<input type="checkbox"/>	
<code>document_government_metrics</code>	<code>string</code>		<input type="checkbox"/>	
<code>document_government_name</code>	<code>string</code>		<input type="checkbox"/>	
<code>document_government_resource_uri</code>	<code>string</code>		<input type="checkbox"/>	
<code>document_government_slug</code>	<code>string</code>		<input type="checkbox"/>	
<code>document_government_state</code>	<code>string</code>		<input type="checkbox"/>	
<code>document_government_updated_at</code>	<code>string</code>		<input type="checkbox"/>	
<code>document_government_website</code>	<code>string</code>		<input type="checkbox"/>	
<code>document_id</code>	<code>int32</code>		<input type="checkbox"/>	
<code>document_index_name</code>	<code>string</code>		<input type="checkbox"/>	
<code>document_kind</code>	<code>string</code>		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
document_parsed_at	datetime		<input type="checkbox"/>	
document_resource_uri	string		<input type="checkbox"/>	
document_title	string		<input type="checkbox"/>	
document_updated_at	datetime		<input type="checkbox"/>	
document_year	string		<input type="checkbox"/>	
id	int32		<input type="checkbox"/>	
key	string		<input type="checkbox"/>	
label	string		<input type="checkbox"/>	
resource_uri	string		<input type="checkbox"/>	
updated_at	datetime		<input type="checkbox"/>	

4.1.7 transaction_views

Catalog: OpenSpendingNI

Schema: OpenSpendingNI

Primary Keys: id

This is a read-only table. The openspending.nl API may not support changing the data or the Invariantive SQL driver for openspending.nl does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the openspending.nl API.

Select openspending.nl API URL: `/transactions/views/?limit=1000`

Insert openspending.nl API URL: `/transactions/views/?limit=1000`

Update openspending.nl API URL: `/transactions/views/?limit=1000`

Delete openspending.nl API URL: `/transactions/views/?limit=1000`

Field Selection Method: NotRequired

Table Columns

The columns of the table `transaction_views` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
created_at	datetime		<input type="checkbox"/>	
document_byline	string		<input type="checkbox"/>	
document_created_at	datetime		<input type="checkbox"/>	
document_doc_type	string		<input type="checkbox"/>	
document_document	string		<input type="checkbox"/>	
document_government_aggregation	string		<input type="checkbox"/>	
document_government_code	string		<input type="checkbox"/>	
document_government_country	string		<input type="checkbox"/>	
document_government_created_at	datetime		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
document_government_display_kind	string		<input type="checkbox"/>	
document_government_id	int32		<input type="checkbox"/>	
document_government_intro	string		<input type="checkbox"/>	
document_government_kind	string		<input type="checkbox"/>	
document_government_latitude	double		<input type="checkbox"/>	
document_government_location	string		<input type="checkbox"/>	
document_government_longitude	double		<input type="checkbox"/>	
document_government_metrics	string		<input type="checkbox"/>	
document_government_name	string		<input type="checkbox"/>	
document_government_resource_uri	string		<input type="checkbox"/>	
document_government_slug	string		<input type="checkbox"/>	
document_government_state	string		<input type="checkbox"/>	
document_government_updated_at	string		<input type="checkbox"/>	
document_government_website	string		<input type="checkbox"/>	
document_id	int32		<input type="checkbox"/>	
document_index_name	string		<input type="checkbox"/>	
document_kind	string		<input type="checkbox"/>	
document_parsed_at	datetime		<input type="checkbox"/>	
document_resource_uri	string		<input type="checkbox"/>	
document_title	string		<input type="checkbox"/>	
document_updated_at	datetime		<input type="checkbox"/>	
document_year	string		<input type="checkbox"/>	
id	int32		<input type="checkbox"/>	
name	string		<input type="checkbox"/>	
page_size	int32		<input type="checkbox"/>	
paging	boolean		<input type="checkbox"/>	
resource_uri	string		<input type="checkbox"/>	
slug	string		<input type="checkbox"/>	
updated_at	datetime		<input type="checkbox"/>	

Index

- A -

add-odata-mandatory-filters 2
 aggregation 17
 analysis-enforce-row-uniqueness 2
 api-url 2

- B -

BLOB_PREFERRED 14
 BOL_RESPONSE_CACHE_MAX_AGE_SEC 14
 bulk-delete-page-size-rows 2
 bulk-insert-page-size-bytes 2
 bulk-insert-page-size-rows 2

- C -

calendar_year 15, 16, 19
 code_cat 16
 code_main 16
 code_sub 16
 CONTENT_TYPE 14
 country 17
 created_at 15, 17, 19, 21

- D -

DATE_ENDED 14
 DATE_STARTED 14
 direction 16, 18
 display_kind 17
 document 15
 document_byline 19, 21
 document_created_at 19, 21
 document_doc_type 19, 21
 document_document 19, 21
 document_government_aggregation 19, 21
 document_government_code 19, 21
 document_government_country 19, 21
 document_government_created_at 19, 21
 document_government_display_kind 19, 21
 document_government_id 19, 21
 document_government_intro 19, 21
 document_government_kind 19, 21
 document_government_latitude 19, 21
 document_government_location 19, 21

document_government_longitude 19, 21
 document_government_metrics 19, 21
 document_government_name 19, 21
 document_government_resource_uri 19, 21
 document_government_slug 19, 21
 document_government_state 19, 21
 document_government_updated_at 19, 21
 document_government_website 19, 21
 document_id 16, 18, 19, 21
 document_index_name 19, 21
 document_kind 19, 21
 document_parsed_at 19, 21
 document_resource_uri 19, 21
 document_title 19, 21
 document_updated_at 19, 21
 document_year 19, 21
 documents 15
 download-error-400-bad-request-max-tries 2
 download-error-400-bad-request-sleep-initial-ms 2
 download-error-400-bad-request-sleep-max-ms 2
 download-error-400-bad-request-sleep-multiplicator 2
 download-error-408-request-timeout-max-tries 2
 download-error-408-request-timeout-sleep-initial-ms 2
 download-error-408-request-timeout-sleep-max-ms 2
 download-error-408-request-timeout-sleep-multiplicator 2
 download-error-422-bad-request-max-tries 2
 download-error-422-bad-request-sleep-initial-ms 2
 download-error-422-bad-request-sleep-max-ms 2
 download-error-422-bad-request-sleep-multiplicator 2
 download-error-429-too-many-requests-max-tries 2
 download-error-429-too-many-requests-sleep-initial-ms 2
 download-error-429-too-many-requests-sleep-max-ms 2
 download-error-429-too-many-requests-sleep-multiplicator 2
 download-error-502-server-unavailable-max-tries 2
 download-error-502-server-unavailable-sleep-initial-ms 2
 download-error-502-server-unavailable-sleep-max-ms 2
 download-error-502-server-unavailable-sleep-multiplicator 2
 download-error-503-server-unavailable-max-tries 2
 download-error-503-server-unavailable-sleep-initial-ms 2
 download-error-503-server-unavailable-sleep-max-ms 2

- download-error-503-server-unavailable-sleep-multiplicator 2
download-error-504-gateway-timeout-max-tries 2
download-error-504-gateway-timeout-sleep-initial-ms 2
download-error-504-gateway-timeout-sleep-max-ms 2
download-error-504-gateway-timeout-sleep-multiplicator 2
download-error-590-network-connect-timeout-max-tries 2
download-error-590-network-connect-timeout-sleep-initial-ms 2
download-error-590-network-connect-timeout-sleep-max-ms 2
download-error-590-network-connect-timeout-sleep-multiplicator 2
download-error-599-network-connect-timeout-max-tries 2
download-error-599-network-connect-timeout-sleep-initial-ms 2
download-error-599-network-connect-timeout-sleep-max-ms 2
download-error-599-network-connect-timeout-sleep-multiplicator 2
download-error-argument-exception-max-tries 2
download-error-argument-exception-sleep-initial-ms 2
download-error-argument-exception-sleep-max-ms 2
download-error-argument-exception-sleep-multiplicator 2
download-error-internet-down-max-tries 2
download-error-internet-down-sleep-initial-ms 2
download-error-internet-down-sleep-max-ms 2
download-error-internet-down-sleep-multiplicator 2
download-error-io-exception-max-tries 2
download-error-io-exception-sleep-initial-ms 2
download-error-io-exception-sleep-max-ms 2
download-error-io-exception-sleep-multiplicator 2
download-error-json-exception-max-tries 2
download-error-json-exception-sleep-initial-ms 2
download-error-json-exception-sleep-max-ms 2
download-error-json-exception-sleep-multiplicator 2
download-error-other-exception-max-tries 2
download-error-other-exception-sleep-initial-ms 2
download-error-other-exception-sleep-max-ms 2
download-error-other-exception-sleep-multiplicator 2
download-error-socket-exception-max-tries 2
download-error-socket-exception-sleep-initial-ms 2
download-error-socket-exception-sleep-max-ms 2
download-error-socket-exception-sleep-multiplicator 2
download-error-web-exception-max-tries 2
download-error-web-exception-sleep-initial-ms 2
download-error-web-exception-sleep-max-ms 2
download-error-web-exception-sleep-multiplicator 2
download-error-web-not-implemented-max-tries 2
download-error-web-not-implemented-sleep-initial-ms 2
download-error-web-not-implemented-sleep-max-ms 2
download-error-web-not-implemented-sleep-multiplicator 2
download-error-web-timeout-max-tries 2
download-error-web-timeout-sleep-initial-ms 2
download-error-web-timeout-sleep-max-ms 2
download-error-web-timeout-sleep-multiplicator 2
download-error-web-unauthorized-max-tries 2
download-error-web-unauthorized-sleep-initial-ms 2
download-error-web-unauthorized-sleep-max-ms 2
download-error-web-unauthorized-sleep-multiplicator 2
Driver 1
DRY_RUN 14
DURATION_MS 14
- E -**
- entries 16
ERROR_MESSAGE_CODE 14
ERROR_MESSAGE_TEXT 14
- F -**
- factor 19
FAIL_ON_ERROR 14
force-case-sensitive-identifiers 2
forced-casing-identifiers 2
- G -**
- gov_code 15, 16
gov_type 15, 16
government_aggregation 15
government_code 15
government_country 15
government_created_at 15
government_display_kind 15
government_id 15
government_intro 15
government_kind 15
government_latitude 15
government_location 15
government_longitude 15

government_metrics 15
 government_name 15
 government_resource_uri 15
 government_slug 15
 government_state 15
 government_updated_at 15
 government_website 15
 governments 17

- H -

HTTP_DISK_CACHE_MAX_AGE_SEC 14
 HTTP_DISK_CACHE_SAVE 14
 HTTP_DISK_CACHE_USE 14
 HTTP_MEMORY_CACHE_MAX_AGE_SEC 14
 HTTP_MEMORY_CACHE_SAVE 14
 HTTP_MEMORY_CACHE_USE 14
 HTTP_METHOD 14
 HTTP_STATUS_CODE 14
 http-disk-cache-compression-level 2
 http-disk-cache-directory 2
 http-disk-cache-ignore-write-errors 2
 http-disk-cache-max-age-sec 2
 http-get-timeout-ms 2
 http-memory-cache-compression-level 2
 http-memory-cache-max-age-sec 2
 http-post-timeout-ms 2

- I -

ignore-http-400-errors 2
 ignore-http-401-errors 2
 ignore-http-402-errors 2
 ignore-http-403-errors 2
 ignore-http-404-errors 2
 ignore-http-422-errors 2
 ignore-http-429-errors 2
 ignore-http-500-errors 2
 ignore-http-502-errors 2
 ignore-http-503-errors 2
 intro 17
 invalid-json-on-get-max-tries 2
 invalid-json-on-get-sleep-initial-ms 2
 invalid-json-on-get-sleep-max-ms 2
 invalid-json-on-get-sleep-multiplicator 2
 invalid-json-on-post-max-tries 2
 invalid-json-on-post-sleep-initial-ms 2
 invalid-json-on-post-sleep-max-ms 2
 invalid-json-on-post-sleep-multiplicator 2
 invantive-sql-compress-sparse-arrays 2

invantive-sql-correct-invalid-date 2
 invantive-sql-forward-filters-to-data-containers 2
 invantive-sql-share-byte-arrays 2
 invantive-sql-share-strings 2
 invantive-sql-shuffle-fetch-results-data-containers 2
 invantive-use-cache 2

- J -

join-set-points-per-request 2

- K -

key 19
 kind 15, 17

- L -

label 18, 19
 labels 16, 18
 latitude 17
 limit-partition-calls-left 2
 location 17
 log-native-calls-to-disk-max-events 2
 log-native-calls-to-disk-max-seconds 2
 log-native-calls-to-disk-on-error 2
 log-native-calls-to-disk-on-success 2
 log-native-calls-to-trace 2
 longitude 17

- M -

maximum-length-identifiers 2
 max-odata-filters 2
 max-url-length-accepted 2
 max-url-length-desired 2
 metadata-cache-max-age-sec 2
 metric 19
 metrics 17, 19

- N -

name 17, 21
 NATIVEPLATFORMSCALARREQUESTS 14
 npt 14

- O -

oauth-unauthorized-max-tries 2

oauth-unauthorized-sleep-initial-ms 2
oauth-unauthorized-sleep-max-ms 2
oauth-unauthorized-sleep-multiplicator 2
openspending.nl 1, 14, 15, 16, 17, 18, 19, 21
OpenSpendingNL 1
ORIG_SYSTEM_GROUP 14
ORIG_SYSTEM_REFERENCE 14
osnl 1

- P -

page_size 21
paging 21
parsed_at 15
partition-slot-based-rate-limit-length-ms 2
partition-slot-based-rate-limit-slots 2
PAYLOAD_TEXT 14
period 15, 16
plaatsing 16
plan 15
pre-request-delay-ms 2

- R -

requested-page-size 2
requests-parallel-max 2
resource_uri 15, 16, 17, 18, 19, 21
RESULT_BLOB 14
RESULT_DATE_TIME_UTC 14
RESULT_NUMBER 14
RESULT_TEXT 14

- S -

simulate-http-400-errors 2
simulate-http-400-errors-percentage 2
simulate-http-401-errors 2
simulate-http-401-errors-percentage 2
simulate-http-403-errors 2
simulate-http-403-errors-percentage 2
simulate-http-408-errors 2
simulate-http-408-errors-percentage 2
simulate-http-429-errors 2
simulate-http-429-errors-percentage 2
simulate-http-500-errors 2
simulate-http-500-errors-percentage 2
simulate-http-502-errors 2
simulate-http-502-errors-percentage 2
simulate-http-503-errors 2
simulate-http-503-errors-percentage 2

simulate-http-protocol-errors 2
simulate-http-protocol-errors-percentage 2
simulate-http-timeout-errors 2
simulate-http-timeout-errors-percentage 2
slot-based-rate-limit-length-ms 2
slot-based-rate-limit-slots 2
slug 17, 18, 21
standardize-identifiers 2
standardize-identifiers-casing 2
state 17
SUCCESSFUL 14

- T -

TIMEOUT_SEC 14
transaction_columns 19
TRANSACTION_ID 14
transaction_views 21
type 16, 18

- U -

updated_at 15, 17, 19, 21
url 14, 15
use-batch-insert 2
use-http-disk-cache-read 2
use-http-disk-cache-write 2
use-http-memory-cache-read 2
use-http-memory-cache-write 2

- V -

value 16

- W -

website 17



invantive the **SQL** company

Invantive B.V.
Biesteweg 11
3849 RD Hierden
Nederland

Tel: +31 88 00 26 500
Fax: +31 84 22 58 178
info@invantive.nl
invantive.nl

IBAN NL25 BUNQ 2098 2586 07
Kamer van Koophandel 13031406
BTW NL812602377B01
RSIN 8122602377
Algemeen Directeur: Guido Leenders
Statutaire zetel: Roermond