

SQL Server Data Model

for use with Invantive SQL



Copyright

(C) Copyright 2004-2023 Invantive Software B.V., the Netherlands. All rights reserved.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of the publisher.

Despite all the care taken in the compilation of this text, neither the author nor the publisher can accept liability for any damage, which might result from any error, which might appear in this publication.

This manual is a reference guide intended to clarify usage. If data in the sample images match data in your system, the similarity is coincidental.

Important Safety and Usage Information

Intended Use and Limitations: This software, developed by Invantive, is designed to support a variety of business and information technology data processing functions, such as accounting, financial reporting and sales reporting. It is important to note that this software is not designed, tested, or approved for use in environments where malfunction or failure could lead to life-threatening situations or severe physical or environmental damage. This includes, but is not limited to:

- Nuclear facilities: The software should not be used for operations or functions related to the control, maintenance, or operation of nuclear facilities.
- Defense and Military Applications: This software is not suitable for use in defense-related applications, including but not limited to weaponry control, military strategy planning, or any other aspects of national defense.
- Aviation: The software is not intended for use in the operation, navigation, or communication systems of any aircraft or air traffic control environments.
- Healthcare and Medicine Production: This software should not be utilized for medical device operation, patient data analysis for critical health decisions, pharmaceutical production, or medical research where its failure or malfunction could impact patient health.
- Chemical and Hazardous Material Handling: This software is not intended for the management, control, or operational aspects of chemical plants or hazardous material handling facilities. Any malfunction in software used in these settings could result in dangerous chemical spills, explosions, or environmental disasters.
- Transportation and Traffic Control Systems: The software should not be used for the control, operation, or management of transportation systems, including railway signal controls, subway systems, or traffic light management. Malfunctions in such critical systems could lead to severe accidents and endanger public safety.
- Energy Grid and Utility Control Systems: This software is not designed for the control or operation of energy grid systems, including electrical substations, renewable energy control systems, or water utility control systems. The failure of software in these areas could lead to significant power outages, water supply disruptions, or other public utility failures, potentially endangering communities and causing extensive damage.
- Other High-Risk Environments: Any other critical infrastructure and environments where a failure of the software could result in significant harm to individuals or the environment.

User Responsibility: Users must ensure that they understand the intended use of the software and refrain from deploying it in any setting that falls outside of its designed purpose. It is the responsibility of the user to assess the suitability of the software for their intended application, especially in any scenarios that might pose a risk to life, health, or the environment.

Disclaimer of Liability: Invantive disclaims any responsibility for damage, injury, or legal consequences resulting from the use or misuse of this software in prohibited or unintended applications.

Contents

1	SQL Driver for SQL Server	1
2	SQL Driver Attributes for SQL Server	2
3	Catalog: Database	5
3.1	Schemas	5
3.1.1	Schema: Invantive	5
3.1.2	Schema: Metadata	10
3.1.3	Schema: Native	22
4	Catalog: master	24
4.1	Schemas	24
4.1.1	spt_fallback_db	24
4.1.2	spt_fallback_dev	24
4.1.3	spt_fallback_usg	25
4.1.4	spt_monitor	25
4.1.5	spt_values	26
5	Catalog: msdb	27
5.1	Schemas	27
5.1.1	autoadmin_backup_configuration_summary	27
5.1.2	backupfile	27
5.1.3	backupmediafamily	28
5.1.4	backupmediaset	29
5.1.5	backupset	29
5.1.6	dm_hadr_automatic_seeding_history	31
5.1.7	logmarkhistory	32
5.1.8	restorefile	32
5.1.9	restorefilegroup	33
5.1.10	restorehistory	33
5.1.11	suspect_pages	34
5.1.12	sysdac_instances	34
5.1.13	syspolicy_conditions	35
5.1.14	syspolicy_configuration	35
5.1.15	syspolicy_object_sets	36
5.1.16	syspolicy_policies	36
5.1.17	syspolicy_policy_categories	37
5.1.18	syspolicy_policy_category_subscriptions	37
5.1.19	syspolicy_policy_execution_history	38
5.1.20	syspolicy_policy_execution_history_details	38
5.1.21	syspolicy_system_health_state	39
5.1.22	syspolicy_target_set_levels	39
5.1.23	syspolicy_target_sets	40
	Index	41

1 SQL Driver for SQL Server

Invantive SQL is the fastest, easiest and most reliable way to exchange data with SQL Server.

Use the "Search" option in the left menu to search for a specific term such as the table or column description. When you already know the term, please use the "Index" option. When you can't find the information needed, please click on the Chat button at the bottom or place your question in the [user community](#). Other users or Invantive Support will try to help you to our best.

Microsoft SQL Server is a traditional database platform. SQL Server supports ANSI SQL. It is available both as a cloud database on Microsoft Azure as a traditional database running on-premise or hosted.

SQL Server Clients

Invantive SQL is available on many user interfaces ("clients" in traditional server-client paradigm). All Invantive SQL statements can be exchanged with a close to 100% compatibility across all clients and operating systems (Windows, MacOS, Linux, iOS, Android).

The clients include Microsoft Excel, Microsoft Power BI, Microsoft Power Query, Microsoft Word and Microsoft Outlook. Web-based clients include Invantive Cloud, Invantive Bridge Online as OData proxy, Invantive App Online for interactive apps, Online SQL Editor for query execution and Invantive Data Access Point as extended proxy.

The [SQL Server Power BI connector](#) is based on the Invantive SQL driver for SQL Server, completed by a high-performance OData connector which works straight on Power BI without any add-on. The OData protocol is always version 4, independent whether the backing platform uses OData, SOAP or another protocol.

For technical users there are command-line editions of Invantive Data Hub running on iOS, Android, Windows, MacOS and Linux. Invantive Data Hub is also often used for enterprise server applications such as ETL. High-volume replication of data taken from SQL Server into traditional databases such as SQL Server (on-premise and Azure), MySQL, PostgreSQL and Oracle is possible using [Invantive Data Replicator](#). Invantive Data Replicator automatically creates and maintains SQL Server datawarehouses, possibly in combination with data from over 70 other (cloud) platforms. Data Replicator supports data volumes up to over 1 TB and over 5.000 companies. The on-premise edition of Invantive Bridge offers an SQL Server ADO.net provider.

Finally, online web apps can be build for SQL Server using App Online of [Invantive Cloud](#).

Monitor API Calls

When a query or DML-statement has been executed on Invantive SQL a developer can evaluate the actual calls made to SQL Server using a query on `sessionios@DataDictionary`. As an alternative, extensive request and response logging can be enabled by setting `log-native-calls-to-disk` to true. In the `%USERPROFILE%\Invantive\NativeLogs` folder Invantive SQL will create log files per request and response.

Specifications

The SQL driver for SQL Server does not support partitioning. Define one data container in a database for each company in SQL Server to enable parallel access for data from multiple companies.

An introduction into the concepts of Invantive SQL such as databases, data containers and partitioning can be found in the [Invantive SQL grammar](#).

The configuration can be changed using various attributes during log on and use. A full list of configuration options is listed in the [driver attributes](#) [2].

The catalog name is used to compose the full qualified name of an object like a table or view. The schema name is used to compose the full qualified name of an object like a table or view. On SQL Server the comparison of two texts is case sensitive by default.

Changes and bug fixes on the SQL Server SQL driver can be found in the [release notes](#). Get access to the SQL Server community through the [SQL Server section](#) of the Invantive forums.

Driver code for use in settings.xml: `SqlServer`

Alias: `mssql`

Recommended alias: `mss`

Updated: 12-12-2020 18:19 using Invantive SQL version 20.1.301-BETA+3023.

2 SQL Driver Attributes for SQL Server

The SQL driver for SQL Server has many attributes that can be finetuned to improve handling in scenarios with unreliable network connections to the SQL Server server or high-volumes of data. Also, many drivers have driver-specific attributes to finetune actual behaviour or handle data not matching specifications.

The SQL Server driver attributes are assigned a default value which seldom requires change. However, changes can be applied when needed on four levels, which are reflected in the table below by separate checkmarks:

- Connection string: the connection string from the settings*.xml file and applied during log on.
- Set SQL statement: a set SQL-statement to be executed once connection has been established.
- Drivers file: the providers.xml file (obsolete starting release 17.32).
- Log on: value to be specified interactively by user during log on in a user interface.

The connection string for SQL Server can be found in the settings*.xml file used for the database. Settings*.xml files are typically located in the %USERPROFILE%\invantive folder in most deployment scenarios. The reference manuals contain instructions how to relocate the settings*.xml files. Each data container of a database in the connection string can have a `connectionString` element specifying the name and values of attributes. Both name and value must be properly escaped according to XML-semantics. Actual application of the value is solely done during log on. A new connection must be established to change the value of a driver attribute using a connection string.

The set SQL statement can be executed after log on. The syntax is: `set NAME VALUE`, or for a distributed database: `set NAME@ALIAS VALUE`. In some scenarios you may need to enclose the driver attribute name in square brackets to escape it from parsing, for instance when a reserved SQL keyword is part of the name. The new value takes effect straight after execution of the set-statement. The set-statement can be executed as often as needed during a session.

Driver attributes that can be interactively set to a value are typically presented in the log on window. Depending on the platform and design decisions of the user interface designer, some or all of the available driver attributes can have been made available.

The SQL Server driver can be configured using the following attributes:

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Driver's File	Set from Log On
analysis-enforce-row-uniqueness	Use for analysis only! Enforce rows to be unique.	Shared	False	✓	✓	✓	
bulk-delete-page-size-rows	Number of rows to delete per batch when bulk deleting	Shared	3000	✓	✓	✓	
bulk-insert-page-size-bytes	Approximate maximum size in bytes of batch when bulk inserting	Shared	10000000	✓	✓	✓	
bulk-insert-page-size-rows	Number of rows to insert per batch when bulk inserting	Shared	3000	✓	✓	✓	
bulk-insert-timeout-sec	Number of seconds after which a bulk insert times out	SQL Server	300	✓	✓	✓	
command-timeout-sec	Number of seconds after which a command times out.			✓	✓	✓	
connection-string-async-add	Should the 'Async' be added automatically to the connection string?	SQL Server	False	✓	✓	✓	
connection-string-async-value	Size of the Async to be added to the connection string	SQL Server	True	✓	✓	✓	
connection-string-multiple-active-result-sets-add	Should the 'MultipleActiveResultSets' be added automatically to the connection string?	SQL Server	True	✓	✓	✓	
connection-string-multiple-active-result-sets-value	Value of MultipleActiveResultSets to be added to the connection string	SQL Server	True	✓	✓	✓	
force-case-sensitive-identifiers	Consider identifiers as case-sensitive independent of the platform capabilities.	Shared	False	✓	✓	✓	
forced-casing-identifiers	Forced casing of identifiers. Choose from Unset, Lower, Upper and Mixed.	Shared		✓	✓	✓	
invantive-sql-correct-invalid-date	Whether to correct dates considered invalid since they are before 01-01-1753. When nullable, they are removed. Otherwise they are replaced by 01-01-1753.	SQL Engine V1	False	✓	✓	✓	
invantive-sql-forward-filters-to-data-containers	Whether to forward filters to data containers.	SQL Engine V1	True	✓	✓	✓	
invantive-sql-shuffle-fetch-results-data-containers	Whether to shuffle results fetched from data containers.	SQL Engine V1	False	✓	✓	✓	
invantive-use-cache	Whether to cache the results of a query.	SQL Engine V1	True	✓	✓	✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Driver's File	Set from Log On
log-native-calls-to-disk	Registers native calls to data container backend as disk files.	Shared	False	✓	✓	✓	
log-native-calls-to-trace	Log native calls to data container backend on the trace.	Shared	False	✓	✓	✓	
maximum-length-identifiers	Non-default maximum length in characters of identifier names.	Shared		✓	✓	✓	
maximum-number-of-pooled-connections	Maximum number of concurrent pooled connections.			✓	✓	✓	
maximum-sleep-acquire-pooled-connection-ms	Maximum time in ms to wait for acquiring a free connection from a pool of connections.		30000	✓	✓	✓	
maximum-sleep-acquire-unpooled-connection-ms	Maximum time in ms to wait for acquire a free connection when there is no connection pooling.		60000	✓	✓	✓	
max-url-length-accepted	The maximum accepted URL length before raising an error.	Shared	8000	✓	✓	✓	
max-url-length-desired	The maximum desired URL length.	Shared	8000	✓	✓	✓	
minimum-command-timeout-sec	Minimum number of seconds after which a command times out.		300	✓	✓	✓	
minimum-connection-timeout-sec	Minimum connection timeout in seconds.			✓	✓	✓	
on-close-sql	Native SQL statements to execute directly before close.			✓	✓	✓	
on-open-sql	Native SQL statements to execute directly after open.			✓	✓	✓	
open-connection-interval-sec	Delay between retries in milliseconds when login fails.		500	✓	✓	✓	
open-connection-retries	Maximum number of retries when login fails.		2	✓	✓	✓	
partition-slot-based-rate-limit-length-ms	Total length in ms across all slots of a partition-based rate limit.	Shared	60000	✓		✓	
partition-slot-based-rate-limit-slots	Number of slots per partition-based rate limit. Null means no slot-based rate limit	Shared		✓		✓	
pooled-connection-monitor-interval-sec	Minimum interval in seconds between two connection pool monitor activations.		60	✓	✓	✓	
pooled-connection-release-obsolete-interval-sec	Minimum interval in seconds between two tries to release obsolete connections from the connection pool when above the preferred number of connections.		60	✓	✓	✓	
pooled-connections-monitoring	Enable monitoring of connections of connection pool for automatic cleanup of obsolete connections.		True	✓	✓	✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Driver's File	Set from Log On
preferred-number-of-pooled-connections	Preferred number of concurrent pooled connections.			✓	✓	✓	
prefix-bind-variable-in-list	Prefix for bind variables used in an IN-list		i	✓	✓	✓	
prefix-bind-variable-normal	Prefix for bind variables used in all cases except in an IN-list		w	✓	✓	✓	
prefix-renamed-columns	Prefix appended to columns whose names occur multiple times in the column list of a query		column	✓	✓	✓	
pre-request-delay-ms	Pre-request delay in milliseconds per request.	Shared	0	✓	✓	✓	
requested-page-size	Preferred number of rows to exchange per round trip; only effective on limited platforms such as AFAS Online	Shared		✓	✓	✓	
requests-parallel-max	Maximum number of parallel data requests from individual partitions on the data container.	Shared	32	✓	✓	✓	
slot-based-rate-limit-length-ms	Total length in ms across all slots of a slot-based rate limit.	Shared	60000	✓		✓	
slot-based-rate-limit-slots	Number of slots of a slot-based rate limit. Null means no slot-based rate limit	Shared		✓		✓	
standardize-identifiers	Rewrite all identifiers to the preferred standards as configured by standardize-identifiers-casing and maximum-length-identifiers.	Shared	True	✓	✓	✓	
standardize-identifiers-casing	Rewrite all identifiers to the recommended standard platform-specific casing when changing a data model on a case-dependent platform.	Shared	True	✓	✓	✓	

3 Catalog: Database

3.1 Schemas

3.1.1 Schema: Invantive

3.1.1.1 Tables

Collections: SQL Server Metadata Collections

Catalog: Database

Schema: Invantive

Label: Metadata Collections

This is a read-only view. The SQL Server API may not support changing the data or the Invantive SQL driver for SQL Server does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the SQL Server API.

View Columns

The columns of the view `Collections` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
<code>COLLECTION_NAME</code>	string(240)	Collection Name	<input type="checkbox"/>	
<code>NUMBER_OF_IDENTIFIER_PARTS</code>	int32	Number of Identifier Parts	<input type="checkbox"/>	
<code>NUMBER_OF_RESTRICTIONS</code>	int32	Number of Restrictions	<input type="checkbox"/>	
<code>POPULATION_MECHANISM</code>	string(240)	Population Mechanism	<input type="checkbox"/>	
<code>POPULATION_STRING</code>	string(240)	Population String	<input type="checkbox"/>	
<code>SCHEMA_NAME</code>	string(240)	Schema	<input type="checkbox"/>	

Data Source Information: SQL Server Data Source Information

Catalog: Database

Schema: Invantive

Label: Data Source Information

This is a read-only view. The SQL Server API may not support changing the data or the Invantive SQL driver for SQL Server does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the SQL Server API.

View Columns

The columns of the view `DataSourceInformation` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
<code>COMPOSITE_IDENTIFIER_SEPARATOR_PATTERN</code>	string(240)	Composite Identifier Separator Pattern	<input type="checkbox"/>	
<code>GROUP_BY_BEHAVIOR</code>	int32	Group by Behavior	<input type="checkbox"/>	
<code>IDENTIFIER_CASE</code>	int32	Identifier Case	<input type="checkbox"/>	0: Unknown, the data source has ambiguous rules regarding identifier case and cannot discern this information; 1: Insensitive; the data source ignores identifier case when searching the system catalog. The identifiers "ab" and "AB" will match; 2: Sensitive; the data source distinguishes identifier case when searching the system catalog. The identifiers "ab" and "AB" will not match.
<code>IDENTIFIER_PATTERN</code>	string(240)	Identifier Pattern	<input type="checkbox"/>	
<code>ORDER_BY_COLUMNS_IN_SELECT</code>	boolean	Order by Columns in Select	<input type="checkbox"/>	
<code>PARAMETER_MARKER_FORMAT</code>	string(240)	Parameter Marker Format	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
PARAMETER_MARKER_PATTERN	string(240)	Parameter Marker Pattern	<input type="checkbox"/>	
PARAMETER_NAME_MAX_LENGTH	int32	Parameter Name Maximum Length	<input type="checkbox"/>	
PARAMETER_NAME_PATTERN	string(240)	Parameter Name Pattern	<input type="checkbox"/>	
PRODUCT_NAME	string(240)	Product Name	<input type="checkbox"/>	
PRODUCT_VERSION	string(240)	Product Version	<input type="checkbox"/>	
PRODUCT_VERSION_NORMALIZED	string(240)	Product Version Normalized	<input type="checkbox"/>	
QUOTED_IDENTIFIER_CASE	string(240)	Quoted Identifier Case	<input type="checkbox"/>	
QUOTED_IDENTIFIER_PATTERN	string(240)	Quoted Identifier Pattern	<input type="checkbox"/>	
STATEMENT_SEPARATOR_PATTERN	string(240)	Statement Separator Pattern	<input type="checkbox"/>	
STRING_LITERAL_PATTERN	string(240)	String Literal Pattern	<input type="checkbox"/>	
SUPPORTED_JOIN_OPERATORS	int32	Supported Join Operators	<input type="checkbox"/>	

DataTypes: SQL Server Data Types

Catalog: Database

Schema: Invantive

Label: Data Types

This is a read-only view. The SQL Server API may not support changing the data or the Invantive SQL driver for SQL Server does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the SQL Server API.

View Columns

The columns of the view `DataTypes` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
COLUMN_SIZE	int64	Column Size	<input type="checkbox"/>	
CREATE_FORMAT	string(240)	Create Format	<input type="checkbox"/>	
CREATE_PARAMETERS	string(240)	Create Parameters	<input type="checkbox"/>	
DATA_TYPE	string(240)	Data Type	<input type="checkbox"/>	
IS_AUTOINCREMENTABLE	boolean	Is Auto-incrementable	<input type="checkbox"/>	
IS_BEST_MATCH	boolean	Is Best Match	<input type="checkbox"/>	
IS_CASE_SENSITIVE	boolean	Is Case-sensitive	<input type="checkbox"/>	
IS_CONCURRENCY_TYPE	boolean	Is Concurrency Type	<input type="checkbox"/>	
IS_FIXED_LENGTH	boolean	Is Fixed Length	<input type="checkbox"/>	
IS_FIXED_PRECISION_SCALE	boolean	Is Fixed Precision Scale	<input type="checkbox"/>	
IS_LITERAL_SUPPORTED	boolean	Is Literal Supported	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
IS_LONG	boolean	Is Long	<input type="checkbox"/>	
IS_NULLABLE	boolean	Is Nullable	<input type="checkbox"/>	
IS_SEARCHABLE	boolean	Is Searchable	<input type="checkbox"/>	
IS_SEARCHABLE_WITH_LIKE	boolean	Is Searchable w with Like	<input type="checkbox"/>	
IS_UNSIGNED	boolean	Is Unsigned	<input type="checkbox"/>	
LITERAL_PREFIX	string(240)	Literal Prefix	<input type="checkbox"/>	
LITERAL_SUFFIX	string(240)	Literal Suffix	<input type="checkbox"/>	
MAXIMUM_SCALE	int16	Maximum Scale	<input type="checkbox"/>	
MINIMUM_SCALE	int16	Minimum Scale	<input type="checkbox"/>	
NATIVE_DATA_TYPE	string(240)	Native Data Type	<input type="checkbox"/>	
PROVIDER_DB_TYPE	int32	Provider Database Type	<input type="checkbox"/>	
SCHEMA_NAME	string(240)	Schema	<input type="checkbox"/>	
TYPE_NAME	string(240)	Type Name	<input type="checkbox"/>	

PooledConnections: SQL Server Pooled Connections

Catalog: Database

Schema: Invantive

Label: Pooled Connections

This is a read-only view. The SQL Server API may not support changing the data or the Invantive SQL driver for SQL Server does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the SQL Server API.

View Columns

The columns of the view `PooledConnections` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
CONNECTION_TIMEOUT_SEC	int32	Connection Time-out (sec)	<input checked="" type="checkbox"/>	
COUNT_TIMES_USED	int32	Number of Times Used		
CREATED.UTC	datetime	Date Created		
CURRENT_CONTEXT_DESCRIPTION	string(240)	Current Context Description		
CURRENT_CONTEXT_NATURAL_KEY	string(240)	Current Context Natural Key		
CURRENT_CONTEXT_USER_LOG_ON_CODE	string(240)	Current Context User Log On Code		
DATABASE	string(240)	Database	<input type="checkbox"/>	
DURATION_USED_MS	int32	Duration Used (ms)		
ID	int32	ID		
IS_FREE	boolean	Is Free	<input checked="" type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
LAST_USE_DURATION_MS	int32	Last Use Duration (ms)		
LAST_USE_END_UTC	datetime	Last Use End		
LAST_USE_START_UTC	datetime	Last Use Start		
ON_CLOSE_SQL_DURATION_MS	int32	SQL On Close Duration (ms)	<input type="checkbox"/>	
ON_CLOSE_SQL_START_UTC	datetime	SQL On Close Start (UTC)	<input type="checkbox"/>	
ON_CLOSE_SQL_STATEMENT	string	SQL On Open Statement	<input type="checkbox"/>	
ON_OPEN_SQL_DURATION_MS	int32	SQL On Open Duration (ms)	<input type="checkbox"/>	
ON_OPEN_SQL_START_UTC	datetime	SQL On Open Start (UTC)	<input type="checkbox"/>	
ON_OPEN_SQL_STATEMENT	string	SQL On Open Statement	<input type="checkbox"/>	
PREVIOUS_CONTEXT_DESCRIPTIONS	string	Previous Context Descriptions		
SERVER_VERSION	string(240)	Server Version		
USAGE_PERCENTAGE	int32	Usage (%)	<input checked="" type="checkbox"/>	

Restrictions: SQL Server Restrictions

Catalog: Database

Schema: Invantive

Label: Restrictions

This is a read-only view. The SQL Server API may not support changing the data or the Invantive SQL driver for SQL Server does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the SQL Server API.

View Columns

The columns of the view `Restrictions` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
COLLECTION_NAME	string(240)	Collection Name	<input type="checkbox"/>	
PARAMETER_NAME	string(240)	Parameter Name	<input type="checkbox"/>	
RESTRICTION_DEFAULT	string(240)	Restriction Default	<input type="checkbox"/>	
RESTRICTION_NAME	string(240)	Restriction Name	<input type="checkbox"/>	
RESTRICTION_NUMBER	int32	Restriction Number	<input type="checkbox"/>	
SCHEMA_NAME	string(240)	Schema	<input type="checkbox"/>	

3.1.2 Schema: Metadata

3.1.2.1 Tables

AllColumns

Catalog: Database

Schema: Metadata

This is a read-only view. The SQL Server API may not support changing the data or the Invantive SQL driver for SQL Server does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the SQL Server API.

View Columns

The columns of the view `AllColumns` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
CHARACTER_MAXIMUM_LENGTH	int32	CHARACTER_MAXIMUM_LENGTH	<input type="checkbox"/>	
CHARACTER_OCTET_LENGTH	int32	CHARACTER_OCTET_LENGTH	<input type="checkbox"/>	
CHARACTER_SET_CATALOG	string	CHARACTER_SET_CATALOG	<input type="checkbox"/>	
CHARACTER_SET_NAME	string	CHARACTER_SET_NAME	<input type="checkbox"/>	
CHARACTER_SET_SCHEMA	string	CHARACTER_SET_SCHEMA	<input type="checkbox"/>	
COLLATION_CATALOG	string	COLLATION_CATALOG	<input type="checkbox"/>	
COLUMN_DEFAULT	string	COLUMN_DEFAULT	<input type="checkbox"/>	
COLUMN_NAME	string	COLUMN_NAME	<input type="checkbox"/>	
DATA_TYPE	string	DATA_TYPE	<input type="checkbox"/>	
DATETIME_PRECISION	int16	DATETIME_PRECISION	<input type="checkbox"/>	
IS_COLUMN_SET	boolean	IS_COLUMN_SET	<input type="checkbox"/>	
IS_FILESTREAM	boolean	IS_FILESTREAM	<input type="checkbox"/>	
IS_NULLABLE	string	IS_NULLABLE	<input type="checkbox"/>	
IS_SPARSE	boolean	IS_SPARSE	<input type="checkbox"/>	
NUMERIC_PRECISION	byte	NUMERIC_PRECISION	<input type="checkbox"/>	
NUMERIC_PRECISION_RADIX	int16	NUMERIC_PRECISION_RADIX	<input type="checkbox"/>	
NUMERIC_SCALE	int32	NUMERIC_SCALE	<input type="checkbox"/>	
ORDINAL_POSITION	int32	ORDINAL_POSITION	<input type="checkbox"/>	
TABLE_CATALOG	string	TABLE_CATALOG	<input type="checkbox"/>	
TABLE_NAME	string	TABLE_NAME	<input type="checkbox"/>	
TABLE_SCHEMA	string	TABLE_SCHEMA	<input type="checkbox"/>	

Columns

Catalog: Database

Schema: Metadata

This is a read-only view. The SQL Server API may not support changing the data or the Invantive SQL driver for SQL Server does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the SQL Server API.

View Columns

The columns of the view `Columns` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
CHARACTER_MAXIMUM_LENGTH	int32	CHARACTER_MAXIMU M_LENGTH	<input type="checkbox"/>	
CHARACTER_OCTET_LENGTH	int32	CHARACTER_OCTET_ LENGTH	<input type="checkbox"/>	
CHARACTER_SET_CATALOG	string	CHARACTER_SET_CA TALOG	<input type="checkbox"/>	
CHARACTER_SET_NAME	string	CHARACTER_SET_NA ME	<input type="checkbox"/>	
CHARACTER_SET_SCHEMA	string	CHARACTER_SET_SC HEMA	<input type="checkbox"/>	
COLLATION_CATALOG	string	COLLATION_CATALO G	<input type="checkbox"/>	
COLUMN_DEFAULT	string	COLUMN_DEFAULT	<input type="checkbox"/>	
COLUMN_NAME	string	COLUMN_NAME	<input type="checkbox"/>	
DATA_TYPE	string	DATA_TYPE	<input type="checkbox"/>	
DATETIME_PRECISION	int16	DATETIME_PRECISION	<input type="checkbox"/>	
IS_COLUMN_SET	boolean	IS_COLUMN_SET	<input type="checkbox"/>	
IS_FILESTREAM	boolean	IS_FILESTREAM	<input type="checkbox"/>	
IS_NULLABLE	string	IS_NULLABLE	<input type="checkbox"/>	
IS_SPARSE	boolean	IS_SPARSE	<input type="checkbox"/>	
NUMERIC_PRECISION	byte	NUMERIC_PRECISION	<input type="checkbox"/>	
NUMERIC_PRECISION_RADIX	int16	NUMERIC_PRECISION_ RADIX	<input type="checkbox"/>	
NUMERIC_SCALE	int32	NUMERIC_SCALE	<input type="checkbox"/>	
ORDINAL_POSITION	int32	ORDINAL_POSITION	<input type="checkbox"/>	
TABLE_CATALOG	string	TABLE_CATALOG	<input type="checkbox"/>	
TABLE_NAME	string	TABLE_NAME	<input type="checkbox"/>	
TABLE_SCHEMA	string	TABLE_SCHEMA	<input type="checkbox"/>	

ColumnSetColumns

Catalog: Database

Schema: Metadata

This is a read-only view. The SQL Server API may not support changing the data or the Invariant SQL driver for SQL Server does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the SQL Server API.

View Columns

The columns of the view `ColumnSetColumns` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
CHARACTER_MAXIMUM_LENGTH	int32	CHARACTER_MAXIMU M_LENGTH	<input type="checkbox"/>	
CHARACTER_OCTET_LENGTH	int32	CHARACTER_OCTET_ LENGTH	<input type="checkbox"/>	
CHARACTER_SET_CATALOG	string	CHARACTER_SET_CA TALOG	<input type="checkbox"/>	
CHARACTER_SET_NAME	string	CHARACTER_SET_NA ME	<input type="checkbox"/>	
CHARACTER_SET_SCHEMA	string	CHARACTER_SET_SC HEMA	<input type="checkbox"/>	
COLLATION_CATALOG	string	COLLATION_CATALO G	<input type="checkbox"/>	
COLUMN_DEFAULT	string	COLUMN_DEFAULT	<input type="checkbox"/>	
COLUMN_NAME	string	COLUMN_NAME	<input type="checkbox"/>	
DATA_TYPE	string	DATA_TYPE	<input type="checkbox"/>	
DATETIME_PRECISION	int16	DATETIME_PRECISION	<input type="checkbox"/>	
IS_COLUMN_SET	boolean	IS_COLUMN_SET	<input type="checkbox"/>	
IS_FILESTREAM	boolean	IS_FILESTREAM	<input type="checkbox"/>	
IS_NULLABLE	string	IS_NULLABLE	<input type="checkbox"/>	
IS_SPARSE	boolean	IS_SPARSE	<input type="checkbox"/>	
NUMERIC_PRECISION	byte	NUMERIC_PRECISION	<input type="checkbox"/>	
NUMERIC_PRECISION_RADIX	int16	NUMERIC_PRECISION_ RADIX	<input type="checkbox"/>	
NUMERIC_SCALE	int32	NUMERIC_SCALE	<input type="checkbox"/>	
ORDINAL_POSITION	int32	ORDINAL_POSITION	<input type="checkbox"/>	
TABLE_CATALOG	string	TABLE_CATALOG	<input type="checkbox"/>	
TABLE_NAME	string	TABLE_NAME	<input type="checkbox"/>	
TABLE_SCHEMA	string	TABLE_SCHEMA	<input type="checkbox"/>	

Databases

Catalog: Database

Schema: Metadata

This is a read-only view. The SQL Server API may not support changing the data or the Invariant SQL driver for SQL Server does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the SQL Server API.

View Columns

The columns of the view `Databases` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
<code>create_date</code>	<code>datetime</code>	<code>create_date</code>	<input type="checkbox"/>	
<code>database_name</code>	<code>string</code>	<code>database_name</code>	<input type="checkbox"/>	
<code>dbid</code>	<code>int16</code>	<code>dbid</code>	<input type="checkbox"/>	

Data Source Information

Catalog: Database

Schema: Metadata

This is a read-only view. The SQL Server API may not support changing the data or the Invariant SQL driver for SQL Server does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the SQL Server API.

View Columns

The columns of the view `DataSourceInformation` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
<code>COMPOSITE_IDENTIFIER_SEPARATOR_PATTERN</code>	<code>string(240)</code>	Composite Identifier Separator Pattern	<input type="checkbox"/>	
<code>GROUP_BY_BEHAVIOR</code>	<code>int32</code>	Group by Behavior	<input type="checkbox"/>	
<code>IDENTIFIER_CASE</code>	<code>int32</code>	Identifier Case	<input type="checkbox"/>	0: Unknown, the data source has ambiguous rules regarding identifier case and cannot discern this information; 1: Insensitive; the data source ignores identifier case when searching the system catalog. The identifiers "ab" and "AB" will match; 2: Sensitive; the data source distinguishes identifier case when searching the system catalog. The identifiers "ab" and "AB" will not match.
<code>IDENTIFIER_PATTERN</code>	<code>string(240)</code>	Identifier Pattern	<input type="checkbox"/>	
<code>ORDER_BY_COLUMNS_IN_SELECT</code>	<code>boolean</code>	Order by Columns in Select	<input type="checkbox"/>	
<code>PARAMETER_MARKER_FORMAT</code>	<code>string(240)</code>	Parameter Marker Format	<input type="checkbox"/>	
<code>PARAMETER_MARKER_PATTERN</code>	<code>string(240)</code>	Parameter Marker Pattern	<input type="checkbox"/>	
<code>PARAMETER_NAME_MAX_LENGTH</code>	<code>int32</code>	Parameter Name Maximum Length	<input type="checkbox"/>	
<code>PARAMETER_NAME_PATTERN</code>	<code>string(240)</code>	Parameter Name Pattern	<input type="checkbox"/>	
<code>PRODUCT_NAME</code>	<code>string(240)</code>	Product Name	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
PRODUCT_VERSION	string(240)	Product Version	<input type="checkbox"/>	
PRODUCT_VERSION_NORMALIZED	string(240)	Product Version Normalized	<input type="checkbox"/>	
QUOTED_IDENTIFIER_CASE	string(240)	Quoted Identifier Case	<input type="checkbox"/>	
QUOTED_IDENTIFIER_PATTERN	string(240)	Quoted Identifier Pattern	<input type="checkbox"/>	
STATEMENT_SEPARATOR_PATTERN	string(240)	Statement Separator Pattern	<input type="checkbox"/>	
STRING_LITERAL_PATTERN	string(240)	String Literal Pattern	<input type="checkbox"/>	
SUPPORTED_JOIN_OPERATORS	int32	Supported Join Operators	<input type="checkbox"/>	

Data Types

Catalog: Database

Schema: Metadata

This is a read-only view. The SQL Server API may not support changing the data or the Invariant SQL driver for SQL Server does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the SQL Server API.

View Columns

The columns of the view `DataTypes` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
COLUMN_SIZE	int64	Column Size	<input type="checkbox"/>	
CREATE_FORMAT	string(240)	Create Format	<input type="checkbox"/>	
CREATE_PARAMETERS	string(240)	Create Parameters	<input type="checkbox"/>	
DATA_TYPE	string(240)	Data Type	<input type="checkbox"/>	
IS_AUTOINCREMENTABLE	boolean	Is Auto-incrementable	<input type="checkbox"/>	
IS_BEST_MATCH	boolean	Is Best Match	<input type="checkbox"/>	
IS_CASE_SENSITIVE	boolean	Is Case-sensitive	<input type="checkbox"/>	
IS_CONCURRENCY_TYPE	boolean	Is Concurrency Type	<input type="checkbox"/>	
IS_FIXED_LENGTH	boolean	Is Fixed Length	<input type="checkbox"/>	
IS_FIXED_PRECISION_SCALE	boolean	Is Fixed Precision Scale	<input type="checkbox"/>	
IS_LITERAL_SUPPORTED	boolean	Is Literal Supported	<input type="checkbox"/>	
IS_LONG	boolean	Is Long	<input type="checkbox"/>	
IS_NULLABLE	boolean	Is Nullable	<input type="checkbox"/>	
IS_SEARCHABLE	boolean	Is Searchable	<input type="checkbox"/>	
IS_SEARCHABLE_WITH_LIKE	boolean	Is Searchable with Like	<input type="checkbox"/>	
IS_UNSIGNED	boolean	Is Unsigned	<input type="checkbox"/>	
LITERAL_PREFIX	string(240)	Literal Prefix	<input type="checkbox"/>	
LITERAL_SUFFIX	string(240)	Literal Suffix	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
MAXIMUM_SCALE	int16	Maximum Scale	<input type="checkbox"/>	
MINIMUM_SCALE	int16	Minimum Scale	<input type="checkbox"/>	
NATIVE_DATA_TYPE	string(240)	Native Data Type	<input type="checkbox"/>	
PROVIDER_DB_TYPE	int32	Provider Database Type	<input type="checkbox"/>	
SCHEMA_NAME	string(240)	Schema	<input type="checkbox"/>	
TYPE_NAME	string(240)	Type Name	<input type="checkbox"/>	

ForeignKeys

Catalog: Database

Schema: Metadata

This is a read-only view. The SQL Server API may not support changing the data or the Invariantive SQL driver for SQL Server does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the SQL Server API.

View Columns

The columns of the view `ForeignKeys` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
CONSTRAINT_CATALOG	string	CONSTRAINT_CATALOG	<input type="checkbox"/>	
CONSTRAINT_NAME	string	CONSTRAINT_NAME	<input type="checkbox"/>	
CONSTRAINT_SCHEMA	string	CONSTRAINT_SCHEMA	<input type="checkbox"/>	
CONSTRAINT_TYPE	string	CONSTRAINT_TYPE	<input type="checkbox"/>	
INITIALLY_DEFERRED	string	INITIALLY_DEFERRED	<input type="checkbox"/>	
IS_DEFERRABLE	string	IS_DEFERRABLE	<input type="checkbox"/>	
TABLE_CATALOG	string	TABLE_CATALOG	<input type="checkbox"/>	
TABLE_NAME	string	TABLE_NAME	<input type="checkbox"/>	
TABLE_SCHEMA	string	TABLE_SCHEMA	<input type="checkbox"/>	

IndexColumns

Catalog: Database

Schema: Metadata

This is a read-only view. The SQL Server API may not support changing the data or the Invariantive SQL driver for SQL Server does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the SQL Server API.

View Columns

The columns of the view `IndexColumns` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
column_name	string	column_name	<input type="checkbox"/>	
constraint_catalog	string	constraint_catalog	<input type="checkbox"/>	
constraint_name	string	constraint_name	<input type="checkbox"/>	
constraint_schema	string	constraint_schema	<input type="checkbox"/>	
index_name	string	index_name	<input type="checkbox"/>	
KeyType	byte	KeyType	<input type="checkbox"/>	
ordinal_position	int32	ordinal_position	<input type="checkbox"/>	
table_catalog	string	table_catalog	<input type="checkbox"/>	
table_name	string	table_name	<input type="checkbox"/>	
table_schema	string	table_schema	<input type="checkbox"/>	

Indexes

Catalog: Database

Schema: Metadata

This is a read-only view. The SQL Server API may not support changing the data or the Invantive SQL driver for SQL Server does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the SQL Server API.

View Columns

The columns of the view `Indexes` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
constraint_catalog	string	constraint_catalog	<input type="checkbox"/>	
constraint_name	string	constraint_name	<input type="checkbox"/>	
constraint_schema	string	constraint_schema	<input type="checkbox"/>	
index_name	string	index_name	<input type="checkbox"/>	
table_catalog	string	table_catalog	<input type="checkbox"/>	
table_name	string	table_name	<input type="checkbox"/>	
table_schema	string	table_schema	<input type="checkbox"/>	
type_desc	string	type_desc	<input type="checkbox"/>	

MetaDataCollections

Catalog: Database

Schema: Metadata

This is a read-only view. The SQL Server API may not support changing the data or the Invantive SQL driver for SQL Server does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the SQL Server API.

View Columns

The columns of the view `MetaDataCollections` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
CollectionName	string	CollectionName	<input type="checkbox"/>	
NumberOfIdentifierParts	int32	NumberOfIdentifierParts	<input type="checkbox"/>	
NumberOfRestrictions	int32	NumberOfRestrictions	<input type="checkbox"/>	

ProcedureParameters

Catalog: Database

Schema: Metadata

This is a read-only view. The SQL Server API may not support changing the data or the Invariant SQL driver for SQL Server does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the SQL Server API.

View Columns

The columns of the view `ProcedureParameters` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
AS_LOCATOR	string	AS_LOCATOR	<input type="checkbox"/>	
CHARACTER_MAXIMUM_LENGTH	int32	CHARACTER_MAXIMUM_LENGTH	<input type="checkbox"/>	
CHARACTER_OCTET_LENGTH	int32	CHARACTER_OCTET_LENGTH	<input type="checkbox"/>	
CHARACTER_SET_CATALOG	string	CHARACTER_SET_CATALOG	<input type="checkbox"/>	
CHARACTER_SET_NAME	string	CHARACTER_SET_NAME	<input type="checkbox"/>	
CHARACTER_SET_SCHEMA	string	CHARACTER_SET_SCHEMA	<input type="checkbox"/>	
COLLATION_CATALOG	string	COLLATION_CATALOG	<input type="checkbox"/>	
COLLATION_NAME	string	COLLATION_NAME	<input type="checkbox"/>	
COLLATION_SCHEMA	string	COLLATION_SCHEMA	<input type="checkbox"/>	
DATA_TYPE	string	DATA_TYPE	<input type="checkbox"/>	
DATETIME_PRECISION	int16	DATETIME_PRECISION	<input type="checkbox"/>	
INTERVAL_PRECISION	int16	INTERVAL_PRECISION	<input type="checkbox"/>	
INTERVAL_TYPE	string	INTERVAL_TYPE	<input type="checkbox"/>	
IS_RESULT	string	IS_RESULT	<input type="checkbox"/>	
NUMERIC_PRECISION	byte	NUMERIC_PRECISION	<input type="checkbox"/>	
NUMERIC_PRECISION_RADIX	int16	NUMERIC_PRECISION_RADIX	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
NUMERIC_SCALE	int32	NUMERIC_SCALE	<input type="checkbox"/>	
ORDINAL_POSITION	int32	ORDINAL_POSITION	<input type="checkbox"/>	
PARAMETER_MODE	string	PARAMETER_MODE	<input type="checkbox"/>	
PARAMETER_NAME	string	PARAMETER_NAME	<input type="checkbox"/>	
SPECIFIC_CATALOG	string	SPECIFIC_CATALOG	<input type="checkbox"/>	
SPECIFIC_NAME	string	SPECIFIC_NAME	<input type="checkbox"/>	
SPECIFIC_SCHEMA	string	SPECIFIC_SCHEMA	<input type="checkbox"/>	

Procedures

Catalog: Database

Schema: Metadata

This is a read-only view. The SQL Server API may not support changing the data or the Invantive SQL driver for SQL Server does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the SQL Server API.

View Columns

The columns of the view `Procedures` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
CREATED	datetime	CREATED	<input type="checkbox"/>	
LAST_ALTERED	datetime	LAST_ALTERED	<input type="checkbox"/>	
ROUTINE_CATALOG	string	ROUTINE_CATALOG	<input type="checkbox"/>	
ROUTINE_NAME	string	ROUTINE_NAME	<input type="checkbox"/>	
ROUTINE_SCHEMA	string	ROUTINE_SCHEMA	<input type="checkbox"/>	
ROUTINE_TYPE	string	ROUTINE_TYPE	<input type="checkbox"/>	
SPECIFIC_CATALOG	string	SPECIFIC_CATALOG	<input type="checkbox"/>	
SPECIFIC_NAME	string	SPECIFIC_NAME	<input type="checkbox"/>	
SPECIFIC_SCHEMA	string	SPECIFIC_SCHEMA	<input type="checkbox"/>	

ReservedWords

Catalog: Database

Schema: Metadata

This is a read-only view. The SQL Server API may not support changing the data or the Invantive SQL driver for SQL Server does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the SQL Server API.

View Columns

The columns of the view `ReservedWords` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ReservedWord	string	ReservedWord	<input type="checkbox"/>	

Restrictions

Catalog: Database

Schema: Metadata

This is a read-only view. The SQL Server API may not support changing the data or the Invariantive SQL driver for SQL Server does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the SQL Server API.

View Columns

The columns of the view `Restrictions` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
COLLECTION_NAME	string(240)	Collection Name	<input type="checkbox"/>	
PARAMETER_NAME	string(240)	Parameter Name	<input type="checkbox"/>	
RESTRICTION_DEFAULT	string(240)	Restriction Default	<input type="checkbox"/>	
RESTRICTION_NAME	string(240)	Restriction Name	<input type="checkbox"/>	
RESTRICTION_NUMBER	int32	Restriction Number	<input type="checkbox"/>	
SCHEMA_NAME	string(240)	Schema	<input type="checkbox"/>	

StructuredTypeMembers

Catalog: Database

Schema: Metadata

This is a read-only view. The SQL Server API may not support changing the data or the Invariantive SQL driver for SQL Server does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the SQL Server API.

View Columns

The columns of the view `StructuredTypeMembers` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
CHARACTER_MAXIMUM_LENGTH	int32	CHARACTER_MAXIMUM_LENGTH	<input type="checkbox"/>	
CHARACTER_OCTET_LENGTH	int32	CHARACTER_OCTET_LENGTH	<input type="checkbox"/>	
CHARACTER_SET_CATALOG	string	CHARACTER_SET_CATALOG	<input type="checkbox"/>	
CHARACTER_SET_NAME	string	CHARACTER_SET_NAME	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
CHARACTER_SET_SCHEMA	string	CHARACTER_SET_SC HEMA	<input type="checkbox"/>	
COLLATION_CATALOG	string	COLLATION_CATALO G	<input type="checkbox"/>	
DATA_TYPE	string	DATA_TYPE	<input type="checkbox"/>	
DATETIME_PRECISION	int16	DA TETIME_PRECISION	<input type="checkbox"/>	
IS_NULLABLE	string	IS_NULLABLE	<input type="checkbox"/>	
MEMBER_DEFAULT	string	MEMBER_DEFAULT	<input type="checkbox"/>	
MEMBER_NAME	string	MEMBER_NAME	<input type="checkbox"/>	
NUMERIC_PRECISION	byte	NUMERIC_PRECISION	<input type="checkbox"/>	
NUMERIC_PRECISION_RADIX	int16	NUMERIC_PRECISION_ RADIX	<input type="checkbox"/>	
NUMERIC_SCALE	int32	NUMERIC_SCALE	<input type="checkbox"/>	
ORDINAL_POSITION	int32	ORDINAL_POSITION	<input type="checkbox"/>	
TYPE_CATALOG	string	TYPE_CATALOG	<input type="checkbox"/>	
TYPE_NAME	string	TYPE_NAME	<input type="checkbox"/>	
TYPE_SCHEMA	string	TYPE_SCHEMA	<input type="checkbox"/>	

Tables

Catalog: Database

Schema: Metadata

This is a read-only view. The SQL Server API may not support changing the data or the Invantive SQL driver for SQL Server does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the SQL Server API.

View Columns

The columns of the view `Tables` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
TABLE_CATALOG	string	TABLE_CATALOG	<input type="checkbox"/>	
TABLE_NAME	string	TABLE_NAME	<input type="checkbox"/>	
TABLE_SCHEMA	string	TABLE_SCHEMA	<input type="checkbox"/>	
TABLE_TYPE	string	TABLE_TYPE	<input type="checkbox"/>	

UserDefinedTypes

Catalog: Database

Schema: Metadata

This is a read-only view. The SQL Server API may not support changing the data or the Invantive SQL driver for SQL Server does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the SQL Server API.

View Columns

The columns of the view `UserDefinedTypes` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
assembly_name	string	assembly_name	<input type="checkbox"/>	
Create_Date	datetime	Create_Date	<input type="checkbox"/>	
culture_info	object	culture_info	<input type="checkbox"/>	
is_fixed_length	boolean	is_fixed_length	<input type="checkbox"/>	
max_length	int16	max_length	<input type="checkbox"/>	
Permission_set_desc	string	Permission_set_desc	<input type="checkbox"/>	
public_key	object	public_key	<input type="checkbox"/>	
udt_name	string	udt_name	<input type="checkbox"/>	
version_build	object	version_build	<input type="checkbox"/>	
version_major	object	version_major	<input type="checkbox"/>	
version_minor	object	version_minor	<input type="checkbox"/>	
version_revision	object	version_revision	<input type="checkbox"/>	

Users

Catalog: Database

Schema: Metadata

This is a read-only view. The SQL Server API may not support changing the data or the Invariantive SQL driver for SQL Server does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the SQL Server API.

View Columns

The columns of the view `Users` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
createdate	datetime	createdate	<input type="checkbox"/>	
uid	int16	uid	<input type="checkbox"/>	
updatedate	datetime	updatedate	<input type="checkbox"/>	
user_name	string	user_name	<input type="checkbox"/>	

ViewColumns

Catalog: Database

Schema: Metadata

This is a read-only view. The SQL Server API may not support changing the data or the Invariantive SQL driver for SQL Server does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the SQL Server API.

View Columns

The columns of the view `ViewColumns` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
COLUMN_NAME	string	COLUMN_NAME	<input type="checkbox"/>	
TABLE_CATALOG	string	TABLE_CATALOG	<input type="checkbox"/>	
TABLE_NAME	string	TABLE_NAME	<input type="checkbox"/>	
TABLE_SCHEMA	string	TABLE_SCHEMA	<input type="checkbox"/>	
VIEW_CATALOG	string	VIEW_CATALOG	<input type="checkbox"/>	
VIEW_NAME	string	VIEW_NAME	<input type="checkbox"/>	
VIEW_SCHEMA	string	VIEW_SCHEMA	<input type="checkbox"/>	

Views

Catalog: Database

Schema: Metadata

This is a read-only view. The SQL Server API may not support changing the data or the Invantive SQL driver for SQL Server does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the SQL Server API.

View Columns

The columns of the view `Views` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
CHECK_OPTION	string	CHECK_OPTION	<input type="checkbox"/>	
IS_UPDATABLE	string	IS_UPDATABLE	<input type="checkbox"/>	
TABLE_CATALOG	string	TABLE_CATALOG	<input type="checkbox"/>	
TABLE_NAME	string	TABLE_NAME	<input type="checkbox"/>	
TABLE_SCHEMA	string	TABLE_SCHEMA	<input type="checkbox"/>	

3.1.3 Schema: Native

3.1.3.1 Tables

NATIVEPLATFORMSCALARREQUESTS: SQL Server Native Platform Scalar Requests

Direct access to native API.

Catalog: Database

Schema: Native

Alias: `npt`

Label: Native Platform Scalar Requests

Documentation:

The NativePlatformScalarRequests table provides direct access to the native protocol over an established connection to the SQL Server platform server. It will contain a new row for every row inserted with a native request in PAYLOAD_TEXT with the results of unaltered forwarding of the payload to the SQL Server platform server.

Retrieve: true

Insert: true

Update: false

Delete: false

View Columns

The columns of the view NATIVEPLATFORMSCALARREQUESTS are shown below. Each column has an SQL data type. A new non-null value must be provided for every required column at all times during insert.

Name	Data Type	Label	Required	Documentation
BLOB_PREFERRED	boolean	BLOB Preferred	<input checked="" type="checkbox"/>	Indicator whether a BLOB result is preferred over text.
BOL_RESPONSE_CACHE_MAX_AGE_SEC	int32	Response Cache Maximum Age (sec)	<input type="checkbox"/>	Maximum age in seconds of Bridge Online response cache entries to be used.
CONTENT_TYPE	string(240)	Content Type	<input type="checkbox"/>	
DATE_ENDED	datetime	End Date	<input checked="" type="checkbox"/>	
DATE_STARTED	datetime	Start Date	<input checked="" type="checkbox"/>	
DRY_RUN	boolean	Run without Actions	<input checked="" type="checkbox"/>	
ERROR_MESSAGE_CODE	string(30)	Error Message Code	<input type="checkbox"/>	
ERROR_MESSAGE_TEXT	string(4000)	Error Message Text	<input type="checkbox"/>	
HTTP_DISK_CACHE_MAX_AGE_SEC	int32	HTTP Disk Cache Maximum Age (sec)	<input type="checkbox"/>	Maximum age in seconds of HTTP disk cache entries to be used.
HTTP_DISK_CACHE_SAVE	boolean	Save HTTP Disk Cache	<input type="checkbox"/>	Whether results can be stored in HTTP disk cache.
HTTP_DISK_CACHE_USE	boolean	Use HTTP Disk Cache	<input type="checkbox"/>	Whether results can be fetched from HTTP disk cache.
HTTP_MEMORY_CACHE_MAX_AGE_SEC	int32	HTTP Memory Cache Maximum Age (sec)	<input type="checkbox"/>	Maximum age in seconds of HTTP memory cache entries to be used.
HTTP_MEMORY_CACHE_SAVE	boolean	Save HTTP Memory Cache	<input type="checkbox"/>	Whether results can be stored in HTTP memory cache.
HTTP_MEMORY_CACHE_USE	boolean	Use HTTP Memory Cache	<input type="checkbox"/>	Whether results can be fetched from HTTP memory cache.
HTTP_METHOD	string(30)	HTTP Method	<input type="checkbox"/>	
ORIG_SYSTEM_GROUP	string(4000)	Original System Group	<input type="checkbox"/>	
ORIG_SYSTEM_REFERENCE	string(4000)	Original System Reference	<input type="checkbox"/>	
PAYLOAD_TEXT	string	Payload	<input type="checkbox"/>	
RESULT_BLOB	byte[]	Result BLOB	<input type="checkbox"/>	
RESULT_TEXT	string	Result Text	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
SUCCESSFUL	boolean	Successful	<input checked="" type="checkbox"/>	
TIMEOUT_SEC	int32	Timeout (sec)	<input type="checkbox"/>	Timeout in seconds.
TRANSACTION_ID	int32	Transaction ID	<input checked="" type="checkbox"/>	Incrementing ID of the transaction.
URL	string(4000)	URL	<input type="checkbox"/>	

4 Catalog: master

4.1 Schemas

4.1.1 spt_fallback_db

Catalog: master

Schema: dbo

The data in this table is partitioned per value of the column.

Can retrieve data and change data using insert, update and delete.

Table Columns

The columns of the table `spt_fallback_db` are shown below. Each column has an SQL data type. A new non-null value must be provided for every required column at all times during insert or update.

Name	Data Type	Label	Required	Documentation
dbid	int16		<input type="checkbox"/>	
name	string		<input type="checkbox"/>	
status	int16		<input type="checkbox"/>	
version	int16		<input type="checkbox"/>	
xdtm_ins	datetime		<input type="checkbox"/>	
xdtm_last_ins_upd	datetime		<input type="checkbox"/>	
xfallback_dbid	int16		<input type="checkbox"/>	
xserver_name	string		<input type="checkbox"/>	

4.1.2 spt_fallback_dev

Catalog: master

Schema: dbo

The data in this table is partitioned per value of the column.

Can retrieve data and change data using insert, update and delete.

Table Columns

The columns of the table `spt_fallback_dev` are shown below. Each column has an SQL data type. A new non-null value must be provided for every required column at all times during insert or update.

Name	Data Type	Label	Required	Documentation
high	int32		<input type="checkbox"/>	
low	int32		<input type="checkbox"/>	
name	string		<input type="checkbox"/>	
phyname	string		<input type="checkbox"/>	
status	int16		<input type="checkbox"/>	
xdtm_ins	datetime		<input type="checkbox"/>	
xdtm_last_ins_upd	datetime		<input type="checkbox"/>	
xfallback_drive	string		<input type="checkbox"/>	
xfallback_low	int32		<input type="checkbox"/>	
xserver_name	string		<input type="checkbox"/>	

4.1.3 spt_fallback_usg

Catalog: master

Schema: dbo

The data in this table is partitioned per value of the column.

Can retrieve data and change data using insert, update and delete.

Table Columns

The columns of the table `spt_fallback_usg` are shown below. Each column has an SQL data type. A new non-null value must be provided for every required column at all times during insert or update.

Name	Data Type	Label	Required	Documentation
dbid	int16		<input type="checkbox"/>	
lstart	int32		<input type="checkbox"/>	
segmap	int32		<input type="checkbox"/>	
sizepg	int32		<input type="checkbox"/>	
vstart	int32		<input type="checkbox"/>	
xdtm_ins	datetime		<input type="checkbox"/>	
xdtm_last_ins_upd	datetime		<input type="checkbox"/>	
xfallback_vstart	int32		<input type="checkbox"/>	
xserver_name	string		<input type="checkbox"/>	

4.1.4 spt_monitor

Catalog: master

Schema: dbo

The data in this table is partitioned per value of the column.

Can retrieve data and change data using insert, update and delete.

Table Columns

The columns of the table `spt_monitor` are shown below. Each column has an SQL data type. A new non-null value must be provided for every required column at all times during insert or update.

Name	Data Type	Label	Required	Documentation
connections	int32		<input type="checkbox"/>	
cpu_busy	int32		<input type="checkbox"/>	
idle	int32		<input type="checkbox"/>	
io_busy	int32		<input type="checkbox"/>	
lastrun	datetime		<input type="checkbox"/>	
pack_errors	int32		<input type="checkbox"/>	
pack_received	int32		<input type="checkbox"/>	
pack_sent	int32		<input type="checkbox"/>	
total_errors	int32		<input type="checkbox"/>	
total_read	int32		<input type="checkbox"/>	
total_w write	int32		<input type="checkbox"/>	

4.1.5 spt_values

Catalog: master

Schema: dbo

The data in this table is partitioned per value of the column.

Can retrieve data and change data using insert, update and delete.

View Columns

The columns of the view `spt_values` are shown below. Each column has an SQL data type. A new non-null value must be provided for every required column at all times during insert or update.

Name	Data Type	Label	Required	Documentation
high	int32		<input type="checkbox"/>	
low	int32		<input type="checkbox"/>	
name	string		<input type="checkbox"/>	
number	int32		<input type="checkbox"/>	
status	int32		<input type="checkbox"/>	
type	string		<input type="checkbox"/>	

5 Catalog: msdb

5.1 Schemas

5.1.1 autoadmin_backup_configuration_summary

Catalog: msdb

Schema: dbo

The data in this table is partitioned per value of the column.

Can retrieve data and change data using insert, update and delete.

View Columns

The columns of the view `autoadmin_backup_configuration_summary` are shown below. Each column has an SQL data type. A new non-null value must be provided for every required column at all times during insert or update.

Name	Data Type	Label	Required	Documentation
DatabaseCount	int32		<input type="checkbox"/>	
DayOfWeek	string		<input type="checkbox"/>	
EncryptionAlgorithm	string		<input type="checkbox"/>	
IsAlwaysOn	boolean		<input type="checkbox"/>	
IsDropped	boolean		<input type="checkbox"/>	
IsEnabled	boolean		<input type="checkbox"/>	
ManagedBackupVersion	int32		<input type="checkbox"/>	
RetentionPeriod	int32		<input type="checkbox"/>	
SchedulingOption	string		<input type="checkbox"/>	

5.1.2 backupfile

Catalog: msdb

Schema: dbo

Primary Keys: `backup_set_id`

The data in this table is partitioned per value of the column.

Can retrieve data and change data using insert, update and delete.

Table Columns

The columns of the table `backupfile` are shown below. Each column has an SQL data type. A new non-null value must be provided for every required column at all times during insert or update.

Name	Data Type	Label	Required	Documentation
backed_up_page_count	decimal		<input type="checkbox"/>	
backup_set_id	int32		<input type="checkbox"/>	
backup_size	decimal		<input type="checkbox"/>	
create_lsn	decimal		<input type="checkbox"/>	
differential_base_guid	guid		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
differential_base_lsn	decimal		<input type="checkbox"/>	
drop_lsn	decimal		<input type="checkbox"/>	
file_guid	guid		<input type="checkbox"/>	
file_number	decimal		<input type="checkbox"/>	
file_size	decimal		<input type="checkbox"/>	
file_type	char		<input type="checkbox"/>	
filegroup_guid	guid		<input type="checkbox"/>	
filegroup_name	string		<input type="checkbox"/>	
first_family_number	int16		<input type="checkbox"/>	
first_media_number	int16		<input type="checkbox"/>	
is_present	boolean		<input type="checkbox"/>	
is_readonly	boolean		<input type="checkbox"/>	
logical_name	string		<input type="checkbox"/>	
page_size	int32		<input type="checkbox"/>	
physical_drive	string		<input type="checkbox"/>	
physical_name	string		<input type="checkbox"/>	
read_only_lsn	decimal		<input type="checkbox"/>	
read_w_rite_lsn	decimal		<input type="checkbox"/>	
source_file_block_size	decimal		<input type="checkbox"/>	
state	int16		<input type="checkbox"/>	
state_desc	string		<input type="checkbox"/>	

5.1.3 backupmediafamily

Catalog: msdb

Schema: dbo

Primary Keys: media_set_id

The data in this table is partitioned per value of the column.

Can retrieve data and change data using insert, update and delete.

Table Columns

The columns of the table `backupmediafamily` are shown below. Each column has an SQL data type. A new non-null value must be provided for every required column at all times during insert or update.

Name	Data Type	Label	Required	Documentation
device_type	int16		<input type="checkbox"/>	
family_sequence_number	int16		<input type="checkbox"/>	
logical_device_name	string		<input type="checkbox"/>	
media_count	int32		<input type="checkbox"/>	
media_family_id	guid		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
media_set_id	int32		<input type="checkbox"/>	
mirror	int16		<input type="checkbox"/>	
physical_block_size	int32		<input type="checkbox"/>	
physical_device_name	string		<input type="checkbox"/>	

5.1.4 backupmediaset

Catalog: msdb

Schema: dbo

Primary Keys: media_set_id

The data in this table is partitioned per value of the column.

Can retrieve data and change data using insert, update and delete.

Table Columns

The columns of the table `backupmediaset` are shown below. Each column has an SQL data type. A new non-null value must be provided for every required column at all times during insert or update.

Name	Data Type	Label	Required	Documentation
description	string		<input type="checkbox"/>	
is_compressed	boolean		<input type="checkbox"/>	
is_encrypted	boolean		<input type="checkbox"/>	
is_password_protected	boolean		<input type="checkbox"/>	
media_family_count	int16		<input type="checkbox"/>	
media_set_id	int32		<input type="checkbox"/>	
media_uuid	guid		<input type="checkbox"/>	
mirror_count	int16		<input type="checkbox"/>	
MTF_major_version	int16		<input type="checkbox"/>	
name	string		<input type="checkbox"/>	
software_name	string		<input type="checkbox"/>	
software_vendor_id	int32		<input type="checkbox"/>	

5.1.5 backupset

Catalog: msdb

Schema: dbo

Primary Keys: backup_set_id

The data in this table is partitioned per value of the column.

Can retrieve data and change data using insert, update and delete.

Table Columns

The columns of the table `backupset` are shown below. Each column has an SQL data type. A new non-null value must be provided for every required column at all times during insert or update.

Name	Data Type	Label	Required	Documentation
<code>backup_finish_date</code>	datetime		<input type="checkbox"/>	
<code>backup_set_id</code>	int32		<input type="checkbox"/>	
<code>backup_set_uuid</code>	guid		<input type="checkbox"/>	
<code>backup_size</code>	decimal		<input type="checkbox"/>	
<code>backup_start_date</code>	datetime		<input type="checkbox"/>	
<code>begins_log_chain</code>	boolean		<input type="checkbox"/>	
<code>catalog_family_number</code>	int16		<input type="checkbox"/>	
<code>catalog_media_number</code>	int16		<input type="checkbox"/>	
<code>checkpoint_lsn</code>	decimal		<input type="checkbox"/>	
<code>code_page</code>	int16		<input type="checkbox"/>	
<code>collation_name</code>	string		<input type="checkbox"/>	
<code>compatibility_level</code>	int16		<input type="checkbox"/>	
<code>compressed_backup_size</code>	decimal		<input type="checkbox"/>	
<code>database_backup_lsn</code>	decimal		<input type="checkbox"/>	
<code>database_creation_date</code>	datetime		<input type="checkbox"/>	
<code>database_guid</code>	guid		<input type="checkbox"/>	
<code>database_name</code>	string		<input type="checkbox"/>	
<code>database_version</code>	int32		<input type="checkbox"/>	
<code>description</code>	string		<input type="checkbox"/>	
<code>differential_base_guid</code>	guid		<input type="checkbox"/>	
<code>differential_base_lsn</code>	decimal		<input type="checkbox"/>	
<code>encryptor_thumbprint</code>	byte[]		<input type="checkbox"/>	
<code>encryptor_type</code>	string		<input type="checkbox"/>	
<code>expiration_date</code>	datetime		<input type="checkbox"/>	
<code>family_guid</code>	guid		<input type="checkbox"/>	
<code>first_family_number</code>	int16		<input type="checkbox"/>	
<code>first_lsn</code>	decimal		<input type="checkbox"/>	
<code>first_media_number</code>	int16		<input type="checkbox"/>	
<code>first_recovery_fork_guid</code>	guid		<input type="checkbox"/>	
<code>flags</code>	int32		<input type="checkbox"/>	
<code>fork_point_lsn</code>	decimal		<input type="checkbox"/>	
<code>has_backup_checksums</code>	boolean		<input type="checkbox"/>	
<code>has_bulk_logged_data</code>	boolean		<input type="checkbox"/>	
<code>has_incomplete_metadata</code>	boolean		<input type="checkbox"/>	
<code>is_copy_only</code>	boolean		<input type="checkbox"/>	
<code>is_damaged</code>	boolean		<input type="checkbox"/>	
<code>is_force_offline</code>	boolean		<input type="checkbox"/>	
<code>is_password_protected</code>	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
is_readonly	boolean		<input type="checkbox"/>	
is_single_user	boolean		<input type="checkbox"/>	
is_snapshot	boolean		<input type="checkbox"/>	
key_algorithm	string		<input type="checkbox"/>	
last_family_number	int16		<input type="checkbox"/>	
last_lsn	decimal		<input type="checkbox"/>	
last_media_number	int16		<input type="checkbox"/>	
last_recovery_fork_guid	guid		<input type="checkbox"/>	
machine_name	string		<input type="checkbox"/>	
media_set_id	int32		<input type="checkbox"/>	
mtf_minor_version	int16		<input type="checkbox"/>	
name	string		<input type="checkbox"/>	
position	int32		<input type="checkbox"/>	
recovery_model	string		<input type="checkbox"/>	
server_name	string		<input type="checkbox"/>	
software_build_version	int16		<input type="checkbox"/>	
software_major_version	int16		<input type="checkbox"/>	
software_minor_version	int16		<input type="checkbox"/>	
software_vendor_id	int32		<input type="checkbox"/>	
sort_order	int16		<input type="checkbox"/>	
time_zone	int16		<input type="checkbox"/>	
type	char		<input type="checkbox"/>	
unicode_compare_style	int32		<input type="checkbox"/>	
unicode_locale	int32		<input type="checkbox"/>	
user_name	string		<input type="checkbox"/>	

5.1.6 dm_hadr_automatic_seeding_history

Catalog: msdb

Schema: dbo

The data in this table is partitioned per value of the column.

Can retrieve data and change data using insert, update and delete.

Table Columns

The columns of the table `dm_hadr_automatic_seeding_history` are shown below. Each column has an SQL data type. A new non-null value must be provided for every required column at all times during insert or update.

Name	Data Type	Label	Required	Documentation
ag_db_id	guid		<input type="checkbox"/>	
ag_id	guid		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
ag_remote_replica_id	guid		<input type="checkbox"/>	
completion_time	datetime		<input type="checkbox"/>	
current_state	string		<input type="checkbox"/>	
error_code	int32		<input type="checkbox"/>	
failure_state	int32		<input type="checkbox"/>	
failure_state_desc	string		<input type="checkbox"/>	
is_source	boolean		<input type="checkbox"/>	
number_of_attempts	int32		<input type="checkbox"/>	
operation_id	guid		<input type="checkbox"/>	
performed_seeding	boolean		<input type="checkbox"/>	
start_time	datetime		<input type="checkbox"/>	

5.1.7 logmarkhistory

Catalog: msdb

Schema: dbo

The data in this table is partitioned per value of the column.

Can retrieve data and change data using insert, update and delete.

Table Columns

The columns of the table `logmarkhistory` are shown below. Each column has an SQL data type. A new non-null value must be provided for every required column at all times during insert or update.

Name	Data Type	Label	Required	Documentation
database_name	string		<input type="checkbox"/>	
description	string		<input type="checkbox"/>	
lsn	decimal		<input type="checkbox"/>	
mark_name	string		<input type="checkbox"/>	
mark_time	datetime		<input type="checkbox"/>	
user_name	string		<input type="checkbox"/>	

5.1.8 restorefile

Catalog: msdb

Schema: dbo

The data in this table is partitioned per value of the column.

Can retrieve data and change data using insert, update and delete.

Table Columns

The columns of the table `restorefile` are shown below. Each column has an SQL data type. A new non-null value must be provided for every required column at all times during insert or update.

Name	Data Type	Label	Required	Documentation
<code>destination_phys_drive</code>	string		<input type="checkbox"/>	
<code>destination_phys_name</code>	string		<input type="checkbox"/>	
<code>file_number</code>	decimal		<input type="checkbox"/>	
<code>restore_history_id</code>	int32		<input type="checkbox"/>	

5.1.9 restorefilegroup

Catalog: msdb

Schema: dbo

The data in this table is partitioned per value of the column.

Can retrieve data and change data using insert, update and delete.

Table Columns

The columns of the table `restorefilegroup` are shown below. Each column has an SQL data type. A new non-null value must be provided for every required column at all times during insert or update.

Name	Data Type	Label	Required	Documentation
<code>filegroup_name</code>	string		<input type="checkbox"/>	
<code>restore_history_id</code>	int32		<input type="checkbox"/>	

5.1.10 restorehistory

Catalog: msdb

Schema: dbo

Primary Keys: `restore_history_id`

The data in this table is partitioned per value of the column.

Can retrieve data and change data using insert, update and delete.

Table Columns

The columns of the table `restorehistory` are shown below. Each column has an SQL data type. A new non-null value must be provided for every required column at all times during insert or update.

Name	Data Type	Label	Required	Documentation
<code>backup_set_id</code>	int32		<input type="checkbox"/>	
<code>destination_database_name</code>	string		<input type="checkbox"/>	
<code>device_count</code>	int16		<input type="checkbox"/>	
<code>recovery</code>	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
replace	boolean		<input type="checkbox"/>	
restart	boolean		<input type="checkbox"/>	
restore_date	datetime		<input type="checkbox"/>	
restore_history_id	int32		<input type="checkbox"/>	
restore_type	char		<input type="checkbox"/>	
stop_at	datetime		<input type="checkbox"/>	
stop_at_mark_name	string		<input type="checkbox"/>	
stop_before	boolean		<input type="checkbox"/>	
user_name	string		<input type="checkbox"/>	

5.1.11 suspect_pages

Catalog: msdb

Schema: dbo

The data in this table is partitioned per value of the column.

Can retrieve data and change data using insert, update and delete.

Table Columns

The columns of the table `suspect_pages` are shown below. Each column has an SQL data type. A new non-null value must be provided for every required column at all times during insert or update.

Name	Data Type	Label	Required	Documentation
database_id	int32		<input type="checkbox"/>	
error_count	int32		<input type="checkbox"/>	
event_type	int32		<input type="checkbox"/>	
file_id	int32		<input type="checkbox"/>	
last_update_date	datetime		<input type="checkbox"/>	
page_id	int64		<input type="checkbox"/>	

5.1.12 sysdac_instances

Catalog: msdb

Schema: dbo

The data in this table is partitioned per value of the column.

Can retrieve data and change data using insert, update and delete.

View Columns

The columns of the view `sysdac_instances` are shown below. Each column has an SQL data type. A new non-null value must be provided for every required column at all times during insert or update.

Name	Data Type	Label	Required	Documentation
created_by	string		<input type="checkbox"/>	
database_name	string		<input type="checkbox"/>	
date_created	datetime		<input type="checkbox"/>	
description	string		<input type="checkbox"/>	
instance_id	guid		<input type="checkbox"/>	
instance_name	string		<input type="checkbox"/>	
type_name	string		<input type="checkbox"/>	
type_stream	byte[]		<input type="checkbox"/>	
type_version	string		<input type="checkbox"/>	

5.1.13 syspolicy_conditions

Catalog: msdb

Schema: dbo

The data in this table is partitioned per value of the column.

Can retrieve data and change data using insert, update and delete.

View Columns

The columns of the view `syspolicy_conditions` are shown below. Each column has an SQL data type. A new non-null value must be provided for every required column at all times during insert or update.

Name	Data Type	Label	Required	Documentation
condition_id	int32		<input type="checkbox"/>	
created_by	string		<input type="checkbox"/>	
date_created	datetime		<input type="checkbox"/>	
date_modified	datetime		<input type="checkbox"/>	
description	string		<input type="checkbox"/>	
expression	string		<input type="checkbox"/>	
facet	string		<input type="checkbox"/>	
is_name_condition	int16		<input type="checkbox"/>	
is_system	boolean		<input type="checkbox"/>	
modified_by	string		<input type="checkbox"/>	
name	string		<input type="checkbox"/>	
obj_name	string		<input type="checkbox"/>	

5.1.14 syspolicy_configuration

Catalog: msdb

Schema: dbo

The data in this table is partitioned per value of the column.

Can retrieve data and change data using insert, update and delete.

View Columns

The columns of the view `syspolicy_configuration` are shown below. Each column has an SQL data type. A new non-null value must be provided for every required column at all times during insert or update.

Name	Data Type	Label	Required	Documentation
current_value	string		<input type="checkbox"/>	
name	string		<input type="checkbox"/>	

5.1.15 syspolicy_object_sets

Catalog: msdb

Schema: dbo

The data in this table is partitioned per value of the column.

Can retrieve data and change data using insert, update and delete.

View Columns

The columns of the view `syspolicy_object_sets` are shown below. Each column has an SQL data type. A new non-null value must be provided for every required column at all times during insert or update.

Name	Data Type	Label	Required	Documentation
facet_id	int32		<input type="checkbox"/>	
facet_name	string		<input type="checkbox"/>	
is_system	boolean		<input type="checkbox"/>	
object_set_id	int32		<input type="checkbox"/>	
object_set_name	string		<input type="checkbox"/>	

5.1.16 syspolicy_policies

Catalog: msdb

Schema: dbo

The data in this table is partitioned per value of the column.

Can retrieve data and change data using insert, update and delete.

View Columns

The columns of the view `syspolicy_policies` are shown below. Each column has an SQL data type. A new non-null value must be provided for every required column at all times during insert or update.

Name	Data Type	Label	Required	Documentation
condition_id	int32		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
created_by	string		<input type="checkbox"/>	
date_created	datetime		<input type="checkbox"/>	
date_modified	datetime		<input type="checkbox"/>	
description	string		<input type="checkbox"/>	
execution_mode	int32		<input type="checkbox"/>	
help_link	string		<input type="checkbox"/>	
help_text	string		<input type="checkbox"/>	
is_enabled	boolean		<input type="checkbox"/>	
is_system	boolean		<input type="checkbox"/>	
job_id	guid		<input type="checkbox"/>	
modified_by	string		<input type="checkbox"/>	
name	string		<input type="checkbox"/>	
object_set_id	int32		<input type="checkbox"/>	
policy_category_id	int32		<input type="checkbox"/>	
policy_id	int32		<input type="checkbox"/>	
root_condition_id	int32		<input type="checkbox"/>	
schedule_uid	guid		<input type="checkbox"/>	

5.1.17 syspolicy_policy_categories

Catalog: msdb

Schema: dbo

The data in this table is partitioned per value of the column.

Can retrieve data and change data using insert, update and delete.

View Columns

The columns of the view `syspolicy_policy_categories` are shown below. Each column has an SQL data type. A new non-null value must be provided for every required column at all times during insert or update.

Name	Data Type	Label	Required	Documentation
mandate_database_subscriptions	boolean		<input type="checkbox"/>	
name	string		<input type="checkbox"/>	
policy_category_id	int32		<input type="checkbox"/>	

5.1.18 syspolicy_policy_category_subscriptions

Catalog: msdb

Schema: dbo

The data in this table is partitioned per value of the column.

Can retrieve data and change data using insert, update and delete.

View Columns

The columns of the view `syspolicy_policy_category_subscriptions` are shown below. Each column has an SQL data type. A new non-null value must be provided for every required column at all times during insert or update.

Name	Data Type	Label	Required	Documentation
<code>policy_category_id</code>	int32		<input type="checkbox"/>	
<code>policy_category_subscription_id</code>	int32		<input type="checkbox"/>	
<code>target_object</code>	string		<input type="checkbox"/>	
<code>target_type</code>	string		<input type="checkbox"/>	

5.1.19 `syspolicy_policy_execution_history`

Catalog: msdb

Schema: dbo

The data in this table is partitioned per value of the column.

Can retrieve data and change data using insert, update and delete.

View Columns

The columns of the view `syspolicy_policy_execution_history` are shown below. Each column has an SQL data type. A new non-null value must be provided for every required column at all times during insert or update.

Name	Data Type	Label	Required	Documentation
<code>end_date</code>	datetime		<input type="checkbox"/>	
<code>exception</code>	string		<input type="checkbox"/>	
<code>exception_message</code>	string		<input type="checkbox"/>	
<code>history_id</code>	int64		<input type="checkbox"/>	
<code>policy_id</code>	int32		<input type="checkbox"/>	
<code>result</code>	boolean		<input type="checkbox"/>	
<code>start_date</code>	datetime		<input type="checkbox"/>	

5.1.20 `syspolicy_policy_execution_history_details`

Catalog: msdb

Schema: dbo

The data in this table is partitioned per value of the column.

Can retrieve data and change data using insert, update and delete.

View Columns

The columns of the view `syspolicy_policy_execution_history_details` are shown below. Each column has an SQL data type. A new non-null value must be provided for every required column at all times during insert or update.

Name	Data Type	Label	Required	Documentation
detail_id	int64		<input type="checkbox"/>	
exception	string		<input type="checkbox"/>	
exception_message	string		<input type="checkbox"/>	
execution_date	datetime		<input type="checkbox"/>	
history_id	int64		<input type="checkbox"/>	
result	boolean		<input type="checkbox"/>	
result_detail	string		<input type="checkbox"/>	
target_query_expression	string		<input type="checkbox"/>	

5.1.21 syspolicy_system_health_state

Catalog: msdb

Schema: dbo

The data in this table is partitioned per value of the column.

Can retrieve data and change data using insert, update and delete.

View Columns

The columns of the view `syspolicy_system_health_state` are shown below. Each column has an SQL data type. A new non-null value must be provided for every required column at all times during insert or update.

Name	Data Type	Label	Required	Documentation
health_state_id	int64		<input type="checkbox"/>	
last_run_date	datetime		<input type="checkbox"/>	
policy_id	int32		<input type="checkbox"/>	
result	boolean		<input type="checkbox"/>	
target_query_expression	string		<input type="checkbox"/>	
target_query_expression_with_id	string		<input type="checkbox"/>	

5.1.22 syspolicy_target_set_levels

Catalog: msdb

Schema: dbo

The data in this table is partitioned per value of the column.

Can retrieve data and change data using insert, update and delete.

View Columns

The columns of the view `syspolicy_target_set_levels` are shown below. Each column has an SQL data type. A new non-null value must be provided for every required column at all times during insert or update.

Name	Data Type	Label	Required	Documentation
condition_id	int32		<input type="checkbox"/>	
level_name	string		<input type="checkbox"/>	
target_set_id	int32		<input type="checkbox"/>	
target_set_level_id	int32		<input type="checkbox"/>	
type_skeleton	string		<input type="checkbox"/>	

5.1.23 syspolicy_target_sets

Catalog: msdb

Schema: dbo

The data in this table is partitioned per value of the column.

Can retrieve data and change data using insert, update and delete.

View Columns

The columns of the view `syspolicy_target_sets` are shown below. Each column has an SQL data type. A new non-null value must be provided for every required column at all times during insert or update.

Name	Data Type	Label	Required	Documentation
enabled	boolean		<input type="checkbox"/>	
object_set_id	int32		<input type="checkbox"/>	
target_set_id	int32		<input type="checkbox"/>	
type	string		<input type="checkbox"/>	
type_skeleton	string		<input type="checkbox"/>	

Index

- A -

ag_db_id 31
 ag_id 31
 ag_remote_replica_id 31
 AllColumns 10
 analysis-enforce-row-uniqueness 2
 AS_LOCATOR 17
 assembly_name 20
 autoadmin_backup_configuration_summary 27

- B -

backed_up_page_count 27
 backup_finish_date 29
 backup_set_id 27, 29, 33
 backup_set_uuid 29
 backup_size 27, 29
 backup_start_date 29
 backupfile 27
 backupmediafamily 28
 backupmediaset 29
 backupset 29
 begins_log_chain 29
 BLOB Preferred 22
 BLOB_PREFERRED 22
 BOL_RESPONSE_CACHE_MAX_AGE_SEC 22
 bulk-delete-page-size-rows 2
 bulk-insert-page-size-bytes 2
 bulk-insert-page-size-rows 2
 bulk-insert-timeout-sec 2

- C -

catalog_family_number 29
 catalog_media_number 29
 CHARACTER_MAXIMUM_LENGTH 10, 11, 17, 19
 CHARACTER_OCTET_LENGTH 10, 11, 17, 19
 CHARACTER_SET_CATALOG 10, 11, 17, 19
 CHARACTER_SET_NAME 10, 11, 17, 19
 CHARACTER_SET_SCHEMA 10, 11, 17, 19
 CHECK_OPTION 22
 checkpoint_lsn 29
 code_page 29
 COLLATION_CATALOG 10, 11, 17, 19
 collation_name 17, 29

COLLATION_SCHEMA 17
 Collection Name 5, 9, 19
 COLLECTION_NAME 5, 9, 19
 CollectionName 16
 Collections 5
 Column Size 7, 14
 COLUMN_DEFAULT 10, 11
 COLUMN_NAME 10, 11, 15, 21
 COLUMN_SIZE 7, 14
 Columns 11
 ColumnSetColumns 11
 command-timeout-sec 2
 compatibility_level 29
 completion_time 31
 Composite Identifier Separator Pattern 6, 13
 COMPOSITE_IDENTIFIER_SEPERATOR_PATTERN 6, 13
 compressed_backup_size 29
 condition_id 35, 36, 39
 Connection Time-out (sec) 8
 CONNECTION_TIMEOUT_SEC 8
 connections 25
 connection-string-async-add 2
 connection-string-async-value 2
 connection-string-multiple-active-result-sets-add 2
 connection-string-multiple-active-result-sets-value 2
 constraint_catalog 15, 16
 constraint_name 15, 16
 constraint_schema 15, 16
 CONSTRAINT_TYPE 15
 Content Type 22
 CONTENT_TYPE 22
 COUNT_TIMES_USED 8
 cpu_busy 25
 Create Format 7, 14
 Create Parameters 7, 14
 Create_Date 12, 20
 CREATE_FORMAT 7, 14
 create_lsn 27
 CREATE_PARAMETERS 7, 14
 CREATED 18
 created_by 34, 35, 36
 CREATED_UTC 8
 createdate 21
 culture_info 20
 Current Context Description 8
 Current Context Natural Key 8
 Current Context User Log On Code 8
 CURRENT_CONTEXT_DESCRIPTION 8
 CURRENT_CONTEXT_NATURAL_KEY 8
 CURRENT_CONTEXT_USER_LOG_ON_CODE 8

current_state 31
current_value 35

- D -

Data Source Information 6
Data Type 7, 14
Data Types 7
DATA_TYPE 7, 10, 11, 14, 17, 19
DATABASE 8
database_backup_lsn 29
database_creation_date 29
database_guid 29
database_id 34
database_name 12, 29, 32, 34
database_version 29
DatabaseCount 27
Databases 12
DataSourceInformation 6, 13
DataTypes 7, 14
Date Created 8
date_created 34, 35, 36
DATE_ENDED 22
date_modified 35, 36
DATE_STARTED 22
DATETIME_PRECISION 10, 11, 17, 19
DayOfWeek 27
dbid 12, 24, 25
destination_database_name 33
destination_phys_drive 32
destination_phys_name 32
detail_id 38
device_count 33
device_type 28
differential_base_guid 27, 29
differential_base_lsn 27, 29
dm_hadr_automatic_seeding_history 31
Driver 1
drop_lsn 27
DRY_RUN 22
Duration Used (ms) 8
DURATION_USED_MS 8

- E -

enabled 40
EncryptionAlgorithm 27
encryptor_thumbprint 29
encryptor_type 29
End Date 22

end_date 38
Error Message Code 22
Error Message Text 22
error_code 31
error_count 34
ERROR_MESSAGE_CODE 22
ERROR_MESSAGE_TEXT 22
event_type 34
exception 38
exception_message 38
execution_date 38
execution_mode 36
expiration_date 29
expression 35

- F -

facet 35
facet_id 36
facet_name 36
failure_state 31
failure_state_desc 31
family_guid 29
family_sequence_number 28
file_guid 27
file_id 34
file_number 27, 32
file_size 27
file_type 27
filegroup_guid 27
filegroup_name 27, 33
first_family_number 27, 29
first_lsn 29
first_media_number 27, 29
first_recovery_fork_guid 29
flags 29
force-case-sensitive-identifiers 2
forced-casing-identifiers 2
ForeignKeys 15
fork_point_lsn 29

- G -

Group by Behavior 6, 13
GROUP_BY_BEHAVIOR 6, 13

- H -

has_backup_checksums 29
has_bulk_logged_data 29

has_incomplete_metadata 29
 health_state_id 39
 help_link 36
 help_text 36
 high 24, 26
 history_id 38
 HTTP Disk Cache Maximum Age (sec) 22
 HTTP Memory Cache Maximum Age (sec) 22
 HTTP Method 22
 HTTP_DISK_CACHE_MAX_AGE_SEC 22
 HTTP_DISK_CACHE_SAVE 22
 HTTP_DISK_CACHE_USE 22
 HTTP_MEMORY_CACHE_MAX_AGE_SEC 22
 HTTP_MEMORY_CACHE_SAVE 22
 HTTP_MEMORY_CACHE_USE 22
 HTTP_METHOD 22

- I -

Identifier Case 6, 13
 Identifier Pattern 6, 13
 IDENTIFIER_CASE 6, 13
 IDENTIFIER_PATTERN 6, 13
 idle 25
 index_name 15, 16
 IndexColumns 15
 Indexes 16
 INITIALLY_DEFERRED 15
 instance_id 34
 instance_name 34
 INTERVAL_PRECISION 17
 INTERVAL_TYPE 17
 invantive-sql-correct-invalid-date 2
 invantive-sql-forward-filters-to-data-containers 2
 invantive-sql-shuffle-fetch-results-data-containers 2
 invantive-use-cache 2
 io_busy 25
 Is Auto-incrementable 7, 14
 Is Best Match 7, 14
 Is Case-sensitive 7, 14
 Is Concurrency Type 7, 14
 Is Fixed Length 7, 14
 Is Fixed Precision Scale 7, 14
 Is Free 8
 Is Literal Supported 7, 14
 Is Long 7, 14
 Is Nullable 7, 14
 Is Searchable 7, 14
 Is Searchable with Like 7, 14
 Is Unsigned 7, 14
 IS_AUTOINCREMENTABLE 7, 14

IS_BEST_MATCH 7, 14
 IS_CASE_SENSITIVE 7, 14
 IS_COLUMN_SET 10, 11
 is_compressed 29
 IS_CONCURRENCY_TYPE 7, 14
 is_copy_only 29
 is_damaged 29
 IS_DEFERRABLE 15
 is_enabled 36
 is_encrypted 29
 IS_FILESTREAM 10, 11
 is_fixed_length 7, 14, 20
 IS_FIXED_PRECISION_SCALE 7, 14
 is_force_offline 29
 IS_FREE 8
 IS_LITERAL_SUPPORTED 7, 14
 IS_LONG 7, 14
 is_name_condition 35
 IS_NULLABLE 7, 10, 11, 14, 19
 is_password_protected 29
 is_present 27
 is_readonly 27, 29
 IS_RESULT 17
 IS_SEARCHABLE 7, 14
 IS_SEARCHABLE_WITH_LIKE 7, 14
 is_single_user 29
 is_snapshot 29
 is_source 31
 IS_SPARSE 10, 11
 is_system 35, 36
 IS_UNSIGNED 7, 14
 IS_UPDATABLE 22
 IsAlwaysOn 27
 IsDropped 27
 IsEnabled 27

- J -

job_id 36

- K -

key_algorithm 29
 KeyType 15

- L -

Last Use Duration (ms) 8
 Last Use End 8
 Last Use Start 8

LAST_ALTERED 18
 last_family_number 29
 last_lsn 29
 last_media_number 29
 last_recovery_fork_guid 29
 last_run_date 39
 last_update_date 34
 LAST_USE_DURATION_MS 8
 LAST_USE_END_UTC 8
 LAST_USE_START_UTC 8
 lastrun 25
 level_name 39
 Literal Prefix 7, 14
 Literal Suffix 7, 14
 LITERAL_PREFIX 7, 14
 LITERAL_SUFFIX 7, 14
 logical_device_name 28
 logical_name 27
 logmarkhistory 32
 log-native-calls-to-disk 2
 log-native-calls-to-trace 2
 low 24, 26
 lsn 32
 lstart 25

- M -

machine_name 29
 ManagedBackupVersion 27
 mandate_database_subscriptions 37
 mark_name 32
 mark_time 32
 max_length 20
 Maximum Scale 7, 14
 MAXIMUM_SCALE 7, 14
 maximum-length-identifiers 2
 maximum-number-of-pooled-connections 2
 maximum-sleep-acquire-pooled-connection-ms 2
 maximum-sleep-acquire-unpooled-connection-ms 2
 max-url-length-accepted 2
 max-url-length-desired 2
 media_count 28
 media_family_count 29
 media_family_id 28
 media_set_id 28, 29
 media_uuid 29
 MEMBER_DEFAULT 19
 MEMBER_NAME 19
 Metadata Collections 5
 MetaDataCollections 16
 Minimum Scale 7, 14

MINIMUM_SCALE 7, 14
 minimum-command-timeout-sec 2
 minimum-connection-timeout-sec 2
 mirror 28
 mirror_count 29
 modified_by 35, 36
 mssql 1
 MTF_major_version 29
 mtf_minor_version 29

- N -

name 24, 26, 29, 35, 36, 37
 Native Data Type 7, 14
 Native Platform Scalar Requests 22
 NATIVE_DATA_TYPE 7, 14
 NATIVEPLATFORMSCALARREQUESTS 22
 npt 22
 number 26
 Number of Identifier Parts 5
 Number of Restrictions 5
 Number of Times Used 8
 number_of_attempts 31
 NUMBER_OF_IDENTIFIER_PARTS 5
 NUMBER_OF_RESTRICTIONS 5
 NumberOfIdentifierParts 16
 NumberOfRestrictions 16
 NUMERIC_PRECISION 10, 11, 17, 19
 NUMERIC_PRECISION_RADIX 10, 11, 17, 19
 NUMERIC_SCALE 10, 11, 17, 19

- O -

obj_name 35
 object_set_id 36, 40
 object_set_name 36
 ON_CLOSE_SQL_DURATION_MS 8
 ON_CLOSE_SQL_START_UTC 8
 ON_CLOSE_SQL_STATEMENT 8
 ON_OPEN_SQL_DURATION_MS 8
 ON_OPEN_SQL_START_UTC 8
 ON_OPEN_SQL_STATEMENT 8
 on-close-sql 2
 on-open-sql 2
 open-connection-interval-sec 2
 open-connection-retries 2
 operation_id 31
 Order by Columns in Select 6, 13
 ORDER_BY_COLUMNS_IN_SELECT 6, 13
 ORDINAL_POSITION 10, 11, 15, 17, 19

ORIG_SYSTEM_GROUP 22
 ORIG_SYSTEM_REFERENCE 22
 Original System Group 22
 Original System Reference 22

- P -

pack_errors 25
 pack_received 25
 pack_sent 25
 page_id 34
 page_size 27
 Parameter Marker Format 6, 13
 Parameter Marker Pattern 6, 13
 Parameter Name 9, 19
 Parameter Name Maximum Length 6, 13
 Parameter Name Pattern 6, 13
 PARAMETER_MARKER_FORMAT 6, 13
 PARAMETER_MARKER_PATTERN 6, 13
 PARAMETER_MODE 17
 PARAMETER_NAME 9, 17, 19
 PARAMETER_NAME_MAX_LENGTH 6, 13
 PARAMETER_NAME_PATTERN 6, 13
 partition-slot-based-rate-limit-length-ms 2
 partition-slot-based-rate-limit-slots 2
 Payload 22
 PAYLOAD_TEXT 22
 performed_seeding 31
 Permission_set_desc 20
 phyname 24
 physical_block_size 28
 physical_device_name 28
 physical_drive 27
 physical_name 27
 policy_category_id 36, 37
 policy_category_subscription_id 37
 policy_id 36, 38, 39
 Pooled Connections 8
 pooled-connection-monitor-interval-sec 2
 pooled-connection-release-obsolete-interval-sec 2
 PooledConnections 8
 pooled-connections-monitoring 2
 Population Mechanism 5
 Population String 5
 POPULATION_MECHANISM 5
 POPULATION_STRING 5
 position 29
 preferred-number-of-pooled-connections 2
 prefix-bind-variable-in-list 2
 prefix-bind-variable-normal 2
 prefix-renamed-columns 2

pre-request-delay-ms 2
 Previous Context Descriptions 8
 PREVIOUS_CONTEXT_DESCRIPTIONS 8
 ProcedureParameters 17
 Procedures 18
 Product Name 6, 13
 Product Version 6, 13
 Product Version Normalized 6, 13
 PRODUCT_NAME 6, 13
 PRODUCT_VERSION 6, 13
 PRODUCT_VERSION_NORMALIZED 6, 13
 Provider Database Type 7, 14
 PROVIDER_DB_TYPE 7, 14
 public_key 20

- Q -

Quoted Identifier Case 6, 13
 Quoted Identifier Pattern 6, 13
 QUOTED_IDENTIFIER_CASE 6, 13
 QUOTED_IDENTIFIER_PATTERN 6, 13

- R -

read_only_isn 27
 read_write_isn 27
 recovery 33
 recovery_model 29
 replace 33
 requested-page-size 2
 requests-parallel-max 2
 ReservedWord 18
 ReservedWords 18
 Response Cache Maximum Age (sec) 22
 restart 33
 restore_date 33
 restore_history_id 32, 33
 restore_type 33
 restorefile 32
 restorefilegroup 33
 restorehistory 33
 Restriction Default 9, 19
 Restriction Name 9, 19
 Restriction Number 9, 19
 RESTRICTION_DEFAULT 9, 19
 RESTRICTION_NAME 9, 19
 RESTRICTION_NUMBER 9, 19
 Restrictions 9, 19
 result 38, 39
 Result BLOB 22

Result Text 22
 RESULT_BLOB 22
 result_detail 38
 RESULT_TEXT 22
 RetentionPeriod 27
 root_condition_id 36
 ROUTINE_CATALOG 18
 ROUTINE_NAME 18
 ROUTINE_SCHEMA 18
 ROUTINE_TYPE 18
 Run without Actions 22

- S -

Save HTTP Disk Cache 22
 Save HTTP Memory Cache 22
 schedule_uid 36
 SchedulingOption 27
 Schema 5, 7, 9, 14, 19
 SCHEMA_NAME 5, 7, 9, 14, 19
 segmap 25
 Server Version 8
 server_name 29
 SERVER_VERSION 8
 sizepg 25
 slot-based-rate-limit-length-ms 2
 slot-based-rate-limit-slots 2
 software_build_version 29
 software_major_version 29
 software_minor_version 29
 software_name 29
 software_vendor_id 29
 sort_order 29
 source_file_block_size 27
 SPECIFIC_CATALOG 17, 18
 SPECIFIC_NAME 17, 18
 SPECIFIC_SCHEMA 17, 18
 spt_fallback_db 24
 spt_fallback_dev 24
 spt_fallback_usg 25
 spt_monitor 25
 spt_values 26
 SQL On Close Duration (ms) 8
 SQL On Close Start (UTC) 8
 SQL On Open Duration (ms) 8
 SQL On Open Start (UTC) 8
 SQL On Open Statement 8
 SQL Server 1, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 25, 26, 27, 28, 29, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40
 SqlServer 1

standardize-identifiers 2
 standardize-identifiers-casing 2
 Start Date 22
 start_date 38
 start_time 31
 state 27
 state_desc 27
 Statement Separator Pattern 6, 13
 STATEMENT_SEPARATOR_PATTERN 6, 13
 status 24, 26
 stop_at 33
 stop_at_mark_name 33
 stop_before 33
 String Literal Pattern 6, 13
 STRING_LITERAL_PATTERN 6, 13
 StructuredTypeMembers 19
 Successful 22
 SUCCESSFUL 22
 Supported Join Operators 6, 13
 SUPPORTED_JOIN_OPERATORS 6, 13
 suspect_pages 34
 sysdac_instances 34
 syspolicy_conditions 35
 syspolicy_configuration 35
 syspolicy_object_sets 36
 syspolicy_policies 36
 syspolicy_policy_categories 37
 syspolicy_policy_category_subscriptions 37
 syspolicy_policy_execution_history 38
 syspolicy_policy_execution_history_details 38
 syspolicy_system_health_state 39
 syspolicy_target_set_levels 39
 syspolicy_target_sets 40

- T -

TABLE_CATALOG 10, 11, 15, 16, 20, 21, 22
 TABLE_NAME 10, 11, 15, 16, 20, 21, 22
 TABLE_SCHEMA 10, 11, 15, 16, 20, 21, 22
 TABLE_TYPE 20
 Tables 20
 target_object 37
 target_query_expression 38, 39
 target_query_expression_with_id 39
 target_set_id 39, 40
 target_set_level_id 39
 target_type 37
 time_zone 29
 Timeout (sec) 22
 TIMEOUT_SEC 22
 total_errors 25

total_read 25
total_write 25
Transaction ID 22
TRANSACTION_ID 22
type 26, 29, 40
Type Name 7, 14
TYPE_CATALOG 19
type_desc 16
type_name 7, 14, 19, 34
TYPE_SCHEMA 19
type_skeleton 39, 40
type_stream 34
type_version 34
xfallback_low 24
xfallback_vstart 25
xserver_name 24, 25

- U -

udt_name 20
uid 21
unicode_compare_style 29
unicode_locale 29
updatedate 21
URL 22
Usage (%) 8
USAGE_PERCENTAGE 8
Use HTTP Disk Cache 22
Use HTTP Memory Cache 22
user_name 21, 29, 32, 33
UserDefinedTypes 20
Users 21

- V -

version 24
version_build 20
version_major 20
version_minor 20
version_revision 20
VIEW_CATALOG 21
VIEW_NAME 21
VIEW_SCHEMA 21
ViewColumns 21
Views 22
vstart 25

- X -

xdtm_ins 24, 25
xdtm_last_ins_upd 24, 25
xfallback_dbid 24
xfallback_drive 24



invantive the **SQL** company

Invantive B.V.
Biesteweg 11
3849 RD Hierden
the Netherlands

Tel: +31 88 00 26 500
Fax: +31 84 22 58 178
info@invantive.com
invantive.com

IBAN NL25 BUNQ 2098 2586 07
Chamber of Industry and Commerce
13031406
VAT NL812602377B01
RSIN 8122602377
Managing Director: Guido Leenders
Registered office: Roermond