



# Contents

1	SQL Driver for Wmi API	1
2	SQL Driver Attributes for Wmi API	2
3	Win32_bios	4
4	Win32_COMApplication	5
5	Win32_COMApplicationSettings	5
6	Win32_Desktop	5
7	Win32_DiskDrive	5
8	Win32_DMACHannel	5
9	Win32_Environment	5
10	Win32_Fan	6
11	Win32_FileSpecification	6
12	Win32_GroupUser	6
13	Win32_HeatPipe	6
14	Win32_IP4RouteTable	6
15	Win32_Keyboard	6
16	Win32_LocalTime	7
17	Win32_NetworkAdapter	7
18	Win32_NetworkAdapterConfiguration	7
19	Win32_NTEventlogFile	7
20	Win32_PageFileSetting	7
21	Win32_Perf	7
22	Win32_PerfFormattedData_PerfOS_Memory	8
23	Win32_PerfFormattedData_TapiSrv_Telephony	8

<b>24</b>	<b>Win32_PerfRawData_PerfOS_System</b>	<b>8</b>
<b>25</b>	<b>Win32_PerfRawData_Tcpip_IPv4</b>	<b>8</b>
<b>26</b>	<b>Win32_PnPDevice</b>	<b>8</b>
<b>27</b>	<b>Win32_Printer</b>	<b>8</b>
<b>28</b>	<b>Win32_Process</b>	<b>9</b>
<b>29</b>	<b>Win32_SystemDriver</b>	<b>9</b>
<b>30</b>	<b>Win32_SystemSetting</b>	<b>9</b>
<b>31</b>	<b>Win32_TimeZone</b>	<b>9</b>
<b>32</b>	<b>Win32_UserDesktop</b>	<b>9</b>
<b>33</b>	<b>Win32_Volume</b>	<b>9</b>
<b>34</b>	<b>Win32_WMISetting</b>	<b>10</b>
	<b>Index</b>	<b>11</b>

## 1 SQL Driver for Wmi API

Invantive SQL is the fastest, easiest and most reliable way to exchange data with the Wmi API.

Use the "Search" option in the left menu to search for a specific term such as the table or column description. When you already know the term, please use the "Index" option. When you can't find the information needed, please click on the Chat button at the bottom or place your question in the [user community](#). Other users or Invantive Support will try to help you to our best.

Windows Management Instrumentation.

The Wmi driver covers 32 tables and 0 columns.

### Wmi API Clients

Invantive SQL is available on many user interfaces ("clients" in traditional server-client paradigm). All Invantive SQL statements can be exchanged with a close to 100% compatibility across all clients and operating systems (Windows, MacOS, Linux, iOS, Android).

The clients include Microsoft Excel, Microsoft Power BI, Microsoft Power Query, Microsoft Word and Microsoft Outlook. Web-based clients include Invantive Cloud, Invantive Bridge Online as OData proxy, Invantive App Online for interactive apps, Online SQL Editor for query execution and Invantive Data Access Point as extended proxy.

For technical users there are command-line editions of Invantive Data Hub running on iOS, Android, Windows, MacOS and Linux. Invantive Data Hub is also often used for enterprise server applications such as ETL. High-volume replication of data taken from the Wmi API into traditional databases such as SQL Server (on-premise and Azure), MySQL, PostgreSQL and Oracle is possible using [Invantive Data Replicator](#). Invantive Data Replicator automatically creates and maintains Wmi datawarehouses, possibly in combination with data from over 70 other (cloud) platforms. Data Replicator supports data volumes up to over 1 TB and over 5.000 companies. The on-premise edition of Invantive Bridge offers an Wmi ADO.net provider.

### Monitor API Calls

When a query or DML-statement has been executed on Invantive SQL a developer can evaluate the actual calls made to the Wmi API using a query on sessionios@DataDictionary. As an alternative, extensive request and response logging can be enabled by setting log-native-calls-to-disk to true. In the %USERPROFILE%\Invantive\NativeLog folder Invantive SQL will create log files per API request and response.

### Specifications

The SQL driver for Wmi does not support partitioning. Define one data container in a database for each company in Wmi to enable parallel access for data from multiple companies.

An introduction into the concepts of Invantive SQL such as databases, data containers and partitioning can be found in the [Invantive SQL grammar](#).

The configuration can be changed using various attributes during log on and use. A full list of configuration options is listed in the [driver attributes](#) <sup>2</sup>.

The catalog name is used to compose the full qualified name of an object like a table or view. The schema name is used to compose the full qualified name of an object like a table or view. On Wmi the comparison of two texts is case sensitive by default.

Changes and bug fixes on the Wmi SQL driver can be found in the [release notes](#). There is currently no specific section on the [Invantive forums](#) for Wmi. Please reach out to other users of Wmi by leaving a question or contact request.

Driver code for use in settings.xml: Wmi

Alias: wmi

Recommended alias: wmi

Updated: 15-06-2022 20:33 using Invantive SQL version 22.0.232-PROD+3445.

## 2 SQL Driver Attributes for Wmi API

The SQL driver for Wmi has many attributes that can be finetuned to improve handling in scenarios with unreliable network connections to the API server of Wmi or high-volumes of data. Also, many drivers have driver-specific attributes to finetune actual behaviour or handle data not matching specifications.

The Wmi driver attributes are assigned a default value which seldom requires change. However, changes can be applied when needed on four levels, which are reflected in the table below by separate checkmarks:

- Connection string: the connection string from the settings\*.xml file and applied during log on.
- Set SQL statement: a set SQL-statement to be executed once connection has been established.
- Drivers file: the providers.xml file (obsolete starting release 17.32).
- Log on: value to be specified interactively by user during log on in a user interface.

The connection string for Wmi can be found in the settings\*.xml file used for the database. Settings\*.xml files are typically located in the %USERPROFILE%\invantive folder in most deployment scenarios. The reference manuals contain instructions how to relocate the settings\*.xml files. Each data container of a database in the connection string can have a connectionString element specifying the name and values of attributes. Both name and value must be properly escaped according to XML-semantics. Actual application of the value is solely done during log on. A new connection must be established to change the value of a driver attribute using a connection string.

The set SQL statement can be executed after log on. The syntax is: set NAME VALUE, or for a distributed database: set NAME@ALIAS VALUE. In some scenarios you may need to enclose the driver attribute name in square brackets to escape it from parsing, for instance when a reserved SQL keyword is part of the name. The new value takes effect straight after execution of the set-statement. The set-statement can be executed as often as needed during a session.

Driver attributes that can be interactively set to a value are typically presented in the log on window. Depending on the platform and design decisions of the user interface designer, some or all of the available driver attributes can have been made available.

The Wmi driver can be configured using the following attributes:

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Driver's File	Set from Log On
analysis-enforce-row-uniqueness	Use for analysis only! Enforce rows to be unique.	Shared	False	✓	✓	✓	
bulk-delete-page-size-rows	Number of rows to delete per batch when bulk deleting	Shared	10000	✓	✓	✓	
bulk-insert-page-size-bytes	Approximate maximum size in bytes of batch when bulk inserting	Shared	10000000	✓	✓	✓	
bulk-insert-page-size-rows	Number of rows to insert per batch when bulk inserting	Shared	10000	✓	✓	✓	
force-case-sensitive-identifiers	Consider identifiers as case-sensitive independent of the platform capabilities.	Shared	False	✓	✓	✓	
forced-casing-identifiers	Forced casing of identifiers. Choose from Unset, Lower, Upper and Mixed.	Shared		✓	✓	✓	
invantive-sql-compress-sparse-arrays	Whether to compress sparse arrays in result sets during compression.	SQL Engine V1	True	✓	✓	✓	
invantive-sql-correct-invalid-date	Whether to correct dates considered invalid since they are before 01-01-1753. When nullable, they are removed. Otherwise they are replaced by 01-01-1753.	SQL Engine V1	False	✓	✓	✓	
invantive-sql-forward-filters-to-data-containers	Whether to forward filters to data containers.	SQL Engine V1	True	✓	✓	✓	
invantive-sql-share-byte-arrays	Whether to share the memory used by identical byte arrays in result sets during compression.	SQL Engine V1	True	✓	✓	✓	
invantive-sql-share-strings	Whether to share the memory used by identical strings in result sets during compression.	SQL Engine V1	True	✓	✓	✓	
invantive-sql-shuffle-fetch-results-data-containers	Whether to shuffle results fetched from data containers.	SQL Engine V1	False	✓	✓	✓	
invantive-use-cache	Whether to cache the results of a query.	SQL Engine V1	True	✓	✓	✓	
log-native-calls-to-disk-max-events	Maximum number of events to register from last activation.	Shared		✓	✓	✓	
log-native-calls-to-disk-max-seconds	Maximum number of seconds to register from last activation.	Shared		✓	✓	✓	
log-native-calls-to-disk-on-error	Registers native calls to data container backend as disk files when an error occurred.	Shared	False	✓	✓	✓	
log-native-calls-to-disk-on-success	Registers native calls to data container backend as disk files when successful.	Shared	False	✓	✓	✓	
log-native-calls-to-trace	Log native calls to data container backend on the trace.	Shared	False	✓	✓	✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Driver's File	Set from Log On
maximum-length-identifiers	Non-default maximum length in characters of identifier names.	Shared		✓	✓	✓	
max-url-length-accepted	The maximum accepted URL length before raising an error.	Shared	8000	✓	✓	✓	
max-url-length-desired	The maximum desired URL length.	Shared	8000	✓	✓	✓	
partition-slot-based-rate-limit-length-ms	Total length in ms across all slots of a partition-based rate limit.	Shared	60000	✓		✓	
partition-slot-based-rate-limit-slots	Number of slots per partition-based rate limit. Null means no slot-based rate limit	Shared		✓		✓	
pre-request-delay-ms	Pre-request delay in milliseconds per request.	Shared	0	✓	✓	✓	
requested-page-size	Preferred number of rows to exchange per round trip; only effective on limited platforms such as AFAS Online	Shared		✓	✓	✓	
requests-parallel-max	Maximum number of parallel data requests from individual partitions on the data container.	Shared	32	✓	✓	✓	
slot-based-rate-limit-length-ms	Total length in ms across all slots of a slot-based rate limit.	Shared	60000	✓		✓	
slot-based-rate-limit-slots	Number of slots of a slot-based rate limit. Null means no slot-based rate limit	Shared		✓		✓	
standardize-identifiers	Rewrite all identifiers to the preferred standards as configured by standardize-identifiers-casing and maximum-length-identifiers.	Shared	True	✓	✓	✓	
standardize-identifiers-casing	Rewrite all identifiers to the recommended standard platform-specific casing when changing a data model on a case-dependent platform.	Shared	True	✓	✓	✓	

### 3 Win32\_bios

Retrieve: true

### System View Columns

This table has too many columns to be included. Please enter the table name in Invantive Query Tool and press F4 (Describe) to get the column list.

## 4 Win32\_COMApplication

Retrieve: true

### System View Columns

This table has too many columns to be included. Please enter the table name in Invantive Query Tool and press F4 (Describe) to get the column list.

## 5 Win32\_COMApplicationSettings

Retrieve: true

### System View Columns

This table has too many columns to be included. Please enter the table name in Invantive Query Tool and press F4 (Describe) to get the column list.

## 6 Win32\_Desktop

Retrieve: true

### System View Columns

This table has too many columns to be included. Please enter the table name in Invantive Query Tool and press F4 (Describe) to get the column list.

## 7 Win32\_DiskDrive

Retrieve: true

### System View Columns

This table has too many columns to be included. Please enter the table name in Invantive Query Tool and press F4 (Describe) to get the column list.

## 8 Win32\_DMACHannel

Retrieve: true

### System View Columns

This table has too many columns to be included. Please enter the table name in Invantive Query Tool and press F4 (Describe) to get the column list.

## 9 Win32\_Environment

Retrieve: true

### System View Columns

This table has too many columns to be included. Please enter the table name in Invantive Query Tool and press F4 (Describe) to get the column list.



## 10 Win32\_Fan

Retrieve: true

### System View Columns

This table has too many columns to be included. Please enter the table name in Invantive Query Tool and press F4 (Describe) to get the column list.

## 11 Win32\_FileSpecification

Retrieve: true

### System View Columns

This table has too many columns to be included. Please enter the table name in Invantive Query Tool and press F4 (Describe) to get the column list.

## 12 Win32\_GroupUser

Retrieve: true

### System View Columns

This table has too many columns to be included. Please enter the table name in Invantive Query Tool and press F4 (Describe) to get the column list.

## 13 Win32\_HeatPipe

Retrieve: true

### System View Columns

This table has too many columns to be included. Please enter the table name in Invantive Query Tool and press F4 (Describe) to get the column list.

## 14 Win32\_IP4RouteTable

Retrieve: true

### System View Columns

This table has too many columns to be included. Please enter the table name in Invantive Query Tool and press F4 (Describe) to get the column list.

## 15 Win32\_Keyboard

Retrieve: true

### System View Columns

This table has too many columns to be included. Please enter the table name in Invantive Query Tool and press F4 (Describe) to get the column list.

## 16 Win32\_LocalTime

Retrieve: true

### System View Columns

This table has too many columns to be included. Please enter the table name in Invantive Query Tool and press F4 (Describe) to get the column list.

## 17 Win32\_NetworkAdapter

Retrieve: true

### System View Columns

This table has too many columns to be included. Please enter the table name in Invantive Query Tool and press F4 (Describe) to get the column list.

## 18 Win32\_NetworkAdapterConfiguration

Retrieve: true

### System View Columns

This table has too many columns to be included. Please enter the table name in Invantive Query Tool and press F4 (Describe) to get the column list.

## 19 Win32\_NTEventlogFile

Retrieve: true

### System View Columns

This table has too many columns to be included. Please enter the table name in Invantive Query Tool and press F4 (Describe) to get the column list.

## 20 Win32\_PageFileSetting

Retrieve: true

### System View Columns

This table has too many columns to be included. Please enter the table name in Invantive Query Tool and press F4 (Describe) to get the column list.

## 21 Win32\_Perf

Retrieve: true

### System View Columns

This table has too many columns to be included. Please enter the table name in Invantive Query Tool and press F4 (Describe) to get the column list.

## 22 Win32\_PerfFormattedData\_PerfOS\_Memory

Retrieve: true

### System View Columns

This table has too many columns to be included. Please enter the table name in Invantive Query Tool and press F4 (Describe) to get the column list.

## 23 Win32\_PerfFormattedData\_TapiSrv\_Telephony

Retrieve: true

### System View Columns

This table has too many columns to be included. Please enter the table name in Invantive Query Tool and press F4 (Describe) to get the column list.

## 24 Win32\_PerfRawData\_PerfOS\_System

Retrieve: true

### System View Columns

This table has too many columns to be included. Please enter the table name in Invantive Query Tool and press F4 (Describe) to get the column list.

## 25 Win32\_PerfRawData\_Tcpip\_IPv4

Retrieve: true

### System View Columns

This table has too many columns to be included. Please enter the table name in Invantive Query Tool and press F4 (Describe) to get the column list.

## 26 Win32\_PnPDevice

Retrieve: true

### System View Columns

This table has too many columns to be included. Please enter the table name in Invantive Query Tool and press F4 (Describe) to get the column list.

## 27 Win32\_Printer

Retrieve: true

### System View Columns

This table has too many columns to be included. Please enter the table name in Invantive Query Tool and press F4 (Describe) to get the column list.

## 28 Win32\_Process

Retrieve: true

### System View Columns

This table has too many columns to be included. Please enter the table name in Invantive Query Tool and press F4 (Describe) to get the column list.

## 29 Win32\_SystemDriver

Retrieve: true

### System View Columns

This table has too many columns to be included. Please enter the table name in Invantive Query Tool and press F4 (Describe) to get the column list.

## 30 Win32\_SystemSetting

Retrieve: true

### System View Columns

This table has too many columns to be included. Please enter the table name in Invantive Query Tool and press F4 (Describe) to get the column list.

## 31 Win32\_TimeZone

Retrieve: true

### System View Columns

This table has too many columns to be included. Please enter the table name in Invantive Query Tool and press F4 (Describe) to get the column list.

## 32 Win32\_UserDesktop

Retrieve: true

### System View Columns

This table has too many columns to be included. Please enter the table name in Invantive Query Tool and press F4 (Describe) to get the column list.

## 33 Win32\_Volume

Retrieve: true

### System View Columns

This table has too many columns to be included. Please enter the table name in Invantive Query Tool and press F4 (Describe) to get the column list.

## 34 Win32\_WMISetting

Retrieve: true

### System View Columns

This table has too many columns to be included. Please enter the table name in Invantive Query Tool and press F4 (Describe) to get the column list.

# Index

## - A -

analysis-enforce-row-uniqueness 2

## - B -

bulk-delete-page-size-rows 2  
bulk-insert-page-size-bytes 2  
bulk-insert-page-size-rows 2

## - D -

Driver 1

## - F -

force-case-sensitive-identifiers 2  
forced-casing-identifiers 2

## - I -

invantive-sql-compress-sparse-arrays 2  
invantive-sql-correct-invalid-date 2  
invantive-sql-forward-filters-to-data-containers 2  
invantive-sql-share-byte-arrays 2  
invantive-sql-share-strings 2  
invantive-sql-shuffle-fetch-results-data-containers 2  
invantive-use-cache 2

## - L -

log-native-calls-to-disk-max-events 2  
log-native-calls-to-disk-max-seconds 2  
log-native-calls-to-disk-on-error 2  
log-native-calls-to-disk-on-success 2  
log-native-calls-to-trace 2

## - M -

maximum-length-identifiers 2  
max-url-length-accepted 2  
max-url-length-desired 2

## - P -

partition-slot-based-rate-limit-length-ms 2  
partition-slot-based-rate-limit-slots 2  
pre-request-delay-ms 2

## - R -

requested-page-size 2  
requests-parallel-max 2

## - S -

slot-based-rate-limit-length-ms 2  
slot-based-rate-limit-slots 2  
standardize-identifiers 2  
standardize-identifiers-casing 2

## - W -

Win32\_bios 4  
Win32\_COMApplication 5  
Win32\_COMApplicationSettings 5  
Win32\_Desktop 5  
Win32\_DiskDrive 5  
Win32\_DMACHannel 5  
Win32\_Environment 5  
Win32\_Fan 6  
Win32\_FileSpecification 6  
Win32\_GroupUser 6  
Win32\_HeatPipe 6  
Win32\_IP4RouteTable 6  
Win32\_Keyboard 6  
Win32\_LocalTime 7  
Win32\_NetworkAdapter 7  
Win32\_NetworkAdapterConfiguration 7  
Win32\_NTEventlogFile 7  
Win32\_PageFileSetting 7  
Win32\_Perf 7  
Win32\_PerfFormattedData\_PerfOS\_Memory 8  
Win32\_PerfFormattedData\_TapiSrv\_Telephony 8  
Win32\_PerfRawData\_PerfOS\_System 8  
Win32\_PerfRawData\_Tcpip\_IPv4 8  
Win32\_PnPDevice 8  
Win32\_Printer 8  
Win32\_Process 9  
Win32\_SystemDriver 9  
Win32\_SystemSetting 9  
Win32\_TimeZone 9

---

Win32_UserDesktop	9
Win32_Volume	9
Win32_WMISetting	10
Wmi	1, 4, 5, 6, 7, 8, 9, 10

# Copyright

(C) Copyright 2004-2023 Invantive Software B.V., the Netherlands. All rights reserved.

Alle rechten voorbehouden. Niets uit deze uitgave mag worden verveelvoudigd, opgeslagen in een geautomatiseerd gegevensbestand, of openbaar gemaakt, in enige vorm of op enige wijze, hetzij elektronisch, mechanisch, door fotokopieën, opnamen, of enig andere manier, zonder voorafgaande schriftelijke toestemming van de uitgever.

Ondanks alle aan de samenstelling van deze tekst bestede zorg, kan noch de schrijver noch de uitgever aansprakelijkheid aanvaarden voor eventuele schade, die zou kunnen voortvloeien uit enige fout, die in deze uitgave zou kunnen voorkomen.

Deze handleiding is een naslagwerk bedoeld om het gebruik te verduidelijken. Indien gegevens in de voorbeeldafbeeldingen overeenkomen met gegevens in uw systeem, dan is de overeenkomst toevallig.

Auteurs: Jan van Engelen, Michiel de Brieder, Mathijs Terhaag, Tanja Middelkoop, Guido Leenders, Tatjana Daka.

The JasperReports License, Version 1.0

Copyright (C) 2001-2004 Teodor Danciu([teodord@users.sourceforge.net](mailto:teodord@users.sourceforge.net)).

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment: "This product includes software developed by Teodor Danciu (<http://jasperreports.sourceforge.net>).". Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.
4. The name "JasperReports" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact [teodord@users.sourceforge.net](mailto:teodord@users.sourceforge.net).
5. Products derived from this software may not be called "JasperReports", nor may "JasperReports" appear in their name, without prior written permission of Teodor Danciu.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.





# *invantive* the **SQL** company

Invantive B.V.  
Biesteweg 11  
3849 RD Hierden  
the Netherlands

Tel: +31 88 00 26 500  
Fax: +31 84 22 58 178  
[info@invantive.com](mailto:info@invantive.com)  
[invantive.com](http://invantive.com)

IBAN NL25 BUNQ 2098 2586 07  
Chamber of Industry and Commerce  
13031406  
VAT NL812602377B01  
RSIN 8122602377  
Managing Director: Guido Leenders  
Registered office: Roermond