

YouTrack API Data Model

for use with Invantive SQL

Copyright

(C) Copyright 2004-2023 Invantive Software B.V., the Netherlands. All rights reserved.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of the publisher.

Despite all the care taken in the compilation of this text, neither the author nor the publisher can accept liability for any damage, which might result from any error, which might appear in this publication.

This manual is a reference guide intended to clarify usage. If data in the sample images match data in your system, the similarity is coincidental.

Important Safety and Usage Information

Intended Use and Limitations: This software, developed by Invantive, is designed to support a variety of business and information technology data processing functions, such as accounting, financial reporting and sales reporting. It is important to note that this software is not designed, tested, or approved for use in environments where malfunction or failure could lead to life-threatening situations or severe physical or environmental damage. This includes, but is not limited to:

- Nuclear facilities: The software should not be used for operations or functions related to the control, maintenance, or operation of nuclear facilities.
- Defense and Military Applications: This software is not suitable for use in defense-related applications, including but not limited to weaponry control, military strategy planning, or any other aspects of national defense.
- Aviation: The software is not intended for use in the operation, navigation, or communication systems of any aircraft or air traffic control environments.
- Healthcare and Medicine Production: This software should not be utilized for medical device operation, patient data analysis for critical health decisions, pharmaceutical production, or medical research where its failure or malfunction could impact patient health.
- Chemical and Hazardous Material Handling: This software is not intended for the management, control, or operational aspects of chemical plants or hazardous material handling facilities. Any malfunction in software used in these settings could result in dangerous chemical spills, explosions, or environmental disasters.
- Transportation and Traffic Control Systems: The software should not be used for the control, operation, or management of transportation systems, including railway signal controls, subway systems, or traffic light management. Malfunctions in such critical systems could lead to severe accidents and endanger public safety.
- Energy Grid and Utility Control Systems: This software is not designed for the control or operation of energy grid systems, including electrical substations, renewable energy control systems, or water utility control systems. The failure of software in these areas could lead to significant power outages, water supply disruptions, or other public utility failures, potentially endangering communities and causing extensive damage.
- Other High-Risk Environments: Any other critical infrastructure and environments where a failure of the software could result in significant harm to individuals or the environment.

User Responsibility: Users must ensure that they understand the intended use of the software and refrain from deploying it in any setting that falls outside of its designed purpose. It is the responsibility of the user to assess the suitability of the software for their intended application, especially in any scenarios that might pose a risk to life, health, or the environment.

Disclaimer of Liability: Invantive disclaims any responsibility for damage, injury, or legal consequences resulting from the use or misuse of this software in prohibited or unintended applications.

Contents

| | | |
|------------|--|-----------|
| 1 | SQL Driver for YouTrack API | 1 |
| 2 | SQL Driver Attributes for YouTrack API | 2 |
| 3 | Schema: Activities | 15 |
| 3.1 | Tables | 15 |
| 3.1.1 | Activities: YouTrack Activities | 15 |
| 3.1.2 | ActivityById | 17 |
| 3.1.3 | ActivityPages | 18 |
| 3.1.4 | ProjectActivityPages | 20 |
| 4 | Schema: Admin | 22 |
| 4.1 | Tables | 22 |
| 4.1.1 | AllowedOriginRestSettings | 22 |
| 4.1.2 | AppearanceSettings | 23 |
| 4.1.3 | GlobalSettings | 24 |
| 4.1.4 | IssueAttachments | 26 |
| 4.1.5 | IssueComments | 30 |
| 4.1.6 | IssueCustomFields | 34 |
| 4.1.7 | IssueLinks | 38 |
| 4.1.8 | Issues | 41 |
| 4.1.9 | IssueTags: YouTrack Issue Tags | 45 |
| 4.1.10 | Licenses | 49 |
| 4.1.11 | LocaleSettings | 50 |
| 4.1.12 | NotificationSettings | 50 |
| 4.1.13 | RestSettings | 51 |
| 4.1.14 | SystemSettings | 52 |
| 4.1.15 | Telemetry | 53 |
| 4.1.16 | TimeTrackingSettings | 54 |
| 4.1.17 | TimeTrackingSettingWorkItemTypes | 55 |
| 4.1.18 | TimeTrackingSettingWorkItemTypesByWorkItemTypeId | 55 |
| 4.1.19 | TimeTrackingWorkTimeSettings | 56 |
| 4.1.20 | WorkItemTypeTimeTrackingSettings | 57 |
| 5 | Schema: Agile | 58 |
| 5.1 | Tables | 58 |
| 5.1.1 | ProjectBySprintId | 58 |
| 5.1.2 | ProjectIssues | 65 |
| 5.1.3 | ProjectIssuesBySprintId | 72 |
| 5.1.4 | Projects | 79 |
| 5.1.5 | SprintById | 85 |
| 5.1.6 | SprintById1 | 91 |
| 5.1.7 | SprintById2 | 97 |
| 5.1.8 | SprintIssueAttachmentsBySprintId | 101 |
| 5.1.9 | SprintIssueCommentsBySprintId | 108 |
| 5.1.10 | SprintIssueCustomFieldsBySprintId | 114 |
| 5.1.11 | SprintIssueLinksBySprintId | 120 |
| 5.1.12 | SprintIssues | 126 |
| 5.1.13 | SprintIssuesBySprintId | 133 |
| 5.1.14 | SprintIssuesBySprintId1 | 140 |
| 5.1.15 | SprintIssueTagsBySprintId | 146 |

| | | |
|--------|----------------|-----|
| 5.1.16 | Sprints | 152 |
| 5.1.17 | Sprints1 | 157 |

6 Schema: Articles 163

| | | |
|------------|--|------------|
| 6.1 | Tables | 163 |
| 6.1.1 | ArticleById | 163 |
| 6.1.2 | Articles: YouTrack Articles | 168 |
| 6.1.3 | AttachmentById | 172 |
| 6.1.4 | Attachments | 179 |
| 6.1.5 | ChildArticleAttachments | 185 |
| 6.1.6 | ChildArticleAttachmentsById | 192 |
| 6.1.7 | ChildArticleComments | 200 |
| 6.1.8 | ChildArticleCommentsById | 206 |
| 6.1.9 | ChildArticles | 213 |
| 6.1.10 | ChildArticlesById | 219 |
| 6.1.11 | ChildChildArticles | 226 |
| 6.1.12 | ChildChildArticlesById | 232 |
| 6.1.13 | CommentAttachments | 239 |
| 6.1.14 | CommentAttachmentsByIssueId | 245 |
| 6.1.15 | Comments | 251 |
| 6.1.16 | CommentsByIssueId | 256 |
| 6.1.17 | GroupById | 262 |
| 6.1.18 | Groups | 264 |
| 6.1.19 | IssueLinkTypes | 266 |
| 6.1.20 | IssueLinkTypesById | 266 |
| 6.1.21 | IssueTagAttachmentIssuesByTagId | 268 |
| 6.1.22 | IssueTagById | 273 |
| 6.1.23 | IssueTagById2 | 275 |
| 6.1.24 | IssueTagCommentAttachmentIssuesByTagId | 280 |
| 6.1.25 | IssueTagCommentIssuesByTagId | 285 |
| 6.1.26 | IssueTagCustomFieldIssuesByTagId | 290 |
| 6.1.27 | IssueTagIssueAttachments | 295 |
| 6.1.28 | IssueTagIssueAttachmentsById | 299 |
| 6.1.29 | IssueTagIssueById | 304 |
| 6.1.30 | IssueTagIssueComments | 308 |
| 6.1.31 | IssueTagIssueCommentsById | 312 |
| 6.1.32 | IssueTagIssueCustomFields | 316 |
| 6.1.33 | IssueTagIssueLinks | 320 |
| 6.1.34 | IssueTagIssueLinksById | 324 |
| 6.1.35 | IssueTagIssues | 328 |
| 6.1.36 | IssueTagIssuesCustomFieldsById | 332 |
| 6.1.37 | IssueTagIssuesTags | 336 |
| 6.1.38 | IssueTagIssueTagsById | 340 |
| 6.1.39 | IssueTagLinkIssuesByTagId | 345 |
| 6.1.40 | IssueTagLinkIssuesByTagId1 | 349 |
| 6.1.41 | IssueTagLinkTrimmedIssuesByTagId | 355 |
| 6.1.42 | IssueTags: YouTrack Issue Tags | 361 |
| 6.1.43 | TagIssuesByTagId | 363 |
| 6.1.44 | TagIssuesByTagId2 | 368 |

7 Schema: Backups 374

| | | |
|------------|---|------------|
| 7.1 | Tables | 374 |
| 7.1.1 | DatabaseBackupById | 374 |
| 7.1.2 | DatabaseBackups | 375 |
| 7.1.3 | DatabaseBackupSettingBackupStatuses | 376 |
| 7.1.4 | DatabaseBackupSettings | 377 |
| 7.1.5 | NotifiedUserSavedQuerySettings | 378 |
| 7.1.6 | NotifiedUserSettings | 379 |

| | | |
|------------|---|------------|
| 7.1.7 | NotifiedUserTagSettings | 380 |
| 8 | Schema: CustomFields | 382 |
| 8.1 | Tables | 382 |
| 8.1.1 | CustomFieldAggregatedUserSavedQueriesByUserBundleId | 382 |
| 8.1.2 | CustomFieldAggregatedUsersByUserBundleId | 383 |
| 8.1.3 | CustomFieldAggregatedUserTagsByUserBundleId | 384 |
| 8.1.4 | CustomFieldBuildBundles | 386 |
| 8.1.5 | CustomFieldBuildByBuildBundleId | 386 |
| 8.1.6 | CustomFieldBuildByBuildBundleIdAndElementId | 387 |
| 8.1.7 | CustomFieldBuildValues | 389 |
| 8.1.8 | CustomFieldBuildValuesByBuildBundleId | 390 |
| 8.1.9 | CustomFieldBuildValuesByBuildBundleId1 | 392 |
| 8.1.10 | CustomFieldEnumBundleByEnumFieldBundleId | 393 |
| 8.1.11 | CustomFieldEnumBundles | 394 |
| 8.1.12 | CustomFieldEnumBundleValuesByEnumFieldBundleId | 395 |
| 8.1.13 | CustomFieldEnumByEnumFieldBundleId | 396 |
| 8.1.14 | CustomFieldEnumByEnumFieldBundleIdAndElementId | 398 |
| 8.1.15 | CustomFieldEnumValues | 399 |
| 8.1.16 | CustomFieldIndividualUsers | 400 |
| 8.1.17 | CustomFieldIndividualUserSavedQueries | 401 |
| 8.1.18 | CustomFieldIndividualUserSavedQueriesByUserBundleId | 402 |
| 8.1.19 | CustomFieldIndividualUsersByUserBundleId | 404 |
| 8.1.20 | CustomFieldIndividualUserTags | 405 |
| 8.1.21 | CustomFieldIndividualUserTagsByUserBundleId | 406 |
| 8.1.22 | CustomFieldInstancesByCustomFieldPrototypeld | 408 |
| 8.1.23 | CustomFieldOwnedFieldByOwnedFieldBundleId | 410 |
| 8.1.24 | CustomFieldOwnedFieldByOwnedFieldBundleIdAndElementId | 411 |
| 8.1.25 | CustomFieldOwnedFieldByValueId | 413 |
| 8.1.26 | CustomFieldOwnedFields | 414 |
| 8.1.27 | CustomFieldOwnedFieldValues | 415 |
| 8.1.28 | CustomFieldOwnedFieldValuesByOwnedFieldBundleId | 416 |
| 8.1.29 | CustomFields | 418 |
| 8.1.30 | CustomFieldsByCustomFieldPrototypeld | 420 |
| 8.1.31 | CustomFieldsByCustomFieldPrototypeld2 | 421 |
| 8.1.32 | CustomFieldsByCustomFieldPrototypeld3 | 423 |
| 8.1.33 | CustomFieldStateBundleById | 426 |
| 8.1.34 | CustomFieldStateBundles | 427 |
| 8.1.35 | CustomFieldStateBundleValues2ByStateBundleId | 427 |
| 8.1.36 | CustomFieldStateBundleValuesByStateBundleId | 429 |
| 8.1.37 | CustomFieldStateByStateBundleIdAndElementId | 430 |
| 8.1.38 | CustomFieldStateValues | 432 |
| 8.1.39 | CustomFieldUserBundles | 433 |
| 8.1.40 | CustomFieldUserBundleUsers | 434 |
| 8.1.41 | CustomFieldUserBundleUserSavedQueries | 435 |
| 8.1.42 | CustomFieldUserBundleUserTags | 436 |
| 8.1.43 | CustomFieldUserByUserBundleId | 437 |
| 8.1.44 | CustomFieldUserByUserBundleId1 | 438 |
| 8.1.45 | CustomFieldUserByUserBundleId2 | 441 |
| 8.1.46 | CustomFieldUserGroupsByUserBundleId | 444 |
| 8.1.47 | CustomFieldUserGroupsByUserBundleId1 | 445 |
| 8.1.48 | CustomFieldUsers | 448 |
| 8.1.49 | CustomFieldUsersByUserBundleId | 448 |
| 8.1.50 | CustomFieldUsersByUserBundleId1 | 451 |
| 8.1.51 | CustomFieldUsersByUserBundleId2 | 454 |
| 8.1.52 | CustomFieldUsersByUserBundleId3 | 457 |
| 8.1.53 | CustomFieldUsersByUserBundleId4 | 459 |
| 8.1.54 | CustomFieldUsersByUserBundleId5 | 461 |

| | | |
|--------|---|-----|
| 8.1.55 | CustomFieldUsersByUserBundleId6 | 464 |
| 8.1.56 | CustomFieldUsersByUserBundleId7 | 466 |
| 8.1.57 | CustomFieldUsersByUserBundleId8 | 470 |
| 8.1.58 | CustomFieldUsersByUserBundleId9 | 472 |
| 8.1.59 | CustomFieldUsersByUserBundleIdAndGroupId | 474 |
| 8.1.60 | CustomFieldUsersByUserId | 477 |
| 8.1.61 | CustomFieldUserTagsByUserBundleId | 479 |
| 8.1.62 | CustomFieldUserTagsByUserBundleId2 | 482 |
| 8.1.63 | CustomFieldVersionByProjectVersionBundleId | 485 |
| 8.1.64 | CustomFieldVersions | 486 |
| 8.1.65 | CustomFieldVersionValues | 486 |
| 8.1.66 | CustomFieldVersionValuesByProjectVersionBundleId | 488 |
| 8.1.67 | CustomFieldVersionValuesByProjectVersionBundleId2 | 489 |
| 8.1.68 | CustomFieldVersionValuesByProjectVersionBundleId3 | 491 |
| 8.1.69 | InstanceCustomFields | 492 |
| 8.1.70 | Types | 494 |

9 Schema: Issues 495

| | | |
|------------|--------------------------------------|------------|
| 9.1 | Tables | 495 |
| 9.1.1 | AttachmentById | 495 |
| 9.1.2 | Attachments | 500 |
| 9.1.3 | CommentAttachments | 506 |
| 9.1.4 | CommentAttachmentsByIssueId | 512 |
| 9.1.5 | Comments | 517 |
| 9.1.6 | CommentsByIssueId | 523 |
| 9.1.7 | CustomFields | 528 |
| 9.1.8 | CustomFieldsByIssueId | 533 |
| 9.1.9 | IssueById | 537 |
| 9.1.10 | IssueLinksByIssueId | 541 |
| 9.1.11 | Issues | 543 |
| 9.1.12 | IssueTags: YouTrack Issue Tags | 547 |
| 9.1.13 | LinkById | 554 |
| 9.1.14 | LinkIssues | 558 |
| 9.1.15 | LinkIssuesByIssueId | 565 |
| 9.1.16 | Links | 571 |
| 9.1.17 | LinkTrimmedIssues | 576 |
| 9.1.18 | LinkTrimmedIssuesByIssueId | 581 |
| 9.1.19 | TagById | 587 |
| 9.1.20 | TagIssuesByTagId | 592 |
| 9.1.21 | Tags | 599 |

10 Schema: Native 604

| | | |
|-------------|--|------------|
| 10.1 | Tables | 604 |
| 10.1.1 | NATIVEPLATFORMSCALARREQUESTS: YouTrack Native Platform Scalar Requests | 604 |

11 Schema: SavedQueries 606

| | | |
|-------------|---------------------------------------|------------|
| 11.1 | Tables | 606 |
| 11.1.1 | IssueAttachmentsBySavedQueryId | 606 |
| 11.1.2 | IssueById | 610 |
| 11.1.3 | IssueCommentsBySavedQueryId | 614 |
| 11.1.4 | IssueCustomFieldsBySavedQueryId | 618 |
| 11.1.5 | Issues | 623 |
| 11.1.6 | IssuesAttachments | 626 |
| 11.1.7 | IssuesComments | 630 |
| 11.1.8 | IssuesCustomFields | 634 |
| 11.1.9 | IssuesLinks | 638 |
| 11.1.10 | IssuesLinksById | 642 |
| 11.1.11 | IssuesTags | 646 |

| | | |
|---------|--|-----|
| 11.1.12 | IssueTagsBySavedQueryId | 650 |
| 11.1.13 | SavedQueries: YouTrack Saved Queries | 654 |
| 11.1.14 | SavedQueryById | 656 |

12 Schema: Users 658

| | | |
|-------------|--|------------|
| 12.1 | Tables | 658 |
| 12.1.1 | IssueTags: YouTrack Issue Tags | 658 |
| 12.1.2 | Me | 661 |
| 12.1.3 | MyIssueTags | 662 |
| 12.1.4 | MySavedQueries | 665 |
| 12.1.5 | MySavedQuerinessues | 667 |
| 12.1.6 | MyTags | 670 |
| 12.1.7 | ProfileTimeTrackingsByUserId | 672 |
| 12.1.8 | SavedQueries: YouTrack Saved Queries | 673 |
| 12.1.9 | SavedQueryById | 675 |
| 12.1.10 | SavedQueryIssues | 678 |
| 12.1.11 | SavedQueryIssuesByUserId | 680 |
| 12.1.12 | TagById | 683 |
| 12.1.13 | TagIssuesByTagId | 686 |
| 12.1.14 | Tags | 689 |
| 12.1.15 | UserById | 691 |
| 12.1.16 | UserGeneralProfilesBySprintId | 693 |
| 12.1.17 | UserIssueAttachmentSavedQueriesByUserId | 694 |
| 12.1.18 | UserIssueAttachmentTagsByUserId | 699 |
| 12.1.19 | UserIssueCommentSavedQueriesByUserId | 703 |
| 12.1.20 | UserIssueCommentTagsByUserId | 707 |
| 12.1.21 | UserIssueCustomFieldSavedQueriesByUserId | 712 |
| 12.1.22 | UserIssueCustomFieldTagsByUserId | 716 |
| 12.1.23 | UserIssueLinkSavedQueriesByUserId | 720 |
| 12.1.24 | UserIssueLinkSavedQueryTagsByUserId | 724 |
| 12.1.25 | UserIssueSavedQueriesByUserId | 729 |
| 12.1.26 | UserIssueTagSavedQueriesByUserId | 733 |
| 12.1.27 | UserIssueTagsByUserId | 737 |
| 12.1.28 | UserIssueTagsByUserId1 | 741 |
| 12.1.29 | UserNotificationProfilesBySprintId | 746 |
| 12.1.30 | Users: YouTrack Users | 747 |
| 12.1.31 | UserSavedQueriesByUserId | 748 |
| 12.1.32 | UserTagsByUserId | 751 |
| 12.1.33 | WorkItemById | 753 |
| 12.1.34 | WorkItems: YouTrack Work Items | 757 |

13 Schema: Views 761

| | | |
|-------------|--------------------|------------|
| 13.1 | Views | 761 |
| 13.1.1 | IDTypes | 761 |

Index 763

1 SQL Driver for YouTrack API

Invantive SQL is the fastest, easiest and most reliable way to exchange data with the YouTrack API.

Use the "Search" option in the left menu to search for a specific term such as the table or column description. When you already know the term, please use the "Index" option. When you can't find the information needed, please click on the Chat button at the bottom or place your question in the [user community](#). Other users or Invantive Support will try to help you to our best.

YouTrack by JetBrains provides bug tracking, issue tracking system and project management.

The YouTrack driver covers 233 tables and 21272 columns.

YouTrack API Clients

Invantive SQL is available on many user interfaces ("clients" in traditional server-client paradigm). All Invantive SQL statements can be exchanged with a close to 100% compatibility across all clients and operating systems (Windows, MacOS, Linux, iOS, Android).

The clients include Microsoft Excel, Microsoft Power BI, Microsoft Power Query, Microsoft Word and Microsoft Outlook. Web-based clients include Invantive Cloud, Invantive Bridge Online as OData proxy, Invantive App Online for interactive apps, Online SQL Editor for query execution and Invantive Data Access Point as extended proxy.

The [YouTrack Power BI connector](#) is based on the Invantive SQL driver for YouTrack, completed by a high-performance OData connector which works straight on Power BI without any add-on. The OData protocol is always version 4, independent whether the backing platform uses OData, SOAP or another protocol.

For technical users there are command-line editions of Invantive Data Hub running on iOS, Android, Windows, MacOS and Linux. Invantive Data Hub is also often used for enterprise server applications such as ETL. High-volume replication of data taken from the YouTrack API into traditional databases such as SQL Server (on-premise and Azure), MySQL, PostgreSQL and Oracle is possible using [Invantive Data Replicator](#). Invantive Data Replicator automatically creates and maintains YouTrack datawarehouses, possibly in combination with data from over 70 other (cloud) platforms. Data Replicator supports data volumes up to over 1 TB and over 5.000 companies. The on-premise edition of Invantive Bridge offers an YouTrack ADO.net provider.

Finally, online web apps can be build for YouTrack using App Online of [Invantive Cloud](#).

Monitor API Calls

When a query or DML-statement has been executed on Invantive SQL a developer can evaluate the actual calls made to the YouTrack API using a query on sessionios@DataDictionary. As an alternative, extensive request and response logging can be enabled by setting log-native-calls-to-disk to true. In the %USERPROFILE%\Invantive\NativeLog folder Invantive SQL will create log files per API request and response.

Specifications

The SQL driver for YouTrack does not support partitioning. Define one data container in a database for each company in YouTrack to enable parallel access for data from multiple companies.

An introduction into the concepts of Invantive SQL such as databases, data containers and partitioning can be found in the [Invantive SQL grammar](#).

The configuration can be changed using various attributes during log on and use. A full list of configuration options is listed in the [driver attributes](#) ^[2].

The catalog name is used to compose the full qualified name of an object like a table or view. The schema name is used to compose the full qualified name of an object like a table or view. On YouTrack the comparison of two texts is case sensitive by default.

Changes and bug fixes on the YouTrack SQL driver can be found in the [release notes](#). Get access to the YouTrack community through the [YouTrack section](#) of the Invantive forums.

Driver code for use in settings.xml: YouTrack

Alias: `youtrack`

Recommended alias: `ytk`

More technical documentation as provided by the supplier of the YouTrack API on the native APIconnection used can be found at <https://www.jetbrains.com/help/youtrack/devportal>.

The format of YouTrack record IDs consists of a value from the view IDTypes, a dash as separator and a numeric value.

Updated: 23-06-2022 19:43 using Invantive SQL version 22.0.248-PROD+3461.

2 SQL Driver Attributes for YouTrack API

The SQL driver for YouTrack has many attributes that can be finetuned to improve handling in scenarios with unreliable network connections to the API server of YouTrack or high-volumes of data. Also, many drivers have driver-specific attributes to finetune actual behaviour or handle data not matching specifications.

The YouTrack driver attributes are assigned a default value which seldom requires change. However, changes can be applied when needed on four levels, which are reflected in the table below by separate checkmarks:

- Connection string: the connection string from the settings*.xml file and applied during log on.
- Set SQL statement: a set SQL-statement to be executed once connection has been established.
- Drivers file: the providers.xml file (obsolete starting release 17.32).
- Log on: value to be specified interactively by user during log on in a user interface.

The connection string for YouTrack can be found in the settings*.xml file used for the database. Settings*.xml files are typically located in the %USERPROFILE%\invantive folder in most deployment scenarios. The reference manuals contain instructions how to relocate the settings*.xml files. Each data container of a database in the connection string can have a `connectionString` element specifying the name and values of attributes. Both name and value must be properly escaped according to XML-semantics. Actual application of the value is solely done during log on. A new connection must be established to change the value of a driver attribute using a connection string.

The set SQL statement can be executed after log on. The syntax is: `set NAME VALUE`, or for a distributed database: `set NAME@ALIAS VALUE`. In some scenarios you may need to enclose the driver attribute name in square brackets to escape it from parsing, for instance

when a reserved SQL keyword is part of the name. The new value takes effect straight after execution of the set-statement. The set-statement can be executed as often as needed during a session.

Driver attributes that can be interactively set to a value are typically presented in the log on window. Depending on the platform and design decisions of the user interface designer, some or all of the available driver attributes can have been made available.

The YouTrack driver can be configured using the following attributes:

| Code | Description | Origin | Default Value | Set from Connection String | Set from Set SQL-Statement | Set from Driver's File | Set from Log On |
|---------------------------------|---|--------|---------------|----------------------------|----------------------------|------------------------|-----------------|
| add-odata-mandatory-filters | Whether to automatically add OData filters deemed necessary by the platform. | OData | False | ✓ | ✓ | ✓ | |
| analysis-enforce-row-uniqueness | Use for analysis only! Enforce rows to be unique. | Shared | False | ✓ | ✓ | ✓ | |
| api-access-token | Access Token is a security token for multiple OAuth2 Flows. With an Access Token you can access protected resources. An Access Token must be stored securely since once compromised allows access to your protected resources. | OData | | ✓ | | ✓ | ✓ |
| api-client-id | The client ID is a unique identifier of your application. It is generated by registering an application. | OData | | ✓ | | ✓ | ✓ |
| api-client-secret | The client secret is to be kept confidential. Such as a password for a logon code, the client secret is the confidential part of an app identified by a client ID. It is needed during the OAuth2 Code Grant Flow together with the refresh token to get access. | OData | | ✓ | | ✓ | ✓ |
| api-pre-expiry-refresh-sec | The number of seconds before the token expires to acquire a new token. | OData | | ✓ | ✓ | ✓ | |
| api-redirect-url | The redirect URI is the website a browser session is redirected to after the OAuth2 authentication process has been completed. | OData | | ✓ | | ✓ | ✓ |
| api-refresh-token | Refresh Token is a security token for the OAuth2 Code Grant Flow. With a Refresh Token and client secret you can retrieve a renewed access token to access protected resources. A Refresh Token and client secret must be stored securely since once compromised allows access to your protected resources. | OData | | ✓ | | ✓ | ✓ |
| api-scope | The scope to request an OAuth token for. | OData | | ✓ | | ✓ | |

| Code | Description | Origin | Default Value | Set from Connection String | Set from Set SQL-Statement | Set from Driver's File | Set from Log On |
|--|--|--------|---------------|----------------------------|----------------------------|------------------------|-----------------|
| api-token-url | The token URI is the OAuth2 endpoint to exchange tokens. | OData | | ✓ | | ✓ | |
| api-url | URL to access the API. | OData | | ✓ | | ✓ | |
| bulk-delete-page-size-rows | Number of rows to delete per batch when bulk deleting | Shared | 10000 | ✓ | ✓ | ✓ | |
| bulk-insert-page-size-bytes | Approximate maximum size in bytes of batch when bulk inserting | Shared | 10000000 | ✓ | ✓ | ✓ | |
| bulk-insert-page-size-rows | Number of rows to insert per batch when bulk inserting | Shared | 250 | ✓ | ✓ | ✓ | |
| download-error-400-bad-request-max-tries | Maximum number of tries when OData server reports bad format during retrieval of data. | | 3 | ✓ | ✓ | ✓ | |
| download-error-400-bad-request-sleep-initial-ms | Initial sleep in milliseconds between retries when OData server reports that the API server is unavailable during retrieval of data. | | 500 | ✓ | ✓ | ✓ | |
| download-error-400-bad-request-sleep-max-ms | Maximum sleep in milliseconds between retries when OData server reports that the API server is unavailable during retrieval of data. | | 5000 | ✓ | ✓ | ✓ | |
| download-error-400-bad-request-sleep-multiplicator | Multiplication factor for sleep between retries OData server reports that the API server is unavailable during retrieval of data. | | 2 | ✓ | ✓ | ✓ | |
| download-error-408-request-timeout-max-tries | Maximum number of tries when the website reports a HTTP status 408. | | 10 | ✓ | ✓ | ✓ | |
| download-error-408-request-timeout-sleep-initial-ms | Initial sleep in milliseconds between retries when the website reports a HTTP status 408. | | 10000 | ✓ | ✓ | ✓ | |
| download-error-408-request-timeout-sleep-max-ms | Maximum sleep in milliseconds between retries when the website reports a HTTP status 408. | | 300000 | ✓ | ✓ | ✓ | |
| download-error-408-request-timeout-sleep-multiplicator | Multiplication factor for sleep between retries when the website reports a HTTP status 408. | | 2 | ✓ | ✓ | ✓ | |
| download-error-422-bad-request-max-tries | Maximum number of tries when OData server reports unprocessable entity during retrieval of data. | | 30 | ✓ | ✓ | ✓ | |
| download-error-422-bad-request-sleep-initial-ms | Initial sleep in milliseconds between retries when OData server reports unprocessable entity during retrieval of data. | | 10000 | ✓ | ✓ | ✓ | |
| download-error-422-bad-request-sleep-max-ms | Maximum sleep in milliseconds between retries when OData server reports unprocessable entity during retrieval of data. | | 300000 | ✓ | ✓ | ✓ | |
| download-error-422-bad-request-sleep-multiplicator | Multiplication factor for sleep between retries OData server | | 2 | ✓ | ✓ | ✓ | |

| Code | Description | Origin | Default Value | Set from Connection String | Set from Set SQL-Statement | Set from Drivers File | Set from Log On |
|--|---|--------|---------------|----------------------------|----------------------------|-----------------------|-----------------|
| | reports unprocessable entity during retrieval of data. | | | | | | |
| dow nload-error-429-too-many-requests-max-tries | Maximum number of tries w hen the w ebsite reports that too many requests have been made during a timeslot of one minute or one day. | | 10 | ✓ | ✓ | ✓ | |
| dow nload-error-429-too-many-requests-sleep-initial-ms | Initial sleep in milliseconds betw een retries w hen the w ebsite reports that too many requests have been made during a timeslot of one minute or one day. | | 10000 | ✓ | ✓ | ✓ | |
| dow nload-error-429-too-many-requests-sleep-max-ms | Maximum sleep in milliseconds betw een retries w hen the w ebsite reports that too many requests have been made during a timeslot of one minute or one day. | | 300000 | ✓ | ✓ | ✓ | |
| dow nload-error-429-too-many-requests-sleep-multiplicator | Multiplication factor for sleep betw een retries w hen the w ebsite reports that too many requests have been made during a timeslot of one minute or one day. | | 2 | ✓ | ✓ | ✓ | |
| dow nload-error-502-server-unavailable-max-tries | Maximum number of tries w hen OData server reports a bad gatew ay during retrieval of data. | | 30 | ✓ | ✓ | ✓ | |
| dow nload-error-502-server-unavailable-sleep-initial-ms | Initial sleep in milliseconds betw een retries w hen OData server reports a bad gatew ay during retrieval of data. | | 10000 | ✓ | ✓ | ✓ | |
| dow nload-error-502-server-unavailable-sleep-max-ms | Maximum sleep in milliseconds betw een retries w hen OData server reports that a bad gatew ay during retrieval of data. | | 300000 | ✓ | ✓ | ✓ | |
| dow nload-error-502-server-unavailable-sleep-multiplicator | Multiplication factor for sleep betw een retries OData server reports a bad gatew ay during retrieval of data. | | 2 | ✓ | ✓ | ✓ | |
| dow nload-error-503-server-unavailable-max-tries | Maximum number of tries w hen OData server reports that the API server is unavailable during retrieval of data. | | 30 | ✓ | ✓ | ✓ | |
| dow nload-error-503-server-unavailable-sleep-initial-ms | Initial sleep in milliseconds betw een retries w hen OData server reports that the API server is unavailable during retrieval of data. | | 10000 | ✓ | ✓ | ✓ | |
| dow nload-error-503-server-unavailable-sleep-max-ms | Maximum sleep in milliseconds betw een retries w hen OData server reports that the API server is unavailable during retrieval of data. | | 300000 | ✓ | ✓ | ✓ | |
| dow nload-error-503-server- | Multiplication factor for sleep betw een retries OData server | | 2 | ✓ | ✓ | ✓ | |

| Code | Description | Origin | Default Value | Set from Connection String | Set from Set SQL-Statement | Set from Driver's File | Set from Log On |
|--|--|--------|---------------|----------------------------|----------------------------|------------------------|-----------------|
| unavailable-sleep-multiplicator | reports that the API server is unavailable during retrieval of data. | | | | | | |
| dow nload-error-504-gateway-timeout-max-tries | Maximum number of tries w hen the w ebsite reports a gateway timeout. | | 10 | ✓ | ✓ | ✓ | |
| dow nload-error-504-gateway-timeout-sleep-initial-ms | Initial sleep in milliseconds betw een retries w hen the w ebsite reports a gateway timeout. | | 10000 | ✓ | ✓ | ✓ | |
| dow nload-error-504-gateway-timeout-sleep-max-ms | Maximum sleep in milliseconds betw een retries w hen the w ebsite reports a gateway timeout. | | 300000 | ✓ | ✓ | ✓ | |
| dow nload-error-504-gateway-timeout-sleep-multiplicator | Multiplication factor for sleep betw een retries w hen the w ebsite reports a gateway timeout. | | 2 | ✓ | ✓ | ✓ | |
| dow nload-error-590-netw ork-connect-timeout-max-tries | Maximum number of tries w hen the w ebsite reports a HTTP status 590. | | 10 | ✓ | ✓ | ✓ | |
| dow nload-error-590-netw ork-connect-timeout-sleep-initial-ms | Initial sleep in milliseconds betw een retries w hen the w ebsite reports a HTTP status 590. | | 10000 | ✓ | ✓ | ✓ | |
| dow nload-error-590-netw ork-connect-timeout-sleep-max-ms | Maximum sleep in milliseconds betw een retries w hen the w ebsite reports a HTTP status 590. | | 300000 | ✓ | ✓ | ✓ | |
| dow nload-error-590-netw ork-connect-timeout-sleep-multiplicator | Multiplication factor for sleep betw een retries w hen the w ebsite reports a HTTP status 590. | | 2 | ✓ | ✓ | ✓ | |
| dow nload-error-599-netw ork-connect-timeout-max-tries | Maximum number of tries w hen the w ebsite reports a HTTP status 599. | | 10 | ✓ | ✓ | ✓ | |
| dow nload-error-599-netw ork-connect-timeout-sleep-initial-ms | Initial sleep in milliseconds betw een retries w hen the w ebsite reports a HTTP status 599. | | 10000 | ✓ | ✓ | ✓ | |
| dow nload-error-599-netw ork-connect-timeout-sleep-max-ms | Maximum sleep in milliseconds betw een retries w hen the w ebsite reports a HTTP status 599. | | 300000 | ✓ | ✓ | ✓ | |
| dow nload-error-599-netw ork-connect-timeout-sleep-multiplicator | Multiplication factor for sleep betw een retries w hen the w ebsite reports a HTTP status 599. | | 2 | ✓ | ✓ | ✓ | |
| dow nload-error-argument-exception- | Maximum number of tries w hen an argument exception is returned | | 10 | ✓ | ✓ | ✓ | |

| Code | Description | Origin | Default Value | Set from Connection String | Set from Set SQL-Statement | Set from Driver's File | Set from Log On |
|--|---|--------|---------------|----------------------------|----------------------------|------------------------|-----------------|
| max-tries | w hen dow nloading a blob. | | | | | | |
| dow nload-error-argument-exception-sleep-initial-ms | Initial sleep in milliseconds betw een retries w hen an argument exception is returned w hen dow nloading a blob. | | 10000 | ✓ | ✓ | ✓ | |
| dow nload-error-argument-exception-sleep-max-ms | Maximum sleep in milliseconds betw een retries w hen an argument exception is returned w hen dow nloading a blob. | | 300000 | ✓ | ✓ | ✓ | |
| dow nload-error-argument-exception-sleep-multiplicator | Multiplication factor for sleep betw een retries w hen an argument exception is returned w hen dow nloading a blob. | | 2 | ✓ | ✓ | ✓ | |
| dow nload-error-internet-dow n-max-tries | Maximum number of tries w hen the Internet connection seems dow n during retrieval of data. | | 10 | ✓ | ✓ | ✓ | |
| dow nload-error-internet-dow n-sleep-initial-ms | Initial sleep in milliseconds betw een retries w hen the Internet connection seems dow n during retrieval of data. | | 10000 | ✓ | ✓ | ✓ | |
| dow nload-error-internet-dow n-sleep-max-ms | Maximum sleep in milliseconds betw een retries w hen the Internet connection seems dow n during retrieval of data. | | 300000 | ✓ | ✓ | ✓ | |
| dow nload-error-internet-dow n-sleep-multiplicator | Multiplication factor for sleep betw een retries w hen the Internet connection seems dow n during retrieval of data. | | 2 | ✓ | ✓ | ✓ | |
| dow nload-error-io-exception-max-tries | Maximum number of tries w hen a netw ork I/O connection failure occurs during retrieval of data. | | 10 | ✓ | ✓ | ✓ | |
| dow nload-error-io-exception-sleep-initial-ms | Initial sleep in milliseconds betw een retries w hen a netw ork I/O connection failure occurs during retrieval of data. | | 10000 | ✓ | ✓ | ✓ | |
| dow nload-error-io-exception-sleep-max-ms | Maximum sleep in milliseconds betw een retries w hen a netw ork I/O connection failure occurs during retrieval of data. | | 300000 | ✓ | ✓ | ✓ | |
| dow nload-error-io-exception-sleep-multiplicator | Multiplication factor for sleep betw een retries w hen a netw ork I/O connection failure occurs during retrieval of data. | | 2 | ✓ | ✓ | ✓ | |
| dow nload-error-json-exception-max-tries | Maximum number of tries w hen an invalid JSON body is returned. | | 3 | ✓ | ✓ | ✓ | |
| dow nload-error-json-exception-sleep-initial-ms | Initial sleep in milliseconds betw een retries w hen an invalid JSON body is returned. | | 1000 | ✓ | ✓ | ✓ | |
| dow nload-error-json-exception-sleep-max-ms | Maximum sleep in milliseconds betw een retries w hen an invalid JSON body is returned. | | 10000 | ✓ | ✓ | ✓ | |

| Code | Description | Origin | Default Value | Set from Connection String | Set from Set SQL-Statement | Set from Driver's File | Set from Log On |
|--|---|--------|---------------|----------------------------|----------------------------|------------------------|-----------------|
| dow nload-error- json-exception- sleep-multiplicator | Multiplication factor for sleep between retries when an invalid JSON body is returned. | | 2 | ✓ | ✓ | ✓ | |
| dow nload-error- other-exception- max-tries | Maximum number of tries when an unqualified error occurs during retrieval of data. | | 3 | ✓ | ✓ | ✓ | |
| dow nload-error- other-exception- sleep-initial-ms | Initial sleep in milliseconds between retries when an unqualified error occurs during retrieval of data. | | 10000 | ✓ | ✓ | ✓ | |
| dow nload-error- other-exception- sleep-max-ms | Maximum sleep in milliseconds between retries when an unqualified error occurs during retrieval of data. | | 300000 | ✓ | ✓ | ✓ | |
| dow nload-error- other-exception- sleep-multiplicator | Multiplication factor for sleep between retries when an unqualified error occurs during retrieval of data. | | 2 | ✓ | ✓ | ✓ | |
| dow nload-error- socket-exception- max-tries | Maximum number of tries when the network connection is forcibly dropped during retrieval of data. | | 10 | ✓ | ✓ | ✓ | |
| dow nload-error- socket-exception- sleep-initial-ms | Initial sleep in milliseconds between retries when the network connection is forcibly dropped during retrieval of data. | | 10000 | ✓ | ✓ | ✓ | |
| dow nload-error- socket-exception- sleep-max-ms | Maximum sleep in milliseconds between retries when the network connection is forcibly dropped during retrieval of data. | | 300000 | ✓ | ✓ | ✓ | |
| dow nload-error- socket-exception- sleep-multiplicator | Multiplication factor for sleep between retries when the network connection is forcibly dropped during retrieval of data. | | 2 | ✓ | ✓ | ✓ | |
| dow nload-error- web-exception-max- tries | Maximum number of tries when a web connection failure occurs during retrieval of data. | | 10 | ✓ | ✓ | ✓ | |
| dow nload-error- web-exception- sleep-initial-ms | Initial sleep in milliseconds between retries when a web connection failure occurs during retrieval of data. | | 10000 | ✓ | ✓ | ✓ | |
| dow nload-error- web-exception- sleep-max-ms | Maximum sleep in milliseconds between retries when a web connection failure occurs during retrieval of data. | | 300000 | ✓ | ✓ | ✓ | |
| dow nload-error- web-exception- sleep-multiplicator | Multiplication factor for sleep between retries when a web connection failure occurs during retrieval of data. | | 2 | ✓ | ✓ | ✓ | |
| dow nload-error- web-not- implemented-max- tries | Maximum number of tries when the connection reports not implemented. | | 1 | ✓ | ✓ | ✓ | |
| dow nload-error- web-not- | Initial sleep in milliseconds between retries when the connection reports | | 10000 | ✓ | ✓ | ✓ | |

| Code | Description | Origin | Default Value | Set from Connection String | Set from Set SQL-Statement | Set from Driver's File | Set from Log On |
|--|--|--------|---|----------------------------|----------------------------|------------------------|-----------------|
| implemented-sleep-initial-ms | not implemented. | | | | | | |
| download-error-web-not-implemented-sleep-max-ms | Maximum sleep in milliseconds between retries when the connection reports not implemented. | | 300000 | ✓ | ✓ | ✓ | |
| download-error-web-not-implemented-sleep-multiplicator | Multiplication factor for sleep between retries when the connection reports not implemented. | | 2 | ✓ | ✓ | ✓ | |
| download-error-web-timeout-max-tries | Maximum number of tries when the connection reports a timeout. | | 10 | ✓ | ✓ | ✓ | |
| download-error-web-timeout-sleep-initial-ms | Initial sleep in milliseconds between retries when the connection reports a timeout. | | 1000 | ✓ | ✓ | ✓ | |
| download-error-web-timeout-sleep-max-ms | Maximum sleep in milliseconds between retries when the connection reports a timeout. | | 30000 | ✓ | ✓ | ✓ | |
| download-error-web-timeout-sleep-multiplicator | Multiplication factor for sleep between retries when the connection reports a timeout. | | 2 | ✓ | ✓ | ✓ | |
| download-error-web-unauthorized-max-tries | Maximum number of tries when the connection reports an unauthorized error. | | 1 | ✓ | ✓ | ✓ | |
| download-error-web-unauthorized-sleep-initial-ms | Initial sleep in milliseconds between retries when the connection reports an unauthorized error. | | 10000 | ✓ | ✓ | ✓ | |
| download-error-web-unauthorized-sleep-max-ms | Maximum sleep in milliseconds between retries when the connection reports an unauthorized error. | | 300000 | ✓ | ✓ | ✓ | |
| download-error-web-unauthorized-sleep-multiplicator | Multiplication factor for sleep between retries when the connection reports an unauthorized error. | | 2 | ✓ | ✓ | ✓ | |
| force-case-sensitive-identifiers | Consider identifiers as case-sensitive independent of the platform capabilities. | Shared | False | ✓ | ✓ | ✓ | |
| forced-casing-identifiers | Forced casing of identifiers. Choose from Unset, Lower, Upper and Mixed. | Shared | | ✓ | ✓ | ✓ | |
| http-disk-cache-compression-level | Compression level for the HTTP disk cache, ranging from 1 (little) to 9 (intense). Default is 5. | Shared | 5 | ✓ | ✓ | ✓ | |
| http-disk-cache-directory | Directory where HTTP cache is stored. | Shared | C:\Users\gle3.WS212\Invasive\Cache\http\gle3\shared | ✓ | ✓ | ✓ | |

| Code | Description | Origin | Default Value | Set from Connection String | Set from Set SQL-Statement | Set from Driver's File | Set from Log On |
|-------------------------------------|--|--------|---------------|----------------------------|----------------------------|------------------------|-----------------|
| http-disk-cache-ignore-write-errors | Whether to ignore write errors to disk cache. | Shared | False | ✓ | ✓ | ✓ | |
| http-disk-cache-max-age-sec | Maximum acceptable age in seconds for use of data in the HTTP disk cache. | Shared | 2592000 | ✓ | ✓ | ✓ | |
| http-get-timeout-max-ms | HTTP GET maximum timeout on retry (ms). | | 300000 | ✓ | ✓ | ✓ | |
| http-get-timeout-ms | HTTP GET timeout (ms). | | 60000 | ✓ | ✓ | ✓ | |
| http-memory-cache-compression-level | Compression level for the HTTP memory cache, ranging from 1 (little) to 9 (intense). Default is 5. | OData | 5 | ✓ | ✓ | ✓ | |
| http-memory-cache-max-age-sec | Maximum acceptable age in seconds for use of data in the HTTP memory cache. | OData | 14400 | ✓ | ✓ | ✓ | |
| http-post-timeout-max-ms | HTTP POST maximum timeout on retry (ms). | | 300000 | ✓ | ✓ | ✓ | |
| http-post-timeout-ms | HTTP POST timeout (ms). | | 300000 | ✓ | ✓ | ✓ | |
| ignore-http-400-errors | Ignore HTTP 400 errors when exchanging results with the OData endpoint. | | False | ✓ | ✓ | ✓ | |
| ignore-http-401-errors | Ignore HTTP 401 errors when exchanging results with the OData endpoint. | | False | ✓ | ✓ | ✓ | |
| ignore-http-402-errors | Ignore HTTP 402 errors when exchanging results with the OData endpoint. | | False | ✓ | ✓ | ✓ | |
| ignore-http-403-errors | Ignore HTTP 403 errors when exchanging results with the OData endpoint. | | False | ✓ | ✓ | ✓ | |
| ignore-http-404-errors | Ignore HTTP 404 errors when exchanging results with the OData endpoint. | | False | ✓ | ✓ | ✓ | |
| ignore-http-422-errors | Ignore HTTP 422 errors when exchanging results with the OData endpoint. | | False | ✓ | ✓ | ✓ | |
| ignore-http-429-errors | Ignore HTTP 429 errors when exchanging results with the OData endpoint. | | False | ✓ | ✓ | ✓ | |
| ignore-http-500-errors | Ignore HTTP 500 errors when exchanging results with the OData endpoint. | | False | ✓ | ✓ | ✓ | |
| ignore-http-502-errors | Ignore HTTP 502 errors when exchanging results with the OData endpoint. | | False | ✓ | ✓ | ✓ | |
| ignore-http-503-errors | Ignore HTTP 503 errors when exchanging results with the OData endpoint. | | False | ✓ | ✓ | ✓ | |

| Code | Description | Origin | Default Value | Set from Connection String | Set from Set SQL-Statement | Set from Drivers File | Set from Log On |
|--|---|---------------|---------------|----------------------------|----------------------------|-----------------------|-----------------|
| ignore-unknown-path-type | Whether to ignore path types not yet supported. An error will be generated when an unsupported type occurs. | | True | ✓ | ✓ | ✓ | ✓ |
| ignore-values-unknown-path | Whether to ignore values outside of processed paths. An error will be generated when a value occurs outside a path otherwise. | | True | ✓ | ✓ | ✓ | ✓ |
| invalid-json-on-get-max-tries | Maximum number of tries when the JSON received on GET is invalid. | | 10 | ✓ | ✓ | ✓ | |
| invalid-json-on-get-sleep-initial-ms | Initial sleep in milliseconds between retries when the JSON received on GET is invalid. | | 10000 | ✓ | ✓ | ✓ | |
| invalid-json-on-get-sleep-max-ms | Maximum sleep in milliseconds between retries when the JSON received on GET is invalid. | | 300000 | ✓ | ✓ | ✓ | |
| invalid-json-on-get-sleep-multiplicator | Multiplication factor for sleep between retries when the JSON received on GET is invalid. | | 2 | ✓ | ✓ | ✓ | |
| invalid-json-on-post-max-tries | Maximum number of tries when the JSON received on POST is invalid. | | 1 | ✓ | ✓ | ✓ | |
| invalid-json-on-post-sleep-initial-ms | Initial sleep in milliseconds between retries when the JSON received on POST is invalid. | | 10000 | ✓ | ✓ | ✓ | |
| invalid-json-on-post-sleep-max-ms | Maximum sleep in milliseconds between retries when the JSON received on POST is invalid. | | 300000 | ✓ | ✓ | ✓ | |
| invalid-json-on-post-sleep-multiplicator | Multiplication factor for sleep between retries when the JSON received on POST is invalid. | | 2 | ✓ | ✓ | ✓ | |
| invantive-sql-compress-sparse-arrays | Whether to compress sparse arrays in result sets during compression. | SQL Engine V1 | True | ✓ | ✓ | ✓ | |
| invantive-sql-correct-invalid-date | Whether to correct dates considered invalid since they are before 01-01-1753. When nullable, they are removed. Otherwise they are replaced by 01-01-1753. | SQL Engine V1 | False | ✓ | ✓ | ✓ | |
| invantive-sql-forward-filters-to-data-containers | Whether to forward filters to data containers. | SQL Engine V1 | True | ✓ | ✓ | ✓ | |
| invantive-sql-share-byte-arrays | Whether to share the memory used by identical byte arrays in result sets during compression. | SQL Engine V1 | True | ✓ | ✓ | ✓ | |
| invantive-sql-share-strings | Whether to share the memory used by identical strings in result sets during compression. | SQL Engine V1 | True | ✓ | ✓ | ✓ | |
| invantive-sql-shuffle-fetch | Whether to shuffle results fetched from data containers. | SQL Engine V1 | False | ✓ | ✓ | ✓ | |

| Code | Description | Origin | Default Value | Set from Connection String | Set from Set SQL-Statement | Set from Driver's File | Set from Log On |
|--|--|---------------|---------------|----------------------------|----------------------------|------------------------|-----------------|
| results-data-containers | | | | | | | |
| invantive-use-cache | Whether to cache the results of a query. | SQL Engine V1 | True | ✓ | ✓ | ✓ | |
| join-set-points-per-request | Maximum number of values in a request when executing a join set. | OData | 60 | ✓ | ✓ | ✓ | |
| limit-partition-calls-left | Minimum number of remaining API calls on a partition towards a hard limit. When below, an error is raised. | OData | 500 | ✓ | ✓ | ✓ | |
| log-native-calls-to-disk-max-events | Maximum number of events to register from last activation. | Shared | | ✓ | ✓ | ✓ | |
| log-native-calls-to-disk-max-seconds | Maximum number of seconds to register from last activation. | Shared | | ✓ | ✓ | ✓ | |
| log-native-calls-to-disk-on-error | Registers native calls to data container backend as disk files when an error occurred. | Shared | False | ✓ | ✓ | ✓ | |
| log-native-calls-to-disk-on-success | Registers native calls to data container backend as disk files when successful. | Shared | False | ✓ | ✓ | ✓ | |
| log-native-calls-to-trace | Log native calls to data container backend on the trace. | Shared | False | ✓ | ✓ | ✓ | |
| maximum-discovered-column-count | Maximum number of discovered columns. An error will be generated when the column exceeds this value. | | 250 | ✓ | ✓ | ✓ | ✓ |
| maximum-length-identifiers | Non-default maximum length in characters of identifier names. | Shared | | ✓ | ✓ | ✓ | |
| max-odata-filters | The maximum number of OData filter elements. | OData | 100 | ✓ | ✓ | ✓ | |
| max-url-length-accepted | The maximum accepted URL length before raising an error. | Shared | 8000 | ✓ | ✓ | ✓ | |
| max-url-length-desired | The maximum desired URL length. | Shared | 8000 | ✓ | ✓ | ✓ | |
| metadata-cache-max-age-sec | Maximum acceptable age in seconds for re-use of metadata. | OData | | ✓ | ✓ | ✓ | |
| oauth-unauthorized-max-tries | Maximum number of tries when an OAuth exception occurs. | OData | 2 | ✓ | ✓ | ✓ | |
| oauth-unauthorized-sleep-initial-ms | Initial sleep in milliseconds between OAuth reauthentication tries when the OAuth authentication fails. | OData | 10000 | ✓ | ✓ | ✓ | |
| oauth-unauthorized-sleep-max-ms | Maximum sleep in milliseconds between OAuth reauthentication tries when the OAuth authentication fails. | OData | 1000 | ✓ | ✓ | ✓ | |
| oauth-unauthorized-sleep-multiplicator | Multiplication factor for sleep between OAuth reauthentication tries when the OAuth authentication fails. | OData | 2 | ✓ | ✓ | ✓ | |

| Code | Description | Origin | Default Value | Set from Connection String | Set from Set SQL-Statement | Set from Drivers File | Set from Log On |
|---|--|----------|---------------|----------------------------|----------------------------|-----------------------|-----------------|
| partition-slot-based-rate-limit-length-ms | Total length in ms across all slots of a partition-based rate limit. | Shared | 60000 | ✓ | | ✓ | |
| partition-slot-based-rate-limit-slots | Number of slots per partition-based rate limit. Null means no slot-based rate limit | Shared | | ✓ | | ✓ | |
| pre-request-delay-ms | Pre-request delay in milliseconds per request. | Shared | 0 | ✓ | ✓ | ✓ | |
| requested-page-size | Preferred number of rows to exchange per round trip; only effective on limited platforms such as AFAS Online | Shared | | ✓ | ✓ | ✓ | |
| requests-parallel-max | Maximum number of parallel data requests from individual partitions on the data container. | Shared | 32 | ✓ | ✓ | ✓ | |
| service-url | {res:itgen_cloud_database_youtrack_service_url_tip} | YouTrack | | ✓ | | ✓ | ✓ |
| simulate-http-400-errors | Simulate HTTP 400 errors w hen exchanging results w ith the OData endpoint. | | False | ✓ | ✓ | ✓ | |
| simulate-http-400-errors-percentage | Percentage of simulated HTTP 400 errors w hen exchanging results w ith the OData endpoint. | | 0 | ✓ | ✓ | ✓ | |
| simulate-http-401-errors | Simulate HTTP 401 errors w hen exchanging results w ith the OData endpoint. | | False | ✓ | ✓ | ✓ | |
| simulate-http-401-errors-percentage | Percentage of simulated HTTP 401 errors w hen exchanging results w ith the OData endpoint. | | 0 | ✓ | ✓ | ✓ | |
| simulate-http-403-errors | Simulate HTTP 403 errors w hen exchanging results w ith the OData endpoint. | | False | ✓ | ✓ | ✓ | |
| simulate-http-403-errors-percentage | Percentage of simulated HTTP 403 errors w hen exchanging results w ith the OData endpoint. | | 0 | ✓ | ✓ | ✓ | |
| simulate-http-408-errors | Simulate HTTP 408 errors w hen exchanging results w ith the OData endpoint. | | False | ✓ | ✓ | ✓ | |
| simulate-http-408-errors-percentage | Percentage of simulated HTTP 408 errors w hen exchanging results w ith the OData endpoint. | | 0 | ✓ | ✓ | ✓ | |
| simulate-http-429-errors | Simulate HTTP 429 errors w hen exchanging results w ith the OData endpoint. | | False | ✓ | ✓ | ✓ | |
| simulate-http-429-errors-percentage | Percentage of simulated HTTP 429 errors w hen exchanging results w ith the OData endpoint. | | 0 | ✓ | ✓ | ✓ | |
| simulate-http-500-errors | Simulate HTTP 500 errors w hen exchanging results w ith the OData endpoint. | | False | ✓ | ✓ | ✓ | |

| Code | Description | Origin | Default Value | Set from Connection String | Set from Set SQL-Statement | Set from Driver's File | Set from Log On |
|---|---|--------|---------------|----------------------------|----------------------------|------------------------|-----------------|
| simulate-http-500-errors-percentage | Percentage of simulated HTTP 500 errors when exchanging results with the OData endpoint. | | 0 | ✓ | ✓ | ✓ | |
| simulate-http-502-errors | Simulate HTTP 502 errors when exchanging results with the OData endpoint. | | False | ✓ | ✓ | ✓ | |
| simulate-http-502-errors-percentage | Percentage of simulated HTTP 502 errors when exchanging results with the OData endpoint. | | 0 | ✓ | ✓ | ✓ | |
| simulate-http-503-errors | Simulate HTTP 503 errors when exchanging results with the OData endpoint. | | False | ✓ | ✓ | ✓ | |
| simulate-http-503-errors-percentage | Percentage of simulated HTTP 503 errors when exchanging results with the OData endpoint. | | 0 | ✓ | ✓ | ✓ | |
| simulate-http-protocol-errors | Simulate HTTP protocol errors when exchanging results with the OData endpoint. | | False | ✓ | ✓ | ✓ | |
| simulate-http-protocol-errors-percentage | Percentage of simulated HTTP protocol errors when exchanging results with the OData endpoint. | | 0 | ✓ | ✓ | ✓ | |
| simulate-http-timeout-errors | Simulate HTTP timeout errors when exchanging results with the OData endpoint. | | False | ✓ | ✓ | ✓ | |
| simulate-http-timeout-errors-percentage | Percentage of simulated HTTP timeout errors when exchanging results with the OData endpoint. | | 0 | ✓ | ✓ | ✓ | |
| slot-based-rate-limit-length-ms | Total length in ms across all slots of a slot-based rate limit. | Shared | 60000 | ✓ | | ✓ | |
| slot-based-rate-limit-slots | Number of slots of a slot-based rate limit. Null means no slot-based rate limit | Shared | | ✓ | | ✓ | |
| standardize-identifiers | Rewrite all identifiers to the preferred standards as configured by standardize-identifiers-casing and maximum-length-identifiers. | Shared | True | ✓ | ✓ | ✓ | |
| standardize-identifiers-casing | Rewrite all identifiers to the recommended standard platform-specific casing when changing a data model on a case-dependent platform. | Shared | True | ✓ | ✓ | ✓ | |
| swagger-specification-file | The Swagger file path, such as C:\temp\swagger.json. | | | ✓ | ✓ | ✓ | ✓ |
| swagger-specification-http-disk-cache-max-age-sec | Maximum acceptable age in seconds for use of Swagger specification data in the HTTP disk cache. | | 86400 | ✓ | ✓ | ✓ | |
| swagger-specification-url | The Swagger URL such as https://example.org/rest/swagger.json. | | | ✓ | ✓ | ✓ | ✓ |

| Code | Description | Origin | Default Value | Set from Connection String | Set from Set SQL-Statement | Set from Driver's File | Set from Log On |
|-----------------------------|---|--------|---------------|----------------------------|----------------------------|------------------------|-----------------|
| use-batch-insert | Whether to use batch insert. | OData | True | ✓ | ✓ | ✓ | |
| use-http-disk-cache-read | Whether to use HTTP responses from previous queries stored on disk to answer the current query. | Shared | False | ✓ | ✓ | ✓ | |
| use-http-disk-cache-write | Whether to memorize HTTP responses on disk. | Shared | False | ✓ | ✓ | ✓ | |
| use-http-memory-cache-read | Whether to use HTTP responses from previous queries stored in memory that can answer the current query. | OData | True | ✓ | ✓ | ✓ | |
| use-http-memory-cache-write | Whether to memorize HTTP responses from previous queries for use by future queries. | OData | True | ✓ | ✓ | ✓ | |

3 Schema: Activities

3.1 Tables

3.1.1 Activities: YouTrack Activities

Catalog: YouTrack

Schema: Activities

Label: Activities

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/activities`

Insert YouTrack API URL: `/activities`

Update YouTrack API URL: `/activities`

Delete YouTrack API URL: `/activities`

Field Selection Method: `NotRequired`

Select YouTrack API Operation: `get /activities`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `Activities`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four

parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------------|-----------|--------------------------|---------------|---|
| author | string | <input type="checkbox"/> | | Parameter to filter activities by the author. The database id or login, or Hub id, or 'me' for the current logged in user could be specified. |
| categories | string | <input type="checkbox"/> | | |
| end | string | <input type="checkbox"/> | | End timestamp of the time interval the activity timestamp belongs to. If the parameter is not set, it is considered as Long.MAX_VALUE. |
| issueQuery | string | <input type="checkbox"/> | | Issues search query. Read more about Search-and-Command-Attributes.xml search syntax. |
| reverse | boolean | <input type="checkbox"/> | | Indicates whether the order of returning activities is from newest to oldest or the opposite. If "false", then the oldest activity item that matches a selected filter is returned first. If "true", then the newest activity is returned first. By default, "false". |
| start | string | <input type="checkbox"/> | | Start timestamp of the time interval the activity timestamp belongs to. If the parameter is not set, it is considered to be 0. |

Table Function Columns

The columns of the table function `Activities` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|--------------------------|-----------|-------|--------------------------|---------------|
| \$type | string | | <input type="checkbox"/> | |
| author_\$type | string | | <input type="checkbox"/> | |
| author_avatarUrl | string | | <input type="checkbox"/> | |
| author_banned | boolean | | <input type="checkbox"/> | |
| author_email | string | | <input type="checkbox"/> | |
| author_fullName | string | | <input type="checkbox"/> | |
| author_guest | boolean | | <input type="checkbox"/> | |
| author_id | string | | <input type="checkbox"/> | |
| author_jabberAccountName | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|------------------------|-----------|---------------|--------------------------|---------------|
| author_login | string | | <input type="checkbox"/> | |
| author_online | boolean | | <input type="checkbox"/> | |
| author_profiles_\$type | string | | <input type="checkbox"/> | |
| author_profiles_id | string | | <input type="checkbox"/> | |
| author_ringId | string | | <input type="checkbox"/> | |
| category_\$type | string | | <input type="checkbox"/> | |
| category_id | string | | <input type="checkbox"/> | |
| field_\$type | string | | <input type="checkbox"/> | |
| field_id | string | | <input type="checkbox"/> | |
| field_name | string | | <input type="checkbox"/> | |
| field_presentation | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| targetMember | string | Target member | <input type="checkbox"/> | |
| timestamp | int64 | Timestamp | <input type="checkbox"/> | |

3.1.2 ActivityById

Catalog: YouTrack

Schema: Activities

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/activities/{id}`

Insert YouTrack API URL: `/activities/{id}`

Update YouTrack API URL: `/activities/{id}`

Delete YouTrack API URL: `/activities/{id}`

Field Selection Method: NotRequired

Select YouTrack API Operation: `get /activities/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `ActivityById`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the

default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `ActivityById` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|--------------------------|-----------|---------------|--------------------------|---------------|
| \$type | string | | <input type="checkbox"/> | |
| author_\$type | string | | <input type="checkbox"/> | |
| author_avatarUrl | string | | <input type="checkbox"/> | |
| author_banned | boolean | | <input type="checkbox"/> | |
| author_email | string | | <input type="checkbox"/> | |
| author_fullName | string | | <input type="checkbox"/> | |
| author_guest | boolean | | <input type="checkbox"/> | |
| author_id | string | | <input type="checkbox"/> | |
| author_jabberAccountName | string | | <input type="checkbox"/> | |
| author_login | string | | <input type="checkbox"/> | |
| author_online | boolean | | <input type="checkbox"/> | |
| author_profiles_\$type | string | | <input type="checkbox"/> | |
| author_profiles_id | string | | <input type="checkbox"/> | |
| author_ringId | string | | <input type="checkbox"/> | |
| category_\$type | string | | <input type="checkbox"/> | |
| category_id | string | | <input type="checkbox"/> | |
| field_\$type | string | | <input type="checkbox"/> | |
| field_id | string | | <input type="checkbox"/> | |
| field_name | string | | <input type="checkbox"/> | |
| field_presentation | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| targetMember | string | Target member | <input type="checkbox"/> | |
| timestamp | int64 | Timestamp | <input type="checkbox"/> | |

3.1.3 ActivityPages

Catalog: YouTrack

Schema: Activities

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: /activitiesPage

Insert YouTrack API URL: /activitiesPage

Update YouTrack API URL: /activitiesPage

Delete YouTrack API URL: /activitiesPage

Field Selection Method: NotRequired

Select YouTrack API Operation: get /activitiesPage

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function ActivityPages. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------------|-----------|--------------------------|---------------|--|
| activityId | string | <input type="checkbox"/> | | ID of the activity that should be included in the page. The activity is allocated to the middle of the page. |
| author | string | <input type="checkbox"/> | | Parameter to filter activities by the author. The database id or login, or Hub id, or 'me' for the current logged in user could be specified. |
| categories | string | <input type="checkbox"/> | | |
| cursor | string | <input type="checkbox"/> | | |
| end | string | <input type="checkbox"/> | | End timestamp of the time interval the activity timestamp belongs to. If the parameter is not set, it is considered as Long.MAX_VALUE. |
| issueQuery | string | <input type="checkbox"/> | | Issues search query. Read more about Search-and-Command-Attributes.xml >search syntax . |
| reverse | boolean | <input type="checkbox"/> | | Indicates whether the order of returning activities is from newest to oldest or the opposite. If "false", then the oldest activity item that matches a selected filter is returned first. If |

| Name | Data Type | Required | Default Value | Documentation |
|-------|-----------|--------------------------|---------------|---|
| | | | | "true", then the new est activity is returned first. By default, "false". |
| start | string | <input type="checkbox"/> | | Start timestamp of the time interval the activity timestamp belongs to.If the parameter is not set, it is considered to be 0. |

Table Function Columns

The columns of the table function `ActivityPages` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|--------------|-----------|---------------|--------------------------|---------------|
| \$type | string | | <input type="checkbox"/> | |
| afterCursor | string | After Cursor | <input type="checkbox"/> | |
| beforeCursor | string | Before Cursor | <input type="checkbox"/> | |
| hasAfter | boolean | Has After | <input type="checkbox"/> | |
| hasBefore | boolean | Has Before | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| reverse | boolean | Reverse | <input type="checkbox"/> | |

3.1.4 ProjectActivityPages

Catalog: YouTrack

Schema: Activities

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/activitiesPage`

Insert YouTrack API URL: `/activitiesPage`

Update YouTrack API URL: `/activitiesPage`

Delete YouTrack API URL: `/activitiesPage`

Field Selection Method: `NotRequired`

Base Path: `activities[*]`

Select YouTrack API Operation: `get /activitiesPage`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `ProjectActivityPages`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------------|-----------|--------------------------|---------------|---|
| activityId | string | <input type="checkbox"/> | | ID of the activity that should be included in the page. The activity is allocated to the middle of the page. |
| author | string | <input type="checkbox"/> | | Parameter to filter activities by the author. The database id or login, or Hub id, or 'me' for the current logged in user could be specified. |
| categories | string | <input type="checkbox"/> | | |
| cursor | string | <input type="checkbox"/> | | |
| end | string | <input type="checkbox"/> | | End timestamp of the time interval the activity timestamp belongs to. If the parameter is not set, it is considered as Long.MAX_VALUE. |
| issueQuery | string | <input type="checkbox"/> | | Issues search query. Read more about Search-and-Command-Attributes.xml search syntax. |
| reverse | boolean | <input type="checkbox"/> | | Indicates whether the order of returning activities is from newest to oldest or the opposite. If "false", then the oldest activity item that matches a selected filter is returned first. If "true", then the newest activity is returned first. By default, "false". |
| start | string | <input type="checkbox"/> | | Start timestamp of the time interval the activity timestamp belongs to. If the parameter is not set, it is considered to be 0. |

Table Function Columns

The columns of the table function `ProjectActivityPages` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|-------------|-----------|--------------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| afterCursor | string | After Cursor | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--------------------------|-----------|---------------|--------------------------|---------------|
| author_\$type | string | | <input type="checkbox"/> | |
| author_avatarUrl | string | | <input type="checkbox"/> | |
| author_banned | boolean | | <input type="checkbox"/> | |
| author_email | string | | <input type="checkbox"/> | |
| author_fullName | string | | <input type="checkbox"/> | |
| author_guest | boolean | | <input type="checkbox"/> | |
| author_id | string | | <input type="checkbox"/> | |
| author_jabberAccountName | string | | <input type="checkbox"/> | |
| author_login | string | | <input type="checkbox"/> | |
| author_online | boolean | | <input type="checkbox"/> | |
| author_ringId | string | | <input type="checkbox"/> | |
| beforeCursor | string | Before Cursor | <input type="checkbox"/> | |
| category_\$type | string | | <input type="checkbox"/> | |
| category_id | string | | <input type="checkbox"/> | |
| field_\$type | string | | <input type="checkbox"/> | |
| field_id | string | | <input type="checkbox"/> | |
| field_name | string | | <input type="checkbox"/> | |
| field_presentation | string | | <input type="checkbox"/> | |
| hasAfter | boolean | Has After | <input type="checkbox"/> | |
| hasBefore | boolean | Has Before | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| reverse | boolean | Reverse | <input type="checkbox"/> | |
| targetMember | string | Target member | <input type="checkbox"/> | |
| timestamp | int64 | Timestamp | <input type="checkbox"/> | |

4 Schema: Admin

4.1 Tables

4.1.1 AllowedOriginRestSettings

Catalog: YouTrack

Schema: Admin

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/globalSettings/restSettings`

Insert YouTrack API URL: `/admin/globalSettings/restSettings`

Update YouTrack API URL: `/admin/globalSettings/restSettings`

Delete YouTrack API URL: `/admin/globalSettings/restSettings`

Field Selection Method: NotRequired

Base Path: `allowedOrigins[*]`

Select YouTrack API Operation: `get /admin/globalSettings/restSettings`

Table Function Columns

The columns of the table function `AllowedOriginRestSettings` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|-------------------------------|-----------|-------------------|--------------------------|---------------|
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>allow AllOrigins</code> | boolean | Allow All Origins | <input type="checkbox"/> | |
| <code>id</code> | string | ID | <input type="checkbox"/> | |
| <code>TEXT</code> | string | Text | <input type="checkbox"/> | |

4.1.2 AppearanceSettings

Catalog: YouTrack

Schema: Admin

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/globalSettings/appearanceSettings`

Insert YouTrack API URL: `/admin/globalSettings/appearanceSettings`

Update YouTrack API URL: `/admin/globalSettings/appearanceSettings`

Delete YouTrack API URL: `/admin/globalSettings/appearanceSettings`

Field Selection Method: NotRequired

Select YouTrack API Operation:

`get /admin/globalSettings/appearanceSettings`

Table Function Columns

The columns of the table function `AppearanceSettings` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------|--------------------------|---------------|
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>dateFieldFormat_\$type</code> | string | | <input type="checkbox"/> | |
| <code>dateFieldFormat_datePattern</code> | string | | <input type="checkbox"/> | |
| <code>dateFieldFormat_id</code> | string | | <input type="checkbox"/> | |
| <code>dateFieldFormat_pattern</code> | string | | <input type="checkbox"/> | |
| <code>dateFieldFormat_presentation</code> | string | | <input type="checkbox"/> | |
| <code>id</code> | string | ID | <input type="checkbox"/> | |
| <code>logo_\$type</code> | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|-----------------------|-----------|-------|--------------------------|---------------|
| logo_id | string | | <input type="checkbox"/> | |
| logo_url | string | | <input type="checkbox"/> | |
| timeZone_\$type | string | | <input type="checkbox"/> | |
| timeZone_id | string | | <input type="checkbox"/> | |
| timeZone_offset | int32 | | <input type="checkbox"/> | |
| timeZone_presentation | string | | <input type="checkbox"/> | |

4.1.3 GlobalSettings

Catalog: YouTrack

Schema: Admin

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/globalSettings`

Insert YouTrack API URL: `/admin/globalSettings`

Update YouTrack API URL: `/admin/globalSettings`

Delete YouTrack API URL: `/admin/globalSettings`

Field Selection Method: `NotRequired`

Select YouTrack API Operation: `get /admin/globalSettings`

Table Function Columns

The columns of the table function `GlobalSettings` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------|--------------------------|---------------|
| \$type | string | | <input type="checkbox"/> | |
| appearanceSettings_\$type | string | | <input type="checkbox"/> | |
| appearanceSettings_dateFieldForm at_\$type | string | | <input type="checkbox"/> | |
| appearanceSettings_dateFieldForm at_datePattern | string | | <input type="checkbox"/> | |
| appearanceSettings_dateFieldForm at_id | string | | <input type="checkbox"/> | |
| appearanceSettings_dateFieldForm at_pattern | string | | <input type="checkbox"/> | |
| appearanceSettings_dateFieldForm at_presentation | string | | <input type="checkbox"/> | |
| appearanceSettings_id | string | | <input type="checkbox"/> | |
| appearanceSettings_logo_\$type | string | | <input type="checkbox"/> | |
| appearanceSettings_logo_id | string | | <input type="checkbox"/> | |
| appearanceSettings_logo_url | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------|--------------------------|---------------|
| appearanceSettings_timeZone_\$type | string | | <input type="checkbox"/> | |
| appearanceSettings_timeZone_id | string | | <input type="checkbox"/> | |
| appearanceSettings_timeZone_offset | int32 | | <input type="checkbox"/> | |
| appearanceSettings_timeZone_presentation | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| license_\$type | string | | <input type="checkbox"/> | |
| license_error | string | | <input type="checkbox"/> | |
| license_id | string | | <input type="checkbox"/> | |
| license_license | string | | <input type="checkbox"/> | |
| license_username | string | | <input type="checkbox"/> | |
| localeSettings_\$type | string | | <input type="checkbox"/> | |
| localeSettings_id | string | | <input type="checkbox"/> | |
| localeSettings_isRTL | boolean | | <input type="checkbox"/> | |
| localeSettings_locale_\$type | string | | <input type="checkbox"/> | |
| localeSettings_locale_community | boolean | | <input type="checkbox"/> | |
| localeSettings_locale_id | string | | <input type="checkbox"/> | |
| localeSettings_locale_language | string | | <input type="checkbox"/> | |
| localeSettings_locale_locale | string | | <input type="checkbox"/> | |
| localeSettings_locale_name | string | | <input type="checkbox"/> | |
| notificationSettings_\$type | string | | <input type="checkbox"/> | |
| notificationSettings_emailSettings_\$type | string | | <input type="checkbox"/> | |
| notificationSettings_emailSettings_anonymous | boolean | | <input type="checkbox"/> | |
| notificationSettings_emailSettings_from | string | | <input type="checkbox"/> | |
| notificationSettings_emailSettings_host | string | | <input type="checkbox"/> | |
| notificationSettings_emailSettings_id | string | | <input type="checkbox"/> | |
| notificationSettings_emailSettings_isEnabled | boolean | | <input type="checkbox"/> | |
| notificationSettings_emailSettings_login | string | | <input type="checkbox"/> | |
| notificationSettings_emailSettings_mailProtocol | string | | <input type="checkbox"/> | |
| notificationSettings_emailSettings_port | int32 | | <input type="checkbox"/> | |
| notificationSettings_emailSettings_replyTo | string | | <input type="checkbox"/> | |
| notificationSettings_id | string | | <input type="checkbox"/> | |
| notificationSettings_jabberSettings_\$type | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------|--------------------------|---------------|
| notificationSettings_jabberSettings_host | string | | <input type="checkbox"/> | |
| notificationSettings_jabberSettings_id | string | | <input type="checkbox"/> | |
| notificationSettings_jabberSettings_isEnabled | boolean | | <input type="checkbox"/> | |
| notificationSettings_jabberSettings_login | string | | <input type="checkbox"/> | |
| notificationSettings_jabberSettings_port | int32 | | <input type="checkbox"/> | |
| notificationSettings_jabberSettings_serviceName | string | | <input type="checkbox"/> | |
| restSettings_\$type | string | | <input type="checkbox"/> | |
| restSettings_allow AllOrigins | boolean | | <input type="checkbox"/> | |
| restSettings_id | string | | <input type="checkbox"/> | |
| systemSettings_\$type | string | | <input type="checkbox"/> | |
| systemSettings_administratorEmail | string | | <input type="checkbox"/> | |
| systemSettings_allow StatisticsCollection | boolean | | <input type="checkbox"/> | |
| systemSettings_baseUrl | string | | <input type="checkbox"/> | |
| systemSettings_id | string | | <input type="checkbox"/> | |
| systemSettings_isApplicationRead Only | boolean | | <input type="checkbox"/> | |
| systemSettings_maxExportItems | int32 | | <input type="checkbox"/> | |
| systemSettings_maxUploadFileSize | int64 | | <input type="checkbox"/> | |

4.1.4 IssueAttachments

Catalog: YouTrack

Schema: Admin

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/projects`

Insert YouTrack API URL: `/admin/projects`

Update YouTrack API URL: `/admin/projects`

Delete YouTrack API URL: `/admin/projects`

Field Selection Method: `NotRequired`

Base Path: `issues[*].attachments[*]`

Select YouTrack API Operation: `get /admin/projects`

Table Function Columns

The columns of the table function `IssueAttachments` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|---|-----------|----------------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type_2</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>archived</code> | boolean | Archived | <input type="checkbox"/> | |
| <code>base64Content</code> | string | Base64 Content | <input type="checkbox"/> | |
| <code>charset</code> | string | Charset | <input type="checkbox"/> | |
| <code>commentsCount</code> | int32 | Comments Count | <input type="checkbox"/> | |
| <code>created_1</code> | int64 | | <input type="checkbox"/> | |
| <code>created</code> | int64 | Created | <input type="checkbox"/> | |
| <code>createdBy_\$type</code> | string | | <input type="checkbox"/> | |
| <code>createdBy_avatarUrl</code> | string | | <input type="checkbox"/> | |
| <code>createdBy_banned</code> | boolean | | <input type="checkbox"/> | |
| <code>createdBy_email</code> | string | | <input type="checkbox"/> | |
| <code>createdBy_fullName</code> | string | | <input type="checkbox"/> | |
| <code>createdBy_guest</code> | boolean | | <input type="checkbox"/> | |
| <code>createdBy_id</code> | string | | <input type="checkbox"/> | |
| <code>createdBy_jabberAccountName</code> | string | | <input type="checkbox"/> | |
| <code>createdBy_login</code> | string | | <input type="checkbox"/> | |
| <code>createdBy_online</code> | boolean | | <input type="checkbox"/> | |
| <code>createdBy_profiles_\$type</code> | string | | <input type="checkbox"/> | |
| <code>createdBy_profiles_id</code> | string | | <input type="checkbox"/> | |
| <code>createdBy_ringId</code> | string | | <input type="checkbox"/> | |
| <code>description_1</code> | string | | <input type="checkbox"/> | |
| <code>description</code> | string | Description | <input type="checkbox"/> | |
| <code>draft</code> | boolean | Draft | <input type="checkbox"/> | |
| <code>draftOwner_\$type</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_avatarUrl</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_banned</code> | boolean | | <input type="checkbox"/> | |
| <code>draftOwner_email</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_fullName</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_guest</code> | boolean | | <input type="checkbox"/> | |
| <code>draftOwner_id</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_jabberAccountName</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_login</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_online</code> | boolean | | <input type="checkbox"/> | |
| <code>draftOwner_ringId</code> | string | | <input type="checkbox"/> | |
| <code>extension</code> | string | Extension | <input type="checkbox"/> | |
| <code>externalIssue_\$type</code> | string | | <input type="checkbox"/> | |
| <code>externalIssue_id</code> | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--------------------------|-----------|-------------------|--------------------------|---------------|
| externalIssue_key | string | | <input type="checkbox"/> | |
| externalIssue_name | string | | <input type="checkbox"/> | |
| externalIssue_url | string | | <input type="checkbox"/> | |
| fromEmail | string | From Email | <input type="checkbox"/> | |
| iconUrl | string | Icon (URL) | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| leader_\$type | string | | <input type="checkbox"/> | |
| leader_avatarUrl | string | | <input type="checkbox"/> | |
| leader_banned | boolean | | <input type="checkbox"/> | |
| leader_email | string | | <input type="checkbox"/> | |
| leader_fullName | string | | <input type="checkbox"/> | |
| leader_guest | boolean | | <input type="checkbox"/> | |
| leader_id | string | | <input type="checkbox"/> | |
| leader_jabberAccountName | string | | <input type="checkbox"/> | |
| leader_login | string | | <input type="checkbox"/> | |
| leader_online | boolean | | <input type="checkbox"/> | |
| leader_profiles_\$type | string | | <input type="checkbox"/> | |
| leader_profiles_id | string | | <input type="checkbox"/> | |
| leader_ringId | string | | <input type="checkbox"/> | |
| metaData | string | Metadata | <input type="checkbox"/> | |
| contentType | string | MIME-type | <input type="checkbox"/> | |
| name_1 | string | | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| removed | boolean | Removed | <input type="checkbox"/> | |
| replyToEmail | string | Reply-to Email | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|------------------------------------|-----------|-----------------|--------------------------|---------------|
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| shortName | string | Short Name | <input type="checkbox"/> | |
| size | int64 | Size | <input type="checkbox"/> | |
| startingNumber | int64 | Starting Number | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| team_\$type | string | | <input type="checkbox"/> | |
| team_allUsersGroup | boolean | | <input type="checkbox"/> | |
| team_icon | string | | <input type="checkbox"/> | |
| team_id | string | | <input type="checkbox"/> | |
| team_name | string | | <input type="checkbox"/> | |
| team_ringId | string | | <input type="checkbox"/> | |
| team_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| team_teamForProject_description | string | | <input type="checkbox"/> | |
| team_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| team_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| team_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| team_teamForProject_shortName | string | | <input type="checkbox"/> | |
| team_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| team_teamForProject_template | boolean | | <input type="checkbox"/> | |
| team_usersCount | int64 | | <input type="checkbox"/> | |
| template | boolean | Template | <input type="checkbox"/> | |
| thumbnailURL | string | Thumbnail (URL) | <input type="checkbox"/> | |
| updated_1 | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---------------------------|-----------|----------------------|--------------------------|---------------|
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| url | string | URL | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Markdown | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

4.1.5 IssueComments

Catalog: YouTrack

Schema: Admin

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/projects`

Insert YouTrack API URL: `/admin/projects`

Update YouTrack API URL: `/admin/projects`

Delete YouTrack API URL: `/admin/projects`

Field Selection Method: `NotRequired`

Base Path: `issues[*].comments[*]`

Select YouTrack API Operation: `get /admin/projects`

Table Function Columns

The columns of the table function `IssueComments` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|---|-----------|----------------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type_2</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>archived</code> | boolean | Archived | <input type="checkbox"/> | |
| <code>commentsCount</code> | int32 | Comments Count | <input type="checkbox"/> | |
| <code>created_1</code> | int64 | | <input type="checkbox"/> | |
| <code>created</code> | int64 | Created | <input type="checkbox"/> | |
| <code>createdBy_\$type</code> | string | | <input type="checkbox"/> | |
| <code>createdBy_avatarUrl</code> | string | | <input type="checkbox"/> | |
| <code>createdBy_banned</code> | boolean | | <input type="checkbox"/> | |
| <code>createdBy_email</code> | string | | <input type="checkbox"/> | |
| <code>createdBy_fullName</code> | string | | <input type="checkbox"/> | |
| <code>createdBy_guest</code> | boolean | | <input type="checkbox"/> | |
| <code>createdBy_id</code> | string | | <input type="checkbox"/> | |
| <code>createdBy_jabberAccountName</code> | string | | <input type="checkbox"/> | |
| <code>createdBy_login</code> | string | | <input type="checkbox"/> | |
| <code>createdBy_online</code> | boolean | | <input type="checkbox"/> | |
| <code>createdBy_profiles_\$type</code> | string | | <input type="checkbox"/> | |
| <code>createdBy_profiles_id</code> | string | | <input type="checkbox"/> | |
| <code>createdBy_ringId</code> | string | | <input type="checkbox"/> | |
| <code>deleted</code> | boolean | Deleted | <input type="checkbox"/> | |
| <code>description_1</code> | string | | <input type="checkbox"/> | |
| <code>description</code> | string | Description | <input type="checkbox"/> | |
| <code>draftOwner_\$type</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_avatarUrl</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_banned</code> | boolean | | <input type="checkbox"/> | |
| <code>draftOwner_email</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_fullName</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_guest</code> | boolean | | <input type="checkbox"/> | |
| <code>draftOwner_id</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_jabberAccountName</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_login</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_online</code> | boolean | | <input type="checkbox"/> | |
| <code>draftOwner_ringId</code> | string | | <input type="checkbox"/> | |
| <code>externalIssue_\$type</code> | string | | <input type="checkbox"/> | |
| <code>externalIssue_id</code> | string | | <input type="checkbox"/> | |
| <code>externalIssue_key</code> | string | | <input type="checkbox"/> | |
| <code>externalIssue_name</code> | string | | <input type="checkbox"/> | |
| <code>externalIssue_url</code> | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--------------------------|-----------|-------------------|--------------------------|---------------|
| fromEmail | string | From Email | <input type="checkbox"/> | |
| iconUrl | string | Icon (URL) | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| leader_\$type | string | | <input type="checkbox"/> | |
| leader_avatarUrl | string | | <input type="checkbox"/> | |
| leader_banned | boolean | | <input type="checkbox"/> | |
| leader_email | string | | <input type="checkbox"/> | |
| leader_fullName | string | | <input type="checkbox"/> | |
| leader_guest | boolean | | <input type="checkbox"/> | |
| leader_id | string | | <input type="checkbox"/> | |
| leader_jabberAccountName | string | | <input type="checkbox"/> | |
| leader_login | string | | <input type="checkbox"/> | |
| leader_online | boolean | | <input type="checkbox"/> | |
| leader_profiles_\$type | string | | <input type="checkbox"/> | |
| leader_profiles_id | string | | <input type="checkbox"/> | |
| leader_ringId | string | | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| replyToEmail | string | Reply-to Email | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|------------------------------------|-----------|-----------------|--------------------------|---------------|
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| shortName | string | Short Name | <input type="checkbox"/> | |
| startingNumber | int64 | Starting Number | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| team_\$type | string | | <input type="checkbox"/> | |
| team_allUsersGroup | boolean | | <input type="checkbox"/> | |
| team_icon | string | | <input type="checkbox"/> | |
| team_id | string | | <input type="checkbox"/> | |
| team_name | string | | <input type="checkbox"/> | |
| team_ringId | string | | <input type="checkbox"/> | |
| team_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| team_teamForProject_description | string | | <input type="checkbox"/> | |
| team_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| team_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| team_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| team_teamForProject_shortName | string | | <input type="checkbox"/> | |
| team_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| team_teamForProject_template | boolean | | <input type="checkbox"/> | |
| team_usersCount | int64 | | <input type="checkbox"/> | |
| template | boolean | Template | <input type="checkbox"/> | |
| text | string | Text | <input type="checkbox"/> | |
| textPreview | string | Text Preview | <input type="checkbox"/> | |
| updated_1 | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---------------------|-----------|----------------------|--------------------------|---------------|
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| usesMarkdown_1 | boolean | | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Mark Down | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

4.1.6 IssueCustomFields

Catalog: YouTrack

Schema: Admin

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/projects`

Insert YouTrack API URL: `/admin/projects`

Update YouTrack API URL: `/admin/projects`

Delete YouTrack API URL: `/admin/projects`

Field Selection Method: `NotRequired`

Base Path: `issues[*].customFields[*]`

Select YouTrack API Operation: `get /admin/projects`

Table Function Columns

The columns of the table function `IssueCustomFields` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|---------------|-----------|----------------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type_2 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| archived | boolean | Archived | <input type="checkbox"/> | |
| commentsCount | int32 | Comments Count | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|------------------------------|-----------|-------------|--------------------------|---------------|
| created | int64 | Created | <input type="checkbox"/> | |
| createdBy_\$type | string | | <input type="checkbox"/> | |
| createdBy_avatarUrl | string | | <input type="checkbox"/> | |
| createdBy_banned | boolean | | <input type="checkbox"/> | |
| createdBy_email | string | | <input type="checkbox"/> | |
| createdBy_fullName | string | | <input type="checkbox"/> | |
| createdBy_guest | boolean | | <input type="checkbox"/> | |
| createdBy_id | string | | <input type="checkbox"/> | |
| createdBy_jabberAccountName | string | | <input type="checkbox"/> | |
| createdBy_login | string | | <input type="checkbox"/> | |
| createdBy_online | boolean | | <input type="checkbox"/> | |
| createdBy_profiles_\$type | string | | <input type="checkbox"/> | |
| createdBy_profiles_id | string | | <input type="checkbox"/> | |
| createdBy_ringId | string | | <input type="checkbox"/> | |
| description_1 | string | | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| draftOwner_\$type | string | | <input type="checkbox"/> | |
| draftOwner_avatarUrl | string | | <input type="checkbox"/> | |
| draftOwner_banned | boolean | | <input type="checkbox"/> | |
| draftOwner_email | string | | <input type="checkbox"/> | |
| draftOwner_fullName | string | | <input type="checkbox"/> | |
| draftOwner_guest | boolean | | <input type="checkbox"/> | |
| draftOwner_id | string | | <input type="checkbox"/> | |
| draftOwner_jabberAccountName | string | | <input type="checkbox"/> | |
| draftOwner_login | string | | <input type="checkbox"/> | |
| draftOwner_online | boolean | | <input type="checkbox"/> | |
| draftOwner_ringId | string | | <input type="checkbox"/> | |
| externalIssue_\$type | string | | <input type="checkbox"/> | |
| externalIssue_id | string | | <input type="checkbox"/> | |
| externalIssue_key | string | | <input type="checkbox"/> | |
| externalIssue_name | string | | <input type="checkbox"/> | |
| externalIssue_url | string | | <input type="checkbox"/> | |
| fromEmail | string | From Email | <input type="checkbox"/> | |
| iconUrl | string | Icon (URL) | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| leader_\$type | string | | <input type="checkbox"/> | |
| leader_avatarUrl | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|----------------------------|-----------|-------------------|--------------------------|---------------|
| leader_banned | boolean | | <input type="checkbox"/> | |
| leader_email | string | | <input type="checkbox"/> | |
| leader_fullName | string | | <input type="checkbox"/> | |
| leader_guest | boolean | | <input type="checkbox"/> | |
| leader_id | string | | <input type="checkbox"/> | |
| leader_jabberAccountName | string | | <input type="checkbox"/> | |
| leader_login | string | | <input type="checkbox"/> | |
| leader_online | boolean | | <input type="checkbox"/> | |
| leader_profiles_\$type | string | | <input type="checkbox"/> | |
| leader_profiles_id | string | | <input type="checkbox"/> | |
| leader_ringId | string | | <input type="checkbox"/> | |
| name_1 | string | | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| replyToEmail | string | Reply-to Email | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| shortName | string | Short Name | <input type="checkbox"/> | |
| startingNumber | int64 | Starting Number | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|------------------------------------|-----------|----------------|--------------------------|---------------|
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| team_\$type | string | | <input type="checkbox"/> | |
| team_allUsersGroup | boolean | | <input type="checkbox"/> | |
| team_icon | string | | <input type="checkbox"/> | |
| team_id | string | | <input type="checkbox"/> | |
| team_name | string | | <input type="checkbox"/> | |
| team_ringId | string | | <input type="checkbox"/> | |
| team_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| team_teamForProject_description | string | | <input type="checkbox"/> | |
| team_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| team_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| team_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| team_teamForProject_shortName | string | | <input type="checkbox"/> | |
| team_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| team_teamForProject_template | boolean | | <input type="checkbox"/> | |
| team_usersCount | int64 | | <input type="checkbox"/> | |
| template | boolean | Template | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Mark Down | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---------------------|-----------|----------------------|--------------------------|---------------|
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

4.1.7 IssueLinks

Catalog: YouTrack

Schema: Admin

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/projects`

Insert YouTrack API URL: `/admin/projects`

Update YouTrack API URL: `/admin/projects`

Delete YouTrack API URL: `/admin/projects`

Field Selection Method: `NotRequired`

Base Path: `issues[*].links[*]`

Select YouTrack API Operation: `get /admin/projects`

Table Function Columns

The columns of the table function `IssueLinks` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|--|-----------|----------------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type_2</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>archived</code> | boolean | Archived | <input type="checkbox"/> | |
| <code>commentsCount</code> | int32 | Comments Count | <input type="checkbox"/> | |
| <code>created</code> | int64 | Created | <input type="checkbox"/> | |
| <code>createdBy_\$type</code> | string | | <input type="checkbox"/> | |
| <code>createdBy_avatarUrl</code> | string | | <input type="checkbox"/> | |
| <code>createdBy_banned</code> | boolean | | <input type="checkbox"/> | |
| <code>createdBy_email</code> | string | | <input type="checkbox"/> | |
| <code>createdBy_fullName</code> | string | | <input type="checkbox"/> | |
| <code>createdBy_guest</code> | boolean | | <input type="checkbox"/> | |
| <code>createdBy_id</code> | string | | <input type="checkbox"/> | |
| <code>createdBy_jabberAccountName</code> | string | | <input type="checkbox"/> | |
| <code>createdBy_login</code> | string | | <input type="checkbox"/> | |
| <code>createdBy_online</code> | boolean | | <input type="checkbox"/> | |
| <code>createdBy_profiles_\$type</code> | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|------------------------------|-----------|-------------|--------------------------|---------------|
| createdBy_profiles_id | string | | <input type="checkbox"/> | |
| createdBy_ringId | string | | <input type="checkbox"/> | |
| description_1 | string | | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| direction | string | Direction | <input type="checkbox"/> | |
| draftOwner_\$type | string | | <input type="checkbox"/> | |
| draftOwner_avatarUrl | string | | <input type="checkbox"/> | |
| draftOwner_banned | boolean | | <input type="checkbox"/> | |
| draftOwner_email | string | | <input type="checkbox"/> | |
| draftOwner_fullName | string | | <input type="checkbox"/> | |
| draftOwner_guest | boolean | | <input type="checkbox"/> | |
| draftOwner_id | string | | <input type="checkbox"/> | |
| draftOwner_jabberAccountName | string | | <input type="checkbox"/> | |
| draftOwner_login | string | | <input type="checkbox"/> | |
| draftOwner_online | boolean | | <input type="checkbox"/> | |
| draftOwner_ringId | string | | <input type="checkbox"/> | |
| externalIssue_\$type | string | | <input type="checkbox"/> | |
| externalIssue_id | string | | <input type="checkbox"/> | |
| externalIssue_key | string | | <input type="checkbox"/> | |
| externalIssue_name | string | | <input type="checkbox"/> | |
| externalIssue_url | string | | <input type="checkbox"/> | |
| fromEmail | string | From Email | <input type="checkbox"/> | |
| iconUrl | string | Icon (URL) | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| leader_\$type | string | | <input type="checkbox"/> | |
| leader_avatarUrl | string | | <input type="checkbox"/> | |
| leader_banned | boolean | | <input type="checkbox"/> | |
| leader_email | string | | <input type="checkbox"/> | |
| leader_fullName | string | | <input type="checkbox"/> | |
| leader_guest | boolean | | <input type="checkbox"/> | |
| leader_id | string | | <input type="checkbox"/> | |
| leader_jabberAccountName | string | | <input type="checkbox"/> | |
| leader_login | string | | <input type="checkbox"/> | |
| leader_online | boolean | | <input type="checkbox"/> | |
| leader_profiles_\$type | string | | <input type="checkbox"/> | |
| leader_profiles_id | string | | <input type="checkbox"/> | |
| leader_ringId | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---------------------------------|-----------|-------------------|--------------------------|---------------|
| name | string | Name | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| replyToEmail | string | Reply-to Email | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| shortName | string | Short Name | <input type="checkbox"/> | |
| startingNumber | int64 | Starting Number | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| team_\$type | string | | <input type="checkbox"/> | |
| team_allUsersGroup | boolean | | <input type="checkbox"/> | |
| team_icon | string | | <input type="checkbox"/> | |
| team_id | string | | <input type="checkbox"/> | |
| team_name | string | | <input type="checkbox"/> | |
| team_ringId | string | | <input type="checkbox"/> | |
| team_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| team_teamForProject_description | string | | <input type="checkbox"/> | |
| team_teamForProject_fromEmail | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|------------------------------------|-----------|----------------------|--------------------------|---------------|
| team_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| team_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| team_teamForProject_shortName | string | | <input type="checkbox"/> | |
| team_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| team_teamForProject_template | boolean | | <input type="checkbox"/> | |
| team_usersCount | int64 | | <input type="checkbox"/> | |
| template | boolean | Template | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Mark Down | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

4.1.8 Issues

Catalog: YouTrack

Schema: Admin

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/projects`

Insert YouTrack API URL: `/admin/projects`

Update YouTrack API URL: /admin/projects

Delete YouTrack API URL: /admin/projects

Field Selection Method: NotRequired

Base Path: issues[*]

Select YouTrack API Operation: get /admin/projects

Table Function Columns

The columns of the table function `Issues` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|------------------------------|-----------|----------------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| archived | boolean | Archived | <input type="checkbox"/> | |
| commentsCount | int32 | Comments Count | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| createdBy_\$type | string | | <input type="checkbox"/> | |
| createdBy_avatarUrl | string | | <input type="checkbox"/> | |
| createdBy_banned | boolean | | <input type="checkbox"/> | |
| createdBy_email | string | | <input type="checkbox"/> | |
| createdBy_fullName | string | | <input type="checkbox"/> | |
| createdBy_guest | boolean | | <input type="checkbox"/> | |
| createdBy_id | string | | <input type="checkbox"/> | |
| createdBy_jabberAccountName | string | | <input type="checkbox"/> | |
| createdBy_login | string | | <input type="checkbox"/> | |
| createdBy_online | boolean | | <input type="checkbox"/> | |
| createdBy_profiles_\$type | string | | <input type="checkbox"/> | |
| createdBy_profiles_id | string | | <input type="checkbox"/> | |
| createdBy_ringId | string | | <input type="checkbox"/> | |
| description_1 | string | | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| draftOwner_\$type | string | | <input type="checkbox"/> | |
| draftOwner_avatarUrl | string | | <input type="checkbox"/> | |
| draftOwner_banned | boolean | | <input type="checkbox"/> | |
| draftOwner_email | string | | <input type="checkbox"/> | |
| draftOwner_fullName | string | | <input type="checkbox"/> | |
| draftOwner_guest | boolean | | <input type="checkbox"/> | |
| draftOwner_id | string | | <input type="checkbox"/> | |
| draftOwner_jabberAccountName | string | | <input type="checkbox"/> | |
| draftOwner_login | string | | <input type="checkbox"/> | |
| draftOwner_online | boolean | | <input type="checkbox"/> | |
| draftOwner_ringId | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--------------------------|-----------|-------------------|--------------------------|---------------|
| externalIssue_\$type | string | | <input type="checkbox"/> | |
| externalIssue_id | string | | <input type="checkbox"/> | |
| externalIssue_key | string | | <input type="checkbox"/> | |
| externalIssue_name | string | | <input type="checkbox"/> | |
| externalIssue_url | string | | <input type="checkbox"/> | |
| fromEmail | string | From Email | <input type="checkbox"/> | |
| iconUrl | string | Icon (URL) | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| leader_\$type | string | | <input type="checkbox"/> | |
| leader_avatarUrl | string | | <input type="checkbox"/> | |
| leader_banned | boolean | | <input type="checkbox"/> | |
| leader_email | string | | <input type="checkbox"/> | |
| leader_fullName | string | | <input type="checkbox"/> | |
| leader_guest | boolean | | <input type="checkbox"/> | |
| leader_id | string | | <input type="checkbox"/> | |
| leader_jabberAccountName | string | | <input type="checkbox"/> | |
| leader_login | string | | <input type="checkbox"/> | |
| leader_online | boolean | | <input type="checkbox"/> | |
| leader_profiles_\$type | string | | <input type="checkbox"/> | |
| leader_profiles_id | string | | <input type="checkbox"/> | |
| leader_ringId | string | | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| replyToEmail | string | Reply-to Email | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|------------------------------------|-----------|-----------------|--------------------------|---------------|
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| shortName | string | Short Name | <input type="checkbox"/> | |
| startingNumber | int64 | Starting Number | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| team_\$type | string | | <input type="checkbox"/> | |
| team_allUsersGroup | boolean | | <input type="checkbox"/> | |
| team_icon | string | | <input type="checkbox"/> | |
| team_id | string | | <input type="checkbox"/> | |
| team_name | string | | <input type="checkbox"/> | |
| team_ringId | string | | <input type="checkbox"/> | |
| team_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| team_teamForProject_description | string | | <input type="checkbox"/> | |
| team_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| team_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| team_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| team_teamForProject_shortName | string | | <input type="checkbox"/> | |
| team_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| team_teamForProject_template | boolean | | <input type="checkbox"/> | |
| team_usersCount | int64 | | <input type="checkbox"/> | |
| template | boolean | Template | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---------------------|-----------|----------------------|--------------------------|---------------|
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Markdown | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

4.1.9 IssueTags: YouTrack Issue Tags

Catalog: YouTrack

Schema: Admin

Label: Issue Tags

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/projects`

Insert YouTrack API URL: `/admin/projects`

Update YouTrack API URL: `/admin/projects`

Delete YouTrack API URL: `/admin/projects`

Field Selection Method: NotRequired

Base Path: `issues[*].tags[*]`

Select YouTrack API Operation: `get /admin/projects`

Table Function Columns

The columns of the table function `IssueTags` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|----------|-----------|----------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type_2 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| archived | boolean | Archived | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|------------------------------|-----------|----------------|--------------------------|---------------|
| commentsCount | int32 | Comments Count | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| createdBy_\$type_1 | string | | <input type="checkbox"/> | |
| createdBy_\$type | string | | <input type="checkbox"/> | |
| createdBy_avatarUrl | string | | <input type="checkbox"/> | |
| createdBy_banned | boolean | | <input type="checkbox"/> | |
| createdBy_email | string | | <input type="checkbox"/> | |
| createdBy_fullName | string | | <input type="checkbox"/> | |
| createdBy_guest | boolean | | <input type="checkbox"/> | |
| createdBy_id_1 | string | | <input type="checkbox"/> | |
| createdBy_id | string | | <input type="checkbox"/> | |
| createdBy_jabberAccountName | string | | <input type="checkbox"/> | |
| createdBy_login | string | | <input type="checkbox"/> | |
| createdBy_name | string | | <input type="checkbox"/> | |
| createdBy_online | boolean | | <input type="checkbox"/> | |
| createdBy_profiles_\$type | string | | <input type="checkbox"/> | |
| createdBy_profiles_id | string | | <input type="checkbox"/> | |
| createdBy_ringId | string | | <input type="checkbox"/> | |
| createdBy_untagOnResolve | boolean | | <input type="checkbox"/> | |
| description_1 | string | | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| draftOwner_\$type | string | | <input type="checkbox"/> | |
| draftOwner_avatarUrl | string | | <input type="checkbox"/> | |
| draftOwner_banned | boolean | | <input type="checkbox"/> | |
| draftOwner_email | string | | <input type="checkbox"/> | |
| draftOwner_fullName | string | | <input type="checkbox"/> | |
| draftOwner_guest | boolean | | <input type="checkbox"/> | |
| draftOwner_id | string | | <input type="checkbox"/> | |
| draftOwner_jabberAccountName | string | | <input type="checkbox"/> | |
| draftOwner_login | string | | <input type="checkbox"/> | |
| draftOwner_online | boolean | | <input type="checkbox"/> | |
| draftOwner_ringId | string | | <input type="checkbox"/> | |
| externalIssue_\$type | string | | <input type="checkbox"/> | |
| externalIssue_id | string | | <input type="checkbox"/> | |
| externalIssue_key | string | | <input type="checkbox"/> | |
| externalIssue_name | string | | <input type="checkbox"/> | |
| externalIssue_url | string | | <input type="checkbox"/> | |
| fromEmail | string | From Email | <input type="checkbox"/> | |
| iconUrl | string | Icon (URL) | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--------------------------|-----------|-------------------|--------------------------|---------------|
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| leader_\$type_1 | string | | <input type="checkbox"/> | |
| leader_\$type | string | | <input type="checkbox"/> | |
| leader_avatarUrl | string | | <input type="checkbox"/> | |
| leader_banned | boolean | | <input type="checkbox"/> | |
| leader_email | string | | <input type="checkbox"/> | |
| leader_fullName | string | | <input type="checkbox"/> | |
| leader_guest | boolean | | <input type="checkbox"/> | |
| leader_id_1 | string | | <input type="checkbox"/> | |
| leader_id | string | | <input type="checkbox"/> | |
| leader_jabberAccountName | string | | <input type="checkbox"/> | |
| leader_login | string | | <input type="checkbox"/> | |
| leader_name | string | | <input type="checkbox"/> | |
| leader_online | boolean | | <input type="checkbox"/> | |
| leader_profiles_\$type | string | | <input type="checkbox"/> | |
| leader_profiles_id | string | | <input type="checkbox"/> | |
| leader_ringId | string | | <input type="checkbox"/> | |
| leader_untagOnResolve | boolean | | <input type="checkbox"/> | |
| name_1 | string | | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| replyToEmail | string | Reply-to Email | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|------------------------------------|-----------|-----------------|--------------------------|---------------|
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| shortName | string | Short Name | <input type="checkbox"/> | |
| startingNumber | int64 | Starting Number | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| team_\$type | string | | <input type="checkbox"/> | |
| team_allUsersGroup | boolean | | <input type="checkbox"/> | |
| team_icon | string | | <input type="checkbox"/> | |
| team_id | string | | <input type="checkbox"/> | |
| team_name | string | | <input type="checkbox"/> | |
| team_ringId | string | | <input type="checkbox"/> | |
| team_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| team_teamForProject_description | string | | <input type="checkbox"/> | |
| team_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| team_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| team_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| team_teamForProject_shortName | string | | <input type="checkbox"/> | |
| team_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| team_teamForProject_template | boolean | | <input type="checkbox"/> | |
| team_usersCount | int64 | | <input type="checkbox"/> | |
| template | boolean | Template | <input type="checkbox"/> | |
| untagOnResolve | boolean | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---------------------|-----------|----------------------|--------------------------|---------------|
| updater_ringId | string | | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Mark Down | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

4.1.10 Licenses

Catalog: YouTrack

Schema: Admin

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/globalSettings/license`

Insert YouTrack API URL: `/admin/globalSettings/license`

Update YouTrack API URL: `/admin/globalSettings/license`

Delete YouTrack API URL: `/admin/globalSettings/license`

Field Selection Method: `NotRequired`

Select YouTrack API Operation: `get /admin/globalSettings/license`

Table Function Columns

The columns of the table function `Licenses` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|----------|-----------|-----------|--------------------------|---------------|
| \$type | string | | <input type="checkbox"/> | |
| error | string | Error | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| license | string | License | <input type="checkbox"/> | |
| username | string | User Name | <input type="checkbox"/> | |

4.1.11 LocaleSettings

Catalog: YouTrack

Schema: Admin

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/globalSettings/localeSettings`

Insert YouTrack API URL: `/admin/globalSettings/localeSettings`

Update YouTrack API URL: `/admin/globalSettings/localeSettings`

Delete YouTrack API URL: `/admin/globalSettings/localeSettings`

Field Selection Method: NotRequired

Select YouTrack API Operation: `get /admin/globalSettings/localeSettings`

Table Function Columns

The columns of the table function `LocaleSettings` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|-------------------------------|-----------|--------|--------------------------|---------------|
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>id</code> | string | ID | <input type="checkbox"/> | |
| <code>isRTL</code> | boolean | Is RTL | <input type="checkbox"/> | |
| <code>locale_\$type</code> | string | | <input type="checkbox"/> | |
| <code>locale_community</code> | boolean | | <input type="checkbox"/> | |
| <code>locale_id</code> | string | | <input type="checkbox"/> | |
| <code>locale_language</code> | string | | <input type="checkbox"/> | |
| <code>locale_locale</code> | string | | <input type="checkbox"/> | |
| <code>locale_name</code> | string | | <input type="checkbox"/> | |

4.1.12 NotificationSettings

Catalog: YouTrack

Schema: Admin

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/globalSettings/notificationSettings`

Insert YouTrack API URL: `/admin/globalSettings/notificationSettings`

Update YouTrack API URL: `/admin/globalSettings/notificationSettings`

Delete YouTrack API URL: `/admin/globalSettings/notificationSettings`

Field Selection Method: NotRequired

Select YouTrack API Operation:

get /admin/globalSettings/notificationSettings

Table Function Columns

The columns of the table function `NotificationSettings` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|-----------------------------|-----------|-------|--------------------------|---------------|
| \$type | string | | <input type="checkbox"/> | |
| emailSettings_\$type | string | | <input type="checkbox"/> | |
| emailSettings_anonymous | boolean | | <input type="checkbox"/> | |
| emailSettings_from | string | | <input type="checkbox"/> | |
| emailSettings_host | string | | <input type="checkbox"/> | |
| emailSettings_id | string | | <input type="checkbox"/> | |
| emailSettings_isEnabled | boolean | | <input type="checkbox"/> | |
| emailSettings_login | string | | <input type="checkbox"/> | |
| emailSettings_mailProtocol | string | | <input type="checkbox"/> | |
| emailSettings_port | int32 | | <input type="checkbox"/> | |
| emailSettings_replyTo | string | | <input type="checkbox"/> | |
| emailSettings_sslKey_\$type | string | | <input type="checkbox"/> | |
| emailSettings_sslKey_id | string | | <input type="checkbox"/> | |
| emailSettings_sslKey_name | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| jabberSettings_\$type | string | | <input type="checkbox"/> | |
| jabberSettings_host | string | | <input type="checkbox"/> | |
| jabberSettings_id | string | | <input type="checkbox"/> | |
| jabberSettings_isEnabled | boolean | | <input type="checkbox"/> | |
| jabberSettings_login | string | | <input type="checkbox"/> | |
| jabberSettings_port | int32 | | <input type="checkbox"/> | |
| jabberSettings_serviceName | string | | <input type="checkbox"/> | |

4.1.13 RestSettings

Catalog: YouTrack

Schema: Admin

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: /admin/globalSettings/restSettings

Insert YouTrack API URL: /admin/globalSettings/restSettings

Update YouTrack API URL: /admin/globalSettings/restSettings

Delete YouTrack API URL: /admin/globalSettings/restSettings

Field Selection Method: NotRequired

Select YouTrack API Operation: `get /admin/globalSettings/restSettings`

Table Function Columns

The columns of the table function `RestSettings` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|------------------|-----------|-------------------|--------------------------|---------------|
| \$type | string | | <input type="checkbox"/> | |
| allow AllOrigins | boolean | Allow All Origins | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |

4.1.14 SystemSettings

Catalog: YouTrack

Schema: Admin

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/globalSettings/systemSettings`

Insert YouTrack API URL: `/admin/globalSettings/systemSettings`

Update YouTrack API URL: `/admin/globalSettings/systemSettings`

Delete YouTrack API URL: `/admin/globalSettings/systemSettings`

Field Selection Method: NotRequired

Select YouTrack API Operation: `get /admin/globalSettings/systemSettings`

Table Function Columns

The columns of the table function `SystemSettings` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|----------------------------|-----------|-----------------------------|--------------------------|---------------|
| \$type | string | | <input type="checkbox"/> | |
| administratorEmail | string | Administrator Email | <input type="checkbox"/> | |
| allow StatisticsCollection | boolean | Allow Statistics Collection | <input type="checkbox"/> | |
| baseUrl | string | Base URL | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| isApplicationReadOnly | boolean | Is Application Read-only | <input type="checkbox"/> | |
| maxExportItems | int32 | Max Export Items | <input type="checkbox"/> | |
| maxUploadFileSize | int64 | Max Upload File Size | <input type="checkbox"/> | |

4.1.15 Telemetry

Catalog: YouTrack

Schema: Admin

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/telemetry`

Insert YouTrack API URL: `/admin/telemetry`

Update YouTrack API URL: `/admin/telemetry`

Delete YouTrack API URL: `/admin/telemetry`

Field Selection Method: NotRequired

Select YouTrack API Operation: `get /admin/telemetry`

Table Function Columns

The columns of the table function `Telemetry` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|---|-----------|--|--------------------------|---------------|
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>allocatedMemory</code> | string | Allocated Memory | <input type="checkbox"/> | |
| <code>availableMemory</code> | string | Available Memory | <input type="checkbox"/> | |
| <code>availableProcessors</code> | int32 | Available Processors | <input type="checkbox"/> | |
| <code>blobStringsCacheHitRate</code> | string | Blob String Cache Hit Rate | <input type="checkbox"/> | |
| <code>cachedResultsCountInDBQueriesCache</code> | int32 | Cached Results Count in DB Queries Cache | <input type="checkbox"/> | |
| <code>databaseBackgroundThreads</code> | int32 | Database Background Threads | <input type="checkbox"/> | |
| <code>databaseLocation</code> | string | Database Location | <input type="checkbox"/> | |
| <code>databaseQueriesCacheHitRate</code> | string | Database Queries Cache Hit Rate | <input type="checkbox"/> | |
| <code>databaseSize</code> | string | Database Size | <input type="checkbox"/> | |
| <code>fullDatabaseSize</code> | string | Full Database Size | <input type="checkbox"/> | |
| <code>id</code> | string | ID | <input type="checkbox"/> | |
| <code>installationFolder</code> | string | Installation Folder | <input type="checkbox"/> | |
| <code>logsLocation</code> | string | Logs Location | <input type="checkbox"/> | |
| <code>notificationAnalyzerThreads</code> | int32 | Notification Analyzer Threads | <input type="checkbox"/> | |
| <code>onlineUsers_\$type</code> | string | | <input type="checkbox"/> | |
| <code>onlineUsers_id</code> | string | | <input type="checkbox"/> | |
| <code>onlineUsers_users</code> | int32 | | <input type="checkbox"/> | |
| <code>pendingAsyncJobs</code> | int32 | Pending Async Jobs | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|-------------------------|-----------|---------------------------|--------------------------|---------------|
| reportCalculatorThreads | int32 | Report Calculator Threads | <input type="checkbox"/> | |
| requestsPerSecond | string | Requests per Second | <input type="checkbox"/> | |
| startedTime | int64 | Start Time | <input type="checkbox"/> | |
| textIndexSize | string | Text Index Size | <input type="checkbox"/> | |
| totalTransactions | int64 | Total Transactions | <input type="checkbox"/> | |
| transactionsPerSecond | string | Transactions per Second | <input type="checkbox"/> | |
| uptime | string | Uptime | <input type="checkbox"/> | |
| usedMemory | string | Used Memory | <input type="checkbox"/> | |

4.1.16 TimeTrackingSettings

Catalog: YouTrack

Schema: Admin

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/timeTrackingSettings`

Insert YouTrack API URL: `/admin/timeTrackingSettings`

Update YouTrack API URL: `/admin/timeTrackingSettings`

Delete YouTrack API URL: `/admin/timeTrackingSettings`

Field Selection Method: NotRequired

Select YouTrack API Operation: `get /admin/timeTrackingSettings`

Table Function Columns

The columns of the table function `TimeTrackingSettings` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|---------------------------------|-----------|-------|--------------------------|---------------|
| \$type | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| workTimeSettings_\$type | string | | <input type="checkbox"/> | |
| workTimeSettings_daysAWeek | int32 | | <input type="checkbox"/> | |
| workTimeSettings_firstDayOfWeek | int32 | | <input type="checkbox"/> | |
| workTimeSettings_id | string | | <input type="checkbox"/> | |
| workTimeSettings_minutesADay | int32 | | <input type="checkbox"/> | |

4.1.17 TimeTrackingSettingWorkItemTypes

Catalog: YouTrack

Schema: Admin

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/timeTrackingSettings/workItemTypes`

Insert YouTrack API URL: `/admin/timeTrackingSettings/workItemTypes`

Update YouTrack API URL: `/admin/timeTrackingSettings/workItemTypes`

Delete YouTrack API URL: `/admin/timeTrackingSettings/workItemTypes`

Field Selection Method: NotRequired

Select YouTrack API Operation:

`get /admin/timeTrackingSettings/workItemTypes`

Table Function Columns

The columns of the table function `TimeTrackingSettingWorkItemTypes` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|---------------------------|-----------|---------------|--------------------------|---------------|
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>autoAttached</code> | boolean | Auto-attached | <input type="checkbox"/> | |
| <code>id</code> | string | ID | <input type="checkbox"/> | |
| <code>name</code> | string | Name | <input type="checkbox"/> | |

4.1.18 TimeTrackingSettingWorkItemTypesByWorkItemId

Catalog: YouTrack

Schema: Admin

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/timeTrackingSettings/workItemTypes/{workItemId}`

Insert YouTrack API URL: `/admin/timeTrackingSettings/workItemTypes/{workItemId}`

Update YouTrack API URL: `/admin/timeTrackingSettings/workItemTypes/{workItemId}`

Delete YouTrack API URL: `/admin/timeTrackingSettings/workItemTypes/{workItemId}`

Field Selection Method: NotRequired

Select YouTrack API Operation:

```
get /admin/timeTrackingSettings/workItemTypes/{workItemId}
```

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `TimeTrackingSettingWorkItemTypesByWorkItemId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|-------------------------|-----------|-------------------------------------|---------------|---------------|
| <code>workItemId</code> | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function

`TimeTrackingSettingWorkItemTypesByWorkItemId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|---------------------------|-----------|---------------|--------------------------|---------------|
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>autoAttached</code> | boolean | Auto-attached | <input type="checkbox"/> | |
| <code>id</code> | string | ID | <input type="checkbox"/> | |
| <code>name</code> | string | Name | <input type="checkbox"/> | |

4.1.19 TimeTrackingWorkTimeSettings

Catalog: YouTrack

Schema: Admin

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/timeTrackingSettings/workTimeSettings`

Insert YouTrack API URL: `/admin/timeTrackingSettings/workTimeSettings`

Update YouTrack API URL: `/admin/timeTrackingSettings/workTimeSettings`

Delete YouTrack API URL: `/admin/timeTrackingSettings/workTimeSettings`

Field Selection Method: NotRequired

Select YouTrack API Operation:

get /admin/timeTrackingSettings/workTimeSettings

Table Function Columns

The columns of the table function `TimeTrackingWorkTimeSettings` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|----------------|-----------|-------------------|--------------------------|---------------|
| \$type | string | | <input type="checkbox"/> | |
| daysAWeek | int32 | Days a Week | <input type="checkbox"/> | |
| firstDayOfWeek | int32 | First Day of Week | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| minutesADay | int32 | Minutes a Day | <input type="checkbox"/> | |

4.1.20 WorkItemTypeTimeTrackingSettings

Catalog: YouTrack

Schema: Admin

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: /admin/timeTrackingSettings

Insert YouTrack API URL: /admin/timeTrackingSettings

Update YouTrack API URL: /admin/timeTrackingSettings

Delete YouTrack API URL: /admin/timeTrackingSettings

Field Selection Method: NotRequired

Base Path: `workItemTypes[*]`

Select YouTrack API Operation: get /admin/timeTrackingSettings

Table Function Columns

The columns of the table function `WorkItemTypeTimeTrackingSettings` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|-------------------------|-----------|---------------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| autoAttached | boolean | Auto-attached | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| workTimeSettings_\$type | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---------------------------------|-----------|-------|--------------------------|---------------|
| workTimeSettings_daysAWeek | int32 | | <input type="checkbox"/> | |
| workTimeSettings_firstDayOfWeek | int32 | | <input type="checkbox"/> | |
| workTimeSettings_id | string | | <input type="checkbox"/> | |
| workTimeSettings_minutesADay | int32 | | <input type="checkbox"/> | |

5 Schema: Agile

5.1 Tables

5.1.1 ProjectBySprintId

Catalog: YouTrack

Schema: Agile

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/agiles/{id}`

Insert YouTrack API URL: `/agiles/{id}`

Update YouTrack API URL: `/agiles/{id}`

Delete YouTrack API URL: `/agiles/{id}`

Field Selection Method: NotRequired

Base Path: `projects[*]`

Select YouTrack API Operation: `get /agiles/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `ProjectBySprintId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `ProjectBySprintId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|--|-----------|----------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>archived</code> | boolean | Archived | <input type="checkbox"/> | |
| <code>colorCoding_\$type</code> | string | | <input type="checkbox"/> | |
| <code>colorCoding_id</code> | string | | <input type="checkbox"/> | |
| <code>columnSettings_\$type</code> | string | | <input type="checkbox"/> | |
| <code>columnSettings_field_\$type</code> | string | | <input type="checkbox"/> | |
| <code>columnSettings_field_aliases</code> | string | | <input type="checkbox"/> | |
| <code>columnSettings_field_hasRunningJob</code> | boolean | | <input type="checkbox"/> | |
| <code>columnSettings_field_id</code> | string | | <input type="checkbox"/> | |
| <code>columnSettings_field_isAutoAttached</code> | boolean | | <input type="checkbox"/> | |
| <code>columnSettings_field_isDisplayedInIssueList</code> | boolean | | <input type="checkbox"/> | |
| <code>columnSettings_field_isUpdateable</code> | boolean | | <input type="checkbox"/> | |
| <code>columnSettings_field_localizedName</code> | string | | <input type="checkbox"/> | |
| <code>columnSettings_field_name</code> | string | | <input type="checkbox"/> | |
| <code>columnSettings_field_ordinal</code> | int32 | | <input type="checkbox"/> | |
| <code>columnSettings_id</code> | string | | <input type="checkbox"/> | |
| <code>createdBy_\$type</code> | string | | <input type="checkbox"/> | |
| <code>createdBy_avatarUrl</code> | string | | <input type="checkbox"/> | |
| <code>createdBy_banned</code> | boolean | | <input type="checkbox"/> | |
| <code>createdBy_email</code> | string | | <input type="checkbox"/> | |
| <code>createdBy_fullName</code> | string | | <input type="checkbox"/> | |
| <code>createdBy_guest</code> | boolean | | <input type="checkbox"/> | |
| <code>createdBy_id</code> | string | | <input type="checkbox"/> | |
| <code>createdBy_jabberAccountName</code> | string | | <input type="checkbox"/> | |
| <code>createdBy_login</code> | string | | <input type="checkbox"/> | |
| <code>createdBy_online</code> | boolean | | <input type="checkbox"/> | |
| <code>createdBy_ringId</code> | string | | <input type="checkbox"/> | |
| <code>currentSprint_\$type</code> | string | | <input type="checkbox"/> | |
| <code>currentSprint_agile_\$type</code> | string | | <input type="checkbox"/> | |
| <code>currentSprint_agile_hideOrphansSwimlane</code> | boolean | | <input type="checkbox"/> | |
| <code>currentSprint_agile_id</code> | string | | <input type="checkbox"/> | |
| <code>currentSprint_agile_name</code> | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|-------------|--------------------------|---------------|
| currentSprint_agile_orphansAtTheTop | boolean | | <input type="checkbox"/> | |
| currentSprint_agile_updateableByProjectBased | boolean | | <input type="checkbox"/> | |
| currentSprint_agile_visibleForProjectBased | boolean | | <input type="checkbox"/> | |
| currentSprint_archived | boolean | | <input type="checkbox"/> | |
| currentSprint_finish | int64 | | <input type="checkbox"/> | |
| currentSprint_goal | string | | <input type="checkbox"/> | |
| currentSprint_id | string | | <input type="checkbox"/> | |
| currentSprint_isDefault | boolean | | <input type="checkbox"/> | |
| currentSprint_name | string | | <input type="checkbox"/> | |
| currentSprint_previousSprint_type | string | | <input type="checkbox"/> | |
| currentSprint_previousSprint_archived | boolean | | <input type="checkbox"/> | |
| currentSprint_previousSprint_finish | int64 | | <input type="checkbox"/> | |
| currentSprint_previousSprint_goal | string | | <input type="checkbox"/> | |
| currentSprint_previousSprint_id | string | | <input type="checkbox"/> | |
| currentSprint_previousSprint_isDefault | boolean | | <input type="checkbox"/> | |
| currentSprint_previousSprint_name | string | | <input type="checkbox"/> | |
| currentSprint_previousSprint_start | int64 | | <input type="checkbox"/> | |
| currentSprint_previousSprint_unresolvedIssuesCount | int32 | | <input type="checkbox"/> | |
| currentSprint_start | int64 | | <input type="checkbox"/> | |
| currentSprint_unresolvedIssuesCount | int32 | | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| estimationField_type | string | | <input type="checkbox"/> | |
| estimationField_aliases | string | | <input type="checkbox"/> | |
| estimationField_fieldDefaults_type | string | | <input type="checkbox"/> | |
| estimationField_fieldDefaults_canBeEmpty | boolean | | <input type="checkbox"/> | |
| estimationField_fieldDefaults_emptyFieldText | string | | <input type="checkbox"/> | |
| estimationField_fieldDefaults_id | string | | <input type="checkbox"/> | |
| estimationField_fieldDefaults_isPublic | boolean | | <input type="checkbox"/> | |
| estimationField_fieldType_type | string | | <input type="checkbox"/> | |
| estimationField_fieldType_id | string | | <input type="checkbox"/> | |
| estimationField_hasRunningJob | boolean | | <input type="checkbox"/> | |
| estimationField_id | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|------------|--------------------------|---------------|
| estimationField_isAutoAttached | boolean | | <input type="checkbox"/> | |
| estimationField_isDisplayedInIssue List | boolean | | <input type="checkbox"/> | |
| estimationField_isUpdateable | boolean | | <input type="checkbox"/> | |
| estimationField_localizedName | string | | <input type="checkbox"/> | |
| estimationField_name | string | | <input type="checkbox"/> | |
| estimationField_ordinal | int32 | | <input type="checkbox"/> | |
| fromEmail | string | From Email | <input type="checkbox"/> | |
| hideOrphansSw imlane | boolean | | <input type="checkbox"/> | |
| iconUrl | string | Icon (URL) | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| leader_\$type | string | | <input type="checkbox"/> | |
| leader_avatarUrl | string | | <input type="checkbox"/> | |
| leader_banned | boolean | | <input type="checkbox"/> | |
| leader_email | string | | <input type="checkbox"/> | |
| leader_fullName | string | | <input type="checkbox"/> | |
| leader_guest | boolean | | <input type="checkbox"/> | |
| leader_id | string | | <input type="checkbox"/> | |
| leader_jabberAccountName | string | | <input type="checkbox"/> | |
| leader_login | string | | <input type="checkbox"/> | |
| leader_online | boolean | | <input type="checkbox"/> | |
| leader_ringId | string | | <input type="checkbox"/> | |
| name_1 | string | | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| originalEstimationField_\$type | string | | <input type="checkbox"/> | |
| originalEstimationField_aliases | string | | <input type="checkbox"/> | |
| originalEstimationField_fieldDefaults_\$type | string | | <input type="checkbox"/> | |
| originalEstimationField_fieldDefaults_canBeEmpty | boolean | | <input type="checkbox"/> | |
| originalEstimationField_fieldDefaults_emptyFieldText | string | | <input type="checkbox"/> | |
| originalEstimationField_fieldDefaults_id | string | | <input type="checkbox"/> | |
| originalEstimationField_fieldDefaults_isPublic | boolean | | <input type="checkbox"/> | |
| originalEstimationField_fieldType_\$t ype | string | | <input type="checkbox"/> | |
| originalEstimationField_fieldType_id | string | | <input type="checkbox"/> | |
| originalEstimationField_hasRunning Job | boolean | | <input type="checkbox"/> | |
| originalEstimationField_id | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|----------------|--------------------------|---------------|
| originalEstimationField_isAutoAttached | boolean | | <input type="checkbox"/> | |
| originalEstimationField_isDisplayedInIssueList | boolean | | <input type="checkbox"/> | |
| originalEstimationField_isUpdateable | boolean | | <input type="checkbox"/> | |
| originalEstimationField_localizedName | string | | <input type="checkbox"/> | |
| originalEstimationField_name | string | | <input type="checkbox"/> | |
| originalEstimationField_ordinal | int32 | | <input type="checkbox"/> | |
| orphansAtTheTop | boolean | | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_profiles_\$type | string | | <input type="checkbox"/> | |
| owner_profiles_id | string | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| replyToEmail | string | Reply-to Email | <input type="checkbox"/> | |
| shortName | string | Short Name | <input type="checkbox"/> | |
| sprintsSettings_\$type | string | | <input type="checkbox"/> | |
| sprintsSettings_cardOnSeveralSprints | boolean | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_\$type | string | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_archived | boolean | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_finish | int64 | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_goal | string | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_id | string | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_isDefault | boolean | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_name | string | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_start | int64 | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_unresolvedIssuesCount | int32 | | <input type="checkbox"/> | |
| sprintsSettings_disableSprints | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-----------------|--------------------------|---------------|
| sprintsSettings_explicitQuery | string | | <input type="checkbox"/> | |
| sprintsSettings_hideSubtasksOfCards | boolean | | <input type="checkbox"/> | |
| sprintsSettings_id | string | | <input type="checkbox"/> | |
| sprintsSettings_isExplicit | boolean | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncFieldType | string | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncFieldAliases | string | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncFieldHasRunningJob | boolean | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncFieldId | string | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncFieldIsAutoAttached | boolean | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncFieldIsDisplayedInIssueList | boolean | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncFieldIsUpdateable | boolean | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncFieldLocalizedName | string | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncFieldName | string | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncFieldOrdinal | int32 | | <input type="checkbox"/> | |
| startingNumber | int64 | Starting Number | <input type="checkbox"/> | |
| status_\$type | string | | <input type="checkbox"/> | |
| status_hasJobs | boolean | | <input type="checkbox"/> | |
| status_id | string | | <input type="checkbox"/> | |
| status_valid | boolean | | <input type="checkbox"/> | |
| swimlaneSettings_\$type | string | | <input type="checkbox"/> | |
| swimlaneSettings_enabled | boolean | | <input type="checkbox"/> | |
| swimlaneSettings_id | string | | <input type="checkbox"/> | |
| team_\$type | string | | <input type="checkbox"/> | |
| team_allUsersGroup | boolean | | <input type="checkbox"/> | |
| team_icon | string | | <input type="checkbox"/> | |
| team_id | string | | <input type="checkbox"/> | |
| team_name | string | | <input type="checkbox"/> | |
| team_ringId | string | | <input type="checkbox"/> | |
| team_usersCount | int64 | | <input type="checkbox"/> | |
| template | boolean | Template | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|-------|--------------------------|---------------|
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| updateableBy_teamForProject_description | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_shortName | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| updateableBy_teamForProject_template | boolean | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| updateableByProjectBased | boolean | | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| visibleFor_teamForProject_description | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_shortName | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| visibleFor_teamForProject_template | boolean | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |
| visibleForProjectBased | boolean | | <input type="checkbox"/> | |

5.1.2 ProjectIssues

Catalog: YouTrack

Schema: Agile

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/agiles`

Insert YouTrack API URL: `/agiles`

Update YouTrack API URL: `/agiles`

Delete YouTrack API URL: `/agiles`

Field Selection Method: `NotRequired`

Base Path: `projects[*].issues[*]`

Select YouTrack API Operation: `get /agiles`

Table Function Columns

The columns of the table function `ProjectIssues` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|--|-----------|----------------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type_2</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>archived</code> | boolean | Archived | <input type="checkbox"/> | |
| <code>colorCoding_\$type</code> | string | | <input type="checkbox"/> | |
| <code>colorCoding_id</code> | string | | <input type="checkbox"/> | |
| <code>columnSettings_\$type</code> | string | | <input type="checkbox"/> | |
| <code>columnSettings_field_\$type</code> | string | | <input type="checkbox"/> | |
| <code>columnSettings_field_aliases</code> | string | | <input type="checkbox"/> | |
| <code>columnSettings_field_hasRunningJob</code> | boolean | | <input type="checkbox"/> | |
| <code>columnSettings_field_id</code> | string | | <input type="checkbox"/> | |
| <code>columnSettings_field_isAutoAttached</code> | boolean | | <input type="checkbox"/> | |
| <code>columnSettings_field_isDisplayedInIssueList</code> | boolean | | <input type="checkbox"/> | |
| <code>columnSettings_field_isUpdateable</code> | boolean | | <input type="checkbox"/> | |
| <code>columnSettings_field_localizedName</code> | string | | <input type="checkbox"/> | |
| <code>columnSettings_field_name</code> | string | | <input type="checkbox"/> | |
| <code>columnSettings_field_ordinal</code> | int32 | | <input type="checkbox"/> | |
| <code>columnSettings_id</code> | string | | <input type="checkbox"/> | |
| <code>commentsCount</code> | int32 | Comments Count | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|---------|--------------------------|---------------|
| created | int64 | Created | <input type="checkbox"/> | |
| createdBy_\$type | string | | <input type="checkbox"/> | |
| createdBy_avatarUrl | string | | <input type="checkbox"/> | |
| createdBy_banned | boolean | | <input type="checkbox"/> | |
| createdBy_email | string | | <input type="checkbox"/> | |
| createdBy_fullName | string | | <input type="checkbox"/> | |
| createdBy_guest | boolean | | <input type="checkbox"/> | |
| createdBy_id | string | | <input type="checkbox"/> | |
| createdBy_jabberAccountName | string | | <input type="checkbox"/> | |
| createdBy_login | string | | <input type="checkbox"/> | |
| createdBy_online | boolean | | <input type="checkbox"/> | |
| createdBy_ringId | string | | <input type="checkbox"/> | |
| currentSprint_\$type_1 | string | | <input type="checkbox"/> | |
| currentSprint_\$type | string | | <input type="checkbox"/> | |
| currentSprint_agile_\$type | string | | <input type="checkbox"/> | |
| currentSprint_agile_hideOrphansSwimlane | boolean | | <input type="checkbox"/> | |
| currentSprint_agile_id | string | | <input type="checkbox"/> | |
| currentSprint_agile_name | string | | <input type="checkbox"/> | |
| currentSprint_agile_orphansAtTheTop | boolean | | <input type="checkbox"/> | |
| currentSprint_agile_updateableByProjectBased | boolean | | <input type="checkbox"/> | |
| currentSprint_agile_visibleForProjectBased | boolean | | <input type="checkbox"/> | |
| currentSprint_archived | boolean | | <input type="checkbox"/> | |
| currentSprint_commentsCount | int32 | | <input type="checkbox"/> | |
| currentSprint_created | int64 | | <input type="checkbox"/> | |
| currentSprint_description | string | | <input type="checkbox"/> | |
| currentSprint_finish | int64 | | <input type="checkbox"/> | |
| currentSprint_goal | string | | <input type="checkbox"/> | |
| currentSprint_id_1 | string | | <input type="checkbox"/> | |
| currentSprint_id | string | | <input type="checkbox"/> | |
| currentSprint_idReadable | string | | <input type="checkbox"/> | |
| currentSprint_isDefault | boolean | | <input type="checkbox"/> | |
| currentSprint_isDraft | boolean | | <input type="checkbox"/> | |
| currentSprint_name | string | | <input type="checkbox"/> | |
| currentSprint_numberInProject | int64 | | <input type="checkbox"/> | |
| currentSprint_previousSprint_\$type | string | | <input type="checkbox"/> | |
| currentSprint_previousSprint_archived | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|-------------|--------------------------|---------------|
| currentSprint_previousSprint_finish | int64 | | <input type="checkbox"/> | |
| currentSprint_previousSprint_goal | string | | <input type="checkbox"/> | |
| currentSprint_previousSprint_id | string | | <input type="checkbox"/> | |
| currentSprint_previousSprint_isDefault | boolean | | <input type="checkbox"/> | |
| currentSprint_previousSprint_name | string | | <input type="checkbox"/> | |
| currentSprint_previousSprint_start | int64 | | <input type="checkbox"/> | |
| currentSprint_previousSprint_unresolvedIssuesCount | int32 | | <input type="checkbox"/> | |
| currentSprint_resolved | int64 | | <input type="checkbox"/> | |
| currentSprint_start | int64 | | <input type="checkbox"/> | |
| currentSprint_summary | string | | <input type="checkbox"/> | |
| currentSprint_unresolvedIssuesCount | int32 | | <input type="checkbox"/> | |
| currentSprint_updated | int64 | | <input type="checkbox"/> | |
| currentSprint_usesMarkdown | boolean | | <input type="checkbox"/> | |
| currentSprint_votes | int32 | | <input type="checkbox"/> | |
| currentSprint_wikifiedDescription | string | | <input type="checkbox"/> | |
| description_1 | string | | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| estimationField_\$type | string | | <input type="checkbox"/> | |
| estimationField_aliases | string | | <input type="checkbox"/> | |
| estimationField_fieldDefaults_\$type | string | | <input type="checkbox"/> | |
| estimationField_fieldDefaults_canBeEmpty | boolean | | <input type="checkbox"/> | |
| estimationField_fieldDefaults_emptyFieldText | string | | <input type="checkbox"/> | |
| estimationField_fieldDefaults_id | string | | <input type="checkbox"/> | |
| estimationField_fieldDefaults_isPublic | boolean | | <input type="checkbox"/> | |
| estimationField_fieldType_\$type | string | | <input type="checkbox"/> | |
| estimationField_fieldType_id | string | | <input type="checkbox"/> | |
| estimationField_hasRunningJob | boolean | | <input type="checkbox"/> | |
| estimationField_id | string | | <input type="checkbox"/> | |
| estimationField_isAutoAttached | boolean | | <input type="checkbox"/> | |
| estimationField_isDisplayedInIssueList | boolean | | <input type="checkbox"/> | |
| estimationField_isUpdateable | boolean | | <input type="checkbox"/> | |
| estimationField_localizedName | string | | <input type="checkbox"/> | |
| estimationField_name | string | | <input type="checkbox"/> | |
| estimationField_ordinal | int32 | | <input type="checkbox"/> | |
| fromEmail | string | From Email | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|-------------------|--------------------------|---------------|
| hideOrphansSw imlane | boolean | | <input type="checkbox"/> | |
| iconUrl | string | Icon (URL) | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| leader_\$type | string | | <input type="checkbox"/> | |
| leader_avatarUrl | string | | <input type="checkbox"/> | |
| leader_banned | boolean | | <input type="checkbox"/> | |
| leader_email | string | | <input type="checkbox"/> | |
| leader_fullName | string | | <input type="checkbox"/> | |
| leader_guest | boolean | | <input type="checkbox"/> | |
| leader_id | string | | <input type="checkbox"/> | |
| leader_jabberAccountName | string | | <input type="checkbox"/> | |
| leader_login | string | | <input type="checkbox"/> | |
| leader_online | boolean | | <input type="checkbox"/> | |
| leader_ringId | string | | <input type="checkbox"/> | |
| name_1 | string | | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| originalEstimationField_\$type | string | | <input type="checkbox"/> | |
| originalEstimationField_aliases | string | | <input type="checkbox"/> | |
| originalEstimationField_fieldDefaults_\$type | string | | <input type="checkbox"/> | |
| originalEstimationField_fieldDefaults_canBeEmpty | boolean | | <input type="checkbox"/> | |
| originalEstimationField_fieldDefaults_emptyFieldText | string | | <input type="checkbox"/> | |
| originalEstimationField_fieldDefaults_id | string | | <input type="checkbox"/> | |
| originalEstimationField_fieldDefaults_isPublic | boolean | | <input type="checkbox"/> | |
| originalEstimationField_fieldType_\$type | string | | <input type="checkbox"/> | |
| originalEstimationField_fieldType_id | string | | <input type="checkbox"/> | |
| originalEstimationField_hasRunningJob | boolean | | <input type="checkbox"/> | |
| originalEstimationField_id | string | | <input type="checkbox"/> | |
| originalEstimationField_isAutoAttached | boolean | | <input type="checkbox"/> | |
| originalEstimationField_isDisplayedInIssueList | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|----------------|--------------------------|---------------|
| originalEstimationField_isUpdateable | boolean | | <input type="checkbox"/> | |
| originalEstimationField_localizedName | string | | <input type="checkbox"/> | |
| originalEstimationField_name | string | | <input type="checkbox"/> | |
| originalEstimationField_ordinal | int32 | | <input type="checkbox"/> | |
| orphansAtTheTop | boolean | | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_profiles_\$type | string | | <input type="checkbox"/> | |
| owner_profiles_id | string | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| replyToEmail | string | Reply-to Email | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| shortName | string | Short Name | <input type="checkbox"/> | |
| sprintsSettings_\$type | string | | <input type="checkbox"/> | |
| sprintsSettings_cardOnSeveralSprints | boolean | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_\$type | string | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_archived | boolean | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_finish | int64 | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_goal | string | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_id | string | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_isDefault | boolean | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_name | string | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_start | int64 | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_unresolvedIssuesCount | int32 | | <input type="checkbox"/> | |
| sprintsSettings_disableSprints | boolean | | <input type="checkbox"/> | |
| sprintsSettings_explicitQuery | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-----------------|--------------------------|---------------|
| sprintsSettings_hideSubtasksOfCards | boolean | | <input type="checkbox"/> | |
| sprintsSettings_id | string | | <input type="checkbox"/> | |
| sprintsSettings_isExplicit | boolean | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncFieldType | string | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncFieldAliases | string | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncFieldHasRunningJob | boolean | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncFieldId | string | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncFieldIsAutoAttached | boolean | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncFieldIsDisplayedInIssueList | boolean | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncFieldIsUpdateable | boolean | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncFieldLocalizedName | string | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncFieldName | string | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncFieldOrdinal | int32 | | <input type="checkbox"/> | |
| startingNumber | int64 | Starting Number | <input type="checkbox"/> | |
| status_type | string | | <input type="checkbox"/> | |
| status_hasJobs | boolean | | <input type="checkbox"/> | |
| status_id | string | | <input type="checkbox"/> | |
| status_valid | boolean | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| swimlaneSettings_type | string | | <input type="checkbox"/> | |
| swimlaneSettings_enabled | boolean | | <input type="checkbox"/> | |
| swimlaneSettings_id | string | | <input type="checkbox"/> | |
| team_type | string | | <input type="checkbox"/> | |
| team_allUsersGroup | boolean | | <input type="checkbox"/> | |
| team_icon | string | | <input type="checkbox"/> | |
| team_id | string | | <input type="checkbox"/> | |
| team_name | string | | <input type="checkbox"/> | |
| team_ringId | string | | <input type="checkbox"/> | |
| team_usersCount | int64 | | <input type="checkbox"/> | |
| template | boolean | Template | <input type="checkbox"/> | |
| updateableBy_type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|----------------------|--------------------------|---------------|
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| updateableBy_teamForProject_description | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_shortName | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| updateableBy_teamForProject_template | boolean | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| updateableByProjectBased | boolean | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Markdown | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| visibleFor_teamForProject_description | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_shortName | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| visibleFor_teamForProject_template | boolean | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |
| visibleForProjectBased | boolean | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

5.1.3 ProjectIssuesBySprintId

Catalog: YouTrack

Schema: Agile

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/agiles/{id}`

Insert YouTrack API URL: `/agiles/{id}`

Update YouTrack API URL: `/agiles/{id}`

Delete YouTrack API URL: `/agiles/{id}`

Field Selection Method: NotRequired

Base Path: `projects[*].issues[*]`

Select YouTrack API Operation: `get /agiles/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `ProjectIssuesBySprintId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `ProjectIssuesBySprintId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|-----------------------|-----------|-------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type_2</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|----------------|--------------------------|---------------|
| archived | boolean | Archived | <input type="checkbox"/> | |
| colorCoding_\$type | string | | <input type="checkbox"/> | |
| colorCoding_id | string | | <input type="checkbox"/> | |
| columnSettings_\$type | string | | <input type="checkbox"/> | |
| columnSettings_field_\$type | string | | <input type="checkbox"/> | |
| columnSettings_field_aliases | string | | <input type="checkbox"/> | |
| columnSettings_field_hasRunningJob | boolean | | <input type="checkbox"/> | |
| columnSettings_field_id | string | | <input type="checkbox"/> | |
| columnSettings_field_isAutoAttached | boolean | | <input type="checkbox"/> | |
| columnSettings_field_isDisplayedInIssueList | boolean | | <input type="checkbox"/> | |
| columnSettings_field_isUpdateable | boolean | | <input type="checkbox"/> | |
| columnSettings_field_localizedName | string | | <input type="checkbox"/> | |
| columnSettings_field_name | string | | <input type="checkbox"/> | |
| columnSettings_field_ordinal | int32 | | <input type="checkbox"/> | |
| columnSettings_id | string | | <input type="checkbox"/> | |
| commentsCount | int32 | Comments Count | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| createdBy_\$type | string | | <input type="checkbox"/> | |
| createdBy_avatarUrl | string | | <input type="checkbox"/> | |
| createdBy_banned | boolean | | <input type="checkbox"/> | |
| createdBy_email | string | | <input type="checkbox"/> | |
| createdBy_fullName | string | | <input type="checkbox"/> | |
| createdBy_guest | boolean | | <input type="checkbox"/> | |
| createdBy_id | string | | <input type="checkbox"/> | |
| createdBy_jabberAccountName | string | | <input type="checkbox"/> | |
| createdBy_login | string | | <input type="checkbox"/> | |
| createdBy_online | boolean | | <input type="checkbox"/> | |
| createdBy_ringId | string | | <input type="checkbox"/> | |
| currentSprint_\$type_1 | string | | <input type="checkbox"/> | |
| currentSprint_\$type | string | | <input type="checkbox"/> | |
| currentSprint_agile_\$type | string | | <input type="checkbox"/> | |
| currentSprint_agile_hideOrphansSwimlane | boolean | | <input type="checkbox"/> | |
| currentSprint_agile_id | string | | <input type="checkbox"/> | |
| currentSprint_agile_name | string | | <input type="checkbox"/> | |
| currentSprint_agile_orphansAtTheTop | boolean | | <input type="checkbox"/> | |
| currentSprint_agile_updateableByProjectBased | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|-------------|--------------------------|---------------|
| currentSprint_agile_visibleForProjectBased | boolean | | <input type="checkbox"/> | |
| currentSprint_archived | boolean | | <input type="checkbox"/> | |
| currentSprint_commentsCount | int32 | | <input type="checkbox"/> | |
| currentSprint_created | int64 | | <input type="checkbox"/> | |
| currentSprint_description | string | | <input type="checkbox"/> | |
| currentSprint_finish | int64 | | <input type="checkbox"/> | |
| currentSprint_goal | string | | <input type="checkbox"/> | |
| currentSprint_id_1 | string | | <input type="checkbox"/> | |
| currentSprint_id | string | | <input type="checkbox"/> | |
| currentSprint_idReadable | string | | <input type="checkbox"/> | |
| currentSprint_isDefault | boolean | | <input type="checkbox"/> | |
| currentSprint_isDraft | boolean | | <input type="checkbox"/> | |
| currentSprint_name | string | | <input type="checkbox"/> | |
| currentSprint_numberInProject | int64 | | <input type="checkbox"/> | |
| currentSprint_previousSprint_type | string | | <input type="checkbox"/> | |
| currentSprint_previousSprint_archived | boolean | | <input type="checkbox"/> | |
| currentSprint_previousSprint_finish | int64 | | <input type="checkbox"/> | |
| currentSprint_previousSprint_goal | string | | <input type="checkbox"/> | |
| currentSprint_previousSprint_id | string | | <input type="checkbox"/> | |
| currentSprint_previousSprint_isDefault | boolean | | <input type="checkbox"/> | |
| currentSprint_previousSprint_name | string | | <input type="checkbox"/> | |
| currentSprint_previousSprint_start | int64 | | <input type="checkbox"/> | |
| currentSprint_previousSprint_unresolvedIssuesCount | int32 | | <input type="checkbox"/> | |
| currentSprint_resolved | int64 | | <input type="checkbox"/> | |
| currentSprint_start | int64 | | <input type="checkbox"/> | |
| currentSprint_summary | string | | <input type="checkbox"/> | |
| currentSprint_unresolvedIssuesCount | int32 | | <input type="checkbox"/> | |
| currentSprint_updated | int64 | | <input type="checkbox"/> | |
| currentSprint_usesMarkdown | boolean | | <input type="checkbox"/> | |
| currentSprint_votes | int32 | | <input type="checkbox"/> | |
| currentSprint_wikifiedDescription | string | | <input type="checkbox"/> | |
| description_1 | string | | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| estimationField_type | string | | <input type="checkbox"/> | |
| estimationField_aliases | string | | <input type="checkbox"/> | |
| estimationField_fieldDefaults_type | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|-------------------|--------------------------|---------------|
| estimationField_fieldDefaults_canBeEmpty | boolean | | <input type="checkbox"/> | |
| estimationField_fieldDefaults_emptyFieldText | string | | <input type="checkbox"/> | |
| estimationField_fieldDefaults_id | string | | <input type="checkbox"/> | |
| estimationField_fieldDefaults_isPublic | boolean | | <input type="checkbox"/> | |
| estimationField_fieldType_\$type | string | | <input type="checkbox"/> | |
| estimationField_fieldType_id | string | | <input type="checkbox"/> | |
| estimationField_hasRunningJob | boolean | | <input type="checkbox"/> | |
| estimationField_id | string | | <input type="checkbox"/> | |
| estimationField_isAutoAttached | boolean | | <input type="checkbox"/> | |
| estimationField_isDisplayedInIssueList | boolean | | <input type="checkbox"/> | |
| estimationField_isUpdateable | boolean | | <input type="checkbox"/> | |
| estimationField_localizedName | string | | <input type="checkbox"/> | |
| estimationField_name | string | | <input type="checkbox"/> | |
| estimationField_ordinal | int32 | | <input type="checkbox"/> | |
| fromEmail | string | From Email | <input type="checkbox"/> | |
| hideOrphansSwimlane | boolean | | <input type="checkbox"/> | |
| iconUrl | string | Icon (URL) | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| leader_\$type | string | | <input type="checkbox"/> | |
| leader_avatarUrl | string | | <input type="checkbox"/> | |
| leader_banned | boolean | | <input type="checkbox"/> | |
| leader_email | string | | <input type="checkbox"/> | |
| leader_fullName | string | | <input type="checkbox"/> | |
| leader_guest | boolean | | <input type="checkbox"/> | |
| leader_id | string | | <input type="checkbox"/> | |
| leader_jabberAccountName | string | | <input type="checkbox"/> | |
| leader_login | string | | <input type="checkbox"/> | |
| leader_online | boolean | | <input type="checkbox"/> | |
| leader_ringId | string | | <input type="checkbox"/> | |
| name_1 | string | | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| originalEstimationField_\$type | string | | <input type="checkbox"/> | |
| originalEstimationField_aliases | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|----------------|--------------------------|---------------|
| originalEstimationField_fieldDefaults_\$type | string | | <input type="checkbox"/> | |
| originalEstimationField_fieldDefaults_canBeEmpty | boolean | | <input type="checkbox"/> | |
| originalEstimationField_fieldDefaults_emptyFieldText | string | | <input type="checkbox"/> | |
| originalEstimationField_fieldDefaults_id | string | | <input type="checkbox"/> | |
| originalEstimationField_fieldDefaults_isPublic | boolean | | <input type="checkbox"/> | |
| originalEstimationField_fieldType_\$type | string | | <input type="checkbox"/> | |
| originalEstimationField_fieldType_id | string | | <input type="checkbox"/> | |
| originalEstimationField_hasRunningJob | boolean | | <input type="checkbox"/> | |
| originalEstimationField_id | string | | <input type="checkbox"/> | |
| originalEstimationField_isAutoAttached | boolean | | <input type="checkbox"/> | |
| originalEstimationField_isDisplayedInIssueList | boolean | | <input type="checkbox"/> | |
| originalEstimationField_isUpdateable | boolean | | <input type="checkbox"/> | |
| originalEstimationField_localizedName | string | | <input type="checkbox"/> | |
| originalEstimationField_name | string | | <input type="checkbox"/> | |
| originalEstimationField_ordinal | int32 | | <input type="checkbox"/> | |
| orphansAtTheTop | boolean | | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_profiles_\$type | string | | <input type="checkbox"/> | |
| owner_profiles_id | string | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| replyToEmail | string | Reply-to Email | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| shortName | string | Short Name | <input type="checkbox"/> | |
| sprintsSettings_\$type | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|-----------------|--------------------------|---------------|
| sprintsSettings_cardOnSeveralSprints | boolean | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_\$type | string | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_archived | boolean | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_finish | int64 | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_goal | string | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_id | string | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_isDefault | boolean | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_name | string | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_start | int64 | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_unresolvedIssuesCount | int32 | | <input type="checkbox"/> | |
| sprintsSettings_disableSprints | boolean | | <input type="checkbox"/> | |
| sprintsSettings_explicitQuery | string | | <input type="checkbox"/> | |
| sprintsSettings_hideSubtasksOfCards | boolean | | <input type="checkbox"/> | |
| sprintsSettings_id | string | | <input type="checkbox"/> | |
| sprintsSettings_isExplicit | boolean | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncField_\$type | string | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncField_aliases | string | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncField_hasRunningJob | boolean | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncField_id | string | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncField_isAutoAttached | boolean | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncField_isDisplayedInIssueList | boolean | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncField_isUpdateable | boolean | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncField_localizedName | string | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncField_name | string | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncField_order | int32 | | <input type="checkbox"/> | |
| startingNumber | int64 | Starting Number | <input type="checkbox"/> | |
| status_\$type | string | | <input type="checkbox"/> | |
| status_hasJobs | boolean | | <input type="checkbox"/> | |
| status_id | string | | <input type="checkbox"/> | |
| status_valid | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|---------------|--------------------------|---------------|
| summary | string | Summary | <input type="checkbox"/> | |
| swimlaneSettings_\$type | string | | <input type="checkbox"/> | |
| swimlaneSettings_enabled | boolean | | <input type="checkbox"/> | |
| swimlaneSettings_id | string | | <input type="checkbox"/> | |
| team_\$type | string | | <input type="checkbox"/> | |
| team_allUsersGroup | boolean | | <input type="checkbox"/> | |
| team_icon | string | | <input type="checkbox"/> | |
| team_id | string | | <input type="checkbox"/> | |
| team_name | string | | <input type="checkbox"/> | |
| team_ringId | string | | <input type="checkbox"/> | |
| team_usersCount | int64 | | <input type="checkbox"/> | |
| template | boolean | Template | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| updateableBy_teamForProject_description | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_shortName | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| updateableBy_teamForProject_template | boolean | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| updateableByProjectBased | boolean | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Markdown | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|----------------------|--------------------------|---------------|
| visibleFor_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| visibleFor_teamForProject_description | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_shortName | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| visibleFor_teamForProject_template | boolean | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |
| visibleForProjectBased | boolean | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

5.1.4 Projects

Catalog: YouTrack

Schema: Agile

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/agiles`

Insert YouTrack API URL: `/agiles`

Update YouTrack API URL: `/agiles`

Delete YouTrack API URL: `/agiles`

Field Selection Method: `NotRequired`

Base Path: `projects[*]`

Select YouTrack API Operation: `get /agiles`

Table Function Columns

The columns of the table function `Projects` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|-----------------------|-----------|----------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>archived</code> | boolean | Archived | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|-------|--------------------------|---------------|
| colorCoding_\$type | string | | <input type="checkbox"/> | |
| colorCoding_id | string | | <input type="checkbox"/> | |
| columnSettings_\$type | string | | <input type="checkbox"/> | |
| columnSettings_field_\$type | string | | <input type="checkbox"/> | |
| columnSettings_field_aliases | string | | <input type="checkbox"/> | |
| columnSettings_field_hasRunningJob | boolean | | <input type="checkbox"/> | |
| columnSettings_field_id | string | | <input type="checkbox"/> | |
| columnSettings_field_isAutoAttached | boolean | | <input type="checkbox"/> | |
| columnSettings_field_isDisplayedInIssueList | boolean | | <input type="checkbox"/> | |
| columnSettings_field_isUpdateable | boolean | | <input type="checkbox"/> | |
| columnSettings_field_localizedName | string | | <input type="checkbox"/> | |
| columnSettings_field_name | string | | <input type="checkbox"/> | |
| columnSettings_field_ordinal | int32 | | <input type="checkbox"/> | |
| columnSettings_id | string | | <input type="checkbox"/> | |
| createdBy_\$type | string | | <input type="checkbox"/> | |
| createdBy_avatarUrl | string | | <input type="checkbox"/> | |
| createdBy_banned | boolean | | <input type="checkbox"/> | |
| createdBy_email | string | | <input type="checkbox"/> | |
| createdBy_fullName | string | | <input type="checkbox"/> | |
| createdBy_guest | boolean | | <input type="checkbox"/> | |
| createdBy_id | string | | <input type="checkbox"/> | |
| createdBy_jabberAccountName | string | | <input type="checkbox"/> | |
| createdBy_login | string | | <input type="checkbox"/> | |
| createdBy_online | boolean | | <input type="checkbox"/> | |
| createdBy_ringId | string | | <input type="checkbox"/> | |
| currentSprint_\$type | string | | <input type="checkbox"/> | |
| currentSprint_agile_\$type | string | | <input type="checkbox"/> | |
| currentSprint_agile_hideOrphansSwimlane | boolean | | <input type="checkbox"/> | |
| currentSprint_agile_id | string | | <input type="checkbox"/> | |
| currentSprint_agile_name | string | | <input type="checkbox"/> | |
| currentSprint_agile_orphansAtTheTop | boolean | | <input type="checkbox"/> | |
| currentSprint_agile_updateableByProjectBased | boolean | | <input type="checkbox"/> | |
| currentSprint_agile_visibleForProjectBased | boolean | | <input type="checkbox"/> | |
| currentSprint_archived | boolean | | <input type="checkbox"/> | |
| currentSprint_finish | int64 | | <input type="checkbox"/> | |
| currentSprint_goal | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|-------------|--------------------------|---------------|
| currentSprint_id | string | | <input type="checkbox"/> | |
| currentSprint_isDefault | boolean | | <input type="checkbox"/> | |
| currentSprint_name | string | | <input type="checkbox"/> | |
| currentSprint_previousSprint_type | string | | <input type="checkbox"/> | |
| currentSprint_previousSprint_archived | boolean | | <input type="checkbox"/> | |
| currentSprint_previousSprint_finish | int64 | | <input type="checkbox"/> | |
| currentSprint_previousSprint_goal | string | | <input type="checkbox"/> | |
| currentSprint_previousSprint_id | string | | <input type="checkbox"/> | |
| currentSprint_previousSprint_isDefault | boolean | | <input type="checkbox"/> | |
| currentSprint_previousSprint_name | string | | <input type="checkbox"/> | |
| currentSprint_previousSprint_start | int64 | | <input type="checkbox"/> | |
| currentSprint_previousSprint_unresolvedIssuesCount | int32 | | <input type="checkbox"/> | |
| currentSprint_start | int64 | | <input type="checkbox"/> | |
| currentSprint_unresolvedIssuesCount | int32 | | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| estimationField_type | string | | <input type="checkbox"/> | |
| estimationField_aliases | string | | <input type="checkbox"/> | |
| estimationField_fieldDefaults_type | string | | <input type="checkbox"/> | |
| estimationField_fieldDefaults_canBeEmpty | boolean | | <input type="checkbox"/> | |
| estimationField_fieldDefaults_emptyFieldText | string | | <input type="checkbox"/> | |
| estimationField_fieldDefaults_id | string | | <input type="checkbox"/> | |
| estimationField_fieldDefaults_isPublic | boolean | | <input type="checkbox"/> | |
| estimationField_fieldType_type | string | | <input type="checkbox"/> | |
| estimationField_fieldType_id | string | | <input type="checkbox"/> | |
| estimationField_hasRunningJob | boolean | | <input type="checkbox"/> | |
| estimationField_id | string | | <input type="checkbox"/> | |
| estimationField_isAutoAttached | boolean | | <input type="checkbox"/> | |
| estimationField_isDisplayedInIssueList | boolean | | <input type="checkbox"/> | |
| estimationField_isUpdateable | boolean | | <input type="checkbox"/> | |
| estimationField_localizedName | string | | <input type="checkbox"/> | |
| estimationField_name | string | | <input type="checkbox"/> | |
| estimationField_ordinal | int32 | | <input type="checkbox"/> | |
| fromEmail | string | From Email | <input type="checkbox"/> | |
| hideOrphansSwimlane | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|------------|--------------------------|---------------|
| iconUrl | string | Icon (URL) | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| leader_\$type | string | | <input type="checkbox"/> | |
| leader_avatarUrl | string | | <input type="checkbox"/> | |
| leader_banned | boolean | | <input type="checkbox"/> | |
| leader_email | string | | <input type="checkbox"/> | |
| leader_fullName | string | | <input type="checkbox"/> | |
| leader_guest | boolean | | <input type="checkbox"/> | |
| leader_id | string | | <input type="checkbox"/> | |
| leader_jabberAccountName | string | | <input type="checkbox"/> | |
| leader_login | string | | <input type="checkbox"/> | |
| leader_online | boolean | | <input type="checkbox"/> | |
| leader_ringId | string | | <input type="checkbox"/> | |
| name_1 | string | | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| originalEstimationField_\$type | string | | <input type="checkbox"/> | |
| originalEstimationField_aliases | string | | <input type="checkbox"/> | |
| originalEstimationField_fieldDefaults_\$type | string | | <input type="checkbox"/> | |
| originalEstimationField_fieldDefaults_canBeEmpty | boolean | | <input type="checkbox"/> | |
| originalEstimationField_fieldDefaults_emptyFieldText | string | | <input type="checkbox"/> | |
| originalEstimationField_fieldDefaults_id | string | | <input type="checkbox"/> | |
| originalEstimationField_fieldDefaults_isPublic | boolean | | <input type="checkbox"/> | |
| originalEstimationField_fieldType_\$type | string | | <input type="checkbox"/> | |
| originalEstimationField_fieldType_id | string | | <input type="checkbox"/> | |
| originalEstimationField_hasRunningJob | boolean | | <input type="checkbox"/> | |
| originalEstimationField_id | string | | <input type="checkbox"/> | |
| originalEstimationField_isAutoAttached | boolean | | <input type="checkbox"/> | |
| originalEstimationField_isDisplayedInIssueList | boolean | | <input type="checkbox"/> | |
| originalEstimationField_isUpdateable | boolean | | <input type="checkbox"/> | |
| originalEstimationField_localizedName | string | | <input type="checkbox"/> | |
| originalEstimationField_name | string | | <input type="checkbox"/> | |
| originalEstimationField_ordinal | int32 | | <input type="checkbox"/> | |
| orphansAtTheTop | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|----------------|--------------------------|---------------|
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_profiles_\$type | string | | <input type="checkbox"/> | |
| owner_profiles_id | string | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| replyToEmail | string | Reply-to Email | <input type="checkbox"/> | |
| shortName | string | Short Name | <input type="checkbox"/> | |
| sprintsSettings_\$type | string | | <input type="checkbox"/> | |
| sprintsSettings_cardOnSeveralSprints | boolean | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_\$type | string | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_archived | boolean | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_finish | int64 | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_goal | string | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_id | string | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_isDefault | boolean | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_name | string | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_start | int64 | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_unresolvedIssuesCount | int32 | | <input type="checkbox"/> | |
| sprintsSettings_disableSprints | boolean | | <input type="checkbox"/> | |
| sprintsSettings_explicitQuery | string | | <input type="checkbox"/> | |
| sprintsSettings_hideSubtasksOfCards | boolean | | <input type="checkbox"/> | |
| sprintsSettings_id | string | | <input type="checkbox"/> | |
| sprintsSettings_isExplicit | boolean | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncField_\$type | string | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncField_aliases | string | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncField_hasRunningJob | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|-----------------|--------------------------|---------------|
| sprintsSettings_sprintSyncField_id | string | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncField_isAutoAttached | boolean | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncField_isDisplayedInIssueList | boolean | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncField_isUpdateable | boolean | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncField_localizedName | string | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncField_name | string | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncField_orderId | int32 | | <input type="checkbox"/> | |
| startingNumber | int64 | Starting Number | <input type="checkbox"/> | |
| status_\$type | string | | <input type="checkbox"/> | |
| status_hasJobs | boolean | | <input type="checkbox"/> | |
| status_id | string | | <input type="checkbox"/> | |
| status_valid | boolean | | <input type="checkbox"/> | |
| swimlaneSettings_\$type | string | | <input type="checkbox"/> | |
| swimlaneSettings_enabled | boolean | | <input type="checkbox"/> | |
| swimlaneSettings_id | string | | <input type="checkbox"/> | |
| team_\$type | string | | <input type="checkbox"/> | |
| team_allUsersGroup | boolean | | <input type="checkbox"/> | |
| team_icon | string | | <input type="checkbox"/> | |
| team_id | string | | <input type="checkbox"/> | |
| team_name | string | | <input type="checkbox"/> | |
| team_ringId | string | | <input type="checkbox"/> | |
| team_usersCount | int64 | | <input type="checkbox"/> | |
| template | boolean | Template | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| updateableBy_teamForProject_description | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|-------|--------------------------|---------------|
| updateableBy_teamForProject_shortName | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| updateableBy_teamForProject_template | boolean | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| updateableByProjectBased | boolean | | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| visibleFor_teamForProject_description | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_shortName | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| visibleFor_teamForProject_template | boolean | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |
| visibleForProjectBased | boolean | | <input type="checkbox"/> | |

5.1.5 SprintById

Catalog: YouTrack

Schema: Agile

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/agiles/{id}`

Insert YouTrack API URL: `/agiles/{id}`

Update YouTrack API URL: `/agiles/{id}`

Delete YouTrack API URL: `/agiles/{id}`

Field Selection Method: NotRequired

Select YouTrack API Operation: `get /agiles/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `SprintById`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `SprintById` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------|--------------------------|---------------|
| \$type | string | | <input type="checkbox"/> | |
| colorCoding_\$type | string | | <input type="checkbox"/> | |
| colorCoding_id | string | | <input type="checkbox"/> | |
| columnSettings_\$type | string | | <input type="checkbox"/> | |
| columnSettings_field_\$type | string | | <input type="checkbox"/> | |
| columnSettings_field_aliases | string | | <input type="checkbox"/> | |
| columnSettings_field_hasRunningJob | boolean | | <input type="checkbox"/> | |
| columnSettings_field_id | string | | <input type="checkbox"/> | |
| columnSettings_field_isAutoAttached | boolean | | <input type="checkbox"/> | |
| columnSettings_field_isDisplayedInIssueList | boolean | | <input type="checkbox"/> | |
| columnSettings_field_isUpdateable | boolean | | <input type="checkbox"/> | |
| columnSettings_field_localizedName | string | | <input type="checkbox"/> | |
| columnSettings_field_name | string | | <input type="checkbox"/> | |
| columnSettings_field_ordinal | int32 | | <input type="checkbox"/> | |
| columnSettings_id | string | | <input type="checkbox"/> | |
| currentSprint_\$type | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|-------|--------------------------|---------------|
| currentSprint_agile_\$type | string | | <input type="checkbox"/> | |
| currentSprint_agile_hideOrphansSwimlane | boolean | | <input type="checkbox"/> | |
| currentSprint_agile_id | string | | <input type="checkbox"/> | |
| currentSprint_agile_name | string | | <input type="checkbox"/> | |
| currentSprint_agile_orphansAtTheTop | boolean | | <input type="checkbox"/> | |
| currentSprint_agile_updateableByProjectBased | boolean | | <input type="checkbox"/> | |
| currentSprint_agile_visibleForProjectBased | boolean | | <input type="checkbox"/> | |
| currentSprint_archived | boolean | | <input type="checkbox"/> | |
| currentSprint_finish | int64 | | <input type="checkbox"/> | |
| currentSprint_goal | string | | <input type="checkbox"/> | |
| currentSprint_id | string | | <input type="checkbox"/> | |
| currentSprint_isDefault | boolean | | <input type="checkbox"/> | |
| currentSprint_name | string | | <input type="checkbox"/> | |
| currentSprint_previousSprint_\$type | string | | <input type="checkbox"/> | |
| currentSprint_previousSprint_archived | boolean | | <input type="checkbox"/> | |
| currentSprint_previousSprint_finish | int64 | | <input type="checkbox"/> | |
| currentSprint_previousSprint_goal | string | | <input type="checkbox"/> | |
| currentSprint_previousSprint_id | string | | <input type="checkbox"/> | |
| currentSprint_previousSprint_isDefault | boolean | | <input type="checkbox"/> | |
| currentSprint_previousSprint_name | string | | <input type="checkbox"/> | |
| currentSprint_previousSprint_start | int64 | | <input type="checkbox"/> | |
| currentSprint_previousSprint_unresolvedIssuesCount | int32 | | <input type="checkbox"/> | |
| currentSprint_start | int64 | | <input type="checkbox"/> | |
| currentSprint_unresolvedIssuesCount | int32 | | <input type="checkbox"/> | |
| estimationField_\$type | string | | <input type="checkbox"/> | |
| estimationField_aliases | string | | <input type="checkbox"/> | |
| estimationField_fieldDefaults_\$type | string | | <input type="checkbox"/> | |
| estimationField_fieldDefaults_canBeEmpty | boolean | | <input type="checkbox"/> | |
| estimationField_fieldDefaults_emptyFieldText | string | | <input type="checkbox"/> | |
| estimationField_fieldDefaults_id | string | | <input type="checkbox"/> | |
| estimationField_fieldDefaults_isPublic | boolean | | <input type="checkbox"/> | |
| estimationField_fieldType_\$type | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|-------|--------------------------|---------------|
| estimationField_fieldType_id | string | | <input type="checkbox"/> | |
| estimationField_hasRunningJob | boolean | | <input type="checkbox"/> | |
| estimationField_id | string | | <input type="checkbox"/> | |
| estimationField_isAutoAttached | boolean | | <input type="checkbox"/> | |
| estimationField_isDisplayedInIssueList | boolean | | <input type="checkbox"/> | |
| estimationField_isUpdateable | boolean | | <input type="checkbox"/> | |
| estimationField_localizedName | string | | <input type="checkbox"/> | |
| estimationField_name | string | | <input type="checkbox"/> | |
| estimationField_ordinal | int32 | | <input type="checkbox"/> | |
| hideOrphansSwimlane | boolean | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| originalEstimationField_\$type | string | | <input type="checkbox"/> | |
| originalEstimationField_aliases | string | | <input type="checkbox"/> | |
| originalEstimationField_fieldDefaults_\$type | string | | <input type="checkbox"/> | |
| originalEstimationField_fieldDefaults_canBeEmpty | boolean | | <input type="checkbox"/> | |
| originalEstimationField_fieldDefaults_emptyFieldText | string | | <input type="checkbox"/> | |
| originalEstimationField_fieldDefaults_id | string | | <input type="checkbox"/> | |
| originalEstimationField_fieldDefaults_isPublic | boolean | | <input type="checkbox"/> | |
| originalEstimationField_fieldType_\$type | string | | <input type="checkbox"/> | |
| originalEstimationField_fieldType_id | string | | <input type="checkbox"/> | |
| originalEstimationField_hasRunningJob | boolean | | <input type="checkbox"/> | |
| originalEstimationField_id | string | | <input type="checkbox"/> | |
| originalEstimationField_isAutoAttached | boolean | | <input type="checkbox"/> | |
| originalEstimationField_isDisplayedInIssueList | boolean | | <input type="checkbox"/> | |
| originalEstimationField_isUpdateable | boolean | | <input type="checkbox"/> | |
| originalEstimationField_localizedName | string | | <input type="checkbox"/> | |
| originalEstimationField_name | string | | <input type="checkbox"/> | |
| originalEstimationField_ordinal | int32 | | <input type="checkbox"/> | |
| orphansAtTheTop | boolean | | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|-------|--------------------------|---------------|
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_profiles_\$type | string | | <input type="checkbox"/> | |
| owner_profiles_id | string | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| sprintsSettings_\$type | string | | <input type="checkbox"/> | |
| sprintsSettings_cardOnSeveralSprints | boolean | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_\$type | string | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_archived | boolean | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_finish | int64 | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_goal | string | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_id | string | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_isDefault | boolean | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_name | string | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_start | int64 | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_unresolvedIssuesCount | int32 | | <input type="checkbox"/> | |
| sprintsSettings_disableSprints | boolean | | <input type="checkbox"/> | |
| sprintsSettings_explicitQuery | string | | <input type="checkbox"/> | |
| sprintsSettings_hideSubtasksOfCards | boolean | | <input type="checkbox"/> | |
| sprintsSettings_id | string | | <input type="checkbox"/> | |
| sprintsSettings_isExplicit | boolean | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncField_\$type | string | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncField_aliases | string | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncField_hasRunningJob | boolean | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncField_id | string | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncField_isAutoAttached | boolean | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncField_isDisplayedInIssueList | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------|--------------------------|---------------|
| sprintsSettings_sprintSyncField_isUpdateable | boolean | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncField_localizedName | string | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncField_name | string | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncField_orderId | int32 | | <input type="checkbox"/> | |
| status_\$type | string | | <input type="checkbox"/> | |
| status_hasJobs | boolean | | <input type="checkbox"/> | |
| status_id | string | | <input type="checkbox"/> | |
| status_valid | boolean | | <input type="checkbox"/> | |
| swimlaneSettings_\$type | string | | <input type="checkbox"/> | |
| swimlaneSettings_enabled | boolean | | <input type="checkbox"/> | |
| swimlaneSettings_id | string | | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| updateableBy_teamForProject_description | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_shortName | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| updateableBy_teamForProject_template | boolean | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| updateableByProjectBased | boolean | | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|-------|--------------------------|---------------|
| visibleFor_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| visibleFor_teamForProject_description | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_shortName | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| visibleFor_teamForProject_template | boolean | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |
| visibleForProjectBased | boolean | | <input type="checkbox"/> | |

5.1.6 SprintByld1

Catalog: YouTrack

Schema: Agile

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/agiles/{id}`

Insert YouTrack API URL: `/agiles/{id}`

Update YouTrack API URL: `/agiles/{id}`

Delete YouTrack API URL: `/agiles/{id}`

Field Selection Method: NotRequired

Base Path: `sprints[*]`

Select YouTrack API Operation: `get /agiles/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `SprintByld1`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `SprintById1` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|---|-----------|----------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| agile_\$type | string | | <input type="checkbox"/> | |
| agile_hideOrphansSwimlane | boolean | | <input type="checkbox"/> | |
| agile_id | string | | <input type="checkbox"/> | |
| agile_name | string | | <input type="checkbox"/> | |
| agile_orphansAtTheTop | boolean | | <input type="checkbox"/> | |
| agile_updateableByProjectBased | boolean | | <input type="checkbox"/> | |
| agile_visibleForProjectBased | boolean | | <input type="checkbox"/> | |
| archived | boolean | Archived | <input type="checkbox"/> | |
| colorCoding_\$type | string | | <input type="checkbox"/> | |
| colorCoding_id | string | | <input type="checkbox"/> | |
| columnSettings_\$type | string | | <input type="checkbox"/> | |
| columnSettings_field_\$type | string | | <input type="checkbox"/> | |
| columnSettings_field_aliases | string | | <input type="checkbox"/> | |
| columnSettings_field_hasRunningJob | boolean | | <input type="checkbox"/> | |
| columnSettings_field_id | string | | <input type="checkbox"/> | |
| columnSettings_field_isAutoAttached | boolean | | <input type="checkbox"/> | |
| columnSettings_field_isDisplayedInIssueList | boolean | | <input type="checkbox"/> | |
| columnSettings_field_isUpdateable | boolean | | <input type="checkbox"/> | |
| columnSettings_field_localizedName | string | | <input type="checkbox"/> | |
| columnSettings_field_name | string | | <input type="checkbox"/> | |
| columnSettings_field_ordinal | int32 | | <input type="checkbox"/> | |
| columnSettings_id | string | | <input type="checkbox"/> | |
| currentSprint_\$type | string | | <input type="checkbox"/> | |
| currentSprint_agile_\$type | string | | <input type="checkbox"/> | |
| currentSprint_agile_hideOrphansSwimlane | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|-------|--------------------------|---------------|
| currentSprint_agile_id | string | | <input type="checkbox"/> | |
| currentSprint_agile_name | string | | <input type="checkbox"/> | |
| currentSprint_agile_orphansAtTheTop | boolean | | <input type="checkbox"/> | |
| currentSprint_agile_updateableByProjectBased | boolean | | <input type="checkbox"/> | |
| currentSprint_agile_visibleForProjectBased | boolean | | <input type="checkbox"/> | |
| currentSprint_archived | boolean | | <input type="checkbox"/> | |
| currentSprint_finish | int64 | | <input type="checkbox"/> | |
| currentSprint_goal | string | | <input type="checkbox"/> | |
| currentSprint_id | string | | <input type="checkbox"/> | |
| currentSprint_isDefault | boolean | | <input type="checkbox"/> | |
| currentSprint_name | string | | <input type="checkbox"/> | |
| currentSprint_previousSprint_type | string | | <input type="checkbox"/> | |
| currentSprint_previousSprint_archived | boolean | | <input type="checkbox"/> | |
| currentSprint_previousSprint_finish | int64 | | <input type="checkbox"/> | |
| currentSprint_previousSprint_goal | string | | <input type="checkbox"/> | |
| currentSprint_previousSprint_id | string | | <input type="checkbox"/> | |
| currentSprint_previousSprint_isDefault | boolean | | <input type="checkbox"/> | |
| currentSprint_previousSprint_name | string | | <input type="checkbox"/> | |
| currentSprint_previousSprint_start | int64 | | <input type="checkbox"/> | |
| currentSprint_previousSprint_unresolvedIssuesCount | int32 | | <input type="checkbox"/> | |
| currentSprint_start | int64 | | <input type="checkbox"/> | |
| currentSprint_unresolvedIssuesCount | int32 | | <input type="checkbox"/> | |
| estimationField_type | string | | <input type="checkbox"/> | |
| estimationField_aliases | string | | <input type="checkbox"/> | |
| estimationField_fieldDefaults_type | string | | <input type="checkbox"/> | |
| estimationField_fieldDefaults_canBeEmpty | boolean | | <input type="checkbox"/> | |
| estimationField_fieldDefaults_emptyFieldText | string | | <input type="checkbox"/> | |
| estimationField_fieldDefaults_id | string | | <input type="checkbox"/> | |
| estimationField_fieldDefaults_isPublic | boolean | | <input type="checkbox"/> | |
| estimationField_fieldType_type | string | | <input type="checkbox"/> | |
| estimationField_fieldType_id | string | | <input type="checkbox"/> | |
| estimationField_hasRunningJob | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|------------|--------------------------|---------------|
| estimationField_id | string | | <input type="checkbox"/> | |
| estimationField_isAutoAttached | boolean | | <input type="checkbox"/> | |
| estimationField_isDisplayedInIssueList | boolean | | <input type="checkbox"/> | |
| estimationField_isUpdateable | boolean | | <input type="checkbox"/> | |
| estimationField_localizedName | string | | <input type="checkbox"/> | |
| estimationField_name | string | | <input type="checkbox"/> | |
| estimationField_ordinal | int32 | | <input type="checkbox"/> | |
| finish | int64 | Finish | <input type="checkbox"/> | |
| goal | string | Goal | <input type="checkbox"/> | |
| hideOrphansSwimlane | boolean | | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| isDefault | boolean | Is Default | <input type="checkbox"/> | |
| name_1 | string | | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| originalEstimationField_\$type | string | | <input type="checkbox"/> | |
| originalEstimationField_aliases | string | | <input type="checkbox"/> | |
| originalEstimationField_fieldDefaults_\$type | string | | <input type="checkbox"/> | |
| originalEstimationField_fieldDefaults_canBeEmpty | boolean | | <input type="checkbox"/> | |
| originalEstimationField_fieldDefaults_emptyFieldText | string | | <input type="checkbox"/> | |
| originalEstimationField_fieldDefaults_id | string | | <input type="checkbox"/> | |
| originalEstimationField_fieldDefaults_isPublic | boolean | | <input type="checkbox"/> | |
| originalEstimationField_fieldType_\$type | string | | <input type="checkbox"/> | |
| originalEstimationField_fieldType_id | string | | <input type="checkbox"/> | |
| originalEstimationField_hasRunningJob | boolean | | <input type="checkbox"/> | |
| originalEstimationField_id | string | | <input type="checkbox"/> | |
| originalEstimationField_isAutoAttached | boolean | | <input type="checkbox"/> | |
| originalEstimationField_isDisplayedInIssueList | boolean | | <input type="checkbox"/> | |
| originalEstimationField_isUpdateable | boolean | | <input type="checkbox"/> | |
| originalEstimationField_localizedName | string | | <input type="checkbox"/> | |
| originalEstimationField_name | string | | <input type="checkbox"/> | |
| originalEstimationField_ordinal | int32 | | <input type="checkbox"/> | |
| orphansAtTheTop | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------|--------------------------|---------------|
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_profiles_\$type | string | | <input type="checkbox"/> | |
| owner_profiles_id | string | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| previousSprint_\$type | string | | <input type="checkbox"/> | |
| previousSprint_archived | boolean | | <input type="checkbox"/> | |
| previousSprint_finish | int64 | | <input type="checkbox"/> | |
| previousSprint_goal | string | | <input type="checkbox"/> | |
| previousSprint_id | string | | <input type="checkbox"/> | |
| previousSprint_isDefault | boolean | | <input type="checkbox"/> | |
| previousSprint_name | string | | <input type="checkbox"/> | |
| previousSprint_start | int64 | | <input type="checkbox"/> | |
| previousSprint_unresolvedIssuesCount | int32 | | <input type="checkbox"/> | |
| sprintsSettings_\$type | string | | <input type="checkbox"/> | |
| sprintsSettings_cardOnSeveralSprints | boolean | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_\$type | string | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_archived | boolean | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_finish | int64 | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_goal | string | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_id | string | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_isDefault | boolean | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_name | string | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_start | int64 | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_unresolvedIssuesCount | int32 | | <input type="checkbox"/> | |
| sprintsSettings_disableSprints | boolean | | <input type="checkbox"/> | |
| sprintsSettings_explicitQuery | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|------------------------|--------------------------|---------------|
| sprintsSettings_hideSubtasksOfCards | boolean | | <input type="checkbox"/> | |
| sprintsSettings_id | string | | <input type="checkbox"/> | |
| sprintsSettings_isExplicit | boolean | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncFieldType | string | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncFieldAliases | string | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncFieldHasRunningJob | boolean | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncFieldId | string | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncFieldIsAutoAttached | boolean | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncFieldIsDisplayedInIssueList | boolean | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncFieldIsUpdateable | boolean | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncFieldLocalizedName | string | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncFieldName | string | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncFieldOrdinal | int32 | | <input type="checkbox"/> | |
| start | int64 | Start | <input type="checkbox"/> | |
| status_\$type | string | | <input type="checkbox"/> | |
| status_hasJobs | boolean | | <input type="checkbox"/> | |
| status_id | string | | <input type="checkbox"/> | |
| status_valid | boolean | | <input type="checkbox"/> | |
| swimlaneSettings_\$type | string | | <input type="checkbox"/> | |
| swimlaneSettings_enabled | boolean | | <input type="checkbox"/> | |
| swimlaneSettings_id | string | | <input type="checkbox"/> | |
| unresolvedIssuesCount | int32 | Unresolved Issue Count | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| updateableBy_teamForProject_description | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_fromEmail | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|-------|--------------------------|---------------|
| updateableBy_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_shortName | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| updateableBy_teamForProject_template | boolean | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| updateableByProjectBased | boolean | | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| visibleFor_teamForProject_description | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_shortName | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| visibleFor_teamForProject_template | boolean | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |
| visibleForProjectBased | boolean | | <input type="checkbox"/> | |

5.1.7 SprintById2

Catalog: YouTrack

Schema: Agile

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/agiles/{id}/sprints`

Insert YouTrack API URL: `/agiles/{id}/sprints`

Update YouTrack API URL: `/agiles/{id}/sprints`

Delete YouTrack API URL: `/agiles/{id}/sprints`

Field Selection Method: NotRequired

Select YouTrack API Operation: `get /agiles/{id}/sprints`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `SprintById2`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `SprintById2` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|--|-----------|-------|--------------------------|---------------|
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>agile_\$type</code> | string | | <input type="checkbox"/> | |
| <code>agile_colorCoding_\$type</code> | string | | <input type="checkbox"/> | |
| <code>agile_colorCoding_id</code> | string | | <input type="checkbox"/> | |
| <code>agile_columnSettings_\$type</code> | string | | <input type="checkbox"/> | |
| <code>agile_columnSettings_id</code> | string | | <input type="checkbox"/> | |
| <code>agile_currentSprint_\$type</code> | string | | <input type="checkbox"/> | |
| <code>agile_currentSprint_archived</code> | boolean | | <input type="checkbox"/> | |
| <code>agile_currentSprint_finish</code> | int64 | | <input type="checkbox"/> | |
| <code>agile_currentSprint_goal</code> | string | | <input type="checkbox"/> | |
| <code>agile_currentSprint_id</code> | string | | <input type="checkbox"/> | |
| <code>agile_currentSprint_isDefault</code> | boolean | | <input type="checkbox"/> | |
| <code>agile_currentSprint_name</code> | string | | <input type="checkbox"/> | |
| <code>agile_currentSprint_start</code> | int64 | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|-------|--------------------------|---------------|
| agile_currentSprint_unresolvedIssuesCount | int32 | | <input type="checkbox"/> | |
| agile_estimationField_\$type | string | | <input type="checkbox"/> | |
| agile_estimationField_aliases | string | | <input type="checkbox"/> | |
| agile_estimationField_hasRunningJob | boolean | | <input type="checkbox"/> | |
| agile_estimationField_id | string | | <input type="checkbox"/> | |
| agile_estimationField_isAutoAttached | boolean | | <input type="checkbox"/> | |
| agile_estimationField_isDisplayedInIssueList | boolean | | <input type="checkbox"/> | |
| agile_estimationField_isUpdatable | boolean | | <input type="checkbox"/> | |
| agile_estimationField_localizedName | string | | <input type="checkbox"/> | |
| agile_estimationField_name | string | | <input type="checkbox"/> | |
| agile_estimationField_ordinal | int32 | | <input type="checkbox"/> | |
| agile_hideOrphansSwimlane | boolean | | <input type="checkbox"/> | |
| agile_id | string | | <input type="checkbox"/> | |
| agile_name | string | | <input type="checkbox"/> | |
| agile_originalEstimationField_\$type | string | | <input type="checkbox"/> | |
| agile_originalEstimationField_aliases | string | | <input type="checkbox"/> | |
| agile_originalEstimationField_hasRunningJob | boolean | | <input type="checkbox"/> | |
| agile_originalEstimationField_id | string | | <input type="checkbox"/> | |
| agile_originalEstimationField_isAutoAttached | boolean | | <input type="checkbox"/> | |
| agile_originalEstimationField_isDisplayedInIssueList | boolean | | <input type="checkbox"/> | |
| agile_originalEstimationField_isUpdatable | boolean | | <input type="checkbox"/> | |
| agile_originalEstimationField_localizedName | string | | <input type="checkbox"/> | |
| agile_originalEstimationField_name | string | | <input type="checkbox"/> | |
| agile_originalEstimationField_ordinal | int32 | | <input type="checkbox"/> | |
| agile_orphansAtTheTop | boolean | | <input type="checkbox"/> | |
| agile_owner_\$type | string | | <input type="checkbox"/> | |
| agile_owner_avatarUrl | string | | <input type="checkbox"/> | |
| agile_owner_banned | boolean | | <input type="checkbox"/> | |
| agile_owner_email | string | | <input type="checkbox"/> | |
| agile_owner_fullName | string | | <input type="checkbox"/> | |
| agile_owner_guest | boolean | | <input type="checkbox"/> | |
| agile_owner_id | string | | <input type="checkbox"/> | |
| agile_owner_jabberAccountName | string | | <input type="checkbox"/> | |
| agile_owner_login | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|------------|--------------------------|---------------|
| agile_ow ner_online | boolean | | <input type="checkbox"/> | |
| agile_ow ner_ringId | string | | <input type="checkbox"/> | |
| agile_sprintsSettings_\$type | string | | <input type="checkbox"/> | |
| agile_sprintsSettings_cardOnSeveralsprints | boolean | | <input type="checkbox"/> | |
| agile_sprintsSettings_disableSprints | boolean | | <input type="checkbox"/> | |
| agile_sprintsSettings_explicitQuery | string | | <input type="checkbox"/> | |
| agile_sprintsSettings_hideSubtasksOfCards | boolean | | <input type="checkbox"/> | |
| agile_sprintsSettings_id | string | | <input type="checkbox"/> | |
| agile_sprintsSettings_isExplicit | boolean | | <input type="checkbox"/> | |
| agile_status_\$type | string | | <input type="checkbox"/> | |
| agile_status_hasJobs | boolean | | <input type="checkbox"/> | |
| agile_status_id | string | | <input type="checkbox"/> | |
| agile_status_valid | boolean | | <input type="checkbox"/> | |
| agile_swimlaneSettings_\$type | string | | <input type="checkbox"/> | |
| agile_swimlaneSettings_enabled | boolean | | <input type="checkbox"/> | |
| agile_swimlaneSettings_id | string | | <input type="checkbox"/> | |
| agile_updateableBy_\$type | string | | <input type="checkbox"/> | |
| agile_updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| agile_updateableBy_icon | string | | <input type="checkbox"/> | |
| agile_updateableBy_id | string | | <input type="checkbox"/> | |
| agile_updateableBy_name | string | | <input type="checkbox"/> | |
| agile_updateableBy_ringId | string | | <input type="checkbox"/> | |
| agile_updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| agile_updateableByProjectBased | boolean | | <input type="checkbox"/> | |
| agile_visibleFor_\$type | string | | <input type="checkbox"/> | |
| agile_visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| agile_visibleFor_icon | string | | <input type="checkbox"/> | |
| agile_visibleFor_id | string | | <input type="checkbox"/> | |
| agile_visibleFor_name | string | | <input type="checkbox"/> | |
| agile_visibleFor_ringId | string | | <input type="checkbox"/> | |
| agile_visibleFor_usersCount | int64 | | <input type="checkbox"/> | |
| agile_visibleForProjectBased | boolean | | <input type="checkbox"/> | |
| archived | boolean | Archived | <input type="checkbox"/> | |
| finish | int64 | Finish | <input type="checkbox"/> | |
| goal | string | Goal | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| isDefault | boolean | Is Default | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| previousSprint_\$type | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|------------------------|--------------------------|---------------|
| previousSprint_agile_\$type | string | | <input type="checkbox"/> | |
| previousSprint_agile_hideOrphansSwimlane | boolean | | <input type="checkbox"/> | |
| previousSprint_agile_id | string | | <input type="checkbox"/> | |
| previousSprint_agile_name | string | | <input type="checkbox"/> | |
| previousSprint_agile_orphansAtTheTop | boolean | | <input type="checkbox"/> | |
| previousSprint_agile_updateableByProjectBased | boolean | | <input type="checkbox"/> | |
| previousSprint_agile_visibleForProjectBased | boolean | | <input type="checkbox"/> | |
| previousSprint_archived | boolean | | <input type="checkbox"/> | |
| previousSprint_finish | int64 | | <input type="checkbox"/> | |
| previousSprint_goal | string | | <input type="checkbox"/> | |
| previousSprint_id | string | | <input type="checkbox"/> | |
| previousSprint_isDefault | boolean | | <input type="checkbox"/> | |
| previousSprint_name | string | | <input type="checkbox"/> | |
| previousSprint_previousSprint_\$type | string | | <input type="checkbox"/> | |
| previousSprint_previousSprint_archived | boolean | | <input type="checkbox"/> | |
| previousSprint_previousSprint_finish | int64 | | <input type="checkbox"/> | |
| previousSprint_previousSprint_goal | string | | <input type="checkbox"/> | |
| previousSprint_previousSprint_id | string | | <input type="checkbox"/> | |
| previousSprint_previousSprint_isDefault | boolean | | <input type="checkbox"/> | |
| previousSprint_previousSprint_name | string | | <input type="checkbox"/> | |
| previousSprint_previousSprint_start | int64 | | <input type="checkbox"/> | |
| previousSprint_previousSprint_unresolvedIssuesCount | int32 | | <input type="checkbox"/> | |
| previousSprint_start | int64 | | <input type="checkbox"/> | |
| previousSprint_unresolvedIssuesCount | int32 | | <input type="checkbox"/> | |
| start | int64 | Start | <input type="checkbox"/> | |
| unresolvedIssuesCount | int32 | Unresolved Issue Count | <input type="checkbox"/> | |

5.1.8 SprintIssueAttachmentsBySprintId

Catalog: YouTrack

Schema: Agile

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/agiles/{id}/sprints`

Insert YouTrack API URL: `/agiles/{id}/sprints`

Update YouTrack API URL: `/agiles/{id}/sprints`

Delete YouTrack API URL: `/agiles/{id}/sprints`

Field Selection Method: `NotRequired`

Base Path: `issues[*].attachments[*]`

Select YouTrack API Operation: `get /agiles/{id}/sprints`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `SprintIssueAttachmentsBySprintId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `SprintIssueAttachmentsBySprintId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|--|-----------|-------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type_2</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>agile_\$type</code> | string | | <input type="checkbox"/> | |
| <code>agile_colorCoding_\$type</code> | string | | <input type="checkbox"/> | |
| <code>agile_colorCoding_id</code> | string | | <input type="checkbox"/> | |
| <code>agile_columnSettings_\$type</code> | string | | <input type="checkbox"/> | |
| <code>agile_columnSettings_id</code> | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|-------|--------------------------|---------------|
| agile_currentSprint_\$type | string | | <input type="checkbox"/> | |
| agile_currentSprint_archived | boolean | | <input type="checkbox"/> | |
| agile_currentSprint_finish | int64 | | <input type="checkbox"/> | |
| agile_currentSprint_goal | string | | <input type="checkbox"/> | |
| agile_currentSprint_id | string | | <input type="checkbox"/> | |
| agile_currentSprint_isDefault | boolean | | <input type="checkbox"/> | |
| agile_currentSprint_name | string | | <input type="checkbox"/> | |
| agile_currentSprint_start | int64 | | <input type="checkbox"/> | |
| agile_currentSprint_unresolvedIssuesCount | int32 | | <input type="checkbox"/> | |
| agile_estimationField_\$type | string | | <input type="checkbox"/> | |
| agile_estimationField_aliases | string | | <input type="checkbox"/> | |
| agile_estimationField_hasRunningJob | boolean | | <input type="checkbox"/> | |
| agile_estimationField_id | string | | <input type="checkbox"/> | |
| agile_estimationField_isAutoAttached | boolean | | <input type="checkbox"/> | |
| agile_estimationField_isDisplayedInIssueList | boolean | | <input type="checkbox"/> | |
| agile_estimationField_isUpdateable | boolean | | <input type="checkbox"/> | |
| agile_estimationField_localizedName | string | | <input type="checkbox"/> | |
| agile_estimationField_name | string | | <input type="checkbox"/> | |
| agile_estimationField_ordinal | int32 | | <input type="checkbox"/> | |
| agile_hideOrphansSwimlane | boolean | | <input type="checkbox"/> | |
| agile_id | string | | <input type="checkbox"/> | |
| agile_name | string | | <input type="checkbox"/> | |
| agile_originalEstimationField_\$type | string | | <input type="checkbox"/> | |
| agile_originalEstimationField_aliases | string | | <input type="checkbox"/> | |
| agile_originalEstimationField_hasRunningJob | boolean | | <input type="checkbox"/> | |
| agile_originalEstimationField_id | string | | <input type="checkbox"/> | |
| agile_originalEstimationField_isAutoAttached | boolean | | <input type="checkbox"/> | |
| agile_originalEstimationField_isDisplayedInIssueList | boolean | | <input type="checkbox"/> | |
| agile_originalEstimationField_isUpdateable | boolean | | <input type="checkbox"/> | |
| agile_originalEstimationField_localizedName | string | | <input type="checkbox"/> | |
| agile_originalEstimationField_name | string | | <input type="checkbox"/> | |
| agile_originalEstimationField_ordinal | int32 | | <input type="checkbox"/> | |
| agile_orphansAtTheTop | boolean | | <input type="checkbox"/> | |
| agile_owner_\$type | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|-------|--------------------------|---------------|
| agile_ow ner_avatarUrl | string | | <input type="checkbox"/> | |
| agile_ow ner_banned | boolean | | <input type="checkbox"/> | |
| agile_ow ner_email | string | | <input type="checkbox"/> | |
| agile_ow ner_fullName | string | | <input type="checkbox"/> | |
| agile_ow ner_guest | boolean | | <input type="checkbox"/> | |
| agile_ow ner_id | string | | <input type="checkbox"/> | |
| agile_ow ner_jabberAccountName | string | | <input type="checkbox"/> | |
| agile_ow ner_login | string | | <input type="checkbox"/> | |
| agile_ow ner_online | boolean | | <input type="checkbox"/> | |
| agile_ow ner_ringId | string | | <input type="checkbox"/> | |
| agile_sprintsSettings_\$type | string | | <input type="checkbox"/> | |
| agile_sprintsSettings_cardOnSever alSprints | boolean | | <input type="checkbox"/> | |
| agile_sprintsSettings_disableSprint s | boolean | | <input type="checkbox"/> | |
| agile_sprintsSettings_explicitQuery | string | | <input type="checkbox"/> | |
| agile_sprintsSettings_hideSubtask sOfCards | boolean | | <input type="checkbox"/> | |
| agile_sprintsSettings_id | string | | <input type="checkbox"/> | |
| agile_sprintsSettings_isExplicit | boolean | | <input type="checkbox"/> | |
| agile_status_\$type | string | | <input type="checkbox"/> | |
| agile_status_hasJobs | boolean | | <input type="checkbox"/> | |
| agile_status_id | string | | <input type="checkbox"/> | |
| agile_status_valid | boolean | | <input type="checkbox"/> | |
| agile_swimlaneSettings_\$type | string | | <input type="checkbox"/> | |
| agile_swimlaneSettings_enabled | boolean | | <input type="checkbox"/> | |
| agile_swimlaneSettings_id | string | | <input type="checkbox"/> | |
| agile_updateableBy_\$type | string | | <input type="checkbox"/> | |
| agile_updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| agile_updateableBy_icon | string | | <input type="checkbox"/> | |
| agile_updateableBy_id | string | | <input type="checkbox"/> | |
| agile_updateableBy_name | string | | <input type="checkbox"/> | |
| agile_updateableBy_ringId | string | | <input type="checkbox"/> | |
| agile_updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| agile_updateableByProjectBased | boolean | | <input type="checkbox"/> | |
| agile_visibleFor_\$type | string | | <input type="checkbox"/> | |
| agile_visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| agile_visibleFor_icon | string | | <input type="checkbox"/> | |
| agile_visibleFor_id | string | | <input type="checkbox"/> | |
| agile_visibleFor_name | string | | <input type="checkbox"/> | |
| agile_visibleFor_ringId | string | | <input type="checkbox"/> | |
| agile_visibleFor_usersCount | int64 | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|------------------------------|-----------|-------------------|--------------------------|---------------|
| agile_visibleForProjectBased | boolean | | <input type="checkbox"/> | |
| archived | boolean | Archived | <input type="checkbox"/> | |
| base64Content | string | Base64 Content | <input type="checkbox"/> | |
| charset | string | Charset | <input type="checkbox"/> | |
| commentsCount | int32 | Comments Count | <input type="checkbox"/> | |
| created_1 | int64 | | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| draft | boolean | Draft | <input type="checkbox"/> | |
| draftOwner_\$type | string | | <input type="checkbox"/> | |
| draftOwner_avatarUrl | string | | <input type="checkbox"/> | |
| draftOwner_banned | boolean | | <input type="checkbox"/> | |
| draftOwner_email | string | | <input type="checkbox"/> | |
| draftOwner_fullName | string | | <input type="checkbox"/> | |
| draftOwner_guest | boolean | | <input type="checkbox"/> | |
| draftOwner_id | string | | <input type="checkbox"/> | |
| draftOwner_jabberAccountName | string | | <input type="checkbox"/> | |
| draftOwner_login | string | | <input type="checkbox"/> | |
| draftOwner_online | boolean | | <input type="checkbox"/> | |
| draftOwner_ringId | string | | <input type="checkbox"/> | |
| extension | string | Extension | <input type="checkbox"/> | |
| externalIssue_\$type | string | | <input type="checkbox"/> | |
| externalIssue_id | string | | <input type="checkbox"/> | |
| externalIssue_key | string | | <input type="checkbox"/> | |
| externalIssue_name | string | | <input type="checkbox"/> | |
| externalIssue_url | string | | <input type="checkbox"/> | |
| finish | int64 | Finish | <input type="checkbox"/> | |
| goal | string | Goal | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDefault | boolean | Is Default | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| metaData | string | Metadata | <input type="checkbox"/> | |
| mimeType | string | MIME-type | <input type="checkbox"/> | |
| name_1 | string | | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------|--------------------------|---------------|
| parent_id | string | | <input type="checkbox"/> | |
| previousSprint_\$type | string | | <input type="checkbox"/> | |
| previousSprint_agile_\$type | string | | <input type="checkbox"/> | |
| previousSprint_agile_hideOrphansSwimlane | boolean | | <input type="checkbox"/> | |
| previousSprint_agile_id | string | | <input type="checkbox"/> | |
| previousSprint_agile_name | string | | <input type="checkbox"/> | |
| previousSprint_agile_orphansAtTheTop | boolean | | <input type="checkbox"/> | |
| previousSprint_agile_updateableByProjectBased | boolean | | <input type="checkbox"/> | |
| previousSprint_agile_visibleForProjectBased | boolean | | <input type="checkbox"/> | |
| previousSprint_archived | boolean | | <input type="checkbox"/> | |
| previousSprint_finish | int64 | | <input type="checkbox"/> | |
| previousSprint_goal | string | | <input type="checkbox"/> | |
| previousSprint_id | string | | <input type="checkbox"/> | |
| previousSprint_isDefault | boolean | | <input type="checkbox"/> | |
| previousSprint_name | string | | <input type="checkbox"/> | |
| previousSprint_previousSprint_\$type | string | | <input type="checkbox"/> | |
| previousSprint_previousSprint_archived | boolean | | <input type="checkbox"/> | |
| previousSprint_previousSprint_finish | int64 | | <input type="checkbox"/> | |
| previousSprint_previousSprint_goal | string | | <input type="checkbox"/> | |
| previousSprint_previousSprint_id | string | | <input type="checkbox"/> | |
| previousSprint_previousSprint_isDefault | boolean | | <input type="checkbox"/> | |
| previousSprint_previousSprint_name | string | | <input type="checkbox"/> | |
| previousSprint_previousSprint_start | int64 | | <input type="checkbox"/> | |
| previousSprint_previousSprint_unresolvedIssuesCount | int32 | | <input type="checkbox"/> | |
| previousSprint_start | int64 | | <input type="checkbox"/> | |
| previousSprint_unresolvedIssuesCount | int32 | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|----------------------------|-----------|------------------------|--------------------------|---------------|
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| removed | boolean | Removed | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| size | int64 | Size | <input type="checkbox"/> | |
| start | int64 | Start | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| thumbnailURL | string | Thumbnail (URL) | <input type="checkbox"/> | |
| unresolvedIssuesCount | int32 | Unresolved Issue Count | <input type="checkbox"/> | |
| updated_1 | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| url | string | URL | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Mark Down | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---------------------|-----------|----------------------|--------------------------|---------------|
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

5.1.9 SprintIssueCommentsBySprintId

Catalog: YouTrack

Schema: Agile

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/agiles/{id}/sprints`

Insert YouTrack API URL: `/agiles/{id}/sprints`

Update YouTrack API URL: `/agiles/{id}/sprints`

Delete YouTrack API URL: `/agiles/{id}/sprints`

Field Selection Method: NotRequired

Base Path: `issues[*].comments[*]`

Select YouTrack API Operation: `get /agiles/{id}/sprints`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `SprintIssueCommentsBySprintId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `SprintIssueCommentsBySprintId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type_2</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>agile_\$type</code> | string | | <input type="checkbox"/> | |
| <code>agile_colorCoding_\$type</code> | string | | <input type="checkbox"/> | |
| <code>agile_colorCoding_id</code> | string | | <input type="checkbox"/> | |
| <code>agile_columnSettings_\$type</code> | string | | <input type="checkbox"/> | |
| <code>agile_columnSettings_id</code> | string | | <input type="checkbox"/> | |
| <code>agile_currentSprint_\$type</code> | string | | <input type="checkbox"/> | |
| <code>agile_currentSprint_archived</code> | boolean | | <input type="checkbox"/> | |
| <code>agile_currentSprint_finish</code> | int64 | | <input type="checkbox"/> | |
| <code>agile_currentSprint_goal</code> | string | | <input type="checkbox"/> | |
| <code>agile_currentSprint_id</code> | string | | <input type="checkbox"/> | |
| <code>agile_currentSprint_isDefault</code> | boolean | | <input type="checkbox"/> | |
| <code>agile_currentSprint_name</code> | string | | <input type="checkbox"/> | |
| <code>agile_currentSprint_start</code> | int64 | | <input type="checkbox"/> | |
| <code>agile_currentSprint_unresolvedIssuesCount</code> | int32 | | <input type="checkbox"/> | |
| <code>agile_estimationField_\$type</code> | string | | <input type="checkbox"/> | |
| <code>agile_estimationField_aliases</code> | string | | <input type="checkbox"/> | |
| <code>agile_estimationField_hasRunningJob</code> | boolean | | <input type="checkbox"/> | |
| <code>agile_estimationField_id</code> | string | | <input type="checkbox"/> | |
| <code>agile_estimationField_isAutoAttached</code> | boolean | | <input type="checkbox"/> | |
| <code>agile_estimationField_isDisplayedInIssueList</code> | boolean | | <input type="checkbox"/> | |
| <code>agile_estimationField_isUpdateable</code> | boolean | | <input type="checkbox"/> | |
| <code>agile_estimationField_localizedName</code> | string | | <input type="checkbox"/> | |
| <code>agile_estimationField_name</code> | string | | <input type="checkbox"/> | |
| <code>agile_estimationField_ordinal</code> | int32 | | <input type="checkbox"/> | |
| <code>agile_hideOrphansSwimlane</code> | boolean | | <input type="checkbox"/> | |
| <code>agile_id</code> | string | | <input type="checkbox"/> | |
| <code>agile_name</code> | string | | <input type="checkbox"/> | |
| <code>agile_originalEstimationField_\$type</code> | string | | <input type="checkbox"/> | |
| <code>agile_originalEstimationField_aliases</code> | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|-------|--------------------------|---------------|
| agile_originalEstimationField_hasRunningJob | boolean | | <input type="checkbox"/> | |
| agile_originalEstimationField_id | string | | <input type="checkbox"/> | |
| agile_originalEstimationField_isAutoAttached | boolean | | <input type="checkbox"/> | |
| agile_originalEstimationField_isDisplayedInIssueList | boolean | | <input type="checkbox"/> | |
| agile_originalEstimationField_isUpdateable | boolean | | <input type="checkbox"/> | |
| agile_originalEstimationField_localizedName | string | | <input type="checkbox"/> | |
| agile_originalEstimationField_name | string | | <input type="checkbox"/> | |
| agile_originalEstimationField_ordinal | int32 | | <input type="checkbox"/> | |
| agile_orphansAtTheTop | boolean | | <input type="checkbox"/> | |
| agile_owner_\$type | string | | <input type="checkbox"/> | |
| agile_owner_avatarUrl | string | | <input type="checkbox"/> | |
| agile_owner_banned | boolean | | <input type="checkbox"/> | |
| agile_owner_email | string | | <input type="checkbox"/> | |
| agile_owner_fullName | string | | <input type="checkbox"/> | |
| agile_owner_guest | boolean | | <input type="checkbox"/> | |
| agile_owner_id | string | | <input type="checkbox"/> | |
| agile_owner_jabberAccountName | string | | <input type="checkbox"/> | |
| agile_owner_login | string | | <input type="checkbox"/> | |
| agile_owner_online | boolean | | <input type="checkbox"/> | |
| agile_owner_ringId | string | | <input type="checkbox"/> | |
| agile_sprintsSettings_\$type | string | | <input type="checkbox"/> | |
| agile_sprintsSettings_cardOnSeveralSprints | boolean | | <input type="checkbox"/> | |
| agile_sprintsSettings_disableSprints | boolean | | <input type="checkbox"/> | |
| agile_sprintsSettings_explicitQuery | string | | <input type="checkbox"/> | |
| agile_sprintsSettings_hideSubtasksOfCards | boolean | | <input type="checkbox"/> | |
| agile_sprintsSettings_id | string | | <input type="checkbox"/> | |
| agile_sprintsSettings_isExplicit | boolean | | <input type="checkbox"/> | |
| agile_status_\$type | string | | <input type="checkbox"/> | |
| agile_status_hasJobs | boolean | | <input type="checkbox"/> | |
| agile_status_id | string | | <input type="checkbox"/> | |
| agile_status_valid | boolean | | <input type="checkbox"/> | |
| agile_swimlaneSettings_\$type | string | | <input type="checkbox"/> | |
| agile_swimlaneSettings_enabled | boolean | | <input type="checkbox"/> | |
| agile_swimlaneSettings_id | string | | <input type="checkbox"/> | |
| agile_updateableBy_\$type | string | | <input type="checkbox"/> | |
| agile_updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--------------------------------|-----------|----------------|--------------------------|---------------|
| agile_updateableBy_icon | string | | <input type="checkbox"/> | |
| agile_updateableBy_id | string | | <input type="checkbox"/> | |
| agile_updateableBy_name | string | | <input type="checkbox"/> | |
| agile_updateableBy_ringId | string | | <input type="checkbox"/> | |
| agile_updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| agile_updateableByProjectBased | boolean | | <input type="checkbox"/> | |
| agile_visibleFor_\$type | string | | <input type="checkbox"/> | |
| agile_visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| agile_visibleFor_icon | string | | <input type="checkbox"/> | |
| agile_visibleFor_id | string | | <input type="checkbox"/> | |
| agile_visibleFor_name | string | | <input type="checkbox"/> | |
| agile_visibleFor_ringId | string | | <input type="checkbox"/> | |
| agile_visibleFor_usersCount | int64 | | <input type="checkbox"/> | |
| agile_visibleForProjectBased | boolean | | <input type="checkbox"/> | |
| archived | boolean | Archived | <input type="checkbox"/> | |
| commentsCount | int32 | Comments Count | <input type="checkbox"/> | |
| created_1 | int64 | | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| deleted | boolean | Deleted | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| draftOwner_\$type | string | | <input type="checkbox"/> | |
| draftOwner_avatarUrl | string | | <input type="checkbox"/> | |
| draftOwner_banned | boolean | | <input type="checkbox"/> | |
| draftOwner_email | string | | <input type="checkbox"/> | |
| draftOwner_fullName | string | | <input type="checkbox"/> | |
| draftOwner_guest | boolean | | <input type="checkbox"/> | |
| draftOwner_id | string | | <input type="checkbox"/> | |
| draftOwner_jabberAccountName | string | | <input type="checkbox"/> | |
| draftOwner_login | string | | <input type="checkbox"/> | |
| draftOwner_online | boolean | | <input type="checkbox"/> | |
| draftOwner_ringId | string | | <input type="checkbox"/> | |
| externalIssue_\$type | string | | <input type="checkbox"/> | |
| externalIssue_id | string | | <input type="checkbox"/> | |
| externalIssue_key | string | | <input type="checkbox"/> | |
| externalIssue_name | string | | <input type="checkbox"/> | |
| externalIssue_url | string | | <input type="checkbox"/> | |
| finish | int64 | Finish | <input type="checkbox"/> | |
| goal | string | Goal | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------------------|--------------------------|---------------|
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDefault | boolean | Is Default | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| previousSprint_\$type | string | | <input type="checkbox"/> | |
| previousSprint_agile_\$type | string | | <input type="checkbox"/> | |
| previousSprint_agile_hideOrphans Sw imlane | boolean | | <input type="checkbox"/> | |
| previousSprint_agile_id | string | | <input type="checkbox"/> | |
| previousSprint_agile_name | string | | <input type="checkbox"/> | |
| previousSprint_agile_orphansAtTh eTop | boolean | | <input type="checkbox"/> | |
| previousSprint_agile_updateableBy ProjectBased | boolean | | <input type="checkbox"/> | |
| previousSprint_agile_visibleForProj ectBased | boolean | | <input type="checkbox"/> | |
| previousSprint_archived | boolean | | <input type="checkbox"/> | |
| previousSprint_finish | int64 | | <input type="checkbox"/> | |
| previousSprint_goal | string | | <input type="checkbox"/> | |
| previousSprint_id | string | | <input type="checkbox"/> | |
| previousSprint_isDefault | boolean | | <input type="checkbox"/> | |
| previousSprint_name | string | | <input type="checkbox"/> | |
| previousSprint_previousSprint_\$ty pe | string | | <input type="checkbox"/> | |
| previousSprint_previousSprint_arc hived | boolean | | <input type="checkbox"/> | |
| previousSprint_previousSprint_fini sh | int64 | | <input type="checkbox"/> | |
| previousSprint_previousSprint_goa l | string | | <input type="checkbox"/> | |
| previousSprint_previousSprint_id | string | | <input type="checkbox"/> | |
| previousSprint_previousSprint_isD efault | boolean | | <input type="checkbox"/> | |
| previousSprint_previousSprint_na me | string | | <input type="checkbox"/> | |
| previousSprint_previousSprint_sta rt | int64 | | <input type="checkbox"/> | |
| previousSprint_previousSprint_unr esolvedIssuesCount | int32 | | <input type="checkbox"/> | |
| previousSprint_start | int64 | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--------------------------------------|-----------|------------------------|--------------------------|---------------|
| previousSprint_unresolvedIssuesCount | int32 | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| start | int64 | Start | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| text | string | Text | <input type="checkbox"/> | |
| textPreview | string | Text Preview | <input type="checkbox"/> | |
| unresolvedIssuesCount | int32 | Unresolved Issue Count | <input type="checkbox"/> | |
| updated_1 | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---------------------|-----------|----------------------|--------------------------|---------------|
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| usesMarkdown_1 | boolean | | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Mark Down | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

5.1.10 SprintIssueCustomFieldsBySprintId

Catalog: YouTrack

Schema: Agile

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/agiles/{id}/sprints`

Insert YouTrack API URL: `/agiles/{id}/sprints`

Update YouTrack API URL: `/agiles/{id}/sprints`

Delete YouTrack API URL: `/agiles/{id}/sprints`

Field Selection Method: NotRequired

Base Path: `issues[*].customFields[*]`

Select YouTrack API Operation: `get /agiles/{id}/sprints`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `SprintIssueCustomFieldsBySprintId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four

parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `SprintIssueCustomFieldsBySprintId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|--|-----------|-------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type_2 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| agile_\$type | string | | <input type="checkbox"/> | |
| agile_colorCoding_\$type | string | | <input type="checkbox"/> | |
| agile_colorCoding_id | string | | <input type="checkbox"/> | |
| agile_columnSettings_\$type | string | | <input type="checkbox"/> | |
| agile_columnSettings_id | string | | <input type="checkbox"/> | |
| agile_currentSprint_\$type | string | | <input type="checkbox"/> | |
| agile_currentSprint_archived | boolean | | <input type="checkbox"/> | |
| agile_currentSprint_finish | int64 | | <input type="checkbox"/> | |
| agile_currentSprint_goal | string | | <input type="checkbox"/> | |
| agile_currentSprint_id | string | | <input type="checkbox"/> | |
| agile_currentSprint_isDefault | boolean | | <input type="checkbox"/> | |
| agile_currentSprint_name | string | | <input type="checkbox"/> | |
| agile_currentSprint_start | int64 | | <input type="checkbox"/> | |
| agile_currentSprint_unresolvedIssuesCount | int32 | | <input type="checkbox"/> | |
| agile_estimationField_\$type | string | | <input type="checkbox"/> | |
| agile_estimationField_aliases | string | | <input type="checkbox"/> | |
| agile_estimationField_hasRunningJob | boolean | | <input type="checkbox"/> | |
| agile_estimationField_id | string | | <input type="checkbox"/> | |
| agile_estimationField_isAutoAttached | boolean | | <input type="checkbox"/> | |
| agile_estimationField_isDisplayedInIssueList | boolean | | <input type="checkbox"/> | |
| agile_estimationField_isUpdateable | boolean | | <input type="checkbox"/> | |
| agile_estimationField_localizedName | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|-------|--------------------------|---------------|
| agile_estimationField_name | string | | <input type="checkbox"/> | |
| agile_estimationField_ordinal | int32 | | <input type="checkbox"/> | |
| agile_hideOrphansSwimlane | boolean | | <input type="checkbox"/> | |
| agile_id | string | | <input type="checkbox"/> | |
| agile_name | string | | <input type="checkbox"/> | |
| agile_originalEstimationField_\$type | string | | <input type="checkbox"/> | |
| agile_originalEstimationField_aliases | string | | <input type="checkbox"/> | |
| agile_originalEstimationField_hasRunningJob | boolean | | <input type="checkbox"/> | |
| agile_originalEstimationField_id | string | | <input type="checkbox"/> | |
| agile_originalEstimationField_isAutoAttached | boolean | | <input type="checkbox"/> | |
| agile_originalEstimationField_isDisplayedInIssueList | boolean | | <input type="checkbox"/> | |
| agile_originalEstimationField_isUpdatable | boolean | | <input type="checkbox"/> | |
| agile_originalEstimationField_localizedName | string | | <input type="checkbox"/> | |
| agile_originalEstimationField_name | string | | <input type="checkbox"/> | |
| agile_originalEstimationField_ordinal | int32 | | <input type="checkbox"/> | |
| agile_orphansAtTheTop | boolean | | <input type="checkbox"/> | |
| agile_owner_\$type | string | | <input type="checkbox"/> | |
| agile_owner_avatarUrl | string | | <input type="checkbox"/> | |
| agile_owner_banned | boolean | | <input type="checkbox"/> | |
| agile_owner_email | string | | <input type="checkbox"/> | |
| agile_owner_fullName | string | | <input type="checkbox"/> | |
| agile_owner_guest | boolean | | <input type="checkbox"/> | |
| agile_owner_id | string | | <input type="checkbox"/> | |
| agile_owner_jabberAccountName | string | | <input type="checkbox"/> | |
| agile_owner_login | string | | <input type="checkbox"/> | |
| agile_owner_online | boolean | | <input type="checkbox"/> | |
| agile_owner_ringId | string | | <input type="checkbox"/> | |
| agile_sprintsSettings_\$type | string | | <input type="checkbox"/> | |
| agile_sprintsSettings_cardOnSeveralSprints | boolean | | <input type="checkbox"/> | |
| agile_sprintsSettings_disableSprints | boolean | | <input type="checkbox"/> | |
| agile_sprintsSettings_explicitQuery | string | | <input type="checkbox"/> | |
| agile_sprintsSettings_hideSubtasksOfCards | boolean | | <input type="checkbox"/> | |
| agile_sprintsSettings_id | string | | <input type="checkbox"/> | |
| agile_sprintsSettings_isExplicit | boolean | | <input type="checkbox"/> | |
| agile_status_\$type | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|----------------------------------|-----------|----------------|--------------------------|---------------|
| agile_status_hasJobs | boolean | | <input type="checkbox"/> | |
| agile_status_id | string | | <input type="checkbox"/> | |
| agile_status_valid | boolean | | <input type="checkbox"/> | |
| agile_swimlaneSettings_\$type | string | | <input type="checkbox"/> | |
| agile_swimlaneSettings_enabled | boolean | | <input type="checkbox"/> | |
| agile_swimlaneSettings_id | string | | <input type="checkbox"/> | |
| agile_updateableBy_\$type | string | | <input type="checkbox"/> | |
| agile_updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| agile_updateableBy_icon | string | | <input type="checkbox"/> | |
| agile_updateableBy_id | string | | <input type="checkbox"/> | |
| agile_updateableBy_name | string | | <input type="checkbox"/> | |
| agile_updateableBy_ringId | string | | <input type="checkbox"/> | |
| agile_updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| agile_updateableByProjectBased | boolean | | <input type="checkbox"/> | |
| agile_visibleFor_\$type | string | | <input type="checkbox"/> | |
| agile_visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| agile_visibleFor_icon | string | | <input type="checkbox"/> | |
| agile_visibleFor_id | string | | <input type="checkbox"/> | |
| agile_visibleFor_name | string | | <input type="checkbox"/> | |
| agile_visibleFor_ringId | string | | <input type="checkbox"/> | |
| agile_visibleFor_usersCount | int64 | | <input type="checkbox"/> | |
| agile_visibleForProjectBased | boolean | | <input type="checkbox"/> | |
| archived | boolean | Archived | <input type="checkbox"/> | |
| commentsCount | int32 | Comments Count | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| draftOwner_\$type | string | | <input type="checkbox"/> | |
| draftOwner_avatarUrl | string | | <input type="checkbox"/> | |
| draftOwner_banned | boolean | | <input type="checkbox"/> | |
| draftOwner_email | string | | <input type="checkbox"/> | |
| draftOwner_fullName | string | | <input type="checkbox"/> | |
| draftOwner_guest | boolean | | <input type="checkbox"/> | |
| draftOwner_id | string | | <input type="checkbox"/> | |
| draftOwner_jabberAccountName | string | | <input type="checkbox"/> | |
| draftOwner_login | string | | <input type="checkbox"/> | |
| draftOwner_online | boolean | | <input type="checkbox"/> | |
| draftOwner_ringId | string | | <input type="checkbox"/> | |
| externalIssue_\$type | string | | <input type="checkbox"/> | |
| externalIssue_id | string | | <input type="checkbox"/> | |
| externalIssue_key | string | | <input type="checkbox"/> | |
| externalIssue_name | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------------------|--------------------------|---------------|
| externallssue_url | string | | <input type="checkbox"/> | |
| finish | int64 | Finish | <input type="checkbox"/> | |
| goal | string | Goal | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDefault | boolean | Is Default | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| name_1 | string | | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| previousSprint_\$type | string | | <input type="checkbox"/> | |
| previousSprint_agile_\$type | string | | <input type="checkbox"/> | |
| previousSprint_agile_hideOrphans Sw imlane | boolean | | <input type="checkbox"/> | |
| previousSprint_agile_id | string | | <input type="checkbox"/> | |
| previousSprint_agile_name | string | | <input type="checkbox"/> | |
| previousSprint_agile_orphansAtTh eTop | boolean | | <input type="checkbox"/> | |
| previousSprint_agile_updateableBy ProjectBased | boolean | | <input type="checkbox"/> | |
| previousSprint_agile_visibleForProj ectBased | boolean | | <input type="checkbox"/> | |
| previousSprint_archived | boolean | | <input type="checkbox"/> | |
| previousSprint_finish | int64 | | <input type="checkbox"/> | |
| previousSprint_goal | string | | <input type="checkbox"/> | |
| previousSprint_id | string | | <input type="checkbox"/> | |
| previousSprint_isDefault | boolean | | <input type="checkbox"/> | |
| previousSprint_name | string | | <input type="checkbox"/> | |
| previousSprint_previousSprint_\$ty pe | string | | <input type="checkbox"/> | |
| previousSprint_previousSprint_arc hived | boolean | | <input type="checkbox"/> | |
| previousSprint_previousSprint_fini sh | int64 | | <input type="checkbox"/> | |
| previousSprint_previousSprint_goa l | string | | <input type="checkbox"/> | |
| previousSprint_previousSprint_id | string | | <input type="checkbox"/> | |
| previousSprint_previousSprint_isD efault | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|------------------------|--------------------------|---------------|
| previousSprint_previousSprint_name | string | | <input type="checkbox"/> | |
| previousSprint_previousSprint_start | int64 | | <input type="checkbox"/> | |
| previousSprint_previousSprint_unresolvedIssuesCount | int32 | | <input type="checkbox"/> | |
| previousSprint_start | int64 | | <input type="checkbox"/> | |
| previousSprint_unresolvedIssuesCount | int32 | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| start | int64 | Start | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| unresolvedIssuesCount | int32 | Unresolved Issue Count | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---------------------------|-----------|----------------------|--------------------------|---------------|
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Mark Down | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

5.1.11 SprintIssueLinksBySprintId

Catalog: YouTrack

Schema: Agile

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/agiles/{id}/sprints`

Insert YouTrack API URL: `/agiles/{id}/sprints`

Update YouTrack API URL: `/agiles/{id}/sprints`

Delete YouTrack API URL: `/agiles/{id}/sprints`

Field Selection Method: NotRequired

Base Path: `issues[*].links[*]`

Select YouTrack API Operation: `get /agiles/{id}/sprints`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `SprintIssueLinksBySprintId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four

parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `SprintIssueLinksBySprintId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|--|-----------|-------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type_2 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| agile_\$type | string | | <input type="checkbox"/> | |
| agile_colorCoding_\$type | string | | <input type="checkbox"/> | |
| agile_colorCoding_id | string | | <input type="checkbox"/> | |
| agile_columnSettings_\$type | string | | <input type="checkbox"/> | |
| agile_columnSettings_id | string | | <input type="checkbox"/> | |
| agile_currentSprint_\$type | string | | <input type="checkbox"/> | |
| agile_currentSprint_archived | boolean | | <input type="checkbox"/> | |
| agile_currentSprint_finish | int64 | | <input type="checkbox"/> | |
| agile_currentSprint_goal | string | | <input type="checkbox"/> | |
| agile_currentSprint_id | string | | <input type="checkbox"/> | |
| agile_currentSprint_isDefault | boolean | | <input type="checkbox"/> | |
| agile_currentSprint_name | string | | <input type="checkbox"/> | |
| agile_currentSprint_start | int64 | | <input type="checkbox"/> | |
| agile_currentSprint_unresolvedIssuesCount | int32 | | <input type="checkbox"/> | |
| agile_estimationField_\$type | string | | <input type="checkbox"/> | |
| agile_estimationField_aliases | string | | <input type="checkbox"/> | |
| agile_estimationField_hasRunningJob | boolean | | <input type="checkbox"/> | |
| agile_estimationField_id | string | | <input type="checkbox"/> | |
| agile_estimationField_isAutoAttached | boolean | | <input type="checkbox"/> | |
| agile_estimationField_isDisplayedInIssueList | boolean | | <input type="checkbox"/> | |
| agile_estimationField_isUpdateable | boolean | | <input type="checkbox"/> | |
| agile_estimationField_localizedName | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|-------|--------------------------|---------------|
| agile_estimationField_name | string | | <input type="checkbox"/> | |
| agile_estimationField_ordinal | int32 | | <input type="checkbox"/> | |
| agile_hideOrphansSwimlane | boolean | | <input type="checkbox"/> | |
| agile_id | string | | <input type="checkbox"/> | |
| agile_name | string | | <input type="checkbox"/> | |
| agile_originalEstimationField_\$type | string | | <input type="checkbox"/> | |
| agile_originalEstimationField_aliases | string | | <input type="checkbox"/> | |
| agile_originalEstimationField_hasRunningJob | boolean | | <input type="checkbox"/> | |
| agile_originalEstimationField_id | string | | <input type="checkbox"/> | |
| agile_originalEstimationField_isAutoAttached | boolean | | <input type="checkbox"/> | |
| agile_originalEstimationField_isDisplayedInIssueList | boolean | | <input type="checkbox"/> | |
| agile_originalEstimationField_isUpdatable | boolean | | <input type="checkbox"/> | |
| agile_originalEstimationField_localizedName | string | | <input type="checkbox"/> | |
| agile_originalEstimationField_name | string | | <input type="checkbox"/> | |
| agile_originalEstimationField_ordinal | int32 | | <input type="checkbox"/> | |
| agile_orphansAtTheTop | boolean | | <input type="checkbox"/> | |
| agile_owner_\$type | string | | <input type="checkbox"/> | |
| agile_owner_avatarUrl | string | | <input type="checkbox"/> | |
| agile_owner_banned | boolean | | <input type="checkbox"/> | |
| agile_owner_email | string | | <input type="checkbox"/> | |
| agile_owner_fullName | string | | <input type="checkbox"/> | |
| agile_owner_guest | boolean | | <input type="checkbox"/> | |
| agile_owner_id | string | | <input type="checkbox"/> | |
| agile_owner_jabberAccountName | string | | <input type="checkbox"/> | |
| agile_owner_login | string | | <input type="checkbox"/> | |
| agile_owner_online | boolean | | <input type="checkbox"/> | |
| agile_owner_ringId | string | | <input type="checkbox"/> | |
| agile_sprintsSettings_\$type | string | | <input type="checkbox"/> | |
| agile_sprintsSettings_cardOnSeveralSprints | boolean | | <input type="checkbox"/> | |
| agile_sprintsSettings_disableSprints | boolean | | <input type="checkbox"/> | |
| agile_sprintsSettings_explicitQuery | string | | <input type="checkbox"/> | |
| agile_sprintsSettings_hideSubtasksOfCards | boolean | | <input type="checkbox"/> | |
| agile_sprintsSettings_id | string | | <input type="checkbox"/> | |
| agile_sprintsSettings_isExplicit | boolean | | <input type="checkbox"/> | |
| agile_status_\$type | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|----------------------------------|-----------|----------------|--------------------------|---------------|
| agile_status_hasJobs | boolean | | <input type="checkbox"/> | |
| agile_status_id | string | | <input type="checkbox"/> | |
| agile_status_valid | boolean | | <input type="checkbox"/> | |
| agile_swimlaneSettings_\$type | string | | <input type="checkbox"/> | |
| agile_swimlaneSettings_enabled | boolean | | <input type="checkbox"/> | |
| agile_swimlaneSettings_id | string | | <input type="checkbox"/> | |
| agile_updateableBy_\$type | string | | <input type="checkbox"/> | |
| agile_updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| agile_updateableBy_icon | string | | <input type="checkbox"/> | |
| agile_updateableBy_id | string | | <input type="checkbox"/> | |
| agile_updateableBy_name | string | | <input type="checkbox"/> | |
| agile_updateableBy_ringId | string | | <input type="checkbox"/> | |
| agile_updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| agile_updateableByProjectBased | boolean | | <input type="checkbox"/> | |
| agile_visibleFor_\$type | string | | <input type="checkbox"/> | |
| agile_visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| agile_visibleFor_icon | string | | <input type="checkbox"/> | |
| agile_visibleFor_id | string | | <input type="checkbox"/> | |
| agile_visibleFor_name | string | | <input type="checkbox"/> | |
| agile_visibleFor_ringId | string | | <input type="checkbox"/> | |
| agile_visibleFor_usersCount | int64 | | <input type="checkbox"/> | |
| agile_visibleForProjectBased | boolean | | <input type="checkbox"/> | |
| archived | boolean | Archived | <input type="checkbox"/> | |
| commentsCount | int32 | Comments Count | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| direction | string | Direction | <input type="checkbox"/> | |
| draftOwner_\$type | string | | <input type="checkbox"/> | |
| draftOwner_avatarUrl | string | | <input type="checkbox"/> | |
| draftOwner_banned | boolean | | <input type="checkbox"/> | |
| draftOwner_email | string | | <input type="checkbox"/> | |
| draftOwner_fullName | string | | <input type="checkbox"/> | |
| draftOwner_guest | boolean | | <input type="checkbox"/> | |
| draftOwner_id | string | | <input type="checkbox"/> | |
| draftOwner_jabberAccountName | string | | <input type="checkbox"/> | |
| draftOwner_login | string | | <input type="checkbox"/> | |
| draftOwner_online | boolean | | <input type="checkbox"/> | |
| draftOwner_ringId | string | | <input type="checkbox"/> | |
| externalIssue_\$type | string | | <input type="checkbox"/> | |
| externalIssue_id | string | | <input type="checkbox"/> | |
| externalIssue_key | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------------------|--------------------------|---------------|
| externalIssue_name | string | | <input type="checkbox"/> | |
| externalIssue_url | string | | <input type="checkbox"/> | |
| finish | int64 | Finish | <input type="checkbox"/> | |
| goal | string | Goal | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDefault | boolean | Is Default | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| previousSprint_\$type | string | | <input type="checkbox"/> | |
| previousSprint_agile_\$type | string | | <input type="checkbox"/> | |
| previousSprint_agile_hideOrphans Sw imlane | boolean | | <input type="checkbox"/> | |
| previousSprint_agile_id | string | | <input type="checkbox"/> | |
| previousSprint_agile_name | string | | <input type="checkbox"/> | |
| previousSprint_agile_orphansAtTh eTop | boolean | | <input type="checkbox"/> | |
| previousSprint_agile_updateableBy ProjectBased | boolean | | <input type="checkbox"/> | |
| previousSprint_agile_visibleForProj ectBased | boolean | | <input type="checkbox"/> | |
| previousSprint_archived | boolean | | <input type="checkbox"/> | |
| previousSprint_finish | int64 | | <input type="checkbox"/> | |
| previousSprint_goal | string | | <input type="checkbox"/> | |
| previousSprint_id | string | | <input type="checkbox"/> | |
| previousSprint_isDefault | boolean | | <input type="checkbox"/> | |
| previousSprint_name | string | | <input type="checkbox"/> | |
| previousSprint_previousSprint_\$ty pe | string | | <input type="checkbox"/> | |
| previousSprint_previousSprint_arc hived | boolean | | <input type="checkbox"/> | |
| previousSprint_previousSprint_fini sh | int64 | | <input type="checkbox"/> | |
| previousSprint_previousSprint_goa l | string | | <input type="checkbox"/> | |
| previousSprint_previousSprint_id | string | | <input type="checkbox"/> | |
| previousSprint_previousSprint_isD efault | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|------------------------|--------------------------|---------------|
| previousSprint_previousSprint_name | string | | <input type="checkbox"/> | |
| previousSprint_previousSprint_start | int64 | | <input type="checkbox"/> | |
| previousSprint_previousSprint_unresolvedIssuesCount | int32 | | <input type="checkbox"/> | |
| previousSprint_start | int64 | | <input type="checkbox"/> | |
| previousSprint_unresolvedIssuesCount | int32 | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| start | int64 | Start | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| unresolvedIssuesCount | int32 | Unresolved Issue Count | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---------------------------|-----------|----------------------|--------------------------|---------------|
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Mark Down | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

5.1.12 SprintIssues

Catalog: YouTrack

Schema: Agile

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/agiles`

Insert YouTrack API URL: `/agiles`

Update YouTrack API URL: `/agiles`

Delete YouTrack API URL: `/agiles`

Field Selection Method: `NotRequired`

Base Path: `sprints[*].issues[*]`

Select YouTrack API Operation: `get /agiles`

Table Function Columns

The columns of the table function `SprintIssues` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|-----------------------|-----------|-------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type_2</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|----------------|--------------------------|---------------|
| agile_\$type | string | | <input type="checkbox"/> | |
| agile_hideOrphansSwimlane | boolean | | <input type="checkbox"/> | |
| agile_id | string | | <input type="checkbox"/> | |
| agile_name | string | | <input type="checkbox"/> | |
| agile_orphansAtTheTop | boolean | | <input type="checkbox"/> | |
| agile_updateableByProjectBased | boolean | | <input type="checkbox"/> | |
| agile_visibleForProjectBased | boolean | | <input type="checkbox"/> | |
| archived | boolean | Archived | <input type="checkbox"/> | |
| colorCoding_\$type | string | | <input type="checkbox"/> | |
| colorCoding_id | string | | <input type="checkbox"/> | |
| columnSettings_\$type | string | | <input type="checkbox"/> | |
| columnSettings_field_\$type | string | | <input type="checkbox"/> | |
| columnSettings_field_aliases | string | | <input type="checkbox"/> | |
| columnSettings_field_hasRunningJob | boolean | | <input type="checkbox"/> | |
| columnSettings_field_id | string | | <input type="checkbox"/> | |
| columnSettings_field_isAutoAttached | boolean | | <input type="checkbox"/> | |
| columnSettings_field_isDisplayedInIssueList | boolean | | <input type="checkbox"/> | |
| columnSettings_field_isUpdateable | boolean | | <input type="checkbox"/> | |
| columnSettings_field_localizedName | string | | <input type="checkbox"/> | |
| columnSettings_field_name | string | | <input type="checkbox"/> | |
| columnSettings_field_ordinal | int32 | | <input type="checkbox"/> | |
| columnSettings_id | string | | <input type="checkbox"/> | |
| commentsCount | int32 | Comments Count | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| currentSprint_\$type_1 | string | | <input type="checkbox"/> | |
| currentSprint_\$type | string | | <input type="checkbox"/> | |
| currentSprint_agile_\$type | string | | <input type="checkbox"/> | |
| currentSprint_agile_hideOrphansSwimlane | boolean | | <input type="checkbox"/> | |
| currentSprint_agile_id | string | | <input type="checkbox"/> | |
| currentSprint_agile_name | string | | <input type="checkbox"/> | |
| currentSprint_agile_orphansAtTheTop | boolean | | <input type="checkbox"/> | |
| currentSprint_agile_updateableByProjectBased | boolean | | <input type="checkbox"/> | |
| currentSprint_agile_visibleForProjectBased | boolean | | <input type="checkbox"/> | |
| currentSprint_archived | boolean | | <input type="checkbox"/> | |
| currentSprint_commentsCount | int32 | | <input type="checkbox"/> | |
| currentSprint_created | int64 | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|-------------|--------------------------|---------------|
| currentSprint_description | string | | <input type="checkbox"/> | |
| currentSprint_finish | int64 | | <input type="checkbox"/> | |
| currentSprint_goal | string | | <input type="checkbox"/> | |
| currentSprint_id_1 | string | | <input type="checkbox"/> | |
| currentSprint_id | string | | <input type="checkbox"/> | |
| currentSprint_idReadable | string | | <input type="checkbox"/> | |
| currentSprint_isDefault | boolean | | <input type="checkbox"/> | |
| currentSprint_isDraft | boolean | | <input type="checkbox"/> | |
| currentSprint_name | string | | <input type="checkbox"/> | |
| currentSprint_numberInProject | int64 | | <input type="checkbox"/> | |
| currentSprint_previousSprint_\$type | string | | <input type="checkbox"/> | |
| currentSprint_previousSprint_archived | boolean | | <input type="checkbox"/> | |
| currentSprint_previousSprint_finish | int64 | | <input type="checkbox"/> | |
| currentSprint_previousSprint_goal | string | | <input type="checkbox"/> | |
| currentSprint_previousSprint_id | string | | <input type="checkbox"/> | |
| currentSprint_previousSprint_isDefault | boolean | | <input type="checkbox"/> | |
| currentSprint_previousSprint_name | string | | <input type="checkbox"/> | |
| currentSprint_previousSprint_start | int64 | | <input type="checkbox"/> | |
| currentSprint_previousSprint_unresolvedIssuesCount | int32 | | <input type="checkbox"/> | |
| currentSprint_resolved | int64 | | <input type="checkbox"/> | |
| currentSprint_start | int64 | | <input type="checkbox"/> | |
| currentSprint_summary | string | | <input type="checkbox"/> | |
| currentSprint_unresolvedIssuesCount | int32 | | <input type="checkbox"/> | |
| currentSprint_updated | int64 | | <input type="checkbox"/> | |
| currentSprint_usesMarkdown | boolean | | <input type="checkbox"/> | |
| currentSprint_votes | int32 | | <input type="checkbox"/> | |
| currentSprint_wikifiedDescription | string | | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| estimationField_\$type | string | | <input type="checkbox"/> | |
| estimationField_aliases | string | | <input type="checkbox"/> | |
| estimationField_fieldDefaults_\$type | string | | <input type="checkbox"/> | |
| estimationField_fieldDefaults_canBeEmpty | boolean | | <input type="checkbox"/> | |
| estimationField_fieldDefaults_emptyFieldText | string | | <input type="checkbox"/> | |
| estimationField_fieldDefaults_id | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|-------------------|--------------------------|---------------|
| estimationField_fieldDefaults_isPublic | boolean | | <input type="checkbox"/> | |
| estimationField_fieldType_\$type | string | | <input type="checkbox"/> | |
| estimationField_fieldType_id | string | | <input type="checkbox"/> | |
| estimationField_hasRunningJob | boolean | | <input type="checkbox"/> | |
| estimationField_id | string | | <input type="checkbox"/> | |
| estimationField_isAutoAttached | boolean | | <input type="checkbox"/> | |
| estimationField_isDisplayedInIssueList | boolean | | <input type="checkbox"/> | |
| estimationField_isUpdateable | boolean | | <input type="checkbox"/> | |
| estimationField_localizedName | string | | <input type="checkbox"/> | |
| estimationField_name | string | | <input type="checkbox"/> | |
| estimationField_ordinal | int32 | | <input type="checkbox"/> | |
| finish | int64 | Finish | <input type="checkbox"/> | |
| goal | string | Goal | <input type="checkbox"/> | |
| hideOrphansSwimlane | boolean | | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDefault | boolean | Is Default | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| name_1 | string | | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| originalEstimationField_\$type | string | | <input type="checkbox"/> | |
| originalEstimationField_aliases | string | | <input type="checkbox"/> | |
| originalEstimationField_fieldDefaults_\$type | string | | <input type="checkbox"/> | |
| originalEstimationField_fieldDefaults_canBeEmpty | boolean | | <input type="checkbox"/> | |
| originalEstimationField_fieldDefaults_emptyFieldText | string | | <input type="checkbox"/> | |
| originalEstimationField_fieldDefaults_id | string | | <input type="checkbox"/> | |
| originalEstimationField_fieldDefaults_isPublic | boolean | | <input type="checkbox"/> | |
| originalEstimationField_fieldType_\$type | string | | <input type="checkbox"/> | |
| originalEstimationField_fieldType_id | string | | <input type="checkbox"/> | |
| originalEstimationField_hasRunningJob | boolean | | <input type="checkbox"/> | |
| originalEstimationField_id | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|----------|--------------------------|---------------|
| originalEstimationField_isAutoAttached | boolean | | <input type="checkbox"/> | |
| originalEstimationField_isDisplayedInIssueList | boolean | | <input type="checkbox"/> | |
| originalEstimationField_isUpdateable | boolean | | <input type="checkbox"/> | |
| originalEstimationField_localizedName | string | | <input type="checkbox"/> | |
| originalEstimationField_name | string | | <input type="checkbox"/> | |
| originalEstimationField_ordinal | int32 | | <input type="checkbox"/> | |
| orphansAtTheTop | boolean | | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_profiles_\$type | string | | <input type="checkbox"/> | |
| owner_profiles_id | string | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| previousSprint_\$type | string | | <input type="checkbox"/> | |
| previousSprint_archived | boolean | | <input type="checkbox"/> | |
| previousSprint_finish | int64 | | <input type="checkbox"/> | |
| previousSprint_goal | string | | <input type="checkbox"/> | |
| previousSprint_id | string | | <input type="checkbox"/> | |
| previousSprint_isDefault | boolean | | <input type="checkbox"/> | |
| previousSprint_name | string | | <input type="checkbox"/> | |
| previousSprint_start | int64 | | <input type="checkbox"/> | |
| previousSprint_unresolvedIssuesCount | int32 | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| sprintsSettings_\$type | string | | <input type="checkbox"/> | |
| sprintsSettings_cardOnSeveralSprints | boolean | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_\$type | string | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_archived | boolean | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_finish | int64 | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|------------------------|--------------------------|---------------|
| sprintsSettings_defaultSprint_goal | string | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_id | string | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_isDefault | boolean | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_name | string | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_start | int64 | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_unresolvedIssuesCount | int32 | | <input type="checkbox"/> | |
| sprintsSettings_disableSprints | boolean | | <input type="checkbox"/> | |
| sprintsSettings_explicitQuery | string | | <input type="checkbox"/> | |
| sprintsSettings_hideSubtasksOfCards | boolean | | <input type="checkbox"/> | |
| sprintsSettings_id | string | | <input type="checkbox"/> | |
| sprintsSettings_isExplicit | boolean | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncField_\$type | string | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncField_aliases | string | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncField_hasRunningJob | boolean | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncField_id | string | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncField_isAutoAttached | boolean | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncField_isDisplayedInIssueList | boolean | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncField_isUpdateable | boolean | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncField_localizedName | string | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncField_name | string | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncField_order | int32 | | <input type="checkbox"/> | |
| start | int64 | Start | <input type="checkbox"/> | |
| status_\$type | string | | <input type="checkbox"/> | |
| status_hasJobs | boolean | | <input type="checkbox"/> | |
| status_id | string | | <input type="checkbox"/> | |
| status_valid | boolean | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| swimlaneSettings_\$type | string | | <input type="checkbox"/> | |
| swimlaneSettings_enabled | boolean | | <input type="checkbox"/> | |
| swimlaneSettings_id | string | | <input type="checkbox"/> | |
| unresolvedIssuesCount | int32 | Unresolved Issue Count | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|---------------|--------------------------|---------------|
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| updateableBy_teamForProject_description | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_shortName | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| updateableBy_teamForProject_template | boolean | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| updateableByProjectBased | boolean | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Markdown | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| visibleFor_teamForProject_description | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_shortName | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| visibleFor_teamForProject_template | boolean | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|------------------------|-----------|----------------------|--------------------------|---------------|
| visibleForProjectBased | boolean | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

5.1.13 SprintIssuesBySprintId

Catalog: YouTrack

Schema: Agile

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/agiles/{id}`

Insert YouTrack API URL: `/agiles/{id}`

Update YouTrack API URL: `/agiles/{id}`

Delete YouTrack API URL: `/agiles/{id}`

Field Selection Method: NotRequired

Base Path: `sprints[*].issues[*]`

Select YouTrack API Operation: `get /agiles/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `SprintIssuesBySprintId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `SprintIssuesBySprintId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|--|-----------|----------------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type_2 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| agile_\$type | string | | <input type="checkbox"/> | |
| agile_hideOrphansSwimlane | boolean | | <input type="checkbox"/> | |
| agile_id | string | | <input type="checkbox"/> | |
| agile_name | string | | <input type="checkbox"/> | |
| agile_orphansAtTheTop | boolean | | <input type="checkbox"/> | |
| agile_updateableByProjectBased | boolean | | <input type="checkbox"/> | |
| agile_visibleForProjectBased | boolean | | <input type="checkbox"/> | |
| archived | boolean | Archived | <input type="checkbox"/> | |
| colorCoding_\$type | string | | <input type="checkbox"/> | |
| colorCoding_id | string | | <input type="checkbox"/> | |
| columnSettings_\$type | string | | <input type="checkbox"/> | |
| columnSettings_field_\$type | string | | <input type="checkbox"/> | |
| columnSettings_field_aliases | string | | <input type="checkbox"/> | |
| columnSettings_field_hasRunningJob | boolean | | <input type="checkbox"/> | |
| columnSettings_field_id | string | | <input type="checkbox"/> | |
| columnSettings_field_isAutoAttached | boolean | | <input type="checkbox"/> | |
| columnSettings_field_isDisplayedInIssueList | boolean | | <input type="checkbox"/> | |
| columnSettings_field_isUpdateable | boolean | | <input type="checkbox"/> | |
| columnSettings_field_localizedName | string | | <input type="checkbox"/> | |
| columnSettings_field_name | string | | <input type="checkbox"/> | |
| columnSettings_field_ordinal | int32 | | <input type="checkbox"/> | |
| columnSettings_id | string | | <input type="checkbox"/> | |
| commentsCount | int32 | Comments Count | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| currentSprint_\$type_1 | string | | <input type="checkbox"/> | |
| currentSprint_\$type | string | | <input type="checkbox"/> | |
| currentSprint_agile_\$type | string | | <input type="checkbox"/> | |
| currentSprint_agile_hideOrphansSwimlane | boolean | | <input type="checkbox"/> | |
| currentSprint_agile_id | string | | <input type="checkbox"/> | |
| currentSprint_agile_name | string | | <input type="checkbox"/> | |
| currentSprint_agile_orphansAtTheTop | boolean | | <input type="checkbox"/> | |
| currentSprint_agile_updateableByProjectBased | boolean | | <input type="checkbox"/> | |
| currentSprint_agile_visibleForProjectBased | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|-------------|--------------------------|---------------|
| currentSprint_archived | boolean | | <input type="checkbox"/> | |
| currentSprint_commentsCount | int32 | | <input type="checkbox"/> | |
| currentSprint_created | int64 | | <input type="checkbox"/> | |
| currentSprint_description | string | | <input type="checkbox"/> | |
| currentSprint_finish | int64 | | <input type="checkbox"/> | |
| currentSprint_goal | string | | <input type="checkbox"/> | |
| currentSprint_id_1 | string | | <input type="checkbox"/> | |
| currentSprint_id | string | | <input type="checkbox"/> | |
| currentSprint_idReadable | string | | <input type="checkbox"/> | |
| currentSprint_isDefault | boolean | | <input type="checkbox"/> | |
| currentSprint_isDraft | boolean | | <input type="checkbox"/> | |
| currentSprint_name | string | | <input type="checkbox"/> | |
| currentSprint_numberInProject | int64 | | <input type="checkbox"/> | |
| currentSprint_previousSprint_type | string | | <input type="checkbox"/> | |
| currentSprint_previousSprint_archived | boolean | | <input type="checkbox"/> | |
| currentSprint_previousSprint_finish | int64 | | <input type="checkbox"/> | |
| currentSprint_previousSprint_goal | string | | <input type="checkbox"/> | |
| currentSprint_previousSprint_id | string | | <input type="checkbox"/> | |
| currentSprint_previousSprint_isDefault | boolean | | <input type="checkbox"/> | |
| currentSprint_previousSprint_name | string | | <input type="checkbox"/> | |
| currentSprint_previousSprint_start | int64 | | <input type="checkbox"/> | |
| currentSprint_previousSprint_unresolvedIssuesCount | int32 | | <input type="checkbox"/> | |
| currentSprint_resolved | int64 | | <input type="checkbox"/> | |
| currentSprint_start | int64 | | <input type="checkbox"/> | |
| currentSprint_summary | string | | <input type="checkbox"/> | |
| currentSprint_unresolvedIssuesCount | int32 | | <input type="checkbox"/> | |
| currentSprint_updated | int64 | | <input type="checkbox"/> | |
| currentSprint_usesMarkdown | boolean | | <input type="checkbox"/> | |
| currentSprint_votes | int32 | | <input type="checkbox"/> | |
| currentSprint_wikifiedDescription | string | | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| estimationField_type | string | | <input type="checkbox"/> | |
| estimationField_aliases | string | | <input type="checkbox"/> | |
| estimationField_fieldDefaults_type | string | | <input type="checkbox"/> | |
| estimationField_fieldDefaults_canBeEmpty | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|-------------------|--------------------------|---------------|
| estimationField_fieldDefaults_emptyFieldText | string | | <input type="checkbox"/> | |
| estimationField_fieldDefaults_id | string | | <input type="checkbox"/> | |
| estimationField_fieldDefaults_isPublic | boolean | | <input type="checkbox"/> | |
| estimationField_fieldType_\$type | string | | <input type="checkbox"/> | |
| estimationField_fieldType_id | string | | <input type="checkbox"/> | |
| estimationField_hasRunningJob | boolean | | <input type="checkbox"/> | |
| estimationField_id | string | | <input type="checkbox"/> | |
| estimationField_isAutoAttached | boolean | | <input type="checkbox"/> | |
| estimationField_isDisplayedInIssueList | boolean | | <input type="checkbox"/> | |
| estimationField_isUpdateable | boolean | | <input type="checkbox"/> | |
| estimationField_localizedName | string | | <input type="checkbox"/> | |
| estimationField_name | string | | <input type="checkbox"/> | |
| estimationField_ordinal | int32 | | <input type="checkbox"/> | |
| finish | int64 | Finish | <input type="checkbox"/> | |
| goal | string | Goal | <input type="checkbox"/> | |
| hideOrphansSwimlane | boolean | | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDefault | boolean | Is Default | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| name_1 | string | | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| originalEstimationField_\$type | string | | <input type="checkbox"/> | |
| originalEstimationField_aliases | string | | <input type="checkbox"/> | |
| originalEstimationField_fieldDefaults_\$type | string | | <input type="checkbox"/> | |
| originalEstimationField_fieldDefaults_canBeEmpty | boolean | | <input type="checkbox"/> | |
| originalEstimationField_fieldDefaults_emptyFieldText | string | | <input type="checkbox"/> | |
| originalEstimationField_fieldDefaults_id | string | | <input type="checkbox"/> | |
| originalEstimationField_fieldDefaults_isPublic | boolean | | <input type="checkbox"/> | |
| originalEstimationField_fieldType_\$type | string | | <input type="checkbox"/> | |
| originalEstimationField_fieldType_id | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|----------|--------------------------|---------------|
| originalEstimationField_hasRunningJob | boolean | | <input type="checkbox"/> | |
| originalEstimationField_id | string | | <input type="checkbox"/> | |
| originalEstimationField_isAutoAttached | boolean | | <input type="checkbox"/> | |
| originalEstimationField_isDisplayedInIssueList | boolean | | <input type="checkbox"/> | |
| originalEstimationField_isUpdateable | boolean | | <input type="checkbox"/> | |
| originalEstimationField_localizedName | string | | <input type="checkbox"/> | |
| originalEstimationField_name | string | | <input type="checkbox"/> | |
| originalEstimationField_ordinal | int32 | | <input type="checkbox"/> | |
| orphansAtTheTop | boolean | | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_profiles_\$type | string | | <input type="checkbox"/> | |
| owner_profiles_id | string | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| previousSprint_\$type | string | | <input type="checkbox"/> | |
| previousSprint_archived | boolean | | <input type="checkbox"/> | |
| previousSprint_finish | int64 | | <input type="checkbox"/> | |
| previousSprint_goal | string | | <input type="checkbox"/> | |
| previousSprint_id | string | | <input type="checkbox"/> | |
| previousSprint_isDefault | boolean | | <input type="checkbox"/> | |
| previousSprint_name | string | | <input type="checkbox"/> | |
| previousSprint_start | int64 | | <input type="checkbox"/> | |
| previousSprint_unresolvedIssuesCount | int32 | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| sprintsSettings_\$type | string | | <input type="checkbox"/> | |
| sprintsSettings_cardOnSeveralSprints | boolean | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_\$type | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|---------|--------------------------|---------------|
| sprintsSettings_defaultSprint_archived | boolean | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_finish | int64 | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_goal | string | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_id | string | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_isDefault | boolean | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_name | string | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_start | int64 | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_unresolvedIssuesCount | int32 | | <input type="checkbox"/> | |
| sprintsSettings_disableSprints | boolean | | <input type="checkbox"/> | |
| sprintsSettings_explicitQuery | string | | <input type="checkbox"/> | |
| sprintsSettings_hideSubtasksOfCards | boolean | | <input type="checkbox"/> | |
| sprintsSettings_id | string | | <input type="checkbox"/> | |
| sprintsSettings_isExplicit | boolean | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncFieldType | string | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncField_aliases | string | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncField_hasRunningJob | boolean | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncField_id | string | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncField_isAutoAttached | boolean | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncField_isDisplayedInIssueList | boolean | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncField_isUpdateable | boolean | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncField_localizedName | string | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncField_name | string | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncField_order | int32 | | <input type="checkbox"/> | |
| start | int64 | Start | <input type="checkbox"/> | |
| status_\$type | string | | <input type="checkbox"/> | |
| status_hasJobs | boolean | | <input type="checkbox"/> | |
| status_id | string | | <input type="checkbox"/> | |
| status_valid | boolean | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| swimlaneSettings_\$type | string | | <input type="checkbox"/> | |
| swimlaneSettings_enabled | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|------------------------|--------------------------|---------------|
| swimlaneSettings_id | string | | <input type="checkbox"/> | |
| unresolvedIssuesCount | int32 | Unresolved Issue Count | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| updateableBy_teamForProject_description | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_shortName | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| updateableBy_teamForProject_template | boolean | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| updateableByProjectBased | boolean | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Markdown | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| visibleFor_teamForProject_description | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_shortName | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|----------------------|--------------------------|---------------|
| visibleFor_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| visibleFor_teamForProject_template | boolean | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |
| visibleForProjectBased | boolean | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

5.1.14 SprintIssuesBySprintId1

Catalog: YouTrack

Schema: Agile

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/agiles/{id}/sprints`

Insert YouTrack API URL: `/agiles/{id}/sprints`

Update YouTrack API URL: `/agiles/{id}/sprints`

Delete YouTrack API URL: `/agiles/{id}/sprints`

Field Selection Method: NotRequired

Base Path: `issues[*]`

Select YouTrack API Operation: `get /agiles/{id}/sprints`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `SprintIssuesBySprintId1`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `SprintIssuesBySprintId1` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>agile_\$type</code> | string | | <input type="checkbox"/> | |
| <code>agile_colorCoding_\$type</code> | string | | <input type="checkbox"/> | |
| <code>agile_colorCoding_id</code> | string | | <input type="checkbox"/> | |
| <code>agile_columnSettings_\$type</code> | string | | <input type="checkbox"/> | |
| <code>agile_columnSettings_id</code> | string | | <input type="checkbox"/> | |
| <code>agile_currentSprint_\$type</code> | string | | <input type="checkbox"/> | |
| <code>agile_currentSprint_archived</code> | boolean | | <input type="checkbox"/> | |
| <code>agile_currentSprint_finish</code> | int64 | | <input type="checkbox"/> | |
| <code>agile_currentSprint_goal</code> | string | | <input type="checkbox"/> | |
| <code>agile_currentSprint_id</code> | string | | <input type="checkbox"/> | |
| <code>agile_currentSprint_isDefault</code> | boolean | | <input type="checkbox"/> | |
| <code>agile_currentSprint_name</code> | string | | <input type="checkbox"/> | |
| <code>agile_currentSprint_start</code> | int64 | | <input type="checkbox"/> | |
| <code>agile_currentSprint_unresolvedIssuesCount</code> | int32 | | <input type="checkbox"/> | |
| <code>agile_estimationField_\$type</code> | string | | <input type="checkbox"/> | |
| <code>agile_estimationField_aliases</code> | string | | <input type="checkbox"/> | |
| <code>agile_estimationField_hasRunningJob</code> | boolean | | <input type="checkbox"/> | |
| <code>agile_estimationField_id</code> | string | | <input type="checkbox"/> | |
| <code>agile_estimationField_isAutoAttached</code> | boolean | | <input type="checkbox"/> | |
| <code>agile_estimationField_isDisplayedInIssueList</code> | boolean | | <input type="checkbox"/> | |
| <code>agile_estimationField_isUpdateable</code> | boolean | | <input type="checkbox"/> | |
| <code>agile_estimationField_localizedName</code> | string | | <input type="checkbox"/> | |
| <code>agile_estimationField_name</code> | string | | <input type="checkbox"/> | |
| <code>agile_estimationField_ordinal</code> | int32 | | <input type="checkbox"/> | |
| <code>agile_hideOrphansSwimlane</code> | boolean | | <input type="checkbox"/> | |
| <code>agile_id</code> | string | | <input type="checkbox"/> | |
| <code>agile_name</code> | string | | <input type="checkbox"/> | |
| <code>agile_originalEstimationField_\$type</code> | string | | <input type="checkbox"/> | |
| <code>agile_originalEstimationField_aliases</code> | string | | <input type="checkbox"/> | |
| <code>agile_originalEstimationField_hasRunningJob</code> | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|-------|--------------------------|---------------|
| agile_originalEstimationField_id | string | | <input type="checkbox"/> | |
| agile_originalEstimationField_isAutoAttached | boolean | | <input type="checkbox"/> | |
| agile_originalEstimationField_isDisplayedInIssueList | boolean | | <input type="checkbox"/> | |
| agile_originalEstimationField_isUpdateable | boolean | | <input type="checkbox"/> | |
| agile_originalEstimationField_localizedName | string | | <input type="checkbox"/> | |
| agile_originalEstimationField_name | string | | <input type="checkbox"/> | |
| agile_originalEstimationField_ordinal | int32 | | <input type="checkbox"/> | |
| agile_orphansAtTheTop | boolean | | <input type="checkbox"/> | |
| agile_owner_\$type | string | | <input type="checkbox"/> | |
| agile_owner_avatarUrl | string | | <input type="checkbox"/> | |
| agile_owner_banned | boolean | | <input type="checkbox"/> | |
| agile_owner_email | string | | <input type="checkbox"/> | |
| agile_owner_fullName | string | | <input type="checkbox"/> | |
| agile_owner_guest | boolean | | <input type="checkbox"/> | |
| agile_owner_id | string | | <input type="checkbox"/> | |
| agile_owner_jabberAccountName | string | | <input type="checkbox"/> | |
| agile_owner_login | string | | <input type="checkbox"/> | |
| agile_owner_online | boolean | | <input type="checkbox"/> | |
| agile_owner_ringId | string | | <input type="checkbox"/> | |
| agile_sprintsSettings_\$type | string | | <input type="checkbox"/> | |
| agile_sprintsSettings_cardOnSeveralSprints | boolean | | <input type="checkbox"/> | |
| agile_sprintsSettings_disableSprints | boolean | | <input type="checkbox"/> | |
| agile_sprintsSettings_explicitQuery | string | | <input type="checkbox"/> | |
| agile_sprintsSettings_hideSubtasksOfCards | boolean | | <input type="checkbox"/> | |
| agile_sprintsSettings_id | string | | <input type="checkbox"/> | |
| agile_sprintsSettings_isExplicit | boolean | | <input type="checkbox"/> | |
| agile_status_\$type | string | | <input type="checkbox"/> | |
| agile_status_hasJobs | boolean | | <input type="checkbox"/> | |
| agile_status_id | string | | <input type="checkbox"/> | |
| agile_status_valid | boolean | | <input type="checkbox"/> | |
| agile_swimlaneSettings_\$type | string | | <input type="checkbox"/> | |
| agile_swimlaneSettings_enabled | boolean | | <input type="checkbox"/> | |
| agile_swimlaneSettings_id | string | | <input type="checkbox"/> | |
| agile_updateableBy_\$type | string | | <input type="checkbox"/> | |
| agile_updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| agile_updateableBy_icon | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--------------------------------|-----------|----------------|--------------------------|---------------|
| agile_updateableBy_id | string | | <input type="checkbox"/> | |
| agile_updateableBy_name | string | | <input type="checkbox"/> | |
| agile_updateableBy_ringId | string | | <input type="checkbox"/> | |
| agile_updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| agile_updateableByProjectBased | boolean | | <input type="checkbox"/> | |
| agile_visibleFor_\$type | string | | <input type="checkbox"/> | |
| agile_visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| agile_visibleFor_icon | string | | <input type="checkbox"/> | |
| agile_visibleFor_id | string | | <input type="checkbox"/> | |
| agile_visibleFor_name | string | | <input type="checkbox"/> | |
| agile_visibleFor_ringId | string | | <input type="checkbox"/> | |
| agile_visibleFor_usersCount | int64 | | <input type="checkbox"/> | |
| agile_visibleForProjectBased | boolean | | <input type="checkbox"/> | |
| archived | boolean | Archived | <input type="checkbox"/> | |
| commentsCount | int32 | Comments Count | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| draftOwner_\$type | string | | <input type="checkbox"/> | |
| draftOwner_avatarUrl | string | | <input type="checkbox"/> | |
| draftOwner_banned | boolean | | <input type="checkbox"/> | |
| draftOwner_email | string | | <input type="checkbox"/> | |
| draftOwner_fullName | string | | <input type="checkbox"/> | |
| draftOwner_guest | boolean | | <input type="checkbox"/> | |
| draftOwner_id | string | | <input type="checkbox"/> | |
| draftOwner_jabberAccountName | string | | <input type="checkbox"/> | |
| draftOwner_login | string | | <input type="checkbox"/> | |
| draftOwner_online | boolean | | <input type="checkbox"/> | |
| draftOwner_ringId | string | | <input type="checkbox"/> | |
| externalIssue_\$type | string | | <input type="checkbox"/> | |
| externalIssue_id | string | | <input type="checkbox"/> | |
| externalIssue_key | string | | <input type="checkbox"/> | |
| externalIssue_name | string | | <input type="checkbox"/> | |
| externalIssue_url | string | | <input type="checkbox"/> | |
| finish | int64 | Finish | <input type="checkbox"/> | |
| goal | string | Goal | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDefault | boolean | Is Default | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------------------|--------------------------|---------------|
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| previousSprint_\$type | string | | <input type="checkbox"/> | |
| previousSprint_agile_\$type | string | | <input type="checkbox"/> | |
| previousSprint_agile_hideOrphans Sw imlane | boolean | | <input type="checkbox"/> | |
| previousSprint_agile_id | string | | <input type="checkbox"/> | |
| previousSprint_agile_name | string | | <input type="checkbox"/> | |
| previousSprint_agile_orphansAtTh eTop | boolean | | <input type="checkbox"/> | |
| previousSprint_agile_updateableBy ProjectBased | boolean | | <input type="checkbox"/> | |
| previousSprint_agile_visibleForProj ectBased | boolean | | <input type="checkbox"/> | |
| previousSprint_archived | boolean | | <input type="checkbox"/> | |
| previousSprint_finish | int64 | | <input type="checkbox"/> | |
| previousSprint_goal | string | | <input type="checkbox"/> | |
| previousSprint_id | string | | <input type="checkbox"/> | |
| previousSprint_isDefault | boolean | | <input type="checkbox"/> | |
| previousSprint_name | string | | <input type="checkbox"/> | |
| previousSprint_previousSprint_\$ty pe | string | | <input type="checkbox"/> | |
| previousSprint_previousSprint_arc hived | boolean | | <input type="checkbox"/> | |
| previousSprint_previousSprint_fini sh | int64 | | <input type="checkbox"/> | |
| previousSprint_previousSprint_goa l | string | | <input type="checkbox"/> | |
| previousSprint_previousSprint_id | string | | <input type="checkbox"/> | |
| previousSprint_previousSprint_isD efault | boolean | | <input type="checkbox"/> | |
| previousSprint_previousSprint_na me | string | | <input type="checkbox"/> | |
| previousSprint_previousSprint_sta rt | int64 | | <input type="checkbox"/> | |
| previousSprint_previousSprint_unr esolvedIssuesCount | int32 | | <input type="checkbox"/> | |
| previousSprint_start | int64 | | <input type="checkbox"/> | |
| previousSprint_unresolvedIssuesC ount | int32 | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|----------------------------|-----------|------------------------|--------------------------|---------------|
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| start | int64 | Start | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| unresolvedIssuesCount | int32 | Unresolved Issue Count | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Markdown | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---------------------|-----------|----------------------|--------------------------|---------------|
| voters_id | string | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

5.1.15 SprintIssueTagsBySprintId

Catalog: YouTrack

Schema: Agile

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/agiles/{id}/sprints`

Insert YouTrack API URL: `/agiles/{id}/sprints`

Update YouTrack API URL: `/agiles/{id}/sprints`

Delete YouTrack API URL: `/agiles/{id}/sprints`

Field Selection Method: NotRequired

Base Path: `issues[*].tags[*]`

Select YouTrack API Operation: `get /agiles/{id}/sprints`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `SprintIssueTagsBySprintId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `SprintIssueTagsBySprintId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type_2</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>agile_\$type</code> | string | | <input type="checkbox"/> | |
| <code>agile_colorCoding_\$type</code> | string | | <input type="checkbox"/> | |
| <code>agile_colorCoding_id</code> | string | | <input type="checkbox"/> | |
| <code>agile_columnSettings_\$type</code> | string | | <input type="checkbox"/> | |
| <code>agile_columnSettings_id</code> | string | | <input type="checkbox"/> | |
| <code>agile_currentSprint_\$type</code> | string | | <input type="checkbox"/> | |
| <code>agile_currentSprint_archived</code> | boolean | | <input type="checkbox"/> | |
| <code>agile_currentSprint_finish</code> | int64 | | <input type="checkbox"/> | |
| <code>agile_currentSprint_goal</code> | string | | <input type="checkbox"/> | |
| <code>agile_currentSprint_id</code> | string | | <input type="checkbox"/> | |
| <code>agile_currentSprint_isDefault</code> | boolean | | <input type="checkbox"/> | |
| <code>agile_currentSprint_name</code> | string | | <input type="checkbox"/> | |
| <code>agile_currentSprint_start</code> | int64 | | <input type="checkbox"/> | |
| <code>agile_currentSprint_unresolvedIssuesCount</code> | int32 | | <input type="checkbox"/> | |
| <code>agile_estimationField_\$type</code> | string | | <input type="checkbox"/> | |
| <code>agile_estimationField_aliases</code> | string | | <input type="checkbox"/> | |
| <code>agile_estimationField_hasRunningJob</code> | boolean | | <input type="checkbox"/> | |
| <code>agile_estimationField_id</code> | string | | <input type="checkbox"/> | |
| <code>agile_estimationField_isAutoAttached</code> | boolean | | <input type="checkbox"/> | |
| <code>agile_estimationField_isDisplayedInIssueList</code> | boolean | | <input type="checkbox"/> | |
| <code>agile_estimationField_isUpdateable</code> | boolean | | <input type="checkbox"/> | |
| <code>agile_estimationField_localizedName</code> | string | | <input type="checkbox"/> | |
| <code>agile_estimationField_name</code> | string | | <input type="checkbox"/> | |
| <code>agile_estimationField_ordinal</code> | int32 | | <input type="checkbox"/> | |
| <code>agile_hideOrphansSwimlane</code> | boolean | | <input type="checkbox"/> | |
| <code>agile_id</code> | string | | <input type="checkbox"/> | |
| <code>agile_name</code> | string | | <input type="checkbox"/> | |
| <code>agile_originalEstimationField_\$type</code> | string | | <input type="checkbox"/> | |
| <code>agile_originalEstimationField_aliases</code> | string | | <input type="checkbox"/> | |
| <code>agile_originalEstimationField_hasRunningJob</code> | boolean | | <input type="checkbox"/> | |
| <code>agile_originalEstimationField_id</code> | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|-------|--------------------------|---------------|
| agile_originalEstimationField_isAutoAttached | boolean | | <input type="checkbox"/> | |
| agile_originalEstimationField_isDisplayedInIssueList | boolean | | <input type="checkbox"/> | |
| agile_originalEstimationField_isUpdateable | boolean | | <input type="checkbox"/> | |
| agile_originalEstimationField_localizedName | string | | <input type="checkbox"/> | |
| agile_originalEstimationField_name | string | | <input type="checkbox"/> | |
| agile_originalEstimationField_ordinal | int32 | | <input type="checkbox"/> | |
| agile_orphansAtTheTop | boolean | | <input type="checkbox"/> | |
| agile_owner_\$type | string | | <input type="checkbox"/> | |
| agile_owner_avatarUrl | string | | <input type="checkbox"/> | |
| agile_owner_banned | boolean | | <input type="checkbox"/> | |
| agile_owner_email | string | | <input type="checkbox"/> | |
| agile_owner_fullName | string | | <input type="checkbox"/> | |
| agile_owner_guest | boolean | | <input type="checkbox"/> | |
| agile_owner_id | string | | <input type="checkbox"/> | |
| agile_owner_jabberAccountName | string | | <input type="checkbox"/> | |
| agile_owner_login | string | | <input type="checkbox"/> | |
| agile_owner_online | boolean | | <input type="checkbox"/> | |
| agile_owner_ringId | string | | <input type="checkbox"/> | |
| agile_sprintsSettings_\$type | string | | <input type="checkbox"/> | |
| agile_sprintsSettings_cardOnSeveralSprints | boolean | | <input type="checkbox"/> | |
| agile_sprintsSettings_disableSprints | boolean | | <input type="checkbox"/> | |
| agile_sprintsSettings_explicitQuery | string | | <input type="checkbox"/> | |
| agile_sprintsSettings_hideSubtasksOfCards | boolean | | <input type="checkbox"/> | |
| agile_sprintsSettings_id | string | | <input type="checkbox"/> | |
| agile_sprintsSettings_isExplicit | boolean | | <input type="checkbox"/> | |
| agile_status_\$type | string | | <input type="checkbox"/> | |
| agile_status_hasJobs | boolean | | <input type="checkbox"/> | |
| agile_status_id | string | | <input type="checkbox"/> | |
| agile_status_valid | boolean | | <input type="checkbox"/> | |
| agile_swimlaneSettings_\$type | string | | <input type="checkbox"/> | |
| agile_swimlaneSettings_enabled | boolean | | <input type="checkbox"/> | |
| agile_swimlaneSettings_id | string | | <input type="checkbox"/> | |
| agile_updateableBy_\$type | string | | <input type="checkbox"/> | |
| agile_updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| agile_updateableBy_icon | string | | <input type="checkbox"/> | |
| agile_updateableBy_id | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--------------------------------|-----------|----------------|--------------------------|---------------|
| agile_updateableBy_name | string | | <input type="checkbox"/> | |
| agile_updateableBy_ringId | string | | <input type="checkbox"/> | |
| agile_updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| agile_updateableByProjectBased | boolean | | <input type="checkbox"/> | |
| agile_visibleFor_\$type | string | | <input type="checkbox"/> | |
| agile_visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| agile_visibleFor_icon | string | | <input type="checkbox"/> | |
| agile_visibleFor_id | string | | <input type="checkbox"/> | |
| agile_visibleFor_name | string | | <input type="checkbox"/> | |
| agile_visibleFor_ringId | string | | <input type="checkbox"/> | |
| agile_visibleFor_usersCount | int64 | | <input type="checkbox"/> | |
| agile_visibleForProjectBased | boolean | | <input type="checkbox"/> | |
| archived | boolean | Archived | <input type="checkbox"/> | |
| commentsCount | int32 | Comments Count | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| draftOwner_\$type | string | | <input type="checkbox"/> | |
| draftOwner_avatarUrl | string | | <input type="checkbox"/> | |
| draftOwner_banned | boolean | | <input type="checkbox"/> | |
| draftOwner_email | string | | <input type="checkbox"/> | |
| draftOwner_fullName | string | | <input type="checkbox"/> | |
| draftOwner_guest | boolean | | <input type="checkbox"/> | |
| draftOwner_id | string | | <input type="checkbox"/> | |
| draftOwner_jabberAccountName | string | | <input type="checkbox"/> | |
| draftOwner_login | string | | <input type="checkbox"/> | |
| draftOwner_online | boolean | | <input type="checkbox"/> | |
| draftOwner_ringId | string | | <input type="checkbox"/> | |
| externalIssue_\$type | string | | <input type="checkbox"/> | |
| externalIssue_id | string | | <input type="checkbox"/> | |
| externalIssue_key | string | | <input type="checkbox"/> | |
| externalIssue_name | string | | <input type="checkbox"/> | |
| externalIssue_url | string | | <input type="checkbox"/> | |
| finish | int64 | Finish | <input type="checkbox"/> | |
| goal | string | Goal | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDefault | boolean | Is Default | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| name_1 | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------------------|--------------------------|---------------|
| name | string | Name | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| previousSprint_\$type | string | | <input type="checkbox"/> | |
| previousSprint_agile_\$type | string | | <input type="checkbox"/> | |
| previousSprint_agile_hideOrphans Sw imlane | boolean | | <input type="checkbox"/> | |
| previousSprint_agile_id | string | | <input type="checkbox"/> | |
| previousSprint_agile_name | string | | <input type="checkbox"/> | |
| previousSprint_agile_orphansAtTh eTop | boolean | | <input type="checkbox"/> | |
| previousSprint_agile_updateableBy ProjectBased | boolean | | <input type="checkbox"/> | |
| previousSprint_agile_visibleForProj ectBased | boolean | | <input type="checkbox"/> | |
| previousSprint_archived | boolean | | <input type="checkbox"/> | |
| previousSprint_finish | int64 | | <input type="checkbox"/> | |
| previousSprint_goal | string | | <input type="checkbox"/> | |
| previousSprint_id | string | | <input type="checkbox"/> | |
| previousSprint_isDefault | boolean | | <input type="checkbox"/> | |
| previousSprint_name | string | | <input type="checkbox"/> | |
| previousSprint_previousSprint_\$ty pe | string | | <input type="checkbox"/> | |
| previousSprint_previousSprint_arc hived | boolean | | <input type="checkbox"/> | |
| previousSprint_previousSprint_fini sh | int64 | | <input type="checkbox"/> | |
| previousSprint_previousSprint_goa l | string | | <input type="checkbox"/> | |
| previousSprint_previousSprint_id | string | | <input type="checkbox"/> | |
| previousSprint_previousSprint_isD efault | boolean | | <input type="checkbox"/> | |
| previousSprint_previousSprint_na me | string | | <input type="checkbox"/> | |
| previousSprint_previousSprint_sta rt | int64 | | <input type="checkbox"/> | |
| previousSprint_previousSprint_unr esolvedIssuesCount | int32 | | <input type="checkbox"/> | |
| previousSprint_start | int64 | | <input type="checkbox"/> | |
| previousSprint_unresolvedIssuesC ount | int32 | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|----------------------------|-----------|------------------------|--------------------------|---------------|
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| start | int64 | Start | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| unresolvedIssuesCount | int32 | Unresolved Issue Count | <input type="checkbox"/> | |
| untagOnResolve | boolean | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Mark Down | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---------------------|-----------|----------------------|--------------------------|---------------|
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

5.1.16 Sprints

Catalog: YouTrack

Schema: Agile

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/agiles`

Insert YouTrack API URL: `/agiles`

Update YouTrack API URL: `/agiles`

Delete YouTrack API URL: `/agiles`

Field Selection Method: `NotRequired`

Select YouTrack API Operation: `get /agiles`

Table Function Columns

The columns of the table function `sprints` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------|--------------------------|---------------|
| \$type | string | | <input type="checkbox"/> | |
| colorCoding_\$type | string | | <input type="checkbox"/> | |
| colorCoding_id | string | | <input type="checkbox"/> | |
| columnSettings_\$type | string | | <input type="checkbox"/> | |
| columnSettings_field_\$type | string | | <input type="checkbox"/> | |
| columnSettings_field_aliases | string | | <input type="checkbox"/> | |
| columnSettings_field_hasRunningJob | boolean | | <input type="checkbox"/> | |
| columnSettings_field_id | string | | <input type="checkbox"/> | |
| columnSettings_field_isAutoAttached | boolean | | <input type="checkbox"/> | |
| columnSettings_field_isDisplayedInIssueList | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|-------|--------------------------|---------------|
| columnSettings_field_isUpdateable | boolean | | <input type="checkbox"/> | |
| columnSettings_field_localizedName | string | | <input type="checkbox"/> | |
| columnSettings_field_name | string | | <input type="checkbox"/> | |
| columnSettings_field_ordinal | int32 | | <input type="checkbox"/> | |
| columnSettings_id | string | | <input type="checkbox"/> | |
| currentSprint_\$type | string | | <input type="checkbox"/> | |
| currentSprint_agile_\$type | string | | <input type="checkbox"/> | |
| currentSprint_agile_hideOrphansSwimlane | boolean | | <input type="checkbox"/> | |
| currentSprint_agile_id | string | | <input type="checkbox"/> | |
| currentSprint_agile_name | string | | <input type="checkbox"/> | |
| currentSprint_agile_orphansAtTheTop | boolean | | <input type="checkbox"/> | |
| currentSprint_agile_updateableByProjectBased | boolean | | <input type="checkbox"/> | |
| currentSprint_agile_visibleForProjectBased | boolean | | <input type="checkbox"/> | |
| currentSprint_archived | boolean | | <input type="checkbox"/> | |
| currentSprint_finish | int64 | | <input type="checkbox"/> | |
| currentSprint_goal | string | | <input type="checkbox"/> | |
| currentSprint_id | string | | <input type="checkbox"/> | |
| currentSprint_isDefault | boolean | | <input type="checkbox"/> | |
| currentSprint_name | string | | <input type="checkbox"/> | |
| currentSprint_previousSprint_\$type | string | | <input type="checkbox"/> | |
| currentSprint_previousSprint_archived | boolean | | <input type="checkbox"/> | |
| currentSprint_previousSprint_finish | int64 | | <input type="checkbox"/> | |
| currentSprint_previousSprint_goal | string | | <input type="checkbox"/> | |
| currentSprint_previousSprint_id | string | | <input type="checkbox"/> | |
| currentSprint_previousSprint_isDefault | boolean | | <input type="checkbox"/> | |
| currentSprint_previousSprint_name | string | | <input type="checkbox"/> | |
| currentSprint_previousSprint_start | int64 | | <input type="checkbox"/> | |
| currentSprint_previousSprint_unresolvedIssuesCount | int32 | | <input type="checkbox"/> | |
| currentSprint_start | int64 | | <input type="checkbox"/> | |
| currentSprint_unresolvedIssuesCount | int32 | | <input type="checkbox"/> | |
| estimationField_\$type | string | | <input type="checkbox"/> | |
| estimationField_aliases | string | | <input type="checkbox"/> | |
| estimationField_fieldDefaults_\$type | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|-------|--------------------------|---------------|
| estimationField_fieldDefaults_canBeEmpty | boolean | | <input type="checkbox"/> | |
| estimationField_fieldDefaults_emptyFieldText | string | | <input type="checkbox"/> | |
| estimationField_fieldDefaults_id | string | | <input type="checkbox"/> | |
| estimationField_fieldDefaults_isPublic | boolean | | <input type="checkbox"/> | |
| estimationField_fieldType_\$type | string | | <input type="checkbox"/> | |
| estimationField_fieldType_id | string | | <input type="checkbox"/> | |
| estimationField_hasRunningJob | boolean | | <input type="checkbox"/> | |
| estimationField_id | string | | <input type="checkbox"/> | |
| estimationField_isAutoAttached | boolean | | <input type="checkbox"/> | |
| estimationField_isDisplayedInIssueList | boolean | | <input type="checkbox"/> | |
| estimationField_isUpdateable | boolean | | <input type="checkbox"/> | |
| estimationField_localizedName | string | | <input type="checkbox"/> | |
| estimationField_name | string | | <input type="checkbox"/> | |
| estimationField_ordinal | int32 | | <input type="checkbox"/> | |
| hideOrphansSwimlane | boolean | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| originalEstimationField_\$type | string | | <input type="checkbox"/> | |
| originalEstimationField_aliases | string | | <input type="checkbox"/> | |
| originalEstimationField_fieldDefaults_\$type | string | | <input type="checkbox"/> | |
| originalEstimationField_fieldDefaults_canBeEmpty | boolean | | <input type="checkbox"/> | |
| originalEstimationField_fieldDefaults_emptyFieldText | string | | <input type="checkbox"/> | |
| originalEstimationField_fieldDefaults_id | string | | <input type="checkbox"/> | |
| originalEstimationField_fieldDefaults_isPublic | boolean | | <input type="checkbox"/> | |
| originalEstimationField_fieldType_\$type | string | | <input type="checkbox"/> | |
| originalEstimationField_fieldType_id | string | | <input type="checkbox"/> | |
| originalEstimationField_hasRunningJob | boolean | | <input type="checkbox"/> | |
| originalEstimationField_id | string | | <input type="checkbox"/> | |
| originalEstimationField_isAutoAttached | boolean | | <input type="checkbox"/> | |
| originalEstimationField_isDisplayedInIssueList | boolean | | <input type="checkbox"/> | |
| originalEstimationField_isUpdateable | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------|--------------------------|---------------|
| originalEstimationField_localizedName | string | | <input type="checkbox"/> | |
| originalEstimationField_name | string | | <input type="checkbox"/> | |
| originalEstimationField_ordinal | int32 | | <input type="checkbox"/> | |
| orphansAtTheTop | boolean | | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_profiles_\$type | string | | <input type="checkbox"/> | |
| owner_profiles_id | string | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| sprintsSettings_\$type | string | | <input type="checkbox"/> | |
| sprintsSettings_cardOnSeveralSprints | boolean | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_\$type | string | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_archived | boolean | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_finish | int64 | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_goal | string | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_id | string | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_isDefault | boolean | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_name | string | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_start | int64 | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_unresolvedIssuesCount | int32 | | <input type="checkbox"/> | |
| sprintsSettings_disableSprints | boolean | | <input type="checkbox"/> | |
| sprintsSettings_explicitQuery | string | | <input type="checkbox"/> | |
| sprintsSettings_hideSubtasksOfCards | boolean | | <input type="checkbox"/> | |
| sprintsSettings_id | string | | <input type="checkbox"/> | |
| sprintsSettings_isExplicit | boolean | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncField_\$type | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|-------|--------------------------|---------------|
| sprintsSettings_sprintSyncField_aliases | string | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncField_hasRunningJob | boolean | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncField_id | string | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncField_isAutoAttached | boolean | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncField_isDisplayedInIssueList | boolean | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncField_isUpdateable | boolean | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncField_localizedName | string | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncField_name | string | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncField_orderId | int32 | | <input type="checkbox"/> | |
| status_\$type | string | | <input type="checkbox"/> | |
| status_hasJobs | boolean | | <input type="checkbox"/> | |
| status_id | string | | <input type="checkbox"/> | |
| status_valid | boolean | | <input type="checkbox"/> | |
| swimlaneSettings_\$type | string | | <input type="checkbox"/> | |
| swimlaneSettings_enabled | boolean | | <input type="checkbox"/> | |
| swimlaneSettings_id | string | | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| updateableBy_teamForProject_description | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_shortName | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| updateableBy_teamForProject_template | boolean | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|-------|--------------------------|---------------|
| updateableByProjectBased | boolean | | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| visibleFor_teamForProject_description | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_shortName | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| visibleFor_teamForProject_template | boolean | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |
| visibleForProjectBased | boolean | | <input type="checkbox"/> | |

5.1.17 Sprints1

Catalog: YouTrack

Schema: Agile

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/agiles`

Insert YouTrack API URL: `/agiles`

Update YouTrack API URL: `/agiles`

Delete YouTrack API URL: `/agiles`

Field Selection Method: `NotRequired`

Base Path: `sprints[*]`

Select YouTrack API Operation: `get /agiles`

Table Function Columns

The columns of the table function `Sprints1` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|---|-----------|----------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>agile_\$type</code> | string | | <input type="checkbox"/> | |
| <code>agile_hideOrphansSwimlane</code> | boolean | | <input type="checkbox"/> | |
| <code>agile_id</code> | string | | <input type="checkbox"/> | |
| <code>agile_name</code> | string | | <input type="checkbox"/> | |
| <code>agile_orphansAtTheTop</code> | boolean | | <input type="checkbox"/> | |
| <code>agile_updateableByProjectBased</code> | boolean | | <input type="checkbox"/> | |
| <code>agile_visibleForProjectBased</code> | boolean | | <input type="checkbox"/> | |
| <code>archived</code> | boolean | Archived | <input type="checkbox"/> | |
| <code>colorCoding_\$type</code> | string | | <input type="checkbox"/> | |
| <code>colorCoding_id</code> | string | | <input type="checkbox"/> | |
| <code>columnSettings_\$type</code> | string | | <input type="checkbox"/> | |
| <code>columnSettings_field_\$type</code> | string | | <input type="checkbox"/> | |
| <code>columnSettings_field_aliases</code> | string | | <input type="checkbox"/> | |
| <code>columnSettings_field_hasRunningJob</code> | boolean | | <input type="checkbox"/> | |
| <code>columnSettings_field_id</code> | string | | <input type="checkbox"/> | |
| <code>columnSettings_field_isAutoAttached</code> | boolean | | <input type="checkbox"/> | |
| <code>columnSettings_field_isDisplayedInIssueList</code> | boolean | | <input type="checkbox"/> | |
| <code>columnSettings_field_isUpdateable</code> | boolean | | <input type="checkbox"/> | |
| <code>columnSettings_field_localizedName</code> | string | | <input type="checkbox"/> | |
| <code>columnSettings_field_name</code> | string | | <input type="checkbox"/> | |
| <code>columnSettings_field_ordinal</code> | int32 | | <input type="checkbox"/> | |
| <code>columnSettings_id</code> | string | | <input type="checkbox"/> | |
| <code>currentSprint_\$type</code> | string | | <input type="checkbox"/> | |
| <code>currentSprint_agile_\$type</code> | string | | <input type="checkbox"/> | |
| <code>currentSprint_agile_hideOrphansSwimlane</code> | boolean | | <input type="checkbox"/> | |
| <code>currentSprint_agile_id</code> | string | | <input type="checkbox"/> | |
| <code>currentSprint_agile_name</code> | string | | <input type="checkbox"/> | |
| <code>currentSprint_agile_orphansAtTheTop</code> | boolean | | <input type="checkbox"/> | |
| <code>currentSprint_agile_updateableByProjectBased</code> | boolean | | <input type="checkbox"/> | |
| <code>currentSprint_agile_visibleForProjectBased</code> | boolean | | <input type="checkbox"/> | |
| <code>currentSprint_archived</code> | boolean | | <input type="checkbox"/> | |
| <code>currentSprint_finish</code> | int64 | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|--------|--------------------------|---------------|
| currentSprint_goal | string | | <input type="checkbox"/> | |
| currentSprint_id | string | | <input type="checkbox"/> | |
| currentSprint_isDefault | boolean | | <input type="checkbox"/> | |
| currentSprint_name | string | | <input type="checkbox"/> | |
| currentSprint_previousSprint_\$type | string | | <input type="checkbox"/> | |
| currentSprint_previousSprint_archived | boolean | | <input type="checkbox"/> | |
| currentSprint_previousSprint_finish | int64 | | <input type="checkbox"/> | |
| currentSprint_previousSprint_goal | string | | <input type="checkbox"/> | |
| currentSprint_previousSprint_id | string | | <input type="checkbox"/> | |
| currentSprint_previousSprint_isDefault | boolean | | <input type="checkbox"/> | |
| currentSprint_previousSprint_name | string | | <input type="checkbox"/> | |
| currentSprint_previousSprint_start | int64 | | <input type="checkbox"/> | |
| currentSprint_previousSprint_unresolvedIssuesCount | int32 | | <input type="checkbox"/> | |
| currentSprint_start | int64 | | <input type="checkbox"/> | |
| currentSprint_unresolvedIssuesCount | int32 | | <input type="checkbox"/> | |
| estimationField_\$type | string | | <input type="checkbox"/> | |
| estimationField_aliases | string | | <input type="checkbox"/> | |
| estimationField_fieldDefaults_\$type | string | | <input type="checkbox"/> | |
| estimationField_fieldDefaults_canBeEmpty | boolean | | <input type="checkbox"/> | |
| estimationField_fieldDefaults_emptyFieldText | string | | <input type="checkbox"/> | |
| estimationField_fieldDefaults_id | string | | <input type="checkbox"/> | |
| estimationField_fieldDefaults_isPublic | boolean | | <input type="checkbox"/> | |
| estimationField_fieldType_\$type | string | | <input type="checkbox"/> | |
| estimationField_fieldType_id | string | | <input type="checkbox"/> | |
| estimationField_hasRunningJob | boolean | | <input type="checkbox"/> | |
| estimationField_id | string | | <input type="checkbox"/> | |
| estimationField_isAutoAttached | boolean | | <input type="checkbox"/> | |
| estimationField_isDisplayedInIssueList | boolean | | <input type="checkbox"/> | |
| estimationField_isUpdateable | boolean | | <input type="checkbox"/> | |
| estimationField_localizedName | string | | <input type="checkbox"/> | |
| estimationField_name | string | | <input type="checkbox"/> | |
| estimationField_ordinal | int32 | | <input type="checkbox"/> | |
| finish | int64 | Finish | <input type="checkbox"/> | |
| goal | string | Goal | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|------------|--------------------------|---------------|
| hideOrphansSw imlane | boolean | | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| isDefault | boolean | Is Default | <input type="checkbox"/> | |
| name_1 | string | | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| originalEstimationField_\$type | string | | <input type="checkbox"/> | |
| originalEstimationField_aliases | string | | <input type="checkbox"/> | |
| originalEstimationField_fieldDefaults_\$type | string | | <input type="checkbox"/> | |
| originalEstimationField_fieldDefaults_canBeEmpty | boolean | | <input type="checkbox"/> | |
| originalEstimationField_fieldDefaults_emptyFieldText | string | | <input type="checkbox"/> | |
| originalEstimationField_fieldDefaults_id | string | | <input type="checkbox"/> | |
| originalEstimationField_fieldDefaults_isPublic | boolean | | <input type="checkbox"/> | |
| originalEstimationField_fieldType_\$type | string | | <input type="checkbox"/> | |
| originalEstimationField_fieldType_id | string | | <input type="checkbox"/> | |
| originalEstimationField_hasRunningJob | boolean | | <input type="checkbox"/> | |
| originalEstimationField_id | string | | <input type="checkbox"/> | |
| originalEstimationField_isAutoAttached | boolean | | <input type="checkbox"/> | |
| originalEstimationField_isDisplayedInIssueList | boolean | | <input type="checkbox"/> | |
| originalEstimationField_isUpdateable | boolean | | <input type="checkbox"/> | |
| originalEstimationField_localizedName | string | | <input type="checkbox"/> | |
| originalEstimationField_name | string | | <input type="checkbox"/> | |
| originalEstimationField_ordinal | int32 | | <input type="checkbox"/> | |
| orphansAtTheTop | boolean | | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------|--------------------------|---------------|
| owner_profiles_\$type | string | | <input type="checkbox"/> | |
| owner_profiles_id | string | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| previousSprint_\$type | string | | <input type="checkbox"/> | |
| previousSprint_archived | boolean | | <input type="checkbox"/> | |
| previousSprint_finish | int64 | | <input type="checkbox"/> | |
| previousSprint_goal | string | | <input type="checkbox"/> | |
| previousSprint_id | string | | <input type="checkbox"/> | |
| previousSprint_isDefault | boolean | | <input type="checkbox"/> | |
| previousSprint_name | string | | <input type="checkbox"/> | |
| previousSprint_start | int64 | | <input type="checkbox"/> | |
| previousSprint_unresolvedIssuesCount | int32 | | <input type="checkbox"/> | |
| sprintsSettings_\$type | string | | <input type="checkbox"/> | |
| sprintsSettings_cardOnSeveralSprints | boolean | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_\$type | string | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_archived | boolean | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_finish | int64 | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_goal | string | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_id | string | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_isDefault | boolean | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_name | string | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_start | int64 | | <input type="checkbox"/> | |
| sprintsSettings_defaultSprint_unresolvedIssuesCount | int32 | | <input type="checkbox"/> | |
| sprintsSettings_disableSprints | boolean | | <input type="checkbox"/> | |
| sprintsSettings_explicitQuery | string | | <input type="checkbox"/> | |
| sprintsSettings_hideSubtasksOfCards | boolean | | <input type="checkbox"/> | |
| sprintsSettings_id | string | | <input type="checkbox"/> | |
| sprintsSettings_isExplicit | boolean | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncField_\$type | string | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncField_aliases | string | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncField_hasRunningJob | boolean | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncField_id | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|------------------------|--------------------------|---------------|
| sprintsSettings_sprintSyncField_isAutoAttached | boolean | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncField_isDisplayedInIssueList | boolean | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncField_isUpdateable | boolean | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncField_localizedName | string | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncField_name | string | | <input type="checkbox"/> | |
| sprintsSettings_sprintSyncField_orderId | int32 | | <input type="checkbox"/> | |
| start | int64 | Start | <input type="checkbox"/> | |
| status_\$type | string | | <input type="checkbox"/> | |
| status_hasJobs | boolean | | <input type="checkbox"/> | |
| status_id | string | | <input type="checkbox"/> | |
| status_valid | boolean | | <input type="checkbox"/> | |
| swimlaneSettings_\$type | string | | <input type="checkbox"/> | |
| swimlaneSettings_enabled | boolean | | <input type="checkbox"/> | |
| swimlaneSettings_id | string | | <input type="checkbox"/> | |
| unresolvedIssuesCount | int32 | Unresolved Issue Count | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| updateableBy_teamForProject_description | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_shortName | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| updateableBy_teamForProject_template | boolean | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| updateableByProjectBased | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|-------|--------------------------|---------------|
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| visibleFor_teamForProject_description | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_shortName | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| visibleFor_teamForProject_template | boolean | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |
| visibleForProjectBased | boolean | | <input type="checkbox"/> | |

6 Schema: Articles

6.1 Tables

6.1.1 ArticleById

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/articles/{id}`

Insert YouTrack API URL: `/articles/{id}`

Update YouTrack API URL: `/articles/{id}`

Delete YouTrack API URL: `/articles/{id}`

Field Selection Method: NotRequired

Select YouTrack API Operation: `get /articles/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `ArticleById`. A value must be provided at all times for required parameters, but optional

parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `ArticleById` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|--------------------------------------|-----------|--------------|--------------------------|---------------|
| \$type | string | | <input type="checkbox"/> | |
| content_1 | string | | <input type="checkbox"/> | |
| content | string | Content | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| externalArticle_\$type | string | | <input type="checkbox"/> | |
| externalArticle_id | string | | <input type="checkbox"/> | |
| externalArticle_key | string | | <input type="checkbox"/> | |
| externalArticle_name | string | | <input type="checkbox"/> | |
| externalArticle_url | string | | <input type="checkbox"/> | |
| hasChildren | boolean | Has Children | <input type="checkbox"/> | |
| hasStar | boolean | Has Star | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| ordinal | int64 | Ordinal | <input type="checkbox"/> | |
| parentArticle_content | string | | <input type="checkbox"/> | |
| parentArticle_created | int64 | | <input type="checkbox"/> | |
| parentArticle_externalArticle_\$type | string | | <input type="checkbox"/> | |
| parentArticle_externalArticle_id | string | | <input type="checkbox"/> | |
| parentArticle_externalArticle_key | string | | <input type="checkbox"/> | |
| parentArticle_externalArticle_name | string | | <input type="checkbox"/> | |
| parentArticle_externalArticle_url | string | | <input type="checkbox"/> | |
| parentArticle_hasChildren | boolean | | <input type="checkbox"/> | |
| parentArticle_hasStar | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|-------|--------------------------|---------------|
| parentArticle_idReadable | string | | <input type="checkbox"/> | |
| parentArticle_ordinal | int64 | | <input type="checkbox"/> | |
| parentArticle_parentArticle_content | string | | <input type="checkbox"/> | |
| parentArticle_parentArticle_created | int64 | | <input type="checkbox"/> | |
| parentArticle_parentArticle_hasChildren | boolean | | <input type="checkbox"/> | |
| parentArticle_parentArticle_hasStar | boolean | | <input type="checkbox"/> | |
| parentArticle_parentArticle_idReadable | string | | <input type="checkbox"/> | |
| parentArticle_parentArticle_ordinal | int64 | | <input type="checkbox"/> | |
| parentArticle_parentArticle_summary | string | | <input type="checkbox"/> | |
| parentArticle_parentArticle_updated | int64 | | <input type="checkbox"/> | |
| parentArticle_project_archived | boolean | | <input type="checkbox"/> | |
| parentArticle_project_description | string | | <input type="checkbox"/> | |
| parentArticle_project_fromEmail | string | | <input type="checkbox"/> | |
| parentArticle_project_iconUrl | string | | <input type="checkbox"/> | |
| parentArticle_project_replyToEmail | string | | <input type="checkbox"/> | |
| parentArticle_project_shortName | string | | <input type="checkbox"/> | |
| parentArticle_project_startingNumber | int64 | | <input type="checkbox"/> | |
| parentArticle_project_template | boolean | | <input type="checkbox"/> | |
| parentArticle_reporter_\$type | string | | <input type="checkbox"/> | |
| parentArticle_reporter_avatarUrl | string | | <input type="checkbox"/> | |
| parentArticle_reporter_banned | boolean | | <input type="checkbox"/> | |
| parentArticle_reporter_email | string | | <input type="checkbox"/> | |
| parentArticle_reporter_fullName | string | | <input type="checkbox"/> | |
| parentArticle_reporter_guest | boolean | | <input type="checkbox"/> | |
| parentArticle_reporter_id | string | | <input type="checkbox"/> | |
| parentArticle_reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| parentArticle_reporter_login | string | | <input type="checkbox"/> | |
| parentArticle_reporter_online | boolean | | <input type="checkbox"/> | |
| parentArticle_reporter_ringId | string | | <input type="checkbox"/> | |
| parentArticle_summary | string | | <input type="checkbox"/> | |
| parentArticle_updated | int64 | | <input type="checkbox"/> | |
| parentArticle_updatedBy_\$type | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_avatarUrl | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_banned | boolean | | <input type="checkbox"/> | |
| parentArticle_updatedBy_email | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------|--------------------------|---------------|
| parentArticle_updatedBy_fullName | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_guest | boolean | | <input type="checkbox"/> | |
| parentArticle_updatedBy_id | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_jabberAccountName | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_login | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_online | boolean | | <input type="checkbox"/> | |
| parentArticle_updatedBy_ringId | string | | <input type="checkbox"/> | |
| parentArticle_visibility_\$type | string | | <input type="checkbox"/> | |
| parentArticle_visibility_id | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_createdBy_\$type | string | | <input type="checkbox"/> | |
| project_createdBy_avatarUrl | string | | <input type="checkbox"/> | |
| project_createdBy_banned | boolean | | <input type="checkbox"/> | |
| project_createdBy_email | string | | <input type="checkbox"/> | |
| project_createdBy_fullName | string | | <input type="checkbox"/> | |
| project_createdBy_guest | boolean | | <input type="checkbox"/> | |
| project_createdBy_id | string | | <input type="checkbox"/> | |
| project_createdBy_jabberAccountName | string | | <input type="checkbox"/> | |
| project_createdBy_login | string | | <input type="checkbox"/> | |
| project_createdBy_online | boolean | | <input type="checkbox"/> | |
| project_createdBy_ringId | string | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_leader_\$type | string | | <input type="checkbox"/> | |
| project_leader_avatarUrl | string | | <input type="checkbox"/> | |
| project_leader_banned | boolean | | <input type="checkbox"/> | |
| project_leader_email | string | | <input type="checkbox"/> | |
| project_leader_fullName | string | | <input type="checkbox"/> | |
| project_leader_guest | boolean | | <input type="checkbox"/> | |
| project_leader_id | string | | <input type="checkbox"/> | |
| project_leader_jabberAccountName | string | | <input type="checkbox"/> | |
| project_leader_login | string | | <input type="checkbox"/> | |
| project_leader_online | boolean | | <input type="checkbox"/> | |
| project_leader_ringId | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_team_\$type | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|------------------------------|-----------|---------|--------------------------|---------------|
| project_team_allUsersGroup | boolean | | <input type="checkbox"/> | |
| project_team_icon | string | | <input type="checkbox"/> | |
| project_team_id | string | | <input type="checkbox"/> | |
| project_team_name | string | | <input type="checkbox"/> | |
| project_team_ringId | string | | <input type="checkbox"/> | |
| project_team_usersCount | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| reporter_\$type_1 | string | | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl_1 | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned_1 | boolean | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email_1 | string | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName_1 | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest_1 | boolean | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id_1 | string | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName_1 | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login_1 | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online_1 | boolean | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_profiles_\$type_1 | string | | <input type="checkbox"/> | |
| reporter_profiles_\$type | string | | <input type="checkbox"/> | |
| reporter_profiles_id_1 | string | | <input type="checkbox"/> | |
| reporter_profiles_id | string | | <input type="checkbox"/> | |
| reporter_ringId_1 | string | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| summary_1 | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updatedBy_\$type | string | | <input type="checkbox"/> | |
| updatedBy_avatarUrl | string | | <input type="checkbox"/> | |
| updatedBy_banned | boolean | | <input type="checkbox"/> | |
| updatedBy_email | string | | <input type="checkbox"/> | |
| updatedBy_fullName | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|-----------------------------|-----------|-------|--------------------------|---------------|
| updatedBy_guest | boolean | | <input type="checkbox"/> | |
| updatedBy_id | string | | <input type="checkbox"/> | |
| updatedBy_jabberAccountName | string | | <input type="checkbox"/> | |
| updatedBy_login | string | | <input type="checkbox"/> | |
| updatedBy_online | boolean | | <input type="checkbox"/> | |
| updatedBy_profiles_\$type | string | | <input type="checkbox"/> | |
| updatedBy_profiles_id | string | | <input type="checkbox"/> | |
| updatedBy_ringId | string | | <input type="checkbox"/> | |
| visibility_\$type_1 | string | | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id_1 | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |

6.1.2 Articles: YouTrack Articles

Catalog: YouTrack

Schema: Articles

Label: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/articles`

Insert YouTrack API URL: `/articles`

Update YouTrack API URL: `/articles`

Delete YouTrack API URL: `/articles`

Field Selection Method: `NotRequired`

Select YouTrack API Operation: `get /articles`

Table Function Columns

The columns of the table function `Articles` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|------------------------|-----------|---------|--------------------------|---------------|
| \$type | string | | <input type="checkbox"/> | |
| content_1 | string | | <input type="checkbox"/> | |
| content | string | Content | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| externalArticle_\$type | string | | <input type="checkbox"/> | |
| externalArticle_id | string | | <input type="checkbox"/> | |
| externalArticle_key | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|--------------|--------------------------|---------------|
| externalArticle_name | string | | <input type="checkbox"/> | |
| externalArticle_url | string | | <input type="checkbox"/> | |
| hasChildren | boolean | Has Children | <input type="checkbox"/> | |
| hasStar | boolean | Has Star | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| ordinal | int64 | Ordinal | <input type="checkbox"/> | |
| parentArticle_content | string | | <input type="checkbox"/> | |
| parentArticle_created | int64 | | <input type="checkbox"/> | |
| parentArticle_externalArticle_\$type | string | | <input type="checkbox"/> | |
| parentArticle_externalArticle_id | string | | <input type="checkbox"/> | |
| parentArticle_externalArticle_key | string | | <input type="checkbox"/> | |
| parentArticle_externalArticle_name | string | | <input type="checkbox"/> | |
| parentArticle_externalArticle_url | string | | <input type="checkbox"/> | |
| parentArticle_hasChildren | boolean | | <input type="checkbox"/> | |
| parentArticle_hasStar | boolean | | <input type="checkbox"/> | |
| parentArticle_idReadable | string | | <input type="checkbox"/> | |
| parentArticle_ordinal | int64 | | <input type="checkbox"/> | |
| parentArticle_parentArticle_content | string | | <input type="checkbox"/> | |
| parentArticle_parentArticle_created | int64 | | <input type="checkbox"/> | |
| parentArticle_parentArticle_hasChildren | boolean | | <input type="checkbox"/> | |
| parentArticle_parentArticle_hasStar | boolean | | <input type="checkbox"/> | |
| parentArticle_parentArticle_idReadable | string | | <input type="checkbox"/> | |
| parentArticle_parentArticle_ordinal | int64 | | <input type="checkbox"/> | |
| parentArticle_parentArticle_summary | string | | <input type="checkbox"/> | |
| parentArticle_parentArticle_updated | int64 | | <input type="checkbox"/> | |
| parentArticle_project_archived | boolean | | <input type="checkbox"/> | |
| parentArticle_project_description | string | | <input type="checkbox"/> | |
| parentArticle_project_fromEmail | string | | <input type="checkbox"/> | |
| parentArticle_project_iconUrl | string | | <input type="checkbox"/> | |
| parentArticle_project_replyToEmail | string | | <input type="checkbox"/> | |
| parentArticle_project_shortName | string | | <input type="checkbox"/> | |
| parentArticle_project_startingNumber | int64 | | <input type="checkbox"/> | |
| parentArticle_project_template | boolean | | <input type="checkbox"/> | |
| parentArticle_reporter_\$type | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------|--------------------------|---------------|
| parentArticle_reporter_avatarUrl | string | | <input type="checkbox"/> | |
| parentArticle_reporter_banned | boolean | | <input type="checkbox"/> | |
| parentArticle_reporter_email | string | | <input type="checkbox"/> | |
| parentArticle_reporter_fullName | string | | <input type="checkbox"/> | |
| parentArticle_reporter_guest | boolean | | <input type="checkbox"/> | |
| parentArticle_reporter_id | string | | <input type="checkbox"/> | |
| parentArticle_reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| parentArticle_reporter_login | string | | <input type="checkbox"/> | |
| parentArticle_reporter_online | boolean | | <input type="checkbox"/> | |
| parentArticle_reporter_ringId | string | | <input type="checkbox"/> | |
| parentArticle_summary | string | | <input type="checkbox"/> | |
| parentArticle_updated | int64 | | <input type="checkbox"/> | |
| parentArticle_updatedBy_\$type | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_avatarUrl | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_banned | boolean | | <input type="checkbox"/> | |
| parentArticle_updatedBy_email | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_fullName | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_guest | boolean | | <input type="checkbox"/> | |
| parentArticle_updatedBy_id | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_jabberAccountName | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_login | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_online | boolean | | <input type="checkbox"/> | |
| parentArticle_updatedBy_ringId | string | | <input type="checkbox"/> | |
| parentArticle_visibility_\$type | string | | <input type="checkbox"/> | |
| parentArticle_visibility_id | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_createdBy_\$type | string | | <input type="checkbox"/> | |
| project_createdBy_avatarUrl | string | | <input type="checkbox"/> | |
| project_createdBy_banned | boolean | | <input type="checkbox"/> | |
| project_createdBy_email | string | | <input type="checkbox"/> | |
| project_createdBy_fullName | string | | <input type="checkbox"/> | |
| project_createdBy_guest | boolean | | <input type="checkbox"/> | |
| project_createdBy_id | string | | <input type="checkbox"/> | |
| project_createdBy_jabberAccountName | string | | <input type="checkbox"/> | |
| project_createdBy_login | string | | <input type="checkbox"/> | |
| project_createdBy_online | boolean | | <input type="checkbox"/> | |
| project_createdBy_ringId | string | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|----------------------------------|-----------|-------|--------------------------|---------------|
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_leader_\$type | string | | <input type="checkbox"/> | |
| project_leader_avatarUrl | string | | <input type="checkbox"/> | |
| project_leader_banned | boolean | | <input type="checkbox"/> | |
| project_leader_email | string | | <input type="checkbox"/> | |
| project_leader_fullName | string | | <input type="checkbox"/> | |
| project_leader_guest | boolean | | <input type="checkbox"/> | |
| project_leader_id | string | | <input type="checkbox"/> | |
| project_leader_jabberAccountName | string | | <input type="checkbox"/> | |
| project_leader_login | string | | <input type="checkbox"/> | |
| project_leader_online | boolean | | <input type="checkbox"/> | |
| project_leader_ringId | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_team_\$type | string | | <input type="checkbox"/> | |
| project_team_allUsersGroup | boolean | | <input type="checkbox"/> | |
| project_team_icon | string | | <input type="checkbox"/> | |
| project_team_id | string | | <input type="checkbox"/> | |
| project_team_name | string | | <input type="checkbox"/> | |
| project_team_ringId | string | | <input type="checkbox"/> | |
| project_team_usersCount | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| reporter_\$type_1 | string | | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl_1 | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned_1 | boolean | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email_1 | string | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName_1 | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest_1 | boolean | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id_1 | string | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName_1 | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login_1 | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|-----------------------------|-----------|---------|--------------------------|---------------|
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online_1 | boolean | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_profiles_\$type_1 | string | | <input type="checkbox"/> | |
| reporter_profiles_\$type | string | | <input type="checkbox"/> | |
| reporter_profiles_id_1 | string | | <input type="checkbox"/> | |
| reporter_profiles_id | string | | <input type="checkbox"/> | |
| reporter_ringId_1 | string | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| summary_1 | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updatedBy_\$type | string | | <input type="checkbox"/> | |
| updatedBy_avatarUrl | string | | <input type="checkbox"/> | |
| updatedBy_banned | boolean | | <input type="checkbox"/> | |
| updatedBy_email | string | | <input type="checkbox"/> | |
| updatedBy_fullName | string | | <input type="checkbox"/> | |
| updatedBy_guest | boolean | | <input type="checkbox"/> | |
| updatedBy_id | string | | <input type="checkbox"/> | |
| updatedBy_jabberAccountName | string | | <input type="checkbox"/> | |
| updatedBy_login | string | | <input type="checkbox"/> | |
| updatedBy_online | boolean | | <input type="checkbox"/> | |
| updatedBy_profiles_\$type | string | | <input type="checkbox"/> | |
| updatedBy_profiles_id | string | | <input type="checkbox"/> | |
| updatedBy_ringId | string | | <input type="checkbox"/> | |
| visibility_\$type_1 | string | | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id_1 | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |

6.1.3 AttachmentById

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/articles/{id}`

Insert YouTrack API URL: `/articles/{id}`

Update YouTrack API URL: `/articles/{id}`

Delete YouTrack API URL: `/articles/{id}`

Field Selection Method: NotRequired

Base Path: `attachments[*]`

Select YouTrack API Operation: `get /articles/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `AttachmentById`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `AttachmentById` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|---------------------------------|-----------|-------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type_2</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>article_\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>article_\$type</code> | string | | <input type="checkbox"/> | |
| <code>article_content_1</code> | string | | <input type="checkbox"/> | |
| <code>article_content</code> | string | | <input type="checkbox"/> | |
| <code>article_id_1</code> | string | | <input type="checkbox"/> | |
| <code>article_id</code> | string | | <input type="checkbox"/> | |
| <code>article_summary_1</code> | string | | <input type="checkbox"/> | |
| <code>article_summary</code> | string | | <input type="checkbox"/> | |
| <code>author_\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>author_\$type</code> | string | | <input type="checkbox"/> | |
| <code>author_avatarUrl_1</code> | string | | <input type="checkbox"/> | |
| <code>author_avatarUrl</code> | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|----------------------------|-----------|----------------|--------------------------|---------------|
| author_banned_1 | boolean | | <input type="checkbox"/> | |
| author_banned | boolean | | <input type="checkbox"/> | |
| author_email_1 | string | | <input type="checkbox"/> | |
| author_email | string | | <input type="checkbox"/> | |
| author_fullName_1 | string | | <input type="checkbox"/> | |
| author_fullName | string | | <input type="checkbox"/> | |
| author_guest_1 | boolean | | <input type="checkbox"/> | |
| author_guest | boolean | | <input type="checkbox"/> | |
| author_id_1 | string | | <input type="checkbox"/> | |
| author_id | string | | <input type="checkbox"/> | |
| author_jabberAccountName_1 | string | | <input type="checkbox"/> | |
| author_jabberAccountName | string | | <input type="checkbox"/> | |
| author_login_1 | string | | <input type="checkbox"/> | |
| author_login | string | | <input type="checkbox"/> | |
| author_online_1 | boolean | | <input type="checkbox"/> | |
| author_online | boolean | | <input type="checkbox"/> | |
| author_ringId_1 | string | | <input type="checkbox"/> | |
| author_ringId | string | | <input type="checkbox"/> | |
| base64Content_1 | string | | <input type="checkbox"/> | |
| base64Content | string | Base64 Content | <input type="checkbox"/> | |
| charset_1 | string | | <input type="checkbox"/> | |
| charset | string | Charset | <input type="checkbox"/> | |
| comment_\$type_1 | string | | <input type="checkbox"/> | |
| comment_\$type | string | | <input type="checkbox"/> | |
| comment_created_1 | int64 | | <input type="checkbox"/> | |
| comment_created | int64 | | <input type="checkbox"/> | |
| comment_id_1 | string | | <input type="checkbox"/> | |
| comment_id | string | | <input type="checkbox"/> | |
| comment_text_1 | string | | <input type="checkbox"/> | |
| comment_text | string | | <input type="checkbox"/> | |
| comment_updated_1 | int64 | | <input type="checkbox"/> | |
| comment_updated | int64 | | <input type="checkbox"/> | |
| content_1 | string | | <input type="checkbox"/> | |
| content | string | Content | <input type="checkbox"/> | |
| created_1 | int64 | | <input type="checkbox"/> | |
| created_2 | int64 | | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| draft_1 | boolean | | <input type="checkbox"/> | |
| draft | boolean | Draft | <input type="checkbox"/> | |
| extension_1 | string | | <input type="checkbox"/> | |
| extension | string | Extension | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|--------------|--------------------------|---------------|
| externalArticle_\$type | string | | <input type="checkbox"/> | |
| externalArticle_id | string | | <input type="checkbox"/> | |
| externalArticle_key | string | | <input type="checkbox"/> | |
| externalArticle_name | string | | <input type="checkbox"/> | |
| externalArticle_url | string | | <input type="checkbox"/> | |
| hasChildren | boolean | Has Children | <input type="checkbox"/> | |
| hasStar | boolean | Has Star | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| metaData_1 | string | | <input type="checkbox"/> | |
| metaData | string | Metadata | <input type="checkbox"/> | |
| mimeType_1 | string | | <input type="checkbox"/> | |
| mimeType | string | MIME-type | <input type="checkbox"/> | |
| name_1 | string | | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| ordinal | int64 | Ordinal | <input type="checkbox"/> | |
| parentArticle_content | string | | <input type="checkbox"/> | |
| parentArticle_created | int64 | | <input type="checkbox"/> | |
| parentArticle_externalArticle_\$type | string | | <input type="checkbox"/> | |
| parentArticle_externalArticle_id | string | | <input type="checkbox"/> | |
| parentArticle_externalArticle_key | string | | <input type="checkbox"/> | |
| parentArticle_externalArticle_name | string | | <input type="checkbox"/> | |
| parentArticle_externalArticle_url | string | | <input type="checkbox"/> | |
| parentArticle_hasChildren | boolean | | <input type="checkbox"/> | |
| parentArticle_hasStar | boolean | | <input type="checkbox"/> | |
| parentArticle_idReadable | string | | <input type="checkbox"/> | |
| parentArticle_ordinal | int64 | | <input type="checkbox"/> | |
| parentArticle_parentArticle_content | string | | <input type="checkbox"/> | |
| parentArticle_parentArticle_created | int64 | | <input type="checkbox"/> | |
| parentArticle_parentArticle_hasChildren | boolean | | <input type="checkbox"/> | |
| parentArticle_parentArticle_hasStar | boolean | | <input type="checkbox"/> | |
| parentArticle_parentArticle_idReadable | string | | <input type="checkbox"/> | |
| parentArticle_parentArticle_ordinal | int64 | | <input type="checkbox"/> | |
| parentArticle_parentArticle_summary | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------|--------------------------|---------------|
| parentArticle_parentArticle_updated | int64 | | <input type="checkbox"/> | |
| parentArticle_project_archived | boolean | | <input type="checkbox"/> | |
| parentArticle_project_description | string | | <input type="checkbox"/> | |
| parentArticle_project_fromEmail | string | | <input type="checkbox"/> | |
| parentArticle_project_iconUrl | string | | <input type="checkbox"/> | |
| parentArticle_project_replyToEmail | string | | <input type="checkbox"/> | |
| parentArticle_project_shortName | string | | <input type="checkbox"/> | |
| parentArticle_project_startingNumber | int64 | | <input type="checkbox"/> | |
| parentArticle_project_template | boolean | | <input type="checkbox"/> | |
| parentArticle_reporter_\$type | string | | <input type="checkbox"/> | |
| parentArticle_reporter_avatarUrl | string | | <input type="checkbox"/> | |
| parentArticle_reporter_banned | boolean | | <input type="checkbox"/> | |
| parentArticle_reporter_email | string | | <input type="checkbox"/> | |
| parentArticle_reporter_fullName | string | | <input type="checkbox"/> | |
| parentArticle_reporter_guest | boolean | | <input type="checkbox"/> | |
| parentArticle_reporter_id | string | | <input type="checkbox"/> | |
| parentArticle_reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| parentArticle_reporter_login | string | | <input type="checkbox"/> | |
| parentArticle_reporter_online | boolean | | <input type="checkbox"/> | |
| parentArticle_reporter_ringId | string | | <input type="checkbox"/> | |
| parentArticle_summary | string | | <input type="checkbox"/> | |
| parentArticle_updated | int64 | | <input type="checkbox"/> | |
| parentArticle_updatedBy_\$type | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_avatarUrl | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_banned | boolean | | <input type="checkbox"/> | |
| parentArticle_updatedBy_email | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_fullName | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_guest | boolean | | <input type="checkbox"/> | |
| parentArticle_updatedBy_id | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_jabberAccountName | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_login | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_online | boolean | | <input type="checkbox"/> | |
| parentArticle_updatedBy_ringId | string | | <input type="checkbox"/> | |
| parentArticle_visibility_\$type | string | | <input type="checkbox"/> | |
| parentArticle_visibility_id | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_createdBy_\$type | string | | <input type="checkbox"/> | |
| project_createdBy_avatarUrl | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|-------------------------------------|-----------|---------|--------------------------|---------------|
| project_createdBy_banned | boolean | | <input type="checkbox"/> | |
| project_createdBy_email | string | | <input type="checkbox"/> | |
| project_createdBy_fullName | string | | <input type="checkbox"/> | |
| project_createdBy_guest | boolean | | <input type="checkbox"/> | |
| project_createdBy_id | string | | <input type="checkbox"/> | |
| project_createdBy_jabberAccountName | string | | <input type="checkbox"/> | |
| project_createdBy_login | string | | <input type="checkbox"/> | |
| project_createdBy_online | boolean | | <input type="checkbox"/> | |
| project_createdBy_ringId | string | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_leader_\$type | string | | <input type="checkbox"/> | |
| project_leader_avatarUrl | string | | <input type="checkbox"/> | |
| project_leader_banned | boolean | | <input type="checkbox"/> | |
| project_leader_email | string | | <input type="checkbox"/> | |
| project_leader_fullName | string | | <input type="checkbox"/> | |
| project_leader_guest | boolean | | <input type="checkbox"/> | |
| project_leader_id | string | | <input type="checkbox"/> | |
| project_leader_jabberAccountName | string | | <input type="checkbox"/> | |
| project_leader_login | string | | <input type="checkbox"/> | |
| project_leader_online | boolean | | <input type="checkbox"/> | |
| project_leader_ringId | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_team_\$type | string | | <input type="checkbox"/> | |
| project_team_allUsersGroup | boolean | | <input type="checkbox"/> | |
| project_team_icon | string | | <input type="checkbox"/> | |
| project_team_id | string | | <input type="checkbox"/> | |
| project_team_name | string | | <input type="checkbox"/> | |
| project_team_ringId | string | | <input type="checkbox"/> | |
| project_team_usersCount | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| removed_1 | boolean | | <input type="checkbox"/> | |
| removed | boolean | Removed | <input type="checkbox"/> | |
| reporter_\$type_1 | string | | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl_1 | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|------------------------------|-----------|---------|--------------------------|---------------|
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned_1 | boolean | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email_1 | string | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName_1 | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest_1 | boolean | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id_1 | string | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName_1 | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login_1 | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online_1 | boolean | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_profiles_\$type_1 | string | | <input type="checkbox"/> | |
| reporter_profiles_\$type | string | | <input type="checkbox"/> | |
| reporter_profiles_id_1 | string | | <input type="checkbox"/> | |
| reporter_profiles_id | string | | <input type="checkbox"/> | |
| reporter_ringId_1 | string | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| size_1 | int64 | | <input type="checkbox"/> | |
| size | int64 | Size | <input type="checkbox"/> | |
| summary_1 | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| updated_1 | int64 | | <input type="checkbox"/> | |
| updated_2 | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updatedBy_\$type | string | | <input type="checkbox"/> | |
| updatedBy_avatarUrl | string | | <input type="checkbox"/> | |
| updatedBy_banned | boolean | | <input type="checkbox"/> | |
| updatedBy_email | string | | <input type="checkbox"/> | |
| updatedBy_fullName | string | | <input type="checkbox"/> | |
| updatedBy_guest | boolean | | <input type="checkbox"/> | |
| updatedBy_id | string | | <input type="checkbox"/> | |
| updatedBy_jabberAccountName | string | | <input type="checkbox"/> | |
| updatedBy_login | string | | <input type="checkbox"/> | |
| updatedBy_online | boolean | | <input type="checkbox"/> | |
| updatedBy_profiles_\$type | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|-----------------------|-----------|-------|--------------------------|---------------|
| updatedBy_profiles_id | string | | <input type="checkbox"/> | |
| updatedBy_ringId | string | | <input type="checkbox"/> | |
| url_1 | string | | <input type="checkbox"/> | |
| url | string | URL | <input type="checkbox"/> | |
| visibility_\$type_1 | string | | <input type="checkbox"/> | |
| visibility_\$type_2 | string | | <input type="checkbox"/> | |
| visibility_\$type_3 | string | | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id_1 | string | | <input type="checkbox"/> | |
| visibility_id_2 | string | | <input type="checkbox"/> | |
| visibility_id_3 | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |

6.1.4 Attachments

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/articles`

Insert YouTrack API URL: `/articles`

Update YouTrack API URL: `/articles`

Delete YouTrack API URL: `/articles`

Field Selection Method: `NotRequired`

Base Path: `attachments[*]`

Select YouTrack API Operation: `get /articles`

Table Function Columns

The columns of the table function `Attachments` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|--------------------------------|-----------|-------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type_2</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>article_\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>article_\$type</code> | string | | <input type="checkbox"/> | |
| <code>article_content_1</code> | string | | <input type="checkbox"/> | |
| <code>article_content</code> | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|----------------------------|-----------|----------------|--------------------------|---------------|
| article_id_1 | string | | <input type="checkbox"/> | |
| article_id | string | | <input type="checkbox"/> | |
| article_summary_1 | string | | <input type="checkbox"/> | |
| article_summary | string | | <input type="checkbox"/> | |
| author_\$type_1 | string | | <input type="checkbox"/> | |
| author_\$type | string | | <input type="checkbox"/> | |
| author_avatarUrl_1 | string | | <input type="checkbox"/> | |
| author_avatarUrl | string | | <input type="checkbox"/> | |
| author_banned_1 | boolean | | <input type="checkbox"/> | |
| author_banned | boolean | | <input type="checkbox"/> | |
| author_email_1 | string | | <input type="checkbox"/> | |
| author_email | string | | <input type="checkbox"/> | |
| author_fullName_1 | string | | <input type="checkbox"/> | |
| author_fullName | string | | <input type="checkbox"/> | |
| author_guest_1 | boolean | | <input type="checkbox"/> | |
| author_guest | boolean | | <input type="checkbox"/> | |
| author_id_1 | string | | <input type="checkbox"/> | |
| author_id | string | | <input type="checkbox"/> | |
| author_jabberAccountName_1 | string | | <input type="checkbox"/> | |
| author_jabberAccountName | string | | <input type="checkbox"/> | |
| author_login_1 | string | | <input type="checkbox"/> | |
| author_login | string | | <input type="checkbox"/> | |
| author_online_1 | boolean | | <input type="checkbox"/> | |
| author_online | boolean | | <input type="checkbox"/> | |
| author_ringId_1 | string | | <input type="checkbox"/> | |
| author_ringId | string | | <input type="checkbox"/> | |
| base64Content_1 | string | | <input type="checkbox"/> | |
| base64Content | string | Base64 Content | <input type="checkbox"/> | |
| charset_1 | string | | <input type="checkbox"/> | |
| charset | string | Charset | <input type="checkbox"/> | |
| comment_\$type_1 | string | | <input type="checkbox"/> | |
| comment_\$type | string | | <input type="checkbox"/> | |
| comment_created_1 | int64 | | <input type="checkbox"/> | |
| comment_created | int64 | | <input type="checkbox"/> | |
| comment_id_1 | string | | <input type="checkbox"/> | |
| comment_id | string | | <input type="checkbox"/> | |
| comment_text_1 | string | | <input type="checkbox"/> | |
| comment_text | string | | <input type="checkbox"/> | |
| comment_updated_1 | int64 | | <input type="checkbox"/> | |
| comment_updated | int64 | | <input type="checkbox"/> | |
| content_1 | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--------------------------------------|-----------|--------------|--------------------------|---------------|
| content | string | Content | <input type="checkbox"/> | |
| created_1 | int64 | | <input type="checkbox"/> | |
| created_2 | int64 | | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| draft_1 | boolean | | <input type="checkbox"/> | |
| draft | boolean | Draft | <input type="checkbox"/> | |
| extension_1 | string | | <input type="checkbox"/> | |
| extension | string | Extension | <input type="checkbox"/> | |
| externalArticle_\$type | string | | <input type="checkbox"/> | |
| externalArticle_id | string | | <input type="checkbox"/> | |
| externalArticle_key | string | | <input type="checkbox"/> | |
| externalArticle_name | string | | <input type="checkbox"/> | |
| externalArticle_url | string | | <input type="checkbox"/> | |
| hasChildren | boolean | Has Children | <input type="checkbox"/> | |
| hasStar | boolean | Has Star | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| metaData_1 | string | | <input type="checkbox"/> | |
| metaData | string | Metadata | <input type="checkbox"/> | |
| mimeType_1 | string | | <input type="checkbox"/> | |
| mimeType | string | MIME-type | <input type="checkbox"/> | |
| name_1 | string | | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| ordinal | int64 | Ordinal | <input type="checkbox"/> | |
| parentArticle_content | string | | <input type="checkbox"/> | |
| parentArticle_created | int64 | | <input type="checkbox"/> | |
| parentArticle_externalArticle_\$type | string | | <input type="checkbox"/> | |
| parentArticle_externalArticle_id | string | | <input type="checkbox"/> | |
| parentArticle_externalArticle_key | string | | <input type="checkbox"/> | |
| parentArticle_externalArticle_name | string | | <input type="checkbox"/> | |
| parentArticle_externalArticle_url | string | | <input type="checkbox"/> | |
| parentArticle_hasChildren | boolean | | <input type="checkbox"/> | |
| parentArticle_hasStar | boolean | | <input type="checkbox"/> | |
| parentArticle_idReadable | string | | <input type="checkbox"/> | |
| parentArticle_ordinal | int64 | | <input type="checkbox"/> | |
| parentArticle_parentArticle_content | string | | <input type="checkbox"/> | |
| parentArticle_parentArticle_created | int64 | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------|--------------------------|---------------|
| parentArticle_parentArticle_hasChildren | boolean | | <input type="checkbox"/> | |
| parentArticle_parentArticle_hasStar | boolean | | <input type="checkbox"/> | |
| parentArticle_parentArticle_idReadable | string | | <input type="checkbox"/> | |
| parentArticle_parentArticle_ordinal | int64 | | <input type="checkbox"/> | |
| parentArticle_parentArticle_summary | string | | <input type="checkbox"/> | |
| parentArticle_parentArticle_updated | int64 | | <input type="checkbox"/> | |
| parentArticle_project_archived | boolean | | <input type="checkbox"/> | |
| parentArticle_project_description | string | | <input type="checkbox"/> | |
| parentArticle_project_fromEmail | string | | <input type="checkbox"/> | |
| parentArticle_project_iconUrl | string | | <input type="checkbox"/> | |
| parentArticle_project_replyToEmail | string | | <input type="checkbox"/> | |
| parentArticle_project_shortName | string | | <input type="checkbox"/> | |
| parentArticle_project_startingNumber | int64 | | <input type="checkbox"/> | |
| parentArticle_project_template | boolean | | <input type="checkbox"/> | |
| parentArticle_reporter_\$type | string | | <input type="checkbox"/> | |
| parentArticle_reporter_avatarUrl | string | | <input type="checkbox"/> | |
| parentArticle_reporter_banned | boolean | | <input type="checkbox"/> | |
| parentArticle_reporter_email | string | | <input type="checkbox"/> | |
| parentArticle_reporter_fullName | string | | <input type="checkbox"/> | |
| parentArticle_reporter_guest | boolean | | <input type="checkbox"/> | |
| parentArticle_reporter_id | string | | <input type="checkbox"/> | |
| parentArticle_reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| parentArticle_reporter_login | string | | <input type="checkbox"/> | |
| parentArticle_reporter_online | boolean | | <input type="checkbox"/> | |
| parentArticle_reporter_ringId | string | | <input type="checkbox"/> | |
| parentArticle_summary | string | | <input type="checkbox"/> | |
| parentArticle_updated | int64 | | <input type="checkbox"/> | |
| parentArticle_updatedBy_\$type | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_avatarUrl | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_banned | boolean | | <input type="checkbox"/> | |
| parentArticle_updatedBy_email | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_fullName | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_guest | boolean | | <input type="checkbox"/> | |
| parentArticle_updatedBy_id | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_jabberAccountName | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_login | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|-------------------------------------|-----------|-------|--------------------------|---------------|
| parentArticle_updatedBy_online | boolean | | <input type="checkbox"/> | |
| parentArticle_updatedBy_ringId | string | | <input type="checkbox"/> | |
| parentArticle_visibility_\$type | string | | <input type="checkbox"/> | |
| parentArticle_visibility_id | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_createdBy_\$type | string | | <input type="checkbox"/> | |
| project_createdBy_avatarUrl | string | | <input type="checkbox"/> | |
| project_createdBy_banned | boolean | | <input type="checkbox"/> | |
| project_createdBy_email | string | | <input type="checkbox"/> | |
| project_createdBy_fullName | string | | <input type="checkbox"/> | |
| project_createdBy_guest | boolean | | <input type="checkbox"/> | |
| project_createdBy_id | string | | <input type="checkbox"/> | |
| project_createdBy_jabberAccountName | string | | <input type="checkbox"/> | |
| project_createdBy_login | string | | <input type="checkbox"/> | |
| project_createdBy_online | boolean | | <input type="checkbox"/> | |
| project_createdBy_ringId | string | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_leader_\$type | string | | <input type="checkbox"/> | |
| project_leader_avatarUrl | string | | <input type="checkbox"/> | |
| project_leader_banned | boolean | | <input type="checkbox"/> | |
| project_leader_email | string | | <input type="checkbox"/> | |
| project_leader_fullName | string | | <input type="checkbox"/> | |
| project_leader_guest | boolean | | <input type="checkbox"/> | |
| project_leader_id | string | | <input type="checkbox"/> | |
| project_leader_jabberAccountName | string | | <input type="checkbox"/> | |
| project_leader_login | string | | <input type="checkbox"/> | |
| project_leader_online | boolean | | <input type="checkbox"/> | |
| project_leader_ringId | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_team_\$type | string | | <input type="checkbox"/> | |
| project_team_allUsersGroup | boolean | | <input type="checkbox"/> | |
| project_team_icon | string | | <input type="checkbox"/> | |
| project_team_id | string | | <input type="checkbox"/> | |
| project_team_name | string | | <input type="checkbox"/> | |
| project_team_ringId | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|------------------------------|-----------|---------|--------------------------|---------------|
| project_team_usersCount | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| removed_1 | boolean | | <input type="checkbox"/> | |
| removed | boolean | Removed | <input type="checkbox"/> | |
| reporter_\$type_1 | string | | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl_1 | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned_1 | boolean | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email_1 | string | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName_1 | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest_1 | boolean | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id_1 | string | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName_1 | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login_1 | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online_1 | boolean | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_profiles_\$type_1 | string | | <input type="checkbox"/> | |
| reporter_profiles_\$type | string | | <input type="checkbox"/> | |
| reporter_profiles_id_1 | string | | <input type="checkbox"/> | |
| reporter_profiles_id | string | | <input type="checkbox"/> | |
| reporter_ringId_1 | string | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| size_1 | int64 | | <input type="checkbox"/> | |
| size | int64 | Size | <input type="checkbox"/> | |
| summary_1 | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| updated_1 | int64 | | <input type="checkbox"/> | |
| updated_2 | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updatedBy_\$type | string | | <input type="checkbox"/> | |
| updatedBy_avatarUrl | string | | <input type="checkbox"/> | |
| updatedBy_banned | boolean | | <input type="checkbox"/> | |
| updatedBy_email | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|-----------------------------|-----------|-------|--------------------------|---------------|
| updatedBy_fullName | string | | <input type="checkbox"/> | |
| updatedBy_guest | boolean | | <input type="checkbox"/> | |
| updatedBy_id | string | | <input type="checkbox"/> | |
| updatedBy_jabberAccountName | string | | <input type="checkbox"/> | |
| updatedBy_login | string | | <input type="checkbox"/> | |
| updatedBy_online | boolean | | <input type="checkbox"/> | |
| updatedBy_profiles_\$type | string | | <input type="checkbox"/> | |
| updatedBy_profiles_id | string | | <input type="checkbox"/> | |
| updatedBy_ringId | string | | <input type="checkbox"/> | |
| url_1 | string | | <input type="checkbox"/> | |
| url | string | URL | <input type="checkbox"/> | |
| visibility_\$type_1 | string | | <input type="checkbox"/> | |
| visibility_\$type_2 | string | | <input type="checkbox"/> | |
| visibility_\$type_3 | string | | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id_1 | string | | <input type="checkbox"/> | |
| visibility_id_2 | string | | <input type="checkbox"/> | |
| visibility_id_3 | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |

6.1.5 ChildArticleAttachments

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/articles`

Insert YouTrack API URL: `/articles`

Update YouTrack API URL: `/articles`

Delete YouTrack API URL: `/articles`

Field Selection Method: `NotRequired`

Base Path: `childArticles[*].attachments[*]`

Select YouTrack API Operation: `get /articles`

Table Function Columns

The columns of the table function `ChildArticleAttachments` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|--------------------------|-----------|----------------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type_2 | string | | <input type="checkbox"/> | |
| \$type_3 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| base64Content_1 | string | | <input type="checkbox"/> | |
| base64Content | string | Base64 Content | <input type="checkbox"/> | |
| charset_1 | string | | <input type="checkbox"/> | |
| charset | string | Charset | <input type="checkbox"/> | |
| content_1 | string | | <input type="checkbox"/> | |
| content_2 | string | | <input type="checkbox"/> | |
| content_3 | string | | <input type="checkbox"/> | |
| content | string | Content | <input type="checkbox"/> | |
| created_1 | int64 | | <input type="checkbox"/> | |
| created_2 | int64 | | <input type="checkbox"/> | |
| created_3 | int64 | | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| draft_1 | boolean | | <input type="checkbox"/> | |
| draft | boolean | Draft | <input type="checkbox"/> | |
| extension_1 | string | | <input type="checkbox"/> | |
| extension | string | Extension | <input type="checkbox"/> | |
| externalArticle_\$type_1 | string | | <input type="checkbox"/> | |
| externalArticle_\$type | string | | <input type="checkbox"/> | |
| externalArticle_id_1 | string | | <input type="checkbox"/> | |
| externalArticle_id | string | | <input type="checkbox"/> | |
| externalArticle_key_1 | string | | <input type="checkbox"/> | |
| externalArticle_key | string | | <input type="checkbox"/> | |
| externalArticle_name_1 | string | | <input type="checkbox"/> | |
| externalArticle_name | string | | <input type="checkbox"/> | |
| externalArticle_url_1 | string | | <input type="checkbox"/> | |
| externalArticle_url | string | | <input type="checkbox"/> | |
| hasChildren_1 | boolean | | <input type="checkbox"/> | |
| hasChildren | boolean | Has Children | <input type="checkbox"/> | |
| hasStar_1 | boolean | | <input type="checkbox"/> | |
| hasStar | boolean | Has Star | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id_3 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable_1 | string | | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| metaData_1 | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-----------|--------------------------|---------------|
| metaData | string | Metadata | <input type="checkbox"/> | |
| mimeType_1 | string | | <input type="checkbox"/> | |
| mimeType | string | MIME-type | <input type="checkbox"/> | |
| name_1 | string | | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| ordinal_1 | int64 | | <input type="checkbox"/> | |
| ordinal | int64 | Ordinal | <input type="checkbox"/> | |
| parentArticle_\$type | string | | <input type="checkbox"/> | |
| parentArticle_base64Content | string | | <input type="checkbox"/> | |
| parentArticle_charset | string | | <input type="checkbox"/> | |
| parentArticle_content_1 | string | | <input type="checkbox"/> | |
| parentArticle_content | string | | <input type="checkbox"/> | |
| parentArticle_created_1 | int64 | | <input type="checkbox"/> | |
| parentArticle_created_2 | int64 | | <input type="checkbox"/> | |
| parentArticle_created | int64 | | <input type="checkbox"/> | |
| parentArticle_draft | boolean | | <input type="checkbox"/> | |
| parentArticle_extension | string | | <input type="checkbox"/> | |
| parentArticle_externalArticle_\$type | string | | <input type="checkbox"/> | |
| parentArticle_externalArticle_id | string | | <input type="checkbox"/> | |
| parentArticle_externalArticle_key | string | | <input type="checkbox"/> | |
| parentArticle_externalArticle_name | string | | <input type="checkbox"/> | |
| parentArticle_externalArticle_url | string | | <input type="checkbox"/> | |
| parentArticle_hasChildren_1 | boolean | | <input type="checkbox"/> | |
| parentArticle_hasChildren | boolean | | <input type="checkbox"/> | |
| parentArticle_hasStar_1 | boolean | | <input type="checkbox"/> | |
| parentArticle_hasStar | boolean | | <input type="checkbox"/> | |
| parentArticle_id | string | | <input type="checkbox"/> | |
| parentArticle_idReadable_1 | string | | <input type="checkbox"/> | |
| parentArticle_idReadable | string | | <input type="checkbox"/> | |
| parentArticle_metaData | string | | <input type="checkbox"/> | |
| parentArticle_mimeType | string | | <input type="checkbox"/> | |
| parentArticle_name | string | | <input type="checkbox"/> | |
| parentArticle_ordinal_1 | int64 | | <input type="checkbox"/> | |
| parentArticle_ordinal | int64 | | <input type="checkbox"/> | |
| parentArticle_parentArticle_content | string | | <input type="checkbox"/> | |
| parentArticle_parentArticle_created | int64 | | <input type="checkbox"/> | |
| parentArticle_parentArticle_hasChildren | boolean | | <input type="checkbox"/> | |
| parentArticle_parentArticle_hasStar | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|-------|--------------------------|---------------|
| parentArticle_parentArticle_idReadable | string | | <input type="checkbox"/> | |
| parentArticle_parentArticle_ordinal | int64 | | <input type="checkbox"/> | |
| parentArticle_parentArticle_summary | string | | <input type="checkbox"/> | |
| parentArticle_parentArticle_updated | int64 | | <input type="checkbox"/> | |
| parentArticle_project_archived | boolean | | <input type="checkbox"/> | |
| parentArticle_project_description | string | | <input type="checkbox"/> | |
| parentArticle_project_fromEmail | string | | <input type="checkbox"/> | |
| parentArticle_project_iconUrl | string | | <input type="checkbox"/> | |
| parentArticle_project_replyToEmail | string | | <input type="checkbox"/> | |
| parentArticle_project_shortName | string | | <input type="checkbox"/> | |
| parentArticle_project_startingNumber | int64 | | <input type="checkbox"/> | |
| parentArticle_project_template | boolean | | <input type="checkbox"/> | |
| parentArticle_removed | boolean | | <input type="checkbox"/> | |
| parentArticle_reporter_\$type | string | | <input type="checkbox"/> | |
| parentArticle_reporter_avatarUrl | string | | <input type="checkbox"/> | |
| parentArticle_reporter_banned | boolean | | <input type="checkbox"/> | |
| parentArticle_reporter_email | string | | <input type="checkbox"/> | |
| parentArticle_reporter_fullName | string | | <input type="checkbox"/> | |
| parentArticle_reporter_guest | boolean | | <input type="checkbox"/> | |
| parentArticle_reporter_id | string | | <input type="checkbox"/> | |
| parentArticle_reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| parentArticle_reporter_login | string | | <input type="checkbox"/> | |
| parentArticle_reporter_online | boolean | | <input type="checkbox"/> | |
| parentArticle_reporter_ringId | string | | <input type="checkbox"/> | |
| parentArticle_size | int64 | | <input type="checkbox"/> | |
| parentArticle_summary_1 | string | | <input type="checkbox"/> | |
| parentArticle_summary | string | | <input type="checkbox"/> | |
| parentArticle_updated_1 | int64 | | <input type="checkbox"/> | |
| parentArticle_updated_2 | int64 | | <input type="checkbox"/> | |
| parentArticle_updated | int64 | | <input type="checkbox"/> | |
| parentArticle_updatedBy_\$type | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_avatarUrl | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_banned | boolean | | <input type="checkbox"/> | |
| parentArticle_updatedBy_email | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_fullName | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_guest | boolean | | <input type="checkbox"/> | |
| parentArticle_updatedBy_id | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------|--------------------------|---------------|
| parentArticle_updatedBy_jabberAccountName | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_login | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_online | boolean | | <input type="checkbox"/> | |
| parentArticle_updatedBy_ringId | string | | <input type="checkbox"/> | |
| parentArticle_url | string | | <input type="checkbox"/> | |
| parentArticle_visibility_\$type | string | | <input type="checkbox"/> | |
| parentArticle_visibility_id | string | | <input type="checkbox"/> | |
| project_archived_1 | boolean | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_createdBy_\$type | string | | <input type="checkbox"/> | |
| project_createdBy_avatarUrl | string | | <input type="checkbox"/> | |
| project_createdBy_banned | boolean | | <input type="checkbox"/> | |
| project_createdBy_email | string | | <input type="checkbox"/> | |
| project_createdBy_fullName | string | | <input type="checkbox"/> | |
| project_createdBy_guest | boolean | | <input type="checkbox"/> | |
| project_createdBy_id | string | | <input type="checkbox"/> | |
| project_createdBy_jabberAccountName | string | | <input type="checkbox"/> | |
| project_createdBy_login | string | | <input type="checkbox"/> | |
| project_createdBy_online | boolean | | <input type="checkbox"/> | |
| project_createdBy_ringId | string | | <input type="checkbox"/> | |
| project_description_1 | string | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail_1 | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl_1 | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_leader_\$type | string | | <input type="checkbox"/> | |
| project_leader_avatarUrl | string | | <input type="checkbox"/> | |
| project_leader_banned | boolean | | <input type="checkbox"/> | |
| project_leader_email | string | | <input type="checkbox"/> | |
| project_leader_fullName | string | | <input type="checkbox"/> | |
| project_leader_guest | boolean | | <input type="checkbox"/> | |
| project_leader_id | string | | <input type="checkbox"/> | |
| project_leader_jabberAccountName | string | | <input type="checkbox"/> | |
| project_leader_login | string | | <input type="checkbox"/> | |
| project_leader_online | boolean | | <input type="checkbox"/> | |
| project_leader_ringId | string | | <input type="checkbox"/> | |
| project_replyToEmail_1 | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|----------------------------|-----------|---------|--------------------------|---------------|
| project_shortName_1 | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber_1 | int64 | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_team_\$type | string | | <input type="checkbox"/> | |
| project_team_allUsersGroup | boolean | | <input type="checkbox"/> | |
| project_team_icon | string | | <input type="checkbox"/> | |
| project_team_id | string | | <input type="checkbox"/> | |
| project_team_name | string | | <input type="checkbox"/> | |
| project_team_ringId | string | | <input type="checkbox"/> | |
| project_team_usersCount | int64 | | <input type="checkbox"/> | |
| project_template_1 | boolean | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| removed_1 | boolean | | <input type="checkbox"/> | |
| removed | boolean | Removed | <input type="checkbox"/> | |
| reporter_\$type_1 | string | | <input type="checkbox"/> | |
| reporter_\$type_2 | string | | <input type="checkbox"/> | |
| reporter_\$type_3 | string | | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl_1 | string | | <input type="checkbox"/> | |
| reporter_avatarUrl_2 | string | | <input type="checkbox"/> | |
| reporter_avatarUrl_3 | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned_1 | boolean | | <input type="checkbox"/> | |
| reporter_banned_2 | boolean | | <input type="checkbox"/> | |
| reporter_banned_3 | boolean | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email_1 | string | | <input type="checkbox"/> | |
| reporter_email_2 | string | | <input type="checkbox"/> | |
| reporter_email_3 | string | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName_1 | string | | <input type="checkbox"/> | |
| reporter_fullName_2 | string | | <input type="checkbox"/> | |
| reporter_fullName_3 | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest_1 | boolean | | <input type="checkbox"/> | |
| reporter_guest_2 | boolean | | <input type="checkbox"/> | |
| reporter_guest_3 | boolean | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id_1 | string | | <input type="checkbox"/> | |
| reporter_id_2 | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|------------------------------|-----------|---------|--------------------------|---------------|
| reporter_id_3 | string | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName_1 | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName_2 | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName_3 | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login_1 | string | | <input type="checkbox"/> | |
| reporter_login_2 | string | | <input type="checkbox"/> | |
| reporter_login_3 | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online_1 | boolean | | <input type="checkbox"/> | |
| reporter_online_2 | boolean | | <input type="checkbox"/> | |
| reporter_online_3 | boolean | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_profiles_\$type_1 | string | | <input type="checkbox"/> | |
| reporter_profiles_\$type | string | | <input type="checkbox"/> | |
| reporter_profiles_id_1 | string | | <input type="checkbox"/> | |
| reporter_profiles_id | string | | <input type="checkbox"/> | |
| reporter_ringId_1 | string | | <input type="checkbox"/> | |
| reporter_ringId_2 | string | | <input type="checkbox"/> | |
| reporter_ringId_3 | string | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| size_1 | int64 | | <input type="checkbox"/> | |
| size | int64 | Size | <input type="checkbox"/> | |
| summary_1 | string | | <input type="checkbox"/> | |
| summary_2 | string | | <input type="checkbox"/> | |
| summary_3 | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| updated_1 | int64 | | <input type="checkbox"/> | |
| updated_2 | int64 | | <input type="checkbox"/> | |
| updated_3 | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updatedBy_\$type_1 | string | | <input type="checkbox"/> | |
| updatedBy_\$type | string | | <input type="checkbox"/> | |
| updatedBy_avatarUrl_1 | string | | <input type="checkbox"/> | |
| updatedBy_avatarUrl | string | | <input type="checkbox"/> | |
| updatedBy_banned_1 | boolean | | <input type="checkbox"/> | |
| updatedBy_banned | boolean | | <input type="checkbox"/> | |
| updatedBy_email_1 | string | | <input type="checkbox"/> | |
| updatedBy_email | string | | <input type="checkbox"/> | |
| updatedBy_fullName_1 | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|-------------------------------|-----------|-------|--------------------------|---------------|
| updatedBy_fullName | string | | <input type="checkbox"/> | |
| updatedBy_guest_1 | boolean | | <input type="checkbox"/> | |
| updatedBy_guest | boolean | | <input type="checkbox"/> | |
| updatedBy_id_1 | string | | <input type="checkbox"/> | |
| updatedBy_id | string | | <input type="checkbox"/> | |
| updatedBy_jabberAccountName_1 | string | | <input type="checkbox"/> | |
| updatedBy_jabberAccountName | string | | <input type="checkbox"/> | |
| updatedBy_login_1 | string | | <input type="checkbox"/> | |
| updatedBy_login | string | | <input type="checkbox"/> | |
| updatedBy_online_1 | boolean | | <input type="checkbox"/> | |
| updatedBy_online | boolean | | <input type="checkbox"/> | |
| updatedBy_profiles_\$type | string | | <input type="checkbox"/> | |
| updatedBy_profiles_id | string | | <input type="checkbox"/> | |
| updatedBy_ringId_1 | string | | <input type="checkbox"/> | |
| updatedBy_ringId | string | | <input type="checkbox"/> | |
| url_1 | string | | <input type="checkbox"/> | |
| url | string | URL | <input type="checkbox"/> | |
| visibility_\$type_1 | string | | <input type="checkbox"/> | |
| visibility_\$type_2 | string | | <input type="checkbox"/> | |
| visibility_\$type_3 | string | | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id_1 | string | | <input type="checkbox"/> | |
| visibility_id_2 | string | | <input type="checkbox"/> | |
| visibility_id_3 | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |

6.1.6 ChildArticleAttachmentsById

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/articles/{id}`

Insert YouTrack API URL: `/articles/{id}`

Update YouTrack API URL: `/articles/{id}`

Delete YouTrack API URL: `/articles/{id}`

Field Selection Method: `NotRequired`

Base Path: `childArticles[*].attachments[*]`

Select YouTrack API Operation: `get /articles/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `ChildArticleAttachmentsById`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `ChildArticleAttachmentsById` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|-----------------|-----------|----------------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type_2 | string | | <input type="checkbox"/> | |
| \$type_3 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| base64Content_1 | string | | <input type="checkbox"/> | |
| base64Content | string | Base64 Content | <input type="checkbox"/> | |
| charset_1 | string | | <input type="checkbox"/> | |
| charset | string | Charset | <input type="checkbox"/> | |
| content_1 | string | | <input type="checkbox"/> | |
| content_2 | string | | <input type="checkbox"/> | |
| content_3 | string | | <input type="checkbox"/> | |
| content | string | Content | <input type="checkbox"/> | |
| created_1 | int64 | | <input type="checkbox"/> | |
| created_2 | int64 | | <input type="checkbox"/> | |
| created_3 | int64 | | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| draft_1 | boolean | | <input type="checkbox"/> | |
| draft | boolean | Draft | <input type="checkbox"/> | |
| extension_1 | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--------------------------------------|-----------|--------------|--------------------------|---------------|
| extension | string | Extension | <input type="checkbox"/> | |
| externalArticle_\$type_1 | string | | <input type="checkbox"/> | |
| externalArticle_\$type | string | | <input type="checkbox"/> | |
| externalArticle_id_1 | string | | <input type="checkbox"/> | |
| externalArticle_id | string | | <input type="checkbox"/> | |
| externalArticle_key_1 | string | | <input type="checkbox"/> | |
| externalArticle_key | string | | <input type="checkbox"/> | |
| externalArticle_name_1 | string | | <input type="checkbox"/> | |
| externalArticle_name | string | | <input type="checkbox"/> | |
| externalArticle_url_1 | string | | <input type="checkbox"/> | |
| externalArticle_url | string | | <input type="checkbox"/> | |
| hasChildren_1 | boolean | | <input type="checkbox"/> | |
| hasChildren | boolean | Has Children | <input type="checkbox"/> | |
| hasStar_1 | boolean | | <input type="checkbox"/> | |
| hasStar | boolean | Has Star | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id_3 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable_1 | string | | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| metaData_1 | string | | <input type="checkbox"/> | |
| metaData | string | Metadata | <input type="checkbox"/> | |
| mimeType_1 | string | | <input type="checkbox"/> | |
| mimeType | string | MIME-type | <input type="checkbox"/> | |
| name_1 | string | | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| ordinal_1 | int64 | | <input type="checkbox"/> | |
| ordinal | int64 | Ordinal | <input type="checkbox"/> | |
| parentArticle_\$type | string | | <input type="checkbox"/> | |
| parentArticle_base64Content | string | | <input type="checkbox"/> | |
| parentArticle_charset | string | | <input type="checkbox"/> | |
| parentArticle_content_1 | string | | <input type="checkbox"/> | |
| parentArticle_content | string | | <input type="checkbox"/> | |
| parentArticle_created_1 | int64 | | <input type="checkbox"/> | |
| parentArticle_created_2 | int64 | | <input type="checkbox"/> | |
| parentArticle_created | int64 | | <input type="checkbox"/> | |
| parentArticle_draft | boolean | | <input type="checkbox"/> | |
| parentArticle_extension | string | | <input type="checkbox"/> | |
| parentArticle_externalArticle_\$type | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------|--------------------------|---------------|
| parentArticle_externalArticle_id | string | | <input type="checkbox"/> | |
| parentArticle_externalArticle_key | string | | <input type="checkbox"/> | |
| parentArticle_externalArticle_name | string | | <input type="checkbox"/> | |
| parentArticle_externalArticle_url | string | | <input type="checkbox"/> | |
| parentArticle_hasChildren_1 | boolean | | <input type="checkbox"/> | |
| parentArticle_hasChildren | boolean | | <input type="checkbox"/> | |
| parentArticle_hasStar_1 | boolean | | <input type="checkbox"/> | |
| parentArticle_hasStar | boolean | | <input type="checkbox"/> | |
| parentArticle_id | string | | <input type="checkbox"/> | |
| parentArticle_idReadable_1 | string | | <input type="checkbox"/> | |
| parentArticle_idReadable | string | | <input type="checkbox"/> | |
| parentArticle_metaData | string | | <input type="checkbox"/> | |
| parentArticle_mimeType | string | | <input type="checkbox"/> | |
| parentArticle_name | string | | <input type="checkbox"/> | |
| parentArticle_ordinal_1 | int64 | | <input type="checkbox"/> | |
| parentArticle_ordinal | int64 | | <input type="checkbox"/> | |
| parentArticle_parentArticle_content | string | | <input type="checkbox"/> | |
| parentArticle_parentArticle_created | int64 | | <input type="checkbox"/> | |
| parentArticle_parentArticle_hasChildren | boolean | | <input type="checkbox"/> | |
| parentArticle_parentArticle_hasStar | boolean | | <input type="checkbox"/> | |
| parentArticle_parentArticle_idReadable | string | | <input type="checkbox"/> | |
| parentArticle_parentArticle_ordinal | int64 | | <input type="checkbox"/> | |
| parentArticle_parentArticle_summary | string | | <input type="checkbox"/> | |
| parentArticle_parentArticle_updated | int64 | | <input type="checkbox"/> | |
| parentArticle_project_archived | boolean | | <input type="checkbox"/> | |
| parentArticle_project_description | string | | <input type="checkbox"/> | |
| parentArticle_project_fromEmail | string | | <input type="checkbox"/> | |
| parentArticle_project_iconUrl | string | | <input type="checkbox"/> | |
| parentArticle_project_replyToEmail | string | | <input type="checkbox"/> | |
| parentArticle_project_shortName | string | | <input type="checkbox"/> | |
| parentArticle_project_startingNumber | int64 | | <input type="checkbox"/> | |
| parentArticle_project_template | boolean | | <input type="checkbox"/> | |
| parentArticle_removed | boolean | | <input type="checkbox"/> | |
| parentArticle_reporter_\$type | string | | <input type="checkbox"/> | |
| parentArticle_reporter_avatarUrl | string | | <input type="checkbox"/> | |
| parentArticle_reporter_banned | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------|--------------------------|---------------|
| parentArticle_reporter_email | string | | <input type="checkbox"/> | |
| parentArticle_reporter_fullName | string | | <input type="checkbox"/> | |
| parentArticle_reporter_guest | boolean | | <input type="checkbox"/> | |
| parentArticle_reporter_id | string | | <input type="checkbox"/> | |
| parentArticle_reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| parentArticle_reporter_login | string | | <input type="checkbox"/> | |
| parentArticle_reporter_online | boolean | | <input type="checkbox"/> | |
| parentArticle_reporter_ringId | string | | <input type="checkbox"/> | |
| parentArticle_size | int64 | | <input type="checkbox"/> | |
| parentArticle_summary_1 | string | | <input type="checkbox"/> | |
| parentArticle_summary | string | | <input type="checkbox"/> | |
| parentArticle_updated_1 | int64 | | <input type="checkbox"/> | |
| parentArticle_updated_2 | int64 | | <input type="checkbox"/> | |
| parentArticle_updated | int64 | | <input type="checkbox"/> | |
| parentArticle_updatedBy_\$type | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_avatarUrl | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_banned | boolean | | <input type="checkbox"/> | |
| parentArticle_updatedBy_email | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_fullName | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_guest | boolean | | <input type="checkbox"/> | |
| parentArticle_updatedBy_id | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_jabberAccountName | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_login | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_online | boolean | | <input type="checkbox"/> | |
| parentArticle_updatedBy_ringId | string | | <input type="checkbox"/> | |
| parentArticle_url | string | | <input type="checkbox"/> | |
| parentArticle_visibility_\$type | string | | <input type="checkbox"/> | |
| parentArticle_visibility_id | string | | <input type="checkbox"/> | |
| project_archived_1 | boolean | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_createdBy_\$type | string | | <input type="checkbox"/> | |
| project_createdBy_avatarUrl | string | | <input type="checkbox"/> | |
| project_createdBy_banned | boolean | | <input type="checkbox"/> | |
| project_createdBy_email | string | | <input type="checkbox"/> | |
| project_createdBy_fullName | string | | <input type="checkbox"/> | |
| project_createdBy_guest | boolean | | <input type="checkbox"/> | |
| project_createdBy_id | string | | <input type="checkbox"/> | |
| project_createdBy_jabberAccountName | string | | <input type="checkbox"/> | |
| project_createdBy_login | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|----------------------------------|-----------|---------|--------------------------|---------------|
| project_createdBy_online | boolean | | <input type="checkbox"/> | |
| project_createdBy_ringId | string | | <input type="checkbox"/> | |
| project_description_1 | string | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail_1 | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl_1 | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_leader_\$type | string | | <input type="checkbox"/> | |
| project_leader_avatarUrl | string | | <input type="checkbox"/> | |
| project_leader_banned | boolean | | <input type="checkbox"/> | |
| project_leader_email | string | | <input type="checkbox"/> | |
| project_leader_fullName | string | | <input type="checkbox"/> | |
| project_leader_guest | boolean | | <input type="checkbox"/> | |
| project_leader_id | string | | <input type="checkbox"/> | |
| project_leader_jabberAccountName | string | | <input type="checkbox"/> | |
| project_leader_login | string | | <input type="checkbox"/> | |
| project_leader_online | boolean | | <input type="checkbox"/> | |
| project_leader_ringId | string | | <input type="checkbox"/> | |
| project_replyToEmail_1 | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName_1 | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber_1 | int64 | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_team_\$type | string | | <input type="checkbox"/> | |
| project_team_allUsersGroup | boolean | | <input type="checkbox"/> | |
| project_team_icon | string | | <input type="checkbox"/> | |
| project_team_id | string | | <input type="checkbox"/> | |
| project_team_name | string | | <input type="checkbox"/> | |
| project_team_ringId | string | | <input type="checkbox"/> | |
| project_team_usersCount | int64 | | <input type="checkbox"/> | |
| project_template_1 | boolean | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| removed_1 | boolean | | <input type="checkbox"/> | |
| removed | boolean | Removed | <input type="checkbox"/> | |
| reporter_\$type_1 | string | | <input type="checkbox"/> | |
| reporter_\$type_2 | string | | <input type="checkbox"/> | |
| reporter_\$type_3 | string | | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|------------------------------|-----------|-------|--------------------------|---------------|
| reporter_avatarUrl_1 | string | | <input type="checkbox"/> | |
| reporter_avatarUrl_2 | string | | <input type="checkbox"/> | |
| reporter_avatarUrl_3 | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned_1 | boolean | | <input type="checkbox"/> | |
| reporter_banned_2 | boolean | | <input type="checkbox"/> | |
| reporter_banned_3 | boolean | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email_1 | string | | <input type="checkbox"/> | |
| reporter_email_2 | string | | <input type="checkbox"/> | |
| reporter_email_3 | string | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName_1 | string | | <input type="checkbox"/> | |
| reporter_fullName_2 | string | | <input type="checkbox"/> | |
| reporter_fullName_3 | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest_1 | boolean | | <input type="checkbox"/> | |
| reporter_guest_2 | boolean | | <input type="checkbox"/> | |
| reporter_guest_3 | boolean | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id_1 | string | | <input type="checkbox"/> | |
| reporter_id_2 | string | | <input type="checkbox"/> | |
| reporter_id_3 | string | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName_1 | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName_2 | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName_3 | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login_1 | string | | <input type="checkbox"/> | |
| reporter_login_2 | string | | <input type="checkbox"/> | |
| reporter_login_3 | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online_1 | boolean | | <input type="checkbox"/> | |
| reporter_online_2 | boolean | | <input type="checkbox"/> | |
| reporter_online_3 | boolean | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_profiles_\$type_1 | string | | <input type="checkbox"/> | |
| reporter_profiles_\$type | string | | <input type="checkbox"/> | |
| reporter_profiles_id_1 | string | | <input type="checkbox"/> | |
| reporter_profiles_id | string | | <input type="checkbox"/> | |
| reporter_ringId_1 | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|-------------------------------|-----------|---------|--------------------------|---------------|
| reporter_ringId_2 | string | | <input type="checkbox"/> | |
| reporter_ringId_3 | string | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| size_1 | int64 | | <input type="checkbox"/> | |
| size | int64 | Size | <input type="checkbox"/> | |
| summary_1 | string | | <input type="checkbox"/> | |
| summary_2 | string | | <input type="checkbox"/> | |
| summary_3 | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| updated_1 | int64 | | <input type="checkbox"/> | |
| updated_2 | int64 | | <input type="checkbox"/> | |
| updated_3 | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updatedBy_\$type_1 | string | | <input type="checkbox"/> | |
| updatedBy_\$type | string | | <input type="checkbox"/> | |
| updatedBy_avatarUrl_1 | string | | <input type="checkbox"/> | |
| updatedBy_avatarUrl | string | | <input type="checkbox"/> | |
| updatedBy_banned_1 | boolean | | <input type="checkbox"/> | |
| updatedBy_banned | boolean | | <input type="checkbox"/> | |
| updatedBy_email_1 | string | | <input type="checkbox"/> | |
| updatedBy_email | string | | <input type="checkbox"/> | |
| updatedBy_fullName_1 | string | | <input type="checkbox"/> | |
| updatedBy_fullName | string | | <input type="checkbox"/> | |
| updatedBy_guest_1 | boolean | | <input type="checkbox"/> | |
| updatedBy_guest | boolean | | <input type="checkbox"/> | |
| updatedBy_id_1 | string | | <input type="checkbox"/> | |
| updatedBy_id | string | | <input type="checkbox"/> | |
| updatedBy_jabberAccountName_1 | string | | <input type="checkbox"/> | |
| updatedBy_jabberAccountName | string | | <input type="checkbox"/> | |
| updatedBy_login_1 | string | | <input type="checkbox"/> | |
| updatedBy_login | string | | <input type="checkbox"/> | |
| updatedBy_online_1 | boolean | | <input type="checkbox"/> | |
| updatedBy_online | boolean | | <input type="checkbox"/> | |
| updatedBy_profiles_\$type | string | | <input type="checkbox"/> | |
| updatedBy_profiles_id | string | | <input type="checkbox"/> | |
| updatedBy_ringId_1 | string | | <input type="checkbox"/> | |
| updatedBy_ringId | string | | <input type="checkbox"/> | |
| url_1 | string | | <input type="checkbox"/> | |
| url | string | URL | <input type="checkbox"/> | |
| visibility_\$type_1 | string | | <input type="checkbox"/> | |
| visibility_\$type_2 | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---------------------|-----------|-------|--------------------------|---------------|
| visibility_\$type_3 | string | | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id_1 | string | | <input type="checkbox"/> | |
| visibility_id_2 | string | | <input type="checkbox"/> | |
| visibility_id_3 | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |

6.1.7 ChildArticleComments

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/articles`

Insert YouTrack API URL: `/articles`

Update YouTrack API URL: `/articles`

Delete YouTrack API URL: `/articles`

Field Selection Method: `NotRequired`

Base Path: `childArticles[*].comments[*]`

Select YouTrack API Operation: `get /articles`

Table Function Columns

The columns of the table function `ChildArticleComments` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|--------------------------|-----------|---------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type_2 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| content_1 | string | | <input type="checkbox"/> | |
| content_2 | string | | <input type="checkbox"/> | |
| content_3 | string | | <input type="checkbox"/> | |
| content | string | Content | <input type="checkbox"/> | |
| created_1 | int64 | | <input type="checkbox"/> | |
| created_2 | int64 | | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| externalArticle_\$type_1 | string | | <input type="checkbox"/> | |
| externalArticle_\$type | string | | <input type="checkbox"/> | |
| externalArticle_id_1 | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--------------------------------------|-----------|--------------|--------------------------|---------------|
| externalArticle_id | string | | <input type="checkbox"/> | |
| externalArticle_key_1 | string | | <input type="checkbox"/> | |
| externalArticle_key | string | | <input type="checkbox"/> | |
| externalArticle_name_1 | string | | <input type="checkbox"/> | |
| externalArticle_name | string | | <input type="checkbox"/> | |
| externalArticle_url_1 | string | | <input type="checkbox"/> | |
| externalArticle_url | string | | <input type="checkbox"/> | |
| hasChildren_1 | boolean | | <input type="checkbox"/> | |
| hasChildren | boolean | Has Children | <input type="checkbox"/> | |
| hasStar_1 | boolean | | <input type="checkbox"/> | |
| hasStar | boolean | Has Star | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable_1 | string | | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| ordinal_1 | int64 | | <input type="checkbox"/> | |
| ordinal | int64 | Ordinal | <input type="checkbox"/> | |
| parentArticle_\$type | string | | <input type="checkbox"/> | |
| parentArticle_content_1 | string | | <input type="checkbox"/> | |
| parentArticle_content | string | | <input type="checkbox"/> | |
| parentArticle_created_1 | int64 | | <input type="checkbox"/> | |
| parentArticle_created_2 | int64 | | <input type="checkbox"/> | |
| parentArticle_created | int64 | | <input type="checkbox"/> | |
| parentArticle_externalArticle_\$type | string | | <input type="checkbox"/> | |
| parentArticle_externalArticle_id | string | | <input type="checkbox"/> | |
| parentArticle_externalArticle_key | string | | <input type="checkbox"/> | |
| parentArticle_externalArticle_name | string | | <input type="checkbox"/> | |
| parentArticle_externalArticle_url | string | | <input type="checkbox"/> | |
| parentArticle_hasChildren_1 | boolean | | <input type="checkbox"/> | |
| parentArticle_hasChildren | boolean | | <input type="checkbox"/> | |
| parentArticle_hasStar_1 | boolean | | <input type="checkbox"/> | |
| parentArticle_hasStar | boolean | | <input type="checkbox"/> | |
| parentArticle_id | string | | <input type="checkbox"/> | |
| parentArticle_idReadable_1 | string | | <input type="checkbox"/> | |
| parentArticle_idReadable | string | | <input type="checkbox"/> | |
| parentArticle_ordinal_1 | int64 | | <input type="checkbox"/> | |
| parentArticle_ordinal | int64 | | <input type="checkbox"/> | |
| parentArticle_parentArticle_content | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|-------|--------------------------|---------------|
| parentArticle_parentArticle_created | int64 | | <input type="checkbox"/> | |
| parentArticle_parentArticle_hasChildren | boolean | | <input type="checkbox"/> | |
| parentArticle_parentArticle_hasStar | boolean | | <input type="checkbox"/> | |
| parentArticle_parentArticle_idReadable | string | | <input type="checkbox"/> | |
| parentArticle_parentArticle_ordinal | int64 | | <input type="checkbox"/> | |
| parentArticle_parentArticle_summary | string | | <input type="checkbox"/> | |
| parentArticle_parentArticle_updated | int64 | | <input type="checkbox"/> | |
| parentArticle_project_archived | boolean | | <input type="checkbox"/> | |
| parentArticle_project_description | string | | <input type="checkbox"/> | |
| parentArticle_project_fromEmail | string | | <input type="checkbox"/> | |
| parentArticle_project_iconUrl | string | | <input type="checkbox"/> | |
| parentArticle_project_replyToEmail | string | | <input type="checkbox"/> | |
| parentArticle_project_shortName | string | | <input type="checkbox"/> | |
| parentArticle_project_startingNumber | int64 | | <input type="checkbox"/> | |
| parentArticle_project_template | boolean | | <input type="checkbox"/> | |
| parentArticle_reporter_\$type | string | | <input type="checkbox"/> | |
| parentArticle_reporter_avatarUrl | string | | <input type="checkbox"/> | |
| parentArticle_reporter_banned | boolean | | <input type="checkbox"/> | |
| parentArticle_reporter_email | string | | <input type="checkbox"/> | |
| parentArticle_reporter_fullName | string | | <input type="checkbox"/> | |
| parentArticle_reporter_guest | boolean | | <input type="checkbox"/> | |
| parentArticle_reporter_id | string | | <input type="checkbox"/> | |
| parentArticle_reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| parentArticle_reporter_login | string | | <input type="checkbox"/> | |
| parentArticle_reporter_online | boolean | | <input type="checkbox"/> | |
| parentArticle_reporter_ringId | string | | <input type="checkbox"/> | |
| parentArticle_summary_1 | string | | <input type="checkbox"/> | |
| parentArticle_summary | string | | <input type="checkbox"/> | |
| parentArticle_text | string | | <input type="checkbox"/> | |
| parentArticle_updated_1 | int64 | | <input type="checkbox"/> | |
| parentArticle_updated_2 | int64 | | <input type="checkbox"/> | |
| parentArticle_updated | int64 | | <input type="checkbox"/> | |
| parentArticle_updatedBy_\$type | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_avatarUrl | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_banned | boolean | | <input type="checkbox"/> | |
| parentArticle_updatedBy_email | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------|--------------------------|---------------|
| parentArticle_updatedBy_fullName | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_guest | boolean | | <input type="checkbox"/> | |
| parentArticle_updatedBy_id | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_jabberAccountName | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_login | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_online | boolean | | <input type="checkbox"/> | |
| parentArticle_updatedBy_ringId | string | | <input type="checkbox"/> | |
| parentArticle_visibility_\$type | string | | <input type="checkbox"/> | |
| parentArticle_visibility_id | string | | <input type="checkbox"/> | |
| project_archived_1 | boolean | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_createdBy_\$type | string | | <input type="checkbox"/> | |
| project_createdBy_avatarUrl | string | | <input type="checkbox"/> | |
| project_createdBy_banned | boolean | | <input type="checkbox"/> | |
| project_createdBy_email | string | | <input type="checkbox"/> | |
| project_createdBy_fullName | string | | <input type="checkbox"/> | |
| project_createdBy_guest | boolean | | <input type="checkbox"/> | |
| project_createdBy_id | string | | <input type="checkbox"/> | |
| project_createdBy_jabberAccountName | string | | <input type="checkbox"/> | |
| project_createdBy_login | string | | <input type="checkbox"/> | |
| project_createdBy_online | boolean | | <input type="checkbox"/> | |
| project_createdBy_ringId | string | | <input type="checkbox"/> | |
| project_description_1 | string | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail_1 | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl_1 | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_leader_\$type | string | | <input type="checkbox"/> | |
| project_leader_avatarUrl | string | | <input type="checkbox"/> | |
| project_leader_banned | boolean | | <input type="checkbox"/> | |
| project_leader_email | string | | <input type="checkbox"/> | |
| project_leader_fullName | string | | <input type="checkbox"/> | |
| project_leader_guest | boolean | | <input type="checkbox"/> | |
| project_leader_id | string | | <input type="checkbox"/> | |
| project_leader_jabberAccountName | string | | <input type="checkbox"/> | |
| project_leader_login | string | | <input type="checkbox"/> | |
| project_leader_online | boolean | | <input type="checkbox"/> | |
| project_leader_ringId | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|----------------------------|-----------|-----------------|--------------------------|---------------|
| project_replyToEmail_1 | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName_1 | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber_1 | int64 | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_team_\$type | string | | <input type="checkbox"/> | |
| project_team_allUsersGroup | boolean | | <input type="checkbox"/> | |
| project_team_icon | string | | <input type="checkbox"/> | |
| project_team_id | string | | <input type="checkbox"/> | |
| project_team_name | string | Label_team_name | <input type="checkbox"/> | |
| project_team_ringId | string | | <input type="checkbox"/> | |
| project_team_usersCount | int64 | | <input type="checkbox"/> | |
| project_template_1 | boolean | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| reporter_\$type_1 | string | | <input type="checkbox"/> | |
| reporter_\$type_2 | string | | <input type="checkbox"/> | |
| reporter_\$type_3 | string | | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl_1 | string | | <input type="checkbox"/> | |
| reporter_avatarUrl_2 | string | | <input type="checkbox"/> | |
| reporter_avatarUrl_3 | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned_1 | boolean | | <input type="checkbox"/> | |
| reporter_banned_2 | boolean | | <input type="checkbox"/> | |
| reporter_banned_3 | boolean | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email_1 | string | | <input type="checkbox"/> | |
| reporter_email_2 | string | | <input type="checkbox"/> | |
| reporter_email_3 | string | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName_1 | string | | <input type="checkbox"/> | |
| reporter_fullName_2 | string | | <input type="checkbox"/> | |
| reporter_fullName_3 | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest_1 | boolean | | <input type="checkbox"/> | |
| reporter_guest_2 | boolean | | <input type="checkbox"/> | |
| reporter_guest_3 | boolean | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id_1 | string | | <input type="checkbox"/> | |
| reporter_id_2 | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|------------------------------|-----------|---------|--------------------------|---------------|
| reporter_id_3 | string | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName_1 | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName_2 | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName_3 | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login_1 | string | | <input type="checkbox"/> | |
| reporter_login_2 | string | | <input type="checkbox"/> | |
| reporter_login_3 | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online_1 | boolean | | <input type="checkbox"/> | |
| reporter_online_2 | boolean | | <input type="checkbox"/> | |
| reporter_online_3 | boolean | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_profiles_\$type_1 | string | | <input type="checkbox"/> | |
| reporter_profiles_\$type | string | | <input type="checkbox"/> | |
| reporter_profiles_id_1 | string | | <input type="checkbox"/> | |
| reporter_profiles_id | string | | <input type="checkbox"/> | |
| reporter_ringId_1 | string | | <input type="checkbox"/> | |
| reporter_ringId_2 | string | | <input type="checkbox"/> | |
| reporter_ringId_3 | string | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| summary_1 | string | | <input type="checkbox"/> | |
| summary_2 | string | | <input type="checkbox"/> | |
| summary_3 | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| text | string | Text | <input type="checkbox"/> | |
| updated_1 | int64 | | <input type="checkbox"/> | |
| updated_2 | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updatedBy_\$type_1 | string | | <input type="checkbox"/> | |
| updatedBy_\$type | string | | <input type="checkbox"/> | |
| updatedBy_avatarUrl_1 | string | | <input type="checkbox"/> | |
| updatedBy_avatarUrl | string | | <input type="checkbox"/> | |
| updatedBy_banned_1 | boolean | | <input type="checkbox"/> | |
| updatedBy_banned | boolean | | <input type="checkbox"/> | |
| updatedBy_email_1 | string | | <input type="checkbox"/> | |
| updatedBy_email | string | | <input type="checkbox"/> | |
| updatedBy_fullName_1 | string | | <input type="checkbox"/> | |
| updatedBy_fullName | string | | <input type="checkbox"/> | |
| updatedBy_guest_1 | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|-------------------------------|-----------|-------|--------------------------|---------------|
| updatedBy_guest | boolean | | <input type="checkbox"/> | |
| updatedBy_id_1 | string | | <input type="checkbox"/> | |
| updatedBy_id | string | | <input type="checkbox"/> | |
| updatedBy_jabberAccountName_1 | string | | <input type="checkbox"/> | |
| updatedBy_jabberAccountName | string | | <input type="checkbox"/> | |
| updatedBy_login_1 | string | | <input type="checkbox"/> | |
| updatedBy_login | string | | <input type="checkbox"/> | |
| updatedBy_online_1 | boolean | | <input type="checkbox"/> | |
| updatedBy_online | boolean | | <input type="checkbox"/> | |
| updatedBy_profiles_\$type | string | | <input type="checkbox"/> | |
| updatedBy_profiles_id | string | | <input type="checkbox"/> | |
| updatedBy_ringId_1 | string | | <input type="checkbox"/> | |
| updatedBy_ringId | string | | <input type="checkbox"/> | |
| visibility_\$type_1 | string | | <input type="checkbox"/> | |
| visibility_\$type_2 | string | | <input type="checkbox"/> | |
| visibility_\$type_3 | string | | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id_1 | string | | <input type="checkbox"/> | |
| visibility_id_2 | string | | <input type="checkbox"/> | |
| visibility_id_3 | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |

6.1.8 ChildArticleCommentsById

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/articles/{id}`

Insert YouTrack API URL: `/articles/{id}`

Update YouTrack API URL: `/articles/{id}`

Delete YouTrack API URL: `/articles/{id}`

Field Selection Method: `NotRequired`

Base Path: `childArticles[*].comments[*]`

Select YouTrack API Operation: `get /articles/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `ChildArticleCommentsById`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `ChildArticleCommentsById` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|---------------------------------------|-----------|--------------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type_2</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>content_1</code> | string | | <input type="checkbox"/> | |
| <code>content_2</code> | string | | <input type="checkbox"/> | |
| <code>content_3</code> | string | | <input type="checkbox"/> | |
| <code>content</code> | string | Content | <input type="checkbox"/> | |
| <code>created_1</code> | int64 | | <input type="checkbox"/> | |
| <code>created_2</code> | int64 | | <input type="checkbox"/> | |
| <code>created</code> | int64 | Created | <input type="checkbox"/> | |
| <code>externalArticle_\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>externalArticle_\$type</code> | string | | <input type="checkbox"/> | |
| <code>externalArticle_id_1</code> | string | | <input type="checkbox"/> | |
| <code>externalArticle_id</code> | string | | <input type="checkbox"/> | |
| <code>externalArticle_key_1</code> | string | | <input type="checkbox"/> | |
| <code>externalArticle_key</code> | string | | <input type="checkbox"/> | |
| <code>externalArticle_name_1</code> | string | | <input type="checkbox"/> | |
| <code>externalArticle_name</code> | string | | <input type="checkbox"/> | |
| <code>externalArticle_url_1</code> | string | | <input type="checkbox"/> | |
| <code>externalArticle_url</code> | string | | <input type="checkbox"/> | |
| <code>hasChildren_1</code> | boolean | | <input type="checkbox"/> | |
| <code>hasChildren</code> | boolean | Has Children | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------------|--------------------------|---------------|
| hasStar_1 | boolean | | <input type="checkbox"/> | |
| hasStar | boolean | Has Star | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable_1 | string | | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| ordinal_1 | int64 | | <input type="checkbox"/> | |
| ordinal | int64 | Ordinal | <input type="checkbox"/> | |
| parentArticle_\$type | string | | <input type="checkbox"/> | |
| parentArticle_content_1 | string | | <input type="checkbox"/> | |
| parentArticle_content | string | | <input type="checkbox"/> | |
| parentArticle_created_1 | int64 | | <input type="checkbox"/> | |
| parentArticle_created_2 | int64 | | <input type="checkbox"/> | |
| parentArticle_created | int64 | | <input type="checkbox"/> | |
| parentArticle_externalArticle_\$type | string | | <input type="checkbox"/> | |
| parentArticle_externalArticle_id | string | | <input type="checkbox"/> | |
| parentArticle_externalArticle_key | string | | <input type="checkbox"/> | |
| parentArticle_externalArticle_name | string | | <input type="checkbox"/> | |
| parentArticle_externalArticle_url | string | | <input type="checkbox"/> | |
| parentArticle_hasChildren_1 | boolean | | <input type="checkbox"/> | |
| parentArticle_hasChildren | boolean | | <input type="checkbox"/> | |
| parentArticle_hasStar_1 | boolean | | <input type="checkbox"/> | |
| parentArticle_hasStar | boolean | | <input type="checkbox"/> | |
| parentArticle_id | string | | <input type="checkbox"/> | |
| parentArticle_idReadable_1 | string | | <input type="checkbox"/> | |
| parentArticle_idReadable | string | | <input type="checkbox"/> | |
| parentArticle_ordinal_1 | int64 | | <input type="checkbox"/> | |
| parentArticle_ordinal | int64 | | <input type="checkbox"/> | |
| parentArticle_parentArticle_content | string | | <input type="checkbox"/> | |
| parentArticle_parentArticle_created | int64 | | <input type="checkbox"/> | |
| parentArticle_parentArticle_hasChildren | boolean | | <input type="checkbox"/> | |
| parentArticle_parentArticle_hasStar | boolean | | <input type="checkbox"/> | |
| parentArticle_parentArticle_idReadable | string | | <input type="checkbox"/> | |
| parentArticle_parentArticle_ordinal | int64 | | <input type="checkbox"/> | |
| parentArticle_parentArticle_summary | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------|--------------------------|---------------|
| parentArticle_parentArticle_updated | int64 | | <input type="checkbox"/> | |
| parentArticle_project_archived | boolean | | <input type="checkbox"/> | |
| parentArticle_project_description | string | | <input type="checkbox"/> | |
| parentArticle_project_fromEmail | string | | <input type="checkbox"/> | |
| parentArticle_project_iconUrl | string | | <input type="checkbox"/> | |
| parentArticle_project_replyToEmail | string | | <input type="checkbox"/> | |
| parentArticle_project_shortName | string | | <input type="checkbox"/> | |
| parentArticle_project_startingNumber | int64 | | <input type="checkbox"/> | |
| parentArticle_project_template | boolean | | <input type="checkbox"/> | |
| parentArticle_reporter_\$type | string | | <input type="checkbox"/> | |
| parentArticle_reporter_avatarUrl | string | | <input type="checkbox"/> | |
| parentArticle_reporter_banned | boolean | | <input type="checkbox"/> | |
| parentArticle_reporter_email | string | | <input type="checkbox"/> | |
| parentArticle_reporter_fullName | string | | <input type="checkbox"/> | |
| parentArticle_reporter_guest | boolean | | <input type="checkbox"/> | |
| parentArticle_reporter_id | string | | <input type="checkbox"/> | |
| parentArticle_reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| parentArticle_reporter_login | string | | <input type="checkbox"/> | |
| parentArticle_reporter_online | boolean | | <input type="checkbox"/> | |
| parentArticle_reporter_ringId | string | | <input type="checkbox"/> | |
| parentArticle_summary_1 | string | | <input type="checkbox"/> | |
| parentArticle_summary | string | | <input type="checkbox"/> | |
| parentArticle_text | string | | <input type="checkbox"/> | |
| parentArticle_updated_1 | int64 | | <input type="checkbox"/> | |
| parentArticle_updated_2 | int64 | | <input type="checkbox"/> | |
| parentArticle_updated | int64 | | <input type="checkbox"/> | |
| parentArticle_updatedBy_\$type | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_avatarUrl | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_banned | boolean | | <input type="checkbox"/> | |
| parentArticle_updatedBy_email | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_fullName | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_guest | boolean | | <input type="checkbox"/> | |
| parentArticle_updatedBy_id | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_jabberAccountName | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_login | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_online | boolean | | <input type="checkbox"/> | |
| parentArticle_updatedBy_ringId | string | | <input type="checkbox"/> | |
| parentArticle_visibility_\$type | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|-------------------------------------|-----------|-------|--------------------------|---------------|
| parentArticle_visibility_id | string | | <input type="checkbox"/> | |
| project_archived_1 | boolean | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_createdBy_\$type | string | | <input type="checkbox"/> | |
| project_createdBy_avatarUrl | string | | <input type="checkbox"/> | |
| project_createdBy_banned | boolean | | <input type="checkbox"/> | |
| project_createdBy_email | string | | <input type="checkbox"/> | |
| project_createdBy_fullName | string | | <input type="checkbox"/> | |
| project_createdBy_guest | boolean | | <input type="checkbox"/> | |
| project_createdBy_id | string | | <input type="checkbox"/> | |
| project_createdBy_jabberAccountName | string | | <input type="checkbox"/> | |
| project_createdBy_login | string | | <input type="checkbox"/> | |
| project_createdBy_online | boolean | | <input type="checkbox"/> | |
| project_createdBy_ringId | string | | <input type="checkbox"/> | |
| project_description_1 | string | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail_1 | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl_1 | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_leader_\$type | string | | <input type="checkbox"/> | |
| project_leader_avatarUrl | string | | <input type="checkbox"/> | |
| project_leader_banned | boolean | | <input type="checkbox"/> | |
| project_leader_email | string | | <input type="checkbox"/> | |
| project_leader_fullName | string | | <input type="checkbox"/> | |
| project_leader_guest | boolean | | <input type="checkbox"/> | |
| project_leader_id | string | | <input type="checkbox"/> | |
| project_leader_jabberAccountName | string | | <input type="checkbox"/> | |
| project_leader_login | string | | <input type="checkbox"/> | |
| project_leader_online | boolean | | <input type="checkbox"/> | |
| project_leader_ringId | string | | <input type="checkbox"/> | |
| project_replyToEmail_1 | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName_1 | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber_1 | int64 | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_team_\$type | string | | <input type="checkbox"/> | |
| project_team_allUsersGroup | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|------------------------------|-----------|-------------------|--------------------------|---------------|
| project_team_icon | string | | <input type="checkbox"/> | |
| project_team_id | string | | <input type="checkbox"/> | |
| project_team_name | string | project_team_name | <input type="checkbox"/> | |
| project_team_ringId | string | | <input type="checkbox"/> | |
| project_team_usersCount | int64 | | <input type="checkbox"/> | |
| project_template_1 | boolean | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| reporter_\$type_1 | string | | <input type="checkbox"/> | |
| reporter_\$type_2 | string | | <input type="checkbox"/> | |
| reporter_\$type_3 | string | | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl_1 | string | | <input type="checkbox"/> | |
| reporter_avatarUrl_2 | string | | <input type="checkbox"/> | |
| reporter_avatarUrl_3 | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned_1 | boolean | | <input type="checkbox"/> | |
| reporter_banned_2 | boolean | | <input type="checkbox"/> | |
| reporter_banned_3 | boolean | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email_1 | string | | <input type="checkbox"/> | |
| reporter_email_2 | string | | <input type="checkbox"/> | |
| reporter_email_3 | string | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName_1 | string | | <input type="checkbox"/> | |
| reporter_fullName_2 | string | | <input type="checkbox"/> | |
| reporter_fullName_3 | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest_1 | boolean | | <input type="checkbox"/> | |
| reporter_guest_2 | boolean | | <input type="checkbox"/> | |
| reporter_guest_3 | boolean | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id_1 | string | | <input type="checkbox"/> | |
| reporter_id_2 | string | | <input type="checkbox"/> | |
| reporter_id_3 | string | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName_1 | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName_2 | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName_3 | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login_1 | string | | <input type="checkbox"/> | |
| reporter_login_2 | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|-------------------------------|-----------|---------|--------------------------|---------------|
| reporter_login_3 | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online_1 | boolean | | <input type="checkbox"/> | |
| reporter_online_2 | boolean | | <input type="checkbox"/> | |
| reporter_online_3 | boolean | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_profiles_\$type_1 | string | | <input type="checkbox"/> | |
| reporter_profiles_\$type | string | | <input type="checkbox"/> | |
| reporter_profiles_id_1 | string | | <input type="checkbox"/> | |
| reporter_profiles_id | string | | <input type="checkbox"/> | |
| reporter_ringId_1 | string | | <input type="checkbox"/> | |
| reporter_ringId_2 | string | | <input type="checkbox"/> | |
| reporter_ringId_3 | string | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| summary_1 | string | | <input type="checkbox"/> | |
| summary_2 | string | | <input type="checkbox"/> | |
| summary_3 | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| text | string | Text | <input type="checkbox"/> | |
| updated_1 | int64 | | <input type="checkbox"/> | |
| updated_2 | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updatedBy_\$type_1 | string | | <input type="checkbox"/> | |
| updatedBy_\$type | string | | <input type="checkbox"/> | |
| updatedBy_avatarUrl_1 | string | | <input type="checkbox"/> | |
| updatedBy_avatarUrl | string | | <input type="checkbox"/> | |
| updatedBy_banned_1 | boolean | | <input type="checkbox"/> | |
| updatedBy_banned | boolean | | <input type="checkbox"/> | |
| updatedBy_email_1 | string | | <input type="checkbox"/> | |
| updatedBy_email | string | | <input type="checkbox"/> | |
| updatedBy_fullName_1 | string | | <input type="checkbox"/> | |
| updatedBy_fullName | string | | <input type="checkbox"/> | |
| updatedBy_guest_1 | boolean | | <input type="checkbox"/> | |
| updatedBy_guest | boolean | | <input type="checkbox"/> | |
| updatedBy_id_1 | string | | <input type="checkbox"/> | |
| updatedBy_id | string | | <input type="checkbox"/> | |
| updatedBy_jabberAccountName_1 | string | | <input type="checkbox"/> | |
| updatedBy_jabberAccountName | string | | <input type="checkbox"/> | |
| updatedBy_login_1 | string | | <input type="checkbox"/> | |
| updatedBy_login | string | | <input type="checkbox"/> | |
| updatedBy_online_1 | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---------------------------|-----------|-------|--------------------------|---------------|
| updatedBy_online | boolean | | <input type="checkbox"/> | |
| updatedBy_profiles_\$type | string | | <input type="checkbox"/> | |
| updatedBy_profiles_id | string | | <input type="checkbox"/> | |
| updatedBy_ringId_1 | string | | <input type="checkbox"/> | |
| updatedBy_ringId | string | | <input type="checkbox"/> | |
| visibility_\$type_1 | string | | <input type="checkbox"/> | |
| visibility_\$type_2 | string | | <input type="checkbox"/> | |
| visibility_\$type_3 | string | | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id_1 | string | | <input type="checkbox"/> | |
| visibility_id_2 | string | | <input type="checkbox"/> | |
| visibility_id_3 | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |

6.1.9 ChildArticles

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/articles`

Insert YouTrack API URL: `/articles`

Update YouTrack API URL: `/articles`

Delete YouTrack API URL: `/articles`

Field Selection Method: `NotRequired`

Base Path: `childArticles[*]`

Select YouTrack API Operation: `get /articles`

Table Function Columns

The columns of the table function `ChildArticles` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|------------------------|-----------|---------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>content_1</code> | string | | <input type="checkbox"/> | |
| <code>content_2</code> | string | | <input type="checkbox"/> | |
| <code>content_3</code> | string | | <input type="checkbox"/> | |
| <code>content</code> | string | Content | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--------------------------------------|-----------|--------------|--------------------------|---------------|
| created_1 | int64 | | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| externalArticle_\$type_1 | string | | <input type="checkbox"/> | |
| externalArticle_\$type | string | | <input type="checkbox"/> | |
| externalArticle_id_1 | string | | <input type="checkbox"/> | |
| externalArticle_id | string | | <input type="checkbox"/> | |
| externalArticle_key_1 | string | | <input type="checkbox"/> | |
| externalArticle_key | string | | <input type="checkbox"/> | |
| externalArticle_name_1 | string | | <input type="checkbox"/> | |
| externalArticle_name | string | | <input type="checkbox"/> | |
| externalArticle_url_1 | string | | <input type="checkbox"/> | |
| externalArticle_url | string | | <input type="checkbox"/> | |
| hasChildren_1 | boolean | | <input type="checkbox"/> | |
| hasChildren | boolean | Has Children | <input type="checkbox"/> | |
| hasStar_1 | boolean | | <input type="checkbox"/> | |
| hasStar | boolean | Has Star | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable_1 | string | | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| ordinal_1 | int64 | | <input type="checkbox"/> | |
| ordinal | int64 | Ordinal | <input type="checkbox"/> | |
| parentArticle_content_1 | string | | <input type="checkbox"/> | |
| parentArticle_content | string | | <input type="checkbox"/> | |
| parentArticle_created_1 | int64 | | <input type="checkbox"/> | |
| parentArticle_created | int64 | | <input type="checkbox"/> | |
| parentArticle_externalArticle_\$type | string | | <input type="checkbox"/> | |
| parentArticle_externalArticle_id | string | | <input type="checkbox"/> | |
| parentArticle_externalArticle_key | string | | <input type="checkbox"/> | |
| parentArticle_externalArticle_name | string | | <input type="checkbox"/> | |
| parentArticle_externalArticle_url | string | | <input type="checkbox"/> | |
| parentArticle_hasChildren_1 | boolean | | <input type="checkbox"/> | |
| parentArticle_hasChildren | boolean | | <input type="checkbox"/> | |
| parentArticle_hasStar_1 | boolean | | <input type="checkbox"/> | |
| parentArticle_hasStar | boolean | | <input type="checkbox"/> | |
| parentArticle_idReadable_1 | string | | <input type="checkbox"/> | |
| parentArticle_idReadable | string | | <input type="checkbox"/> | |
| parentArticle_ordinal_1 | int64 | | <input type="checkbox"/> | |
| parentArticle_ordinal | int64 | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|-------|--------------------------|---------------|
| parentArticle_parentArticle_content | string | | <input type="checkbox"/> | |
| parentArticle_parentArticle_created | int64 | | <input type="checkbox"/> | |
| parentArticle_parentArticle_hasChildren | boolean | | <input type="checkbox"/> | |
| parentArticle_parentArticle_hasStar | boolean | | <input type="checkbox"/> | |
| parentArticle_parentArticle_idReadable | string | | <input type="checkbox"/> | |
| parentArticle_parentArticle_ordinal | int64 | | <input type="checkbox"/> | |
| parentArticle_parentArticle_summary | string | | <input type="checkbox"/> | |
| parentArticle_parentArticle_updated | int64 | | <input type="checkbox"/> | |
| parentArticle_project_archived | boolean | | <input type="checkbox"/> | |
| parentArticle_project_description | string | | <input type="checkbox"/> | |
| parentArticle_project_fromEmail | string | | <input type="checkbox"/> | |
| parentArticle_project_iconUrl | string | | <input type="checkbox"/> | |
| parentArticle_project_replyToEmail | string | | <input type="checkbox"/> | |
| parentArticle_project_shortName | string | | <input type="checkbox"/> | |
| parentArticle_project_startingNumber | int64 | | <input type="checkbox"/> | |
| parentArticle_project_template | boolean | | <input type="checkbox"/> | |
| parentArticle_reporter_\$type | string | | <input type="checkbox"/> | |
| parentArticle_reporter_avatarUrl | string | | <input type="checkbox"/> | |
| parentArticle_reporter_banned | boolean | | <input type="checkbox"/> | |
| parentArticle_reporter_email | string | | <input type="checkbox"/> | |
| parentArticle_reporter_fullName | string | | <input type="checkbox"/> | |
| parentArticle_reporter_guest | boolean | | <input type="checkbox"/> | |
| parentArticle_reporter_id | string | | <input type="checkbox"/> | |
| parentArticle_reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| parentArticle_reporter_login | string | | <input type="checkbox"/> | |
| parentArticle_reporter_online | boolean | | <input type="checkbox"/> | |
| parentArticle_reporter_ringId | string | | <input type="checkbox"/> | |
| parentArticle_summary_1 | string | | <input type="checkbox"/> | |
| parentArticle_summary | string | | <input type="checkbox"/> | |
| parentArticle_updated_1 | int64 | | <input type="checkbox"/> | |
| parentArticle_updated | int64 | | <input type="checkbox"/> | |
| parentArticle_updatedBy_\$type | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_avatarUrl | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_banned | boolean | | <input type="checkbox"/> | |
| parentArticle_updatedBy_email | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------|--------------------------|---------------|
| parentArticle_updatedBy_fullName | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_guest | boolean | | <input type="checkbox"/> | |
| parentArticle_updatedBy_id | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_jabberAccountName | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_login | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_online | boolean | | <input type="checkbox"/> | |
| parentArticle_updatedBy_ringId | string | | <input type="checkbox"/> | |
| parentArticle_visibility_\$type | string | | <input type="checkbox"/> | |
| parentArticle_visibility_id | string | | <input type="checkbox"/> | |
| project_archived_1 | boolean | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_createdBy_\$type | string | | <input type="checkbox"/> | |
| project_createdBy_avatarUrl | string | | <input type="checkbox"/> | |
| project_createdBy_banned | boolean | | <input type="checkbox"/> | |
| project_createdBy_email | string | | <input type="checkbox"/> | |
| project_createdBy_fullName | string | | <input type="checkbox"/> | |
| project_createdBy_guest | boolean | | <input type="checkbox"/> | |
| project_createdBy_id | string | | <input type="checkbox"/> | |
| project_createdBy_jabberAccountName | string | | <input type="checkbox"/> | |
| project_createdBy_login | string | | <input type="checkbox"/> | |
| project_createdBy_online | boolean | | <input type="checkbox"/> | |
| project_createdBy_ringId | string | | <input type="checkbox"/> | |
| project_description_1 | string | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail_1 | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl_1 | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_leader_\$type | string | | <input type="checkbox"/> | |
| project_leader_avatarUrl | string | | <input type="checkbox"/> | |
| project_leader_banned | boolean | | <input type="checkbox"/> | |
| project_leader_email | string | | <input type="checkbox"/> | |
| project_leader_fullName | string | | <input type="checkbox"/> | |
| project_leader_guest | boolean | | <input type="checkbox"/> | |
| project_leader_id | string | | <input type="checkbox"/> | |
| project_leader_jabberAccountName | string | | <input type="checkbox"/> | |
| project_leader_login | string | | <input type="checkbox"/> | |
| project_leader_online | boolean | | <input type="checkbox"/> | |
| project_leader_ringId | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|----------------------------|-----------|-------|--------------------------|---------------|
| project_replyToEmail_1 | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName_1 | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber_1 | int64 | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_team_\$type | string | | <input type="checkbox"/> | |
| project_team_allUsersGroup | boolean | | <input type="checkbox"/> | |
| project_team_icon | string | | <input type="checkbox"/> | |
| project_team_id | string | | <input type="checkbox"/> | |
| project_team_name | string | | <input type="checkbox"/> | |
| project_team_ringId | string | | <input type="checkbox"/> | |
| project_team_usersCount | int64 | | <input type="checkbox"/> | |
| project_template_1 | boolean | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| reporter_\$type_1 | string | | <input type="checkbox"/> | |
| reporter_\$type_2 | string | | <input type="checkbox"/> | |
| reporter_\$type_3 | string | | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl_1 | string | | <input type="checkbox"/> | |
| reporter_avatarUrl_2 | string | | <input type="checkbox"/> | |
| reporter_avatarUrl_3 | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned_1 | boolean | | <input type="checkbox"/> | |
| reporter_banned_2 | boolean | | <input type="checkbox"/> | |
| reporter_banned_3 | boolean | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email_1 | string | | <input type="checkbox"/> | |
| reporter_email_2 | string | | <input type="checkbox"/> | |
| reporter_email_3 | string | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName_1 | string | | <input type="checkbox"/> | |
| reporter_fullName_2 | string | | <input type="checkbox"/> | |
| reporter_fullName_3 | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest_1 | boolean | | <input type="checkbox"/> | |
| reporter_guest_2 | boolean | | <input type="checkbox"/> | |
| reporter_guest_3 | boolean | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id_1 | string | | <input type="checkbox"/> | |
| reporter_id_2 | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|------------------------------|-----------|---------|--------------------------|---------------|
| reporter_id_3 | string | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName_1 | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName_2 | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName_3 | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login_1 | string | | <input type="checkbox"/> | |
| reporter_login_2 | string | | <input type="checkbox"/> | |
| reporter_login_3 | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online_1 | boolean | | <input type="checkbox"/> | |
| reporter_online_2 | boolean | | <input type="checkbox"/> | |
| reporter_online_3 | boolean | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_profiles_\$type_1 | string | | <input type="checkbox"/> | |
| reporter_profiles_\$type | string | | <input type="checkbox"/> | |
| reporter_profiles_id_1 | string | | <input type="checkbox"/> | |
| reporter_profiles_id | string | | <input type="checkbox"/> | |
| reporter_ringId_1 | string | | <input type="checkbox"/> | |
| reporter_ringId_2 | string | | <input type="checkbox"/> | |
| reporter_ringId_3 | string | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| summary_1 | string | | <input type="checkbox"/> | |
| summary_2 | string | | <input type="checkbox"/> | |
| summary_3 | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| updated_1 | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updatedBy_\$type_1 | string | | <input type="checkbox"/> | |
| updatedBy_\$type | string | | <input type="checkbox"/> | |
| updatedBy_avatarUrl_1 | string | | <input type="checkbox"/> | |
| updatedBy_avatarUrl | string | | <input type="checkbox"/> | |
| updatedBy_banned_1 | boolean | | <input type="checkbox"/> | |
| updatedBy_banned | boolean | | <input type="checkbox"/> | |
| updatedBy_email_1 | string | | <input type="checkbox"/> | |
| updatedBy_email | string | | <input type="checkbox"/> | |
| updatedBy_fullName_1 | string | | <input type="checkbox"/> | |
| updatedBy_fullName | string | | <input type="checkbox"/> | |
| updatedBy_guest_1 | boolean | | <input type="checkbox"/> | |
| updatedBy_guest | boolean | | <input type="checkbox"/> | |
| updatedBy_id_1 | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|-------------------------------|-----------|-------|--------------------------|---------------|
| updatedBy_id | string | | <input type="checkbox"/> | |
| updatedBy_jabberAccountName_1 | string | | <input type="checkbox"/> | |
| updatedBy_jabberAccountName | string | | <input type="checkbox"/> | |
| updatedBy_login_1 | string | | <input type="checkbox"/> | |
| updatedBy_login | string | | <input type="checkbox"/> | |
| updatedBy_online_1 | boolean | | <input type="checkbox"/> | |
| updatedBy_online | boolean | | <input type="checkbox"/> | |
| updatedBy_profiles_\$type | string | | <input type="checkbox"/> | |
| updatedBy_profiles_id | string | | <input type="checkbox"/> | |
| updatedBy_ringId_1 | string | | <input type="checkbox"/> | |
| updatedBy_ringId | string | | <input type="checkbox"/> | |
| visibility_\$type_1 | string | | <input type="checkbox"/> | |
| visibility_\$type_2 | string | | <input type="checkbox"/> | |
| visibility_\$type_3 | string | | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id_1 | string | | <input type="checkbox"/> | |
| visibility_id_2 | string | | <input type="checkbox"/> | |
| visibility_id_3 | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |

6.1.10 ChildArticlesById

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/articles/{id}`

Insert YouTrack API URL: `/articles/{id}`

Update YouTrack API URL: `/articles/{id}`

Delete YouTrack API URL: `/articles/{id}`

Field Selection Method: `NotRequired`

Base Path: `childArticles[*]`

Select YouTrack API Operation: `get /articles/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `ChildArticlesById`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-

defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `ChildArticlesById` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|--------------------------|-----------|--------------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| content_1 | string | | <input type="checkbox"/> | |
| content_2 | string | | <input type="checkbox"/> | |
| content_3 | string | | <input type="checkbox"/> | |
| content | string | Content | <input type="checkbox"/> | |
| created_1 | int64 | | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| externalArticle_\$type_1 | string | | <input type="checkbox"/> | |
| externalArticle_\$type | string | | <input type="checkbox"/> | |
| externalArticle_id_1 | string | | <input type="checkbox"/> | |
| externalArticle_id | string | | <input type="checkbox"/> | |
| externalArticle_key_1 | string | | <input type="checkbox"/> | |
| externalArticle_key | string | | <input type="checkbox"/> | |
| externalArticle_name_1 | string | | <input type="checkbox"/> | |
| externalArticle_name | string | | <input type="checkbox"/> | |
| externalArticle_url_1 | string | | <input type="checkbox"/> | |
| externalArticle_url | string | | <input type="checkbox"/> | |
| hasChildren_1 | boolean | | <input type="checkbox"/> | |
| hasChildren | boolean | Has Children | <input type="checkbox"/> | |
| hasStar_1 | boolean | | <input type="checkbox"/> | |
| hasStar | boolean | Has Star | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------------|--------------------------|---------------|
| idReadable_1 | string | | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| ordinal_1 | int64 | | <input type="checkbox"/> | |
| ordinal | int64 | Ordinal | <input type="checkbox"/> | |
| parentArticle_content_1 | string | | <input type="checkbox"/> | |
| parentArticle_content | string | | <input type="checkbox"/> | |
| parentArticle_created_1 | int64 | | <input type="checkbox"/> | |
| parentArticle_created | int64 | | <input type="checkbox"/> | |
| parentArticle_externalArticle_type | string | | <input type="checkbox"/> | |
| parentArticle_externalArticle_id | string | | <input type="checkbox"/> | |
| parentArticle_externalArticle_key | string | | <input type="checkbox"/> | |
| parentArticle_externalArticle_name | string | | <input type="checkbox"/> | |
| parentArticle_externalArticle_url | string | | <input type="checkbox"/> | |
| parentArticle_hasChildren_1 | boolean | | <input type="checkbox"/> | |
| parentArticle_hasChildren | boolean | | <input type="checkbox"/> | |
| parentArticle_hasStar_1 | boolean | | <input type="checkbox"/> | |
| parentArticle_hasStar | boolean | | <input type="checkbox"/> | |
| parentArticle_idReadable_1 | string | | <input type="checkbox"/> | |
| parentArticle_idReadable | string | | <input type="checkbox"/> | |
| parentArticle_ordinal_1 | int64 | | <input type="checkbox"/> | |
| parentArticle_ordinal | int64 | | <input type="checkbox"/> | |
| parentArticle_parentArticle_content | string | | <input type="checkbox"/> | |
| parentArticle_parentArticle_created | int64 | | <input type="checkbox"/> | |
| parentArticle_parentArticle_hasChildren | boolean | | <input type="checkbox"/> | |
| parentArticle_parentArticle_hasStar | boolean | | <input type="checkbox"/> | |
| parentArticle_parentArticle_idReadable | string | | <input type="checkbox"/> | |
| parentArticle_parentArticle_ordinal | int64 | | <input type="checkbox"/> | |
| parentArticle_parentArticle_summary | string | | <input type="checkbox"/> | |
| parentArticle_parentArticle_updated | int64 | | <input type="checkbox"/> | |
| parentArticle_project_archived | boolean | | <input type="checkbox"/> | |
| parentArticle_project_description | string | | <input type="checkbox"/> | |
| parentArticle_project_fromEmail | string | | <input type="checkbox"/> | |
| parentArticle_project_iconUrl | string | | <input type="checkbox"/> | |
| parentArticle_project_replyToEmail | string | | <input type="checkbox"/> | |
| parentArticle_project_shortName | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------|--------------------------|---------------|
| parentArticle_project_startingNumber | int64 | | <input type="checkbox"/> | |
| parentArticle_project_template | boolean | | <input type="checkbox"/> | |
| parentArticle_reporter_\$type | string | | <input type="checkbox"/> | |
| parentArticle_reporter_avatarUrl | string | | <input type="checkbox"/> | |
| parentArticle_reporter_banned | boolean | | <input type="checkbox"/> | |
| parentArticle_reporter_email | string | | <input type="checkbox"/> | |
| parentArticle_reporter_fullName | string | | <input type="checkbox"/> | |
| parentArticle_reporter_guest | boolean | | <input type="checkbox"/> | |
| parentArticle_reporter_id | string | | <input type="checkbox"/> | |
| parentArticle_reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| parentArticle_reporter_login | string | | <input type="checkbox"/> | |
| parentArticle_reporter_online | boolean | | <input type="checkbox"/> | |
| parentArticle_reporter_ringId | string | | <input type="checkbox"/> | |
| parentArticle_summary_1 | string | | <input type="checkbox"/> | |
| parentArticle_summary | string | | <input type="checkbox"/> | |
| parentArticle_updated_1 | int64 | | <input type="checkbox"/> | |
| parentArticle_updated | int64 | | <input type="checkbox"/> | |
| parentArticle_updatedBy_\$type | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_avatarUrl | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_banned | boolean | | <input type="checkbox"/> | |
| parentArticle_updatedBy_email | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_fullName | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_guest | boolean | | <input type="checkbox"/> | |
| parentArticle_updatedBy_id | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_jabberAccountName | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_login | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_online | boolean | | <input type="checkbox"/> | |
| parentArticle_updatedBy_ringId | string | | <input type="checkbox"/> | |
| parentArticle_visibility_\$type | string | | <input type="checkbox"/> | |
| parentArticle_visibility_id | string | | <input type="checkbox"/> | |
| project_archived_1 | boolean | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_createdBy_\$type | string | | <input type="checkbox"/> | |
| project_createdBy_avatarUrl | string | | <input type="checkbox"/> | |
| project_createdBy_banned | boolean | | <input type="checkbox"/> | |
| project_createdBy_email | string | | <input type="checkbox"/> | |
| project_createdBy_fullName | string | | <input type="checkbox"/> | |
| project_createdBy_guest | boolean | | <input type="checkbox"/> | |
| project_createdBy_id | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|-------------------------------------|-----------|-------|--------------------------|---------------|
| project_createdBy_jabberAccountName | string | | <input type="checkbox"/> | |
| project_createdBy_login | string | | <input type="checkbox"/> | |
| project_createdBy_online | boolean | | <input type="checkbox"/> | |
| project_createdBy_ringId | string | | <input type="checkbox"/> | |
| project_description_1 | string | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail_1 | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl_1 | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_leader_\$type | string | | <input type="checkbox"/> | |
| project_leader_avatarUrl | string | | <input type="checkbox"/> | |
| project_leader_banned | boolean | | <input type="checkbox"/> | |
| project_leader_email | string | | <input type="checkbox"/> | |
| project_leader_fullName | string | | <input type="checkbox"/> | |
| project_leader_guest | boolean | | <input type="checkbox"/> | |
| project_leader_id | string | | <input type="checkbox"/> | |
| project_leader_jabberAccountName | string | | <input type="checkbox"/> | |
| project_leader_login | string | | <input type="checkbox"/> | |
| project_leader_online | boolean | | <input type="checkbox"/> | |
| project_leader_ringId | string | | <input type="checkbox"/> | |
| project_replyToEmail_1 | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName_1 | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber_1 | int64 | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_team_\$type | string | | <input type="checkbox"/> | |
| project_team_allUsersGroup | boolean | | <input type="checkbox"/> | |
| project_team_icon | string | | <input type="checkbox"/> | |
| project_team_id | string | | <input type="checkbox"/> | |
| project_team_name | string | | <input type="checkbox"/> | |
| project_team_ringId | string | | <input type="checkbox"/> | |
| project_team_usersCount | int64 | | <input type="checkbox"/> | |
| project_template_1 | boolean | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| reporter_\$type_1 | string | | <input type="checkbox"/> | |
| reporter_\$type_2 | string | | <input type="checkbox"/> | |
| reporter_\$type_3 | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|------------------------------|-----------|-------|--------------------------|---------------|
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl_1 | string | | <input type="checkbox"/> | |
| reporter_avatarUrl_2 | string | | <input type="checkbox"/> | |
| reporter_avatarUrl_3 | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned_1 | boolean | | <input type="checkbox"/> | |
| reporter_banned_2 | boolean | | <input type="checkbox"/> | |
| reporter_banned_3 | boolean | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email_1 | string | | <input type="checkbox"/> | |
| reporter_email_2 | string | | <input type="checkbox"/> | |
| reporter_email_3 | string | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName_1 | string | | <input type="checkbox"/> | |
| reporter_fullName_2 | string | | <input type="checkbox"/> | |
| reporter_fullName_3 | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest_1 | boolean | | <input type="checkbox"/> | |
| reporter_guest_2 | boolean | | <input type="checkbox"/> | |
| reporter_guest_3 | boolean | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id_1 | string | | <input type="checkbox"/> | |
| reporter_id_2 | string | | <input type="checkbox"/> | |
| reporter_id_3 | string | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName_1 | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName_2 | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName_3 | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login_1 | string | | <input type="checkbox"/> | |
| reporter_login_2 | string | | <input type="checkbox"/> | |
| reporter_login_3 | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online_1 | boolean | | <input type="checkbox"/> | |
| reporter_online_2 | boolean | | <input type="checkbox"/> | |
| reporter_online_3 | boolean | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_profiles_\$type_1 | string | | <input type="checkbox"/> | |
| reporter_profiles_\$type | string | | <input type="checkbox"/> | |
| reporter_profiles_id_1 | string | | <input type="checkbox"/> | |
| reporter_profiles_id | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|-------------------------------|-----------|---------|--------------------------|---------------|
| reporter_ringId_1 | string | | <input type="checkbox"/> | |
| reporter_ringId_2 | string | | <input type="checkbox"/> | |
| reporter_ringId_3 | string | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| summary_1 | string | | <input type="checkbox"/> | |
| summary_2 | string | | <input type="checkbox"/> | |
| summary_3 | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| updated_1 | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updatedBy_\$type_1 | string | | <input type="checkbox"/> | |
| updatedBy_\$type | string | | <input type="checkbox"/> | |
| updatedBy_avatarUrl_1 | string | | <input type="checkbox"/> | |
| updatedBy_avatarUrl | string | | <input type="checkbox"/> | |
| updatedBy_banned_1 | boolean | | <input type="checkbox"/> | |
| updatedBy_banned | boolean | | <input type="checkbox"/> | |
| updatedBy_email_1 | string | | <input type="checkbox"/> | |
| updatedBy_email | string | | <input type="checkbox"/> | |
| updatedBy_fullName_1 | string | | <input type="checkbox"/> | |
| updatedBy_fullName | string | | <input type="checkbox"/> | |
| updatedBy_guest_1 | boolean | | <input type="checkbox"/> | |
| updatedBy_guest | boolean | | <input type="checkbox"/> | |
| updatedBy_id_1 | string | | <input type="checkbox"/> | |
| updatedBy_id | string | | <input type="checkbox"/> | |
| updatedBy_jabberAccountName_1 | string | | <input type="checkbox"/> | |
| updatedBy_jabberAccountName | string | | <input type="checkbox"/> | |
| updatedBy_login_1 | string | | <input type="checkbox"/> | |
| updatedBy_login | string | | <input type="checkbox"/> | |
| updatedBy_online_1 | boolean | | <input type="checkbox"/> | |
| updatedBy_online | boolean | | <input type="checkbox"/> | |
| updatedBy_profiles_\$type | string | | <input type="checkbox"/> | |
| updatedBy_profiles_id | string | | <input type="checkbox"/> | |
| updatedBy_ringId_1 | string | | <input type="checkbox"/> | |
| updatedBy_ringId | string | | <input type="checkbox"/> | |
| visibility_\$type_1 | string | | <input type="checkbox"/> | |
| visibility_\$type_2 | string | | <input type="checkbox"/> | |
| visibility_\$type_3 | string | | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id_1 | string | | <input type="checkbox"/> | |
| visibility_id_2 | string | | <input type="checkbox"/> | |
| visibility_id_3 | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---------------|-----------|-------|--------------------------|---------------|
| visibility_id | string | | <input type="checkbox"/> | |

6.1.11 ChildChildArticles

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/articles`

Insert YouTrack API URL: `/articles`

Update YouTrack API URL: `/articles`

Delete YouTrack API URL: `/articles`

Field Selection Method: `NotRequired`

Base Path: `childArticles[*].childArticles[*]`

Select YouTrack API Operation: `get /articles`

Table Function Columns

The columns of the table function `ChildChildArticles` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|---------------------------------------|-----------|---------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type_2</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>content_1</code> | string | | <input type="checkbox"/> | |
| <code>content_2</code> | string | | <input type="checkbox"/> | |
| <code>content_3</code> | string | | <input type="checkbox"/> | |
| <code>content_4</code> | string | | <input type="checkbox"/> | |
| <code>content_5</code> | string | | <input type="checkbox"/> | |
| <code>content</code> | string | Content | <input type="checkbox"/> | |
| <code>created_1</code> | int64 | | <input type="checkbox"/> | |
| <code>created_2</code> | int64 | | <input type="checkbox"/> | |
| <code>created</code> | int64 | Created | <input type="checkbox"/> | |
| <code>externalArticle_\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>externalArticle_\$type</code> | string | | <input type="checkbox"/> | |
| <code>externalArticle_id_1</code> | string | | <input type="checkbox"/> | |
| <code>externalArticle_id</code> | string | | <input type="checkbox"/> | |
| <code>externalArticle_key_1</code> | string | | <input type="checkbox"/> | |
| <code>externalArticle_key</code> | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--------------------------------------|-----------|--------------|--------------------------|---------------|
| externalArticle_name_1 | string | | <input type="checkbox"/> | |
| externalArticle_name | string | | <input type="checkbox"/> | |
| externalArticle_url_1 | string | | <input type="checkbox"/> | |
| externalArticle_url | string | | <input type="checkbox"/> | |
| hasChildren_1 | boolean | | <input type="checkbox"/> | |
| hasChildren_2 | boolean | | <input type="checkbox"/> | |
| hasChildren | boolean | Has Children | <input type="checkbox"/> | |
| hasStar_1 | boolean | | <input type="checkbox"/> | |
| hasStar_2 | boolean | | <input type="checkbox"/> | |
| hasStar | boolean | Has Star | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable_1 | string | | <input type="checkbox"/> | |
| idReadable_2 | string | | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| ordinal_1 | int64 | | <input type="checkbox"/> | |
| ordinal_2 | int64 | | <input type="checkbox"/> | |
| ordinal | int64 | Ordinal | <input type="checkbox"/> | |
| parentArticle_\$type | string | | <input type="checkbox"/> | |
| parentArticle_content_1 | string | | <input type="checkbox"/> | |
| parentArticle_content_2 | string | | <input type="checkbox"/> | |
| parentArticle_content_3 | string | | <input type="checkbox"/> | |
| parentArticle_content | string | | <input type="checkbox"/> | |
| parentArticle_created_1 | int64 | | <input type="checkbox"/> | |
| parentArticle_created_2 | int64 | | <input type="checkbox"/> | |
| parentArticle_created | int64 | | <input type="checkbox"/> | |
| parentArticle_externalArticle_\$type | string | | <input type="checkbox"/> | |
| parentArticle_externalArticle_id | string | | <input type="checkbox"/> | |
| parentArticle_externalArticle_key | string | | <input type="checkbox"/> | |
| parentArticle_externalArticle_name | string | | <input type="checkbox"/> | |
| parentArticle_externalArticle_url | string | | <input type="checkbox"/> | |
| parentArticle_hasChildren_1 | boolean | | <input type="checkbox"/> | |
| parentArticle_hasChildren_2 | boolean | | <input type="checkbox"/> | |
| parentArticle_hasChildren | boolean | | <input type="checkbox"/> | |
| parentArticle_hasStar_1 | boolean | | <input type="checkbox"/> | |
| parentArticle_hasStar_2 | boolean | | <input type="checkbox"/> | |
| parentArticle_hasStar | boolean | | <input type="checkbox"/> | |
| parentArticle_id | string | | <input type="checkbox"/> | |
| parentArticle_idReadable_1 | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|-------|--------------------------|---------------|
| parentArticle_idReadable_2 | string | | <input type="checkbox"/> | |
| parentArticle_idReadable | string | | <input type="checkbox"/> | |
| parentArticle_ordinal_1 | int64 | | <input type="checkbox"/> | |
| parentArticle_ordinal_2 | int64 | | <input type="checkbox"/> | |
| parentArticle_ordinal | int64 | | <input type="checkbox"/> | |
| parentArticle_parentArticle_content | string | | <input type="checkbox"/> | |
| parentArticle_parentArticle_created | int64 | | <input type="checkbox"/> | |
| parentArticle_parentArticle_hasChildren | boolean | | <input type="checkbox"/> | |
| parentArticle_parentArticle_hasStar | boolean | | <input type="checkbox"/> | |
| parentArticle_parentArticle_idReadable | string | | <input type="checkbox"/> | |
| parentArticle_parentArticle_ordinal | int64 | | <input type="checkbox"/> | |
| parentArticle_parentArticle_summary | string | | <input type="checkbox"/> | |
| parentArticle_parentArticle_updated | int64 | | <input type="checkbox"/> | |
| parentArticle_project_archived | boolean | | <input type="checkbox"/> | |
| parentArticle_project_description | string | | <input type="checkbox"/> | |
| parentArticle_project_fromEmail | string | | <input type="checkbox"/> | |
| parentArticle_project_iconUrl | string | | <input type="checkbox"/> | |
| parentArticle_project_replyToEmail | string | | <input type="checkbox"/> | |
| parentArticle_project_shortName | string | | <input type="checkbox"/> | |
| parentArticle_project_startingNumber | int64 | | <input type="checkbox"/> | |
| parentArticle_project_template | boolean | | <input type="checkbox"/> | |
| parentArticle_reporter_\$type | string | | <input type="checkbox"/> | |
| parentArticle_reporter_avatarUrl | string | | <input type="checkbox"/> | |
| parentArticle_reporter_banned | boolean | | <input type="checkbox"/> | |
| parentArticle_reporter_email | string | | <input type="checkbox"/> | |
| parentArticle_reporter_fullName | string | | <input type="checkbox"/> | |
| parentArticle_reporter_guest | boolean | | <input type="checkbox"/> | |
| parentArticle_reporter_id | string | | <input type="checkbox"/> | |
| parentArticle_reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| parentArticle_reporter_login | string | | <input type="checkbox"/> | |
| parentArticle_reporter_online | boolean | | <input type="checkbox"/> | |
| parentArticle_reporter_ringId | string | | <input type="checkbox"/> | |
| parentArticle_summary_1 | string | | <input type="checkbox"/> | |
| parentArticle_summary_2 | string | | <input type="checkbox"/> | |
| parentArticle_summary_3 | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------|--------------------------|---------------|
| parentArticle_summary | string | | <input type="checkbox"/> | |
| parentArticle_updated_1 | int64 | | <input type="checkbox"/> | |
| parentArticle_updated_2 | int64 | | <input type="checkbox"/> | |
| parentArticle_updated | int64 | | <input type="checkbox"/> | |
| parentArticle_updatedBy_\$type | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_avatarUrl | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_banned | boolean | | <input type="checkbox"/> | |
| parentArticle_updatedBy_email | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_fullName | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_guest | boolean | | <input type="checkbox"/> | |
| parentArticle_updatedBy_id | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_jabberAccountName | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_login | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_online | boolean | | <input type="checkbox"/> | |
| parentArticle_updatedBy_ringId | string | | <input type="checkbox"/> | |
| parentArticle_visibility_\$type | string | | <input type="checkbox"/> | |
| parentArticle_visibility_id | string | | <input type="checkbox"/> | |
| project_archived_1 | boolean | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_createdBy_\$type | string | | <input type="checkbox"/> | |
| project_createdBy_avatarUrl | string | | <input type="checkbox"/> | |
| project_createdBy_banned | boolean | | <input type="checkbox"/> | |
| project_createdBy_email | string | | <input type="checkbox"/> | |
| project_createdBy_fullName | string | | <input type="checkbox"/> | |
| project_createdBy_guest | boolean | | <input type="checkbox"/> | |
| project_createdBy_id | string | | <input type="checkbox"/> | |
| project_createdBy_jabberAccountName | string | | <input type="checkbox"/> | |
| project_createdBy_login | string | | <input type="checkbox"/> | |
| project_createdBy_online | boolean | | <input type="checkbox"/> | |
| project_createdBy_ringId | string | | <input type="checkbox"/> | |
| project_description_1 | string | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail_1 | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl_1 | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_leader_\$type | string | | <input type="checkbox"/> | |
| project_leader_avatarUrl | string | | <input type="checkbox"/> | |
| project_leader_banned | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|----------------------------------|-----------|-------|--------------------------|---------------|
| project_leader_email | string | | <input type="checkbox"/> | |
| project_leader_fullName | string | | <input type="checkbox"/> | |
| project_leader_guest | boolean | | <input type="checkbox"/> | |
| project_leader_id | string | | <input type="checkbox"/> | |
| project_leader_jabberAccountName | string | | <input type="checkbox"/> | |
| project_leader_login | string | | <input type="checkbox"/> | |
| project_leader_online | boolean | | <input type="checkbox"/> | |
| project_leader_ringId | string | | <input type="checkbox"/> | |
| project_replyToEmail_1 | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName_1 | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber_1 | int64 | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_team_\$type | string | | <input type="checkbox"/> | |
| project_team_allUsersGroup | boolean | | <input type="checkbox"/> | |
| project_team_icon | string | | <input type="checkbox"/> | |
| project_team_id | string | | <input type="checkbox"/> | |
| project_team_name | string | | <input type="checkbox"/> | |
| project_team_ringId | string | | <input type="checkbox"/> | |
| project_team_usersCount | int64 | | <input type="checkbox"/> | |
| project_template_1 | boolean | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| reporter_\$type_1 | string | | <input type="checkbox"/> | |
| reporter_\$type_2 | string | | <input type="checkbox"/> | |
| reporter_\$type_3 | string | | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl_1 | string | | <input type="checkbox"/> | |
| reporter_avatarUrl_2 | string | | <input type="checkbox"/> | |
| reporter_avatarUrl_3 | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned_1 | boolean | | <input type="checkbox"/> | |
| reporter_banned_2 | boolean | | <input type="checkbox"/> | |
| reporter_banned_3 | boolean | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email_1 | string | | <input type="checkbox"/> | |
| reporter_email_2 | string | | <input type="checkbox"/> | |
| reporter_email_3 | string | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName_1 | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|------------------------------|-----------|---------|--------------------------|---------------|
| reporter_fullName_2 | string | | <input type="checkbox"/> | |
| reporter_fullName_3 | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest_1 | boolean | | <input type="checkbox"/> | |
| reporter_guest_2 | boolean | | <input type="checkbox"/> | |
| reporter_guest_3 | boolean | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id_1 | string | | <input type="checkbox"/> | |
| reporter_id_2 | string | | <input type="checkbox"/> | |
| reporter_id_3 | string | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName_1 | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName_2 | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName_3 | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login_1 | string | | <input type="checkbox"/> | |
| reporter_login_2 | string | | <input type="checkbox"/> | |
| reporter_login_3 | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online_1 | boolean | | <input type="checkbox"/> | |
| reporter_online_2 | boolean | | <input type="checkbox"/> | |
| reporter_online_3 | boolean | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_profiles_\$type_1 | string | | <input type="checkbox"/> | |
| reporter_profiles_\$type | string | | <input type="checkbox"/> | |
| reporter_profiles_id_1 | string | | <input type="checkbox"/> | |
| reporter_profiles_id | string | | <input type="checkbox"/> | |
| reporter_ringId_1 | string | | <input type="checkbox"/> | |
| reporter_ringId_2 | string | | <input type="checkbox"/> | |
| reporter_ringId_3 | string | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| summary_1 | string | | <input type="checkbox"/> | |
| summary_2 | string | | <input type="checkbox"/> | |
| summary_3 | string | | <input type="checkbox"/> | |
| summary_4 | string | | <input type="checkbox"/> | |
| summary_5 | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| updated_1 | int64 | | <input type="checkbox"/> | |
| updated_2 | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updatedBy_\$type_1 | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|-------------------------------|-----------|-------|--------------------------|---------------|
| updatedBy_\$type | string | | <input type="checkbox"/> | |
| updatedBy_avatarUrl_1 | string | | <input type="checkbox"/> | |
| updatedBy_avatarUrl | string | | <input type="checkbox"/> | |
| updatedBy_banned_1 | boolean | | <input type="checkbox"/> | |
| updatedBy_banned | boolean | | <input type="checkbox"/> | |
| updatedBy_email_1 | string | | <input type="checkbox"/> | |
| updatedBy_email | string | | <input type="checkbox"/> | |
| updatedBy_fullName_1 | string | | <input type="checkbox"/> | |
| updatedBy_fullName | string | | <input type="checkbox"/> | |
| updatedBy_guest_1 | boolean | | <input type="checkbox"/> | |
| updatedBy_guest | boolean | | <input type="checkbox"/> | |
| updatedBy_id_1 | string | | <input type="checkbox"/> | |
| updatedBy_id | string | | <input type="checkbox"/> | |
| updatedBy_jabberAccountName_1 | string | | <input type="checkbox"/> | |
| updatedBy_jabberAccountName | string | | <input type="checkbox"/> | |
| updatedBy_login_1 | string | | <input type="checkbox"/> | |
| updatedBy_login | string | | <input type="checkbox"/> | |
| updatedBy_online_1 | boolean | | <input type="checkbox"/> | |
| updatedBy_online | boolean | | <input type="checkbox"/> | |
| updatedBy_profiles_\$type | string | | <input type="checkbox"/> | |
| updatedBy_profiles_id | string | | <input type="checkbox"/> | |
| updatedBy_ringId_1 | string | | <input type="checkbox"/> | |
| updatedBy_ringId | string | | <input type="checkbox"/> | |
| visibility_\$type_1 | string | | <input type="checkbox"/> | |
| visibility_\$type_2 | string | | <input type="checkbox"/> | |
| visibility_\$type_3 | string | | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id_1 | string | | <input type="checkbox"/> | |
| visibility_id_2 | string | | <input type="checkbox"/> | |
| visibility_id_3 | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |

6.1.12 ChildChildArticlesById

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/articles/{id}`

Insert YouTrack API URL: `/articles/{id}`

Update YouTrack API URL: `/articles/{id}`

Delete YouTrack API URL: `/articles/{id}`

Field Selection Method: NotRequired

Base Path: `childArticles[*].childArticles[*]`

Select YouTrack API Operation: `get /articles/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `ChildChildArticlesById`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `ChildChildArticlesById` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|---------------------------------------|-----------|---------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type_2</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>content_1</code> | string | | <input type="checkbox"/> | |
| <code>content_2</code> | string | | <input type="checkbox"/> | |
| <code>content_3</code> | string | | <input type="checkbox"/> | |
| <code>content_4</code> | string | | <input type="checkbox"/> | |
| <code>content_5</code> | string | | <input type="checkbox"/> | |
| <code>content</code> | string | Content | <input type="checkbox"/> | |
| <code>created_1</code> | int64 | | <input type="checkbox"/> | |
| <code>created_2</code> | int64 | | <input type="checkbox"/> | |
| <code>created</code> | int64 | Created | <input type="checkbox"/> | |
| <code>externalArticle_\$type_1</code> | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--------------------------------------|-----------|--------------|--------------------------|---------------|
| externalArticle_\$type | string | | <input type="checkbox"/> | |
| externalArticle_id_1 | string | | <input type="checkbox"/> | |
| externalArticle_id | string | | <input type="checkbox"/> | |
| externalArticle_key_1 | string | | <input type="checkbox"/> | |
| externalArticle_key | string | | <input type="checkbox"/> | |
| externalArticle_name_1 | string | | <input type="checkbox"/> | |
| externalArticle_name | string | | <input type="checkbox"/> | |
| externalArticle_url_1 | string | | <input type="checkbox"/> | |
| externalArticle_url | string | | <input type="checkbox"/> | |
| hasChildren_1 | boolean | | <input type="checkbox"/> | |
| hasChildren_2 | boolean | | <input type="checkbox"/> | |
| hasChildren | boolean | Has Children | <input type="checkbox"/> | |
| hasStar_1 | boolean | | <input type="checkbox"/> | |
| hasStar_2 | boolean | | <input type="checkbox"/> | |
| hasStar | boolean | Has Star | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable_1 | string | | <input type="checkbox"/> | |
| idReadable_2 | string | | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| ordinal_1 | int64 | | <input type="checkbox"/> | |
| ordinal_2 | int64 | | <input type="checkbox"/> | |
| ordinal | int64 | Ordinal | <input type="checkbox"/> | |
| parentArticle_\$type | string | | <input type="checkbox"/> | |
| parentArticle_content_1 | string | | <input type="checkbox"/> | |
| parentArticle_content_2 | string | | <input type="checkbox"/> | |
| parentArticle_content_3 | string | | <input type="checkbox"/> | |
| parentArticle_content | string | | <input type="checkbox"/> | |
| parentArticle_created_1 | int64 | | <input type="checkbox"/> | |
| parentArticle_created_2 | int64 | | <input type="checkbox"/> | |
| parentArticle_created | int64 | | <input type="checkbox"/> | |
| parentArticle_externalArticle_\$type | string | | <input type="checkbox"/> | |
| parentArticle_externalArticle_id | string | | <input type="checkbox"/> | |
| parentArticle_externalArticle_key | string | | <input type="checkbox"/> | |
| parentArticle_externalArticle_name | string | | <input type="checkbox"/> | |
| parentArticle_externalArticle_url | string | | <input type="checkbox"/> | |
| parentArticle_hasChildren_1 | boolean | | <input type="checkbox"/> | |
| parentArticle_hasChildren_2 | boolean | | <input type="checkbox"/> | |
| parentArticle_hasChildren | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|-------|--------------------------|---------------|
| parentArticle_hasStar_1 | boolean | | <input type="checkbox"/> | |
| parentArticle_hasStar_2 | boolean | | <input type="checkbox"/> | |
| parentArticle_hasStar | boolean | | <input type="checkbox"/> | |
| parentArticle_id | string | | <input type="checkbox"/> | |
| parentArticle_idReadable_1 | string | | <input type="checkbox"/> | |
| parentArticle_idReadable_2 | string | | <input type="checkbox"/> | |
| parentArticle_idReadable | string | | <input type="checkbox"/> | |
| parentArticle_ordinal_1 | int64 | | <input type="checkbox"/> | |
| parentArticle_ordinal_2 | int64 | | <input type="checkbox"/> | |
| parentArticle_ordinal | int64 | | <input type="checkbox"/> | |
| parentArticle_parentArticle_content | string | | <input type="checkbox"/> | |
| parentArticle_parentArticle_created | int64 | | <input type="checkbox"/> | |
| parentArticle_parentArticle_hasChildren | boolean | | <input type="checkbox"/> | |
| parentArticle_parentArticle_hasStar | boolean | | <input type="checkbox"/> | |
| parentArticle_parentArticle_idReadable | string | | <input type="checkbox"/> | |
| parentArticle_parentArticle_ordinal | int64 | | <input type="checkbox"/> | |
| parentArticle_parentArticle_summary | string | | <input type="checkbox"/> | |
| parentArticle_parentArticle_updated | int64 | | <input type="checkbox"/> | |
| parentArticle_project_archived | boolean | | <input type="checkbox"/> | |
| parentArticle_project_description | string | | <input type="checkbox"/> | |
| parentArticle_project_fromEmail | string | | <input type="checkbox"/> | |
| parentArticle_project_iconUrl | string | | <input type="checkbox"/> | |
| parentArticle_project_replyToEmail | string | | <input type="checkbox"/> | |
| parentArticle_project_shortName | string | | <input type="checkbox"/> | |
| parentArticle_project_startingNumber | int64 | | <input type="checkbox"/> | |
| parentArticle_project_template | boolean | | <input type="checkbox"/> | |
| parentArticle_reporter_\$type | string | | <input type="checkbox"/> | |
| parentArticle_reporter_avatarUrl | string | | <input type="checkbox"/> | |
| parentArticle_reporter_banned | boolean | | <input type="checkbox"/> | |
| parentArticle_reporter_email | string | | <input type="checkbox"/> | |
| parentArticle_reporter_fullName | string | | <input type="checkbox"/> | |
| parentArticle_reporter_guest | boolean | | <input type="checkbox"/> | |
| parentArticle_reporter_id | string | | <input type="checkbox"/> | |
| parentArticle_reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| parentArticle_reporter_login | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------|--------------------------|---------------|
| parentArticle_reporter_online | boolean | | <input type="checkbox"/> | |
| parentArticle_reporter_ringId | string | | <input type="checkbox"/> | |
| parentArticle_summary_1 | string | | <input type="checkbox"/> | |
| parentArticle_summary_2 | string | | <input type="checkbox"/> | |
| parentArticle_summary_3 | string | | <input type="checkbox"/> | |
| parentArticle_summary | string | | <input type="checkbox"/> | |
| parentArticle_updated_1 | int64 | | <input type="checkbox"/> | |
| parentArticle_updated_2 | int64 | | <input type="checkbox"/> | |
| parentArticle_updated | int64 | | <input type="checkbox"/> | |
| parentArticle_updatedBy_\$type | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_avatarUrl | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_banned | boolean | | <input type="checkbox"/> | |
| parentArticle_updatedBy_email | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_fullName | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_guest | boolean | | <input type="checkbox"/> | |
| parentArticle_updatedBy_id | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_jabberAccountName | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_login | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_online | boolean | | <input type="checkbox"/> | |
| parentArticle_updatedBy_ringId | string | | <input type="checkbox"/> | |
| parentArticle_visibility_\$type | string | | <input type="checkbox"/> | |
| parentArticle_visibility_id | string | | <input type="checkbox"/> | |
| project_archived_1 | boolean | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_createdBy_\$type | string | | <input type="checkbox"/> | |
| project_createdBy_avatarUrl | string | | <input type="checkbox"/> | |
| project_createdBy_banned | boolean | | <input type="checkbox"/> | |
| project_createdBy_email | string | | <input type="checkbox"/> | |
| project_createdBy_fullName | string | | <input type="checkbox"/> | |
| project_createdBy_guest | boolean | | <input type="checkbox"/> | |
| project_createdBy_id | string | | <input type="checkbox"/> | |
| project_createdBy_jabberAccountName | string | | <input type="checkbox"/> | |
| project_createdBy_login | string | | <input type="checkbox"/> | |
| project_createdBy_online | boolean | | <input type="checkbox"/> | |
| project_createdBy_ringId | string | | <input type="checkbox"/> | |
| project_description_1 | string | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail_1 | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|----------------------------------|-----------|-------|--------------------------|---------------|
| project_iconUrl_1 | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_leader_\$type | string | | <input type="checkbox"/> | |
| project_leader_avatarUrl | string | | <input type="checkbox"/> | |
| project_leader_banned | boolean | | <input type="checkbox"/> | |
| project_leader_email | string | | <input type="checkbox"/> | |
| project_leader_fullName | string | | <input type="checkbox"/> | |
| project_leader_guest | boolean | | <input type="checkbox"/> | |
| project_leader_id | string | | <input type="checkbox"/> | |
| project_leader_jabberAccountName | string | | <input type="checkbox"/> | |
| project_leader_login | string | | <input type="checkbox"/> | |
| project_leader_online | boolean | | <input type="checkbox"/> | |
| project_leader_ringId | string | | <input type="checkbox"/> | |
| project_replyToEmail_1 | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName_1 | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber_1 | int64 | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_team_\$type | string | | <input type="checkbox"/> | |
| project_team_allUsersGroup | boolean | | <input type="checkbox"/> | |
| project_team_icon | string | | <input type="checkbox"/> | |
| project_team_id | string | | <input type="checkbox"/> | |
| project_team_name | string | | <input type="checkbox"/> | |
| project_team_ringId | string | | <input type="checkbox"/> | |
| project_team_usersCount | int64 | | <input type="checkbox"/> | |
| project_template_1 | boolean | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| reporter_\$type_1 | string | | <input type="checkbox"/> | |
| reporter_\$type_2 | string | | <input type="checkbox"/> | |
| reporter_\$type_3 | string | | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl_1 | string | | <input type="checkbox"/> | |
| reporter_avatarUrl_2 | string | | <input type="checkbox"/> | |
| reporter_avatarUrl_3 | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned_1 | boolean | | <input type="checkbox"/> | |
| reporter_banned_2 | boolean | | <input type="checkbox"/> | |
| reporter_banned_3 | boolean | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|------------------------------|-----------|-------|--------------------------|---------------|
| reporter_email_1 | string | | <input type="checkbox"/> | |
| reporter_email_2 | string | | <input type="checkbox"/> | |
| reporter_email_3 | string | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName_1 | string | | <input type="checkbox"/> | |
| reporter_fullName_2 | string | | <input type="checkbox"/> | |
| reporter_fullName_3 | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest_1 | boolean | | <input type="checkbox"/> | |
| reporter_guest_2 | boolean | | <input type="checkbox"/> | |
| reporter_guest_3 | boolean | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id_1 | string | | <input type="checkbox"/> | |
| reporter_id_2 | string | | <input type="checkbox"/> | |
| reporter_id_3 | string | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName_1 | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName_2 | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName_3 | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login_1 | string | | <input type="checkbox"/> | |
| reporter_login_2 | string | | <input type="checkbox"/> | |
| reporter_login_3 | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online_1 | boolean | | <input type="checkbox"/> | |
| reporter_online_2 | boolean | | <input type="checkbox"/> | |
| reporter_online_3 | boolean | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_profiles_\$type_1 | string | | <input type="checkbox"/> | |
| reporter_profiles_\$type | string | | <input type="checkbox"/> | |
| reporter_profiles_id_1 | string | | <input type="checkbox"/> | |
| reporter_profiles_id | string | | <input type="checkbox"/> | |
| reporter_ringId_1 | string | | <input type="checkbox"/> | |
| reporter_ringId_2 | string | | <input type="checkbox"/> | |
| reporter_ringId_3 | string | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| summary_1 | string | | <input type="checkbox"/> | |
| summary_2 | string | | <input type="checkbox"/> | |
| summary_3 | string | | <input type="checkbox"/> | |
| summary_4 | string | | <input type="checkbox"/> | |
| summary_5 | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|-------------------------------|-----------|---------|--------------------------|---------------|
| summary | string | Summary | <input type="checkbox"/> | |
| updated_1 | int64 | | <input type="checkbox"/> | |
| updated_2 | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updatedBy_\$type_1 | string | | <input type="checkbox"/> | |
| updatedBy_\$type | string | | <input type="checkbox"/> | |
| updatedBy_avatarUrl_1 | string | | <input type="checkbox"/> | |
| updatedBy_avatarUrl | string | | <input type="checkbox"/> | |
| updatedBy_banned_1 | boolean | | <input type="checkbox"/> | |
| updatedBy_banned | boolean | | <input type="checkbox"/> | |
| updatedBy_email_1 | string | | <input type="checkbox"/> | |
| updatedBy_email | string | | <input type="checkbox"/> | |
| updatedBy_fullName_1 | string | | <input type="checkbox"/> | |
| updatedBy_fullName | string | | <input type="checkbox"/> | |
| updatedBy_guest_1 | boolean | | <input type="checkbox"/> | |
| updatedBy_guest | boolean | | <input type="checkbox"/> | |
| updatedBy_id_1 | string | | <input type="checkbox"/> | |
| updatedBy_id | string | | <input type="checkbox"/> | |
| updatedBy_jabberAccountName_1 | string | | <input type="checkbox"/> | |
| updatedBy_jabberAccountName | string | | <input type="checkbox"/> | |
| updatedBy_login_1 | string | | <input type="checkbox"/> | |
| updatedBy_login | string | | <input type="checkbox"/> | |
| updatedBy_online_1 | boolean | | <input type="checkbox"/> | |
| updatedBy_online | boolean | | <input type="checkbox"/> | |
| updatedBy_profiles_\$type | string | | <input type="checkbox"/> | |
| updatedBy_profiles_id | string | | <input type="checkbox"/> | |
| updatedBy_ringId_1 | string | | <input type="checkbox"/> | |
| updatedBy_ringId | string | | <input type="checkbox"/> | |
| visibility_\$type_1 | string | | <input type="checkbox"/> | |
| visibility_\$type_2 | string | | <input type="checkbox"/> | |
| visibility_\$type_3 | string | | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id_1 | string | | <input type="checkbox"/> | |
| visibility_id_2 | string | | <input type="checkbox"/> | |
| visibility_id_3 | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |

6.1.13 CommentAttachments

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/articles`

Insert YouTrack API URL: `/articles`

Update YouTrack API URL: `/articles`

Delete YouTrack API URL: `/articles`

Field Selection Method: `NotRequired`

Base Path: `comments[*].attachments[*]`

Select YouTrack API Operation: `get /articles`

Table Function Columns

The columns of the table function `CommentAttachments` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|---------------------------------------|-----------|----------------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type_2</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>article_content</code> | string | | <input type="checkbox"/> | |
| <code>article_created</code> | int64 | | <input type="checkbox"/> | |
| <code>article_hasChildren</code> | boolean | | <input type="checkbox"/> | |
| <code>article_hasStar</code> | boolean | | <input type="checkbox"/> | |
| <code>article_idReadable</code> | string | | <input type="checkbox"/> | |
| <code>article_ordinal</code> | int64 | | <input type="checkbox"/> | |
| <code>article_summary</code> | string | | <input type="checkbox"/> | |
| <code>article_updated</code> | int64 | | <input type="checkbox"/> | |
| <code>author_\$type</code> | string | | <input type="checkbox"/> | |
| <code>author_avatarUrl</code> | string | | <input type="checkbox"/> | |
| <code>author_banned</code> | boolean | | <input type="checkbox"/> | |
| <code>author_email</code> | string | | <input type="checkbox"/> | |
| <code>author_fullName</code> | string | | <input type="checkbox"/> | |
| <code>author_guest</code> | boolean | | <input type="checkbox"/> | |
| <code>author_id</code> | string | | <input type="checkbox"/> | |
| <code>author_jabberAccountName</code> | string | | <input type="checkbox"/> | |
| <code>author_login</code> | string | | <input type="checkbox"/> | |
| <code>author_online</code> | boolean | | <input type="checkbox"/> | |
| <code>author_ringId</code> | string | | <input type="checkbox"/> | |
| <code>base64Content</code> | string | Base64 Content | <input type="checkbox"/> | |
| <code>charset</code> | string | Charset | <input type="checkbox"/> | |
| <code>content_1</code> | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--------------------------------------|-----------|--------------|--------------------------|---------------|
| content | string | Content | <input type="checkbox"/> | |
| created_1 | int64 | | <input type="checkbox"/> | |
| created_2 | int64 | | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| draft | boolean | Draft | <input type="checkbox"/> | |
| extension | string | Extension | <input type="checkbox"/> | |
| externalArticle_\$type | string | | <input type="checkbox"/> | |
| externalArticle_id | string | | <input type="checkbox"/> | |
| externalArticle_key | string | | <input type="checkbox"/> | |
| externalArticle_name | string | | <input type="checkbox"/> | |
| externalArticle_url | string | | <input type="checkbox"/> | |
| hasChildren | boolean | Has Children | <input type="checkbox"/> | |
| hasStar | boolean | Has Star | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| metaData | string | Metadata | <input type="checkbox"/> | |
| mimeType | string | MIME-type | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| ordinal | int64 | Ordinal | <input type="checkbox"/> | |
| parentArticle_\$type | string | | <input type="checkbox"/> | |
| parentArticle_base64Content | string | | <input type="checkbox"/> | |
| parentArticle_charset | string | | <input type="checkbox"/> | |
| parentArticle_content | string | | <input type="checkbox"/> | |
| parentArticle_created_1 | int64 | | <input type="checkbox"/> | |
| parentArticle_created | int64 | | <input type="checkbox"/> | |
| parentArticle_draft | boolean | | <input type="checkbox"/> | |
| parentArticle_extension | string | | <input type="checkbox"/> | |
| parentArticle_externalArticle_\$type | string | | <input type="checkbox"/> | |
| parentArticle_externalArticle_id | string | | <input type="checkbox"/> | |
| parentArticle_externalArticle_key | string | | <input type="checkbox"/> | |
| parentArticle_externalArticle_name | string | | <input type="checkbox"/> | |
| parentArticle_externalArticle_url | string | | <input type="checkbox"/> | |
| parentArticle_hasChildren | boolean | | <input type="checkbox"/> | |
| parentArticle_hasStar | boolean | | <input type="checkbox"/> | |
| parentArticle_id | string | | <input type="checkbox"/> | |
| parentArticle_idReadable | string | | <input type="checkbox"/> | |
| parentArticle_metaData | string | | <input type="checkbox"/> | |
| parentArticle_mimeType | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|-------|--------------------------|---------------|
| parentArticle_name | string | | <input type="checkbox"/> | |
| parentArticle_ordinal | int64 | | <input type="checkbox"/> | |
| parentArticle_parentArticle_content | string | | <input type="checkbox"/> | |
| parentArticle_parentArticle_created | int64 | | <input type="checkbox"/> | |
| parentArticle_parentArticle_hasChildren | boolean | | <input type="checkbox"/> | |
| parentArticle_parentArticle_hasStar | boolean | | <input type="checkbox"/> | |
| parentArticle_parentArticle_idReadable | string | | <input type="checkbox"/> | |
| parentArticle_parentArticle_ordinal | int64 | | <input type="checkbox"/> | |
| parentArticle_parentArticle_summary | string | | <input type="checkbox"/> | |
| parentArticle_parentArticle_updated | int64 | | <input type="checkbox"/> | |
| parentArticle_project_archived | boolean | | <input type="checkbox"/> | |
| parentArticle_project_description | string | | <input type="checkbox"/> | |
| parentArticle_project_fromEmail | string | | <input type="checkbox"/> | |
| parentArticle_project_iconUrl | string | | <input type="checkbox"/> | |
| parentArticle_project_replyToEmail | string | | <input type="checkbox"/> | |
| parentArticle_project_shortName | string | | <input type="checkbox"/> | |
| parentArticle_project_startingNumber | int64 | | <input type="checkbox"/> | |
| parentArticle_project_template | boolean | | <input type="checkbox"/> | |
| parentArticle_removed | boolean | | <input type="checkbox"/> | |
| parentArticle_reporter_\$type | string | | <input type="checkbox"/> | |
| parentArticle_reporter_avatarUrl | string | | <input type="checkbox"/> | |
| parentArticle_reporter_banned | boolean | | <input type="checkbox"/> | |
| parentArticle_reporter_email | string | | <input type="checkbox"/> | |
| parentArticle_reporter_fullName | string | | <input type="checkbox"/> | |
| parentArticle_reporter_guest | boolean | | <input type="checkbox"/> | |
| parentArticle_reporter_id | string | | <input type="checkbox"/> | |
| parentArticle_reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| parentArticle_reporter_login | string | | <input type="checkbox"/> | |
| parentArticle_reporter_online | boolean | | <input type="checkbox"/> | |
| parentArticle_reporter_ringId | string | | <input type="checkbox"/> | |
| parentArticle_size | int64 | | <input type="checkbox"/> | |
| parentArticle_summary | string | | <input type="checkbox"/> | |
| parentArticle_updated_1 | int64 | | <input type="checkbox"/> | |
| parentArticle_updated | int64 | | <input type="checkbox"/> | |
| parentArticle_updatedBy_\$type | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------|--------------------------|---------------|
| parentArticle_updatedBy_avatarUrl | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_banned | boolean | | <input type="checkbox"/> | |
| parentArticle_updatedBy_email | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_fullName | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_guest | boolean | | <input type="checkbox"/> | |
| parentArticle_updatedBy_id | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_jabberAccountName | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_login | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_online | boolean | | <input type="checkbox"/> | |
| parentArticle_updatedBy_ringId | string | | <input type="checkbox"/> | |
| parentArticle_url | string | | <input type="checkbox"/> | |
| parentArticle_visibility_\$type | string | | <input type="checkbox"/> | |
| parentArticle_visibility_id | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_createdBy_\$type | string | | <input type="checkbox"/> | |
| project_createdBy_avatarUrl | string | | <input type="checkbox"/> | |
| project_createdBy_banned | boolean | | <input type="checkbox"/> | |
| project_createdBy_email | string | | <input type="checkbox"/> | |
| project_createdBy_fullName | string | | <input type="checkbox"/> | |
| project_createdBy_guest | boolean | | <input type="checkbox"/> | |
| project_createdBy_id | string | | <input type="checkbox"/> | |
| project_createdBy_jabberAccountName | string | | <input type="checkbox"/> | |
| project_createdBy_login | string | | <input type="checkbox"/> | |
| project_createdBy_online | boolean | | <input type="checkbox"/> | |
| project_createdBy_ringId | string | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_leader_\$type | string | | <input type="checkbox"/> | |
| project_leader_avatarUrl | string | | <input type="checkbox"/> | |
| project_leader_banned | boolean | | <input type="checkbox"/> | |
| project_leader_email | string | | <input type="checkbox"/> | |
| project_leader_fullName | string | | <input type="checkbox"/> | |
| project_leader_guest | boolean | | <input type="checkbox"/> | |
| project_leader_id | string | | <input type="checkbox"/> | |
| project_leader_jabberAccountName | string | | <input type="checkbox"/> | |
| project_leader_login | string | | <input type="checkbox"/> | |
| project_leader_online | boolean | | <input type="checkbox"/> | |
| project_leader_ringId | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|------------------------------|-----------|---------|--------------------------|---------------|
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_team_\$type | string | | <input type="checkbox"/> | |
| project_team_allUsersGroup | boolean | | <input type="checkbox"/> | |
| project_team_icon | string | | <input type="checkbox"/> | |
| project_team_id | string | | <input type="checkbox"/> | |
| project_team_name | string | | <input type="checkbox"/> | |
| project_team_ringId | string | | <input type="checkbox"/> | |
| project_team_usersCount | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| removed | boolean | Removed | <input type="checkbox"/> | |
| reporter_\$type_1 | string | | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl_1 | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned_1 | boolean | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email_1 | string | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName_1 | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest_1 | boolean | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id_1 | string | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName_1 | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login_1 | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online_1 | boolean | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_profiles_\$type_1 | string | | <input type="checkbox"/> | |
| reporter_profiles_\$type | string | | <input type="checkbox"/> | |
| reporter_profiles_id_1 | string | | <input type="checkbox"/> | |
| reporter_profiles_id | string | | <input type="checkbox"/> | |
| reporter_ringId_1 | string | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| size | int64 | Size | <input type="checkbox"/> | |
| summary_1 | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|-----------------------------|-----------|---------|--------------------------|---------------|
| text | string | Text | <input type="checkbox"/> | |
| updated_1 | int64 | | <input type="checkbox"/> | |
| updated_2 | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updatedBy_\$type | string | | <input type="checkbox"/> | |
| updatedBy_avatarUrl | string | | <input type="checkbox"/> | |
| updatedBy_banned | boolean | | <input type="checkbox"/> | |
| updatedBy_email | string | | <input type="checkbox"/> | |
| updatedBy_fullName | string | | <input type="checkbox"/> | |
| updatedBy_guest | boolean | | <input type="checkbox"/> | |
| updatedBy_id | string | | <input type="checkbox"/> | |
| updatedBy_jabberAccountName | string | | <input type="checkbox"/> | |
| updatedBy_login | string | | <input type="checkbox"/> | |
| updatedBy_online | boolean | | <input type="checkbox"/> | |
| updatedBy_profiles_\$type | string | | <input type="checkbox"/> | |
| updatedBy_profiles_id | string | | <input type="checkbox"/> | |
| updatedBy_ringId | string | | <input type="checkbox"/> | |
| url | string | URL | <input type="checkbox"/> | |
| visibility_\$type_1 | string | | <input type="checkbox"/> | |
| visibility_\$type_2 | string | | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id_1 | string | | <input type="checkbox"/> | |
| visibility_id_2 | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |

6.1.14 CommentAttachmentsByIssueId

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/articles/{id}`

Insert YouTrack API URL: `/articles/{id}`

Update YouTrack API URL: `/articles/{id}`

Delete YouTrack API URL: `/articles/{id}`

Field Selection Method: NotRequired

Base Path: `comments[*].attachments[*]`

Select YouTrack API Operation: `get /articles/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CommentAttachmentsByIssueId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `CommentAttachmentsByIssueId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|--------------------------|-----------|-------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type_2 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| article_content | string | | <input type="checkbox"/> | |
| article_created | int64 | | <input type="checkbox"/> | |
| article_hasChildren | boolean | | <input type="checkbox"/> | |
| article_hasStar | boolean | | <input type="checkbox"/> | |
| article_idReadable | string | | <input type="checkbox"/> | |
| article_ordinal | int64 | | <input type="checkbox"/> | |
| article_summary | string | | <input type="checkbox"/> | |
| article_updated | int64 | | <input type="checkbox"/> | |
| author_\$type | string | | <input type="checkbox"/> | |
| author_avatarUrl | string | | <input type="checkbox"/> | |
| author_banned | boolean | | <input type="checkbox"/> | |
| author_email | string | | <input type="checkbox"/> | |
| author_fullName | string | | <input type="checkbox"/> | |
| author_guest | boolean | | <input type="checkbox"/> | |
| author_id | string | | <input type="checkbox"/> | |
| author_jabberAccountName | string | | <input type="checkbox"/> | |
| author_login | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--------------------------------------|-----------|----------------|--------------------------|---------------|
| author_online | boolean | | <input type="checkbox"/> | |
| author_ringId | string | | <input type="checkbox"/> | |
| base64Content | string | Base64 Content | <input type="checkbox"/> | |
| charset | string | Charset | <input type="checkbox"/> | |
| content_1 | string | | <input type="checkbox"/> | |
| content | string | Content | <input type="checkbox"/> | |
| created_1 | int64 | | <input type="checkbox"/> | |
| created_2 | int64 | | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| draft | boolean | Draft | <input type="checkbox"/> | |
| extension | string | Extension | <input type="checkbox"/> | |
| externalArticle_\$type | string | | <input type="checkbox"/> | |
| externalArticle_id | string | | <input type="checkbox"/> | |
| externalArticle_key | string | | <input type="checkbox"/> | |
| externalArticle_name | string | | <input type="checkbox"/> | |
| externalArticle_url | string | | <input type="checkbox"/> | |
| hasChildren | boolean | Has Children | <input type="checkbox"/> | |
| hasStar | boolean | Has Star | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| metaData | string | Metadata | <input type="checkbox"/> | |
| mimeType | string | MIME-type | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| ordinal | int64 | Ordinal | <input type="checkbox"/> | |
| parentArticle_\$type | string | | <input type="checkbox"/> | |
| parentArticle_base64Content | string | | <input type="checkbox"/> | |
| parentArticle_charset | string | | <input type="checkbox"/> | |
| parentArticle_content | string | | <input type="checkbox"/> | |
| parentArticle_created_1 | int64 | | <input type="checkbox"/> | |
| parentArticle_created | int64 | | <input type="checkbox"/> | |
| parentArticle_draft | boolean | | <input type="checkbox"/> | |
| parentArticle_extension | string | | <input type="checkbox"/> | |
| parentArticle_externalArticle_\$type | string | | <input type="checkbox"/> | |
| parentArticle_externalArticle_id | string | | <input type="checkbox"/> | |
| parentArticle_externalArticle_key | string | | <input type="checkbox"/> | |
| parentArticle_externalArticle_name | string | | <input type="checkbox"/> | |
| parentArticle_externalArticle_url | string | | <input type="checkbox"/> | |
| parentArticle_hasChildren | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|-------|--------------------------|---------------|
| parentArticle_hasStar | boolean | | <input type="checkbox"/> | |
| parentArticle_id | string | | <input type="checkbox"/> | |
| parentArticle_idReadable | string | | <input type="checkbox"/> | |
| parentArticle_metaData | string | | <input type="checkbox"/> | |
| parentArticle_mimeType | string | | <input type="checkbox"/> | |
| parentArticle_name | string | | <input type="checkbox"/> | |
| parentArticle_ordinal | int64 | | <input type="checkbox"/> | |
| parentArticle_parentArticle_content | string | | <input type="checkbox"/> | |
| parentArticle_parentArticle_created | int64 | | <input type="checkbox"/> | |
| parentArticle_parentArticle_hasChildren | boolean | | <input type="checkbox"/> | |
| parentArticle_parentArticle_hasStar | boolean | | <input type="checkbox"/> | |
| parentArticle_parentArticle_idReadable | string | | <input type="checkbox"/> | |
| parentArticle_parentArticle_ordinal | int64 | | <input type="checkbox"/> | |
| parentArticle_parentArticle_summary | string | | <input type="checkbox"/> | |
| parentArticle_parentArticle_updated | int64 | | <input type="checkbox"/> | |
| parentArticle_project_archived | boolean | | <input type="checkbox"/> | |
| parentArticle_project_description | string | | <input type="checkbox"/> | |
| parentArticle_project_fromEmail | string | | <input type="checkbox"/> | |
| parentArticle_project_iconUrl | string | | <input type="checkbox"/> | |
| parentArticle_project_replyToEmail | string | | <input type="checkbox"/> | |
| parentArticle_project_shortName | string | | <input type="checkbox"/> | |
| parentArticle_project_startingNumber | int64 | | <input type="checkbox"/> | |
| parentArticle_project_template | boolean | | <input type="checkbox"/> | |
| parentArticle_removed | boolean | | <input type="checkbox"/> | |
| parentArticle_reporter_\$type | string | | <input type="checkbox"/> | |
| parentArticle_reporter_avatarUrl | string | | <input type="checkbox"/> | |
| parentArticle_reporter_banned | boolean | | <input type="checkbox"/> | |
| parentArticle_reporter_email | string | | <input type="checkbox"/> | |
| parentArticle_reporter_fullName | string | | <input type="checkbox"/> | |
| parentArticle_reporter_guest | boolean | | <input type="checkbox"/> | |
| parentArticle_reporter_id | string | | <input type="checkbox"/> | |
| parentArticle_reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| parentArticle_reporter_login | string | | <input type="checkbox"/> | |
| parentArticle_reporter_online | boolean | | <input type="checkbox"/> | |
| parentArticle_reporter_ringId | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------|--------------------------|---------------|
| parentArticle_size | int64 | | <input type="checkbox"/> | |
| parentArticle_summary | string | | <input type="checkbox"/> | |
| parentArticle_updated_1 | int64 | | <input type="checkbox"/> | |
| parentArticle_updated | int64 | | <input type="checkbox"/> | |
| parentArticle_updatedBy_\$type | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_avatarUrl | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_banned | boolean | | <input type="checkbox"/> | |
| parentArticle_updatedBy_email | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_fullName | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_guest | boolean | | <input type="checkbox"/> | |
| parentArticle_updatedBy_id | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_jabberAccountName | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_login | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_online | boolean | | <input type="checkbox"/> | |
| parentArticle_updatedBy_ringId | string | | <input type="checkbox"/> | |
| parentArticle_url | string | | <input type="checkbox"/> | |
| parentArticle_visibility_\$type | string | | <input type="checkbox"/> | |
| parentArticle_visibility_id | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_createdBy_\$type | string | | <input type="checkbox"/> | |
| project_createdBy_avatarUrl | string | | <input type="checkbox"/> | |
| project_createdBy_banned | boolean | | <input type="checkbox"/> | |
| project_createdBy_email | string | | <input type="checkbox"/> | |
| project_createdBy_fullName | string | | <input type="checkbox"/> | |
| project_createdBy_guest | boolean | | <input type="checkbox"/> | |
| project_createdBy_id | string | | <input type="checkbox"/> | |
| project_createdBy_jabberAccountName | string | | <input type="checkbox"/> | |
| project_createdBy_login | string | | <input type="checkbox"/> | |
| project_createdBy_online | boolean | | <input type="checkbox"/> | |
| project_createdBy_ringId | string | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_leader_\$type | string | | <input type="checkbox"/> | |
| project_leader_avatarUrl | string | | <input type="checkbox"/> | |
| project_leader_banned | boolean | | <input type="checkbox"/> | |
| project_leader_email | string | | <input type="checkbox"/> | |
| project_leader_fullName | string | | <input type="checkbox"/> | |
| project_leader_guest | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|----------------------------------|-----------|---------|--------------------------|---------------|
| project_leader_id | string | | <input type="checkbox"/> | |
| project_leader_jabberAccountName | string | | <input type="checkbox"/> | |
| project_leader_login | string | | <input type="checkbox"/> | |
| project_leader_online | boolean | | <input type="checkbox"/> | |
| project_leader_ringId | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_team_\$type | string | | <input type="checkbox"/> | |
| project_team_allUsersGroup | boolean | | <input type="checkbox"/> | |
| project_team_icon | string | | <input type="checkbox"/> | |
| project_team_id | string | | <input type="checkbox"/> | |
| project_team_name | string | | <input type="checkbox"/> | |
| project_team_ringId | string | | <input type="checkbox"/> | |
| project_team_usersCount | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| removed | boolean | Removed | <input type="checkbox"/> | |
| reporter_\$type_1 | string | | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl_1 | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned_1 | boolean | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email_1 | string | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName_1 | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest_1 | boolean | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id_1 | string | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName_1 | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login_1 | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online_1 | boolean | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_profiles_\$type_1 | string | | <input type="checkbox"/> | |
| reporter_profiles_\$type | string | | <input type="checkbox"/> | |
| reporter_profiles_id_1 | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|-----------------------------|-----------|---------|--------------------------|---------------|
| reporter_profiles_id | string | | <input type="checkbox"/> | |
| reporter_ringId_1 | string | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| size | int64 | Size | <input type="checkbox"/> | |
| summary_1 | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| text | string | Text | <input type="checkbox"/> | |
| updated_1 | int64 | | <input type="checkbox"/> | |
| updated_2 | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updatedBy_\$type | string | | <input type="checkbox"/> | |
| updatedBy_avatarUrl | string | | <input type="checkbox"/> | |
| updatedBy_banned | boolean | | <input type="checkbox"/> | |
| updatedBy_email | string | | <input type="checkbox"/> | |
| updatedBy_fullName | string | | <input type="checkbox"/> | |
| updatedBy_guest | boolean | | <input type="checkbox"/> | |
| updatedBy_id | string | | <input type="checkbox"/> | |
| updatedBy_jabberAccountName | string | | <input type="checkbox"/> | |
| updatedBy_login | string | | <input type="checkbox"/> | |
| updatedBy_online | boolean | | <input type="checkbox"/> | |
| updatedBy_profiles_\$type | string | | <input type="checkbox"/> | |
| updatedBy_profiles_id | string | | <input type="checkbox"/> | |
| updatedBy_ringId | string | | <input type="checkbox"/> | |
| url | string | URL | <input type="checkbox"/> | |
| visibility_\$type_1 | string | | <input type="checkbox"/> | |
| visibility_\$type_2 | string | | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id_1 | string | | <input type="checkbox"/> | |
| visibility_id_2 | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |

6.1.15 Comments

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/articles`

Insert YouTrack API URL: `/articles`

Update YouTrack API URL: /articles

Delete YouTrack API URL: /articles

Field Selection Method: NotRequired

Base Path: comments[*]

Select YouTrack API Operation: get /articles

Table Function Columns

The columns of the table function `Comments` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|--------------------------|-----------|--------------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| article_content | string | | <input type="checkbox"/> | |
| article_created | int64 | | <input type="checkbox"/> | |
| article_hasChildren | boolean | | <input type="checkbox"/> | |
| article_hasStar | boolean | | <input type="checkbox"/> | |
| article_idReadable | string | | <input type="checkbox"/> | |
| article_ordinal | int64 | | <input type="checkbox"/> | |
| article_summary | string | | <input type="checkbox"/> | |
| article_updated | int64 | | <input type="checkbox"/> | |
| author_\$type | string | | <input type="checkbox"/> | |
| author_avatarUrl | string | | <input type="checkbox"/> | |
| author_banned | boolean | | <input type="checkbox"/> | |
| author_email | string | | <input type="checkbox"/> | |
| author_fullName | string | | <input type="checkbox"/> | |
| author_guest | boolean | | <input type="checkbox"/> | |
| author_id | string | | <input type="checkbox"/> | |
| author_jabberAccountName | string | | <input type="checkbox"/> | |
| author_login | string | | <input type="checkbox"/> | |
| author_online | boolean | | <input type="checkbox"/> | |
| author_ringId | string | | <input type="checkbox"/> | |
| content_1 | string | | <input type="checkbox"/> | |
| content | string | Content | <input type="checkbox"/> | |
| created_1 | int64 | | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| externalArticle_\$type | string | | <input type="checkbox"/> | |
| externalArticle_id | string | | <input type="checkbox"/> | |
| externalArticle_key | string | | <input type="checkbox"/> | |
| externalArticle_name | string | | <input type="checkbox"/> | |
| externalArticle_url | string | | <input type="checkbox"/> | |
| hasChildren | boolean | Has Children | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------------|--------------------------|---------------|
| hasStar | boolean | Has Star | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| ordinal | int64 | Ordinal | <input type="checkbox"/> | |
| parentArticle_content | string | | <input type="checkbox"/> | |
| parentArticle_created | int64 | | <input type="checkbox"/> | |
| parentArticle_externalArticle_\$type | string | | <input type="checkbox"/> | |
| parentArticle_externalArticle_id | string | | <input type="checkbox"/> | |
| parentArticle_externalArticle_key | string | | <input type="checkbox"/> | |
| parentArticle_externalArticle_name | string | | <input type="checkbox"/> | |
| parentArticle_externalArticle_url | string | | <input type="checkbox"/> | |
| parentArticle_hasChildren | boolean | | <input type="checkbox"/> | |
| parentArticle_hasStar | boolean | | <input type="checkbox"/> | |
| parentArticle_idReadable | string | | <input type="checkbox"/> | |
| parentArticle_ordinal | int64 | | <input type="checkbox"/> | |
| parentArticle_parentArticle_content | string | | <input type="checkbox"/> | |
| parentArticle_parentArticle_created | int64 | | <input type="checkbox"/> | |
| parentArticle_parentArticle_hasChildren | boolean | | <input type="checkbox"/> | |
| parentArticle_parentArticle_hasStar | boolean | | <input type="checkbox"/> | |
| parentArticle_parentArticle_idReadable | string | | <input type="checkbox"/> | |
| parentArticle_parentArticle_ordinal | int64 | | <input type="checkbox"/> | |
| parentArticle_parentArticle_summary | string | | <input type="checkbox"/> | |
| parentArticle_parentArticle_updated | int64 | | <input type="checkbox"/> | |
| parentArticle_project_archived | boolean | | <input type="checkbox"/> | |
| parentArticle_project_description | string | | <input type="checkbox"/> | |
| parentArticle_project_fromEmail | string | | <input type="checkbox"/> | |
| parentArticle_project_iconUrl | string | | <input type="checkbox"/> | |
| parentArticle_project_replyToEmail | string | | <input type="checkbox"/> | |
| parentArticle_project_shortName | string | | <input type="checkbox"/> | |
| parentArticle_project_startingNumber | int64 | | <input type="checkbox"/> | |
| parentArticle_project_template | boolean | | <input type="checkbox"/> | |
| parentArticle_reporter_\$type | string | | <input type="checkbox"/> | |
| parentArticle_reporter_avatarUrl | string | | <input type="checkbox"/> | |
| parentArticle_reporter_banned | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------|--------------------------|---------------|
| parentArticle_reporter_email | string | | <input type="checkbox"/> | |
| parentArticle_reporter_fullName | string | | <input type="checkbox"/> | |
| parentArticle_reporter_guest | boolean | | <input type="checkbox"/> | |
| parentArticle_reporter_id | string | | <input type="checkbox"/> | |
| parentArticle_reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| parentArticle_reporter_login | string | | <input type="checkbox"/> | |
| parentArticle_reporter_online | boolean | | <input type="checkbox"/> | |
| parentArticle_reporter_ringId | string | | <input type="checkbox"/> | |
| parentArticle_summary | string | | <input type="checkbox"/> | |
| parentArticle_updated | int64 | | <input type="checkbox"/> | |
| parentArticle_updatedBy_\$type | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_avatarUrl | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_banned | boolean | | <input type="checkbox"/> | |
| parentArticle_updatedBy_email | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_fullName | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_guest | boolean | | <input type="checkbox"/> | |
| parentArticle_updatedBy_id | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_jabberAccountName | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_login | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_online | boolean | | <input type="checkbox"/> | |
| parentArticle_updatedBy_ringId | string | | <input type="checkbox"/> | |
| parentArticle_visibility_\$type | string | | <input type="checkbox"/> | |
| parentArticle_visibility_id | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_createdBy_\$type | string | | <input type="checkbox"/> | |
| project_createdBy_avatarUrl | string | | <input type="checkbox"/> | |
| project_createdBy_banned | boolean | | <input type="checkbox"/> | |
| project_createdBy_email | string | | <input type="checkbox"/> | |
| project_createdBy_fullName | string | | <input type="checkbox"/> | |
| project_createdBy_guest | boolean | | <input type="checkbox"/> | |
| project_createdBy_id | string | | <input type="checkbox"/> | |
| project_createdBy_jabberAccountName | string | | <input type="checkbox"/> | |
| project_createdBy_login | string | | <input type="checkbox"/> | |
| project_createdBy_online | boolean | | <input type="checkbox"/> | |
| project_createdBy_ringId | string | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_leader_\$type | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|----------------------------------|-----------|-------|--------------------------|---------------|
| project_leader_avatarUrl | string | | <input type="checkbox"/> | |
| project_leader_banned | boolean | | <input type="checkbox"/> | |
| project_leader_email | string | | <input type="checkbox"/> | |
| project_leader_fullName | string | | <input type="checkbox"/> | |
| project_leader_guest | boolean | | <input type="checkbox"/> | |
| project_leader_id | string | | <input type="checkbox"/> | |
| project_leader_jabberAccountName | string | | <input type="checkbox"/> | |
| project_leader_login | string | | <input type="checkbox"/> | |
| project_leader_online | boolean | | <input type="checkbox"/> | |
| project_leader_ringId | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_team_\$type | string | | <input type="checkbox"/> | |
| project_team_allUsersGroup | boolean | | <input type="checkbox"/> | |
| project_team_icon | string | | <input type="checkbox"/> | |
| project_team_id | string | | <input type="checkbox"/> | |
| project_team_name | string | | <input type="checkbox"/> | |
| project_team_ringId | string | | <input type="checkbox"/> | |
| project_team_usersCount | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| reporter_\$type_1 | string | | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl_1 | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned_1 | boolean | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email_1 | string | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName_1 | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest_1 | boolean | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id_1 | string | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName_1 | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login_1 | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online_1 | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|-----------------------------|-----------|---------|--------------------------|---------------|
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_profiles_\$type_1 | string | | <input type="checkbox"/> | |
| reporter_profiles_\$type | string | | <input type="checkbox"/> | |
| reporter_profiles_id_1 | string | | <input type="checkbox"/> | |
| reporter_profiles_id | string | | <input type="checkbox"/> | |
| reporter_ringId_1 | string | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| summary_1 | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| text | string | Text | <input type="checkbox"/> | |
| updated_1 | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updatedBy_\$type | string | | <input type="checkbox"/> | |
| updatedBy_avatarUrl | string | | <input type="checkbox"/> | |
| updatedBy_banned | boolean | | <input type="checkbox"/> | |
| updatedBy_email | string | | <input type="checkbox"/> | |
| updatedBy_fullName | string | | <input type="checkbox"/> | |
| updatedBy_guest | boolean | | <input type="checkbox"/> | |
| updatedBy_id | string | | <input type="checkbox"/> | |
| updatedBy_jabberAccountName | string | | <input type="checkbox"/> | |
| updatedBy_login | string | | <input type="checkbox"/> | |
| updatedBy_online | boolean | | <input type="checkbox"/> | |
| updatedBy_profiles_\$type | string | | <input type="checkbox"/> | |
| updatedBy_profiles_id | string | | <input type="checkbox"/> | |
| updatedBy_ringId | string | | <input type="checkbox"/> | |
| visibility_\$type_1 | string | | <input type="checkbox"/> | |
| visibility_\$type_2 | string | | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id_1 | string | | <input type="checkbox"/> | |
| visibility_id_2 | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |

6.1.16 CommentsByIssueId

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/articles/{id}`

Insert YouTrack API URL: `/articles/{id}`

Update YouTrack API URL: `/articles/{id}`

Delete YouTrack API URL: `/articles/{id}`

Field Selection Method: `NotRequired`

Base Path: `comments[*]`

Select YouTrack API Operation: `get /articles/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CommentsByIssueId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `CommentsByIssueId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|----------------------------------|-----------|-------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>article_content</code> | string | | <input type="checkbox"/> | |
| <code>article_created</code> | int64 | | <input type="checkbox"/> | |
| <code>article_hasChildren</code> | boolean | | <input type="checkbox"/> | |
| <code>article_hasStar</code> | boolean | | <input type="checkbox"/> | |
| <code>article_idReadable</code> | string | | <input type="checkbox"/> | |
| <code>article_ordinal</code> | int64 | | <input type="checkbox"/> | |
| <code>article_summary</code> | string | | <input type="checkbox"/> | |
| <code>article_updated</code> | int64 | | <input type="checkbox"/> | |
| <code>author_\$type</code> | string | | <input type="checkbox"/> | |
| <code>author_avatarUrl</code> | string | | <input type="checkbox"/> | |
| <code>author_banned</code> | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|--------------|--------------------------|---------------|
| author_email | string | | <input type="checkbox"/> | |
| author_fullName | string | | <input type="checkbox"/> | |
| author_guest | boolean | | <input type="checkbox"/> | |
| author_id | string | | <input type="checkbox"/> | |
| author_jabberAccountName | string | | <input type="checkbox"/> | |
| author_login | string | | <input type="checkbox"/> | |
| author_online | boolean | | <input type="checkbox"/> | |
| author_ringId | string | | <input type="checkbox"/> | |
| content_1 | string | | <input type="checkbox"/> | |
| content | string | Content | <input type="checkbox"/> | |
| created_1 | int64 | | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| externalArticle_\$type | string | | <input type="checkbox"/> | |
| externalArticle_id | string | | <input type="checkbox"/> | |
| externalArticle_key | string | | <input type="checkbox"/> | |
| externalArticle_name | string | | <input type="checkbox"/> | |
| externalArticle_url | string | | <input type="checkbox"/> | |
| hasChildren | boolean | Has Children | <input type="checkbox"/> | |
| hasStar | boolean | Has Star | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| ordinal | int64 | Ordinal | <input type="checkbox"/> | |
| parentArticle_content | string | | <input type="checkbox"/> | |
| parentArticle_created | int64 | | <input type="checkbox"/> | |
| parentArticle_externalArticle_\$type | string | | <input type="checkbox"/> | |
| parentArticle_externalArticle_id | string | | <input type="checkbox"/> | |
| parentArticle_externalArticle_key | string | | <input type="checkbox"/> | |
| parentArticle_externalArticle_name | string | | <input type="checkbox"/> | |
| parentArticle_externalArticle_url | string | | <input type="checkbox"/> | |
| parentArticle_hasChildren | boolean | | <input type="checkbox"/> | |
| parentArticle_hasStar | boolean | | <input type="checkbox"/> | |
| parentArticle_idReadable | string | | <input type="checkbox"/> | |
| parentArticle_ordinal | int64 | | <input type="checkbox"/> | |
| parentArticle_parentArticle_content | string | | <input type="checkbox"/> | |
| parentArticle_parentArticle_created | int64 | | <input type="checkbox"/> | |
| parentArticle_parentArticle_hasChildren | boolean | | <input type="checkbox"/> | |
| parentArticle_parentArticle_hasStar | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------|--------------------------|---------------|
| parentArticle_parentArticle_idReadable | string | | <input type="checkbox"/> | |
| parentArticle_parentArticle_ordinal | int64 | | <input type="checkbox"/> | |
| parentArticle_parentArticle_summary | string | | <input type="checkbox"/> | |
| parentArticle_parentArticle_updated | int64 | | <input type="checkbox"/> | |
| parentArticle_project_archived | boolean | | <input type="checkbox"/> | |
| parentArticle_project_description | string | | <input type="checkbox"/> | |
| parentArticle_project_fromEmail | string | | <input type="checkbox"/> | |
| parentArticle_project_iconUrl | string | | <input type="checkbox"/> | |
| parentArticle_project_replyToEmail | string | | <input type="checkbox"/> | |
| parentArticle_project_shortName | string | | <input type="checkbox"/> | |
| parentArticle_project_startingNumber | int64 | | <input type="checkbox"/> | |
| parentArticle_project_template | boolean | | <input type="checkbox"/> | |
| parentArticle_reporter_\$type | string | | <input type="checkbox"/> | |
| parentArticle_reporter_avatarUrl | string | | <input type="checkbox"/> | |
| parentArticle_reporter_banned | boolean | | <input type="checkbox"/> | |
| parentArticle_reporter_email | string | | <input type="checkbox"/> | |
| parentArticle_reporter_fullName | string | | <input type="checkbox"/> | |
| parentArticle_reporter_guest | boolean | | <input type="checkbox"/> | |
| parentArticle_reporter_id | string | | <input type="checkbox"/> | |
| parentArticle_reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| parentArticle_reporter_login | string | | <input type="checkbox"/> | |
| parentArticle_reporter_online | boolean | | <input type="checkbox"/> | |
| parentArticle_reporter_ringId | string | | <input type="checkbox"/> | |
| parentArticle_summary | string | | <input type="checkbox"/> | |
| parentArticle_updated | int64 | | <input type="checkbox"/> | |
| parentArticle_updatedBy_\$type | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_avatarUrl | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_banned | boolean | | <input type="checkbox"/> | |
| parentArticle_updatedBy_email | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_fullName | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_guest | boolean | | <input type="checkbox"/> | |
| parentArticle_updatedBy_id | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_jabberAccountName | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_login | string | | <input type="checkbox"/> | |
| parentArticle_updatedBy_online | boolean | | <input type="checkbox"/> | |
| parentArticle_updatedBy_ringId | string | | <input type="checkbox"/> | |
| parentArticle_visibility_\$type | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------|--------------------------|---------------|
| parentArticle_visibility_id | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_createdBy_\$type | string | | <input type="checkbox"/> | |
| project_createdBy_avatarUrl | string | | <input type="checkbox"/> | |
| project_createdBy_banned | boolean | | <input type="checkbox"/> | |
| project_createdBy_email | string | | <input type="checkbox"/> | |
| project_createdBy_fullName | string | | <input type="checkbox"/> | |
| project_createdBy_guest | boolean | | <input type="checkbox"/> | |
| project_createdBy_id | string | | <input type="checkbox"/> | |
| project_createdBy_jabberAccount Name | string | | <input type="checkbox"/> | |
| project_createdBy_login | string | | <input type="checkbox"/> | |
| project_createdBy_online | boolean | | <input type="checkbox"/> | |
| project_createdBy_ringId | string | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_leader_\$type | string | | <input type="checkbox"/> | |
| project_leader_avatarUrl | string | | <input type="checkbox"/> | |
| project_leader_banned | boolean | | <input type="checkbox"/> | |
| project_leader_email | string | | <input type="checkbox"/> | |
| project_leader_fullName | string | | <input type="checkbox"/> | |
| project_leader_guest | boolean | | <input type="checkbox"/> | |
| project_leader_id | string | | <input type="checkbox"/> | |
| project_leader_jabberAccountNam e | string | | <input type="checkbox"/> | |
| project_leader_login | string | | <input type="checkbox"/> | |
| project_leader_online | boolean | | <input type="checkbox"/> | |
| project_leader_ringId | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_team_\$type | string | | <input type="checkbox"/> | |
| project_team_allUsersGroup | boolean | | <input type="checkbox"/> | |
| project_team_icon | string | | <input type="checkbox"/> | |
| project_team_id | string | | <input type="checkbox"/> | |
| project_team_name | string | | <input type="checkbox"/> | |
| project_team_ringId | string | | <input type="checkbox"/> | |
| project_team_usersCount | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| reporter_\$type_1 | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|------------------------------|-----------|---------|--------------------------|---------------|
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl_1 | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned_1 | boolean | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email_1 | string | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName_1 | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest_1 | boolean | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id_1 | string | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName_1 | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login_1 | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online_1 | boolean | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_profiles_\$type_1 | string | | <input type="checkbox"/> | |
| reporter_profiles_\$type | string | | <input type="checkbox"/> | |
| reporter_profiles_id_1 | string | | <input type="checkbox"/> | |
| reporter_profiles_id | string | | <input type="checkbox"/> | |
| reporter_ringId_1 | string | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| summary_1 | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| text | string | Text | <input type="checkbox"/> | |
| updated_1 | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updatedBy_\$type | string | | <input type="checkbox"/> | |
| updatedBy_avatarUrl | string | | <input type="checkbox"/> | |
| updatedBy_banned | boolean | | <input type="checkbox"/> | |
| updatedBy_email | string | | <input type="checkbox"/> | |
| updatedBy_fullName | string | | <input type="checkbox"/> | |
| updatedBy_guest | boolean | | <input type="checkbox"/> | |
| updatedBy_id | string | | <input type="checkbox"/> | |
| updatedBy_jabberAccountName | string | | <input type="checkbox"/> | |
| updatedBy_login | string | | <input type="checkbox"/> | |
| updatedBy_online | boolean | | <input type="checkbox"/> | |
| updatedBy_profiles_\$type | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|-----------------------|-----------|-------|--------------------------|---------------|
| updatedBy_profiles_id | string | | <input type="checkbox"/> | |
| updatedBy_ringId | string | | <input type="checkbox"/> | |
| visibility_\$type_1 | string | | <input type="checkbox"/> | |
| visibility_\$type_2 | string | | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id_1 | string | | <input type="checkbox"/> | |
| visibility_id_2 | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |

6.1.17 GroupById

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/groups/{id}`

Insert YouTrack API URL: `/groups/{id}`

Update YouTrack API URL: `/groups/{id}`

Delete YouTrack API URL: `/groups/{id}`

Field Selection Method: NotRequired

Select YouTrack API Operation: `get /groups/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `GroupById`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `groupById` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|--|-----------|-----------------|--------------------------|---------------|
| \$type | string | | <input type="checkbox"/> | |
| allUsersGroup | boolean | All Users Group | <input type="checkbox"/> | |
| icon | string | Icon | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| ringId | string | Ring ID | <input type="checkbox"/> | |
| teamForProject_archived | boolean | | <input type="checkbox"/> | |
| teamForProject_createdBy_\$type | string | | <input type="checkbox"/> | |
| teamForProject_createdBy_avatarUrl | string | | <input type="checkbox"/> | |
| teamForProject_createdBy_banned | boolean | | <input type="checkbox"/> | |
| teamForProject_createdBy_email | string | | <input type="checkbox"/> | |
| teamForProject_createdBy_fullName | string | | <input type="checkbox"/> | |
| teamForProject_createdBy_guest | boolean | | <input type="checkbox"/> | |
| teamForProject_createdBy_id | string | | <input type="checkbox"/> | |
| teamForProject_createdBy_jabberAccountName | string | | <input type="checkbox"/> | |
| teamForProject_createdBy_login | string | | <input type="checkbox"/> | |
| teamForProject_createdBy_online | boolean | | <input type="checkbox"/> | |
| teamForProject_createdBy_ringId | string | | <input type="checkbox"/> | |
| teamForProject_description | string | | <input type="checkbox"/> | |
| teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| teamForProject_leader_\$type | string | | <input type="checkbox"/> | |
| teamForProject_leader_avatarUrl | string | | <input type="checkbox"/> | |
| teamForProject_leader_banned | boolean | | <input type="checkbox"/> | |
| teamForProject_leader_email | string | | <input type="checkbox"/> | |
| teamForProject_leader_fullName | string | | <input type="checkbox"/> | |
| teamForProject_leader_guest | boolean | | <input type="checkbox"/> | |
| teamForProject_leader_id | string | | <input type="checkbox"/> | |
| teamForProject_leader_jabberAccountName | string | | <input type="checkbox"/> | |
| teamForProject_leader_login | string | | <input type="checkbox"/> | |
| teamForProject_leader_online | boolean | | <input type="checkbox"/> | |
| teamForProject_leader_ringId | string | | <input type="checkbox"/> | |
| teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| teamForProject_shortName | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|-----------------------------------|-----------|-------------|--------------------------|---------------|
| teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| teamForProject_team_\$type | string | | <input type="checkbox"/> | |
| teamForProject_team_allUsersGroup | boolean | | <input type="checkbox"/> | |
| teamForProject_team_icon | string | | <input type="checkbox"/> | |
| teamForProject_team_id | string | | <input type="checkbox"/> | |
| teamForProject_team_name | string | | <input type="checkbox"/> | |
| teamForProject_team_ringId | string | | <input type="checkbox"/> | |
| teamForProject_team_usersCount | int64 | | <input type="checkbox"/> | |
| teamForProject_template | boolean | | <input type="checkbox"/> | |
| usersCount | int64 | Users Count | <input type="checkbox"/> | |

6.1.18 Groups

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/groups`

Insert YouTrack API URL: `/groups`

Update YouTrack API URL: `/groups`

Delete YouTrack API URL: `/groups`

Field Selection Method: NotRequired

Select YouTrack API Operation: `get /groups`

Table Function Columns

The columns of the table function `Groups` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|------------------------------------|-----------|-----------------|--------------------------|---------------|
| \$type | string | | <input type="checkbox"/> | |
| allUsersGroup | boolean | All Users Group | <input type="checkbox"/> | |
| icon | string | Icon | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| ringId | string | Ring ID | <input type="checkbox"/> | |
| teamForProject_archived | boolean | | <input type="checkbox"/> | |
| teamForProject_createdBy_\$type | string | | <input type="checkbox"/> | |
| teamForProject_createdBy_avatarUrl | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|-------------|--------------------------|---------------|
| teamForProject_createdBy_banned | boolean | | <input type="checkbox"/> | |
| teamForProject_createdBy_email | string | | <input type="checkbox"/> | |
| teamForProject_createdBy_fullName | string | | <input type="checkbox"/> | |
| teamForProject_createdBy_guest | boolean | | <input type="checkbox"/> | |
| teamForProject_createdBy_id | string | | <input type="checkbox"/> | |
| teamForProject_createdBy_jabberAccountName | string | | <input type="checkbox"/> | |
| teamForProject_createdBy_login | string | | <input type="checkbox"/> | |
| teamForProject_createdBy_online | boolean | | <input type="checkbox"/> | |
| teamForProject_createdBy_ringId | string | | <input type="checkbox"/> | |
| teamForProject_description | string | | <input type="checkbox"/> | |
| teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| teamForProject_leader_\$type | string | | <input type="checkbox"/> | |
| teamForProject_leader_avatarUrl | string | | <input type="checkbox"/> | |
| teamForProject_leader_banned | boolean | | <input type="checkbox"/> | |
| teamForProject_leader_email | string | | <input type="checkbox"/> | |
| teamForProject_leader_fullName | string | | <input type="checkbox"/> | |
| teamForProject_leader_guest | boolean | | <input type="checkbox"/> | |
| teamForProject_leader_id | string | | <input type="checkbox"/> | |
| teamForProject_leader_jabberAccountName | string | | <input type="checkbox"/> | |
| teamForProject_leader_login | string | | <input type="checkbox"/> | |
| teamForProject_leader_online | boolean | | <input type="checkbox"/> | |
| teamForProject_leader_ringId | string | | <input type="checkbox"/> | |
| teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| teamForProject_shortName | string | | <input type="checkbox"/> | |
| teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| teamForProject_team_\$type | string | | <input type="checkbox"/> | |
| teamForProject_team_allUsersGroup | boolean | | <input type="checkbox"/> | |
| teamForProject_team_icon | string | | <input type="checkbox"/> | |
| teamForProject_team_id | string | | <input type="checkbox"/> | |
| teamForProject_team_name | string | | <input type="checkbox"/> | |
| teamForProject_team_ringId | string | | <input type="checkbox"/> | |
| teamForProject_team_usersCount | int64 | | <input type="checkbox"/> | |
| teamForProject_template | boolean | | <input type="checkbox"/> | |
| usersCount | int64 | Users Count | <input type="checkbox"/> | |

6.1.19 IssueLinkTypes

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/issueLinkTypes`

Insert YouTrack API URL: `/issueLinkTypes`

Update YouTrack API URL: `/issueLinkTypes`

Delete YouTrack API URL: `/issueLinkTypes`

Field Selection Method: NotRequired

Select YouTrack API Operation: `get /issueLinkTypes`

Table Function Columns

The columns of the table function `IssueLinkTypes` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|--------------------------------------|-----------|----------------------------|--------------------------|---------------|
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>aggregation</code> | boolean | Aggregation | <input type="checkbox"/> | |
| <code>directed</code> | boolean | Directed | <input type="checkbox"/> | |
| <code>id</code> | string | ID | <input type="checkbox"/> | |
| <code>localizedName</code> | string | Localized Name | <input type="checkbox"/> | |
| <code>localizedSourceToTarget</code> | string | Localized Source to Target | <input type="checkbox"/> | |
| <code>localizedTargetToSource</code> | string | Localized Target to Source | <input type="checkbox"/> | |
| <code>name</code> | string | Name | <input type="checkbox"/> | |
| <code>readOnly</code> | boolean | Read-only | <input type="checkbox"/> | |
| <code>sourceToTarget</code> | string | Source to Target | <input type="checkbox"/> | |
| <code>targetToSource</code> | string | Target to Source | <input type="checkbox"/> | |

6.1.20 IssueLinkTypesById

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/issueLinkTypes/{id}`

Insert YouTrack API URL: `/issueLinkTypes/{id}`

Update YouTrack API URL: `/issueLinkTypes/{id}`

Delete YouTrack API URL: `/issueLinkTypes/{id}`

Field Selection Method: NotRequired

Select YouTrack API Operation: `get /issueLinkTypes/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `IssueLinkTypesById`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `IssueLinkTypesById` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|-------------------------|-----------|----------------------------|--------------------------|---------------|
| \$type | string | | <input type="checkbox"/> | |
| aggregation | boolean | Aggregation | <input type="checkbox"/> | |
| directed | boolean | Directed | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| localizedName | string | Localized Name | <input type="checkbox"/> | |
| localizedSourceToTarget | string | Localized Source to Target | <input type="checkbox"/> | |
| localizedTargetToSource | string | Localized Target to Source | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| readOnly | boolean | Read-only | <input type="checkbox"/> | |
| sourceToTarget | string | Source to Target | <input type="checkbox"/> | |
| targetToSource | string | Target to Source | <input type="checkbox"/> | |

6.1.21 IssueTagAttachmentIssuesByTagId

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/issueTags/{id}/issues`

Insert YouTrack API URL: `/issueTags/{id}/issues`

Update YouTrack API URL: `/issueTags/{id}/issues`

Delete YouTrack API URL: `/issueTags/{id}/issues`

Field Selection Method: NotRequired

Base Path: `attachments[*]`

Select YouTrack API Operation: `get /issueTags/{id}/issues`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `IssueTagAttachmentIssuesByTagId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `IssueTagAttachmentIssuesByTagId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|-------------------------------|-----------|-------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>author_\$type</code> | string | | <input type="checkbox"/> | |
| <code>author_avatarUrl</code> | string | | <input type="checkbox"/> | |
| <code>author_banned</code> | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|------------------------------|-----------|----------------|--------------------------|---------------|
| author_email | string | | <input type="checkbox"/> | |
| author_fullName | string | | <input type="checkbox"/> | |
| author_guest | boolean | | <input type="checkbox"/> | |
| author_id | string | | <input type="checkbox"/> | |
| author_jabberAccountName | string | | <input type="checkbox"/> | |
| author_login | string | | <input type="checkbox"/> | |
| author_online | boolean | | <input type="checkbox"/> | |
| author_ringId | string | | <input type="checkbox"/> | |
| base64Content | string | Base64 Content | <input type="checkbox"/> | |
| charset | string | Charset | <input type="checkbox"/> | |
| comment_\$type | string | | <input type="checkbox"/> | |
| comment_created | int64 | | <input type="checkbox"/> | |
| comment_deleted | boolean | | <input type="checkbox"/> | |
| comment_id | string | | <input type="checkbox"/> | |
| comment_text | string | | <input type="checkbox"/> | |
| comment_textPreview | string | | <input type="checkbox"/> | |
| comment_updated | int64 | | <input type="checkbox"/> | |
| comment_usesMarkdown | boolean | | <input type="checkbox"/> | |
| commentsCount | int32 | Comments Count | <input type="checkbox"/> | |
| created_1 | int64 | | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| draft | boolean | Draft | <input type="checkbox"/> | |
| draftOwner_\$type | string | | <input type="checkbox"/> | |
| draftOwner_avatarUrl | string | | <input type="checkbox"/> | |
| draftOwner_banned | boolean | | <input type="checkbox"/> | |
| draftOwner_email | string | | <input type="checkbox"/> | |
| draftOwner_fullName | string | | <input type="checkbox"/> | |
| draftOwner_guest | boolean | | <input type="checkbox"/> | |
| draftOwner_id | string | | <input type="checkbox"/> | |
| draftOwner_jabberAccountName | string | | <input type="checkbox"/> | |
| draftOwner_login | string | | <input type="checkbox"/> | |
| draftOwner_online | boolean | | <input type="checkbox"/> | |
| draftOwner_profiles_\$type | string | | <input type="checkbox"/> | |
| draftOwner_profiles_id | string | | <input type="checkbox"/> | |
| draftOwner_ringId | string | | <input type="checkbox"/> | |
| extension | string | Extension | <input type="checkbox"/> | |
| externalIssue_\$type | string | | <input type="checkbox"/> | |
| externalIssue_id | string | | <input type="checkbox"/> | |
| externalIssue_key | string | | <input type="checkbox"/> | |
| externalIssue_name | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------------------|--------------------------|---------------|
| externalIssue_url | string | | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| issue_\$type | string | | <input type="checkbox"/> | |
| issue_commentsCount | int32 | | <input type="checkbox"/> | |
| issue_created | int64 | | <input type="checkbox"/> | |
| issue_description | string | | <input type="checkbox"/> | |
| issue_id | string | | <input type="checkbox"/> | |
| issue_idReadable | string | | <input type="checkbox"/> | |
| issue_isDraft | boolean | | <input type="checkbox"/> | |
| issue_numberInProject | int64 | | <input type="checkbox"/> | |
| issue_resolved | int64 | | <input type="checkbox"/> | |
| issue_summary | string | | <input type="checkbox"/> | |
| issue_updated | int64 | | <input type="checkbox"/> | |
| issue_usesMarkdown | boolean | | <input type="checkbox"/> | |
| issue_votes | int32 | | <input type="checkbox"/> | |
| issue_wikifiedDescription | string | | <input type="checkbox"/> | |
| metaData | string | Metadata | <input type="checkbox"/> | |
| mimeType | string | MIME-type | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| parent_linkType_\$type | string | | <input type="checkbox"/> | |
| parent_linkType_aggregation | boolean | | <input type="checkbox"/> | |
| parent_linkType_directed | boolean | | <input type="checkbox"/> | |
| parent_linkType_id | string | | <input type="checkbox"/> | |
| parent_linkType_localizedName | string | | <input type="checkbox"/> | |
| parent_linkType_localizedSourceToTarget | string | | <input type="checkbox"/> | |
| parent_linkType_localizedTargetToSource | string | | <input type="checkbox"/> | |
| parent_linkType_name | string | | <input type="checkbox"/> | |
| parent_linkType_readOnly | boolean | | <input type="checkbox"/> | |
| parent_linkType_sourceToTarget | string | | <input type="checkbox"/> | |
| parent_linkType_targetToSource | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_createdBy_\$type | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|-------------------------------------|-----------|---------|--------------------------|---------------|
| project_createdBy_avatarUrl | string | | <input type="checkbox"/> | |
| project_createdBy_banned | boolean | | <input type="checkbox"/> | |
| project_createdBy_email | string | | <input type="checkbox"/> | |
| project_createdBy_fullName | string | | <input type="checkbox"/> | |
| project_createdBy_guest | boolean | | <input type="checkbox"/> | |
| project_createdBy_id | string | | <input type="checkbox"/> | |
| project_createdBy_jabberAccountName | string | | <input type="checkbox"/> | |
| project_createdBy_login | string | | <input type="checkbox"/> | |
| project_createdBy_online | boolean | | <input type="checkbox"/> | |
| project_createdBy_ringId | string | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_leader_\$type | string | | <input type="checkbox"/> | |
| project_leader_avatarUrl | string | | <input type="checkbox"/> | |
| project_leader_banned | boolean | | <input type="checkbox"/> | |
| project_leader_email | string | | <input type="checkbox"/> | |
| project_leader_fullName | string | | <input type="checkbox"/> | |
| project_leader_guest | boolean | | <input type="checkbox"/> | |
| project_leader_id | string | | <input type="checkbox"/> | |
| project_leader_jabberAccountName | string | | <input type="checkbox"/> | |
| project_leader_login | string | | <input type="checkbox"/> | |
| project_leader_online | boolean | | <input type="checkbox"/> | |
| project_leader_ringId | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_team_\$type | string | | <input type="checkbox"/> | |
| project_team_allUsersGroup | boolean | | <input type="checkbox"/> | |
| project_team_icon | string | | <input type="checkbox"/> | |
| project_team_id | string | | <input type="checkbox"/> | |
| project_team_name | string | | <input type="checkbox"/> | |
| project_team_ringId | string | | <input type="checkbox"/> | |
| project_team_usersCount | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| removed | boolean | Removed | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-----------------|--------------------------|---------------|
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_profiles_\$type | string | | <input type="checkbox"/> | |
| reporter_profiles_id | string | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| size | int64 | Size | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| subtasks_linkType_\$type | string | | <input type="checkbox"/> | |
| subtasks_linkType_aggregation | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_directed | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_id | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedName | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedSourceToTarget | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedTargetToSource | string | | <input type="checkbox"/> | |
| subtasks_linkType_name | string | | <input type="checkbox"/> | |
| subtasks_linkType_readOnly | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_sourceToTarget | string | | <input type="checkbox"/> | |
| subtasks_linkType_targetToSource | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| thumbnailURL | string | Thumbnail (URL) | <input type="checkbox"/> | |
| updated_1 | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|-------------------------|-----------|----------------------|--------------------------|---------------|
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_profiles_\$type | string | | <input type="checkbox"/> | |
| updater_profiles_id | string | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| url | string | URL | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Markdown | <input type="checkbox"/> | |
| visibility_\$type_1 | string | | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id_1 | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

6.1.22 IssueTagById

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/issueTags/{id}`

Insert YouTrack API URL: `/issueTags/{id}`

Update YouTrack API URL: `/issueTags/{id}`

Delete YouTrack API URL: `/issueTags/{id}`

Field Selection Method: NotRequired

Select YouTrack API Operation: `get /issueTags/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `IssueTagById`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `IssueTagById` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|----------------------------|-----------|-------|--------------------------|---------------|
| \$type | string | | <input type="checkbox"/> | |
| color_\$type | string | | <input type="checkbox"/> | |
| color_background | string | | <input type="checkbox"/> | |
| color_foreground | string | | <input type="checkbox"/> | |
| color_id | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_profiles_\$type | string | | <input type="checkbox"/> | |
| owner_profiles_id | string | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| untagOnResolve | boolean | | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|-------|--------------------------|---------------|
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| updateableBy_teamForProject_description | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_shortName | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| updateableBy_teamForProject_template | boolean | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| visibleFor_teamForProject_description | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_shortName | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| visibleFor_teamForProject_template | boolean | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |

6.1.23 IssueTagById2

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/issueTags/{id}/issues`

Insert YouTrack API URL: `/issueTags/{id}/issues`

Update YouTrack API URL: `/issueTags/{id}/issues`

Delete YouTrack API URL: `/issueTags/{id}/issues`

Field Selection Method: `NotRequired`

Select YouTrack API Operation: `get /issueTags/{id}/issues`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `IssueTagById2`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `IssueTagById2` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|----------------------|-----------|----------------|--------------------------|---------------|
| \$type | string | | <input type="checkbox"/> | |
| commentsCount | int32 | Comments Count | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| draftOwner_type | string | | <input type="checkbox"/> | |
| draftOwner_avatarUrl | string | | <input type="checkbox"/> | |
| draftOwner_banned | boolean | | <input type="checkbox"/> | |
| draftOwner_email | string | | <input type="checkbox"/> | |
| draftOwner_fullName | string | | <input type="checkbox"/> | |
| draftOwner_guest | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------------------|--------------------------|---------------|
| draftOwner_id | string | | <input type="checkbox"/> | |
| draftOwner_jabberAccountName | string | | <input type="checkbox"/> | |
| draftOwner_login | string | | <input type="checkbox"/> | |
| draftOwner_online | boolean | | <input type="checkbox"/> | |
| draftOwner_profiles_\$type | string | | <input type="checkbox"/> | |
| draftOwner_profiles_id | string | | <input type="checkbox"/> | |
| draftOwner_ringId | string | | <input type="checkbox"/> | |
| externalIssue_\$type | string | | <input type="checkbox"/> | |
| externalIssue_id | string | | <input type="checkbox"/> | |
| externalIssue_key | string | | <input type="checkbox"/> | |
| externalIssue_name | string | | <input type="checkbox"/> | |
| externalIssue_url | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| parent_linkType_\$type | string | | <input type="checkbox"/> | |
| parent_linkType_aggregation | boolean | | <input type="checkbox"/> | |
| parent_linkType_directed | boolean | | <input type="checkbox"/> | |
| parent_linkType_id | string | | <input type="checkbox"/> | |
| parent_linkType_localizedName | string | | <input type="checkbox"/> | |
| parent_linkType_localizedSourceToTarget | string | | <input type="checkbox"/> | |
| parent_linkType_localizedTargetToSource | string | | <input type="checkbox"/> | |
| parent_linkType_name | string | | <input type="checkbox"/> | |
| parent_linkType_readOnly | boolean | | <input type="checkbox"/> | |
| parent_linkType_sourceToTarget | string | | <input type="checkbox"/> | |
| parent_linkType_targetToSource | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_createdBy_\$type | string | | <input type="checkbox"/> | |
| project_createdBy_avatarUrl | string | | <input type="checkbox"/> | |
| project_createdBy_banned | boolean | | <input type="checkbox"/> | |
| project_createdBy_email | string | | <input type="checkbox"/> | |
| project_createdBy_fullName | string | | <input type="checkbox"/> | |
| project_createdBy_guest | boolean | | <input type="checkbox"/> | |
| project_createdBy_id | string | | <input type="checkbox"/> | |
| project_createdBy_jabberAccountName | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|----------------------------------|-----------|-------|--------------------------|---------------|
| project_createdBy_login | string | | <input type="checkbox"/> | |
| project_createdBy_online | boolean | | <input type="checkbox"/> | |
| project_createdBy_ringId | string | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_leader_\$type | string | | <input type="checkbox"/> | |
| project_leader_avatarUrl | string | | <input type="checkbox"/> | |
| project_leader_banned | boolean | | <input type="checkbox"/> | |
| project_leader_email | string | | <input type="checkbox"/> | |
| project_leader_fullName | string | | <input type="checkbox"/> | |
| project_leader_guest | boolean | | <input type="checkbox"/> | |
| project_leader_id | string | | <input type="checkbox"/> | |
| project_leader_jabberAccountName | string | | <input type="checkbox"/> | |
| project_leader_login | string | | <input type="checkbox"/> | |
| project_leader_online | boolean | | <input type="checkbox"/> | |
| project_leader_ringId | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_team_\$type | string | | <input type="checkbox"/> | |
| project_team_allUsersGroup | boolean | | <input type="checkbox"/> | |
| project_team_icon | string | | <input type="checkbox"/> | |
| project_team_id | string | | <input type="checkbox"/> | |
| project_team_name | string | | <input type="checkbox"/> | |
| project_team_ringId | string | | <input type="checkbox"/> | |
| project_team_usersCount | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_profiles_\$type | string | | <input type="checkbox"/> | |
| reporter_profiles_id | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|---------------|--------------------------|---------------|
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| subtasks_linkType_\$type | string | | <input type="checkbox"/> | |
| subtasks_linkType_aggregation | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_directed | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_id | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedName | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedSourceToTarget | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedTargetToSource | string | | <input type="checkbox"/> | |
| subtasks_linkType_name | string | | <input type="checkbox"/> | |
| subtasks_linkType_readOnly | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_sourceToTarget | string | | <input type="checkbox"/> | |
| subtasks_linkType_targetToSource | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_profiles_\$type | string | | <input type="checkbox"/> | |
| updater_profiles_id | string | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Markdown | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---------------------|-----------|----------------------|--------------------------|---------------|
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

6.1.24 IssueTagCommentAttachmentIssuesByTagId

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/issueTags/{id}/issues`

Insert YouTrack API URL: `/issueTags/{id}/issues`

Update YouTrack API URL: `/issueTags/{id}/issues`

Delete YouTrack API URL: `/issueTags/{id}/issues`

Field Selection Method: NotRequired

Base Path: `comments[*].attachments[*]`

Select YouTrack API Operation: `get /issueTags/{id}/issues`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `IssueTagCommentAttachmentIssuesByTagId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `IssueTagCommentAttachmentIssuesByTagId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|------------------------------|-----------|----------------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type_2 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| author_\$type | string | | <input type="checkbox"/> | |
| author_avatarUrl | string | | <input type="checkbox"/> | |
| author_banned | boolean | | <input type="checkbox"/> | |
| author_email | string | | <input type="checkbox"/> | |
| author_fullName | string | | <input type="checkbox"/> | |
| author_guest | boolean | | <input type="checkbox"/> | |
| author_id | string | | <input type="checkbox"/> | |
| author_jabberAccountName | string | | <input type="checkbox"/> | |
| author_login | string | | <input type="checkbox"/> | |
| author_online | boolean | | <input type="checkbox"/> | |
| author_ringId | string | | <input type="checkbox"/> | |
| base64Content | string | Base64 Content | <input type="checkbox"/> | |
| charset | string | Charset | <input type="checkbox"/> | |
| commentsCount | int32 | Comments Count | <input type="checkbox"/> | |
| created_1 | int64 | | <input type="checkbox"/> | |
| created_2 | int64 | | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| deleted | boolean | Deleted | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| draft | boolean | Draft | <input type="checkbox"/> | |
| draftOwner_\$type | string | | <input type="checkbox"/> | |
| draftOwner_avatarUrl | string | | <input type="checkbox"/> | |
| draftOwner_banned | boolean | | <input type="checkbox"/> | |
| draftOwner_email | string | | <input type="checkbox"/> | |
| draftOwner_fullName | string | | <input type="checkbox"/> | |
| draftOwner_guest | boolean | | <input type="checkbox"/> | |
| draftOwner_id | string | | <input type="checkbox"/> | |
| draftOwner_jabberAccountName | string | | <input type="checkbox"/> | |
| draftOwner_login | string | | <input type="checkbox"/> | |
| draftOwner_online | boolean | | <input type="checkbox"/> | |
| draftOwner_profiles_\$type | string | | <input type="checkbox"/> | |
| draftOwner_profiles_id | string | | <input type="checkbox"/> | |
| draftOwner_ringId | string | | <input type="checkbox"/> | |
| extension | string | Extension | <input type="checkbox"/> | |
| externalIssue_\$type | string | | <input type="checkbox"/> | |
| externalIssue_id | string | | <input type="checkbox"/> | |
| externalIssue_key | string | | <input type="checkbox"/> | |
| externalIssue_name | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------------------|--------------------------|---------------|
| externalIssue_url | string | | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| issue_\$type | string | | <input type="checkbox"/> | |
| issue_commentsCount | int32 | | <input type="checkbox"/> | |
| issue_created | int64 | | <input type="checkbox"/> | |
| issue_description | string | | <input type="checkbox"/> | |
| issue_id | string | | <input type="checkbox"/> | |
| issue_idReadable | string | | <input type="checkbox"/> | |
| issue_isDraft | boolean | | <input type="checkbox"/> | |
| issue_numberInProject | int64 | | <input type="checkbox"/> | |
| issue_resolved | int64 | | <input type="checkbox"/> | |
| issue_summary | string | | <input type="checkbox"/> | |
| issue_updated | int64 | | <input type="checkbox"/> | |
| issue_usesMarkdown | boolean | | <input type="checkbox"/> | |
| issue_votes | int32 | | <input type="checkbox"/> | |
| issue_wikifiedDescription | string | | <input type="checkbox"/> | |
| metaData | string | Metadata | <input type="checkbox"/> | |
| mimeType | string | MIME-type | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| parent_linkType_\$type | string | | <input type="checkbox"/> | |
| parent_linkType_aggregation | boolean | | <input type="checkbox"/> | |
| parent_linkType_directed | boolean | | <input type="checkbox"/> | |
| parent_linkType_id | string | | <input type="checkbox"/> | |
| parent_linkType_localizedName | string | | <input type="checkbox"/> | |
| parent_linkType_localizedSourceToTarget | string | | <input type="checkbox"/> | |
| parent_linkType_localizedTargetToSource | string | | <input type="checkbox"/> | |
| parent_linkType_name | string | | <input type="checkbox"/> | |
| parent_linkType_readOnly | boolean | | <input type="checkbox"/> | |
| parent_linkType_sourceToTarget | string | | <input type="checkbox"/> | |
| parent_linkType_targetToSource | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|-------------------------------------|-----------|---------|--------------------------|---------------|
| project_createdBy_\$type | string | | <input type="checkbox"/> | |
| project_createdBy_avatarUrl | string | | <input type="checkbox"/> | |
| project_createdBy_banned | boolean | | <input type="checkbox"/> | |
| project_createdBy_email | string | | <input type="checkbox"/> | |
| project_createdBy_fullName | string | | <input type="checkbox"/> | |
| project_createdBy_guest | boolean | | <input type="checkbox"/> | |
| project_createdBy_id | string | | <input type="checkbox"/> | |
| project_createdBy_jabberAccountName | string | | <input type="checkbox"/> | |
| project_createdBy_login | string | | <input type="checkbox"/> | |
| project_createdBy_online | boolean | | <input type="checkbox"/> | |
| project_createdBy_ringId | string | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_leader_\$type | string | | <input type="checkbox"/> | |
| project_leader_avatarUrl | string | | <input type="checkbox"/> | |
| project_leader_banned | boolean | | <input type="checkbox"/> | |
| project_leader_email | string | | <input type="checkbox"/> | |
| project_leader_fullName | string | | <input type="checkbox"/> | |
| project_leader_guest | boolean | | <input type="checkbox"/> | |
| project_leader_id | string | | <input type="checkbox"/> | |
| project_leader_jabberAccountName | string | | <input type="checkbox"/> | |
| project_leader_login | string | | <input type="checkbox"/> | |
| project_leader_online | boolean | | <input type="checkbox"/> | |
| project_leader_ringId | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_team_\$type | string | | <input type="checkbox"/> | |
| project_team_allUsersGroup | boolean | | <input type="checkbox"/> | |
| project_team_icon | string | | <input type="checkbox"/> | |
| project_team_id | string | | <input type="checkbox"/> | |
| project_team_name | string | | <input type="checkbox"/> | |
| project_team_ringId | string | | <input type="checkbox"/> | |
| project_team_usersCount | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| removed | boolean | Removed | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-----------------|--------------------------|---------------|
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_profiles_\$type | string | | <input type="checkbox"/> | |
| reporter_profiles_id | string | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| size | int64 | Size | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| subtasks_linkType_\$type | string | | <input type="checkbox"/> | |
| subtasks_linkType_aggregation | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_directed | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_id | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedName | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedSourceToTarget | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedTargetToSource | string | | <input type="checkbox"/> | |
| subtasks_linkType_name | string | | <input type="checkbox"/> | |
| subtasks_linkType_readOnly | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_sourceToTarget | string | | <input type="checkbox"/> | |
| subtasks_linkType_targetToSource | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| text | string | Text | <input type="checkbox"/> | |
| textPreview | string | Text Preview | <input type="checkbox"/> | |
| thumbnailURL | string | Thumbnail (URL) | <input type="checkbox"/> | |
| updated_1 | int64 | | <input type="checkbox"/> | |
| updated_2 | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---------------------------|-----------|----------------------|--------------------------|---------------|
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_profiles_\$type | string | | <input type="checkbox"/> | |
| updater_profiles_id | string | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| url | string | URL | <input type="checkbox"/> | |
| usesMarkdown n_1 | boolean | | <input type="checkbox"/> | |
| usesMarkdown n | boolean | Uses Mark Down n | <input type="checkbox"/> | |
| visibility_\$type_1 | string | | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id_1 | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

6.1.25 IssueTagCommentIssuesByTagId

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/issueTags/{id}/issues`

Insert YouTrack API URL: `/issueTags/{id}/issues`

Update YouTrack API URL: `/issueTags/{id}/issues`

Delete YouTrack API URL: `/issueTags/{id}/issues`

Field Selection Method: `NotRequired`

Base Path: `comments[*]`

Select YouTrack API Operation: `get /issueTags/{id}/issues`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `IssueTagCommentIssuesByTagId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `IssueTagCommentIssuesByTagId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|--------------------------|-----------|----------------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| author_\$type | string | | <input type="checkbox"/> | |
| author_avatarUrl | string | | <input type="checkbox"/> | |
| author_banned | boolean | | <input type="checkbox"/> | |
| author_email | string | | <input type="checkbox"/> | |
| author_fullName | string | | <input type="checkbox"/> | |
| author_guest | boolean | | <input type="checkbox"/> | |
| author_id | string | | <input type="checkbox"/> | |
| author_jabberAccountName | string | | <input type="checkbox"/> | |
| author_login | string | | <input type="checkbox"/> | |
| author_online | boolean | | <input type="checkbox"/> | |
| author_ringId | string | | <input type="checkbox"/> | |
| commentsCount | int32 | Comments Count | <input type="checkbox"/> | |
| created_1 | int64 | | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| deleted | boolean | Deleted | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| draftOwner_\$type | string | | <input type="checkbox"/> | |
| draftOwner_avatarUrl | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|------------------------------|-----------|-------------------|--------------------------|---------------|
| draftOwner_banned | boolean | | <input type="checkbox"/> | |
| draftOwner_email | string | | <input type="checkbox"/> | |
| draftOwner_fullName | string | | <input type="checkbox"/> | |
| draftOwner_guest | boolean | | <input type="checkbox"/> | |
| draftOwner_id | string | | <input type="checkbox"/> | |
| draftOwner_jabberAccountName | string | | <input type="checkbox"/> | |
| draftOwner_login | string | | <input type="checkbox"/> | |
| draftOwner_online | boolean | | <input type="checkbox"/> | |
| draftOwner_profiles_\$type | string | | <input type="checkbox"/> | |
| draftOwner_profiles_id | string | | <input type="checkbox"/> | |
| draftOwner_ringId | string | | <input type="checkbox"/> | |
| externalIssue_\$type | string | | <input type="checkbox"/> | |
| externalIssue_id | string | | <input type="checkbox"/> | |
| externalIssue_key | string | | <input type="checkbox"/> | |
| externalIssue_name | string | | <input type="checkbox"/> | |
| externalIssue_url | string | | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| issue_\$type | string | | <input type="checkbox"/> | |
| issue_commentsCount | int32 | | <input type="checkbox"/> | |
| issue_created | int64 | | <input type="checkbox"/> | |
| issue_description | string | | <input type="checkbox"/> | |
| issue_id | string | | <input type="checkbox"/> | |
| issue_idReadable | string | | <input type="checkbox"/> | |
| issue_isDraft | boolean | | <input type="checkbox"/> | |
| issue_numberInProject | int64 | | <input type="checkbox"/> | |
| issue_resolved | int64 | | <input type="checkbox"/> | |
| issue_summary | string | | <input type="checkbox"/> | |
| issue_updated | int64 | | <input type="checkbox"/> | |
| issue_usesMarkdown | boolean | | <input type="checkbox"/> | |
| issue_votes | int32 | | <input type="checkbox"/> | |
| issue_wikifiedDescription | string | | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| parent_linkType_\$type | string | | <input type="checkbox"/> | |
| parent_linkType_aggregation | boolean | | <input type="checkbox"/> | |
| parent_linkType_directed | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------|--------------------------|---------------|
| parent_linkType_id | string | | <input type="checkbox"/> | |
| parent_linkType_localizedName | string | | <input type="checkbox"/> | |
| parent_linkType_localizedSourceToTarget | string | | <input type="checkbox"/> | |
| parent_linkType_localizedTargetToSource | string | | <input type="checkbox"/> | |
| parent_linkType_name | string | | <input type="checkbox"/> | |
| parent_linkType_readOnly | boolean | | <input type="checkbox"/> | |
| parent_linkType_sourceToTarget | string | | <input type="checkbox"/> | |
| parent_linkType_targetToSource | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_createdBy_\$type | string | | <input type="checkbox"/> | |
| project_createdBy_avatarUrl | string | | <input type="checkbox"/> | |
| project_createdBy_banned | boolean | | <input type="checkbox"/> | |
| project_createdBy_email | string | | <input type="checkbox"/> | |
| project_createdBy_fullName | string | | <input type="checkbox"/> | |
| project_createdBy_guest | boolean | | <input type="checkbox"/> | |
| project_createdBy_id | string | | <input type="checkbox"/> | |
| project_createdBy_jabberAccountName | string | | <input type="checkbox"/> | |
| project_createdBy_login | string | | <input type="checkbox"/> | |
| project_createdBy_online | boolean | | <input type="checkbox"/> | |
| project_createdBy_ringId | string | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_leader_\$type | string | | <input type="checkbox"/> | |
| project_leader_avatarUrl | string | | <input type="checkbox"/> | |
| project_leader_banned | boolean | | <input type="checkbox"/> | |
| project_leader_email | string | | <input type="checkbox"/> | |
| project_leader_fullName | string | | <input type="checkbox"/> | |
| project_leader_guest | boolean | | <input type="checkbox"/> | |
| project_leader_id | string | | <input type="checkbox"/> | |
| project_leader_jabberAccountName | string | | <input type="checkbox"/> | |
| project_leader_login | string | | <input type="checkbox"/> | |
| project_leader_online | boolean | | <input type="checkbox"/> | |
| project_leader_ringId | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_team_\$type | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|--------------|--------------------------|---------------|
| project_team_allUsersGroup | boolean | | <input type="checkbox"/> | |
| project_team_icon | string | | <input type="checkbox"/> | |
| project_team_id | string | | <input type="checkbox"/> | |
| project_team_name | string | | <input type="checkbox"/> | |
| project_team_ringId | string | | <input type="checkbox"/> | |
| project_team_usersCount | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_profiles_\$type | string | | <input type="checkbox"/> | |
| reporter_profiles_id | string | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| subtasks_linkType_\$type | string | | <input type="checkbox"/> | |
| subtasks_linkType_aggregation | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_directed | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_id | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedName | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedSourceToTarget | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedTargetToSource | string | | <input type="checkbox"/> | |
| subtasks_linkType_name | string | | <input type="checkbox"/> | |
| subtasks_linkType_readOnly | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_sourceToTarget | string | | <input type="checkbox"/> | |
| subtasks_linkType_targetToSource | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| text | string | Text | <input type="checkbox"/> | |
| textPreview | string | Text Preview | <input type="checkbox"/> | |
| updated_1 | int64 | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---------------------------|-----------|----------------------|--------------------------|---------------|
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_profiles_\$type | string | | <input type="checkbox"/> | |
| updater_profiles_id | string | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| usesMarkdown_1 | boolean | | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Mark Down | <input type="checkbox"/> | |
| visibility_\$type_1 | string | | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id_1 | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

6.1.26 IssueTagCustomFieldIssuesByTagId

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/issueTags/{id}/issues`

Insert YouTrack API URL: `/issueTags/{id}/issues`

Update YouTrack API URL: `/issueTags/{id}/issues`

Delete YouTrack API URL: `/issueTags/{id}/issues`

Field Selection Method: NotRequired

Base Path: `customFields[*]`

Select YouTrack API Operation: `get /issueTags/{id}/issues`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `IssueTagCustomFieldIssuesByTagId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `IssueTagCustomFieldIssuesByTagId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|---|-----------|----------------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>commentsCount</code> | int32 | Comments Count | <input type="checkbox"/> | |
| <code>created</code> | int64 | Created | <input type="checkbox"/> | |
| <code>description</code> | string | Description | <input type="checkbox"/> | |
| <code>draftOwner_\$type</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_avatarUrl</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_banned</code> | boolean | | <input type="checkbox"/> | |
| <code>draftOwner_email</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_fullName</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_guest</code> | boolean | | <input type="checkbox"/> | |
| <code>draftOwner_id</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_jabberAccountName</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_login</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_online</code> | boolean | | <input type="checkbox"/> | |
| <code>draftOwner_profiles_\$type</code> | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------------------|--------------------------|---------------|
| draftOwner_profiles_id | string | | <input type="checkbox"/> | |
| draftOwner_ringId | string | | <input type="checkbox"/> | |
| externalIssue_\$type | string | | <input type="checkbox"/> | |
| externalIssue_id | string | | <input type="checkbox"/> | |
| externalIssue_key | string | | <input type="checkbox"/> | |
| externalIssue_name | string | | <input type="checkbox"/> | |
| externalIssue_url | string | | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| parent_linkType_\$type | string | | <input type="checkbox"/> | |
| parent_linkType_aggregation | boolean | | <input type="checkbox"/> | |
| parent_linkType_directed | boolean | | <input type="checkbox"/> | |
| parent_linkType_id | string | | <input type="checkbox"/> | |
| parent_linkType_localizedName | string | | <input type="checkbox"/> | |
| parent_linkType_localizedSourceToTarget | string | | <input type="checkbox"/> | |
| parent_linkType_localizedTargetToSource | string | | <input type="checkbox"/> | |
| parent_linkType_name | string | | <input type="checkbox"/> | |
| parent_linkType_readOnly | boolean | | <input type="checkbox"/> | |
| parent_linkType_sourceToTarget | string | | <input type="checkbox"/> | |
| parent_linkType_targetToSource | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_createdBy_\$type | string | | <input type="checkbox"/> | |
| project_createdBy_avatarUrl | string | | <input type="checkbox"/> | |
| project_createdBy_banned | boolean | | <input type="checkbox"/> | |
| project_createdBy_email | string | | <input type="checkbox"/> | |
| project_createdBy_fullName | string | | <input type="checkbox"/> | |
| project_createdBy_guest | boolean | | <input type="checkbox"/> | |
| project_createdBy_id | string | | <input type="checkbox"/> | |
| project_createdBy_jabberAccountName | string | | <input type="checkbox"/> | |
| project_createdBy_login | string | | <input type="checkbox"/> | |
| project_createdBy_online | boolean | | <input type="checkbox"/> | |
| project_createdBy_ringId | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|-----------------------------------|-----------|-------|--------------------------|---------------|
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_leader_\$type | string | | <input type="checkbox"/> | |
| project_leader_avatarUrl | string | | <input type="checkbox"/> | |
| project_leader_banned | boolean | | <input type="checkbox"/> | |
| project_leader_email | string | | <input type="checkbox"/> | |
| project_leader_fullName | string | | <input type="checkbox"/> | |
| project_leader_guest | boolean | | <input type="checkbox"/> | |
| project_leader_id | string | | <input type="checkbox"/> | |
| project_leader_jabberAccountName | string | | <input type="checkbox"/> | |
| project_leader_login | string | | <input type="checkbox"/> | |
| project_leader_online | boolean | | <input type="checkbox"/> | |
| project_leader_ringId | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_team_\$type | string | | <input type="checkbox"/> | |
| project_team_allUsersGroup | boolean | | <input type="checkbox"/> | |
| project_team_icon | string | | <input type="checkbox"/> | |
| project_team_id | string | | <input type="checkbox"/> | |
| project_team_name | string | | <input type="checkbox"/> | |
| project_team_ringId | string | | <input type="checkbox"/> | |
| project_team_usersCount | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| projectCustomField_\$type | string | | <input type="checkbox"/> | |
| projectCustomField_canBeEmpty | boolean | | <input type="checkbox"/> | |
| projectCustomField_emptyFieldText | string | | <input type="checkbox"/> | |
| projectCustomField_hasRunningJob | boolean | | <input type="checkbox"/> | |
| projectCustomField_id | string | | <input type="checkbox"/> | |
| projectCustomField_isPublic | boolean | | <input type="checkbox"/> | |
| projectCustomField_ordinal | int32 | | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|---------------|--------------------------|---------------|
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_profiles_\$type | string | | <input type="checkbox"/> | |
| reporter_profiles_id | string | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| subtasks_linkType_\$type | string | | <input type="checkbox"/> | |
| subtasks_linkType_aggregation | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_directed | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_id | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedName | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedSourceToTarget | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedTargetToSource | string | | <input type="checkbox"/> | |
| subtasks_linkType_name | string | | <input type="checkbox"/> | |
| subtasks_linkType_readOnly | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_sourceToTarget | string | | <input type="checkbox"/> | |
| subtasks_linkType_targetToSource | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_profiles_\$type | string | | <input type="checkbox"/> | |
| updater_profiles_id | string | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Markdown | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---------------------|-----------|----------------------|--------------------------|---------------|
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

6.1.27 IssueTagIssueAttachments

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/issueTags`

Insert YouTrack API URL: `/issueTags`

Update YouTrack API URL: `/issueTags`

Delete YouTrack API URL: `/issueTags`

Field Selection Method: `NotRequired`

Base Path: `issues[*].attachments[*]`

Select YouTrack API Operation: `get /issueTags`

Table Function Columns

The columns of the table function `IssueTagIssueAttachments` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|------------------|-----------|----------------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type_2 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| base64Content | string | Base64 Content | <input type="checkbox"/> | |
| charset | string | Charset | <input type="checkbox"/> | |
| color_\$type | string | | <input type="checkbox"/> | |
| color_background | string | | <input type="checkbox"/> | |
| color_foreground | string | | <input type="checkbox"/> | |
| color_id | string | | <input type="checkbox"/> | |
| commentsCount | int32 | Comments Count | <input type="checkbox"/> | |
| created_1 | int64 | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|------------------------------|-----------|-------------------|--------------------------|---------------|
| created | int64 | Created | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| draft | boolean | Draft | <input type="checkbox"/> | |
| draftOwner_\$type | string | | <input type="checkbox"/> | |
| draftOwner_avatarUrl | string | | <input type="checkbox"/> | |
| draftOwner_banned | boolean | | <input type="checkbox"/> | |
| draftOwner_email | string | | <input type="checkbox"/> | |
| draftOwner_fullName | string | | <input type="checkbox"/> | |
| draftOwner_guest | boolean | | <input type="checkbox"/> | |
| draftOwner_id | string | | <input type="checkbox"/> | |
| draftOwner_jabberAccountName | string | | <input type="checkbox"/> | |
| draftOwner_login | string | | <input type="checkbox"/> | |
| draftOwner_online | boolean | | <input type="checkbox"/> | |
| draftOwner_ringId | string | | <input type="checkbox"/> | |
| extension | string | Extension | <input type="checkbox"/> | |
| externalIssue_\$type | string | | <input type="checkbox"/> | |
| externalIssue_id | string | | <input type="checkbox"/> | |
| externalIssue_key | string | | <input type="checkbox"/> | |
| externalIssue_name | string | | <input type="checkbox"/> | |
| externalIssue_url | string | | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| metaData | string | Metadata | <input type="checkbox"/> | |
| mimeType | string | MIME-type | <input type="checkbox"/> | |
| name_1 | string | | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_profiles_\$type | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--------------------------------------|-----------|-----------------|--------------------------|---------------|
| owner_profiles_id | string | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| removed | boolean | Removed | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| size | int64 | Size | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| thumbnailURL | string | Thumbnail (URL) | <input type="checkbox"/> | |
| untagOnResolve | boolean | | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_archived | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|----------------|--------------------------|---------------|
| updateableBy_teamForProject_description | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_shortName | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| updateableBy_teamForProject_template | boolean | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| updated_1 | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| url | string | URL | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Mark Down | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| visibleFor_teamForProject_description | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_fromEmail | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|----------------------|--------------------------|---------------|
| visibleFor_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_replyTo Email | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_shortName | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_starting Number | int64 | | <input type="checkbox"/> | |
| visibleFor_teamForProject_template | boolean | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

6.1.28 IssueTagIssueAttachmentsById

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/issueTags/{id}`

Insert YouTrack API URL: `/issueTags/{id}`

Update YouTrack API URL: `/issueTags/{id}`

Delete YouTrack API URL: `/issueTags/{id}`

Field Selection Method: NotRequired

Base Path: `issues[*].attachments[*]`

Select YouTrack API Operation: `get /issueTags/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `IssueTagIssueAttachmentsById`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four

parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `IssueTagIssueAttachmentsById` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|------------------------------|-----------|----------------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type_2 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| base64Content | string | Base64 Content | <input type="checkbox"/> | |
| charset | string | Charset | <input type="checkbox"/> | |
| color_\$type | string | | <input type="checkbox"/> | |
| color_background | string | | <input type="checkbox"/> | |
| color_foreground | string | | <input type="checkbox"/> | |
| color_id | string | | <input type="checkbox"/> | |
| commentsCount | int32 | Comments Count | <input type="checkbox"/> | |
| created_1 | int64 | | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| draft | boolean | Draft | <input type="checkbox"/> | |
| draftOwner_\$type | string | | <input type="checkbox"/> | |
| draftOwner_avatarUrl | string | | <input type="checkbox"/> | |
| draftOwner_banned | boolean | | <input type="checkbox"/> | |
| draftOwner_email | string | | <input type="checkbox"/> | |
| draftOwner_fullName | string | | <input type="checkbox"/> | |
| draftOwner_guest | boolean | | <input type="checkbox"/> | |
| draftOwner_id | string | | <input type="checkbox"/> | |
| draftOwner_jabberAccountName | string | | <input type="checkbox"/> | |
| draftOwner_login | string | | <input type="checkbox"/> | |
| draftOwner_online | boolean | | <input type="checkbox"/> | |
| draftOwner_ringId | string | | <input type="checkbox"/> | |
| extension | string | Extension | <input type="checkbox"/> | |
| externalIssue_\$type | string | | <input type="checkbox"/> | |
| externalIssue_id | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|-------------------------|-----------|-------------------|--------------------------|---------------|
| externalIssue_key | string | | <input type="checkbox"/> | |
| externalIssue_name | string | | <input type="checkbox"/> | |
| externalIssue_url | string | | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| metaData | string | Metadata | <input type="checkbox"/> | |
| mimeType | string | MIME-type | <input type="checkbox"/> | |
| name_1 | string | | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_profiles_\$type | string | | <input type="checkbox"/> | |
| owner_profiles_id | string | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| removed | boolean | Removed | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|-----------------|--------------------------|---------------|
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| size | int64 | Size | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| thumbnailURL | string | Thumbnail (URL) | <input type="checkbox"/> | |
| untagOnResolve | boolean | | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| updateableBy_teamForProject_description | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_shortName | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| updateableBy_teamForProject_template | boolean | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| updated_1 | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|----------------------|--------------------------|---------------|
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| url | string | URL | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Markdown | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| visibleFor_teamForProject_description | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_shortName | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| visibleFor_teamForProject_template | boolean | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

6.1.29 IssueTagIssueById

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/issueTags/{id}`

Insert YouTrack API URL: `/issueTags/{id}`

Update YouTrack API URL: `/issueTags/{id}`

Delete YouTrack API URL: `/issueTags/{id}`

Field Selection Method: NotRequired

Base Path: `issues[*]`

Select YouTrack API Operation: `get /issueTags/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `IssueTagIssueById`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `IssueTagIssueById` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|-------------------------------|-----------|-------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>color_\$type</code> | string | | <input type="checkbox"/> | |
| <code>color_background</code> | string | | <input type="checkbox"/> | |
| <code>color_foreground</code> | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|------------------------------|-----------|-------------------|--------------------------|---------------|
| color_id | string | | <input type="checkbox"/> | |
| commentsCount | int32 | Comments Count | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| draftOwner_\$type | string | | <input type="checkbox"/> | |
| draftOwner_avatarUrl | string | | <input type="checkbox"/> | |
| draftOwner_banned | boolean | | <input type="checkbox"/> | |
| draftOwner_email | string | | <input type="checkbox"/> | |
| draftOwner_fullName | string | | <input type="checkbox"/> | |
| draftOwner_guest | boolean | | <input type="checkbox"/> | |
| draftOwner_id | string | | <input type="checkbox"/> | |
| draftOwner_jabberAccountName | string | | <input type="checkbox"/> | |
| draftOwner_login | string | | <input type="checkbox"/> | |
| draftOwner_online | boolean | | <input type="checkbox"/> | |
| draftOwner_ringId | string | | <input type="checkbox"/> | |
| externalIssue_\$type | string | | <input type="checkbox"/> | |
| externalIssue_id | string | | <input type="checkbox"/> | |
| externalIssue_key | string | | <input type="checkbox"/> | |
| externalIssue_name | string | | <input type="checkbox"/> | |
| externalIssue_url | string | | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_profiles_\$type | string | | <input type="checkbox"/> | |
| owner_profiles_id | string | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|----------|--------------------------|---------------|
| parent_id | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| untagOnResolve | boolean | | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| updateableBy_teamForProject_description | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|---------------|--------------------------|---------------|
| updateableBy_teamForProject_shortName | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| updateableBy_teamForProject_template | boolean | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Markdown | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| visibleFor_teamForProject_description | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_shortName | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| visibleFor_teamForProject_template | boolean | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---------------------|-----------|----------------------|--------------------------|---------------|
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

6.1.30 IssueTagIssueComments

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/issueTags`

Insert YouTrack API URL: `/issueTags`

Update YouTrack API URL: `/issueTags`

Delete YouTrack API URL: `/issueTags`

Field Selection Method: `NotRequired`

Base Path: `issues[*].comments[*]`

Select YouTrack API Operation: `get /issueTags`

Table Function Columns

The columns of the table function `IssueTagIssueComments` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|-------------------------------|-----------|----------------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type_2</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>color_\$type</code> | string | | <input type="checkbox"/> | |
| <code>color_background</code> | string | | <input type="checkbox"/> | |
| <code>color_foreground</code> | string | | <input type="checkbox"/> | |
| <code>color_id</code> | string | | <input type="checkbox"/> | |
| <code>commentsCount</code> | int32 | Comments Count | <input type="checkbox"/> | |
| <code>created_1</code> | int64 | | <input type="checkbox"/> | |
| <code>created</code> | int64 | Created | <input type="checkbox"/> | |
| <code>deleted</code> | boolean | Deleted | <input type="checkbox"/> | |
| <code>description</code> | string | Description | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|------------------------------|-----------|-------------------|--------------------------|---------------|
| draftOwner_\$type | string | | <input type="checkbox"/> | |
| draftOwner_avatarUrl | string | | <input type="checkbox"/> | |
| draftOwner_banned | boolean | | <input type="checkbox"/> | |
| draftOwner_email | string | | <input type="checkbox"/> | |
| draftOwner_fullName | string | | <input type="checkbox"/> | |
| draftOwner_guest | boolean | | <input type="checkbox"/> | |
| draftOwner_id | string | | <input type="checkbox"/> | |
| draftOwner_jabberAccountName | string | | <input type="checkbox"/> | |
| draftOwner_login | string | | <input type="checkbox"/> | |
| draftOwner_online | boolean | | <input type="checkbox"/> | |
| draftOwner_ringId | string | | <input type="checkbox"/> | |
| externalIssue_\$type | string | | <input type="checkbox"/> | |
| externalIssue_id | string | | <input type="checkbox"/> | |
| externalIssue_key | string | | <input type="checkbox"/> | |
| externalIssue_name | string | | <input type="checkbox"/> | |
| externalIssue_url | string | | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_profiles_\$type | string | | <input type="checkbox"/> | |
| owner_profiles_id | string | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|--------------|--------------------------|---------------|
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| text | string | Text | <input type="checkbox"/> | |
| textPreview | string | Text Preview | <input type="checkbox"/> | |
| untagOnResolve | boolean | | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| updateableBy_teamForProject_description | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_shortName | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|---------------|--------------------------|---------------|
| updateableBy_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| updateableBy_teamForProject_template | boolean | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| updated_1 | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| usesMarkdown_1 | boolean | | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Markdown | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| visibleFor_teamForProject_description | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_shortName | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| visibleFor_teamForProject_template | boolean | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---------------------|-----------|----------------------|--------------------------|---------------|
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

6.1.31 IssueTagIssueCommentsById

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/issueTags/{id}`

Insert YouTrack API URL: `/issueTags/{id}`

Update YouTrack API URL: `/issueTags/{id}`

Delete YouTrack API URL: `/issueTags/{id}`

Field Selection Method: NotRequired

Base Path: `issues[*].comments[*]`

Select YouTrack API Operation: `get /issueTags/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `IssueTagIssueCommentsById`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `IssueTagIssueCommentsById` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------------------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type_2</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>color_\$type</code> | string | | <input type="checkbox"/> | |
| <code>color_background</code> | string | | <input type="checkbox"/> | |
| <code>color_foreground</code> | string | | <input type="checkbox"/> | |
| <code>color_id</code> | string | | <input type="checkbox"/> | |
| <code>commentsCount</code> | int32 | Comments Count | <input type="checkbox"/> | |
| <code>created_1</code> | int64 | | <input type="checkbox"/> | |
| <code>created</code> | int64 | Created | <input type="checkbox"/> | |
| <code>deleted</code> | boolean | Deleted | <input type="checkbox"/> | |
| <code>description</code> | string | Description | <input type="checkbox"/> | |
| <code>draftOwner_\$type</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_avatarUrl</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_banned</code> | boolean | | <input type="checkbox"/> | |
| <code>draftOwner_email</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_fullName</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_guest</code> | boolean | | <input type="checkbox"/> | |
| <code>draftOwner_id</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_jabberAccountName</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_login</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_online</code> | boolean | | <input type="checkbox"/> | |
| <code>draftOwner_ringId</code> | string | | <input type="checkbox"/> | |
| <code>externalIssue_\$type</code> | string | | <input type="checkbox"/> | |
| <code>externalIssue_id</code> | string | | <input type="checkbox"/> | |
| <code>externalIssue_key</code> | string | | <input type="checkbox"/> | |
| <code>externalIssue_name</code> | string | | <input type="checkbox"/> | |
| <code>externalIssue_url</code> | string | | <input type="checkbox"/> | |
| <code>id_1</code> | string | | <input type="checkbox"/> | |
| <code>id_2</code> | string | | <input type="checkbox"/> | |
| <code>id</code> | string | ID | <input type="checkbox"/> | |
| <code>idReadable</code> | string | Readable ID | <input type="checkbox"/> | |
| <code>isDraft</code> | boolean | Is Draft | <input type="checkbox"/> | |
| <code>name</code> | string | Name | <input type="checkbox"/> | |
| <code>numberInProject</code> | int64 | Number in Project | <input type="checkbox"/> | |
| <code>owner_\$type</code> | string | | <input type="checkbox"/> | |
| <code>owner_avatarUrl</code> | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|----------------------------|-----------|--------------|--------------------------|---------------|
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_profiles_\$type | string | | <input type="checkbox"/> | |
| owner_profiles_id | string | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| text | string | Text | <input type="checkbox"/> | |
| textPreview | string | Text Preview | <input type="checkbox"/> | |
| untagOnResolve | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|----------------|--------------------------|---------------|
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| updateableBy_teamForProject_description | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_shortName | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| updateableBy_teamForProject_template | boolean | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| updated_1 | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| usesMarkdown_1 | boolean | | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Mark Down | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|----------------------|--------------------------|---------------|
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| visibleFor_teamForProject_description | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_shortName | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| visibleFor_teamForProject_template | boolean | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

6.1.32 IssueTagIssueCustomFields

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/issueTags`

Insert YouTrack API URL: `/issueTags`

Update YouTrack API URL: `/issueTags`

Delete YouTrack API URL: `/issueTags`

Field Selection Method: `NotRequired`

Base Path: `issues[*].customFields[*]`

Select YouTrack API Operation: `get /issueTags`

Table Function Columns

The columns of the table function `IssueTagIssueCustomFields` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------------------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type_2</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>color_\$type</code> | string | | <input type="checkbox"/> | |
| <code>color_background</code> | string | | <input type="checkbox"/> | |
| <code>color_foreground</code> | string | | <input type="checkbox"/> | |
| <code>color_id</code> | string | | <input type="checkbox"/> | |
| <code>commentsCount</code> | int32 | Comments Count | <input type="checkbox"/> | |
| <code>created</code> | int64 | Created | <input type="checkbox"/> | |
| <code>description</code> | string | Description | <input type="checkbox"/> | |
| <code>draftOwner_\$type</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_avatarUrl</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_banned</code> | boolean | | <input type="checkbox"/> | |
| <code>draftOwner_email</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_fullName</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_guest</code> | boolean | | <input type="checkbox"/> | |
| <code>draftOwner_id</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_jabberAccountName</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_login</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_online</code> | boolean | | <input type="checkbox"/> | |
| <code>draftOwner_ringId</code> | string | | <input type="checkbox"/> | |
| <code>externalIssue_\$type</code> | string | | <input type="checkbox"/> | |
| <code>externalIssue_id</code> | string | | <input type="checkbox"/> | |
| <code>externalIssue_key</code> | string | | <input type="checkbox"/> | |
| <code>externalIssue_name</code> | string | | <input type="checkbox"/> | |
| <code>externalIssue_url</code> | string | | <input type="checkbox"/> | |
| <code>id_1</code> | string | | <input type="checkbox"/> | |
| <code>id_2</code> | string | | <input type="checkbox"/> | |
| <code>id</code> | string | ID | <input type="checkbox"/> | |
| <code>idReadable</code> | string | Readable ID | <input type="checkbox"/> | |
| <code>isDraft</code> | boolean | Is Draft | <input type="checkbox"/> | |
| <code>name_1</code> | string | | <input type="checkbox"/> | |
| <code>name</code> | string | Name | <input type="checkbox"/> | |
| <code>numberInProject</code> | int64 | Number in Project | <input type="checkbox"/> | |
| <code>owner_\$type</code> | string | | <input type="checkbox"/> | |
| <code>owner_avatarUrl</code> | string | | <input type="checkbox"/> | |
| <code>owner_banned</code> | boolean | | <input type="checkbox"/> | |
| <code>owner_email</code> | string | | <input type="checkbox"/> | |
| <code>owner_fullName</code> | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|----------------------------|-----------|----------|--------------------------|---------------|
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_profiles_\$type | string | | <input type="checkbox"/> | |
| owner_profiles_id | string | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| untagOnResolve | boolean | | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|---------------|--------------------------|---------------|
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| updateableBy_teamForProject_description | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_shortName | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| updateableBy_teamForProject_template | boolean | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Markdown | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| visibleFor_teamForProject_description | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_fromEmail | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|----------------------|--------------------------|---------------|
| visibleFor_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_shortName | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| visibleFor_teamForProject_template | boolean | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

6.1.33 IssueTagIssueLinks

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/issueTags`

Insert YouTrack API URL: `/issueTags`

Update YouTrack API URL: `/issueTags`

Delete YouTrack API URL: `/issueTags`

Field Selection Method: `NotRequired`

Base Path: `issues[*].links[*]`

Select YouTrack API Operation: `get /issueTags`

Table Function Columns

The columns of the table function `IssueTagIssueLinks` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|-----------------------|-----------|-------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type_2</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|------------------------------|-----------|-------------------|--------------------------|---------------|
| color_\$type | string | | <input type="checkbox"/> | |
| color_background | string | | <input type="checkbox"/> | |
| color_foreground | string | | <input type="checkbox"/> | |
| color_id | string | | <input type="checkbox"/> | |
| commentsCount | int32 | Comments Count | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| direction | string | Direction | <input type="checkbox"/> | |
| draftOwner_\$type | string | | <input type="checkbox"/> | |
| draftOwner_avatarUrl | string | | <input type="checkbox"/> | |
| draftOwner_banned | boolean | | <input type="checkbox"/> | |
| draftOwner_email | string | | <input type="checkbox"/> | |
| draftOwner_fullName | string | | <input type="checkbox"/> | |
| draftOwner_guest | boolean | | <input type="checkbox"/> | |
| draftOwner_id | string | | <input type="checkbox"/> | |
| draftOwner_jabberAccountName | string | | <input type="checkbox"/> | |
| draftOwner_login | string | | <input type="checkbox"/> | |
| draftOwner_online | boolean | | <input type="checkbox"/> | |
| draftOwner_ringId | string | | <input type="checkbox"/> | |
| externalIssue_\$type | string | | <input type="checkbox"/> | |
| externalIssue_id | string | | <input type="checkbox"/> | |
| externalIssue_key | string | | <input type="checkbox"/> | |
| externalIssue_name | string | | <input type="checkbox"/> | |
| externalIssue_url | string | | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|----------|--------------------------|---------------|
| owner_profiles_\$type | string | | <input type="checkbox"/> | |
| owner_profiles_id | string | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| untagOnResolve | boolean | | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| updateableBy_teamForProject_description | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|---------------|--------------------------|---------------|
| updateableBy_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_shortName | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| updateableBy_teamForProject_template | boolean | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Markdown | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| visibleFor_teamForProject_description | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_shortName | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|----------------------|--------------------------|---------------|
| visibleFor_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| visibleFor_teamForProject_template | boolean | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

6.1.34 IssueTagIssueLinksById

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/issueTags/{id}`

Insert YouTrack API URL: `/issueTags/{id}`

Update YouTrack API URL: `/issueTags/{id}`

Delete YouTrack API URL: `/issueTags/{id}`

Field Selection Method: NotRequired

Base Path: `issues[*].links[*]`

Select YouTrack API Operation: `get /issueTags/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `IssueTagIssueLinksById`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the

default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `IssueTagIssueLinksById` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|------------------------------|-----------|----------------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type_2 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| color_\$type | string | | <input type="checkbox"/> | |
| color_background | string | | <input type="checkbox"/> | |
| color_foreground | string | | <input type="checkbox"/> | |
| color_id | string | | <input type="checkbox"/> | |
| commentsCount | int32 | Comments Count | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| direction | string | Direction | <input type="checkbox"/> | |
| draftOwner_\$type | string | | <input type="checkbox"/> | |
| draftOwner_avatarUrl | string | | <input type="checkbox"/> | |
| draftOwner_banned | boolean | | <input type="checkbox"/> | |
| draftOwner_email | string | | <input type="checkbox"/> | |
| draftOwner_fullName | string | | <input type="checkbox"/> | |
| draftOwner_guest | boolean | | <input type="checkbox"/> | |
| draftOwner_id | string | | <input type="checkbox"/> | |
| draftOwner_jabberAccountName | string | | <input type="checkbox"/> | |
| draftOwner_login | string | | <input type="checkbox"/> | |
| draftOwner_online | boolean | | <input type="checkbox"/> | |
| draftOwner_ringId | string | | <input type="checkbox"/> | |
| externalIssue_\$type | string | | <input type="checkbox"/> | |
| externalIssue_id | string | | <input type="checkbox"/> | |
| externalIssue_key | string | | <input type="checkbox"/> | |
| externalIssue_name | string | | <input type="checkbox"/> | |
| externalIssue_url | string | | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|----------------------------|-----------|-------------------|--------------------------|---------------|
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_profiles_\$type | string | | <input type="checkbox"/> | |
| owner_profiles_id | string | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|---------------|--------------------------|---------------|
| subtasks_id | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| untagOnResolve | boolean | | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| updateableBy_teamForProject_description | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_shortName | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| updateableBy_teamForProject_template | boolean | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Markdown | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|----------------------|--------------------------|---------------|
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| visibleFor_teamForProject_description | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_shortName | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| visibleFor_teamForProject_template | boolean | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

6.1.35 IssueTagIssues

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/issueTags`

Insert YouTrack API URL: `/issueTags`

Update YouTrack API URL: `/issueTags`

Delete YouTrack API URL: `/issueTags`

Field Selection Method: `NotRequired`

Base Path: `issues[*]`

Select YouTrack API Operation: `get /issueTags`

Table Function Columns

The columns of the table function `IssueTagIssues` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------------------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>color_\$type</code> | string | | <input type="checkbox"/> | |
| <code>color_background</code> | string | | <input type="checkbox"/> | |
| <code>color_foreground</code> | string | | <input type="checkbox"/> | |
| <code>color_id</code> | string | | <input type="checkbox"/> | |
| <code>commentsCount</code> | int32 | Comments Count | <input type="checkbox"/> | |
| <code>created</code> | int64 | Created | <input type="checkbox"/> | |
| <code>description</code> | string | Description | <input type="checkbox"/> | |
| <code>draftOwner_\$type</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_avatarUrl</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_banned</code> | boolean | | <input type="checkbox"/> | |
| <code>draftOwner_email</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_fullName</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_guest</code> | boolean | | <input type="checkbox"/> | |
| <code>draftOwner_id</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_jabberAccountName</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_login</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_online</code> | boolean | | <input type="checkbox"/> | |
| <code>draftOwner_ringId</code> | string | | <input type="checkbox"/> | |
| <code>externalIssue_\$type</code> | string | | <input type="checkbox"/> | |
| <code>externalIssue_id</code> | string | | <input type="checkbox"/> | |
| <code>externalIssue_key</code> | string | | <input type="checkbox"/> | |
| <code>externalIssue_name</code> | string | | <input type="checkbox"/> | |
| <code>externalIssue_url</code> | string | | <input type="checkbox"/> | |
| <code>id_1</code> | string | | <input type="checkbox"/> | |
| <code>id</code> | string | ID | <input type="checkbox"/> | |
| <code>idReadable</code> | string | Readable ID | <input type="checkbox"/> | |
| <code>isDraft</code> | boolean | Is Draft | <input type="checkbox"/> | |
| <code>name</code> | string | Name | <input type="checkbox"/> | |
| <code>numberInProject</code> | int64 | Number in Project | <input type="checkbox"/> | |
| <code>owner_\$type</code> | string | | <input type="checkbox"/> | |
| <code>owner_avatarUrl</code> | string | | <input type="checkbox"/> | |
| <code>owner_banned</code> | boolean | | <input type="checkbox"/> | |
| <code>owner_email</code> | string | | <input type="checkbox"/> | |
| <code>owner_fullName</code> | string | | <input type="checkbox"/> | |
| <code>owner_guest</code> | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|----------------------------|-----------|----------|--------------------------|---------------|
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_profiles_\$type | string | | <input type="checkbox"/> | |
| owner_profiles_id | string | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| untagOnResolve | boolean | | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|----------------|--------------------------|---------------|
| updateableBy_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| updateableBy_teamForProject_description | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_shortName | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| updateableBy_teamForProject_template | boolean | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Mark Down | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| visibleFor_teamForProject_description | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_iconUrl | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|----------------------|--------------------------|---------------|
| visibleFor_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_shortName | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| visibleFor_teamForProject_template | boolean | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

6.1.36 IssueTagIssuesCustomFieldsById

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/issueTags/{id}`

Insert YouTrack API URL: `/issueTags/{id}`

Update YouTrack API URL: `/issueTags/{id}`

Delete YouTrack API URL: `/issueTags/{id}`

Field Selection Method: NotRequired

Base Path: `issues[*].customFields[*]`

Select YouTrack API Operation: `get /issueTags/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `IssueTagIssuesCustomFieldsById`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `IssueTagIssuesCustomFieldsById` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|------------------------------|-----------|----------------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type_2 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| color_\$type | string | | <input type="checkbox"/> | |
| color_background | string | | <input type="checkbox"/> | |
| color_foreground | string | | <input type="checkbox"/> | |
| color_id | string | | <input type="checkbox"/> | |
| commentsCount | int32 | Comments Count | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| draftOwner_\$type | string | | <input type="checkbox"/> | |
| draftOwner_avatarUrl | string | | <input type="checkbox"/> | |
| draftOwner_banned | boolean | | <input type="checkbox"/> | |
| draftOwner_email | string | | <input type="checkbox"/> | |
| draftOwner_fullName | string | | <input type="checkbox"/> | |
| draftOwner_guest | boolean | | <input type="checkbox"/> | |
| draftOwner_id | string | | <input type="checkbox"/> | |
| draftOwner_jabberAccountName | string | | <input type="checkbox"/> | |
| draftOwner_login | string | | <input type="checkbox"/> | |
| draftOwner_online | boolean | | <input type="checkbox"/> | |
| draftOwner_ringId | string | | <input type="checkbox"/> | |
| externalIssue_\$type | string | | <input type="checkbox"/> | |
| externalIssue_id | string | | <input type="checkbox"/> | |
| externalIssue_key | string | | <input type="checkbox"/> | |
| externalIssue_name | string | | <input type="checkbox"/> | |
| externalIssue_url | string | | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|----------------------------|-----------|-------------------|--------------------------|---------------|
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| name_1 | string | | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_profiles_\$type | string | | <input type="checkbox"/> | |
| owner_profiles_id | string | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|---------------|--------------------------|---------------|
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| untagOnResolve | boolean | | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| updateableBy_teamForProject_description | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_shortName | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| updateableBy_teamForProject_template | boolean | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Markdown | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|----------------------|--------------------------|---------------|
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| visibleFor_teamForProject_description | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_shortName | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| visibleFor_teamForProject_template | boolean | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

6.1.37 IssueTagIssuesTags

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/issueTags`

Insert YouTrack API URL: `/issueTags`

Update YouTrack API URL: `/issueTags`

Delete YouTrack API URL: `/issueTags`

Field Selection Method: NotRequired

Base Path: `issues[*].tags[*]`

Select YouTrack API Operation: `get /issueTags`

Table Function Columns

The columns of the table function `IssueTagIssuesTags` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------------------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type_2</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>color_\$type</code> | string | | <input type="checkbox"/> | |
| <code>color_background</code> | string | | <input type="checkbox"/> | |
| <code>color_foreground</code> | string | | <input type="checkbox"/> | |
| <code>color_id</code> | string | | <input type="checkbox"/> | |
| <code>commentsCount</code> | int32 | Comments Count | <input type="checkbox"/> | |
| <code>created</code> | int64 | Created | <input type="checkbox"/> | |
| <code>description</code> | string | Description | <input type="checkbox"/> | |
| <code>draftOwner_\$type</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_avatarUrl</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_banned</code> | boolean | | <input type="checkbox"/> | |
| <code>draftOwner_email</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_fullName</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_guest</code> | boolean | | <input type="checkbox"/> | |
| <code>draftOwner_id</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_jabberAccountName</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_login</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_online</code> | boolean | | <input type="checkbox"/> | |
| <code>draftOwner_ringId</code> | string | | <input type="checkbox"/> | |
| <code>externalIssue_\$type</code> | string | | <input type="checkbox"/> | |
| <code>externalIssue_id</code> | string | | <input type="checkbox"/> | |
| <code>externalIssue_key</code> | string | | <input type="checkbox"/> | |
| <code>externalIssue_name</code> | string | | <input type="checkbox"/> | |
| <code>externalIssue_url</code> | string | | <input type="checkbox"/> | |
| <code>id_1</code> | string | | <input type="checkbox"/> | |
| <code>id_2</code> | string | | <input type="checkbox"/> | |
| <code>id</code> | string | ID | <input type="checkbox"/> | |
| <code>idReadable</code> | string | Readable ID | <input type="checkbox"/> | |
| <code>isDraft</code> | boolean | Is Draft | <input type="checkbox"/> | |
| <code>name_1</code> | string | | <input type="checkbox"/> | |
| <code>name</code> | string | Name | <input type="checkbox"/> | |
| <code>numberInProject</code> | int64 | Number in Project | <input type="checkbox"/> | |
| <code>owner_\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>owner_\$type</code> | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|----------------------------|-----------|----------|--------------------------|---------------|
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id_1 | string | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_name | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_profiles_\$type | string | | <input type="checkbox"/> | |
| owner_profiles_id | string | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| owner_untagOnResolve | boolean | | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|---------------|--------------------------|---------------|
| summary | string | Summary | <input type="checkbox"/> | |
| untagOnResolve_1 | boolean | | <input type="checkbox"/> | |
| untagOnResolve | boolean | | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| updateableBy_teamForProject_description | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_shortName | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| updateableBy_teamForProject_template | boolean | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Markdown | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|----------------------|--------------------------|---------------|
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| visibleFor_teamForProject_description | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_shortName | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| visibleFor_teamForProject_template | boolean | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

6.1.38 IssueTagIssueTagsById

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/issueTags/{id}`

Insert YouTrack API URL: `/issueTags/{id}`

Update YouTrack API URL: `/issueTags/{id}`

Delete YouTrack API URL: `/issueTags/{id}`

Field Selection Method: NotRequired

Base Path: `issues[*].tags[*]`

Select YouTrack API Operation: `get /issueTags/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `IssueTagIssueTagsById`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `IssueTagIssueTagsById` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|------------------------------|-----------|----------------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type_2 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| color_\$type | string | | <input type="checkbox"/> | |
| color_background | string | | <input type="checkbox"/> | |
| color_foreground | string | | <input type="checkbox"/> | |
| color_id | string | | <input type="checkbox"/> | |
| commentsCount | int32 | Comments Count | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| draftOwner_\$type | string | | <input type="checkbox"/> | |
| draftOwner_avatarUrl | string | | <input type="checkbox"/> | |
| draftOwner_banned | boolean | | <input type="checkbox"/> | |
| draftOwner_email | string | | <input type="checkbox"/> | |
| draftOwner_fullName | string | | <input type="checkbox"/> | |
| draftOwner_guest | boolean | | <input type="checkbox"/> | |
| draftOwner_id | string | | <input type="checkbox"/> | |
| draftOwner_jabberAccountName | string | | <input type="checkbox"/> | |
| draftOwner_login | string | | <input type="checkbox"/> | |
| draftOwner_online | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|-------------------------|-----------|-------------------|--------------------------|---------------|
| draftOwner_ringId | string | | <input type="checkbox"/> | |
| externalIssue_\$type | string | | <input type="checkbox"/> | |
| externalIssue_id | string | | <input type="checkbox"/> | |
| externalIssue_key | string | | <input type="checkbox"/> | |
| externalIssue_name | string | | <input type="checkbox"/> | |
| externalIssue_url | string | | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| name_1 | string | | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| owner_\$type_1 | string | | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id_1 | string | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_name | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_profiles_\$type | string | | <input type="checkbox"/> | |
| owner_profiles_id | string | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| owner_untagOnResolve | boolean | | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|----------|--------------------------|---------------|
| project_template | boolean | | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| untagOnResolve_1 | boolean | | <input type="checkbox"/> | |
| untagOnResolve | boolean | | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| updateableBy_teamForProject_description | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_shortName | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| updateableBy_teamForProject_template | boolean | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|----------------------|--------------------------|---------------|
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Mark Down | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| visibleFor_teamForProject_description | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_shortName | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| visibleFor_teamForProject_template | boolean | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

6.1.39 IssueTagLinkIssuesByTagId

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/issueTags/{id}/issues`

Insert YouTrack API URL: `/issueTags/{id}/issues`

Update YouTrack API URL: `/issueTags/{id}/issues`

Delete YouTrack API URL: `/issueTags/{id}/issues`

Field Selection Method: NotRequired

Base Path: `links[*]`

Select YouTrack API Operation: `get /issueTags/{id}/issues`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `IssueTagLinkIssuesByTagId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `IssueTagLinkIssuesByTagId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|----------------------------|-----------|----------------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>commentsCount</code> | int32 | Comments Count | <input type="checkbox"/> | |
| <code>created</code> | int64 | Created | <input type="checkbox"/> | |
| <code>description</code> | string | Description | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|----------------------------------|-----------|-------------------|--------------------------|---------------|
| direction | string | Direction | <input type="checkbox"/> | |
| draftOwner_\$type | string | | <input type="checkbox"/> | |
| draftOwner_avatarUrl | string | | <input type="checkbox"/> | |
| draftOwner_banned | boolean | | <input type="checkbox"/> | |
| draftOwner_email | string | | <input type="checkbox"/> | |
| draftOwner_fullName | string | | <input type="checkbox"/> | |
| draftOwner_guest | boolean | | <input type="checkbox"/> | |
| draftOwner_id | string | | <input type="checkbox"/> | |
| draftOwner_jabberAccountName | string | | <input type="checkbox"/> | |
| draftOwner_login | string | | <input type="checkbox"/> | |
| draftOwner_online | boolean | | <input type="checkbox"/> | |
| draftOwner_profiles_\$type | string | | <input type="checkbox"/> | |
| draftOwner_profiles_id | string | | <input type="checkbox"/> | |
| draftOwner_ringId | string | | <input type="checkbox"/> | |
| externalIssue_\$type | string | | <input type="checkbox"/> | |
| externalIssue_id | string | | <input type="checkbox"/> | |
| externalIssue_key | string | | <input type="checkbox"/> | |
| externalIssue_name | string | | <input type="checkbox"/> | |
| externalIssue_url | string | | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| linkType_\$type | string | | <input type="checkbox"/> | |
| linkType_aggregation | boolean | | <input type="checkbox"/> | |
| linkType_directed | boolean | | <input type="checkbox"/> | |
| linkType_id | string | | <input type="checkbox"/> | |
| linkType_localizedName | string | | <input type="checkbox"/> | |
| linkType_localizedSourceToTarget | string | | <input type="checkbox"/> | |
| linkType_localizedTargetToSource | string | | <input type="checkbox"/> | |
| linkType_name | string | | <input type="checkbox"/> | |
| linkType_readOnly | boolean | | <input type="checkbox"/> | |
| linkType_sourceToTarget | string | | <input type="checkbox"/> | |
| linkType_targetToSource | string | | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| parent_linkType_\$type | string | | <input type="checkbox"/> | |
| parent_linkType_aggregation | boolean | | <input type="checkbox"/> | |
| parent_linkType_directed | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------|--------------------------|---------------|
| parent_linkType_id | string | | <input type="checkbox"/> | |
| parent_linkType_localizedName | string | | <input type="checkbox"/> | |
| parent_linkType_localizedSourceToTarget | string | | <input type="checkbox"/> | |
| parent_linkType_localizedTargetToSource | string | | <input type="checkbox"/> | |
| parent_linkType_name | string | | <input type="checkbox"/> | |
| parent_linkType_readOnly | boolean | | <input type="checkbox"/> | |
| parent_linkType_sourceToTarget | string | | <input type="checkbox"/> | |
| parent_linkType_targetToSource | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_createdBy_\$type | string | | <input type="checkbox"/> | |
| project_createdBy_avatarUrl | string | | <input type="checkbox"/> | |
| project_createdBy_banned | boolean | | <input type="checkbox"/> | |
| project_createdBy_email | string | | <input type="checkbox"/> | |
| project_createdBy_fullName | string | | <input type="checkbox"/> | |
| project_createdBy_guest | boolean | | <input type="checkbox"/> | |
| project_createdBy_id | string | | <input type="checkbox"/> | |
| project_createdBy_jabberAccountName | string | | <input type="checkbox"/> | |
| project_createdBy_login | string | | <input type="checkbox"/> | |
| project_createdBy_online | boolean | | <input type="checkbox"/> | |
| project_createdBy_ringId | string | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_leader_\$type | string | | <input type="checkbox"/> | |
| project_leader_avatarUrl | string | | <input type="checkbox"/> | |
| project_leader_banned | boolean | | <input type="checkbox"/> | |
| project_leader_email | string | | <input type="checkbox"/> | |
| project_leader_fullName | string | | <input type="checkbox"/> | |
| project_leader_guest | boolean | | <input type="checkbox"/> | |
| project_leader_id | string | | <input type="checkbox"/> | |
| project_leader_jabberAccountName | string | | <input type="checkbox"/> | |
| project_leader_login | string | | <input type="checkbox"/> | |
| project_leader_online | boolean | | <input type="checkbox"/> | |
| project_leader_ringId | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_team_\$type | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|----------|--------------------------|---------------|
| project_team_allUsersGroup | boolean | | <input type="checkbox"/> | |
| project_team_icon | string | | <input type="checkbox"/> | |
| project_team_id | string | | <input type="checkbox"/> | |
| project_team_name | string | | <input type="checkbox"/> | |
| project_team_ringId | string | | <input type="checkbox"/> | |
| project_team_usersCount | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_profiles_\$type | string | | <input type="checkbox"/> | |
| reporter_profiles_id | string | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| subtasks_linkType_\$type | string | | <input type="checkbox"/> | |
| subtasks_linkType_aggregation | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_directed | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_id | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedName | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedSourceToTarget | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedTargetToSource | string | | <input type="checkbox"/> | |
| subtasks_linkType_name | string | | <input type="checkbox"/> | |
| subtasks_linkType_readOnly | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_sourceToTarget | string | | <input type="checkbox"/> | |
| subtasks_linkType_targetToSource | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---------------------------|-----------|----------------------|--------------------------|---------------|
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_profiles_\$type | string | | <input type="checkbox"/> | |
| updater_profiles_id | string | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Markdown | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

6.1.40 IssueTagLinkIssuesByTagId1

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/issueTags/{id}/issues`

Insert YouTrack API URL: `/issueTags/{id}/issues`

Update YouTrack API URL: `/issueTags/{id}/issues`

Delete YouTrack API URL: `/issueTags/{id}/issues`

Field Selection Method: NotRequired

Base Path: `links[*].issues[*]`

Select YouTrack API Operation: `get /issueTags/{id}/issues`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `IssueTagLinkIssuesByTagId1`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `IssueTagLinkIssuesByTagId1` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|--|-----------|----------------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type_2</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>commentsCount_1</code> | int32 | | <input type="checkbox"/> | |
| <code>commentsCount</code> | int32 | Comments Count | <input type="checkbox"/> | |
| <code>created_1</code> | int64 | | <input type="checkbox"/> | |
| <code>created</code> | int64 | Created | <input type="checkbox"/> | |
| <code>description_1</code> | string | | <input type="checkbox"/> | |
| <code>description</code> | string | Description | <input type="checkbox"/> | |
| <code>direction</code> | string | Direction | <input type="checkbox"/> | |
| <code>draftOw ner_\$type</code> | string | | <input type="checkbox"/> | |
| <code>draftOw ner_avatarUrl</code> | string | | <input type="checkbox"/> | |
| <code>draftOw ner_banned</code> | boolean | | <input type="checkbox"/> | |
| <code>draftOw ner_email</code> | string | | <input type="checkbox"/> | |
| <code>draftOw ner_fullName</code> | string | | <input type="checkbox"/> | |
| <code>draftOw ner_guest</code> | boolean | | <input type="checkbox"/> | |
| <code>draftOw ner_id</code> | string | | <input type="checkbox"/> | |
| <code>draftOw ner_jabberAccountName</code> | string | | <input type="checkbox"/> | |
| <code>draftOw ner_login</code> | string | | <input type="checkbox"/> | |
| <code>draftOw ner_online</code> | boolean | | <input type="checkbox"/> | |
| <code>draftOw ner_profiles_\$type</code> | string | | <input type="checkbox"/> | |
| <code>draftOw ner_profiles_id</code> | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|----------------------------------|-----------|-------------------|--------------------------|---------------|
| draftOwner_ringId | string | | <input type="checkbox"/> | |
| externalIssue_\$type | string | | <input type="checkbox"/> | |
| externalIssue_id | string | | <input type="checkbox"/> | |
| externalIssue_key | string | | <input type="checkbox"/> | |
| externalIssue_name | string | | <input type="checkbox"/> | |
| externalIssue_url | string | | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable_1 | string | | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDraft_1 | boolean | | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| linkType_\$type | string | | <input type="checkbox"/> | |
| linkType_aggregation | boolean | | <input type="checkbox"/> | |
| linkType_directed | boolean | | <input type="checkbox"/> | |
| linkType_id | string | | <input type="checkbox"/> | |
| linkType_localizedName | string | | <input type="checkbox"/> | |
| linkType_localizedSourceToTarget | string | | <input type="checkbox"/> | |
| linkType_localizedTargetToSource | string | | <input type="checkbox"/> | |
| linkType_name | string | | <input type="checkbox"/> | |
| linkType_readOnly | boolean | | <input type="checkbox"/> | |
| linkType_sourceToTarget | string | | <input type="checkbox"/> | |
| linkType_targetToSource | string | | <input type="checkbox"/> | |
| numberInProject_1 | int64 | | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| parent_\$type_1 | string | | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_commentsCount | int32 | | <input type="checkbox"/> | |
| parent_created | int64 | | <input type="checkbox"/> | |
| parent_description | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id_1 | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| parent_idReadable | string | | <input type="checkbox"/> | |
| parent_isDraft | boolean | | <input type="checkbox"/> | |
| parent_linkType_\$type | string | | <input type="checkbox"/> | |
| parent_linkType_aggregation | boolean | | <input type="checkbox"/> | |
| parent_linkType_directed | boolean | | <input type="checkbox"/> | |
| parent_linkType_id | string | | <input type="checkbox"/> | |
| parent_linkType_localizedName | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------|--------------------------|---------------|
| parent_linkType_localizedSourceToTarget | string | | <input type="checkbox"/> | |
| parent_linkType_localizedTargetToSource | string | | <input type="checkbox"/> | |
| parent_linkType_name | string | | <input type="checkbox"/> | |
| parent_linkType_readOnly | boolean | | <input type="checkbox"/> | |
| parent_linkType_sourceToTarget | string | | <input type="checkbox"/> | |
| parent_linkType_targetToSource | string | | <input type="checkbox"/> | |
| parent_numberInProject | int64 | | <input type="checkbox"/> | |
| parent_resolved | int64 | | <input type="checkbox"/> | |
| parent_summary | string | | <input type="checkbox"/> | |
| parent_updated | int64 | | <input type="checkbox"/> | |
| parent_usesMarkdown | boolean | | <input type="checkbox"/> | |
| parent_votes | int32 | | <input type="checkbox"/> | |
| parent_wikifiedDescription | string | | <input type="checkbox"/> | |
| project_\$type | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_commentsCount | int32 | | <input type="checkbox"/> | |
| project_created | int64 | | <input type="checkbox"/> | |
| project_createdBy_\$type | string | | <input type="checkbox"/> | |
| project_createdBy_avatarUrl | string | | <input type="checkbox"/> | |
| project_createdBy_banned | boolean | | <input type="checkbox"/> | |
| project_createdBy_email | string | | <input type="checkbox"/> | |
| project_createdBy_fullName | string | | <input type="checkbox"/> | |
| project_createdBy_guest | boolean | | <input type="checkbox"/> | |
| project_createdBy_id | string | | <input type="checkbox"/> | |
| project_createdBy_jabberAccountName | string | | <input type="checkbox"/> | |
| project_createdBy_login | string | | <input type="checkbox"/> | |
| project_createdBy_online | boolean | | <input type="checkbox"/> | |
| project_createdBy_ringId | string | | <input type="checkbox"/> | |
| project_description_1 | string | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_id | string | | <input type="checkbox"/> | |
| project_idReadable | string | | <input type="checkbox"/> | |
| project_isDraft | boolean | | <input type="checkbox"/> | |
| project_leader_\$type | string | | <input type="checkbox"/> | |
| project_leader_avatarUrl | string | | <input type="checkbox"/> | |
| project_leader_banned | boolean | | <input type="checkbox"/> | |
| project_leader_email | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|----------------------------------|-----------|----------|--------------------------|---------------|
| project_leader_fullName | string | | <input type="checkbox"/> | |
| project_leader_guest | boolean | | <input type="checkbox"/> | |
| project_leader_id | string | | <input type="checkbox"/> | |
| project_leader_jabberAccountName | string | | <input type="checkbox"/> | |
| project_leader_login | string | | <input type="checkbox"/> | |
| project_leader_online | boolean | | <input type="checkbox"/> | |
| project_leader_ringId | string | | <input type="checkbox"/> | |
| project_numberInProject | int64 | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_resolved | int64 | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_summary | string | | <input type="checkbox"/> | |
| project_team_\$type | string | | <input type="checkbox"/> | |
| project_team_allUsersGroup | boolean | | <input type="checkbox"/> | |
| project_team_icon | string | | <input type="checkbox"/> | |
| project_team_id | string | | <input type="checkbox"/> | |
| project_team_name | string | | <input type="checkbox"/> | |
| project_team_ringId | string | | <input type="checkbox"/> | |
| project_team_usersCount | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| project_updated | int64 | | <input type="checkbox"/> | |
| project_usesMarkdown | boolean | | <input type="checkbox"/> | |
| project_votes | int32 | | <input type="checkbox"/> | |
| project_wikifiedDescription | string | | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_profiles_\$type | string | | <input type="checkbox"/> | |
| reporter_profiles_id | string | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved_1 | int64 | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|---------|--------------------------|---------------|
| subtasks_\$type_1 | string | | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_commentsCount | int32 | | <input type="checkbox"/> | |
| subtasks_created | int64 | | <input type="checkbox"/> | |
| subtasks_description | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id_1 | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| subtasks_idReadable | string | | <input type="checkbox"/> | |
| subtasks_isDraft | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_\$type | string | | <input type="checkbox"/> | |
| subtasks_linkType_aggregation | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_directed | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_id | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedName | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedSourceToTarget | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedTargetToSource | string | | <input type="checkbox"/> | |
| subtasks_linkType_name | string | | <input type="checkbox"/> | |
| subtasks_linkType_readOnly | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_sourceToTarget | string | | <input type="checkbox"/> | |
| subtasks_linkType_targetToSource | string | | <input type="checkbox"/> | |
| subtasks_numberInProject | int64 | | <input type="checkbox"/> | |
| subtasks_resolved | int64 | | <input type="checkbox"/> | |
| subtasks_summary | string | | <input type="checkbox"/> | |
| subtasks_updated | int64 | | <input type="checkbox"/> | |
| subtasks_usesMarkdown | boolean | | <input type="checkbox"/> | |
| subtasks_wikifiedDescription | string | | <input type="checkbox"/> | |
| summary_1 | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| updated_1 | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---------------------------|-----------|----------------------|--------------------------|---------------|
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_profiles_\$type | string | | <input type="checkbox"/> | |
| updater_profiles_id | string | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| usesMarkdown_1 | boolean | | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Mark Down | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes_1 | int32 | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription_1 | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

6.1.41 IssueTagLinkTrimmedIssuesByTagId

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/issueTags/{id}/issues`

Insert YouTrack API URL: `/issueTags/{id}/issues`

Update YouTrack API URL: `/issueTags/{id}/issues`

Delete YouTrack API URL: `/issueTags/{id}/issues`

Field Selection Method: `NotRequired`

Base Path: `links[*].trimmedIssues[*]`

Select YouTrack API Operation: `get /issueTags/{id}/issues`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `IssueTagLinkTrimmedIssuesByTagId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the

execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `IssueTagLinkTrimmedIssuesByTagId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|------------------------------|-----------|----------------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type_2 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| commentsCount_1 | int32 | | <input type="checkbox"/> | |
| commentsCount | int32 | Comments Count | <input type="checkbox"/> | |
| created_1 | int64 | | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| description_1 | string | | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| direction | string | Direction | <input type="checkbox"/> | |
| draftOwner_\$type | string | | <input type="checkbox"/> | |
| draftOwner_avatarUrl | string | | <input type="checkbox"/> | |
| draftOwner_banned | boolean | | <input type="checkbox"/> | |
| draftOwner_email | string | | <input type="checkbox"/> | |
| draftOwner_fullName | string | | <input type="checkbox"/> | |
| draftOwner_guest | boolean | | <input type="checkbox"/> | |
| draftOwner_id | string | | <input type="checkbox"/> | |
| draftOwner_jabberAccountName | string | | <input type="checkbox"/> | |
| draftOwner_login | string | | <input type="checkbox"/> | |
| draftOwner_online | boolean | | <input type="checkbox"/> | |
| draftOwner_profiles_\$type | string | | <input type="checkbox"/> | |
| draftOwner_profiles_id | string | | <input type="checkbox"/> | |
| draftOwner_ringId | string | | <input type="checkbox"/> | |
| externalIssue_\$type | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------------------|--------------------------|---------------|
| externalIssue_id | string | | <input type="checkbox"/> | |
| externalIssue_key | string | | <input type="checkbox"/> | |
| externalIssue_name | string | | <input type="checkbox"/> | |
| externalIssue_url | string | | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable_1 | string | | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDraft_1 | boolean | | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| linkType_\$type | string | | <input type="checkbox"/> | |
| linkType_aggregation | boolean | | <input type="checkbox"/> | |
| linkType_directed | boolean | | <input type="checkbox"/> | |
| linkType_id | string | | <input type="checkbox"/> | |
| linkType_localizedName | string | | <input type="checkbox"/> | |
| linkType_localizedSourceToTarget | string | | <input type="checkbox"/> | |
| linkType_localizedTargetToSource | string | | <input type="checkbox"/> | |
| linkType_name | string | | <input type="checkbox"/> | |
| linkType_readOnly | boolean | | <input type="checkbox"/> | |
| linkType_sourceToTarget | string | | <input type="checkbox"/> | |
| linkType_targetToSource | string | | <input type="checkbox"/> | |
| numberInProject_1 | int64 | | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| parent_\$type_1 | string | | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_commentsCount | int32 | | <input type="checkbox"/> | |
| parent_created | int64 | | <input type="checkbox"/> | |
| parent_description | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id_1 | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| parent_idReadable | string | | <input type="checkbox"/> | |
| parent_isDraft | boolean | | <input type="checkbox"/> | |
| parent_linkType_\$type | string | | <input type="checkbox"/> | |
| parent_linkType_aggregation | boolean | | <input type="checkbox"/> | |
| parent_linkType_directed | boolean | | <input type="checkbox"/> | |
| parent_linkType_id | string | | <input type="checkbox"/> | |
| parent_linkType_localizedName | string | | <input type="checkbox"/> | |
| parent_linkType_localizedSourceToTarget | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------|--------------------------|---------------|
| parent_linkType_localizedTargetToSource | string | | <input type="checkbox"/> | |
| parent_linkType_name | string | | <input type="checkbox"/> | |
| parent_linkType_readOnly | boolean | | <input type="checkbox"/> | |
| parent_linkType_sourceToTarget | string | | <input type="checkbox"/> | |
| parent_linkType_targetToSource | string | | <input type="checkbox"/> | |
| parent_numberInProject | int64 | | <input type="checkbox"/> | |
| parent_resolved | int64 | | <input type="checkbox"/> | |
| parent_summary | string | | <input type="checkbox"/> | |
| parent_updated | int64 | | <input type="checkbox"/> | |
| parent_usesMarkdown | boolean | | <input type="checkbox"/> | |
| parent_votes | int32 | | <input type="checkbox"/> | |
| parent_wikifiedDescription | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_createdBy_\$type | string | | <input type="checkbox"/> | |
| project_createdBy_avatarUrl | string | | <input type="checkbox"/> | |
| project_createdBy_banned | boolean | | <input type="checkbox"/> | |
| project_createdBy_email | string | | <input type="checkbox"/> | |
| project_createdBy_fullName | string | | <input type="checkbox"/> | |
| project_createdBy_guest | boolean | | <input type="checkbox"/> | |
| project_createdBy_id | string | | <input type="checkbox"/> | |
| project_createdBy_jabberAccountName | string | | <input type="checkbox"/> | |
| project_createdBy_login | string | | <input type="checkbox"/> | |
| project_createdBy_online | boolean | | <input type="checkbox"/> | |
| project_createdBy_ringId | string | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_leader_\$type | string | | <input type="checkbox"/> | |
| project_leader_avatarUrl | string | | <input type="checkbox"/> | |
| project_leader_banned | boolean | | <input type="checkbox"/> | |
| project_leader_email | string | | <input type="checkbox"/> | |
| project_leader_fullName | string | | <input type="checkbox"/> | |
| project_leader_guest | boolean | | <input type="checkbox"/> | |
| project_leader_id | string | | <input type="checkbox"/> | |
| project_leader_jabberAccountName | string | | <input type="checkbox"/> | |
| project_leader_login | string | | <input type="checkbox"/> | |
| project_leader_online | boolean | | <input type="checkbox"/> | |
| project_leader_ringId | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---------------------------------|-----------|----------|--------------------------|---------------|
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_team_\$type | string | | <input type="checkbox"/> | |
| project_team_allUsersGroup | boolean | | <input type="checkbox"/> | |
| project_team_icon | string | | <input type="checkbox"/> | |
| project_team_id | string | | <input type="checkbox"/> | |
| project_team_name | string | | <input type="checkbox"/> | |
| project_team_ringId | string | | <input type="checkbox"/> | |
| project_team_usersCount | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_profiles_\$type | string | | <input type="checkbox"/> | |
| reporter_profiles_id | string | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved_1 | int64 | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| subtasks_\$type_1 | string | | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_commentsCount | int32 | | <input type="checkbox"/> | |
| subtasks_created | int64 | | <input type="checkbox"/> | |
| subtasks_description | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id_1 | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| subtasks_idReadable | string | | <input type="checkbox"/> | |
| subtasks_isDraft | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_\$type | string | | <input type="checkbox"/> | |
| subtasks_linkType_aggregation | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_directed | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_id | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedName | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|---------------|--------------------------|---------------|
| subtasks_linkType_localizedSourceToTarget | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedTargetToSource | string | | <input type="checkbox"/> | |
| subtasks_linkType_name | string | | <input type="checkbox"/> | |
| subtasks_linkType_readOnly | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_sourceToTarget | string | | <input type="checkbox"/> | |
| subtasks_linkType_targetToSource | string | | <input type="checkbox"/> | |
| subtasks_numberInProject | int64 | | <input type="checkbox"/> | |
| subtasks_resolved | int64 | | <input type="checkbox"/> | |
| subtasks_summary | string | | <input type="checkbox"/> | |
| subtasks_updated | int64 | | <input type="checkbox"/> | |
| subtasks_usesMarkdown | boolean | | <input type="checkbox"/> | |
| subtasks_votes | int32 | | <input type="checkbox"/> | |
| subtasks_wikifiedDescription | string | | <input type="checkbox"/> | |
| summary_1 | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| updated_1 | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_profiles_\$type | string | | <input type="checkbox"/> | |
| updater_profiles_id | string | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| usesMarkdown_1 | boolean | | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Markdown | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes_1 | int32 | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|-----------------------|-----------|----------------------|--------------------------|---------------|
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription_1 | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

6.1.42 IssueTags: YouTrack Issue Tags

Catalog: YouTrack

Schema: Articles

Label: Issue Tags

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/issueTags`

Insert YouTrack API URL: `/issueTags`

Update YouTrack API URL: `/issueTags`

Delete YouTrack API URL: `/issueTags`

Field Selection Method: `NotRequired`

Select YouTrack API Operation: `get /issueTags`

Table Function Columns

The columns of the table function `IssueTags` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|------------------|-----------|-------|--------------------------|---------------|
| \$type | string | | <input type="checkbox"/> | |
| color_\$type | string | | <input type="checkbox"/> | |
| color_background | string | | <input type="checkbox"/> | |
| color_foreground | string | | <input type="checkbox"/> | |
| color_id | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|-------|--------------------------|---------------|
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_profiles_\$type | string | | <input type="checkbox"/> | |
| owner_profiles_id | string | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| untagOnResolve | boolean | | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| updateableBy_teamForProject_description | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_shortName | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| updateableBy_teamForProject_template | boolean | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| visibleFor_teamForProject_description | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|-------|--------------------------|---------------|
| visibleFor_teamForProject_shortName | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| visibleFor_teamForProject_template | boolean | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |

6.1.43 TagIssuesByTagId

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/issueTags/{id}/issues`

Insert YouTrack API URL: `/issueTags/{id}/issues`

Update YouTrack API URL: `/issueTags/{id}/issues`

Delete YouTrack API URL: `/issueTags/{id}/issues`

Field Selection Method: NotRequired

Base Path: `tags[*]`

Select YouTrack API Operation: `get /issueTags/{id}/issues`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `TagIssuesByTagId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `TagIssuesByTagId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------------------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>color_\$type</code> | string | | <input type="checkbox"/> | |
| <code>color_background</code> | string | | <input type="checkbox"/> | |
| <code>color_foreground</code> | string | | <input type="checkbox"/> | |
| <code>color_id</code> | string | | <input type="checkbox"/> | |
| <code>commentsCount</code> | int32 | Comments Count | <input type="checkbox"/> | |
| <code>created</code> | int64 | Created | <input type="checkbox"/> | |
| <code>description</code> | string | Description | <input type="checkbox"/> | |
| <code>draftOwner_\$type</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_avatarUrl</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_banned</code> | boolean | | <input type="checkbox"/> | |
| <code>draftOwner_email</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_fullName</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_guest</code> | boolean | | <input type="checkbox"/> | |
| <code>draftOwner_id</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_jabberAccountName</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_login</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_online</code> | boolean | | <input type="checkbox"/> | |
| <code>draftOwner_profiles_\$type</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_profiles_id</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_ringId</code> | string | | <input type="checkbox"/> | |
| <code>externalIssue_\$type</code> | string | | <input type="checkbox"/> | |
| <code>externalIssue_id</code> | string | | <input type="checkbox"/> | |
| <code>externalIssue_key</code> | string | | <input type="checkbox"/> | |
| <code>externalIssue_name</code> | string | | <input type="checkbox"/> | |
| <code>externalIssue_url</code> | string | | <input type="checkbox"/> | |
| <code>id_1</code> | string | | <input type="checkbox"/> | |
| <code>id</code> | string | ID | <input type="checkbox"/> | |
| <code>idReadable</code> | string | Readable ID | <input type="checkbox"/> | |
| <code>isDraft</code> | boolean | Is Draft | <input type="checkbox"/> | |
| <code>name</code> | string | Name | <input type="checkbox"/> | |
| <code>numberInProject</code> | int64 | Number in Project | <input type="checkbox"/> | |
| <code>owner_\$type</code> | string | | <input type="checkbox"/> | |
| <code>owner_avatarUrl</code> | string | | <input type="checkbox"/> | |
| <code>owner_banned</code> | boolean | | <input type="checkbox"/> | |
| <code>owner_email</code> | string | | <input type="checkbox"/> | |
| <code>owner_fullName</code> | string | | <input type="checkbox"/> | |
| <code>owner_guest</code> | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------|--------------------------|---------------|
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| parent_linkType_\$type | string | | <input type="checkbox"/> | |
| parent_linkType_aggregation | boolean | | <input type="checkbox"/> | |
| parent_linkType_directed | boolean | | <input type="checkbox"/> | |
| parent_linkType_id | string | | <input type="checkbox"/> | |
| parent_linkType_localizedName | string | | <input type="checkbox"/> | |
| parent_linkType_localizedSourceToTarget | string | | <input type="checkbox"/> | |
| parent_linkType_localizedTargetToSource | string | | <input type="checkbox"/> | |
| parent_linkType_name | string | | <input type="checkbox"/> | |
| parent_linkType_readOnly | boolean | | <input type="checkbox"/> | |
| parent_linkType_sourceToTarget | string | | <input type="checkbox"/> | |
| parent_linkType_targetToSource | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_createdBy_\$type | string | | <input type="checkbox"/> | |
| project_createdBy_avatarUrl | string | | <input type="checkbox"/> | |
| project_createdBy_banned | boolean | | <input type="checkbox"/> | |
| project_createdBy_email | string | | <input type="checkbox"/> | |
| project_createdBy_fullName | string | | <input type="checkbox"/> | |
| project_createdBy_guest | boolean | | <input type="checkbox"/> | |
| project_createdBy_id | string | | <input type="checkbox"/> | |
| project_createdBy_jabberAccountName | string | | <input type="checkbox"/> | |
| project_createdBy_login | string | | <input type="checkbox"/> | |
| project_createdBy_online | boolean | | <input type="checkbox"/> | |
| project_createdBy_ringId | string | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_leader_\$type | string | | <input type="checkbox"/> | |
| project_leader_avatarUrl | string | | <input type="checkbox"/> | |
| project_leader_banned | boolean | | <input type="checkbox"/> | |
| project_leader_email | string | | <input type="checkbox"/> | |
| project_leader_fullName | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|----------------------------------|-----------|----------|--------------------------|---------------|
| project_leader_guest | boolean | | <input type="checkbox"/> | |
| project_leader_id | string | | <input type="checkbox"/> | |
| project_leader_jabberAccountName | string | | <input type="checkbox"/> | |
| project_leader_login | string | | <input type="checkbox"/> | |
| project_leader_online | boolean | | <input type="checkbox"/> | |
| project_leader_ringId | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_team_\$type | string | | <input type="checkbox"/> | |
| project_team_allUsersGroup | boolean | | <input type="checkbox"/> | |
| project_team_icon | string | | <input type="checkbox"/> | |
| project_team_id | string | | <input type="checkbox"/> | |
| project_team_name | string | | <input type="checkbox"/> | |
| project_team_ringId | string | | <input type="checkbox"/> | |
| project_team_usersCount | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_profiles_\$type | string | | <input type="checkbox"/> | |
| reporter_profiles_id | string | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| subtasks_linkType_\$type | string | | <input type="checkbox"/> | |
| subtasks_linkType_aggregation | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_directed | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_id | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedName | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|---------------|--------------------------|---------------|
| subtasks_linkType_localizedSourceToTarget | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedTargetToSource | string | | <input type="checkbox"/> | |
| subtasks_linkType_name | string | | <input type="checkbox"/> | |
| subtasks_linkType_readOnly | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_sourceToTarget | string | | <input type="checkbox"/> | |
| subtasks_linkType_targetToSource | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| untagOnResolve | boolean | | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_profiles_\$type | string | | <input type="checkbox"/> | |
| updater_profiles_id | string | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Markdown | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---------------------|-----------|----------------------|--------------------------|---------------|
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

6.1.44 TagIssuesByTagId2

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/issueTags/{id}/issues`

Insert YouTrack API URL: `/issueTags/{id}/issues`

Update YouTrack API URL: `/issueTags/{id}/issues`

Delete YouTrack API URL: `/issueTags/{id}/issues`

Field Selection Method: NotRequired

Base Path: `tags[*].issues[*]`

Select YouTrack API Operation: `get /issueTags/{id}/issues`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `TagIssuesByTagId2`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `TagIssuesByTagId2` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|---|-----------|----------------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type_2</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>color_\$type</code> | string | | <input type="checkbox"/> | |
| <code>color_background</code> | string | | <input type="checkbox"/> | |
| <code>color_foreground</code> | string | | <input type="checkbox"/> | |
| <code>color_id</code> | string | | <input type="checkbox"/> | |
| <code>commentsCount_1</code> | int32 | | <input type="checkbox"/> | |
| <code>commentsCount</code> | int32 | Comments Count | <input type="checkbox"/> | |
| <code>created_1</code> | int64 | | <input type="checkbox"/> | |
| <code>created</code> | int64 | Created | <input type="checkbox"/> | |
| <code>description_1</code> | string | | <input type="checkbox"/> | |
| <code>description</code> | string | Description | <input type="checkbox"/> | |
| <code>draftOwner_\$type</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_avatarUrl</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_banned</code> | boolean | | <input type="checkbox"/> | |
| <code>draftOwner_email</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_fullName</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_guest</code> | boolean | | <input type="checkbox"/> | |
| <code>draftOwner_id</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_jabberAccountName</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_login</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_online</code> | boolean | | <input type="checkbox"/> | |
| <code>draftOwner_profiles_\$type</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_profiles_id</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_ringId</code> | string | | <input type="checkbox"/> | |
| <code>externalIssue_\$type</code> | string | | <input type="checkbox"/> | |
| <code>externalIssue_id</code> | string | | <input type="checkbox"/> | |
| <code>externalIssue_key</code> | string | | <input type="checkbox"/> | |
| <code>externalIssue_name</code> | string | | <input type="checkbox"/> | |
| <code>externalIssue_url</code> | string | | <input type="checkbox"/> | |
| <code>id_1</code> | string | | <input type="checkbox"/> | |
| <code>id_2</code> | string | | <input type="checkbox"/> | |
| <code>id</code> | string | ID | <input type="checkbox"/> | |
| <code>idReadable_1</code> | string | | <input type="checkbox"/> | |
| <code>idReadable</code> | string | Readable ID | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------------------|--------------------------|---------------|
| isDraft_1 | boolean | | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| numberInProject_1 | int64 | | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| parent_\$type_1 | string | | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_commentsCount | int32 | | <input type="checkbox"/> | |
| parent_created | int64 | | <input type="checkbox"/> | |
| parent_description | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id_1 | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| parent_idReadable | string | | <input type="checkbox"/> | |
| parent_isDraft | boolean | | <input type="checkbox"/> | |
| parent_linkType_\$type | string | | <input type="checkbox"/> | |
| parent_linkType_aggregation | boolean | | <input type="checkbox"/> | |
| parent_linkType_directed | boolean | | <input type="checkbox"/> | |
| parent_linkType_id | string | | <input type="checkbox"/> | |
| parent_linkType_localizedName | string | | <input type="checkbox"/> | |
| parent_linkType_localizedSourceToTarget | string | | <input type="checkbox"/> | |
| parent_linkType_localizedTargetToSource | string | | <input type="checkbox"/> | |
| parent_linkType_name | string | | <input type="checkbox"/> | |
| parent_linkType_readOnly | boolean | | <input type="checkbox"/> | |
| parent_linkType_sourceToTarget | string | | <input type="checkbox"/> | |
| parent_linkType_targetToSource | string | | <input type="checkbox"/> | |
| parent_numberInProject | int64 | | <input type="checkbox"/> | |
| parent_resolved | int64 | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|-------------------------------------|-----------|------------|--------------------------|---------------|
| parent_summary | string | | <input type="checkbox"/> | |
| parent_updated | int64 | | <input type="checkbox"/> | |
| parent_usesMarkdown | boolean | | <input type="checkbox"/> | |
| parent_votes | int32 | | <input type="checkbox"/> | |
| parent_wikifiedDescription | string | | <input type="checkbox"/> | |
| project_\$type | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_commentsCount | int32 | | <input type="checkbox"/> | |
| project_created | int64 | | <input type="checkbox"/> | |
| project_createdBy_\$type | string | | <input type="checkbox"/> | |
| project_createdBy_avatarUrl | string | | <input type="checkbox"/> | |
| project_createdBy_banned | boolean | | <input type="checkbox"/> | |
| project_createdBy_email | string | | <input type="checkbox"/> | |
| project_createdBy_fullName | string | | <input type="checkbox"/> | |
| project_createdBy_guest | boolean | | <input type="checkbox"/> | |
| project_createdBy_id | string | | <input type="checkbox"/> | |
| project_createdBy_jabberAccountName | string | | <input type="checkbox"/> | |
| project_createdBy_login | string | | <input type="checkbox"/> | |
| project_createdBy_online | boolean | | <input type="checkbox"/> | |
| project_createdBy_ringId | string | | <input type="checkbox"/> | |
| project_description_1 | string | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_id | string | project_id | <input type="checkbox"/> | |
| project_idReadable | string | | <input type="checkbox"/> | |
| project_isDraft | boolean | | <input type="checkbox"/> | |
| project_leader_\$type | string | | <input type="checkbox"/> | |
| project_leader_avatarUrl | string | | <input type="checkbox"/> | |
| project_leader_banned | boolean | | <input type="checkbox"/> | |
| project_leader_email | string | | <input type="checkbox"/> | |
| project_leader_fullName | string | | <input type="checkbox"/> | |
| project_leader_guest | boolean | | <input type="checkbox"/> | |
| project_leader_id | string | | <input type="checkbox"/> | |
| project_leader_jabberAccountName | string | | <input type="checkbox"/> | |
| project_leader_login | string | | <input type="checkbox"/> | |
| project_leader_online | boolean | | <input type="checkbox"/> | |
| project_leader_ringId | string | | <input type="checkbox"/> | |
| project_numberInProject | int64 | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|-----------------------------|-----------|----------|--------------------------|---------------|
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_resolved | int64 | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_summary | string | | <input type="checkbox"/> | |
| project_team_\$type | string | | <input type="checkbox"/> | |
| project_team_allUsersGroup | boolean | | <input type="checkbox"/> | |
| project_team_icon | string | | <input type="checkbox"/> | |
| project_team_id | string | | <input type="checkbox"/> | |
| project_team_name | string | | <input type="checkbox"/> | |
| project_team_ringId | string | | <input type="checkbox"/> | |
| project_team_usersCount | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| project_updated | int64 | | <input type="checkbox"/> | |
| project_usesMarkdown | boolean | | <input type="checkbox"/> | |
| project_wikifiedDescription | string | | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_profiles_\$type | string | | <input type="checkbox"/> | |
| reporter_profiles_id | string | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved_1 | int64 | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| subtasks_\$type_1 | string | | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_commentsCount | int32 | | <input type="checkbox"/> | |
| subtasks_created | int64 | | <input type="checkbox"/> | |
| subtasks_description | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id_1 | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| subtasks_idReadable | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|---------|--------------------------|---------------|
| subtasks_isDraft | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_\$type | string | | <input type="checkbox"/> | |
| subtasks_linkType_aggregation | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_directed | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_id | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedName | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedSourceToTarget | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedTargetToSource | string | | <input type="checkbox"/> | |
| subtasks_linkType_name | string | | <input type="checkbox"/> | |
| subtasks_linkType_readOnly | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_sourceToTarget | string | | <input type="checkbox"/> | |
| subtasks_linkType_targetToSource | string | | <input type="checkbox"/> | |
| subtasks_numberInProject | int64 | | <input type="checkbox"/> | |
| subtasks_resolved | int64 | | <input type="checkbox"/> | |
| subtasks_summary | string | | <input type="checkbox"/> | |
| subtasks_updated | int64 | | <input type="checkbox"/> | |
| subtasks_usesMarkdown | boolean | | <input type="checkbox"/> | |
| subtasks_votes | int32 | | <input type="checkbox"/> | |
| subtasks_wikifiedDescription | string | | <input type="checkbox"/> | |
| summary_1 | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| untagOnResolve | boolean | | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| updated_1 | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--------------------------|-----------|----------------------|--------------------------|---------------|
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_profiles_\$type | string | | <input type="checkbox"/> | |
| updater_profiles_id | string | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| usesMarkdown_1 | boolean | | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Mark Down | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes_1 | int32 | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription_1 | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

7 Schema: Backups

7.1 Tables

7.1.1 DatabaseBackupById

Catalog: YouTrack

Schema: Backups

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/databaseBackup/backups/{id}`

Insert YouTrack API URL: `/admin/databaseBackup/backups/{id}`

Update YouTrack API URL: `/admin/databaseBackup/backups/{id}`

Delete YouTrack API URL: `/admin/databaseBackup/backups/{id}`

Field Selection Method: NotRequired

Select YouTrack API Operation: `get /admin/databaseBackup/backups/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `DatabaseBackupById`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `DatabaseBackupById` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|--------------|-----------|---------------|--------------------------|---------------|
| \$type | string | | <input type="checkbox"/> | |
| creationDate | int64 | Creation Date | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| link | string | Link | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| size | int64 | Size | <input type="checkbox"/> | |

7.1.2 DatabaseBackups

Catalog: YouTrack

Schema: Backups

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/databaseBackup/backups`

Insert YouTrack API URL: `/admin/databaseBackup/backups`

Update YouTrack API URL: `/admin/databaseBackup/backups`

Delete YouTrack API URL: /admin/databaseBackup/backups

Field Selection Method: NotRequired

Select YouTrack API Operation: get /admin/databaseBackup/backups

Table Function Columns

The columns of the table function DatabaseBackups are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|--------------|-----------|---------------|--------------------------|---------------|
| \$type | string | | <input type="checkbox"/> | |
| creationDate | int64 | Creation Date | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| link | string | Link | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| size | int64 | Size | <input type="checkbox"/> | |

7.1.3 DatabaseBackupSettingBackupStatuses

Catalog: YouTrack

Schema: Backups

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /admin/databaseBackup/settings/backupStatus

Insert YouTrack API URL: /admin/databaseBackup/settings/backupStatus

Update YouTrack API URL: /admin/databaseBackup/settings/backupStatus

Delete YouTrack API URL: /admin/databaseBackup/settings/backupStatus

Field Selection Method: NotRequired

Select YouTrack API Operation:

get /admin/databaseBackup/settings/backupStatus

Table Function Columns

The columns of the table function DatabaseBackupSettingBackupStatuses are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|--------------------------|-----------|------------------|--------------------------|---------------|
| \$type | string | | <input type="checkbox"/> | |
| backupCancelled | boolean | Backup Cancelled | <input type="checkbox"/> | |
| backupError_\$type | string | | <input type="checkbox"/> | |
| backupError_date | int64 | | <input type="checkbox"/> | |
| backupError_errorMessage | string | | <input type="checkbox"/> | |
| backupError_id | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|------------------|-----------|--------------------|--------------------------|---------------|
| backupInProgress | boolean | Backup in Progress | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |

7.1.4 DatabaseBackupSettings

Catalog: YouTrack

Schema: Backups

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/databaseBackup/settings`

Insert YouTrack API URL: `/admin/databaseBackup/settings`

Update YouTrack API URL: `/admin/databaseBackup/settings`

Delete YouTrack API URL: `/admin/databaseBackup/settings`

Field Selection Method: NotRequired

Select YouTrack API Operation: `get /admin/databaseBackup/settings`

Table Function Columns

The columns of the table function `DatabaseBackupSettings` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|---------------------------------------|-----------|----------------------|--------------------------|---------------|
| \$type | string | | <input type="checkbox"/> | |
| archiveFormat | string | Archive Format | <input type="checkbox"/> | |
| availableDiskSpace | int64 | Available Disk Space | <input type="checkbox"/> | |
| backupStatus_\$type | string | | <input type="checkbox"/> | |
| backupStatus_backupCancelled | boolean | | <input type="checkbox"/> | |
| backupStatus_backupError_\$type | string | | <input type="checkbox"/> | |
| backupStatus_backupError_date | int64 | | <input type="checkbox"/> | |
| backupStatus_backupError_errorMessage | string | | <input type="checkbox"/> | |
| backupStatus_backupError_id | string | | <input type="checkbox"/> | |
| backupStatus_backupInProgress | boolean | | <input type="checkbox"/> | |
| backupStatus_id | string | | <input type="checkbox"/> | |
| cronExpression | string | Cron Expression | <input type="checkbox"/> | |
| filesToKeep | int32 | Files to Keep | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| isOn | boolean | Is On | <input type="checkbox"/> | |
| location | string | Location | <input type="checkbox"/> | |

7.1.5 NotifiedUserSavedQuerySettings

Catalog: YouTrack

Schema: Backups

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/databaseBackup/settings`

Insert YouTrack API URL: `/admin/databaseBackup/settings`

Update YouTrack API URL: `/admin/databaseBackup/settings`

Delete YouTrack API URL: `/admin/databaseBackup/settings`

Field Selection Method: NotRequired

Base Path: `notifiedUsers[*].savedQueries[*]`

Select YouTrack API Operation: `get /admin/databaseBackup/settings`

Table Function Columns

The columns of the table function `NotifiedUserSavedQuerySettings` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|--|-----------|----------------------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type_2</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>archiveFormat</code> | string | Archive Format | <input type="checkbox"/> | |
| <code>availableDiskSpace</code> | int64 | Available Disk Space | <input type="checkbox"/> | |
| <code>avatarUrl</code> | string | Avatar (URL) | <input type="checkbox"/> | |
| <code>backupStatus_\$type</code> | string | | <input type="checkbox"/> | |
| <code>backupStatus_backupCancelled</code> | boolean | | <input type="checkbox"/> | |
| <code>backupStatus_backupError_\$type</code> | string | | <input type="checkbox"/> | |
| <code>backupStatus_backupError_date</code> | int64 | | <input type="checkbox"/> | |
| <code>backupStatus_backupError_errorMessage</code> | string | | <input type="checkbox"/> | |
| <code>backupStatus_backupError_id</code> | string | | <input type="checkbox"/> | |
| <code>backupStatus_backupInProgress</code> | boolean | | <input type="checkbox"/> | |
| <code>backupStatus_id</code> | string | | <input type="checkbox"/> | |
| <code>banned</code> | boolean | Banned | <input type="checkbox"/> | |
| <code>cronExpression</code> | string | Cron Expression | <input type="checkbox"/> | |
| <code>email</code> | string | Email | <input type="checkbox"/> | |
| <code>filesToKeep</code> | int32 | Files to Keep | <input type="checkbox"/> | |
| <code>fullName</code> | string | Full Name | <input type="checkbox"/> | |
| <code>guest</code> | boolean | Guest | <input type="checkbox"/> | |
| <code>id_1</code> | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|-------------------|-----------|---------------------|--------------------------|---------------|
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| isOn | boolean | Is On | <input type="checkbox"/> | |
| jabberAccountName | string | Jabber Account Name | <input type="checkbox"/> | |
| location | string | Location | <input type="checkbox"/> | |
| login | string | Login | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| online | boolean | Online | <input type="checkbox"/> | |
| profiles_\$type | string | | <input type="checkbox"/> | |
| profiles_id | string | | <input type="checkbox"/> | |
| query | string | Query | <input type="checkbox"/> | |
| ringId | string | Ring ID | <input type="checkbox"/> | |

7.1.6 NotifiedUserSettings

Catalog: YouTrack

Schema: Backups

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/databaseBackup/settings`

Insert YouTrack API URL: `/admin/databaseBackup/settings`

Update YouTrack API URL: `/admin/databaseBackup/settings`

Delete YouTrack API URL: `/admin/databaseBackup/settings`

Field Selection Method: `NotRequired`

Base Path: `notifiedUsers[*]`

Select YouTrack API Operation: `get /admin/databaseBackup/settings`

Table Function Columns

The columns of the table function `NotifiedUserSettings` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|---|-----------|----------------------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>archiveFormat</code> | string | Archive Format | <input type="checkbox"/> | |
| <code>availableDiskSpace</code> | int64 | Available Disk Space | <input type="checkbox"/> | |
| <code>avatarUrl</code> | string | Avatar (URL) | <input type="checkbox"/> | |
| <code>backupStatus_\$type</code> | string | | <input type="checkbox"/> | |
| <code>backupStatus_backupCancelled</code> | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---------------------------------------|-----------|---------------------|--------------------------|---------------|
| backupStatus_backupError_\$type | string | | <input type="checkbox"/> | |
| backupStatus_backupError_date | int64 | | <input type="checkbox"/> | |
| backupStatus_backupError_errorMessage | string | | <input type="checkbox"/> | |
| backupStatus_backupError_id | string | | <input type="checkbox"/> | |
| backupStatus_backupInProgress | boolean | | <input type="checkbox"/> | |
| backupStatus_id | string | | <input type="checkbox"/> | |
| banned | boolean | Banned | <input type="checkbox"/> | |
| cronExpression | string | Cron Expression | <input type="checkbox"/> | |
| email | string | Email | <input type="checkbox"/> | |
| filesToKeep | int32 | Files to Keep | <input type="checkbox"/> | |
| fullName | string | Full Name | <input type="checkbox"/> | |
| guest | boolean | Guest | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| isOn | boolean | Is On | <input type="checkbox"/> | |
| jabberAccountName | string | Jabber Account Name | <input type="checkbox"/> | |
| location | string | Location | <input type="checkbox"/> | |
| login | string | Login | <input type="checkbox"/> | |
| online | boolean | Online | <input type="checkbox"/> | |
| profiles_\$type | string | | <input type="checkbox"/> | |
| profiles_id | string | | <input type="checkbox"/> | |
| ringId | string | Ring ID | <input type="checkbox"/> | |

7.1.7 NotifiedUserTagSettings

Catalog: YouTrack

Schema: Backups

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/databaseBackup/settings`

Insert YouTrack API URL: `/admin/databaseBackup/settings`

Update YouTrack API URL: `/admin/databaseBackup/settings`

Delete YouTrack API URL: `/admin/databaseBackup/settings`

Field Selection Method: `NotRequired`

Base Path: `notifiedUsers[*].tags[*]`

Select YouTrack API Operation: `get /admin/databaseBackup/settings`

Table Function Columns

The columns of the table function `NotifiedUserTagSettings` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|--|-----------|----------------------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type_2</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>archiveFormat</code> | string | Archive Format | <input type="checkbox"/> | |
| <code>availableDiskSpace</code> | int64 | Available Disk Space | <input type="checkbox"/> | |
| <code>avatarUrl</code> | string | Avatar (URL) | <input type="checkbox"/> | |
| <code>backupStatus_\$type</code> | string | | <input type="checkbox"/> | |
| <code>backupStatus_backupCancelled</code> | boolean | | <input type="checkbox"/> | |
| <code>backupStatus_backupError_\$type</code> | string | | <input type="checkbox"/> | |
| <code>backupStatus_backupError_date</code> | int64 | | <input type="checkbox"/> | |
| <code>backupStatus_backupError_errorMessage</code> | string | | <input type="checkbox"/> | |
| <code>backupStatus_backupError_id</code> | string | | <input type="checkbox"/> | |
| <code>backupStatus_backupInProgress</code> | boolean | | <input type="checkbox"/> | |
| <code>backupStatus_id</code> | string | | <input type="checkbox"/> | |
| <code>banned</code> | boolean | Banned | <input type="checkbox"/> | |
| <code>cronExpression</code> | string | Cron Expression | <input type="checkbox"/> | |
| <code>email</code> | string | Email | <input type="checkbox"/> | |
| <code>filesToKeep</code> | int32 | Files to Keep | <input type="checkbox"/> | |
| <code>fullName</code> | string | Full Name | <input type="checkbox"/> | |
| <code>guest</code> | boolean | Guest | <input type="checkbox"/> | |
| <code>id_1</code> | string | | <input type="checkbox"/> | |
| <code>id_2</code> | string | | <input type="checkbox"/> | |
| <code>id</code> | string | ID | <input type="checkbox"/> | |
| <code>isOn</code> | boolean | Is On | <input type="checkbox"/> | |
| <code>jabberAccountName</code> | string | Jabber Account Name | <input type="checkbox"/> | |
| <code>location</code> | string | Location | <input type="checkbox"/> | |
| <code>login</code> | string | Login | <input type="checkbox"/> | |
| <code>name</code> | string | Name | <input type="checkbox"/> | |
| <code>online</code> | boolean | Online | <input type="checkbox"/> | |
| <code>profiles_\$type</code> | string | | <input type="checkbox"/> | |
| <code>profiles_id</code> | string | | <input type="checkbox"/> | |
| <code>ringId</code> | string | Ring ID | <input type="checkbox"/> | |
| <code>untagOnResolve</code> | boolean | | <input type="checkbox"/> | |

8 Schema: CustomFields

8.1 Tables

8.1.1 CustomFieldAggregatedUserSavedQueriesByUserBundleId

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}`

Field Selection Method: NotRequired

Base Path: `aggregatedUsers[*].savedQueries[*]`

Select YouTrack API Operation:

`get /admin/customFieldSettings/bundles/user/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldAggregatedUserSavedQueriesByUserBundleId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `CustomFieldAggregatedUserSavedQueriesByUserBundleId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|-----------------------|-----------|-------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|-------------------|-----------|---------------------|--------------------------|---------------|
| \$type_2 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| avatarUrl | string | Avatar (URL) | <input type="checkbox"/> | |
| banned | boolean | Banned | <input type="checkbox"/> | |
| email | string | Email | <input type="checkbox"/> | |
| fullName | string | Full Name | <input type="checkbox"/> | |
| guest | boolean | Guest | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| isUpdateable | boolean | Is Updateable | <input type="checkbox"/> | |
| jabberAccountName | string | Jabber Account Name | <input type="checkbox"/> | |
| login | string | Login | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| online | boolean | Online | <input type="checkbox"/> | |
| profiles_\$type | string | | <input type="checkbox"/> | |
| profiles_id | string | | <input type="checkbox"/> | |
| query | string | Query | <input type="checkbox"/> | |
| ringId | string | Ring ID | <input type="checkbox"/> | |

8.1.2 CustomFieldAggregatedUsersByUserBundleId

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}`

Field Selection Method: NotRequired

Base Path: `aggregatedUsers[*]`

Select YouTrack API Operation:

`get /admin/customFieldSettings/bundles/user/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldAggregatedUsersByUserBundleId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the

execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `CustomFieldAggregatedUsersByUserBundleId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|-------------------|-----------|---------------------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| avatarUrl | string | Avatar (URL) | <input type="checkbox"/> | |
| banned | boolean | Banned | <input type="checkbox"/> | |
| email | string | Email | <input type="checkbox"/> | |
| fullName | string | Full Name | <input type="checkbox"/> | |
| guest | boolean | Guest | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| isUpdateable | boolean | Is Updateable | <input type="checkbox"/> | |
| jabberAccountName | string | Jabber Account Name | <input type="checkbox"/> | |
| login | string | Login | <input type="checkbox"/> | |
| online | boolean | Online | <input type="checkbox"/> | |
| profiles_\$type | string | | <input type="checkbox"/> | |
| profiles_id | string | | <input type="checkbox"/> | |
| ringId | string | Ring ID | <input type="checkbox"/> | |

8.1.3 CustomFieldAggregatedUserTagsByUserBundleId

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}`

Field Selection Method: NotRequired

Base Path: `aggregatedUsers[*].tags[*]`

Select YouTrack API Operation:

`get /admin/customFieldSettings/bundles/user/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldAggregatedUserTagsByUserBundleId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function

`CustomFieldAggregatedUserTagsByUserBundleId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|-----------------------|-----------|--------------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type_2</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| avatarUrl | string | Avatar (URL) | <input type="checkbox"/> | |
| banned | boolean | Banned | <input type="checkbox"/> | |
| email | string | Email | <input type="checkbox"/> | |
| fullName | string | Full Name | <input type="checkbox"/> | |
| guest | boolean | Guest | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|-------------------|-----------|---------------------|--------------------------|---------------|
| id | string | ID | <input type="checkbox"/> | |
| isUpdateable | boolean | Is Updateable | <input type="checkbox"/> | |
| jabberAccountName | string | Jabber Account Name | <input type="checkbox"/> | |
| login | string | Login | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| online | boolean | Online | <input type="checkbox"/> | |
| profiles_\$type | string | | <input type="checkbox"/> | |
| profiles_id | string | | <input type="checkbox"/> | |
| ringId | string | Ring ID | <input type="checkbox"/> | |
| untagOnResolve | boolean | | <input type="checkbox"/> | |

8.1.4 CustomFieldBuildBundles

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/build`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/build`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/build`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/build`

Field Selection Method: NotRequired

Select YouTrack API Operation:

`get /admin/customFieldSettings/bundles/build`

Table Function Columns

The columns of the table function `CustomFieldBuildBundles` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|--------------|-----------|---------------|--------------------------|---------------|
| \$type | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| isUpdateable | boolean | Is Updateable | <input type="checkbox"/> | |

8.1.5 CustomFieldBuildByBuildBundleId

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/build/{id}`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/build/{id}`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/build/{id}`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/build/{id}`

Field Selection Method: `NotRequired`

Select YouTrack API Operation:

`get /admin/customFieldSettings/bundles/build/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldBuildByBuildBundleId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `CustomFieldBuildByBuildBundleId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|--------------|-----------|---------------|--------------------------|---------------|
| \$type | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| isUpdateable | boolean | Is Updateable | <input type="checkbox"/> | |

8.1.6 CustomFieldBuildByBuildBundleIdAndElementId

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/build/{id}/values/{buildBundleElementId}`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/build/{id}/values/{buildBundleElementId}`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/build/{id}/values/{buildBundleElementId}`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/build/{id}/values/{buildBundleElementId}`

Field Selection Method: `NotRequired`

Select YouTrack API Operation:

`get /admin/customFieldSettings/bundles/build/{id}/values/{buildBundleElementId}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldBuildByBuildBundleIdAndElementId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|-----------------------------------|-----------|-------------------------------------|---------------|---------------|
| <code>buildBundleElementId</code> | string | <input checked="" type="checkbox"/> | | |
| <code>id</code> | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function

`CustomFieldBuildByBuildBundleIdAndElementId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|----------------------------|-----------|---------------|--------------------------|---------------|
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>assembleDate</code> | int64 | Assembly Date | <input type="checkbox"/> | |
| <code>bundle_\$type</code> | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---------------------|-----------|-----------------|--------------------------|---------------|
| bundle_id | string | | <input type="checkbox"/> | |
| bundle_isUpdateable | boolean | | <input type="checkbox"/> | |
| color_\$type | string | | <input type="checkbox"/> | |
| color_background | string | | <input type="checkbox"/> | |
| color_foreground | string | | <input type="checkbox"/> | |
| color_id | string | | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| hasRunningJob | boolean | Has Running Job | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| ordinal | int32 | Ordinal | <input type="checkbox"/> | |

8.1.7 CustomFieldBuildValues

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/build`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/build`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/build`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/build`

Field Selection Method: `NotRequired`

Base Path: `values[*]`

Select YouTrack API Operation:

`get /admin/customFieldSettings/bundles/build`

Table Function Columns

The columns of the table function `CustomFieldBuildValues` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|-----------------|-----------|---------------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type_2 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| assembleDate | int64 | Assembly Date | <input type="checkbox"/> | |
| bundle_\$type_1 | string | | <input type="checkbox"/> | |
| bundle_\$type | string | | <input type="checkbox"/> | |
| bundle_id_1 | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|-----------------------|-----------|-----------------|--------------------------|---------------|
| bundle_id | string | | <input type="checkbox"/> | |
| bundle_isUpdateable_1 | boolean | | <input type="checkbox"/> | |
| bundle_isUpdateable | boolean | | <input type="checkbox"/> | |
| color_\$type_1 | string | | <input type="checkbox"/> | |
| color_\$type | string | | <input type="checkbox"/> | |
| color_background_1 | string | | <input type="checkbox"/> | |
| color_background | string | | <input type="checkbox"/> | |
| color_foreground_1 | string | | <input type="checkbox"/> | |
| color_foreground | string | | <input type="checkbox"/> | |
| color_id_1 | string | | <input type="checkbox"/> | |
| color_id | string | | <input type="checkbox"/> | |
| description_1 | string | | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| hasRunningJob_1 | boolean | | <input type="checkbox"/> | |
| hasRunningJob | boolean | Has Running Job | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| isUpdateable | boolean | Is Updateable | <input type="checkbox"/> | |
| name_1 | string | | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| ordinal_1 | int32 | | <input type="checkbox"/> | |
| ordinal | int32 | Ordinal | <input type="checkbox"/> | |

8.1.8 CustomFieldBuildValuesByBuildBundleId

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/build/{id}`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/build/{id}`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/build/{id}`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/build/{id}`

Field Selection Method: NotRequired

Base Path: `values[*]`

Select YouTrack API Operation:

`get /admin/customFieldSettings/bundles/build/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldBuildValuesByBuildBundleId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `CustomFieldBuildValuesByBuildBundleId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|-----------------------|-----------|---------------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type_2 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| assembleDate | int64 | Assembly Date | <input type="checkbox"/> | |
| bundle_\$type_1 | string | | <input type="checkbox"/> | |
| bundle_\$type | string | | <input type="checkbox"/> | |
| bundle_id_1 | string | | <input type="checkbox"/> | |
| bundle_id | string | | <input type="checkbox"/> | |
| bundle_isUpdateable_1 | boolean | | <input type="checkbox"/> | |
| bundle_isUpdateable | boolean | | <input type="checkbox"/> | |
| color_\$type_1 | string | | <input type="checkbox"/> | |
| color_\$type | string | | <input type="checkbox"/> | |
| color_background_1 | string | | <input type="checkbox"/> | |
| color_background | string | | <input type="checkbox"/> | |
| color_foreground_1 | string | | <input type="checkbox"/> | |
| color_foreground | string | | <input type="checkbox"/> | |
| color_id_1 | string | | <input type="checkbox"/> | |
| color_id | string | | <input type="checkbox"/> | |
| description_1 | string | | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|-----------------|-----------|-----------------|--------------------------|---------------|
| hasRunningJob_1 | boolean | | <input type="checkbox"/> | |
| hasRunningJob | boolean | Has Running Job | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| isUpdateable | boolean | Is Updateable | <input type="checkbox"/> | |
| name_1 | string | | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| ordinal_1 | int32 | | <input type="checkbox"/> | |
| ordinal | int32 | Ordinal | <input type="checkbox"/> | |

8.1.9 CustomFieldBuildValuesByBuildBundleId1

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/build/{id}/values`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/build/{id}/values`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/build/{id}/values`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/build/{id}/values`

Field Selection Method: NotRequired

Select YouTrack API Operation:

`get /admin/customFieldSettings/bundles/build/{id}/values`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldBuildValuesByBuildBundleId1`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the

default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `CustomFieldBuildValuesByBuildBundleId1` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|---------------------|-----------|-----------------|--------------------------|---------------|
| \$type | string | | <input type="checkbox"/> | |
| assembleDate | int64 | Assembly Date | <input type="checkbox"/> | |
| bundle_\$type | string | | <input type="checkbox"/> | |
| bundle_id | string | | <input type="checkbox"/> | |
| bundle_isUpdateable | boolean | | <input type="checkbox"/> | |
| color_\$type | string | | <input type="checkbox"/> | |
| color_background | string | | <input type="checkbox"/> | |
| color_foreground | string | | <input type="checkbox"/> | |
| color_id | string | | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| hasRunningJob | boolean | Has Running Job | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| ordinal | int32 | Ordinal | <input type="checkbox"/> | |

8.1.10 CustomFieldEnumBundleByEnumFieldBundleId

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/enum/{id}`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/enum/{id}`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/enum/{id}`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/enum/{id}`

Field Selection Method: NotRequired

Select YouTrack API Operation:

`get /admin/customFieldSettings/bundles/enum/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldEnumBundleByEnumFieldBundleId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `CustomFieldEnumBundleByEnumFieldBundleId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|--------------|-----------|---------------|--------------------------|---------------|
| \$type | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| isUpdateable | boolean | Is Updateable | <input type="checkbox"/> | |

8.1.11 CustomFieldEnumBundles

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/enum`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/enum`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/enum`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/enum`

Field Selection Method: NotRequired

Select YouTrack API Operation: `get /admin/customFieldSettings/bundles/enum`

Table Function Columns

The columns of the table function `CustomFieldEnumBundles` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|--------------|-----------|---------------|--------------------------|---------------|
| \$type | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| isUpdateable | boolean | Is Updateable | <input type="checkbox"/> | |

8.1.12 CustomFieldEnumBundleValuesByEnumFieldBundleId

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/enum/{id}`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/enum/{id}`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/enum/{id}`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/enum/{id}`

Field Selection Method: NotRequired

Base Path: `values[*]`

Select YouTrack API Operation:

`get /admin/customFieldSettings/bundles/enum/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldEnumBundleValuesByEnumFieldBundleId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `CustomFieldEnumBundleValuesByEnumFieldBundleId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|------------------------------------|-----------|-----------------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type_2</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>bundle_\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>bundle_\$type</code> | string | | <input type="checkbox"/> | |
| <code>bundle_id_1</code> | string | | <input type="checkbox"/> | |
| <code>bundle_id</code> | string | | <input type="checkbox"/> | |
| <code>bundle_isUpdateable_1</code> | boolean | | <input type="checkbox"/> | |
| <code>bundle_isUpdateable</code> | boolean | | <input type="checkbox"/> | |
| <code>color_\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>color_\$type</code> | string | | <input type="checkbox"/> | |
| <code>color_background_1</code> | string | | <input type="checkbox"/> | |
| <code>color_background</code> | string | | <input type="checkbox"/> | |
| <code>color_foreground_1</code> | string | | <input type="checkbox"/> | |
| <code>color_foreground</code> | string | | <input type="checkbox"/> | |
| <code>color_id_1</code> | string | | <input type="checkbox"/> | |
| <code>color_id</code> | string | | <input type="checkbox"/> | |
| <code>description_1</code> | string | | <input type="checkbox"/> | |
| <code>description</code> | string | Description | <input type="checkbox"/> | |
| <code>hasRunningJob_1</code> | boolean | | <input type="checkbox"/> | |
| <code>hasRunningJob</code> | boolean | Has Running Job | <input type="checkbox"/> | |
| <code>id_1</code> | string | | <input type="checkbox"/> | |
| <code>id_2</code> | string | | <input type="checkbox"/> | |
| <code>id</code> | string | ID | <input type="checkbox"/> | |
| <code>isUpdateable</code> | boolean | Is Updateable | <input type="checkbox"/> | |
| <code>localizedName</code> | string | Localized Name | <input type="checkbox"/> | |
| <code>name_1</code> | string | | <input type="checkbox"/> | |
| <code>name</code> | string | Name | <input type="checkbox"/> | |
| <code>ordinal_1</code> | int32 | | <input type="checkbox"/> | |
| <code>ordinal</code> | int32 | Ordinal | <input type="checkbox"/> | |

8.1.13 CustomFieldEnumByEnumFieldBundleId

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/enum/{id}/values`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/enum/{id}/values`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/enum/{id}/values`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/enum/{id}/values`

Field Selection Method: NotRequired

Select YouTrack API Operation:

`get /admin/customFieldSettings/bundles/enum/{id}/values`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldEnumByEnumFieldBundleId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `CustomFieldEnumByEnumFieldBundleId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|---------------------|-----------|-------------|--------------------------|---------------|
| \$type | string | | <input type="checkbox"/> | |
| bundle_\$type | string | | <input type="checkbox"/> | |
| bundle_id | string | | <input type="checkbox"/> | |
| bundle_isUpdateable | boolean | | <input type="checkbox"/> | |
| color_\$type | string | | <input type="checkbox"/> | |
| color_background | string | | <input type="checkbox"/> | |
| color_foreground | string | | <input type="checkbox"/> | |
| color_id | string | | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---------------|-----------|-----------------|--------------------------|---------------|
| hasRunningJob | boolean | Has Running Job | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| localizedName | string | Localized Name | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| ordinal | int32 | Ordinal | <input type="checkbox"/> | |

8.1.14 CustomFieldEnumByEnumFieldBundleIdAndElementId

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/enum/{id}/values/{enumBundleElementId}`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/enum/{id}/values/{enumBundleElementId}`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/enum/{id}/values/{enumBundleElementId}`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/enum/{id}/values/{enumBundleElementId}`

Field Selection Method: NotRequired

Select YouTrack API Operation:

`get /admin/customFieldSettings/bundles/enum/{id}/values/{enumBundleElementId}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldEnumByEnumFieldBundleIdAndElementId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|---------------------|-----------|-------------------------------------|---------------|---------------|
| enumBundleElementId | string | <input checked="" type="checkbox"/> | | |

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `CustomFieldEnumByEnumFieldBundleIdAndElementId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|---------------------|-----------|-----------------|--------------------------|---------------|
| \$type | string | | <input type="checkbox"/> | |
| bundle_\$type | string | | <input type="checkbox"/> | |
| bundle_id | string | | <input type="checkbox"/> | |
| bundle_isUpdateable | boolean | | <input type="checkbox"/> | |
| color_\$type | string | | <input type="checkbox"/> | |
| color_background | string | | <input type="checkbox"/> | |
| color_foreground | string | | <input type="checkbox"/> | |
| color_id | string | | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| hasRunningJob | boolean | Has Running Job | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| localizedName | string | Localized Name | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| ordinal | int32 | Ordinal | <input type="checkbox"/> | |

8.1.15 CustomFieldEnumValues

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/enum`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/enum`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/enum`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/enum`

Field Selection Method: NotRequired

Base Path: `values[*]`

Select YouTrack API Operation: `get /admin/customFieldSettings/bundles/enum`

Table Function Columns

The columns of the table function `CustomFieldEnumValues` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|------------------------------------|-----------|-----------------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type_2</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>bundle_\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>bundle_\$type</code> | string | | <input type="checkbox"/> | |
| <code>bundle_id_1</code> | string | | <input type="checkbox"/> | |
| <code>bundle_id</code> | string | | <input type="checkbox"/> | |
| <code>bundle_isUpdateable_1</code> | boolean | | <input type="checkbox"/> | |
| <code>bundle_isUpdateable</code> | boolean | | <input type="checkbox"/> | |
| <code>color_\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>color_\$type</code> | string | | <input type="checkbox"/> | |
| <code>color_background_1</code> | string | | <input type="checkbox"/> | |
| <code>color_background</code> | string | | <input type="checkbox"/> | |
| <code>color_foreground_1</code> | string | | <input type="checkbox"/> | |
| <code>color_foreground</code> | string | | <input type="checkbox"/> | |
| <code>color_id_1</code> | string | | <input type="checkbox"/> | |
| <code>color_id</code> | string | | <input type="checkbox"/> | |
| <code>description_1</code> | string | | <input type="checkbox"/> | |
| <code>description</code> | string | Description | <input type="checkbox"/> | |
| <code>hasRunningJob_1</code> | boolean | | <input type="checkbox"/> | |
| <code>hasRunningJob</code> | boolean | Has Running Job | <input type="checkbox"/> | |
| <code>id_1</code> | string | | <input type="checkbox"/> | |
| <code>id_2</code> | string | | <input type="checkbox"/> | |
| <code>id</code> | string | ID | <input type="checkbox"/> | |
| <code>isUpdateable</code> | boolean | Is Updateable | <input type="checkbox"/> | |
| <code>localizedName</code> | string | Localized Name | <input type="checkbox"/> | |
| <code>name_1</code> | string | | <input type="checkbox"/> | |
| <code>name</code> | string | Name | <input type="checkbox"/> | |
| <code>ordinal_1</code> | int32 | | <input type="checkbox"/> | |
| <code>ordinal</code> | int32 | Ordinal | <input type="checkbox"/> | |

8.1.16 CustomFieldIndividualUsers

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/user`

Insert YouTrack API URL: /admin/customFieldSettings/bundles/user

Update YouTrack API URL: /admin/customFieldSettings/bundles/user

Delete YouTrack API URL: /admin/customFieldSettings/bundles/user

Field Selection Method: NotRequired

Base Path: individuals[*]

Select YouTrack API Operation: get /admin/customFieldSettings/bundles/user

Table Function Columns

The columns of the table function CustomFieldIndividualUsers are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|-------------------|-----------|---------------------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| avatarUrl | string | Avatar (URL) | <input type="checkbox"/> | |
| banned | boolean | Banned | <input type="checkbox"/> | |
| email | string | Email | <input type="checkbox"/> | |
| fullName | string | Full Name | <input type="checkbox"/> | |
| guest | boolean | Guest | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| isUpdateable | boolean | Is Updateable | <input type="checkbox"/> | |
| jabberAccountName | string | Jabber Account Name | <input type="checkbox"/> | |
| login | string | Login | <input type="checkbox"/> | |
| online | boolean | Online | <input type="checkbox"/> | |
| profiles_\$type | string | | <input type="checkbox"/> | |
| profiles_id | string | | <input type="checkbox"/> | |
| ringId | string | Ring ID | <input type="checkbox"/> | |

8.1.17 CustomFieldIndividualUserSavedQueries

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /admin/customFieldSettings/bundles/user

Insert YouTrack API URL: /admin/customFieldSettings/bundles/user

Update YouTrack API URL: /admin/customFieldSettings/bundles/user

Delete YouTrack API URL: /admin/customFieldSettings/bundles/user

Field Selection Method: NotRequired

Base Path: `individuals[*].savedQueries[*]`

Select YouTrack API Operation: `get /admin/customFieldSettings/bundles/user`

Table Function Columns

The columns of the table function `CustomFieldIndividualUserSavedQueries` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|--------------------------------|-----------|---------------------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type_2</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>avatarUrl</code> | string | Avatar (URL) | <input type="checkbox"/> | |
| <code>banned</code> | boolean | Banned | <input type="checkbox"/> | |
| <code>email</code> | string | Email | <input type="checkbox"/> | |
| <code>fullName</code> | string | Full Name | <input type="checkbox"/> | |
| <code>guest</code> | boolean | Guest | <input type="checkbox"/> | |
| <code>id_1</code> | string | | <input type="checkbox"/> | |
| <code>id_2</code> | string | | <input type="checkbox"/> | |
| <code>id</code> | string | ID | <input type="checkbox"/> | |
| <code>isUpdateable</code> | boolean | Is Updateable | <input type="checkbox"/> | |
| <code>jabberAccountName</code> | string | Jabber Account Name | <input type="checkbox"/> | |
| <code>login</code> | string | Login | <input type="checkbox"/> | |
| <code>name</code> | string | Name | <input type="checkbox"/> | |
| <code>online</code> | boolean | Online | <input type="checkbox"/> | |
| <code>profiles_\$type</code> | string | | <input type="checkbox"/> | |
| <code>profiles_id</code> | string | | <input type="checkbox"/> | |
| <code>query</code> | string | Query | <input type="checkbox"/> | |
| <code>ringId</code> | string | Ring ID | <input type="checkbox"/> | |

8.1.18 CustomFieldIndividualUserSavedQueriesByUserBundleId

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}`

Field Selection Method: NotRequired

Base Path: `individuals[*].savedQueries[*]`

Select YouTrack API Operation:

`get /admin/customFieldSettings/bundles/user/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldIndividualUserSavedQueriesByUserBundleId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function

`CustomFieldIndividualUserSavedQueriesByUserBundleId` are shown below.

Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|-----------------------|-----------|---------------------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type_2</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| avatarUrl | string | Avatar (URL) | <input type="checkbox"/> | |
| banned | boolean | Banned | <input type="checkbox"/> | |
| email | string | Email | <input type="checkbox"/> | |
| fullName | string | Full Name | <input type="checkbox"/> | |
| guest | boolean | Guest | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| isUpdateable | boolean | Is Updateable | <input type="checkbox"/> | |
| jabberAccountName | string | Jabber Account Name | <input type="checkbox"/> | |
| login | string | Login | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|-----------------|-----------|---------|--------------------------|---------------|
| name | string | Name | <input type="checkbox"/> | |
| online | boolean | Online | <input type="checkbox"/> | |
| profiles_\$type | string | | <input type="checkbox"/> | |
| profiles_id | string | | <input type="checkbox"/> | |
| query | string | Query | <input type="checkbox"/> | |
| ringId | string | Ring ID | <input type="checkbox"/> | |

8.1.19 CustomFieldIndividualUsersByUserBundleId

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}`

Field Selection Method: NotRequired

Base Path: `individuals[*]`

Select YouTrack API Operation:

`get /admin/customFieldSettings/bundles/user/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldIndividualUsersByUserBundleId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `CustomFieldIndividualUsersByUserBundleId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|-------------------|-----------|---------------------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| avatarUrl | string | Avatar (URL) | <input type="checkbox"/> | |
| banned | boolean | Banned | <input type="checkbox"/> | |
| email | string | Email | <input type="checkbox"/> | |
| fullName | string | Full Name | <input type="checkbox"/> | |
| guest | boolean | Guest | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| isUpdateable | boolean | Is Updateable | <input type="checkbox"/> | |
| jabberAccountName | string | Jabber Account Name | <input type="checkbox"/> | |
| login | string | Login | <input type="checkbox"/> | |
| online | boolean | Online | <input type="checkbox"/> | |
| profiles_\$type | string | | <input type="checkbox"/> | |
| profiles_id | string | | <input type="checkbox"/> | |
| ringId | string | Ring ID | <input type="checkbox"/> | |

8.1.20 CustomFieldIndividualUserTags

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/user`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/user`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/user`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/user`

Field Selection Method: `NotRequired`

Base Path: `individuals[*].tags[*]`

Select YouTrack API Operation: `get /admin/customFieldSettings/bundles/user`

Table Function Columns

The columns of the table function `CustomFieldIndividualUserTags` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|-------------------|-----------|---------------------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type_2 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| avatarUrl | string | Avatar (URL) | <input type="checkbox"/> | |
| banned | boolean | Banned | <input type="checkbox"/> | |
| email | string | Email | <input type="checkbox"/> | |
| fullName | string | Full Name | <input type="checkbox"/> | |
| guest | boolean | Guest | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| isUpdateable | boolean | Is Updateable | <input type="checkbox"/> | |
| jabberAccountName | string | Jabber Account Name | <input type="checkbox"/> | |
| login | string | Login | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| online | boolean | Online | <input type="checkbox"/> | |
| profiles_\$type | string | | <input type="checkbox"/> | |
| profiles_id | string | | <input type="checkbox"/> | |
| ringId | string | Ring ID | <input type="checkbox"/> | |
| untagOnResolve | boolean | | <input type="checkbox"/> | |

8.1.21 CustomFieldIndividualUserTagsByUserBundleId

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}`

Field Selection Method: NotRequired

Base Path: `individuals[*].tags[*]`

Select YouTrack API Operation:

`get /admin/customFieldSettings/bundles/user/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldIndividualUserTagsByUserBundleId`. A value must be provided at all times for

required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function

`CustomFieldIndividualUserTagsByUserBundleId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|-------------------|-----------|---------------------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type_2 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| avatarUrl | string | Avatar (URL) | <input type="checkbox"/> | |
| banned | boolean | Banned | <input type="checkbox"/> | |
| email | string | Email | <input type="checkbox"/> | |
| fullName | string | Full Name | <input type="checkbox"/> | |
| guest | boolean | Guest | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| isUpdateable | boolean | Is Updateable | <input type="checkbox"/> | |
| jabberAccountName | string | Jabber Account Name | <input type="checkbox"/> | |
| login | string | Login | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| online | boolean | Online | <input type="checkbox"/> | |
| profiles_\$type | string | | <input type="checkbox"/> | |
| profiles_id | string | | <input type="checkbox"/> | |
| ringId | string | Ring ID | <input type="checkbox"/> | |
| untagOnResolve | boolean | | <input type="checkbox"/> | |

8.1.22 CustomFieldInstancesByCustomFieldPrototypeId

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/customFields/{id}`

Insert YouTrack API URL: `/admin/customFieldSettings/customFields/{id}`

Update YouTrack API URL: `/admin/customFieldSettings/customFields/{id}`

Delete YouTrack API URL: `/admin/customFieldSettings/customFields/{id}`

Field Selection Method: NotRequired

Base Path: `instances[*]`

Select YouTrack API Operation:

`get /admin/customFieldSettings/customFields/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldInstancesByCustomFieldPrototypeId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `CustomFieldInstancesByCustomFieldPrototypeId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|-----------------------|-----------|----------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| aliases | string | Aliases | <input type="checkbox"/> | |
| canBeEmpty | boolean | Nullable | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|----------------------------|--------------------------|---------------|
| condition_\$type | string | | <input type="checkbox"/> | |
| condition_id | string | | <input type="checkbox"/> | |
| emptyFieldText | string | Empty Field Text | <input type="checkbox"/> | |
| field_\$type | string | | <input type="checkbox"/> | |
| field_aliases | string | | <input type="checkbox"/> | |
| field_hasRunningJob | boolean | | <input type="checkbox"/> | |
| field_id | string | | <input type="checkbox"/> | |
| field_isAutoAttached | boolean | | <input type="checkbox"/> | |
| field_isDisplayedInIssueList | boolean | | <input type="checkbox"/> | |
| field_isUpdateable | boolean | | <input type="checkbox"/> | |
| field_localizedName | string | | <input type="checkbox"/> | |
| field_name | string | | <input type="checkbox"/> | |
| field_ordinal | int32 | | <input type="checkbox"/> | |
| fieldDefaults_\$type | string | | <input type="checkbox"/> | |
| fieldDefaults_canBeEmpty | boolean | | <input type="checkbox"/> | |
| fieldDefaults_emptyFieldText | string | | <input type="checkbox"/> | |
| fieldDefaults_id | string | | <input type="checkbox"/> | |
| fieldDefaults_isPublic | boolean | | <input type="checkbox"/> | |
| fieldDefaults_parent_\$type | string | | <input type="checkbox"/> | |
| fieldDefaults_parent_aliases | string | | <input type="checkbox"/> | |
| fieldDefaults_parent_hasRunningJob | boolean | | <input type="checkbox"/> | |
| fieldDefaults_parent_id | string | | <input type="checkbox"/> | |
| fieldDefaults_parent_isAutoAttached | boolean | | <input type="checkbox"/> | |
| fieldDefaults_parent_isDisplayedInIssueList | boolean | | <input type="checkbox"/> | |
| fieldDefaults_parent_isUpdateable | boolean | | <input type="checkbox"/> | |
| fieldDefaults_parent_localizedName | string | | <input type="checkbox"/> | |
| fieldDefaults_parent_name | string | | <input type="checkbox"/> | |
| fieldDefaults_parent_ordinal | int32 | | <input type="checkbox"/> | |
| fieldType_\$type | string | | <input type="checkbox"/> | |
| fieldType_id | string | | <input type="checkbox"/> | |
| hasRunningJob_1 | boolean | | <input type="checkbox"/> | |
| hasRunningJob | boolean | Has Running Job | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| isAutoAttached | boolean | Is Auto-attached | <input type="checkbox"/> | |
| isDisplayedInIssueList | boolean | Is Displayed in Issue List | <input type="checkbox"/> | |
| isPublic | boolean | Is Public | <input type="checkbox"/> | |
| isUpdateable | boolean | Is Updateable | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|------------------------|-----------|----------------|--------------------------|---------------|
| localizedName | string | Localized Name | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| ordinal_1 | int32 | | <input type="checkbox"/> | |
| ordinal | int32 | Ordinal | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |

8.1.23 CustomFieldOwnedFieldByOwnedFieldBundleId

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/ownedField/{id}`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/ownedField/{id}`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/ownedField/{id}`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/ownedField/{id}`

Field Selection Method: NotRequired

Select YouTrack API Operation:

`get /admin/customFieldSettings/bundles/ownedField/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldOwnedFieldByOwnedFieldBundleId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `CustomFieldOwnedFieldByOwnedFieldBundleId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|--------------|-----------|---------------|--------------------------|---------------|
| \$type | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| isUpdateable | boolean | Is Updateable | <input type="checkbox"/> | |

8.1.24 CustomFieldOwnedFieldByOwnedFieldBundleIdAndElementId

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/ownedField/{id}/values/{ownedBundleElementId}`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/ownedField/{id}/values/{ownedBundleElementId}`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/ownedField/{id}/values/{ownedBundleElementId}`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/ownedField/{id}/values/{ownedBundleElementId}`

Field Selection Method: NotRequired

Select YouTrack API Operation:

```
get /admin/customFieldSettings/bundles/ownedField/{id}/values/{ownedBundleElementId}
```

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldOwnedFieldByOwnedFieldBundleIdAndElementId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|----------------------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |
| ownedBundleElementId | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function

`CustomFieldOwnedFieldByOwnedFieldBundleIdAndElementId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|-------------------------|-----------|-----------------|--------------------------|---------------|
| \$type | string | | <input type="checkbox"/> | |
| bundle_\$type | string | | <input type="checkbox"/> | |
| bundle_id | string | | <input type="checkbox"/> | |
| bundle_isUpdateable | boolean | | <input type="checkbox"/> | |
| color_\$type | string | | <input type="checkbox"/> | |
| color_background | string | | <input type="checkbox"/> | |
| color_foreground | string | | <input type="checkbox"/> | |
| color_id | string | | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| hasRunningJob | boolean | Has Running Job | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| ordinal | int32 | Ordinal | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_profiles_\$type | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|-------------------|-----------|-------|--------------------------|---------------|
| owner_profiles_id | string | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |

8.1.25 CustomFieldOwnedFieldByValueId

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/ownedField/{id}/values`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/ownedField/{id}/values`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/ownedField/{id}/values`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/ownedField/{id}/values`

Field Selection Method: NotRequired

Select YouTrack API Operation:

`get /admin/customFieldSettings/bundles/ownedField/{id}/values`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldOwnedFieldByValueId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `CustomFieldOwnedFieldByValueId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|--------------------------------------|-----------|-----------------|--------------------------|---------------|
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>bundle_\$type</code> | string | | <input type="checkbox"/> | |
| <code>bundle_id</code> | string | | <input type="checkbox"/> | |
| <code>bundle_isUpdateable</code> | boolean | | <input type="checkbox"/> | |
| <code>color_\$type</code> | string | | <input type="checkbox"/> | |
| <code>color_background</code> | string | | <input type="checkbox"/> | |
| <code>color_foreground</code> | string | | <input type="checkbox"/> | |
| <code>color_id</code> | string | | <input type="checkbox"/> | |
| <code>description</code> | string | Description | <input type="checkbox"/> | |
| <code>hasRunningJob</code> | boolean | Has Running Job | <input type="checkbox"/> | |
| <code>id</code> | string | ID | <input type="checkbox"/> | |
| <code>name</code> | string | Name | <input type="checkbox"/> | |
| <code>ordinal</code> | int32 | Ordinal | <input type="checkbox"/> | |
| <code>owner_\$type</code> | string | | <input type="checkbox"/> | |
| <code>owner_avatarUrl</code> | string | | <input type="checkbox"/> | |
| <code>owner_banned</code> | boolean | | <input type="checkbox"/> | |
| <code>owner_email</code> | string | | <input type="checkbox"/> | |
| <code>owner_fullName</code> | string | | <input type="checkbox"/> | |
| <code>owner_guest</code> | boolean | | <input type="checkbox"/> | |
| <code>owner_id</code> | string | | <input type="checkbox"/> | |
| <code>owner_jabberAccountName</code> | string | | <input type="checkbox"/> | |
| <code>owner_login</code> | string | | <input type="checkbox"/> | |
| <code>owner_online</code> | boolean | | <input type="checkbox"/> | |
| <code>owner_profiles_\$type</code> | string | | <input type="checkbox"/> | |
| <code>owner_profiles_id</code> | string | | <input type="checkbox"/> | |
| <code>owner_ringId</code> | string | | <input type="checkbox"/> | |

8.1.26 CustomFieldOwnedFields

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/ownedField`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/ownedField`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/ownedField`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/ownedField`

Field Selection Method: NotRequired

Select YouTrack API Operation:

get /admin/customFieldSettings/bundles/ownedField

Table Function Columns

The columns of the table function `CustomFieldOwnedFields` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|--------------|-----------|---------------|--------------------------|---------------|
| \$type | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| isUpdateable | boolean | Is Updateable | <input type="checkbox"/> | |

8.1.27 CustomFieldOwnedFieldValues

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: /admin/customFieldSettings/bundles/ownedField

Insert YouTrack API URL: /admin/customFieldSettings/bundles/ownedField

Update YouTrack API URL: /admin/customFieldSettings/bundles/ownedField

Delete YouTrack API URL: /admin/customFieldSettings/bundles/ownedField

Field Selection Method: NotRequired

Base Path: values [*]

Select YouTrack API Operation:

get /admin/customFieldSettings/bundles/ownedField

Table Function Columns

The columns of the table function `CustomFieldOwnedFieldValues` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|-----------------------|-----------|-------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type_2 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| bundle_\$type_1 | string | | <input type="checkbox"/> | |
| bundle_\$type | string | | <input type="checkbox"/> | |
| bundle_id_1 | string | | <input type="checkbox"/> | |
| bundle_id | string | | <input type="checkbox"/> | |
| bundle_isUpdateable_1 | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|-------------------------|-----------|-----------------|--------------------------|---------------|
| bundle_isUpdateable | boolean | | <input type="checkbox"/> | |
| color_\$type_1 | string | | <input type="checkbox"/> | |
| color_\$type | string | | <input type="checkbox"/> | |
| color_background_1 | string | | <input type="checkbox"/> | |
| color_background | string | | <input type="checkbox"/> | |
| color_foreground_1 | string | | <input type="checkbox"/> | |
| color_foreground | string | | <input type="checkbox"/> | |
| color_id_1 | string | | <input type="checkbox"/> | |
| color_id | string | | <input type="checkbox"/> | |
| description_1 | string | | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| hasRunningJob_1 | boolean | | <input type="checkbox"/> | |
| hasRunningJob | boolean | Has Running Job | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| isUpdateable | boolean | Is Updateable | <input type="checkbox"/> | |
| name_1 | string | | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| ordinal_1 | int32 | | <input type="checkbox"/> | |
| ordinal | int32 | Ordinal | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |

8.1.28 CustomFieldOwnedFieldValuesByOwnedFieldBundleId

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: /admin/customFieldSettings/bundles/ownedField/{id}

Insert YouTrack API URL: /admin/customFieldSettings/bundles/ownedField/{id}

Update YouTrack API URL: /admin/customFieldSettings/bundles/ownedField/{id}

Delete YouTrack API URL: /admin/customFieldSettings/bundles/ownedField/{id}

Field Selection Method: NotRequired

Base Path: values[*]

Select YouTrack API Operation:

get /admin/customFieldSettings/bundles/ownedField/{id}

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function CustomFieldOwnedFieldValuesByOwnedFieldBundleId. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function CustomFieldOwnedFieldValuesByOwnedFieldBundleId are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|-----------------|-----------|-------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type_2 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| bundle_\$type_1 | string | | <input type="checkbox"/> | |
| bundle_\$type | string | | <input type="checkbox"/> | |
| bundle_id_1 | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|-------------------------|-----------|-----------------|--------------------------|---------------|
| bundle_id | string | | <input type="checkbox"/> | |
| bundle_isUpdateable_1 | boolean | | <input type="checkbox"/> | |
| bundle_isUpdateable | boolean | | <input type="checkbox"/> | |
| color_\$type_1 | string | | <input type="checkbox"/> | |
| color_\$type | string | | <input type="checkbox"/> | |
| color_background_1 | string | | <input type="checkbox"/> | |
| color_background | string | | <input type="checkbox"/> | |
| color_foreground_1 | string | | <input type="checkbox"/> | |
| color_foreground | string | | <input type="checkbox"/> | |
| color_id_1 | string | | <input type="checkbox"/> | |
| color_id | string | | <input type="checkbox"/> | |
| description_1 | string | | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| hasRunningJob_1 | boolean | | <input type="checkbox"/> | |
| hasRunningJob | boolean | Has Running Job | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| isUpdateable | boolean | Is Updateable | <input type="checkbox"/> | |
| name_1 | string | | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| ordinal_1 | int32 | | <input type="checkbox"/> | |
| ordinal | int32 | Ordinal | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |

8.1.29 CustomFields

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/customFields`

Insert YouTrack API URL: `/admin/customFieldSettings/customFields`

Update YouTrack API URL: `/admin/customFieldSettings/customFields`

Delete YouTrack API URL: `/admin/customFieldSettings/customFields`

Field Selection Method: `NotRequired`

Select YouTrack API Operation: `get /admin/customFieldSettings/customFields`

Table Function Columns

The columns of the table function `CustomFields` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|--|-----------|----------------------------|--------------------------|---------------|
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>aliases</code> | string | Aliases | <input type="checkbox"/> | |
| <code>fieldDefaults_\$type</code> | string | | <input type="checkbox"/> | |
| <code>fieldDefaults_canBeEmpty</code> | boolean | | <input type="checkbox"/> | |
| <code>fieldDefaults_emptyFieldText</code> | string | | <input type="checkbox"/> | |
| <code>fieldDefaults_id</code> | string | | <input type="checkbox"/> | |
| <code>fieldDefaults_isPublic</code> | boolean | | <input type="checkbox"/> | |
| <code>fieldDefaults_parent_\$type</code> | string | | <input type="checkbox"/> | |
| <code>fieldDefaults_parent_aliases</code> | string | | <input type="checkbox"/> | |
| <code>fieldDefaults_parent_hasRunningJob</code> | boolean | | <input type="checkbox"/> | |
| <code>fieldDefaults_parent_id</code> | string | | <input type="checkbox"/> | |
| <code>fieldDefaults_parent_isAutoAttached</code> | boolean | | <input type="checkbox"/> | |
| <code>fieldDefaults_parent_isDisplayedInIssueList</code> | boolean | | <input type="checkbox"/> | |
| <code>fieldDefaults_parent_isUpdateable</code> | boolean | | <input type="checkbox"/> | |
| <code>fieldDefaults_parent_localizedName</code> | string | | <input type="checkbox"/> | |
| <code>fieldDefaults_parent_name</code> | string | | <input type="checkbox"/> | |
| <code>fieldDefaults_parent_ordinal</code> | int32 | | <input type="checkbox"/> | |
| <code>fieldType_\$type</code> | string | | <input type="checkbox"/> | |
| <code>fieldType_id</code> | string | | <input type="checkbox"/> | |
| <code>hasRunningJob</code> | boolean | Has Running Job | <input type="checkbox"/> | |
| <code>id</code> | string | ID | <input type="checkbox"/> | |
| <code>isAutoAttached</code> | boolean | Is Auto-attached | <input type="checkbox"/> | |
| <code>isDisplayedInIssueList</code> | boolean | Is Displayed in Issue List | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---------------|-----------|----------------|--------------------------|---------------|
| isUpdateable | boolean | Is Updateable | <input type="checkbox"/> | |
| localizedName | string | Localized Name | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| ordinal | int32 | Ordinal | <input type="checkbox"/> | |

8.1.30 CustomFieldsByCustomFieldPrototypeId

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/customFields/{id}`

Insert YouTrack API URL: `/admin/customFieldSettings/customFields/{id}`

Update YouTrack API URL: `/admin/customFieldSettings/customFields/{id}`

Delete YouTrack API URL: `/admin/customFieldSettings/customFields/{id}`

Field Selection Method: NotRequired

Select YouTrack API Operation:

`get /admin/customFieldSettings/customFields/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldsByCustomFieldPrototypeId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `CustomFieldsByCustomFieldPrototypeId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|---|-----------|----------------------------|--------------------------|---------------|
| \$type | string | | <input type="checkbox"/> | |
| aliases | string | Aliases | <input type="checkbox"/> | |
| fieldDefaults_\$type | string | | <input type="checkbox"/> | |
| fieldDefaults_canBeEmpty | boolean | | <input type="checkbox"/> | |
| fieldDefaults_emptyFieldText | string | | <input type="checkbox"/> | |
| fieldDefaults_id | string | | <input type="checkbox"/> | |
| fieldDefaults_isPublic | boolean | | <input type="checkbox"/> | |
| fieldDefaults_parent_\$type | string | | <input type="checkbox"/> | |
| fieldDefaults_parent_aliases | string | | <input type="checkbox"/> | |
| fieldDefaults_parent_hasRunningJob | boolean | | <input type="checkbox"/> | |
| fieldDefaults_parent_id | string | | <input type="checkbox"/> | |
| fieldDefaults_parent_isAutoAttached | boolean | | <input type="checkbox"/> | |
| fieldDefaults_parent_isDisplayedInIssueList | boolean | | <input type="checkbox"/> | |
| fieldDefaults_parent_isUpdateable | boolean | | <input type="checkbox"/> | |
| fieldDefaults_parent_localizedName | string | | <input type="checkbox"/> | |
| fieldDefaults_parent_name | string | | <input type="checkbox"/> | |
| fieldDefaults_parent_ordinal | int32 | | <input type="checkbox"/> | |
| fieldType_\$type | string | | <input type="checkbox"/> | |
| fieldType_id | string | | <input type="checkbox"/> | |
| hasRunningJob | boolean | Has Running Job | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| isAutoAttached | boolean | Is Auto-attached | <input type="checkbox"/> | |
| isDisplayedInIssueList | boolean | Is Displayed in Issue List | <input type="checkbox"/> | |
| isUpdateable | boolean | Is Updateable | <input type="checkbox"/> | |
| localizedName | string | Localized Name | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| ordinal | int32 | Ordinal | <input type="checkbox"/> | |

8.1.31 CustomFieldsByCustomFieldPrototypeld2

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/customFields/{id}/fieldDefaults`

Insert YouTrack API URL: /admin/customFieldSettings/customFields/{id}/fieldDefaults

Update YouTrack API URL: /admin/customFieldSettings/customFields/{id}/fieldDefaults

Delete YouTrack API URL: /admin/customFieldSettings/customFields/{id}/fieldDefaults

Field Selection Method: NotRequired

Select YouTrack API Operation:

get /admin/customFieldSettings/customFields/{id}/fieldDefaults

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function CustomFieldsByCustomFieldPrototypeId2. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function CustomFieldsByCustomFieldPrototypeId2 are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|-------------------------------------|-----------|------------------|--------------------------|---------------|
| \$type | string | | <input type="checkbox"/> | |
| canBeEmpty | boolean | Nullable | <input type="checkbox"/> | |
| emptyFieldText | string | Empty Field Text | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| isPublic | boolean | Is Public | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_aliases | string | | <input type="checkbox"/> | |
| parent_fieldDefaults_\$type | string | | <input type="checkbox"/> | |
| parent_fieldDefaults_canBeEmpty | boolean | | <input type="checkbox"/> | |
| parent_fieldDefaults_emptyFieldText | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|-------------------------------|-----------|-------|--------------------------|---------------|
| parent_fieldDefaults_id | string | | <input type="checkbox"/> | |
| parent_fieldDefaults_isPublic | boolean | | <input type="checkbox"/> | |
| parent_fieldType_\$type | string | | <input type="checkbox"/> | |
| parent_fieldType_id | string | | <input type="checkbox"/> | |
| parent_hasRunningJob | boolean | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| parent_isAutoAttached | boolean | | <input type="checkbox"/> | |
| parent_isDisplayedInIssueList | boolean | | <input type="checkbox"/> | |
| parent_isUpdateable | boolean | | <input type="checkbox"/> | |
| parent_localizedName | string | | <input type="checkbox"/> | |
| parent_name | string | | <input type="checkbox"/> | |
| parent_ordinal | int32 | | <input type="checkbox"/> | |

8.1.32 CustomFieldsByCustomFieldPrototypeld3

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/customFields/{id}/instances`

Insert YouTrack API URL: `/admin/customFieldSettings/customFields/{id}/instances`

Update YouTrack API URL: `/admin/customFieldSettings/customFields/{id}/instances`

Delete YouTrack API URL: `/admin/customFieldSettings/customFields/{id}/instances`

Field Selection Method: NotRequired

Select YouTrack API Operation:

`get /admin/customFieldSettings/customFields/{id}/instances`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldsByCustomFieldPrototypeld3`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `CustomFieldsByCustomFieldPrototypeId3` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|------------------------------------|-----------|------------------|--------------------------|---------------|
| \$type | string | | <input type="checkbox"/> | |
| canBeEmpty | boolean | Nullable | <input type="checkbox"/> | |
| condition_\$type | string | | <input type="checkbox"/> | |
| condition_id | string | | <input type="checkbox"/> | |
| condition_parent_\$type | string | | <input type="checkbox"/> | |
| condition_parent_canBeEmpty | boolean | | <input type="checkbox"/> | |
| condition_parent_emptyFieldText | string | | <input type="checkbox"/> | |
| condition_parent_hasRunningJob | boolean | | <input type="checkbox"/> | |
| condition_parent_id | string | | <input type="checkbox"/> | |
| condition_parent_isPublic | boolean | | <input type="checkbox"/> | |
| condition_parent_ordinal | int32 | | <input type="checkbox"/> | |
| emptyFieldText | string | Empty Field Text | <input type="checkbox"/> | |
| field_\$type | string | | <input type="checkbox"/> | |
| field_aliases | string | | <input type="checkbox"/> | |
| field_fieldDefaults_\$type | string | | <input type="checkbox"/> | |
| field_fieldDefaults_canBeEmpty | boolean | | <input type="checkbox"/> | |
| field_fieldDefaults_emptyFieldText | string | | <input type="checkbox"/> | |
| field_fieldDefaults_id | string | | <input type="checkbox"/> | |
| field_fieldDefaults_isPublic | boolean | | <input type="checkbox"/> | |
| field_fieldType_\$type | string | | <input type="checkbox"/> | |
| field_fieldType_id | string | | <input type="checkbox"/> | |
| field_hasRunningJob | boolean | | <input type="checkbox"/> | |
| field_id | string | | <input type="checkbox"/> | |
| field_isAutoAttached | boolean | | <input type="checkbox"/> | |
| field_isDisplayedInIssueList | boolean | | <input type="checkbox"/> | |
| field_isUpdateable | boolean | | <input type="checkbox"/> | |
| field_localizedName | string | | <input type="checkbox"/> | |
| field_name | string | | <input type="checkbox"/> | |
| field_ordinal | int32 | | <input type="checkbox"/> | |
| hasRunningJob | boolean | Has Running Job | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|-------------------------------------|-----------|-----------|--------------------------|---------------|
| id | string | ID | <input type="checkbox"/> | |
| isPublic | boolean | Is Public | <input type="checkbox"/> | |
| ordinal | int32 | Ordinal | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_createdBy_\$type | string | | <input type="checkbox"/> | |
| project_createdBy_avatarUrl | string | | <input type="checkbox"/> | |
| project_createdBy_banned | boolean | | <input type="checkbox"/> | |
| project_createdBy_email | string | | <input type="checkbox"/> | |
| project_createdBy_fullName | string | | <input type="checkbox"/> | |
| project_createdBy_guest | boolean | | <input type="checkbox"/> | |
| project_createdBy_id | string | | <input type="checkbox"/> | |
| project_createdBy_jabberAccountName | string | | <input type="checkbox"/> | |
| project_createdBy_login | string | | <input type="checkbox"/> | |
| project_createdBy_online | boolean | | <input type="checkbox"/> | |
| project_createdBy_ringId | string | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_leader_\$type | string | | <input type="checkbox"/> | |
| project_leader_avatarUrl | string | | <input type="checkbox"/> | |
| project_leader_banned | boolean | | <input type="checkbox"/> | |
| project_leader_email | string | | <input type="checkbox"/> | |
| project_leader_fullName | string | | <input type="checkbox"/> | |
| project_leader_guest | boolean | | <input type="checkbox"/> | |
| project_leader_id | string | | <input type="checkbox"/> | |
| project_leader_jabberAccountName | string | | <input type="checkbox"/> | |
| project_leader_login | string | | <input type="checkbox"/> | |
| project_leader_online | boolean | | <input type="checkbox"/> | |
| project_leader_ringId | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_team_\$type | string | | <input type="checkbox"/> | |
| project_team_allUsersGroup | boolean | | <input type="checkbox"/> | |
| project_team_icon | string | | <input type="checkbox"/> | |
| project_team_id | string | | <input type="checkbox"/> | |
| project_team_name | string | | <input type="checkbox"/> | |
| project_team_ringId | string | | <input type="checkbox"/> | |
| project_team_usersCount | int64 | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|------------------|-----------|-------|--------------------------|---------------|
| project_template | boolean | | <input type="checkbox"/> | |

8.1.33 CustomFieldStateBundleByld

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/state/{id}`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/state/{id}`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/state/{id}`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/state/{id}`

Field Selection Method: NotRequired

Select YouTrack API Operation:

`get /admin/customFieldSettings/bundles/state/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldStateBundleByld`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `CustomFieldStateBundleById` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|--------|-----------|-------|--------------------------|---------------|
| \$type | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--------------|-----------|---------------|--------------------------|---------------|
| isUpdateable | boolean | Is Updateable | <input type="checkbox"/> | |

8.1.34 CustomFieldStateBundles

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/state`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/state`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/state`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/state`

Field Selection Method: NotRequired

Select YouTrack API Operation:

`get /admin/customFieldSettings/bundles/state`

Table Function Columns

The columns of the table function `CustomFieldStateBundles` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|--------------|-----------|---------------|--------------------------|---------------|
| \$type | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| isUpdateable | boolean | Is Updateable | <input type="checkbox"/> | |

8.1.35 CustomFieldStateBundleValues2ByStateBundleId

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/state/{id}/values`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/state/{id}/values`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/state/{id}/values`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/state/{id}/values`

Field Selection Method: NotRequired

Select YouTrack API Operation:

`get /admin/customFieldSettings/bundles/state/{id}/values`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldStateBundleValues2ByStateBundleId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function

`CustomFieldStateBundleValues2ByStateBundleId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|---------------------|-----------|-----------------|--------------------------|---------------|
| \$type | string | | <input type="checkbox"/> | |
| bundle_\$type | string | | <input type="checkbox"/> | |
| bundle_id | string | | <input type="checkbox"/> | |
| bundle_isUpdateable | boolean | | <input type="checkbox"/> | |
| color_\$type | string | | <input type="checkbox"/> | |
| color_background | string | | <input type="checkbox"/> | |
| color_foreground | string | | <input type="checkbox"/> | |
| color_id | string | | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| hasRunningJob | boolean | Has Running Job | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| isResolved | boolean | Is Resolved | <input type="checkbox"/> | |
| localizedName | string | Localized Name | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---------|-----------|---------|--------------------------|---------------|
| ordinal | int32 | Ordinal | <input type="checkbox"/> | |

8.1.36 CustomFieldStateBundleValuesByStateBundleId

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/state/{id}`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/state/{id}`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/state/{id}`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/state/{id}`

Field Selection Method: NotRequired

Base Path: `values[*]`

Select YouTrack API Operation:

`get /admin/customFieldSettings/bundles/state/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldStateBundleValuesByStateBundleId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function

`CustomFieldStateBundleValuesByStateBundleId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|-----------------------|-----------|-----------------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type_2 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| bundle_\$type_1 | string | | <input type="checkbox"/> | |
| bundle_\$type | string | | <input type="checkbox"/> | |
| bundle_id_1 | string | | <input type="checkbox"/> | |
| bundle_id | string | | <input type="checkbox"/> | |
| bundle_isUpdateable_1 | boolean | | <input type="checkbox"/> | |
| bundle_isUpdateable | boolean | | <input type="checkbox"/> | |
| color_\$type_1 | string | | <input type="checkbox"/> | |
| color_\$type | string | | <input type="checkbox"/> | |
| color_background_1 | string | | <input type="checkbox"/> | |
| color_background | string | | <input type="checkbox"/> | |
| color_foreground_1 | string | | <input type="checkbox"/> | |
| color_foreground | string | | <input type="checkbox"/> | |
| color_id_1 | string | | <input type="checkbox"/> | |
| color_id | string | | <input type="checkbox"/> | |
| description_1 | string | | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| hasRunningJob_1 | boolean | | <input type="checkbox"/> | |
| hasRunningJob | boolean | Has Running Job | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| isResolved | boolean | Is Resolved | <input type="checkbox"/> | |
| isUpdateable | boolean | Is Updateable | <input type="checkbox"/> | |
| localizedName | string | Localized Name | <input type="checkbox"/> | |
| name_1 | string | | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| ordinal_1 | int32 | | <input type="checkbox"/> | |
| ordinal | int32 | Ordinal | <input type="checkbox"/> | |

8.1.37 CustomFieldStateByStateBundleIdAndElementId

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/state/{id}/values/{stateBundleElementId}`

Insert YouTrack API URL: /admin/customFieldSettings/bundles/state/{id}/values/{stateBundleElementId}

Update YouTrack API URL: /admin/customFieldSettings/bundles/state/{id}/values/{stateBundleElementId}

Delete YouTrack API URL: /admin/customFieldSettings/bundles/state/{id}/values/{stateBundleElementId}

Field Selection Method: NotRequired

Select YouTrack API Operation:

get /admin/customFieldSettings/bundles/state/{id}/values/{stateBundleElementId}

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function CustomFieldStateByStateBundleIdAndElementId. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|----------------------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |
| stateBundleElementId | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function

CustomFieldStateByStateBundleIdAndElementId are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|---------------------|-----------|-------|--------------------------|---------------|
| \$type | string | | <input type="checkbox"/> | |
| bundle_\$type | string | | <input type="checkbox"/> | |
| bundle_id | string | | <input type="checkbox"/> | |
| bundle_isUpdateable | boolean | | <input type="checkbox"/> | |
| color_\$type | string | | <input type="checkbox"/> | |
| color_background | string | | <input type="checkbox"/> | |
| color_foreground | string | | <input type="checkbox"/> | |
| color_id | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---------------|-----------|-----------------|--------------------------|---------------|
| description | string | Description | <input type="checkbox"/> | |
| hasRunningJob | boolean | Has Running Job | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| isResolved | boolean | Is Resolved | <input type="checkbox"/> | |
| localizedName | string | Localized Name | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| ordinal | int32 | Ordinal | <input type="checkbox"/> | |

8.1.38 CustomFieldStateValues

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/state`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/state`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/state`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/state`

Field Selection Method: NotRequired

Base Path: `values[*]`

Select YouTrack API Operation:

`get /admin/customFieldSettings/bundles/state`

Table Function Columns

The columns of the table function `CustomFieldStateValues` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|------------------------------------|-----------|-------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type_2</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>bundle_\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>bundle_\$type</code> | string | | <input type="checkbox"/> | |
| <code>bundle_id_1</code> | string | | <input type="checkbox"/> | |
| <code>bundle_id</code> | string | | <input type="checkbox"/> | |
| <code>bundle_isUpdateable_1</code> | boolean | | <input type="checkbox"/> | |
| <code>bundle_isUpdateable</code> | boolean | | <input type="checkbox"/> | |
| <code>color_\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>color_\$type</code> | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--------------------|-----------|-----------------|--------------------------|---------------|
| color_background_1 | string | | <input type="checkbox"/> | |
| color_background | string | | <input type="checkbox"/> | |
| color_foreground_1 | string | | <input type="checkbox"/> | |
| color_foreground | string | | <input type="checkbox"/> | |
| color_id_1 | string | | <input type="checkbox"/> | |
| color_id | string | | <input type="checkbox"/> | |
| description_1 | string | | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| hasRunningJob_1 | boolean | | <input type="checkbox"/> | |
| hasRunningJob | boolean | Has Running Job | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| isResolved | boolean | Is Resolved | <input type="checkbox"/> | |
| isUpdateable | boolean | Is Updateable | <input type="checkbox"/> | |
| localizedName | string | Localized Name | <input type="checkbox"/> | |
| name_1 | string | | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| ordinal_1 | int32 | | <input type="checkbox"/> | |
| ordinal | int32 | Ordinal | <input type="checkbox"/> | |

8.1.39 CustomFieldUserBundles

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/user`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/user`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/user`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/user`

Field Selection Method: NotRequired

Base Path: `groups[*]`

Select YouTrack API Operation: `get /admin/customFieldSettings/bundles/user`

Table Function Columns

The columns of the table function `CustomFieldUserBundles` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|-------------------------------|-----------|-----------------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| allUsersGroup | boolean | All Users Group | <input type="checkbox"/> | |
| icon | string | Icon | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| isUpdateable | boolean | Is Updateable | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| ringId | string | Ring ID | <input type="checkbox"/> | |
| teamForProject_archived | boolean | | <input type="checkbox"/> | |
| teamForProject_description | string | | <input type="checkbox"/> | |
| teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| teamForProject_shortName | string | | <input type="checkbox"/> | |
| teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| teamForProject_template | boolean | | <input type="checkbox"/> | |
| usersCount | int64 | Users Count | <input type="checkbox"/> | |

8.1.40 CustomFieldUserBundleUsers

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/user`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/user`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/user`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/user`

Field Selection Method: NotRequired

Base Path: `aggregatedUsers[*]`

Select YouTrack API Operation: `get /admin/customFieldSettings/bundles/user`

Table Function Columns

The columns of the table function `CustomFieldUserBundleUsers` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|----------|-----------|-------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|-------------------|-----------|---------------------|--------------------------|---------------|
| \$type | string | | <input type="checkbox"/> | |
| avatarUrl | string | Avatar (URL) | <input type="checkbox"/> | |
| banned | boolean | Banned | <input type="checkbox"/> | |
| email | string | Email | <input type="checkbox"/> | |
| fullName | string | Full Name | <input type="checkbox"/> | |
| guest | boolean | Guest | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| isUpdateable | boolean | Is Updateable | <input type="checkbox"/> | |
| jabberAccountName | string | Jabber Account Name | <input type="checkbox"/> | |
| login | string | Login | <input type="checkbox"/> | |
| online | boolean | Online | <input type="checkbox"/> | |
| profiles_\$type | string | | <input type="checkbox"/> | |
| profiles_id | string | | <input type="checkbox"/> | |
| ringId | string | Ring ID | <input type="checkbox"/> | |

8.1.41 CustomFieldUserBundleUserSavedQueries

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/user`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/user`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/user`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/user`

Field Selection Method: NotRequired

Base Path: `aggregatedUsers[*].savedQueries[*]`

Select YouTrack API Operation: `get /admin/customFieldSettings/bundles/user`

Table Function Columns

The columns of the table function `CustomFieldUserBundleUserSavedQueries` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|-----------|-----------|--------------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type_2 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| avatarUrl | string | Avatar (URL) | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|-------------------|-----------|---------------------|--------------------------|---------------|
| banned | boolean | Banned | <input type="checkbox"/> | |
| email | string | Email | <input type="checkbox"/> | |
| fullName | string | Full Name | <input type="checkbox"/> | |
| guest | boolean | Guest | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| isUpdateable | boolean | Is Updateable | <input type="checkbox"/> | |
| jabberAccountName | string | Jabber Account Name | <input type="checkbox"/> | |
| login | string | Login | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| online | boolean | Online | <input type="checkbox"/> | |
| profiles_\$type | string | | <input type="checkbox"/> | |
| profiles_id | string | | <input type="checkbox"/> | |
| query | string | Query | <input type="checkbox"/> | |
| ringId | string | Ring ID | <input type="checkbox"/> | |

8.1.42 CustomFieldUserBundleUserTags

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/user`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/user`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/user`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/user`

Field Selection Method: NotRequired

Base Path: `aggregatedUsers[*].tags[*]`

Select YouTrack API Operation: `get /admin/customFieldSettings/bundles/user`

Table Function Columns

The columns of the table function `CustomFieldUserBundleUserTags` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|-----------------------|-----------|-------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type_2</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|-------------------|-----------|---------------------|--------------------------|---------------|
| avatarUrl | string | Avatar (URL) | <input type="checkbox"/> | |
| banned | boolean | Banned | <input type="checkbox"/> | |
| email | string | Email | <input type="checkbox"/> | |
| fullName | string | Full Name | <input type="checkbox"/> | |
| guest | boolean | Guest | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| isUpdateable | boolean | Is Updateable | <input type="checkbox"/> | |
| jabberAccountName | string | Jabber Account Name | <input type="checkbox"/> | |
| login | string | Login | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| online | boolean | Online | <input type="checkbox"/> | |
| profiles_\$type | string | | <input type="checkbox"/> | |
| profiles_id | string | | <input type="checkbox"/> | |
| ringId | string | Ring ID | <input type="checkbox"/> | |
| untagOnResolve | boolean | | <input type="checkbox"/> | |

8.1.43 CustomFieldUserByUserBundleId

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}`

Field Selection Method: NotRequired

Select YouTrack API Operation:

```
get /admin/customFieldSettings/bundles/user/{id}
```

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldUserByUserBundleId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four

parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `CustomFieldUserByUserBundleId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|--------------|-----------|---------------|--------------------------|---------------|
| \$type | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| isUpdateable | boolean | Is Updateable | <input type="checkbox"/> | |

8.1.44 CustomFieldUserByUserBundleId1

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/aggregatedUsers`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/aggregatedUsers`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/aggregatedUsers`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/aggregatedUsers`

Field Selection Method: NotRequired

Base Path: `savedQueries[*].issues[*]`

Select YouTrack API Operation:

`get /admin/customFieldSettings/bundles/user/{id}/aggregatedUsers`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldUserByUserBundleId1`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the

execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `CustomFieldUserByUserBundleId1` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|-------------------|-----------|---------------------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type_2 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| avatarUrl | string | Avatar (URL) | <input type="checkbox"/> | |
| banned | boolean | Banned | <input type="checkbox"/> | |
| commentsCount | int32 | Comments Count | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| email | string | Email | <input type="checkbox"/> | |
| fullName | string | Full Name | <input type="checkbox"/> | |
| guest | boolean | Guest | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| jabberAccountName | string | Jabber Account Name | <input type="checkbox"/> | |
| login | string | Login | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| online | boolean | Online | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|----------|--------------------------|---------------|
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| profiles_\$type | string | | <input type="checkbox"/> | |
| profiles_general_\$type | string | | <input type="checkbox"/> | |
| profiles_general_id | string | | <input type="checkbox"/> | |
| profiles_id | string | | <input type="checkbox"/> | |
| profiles_notifications_\$type | string | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnComment | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnCreate | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnUpdate | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnVote | boolean | | <input type="checkbox"/> | |
| profiles_notifications_duplicateClusterNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_emailNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_id | string | | <input type="checkbox"/> | |
| profiles_notifications_jabberNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_mailboxIntegrationNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_mentionNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_notifyOnOwnChanges | boolean | | <input type="checkbox"/> | |
| profiles_notifications_usePlainTextEmails | boolean | | <input type="checkbox"/> | |
| profiles_timetracking_\$type | string | | <input type="checkbox"/> | |
| profiles_timetracking_id | string | | <input type="checkbox"/> | |
| query | string | Query | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| ringId | string | Ring ID | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--------------------------|-----------|----------------------|--------------------------|---------------|
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Markdown | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

8.1.45 CustomFieldUserByUserBundleId2

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals`

Field Selection Method: NotRequired

Base Path: `savedQueries[*].issues[*]`

Select YouTrack API Operation:

`get /admin/customFieldSettings/bundles/user/{id}/individuals`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldUserByUserBundleId2`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the

execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `CustomFieldUserByUserBundleId2` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|-------------------|-----------|---------------------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type_2 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| avatarUrl | string | Avatar (URL) | <input type="checkbox"/> | |
| banned | boolean | Banned | <input type="checkbox"/> | |
| commentsCount | int32 | Comments Count | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| email | string | Email | <input type="checkbox"/> | |
| fullName | string | Full Name | <input type="checkbox"/> | |
| guest | boolean | Guest | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| jabberAccountName | string | Jabber Account Name | <input type="checkbox"/> | |
| login | string | Login | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| online | boolean | Online | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|----------|--------------------------|---------------|
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| profiles_\$type | string | | <input type="checkbox"/> | |
| profiles_general_\$type | string | | <input type="checkbox"/> | |
| profiles_general_id | string | | <input type="checkbox"/> | |
| profiles_id | string | | <input type="checkbox"/> | |
| profiles_notifications_\$type | string | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnComment | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnCreate | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnUpdate | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnVote | boolean | | <input type="checkbox"/> | |
| profiles_notifications_duplicateClusterNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_emailNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_id | string | | <input type="checkbox"/> | |
| profiles_notifications_jabberNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_mailboxIntegrationNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_mentionNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_notifyOnOwnChanges | boolean | | <input type="checkbox"/> | |
| profiles_notifications_usePlainTextEmails | boolean | | <input type="checkbox"/> | |
| profiles_timetracking_\$type | string | | <input type="checkbox"/> | |
| profiles_timetracking_id | string | | <input type="checkbox"/> | |
| query | string | Query | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| ringId | string | Ring ID | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--------------------------|-----------|----------------------|--------------------------|---------------|
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Markdown | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

8.1.46 CustomFieldUserGroupsByUserBundleId

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}`

Field Selection Method: NotRequired

Base Path: `groups[*]`

Select YouTrack API Operation:

`get /admin/customFieldSettings/bundles/user/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldUserGroupsByUserBundleId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four

parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `CustomFieldUserGroupsByUserBundleId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|-------------------------------|-----------|-----------------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| allUsersGroup | boolean | All Users Group | <input type="checkbox"/> | |
| icon | string | Icon | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| isUpdateable | boolean | Is Updateable | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| ringId | string | Ring ID | <input type="checkbox"/> | |
| teamForProject_archived | boolean | | <input type="checkbox"/> | |
| teamForProject_description | string | | <input type="checkbox"/> | |
| teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| teamForProject_shortName | string | | <input type="checkbox"/> | |
| teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| teamForProject_template | boolean | | <input type="checkbox"/> | |
| usersCount | int64 | Users Count | <input type="checkbox"/> | |

8.1.47 CustomFieldUserGroupsByUserBundleId1

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/groups`

Insert YouTrack API URL: /admin/customFieldSettings/bundles/user/{id}/groups

Update YouTrack API URL: /admin/customFieldSettings/bundles/user/{id}/groups

Delete YouTrack API URL: /admin/customFieldSettings/bundles/user/{id}/groups

Field Selection Method: NotRequired

Select YouTrack API Operation:

get /admin/customFieldSettings/bundles/user/{id}/groups

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function CustomFieldUserGroupsByUserBundleId1. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function CustomFieldUserGroupsByUserBundleId1 are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|-------------------------------------|-----------|-----------------|--------------------------|---------------|
| \$type | string | | <input type="checkbox"/> | |
| allUsersGroup | boolean | All Users Group | <input type="checkbox"/> | |
| icon | string | Icon | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| ringId | string | Ring ID | <input type="checkbox"/> | |
| teamForProject_archived | boolean | | <input type="checkbox"/> | |
| teamForProject_createdBy_\$type | string | | <input type="checkbox"/> | |
| teamForProject_createdBy_avatar Url | string | | <input type="checkbox"/> | |
| teamForProject_createdBy_banned | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|-------------|--------------------------|---------------|
| teamForProject_createdBy_email | string | | <input type="checkbox"/> | |
| teamForProject_createdBy_fullName | string | | <input type="checkbox"/> | |
| teamForProject_createdBy_guest | boolean | | <input type="checkbox"/> | |
| teamForProject_createdBy_id | string | | <input type="checkbox"/> | |
| teamForProject_createdBy_jabberAccountName | string | | <input type="checkbox"/> | |
| teamForProject_createdBy_login | string | | <input type="checkbox"/> | |
| teamForProject_createdBy_online | boolean | | <input type="checkbox"/> | |
| teamForProject_createdBy_ringId | string | | <input type="checkbox"/> | |
| teamForProject_description | string | | <input type="checkbox"/> | |
| teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| teamForProject_leader_\$type | string | | <input type="checkbox"/> | |
| teamForProject_leader_avatarUrl | string | | <input type="checkbox"/> | |
| teamForProject_leader_banned | boolean | | <input type="checkbox"/> | |
| teamForProject_leader_email | string | | <input type="checkbox"/> | |
| teamForProject_leader_fullName | string | | <input type="checkbox"/> | |
| teamForProject_leader_guest | boolean | | <input type="checkbox"/> | |
| teamForProject_leader_id | string | | <input type="checkbox"/> | |
| teamForProject_leader_jabberAccountName | string | | <input type="checkbox"/> | |
| teamForProject_leader_login | string | | <input type="checkbox"/> | |
| teamForProject_leader_online | boolean | | <input type="checkbox"/> | |
| teamForProject_leader_ringId | string | | <input type="checkbox"/> | |
| teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| teamForProject_shortName | string | | <input type="checkbox"/> | |
| teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| teamForProject_team_\$type | string | | <input type="checkbox"/> | |
| teamForProject_team_allUsersGroup | boolean | | <input type="checkbox"/> | |
| teamForProject_team_icon | string | | <input type="checkbox"/> | |
| teamForProject_team_id | string | | <input type="checkbox"/> | |
| teamForProject_team_name | string | | <input type="checkbox"/> | |
| teamForProject_team_ringId | string | | <input type="checkbox"/> | |
| teamForProject_team_usersCount | int64 | | <input type="checkbox"/> | |
| teamForProject_template | boolean | | <input type="checkbox"/> | |
| usersCount | int64 | Users Count | <input type="checkbox"/> | |

8.1.48 CustomFieldUsers

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/user`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/user`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/user`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/user`

Field Selection Method: NotRequired

Select YouTrack API Operation: `get /admin/customFieldSettings/bundles/user`

Table Function Columns

The columns of the table function `CustomFieldUsers` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|---------------------------|-----------|---------------|--------------------------|---------------|
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>id</code> | string | ID | <input type="checkbox"/> | |
| <code>isUpdateable</code> | boolean | Is Updateable | <input type="checkbox"/> | |

8.1.49 CustomFieldUsersByUserBundleId

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/aggregatedUsers`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/aggregatedUsers`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/aggregatedUsers`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/aggregatedUsers`

Field Selection Method: NotRequired

Base Path: `tags[*].issues[*]`

Select YouTrack API Operation:

`get /admin/customFieldSettings/bundles/user/{id}/aggregatedUsers`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldUsersByUserBundleId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `CustomFieldUsersByUserBundleId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|------------------|-----------|----------------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type_2 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| avatarUrl | string | Avatar (URL) | <input type="checkbox"/> | |
| banned | boolean | Banned | <input type="checkbox"/> | |
| color_\$type | string | | <input type="checkbox"/> | |
| color_background | string | | <input type="checkbox"/> | |
| color_foreground | string | | <input type="checkbox"/> | |
| color_id | string | | <input type="checkbox"/> | |
| commentsCount | int32 | Comments Count | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| email | string | Email | <input type="checkbox"/> | |
| fullName | string | Full Name | <input type="checkbox"/> | |
| guest | boolean | Guest | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|---------------------|--------------------------|---------------|
| jabberAccountName | string | Jabber Account Name | <input type="checkbox"/> | |
| login | string | Login | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| online | boolean | Online | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| profiles_\$type | string | | <input type="checkbox"/> | |
| profiles_general_\$type | string | | <input type="checkbox"/> | |
| profiles_general_id | string | | <input type="checkbox"/> | |
| profiles_id | string | | <input type="checkbox"/> | |
| profiles_notifications_\$type | string | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnComment | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnCreate | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnUpdate | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnVote | boolean | | <input type="checkbox"/> | |
| profiles_notifications_duplicateClusterNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_emailNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_id | string | | <input type="checkbox"/> | |
| profiles_notifications_jabberNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_mailboxIntegrationNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_mentionNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_notifyOnOwnChanges | boolean | | <input type="checkbox"/> | |
| profiles_notifications_usePlainTextEmails | boolean | | <input type="checkbox"/> | |
| profiles_timetracking_\$type | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|----------------------------|-----------|----------------------|--------------------------|---------------|
| profiles_timetracking_id | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| ringId | string | Ring ID | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| untagOnResolve | boolean | | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Markdown | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

8.1.50 CustomFieldUsersByUserBundleId1

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/aggregatedUsers`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/aggregatedUsers`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/aggregatedUsers`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/aggregatedUsers`

Field Selection Method: NotRequired

Base Path: `savedQueries[*]`

Select YouTrack API Operation:

`get /admin/customFieldSettings/bundles/user/{id}/aggregatedUsers`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldUsersByUserBundleId1`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `CustomFieldUsersByUserBundleId1` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|--------------------------------|-----------|---------------------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>avatarUrl</code> | string | Avatar (URL) | <input type="checkbox"/> | |
| <code>banned</code> | boolean | Banned | <input type="checkbox"/> | |
| <code>email</code> | string | Email | <input type="checkbox"/> | |
| <code>fullName</code> | string | Full Name | <input type="checkbox"/> | |
| <code>guest</code> | boolean | Guest | <input type="checkbox"/> | |
| <code>id_1</code> | string | | <input type="checkbox"/> | |
| <code>id</code> | string | ID | <input type="checkbox"/> | |
| <code>jabberAccountName</code> | string | Jabber Account Name | <input type="checkbox"/> | |
| <code>login</code> | string | Login | <input type="checkbox"/> | |
| <code>name</code> | string | Name | <input type="checkbox"/> | |
| <code>online</code> | boolean | Online | <input type="checkbox"/> | |
| <code>owner_\$type</code> | string | | <input type="checkbox"/> | |
| <code>owner_avatarUrl</code> | string | | <input type="checkbox"/> | |
| <code>owner_banned</code> | boolean | | <input type="checkbox"/> | |
| <code>owner_email</code> | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|---------|--------------------------|---------------|
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| profiles_\$type | string | | <input type="checkbox"/> | |
| profiles_general_\$type | string | | <input type="checkbox"/> | |
| profiles_general_id | string | | <input type="checkbox"/> | |
| profiles_id | string | | <input type="checkbox"/> | |
| profiles_notifications_\$type | string | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnComment | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnCreate | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnUpdate | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnVote | boolean | | <input type="checkbox"/> | |
| profiles_notifications_duplicateClusterNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_emailNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_id | string | | <input type="checkbox"/> | |
| profiles_notifications_jabberNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_mailboxIntegrationNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_mentionNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_notifyOnOwnChanges | boolean | | <input type="checkbox"/> | |
| profiles_notifications_usePlainTextEmails | boolean | | <input type="checkbox"/> | |
| profiles_timetracking_\$type | string | | <input type="checkbox"/> | |
| profiles_timetracking_id | string | | <input type="checkbox"/> | |
| query | string | Query | <input type="checkbox"/> | |
| ringId | string | Ring ID | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--------------------------|-----------|-------|--------------------------|---------------|
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |

8.1.51 CustomFieldUsersByUserBundleId2

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals`

Field Selection Method: NotRequired

Base Path: `tags[*].issues[*]`

Select YouTrack API Operation:

`get /admin/customFieldSettings/bundles/user/{id}/individuals`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldUsersByUserBundleId2`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the

default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `CustomFieldUsersByUserBundleId2` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|-------------------|-----------|---------------------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type_2 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| avatarUrl | string | Avatar (URL) | <input type="checkbox"/> | |
| banned | boolean | Banned | <input type="checkbox"/> | |
| color_\$type | string | | <input type="checkbox"/> | |
| color_background | string | | <input type="checkbox"/> | |
| color_foreground | string | | <input type="checkbox"/> | |
| color_id | string | | <input type="checkbox"/> | |
| commentsCount | int32 | Comments Count | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| email | string | Email | <input type="checkbox"/> | |
| fullName | string | Full Name | <input type="checkbox"/> | |
| guest | boolean | Guest | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| jabberAccountName | string | Jabber Account Name | <input type="checkbox"/> | |
| login | string | Login | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| online | boolean | Online | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|----------|--------------------------|---------------|
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| profiles_\$type | string | | <input type="checkbox"/> | |
| profiles_general_\$type | string | | <input type="checkbox"/> | |
| profiles_general_id | string | | <input type="checkbox"/> | |
| profiles_id | string | | <input type="checkbox"/> | |
| profiles_notifications_\$type | string | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnComment | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnCreate | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnUpdate | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnVote | boolean | | <input type="checkbox"/> | |
| profiles_notifications_duplicateClusterNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_emailNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_id | string | | <input type="checkbox"/> | |
| profiles_notifications_jabberNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_mailboxIntegrationNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_mentionNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_notifyOnOwnChanges | boolean | | <input type="checkbox"/> | |
| profiles_notifications_usePlainTextEmails | boolean | | <input type="checkbox"/> | |
| profiles_timetracking_\$type | string | | <input type="checkbox"/> | |
| profiles_timetracking_id | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| ringId | string | Ring ID | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| untagOnResolve | boolean | | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--------------------------|-----------|----------------------|--------------------------|---------------|
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Markdown | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

8.1.52 CustomFieldUsersByUserBundleId3

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/aggregatedUsers`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/aggregatedUsers`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/aggregatedUsers`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/aggregatedUsers`

Field Selection Method: NotRequired

Select YouTrack API Operation:

`get /admin/customFieldSettings/bundles/user/{id}/aggregatedUsers`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldUsersByUserBundleId3`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `CustomFieldUsersByUserBundleId3` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|---|-----------|---------------------|--------------------------|---------------|
| \$type | string | | <input type="checkbox"/> | |
| avatarUrl | string | Avatar (URL) | <input type="checkbox"/> | |
| banned | boolean | Banned | <input type="checkbox"/> | |
| email | string | Email | <input type="checkbox"/> | |
| fullName | string | Full Name | <input type="checkbox"/> | |
| guest | boolean | Guest | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| jabberAccountName | string | Jabber Account Name | <input type="checkbox"/> | |
| login | string | Login | <input type="checkbox"/> | |
| online | boolean | Online | <input type="checkbox"/> | |
| profiles_\$type | string | | <input type="checkbox"/> | |
| profiles_general_\$type | string | | <input type="checkbox"/> | |
| profiles_general_id | string | | <input type="checkbox"/> | |
| profiles_id | string | | <input type="checkbox"/> | |
| profiles_notifications_\$type | string | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnComment | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnCreate | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnUpdate | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnVote | boolean | | <input type="checkbox"/> | |
| profiles_notifications_duplicateClusterNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_emailNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_id | string | | <input type="checkbox"/> | |
| profiles_notifications_jabberNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_mailboxIntegrationNotificationsEnabled | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|---------|--------------------------|---------------|
| profiles_notifications_mentionNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_notifyOnOwnChanges | boolean | | <input type="checkbox"/> | |
| profiles_notifications_usePlainTextEmails | boolean | | <input type="checkbox"/> | |
| profiles_timetracking_\$type | string | | <input type="checkbox"/> | |
| profiles_timetracking_id | string | | <input type="checkbox"/> | |
| ringId | string | Ring ID | <input type="checkbox"/> | |

8.1.53 CustomFieldUsersByUserBundleId4

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals`

Field Selection Method: NotRequired

Select YouTrack API Operation:

`get /admin/customFieldSettings/bundles/user/{id}/individuals`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldUsersByUserBundleId4`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `CustomFieldUsersByUserBundleId4` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|---|-----------|---------------------|--------------------------|---------------|
| \$type | string | | <input type="checkbox"/> | |
| avatarUrl | string | Avatar (URL) | <input type="checkbox"/> | |
| banned | boolean | Banned | <input type="checkbox"/> | |
| email | string | Email | <input type="checkbox"/> | |
| fullName | string | Full Name | <input type="checkbox"/> | |
| guest | boolean | Guest | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| jabberAccountName | string | Jabber Account Name | <input type="checkbox"/> | |
| login | string | Login | <input type="checkbox"/> | |
| online | boolean | Online | <input type="checkbox"/> | |
| profiles_\$type | string | | <input type="checkbox"/> | |
| profiles_general_\$type | string | | <input type="checkbox"/> | |
| profiles_general_id | string | | <input type="checkbox"/> | |
| profiles_id | string | | <input type="checkbox"/> | |
| profiles_notifications_\$type | string | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnComment | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnCreate | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnUpdate | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnVote | boolean | | <input type="checkbox"/> | |
| profiles_notifications_duplicateClusterNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_emailNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_id | string | | <input type="checkbox"/> | |
| profiles_notifications_jabberNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_mailboxIntegrationNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_mentionNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_notifyOnOwnChanges | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|---------|--------------------------|---------------|
| profiles_notifications_usePlainText Emails | boolean | | <input type="checkbox"/> | |
| profiles_timetracking_\$type | string | | <input type="checkbox"/> | |
| profiles_timetracking_id | string | | <input type="checkbox"/> | |
| ringId | string | Ring ID | <input type="checkbox"/> | |

8.1.54 CustomFieldUsersByUserBundleId5

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals/{userId}`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals/{userId}`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals/{userId}`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals/{userId}`

Field Selection Method: NotRequired

Base Path: `savedQueries[*].issues[*]`

Select YouTrack API Operation:

```
get /admin/customFieldSettings/bundles/user/{id}/individuals/{userId}
```

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldUsersByUserBundleId5`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|--------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |
| userId | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `CustomFieldUsersByUserBundleId5` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|-------------------------|-----------|---------------------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type_2 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| avatarUrl | string | Avatar (URL) | <input type="checkbox"/> | |
| banned | boolean | Banned | <input type="checkbox"/> | |
| commentsCount | int32 | Comments Count | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| email | string | Email | <input type="checkbox"/> | |
| fullName | string | Full Name | <input type="checkbox"/> | |
| guest | boolean | Guest | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| jabberAccountName | string | Jabber Account Name | <input type="checkbox"/> | |
| login | string | Login | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| online | boolean | Online | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|---------------|--------------------------|---------------|
| profiles_\$type | string | | <input type="checkbox"/> | |
| profiles_general_\$type | string | | <input type="checkbox"/> | |
| profiles_general_id | string | | <input type="checkbox"/> | |
| profiles_id | string | | <input type="checkbox"/> | |
| profiles_notifications_\$type | string | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnComment | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnCreate | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnUpdate | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnVote | boolean | | <input type="checkbox"/> | |
| profiles_notifications_duplicateClusterNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_emailNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_id | string | | <input type="checkbox"/> | |
| profiles_notifications_jabberNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_mailboxIntegrationNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_mentionNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_notifyOnOwnChanges | boolean | | <input type="checkbox"/> | |
| profiles_notifications_usePlainTextEmails | boolean | | <input type="checkbox"/> | |
| profiles_timetracking_\$type | string | | <input type="checkbox"/> | |
| profiles_timetracking_id | string | | <input type="checkbox"/> | |
| query | string | Query | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| ringId | string | Ring ID | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Markdown | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|-----------------------|-----------|----------------------|--------------------------|---------------|
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

8.1.55 CustomFieldUsersByUserBundleId6

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals/{userId}`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals/{userId}`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals/{userId}`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals/{userId}`

Field Selection Method: NotRequired

Base Path: `savedQueries[*]`

Select YouTrack API Operation:

`get /admin/customFieldSettings/bundles/user/{id}/individuals/{userId}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldUsersByUserBundleId6`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the

default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|--------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |
| userId | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `CustomFieldUsersByUserBundleId6` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|---|-----------|---------------------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| avatarUrl | string | Avatar (URL) | <input type="checkbox"/> | |
| banned | boolean | Banned | <input type="checkbox"/> | |
| email | string | Email | <input type="checkbox"/> | |
| fullName | string | Full Name | <input type="checkbox"/> | |
| guest | boolean | Guest | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| jabberAccountName | string | Jabber Account Name | <input type="checkbox"/> | |
| login | string | Login | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| online | boolean | Online | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| profiles_\$type | string | | <input type="checkbox"/> | |
| profiles_general_\$type | string | | <input type="checkbox"/> | |
| profiles_general_id | string | | <input type="checkbox"/> | |
| profiles_id | string | | <input type="checkbox"/> | |
| profiles_notifications_\$type | string | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnComment | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|---------|--------------------------|---------------|
| profiles_notifications_autoWatchOnCreate | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnUpdate | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnVote | boolean | | <input type="checkbox"/> | |
| profiles_notifications_duplicateClusterNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_emailNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_id | string | | <input type="checkbox"/> | |
| profiles_notifications_jabberNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_mailboxIntegrationNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_mentionNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_notifyOnOwnChanges | boolean | | <input type="checkbox"/> | |
| profiles_notifications_usePlainTextEmails | boolean | | <input type="checkbox"/> | |
| profiles_timetracking_\$type | string | | <input type="checkbox"/> | |
| profiles_timetracking_id | string | | <input type="checkbox"/> | |
| query | string | Query | <input type="checkbox"/> | |
| ringId | string | Ring ID | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |

8.1.56 CustomFieldUsersByUserBundleId7

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals/{userId}`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals/{userId}`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals/{userId}`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals/{userId}`

Field Selection Method: `NotRequired`

Base Path: `tags[*].issues[*]`

Select YouTrack API Operation:

`get /admin/customFieldSettings/bundles/user/{id}/individuals/{userId}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldUsersByUserBundleId7`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|--------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |
| userId | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `CustomFieldUsersByUserBundleId7` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|-----------------------|-----------|-------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type_2</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|---------------------|--------------------------|---------------|
| avatarUrl | string | Avatar (URL) | <input type="checkbox"/> | |
| banned | boolean | Banned | <input type="checkbox"/> | |
| color_\$type | string | | <input type="checkbox"/> | |
| color_background | string | | <input type="checkbox"/> | |
| color_foreground | string | | <input type="checkbox"/> | |
| color_id | string | | <input type="checkbox"/> | |
| commentsCount | int32 | Comments Count | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| email | string | Email | <input type="checkbox"/> | |
| fullName | string | Full Name | <input type="checkbox"/> | |
| guest | boolean | Guest | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| jabberAccountName | string | Jabber Account Name | <input type="checkbox"/> | |
| login | string | Login | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| online | boolean | Online | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| profiles_\$type | string | | <input type="checkbox"/> | |
| profiles_general_\$type | string | | <input type="checkbox"/> | |
| profiles_general_id | string | | <input type="checkbox"/> | |
| profiles_id | string | | <input type="checkbox"/> | |
| profiles_notifications_\$type | string | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnComment | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|---------------|--------------------------|---------------|
| profiles_notifications_autoWatchOnCreate | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnUpdate | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnVote | boolean | | <input type="checkbox"/> | |
| profiles_notifications_duplicateClusterNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_emailNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_id | string | | <input type="checkbox"/> | |
| profiles_notifications_jabberNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_mailboxIntegrationNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_mentionNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_notifyOnOwnChanges | boolean | | <input type="checkbox"/> | |
| profiles_notifications_usePlainTextEmails | boolean | | <input type="checkbox"/> | |
| profiles_timetracking_\$type | string | | <input type="checkbox"/> | |
| profiles_timetracking_id | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| ringId | string | Ring ID | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| untagOnResolve | boolean | | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Markdown | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---------------------|-----------|----------------------|--------------------------|---------------|
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

8.1.57 CustomFieldUsersByUserBundleId8

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals/{userId}`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals/{userId}`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals/{userId}`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals/{userId}`

Field Selection Method: NotRequired

Base Path: `tags[*]`

Select YouTrack API Operation:

`get /admin/customFieldSettings/bundles/user/{id}/individuals/{userId}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldUsersByUserBundleId8`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|--------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |
| userId | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `CustomFieldUsersByUserBundleId8` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|---|-----------|---------------------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| avatarUrl | string | Avatar (URL) | <input type="checkbox"/> | |
| banned | boolean | Banned | <input type="checkbox"/> | |
| color_\$type | string | | <input type="checkbox"/> | |
| color_background | string | | <input type="checkbox"/> | |
| color_foreground | string | | <input type="checkbox"/> | |
| color_id | string | | <input type="checkbox"/> | |
| email | string | Email | <input type="checkbox"/> | |
| fullName | string | Full Name | <input type="checkbox"/> | |
| guest | boolean | Guest | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| jabberAccountName | string | Jabber Account Name | <input type="checkbox"/> | |
| login | string | Login | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| online | boolean | Online | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| profiles_\$type | string | | <input type="checkbox"/> | |
| profiles_general_\$type | string | | <input type="checkbox"/> | |
| profiles_general_id | string | | <input type="checkbox"/> | |
| profiles_id | string | | <input type="checkbox"/> | |
| profiles_notifications_\$type | string | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnComment | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnCreate | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|---------|--------------------------|---------------|
| profiles_notifications_autoWatchOnUpdate | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnVote | boolean | | <input type="checkbox"/> | |
| profiles_notifications_duplicateClusterNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_emailNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_id | string | | <input type="checkbox"/> | |
| profiles_notifications_jabberNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_mailboxIntegrationNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_mentionNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_notifyOnOwnChanges | boolean | | <input type="checkbox"/> | |
| profiles_notifications_usePlainTextEmails | boolean | | <input type="checkbox"/> | |
| profiles_timetracking_\$type | string | | <input type="checkbox"/> | |
| profiles_timetracking_id | string | | <input type="checkbox"/> | |
| ringId | string | Ring ID | <input type="checkbox"/> | |
| untagOnResolve | boolean | | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |

8.1.58 CustomFieldUsersByUserBundleId9

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals/{userId}`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals/{userId}`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals/{userId}`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals/{userId}`

Field Selection Method: `NotRequired`

Select YouTrack API Operation:

`get /admin/customFieldSettings/bundles/user/{id}/individuals/{userId}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldUsersByUserBundleId9`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|--------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |
| userId | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `CustomFieldUsersByUserBundleId9` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|-----------|-----------|--------------|--------------------------|---------------|
| \$type | string | | <input type="checkbox"/> | |
| avatarUrl | string | Avatar (URL) | <input type="checkbox"/> | |
| banned | boolean | Banned | <input type="checkbox"/> | |
| email | string | Email | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|---------------------|--------------------------|---------------|
| fullName | string | Full Name | <input type="checkbox"/> | |
| guest | boolean | Guest | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| jabberAccountName | string | Jabber Account Name | <input type="checkbox"/> | |
| login | string | Login | <input type="checkbox"/> | |
| online | boolean | Online | <input type="checkbox"/> | |
| profiles_\$type | string | | <input type="checkbox"/> | |
| profiles_general_\$type | string | | <input type="checkbox"/> | |
| profiles_general_id | string | | <input type="checkbox"/> | |
| profiles_id | string | | <input type="checkbox"/> | |
| profiles_notifications_\$type | string | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnComment | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnCreate | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnUpdate | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnVote | boolean | | <input type="checkbox"/> | |
| profiles_notifications_duplicateClusterNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_emailNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_id | string | | <input type="checkbox"/> | |
| profiles_notifications_jabberNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_mailboxIntegrationNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_mentionNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_notifyOnOwnChanges | boolean | | <input type="checkbox"/> | |
| profiles_notifications_usePlainTextEmails | boolean | | <input type="checkbox"/> | |
| profiles_timetracking_\$type | string | | <input type="checkbox"/> | |
| profiles_timetracking_id | string | | <input type="checkbox"/> | |
| ringId | string | Ring ID | <input type="checkbox"/> | |

8.1.59 CustomFieldUsersByUserBundleIdAndGroupId

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the InVantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: /admin/customFieldSettings/bundles/user/{id}/groups/{userGroupId}

Insert YouTrack API URL: /admin/customFieldSettings/bundles/user/{id}/groups/{userGroupId}

Update YouTrack API URL: /admin/customFieldSettings/bundles/user/{id}/groups/{userGroupId}

Delete YouTrack API URL: /admin/customFieldSettings/bundles/user/{id}/groups/{userGroupId}

Field Selection Method: NotRequired

Select YouTrack API Operation:

get /admin/customFieldSettings/bundles/user/{id}/groups/{userGroupId}

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function CustomFieldUsersByUserBundleIdAndGroupId. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|-------------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |
| userGroupId | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function CustomFieldUsersByUserBundleIdAndGroupId are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|-------------------------|-----------|-----------------|--------------------------|---------------|
| \$type | string | | <input type="checkbox"/> | |
| allUsersGroup | boolean | All Users Group | <input type="checkbox"/> | |
| icon | string | Icon | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| ringId | string | Ring ID | <input type="checkbox"/> | |
| teamForProject_archived | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|-------------|--------------------------|---------------|
| teamForProject_createdBy_\$type | string | | <input type="checkbox"/> | |
| teamForProject_createdBy_avatarUrl | string | | <input type="checkbox"/> | |
| teamForProject_createdBy_banned | boolean | | <input type="checkbox"/> | |
| teamForProject_createdBy_email | string | | <input type="checkbox"/> | |
| teamForProject_createdBy_fullName | string | | <input type="checkbox"/> | |
| teamForProject_createdBy_guest | boolean | | <input type="checkbox"/> | |
| teamForProject_createdBy_id | string | | <input type="checkbox"/> | |
| teamForProject_createdBy_jabberAccountName | string | | <input type="checkbox"/> | |
| teamForProject_createdBy_login | string | | <input type="checkbox"/> | |
| teamForProject_createdBy_online | boolean | | <input type="checkbox"/> | |
| teamForProject_createdBy_ringId | string | | <input type="checkbox"/> | |
| teamForProject_description | string | | <input type="checkbox"/> | |
| teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| teamForProject_leader_\$type | string | | <input type="checkbox"/> | |
| teamForProject_leader_avatarUrl | string | | <input type="checkbox"/> | |
| teamForProject_leader_banned | boolean | | <input type="checkbox"/> | |
| teamForProject_leader_email | string | | <input type="checkbox"/> | |
| teamForProject_leader_fullName | string | | <input type="checkbox"/> | |
| teamForProject_leader_guest | boolean | | <input type="checkbox"/> | |
| teamForProject_leader_id | string | | <input type="checkbox"/> | |
| teamForProject_leader_jabberAccountName | string | | <input type="checkbox"/> | |
| teamForProject_leader_login | string | | <input type="checkbox"/> | |
| teamForProject_leader_online | boolean | | <input type="checkbox"/> | |
| teamForProject_leader_ringId | string | | <input type="checkbox"/> | |
| teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| teamForProject_shortName | string | | <input type="checkbox"/> | |
| teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| teamForProject_team_\$type | string | | <input type="checkbox"/> | |
| teamForProject_team_allUsersGroup | boolean | | <input type="checkbox"/> | |
| teamForProject_team_icon | string | | <input type="checkbox"/> | |
| teamForProject_team_id | string | | <input type="checkbox"/> | |
| teamForProject_team_name | string | | <input type="checkbox"/> | |
| teamForProject_team_ringId | string | | <input type="checkbox"/> | |
| teamForProject_team_usersCount | int64 | | <input type="checkbox"/> | |
| teamForProject_template | boolean | | <input type="checkbox"/> | |
| usersCount | int64 | Users Count | <input type="checkbox"/> | |

8.1.60 CustomFieldUsersByUserId

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals`

Field Selection Method: NotRequired

Base Path: `savedQueries[*]`

Select YouTrack API Operation:
`get /admin/customFieldSettings/bundles/user/{id}/individuals`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldUsersByUserId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `CustomFieldUsersByUserId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|---|-----------|---------------------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| avatarUrl | string | Avatar (URL) | <input type="checkbox"/> | |
| banned | boolean | Banned | <input type="checkbox"/> | |
| email | string | Email | <input type="checkbox"/> | |
| fullName | string | Full Name | <input type="checkbox"/> | |
| guest | boolean | Guest | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| jabberAccountName | string | Jabber Account Name | <input type="checkbox"/> | |
| login | string | Login | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| online | boolean | Online | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| profiles_\$type | string | | <input type="checkbox"/> | |
| profiles_general_\$type | string | | <input type="checkbox"/> | |
| profiles_general_id | string | | <input type="checkbox"/> | |
| profiles_id | string | | <input type="checkbox"/> | |
| profiles_notifications_\$type | string | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnComment | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnCreate | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnUpdate | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnVote | boolean | | <input type="checkbox"/> | |
| profiles_notifications_duplicateClusterNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_emailNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_id | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|---------|--------------------------|---------------|
| profiles_notifications_jabberNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_mailboxIntegrationNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_mentionNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_notifyOnOwnChanges | boolean | | <input type="checkbox"/> | |
| profiles_notifications_usePlainTextEmails | boolean | | <input type="checkbox"/> | |
| profiles_timetracking_\$type | string | | <input type="checkbox"/> | |
| profiles_timetracking_id | string | | <input type="checkbox"/> | |
| query | string | Query | <input type="checkbox"/> | |
| ringId | string | Ring ID | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |

8.1.61 CustomFieldUserTagsByUserBundleId

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/aggregatedUsers`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/aggregatedUsers`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/aggregatedUsers`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/aggregatedUsers`

Field Selection Method: NotRequired

Base Path: `tags[*]`

Select YouTrack API Operation:

`get /admin/customFieldSettings/bundles/user/{id}/aggregatedUsers`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldUserTagsByUserBundleId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `CustomFieldUserTagsByUserBundleId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|---------------------------|-----------|---------------------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| avatarUrl | string | Avatar (URL) | <input type="checkbox"/> | |
| banned | boolean | Banned | <input type="checkbox"/> | |
| <code>color_\$type</code> | string | | <input type="checkbox"/> | |
| color_background | string | | <input type="checkbox"/> | |
| color_foreground | string | | <input type="checkbox"/> | |
| color_id | string | | <input type="checkbox"/> | |
| email | string | Email | <input type="checkbox"/> | |
| fullName | string | Full Name | <input type="checkbox"/> | |
| guest | boolean | Guest | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| jabberAccountName | string | Jabber Account Name | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|---------|--------------------------|---------------|
| login | string | Login | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| online | boolean | Online | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| profiles_\$type | string | | <input type="checkbox"/> | |
| profiles_general_\$type | string | | <input type="checkbox"/> | |
| profiles_general_id | string | | <input type="checkbox"/> | |
| profiles_id | string | | <input type="checkbox"/> | |
| profiles_notifications_\$type | string | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnComment | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnCreate | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnUpdate | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnVote | boolean | | <input type="checkbox"/> | |
| profiles_notifications_duplicateClusterNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_emailNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_id | string | | <input type="checkbox"/> | |
| profiles_notifications_jabberNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_mailboxIntegrationNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_mentionNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_notifyOnOwnChanges | boolean | | <input type="checkbox"/> | |
| profiles_notifications_usePlainTextEmails | boolean | | <input type="checkbox"/> | |
| profiles_timetracking_\$type | string | | <input type="checkbox"/> | |
| profiles_timetracking_id | string | | <input type="checkbox"/> | |
| ringId | string | Ring ID | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|----------------------------|-----------|-------|--------------------------|---------------|
| untagOnResolve | boolean | | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |

8.1.62 CustomFieldUserTagsByUserBundleId2

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals`

Field Selection Method: NotRequired

Base Path: `tags[*]`

Select YouTrack API Operation:
`get /admin/customFieldSettings/bundles/user/{id}/individuals`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldUserTagsByUserBundleId2`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the

execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `CustomFieldUserTagsByUserBundleId2` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|-------------------|-----------|---------------------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| avatarUrl | string | Avatar (URL) | <input type="checkbox"/> | |
| banned | boolean | Banned | <input type="checkbox"/> | |
| color_\$type | string | | <input type="checkbox"/> | |
| color_background | string | | <input type="checkbox"/> | |
| color_foreground | string | | <input type="checkbox"/> | |
| color_id | string | | <input type="checkbox"/> | |
| email | string | Email | <input type="checkbox"/> | |
| fullName | string | Full Name | <input type="checkbox"/> | |
| guest | boolean | Guest | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| jabberAccountName | string | Jabber Account Name | <input type="checkbox"/> | |
| login | string | Login | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| online | boolean | Online | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|---------|--------------------------|---------------|
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| profiles_\$type | string | | <input type="checkbox"/> | |
| profiles_general_\$type | string | | <input type="checkbox"/> | |
| profiles_general_id | string | | <input type="checkbox"/> | |
| profiles_id | string | | <input type="checkbox"/> | |
| profiles_notifications_\$type | string | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnComment | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnCreate | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnUpdate | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnVote | boolean | | <input type="checkbox"/> | |
| profiles_notifications_duplicateClusterNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_emailNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_id | string | | <input type="checkbox"/> | |
| profiles_notifications_jabberNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_mailboxIntegrationNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_mentionNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_notifyOnOwnChanges | boolean | | <input type="checkbox"/> | |
| profiles_notifications_usePlainTextEmails | boolean | | <input type="checkbox"/> | |
| profiles_timetracking_\$type | string | | <input type="checkbox"/> | |
| profiles_timetracking_id | string | | <input type="checkbox"/> | |
| ringId | string | Ring ID | <input type="checkbox"/> | |
| untagOnResolve | boolean | | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|-----------------------|-----------|-------|--------------------------|---------------|
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |

8.1.63 CustomFieldVersionByProjectVersionBundleId

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/version/{id}`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/version/{id}`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/version/{id}`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/version/{id}`

Field Selection Method: NotRequired

Select YouTrack API Operation:

`get /admin/customFieldSettings/bundles/version/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldVersionByProjectVersionBundleId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `CustomFieldVersionByProjectVersionBundleId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|--------------|-----------|---------------|--------------------------|---------------|
| \$type | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| isUpdateable | boolean | Is Updateable | <input type="checkbox"/> | |

8.1.64 CustomFieldVersions

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/version`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/version`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/version`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/version`

Field Selection Method: NotRequired

Select YouTrack API Operation:

`get /admin/customFieldSettings/bundles/version`

Table Function Columns

The columns of the table function `CustomFieldVersions` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|--------------|-----------|---------------|--------------------------|---------------|
| \$type | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| isUpdateable | boolean | Is Updateable | <input type="checkbox"/> | |

8.1.65 CustomFieldVersionValues

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/version`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/version`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/version`

Delete YouTrack API URL: /admin/customFieldSettings/bundles/version

Field Selection Method: NotRequired

Base Path: values [*]

Select YouTrack API Operation:

get /admin/customFieldSettings/bundles/version

Table Function Columns

The columns of the table function CustomFieldVersionValues are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|-----------------------|-----------|-----------------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type_2 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| archived | boolean | Archived | <input type="checkbox"/> | |
| bundle_\$type_1 | string | | <input type="checkbox"/> | |
| bundle_\$type | string | | <input type="checkbox"/> | |
| bundle_id_1 | string | | <input type="checkbox"/> | |
| bundle_id | string | | <input type="checkbox"/> | |
| bundle_isUpdateable_1 | boolean | | <input type="checkbox"/> | |
| bundle_isUpdateable | boolean | | <input type="checkbox"/> | |
| color_\$type_1 | string | | <input type="checkbox"/> | |
| color_\$type | string | | <input type="checkbox"/> | |
| color_background_1 | string | | <input type="checkbox"/> | |
| color_background | string | | <input type="checkbox"/> | |
| color_foreground_1 | string | | <input type="checkbox"/> | |
| color_foreground | string | | <input type="checkbox"/> | |
| color_id_1 | string | | <input type="checkbox"/> | |
| color_id | string | | <input type="checkbox"/> | |
| description_1 | string | | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| hasRunningJob_1 | boolean | | <input type="checkbox"/> | |
| hasRunningJob | boolean | Has Running Job | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| isUpdateable | boolean | Is Updateable | <input type="checkbox"/> | |
| name_1 | string | | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| ordinal_1 | int32 | | <input type="checkbox"/> | |
| ordinal | int32 | Ordinal | <input type="checkbox"/> | |
| released | boolean | Released | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|-------------|-----------|--------------|--------------------------|---------------|
| releaseDate | int64 | Release Date | <input type="checkbox"/> | |

8.1.66 CustomFieldVersionValuesByProjectVersionBundleId

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/version/{id}`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/version/{id}`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/version/{id}`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/version/{id}`

Field Selection Method: NotRequired

Base Path: `values[*]`

Select YouTrack API Operation:

`get /admin/customFieldSettings/bundles/version/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldVersionValuesByProjectVersionBundleId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function

`CustomFieldVersionValuesByProjectVersionBundleId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|-----------------------|-----------|-----------------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type_2 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| archived | boolean | Archived | <input type="checkbox"/> | |
| bundle_\$type_1 | string | | <input type="checkbox"/> | |
| bundle_\$type | string | | <input type="checkbox"/> | |
| bundle_id_1 | string | | <input type="checkbox"/> | |
| bundle_id | string | | <input type="checkbox"/> | |
| bundle_isUpdateable_1 | boolean | | <input type="checkbox"/> | |
| bundle_isUpdateable | boolean | | <input type="checkbox"/> | |
| color_\$type_1 | string | | <input type="checkbox"/> | |
| color_\$type | string | | <input type="checkbox"/> | |
| color_background_1 | string | | <input type="checkbox"/> | |
| color_background | string | | <input type="checkbox"/> | |
| color_foreground_1 | string | | <input type="checkbox"/> | |
| color_foreground | string | | <input type="checkbox"/> | |
| color_id_1 | string | | <input type="checkbox"/> | |
| color_id | string | | <input type="checkbox"/> | |
| description_1 | string | | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| hasRunningJob_1 | boolean | | <input type="checkbox"/> | |
| hasRunningJob | boolean | Has Running Job | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| isUpdateable | boolean | Is Updateable | <input type="checkbox"/> | |
| name_1 | string | | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| ordinal_1 | int32 | | <input type="checkbox"/> | |
| ordinal | int32 | Ordinal | <input type="checkbox"/> | |
| released | boolean | Released | <input type="checkbox"/> | |
| releaseDate | int64 | Release Date | <input type="checkbox"/> | |

8.1.67 CustomFieldVersionValuesByProjectVersionBundleId2

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/version/{id}/values`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/version/{id}/values`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/version/{id}/values`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/version/{id}/values`

Field Selection Method: NotRequired

Select YouTrack API Operation:

`get /admin/customFieldSettings/bundles/version/{id}/values`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldVersionValuesByProjectVersionBundleId2`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `CustomFieldVersionValuesByProjectVersionBundleId2` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|---------------------|-----------|----------|--------------------------|---------------|
| \$type | string | | <input type="checkbox"/> | |
| archived | boolean | Archived | <input type="checkbox"/> | |
| bundle_\$type | string | | <input type="checkbox"/> | |
| bundle_id | string | | <input type="checkbox"/> | |
| bundle_isUpdateable | boolean | | <input type="checkbox"/> | |
| color_\$type | string | | <input type="checkbox"/> | |
| color_background | string | | <input type="checkbox"/> | |
| color_foreground | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---------------|-----------|-----------------|--------------------------|---------------|
| color_id | string | | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| hasRunningJob | boolean | Has Running Job | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| ordinal | int32 | Ordinal | <input type="checkbox"/> | |
| released | boolean | Released | <input type="checkbox"/> | |
| releaseDate | int64 | Release Date | <input type="checkbox"/> | |

8.1.68 CustomFieldVersionValuesByProjectVersionBundleId3

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/version/{id}/values/{versionBundleElementId}`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/version/{id}/values/{versionBundleElementId}`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/version/{id}/values/{versionBundleElementId}`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/version/{id}/values/{versionBundleElementId}`

Field Selection Method: NotRequired

Select YouTrack API Operation:

```
get /admin/customFieldSettings/bundles/version/{id}/values/{versionBundleElementId}
```

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldVersionValuesByProjectVersionBundleId3`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------------------------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |
| versionBundleElementId | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `CustomFieldVersionValuesByProjectVersionBundleId3` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|---------------------|-----------|-----------------|--------------------------|---------------|
| \$type | string | | <input type="checkbox"/> | |
| archived | boolean | Archived | <input type="checkbox"/> | |
| bundle_\$type | string | | <input type="checkbox"/> | |
| bundle_id | string | | <input type="checkbox"/> | |
| bundle_isUpdateable | boolean | | <input type="checkbox"/> | |
| color_\$type | string | | <input type="checkbox"/> | |
| color_background | string | | <input type="checkbox"/> | |
| color_foreground | string | | <input type="checkbox"/> | |
| color_id | string | | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| hasRunningJob | boolean | Has Running Job | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| ordinal | int32 | Ordinal | <input type="checkbox"/> | |
| released | boolean | Released | <input type="checkbox"/> | |
| releaseDate | int64 | Release Date | <input type="checkbox"/> | |

8.1.69 InstanceCustomFields

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/customFields`

Insert YouTrack API URL: `/admin/customFieldSettings/customFields`

Update YouTrack API URL: `/admin/customFieldSettings/customFields`

Delete YouTrack API URL: `/admin/customFieldSettings/customFields`

Field Selection Method: NotRequired

Base Path: `instances[*]`

Select YouTrack API Operation: `get /admin/customFieldSettings/customFields`

Table Function Columns

The columns of the table function `InstanceCustomFields` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|---|-----------|------------------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| aliases | string | Aliases | <input type="checkbox"/> | |
| canBeEmpty | boolean | Nullable | <input type="checkbox"/> | |
| condition_\$type | string | | <input type="checkbox"/> | |
| condition_id | string | | <input type="checkbox"/> | |
| emptyFieldText | string | Empty Field Text | <input type="checkbox"/> | |
| field_\$type | string | | <input type="checkbox"/> | |
| field_aliases | string | | <input type="checkbox"/> | |
| field_hasRunningJob | boolean | | <input type="checkbox"/> | |
| field_id | string | | <input type="checkbox"/> | |
| field_isAutoAttached | boolean | | <input type="checkbox"/> | |
| field_isDisplayedInIssueList | boolean | | <input type="checkbox"/> | |
| field_isUpdateable | boolean | | <input type="checkbox"/> | |
| field_localizedName | string | | <input type="checkbox"/> | |
| field_name | string | | <input type="checkbox"/> | |
| field_ordinal | int32 | | <input type="checkbox"/> | |
| fieldDefaults_\$type | string | | <input type="checkbox"/> | |
| fieldDefaults_canBeEmpty | boolean | | <input type="checkbox"/> | |
| fieldDefaults_emptyFieldText | string | | <input type="checkbox"/> | |
| fieldDefaults_id | string | | <input type="checkbox"/> | |
| fieldDefaults_isPublic | boolean | | <input type="checkbox"/> | |
| fieldDefaults_parent_\$type | string | | <input type="checkbox"/> | |
| fieldDefaults_parent_aliases | string | | <input type="checkbox"/> | |
| fieldDefaults_parent_hasRunningJob | boolean | | <input type="checkbox"/> | |
| fieldDefaults_parent_id | string | | <input type="checkbox"/> | |
| fieldDefaults_parent_isAutoAttached | boolean | | <input type="checkbox"/> | |
| fieldDefaults_parent_isDisplayedInIssueList | boolean | | <input type="checkbox"/> | |
| fieldDefaults_parent_isUpdateable | boolean | | <input type="checkbox"/> | |
| fieldDefaults_parent_localizedName | string | | <input type="checkbox"/> | |
| fieldDefaults_parent_name | string | | <input type="checkbox"/> | |
| fieldDefaults_parent_ordinal | int32 | | <input type="checkbox"/> | |
| fieldType_\$type | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|------------------------|-----------|----------------------------|--------------------------|---------------|
| fieldType_id | string | | <input type="checkbox"/> | |
| hasRunningJob_1 | boolean | | <input type="checkbox"/> | |
| hasRunningJob | boolean | Has Running Job | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| isAutoAttached | boolean | Is Auto-attached | <input type="checkbox"/> | |
| isDisplayedInIssueList | boolean | Is Displayed in Issue List | <input type="checkbox"/> | |
| isPublic | boolean | Is Public | <input type="checkbox"/> | |
| isUpdateable | boolean | Is Updateable | <input type="checkbox"/> | |
| localizedName | string | Localized Name | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| ordinal_1 | int32 | | <input type="checkbox"/> | |
| ordinal | int32 | Ordinal | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |

8.1.70 Types

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/types`

Insert YouTrack API URL: `/admin/customFieldSettings/types`

Update YouTrack API URL: `/admin/customFieldSettings/types`

Delete YouTrack API URL: `/admin/customFieldSettings/types`

Field Selection Method: NotRequired

Select YouTrack API Operation: `get /admin/customFieldSettings/types`

Table Function Columns

The columns of the table function `Types` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|--------|-----------|-------|--------------------------|---------------|
| \$type | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |

9 Schema: Issues

9.1 Tables

9.1.1 AttachmentById

Catalog: YouTrack

Schema: Issues

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/issues/{id}`

Insert YouTrack API URL: `/issues/{id}`

Update YouTrack API URL: `/issues/{id}`

Delete YouTrack API URL: `/issues/{id}`

Field Selection Method: NotRequired

Base Path: `attachments[*]`

Select YouTrack API Operation: `get /issues/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `AttachmentById`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `AttachmentById` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|---|-----------|----------------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>author_\$type</code> | string | | <input type="checkbox"/> | |
| <code>author_avatarUrl</code> | string | | <input type="checkbox"/> | |
| <code>author_banned</code> | boolean | | <input type="checkbox"/> | |
| <code>author_email</code> | string | | <input type="checkbox"/> | |
| <code>author_fullName</code> | string | | <input type="checkbox"/> | |
| <code>author_guest</code> | boolean | | <input type="checkbox"/> | |
| <code>author_id</code> | string | | <input type="checkbox"/> | |
| <code>author_jabberAccountName</code> | string | | <input type="checkbox"/> | |
| <code>author_login</code> | string | | <input type="checkbox"/> | |
| <code>author_online</code> | boolean | | <input type="checkbox"/> | |
| <code>author_ringId</code> | string | | <input type="checkbox"/> | |
| <code>base64Content</code> | string | Base64 Content | <input type="checkbox"/> | |
| <code>charset</code> | string | Charset | <input type="checkbox"/> | |
| <code>comment_\$type</code> | string | | <input type="checkbox"/> | |
| <code>comment_created</code> | int64 | | <input type="checkbox"/> | |
| <code>comment_deleted</code> | boolean | | <input type="checkbox"/> | |
| <code>comment_id</code> | string | | <input type="checkbox"/> | |
| <code>comment_text</code> | string | | <input type="checkbox"/> | |
| <code>comment_textPreview</code> | string | | <input type="checkbox"/> | |
| <code>comment_updated</code> | int64 | | <input type="checkbox"/> | |
| <code>comment_usesMarkdown</code> | boolean | | <input type="checkbox"/> | |
| <code>commentsCount</code> | int32 | Comments Count | <input type="checkbox"/> | |
| <code>created_1</code> | int64 | | <input type="checkbox"/> | |
| <code>created</code> | int64 | Created | <input type="checkbox"/> | |
| <code>description</code> | string | Description | <input type="checkbox"/> | |
| <code>draft</code> | boolean | Draft | <input type="checkbox"/> | |
| <code>draftOwner_\$type</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_avatarUrl</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_banned</code> | boolean | | <input type="checkbox"/> | |
| <code>draftOwner_email</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_fullName</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_guest</code> | boolean | | <input type="checkbox"/> | |
| <code>draftOwner_id</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_jabberAccountName</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_login</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_online</code> | boolean | | <input type="checkbox"/> | |
| <code>draftOwner_profiles_\$type</code> | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---------------------------------------|-----------|-------------------|--------------------------|---------------|
| draftOwner_profiles_id | string | | <input type="checkbox"/> | |
| draftOwner_ringId | string | | <input type="checkbox"/> | |
| extension | string | Extension | <input type="checkbox"/> | |
| externalIssue_\$type | string | | <input type="checkbox"/> | |
| externalIssue_id | string | | <input type="checkbox"/> | |
| externalIssue_key | string | | <input type="checkbox"/> | |
| externalIssue_name | string | | <input type="checkbox"/> | |
| externalIssue_url | string | | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| issue_\$type | string | | <input type="checkbox"/> | |
| issue_commentsCount | int32 | | <input type="checkbox"/> | |
| issue_created | int64 | | <input type="checkbox"/> | |
| issue_description | string | | <input type="checkbox"/> | |
| issue_id | string | | <input type="checkbox"/> | |
| issue_idReadable | string | | <input type="checkbox"/> | |
| issue_isDraft | boolean | | <input type="checkbox"/> | |
| issue_numberInProject | int64 | | <input type="checkbox"/> | |
| issue_resolved | int64 | | <input type="checkbox"/> | |
| issue_summary | string | | <input type="checkbox"/> | |
| issue_updated | int64 | | <input type="checkbox"/> | |
| issue_usesMarkdown | boolean | | <input type="checkbox"/> | |
| issue_votes | int32 | | <input type="checkbox"/> | |
| issue_wikifiedDescription | string | | <input type="checkbox"/> | |
| metaData | string | Metadata | <input type="checkbox"/> | |
| mimeType | string | MIME-type | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| parent_linkType_\$type | string | | <input type="checkbox"/> | |
| parent_linkType_aggregation | boolean | | <input type="checkbox"/> | |
| parent_linkType_directed | boolean | | <input type="checkbox"/> | |
| parent_linkType_id | string | | <input type="checkbox"/> | |
| parent_linkType_localizedName | string | | <input type="checkbox"/> | |
| parent_linkType_localizedSourceTarget | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------|--------------------------|---------------|
| parent_linkType_localizedTargetToSource | string | | <input type="checkbox"/> | |
| parent_linkType_name | string | | <input type="checkbox"/> | |
| parent_linkType_readOnly | boolean | | <input type="checkbox"/> | |
| parent_linkType_sourceToTarget | string | | <input type="checkbox"/> | |
| parent_linkType_targetToSource | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_createdBy_\$type | string | | <input type="checkbox"/> | |
| project_createdBy_avatarUrl | string | | <input type="checkbox"/> | |
| project_createdBy_banned | boolean | | <input type="checkbox"/> | |
| project_createdBy_email | string | | <input type="checkbox"/> | |
| project_createdBy_fullName | string | | <input type="checkbox"/> | |
| project_createdBy_guest | boolean | | <input type="checkbox"/> | |
| project_createdBy_id | string | | <input type="checkbox"/> | |
| project_createdBy_jabberAccountName | string | | <input type="checkbox"/> | |
| project_createdBy_login | string | | <input type="checkbox"/> | |
| project_createdBy_online | boolean | | <input type="checkbox"/> | |
| project_createdBy_ringId | string | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_leader_\$type | string | | <input type="checkbox"/> | |
| project_leader_avatarUrl | string | | <input type="checkbox"/> | |
| project_leader_banned | boolean | | <input type="checkbox"/> | |
| project_leader_email | string | | <input type="checkbox"/> | |
| project_leader_fullName | string | | <input type="checkbox"/> | |
| project_leader_guest | boolean | | <input type="checkbox"/> | |
| project_leader_id | string | | <input type="checkbox"/> | |
| project_leader_jabberAccountName | string | | <input type="checkbox"/> | |
| project_leader_login | string | | <input type="checkbox"/> | |
| project_leader_online | boolean | | <input type="checkbox"/> | |
| project_leader_ringId | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_team_\$type | string | | <input type="checkbox"/> | |
| project_team_allUsersGroup | boolean | | <input type="checkbox"/> | |
| project_team_icon | string | | <input type="checkbox"/> | |
| project_team_id | string | | <input type="checkbox"/> | |
| project_team_name | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-----------------|--------------------------|---------------|
| project_team_ringId | string | | <input type="checkbox"/> | |
| project_team_usersCount | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| removed | boolean | Removed | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_profiles_\$type | string | | <input type="checkbox"/> | |
| reporter_profiles_id | string | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| size | int64 | Size | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| subtasks_linkType_\$type | string | | <input type="checkbox"/> | |
| subtasks_linkType_aggregation | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_directed | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_id | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedName | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedSourceToTarget | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedTargetToSource | string | | <input type="checkbox"/> | |
| subtasks_linkType_name | string | | <input type="checkbox"/> | |
| subtasks_linkType_readOnly | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_sourceToTarget | string | | <input type="checkbox"/> | |
| subtasks_linkType_targetToSource | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| thumbnailURL | string | Thumbnail (URL) | <input type="checkbox"/> | |
| updated_1 | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---------------------------|-----------|----------------------|--------------------------|---------------|
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_profiles_\$type | string | | <input type="checkbox"/> | |
| updater_profiles_id | string | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| url | string | URL | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Markdown | <input type="checkbox"/> | |
| visibility_\$type_1 | string | | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id_1 | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

9.1.2 Attachments

Catalog: YouTrack

Schema: Issues

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/issues`

Insert YouTrack API URL: `/issues`

Update YouTrack API URL: `/issues`

Delete YouTrack API URL: `/issues`

Field Selection Method: `NotRequired`

Base Path: `attachments[*]`

Select YouTrack API Operation: `get /issues`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `Attachments`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|--------------|-----------|--------------------------|---------------|--|
| customFields | string | <input type="checkbox"/> | | <p><p>The name of the custom field to show in the response. When you use this parameter and request the custom field data in the request URL, the response only shows the requested custom fields instead of all of them.</p> <p>To show more than one custom field, use this parameter several times.</p> <p>See Sample 2 for reference.</p> </p> |
| query | string | <input type="checkbox"/> | | <p>Issues search query. Read more about search syntax here: Search Query Reference</p> |

Table Function Columns

The columns of the table function `Attachments` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|------------------|-----------|-------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| author_\$type | string | | <input type="checkbox"/> | |
| author_avatarUrl | string | | <input type="checkbox"/> | |
| author_banned | boolean | | <input type="checkbox"/> | |
| author_email | string | | <input type="checkbox"/> | |
| author_fullName | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|------------------------------|-----------|----------------|--------------------------|---------------|
| author_guest | boolean | | <input type="checkbox"/> | |
| author_id | string | | <input type="checkbox"/> | |
| author_jabberAccountName | string | | <input type="checkbox"/> | |
| author_login | string | | <input type="checkbox"/> | |
| author_online | boolean | | <input type="checkbox"/> | |
| author_ringId | string | | <input type="checkbox"/> | |
| base64Content | string | Base64 Content | <input type="checkbox"/> | |
| charset | string | Charset | <input type="checkbox"/> | |
| comment_\$type | string | | <input type="checkbox"/> | |
| comment_created | int64 | | <input type="checkbox"/> | |
| comment_deleted | boolean | | <input type="checkbox"/> | |
| comment_id | string | | <input type="checkbox"/> | |
| comment_text | string | | <input type="checkbox"/> | |
| comment_textPreview | string | | <input type="checkbox"/> | |
| comment_updated | int64 | | <input type="checkbox"/> | |
| comment_usesMarkdown | boolean | | <input type="checkbox"/> | |
| commentsCount | int32 | Comments Count | <input type="checkbox"/> | |
| created_1 | int64 | | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| draft | boolean | Draft | <input type="checkbox"/> | |
| draftOwner_\$type | string | | <input type="checkbox"/> | |
| draftOwner_avatarUrl | string | | <input type="checkbox"/> | |
| draftOwner_banned | boolean | | <input type="checkbox"/> | |
| draftOwner_email | string | | <input type="checkbox"/> | |
| draftOwner_fullName | string | | <input type="checkbox"/> | |
| draftOwner_guest | boolean | | <input type="checkbox"/> | |
| draftOwner_id | string | | <input type="checkbox"/> | |
| draftOwner_jabberAccountName | string | | <input type="checkbox"/> | |
| draftOwner_login | string | | <input type="checkbox"/> | |
| draftOwner_online | boolean | | <input type="checkbox"/> | |
| draftOwner_profiles_\$type | string | | <input type="checkbox"/> | |
| draftOwner_profiles_id | string | | <input type="checkbox"/> | |
| draftOwner_ringId | string | | <input type="checkbox"/> | |
| extension | string | Extension | <input type="checkbox"/> | |
| externalIssue_\$type | string | | <input type="checkbox"/> | |
| externalIssue_id | string | | <input type="checkbox"/> | |
| externalIssue_key | string | | <input type="checkbox"/> | |
| externalIssue_name | string | | <input type="checkbox"/> | |
| externalIssue_url | string | | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------------------|--------------------------|---------------|
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| issue_\$type | string | | <input type="checkbox"/> | |
| issue_commentsCount | int32 | | <input type="checkbox"/> | |
| issue_created | int64 | | <input type="checkbox"/> | |
| issue_description | string | | <input type="checkbox"/> | |
| issue_id | string | | <input type="checkbox"/> | |
| issue_idReadable | string | | <input type="checkbox"/> | |
| issue_isDraft | boolean | | <input type="checkbox"/> | |
| issue_numberInProject | int64 | | <input type="checkbox"/> | |
| issue_resolved | int64 | | <input type="checkbox"/> | |
| issue_summary | string | | <input type="checkbox"/> | |
| issue_updated | int64 | | <input type="checkbox"/> | |
| issue_usesMarkdown | boolean | | <input type="checkbox"/> | |
| issue_votes | int32 | | <input type="checkbox"/> | |
| issue_wikifiedDescription | string | | <input type="checkbox"/> | |
| metaData | string | Metadata | <input type="checkbox"/> | |
| mimeType | string | MIME-type | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| parent_linkType_\$type | string | | <input type="checkbox"/> | |
| parent_linkType_aggregation | boolean | | <input type="checkbox"/> | |
| parent_linkType_directed | boolean | | <input type="checkbox"/> | |
| parent_linkType_id | string | | <input type="checkbox"/> | |
| parent_linkType_localizedName | string | | <input type="checkbox"/> | |
| parent_linkType_localizedSourceToTarget | string | | <input type="checkbox"/> | |
| parent_linkType_localizedTargetToSource | string | | <input type="checkbox"/> | |
| parent_linkType_name | string | | <input type="checkbox"/> | |
| parent_linkType_readOnly | boolean | | <input type="checkbox"/> | |
| parent_linkType_sourceToTarget | string | | <input type="checkbox"/> | |
| parent_linkType_targetToSource | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_createdBy_\$type | string | | <input type="checkbox"/> | |
| project_createdBy_avatarUrl | string | | <input type="checkbox"/> | |
| project_createdBy_banned | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|-------------------------------------|-----------|---------|--------------------------|---------------|
| project_createdBy_email | string | | <input type="checkbox"/> | |
| project_createdBy_fullName | string | | <input type="checkbox"/> | |
| project_createdBy_guest | boolean | | <input type="checkbox"/> | |
| project_createdBy_id | string | | <input type="checkbox"/> | |
| project_createdBy_jabberAccountName | string | | <input type="checkbox"/> | |
| project_createdBy_login | string | | <input type="checkbox"/> | |
| project_createdBy_online | boolean | | <input type="checkbox"/> | |
| project_createdBy_ringId | string | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_leader_\$type | string | | <input type="checkbox"/> | |
| project_leader_avatarUrl | string | | <input type="checkbox"/> | |
| project_leader_banned | boolean | | <input type="checkbox"/> | |
| project_leader_email | string | | <input type="checkbox"/> | |
| project_leader_fullName | string | | <input type="checkbox"/> | |
| project_leader_guest | boolean | | <input type="checkbox"/> | |
| project_leader_id | string | | <input type="checkbox"/> | |
| project_leader_jabberAccountName | string | | <input type="checkbox"/> | |
| project_leader_login | string | | <input type="checkbox"/> | |
| project_leader_online | boolean | | <input type="checkbox"/> | |
| project_leader_ringId | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_team_\$type | string | | <input type="checkbox"/> | |
| project_team_allUsersGroup | boolean | | <input type="checkbox"/> | |
| project_team_icon | string | | <input type="checkbox"/> | |
| project_team_id | string | | <input type="checkbox"/> | |
| project_team_name | string | | <input type="checkbox"/> | |
| project_team_ringId | string | | <input type="checkbox"/> | |
| project_team_usersCount | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| removed | boolean | Removed | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-----------------|--------------------------|---------------|
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_profiles_\$type | string | | <input type="checkbox"/> | |
| reporter_profiles_id | string | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| size | int64 | Size | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| subtasks_linkType_\$type | string | | <input type="checkbox"/> | |
| subtasks_linkType_aggregation | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_directed | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_id | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedName | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedSourceToTarget | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedTargetToSource | string | | <input type="checkbox"/> | |
| subtasks_linkType_name | string | | <input type="checkbox"/> | |
| subtasks_linkType_readOnly | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_sourceToTarget | string | | <input type="checkbox"/> | |
| subtasks_linkType_targetToSource | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| thumbnailURL | string | Thumbnail (URL) | <input type="checkbox"/> | |
| updated_1 | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_profiles_\$type | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---------------------|-----------|----------------------|--------------------------|---------------|
| updater_profiles_id | string | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| url | string | URL | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Markdown | <input type="checkbox"/> | |
| visibility_\$type_1 | string | | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id_1 | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

9.1.3 CommentAttachments

Catalog: YouTrack

Schema: Issues

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/issues`

Insert YouTrack API URL: `/issues`

Update YouTrack API URL: `/issues`

Delete YouTrack API URL: `/issues`

Field Selection Method: `NotRequired`

Base Path: `comments[*].attachments[*]`

Select YouTrack API Operation: `get /issues`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CommentAttachments`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four

parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|--------------|-----------|--------------------------|---------------|--|
| customFields | string | <input type="checkbox"/> | | <p>The name of the custom field to show in the response. When you use this parameter and request the custom field data in the request URL, the response only shows the requested custom fields instead of all of them.</p> <p>To show more than one custom field, use this parameter several times.</p> <p>See Sample 2 for reference.</p> |
| query | string | <input type="checkbox"/> | | <p>Issues search query. Read more about search syntax here: https://www.jetbrains.com/help/youtrack/incloud/?Search-and-Command-Attributes Search Query Reference</p> |

Table Function Columns

The columns of the table function `CommentAttachments` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|--------------------------|-----------|----------------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type_2 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| author_\$type | string | | <input type="checkbox"/> | |
| author_avatarUrl | string | | <input type="checkbox"/> | |
| author_banned | boolean | | <input type="checkbox"/> | |
| author_email | string | | <input type="checkbox"/> | |
| author_fullName | string | | <input type="checkbox"/> | |
| author_guest | boolean | | <input type="checkbox"/> | |
| author_id | string | | <input type="checkbox"/> | |
| author_jabberAccountName | string | | <input type="checkbox"/> | |
| author_login | string | | <input type="checkbox"/> | |
| author_online | boolean | | <input type="checkbox"/> | |
| author_ringId | string | | <input type="checkbox"/> | |
| base64Content | string | Base64 Content | <input type="checkbox"/> | |
| charset | string | Charset | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|------------------------------|-----------|----------------|--------------------------|---------------|
| commentsCount | int32 | Comments Count | <input type="checkbox"/> | |
| created_1 | int64 | | <input type="checkbox"/> | |
| created_2 | int64 | | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| deleted | boolean | Deleted | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| draft | boolean | Draft | <input type="checkbox"/> | |
| draftOwner_\$type | string | | <input type="checkbox"/> | |
| draftOwner_avatarUrl | string | | <input type="checkbox"/> | |
| draftOwner_banned | boolean | | <input type="checkbox"/> | |
| draftOwner_email | string | | <input type="checkbox"/> | |
| draftOwner_fullName | string | | <input type="checkbox"/> | |
| draftOwner_guest | boolean | | <input type="checkbox"/> | |
| draftOwner_id | string | | <input type="checkbox"/> | |
| draftOwner_jabberAccountName | string | | <input type="checkbox"/> | |
| draftOwner_login | string | | <input type="checkbox"/> | |
| draftOwner_online | boolean | | <input type="checkbox"/> | |
| draftOwner_profiles_\$type | string | | <input type="checkbox"/> | |
| draftOwner_profiles_id | string | | <input type="checkbox"/> | |
| draftOwner_ringId | string | | <input type="checkbox"/> | |
| extension | string | Extension | <input type="checkbox"/> | |
| externalIssue_\$type | string | | <input type="checkbox"/> | |
| externalIssue_id | string | | <input type="checkbox"/> | |
| externalIssue_key | string | | <input type="checkbox"/> | |
| externalIssue_name | string | | <input type="checkbox"/> | |
| externalIssue_url | string | | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| issue_\$type | string | | <input type="checkbox"/> | |
| issue_commentsCount | int32 | | <input type="checkbox"/> | |
| issue_created | int64 | | <input type="checkbox"/> | |
| issue_description | string | | <input type="checkbox"/> | |
| issue_id | string | | <input type="checkbox"/> | |
| issue_idReadable | string | | <input type="checkbox"/> | |
| issue_isDraft | boolean | | <input type="checkbox"/> | |
| issue_numberInProject | int64 | | <input type="checkbox"/> | |
| issue_resolved | int64 | | <input type="checkbox"/> | |
| issue_summary | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------------------|--------------------------|---------------|
| issue_updated | int64 | | <input type="checkbox"/> | |
| issue_usesMarkdown | boolean | | <input type="checkbox"/> | |
| issue_votes | int32 | | <input type="checkbox"/> | |
| issue_wikifiedDescription | string | | <input type="checkbox"/> | |
| metaData | string | Metadata | <input type="checkbox"/> | |
| mimeType | string | MIME-type | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| parent_linkType_\$type | string | | <input type="checkbox"/> | |
| parent_linkType_aggregation | boolean | | <input type="checkbox"/> | |
| parent_linkType_directed | boolean | | <input type="checkbox"/> | |
| parent_linkType_id | string | | <input type="checkbox"/> | |
| parent_linkType_localizedName | string | | <input type="checkbox"/> | |
| parent_linkType_localizedSourceToTarget | string | | <input type="checkbox"/> | |
| parent_linkType_localizedTargetToSource | string | | <input type="checkbox"/> | |
| parent_linkType_name | string | | <input type="checkbox"/> | |
| parent_linkType_readOnly | boolean | | <input type="checkbox"/> | |
| parent_linkType_sourceToTarget | string | | <input type="checkbox"/> | |
| parent_linkType_targetToSource | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_createdBy_\$type | string | | <input type="checkbox"/> | |
| project_createdBy_avatarUrl | string | | <input type="checkbox"/> | |
| project_createdBy_banned | boolean | | <input type="checkbox"/> | |
| project_createdBy_email | string | | <input type="checkbox"/> | |
| project_createdBy_fullName | string | | <input type="checkbox"/> | |
| project_createdBy_guest | boolean | | <input type="checkbox"/> | |
| project_createdBy_id | string | | <input type="checkbox"/> | |
| project_createdBy_jabberAccountName | string | | <input type="checkbox"/> | |
| project_createdBy_login | string | | <input type="checkbox"/> | |
| project_createdBy_online | boolean | | <input type="checkbox"/> | |
| project_createdBy_ringId | string | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_leader_\$type | string | | <input type="checkbox"/> | |
| project_leader_avatarUrl | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|----------------------------------|-----------|----------|--------------------------|---------------|
| project_leader_banned | boolean | | <input type="checkbox"/> | |
| project_leader_email | string | | <input type="checkbox"/> | |
| project_leader_fullName | string | | <input type="checkbox"/> | |
| project_leader_guest | boolean | | <input type="checkbox"/> | |
| project_leader_id | string | | <input type="checkbox"/> | |
| project_leader_jabberAccountName | string | | <input type="checkbox"/> | |
| project_leader_login | string | | <input type="checkbox"/> | |
| project_leader_online | boolean | | <input type="checkbox"/> | |
| project_leader_ringId | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_team_\$type | string | | <input type="checkbox"/> | |
| project_team_allUsersGroup | boolean | | <input type="checkbox"/> | |
| project_team_icon | string | | <input type="checkbox"/> | |
| project_team_id | string | | <input type="checkbox"/> | |
| project_team_name | string | | <input type="checkbox"/> | |
| project_team_ringId | string | | <input type="checkbox"/> | |
| project_team_usersCount | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| removed | boolean | Removed | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_profiles_\$type | string | | <input type="checkbox"/> | |
| reporter_profiles_id | string | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| size | int64 | Size | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| subtasks_linkType_\$type | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-----------------|--------------------------|---------------|
| subtasks_linkType_aggregation | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_directed | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_id | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedName | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedSourceToTarget | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedTargetToSource | string | | <input type="checkbox"/> | |
| subtasks_linkType_name | string | | <input type="checkbox"/> | |
| subtasks_linkType_readOnly | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_sourceToTarget | string | | <input type="checkbox"/> | |
| subtasks_linkType_targetToSource | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| text | string | Text | <input type="checkbox"/> | |
| textPreview | string | Text Preview | <input type="checkbox"/> | |
| thumbnailURL | string | Thumbnail (URL) | <input type="checkbox"/> | |
| updated_1 | int64 | | <input type="checkbox"/> | |
| updated_2 | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_profiles_\$type | string | | <input type="checkbox"/> | |
| updater_profiles_id | string | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| url | string | URL | <input type="checkbox"/> | |
| usesMarkdown_1 | boolean | | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Mark Down | <input type="checkbox"/> | |
| visibility_\$type_1 | string | | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id_1 | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---------------------|-----------|----------------------|--------------------------|---------------|
| voters_id | string | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

9.1.4 CommentAttachmentsByIssueId

Catalog: YouTrack

Schema: Issues

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/issues/{id}`

Insert YouTrack API URL: `/issues/{id}`

Update YouTrack API URL: `/issues/{id}`

Delete YouTrack API URL: `/issues/{id}`

Field Selection Method: NotRequired

Base Path: `comments[*].attachments[*]`

Select YouTrack API Operation: `get /issues/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CommentAttachmentsByIssueId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `CommentAttachmentsByIssueId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|------------------------------|-----------|----------------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type_2 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| author_\$type | string | | <input type="checkbox"/> | |
| author_avatarUrl | string | | <input type="checkbox"/> | |
| author_banned | boolean | | <input type="checkbox"/> | |
| author_email | string | | <input type="checkbox"/> | |
| author_fullName | string | | <input type="checkbox"/> | |
| author_guest | boolean | | <input type="checkbox"/> | |
| author_id | string | | <input type="checkbox"/> | |
| author_jabberAccountName | string | | <input type="checkbox"/> | |
| author_login | string | | <input type="checkbox"/> | |
| author_online | boolean | | <input type="checkbox"/> | |
| author_ringId | string | | <input type="checkbox"/> | |
| base64Content | string | Base64 Content | <input type="checkbox"/> | |
| charset | string | Charset | <input type="checkbox"/> | |
| commentsCount | int32 | Comments Count | <input type="checkbox"/> | |
| created_1 | int64 | | <input type="checkbox"/> | |
| created_2 | int64 | | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| deleted | boolean | Deleted | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| draft | boolean | Draft | <input type="checkbox"/> | |
| draftOwner_\$type | string | | <input type="checkbox"/> | |
| draftOwner_avatarUrl | string | | <input type="checkbox"/> | |
| draftOwner_banned | boolean | | <input type="checkbox"/> | |
| draftOwner_email | string | | <input type="checkbox"/> | |
| draftOwner_fullName | string | | <input type="checkbox"/> | |
| draftOwner_guest | boolean | | <input type="checkbox"/> | |
| draftOwner_id | string | | <input type="checkbox"/> | |
| draftOwner_jabberAccountName | string | | <input type="checkbox"/> | |
| draftOwner_login | string | | <input type="checkbox"/> | |
| draftOwner_online | boolean | | <input type="checkbox"/> | |
| draftOwner_profiles_\$type | string | | <input type="checkbox"/> | |
| draftOwner_profiles_id | string | | <input type="checkbox"/> | |
| draftOwner_ringId | string | | <input type="checkbox"/> | |
| extension | string | Extension | <input type="checkbox"/> | |
| externalIssue_\$type | string | | <input type="checkbox"/> | |
| externalIssue_id | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------------------|--------------------------|---------------|
| externalIssue_key | string | | <input type="checkbox"/> | |
| externalIssue_name | string | | <input type="checkbox"/> | |
| externalIssue_url | string | | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| issue_\$type | string | | <input type="checkbox"/> | |
| issue_commentsCount | int32 | | <input type="checkbox"/> | |
| issue_created | int64 | | <input type="checkbox"/> | |
| issue_description | string | | <input type="checkbox"/> | |
| issue_id | string | | <input type="checkbox"/> | |
| issue_idReadable | string | | <input type="checkbox"/> | |
| issue_isDraft | boolean | | <input type="checkbox"/> | |
| issue_numberInProject | int64 | | <input type="checkbox"/> | |
| issue_resolved | int64 | | <input type="checkbox"/> | |
| issue_summary | string | | <input type="checkbox"/> | |
| issue_updated | int64 | | <input type="checkbox"/> | |
| issue_usesMarkdown | boolean | | <input type="checkbox"/> | |
| issue_votes | int32 | | <input type="checkbox"/> | |
| issue_wikifiedDescription | string | | <input type="checkbox"/> | |
| metaData | string | Metadata | <input type="checkbox"/> | |
| mimeType | string | MIME-type | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| parent_linkType_\$type | string | | <input type="checkbox"/> | |
| parent_linkType_aggregation | boolean | | <input type="checkbox"/> | |
| parent_linkType_directed | boolean | | <input type="checkbox"/> | |
| parent_linkType_id | string | | <input type="checkbox"/> | |
| parent_linkType_localizedName | string | | <input type="checkbox"/> | |
| parent_linkType_localizedSourceToTarget | string | | <input type="checkbox"/> | |
| parent_linkType_localizedTargetToSource | string | | <input type="checkbox"/> | |
| parent_linkType_name | string | | <input type="checkbox"/> | |
| parent_linkType_readOnly | boolean | | <input type="checkbox"/> | |
| parent_linkType_sourceToTarget | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|---------|--------------------------|---------------|
| parent_linkType_targetToSource | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_createdBy_\$type | string | | <input type="checkbox"/> | |
| project_createdBy_avatarUrl | string | | <input type="checkbox"/> | |
| project_createdBy_banned | boolean | | <input type="checkbox"/> | |
| project_createdBy_email | string | | <input type="checkbox"/> | |
| project_createdBy_fullName | string | | <input type="checkbox"/> | |
| project_createdBy_guest | boolean | | <input type="checkbox"/> | |
| project_createdBy_id | string | | <input type="checkbox"/> | |
| project_createdBy_jabberAccount Name | string | | <input type="checkbox"/> | |
| project_createdBy_login | string | | <input type="checkbox"/> | |
| project_createdBy_online | boolean | | <input type="checkbox"/> | |
| project_createdBy_ringId | string | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_leader_\$type | string | | <input type="checkbox"/> | |
| project_leader_avatarUrl | string | | <input type="checkbox"/> | |
| project_leader_banned | boolean | | <input type="checkbox"/> | |
| project_leader_email | string | | <input type="checkbox"/> | |
| project_leader_fullName | string | | <input type="checkbox"/> | |
| project_leader_guest | boolean | | <input type="checkbox"/> | |
| project_leader_id | string | | <input type="checkbox"/> | |
| project_leader_jabberAccountNam e | string | | <input type="checkbox"/> | |
| project_leader_login | string | | <input type="checkbox"/> | |
| project_leader_online | boolean | | <input type="checkbox"/> | |
| project_leader_ringId | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_team_\$type | string | | <input type="checkbox"/> | |
| project_team_allUsersGroup | boolean | | <input type="checkbox"/> | |
| project_team_icon | string | | <input type="checkbox"/> | |
| project_team_id | string | | <input type="checkbox"/> | |
| project_team_name | string | | <input type="checkbox"/> | |
| project_team_ringId | string | | <input type="checkbox"/> | |
| project_team_usersCount | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| removed | boolean | Removed | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-----------------|--------------------------|---------------|
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_profiles_\$type | string | | <input type="checkbox"/> | |
| reporter_profiles_id | string | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| size | int64 | Size | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| subtasks_linkType_\$type | string | | <input type="checkbox"/> | |
| subtasks_linkType_aggregation | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_directed | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_id | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedName | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedSourceToTarget | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedTargetToSource | string | | <input type="checkbox"/> | |
| subtasks_linkType_name | string | | <input type="checkbox"/> | |
| subtasks_linkType_readOnly | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_sourceToTarget | string | | <input type="checkbox"/> | |
| subtasks_linkType_targetToSource | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| text | string | Text | <input type="checkbox"/> | |
| textPreview | string | Text Preview | <input type="checkbox"/> | |
| thumbnailURL | string | Thumbnail (URL) | <input type="checkbox"/> | |
| updated_1 | int64 | | <input type="checkbox"/> | |
| updated_2 | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---------------------------|-----------|----------------------|--------------------------|---------------|
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_profiles_\$type | string | | <input type="checkbox"/> | |
| updater_profiles_id | string | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| url | string | URL | <input type="checkbox"/> | |
| usesMarkdown_1 | boolean | | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Mark Down | <input type="checkbox"/> | |
| visibility_\$type_1 | string | | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id_1 | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

9.1.5 Comments

Catalog: YouTrack

Schema: Issues

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/issues`

Insert YouTrack API URL: `/issues`

Update YouTrack API URL: `/issues`

Delete YouTrack API URL: `/issues`

Field Selection Method: `NotRequired`

Base Path: `comments[*]`

Select YouTrack API Operation: `get /issues`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `Comments`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|--------------|-----------|--------------------------|---------------|---|
| customFields | string | <input type="checkbox"/> | | <p><p>The name of the custom field to show in the response. When you use this parameter and request the custom field data in the request URL, the response only shows the requested custom fields instead of all of them.</p><p>To show more than one custom field, use this parameter several times.</p><p>See Sample 2 for reference.</p></p> |
| query | string | <input type="checkbox"/> | | <p>Issues search query. Read more about search syntax here: Search Query Reference</p> |

Table Function Columns

The columns of the table function `Comments` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|------------------|-----------|-------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| author_\$type | string | | <input type="checkbox"/> | |
| author_avatarUrl | string | | <input type="checkbox"/> | |
| author_banned | boolean | | <input type="checkbox"/> | |
| author_email | string | | <input type="checkbox"/> | |
| author_fullName | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|------------------------------|-----------|----------------|--------------------------|---------------|
| author_guest | boolean | | <input type="checkbox"/> | |
| author_id | string | | <input type="checkbox"/> | |
| author_jabberAccountName | string | | <input type="checkbox"/> | |
| author_login | string | | <input type="checkbox"/> | |
| author_online | boolean | | <input type="checkbox"/> | |
| author_ringId | string | | <input type="checkbox"/> | |
| commentsCount | int32 | Comments Count | <input type="checkbox"/> | |
| created_1 | int64 | | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| deleted | boolean | Deleted | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| draftOwner_\$type | string | | <input type="checkbox"/> | |
| draftOwner_avatarUrl | string | | <input type="checkbox"/> | |
| draftOwner_banned | boolean | | <input type="checkbox"/> | |
| draftOwner_email | string | | <input type="checkbox"/> | |
| draftOwner_fullName | string | | <input type="checkbox"/> | |
| draftOwner_guest | boolean | | <input type="checkbox"/> | |
| draftOwner_id | string | | <input type="checkbox"/> | |
| draftOwner_jabberAccountName | string | | <input type="checkbox"/> | |
| draftOwner_login | string | | <input type="checkbox"/> | |
| draftOwner_online | boolean | | <input type="checkbox"/> | |
| draftOwner_profiles_\$type | string | | <input type="checkbox"/> | |
| draftOwner_profiles_id | string | | <input type="checkbox"/> | |
| draftOwner_ringId | string | | <input type="checkbox"/> | |
| externalIssue_\$type | string | | <input type="checkbox"/> | |
| externalIssue_id | string | | <input type="checkbox"/> | |
| externalIssue_key | string | | <input type="checkbox"/> | |
| externalIssue_name | string | | <input type="checkbox"/> | |
| externalIssue_url | string | | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| issue_\$type | string | | <input type="checkbox"/> | |
| issue_commentsCount | int32 | | <input type="checkbox"/> | |
| issue_created | int64 | | <input type="checkbox"/> | |
| issue_description | string | | <input type="checkbox"/> | |
| issue_id | string | | <input type="checkbox"/> | |
| issue_idReadable | string | | <input type="checkbox"/> | |
| issue_isDraft | boolean | | <input type="checkbox"/> | |
| issue_numberInProject | int64 | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------------------|--------------------------|---------------|
| issue_resolved | int64 | | <input type="checkbox"/> | |
| issue_summary | string | | <input type="checkbox"/> | |
| issue_updated | int64 | | <input type="checkbox"/> | |
| issue_usesMarkdown | boolean | | <input type="checkbox"/> | |
| issue_votes | int32 | | <input type="checkbox"/> | |
| issue_wikifiedDescription | string | | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| parent_linkType_\$type | string | | <input type="checkbox"/> | |
| parent_linkType_aggregation | boolean | | <input type="checkbox"/> | |
| parent_linkType_directed | boolean | | <input type="checkbox"/> | |
| parent_linkType_id | string | | <input type="checkbox"/> | |
| parent_linkType_localizedName | string | | <input type="checkbox"/> | |
| parent_linkType_localizedSourceToTarget | string | | <input type="checkbox"/> | |
| parent_linkType_localizedTargetToSource | string | | <input type="checkbox"/> | |
| parent_linkType_name | string | | <input type="checkbox"/> | |
| parent_linkType_readOnly | boolean | | <input type="checkbox"/> | |
| parent_linkType_sourceToTarget | string | | <input type="checkbox"/> | |
| parent_linkType_targetToSource | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_createdBy_\$type | string | | <input type="checkbox"/> | |
| project_createdBy_avatarUrl | string | | <input type="checkbox"/> | |
| project_createdBy_banned | boolean | | <input type="checkbox"/> | |
| project_createdBy_email | string | | <input type="checkbox"/> | |
| project_createdBy_fullName | string | | <input type="checkbox"/> | |
| project_createdBy_guest | boolean | | <input type="checkbox"/> | |
| project_createdBy_id | string | | <input type="checkbox"/> | |
| project_createdBy_jabberAccountName | string | | <input type="checkbox"/> | |
| project_createdBy_login | string | | <input type="checkbox"/> | |
| project_createdBy_online | boolean | | <input type="checkbox"/> | |
| project_createdBy_ringId | string | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_leader_\$type | string | | <input type="checkbox"/> | |
| project_leader_avatarUrl | string | | <input type="checkbox"/> | |
| project_leader_banned | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|----------------------------------|-----------|----------|--------------------------|---------------|
| project_leader_email | string | | <input type="checkbox"/> | |
| project_leader_fullName | string | | <input type="checkbox"/> | |
| project_leader_guest | boolean | | <input type="checkbox"/> | |
| project_leader_id | string | | <input type="checkbox"/> | |
| project_leader_jabberAccountName | string | | <input type="checkbox"/> | |
| project_leader_login | string | | <input type="checkbox"/> | |
| project_leader_online | boolean | | <input type="checkbox"/> | |
| project_leader_ringId | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_team_\$type | string | | <input type="checkbox"/> | |
| project_team_allUsersGroup | boolean | | <input type="checkbox"/> | |
| project_team_icon | string | | <input type="checkbox"/> | |
| project_team_id | string | | <input type="checkbox"/> | |
| project_team_name | string | | <input type="checkbox"/> | |
| project_team_ringId | string | | <input type="checkbox"/> | |
| project_team_usersCount | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_profiles_\$type | string | | <input type="checkbox"/> | |
| reporter_profiles_id | string | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| subtasks_linkType_\$type | string | | <input type="checkbox"/> | |
| subtasks_linkType_aggregation | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_directed | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_id | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|----------------------|--------------------------|---------------|
| subtasks_linkType_localizedName | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedSourceToTarget | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedTargetToSource | string | | <input type="checkbox"/> | |
| subtasks_linkType_name | string | | <input type="checkbox"/> | |
| subtasks_linkType_readOnly | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_sourceToTarget | string | | <input type="checkbox"/> | |
| subtasks_linkType_targetToSource | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| text | string | Text | <input type="checkbox"/> | |
| textPreview | string | Text Preview | <input type="checkbox"/> | |
| updated_1 | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_profiles_\$type | string | | <input type="checkbox"/> | |
| updater_profiles_id | string | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| usesMarkdown_1 | boolean | | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Mark Down | <input type="checkbox"/> | |
| visibility_\$type_1 | string | | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id_1 | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

9.1.6 CommentsByIssueId

Catalog: YouTrack

Schema: Issues

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/issues/{id}`

Insert YouTrack API URL: `/issues/{id}`

Update YouTrack API URL: `/issues/{id}`

Delete YouTrack API URL: `/issues/{id}`

Field Selection Method: NotRequired

Base Path: `comments[*]`

Select YouTrack API Operation: `get /issues/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CommentsByIssueId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `CommentsByIssueId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|----------------------------|-----------|-------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>author_\$type</code> | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|------------------------------|-----------|----------------|--------------------------|---------------|
| author_avatarUrl | string | | <input type="checkbox"/> | |
| author_banned | boolean | | <input type="checkbox"/> | |
| author_email | string | | <input type="checkbox"/> | |
| author_fullName | string | | <input type="checkbox"/> | |
| author_guest | boolean | | <input type="checkbox"/> | |
| author_id | string | | <input type="checkbox"/> | |
| author_jabberAccountName | string | | <input type="checkbox"/> | |
| author_login | string | | <input type="checkbox"/> | |
| author_online | boolean | | <input type="checkbox"/> | |
| author_ringId | string | | <input type="checkbox"/> | |
| commentsCount | int32 | Comments Count | <input type="checkbox"/> | |
| created_1 | int64 | | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| deleted | boolean | Deleted | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| draftOwner_\$type | string | | <input type="checkbox"/> | |
| draftOwner_avatarUrl | string | | <input type="checkbox"/> | |
| draftOwner_banned | boolean | | <input type="checkbox"/> | |
| draftOwner_email | string | | <input type="checkbox"/> | |
| draftOwner_fullName | string | | <input type="checkbox"/> | |
| draftOwner_guest | boolean | | <input type="checkbox"/> | |
| draftOwner_id | string | | <input type="checkbox"/> | |
| draftOwner_jabberAccountName | string | | <input type="checkbox"/> | |
| draftOwner_login | string | | <input type="checkbox"/> | |
| draftOwner_online | boolean | | <input type="checkbox"/> | |
| draftOwner_profiles_\$type | string | | <input type="checkbox"/> | |
| draftOwner_profiles_id | string | | <input type="checkbox"/> | |
| draftOwner_ringId | string | | <input type="checkbox"/> | |
| externalIssue_\$type | string | | <input type="checkbox"/> | |
| externalIssue_id | string | | <input type="checkbox"/> | |
| externalIssue_key | string | | <input type="checkbox"/> | |
| externalIssue_name | string | | <input type="checkbox"/> | |
| externalIssue_url | string | | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| issue_\$type | string | | <input type="checkbox"/> | |
| issue_commentsCount | int32 | | <input type="checkbox"/> | |
| issue_created | int64 | | <input type="checkbox"/> | |
| issue_description | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------------------|--------------------------|---------------|
| issue_id | string | | <input type="checkbox"/> | |
| issue_idReadable | string | | <input type="checkbox"/> | |
| issue_isDraft | boolean | | <input type="checkbox"/> | |
| issue_numberInProject | int64 | | <input type="checkbox"/> | |
| issue_resolved | int64 | | <input type="checkbox"/> | |
| issue_summary | string | | <input type="checkbox"/> | |
| issue_updated | int64 | | <input type="checkbox"/> | |
| issue_usesMarkdown | boolean | | <input type="checkbox"/> | |
| issue_wikifiedDescription | string | | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| parent_linkType_\$type | string | | <input type="checkbox"/> | |
| parent_linkType_aggregation | boolean | | <input type="checkbox"/> | |
| parent_linkType_directed | boolean | | <input type="checkbox"/> | |
| parent_linkType_id | string | | <input type="checkbox"/> | |
| parent_linkType_localizedName | string | | <input type="checkbox"/> | |
| parent_linkType_localizedSourceToTarget | string | | <input type="checkbox"/> | |
| parent_linkType_localizedTargetToSource | string | | <input type="checkbox"/> | |
| parent_linkType_name | string | | <input type="checkbox"/> | |
| parent_linkType_readOnly | boolean | | <input type="checkbox"/> | |
| parent_linkType_sourceToTarget | string | | <input type="checkbox"/> | |
| parent_linkType_targetToSource | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_createdBy_\$type | string | | <input type="checkbox"/> | |
| project_createdBy_avatarUrl | string | | <input type="checkbox"/> | |
| project_createdBy_banned | boolean | | <input type="checkbox"/> | |
| project_createdBy_email | string | | <input type="checkbox"/> | |
| project_createdBy_fullName | string | | <input type="checkbox"/> | |
| project_createdBy_guest | boolean | | <input type="checkbox"/> | |
| project_createdBy_id | string | | <input type="checkbox"/> | |
| project_createdBy_jabberAccountName | string | | <input type="checkbox"/> | |
| project_createdBy_login | string | | <input type="checkbox"/> | |
| project_createdBy_online | boolean | | <input type="checkbox"/> | |
| project_createdBy_ringId | string | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|----------------------------------|-----------|----------|--------------------------|---------------|
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_leader_\$type | string | | <input type="checkbox"/> | |
| project_leader_avatarUrl | string | | <input type="checkbox"/> | |
| project_leader_banned | boolean | | <input type="checkbox"/> | |
| project_leader_email | string | | <input type="checkbox"/> | |
| project_leader_fullName | string | | <input type="checkbox"/> | |
| project_leader_guest | boolean | | <input type="checkbox"/> | |
| project_leader_id | string | | <input type="checkbox"/> | |
| project_leader_jabberAccountName | string | | <input type="checkbox"/> | |
| project_leader_login | string | | <input type="checkbox"/> | |
| project_leader_online | boolean | | <input type="checkbox"/> | |
| project_leader_ringId | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_team_\$type | string | | <input type="checkbox"/> | |
| project_team_allUsersGroup | boolean | | <input type="checkbox"/> | |
| project_team_icon | string | | <input type="checkbox"/> | |
| project_team_id | string | | <input type="checkbox"/> | |
| project_team_name | string | | <input type="checkbox"/> | |
| project_team_ringId | string | | <input type="checkbox"/> | |
| project_team_usersCount | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_profiles_\$type | string | | <input type="checkbox"/> | |
| reporter_profiles_id | string | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|----------------|--------------------------|---------------|
| subtasks_linkType_\$type | string | | <input type="checkbox"/> | |
| subtasks_linkType_aggregation | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_directed | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_id | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedName | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedSourceToTarget | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedTargetToSource | string | | <input type="checkbox"/> | |
| subtasks_linkType_name | string | | <input type="checkbox"/> | |
| subtasks_linkType_readOnly | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_sourceToTarget | string | | <input type="checkbox"/> | |
| subtasks_linkType_targetToSource | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| text | string | Text | <input type="checkbox"/> | |
| textPreview | string | Text Preview | <input type="checkbox"/> | |
| updated_1 | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_profiles_\$type | string | | <input type="checkbox"/> | |
| updater_profiles_id | string | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| usesMarkdown_1 | boolean | | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Mark Down | <input type="checkbox"/> | |
| visibility_\$type_1 | string | | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id_1 | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---------------------|-----------|----------------------|--------------------------|---------------|
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

9.1.7 CustomFields

Catalog: YouTrack

Schema: Issues

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/issues`

Insert YouTrack API URL: `/issues`

Update YouTrack API URL: `/issues`

Delete YouTrack API URL: `/issues`

Field Selection Method: `NotRequired`

Base Path: `customFields[*]`

Select YouTrack API Operation: `get /issues`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFields`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|--------------|-----------|--------------------------|---------------|---|
| customFields | string | <input type="checkbox"/> | | <p><p>The name of the custom field to show in the response. When you use this parameter and request the custom field data in the request URL, the response only shows the requested custom fields instead of all of them.</p><p>To show more than</p> |

| Name | Data Type | Required | Default Value | Documentation |
|-------|-----------|--------------------------|---------------|--|
| | | | | one custom field, use this parameter several times.</p><p>See Sample 2 for reference.</p> |
| query | string | <input type="checkbox"/> | | Issues search query. Read more about search syntax here: Search Query Reference |

Table Function Columns

The columns of the table function `CustomFields` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|------------------------------|-----------|----------------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| commentsCount | int32 | Comments Count | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| draftOwner_\$type | string | | <input type="checkbox"/> | |
| draftOwner_avatarUrl | string | | <input type="checkbox"/> | |
| draftOwner_banned | boolean | | <input type="checkbox"/> | |
| draftOwner_email | string | | <input type="checkbox"/> | |
| draftOwner_fullName | string | | <input type="checkbox"/> | |
| draftOwner_guest | boolean | | <input type="checkbox"/> | |
| draftOwner_id | string | | <input type="checkbox"/> | |
| draftOwner_jabberAccountName | string | | <input type="checkbox"/> | |
| draftOwner_login | string | | <input type="checkbox"/> | |
| draftOwner_online | boolean | | <input type="checkbox"/> | |
| draftOwner_profiles_\$type | string | | <input type="checkbox"/> | |
| draftOwner_profiles_id | string | | <input type="checkbox"/> | |
| draftOwner_ringId | string | | <input type="checkbox"/> | |
| externalIssue_\$type | string | | <input type="checkbox"/> | |
| externalIssue_id | string | | <input type="checkbox"/> | |
| externalIssue_key | string | | <input type="checkbox"/> | |
| externalIssue_name | string | | <input type="checkbox"/> | |
| externalIssue_url | string | | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------------------|--------------------------|---------------|
| name | string | Name | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| parent_linkType_\$type | string | | <input type="checkbox"/> | |
| parent_linkType_aggregation | boolean | | <input type="checkbox"/> | |
| parent_linkType_directed | boolean | | <input type="checkbox"/> | |
| parent_linkType_id | string | | <input type="checkbox"/> | |
| parent_linkType_localizedName | string | | <input type="checkbox"/> | |
| parent_linkType_localizedSourceToTarget | string | | <input type="checkbox"/> | |
| parent_linkType_localizedTargetToSource | string | | <input type="checkbox"/> | |
| parent_linkType_name | string | | <input type="checkbox"/> | |
| parent_linkType_readOnly | boolean | | <input type="checkbox"/> | |
| parent_linkType_sourceToTarget | string | | <input type="checkbox"/> | |
| parent_linkType_targetToSource | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_createdBy_\$type | string | | <input type="checkbox"/> | |
| project_createdBy_avatarUrl | string | | <input type="checkbox"/> | |
| project_createdBy_banned | boolean | | <input type="checkbox"/> | |
| project_createdBy_email | string | | <input type="checkbox"/> | |
| project_createdBy_fullName | string | | <input type="checkbox"/> | |
| project_createdBy_guest | boolean | | <input type="checkbox"/> | |
| project_createdBy_id | string | | <input type="checkbox"/> | |
| project_createdBy_jabberAccountName | string | | <input type="checkbox"/> | |
| project_createdBy_login | string | | <input type="checkbox"/> | |
| project_createdBy_online | boolean | | <input type="checkbox"/> | |
| project_createdBy_ringId | string | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_leader_\$type | string | | <input type="checkbox"/> | |
| project_leader_avatarUrl | string | | <input type="checkbox"/> | |
| project_leader_banned | boolean | | <input type="checkbox"/> | |
| project_leader_email | string | | <input type="checkbox"/> | |
| project_leader_fullName | string | | <input type="checkbox"/> | |
| project_leader_guest | boolean | | <input type="checkbox"/> | |
| project_leader_id | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|-----------------------------------|-----------|----------|--------------------------|---------------|
| project_leader_jabberAccountName | string | | <input type="checkbox"/> | |
| project_leader_login | string | | <input type="checkbox"/> | |
| project_leader_online | boolean | | <input type="checkbox"/> | |
| project_leader_ringId | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_team_\$type | string | | <input type="checkbox"/> | |
| project_team_allUsersGroup | boolean | | <input type="checkbox"/> | |
| project_team_icon | string | | <input type="checkbox"/> | |
| project_team_id | string | | <input type="checkbox"/> | |
| project_team_name | string | | <input type="checkbox"/> | |
| project_team_ringId | string | | <input type="checkbox"/> | |
| project_team_usersCount | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| projectCustomField_\$type | string | | <input type="checkbox"/> | |
| projectCustomField_canBeEmpty | boolean | | <input type="checkbox"/> | |
| projectCustomField_emptyFieldText | string | | <input type="checkbox"/> | |
| projectCustomField_hasRunningJob | boolean | | <input type="checkbox"/> | |
| projectCustomField_id | string | | <input type="checkbox"/> | |
| projectCustomField_isPublic | boolean | | <input type="checkbox"/> | |
| projectCustomField_ordinal | int32 | | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_profiles_\$type | string | | <input type="checkbox"/> | |
| reporter_profiles_id | string | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|----------------------|--------------------------|---------------|
| subtasks_linkType_\$type | string | | <input type="checkbox"/> | |
| subtasks_linkType_aggregation | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_directed | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_id | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedName | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedSourceToTarget | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedTargetToSource | string | | <input type="checkbox"/> | |
| subtasks_linkType_name | string | | <input type="checkbox"/> | |
| subtasks_linkType_readOnly | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_sourceToTarget | string | | <input type="checkbox"/> | |
| subtasks_linkType_targetToSource | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_profiles_\$type | string | | <input type="checkbox"/> | |
| updater_profiles_id | string | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Markdown | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

9.1.8 CustomFieldsByIssueId

Catalog: YouTrack

Schema: Issues

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/issues/{id}`

Insert YouTrack API URL: `/issues/{id}`

Update YouTrack API URL: `/issues/{id}`

Delete YouTrack API URL: `/issues/{id}`

Field Selection Method: NotRequired

Base Path: `customFields[*]`

Select YouTrack API Operation: `get /issues/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldsByIssueId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `CustomFieldsByIssueId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|----------------------------|-----------|----------------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>commentsCount</code> | int32 | Comments Count | <input type="checkbox"/> | |
| <code>created</code> | int64 | Created | <input type="checkbox"/> | |
| <code>description</code> | string | Description | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------------------|--------------------------|---------------|
| draftOwner_\$type | string | | <input type="checkbox"/> | |
| draftOwner_avatarUrl | string | | <input type="checkbox"/> | |
| draftOwner_banned | boolean | | <input type="checkbox"/> | |
| draftOwner_email | string | | <input type="checkbox"/> | |
| draftOwner_fullName | string | | <input type="checkbox"/> | |
| draftOwner_guest | boolean | | <input type="checkbox"/> | |
| draftOwner_id | string | | <input type="checkbox"/> | |
| draftOwner_jabberAccountName | string | | <input type="checkbox"/> | |
| draftOwner_login | string | | <input type="checkbox"/> | |
| draftOwner_online | boolean | | <input type="checkbox"/> | |
| draftOwner_profiles_\$type | string | | <input type="checkbox"/> | |
| draftOwner_profiles_id | string | | <input type="checkbox"/> | |
| draftOwner_ringId | string | | <input type="checkbox"/> | |
| externalIssue_\$type | string | | <input type="checkbox"/> | |
| externalIssue_id | string | | <input type="checkbox"/> | |
| externalIssue_key | string | | <input type="checkbox"/> | |
| externalIssue_name | string | | <input type="checkbox"/> | |
| externalIssue_url | string | | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| parent_linkType_\$type | string | | <input type="checkbox"/> | |
| parent_linkType_aggregation | boolean | | <input type="checkbox"/> | |
| parent_linkType_directed | boolean | | <input type="checkbox"/> | |
| parent_linkType_id | string | | <input type="checkbox"/> | |
| parent_linkType_localizedName | string | | <input type="checkbox"/> | |
| parent_linkType_localizedSourceToTarget | string | | <input type="checkbox"/> | |
| parent_linkType_localizedTargetToSource | string | | <input type="checkbox"/> | |
| parent_linkType_name | string | | <input type="checkbox"/> | |
| parent_linkType_readOnly | boolean | | <input type="checkbox"/> | |
| parent_linkType_sourceToTarget | string | | <input type="checkbox"/> | |
| parent_linkType_targetToSource | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|-------------------------------------|-----------|-------|--------------------------|---------------|
| project_createdBy_\$type | string | | <input type="checkbox"/> | |
| project_createdBy_avatarUrl | string | | <input type="checkbox"/> | |
| project_createdBy_banned | boolean | | <input type="checkbox"/> | |
| project_createdBy_email | string | | <input type="checkbox"/> | |
| project_createdBy_fullName | string | | <input type="checkbox"/> | |
| project_createdBy_guest | boolean | | <input type="checkbox"/> | |
| project_createdBy_id | string | | <input type="checkbox"/> | |
| project_createdBy_jabberAccountName | string | | <input type="checkbox"/> | |
| project_createdBy_login | string | | <input type="checkbox"/> | |
| project_createdBy_online | boolean | | <input type="checkbox"/> | |
| project_createdBy_ringId | string | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_leader_\$type | string | | <input type="checkbox"/> | |
| project_leader_avatarUrl | string | | <input type="checkbox"/> | |
| project_leader_banned | boolean | | <input type="checkbox"/> | |
| project_leader_email | string | | <input type="checkbox"/> | |
| project_leader_fullName | string | | <input type="checkbox"/> | |
| project_leader_guest | boolean | | <input type="checkbox"/> | |
| project_leader_id | string | | <input type="checkbox"/> | |
| project_leader_jabberAccountName | string | | <input type="checkbox"/> | |
| project_leader_login | string | | <input type="checkbox"/> | |
| project_leader_online | boolean | | <input type="checkbox"/> | |
| project_leader_ringId | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_team_\$type | string | | <input type="checkbox"/> | |
| project_team_allUsersGroup | boolean | | <input type="checkbox"/> | |
| project_team_icon | string | | <input type="checkbox"/> | |
| project_team_id | string | | <input type="checkbox"/> | |
| project_team_name | string | | <input type="checkbox"/> | |
| project_team_ringId | string | | <input type="checkbox"/> | |
| project_team_usersCount | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| projectCustomField_\$type | string | | <input type="checkbox"/> | |
| projectCustomField_canBeEmpty | boolean | | <input type="checkbox"/> | |
| projectCustomField_emptyFieldText | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|----------|--------------------------|---------------|
| projectCustomField_hasRunningJob | boolean | | <input type="checkbox"/> | |
| projectCustomField_id | string | | <input type="checkbox"/> | |
| projectCustomField_isPublic | boolean | | <input type="checkbox"/> | |
| projectCustomField_ordinal | int32 | | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_profiles_\$type | string | | <input type="checkbox"/> | |
| reporter_profiles_id | string | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| subtasks_linkType_\$type | string | | <input type="checkbox"/> | |
| subtasks_linkType_aggregation | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_directed | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_id | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedName | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedSourceToTarget | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedTargetToSource | string | | <input type="checkbox"/> | |
| subtasks_linkType_name | string | | <input type="checkbox"/> | |
| subtasks_linkType_readOnly | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_sourceToTarget | string | | <input type="checkbox"/> | |
| subtasks_linkType_targetToSource | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---------------------------|-----------|----------------------|--------------------------|---------------|
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_profiles_\$type | string | | <input type="checkbox"/> | |
| updater_profiles_id | string | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Mark Down | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

9.1.9 IssueById

Catalog: YouTrack

Schema: Issues

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/issues/{id}`

Insert YouTrack API URL: `/issues/{id}`

Update YouTrack API URL: `/issues/{id}`

Delete YouTrack API URL: `/issues/{id}`

Field Selection Method: `NotRequired`

Select YouTrack API Operation: `get /issues/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `IssueById`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-

defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `IssueById` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|------------------------------|-----------|----------------|--------------------------|---------------|
| \$type | string | | <input type="checkbox"/> | |
| commentsCount | int32 | Comments Count | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| draftOwner_\$type | string | | <input type="checkbox"/> | |
| draftOwner_avatarUrl | string | | <input type="checkbox"/> | |
| draftOwner_banned | boolean | | <input type="checkbox"/> | |
| draftOwner_email | string | | <input type="checkbox"/> | |
| draftOwner_fullName | string | | <input type="checkbox"/> | |
| draftOwner_guest | boolean | | <input type="checkbox"/> | |
| draftOwner_id | string | | <input type="checkbox"/> | |
| draftOwner_jabberAccountName | string | | <input type="checkbox"/> | |
| draftOwner_login | string | | <input type="checkbox"/> | |
| draftOwner_online | boolean | | <input type="checkbox"/> | |
| draftOwner_profiles_\$type | string | | <input type="checkbox"/> | |
| draftOwner_profiles_id | string | | <input type="checkbox"/> | |
| draftOwner_ringId | string | | <input type="checkbox"/> | |
| externalIssue_\$type | string | | <input type="checkbox"/> | |
| externalIssue_id | string | | <input type="checkbox"/> | |
| externalIssue_key | string | | <input type="checkbox"/> | |
| externalIssue_name | string | | <input type="checkbox"/> | |
| externalIssue_url | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------------------|--------------------------|---------------|
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| parent_linkType_\$type | string | | <input type="checkbox"/> | |
| parent_linkType_aggregation | boolean | | <input type="checkbox"/> | |
| parent_linkType_directed | boolean | | <input type="checkbox"/> | |
| parent_linkType_id | string | | <input type="checkbox"/> | |
| parent_linkType_localizedName | string | | <input type="checkbox"/> | |
| parent_linkType_localizedSourceToTarget | string | | <input type="checkbox"/> | |
| parent_linkType_localizedTargetToSource | string | | <input type="checkbox"/> | |
| parent_linkType_name | string | | <input type="checkbox"/> | |
| parent_linkType_readOnly | boolean | | <input type="checkbox"/> | |
| parent_linkType_sourceToTarget | string | | <input type="checkbox"/> | |
| parent_linkType_targetToSource | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_createdBy_\$type | string | | <input type="checkbox"/> | |
| project_createdBy_avatarUrl | string | | <input type="checkbox"/> | |
| project_createdBy_banned | boolean | | <input type="checkbox"/> | |
| project_createdBy_email | string | | <input type="checkbox"/> | |
| project_createdBy_fullName | string | | <input type="checkbox"/> | |
| project_createdBy_guest | boolean | | <input type="checkbox"/> | |
| project_createdBy_id | string | | <input type="checkbox"/> | |
| project_createdBy_jabberAccountName | string | | <input type="checkbox"/> | |
| project_createdBy_login | string | | <input type="checkbox"/> | |
| project_createdBy_online | boolean | | <input type="checkbox"/> | |
| project_createdBy_ringId | string | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_leader_\$type | string | | <input type="checkbox"/> | |
| project_leader_avatarUrl | string | | <input type="checkbox"/> | |
| project_leader_banned | boolean | | <input type="checkbox"/> | |
| project_leader_email | string | | <input type="checkbox"/> | |
| project_leader_fullName | string | | <input type="checkbox"/> | |
| project_leader_guest | boolean | | <input type="checkbox"/> | |
| project_leader_id | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|----------|--------------------------|---------------|
| project_leader_jabberAccountName | string | | <input type="checkbox"/> | |
| project_leader_login | string | | <input type="checkbox"/> | |
| project_leader_online | boolean | | <input type="checkbox"/> | |
| project_leader_ringId | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_team_\$type | string | | <input type="checkbox"/> | |
| project_team_allUsersGroup | boolean | | <input type="checkbox"/> | |
| project_team_icon | string | | <input type="checkbox"/> | |
| project_team_id | string | | <input type="checkbox"/> | |
| project_team_name | string | | <input type="checkbox"/> | |
| project_team_ringId | string | | <input type="checkbox"/> | |
| project_team_usersCount | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_profiles_\$type | string | | <input type="checkbox"/> | |
| reporter_profiles_id | string | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| subtasks_linkType_\$type | string | | <input type="checkbox"/> | |
| subtasks_linkType_aggregation | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_directed | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_id | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedName | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedSourceToTarget | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedTargetToSource | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|----------------------------------|-----------|----------------------|--------------------------|---------------|
| subtasks_linkType_name | string | | <input type="checkbox"/> | |
| subtasks_linkType_readOnly | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_sourceToTarget | string | | <input type="checkbox"/> | |
| subtasks_linkType_targetToSource | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_profiles_\$type | string | | <input type="checkbox"/> | |
| updater_profiles_id | string | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Markdown | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

9.1.10 IssueLinksByIssueId

Catalog: YouTrack

Schema: Issues

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/issues/{id}/links`

Insert YouTrack API URL: `/issues/{id}/links`

Update YouTrack API URL: `/issues/{id}/links`

Delete YouTrack API URL: `/issues/{id}/links`

Field Selection Method: NotRequired

Select YouTrack API Operation: `get /issues/{id}/links`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `IssueLinksByIssueId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `IssueLinksByIssueId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-----------|--------------------------|---------------|
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>direction</code> | string | Direction | <input type="checkbox"/> | |
| <code>id</code> | string | ID | <input type="checkbox"/> | |
| <code>linkType_\$type</code> | string | | <input type="checkbox"/> | |
| <code>linkType_aggregation</code> | boolean | | <input type="checkbox"/> | |
| <code>linkType_directed</code> | boolean | | <input type="checkbox"/> | |
| <code>linkType_id</code> | string | | <input type="checkbox"/> | |
| <code>linkType_localizedName</code> | string | | <input type="checkbox"/> | |
| <code>linkType_localizedSourceToTarget</code> | string | | <input type="checkbox"/> | |
| <code>linkType_localizedTargetToSource</code> | string | | <input type="checkbox"/> | |
| <code>linkType_name</code> | string | | <input type="checkbox"/> | |
| <code>linkType_readOnly</code> | boolean | | <input type="checkbox"/> | |
| <code>linkType_sourceToTarget</code> | string | | <input type="checkbox"/> | |
| <code>linkType_targetToSource</code> | string | | <input type="checkbox"/> | |

9.1.11 Issues

Catalog: YouTrack

Schema: Issues

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/issues`

Insert YouTrack API URL: `/issues`

Update YouTrack API URL: `/issues`

Delete YouTrack API URL: `/issues`

Field Selection Method: `NotRequired`

Select YouTrack API Operation: `get /issues`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `Issues`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|---------------------------|-----------|--------------------------|---------------|--|
| <code>customFields</code> | string | <input type="checkbox"/> | | <p><p>The name of the custom field to show in the response. When you use this parameter and request the custom field data in the request URL, the response only shows the requested custom fields instead of all of them.</p> <p>To show more than one custom field, use this parameter several times.</p> <p>See Sample 2 for reference.</p> </p> |
| <code>query</code> | string | <input type="checkbox"/> | | <p>Issues search query. Read more about search syntax here: Search Query Reference</p> |

Table Function Columns

The columns of the table function `Issues` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------------------|--------------------------|---------------|
| \$type | string | | <input type="checkbox"/> | |
| commentsCount | int32 | Comments Count | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| draftOwner_\$type | string | | <input type="checkbox"/> | |
| draftOwner_avatarUrl | string | | <input type="checkbox"/> | |
| draftOwner_banned | boolean | | <input type="checkbox"/> | |
| draftOwner_email | string | | <input type="checkbox"/> | |
| draftOwner_fullName | string | | <input type="checkbox"/> | |
| draftOwner_guest | boolean | | <input type="checkbox"/> | |
| draftOwner_id | string | | <input type="checkbox"/> | |
| draftOwner_jabberAccountName | string | | <input type="checkbox"/> | |
| draftOwner_login | string | | <input type="checkbox"/> | |
| draftOwner_online | boolean | | <input type="checkbox"/> | |
| draftOwner_profiles_\$type | string | | <input type="checkbox"/> | |
| draftOwner_profiles_id | string | | <input type="checkbox"/> | |
| draftOwner_ringId | string | | <input type="checkbox"/> | |
| externalIssue_\$type | string | | <input type="checkbox"/> | |
| externalIssue_id | string | | <input type="checkbox"/> | |
| externalIssue_key | string | | <input type="checkbox"/> | |
| externalIssue_name | string | | <input type="checkbox"/> | |
| externalIssue_url | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| parent_linkType_\$type | string | | <input type="checkbox"/> | |
| parent_linkType_aggregation | boolean | | <input type="checkbox"/> | |
| parent_linkType_directed | boolean | | <input type="checkbox"/> | |
| parent_linkType_id | string | | <input type="checkbox"/> | |
| parent_linkType_localizedName | string | | <input type="checkbox"/> | |
| parent_linkType_localizedSourceToTarget | string | | <input type="checkbox"/> | |
| parent_linkType_localizedTargetToSource | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|-------------------------------------|-----------|-------|--------------------------|---------------|
| parent_linkType_name | string | | <input type="checkbox"/> | |
| parent_linkType_readOnly | boolean | | <input type="checkbox"/> | |
| parent_linkType_sourceToTarget | string | | <input type="checkbox"/> | |
| parent_linkType_targetToSource | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_createdBy_\$type | string | | <input type="checkbox"/> | |
| project_createdBy_avatarUrl | string | | <input type="checkbox"/> | |
| project_createdBy_banned | boolean | | <input type="checkbox"/> | |
| project_createdBy_email | string | | <input type="checkbox"/> | |
| project_createdBy_fullName | string | | <input type="checkbox"/> | |
| project_createdBy_guest | boolean | | <input type="checkbox"/> | |
| project_createdBy_id | string | | <input type="checkbox"/> | |
| project_createdBy_jabberAccountName | string | | <input type="checkbox"/> | |
| project_createdBy_login | string | | <input type="checkbox"/> | |
| project_createdBy_online | boolean | | <input type="checkbox"/> | |
| project_createdBy_ringId | string | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_leader_\$type | string | | <input type="checkbox"/> | |
| project_leader_avatarUrl | string | | <input type="checkbox"/> | |
| project_leader_banned | boolean | | <input type="checkbox"/> | |
| project_leader_email | string | | <input type="checkbox"/> | |
| project_leader_fullName | string | | <input type="checkbox"/> | |
| project_leader_guest | boolean | | <input type="checkbox"/> | |
| project_leader_id | string | | <input type="checkbox"/> | |
| project_leader_jabberAccountName | string | | <input type="checkbox"/> | |
| project_leader_login | string | | <input type="checkbox"/> | |
| project_leader_online | boolean | | <input type="checkbox"/> | |
| project_leader_ringId | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_team_\$type | string | | <input type="checkbox"/> | |
| project_team_allUsersGroup | boolean | | <input type="checkbox"/> | |
| project_team_icon | string | | <input type="checkbox"/> | |
| project_team_id | string | | <input type="checkbox"/> | |
| project_team_name | string | | <input type="checkbox"/> | |
| project_team_ringId | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|----------|--------------------------|---------------|
| project_team_usersCount | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_profiles_\$type | string | | <input type="checkbox"/> | |
| reporter_profiles_id | string | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| subtasks_linkType_\$type | string | | <input type="checkbox"/> | |
| subtasks_linkType_aggregation | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_directed | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_id | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedName | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedSourceToTarget | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedTargetToSource | string | | <input type="checkbox"/> | |
| subtasks_linkType_name | string | | <input type="checkbox"/> | |
| subtasks_linkType_readOnly | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_sourceToTarget | string | | <input type="checkbox"/> | |
| subtasks_linkType_targetToSource | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---------------------------|-----------|----------------------|--------------------------|---------------|
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_profiles_\$type | string | | <input type="checkbox"/> | |
| updater_profiles_id | string | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Mark Down | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

9.1.12 IssueTags: YouTrack Issue Tags

Catalog: YouTrack

Schema: Issues

Label: Issue Tags

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/issues`

Insert YouTrack API URL: `/issues`

Update YouTrack API URL: `/issues`

Delete YouTrack API URL: `/issues`

Field Selection Method: NotRequired

Base Path: `tags[*].issues[*]`

Select YouTrack API Operation: `get /issues`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `IssueTags`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|--------------|-----------|--------------------------|---------------|--|
| customFields | string | <input type="checkbox"/> | | <p>The name of the custom field to show in the response. When you use this parameter and request the custom field data in the request URL, the response only shows the requested custom fields instead of all of them.</p> <p>To show more than one custom field, use this parameter several times.</p> <p>See Sample 2 for reference.</p> |
| query | string | <input type="checkbox"/> | | <p>Issues search query. Read more about search syntax here: https://www.jetbrains.com/help/youtrack/incloud/?Search-and-Command-Attributes Search Query Reference</p> |

Table Function Columns

The columns of the table function `IssueTags` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|-------------------|-----------|----------------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type_2 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| color_\$type | string | | <input type="checkbox"/> | |
| color_background | string | | <input type="checkbox"/> | |
| color_foreground | string | | <input type="checkbox"/> | |
| color_id | string | | <input type="checkbox"/> | |
| commentsCount_1 | int32 | | <input type="checkbox"/> | |
| commentsCount | int32 | Comments Count | <input type="checkbox"/> | |
| created_1 | int64 | | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| description_1 | string | | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| draftOwner_\$type | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|------------------------------|-----------|-------------------|--------------------------|---------------|
| draftOwner_avatarUrl | string | | <input type="checkbox"/> | |
| draftOwner_banned | boolean | | <input type="checkbox"/> | |
| draftOwner_email | string | | <input type="checkbox"/> | |
| draftOwner_fullName | string | | <input type="checkbox"/> | |
| draftOwner_guest | boolean | | <input type="checkbox"/> | |
| draftOwner_id | string | | <input type="checkbox"/> | |
| draftOwner_jabberAccountName | string | | <input type="checkbox"/> | |
| draftOwner_login | string | | <input type="checkbox"/> | |
| draftOwner_online | boolean | | <input type="checkbox"/> | |
| draftOwner_profiles_\$type | string | | <input type="checkbox"/> | |
| draftOwner_profiles_id | string | | <input type="checkbox"/> | |
| draftOwner_ringId | string | | <input type="checkbox"/> | |
| externalIssue_\$type | string | | <input type="checkbox"/> | |
| externalIssue_id | string | | <input type="checkbox"/> | |
| externalIssue_key | string | | <input type="checkbox"/> | |
| externalIssue_name | string | | <input type="checkbox"/> | |
| externalIssue_url | string | | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable_1 | string | | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDraft_1 | boolean | | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| numberInProject_1 | int64 | | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| parent_\$type_1 | string | | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_commentsCount | int32 | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------|--------------------------|---------------|
| parent_created | int64 | | <input type="checkbox"/> | |
| parent_description | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id_1 | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| parent_idReadable | string | | <input type="checkbox"/> | |
| parent_isDraft | boolean | | <input type="checkbox"/> | |
| parent_linkType_\$type | string | | <input type="checkbox"/> | |
| parent_linkType_aggregation | boolean | | <input type="checkbox"/> | |
| parent_linkType_directed | boolean | | <input type="checkbox"/> | |
| parent_linkType_id | string | | <input type="checkbox"/> | |
| parent_linkType_localizedName | string | | <input type="checkbox"/> | |
| parent_linkType_localizedSourceToTarget | string | | <input type="checkbox"/> | |
| parent_linkType_localizedTargetToSource | string | | <input type="checkbox"/> | |
| parent_linkType_name | string | | <input type="checkbox"/> | |
| parent_linkType_readOnly | boolean | | <input type="checkbox"/> | |
| parent_linkType_sourceToTarget | string | | <input type="checkbox"/> | |
| parent_linkType_targetToSource | string | | <input type="checkbox"/> | |
| parent_numberInProject | int64 | | <input type="checkbox"/> | |
| parent_resolved | int64 | | <input type="checkbox"/> | |
| parent_summary | string | | <input type="checkbox"/> | |
| parent_updated | int64 | | <input type="checkbox"/> | |
| parent_usesMarkdown | boolean | | <input type="checkbox"/> | |
| parent_votes | int32 | | <input type="checkbox"/> | |
| parent_wikifiedDescription | string | | <input type="checkbox"/> | |
| project_\$type | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_commentsCount | int32 | | <input type="checkbox"/> | |
| project_created | int64 | | <input type="checkbox"/> | |
| project_createdBy_\$type | string | | <input type="checkbox"/> | |
| project_createdBy_avatarUrl | string | | <input type="checkbox"/> | |
| project_createdBy_banned | boolean | | <input type="checkbox"/> | |
| project_createdBy_email | string | | <input type="checkbox"/> | |
| project_createdBy_fullName | string | | <input type="checkbox"/> | |
| project_createdBy_guest | boolean | | <input type="checkbox"/> | |
| project_createdBy_id | string | | <input type="checkbox"/> | |
| project_createdBy_jabberAccountName | string | | <input type="checkbox"/> | |
| project_createdBy_login | string | | <input type="checkbox"/> | |
| project_createdBy_online | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|----------------------------------|-----------|-------|--------------------------|---------------|
| project_createdBy_ringId | string | | <input type="checkbox"/> | |
| project_description_1 | string | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_id | string | | <input type="checkbox"/> | |
| project_idReadable | string | | <input type="checkbox"/> | |
| project_isDraft | boolean | | <input type="checkbox"/> | |
| project_leader_\$type | string | | <input type="checkbox"/> | |
| project_leader_avatarUrl | string | | <input type="checkbox"/> | |
| project_leader_banned | boolean | | <input type="checkbox"/> | |
| project_leader_email | string | | <input type="checkbox"/> | |
| project_leader_fullName | string | | <input type="checkbox"/> | |
| project_leader_guest | boolean | | <input type="checkbox"/> | |
| project_leader_id | string | | <input type="checkbox"/> | |
| project_leader_jabberAccountName | string | | <input type="checkbox"/> | |
| project_leader_login | string | | <input type="checkbox"/> | |
| project_leader_online | boolean | | <input type="checkbox"/> | |
| project_leader_ringId | string | | <input type="checkbox"/> | |
| project_numberInProject | int64 | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_resolved | int64 | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_summary | string | | <input type="checkbox"/> | |
| project_team_\$type | string | | <input type="checkbox"/> | |
| project_team_allUsersGroup | boolean | | <input type="checkbox"/> | |
| project_team_icon | string | | <input type="checkbox"/> | |
| project_team_id | string | | <input type="checkbox"/> | |
| project_team_name | string | | <input type="checkbox"/> | |
| project_team_ringId | string | | <input type="checkbox"/> | |
| project_team_usersCount | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| project_updated | int64 | | <input type="checkbox"/> | |
| project_usesMarkdown | boolean | | <input type="checkbox"/> | |
| project_votes | int32 | | <input type="checkbox"/> | |
| project_wikifiedDescription | string | | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|----------|--------------------------|---------------|
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_profiles_\$type | string | | <input type="checkbox"/> | |
| reporter_profiles_id | string | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved_1 | int64 | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| subtasks_\$type_1 | string | | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_commentsCount | int32 | | <input type="checkbox"/> | |
| subtasks_created | int64 | | <input type="checkbox"/> | |
| subtasks_description | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id_1 | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| subtasks_idReadable | string | | <input type="checkbox"/> | |
| subtasks_isDraft | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_\$type | string | | <input type="checkbox"/> | |
| subtasks_linkType_aggregation | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_directed | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_id | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedName | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedSourceToTarget | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedTargetToSource | string | | <input type="checkbox"/> | |
| subtasks_linkType_name | string | | <input type="checkbox"/> | |
| subtasks_linkType_readOnly | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_sourceToTarget | string | | <input type="checkbox"/> | |
| subtasks_linkType_targetToSource | string | | <input type="checkbox"/> | |
| subtasks_numberInProject | int64 | | <input type="checkbox"/> | |
| subtasks_resolved | int64 | | <input type="checkbox"/> | |
| subtasks_summary | string | | <input type="checkbox"/> | |
| subtasks_updated | int64 | | <input type="checkbox"/> | |
| subtasks_usesMarkdown | boolean | | <input type="checkbox"/> | |
| subtasks_votes | int32 | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|-------------------------------|-----------|-----------------|--------------------------|---------------|
| subtasks_w ikifiedDescription | string | | <input type="checkbox"/> | |
| summary_1 | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| untagOnResolve | boolean | | <input type="checkbox"/> | |
| updateableBy_ \$type | string | | <input type="checkbox"/> | |
| updateableBy_ allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_ icon | string | | <input type="checkbox"/> | |
| updateableBy_ id | string | | <input type="checkbox"/> | |
| updateableBy_ name | string | | <input type="checkbox"/> | |
| updateableBy_ ringId | string | | <input type="checkbox"/> | |
| updateableBy_ usersCount | int64 | | <input type="checkbox"/> | |
| updated_1 | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_ \$type | string | | <input type="checkbox"/> | |
| updater_ avatarUrl | string | | <input type="checkbox"/> | |
| updater_ banned | boolean | | <input type="checkbox"/> | |
| updater_ email | string | | <input type="checkbox"/> | |
| updater_ fullName | string | | <input type="checkbox"/> | |
| updater_ guest | boolean | | <input type="checkbox"/> | |
| updater_ id | string | | <input type="checkbox"/> | |
| updater_ jabberAccountName | string | | <input type="checkbox"/> | |
| updater_ login | string | | <input type="checkbox"/> | |
| updater_ online | boolean | | <input type="checkbox"/> | |
| updater_ profiles_ \$type | string | | <input type="checkbox"/> | |
| updater_ profiles_ id | string | | <input type="checkbox"/> | |
| updater_ ringId | string | | <input type="checkbox"/> | |
| usesMarkdown n_1 | boolean | | <input type="checkbox"/> | |
| usesMarkdown n | boolean | Uses Mark Dow n | <input type="checkbox"/> | |
| visibility_ \$type | string | | <input type="checkbox"/> | |
| visibility_ id | string | | <input type="checkbox"/> | |
| visibleFor_ \$type | string | | <input type="checkbox"/> | |
| visibleFor_ allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_ icon | string | | <input type="checkbox"/> | |
| visibleFor_ id | string | | <input type="checkbox"/> | |
| visibleFor_ name | string | | <input type="checkbox"/> | |
| visibleFor_ ringId | string | | <input type="checkbox"/> | |
| visibleFor_ usersCount | int64 | | <input type="checkbox"/> | |
| voters_ \$type | string | | <input type="checkbox"/> | |
| voters_ hasVote | boolean | | <input type="checkbox"/> | |
| voters_ id | string | | <input type="checkbox"/> | |
| votes_1 | int32 | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|-----------------------|-----------|----------------------|--------------------------|---------------|
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription_1 | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

9.1.13 LinkById

Catalog: YouTrack

Schema: Issues

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/issues/{id}`

Insert YouTrack API URL: `/issues/{id}`

Update YouTrack API URL: `/issues/{id}`

Delete YouTrack API URL: `/issues/{id}`

Field Selection Method: NotRequired

Base Path: `links[*]`

Select YouTrack API Operation: `get /issues/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `LinkById`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `LinkById` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|---|-----------|----------------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>commentsCount</code> | int32 | Comments Count | <input type="checkbox"/> | |
| <code>created</code> | int64 | Created | <input type="checkbox"/> | |
| <code>description</code> | string | Description | <input type="checkbox"/> | |
| <code>direction</code> | string | Direction | <input type="checkbox"/> | |
| <code>draftOwner_\$type</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_avatarUrl</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_banned</code> | boolean | | <input type="checkbox"/> | |
| <code>draftOwner_email</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_fullName</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_guest</code> | boolean | | <input type="checkbox"/> | |
| <code>draftOwner_id</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_jabberAccountName</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_login</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_online</code> | boolean | | <input type="checkbox"/> | |
| <code>draftOwner_profiles_\$type</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_profiles_id</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_ringId</code> | string | | <input type="checkbox"/> | |
| <code>externalIssue_\$type</code> | string | | <input type="checkbox"/> | |
| <code>externalIssue_id</code> | string | | <input type="checkbox"/> | |
| <code>externalIssue_key</code> | string | | <input type="checkbox"/> | |
| <code>externalIssue_name</code> | string | | <input type="checkbox"/> | |
| <code>externalIssue_url</code> | string | | <input type="checkbox"/> | |
| <code>id_1</code> | string | | <input type="checkbox"/> | |
| <code>id</code> | string | ID | <input type="checkbox"/> | |
| <code>idReadable</code> | string | Readable ID | <input type="checkbox"/> | |
| <code>isDraft</code> | boolean | Is Draft | <input type="checkbox"/> | |
| <code>linkType_\$type</code> | string | | <input type="checkbox"/> | |
| <code>linkType_aggregation</code> | boolean | | <input type="checkbox"/> | |
| <code>linkType_directed</code> | boolean | | <input type="checkbox"/> | |
| <code>linkType_id</code> | string | | <input type="checkbox"/> | |
| <code>linkType_localizedName</code> | string | | <input type="checkbox"/> | |
| <code>linkType_localizedSourceToTarget</code> | string | | <input type="checkbox"/> | |
| <code>linkType_localizedTargetToSource</code> | string | | <input type="checkbox"/> | |
| <code>linkType_name</code> | string | | <input type="checkbox"/> | |
| <code>linkType_readOnly</code> | boolean | | <input type="checkbox"/> | |
| <code>linkType_sourceToTarget</code> | string | | <input type="checkbox"/> | |
| <code>linkType_targetToSource</code> | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------------------|--------------------------|---------------|
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| parent_linkType_\$type | string | | <input type="checkbox"/> | |
| parent_linkType_aggregation | boolean | | <input type="checkbox"/> | |
| parent_linkType_directed | boolean | | <input type="checkbox"/> | |
| parent_linkType_id | string | | <input type="checkbox"/> | |
| parent_linkType_localizedName | string | | <input type="checkbox"/> | |
| parent_linkType_localizedSourceToTarget | string | | <input type="checkbox"/> | |
| parent_linkType_localizedTargetToSource | string | | <input type="checkbox"/> | |
| parent_linkType_name | string | | <input type="checkbox"/> | |
| parent_linkType_readOnly | boolean | | <input type="checkbox"/> | |
| parent_linkType_sourceToTarget | string | | <input type="checkbox"/> | |
| parent_linkType_targetToSource | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_createdBy_\$type | string | | <input type="checkbox"/> | |
| project_createdBy_avatarUrl | string | | <input type="checkbox"/> | |
| project_createdBy_banned | boolean | | <input type="checkbox"/> | |
| project_createdBy_email | string | | <input type="checkbox"/> | |
| project_createdBy_fullName | string | | <input type="checkbox"/> | |
| project_createdBy_guest | boolean | | <input type="checkbox"/> | |
| project_createdBy_id | string | | <input type="checkbox"/> | |
| project_createdBy_jabberAccountName | string | | <input type="checkbox"/> | |
| project_createdBy_login | string | | <input type="checkbox"/> | |
| project_createdBy_online | boolean | | <input type="checkbox"/> | |
| project_createdBy_ringId | string | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_leader_\$type | string | | <input type="checkbox"/> | |
| project_leader_avatarUrl | string | | <input type="checkbox"/> | |
| project_leader_banned | boolean | | <input type="checkbox"/> | |
| project_leader_email | string | | <input type="checkbox"/> | |
| project_leader_fullName | string | | <input type="checkbox"/> | |
| project_leader_guest | boolean | | <input type="checkbox"/> | |
| project_leader_id | string | | <input type="checkbox"/> | |
| project_leader_jabberAccountName | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|----------|--------------------------|---------------|
| project_leader_login | string | | <input type="checkbox"/> | |
| project_leader_online | boolean | | <input type="checkbox"/> | |
| project_leader_ringId | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_team_\$type | string | | <input type="checkbox"/> | |
| project_team_allUsersGroup | boolean | | <input type="checkbox"/> | |
| project_team_icon | string | | <input type="checkbox"/> | |
| project_team_id | string | | <input type="checkbox"/> | |
| project_team_name | string | | <input type="checkbox"/> | |
| project_team_ringId | string | | <input type="checkbox"/> | |
| project_team_usersCount | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_profiles_\$type | string | | <input type="checkbox"/> | |
| reporter_profiles_id | string | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| subtasks_linkType_\$type | string | | <input type="checkbox"/> | |
| subtasks_linkType_aggregation | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_directed | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_id | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedName | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedSourceToTarget | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedTargetToSource | string | | <input type="checkbox"/> | |
| subtasks_linkType_name | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|----------------------------------|-----------|----------------------|--------------------------|---------------|
| subtasks_linkType_readOnly | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_sourceToTarget | string | | <input type="checkbox"/> | |
| subtasks_linkType_targetToSource | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_profiles_\$type | string | | <input type="checkbox"/> | |
| updater_profiles_id | string | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Markdown | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

9.1.14 LinkIssues

Catalog: YouTrack

Schema: Issues

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/issues`

Insert YouTrack API URL: `/issues`

Update YouTrack API URL: `/issues`

Delete YouTrack API URL: `/issues`

Field Selection Method: `NotRequired`

Base Path: `links[*].issues[*]`

Select YouTrack API Operation: `get /issues`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `LinkIssues`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|---------------------------|-----------|--------------------------|---------------|---|
| <code>customFields</code> | string | <input type="checkbox"/> | | <p><p>The name of the custom field to show in the response. When you use this parameter and request the custom field data in the request URL, the response only shows the requested custom fields instead of all of them.</p><p>To show more than one custom field, use this parameter several times.</p><p>See Sample 2 for reference.</p></p> |
| <code>query</code> | string | <input type="checkbox"/> | | <p>Issues search query. Read more about search syntax here: Search Query Reference</p> |

Table Function Columns

The columns of the table function `LinkIssues` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|-----------------------|-----------|-------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type_2</code> | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|----------------------------------|-----------|----------------|--------------------------|---------------|
| \$type | string | | <input type="checkbox"/> | |
| commentsCount_1 | int32 | | <input type="checkbox"/> | |
| commentsCount | int32 | Comments Count | <input type="checkbox"/> | |
| created_1 | int64 | | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| description_1 | string | | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| direction | string | Direction | <input type="checkbox"/> | |
| draftOwner_\$type | string | | <input type="checkbox"/> | |
| draftOwner_avatarUrl | string | | <input type="checkbox"/> | |
| draftOwner_banned | boolean | | <input type="checkbox"/> | |
| draftOwner_email | string | | <input type="checkbox"/> | |
| draftOwner_fullName | string | | <input type="checkbox"/> | |
| draftOwner_guest | boolean | | <input type="checkbox"/> | |
| draftOwner_id | string | | <input type="checkbox"/> | |
| draftOwner_jabberAccountName | string | | <input type="checkbox"/> | |
| draftOwner_login | string | | <input type="checkbox"/> | |
| draftOwner_online | boolean | | <input type="checkbox"/> | |
| draftOwner_profiles_\$type | string | | <input type="checkbox"/> | |
| draftOwner_profiles_id | string | | <input type="checkbox"/> | |
| draftOwner_ringId | string | | <input type="checkbox"/> | |
| externalIssue_\$type | string | | <input type="checkbox"/> | |
| externalIssue_id | string | | <input type="checkbox"/> | |
| externalIssue_key | string | | <input type="checkbox"/> | |
| externalIssue_name | string | | <input type="checkbox"/> | |
| externalIssue_url | string | | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable_1 | string | | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDraft_1 | boolean | | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| linkType_\$type | string | | <input type="checkbox"/> | |
| linkType_aggregation | boolean | | <input type="checkbox"/> | |
| linkType_directed | boolean | | <input type="checkbox"/> | |
| linkType_id | string | | <input type="checkbox"/> | |
| linkType_localizedName | string | | <input type="checkbox"/> | |
| linkType_localizedSourceToTarget | string | | <input type="checkbox"/> | |
| linkType_localizedTargetToSource | string | | <input type="checkbox"/> | |
| linkType_name | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------------------|--------------------------|---------------|
| linkType_readOnly | boolean | | <input type="checkbox"/> | |
| linkType_sourceToTarget | string | | <input type="checkbox"/> | |
| linkType_targetToSource | string | | <input type="checkbox"/> | |
| numberInProject_1 | int64 | | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| parent_\$type_1 | string | | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_commentsCount | int32 | | <input type="checkbox"/> | |
| parent_created | int64 | | <input type="checkbox"/> | |
| parent_description | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id_1 | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| parent_idReadable | string | | <input type="checkbox"/> | |
| parent_isDraft | boolean | | <input type="checkbox"/> | |
| parent_linkType_\$type | string | | <input type="checkbox"/> | |
| parent_linkType_aggregation | boolean | | <input type="checkbox"/> | |
| parent_linkType_directed | boolean | | <input type="checkbox"/> | |
| parent_linkType_id | string | | <input type="checkbox"/> | |
| parent_linkType_localizedName | string | | <input type="checkbox"/> | |
| parent_linkType_localizedSourceToTarget | string | | <input type="checkbox"/> | |
| parent_linkType_localizedTargetToSource | string | | <input type="checkbox"/> | |
| parent_linkType_name | string | | <input type="checkbox"/> | |
| parent_linkType_readOnly | boolean | | <input type="checkbox"/> | |
| parent_linkType_sourceToTarget | string | | <input type="checkbox"/> | |
| parent_linkType_targetToSource | string | | <input type="checkbox"/> | |
| parent_numberInProject | int64 | | <input type="checkbox"/> | |
| parent_resolved | int64 | | <input type="checkbox"/> | |
| parent_summary | string | | <input type="checkbox"/> | |
| parent_updated | int64 | | <input type="checkbox"/> | |
| parent_usesMarkdown | boolean | | <input type="checkbox"/> | |
| parent_votes | int32 | | <input type="checkbox"/> | |
| parent_wikifiedDescription | string | | <input type="checkbox"/> | |
| project_\$type | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_commentsCount | int32 | | <input type="checkbox"/> | |
| project_created | int64 | | <input type="checkbox"/> | |
| project_createdBy_\$type | string | | <input type="checkbox"/> | |
| project_createdBy_avatarUrl | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|-------------------------------------|-----------|-------|--------------------------|---------------|
| project_createdBy_banned | boolean | | <input type="checkbox"/> | |
| project_createdBy_email | string | | <input type="checkbox"/> | |
| project_createdBy_fullName | string | | <input type="checkbox"/> | |
| project_createdBy_guest | boolean | | <input type="checkbox"/> | |
| project_createdBy_id | string | | <input type="checkbox"/> | |
| project_createdBy_jabberAccountName | string | | <input type="checkbox"/> | |
| project_createdBy_login | string | | <input type="checkbox"/> | |
| project_createdBy_online | boolean | | <input type="checkbox"/> | |
| project_createdBy_ringId | string | | <input type="checkbox"/> | |
| project_description_1 | string | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_id | string | | <input type="checkbox"/> | |
| project_idReadable | string | | <input type="checkbox"/> | |
| project_isDraft | boolean | | <input type="checkbox"/> | |
| project_leader_\$type | string | | <input type="checkbox"/> | |
| project_leader_avatarUrl | string | | <input type="checkbox"/> | |
| project_leader_banned | boolean | | <input type="checkbox"/> | |
| project_leader_email | string | | <input type="checkbox"/> | |
| project_leader_fullName | string | | <input type="checkbox"/> | |
| project_leader_guest | boolean | | <input type="checkbox"/> | |
| project_leader_id | string | | <input type="checkbox"/> | |
| project_leader_jabberAccountName | string | | <input type="checkbox"/> | |
| project_leader_login | string | | <input type="checkbox"/> | |
| project_leader_online | boolean | | <input type="checkbox"/> | |
| project_leader_ringId | string | | <input type="checkbox"/> | |
| project_numberInProject | int64 | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_resolved | int64 | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_summary | string | | <input type="checkbox"/> | |
| project_team_\$type | string | | <input type="checkbox"/> | |
| project_team_allUsersGroup | boolean | | <input type="checkbox"/> | |
| project_team_icon | string | | <input type="checkbox"/> | |
| project_team_id | string | | <input type="checkbox"/> | |
| project_team_name | string | | <input type="checkbox"/> | |
| project_team_ringId | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|----------|--------------------------|---------------|
| project_team_usersCount | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| project_updated | int64 | | <input type="checkbox"/> | |
| project_usesMarkdown | boolean | | <input type="checkbox"/> | |
| project_votes | int32 | | <input type="checkbox"/> | |
| project_wikifiedDescription | string | | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_profiles_\$type | string | | <input type="checkbox"/> | |
| reporter_profiles_id | string | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved_1 | int64 | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| subtasks_\$type_1 | string | | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_commentsCount | int32 | | <input type="checkbox"/> | |
| subtasks_created | int64 | | <input type="checkbox"/> | |
| subtasks_description | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id_1 | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| subtasks_idReadable | string | | <input type="checkbox"/> | |
| subtasks_isDraft | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_\$type | string | | <input type="checkbox"/> | |
| subtasks_linkType_aggregation | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_directed | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_id | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedName | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedSourceToTarget | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedTargetToSource | string | | <input type="checkbox"/> | |
| subtasks_linkType_name | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|----------------------------------|-----------|---------------|--------------------------|---------------|
| subtasks_linkType_readOnly | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_sourceToTarget | string | | <input type="checkbox"/> | |
| subtasks_linkType_targetToSource | string | | <input type="checkbox"/> | |
| subtasks_numberInProject | int64 | | <input type="checkbox"/> | |
| subtasks_resolved | int64 | | <input type="checkbox"/> | |
| subtasks_summary | string | | <input type="checkbox"/> | |
| subtasks_updated | int64 | | <input type="checkbox"/> | |
| subtasks_usesMarkdown | boolean | | <input type="checkbox"/> | |
| subtasks_votes | int32 | | <input type="checkbox"/> | |
| subtasks_wikifiedDescription | string | | <input type="checkbox"/> | |
| summary_1 | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| updated_1 | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_profiles_\$type | string | | <input type="checkbox"/> | |
| updater_profiles_id | string | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| usesMarkdown_1 | boolean | | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Markdown | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes_1 | int32 | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription_1 | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---------------------|-----------|----------------------|--------------------------|---------------|
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

9.1.15 LinkIssuesByIssueId

Catalog: YouTrack

Schema: Issues

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/issues/{id}`

Insert YouTrack API URL: `/issues/{id}`

Update YouTrack API URL: `/issues/{id}`

Delete YouTrack API URL: `/issues/{id}`

Field Selection Method: NotRequired

Base Path: `links[*].issues[*]`

Select YouTrack API Operation: `get /issues/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `LinkIssuesByIssueId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `LinkIssuesByIssueId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|----------|-----------|-------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|----------------------------------|-----------|----------------|--------------------------|---------------|
| \$type_2 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| commentsCount_1 | int32 | | <input type="checkbox"/> | |
| commentsCount | int32 | Comments Count | <input type="checkbox"/> | |
| created_1 | int64 | | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| description_1 | string | | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| direction | string | Direction | <input type="checkbox"/> | |
| draftOwner_\$type | string | | <input type="checkbox"/> | |
| draftOwner_avatarUrl | string | | <input type="checkbox"/> | |
| draftOwner_banned | boolean | | <input type="checkbox"/> | |
| draftOwner_email | string | | <input type="checkbox"/> | |
| draftOwner_fullName | string | | <input type="checkbox"/> | |
| draftOwner_guest | boolean | | <input type="checkbox"/> | |
| draftOwner_id | string | | <input type="checkbox"/> | |
| draftOwner_jabberAccountName | string | | <input type="checkbox"/> | |
| draftOwner_login | string | | <input type="checkbox"/> | |
| draftOwner_online | boolean | | <input type="checkbox"/> | |
| draftOwner_profiles_\$type | string | | <input type="checkbox"/> | |
| draftOwner_profiles_id | string | | <input type="checkbox"/> | |
| draftOwner_ringId | string | | <input type="checkbox"/> | |
| externalIssue_\$type | string | | <input type="checkbox"/> | |
| externalIssue_id | string | | <input type="checkbox"/> | |
| externalIssue_key | string | | <input type="checkbox"/> | |
| externalIssue_name | string | | <input type="checkbox"/> | |
| externalIssue_url | string | | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable_1 | string | | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDraft_1 | boolean | | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| linkType_\$type | string | | <input type="checkbox"/> | |
| linkType_aggregation | boolean | | <input type="checkbox"/> | |
| linkType_directed | boolean | | <input type="checkbox"/> | |
| linkType_id | string | | <input type="checkbox"/> | |
| linkType_localizedName | string | | <input type="checkbox"/> | |
| linkType_localizedSourceToTarget | string | | <input type="checkbox"/> | |
| linkType_localizedTargetToSource | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------------------|--------------------------|---------------|
| linkType_name | string | | <input type="checkbox"/> | |
| linkType_readOnly | boolean | | <input type="checkbox"/> | |
| linkType_sourceToTarget | string | | <input type="checkbox"/> | |
| linkType_targetToSource | string | | <input type="checkbox"/> | |
| numberInProject_1 | int64 | | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| parent_\$type_1 | string | | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_commentsCount | int32 | | <input type="checkbox"/> | |
| parent_created | int64 | | <input type="checkbox"/> | |
| parent_description | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id_1 | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| parent_idReadable | string | | <input type="checkbox"/> | |
| parent_isDraft | boolean | | <input type="checkbox"/> | |
| parent_linkType_\$type | string | | <input type="checkbox"/> | |
| parent_linkType_aggregation | boolean | | <input type="checkbox"/> | |
| parent_linkType_directed | boolean | | <input type="checkbox"/> | |
| parent_linkType_id | string | | <input type="checkbox"/> | |
| parent_linkType_localizedName | string | | <input type="checkbox"/> | |
| parent_linkType_localizedSourceToTarget | string | | <input type="checkbox"/> | |
| parent_linkType_localizedTargetToSource | string | | <input type="checkbox"/> | |
| parent_linkType_name | string | | <input type="checkbox"/> | |
| parent_linkType_readOnly | boolean | | <input type="checkbox"/> | |
| parent_linkType_sourceToTarget | string | | <input type="checkbox"/> | |
| parent_linkType_targetToSource | string | | <input type="checkbox"/> | |
| parent_numberInProject | int64 | | <input type="checkbox"/> | |
| parent_resolved | int64 | | <input type="checkbox"/> | |
| parent_summary | string | | <input type="checkbox"/> | |
| parent_updated | int64 | | <input type="checkbox"/> | |
| parent_usesMarkdown | boolean | | <input type="checkbox"/> | |
| parent_votes | int32 | | <input type="checkbox"/> | |
| parent_wikifiedDescription | string | | <input type="checkbox"/> | |
| project_\$type | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_commentsCount | int32 | | <input type="checkbox"/> | |
| project_created | int64 | | <input type="checkbox"/> | |
| project_createdBy_\$type | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|-------------------------------------|-----------|-------|--------------------------|---------------|
| project_createdBy_avatarUrl | string | | <input type="checkbox"/> | |
| project_createdBy_banned | boolean | | <input type="checkbox"/> | |
| project_createdBy_email | string | | <input type="checkbox"/> | |
| project_createdBy_fullName | string | | <input type="checkbox"/> | |
| project_createdBy_guest | boolean | | <input type="checkbox"/> | |
| project_createdBy_id | string | | <input type="checkbox"/> | |
| project_createdBy_jabberAccountName | string | | <input type="checkbox"/> | |
| project_createdBy_login | string | | <input type="checkbox"/> | |
| project_createdBy_online | boolean | | <input type="checkbox"/> | |
| project_createdBy_ringId | string | | <input type="checkbox"/> | |
| project_description_1 | string | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_id | string | | <input type="checkbox"/> | |
| project_idReadable | string | | <input type="checkbox"/> | |
| project_isDraft | boolean | | <input type="checkbox"/> | |
| project_leader_\$type | string | | <input type="checkbox"/> | |
| project_leader_avatarUrl | string | | <input type="checkbox"/> | |
| project_leader_banned | boolean | | <input type="checkbox"/> | |
| project_leader_email | string | | <input type="checkbox"/> | |
| project_leader_fullName | string | | <input type="checkbox"/> | |
| project_leader_guest | boolean | | <input type="checkbox"/> | |
| project_leader_id | string | | <input type="checkbox"/> | |
| project_leader_jabberAccountName | string | | <input type="checkbox"/> | |
| project_leader_login | string | | <input type="checkbox"/> | |
| project_leader_online | boolean | | <input type="checkbox"/> | |
| project_leader_ringId | string | | <input type="checkbox"/> | |
| project_numberInProject | int64 | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_resolved | int64 | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_summary | string | | <input type="checkbox"/> | |
| project_team_\$type | string | | <input type="checkbox"/> | |
| project_team_allUsersGroup | boolean | | <input type="checkbox"/> | |
| project_team_icon | string | | <input type="checkbox"/> | |
| project_team_id | string | | <input type="checkbox"/> | |
| project_team_name | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|----------|--------------------------|---------------|
| project_team_ringId | string | | <input type="checkbox"/> | |
| project_team_usersCount | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| project_updated | int64 | | <input type="checkbox"/> | |
| project_usesMarkdown | boolean | | <input type="checkbox"/> | |
| project_votes | int32 | | <input type="checkbox"/> | |
| project_wikifiedDescription | string | | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_profiles_\$type | string | | <input type="checkbox"/> | |
| reporter_profiles_id | string | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved_1 | int64 | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| subtasks_\$type_1 | string | | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_commentsCount | int32 | | <input type="checkbox"/> | |
| subtasks_created | int64 | | <input type="checkbox"/> | |
| subtasks_description | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id_1 | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| subtasks_idReadable | string | | <input type="checkbox"/> | |
| subtasks_isDraft | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_\$type | string | | <input type="checkbox"/> | |
| subtasks_linkType_aggregation | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_directed | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_id | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedName | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedSourceToTarget | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedTargetToSource | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|----------------------------------|-----------|---------------|--------------------------|---------------|
| subtasks_linkType_name | string | | <input type="checkbox"/> | |
| subtasks_linkType_readOnly | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_sourceToTarget | string | | <input type="checkbox"/> | |
| subtasks_linkType_targetToSource | string | | <input type="checkbox"/> | |
| subtasks_numberInProject | int64 | | <input type="checkbox"/> | |
| subtasks_resolved | int64 | | <input type="checkbox"/> | |
| subtasks_summary | string | | <input type="checkbox"/> | |
| subtasks_updated | int64 | | <input type="checkbox"/> | |
| subtasks_usesMarkdown | boolean | | <input type="checkbox"/> | |
| subtasks_wikifiedDescription | string | | <input type="checkbox"/> | |
| summary_1 | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| updated_1 | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_profiles_\$type | string | | <input type="checkbox"/> | |
| updater_profiles_id | string | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| usesMarkdown_1 | boolean | | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Markdown | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes_1 | int32 | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|-----------------------|-----------|----------------------|--------------------------|---------------|
| wikifiedDescription_1 | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

9.1.16 Links

Catalog: YouTrack

Schema: Issues

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/issues`

Insert YouTrack API URL: `/issues`

Update YouTrack API URL: `/issues`

Delete YouTrack API URL: `/issues`

Field Selection Method: `NotRequired`

Base Path: `links[*]`

Select YouTrack API Operation: `get /issues`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `Links`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|--------------|-----------|--------------------------|---------------|--|
| customFields | string | <input type="checkbox"/> | | <p><p>The name of the custom field to show in the response. When you use this parameter and request the custom field data in the request URL, the response only shows the requested custom fields instead of all of them.</p><p>To show more than one custom field, use this parameter several</p> |

| Name | Data Type | Required | Default Value | Documentation |
|-------|-----------|--------------------------|---------------|--|
| | | | | times.</p><p>See Sample 2 for reference.</p> |
| query | string | <input type="checkbox"/> | | Issues search query. Read more about search syntax here: Search Query Reference |

Table Function Columns

The columns of the table function `Links` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|------------------------------|-----------|----------------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| commentsCount | int32 | Comments Count | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| direction | string | Direction | <input type="checkbox"/> | |
| draftOwner_\$type | string | | <input type="checkbox"/> | |
| draftOwner_avatarUrl | string | | <input type="checkbox"/> | |
| draftOwner_banned | boolean | | <input type="checkbox"/> | |
| draftOwner_email | string | | <input type="checkbox"/> | |
| draftOwner_fullName | string | | <input type="checkbox"/> | |
| draftOwner_guest | boolean | | <input type="checkbox"/> | |
| draftOwner_id | string | | <input type="checkbox"/> | |
| draftOwner_jabberAccountName | string | | <input type="checkbox"/> | |
| draftOwner_login | string | | <input type="checkbox"/> | |
| draftOwner_online | boolean | | <input type="checkbox"/> | |
| draftOwner_profiles_\$type | string | | <input type="checkbox"/> | |
| draftOwner_profiles_id | string | | <input type="checkbox"/> | |
| draftOwner_ringId | string | | <input type="checkbox"/> | |
| externalIssue_\$type | string | | <input type="checkbox"/> | |
| externalIssue_id | string | | <input type="checkbox"/> | |
| externalIssue_key | string | | <input type="checkbox"/> | |
| externalIssue_name | string | | <input type="checkbox"/> | |
| externalIssue_url | string | | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------------------|--------------------------|---------------|
| linkType_\$type | string | | <input type="checkbox"/> | |
| linkType_aggregation | boolean | | <input type="checkbox"/> | |
| linkType_directed | boolean | | <input type="checkbox"/> | |
| linkType_id | string | | <input type="checkbox"/> | |
| linkType_localizedName | string | | <input type="checkbox"/> | |
| linkType_localizedSourceToTarget | string | | <input type="checkbox"/> | |
| linkType_localizedTargetToSource | string | | <input type="checkbox"/> | |
| linkType_name | string | | <input type="checkbox"/> | |
| linkType_readOnly | boolean | | <input type="checkbox"/> | |
| linkType_sourceToTarget | string | | <input type="checkbox"/> | |
| linkType_targetToSource | string | | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| parent_linkType_\$type | string | | <input type="checkbox"/> | |
| parent_linkType_aggregation | boolean | | <input type="checkbox"/> | |
| parent_linkType_directed | boolean | | <input type="checkbox"/> | |
| parent_linkType_id | string | | <input type="checkbox"/> | |
| parent_linkType_localizedName | string | | <input type="checkbox"/> | |
| parent_linkType_localizedSourceToTarget | string | | <input type="checkbox"/> | |
| parent_linkType_localizedTargetToSource | string | | <input type="checkbox"/> | |
| parent_linkType_name | string | | <input type="checkbox"/> | |
| parent_linkType_readOnly | boolean | | <input type="checkbox"/> | |
| parent_linkType_sourceToTarget | string | | <input type="checkbox"/> | |
| parent_linkType_targetToSource | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_createdBy_\$type | string | | <input type="checkbox"/> | |
| project_createdBy_avatarUrl | string | | <input type="checkbox"/> | |
| project_createdBy_banned | boolean | | <input type="checkbox"/> | |
| project_createdBy_email | string | | <input type="checkbox"/> | |
| project_createdBy_fullName | string | | <input type="checkbox"/> | |
| project_createdBy_guest | boolean | | <input type="checkbox"/> | |
| project_createdBy_id | string | | <input type="checkbox"/> | |
| project_createdBy_jabberAccountName | string | | <input type="checkbox"/> | |
| project_createdBy_login | string | | <input type="checkbox"/> | |
| project_createdBy_online | boolean | | <input type="checkbox"/> | |
| project_createdBy_ringId | string | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|----------------------------------|-----------|----------|--------------------------|---------------|
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_leader_\$type | string | | <input type="checkbox"/> | |
| project_leader_avatarUrl | string | | <input type="checkbox"/> | |
| project_leader_banned | boolean | | <input type="checkbox"/> | |
| project_leader_email | string | | <input type="checkbox"/> | |
| project_leader_fullName | string | | <input type="checkbox"/> | |
| project_leader_guest | boolean | | <input type="checkbox"/> | |
| project_leader_id | string | | <input type="checkbox"/> | |
| project_leader_jabberAccountName | string | | <input type="checkbox"/> | |
| project_leader_login | string | | <input type="checkbox"/> | |
| project_leader_online | boolean | | <input type="checkbox"/> | |
| project_leader_ringId | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_team_\$type | string | | <input type="checkbox"/> | |
| project_team_allUsersGroup | boolean | | <input type="checkbox"/> | |
| project_team_icon | string | | <input type="checkbox"/> | |
| project_team_id | string | | <input type="checkbox"/> | |
| project_team_name | string | | <input type="checkbox"/> | |
| project_team_ringId | string | | <input type="checkbox"/> | |
| project_team_usersCount | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_profiles_\$type | string | | <input type="checkbox"/> | |
| reporter_profiles_id | string | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|----------------------|--------------------------|---------------|
| subtasks_id | string | | <input type="checkbox"/> | |
| subtasks_linkType_\$type | string | | <input type="checkbox"/> | |
| subtasks_linkType_aggregation | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_directed | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_id | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedName | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedSourceToTarget | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedTargetToSource | string | | <input type="checkbox"/> | |
| subtasks_linkType_name | string | | <input type="checkbox"/> | |
| subtasks_linkType_readOnly | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_sourceToTarget | string | | <input type="checkbox"/> | |
| subtasks_linkType_targetToSource | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_profiles_\$type | string | | <input type="checkbox"/> | |
| updater_profiles_id | string | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Mark Down | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

9.1.17 LinkTrimmedIssues

Catalog: YouTrack

Schema: Issues

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/issues`

Insert YouTrack API URL: `/issues`

Update YouTrack API URL: `/issues`

Delete YouTrack API URL: `/issues`

Field Selection Method: `NotRequired`

Base Path: `links[*].trimmedIssues[*]`

Select YouTrack API Operation: `get /issues`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `LinkTrimmedIssues`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|---------------------------|-----------|--------------------------|---------------|---|
| <code>customFields</code> | string | <input type="checkbox"/> | | <p><p>The name of the custom field to show in the response. When you use this parameter and request the custom field data in the request URL, the response only shows the requested custom fields instead of all of them.</p><p>To show more than one custom field, use this parameter several times.</p><p>See Sample 2 for reference.</p></p> |
| <code>query</code> | string | <input type="checkbox"/> | | <p>Issues search query. Read more about search syntax here: Search Query Reference</p> |

Table Function Columns

The columns of the table function `LinkTrimmedIssues` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|---|-----------|----------------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type_2</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>commentsCount_1</code> | int32 | | <input type="checkbox"/> | |
| <code>commentsCount</code> | int32 | Comments Count | <input type="checkbox"/> | |
| <code>created_1</code> | int64 | | <input type="checkbox"/> | |
| <code>created</code> | int64 | Created | <input type="checkbox"/> | |
| <code>description_1</code> | string | | <input type="checkbox"/> | |
| <code>description</code> | string | Description | <input type="checkbox"/> | |
| <code>direction</code> | string | Direction | <input type="checkbox"/> | |
| <code>draftOwner_\$type</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_avatarUrl</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_banned</code> | boolean | | <input type="checkbox"/> | |
| <code>draftOwner_email</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_fullName</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_guest</code> | boolean | | <input type="checkbox"/> | |
| <code>draftOwner_id</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_jabberAccountName</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_login</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_online</code> | boolean | | <input type="checkbox"/> | |
| <code>draftOwner_profiles_\$type</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_profiles_id</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_ringId</code> | string | | <input type="checkbox"/> | |
| <code>externalIssue_\$type</code> | string | | <input type="checkbox"/> | |
| <code>externalIssue_id</code> | string | | <input type="checkbox"/> | |
| <code>externalIssue_key</code> | string | | <input type="checkbox"/> | |
| <code>externalIssue_name</code> | string | | <input type="checkbox"/> | |
| <code>externalIssue_url</code> | string | | <input type="checkbox"/> | |
| <code>id_1</code> | string | | <input type="checkbox"/> | |
| <code>id_2</code> | string | | <input type="checkbox"/> | |
| <code>id</code> | string | ID | <input type="checkbox"/> | |
| <code>idReadable_1</code> | string | | <input type="checkbox"/> | |
| <code>idReadable</code> | string | Readable ID | <input type="checkbox"/> | |
| <code>isDraft_1</code> | boolean | | <input type="checkbox"/> | |
| <code>isDraft</code> | boolean | Is Draft | <input type="checkbox"/> | |
| <code>linkType_\$type</code> | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------------------|--------------------------|---------------|
| linkType_aggregation | boolean | | <input type="checkbox"/> | |
| linkType_directed | boolean | | <input type="checkbox"/> | |
| linkType_id | string | | <input type="checkbox"/> | |
| linkType_localizedName | string | | <input type="checkbox"/> | |
| linkType_localizedSourceToTarget | string | | <input type="checkbox"/> | |
| linkType_localizedTargetToSource | string | | <input type="checkbox"/> | |
| linkType_name | string | | <input type="checkbox"/> | |
| linkType_readOnly | boolean | | <input type="checkbox"/> | |
| linkType_sourceToTarget | string | | <input type="checkbox"/> | |
| linkType_targetToSource | string | | <input type="checkbox"/> | |
| numberInProject_1 | int64 | | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| parent_\$type_1 | string | | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_commentsCount | int32 | | <input type="checkbox"/> | |
| parent_created | int64 | | <input type="checkbox"/> | |
| parent_description | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id_1 | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| parent_idReadable | string | | <input type="checkbox"/> | |
| parent_isDraft | boolean | | <input type="checkbox"/> | |
| parent_linkType_\$type | string | | <input type="checkbox"/> | |
| parent_linkType_aggregation | boolean | | <input type="checkbox"/> | |
| parent_linkType_directed | boolean | | <input type="checkbox"/> | |
| parent_linkType_id | string | | <input type="checkbox"/> | |
| parent_linkType_localizedName | string | | <input type="checkbox"/> | |
| parent_linkType_localizedSourceToTarget | string | | <input type="checkbox"/> | |
| parent_linkType_localizedTargetToSource | string | | <input type="checkbox"/> | |
| parent_linkType_name | string | | <input type="checkbox"/> | |
| parent_linkType_readOnly | boolean | | <input type="checkbox"/> | |
| parent_linkType_sourceToTarget | string | | <input type="checkbox"/> | |
| parent_linkType_targetToSource | string | | <input type="checkbox"/> | |
| parent_numberInProject | int64 | | <input type="checkbox"/> | |
| parent_resolved | int64 | | <input type="checkbox"/> | |
| parent_summary | string | | <input type="checkbox"/> | |
| parent_updated | int64 | | <input type="checkbox"/> | |
| parent_usesMarkdown | boolean | | <input type="checkbox"/> | |
| parent_votes | int32 | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------|--------------------------|---------------|
| parent_w ikifiedDescription | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_createdBy_\$type | string | | <input type="checkbox"/> | |
| project_createdBy_avatarUrl | string | | <input type="checkbox"/> | |
| project_createdBy_banned | boolean | | <input type="checkbox"/> | |
| project_createdBy_email | string | | <input type="checkbox"/> | |
| project_createdBy_fullName | string | | <input type="checkbox"/> | |
| project_createdBy_guest | boolean | | <input type="checkbox"/> | |
| project_createdBy_id | string | | <input type="checkbox"/> | |
| project_createdBy_jabberAccount Name | string | | <input type="checkbox"/> | |
| project_createdBy_login | string | | <input type="checkbox"/> | |
| project_createdBy_online | boolean | | <input type="checkbox"/> | |
| project_createdBy_ringId | string | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_leader_\$type | string | | <input type="checkbox"/> | |
| project_leader_avatarUrl | string | | <input type="checkbox"/> | |
| project_leader_banned | boolean | | <input type="checkbox"/> | |
| project_leader_email | string | | <input type="checkbox"/> | |
| project_leader_fullName | string | | <input type="checkbox"/> | |
| project_leader_guest | boolean | | <input type="checkbox"/> | |
| project_leader_id | string | | <input type="checkbox"/> | |
| project_leader_jabberAccountNam e | string | | <input type="checkbox"/> | |
| project_leader_login | string | | <input type="checkbox"/> | |
| project_leader_online | boolean | | <input type="checkbox"/> | |
| project_leader_ringId | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_team_\$type | string | | <input type="checkbox"/> | |
| project_team_allUsersGroup | boolean | | <input type="checkbox"/> | |
| project_team_icon | string | | <input type="checkbox"/> | |
| project_team_id | string | | <input type="checkbox"/> | |
| project_team_name | string | | <input type="checkbox"/> | |
| project_team_ringId | string | | <input type="checkbox"/> | |
| project_team_usersCount | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|----------|--------------------------|---------------|
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_profiles_\$type | string | | <input type="checkbox"/> | |
| reporter_profiles_id | string | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved_1 | int64 | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| subtasks_\$type_1 | string | | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_commentsCount | int32 | | <input type="checkbox"/> | |
| subtasks_created | int64 | | <input type="checkbox"/> | |
| subtasks_description | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id_1 | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| subtasks_idReadable | string | | <input type="checkbox"/> | |
| subtasks_isDraft | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_\$type | string | | <input type="checkbox"/> | |
| subtasks_linkType_aggregation | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_directed | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_id | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedName | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedSourceToTarget | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedTargetToSource | string | | <input type="checkbox"/> | |
| subtasks_linkType_name | string | | <input type="checkbox"/> | |
| subtasks_linkType_readOnly | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_sourceToTarget | string | | <input type="checkbox"/> | |
| subtasks_linkType_targetToSource | string | | <input type="checkbox"/> | |
| subtasks_numberInProject | int64 | | <input type="checkbox"/> | |
| subtasks_resolved | int64 | | <input type="checkbox"/> | |
| subtasks_summary | string | | <input type="checkbox"/> | |
| subtasks_updated | int64 | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|------------------------------|-----------|----------------------|--------------------------|---------------|
| subtasks_usesMarkdown | boolean | | <input type="checkbox"/> | |
| subtasks_votes | int32 | | <input type="checkbox"/> | |
| subtasks_wikifiedDescription | string | | <input type="checkbox"/> | |
| summary_1 | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| updated_1 | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_profiles_\$type | string | | <input type="checkbox"/> | |
| updater_profiles_id | string | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| usesMarkdown_1 | boolean | | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Mark Down | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes_1 | int32 | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription_1 | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

9.1.18 LinkTrimmedIssuesByIssueId

Catalog: YouTrack

Schema: Issues

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/issues/{id}`

Insert YouTrack API URL: `/issues/{id}`

Update YouTrack API URL: `/issues/{id}`

Delete YouTrack API URL: `/issues/{id}`

Field Selection Method: `NotRequired`

Base Path: `links[*].trimmedIssues[*]`

Select YouTrack API Operation: `get /issues/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `LinkTrimmedIssuesByIssueId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `LinkTrimmedIssuesByIssueId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|------------------------------|-----------|----------------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type_2</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>commentsCount_1</code> | int32 | | <input type="checkbox"/> | |
| <code>commentsCount</code> | int32 | Comments Count | <input type="checkbox"/> | |
| <code>created_1</code> | int64 | | <input type="checkbox"/> | |
| <code>created</code> | int64 | Created | <input type="checkbox"/> | |
| <code>description_1</code> | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|----------------------------------|-----------|-------------------|--------------------------|---------------|
| description | string | Description | <input type="checkbox"/> | |
| direction | string | Direction | <input type="checkbox"/> | |
| draftOwner_\$type | string | | <input type="checkbox"/> | |
| draftOwner_avatarUrl | string | | <input type="checkbox"/> | |
| draftOwner_banned | boolean | | <input type="checkbox"/> | |
| draftOwner_email | string | | <input type="checkbox"/> | |
| draftOwner_fullName | string | | <input type="checkbox"/> | |
| draftOwner_guest | boolean | | <input type="checkbox"/> | |
| draftOwner_id | string | | <input type="checkbox"/> | |
| draftOwner_jabberAccountName | string | | <input type="checkbox"/> | |
| draftOwner_login | string | | <input type="checkbox"/> | |
| draftOwner_online | boolean | | <input type="checkbox"/> | |
| draftOwner_profiles_\$type | string | | <input type="checkbox"/> | |
| draftOwner_profiles_id | string | | <input type="checkbox"/> | |
| draftOwner_ringId | string | | <input type="checkbox"/> | |
| externalIssue_\$type | string | | <input type="checkbox"/> | |
| externalIssue_id | string | | <input type="checkbox"/> | |
| externalIssue_key | string | | <input type="checkbox"/> | |
| externalIssue_name | string | | <input type="checkbox"/> | |
| externalIssue_url | string | | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable_1 | string | | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDraft_1 | boolean | | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| linkType_\$type | string | | <input type="checkbox"/> | |
| linkType_aggregation | boolean | | <input type="checkbox"/> | |
| linkType_directed | boolean | | <input type="checkbox"/> | |
| linkType_id | string | | <input type="checkbox"/> | |
| linkType_localizedName | string | | <input type="checkbox"/> | |
| linkType_localizedSourceToTarget | string | | <input type="checkbox"/> | |
| linkType_localizedTargetToSource | string | | <input type="checkbox"/> | |
| linkType_name | string | | <input type="checkbox"/> | |
| linkType_readOnly | boolean | | <input type="checkbox"/> | |
| linkType_sourceToTarget | string | | <input type="checkbox"/> | |
| linkType_targetToSource | string | | <input type="checkbox"/> | |
| numberInProject_1 | int64 | | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| parent_\$type_1 | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------|--------------------------|---------------|
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_commentsCount | int32 | | <input type="checkbox"/> | |
| parent_created | int64 | | <input type="checkbox"/> | |
| parent_description | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id_1 | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| parent_idReadable | string | | <input type="checkbox"/> | |
| parent_isDraft | boolean | | <input type="checkbox"/> | |
| parent_linkType_\$type | string | | <input type="checkbox"/> | |
| parent_linkType_aggregation | boolean | | <input type="checkbox"/> | |
| parent_linkType_directed | boolean | | <input type="checkbox"/> | |
| parent_linkType_id | string | | <input type="checkbox"/> | |
| parent_linkType_localizedName | string | | <input type="checkbox"/> | |
| parent_linkType_localizedSourceToTarget | string | | <input type="checkbox"/> | |
| parent_linkType_localizedTargetToSource | string | | <input type="checkbox"/> | |
| parent_linkType_name | string | | <input type="checkbox"/> | |
| parent_linkType_readOnly | boolean | | <input type="checkbox"/> | |
| parent_linkType_sourceToTarget | string | | <input type="checkbox"/> | |
| parent_linkType_targetToSource | string | | <input type="checkbox"/> | |
| parent_numberInProject | int64 | | <input type="checkbox"/> | |
| parent_resolved | int64 | | <input type="checkbox"/> | |
| parent_summary | string | | <input type="checkbox"/> | |
| parent_updated | int64 | | <input type="checkbox"/> | |
| parent_usesMarkdown | boolean | | <input type="checkbox"/> | |
| parent_votes | int32 | | <input type="checkbox"/> | |
| parent_wikifiedDescription | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_createdBy_\$type | string | | <input type="checkbox"/> | |
| project_createdBy_avatarUrl | string | | <input type="checkbox"/> | |
| project_createdBy_banned | boolean | | <input type="checkbox"/> | |
| project_createdBy_email | string | | <input type="checkbox"/> | |
| project_createdBy_fullName | string | | <input type="checkbox"/> | |
| project_createdBy_guest | boolean | | <input type="checkbox"/> | |
| project_createdBy_id | string | | <input type="checkbox"/> | |
| project_createdBy_jabberAccountName | string | | <input type="checkbox"/> | |
| project_createdBy_login | string | | <input type="checkbox"/> | |
| project_createdBy_online | boolean | | <input type="checkbox"/> | |
| project_createdBy_ringId | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|----------------------------------|-----------|----------|--------------------------|---------------|
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_leader_\$type | string | | <input type="checkbox"/> | |
| project_leader_avatarUrl | string | | <input type="checkbox"/> | |
| project_leader_banned | boolean | | <input type="checkbox"/> | |
| project_leader_email | string | | <input type="checkbox"/> | |
| project_leader_fullName | string | | <input type="checkbox"/> | |
| project_leader_guest | boolean | | <input type="checkbox"/> | |
| project_leader_id | string | | <input type="checkbox"/> | |
| project_leader_jabberAccountName | string | | <input type="checkbox"/> | |
| project_leader_login | string | | <input type="checkbox"/> | |
| project_leader_online | boolean | | <input type="checkbox"/> | |
| project_leader_ringId | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_team_\$type | string | | <input type="checkbox"/> | |
| project_team_allUsersGroup | boolean | | <input type="checkbox"/> | |
| project_team_icon | string | | <input type="checkbox"/> | |
| project_team_id | string | | <input type="checkbox"/> | |
| project_team_name | string | | <input type="checkbox"/> | |
| project_team_ringId | string | | <input type="checkbox"/> | |
| project_team_usersCount | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_profiles_\$type | string | | <input type="checkbox"/> | |
| reporter_profiles_id | string | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved_1 | int64 | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|---------|--------------------------|---------------|
| subtasks_\$type_1 | string | | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_commentsCount | int32 | | <input type="checkbox"/> | |
| subtasks_created | int64 | | <input type="checkbox"/> | |
| subtasks_description | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id_1 | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| subtasks_idReadable | string | | <input type="checkbox"/> | |
| subtasks_isDraft | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_\$type | string | | <input type="checkbox"/> | |
| subtasks_linkType_aggregation | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_directed | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_id | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedName | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedSourceToTarget | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedTargetToSource | string | | <input type="checkbox"/> | |
| subtasks_linkType_name | string | | <input type="checkbox"/> | |
| subtasks_linkType_readOnly | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_sourceToTarget | string | | <input type="checkbox"/> | |
| subtasks_linkType_targetToSource | string | | <input type="checkbox"/> | |
| subtasks_numberInProject | int64 | | <input type="checkbox"/> | |
| subtasks_resolved | int64 | | <input type="checkbox"/> | |
| subtasks_summary | string | | <input type="checkbox"/> | |
| subtasks_updated | int64 | | <input type="checkbox"/> | |
| subtasks_usesMarkdown | boolean | | <input type="checkbox"/> | |
| subtasks_wikifiedDescription | string | | <input type="checkbox"/> | |
| summary_1 | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| updated_1 | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---------------------------|-----------|----------------------|--------------------------|---------------|
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_profiles_\$type | string | | <input type="checkbox"/> | |
| updater_profiles_id | string | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| usesMarkdown_1 | boolean | | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Mark Down | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes_1 | int32 | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription_1 | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

9.1.19 TagById

Catalog: YouTrack

Schema: Issues

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/issues/{id}`

Insert YouTrack API URL: `/issues/{id}`

Update YouTrack API URL: `/issues/{id}`

Delete YouTrack API URL: `/issues/{id}`

Field Selection Method: `NotRequired`

Base Path: `tags[*]`

Select YouTrack API Operation: `get /issues/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `TagById`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour.

Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `TagById` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|------------------------------|-----------|----------------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| color_\$type | string | | <input type="checkbox"/> | |
| color_background | string | | <input type="checkbox"/> | |
| color_foreground | string | | <input type="checkbox"/> | |
| color_id | string | | <input type="checkbox"/> | |
| commentsCount | int32 | Comments Count | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| draftOwner_\$type | string | | <input type="checkbox"/> | |
| draftOwner_avatarUrl | string | | <input type="checkbox"/> | |
| draftOwner_banned | boolean | | <input type="checkbox"/> | |
| draftOwner_email | string | | <input type="checkbox"/> | |
| draftOwner_fullName | string | | <input type="checkbox"/> | |
| draftOwner_guest | boolean | | <input type="checkbox"/> | |
| draftOwner_id | string | | <input type="checkbox"/> | |
| draftOwner_jabberAccountName | string | | <input type="checkbox"/> | |
| draftOwner_login | string | | <input type="checkbox"/> | |
| draftOwner_online | boolean | | <input type="checkbox"/> | |
| draftOwner_profiles_\$type | string | | <input type="checkbox"/> | |
| draftOwner_profiles_id | string | | <input type="checkbox"/> | |
| draftOwner_ringId | string | | <input type="checkbox"/> | |
| externalIssue_\$type | string | | <input type="checkbox"/> | |
| externalIssue_id | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------------------|--------------------------|---------------|
| externalIssue_key | string | | <input type="checkbox"/> | |
| externalIssue_name | string | | <input type="checkbox"/> | |
| externalIssue_url | string | | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| parent_linkType_\$type | string | | <input type="checkbox"/> | |
| parent_linkType_aggregation | boolean | | <input type="checkbox"/> | |
| parent_linkType_directed | boolean | | <input type="checkbox"/> | |
| parent_linkType_id | string | | <input type="checkbox"/> | |
| parent_linkType_localizedName | string | | <input type="checkbox"/> | |
| parent_linkType_localizedSourceToTarget | string | | <input type="checkbox"/> | |
| parent_linkType_localizedTargetToSource | string | | <input type="checkbox"/> | |
| parent_linkType_name | string | | <input type="checkbox"/> | |
| parent_linkType_readOnly | boolean | | <input type="checkbox"/> | |
| parent_linkType_sourceToTarget | string | | <input type="checkbox"/> | |
| parent_linkType_targetToSource | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_createdBy_\$type | string | | <input type="checkbox"/> | |
| project_createdBy_avatarUrl | string | | <input type="checkbox"/> | |
| project_createdBy_banned | boolean | | <input type="checkbox"/> | |
| project_createdBy_email | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|-------------------------------------|-----------|-------|--------------------------|---------------|
| project_createdBy_fullName | string | | <input type="checkbox"/> | |
| project_createdBy_guest | boolean | | <input type="checkbox"/> | |
| project_createdBy_id | string | | <input type="checkbox"/> | |
| project_createdBy_jabberAccountName | string | | <input type="checkbox"/> | |
| project_createdBy_login | string | | <input type="checkbox"/> | |
| project_createdBy_online | boolean | | <input type="checkbox"/> | |
| project_createdBy_ringId | string | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_leader_\$type | string | | <input type="checkbox"/> | |
| project_leader_avatarUrl | string | | <input type="checkbox"/> | |
| project_leader_banned | boolean | | <input type="checkbox"/> | |
| project_leader_email | string | | <input type="checkbox"/> | |
| project_leader_fullName | string | | <input type="checkbox"/> | |
| project_leader_guest | boolean | | <input type="checkbox"/> | |
| project_leader_id | string | | <input type="checkbox"/> | |
| project_leader_jabberAccountName | string | | <input type="checkbox"/> | |
| project_leader_login | string | | <input type="checkbox"/> | |
| project_leader_online | boolean | | <input type="checkbox"/> | |
| project_leader_ringId | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_team_\$type | string | | <input type="checkbox"/> | |
| project_team_allUsersGroup | boolean | | <input type="checkbox"/> | |
| project_team_icon | string | | <input type="checkbox"/> | |
| project_team_id | string | | <input type="checkbox"/> | |
| project_team_name | string | | <input type="checkbox"/> | |
| project_team_ringId | string | | <input type="checkbox"/> | |
| project_team_usersCount | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|----------|--------------------------|---------------|
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_profiles_\$type | string | | <input type="checkbox"/> | |
| reporter_profiles_id | string | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| subtasks_linkType_\$type | string | | <input type="checkbox"/> | |
| subtasks_linkType_aggregation | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_directed | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_id | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedName | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedSourceToTarget | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedTargetToSource | string | | <input type="checkbox"/> | |
| subtasks_linkType_name | string | | <input type="checkbox"/> | |
| subtasks_linkType_readOnly | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_sourceToTarget | string | | <input type="checkbox"/> | |
| subtasks_linkType_targetToSource | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| untagOnResolve | boolean | | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--------------------------|-----------|----------------------|--------------------------|---------------|
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_profiles_\$type | string | | <input type="checkbox"/> | |
| updater_profiles_id | string | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Mark Down | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

9.1.20 TagIssuesByTagId

Catalog: YouTrack

Schema: Issues

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/issues/{id}`

Insert YouTrack API URL: `/issues/{id}`

Update YouTrack API URL: `/issues/{id}`

Delete YouTrack API URL: `/issues/{id}`

Field Selection Method: `NotRequired`

Base Path: `tags[*].issues[*]`

Select YouTrack API Operation: `get /issues/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `TagIssuesByTagId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `TagIssuesByTagId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|----------------------|-----------|----------------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type_2 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| color_\$type | string | | <input type="checkbox"/> | |
| color_background | string | | <input type="checkbox"/> | |
| color_foreground | string | | <input type="checkbox"/> | |
| color_id | string | | <input type="checkbox"/> | |
| commentsCount_1 | int32 | | <input type="checkbox"/> | |
| commentsCount | int32 | Comments Count | <input type="checkbox"/> | |
| created_1 | int64 | | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| description_1 | string | | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| draftOwner_\$type | string | | <input type="checkbox"/> | |
| draftOwner_avatarUrl | string | | <input type="checkbox"/> | |
| draftOwner_banned | boolean | | <input type="checkbox"/> | |
| draftOwner_email | string | | <input type="checkbox"/> | |
| draftOwner_fullName | string | | <input type="checkbox"/> | |
| draftOwner_guest | boolean | | <input type="checkbox"/> | |
| draftOwner_id | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|------------------------------|-----------|-------------------|--------------------------|---------------|
| draftOwner_jabberAccountName | string | | <input type="checkbox"/> | |
| draftOwner_login | string | | <input type="checkbox"/> | |
| draftOwner_online | boolean | | <input type="checkbox"/> | |
| draftOwner_profiles_\$type | string | | <input type="checkbox"/> | |
| draftOwner_profiles_id | string | | <input type="checkbox"/> | |
| draftOwner_ringId | string | | <input type="checkbox"/> | |
| externalIssue_\$type | string | | <input type="checkbox"/> | |
| externalIssue_id | string | | <input type="checkbox"/> | |
| externalIssue_key | string | | <input type="checkbox"/> | |
| externalIssue_name | string | | <input type="checkbox"/> | |
| externalIssue_url | string | | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable_1 | string | | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDraft_1 | boolean | | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| numberInProject_1 | int64 | | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| parent_\$type_1 | string | | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_commentsCount | int32 | | <input type="checkbox"/> | |
| parent_created | int64 | | <input type="checkbox"/> | |
| parent_description | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id_1 | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| parent_idReadable | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------|--------------------------|---------------|
| parent_isDraft | boolean | | <input type="checkbox"/> | |
| parent_linkType_\$type | string | | <input type="checkbox"/> | |
| parent_linkType_aggregation | boolean | | <input type="checkbox"/> | |
| parent_linkType_directed | boolean | | <input type="checkbox"/> | |
| parent_linkType_id | string | | <input type="checkbox"/> | |
| parent_linkType_localizedName | string | | <input type="checkbox"/> | |
| parent_linkType_localizedSourceToTarget | string | | <input type="checkbox"/> | |
| parent_linkType_localizedTargetToSource | string | | <input type="checkbox"/> | |
| parent_linkType_name | string | | <input type="checkbox"/> | |
| parent_linkType_readOnly | boolean | | <input type="checkbox"/> | |
| parent_linkType_sourceToTarget | string | | <input type="checkbox"/> | |
| parent_linkType_targetToSource | string | | <input type="checkbox"/> | |
| parent_numberInProject | int64 | | <input type="checkbox"/> | |
| parent_resolved | int64 | | <input type="checkbox"/> | |
| parent_summary | string | | <input type="checkbox"/> | |
| parent_updated | int64 | | <input type="checkbox"/> | |
| parent_usesMarkdown | boolean | | <input type="checkbox"/> | |
| parent_votes | int32 | | <input type="checkbox"/> | |
| parent_wikifiedDescription | string | | <input type="checkbox"/> | |
| project_\$type | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_commentsCount | int32 | | <input type="checkbox"/> | |
| project_created | int64 | | <input type="checkbox"/> | |
| project_createdBy_\$type | string | | <input type="checkbox"/> | |
| project_createdBy_avatarUrl | string | | <input type="checkbox"/> | |
| project_createdBy_banned | boolean | | <input type="checkbox"/> | |
| project_createdBy_email | string | | <input type="checkbox"/> | |
| project_createdBy_fullName | string | | <input type="checkbox"/> | |
| project_createdBy_guest | boolean | | <input type="checkbox"/> | |
| project_createdBy_id | string | | <input type="checkbox"/> | |
| project_createdBy_jabberAccountName | string | | <input type="checkbox"/> | |
| project_createdBy_login | string | | <input type="checkbox"/> | |
| project_createdBy_online | boolean | | <input type="checkbox"/> | |
| project_createdBy_ringId | string | | <input type="checkbox"/> | |
| project_description_1 | string | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_id | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|----------------------------------|-----------|-------|--------------------------|---------------|
| project_idReadable | string | | <input type="checkbox"/> | |
| project_isDraft | boolean | | <input type="checkbox"/> | |
| project_leader_\$type | string | | <input type="checkbox"/> | |
| project_leader_avatarUrl | string | | <input type="checkbox"/> | |
| project_leader_banned | boolean | | <input type="checkbox"/> | |
| project_leader_email | string | | <input type="checkbox"/> | |
| project_leader_fullName | string | | <input type="checkbox"/> | |
| project_leader_guest | boolean | | <input type="checkbox"/> | |
| project_leader_id | string | | <input type="checkbox"/> | |
| project_leader_jabberAccountName | string | | <input type="checkbox"/> | |
| project_leader_login | string | | <input type="checkbox"/> | |
| project_leader_online | boolean | | <input type="checkbox"/> | |
| project_leader_ringId | string | | <input type="checkbox"/> | |
| project_numberInProject | int64 | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_resolved | int64 | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_summary | string | | <input type="checkbox"/> | |
| project_team_\$type | string | | <input type="checkbox"/> | |
| project_team_allUsersGroup | boolean | | <input type="checkbox"/> | |
| project_team_icon | string | | <input type="checkbox"/> | |
| project_team_id | string | | <input type="checkbox"/> | |
| project_team_name | string | | <input type="checkbox"/> | |
| project_team_ringId | string | | <input type="checkbox"/> | |
| project_team_usersCount | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| project_updated | int64 | | <input type="checkbox"/> | |
| project_usesMarkdown | boolean | | <input type="checkbox"/> | |
| project_votes | int32 | | <input type="checkbox"/> | |
| project_wikifiedDescription | string | | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|----------|--------------------------|---------------|
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_profiles_\$type | string | | <input type="checkbox"/> | |
| reporter_profiles_id | string | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved_1 | int64 | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| subtasks_\$type_1 | string | | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_commentsCount | int32 | | <input type="checkbox"/> | |
| subtasks_created | int64 | | <input type="checkbox"/> | |
| subtasks_description | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id_1 | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| subtasks_idReadable | string | | <input type="checkbox"/> | |
| subtasks_isDraft | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_\$type | string | | <input type="checkbox"/> | |
| subtasks_linkType_aggregation | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_directed | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_id | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedName | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedSourceToTarget | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedTargetToSource | string | | <input type="checkbox"/> | |
| subtasks_linkType_name | string | | <input type="checkbox"/> | |
| subtasks_linkType_readOnly | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_sourceToTarget | string | | <input type="checkbox"/> | |
| subtasks_linkType_targetToSource | string | | <input type="checkbox"/> | |
| subtasks_numberInProject | int64 | | <input type="checkbox"/> | |
| subtasks_resolved | int64 | | <input type="checkbox"/> | |
| subtasks_summary | string | | <input type="checkbox"/> | |
| subtasks_updated | int64 | | <input type="checkbox"/> | |
| subtasks_usesMarkdown | boolean | | <input type="checkbox"/> | |
| subtasks_votes | int32 | | <input type="checkbox"/> | |
| subtasks_wikifiedDescription | string | | <input type="checkbox"/> | |
| summary_1 | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| untagOnResolve | boolean | | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---------------------------|-----------|----------------------|--------------------------|---------------|
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| updated_1 | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_profiles_\$type | string | | <input type="checkbox"/> | |
| updater_profiles_id | string | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| usesMarkdown_1 | boolean | | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Mark Down | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes_1 | int32 | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription_1 | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

9.1.21 Tags

Catalog: YouTrack

Schema: Issues

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/issues`

Insert YouTrack API URL: `/issues`

Update YouTrack API URL: `/issues`

Delete YouTrack API URL: `/issues`

Field Selection Method: `NotRequired`

Base Path: `tags[*]`

Select YouTrack API Operation: `get /issues`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `Tags`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|--------------|-----------|--------------------------|---------------|--|
| customFields | string | <input type="checkbox"/> | | <p><p>The name of the custom field to show in the response. When you use this parameter and request the custom field data in the request URL, the response only shows the requested custom fields instead of all of them.</p> <p>To show more than one custom field, use this parameter several times.</p> <p>See Sample 2 for reference.</p> </p> |
| query | string | <input type="checkbox"/> | | <p>Issues search query. Read more about search syntax here: <a href="https://www.jetbrains.com/help/youtrack/incloud/?Search-</p> |

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|----------|---------------|--|
| | | | | and-Command-Attributes">Search Query Reference |

Table Function Columns

The columns of the table function `Tags` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|---|-----------|----------------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>color_\$type</code> | string | | <input type="checkbox"/> | |
| <code>color_background</code> | string | | <input type="checkbox"/> | |
| <code>color_foreground</code> | string | | <input type="checkbox"/> | |
| <code>color_id</code> | string | | <input type="checkbox"/> | |
| <code>commentsCount</code> | int32 | Comments Count | <input type="checkbox"/> | |
| <code>created</code> | int64 | Created | <input type="checkbox"/> | |
| <code>description</code> | string | Description | <input type="checkbox"/> | |
| <code>draftOwner_\$type</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_avatarUrl</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_banned</code> | boolean | | <input type="checkbox"/> | |
| <code>draftOwner_email</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_fullName</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_guest</code> | boolean | | <input type="checkbox"/> | |
| <code>draftOwner_id</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_jabberAccountName</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_login</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_online</code> | boolean | | <input type="checkbox"/> | |
| <code>draftOwner_profiles_\$type</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_profiles_id</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_ringId</code> | string | | <input type="checkbox"/> | |
| <code>externalIssue_\$type</code> | string | | <input type="checkbox"/> | |
| <code>externalIssue_id</code> | string | | <input type="checkbox"/> | |
| <code>externalIssue_key</code> | string | | <input type="checkbox"/> | |
| <code>externalIssue_name</code> | string | | <input type="checkbox"/> | |
| <code>externalIssue_url</code> | string | | <input type="checkbox"/> | |
| <code>id_1</code> | string | | <input type="checkbox"/> | |
| <code>id</code> | string | ID | <input type="checkbox"/> | |
| <code>idReadable</code> | string | Readable ID | <input type="checkbox"/> | |
| <code>isDraft</code> | boolean | Is Draft | <input type="checkbox"/> | |
| <code>name</code> | string | Name | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------------------|--------------------------|---------------|
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| parent_linkType_\$type | string | | <input type="checkbox"/> | |
| parent_linkType_aggregation | boolean | | <input type="checkbox"/> | |
| parent_linkType_directed | boolean | | <input type="checkbox"/> | |
| parent_linkType_id | string | | <input type="checkbox"/> | |
| parent_linkType_localizedName | string | | <input type="checkbox"/> | |
| parent_linkType_localizedSourceToTarget | string | | <input type="checkbox"/> | |
| parent_linkType_localizedTargetToSource | string | | <input type="checkbox"/> | |
| parent_linkType_name | string | | <input type="checkbox"/> | |
| parent_linkType_readOnly | boolean | | <input type="checkbox"/> | |
| parent_linkType_sourceToTarget | string | | <input type="checkbox"/> | |
| parent_linkType_targetToSource | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_createdBy_\$type | string | | <input type="checkbox"/> | |
| project_createdBy_avatarUrl | string | | <input type="checkbox"/> | |
| project_createdBy_banned | boolean | | <input type="checkbox"/> | |
| project_createdBy_email | string | | <input type="checkbox"/> | |
| project_createdBy_fullName | string | | <input type="checkbox"/> | |
| project_createdBy_guest | boolean | | <input type="checkbox"/> | |
| project_createdBy_id | string | | <input type="checkbox"/> | |
| project_createdBy_jabberAccountName | string | | <input type="checkbox"/> | |
| project_createdBy_login | string | | <input type="checkbox"/> | |
| project_createdBy_online | boolean | | <input type="checkbox"/> | |
| project_createdBy_ringId | string | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|----------------------------------|-----------|----------|--------------------------|---------------|
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_leader_\$type | string | | <input type="checkbox"/> | |
| project_leader_avatarUrl | string | | <input type="checkbox"/> | |
| project_leader_banned | boolean | | <input type="checkbox"/> | |
| project_leader_email | string | | <input type="checkbox"/> | |
| project_leader_fullName | string | | <input type="checkbox"/> | |
| project_leader_guest | boolean | | <input type="checkbox"/> | |
| project_leader_id | string | | <input type="checkbox"/> | |
| project_leader_jabberAccountName | string | | <input type="checkbox"/> | |
| project_leader_login | string | | <input type="checkbox"/> | |
| project_leader_online | boolean | | <input type="checkbox"/> | |
| project_leader_ringId | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_team_\$type | string | | <input type="checkbox"/> | |
| project_team_allUsersGroup | boolean | | <input type="checkbox"/> | |
| project_team_icon | string | | <input type="checkbox"/> | |
| project_team_id | string | | <input type="checkbox"/> | |
| project_team_name | string | | <input type="checkbox"/> | |
| project_team_ringId | string | | <input type="checkbox"/> | |
| project_team_usersCount | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_profiles_\$type | string | | <input type="checkbox"/> | |
| reporter_profiles_id | string | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|---------------|--------------------------|---------------|
| subtasks_id | string | | <input type="checkbox"/> | |
| subtasks_linkType_\$type | string | | <input type="checkbox"/> | |
| subtasks_linkType_aggregation | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_directed | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_id | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedName | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedSourceToTarget | string | | <input type="checkbox"/> | |
| subtasks_linkType_localizedTargetToSource | string | | <input type="checkbox"/> | |
| subtasks_linkType_name | string | | <input type="checkbox"/> | |
| subtasks_linkType_readOnly | boolean | | <input type="checkbox"/> | |
| subtasks_linkType_sourceToTarget | string | | <input type="checkbox"/> | |
| subtasks_linkType_targetToSource | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| untagOnResolve | boolean | | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_profiles_\$type | string | | <input type="checkbox"/> | |
| updater_profiles_id | string | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Markdown | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--------------------------|-----------|----------------------|--------------------------|---------------|
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

10 Schema: Native

10.1 Tables

10.1.1 NATIVEPLATFORMSCALARREQUESTS: YouTrack Native Platform Scalar Requests

Direct access to native API.

Catalog: YouTrack

Schema: Native

Alias: npt

Label: Native Platform Scalar Requests

Documentation:

The NativePlatformScalarRequests table provides direct access to the native API protocol over an established connection to the YouTrack API server. It will contain a new row for every row inserted with a native API request in PAYLOAD_TEXT with the results of unaltered forwarding of the payload to the YouTrack API server.

Retrieve: true

Insert: true

Update: false

Delete: false

View Columns

The columns of the view NATIVEPLATFORMSCALARREQUESTS are shown below. Each column has an SQL data type. A new non-null value must be provided for every required column at all times during insert.

| Name | Data Type | Label | Required | Documentation |
|--------------------------------|---------------|-------------------------------------|-------------------------------------|--|
| BLOB_PREFERRED | boolean | BLOB Preferred | <input checked="" type="checkbox"/> | Indicator whether a BLOB result is preferred over text. |
| BOL_RESPONSE_CACHE_MAX_AGE_SEC | int32 | Response Cache Maximum Age (sec) | <input type="checkbox"/> | Maximum age in seconds of Bridge Online response cache entries to be used. |
| CONTENT_TYPE | string(240) | Content Type | <input type="checkbox"/> | |
| DATE_ENDED | datetime | End Date | <input checked="" type="checkbox"/> | |
| DATE_STARTED | datetime | Start Date | <input checked="" type="checkbox"/> | |
| DRY_RUN | boolean | Run without Actions | <input checked="" type="checkbox"/> | |
| DURATION_MS | int32 | Duration (ms) | <input checked="" type="checkbox"/> | |
| ERROR_MESSAGE_CODE | string(30) | Error Message Code | <input type="checkbox"/> | |
| ERROR_MESSAGE_TEXT | string(32000) | Error Message Text | <input type="checkbox"/> | |
| FAIL_ON_ERROR | boolean | Fail on Error | <input checked="" type="checkbox"/> | Whether to raise an exception when processing the native request triggered an error from the provider. |
| HTTP_DISK_CACHE_MAX_AGE_SEC | int32 | HTTP Disk Cache Maximum Age (sec) | <input type="checkbox"/> | Maximum age in seconds of HTTP disk cache entries to be used. |
| HTTP_DISK_CACHE_SAVE | boolean | Save HTTP Disk Cache | <input type="checkbox"/> | Whether results can be stored in HTTP disk cache. |
| HTTP_DISK_CACHE_USE | boolean | Use HTTP Disk Cache | <input type="checkbox"/> | Whether results can be fetched from HTTP disk cache. |
| HTTP_MEMORY_CACHE_MAX_AGE_SEC | int32 | HTTP Memory Cache Maximum Age (sec) | <input type="checkbox"/> | Maximum age in seconds of HTTP memory cache entries to be used. |
| HTTP_MEMORY_CACHE_SAVE | boolean | Save HTTP Memory Cache | <input type="checkbox"/> | Whether results can be stored in HTTP memory cache. |
| HTTP_MEMORY_CACHE_USE | boolean | Use HTTP Memory Cache | <input type="checkbox"/> | Whether results can be fetched from HTTP memory cache. |
| HTTP_METHOD | string(30) | HTTP Method | <input type="checkbox"/> | |
| HTTP_STATUS_CODE | int16 | HTTP Status Code | <input type="checkbox"/> | |
| ORIG_SYSTEM_GROUP | string(4000) | Original System Group | <input type="checkbox"/> | |
| ORIG_SYSTEM_REFERENCE | string(4000) | Original System Reference | <input type="checkbox"/> | |
| PAYLOAD_TEXT | string | Payload | <input type="checkbox"/> | |
| RESULT_BLOB | byte[] | Result BLOB | <input type="checkbox"/> | |
| RESULT_DATE_TIME_UTC | datetime | | <input type="checkbox"/> | |
| RESULT_NUMBER | decimal | | <input type="checkbox"/> | |
| RESULT_TEXT | string | Result Text | <input type="checkbox"/> | |
| SUCCESSFUL | boolean | Successful | <input checked="" type="checkbox"/> | |
| TIMEOUT_SEC | int32 | Timeout (sec) | <input type="checkbox"/> | Timeout in seconds. |
| TRANSACTION_ID | int32 | Transaction ID | <input checked="" type="checkbox"/> | Incrementing ID of the transaction. |
| URL | string(4000) | URL | <input type="checkbox"/> | |

11 Schema: SavedQueries

11.1 Tables

11.1.1 IssueAttachmentsBySavedQueryId

Catalog: YouTrack

Schema: SavedQueries

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/savedQueries/{id}`

Insert YouTrack API URL: `/savedQueries/{id}`

Update YouTrack API URL: `/savedQueries/{id}`

Delete YouTrack API URL: `/savedQueries/{id}`

Field Selection Method: NotRequired

Base Path: `issues[*].attachments[*]`

Select YouTrack API Operation: `get /savedQueries/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `IssueAttachmentsBySavedQueryId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `IssueAttachmentsBySavedQueryId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|-----------------------|-----------|-------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type_2</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|------------------------------|-----------|-------------------|--------------------------|---------------|
| base64Content | string | Base64 Content | <input type="checkbox"/> | |
| charset | string | Charset | <input type="checkbox"/> | |
| commentsCount | int32 | Comments Count | <input type="checkbox"/> | |
| created_1 | int64 | | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| draft | boolean | Draft | <input type="checkbox"/> | |
| draftOwner_\$type | string | | <input type="checkbox"/> | |
| draftOwner_avatarUrl | string | | <input type="checkbox"/> | |
| draftOwner_banned | boolean | | <input type="checkbox"/> | |
| draftOwner_email | string | | <input type="checkbox"/> | |
| draftOwner_fullName | string | | <input type="checkbox"/> | |
| draftOwner_guest | boolean | | <input type="checkbox"/> | |
| draftOwner_id | string | | <input type="checkbox"/> | |
| draftOwner_jabberAccountName | string | | <input type="checkbox"/> | |
| draftOwner_login | string | | <input type="checkbox"/> | |
| draftOwner_online | boolean | | <input type="checkbox"/> | |
| draftOwner_ringId | string | | <input type="checkbox"/> | |
| extension | string | Extension | <input type="checkbox"/> | |
| externalIssue_\$type | string | | <input type="checkbox"/> | |
| externalIssue_id | string | | <input type="checkbox"/> | |
| externalIssue_key | string | | <input type="checkbox"/> | |
| externalIssue_name | string | | <input type="checkbox"/> | |
| externalIssue_url | string | | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| metaData | string | Metadata | <input type="checkbox"/> | |
| mimeType | string | MIME-type | <input type="checkbox"/> | |
| name_1 | string | | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|----------------------------|-----------|-----------------|--------------------------|---------------|
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_profiles_\$type | string | | <input type="checkbox"/> | |
| owner_profiles_id | string | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| query | string | Query | <input type="checkbox"/> | |
| removed | boolean | Removed | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| size | int64 | Size | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| thumbnailURL | string | Thumbnail (URL) | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|---------------|--------------------------|---------------|
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| updateableBy_teamForProject_description | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_shortName | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| updateableBy_teamForProject_template | boolean | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| updated_1 | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| url | string | URL | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Markdown | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_archived | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|----------------------|--------------------------|---------------|
| visibleFor_teamForProject_description | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_shortName | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| visibleFor_teamForProject_template | boolean | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

11.1.2 IssueById

Catalog: YouTrack

Schema: SavedQueries

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/savedQueries/{id}`

Insert YouTrack API URL: `/savedQueries/{id}`

Update YouTrack API URL: `/savedQueries/{id}`

Delete YouTrack API URL: `/savedQueries/{id}`

Field Selection Method: NotRequired

Base Path: `issues[*]`

Select YouTrack API Operation: `get /savedQueries/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `IssueById`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-

defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `IssueById` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|------------------------------|-----------|----------------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| commentsCount | int32 | Comments Count | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| draftOwner_\$type | string | | <input type="checkbox"/> | |
| draftOwner_avatarUrl | string | | <input type="checkbox"/> | |
| draftOwner_banned | boolean | | <input type="checkbox"/> | |
| draftOwner_email | string | | <input type="checkbox"/> | |
| draftOwner_fullName | string | | <input type="checkbox"/> | |
| draftOwner_guest | boolean | | <input type="checkbox"/> | |
| draftOwner_id | string | | <input type="checkbox"/> | |
| draftOwner_jabberAccountName | string | | <input type="checkbox"/> | |
| draftOwner_login | string | | <input type="checkbox"/> | |
| draftOwner_online | boolean | | <input type="checkbox"/> | |
| draftOwner_ringId | string | | <input type="checkbox"/> | |
| externalIssue_\$type | string | | <input type="checkbox"/> | |
| externalIssue_id | string | | <input type="checkbox"/> | |
| externalIssue_key | string | | <input type="checkbox"/> | |
| externalIssue_name | string | | <input type="checkbox"/> | |
| externalIssue_url | string | | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|----------------------------|-----------|-------------------|--------------------------|---------------|
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_profiles_\$type | string | | <input type="checkbox"/> | |
| owner_profiles_id | string | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| query | string | Query | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|---------------|--------------------------|---------------|
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| updateableBy_teamForProject_description | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_shortName | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| updateableBy_teamForProject_template | boolean | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Markdown | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|----------------------|--------------------------|---------------|
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| visibleFor_teamForProject_description | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_shortName | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| visibleFor_teamForProject_template | boolean | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

11.1.3 IssueCommentsBySavedQueryId

Catalog: YouTrack

Schema: SavedQueries

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/savedQueries/{id}`

Insert YouTrack API URL: `/savedQueries/{id}`

Update YouTrack API URL: `/savedQueries/{id}`

Delete YouTrack API URL: `/savedQueries/{id}`

Field Selection Method: NotRequired

Base Path: `issues[*].comments[*]`

Select YouTrack API Operation: `get /savedQueries/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `IssueCommentsBySavedQueryId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `IssueCommentsBySavedQueryId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|------------------------------|-----------|----------------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type_2 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| commentsCount | int32 | Comments Count | <input type="checkbox"/> | |
| created_1 | int64 | | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| deleted | boolean | Deleted | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| draftOwner_\$type | string | | <input type="checkbox"/> | |
| draftOwner_avatarUrl | string | | <input type="checkbox"/> | |
| draftOwner_banned | boolean | | <input type="checkbox"/> | |
| draftOwner_email | string | | <input type="checkbox"/> | |
| draftOwner_fullName | string | | <input type="checkbox"/> | |
| draftOwner_guest | boolean | | <input type="checkbox"/> | |
| draftOwner_id | string | | <input type="checkbox"/> | |
| draftOwner_jabberAccountName | string | | <input type="checkbox"/> | |
| draftOwner_login | string | | <input type="checkbox"/> | |
| draftOwner_online | boolean | | <input type="checkbox"/> | |
| draftOwner_ringId | string | | <input type="checkbox"/> | |
| externalIssue_\$type | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|-------------------------|-----------|-------------------|--------------------------|---------------|
| externalIssue_id | string | | <input type="checkbox"/> | |
| externalIssue_key | string | | <input type="checkbox"/> | |
| externalIssue_name | string | | <input type="checkbox"/> | |
| externalIssue_url | string | | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_profiles_\$type | string | | <input type="checkbox"/> | |
| owner_profiles_id | string | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| query | string | Query | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|--------------|--------------------------|---------------|
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| text | string | Text | <input type="checkbox"/> | |
| textPreview | string | Text Preview | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| updateableBy_teamForProject_description | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_shortcodeName | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| updateableBy_teamForProject_template | boolean | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| updated_1 | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|----------------------|--------------------------|---------------|
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| usesMarkdown_1 | boolean | | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Mark Down | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_archiveId | boolean | | <input type="checkbox"/> | |
| visibleFor_teamForProject_description | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_shortName | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| visibleFor_teamForProject_template | boolean | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

11.1.4 IssueCustomFieldsBySavedQueryId

Catalog: YouTrack

Schema: SavedQueries

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/savedQueries/{id}`

Insert YouTrack API URL: `/savedQueries/{id}`

Update YouTrack API URL: `/savedQueries/{id}`

Delete YouTrack API URL: `/savedQueries/{id}`

Field Selection Method: `NotRequired`

Base Path: `issues[*].customFields[*]`

Select YouTrack API Operation: `get /savedQueries/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `IssueCustomFieldsBySavedQueryId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `IssueCustomFieldsBySavedQueryId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|-----------------------------------|-----------|----------------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type_2</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>commentsCount</code> | int32 | Comments Count | <input type="checkbox"/> | |
| <code>created</code> | int64 | Created | <input type="checkbox"/> | |
| <code>description</code> | string | Description | <input type="checkbox"/> | |
| <code>draftOwner_\$type</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_avatarUrl</code> | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|------------------------------|-----------|-------------------|--------------------------|---------------|
| draftOwner_banned | boolean | | <input type="checkbox"/> | |
| draftOwner_email | string | | <input type="checkbox"/> | |
| draftOwner_fullName | string | | <input type="checkbox"/> | |
| draftOwner_guest | boolean | | <input type="checkbox"/> | |
| draftOwner_id | string | | <input type="checkbox"/> | |
| draftOwner_jabberAccountName | string | | <input type="checkbox"/> | |
| draftOwner_login | string | | <input type="checkbox"/> | |
| draftOwner_online | boolean | | <input type="checkbox"/> | |
| draftOwner_ringId | string | | <input type="checkbox"/> | |
| externalIssue_\$type | string | | <input type="checkbox"/> | |
| externalIssue_id | string | | <input type="checkbox"/> | |
| externalIssue_key | string | | <input type="checkbox"/> | |
| externalIssue_name | string | | <input type="checkbox"/> | |
| externalIssue_url | string | | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| name_1 | string | | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_profiles_\$type | string | | <input type="checkbox"/> | |
| owner_profiles_id | string | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|----------|--------------------------|---------------|
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| query | string | Query | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| updateableBy_teamForProject_description | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_shortName | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| updateableBy_teamForProject_template | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|----------------|--------------------------|---------------|
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Mark Down | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| visibleFor_teamForProject_description | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_shortName | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| visibleFor_teamForProject_template | boolean | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---------------------|-----------|----------------------|--------------------------|---------------|
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

11.1.5 Issues

Catalog: YouTrack

Schema: SavedQueries

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/savedQueries`

Insert YouTrack API URL: `/savedQueries`

Update YouTrack API URL: `/savedQueries`

Delete YouTrack API URL: `/savedQueries`

Field Selection Method: `NotRequired`

Base Path: `issues[*]`

Select YouTrack API Operation: `get /savedQueries`

Table Function Columns

The columns of the table function `Issues` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|---|-----------|----------------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>commentsCount</code> | int32 | Comments Count | <input type="checkbox"/> | |
| <code>created</code> | int64 | Created | <input type="checkbox"/> | |
| <code>description</code> | string | Description | <input type="checkbox"/> | |
| <code>draftOwner_\$type</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_avatarUrl</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_banned</code> | boolean | | <input type="checkbox"/> | |
| <code>draftOwner_email</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_fullName</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_guest</code> | boolean | | <input type="checkbox"/> | |
| <code>draftOwner_id</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_jabberAccountName</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_login</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_online</code> | boolean | | <input type="checkbox"/> | |
| <code>draftOwner_ringId</code> | string | | <input type="checkbox"/> | |
| <code>externalIssue_\$type</code> | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|-------------------------|-----------|-------------------|--------------------------|---------------|
| externalIssue_id | string | | <input type="checkbox"/> | |
| externalIssue_key | string | | <input type="checkbox"/> | |
| externalIssue_name | string | | <input type="checkbox"/> | |
| externalIssue_url | string | | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_profiles_\$type | string | | <input type="checkbox"/> | |
| owner_profiles_id | string | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| query | string | Query | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|----------|--------------------------|---------------|
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| updateableBy_teamForProject_description | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_shortName | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| updateableBy_teamForProject_template | boolean | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|----------------------|--------------------------|---------------|
| updater_ringId | string | | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Markdown | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| visibleFor_teamForProject_description | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_shortName | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| visibleFor_teamForProject_template | boolean | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

11.1.6 IssuesAttachments

Catalog: YouTrack

Schema: SavedQueries

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/savedQueries`

Insert YouTrack API URL: `/savedQueries`

Update YouTrack API URL: `/savedQueries`

Delete YouTrack API URL: `/savedQueries`

Field Selection Method: `NotRequired`

Base Path: `issues[*].attachments[*]`

Select YouTrack API Operation: `get /savedQueries`

Table Function Columns

The columns of the table function `IssuesAttachments` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|---|-----------|----------------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type_2</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>base64Content</code> | string | Base64 Content | <input type="checkbox"/> | |
| <code>charset</code> | string | Charset | <input type="checkbox"/> | |
| <code>commentsCount</code> | int32 | Comments Count | <input type="checkbox"/> | |
| <code>created_1</code> | int64 | | <input type="checkbox"/> | |
| <code>created</code> | int64 | Created | <input type="checkbox"/> | |
| <code>description</code> | string | Description | <input type="checkbox"/> | |
| <code>draft</code> | boolean | Draft | <input type="checkbox"/> | |
| <code>draftOwner_\$type</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_avatarUrl</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_banned</code> | boolean | | <input type="checkbox"/> | |
| <code>draftOwner_email</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_fullName</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_guest</code> | boolean | | <input type="checkbox"/> | |
| <code>draftOwner_id</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_jabberAccountName</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_login</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_online</code> | boolean | | <input type="checkbox"/> | |
| <code>draftOwner_ringId</code> | string | | <input type="checkbox"/> | |
| <code>extension</code> | string | Extension | <input type="checkbox"/> | |
| <code>externalIssue_\$type</code> | string | | <input type="checkbox"/> | |
| <code>externalIssue_id</code> | string | | <input type="checkbox"/> | |
| <code>externalIssue_key</code> | string | | <input type="checkbox"/> | |
| <code>externalIssue_name</code> | string | | <input type="checkbox"/> | |
| <code>externalIssue_url</code> | string | | <input type="checkbox"/> | |
| <code>id_1</code> | string | | <input type="checkbox"/> | |
| <code>id_2</code> | string | | <input type="checkbox"/> | |
| <code>id</code> | string | ID | <input type="checkbox"/> | |
| <code>idReadable</code> | string | Readable ID | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|----------------------------|-----------|-------------------|--------------------------|---------------|
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| metaData | string | Metadata | <input type="checkbox"/> | |
| mimeType | string | MIME-type | <input type="checkbox"/> | |
| name_1 | string | | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_profiles_\$type | string | | <input type="checkbox"/> | |
| owner_profiles_id | string | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| query | string | Query | <input type="checkbox"/> | |
| removed | boolean | Removed | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|-----------------|--------------------------|---------------|
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| size | int64 | Size | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| thumbnailURL | string | Thumbnail (URL) | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| updateableBy_teamForProject_description | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_shortName | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| updateableBy_teamForProject_template | boolean | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| updated_1 | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|----------------------|--------------------------|---------------|
| updater_ringId | string | | <input type="checkbox"/> | |
| url | string | URL | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Markdown | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| visibleFor_teamForProject_description | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_shortName | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| visibleFor_teamForProject_template | boolean | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

11.1.7 IssuesComments

Catalog: YouTrack

Schema: SavedQueries

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/savedQueries`

Insert YouTrack API URL: /savedQueries

Update YouTrack API URL: /savedQueries

Delete YouTrack API URL: /savedQueries

Field Selection Method: NotRequired

Base Path: issues[*].comments[*]

Select YouTrack API Operation: get /savedQueries

Table Function Columns

The columns of the table function `IssuesComments` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|------------------------------|-----------|----------------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type_2 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| commentsCount | int32 | Comments Count | <input type="checkbox"/> | |
| created_1 | int64 | | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| deleted | boolean | Deleted | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| draftOwner_\$type | string | | <input type="checkbox"/> | |
| draftOwner_avatarUrl | string | | <input type="checkbox"/> | |
| draftOwner_banned | boolean | | <input type="checkbox"/> | |
| draftOwner_email | string | | <input type="checkbox"/> | |
| draftOwner_fullName | string | | <input type="checkbox"/> | |
| draftOwner_guest | boolean | | <input type="checkbox"/> | |
| draftOwner_id | string | | <input type="checkbox"/> | |
| draftOwner_jabberAccountName | string | | <input type="checkbox"/> | |
| draftOwner_login | string | | <input type="checkbox"/> | |
| draftOwner_online | boolean | | <input type="checkbox"/> | |
| draftOwner_ringId | string | | <input type="checkbox"/> | |
| externalIssue_\$type | string | | <input type="checkbox"/> | |
| externalIssue_id | string | | <input type="checkbox"/> | |
| externalIssue_key | string | | <input type="checkbox"/> | |
| externalIssue_name | string | | <input type="checkbox"/> | |
| externalIssue_url | string | | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|----------------------------|-----------|-------------------|--------------------------|---------------|
| name | string | Name | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_profiles_\$type | string | | <input type="checkbox"/> | |
| owner_profiles_id | string | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| query | string | Query | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|----------------|--------------------------|---------------|
| subtasks_id | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| text | string | Text | <input type="checkbox"/> | |
| textPreview | string | Text Preview | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| updateableBy_teamForProject_description | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_shortName | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| updateableBy_teamForProject_template | boolean | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| updated_1 | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| usesMarkdown_n_1 | boolean | | <input type="checkbox"/> | |
| usesMarkdown_n | boolean | Uses Mark Down | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|----------------------|--------------------------|---------------|
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| visibleFor_teamForProject_description | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_shortName | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| visibleFor_teamForProject_template | boolean | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

11.1.8 IssuesCustomFields

Catalog: YouTrack

Schema: SavedQueries

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/savedQueries`

Insert YouTrack API URL: `/savedQueries`

Update YouTrack API URL: `/savedQueries`

Delete YouTrack API URL: `/savedQueries`

Field Selection Method: NotRequired

Base Path: `issues[*].customFields[*]`

Select YouTrack API Operation: `get /savedQueries`

Table Function Columns

The columns of the table function `IssuesCustomFields` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------------------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type_2</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>commentsCount</code> | int32 | Comments Count | <input type="checkbox"/> | |
| <code>created</code> | int64 | Created | <input type="checkbox"/> | |
| <code>description</code> | string | Description | <input type="checkbox"/> | |
| <code>draftOwner_\$type</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_avatarUrl</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_banned</code> | boolean | | <input type="checkbox"/> | |
| <code>draftOwner_email</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_fullName</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_guest</code> | boolean | | <input type="checkbox"/> | |
| <code>draftOwner_id</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_jabberAccountName</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_login</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_online</code> | boolean | | <input type="checkbox"/> | |
| <code>draftOwner_ringId</code> | string | | <input type="checkbox"/> | |
| <code>externalIssue_\$type</code> | string | | <input type="checkbox"/> | |
| <code>externalIssue_id</code> | string | | <input type="checkbox"/> | |
| <code>externalIssue_key</code> | string | | <input type="checkbox"/> | |
| <code>externalIssue_name</code> | string | | <input type="checkbox"/> | |
| <code>externalIssue_url</code> | string | | <input type="checkbox"/> | |
| <code>id_1</code> | string | | <input type="checkbox"/> | |
| <code>id_2</code> | string | | <input type="checkbox"/> | |
| <code>id</code> | string | ID | <input type="checkbox"/> | |
| <code>idReadable</code> | string | Readable ID | <input type="checkbox"/> | |
| <code>isDraft</code> | boolean | Is Draft | <input type="checkbox"/> | |
| <code>name_1</code> | string | | <input type="checkbox"/> | |
| <code>name</code> | string | Name | <input type="checkbox"/> | |
| <code>numberInProject</code> | int64 | Number in Project | <input type="checkbox"/> | |
| <code>owner_\$type</code> | string | | <input type="checkbox"/> | |
| <code>owner_avatarUrl</code> | string | | <input type="checkbox"/> | |
| <code>owner_banned</code> | boolean | | <input type="checkbox"/> | |
| <code>owner_email</code> | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|----------------------------|-----------|----------|--------------------------|---------------|
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_profiles_\$type | string | | <input type="checkbox"/> | |
| owner_profiles_id | string | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| query | string | Query | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|---------------|--------------------------|---------------|
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| updateableBy_teamForProject_description | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_shortName | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| updateableBy_teamForProject_template | boolean | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Markdown | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| visibleFor_teamForProject_description | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|----------------------|--------------------------|---------------|
| visibleFor_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_shortName | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| visibleFor_teamForProject_template | boolean | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

11.1.9 IssuesLinks

Catalog: YouTrack

Schema: SavedQueries

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/savedQueries`

Insert YouTrack API URL: `/savedQueries`

Update YouTrack API URL: `/savedQueries`

Delete YouTrack API URL: `/savedQueries`

Field Selection Method: `NotRequired`

Base Path: `issues[*].links[*]`

Select YouTrack API Operation: `get /savedQueries`

Table Function Columns

The columns of the table function `IssuesLinks` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|-----------------------|-----------|-------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|------------------------------|-----------|-------------------|--------------------------|---------------|
| \$type_2 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| commentsCount | int32 | Comments Count | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| direction | string | Direction | <input type="checkbox"/> | |
| draftOwner_\$type | string | | <input type="checkbox"/> | |
| draftOwner_avatarUrl | string | | <input type="checkbox"/> | |
| draftOwner_banned | boolean | | <input type="checkbox"/> | |
| draftOwner_email | string | | <input type="checkbox"/> | |
| draftOwner_fullName | string | | <input type="checkbox"/> | |
| draftOwner_guest | boolean | | <input type="checkbox"/> | |
| draftOwner_id | string | | <input type="checkbox"/> | |
| draftOwner_jabberAccountName | string | | <input type="checkbox"/> | |
| draftOwner_login | string | | <input type="checkbox"/> | |
| draftOwner_online | boolean | | <input type="checkbox"/> | |
| draftOwner_ringId | string | | <input type="checkbox"/> | |
| externalIssue_\$type | string | | <input type="checkbox"/> | |
| externalIssue_id | string | | <input type="checkbox"/> | |
| externalIssue_key | string | | <input type="checkbox"/> | |
| externalIssue_name | string | | <input type="checkbox"/> | |
| externalIssue_url | string | | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_profiles_\$type | string | | <input type="checkbox"/> | |
| owner_profiles_id | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|----------|--------------------------|---------------|
| owner_ringId | string | | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| query | string | Query | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| updateableBy_teamForProject_description | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_fromEmail | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|---------------|--------------------------|---------------|
| updateableBy_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_shortName | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| updateableBy_teamForProject_template | boolean | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Markdown | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| visibleFor_teamForProject_description | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_shortName | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|------------------------------------|-----------|----------------------|--------------------------|---------------|
| visibleFor_teamForProject_template | boolean | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

11.1.10 IssuesLinksById

Catalog: YouTrack

Schema: SavedQueries

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/savedQueries/{id}`

Insert YouTrack API URL: `/savedQueries/{id}`

Update YouTrack API URL: `/savedQueries/{id}`

Delete YouTrack API URL: `/savedQueries/{id}`

Field Selection Method: NotRequired

Base Path: `issues[*].links[*]`

Select YouTrack API Operation: `get /savedQueries/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `IssuesLinksById`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `IssuesLinksById` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|------------------------------|-----------|-------------------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type_2 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| commentsCount | int32 | Comments Count | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| direction | string | Direction | <input type="checkbox"/> | |
| draftOwner_\$type | string | | <input type="checkbox"/> | |
| draftOwner_avatarUrl | string | | <input type="checkbox"/> | |
| draftOwner_banned | boolean | | <input type="checkbox"/> | |
| draftOwner_email | string | | <input type="checkbox"/> | |
| draftOwner_fullName | string | | <input type="checkbox"/> | |
| draftOwner_guest | boolean | | <input type="checkbox"/> | |
| draftOwner_id | string | | <input type="checkbox"/> | |
| draftOwner_jabberAccountName | string | | <input type="checkbox"/> | |
| draftOwner_login | string | | <input type="checkbox"/> | |
| draftOwner_online | boolean | | <input type="checkbox"/> | |
| draftOwner_ringId | string | | <input type="checkbox"/> | |
| externalIssue_\$type | string | | <input type="checkbox"/> | |
| externalIssue_id | string | | <input type="checkbox"/> | |
| externalIssue_key | string | | <input type="checkbox"/> | |
| externalIssue_name | string | | <input type="checkbox"/> | |
| externalIssue_url | string | | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|----------------------------|-----------|----------|--------------------------|---------------|
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_profiles_\$type | string | | <input type="checkbox"/> | |
| owner_profiles_id | string | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| query | string | Query | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|---------------|--------------------------|---------------|
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| updateableBy_teamForProject_description | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_shortName | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| updateableBy_teamForProject_template | boolean | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Markdown | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_archived | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|----------------------|--------------------------|---------------|
| visibleFor_teamForProject_description | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_shortName | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| visibleFor_teamForProject_template | boolean | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

11.1.11 IssuesTags

Catalog: YouTrack

Schema: SavedQueries

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/savedQueries`

Insert YouTrack API URL: `/savedQueries`

Update YouTrack API URL: `/savedQueries`

Delete YouTrack API URL: `/savedQueries`

Field Selection Method: `NotRequired`

Base Path: `issues[*].tags[*]`

Select YouTrack API Operation: `get /savedQueries`

Table Function Columns

The columns of the table function `IssuesTags` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|------------------------------|-----------|-------------------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type_2 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| commentsCount | int32 | Comments Count | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| draftOwner_\$type | string | | <input type="checkbox"/> | |
| draftOwner_avatarUrl | string | | <input type="checkbox"/> | |
| draftOwner_banned | boolean | | <input type="checkbox"/> | |
| draftOwner_email | string | | <input type="checkbox"/> | |
| draftOwner_fullName | string | | <input type="checkbox"/> | |
| draftOwner_guest | boolean | | <input type="checkbox"/> | |
| draftOwner_id | string | | <input type="checkbox"/> | |
| draftOwner_jabberAccountName | string | | <input type="checkbox"/> | |
| draftOwner_login | string | | <input type="checkbox"/> | |
| draftOwner_online | boolean | | <input type="checkbox"/> | |
| draftOwner_ringId | string | | <input type="checkbox"/> | |
| externalIssue_\$type | string | | <input type="checkbox"/> | |
| externalIssue_id | string | | <input type="checkbox"/> | |
| externalIssue_key | string | | <input type="checkbox"/> | |
| externalIssue_name | string | | <input type="checkbox"/> | |
| externalIssue_url | string | | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| name_1 | string | | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| owner_\$type_1 | string | | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id_1 | string | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|----------------------------|-----------|----------|--------------------------|---------------|
| owner_name | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_profiles_\$type | string | | <input type="checkbox"/> | |
| owner_profiles_id | string | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| owner_untagOnResolve | boolean | | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| query | string | Query | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| untagOnResolve | boolean | | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|----------------|--------------------------|---------------|
| updateableBy_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| updateableBy_teamForProject_description | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_shortcodeName | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| updateableBy_teamForProject_template | boolean | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Mark Down | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| visibleFor_teamForProject_description | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_iconUrl | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|----------------------|--------------------------|---------------|
| visibleFor_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_shortName | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| visibleFor_teamForProject_template | boolean | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

11.1.12 IssueTagsBySavedQueryId

Catalog: YouTrack

Schema: SavedQueries

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/savedQueries/{id}`

Insert YouTrack API URL: `/savedQueries/{id}`

Update YouTrack API URL: `/savedQueries/{id}`

Delete YouTrack API URL: `/savedQueries/{id}`

Field Selection Method: NotRequired

Base Path: `issues[*].tags[*]`

Select YouTrack API Operation: `get /savedQueries/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `IssueTagsBySavedQueryId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `IssueTagsBySavedQueryId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|------------------------------|-----------|-------------------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type_2 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| commentsCount | int32 | Comments Count | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| draftOwner_\$type | string | | <input type="checkbox"/> | |
| draftOwner_avatarUrl | string | | <input type="checkbox"/> | |
| draftOwner_banned | boolean | | <input type="checkbox"/> | |
| draftOwner_email | string | | <input type="checkbox"/> | |
| draftOwner_fullName | string | | <input type="checkbox"/> | |
| draftOwner_guest | boolean | | <input type="checkbox"/> | |
| draftOwner_id | string | | <input type="checkbox"/> | |
| draftOwner_jabberAccountName | string | | <input type="checkbox"/> | |
| draftOwner_login | string | | <input type="checkbox"/> | |
| draftOwner_online | boolean | | <input type="checkbox"/> | |
| draftOwner_ringId | string | | <input type="checkbox"/> | |
| externalIssue_\$type | string | | <input type="checkbox"/> | |
| externalIssue_id | string | | <input type="checkbox"/> | |
| externalIssue_key | string | | <input type="checkbox"/> | |
| externalIssue_name | string | | <input type="checkbox"/> | |
| externalIssue_url | string | | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| name_1 | string | | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|----------------------------|-----------|----------|--------------------------|---------------|
| owner_\$type_1 | string | | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id_1 | string | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_name | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_profiles_\$type | string | | <input type="checkbox"/> | |
| owner_profiles_id | string | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| owner_untagOnResolve | boolean | | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| query | string | Query | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|---------------|--------------------------|---------------|
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| untagOnResolve | boolean | | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| updateableBy_teamForProject_description | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_shortName | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| updateableBy_teamForProject_template | boolean | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Markdown | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|----------------------|--------------------------|---------------|
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_archiveId | boolean | | <input type="checkbox"/> | |
| visibleFor_teamForProject_description | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_shortName | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| visibleFor_teamForProject_template | boolean | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

11.1.13 SavedQueries: YouTrack Saved Queries

Catalog: YouTrack

Schema: SavedQueries

Label: Saved Queries

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/savedQueries`

Insert YouTrack API URL: `/savedQueries`

Update YouTrack API URL: `/savedQueries`

Delete YouTrack API URL: `/savedQueries`

Field Selection Method: NotRequired

Select YouTrack API Operation: `get /savedQueries`

Table Function Columns

The columns of the table function `SavedQueries` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|--|-----------|-------|--------------------------|---------------|
| \$type | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_profiles_\$type | string | | <input type="checkbox"/> | |
| owner_profiles_id | string | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| query | string | Query | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| updateableBy_teamForProject_description | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_shortcodeName | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| updateableBy_teamForProject_template | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|-------|--------------------------|---------------|
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_archiveId | boolean | | <input type="checkbox"/> | |
| visibleFor_teamForProject_description | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_shortName | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| visibleFor_teamForProject_template | boolean | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |

11.1.14 SavedQueryById

Catalog: YouTrack

Schema: SavedQueries

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/savedQueries/{id}`

Insert YouTrack API URL: `/savedQueries/{id}`

Update YouTrack API URL: `/savedQueries/{id}`

Delete YouTrack API URL: `/savedQueries/{id}`

Field Selection Method: NotRequired

Select YouTrack API Operation: `get /savedQueries/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `SavedQueryById`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-

defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `SavedQueryById` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|--------------------------------------|-----------|-------|--------------------------|---------------|
| \$type | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_profiles_\$type | string | | <input type="checkbox"/> | |
| owner_profiles_id | string | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| query | string | Query | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_archived | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|-------|--------------------------|---------------|
| updateableBy_teamForProject_description | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_shortName | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| updateableBy_teamForProject_template | boolean | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| visibleFor_teamForProject_description | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_shortName | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| visibleFor_teamForProject_template | boolean | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |

12 Schema: Users

12.1 Tables

12.1.1 IssueTags: YouTrack Issue Tags

Catalog: YouTrack

Schema: Users

Label: Issue Tags

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/users`

Insert YouTrack API URL: `/users`

Update YouTrack API URL: `/users`

Delete YouTrack API URL: `/users`

Field Selection Method: `NotRequired`

Base Path: `tags[*].issues[*]`

Select YouTrack API Operation: `get /users`

Table Function Columns

The columns of the table function `IssueTags` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|--------------------------------|-----------|---------------------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type_2</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>avatarUrl</code> | string | Avatar (URL) | <input type="checkbox"/> | |
| <code>banned</code> | boolean | Banned | <input type="checkbox"/> | |
| <code>color_\$type</code> | string | | <input type="checkbox"/> | |
| <code>color_background</code> | string | | <input type="checkbox"/> | |
| <code>color_foreground</code> | string | | <input type="checkbox"/> | |
| <code>color_id</code> | string | | <input type="checkbox"/> | |
| <code>commentsCount</code> | int32 | Comments Count | <input type="checkbox"/> | |
| <code>created</code> | int64 | Created | <input type="checkbox"/> | |
| <code>description</code> | string | Description | <input type="checkbox"/> | |
| <code>email</code> | string | Email | <input type="checkbox"/> | |
| <code>fullName</code> | string | Full Name | <input type="checkbox"/> | |
| <code>guest</code> | boolean | Guest | <input type="checkbox"/> | |
| <code>id_1</code> | string | | <input type="checkbox"/> | |
| <code>id_2</code> | string | | <input type="checkbox"/> | |
| <code>id</code> | string | ID | <input type="checkbox"/> | |
| <code>idReadable</code> | string | Readable ID | <input type="checkbox"/> | |
| <code>isDraft</code> | boolean | Is Draft | <input type="checkbox"/> | |
| <code>jabberAccountName</code> | string | Jabber Account Name | <input type="checkbox"/> | |
| <code>login</code> | string | Login | <input type="checkbox"/> | |
| <code>name</code> | string | Name | <input type="checkbox"/> | |
| <code>numberInProject</code> | int64 | Number in Project | <input type="checkbox"/> | |
| <code>online</code> | boolean | Online | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|----------|--------------------------|---------------|
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| profiles_\$type | string | | <input type="checkbox"/> | |
| profiles_general_\$type | string | | <input type="checkbox"/> | |
| profiles_general_id | string | | <input type="checkbox"/> | |
| profiles_id | string | | <input type="checkbox"/> | |
| profiles_notifications_\$type | string | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnComment | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnCreate | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnUpdate | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnVote | boolean | | <input type="checkbox"/> | |
| profiles_notifications_duplicateClusterNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_emailNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_id | string | | <input type="checkbox"/> | |
| profiles_notifications_jabberNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_mailboxIntegrationNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_mentionNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_notifyOnOwnChanges | boolean | | <input type="checkbox"/> | |
| profiles_notifications_usePlainTextEmails | boolean | | <input type="checkbox"/> | |
| profiles_timetracking_\$type | string | | <input type="checkbox"/> | |
| profiles_timetracking_id | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| ringId | string | Ring ID | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| untagOnResolve | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|----------------------------|-----------|----------------------|--------------------------|---------------|
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Markdown | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

12.1.2 Me

Catalog: YouTrack

Schema: Users

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/users/me`

Insert YouTrack API URL: `/users/me`

Update YouTrack API URL: `/users/me`

Delete YouTrack API URL: `/users/me`

Field Selection Method: NotRequired

Select YouTrack API Operation: `get /users/me`

Table Function Columns

The columns of the table function `Me` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|-----------|-----------|--------------|--------------------------|---------------|
| \$type | string | | <input type="checkbox"/> | |
| avatarUrl | string | Avatar (URL) | <input type="checkbox"/> | |
| banned | boolean | Banned | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|---------------------|--------------------------|---------------|
| email | string | Email | <input type="checkbox"/> | |
| fullName | string | Full Name | <input type="checkbox"/> | |
| guest | boolean | Guest | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| jabberAccountName | string | Jabber Account Name | <input type="checkbox"/> | |
| login | string | Login | <input type="checkbox"/> | |
| online | boolean | Online | <input type="checkbox"/> | |
| profiles_\$type | string | | <input type="checkbox"/> | |
| profiles_general_\$type | string | | <input type="checkbox"/> | |
| profiles_general_id | string | | <input type="checkbox"/> | |
| profiles_id | string | | <input type="checkbox"/> | |
| profiles_notifications_\$type | string | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnComment | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnCreate | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnUpdate | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnVote | boolean | | <input type="checkbox"/> | |
| profiles_notifications_duplicateClusterNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_emailNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_id | string | | <input type="checkbox"/> | |
| profiles_notifications_jabberNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_mailboxIntegrationNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_mentionNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_notifyOnOwnChanges | boolean | | <input type="checkbox"/> | |
| profiles_notifications_usePlainTextEmails | boolean | | <input type="checkbox"/> | |
| profiles_timetracking_\$type | string | | <input type="checkbox"/> | |
| profiles_timetracking_id | string | | <input type="checkbox"/> | |
| ringId | string | Ring ID | <input type="checkbox"/> | |

12.1.3 MyIssueTags

Catalog: YouTrack

Schema: Users

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/users/me`

Insert YouTrack API URL: `/users/me`

Update YouTrack API URL: `/users/me`

Delete YouTrack API URL: `/users/me`

Field Selection Method: `NotRequired`

Base Path: `tags[*].issues[*]`

Select YouTrack API Operation: `get /users/me`

Table Function Columns

The columns of the table function `MyIssueTags` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|--------------------------------|-----------|---------------------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type_2</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>avatarUrl</code> | string | Avatar (URL) | <input type="checkbox"/> | |
| <code>banned</code> | boolean | Banned | <input type="checkbox"/> | |
| <code>color_\$type</code> | string | | <input type="checkbox"/> | |
| <code>color_background</code> | string | | <input type="checkbox"/> | |
| <code>color_foreground</code> | string | | <input type="checkbox"/> | |
| <code>color_id</code> | string | | <input type="checkbox"/> | |
| <code>commentsCount</code> | int32 | Comments Count | <input type="checkbox"/> | |
| <code>created</code> | int64 | Created | <input type="checkbox"/> | |
| <code>description</code> | string | Description | <input type="checkbox"/> | |
| <code>email</code> | string | Email | <input type="checkbox"/> | |
| <code>fullName</code> | string | Full Name | <input type="checkbox"/> | |
| <code>guest</code> | boolean | Guest | <input type="checkbox"/> | |
| <code>id_1</code> | string | | <input type="checkbox"/> | |
| <code>id_2</code> | string | | <input type="checkbox"/> | |
| <code>id</code> | string | ID | <input type="checkbox"/> | |
| <code>idReadable</code> | string | Readable ID | <input type="checkbox"/> | |
| <code>isDraft</code> | boolean | Is Draft | <input type="checkbox"/> | |
| <code>jabberAccountName</code> | string | Jabber Account Name | <input type="checkbox"/> | |
| <code>login</code> | string | Login | <input type="checkbox"/> | |
| <code>name</code> | string | Name | <input type="checkbox"/> | |
| <code>numberInProject</code> | int64 | Number in Project | <input type="checkbox"/> | |
| <code>online</code> | boolean | Online | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|----------|--------------------------|---------------|
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| profiles_\$type | string | | <input type="checkbox"/> | |
| profiles_general_\$type | string | | <input type="checkbox"/> | |
| profiles_general_id | string | | <input type="checkbox"/> | |
| profiles_id | string | | <input type="checkbox"/> | |
| profiles_notifications_\$type | string | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnComment | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnCreate | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnUpdate | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnVote | boolean | | <input type="checkbox"/> | |
| profiles_notifications_duplicateClusterNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_emailNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_id | string | | <input type="checkbox"/> | |
| profiles_notifications_jabberNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_mailboxIntegrationNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_mentionNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_notifyOnOwnChanges | boolean | | <input type="checkbox"/> | |
| profiles_notifications_usePlainTextEmails | boolean | | <input type="checkbox"/> | |
| profiles_timetracking_\$type | string | | <input type="checkbox"/> | |
| profiles_timetracking_id | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| ringId | string | Ring ID | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| untagOnResolve | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|----------------------------|-----------|----------------------|--------------------------|---------------|
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Markdown | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

12.1.4 MySavedQueries

Catalog: YouTrack

Schema: Users

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/users/me`

Insert YouTrack API URL: `/users/me`

Update YouTrack API URL: `/users/me`

Delete YouTrack API URL: `/users/me`

Field Selection Method: `NotRequired`

Base Path: `savedQueries[*]`

Select YouTrack API Operation: `get /users/me`

Table Function Columns

The columns of the table function `MySavedQueries` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|-----------------------|-----------|-------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|---------------------|--------------------------|---------------|
| \$type | string | | <input type="checkbox"/> | |
| avatarUrl | string | Avatar (URL) | <input type="checkbox"/> | |
| banned | boolean | Banned | <input type="checkbox"/> | |
| email | string | Email | <input type="checkbox"/> | |
| fullName | string | Full Name | <input type="checkbox"/> | |
| guest | boolean | Guest | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| jabberAccountName | string | Jabber Account Name | <input type="checkbox"/> | |
| login | string | Login | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| online | boolean | Online | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| profiles_\$type | string | | <input type="checkbox"/> | |
| profiles_general_\$type | string | | <input type="checkbox"/> | |
| profiles_general_id | string | | <input type="checkbox"/> | |
| profiles_id | string | | <input type="checkbox"/> | |
| profiles_notifications_\$type | string | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnComment | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnCreate | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnUpdate | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnVote | boolean | | <input type="checkbox"/> | |
| profiles_notifications_duplicateClusterNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_emailNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_id | string | | <input type="checkbox"/> | |
| profiles_notifications_jabberNotificationsEnabled | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|---------|--------------------------|---------------|
| profiles_notifications_mailboxIntegrationNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_mentionNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_notifyOnOwnChanges | boolean | | <input type="checkbox"/> | |
| profiles_notifications_usePlainTextEmails | boolean | | <input type="checkbox"/> | |
| profiles_timetracking_\$type | string | | <input type="checkbox"/> | |
| profiles_timetracking_id | string | | <input type="checkbox"/> | |
| query | string | Query | <input type="checkbox"/> | |
| ringId | string | Ring ID | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |

12.1.5 MySavedQueriesIssues

Catalog: YouTrack

Schema: Users

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/users/me`

Insert YouTrack API URL: `/users/me`

Update YouTrack API URL: `/users/me`

Delete YouTrack API URL: `/users/me`

Field Selection Method: `NotRequired`

Base Path: `savedQueries[*].issues[*]`

Select YouTrack API Operation: `get /users/me`

Table Function Columns

The columns of the table function `MySavedQueriesIssues` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|-------------------------------|-----------|---------------------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type_2 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| avatarUrl | string | Avatar (URL) | <input type="checkbox"/> | |
| banned | boolean | Banned | <input type="checkbox"/> | |
| commentsCount | int32 | Comments Count | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| email | string | Email | <input type="checkbox"/> | |
| fullName | string | Full Name | <input type="checkbox"/> | |
| guest | boolean | Guest | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| jabberAccountName | string | Jabber Account Name | <input type="checkbox"/> | |
| login | string | Login | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| online | boolean | Online | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| profiles_\$type | string | | <input type="checkbox"/> | |
| profiles_general_\$type | string | | <input type="checkbox"/> | |
| profiles_general_id | string | | <input type="checkbox"/> | |
| profiles_id | string | | <input type="checkbox"/> | |
| profiles_notifications_\$type | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|---------------|--------------------------|---------------|
| profiles_notifications_autoWatchOnComment | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnCreate | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnUpdate | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnVote | boolean | | <input type="checkbox"/> | |
| profiles_notifications_duplicateClusterNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_emailNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_id | string | | <input type="checkbox"/> | |
| profiles_notifications_jabberNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_mailboxIntegrationNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_mentionNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_notifyOnOwnChanges | boolean | | <input type="checkbox"/> | |
| profiles_notifications_usePlainTextEmails | boolean | | <input type="checkbox"/> | |
| profiles_timetracking_\$type | string | | <input type="checkbox"/> | |
| profiles_timetracking_id | string | | <input type="checkbox"/> | |
| query | string | Query | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| ringId | string | Ring ID | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Markdown | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---------------------|-----------|----------------------|--------------------------|---------------|
| votes | int32 | Votes | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

12.1.6 MyTags

Catalog: YouTrack

Schema: Users

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/users/me`

Insert YouTrack API URL: `/users/me`

Update YouTrack API URL: `/users/me`

Delete YouTrack API URL: `/users/me`

Field Selection Method: `NotRequired`

Base Path: `tags[*]`

Select YouTrack API Operation: `get /users/me`

Table Function Columns

The columns of the table function `MyTags` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|--------------------------------|-----------|---------------------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>avatarUrl</code> | string | Avatar (URL) | <input type="checkbox"/> | |
| <code>banned</code> | boolean | Banned | <input type="checkbox"/> | |
| <code>color_\$type</code> | string | | <input type="checkbox"/> | |
| <code>color_background</code> | string | | <input type="checkbox"/> | |
| <code>color_foreground</code> | string | | <input type="checkbox"/> | |
| <code>color_id</code> | string | | <input type="checkbox"/> | |
| <code>email</code> | string | Email | <input type="checkbox"/> | |
| <code>fullName</code> | string | Full Name | <input type="checkbox"/> | |
| <code>guest</code> | boolean | Guest | <input type="checkbox"/> | |
| <code>id_1</code> | string | | <input type="checkbox"/> | |
| <code>id</code> | string | ID | <input type="checkbox"/> | |
| <code>jabberAccountName</code> | string | Jabber Account Name | <input type="checkbox"/> | |
| <code>login</code> | string | Login | <input type="checkbox"/> | |
| <code>name</code> | string | Name | <input type="checkbox"/> | |
| <code>online</code> | boolean | Online | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|---------|--------------------------|---------------|
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| profiles_\$type | string | | <input type="checkbox"/> | |
| profiles_general_\$type | string | | <input type="checkbox"/> | |
| profiles_general_id | string | | <input type="checkbox"/> | |
| profiles_id | string | | <input type="checkbox"/> | |
| profiles_notifications_\$type | string | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnComment | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnCreate | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnUpdate | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnVote | boolean | | <input type="checkbox"/> | |
| profiles_notifications_duplicateClusterNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_emailNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_id | string | | <input type="checkbox"/> | |
| profiles_notifications_jabberNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_mailboxIntegrationNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_mentionNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_notifyOnOwnChanges | boolean | | <input type="checkbox"/> | |
| profiles_notifications_usePlainTextEmails | boolean | | <input type="checkbox"/> | |
| profiles_timetracking_\$type | string | | <input type="checkbox"/> | |
| profiles_timetracking_id | string | | <input type="checkbox"/> | |
| ringId | string | Ring ID | <input type="checkbox"/> | |
| untagOnResolve | boolean | | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--------------------------|-----------|-------|--------------------------|---------------|
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |

12.1.7 ProfileTimeTrackingsByUserId

Catalog: YouTrack

Schema: Users

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/users/{id}/profiles/timetracking`

Insert YouTrack API URL: `/users/{id}/profiles/timetracking`

Update YouTrack API URL: `/users/{id}/profiles/timetracking`

Delete YouTrack API URL: `/users/{id}/profiles/timetracking`

Field Selection Method: NotRequired

Select YouTrack API Operation: `get /users/{id}/profiles/timetracking`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `ProfileTimeTrackingsByUserId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `ProfileTimeTrackingsByUserId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|---------------------|-----------|-------|--------------------------|---------------|
| \$type | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| periodFormat_\$type | string | | <input type="checkbox"/> | |
| periodFormat_id | string | | <input type="checkbox"/> | |

12.1.8 SavedQueries: YouTrack Saved Queries

Catalog: YouTrack

Schema: Users

Label: Saved Queries

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/users`

Insert YouTrack API URL: `/users`

Update YouTrack API URL: `/users`

Delete YouTrack API URL: `/users`

Field Selection Method: `NotRequired`

Base Path: `savedQueries[*]`

Select YouTrack API Operation: `get /users`

Table Function Columns

The columns of the table function `SavedQueries` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|-----------|-----------|--------------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| avatarUrl | string | Avatar (URL) | <input type="checkbox"/> | |
| banned | boolean | Banned | <input type="checkbox"/> | |
| email | string | Email | <input type="checkbox"/> | |
| fullName | string | Full Name | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|---------------------|--------------------------|---------------|
| guest | boolean | Guest | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| jabberAccountName | string | Jabber Account Name | <input type="checkbox"/> | |
| login | string | Login | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| online | boolean | Online | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| profiles_\$type | string | | <input type="checkbox"/> | |
| profiles_general_\$type | string | | <input type="checkbox"/> | |
| profiles_general_id | string | | <input type="checkbox"/> | |
| profiles_id | string | | <input type="checkbox"/> | |
| profiles_notifications_\$type | string | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnComment | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnCreate | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnUpdate | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnVote | boolean | | <input type="checkbox"/> | |
| profiles_notifications_duplicateClusterNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_emailNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_id | string | | <input type="checkbox"/> | |
| profiles_notifications_jabberNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_mailboxIntegrationNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_mentionNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_notifyOnOwnChanges | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|---------|--------------------------|---------------|
| profiles_notifications_usePlainText Emails | boolean | | <input type="checkbox"/> | |
| profiles_timetracking_\$type | string | | <input type="checkbox"/> | |
| profiles_timetracking_id | string | | <input type="checkbox"/> | |
| query | string | Query | <input type="checkbox"/> | |
| ringId | string | Ring ID | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |

12.1.9 SavedQueryById

Catalog: YouTrack

Schema: Users

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/users/{id}`

Insert YouTrack API URL: `/users/{id}`

Update YouTrack API URL: `/users/{id}`

Delete YouTrack API URL: `/users/{id}`

Field Selection Method: NotRequired

Base Path: `savedQueries[*]`

Select YouTrack API Operation: `get /users/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `SavedQueryById`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-

defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `SavedQueryById` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|-------------------------|-----------|---------------------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| avatarUrl | string | Avatar (URL) | <input type="checkbox"/> | |
| banned | boolean | Banned | <input type="checkbox"/> | |
| email | string | Email | <input type="checkbox"/> | |
| fullName | string | Full Name | <input type="checkbox"/> | |
| guest | boolean | Guest | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| jabberAccountName | string | Jabber Account Name | <input type="checkbox"/> | |
| login | string | Login | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| online | boolean | Online | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|---------|--------------------------|---------------|
| profiles_\$type | string | | <input type="checkbox"/> | |
| profiles_general_\$type | string | | <input type="checkbox"/> | |
| profiles_general_id | string | | <input type="checkbox"/> | |
| profiles_id | string | | <input type="checkbox"/> | |
| profiles_notifications_\$type | string | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnComment | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnCreate | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnUpdate | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnVote | boolean | | <input type="checkbox"/> | |
| profiles_notifications_duplicateClusterNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_emailNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_id | string | | <input type="checkbox"/> | |
| profiles_notifications_jabberNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_mailboxIntegrationNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_mentionNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_notifyOnOwnChanges | boolean | | <input type="checkbox"/> | |
| profiles_notifications_usePlainTextEmails | boolean | | <input type="checkbox"/> | |
| profiles_timetracking_\$type | string | | <input type="checkbox"/> | |
| profiles_timetracking_id | string | | <input type="checkbox"/> | |
| query | string | Query | <input type="checkbox"/> | |
| ringId | string | Ring ID | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|-----------------------|-----------|-------|--------------------------|---------------|
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |

12.1.10 SavedQueryIssues

Catalog: YouTrack

Schema: Users

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/users`

Insert YouTrack API URL: `/users`

Update YouTrack API URL: `/users`

Delete YouTrack API URL: `/users`

Field Selection Method: `NotRequired`

Base Path: `savedQueries[*].issues[*]`

Select YouTrack API Operation: `get /users`

Table Function Columns

The columns of the table function `SavedQueryIssues` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|--------------------------------|-----------|---------------------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type_2</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>avatarUrl</code> | string | Avatar (URL) | <input type="checkbox"/> | |
| <code>banned</code> | boolean | Banned | <input type="checkbox"/> | |
| <code>commentsCount</code> | int32 | Comments Count | <input type="checkbox"/> | |
| <code>created</code> | int64 | Created | <input type="checkbox"/> | |
| <code>description</code> | string | Description | <input type="checkbox"/> | |
| <code>email</code> | string | Email | <input type="checkbox"/> | |
| <code>fullName</code> | string | Full Name | <input type="checkbox"/> | |
| <code>guest</code> | boolean | Guest | <input type="checkbox"/> | |
| <code>id_1</code> | string | | <input type="checkbox"/> | |
| <code>id_2</code> | string | | <input type="checkbox"/> | |
| <code>id</code> | string | ID | <input type="checkbox"/> | |
| <code>idReadable</code> | string | Readable ID | <input type="checkbox"/> | |
| <code>isDraft</code> | boolean | Is Draft | <input type="checkbox"/> | |
| <code>jabberAccountName</code> | string | Jabber Account Name | <input type="checkbox"/> | |
| <code>login</code> | string | Login | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------------------|--------------------------|---------------|
| name | string | Name | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| online | boolean | Online | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| profiles_\$type | string | | <input type="checkbox"/> | |
| profiles_general_\$type | string | | <input type="checkbox"/> | |
| profiles_general_id | string | | <input type="checkbox"/> | |
| profiles_id | string | | <input type="checkbox"/> | |
| profiles_notifications_\$type | string | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnComment | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnCreate | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnUpdate | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnVote | boolean | | <input type="checkbox"/> | |
| profiles_notifications_duplicateClusterNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_emailNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_id | string | | <input type="checkbox"/> | |
| profiles_notifications_jabberNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_mailboxIntegrationNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_mentionNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_notifyOnOwnChanges | boolean | | <input type="checkbox"/> | |
| profiles_notifications_usePlainTextEmails | boolean | | <input type="checkbox"/> | |
| profiles_timetracking_\$type | string | | <input type="checkbox"/> | |
| profiles_timetracking_id | string | | <input type="checkbox"/> | |
| query | string | Query | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|----------------------------|-----------|----------------------|--------------------------|---------------|
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| ringId | string | Ring ID | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Markdown | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

12.1.11 SavedQueryIssuesByUserId

Catalog: YouTrack

Schema: Users

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/users/{id}`

Insert YouTrack API URL: `/users/{id}`

Update YouTrack API URL: `/users/{id}`

Delete YouTrack API URL: `/users/{id}`

Field Selection Method: NotRequired

Base Path: `savedQueries[*].issues[*]`

Select YouTrack API Operation: `get /users/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `SavedQueryIssuesByUserId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `SavedQueryIssuesByUserId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|-----------------------|-----------|---------------------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type_2</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| avatarUrl | string | Avatar (URL) | <input type="checkbox"/> | |
| banned | boolean | Banned | <input type="checkbox"/> | |
| commentsCount | int32 | Comments Count | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| email | string | Email | <input type="checkbox"/> | |
| fullName | string | Full Name | <input type="checkbox"/> | |
| guest | boolean | Guest | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| jabberAccountName | string | Jabber Account Name | <input type="checkbox"/> | |
| login | string | Login | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| online | boolean | Online | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|----------|--------------------------|---------------|
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| profiles_\$type | string | | <input type="checkbox"/> | |
| profiles_general_\$type | string | | <input type="checkbox"/> | |
| profiles_general_id | string | | <input type="checkbox"/> | |
| profiles_id | string | | <input type="checkbox"/> | |
| profiles_notifications_\$type | string | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnComment | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnCreate | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnUpdate | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnVote | boolean | | <input type="checkbox"/> | |
| profiles_notifications_duplicateClusterNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_emailNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_id | string | | <input type="checkbox"/> | |
| profiles_notifications_jabberNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_mailboxIntegrationNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_mentionNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_notifyOnOwnChanges | boolean | | <input type="checkbox"/> | |
| profiles_notifications_usePlainTextEmails | boolean | | <input type="checkbox"/> | |
| profiles_timetracking_\$type | string | | <input type="checkbox"/> | |
| profiles_timetracking_id | string | | <input type="checkbox"/> | |
| query | string | Query | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| ringId | string | Ring ID | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|----------------------------|-----------|----------------------|--------------------------|---------------|
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Markdown | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

12.1.12 TagById

Catalog: YouTrack

Schema: Users

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/users/{id}`

Insert YouTrack API URL: `/users/{id}`

Update YouTrack API URL: `/users/{id}`

Delete YouTrack API URL: `/users/{id}`

Field Selection Method: `NotRequired`

Base Path: `tags[*]`

Select YouTrack API Operation: `get /users/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `TagById`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `TagById` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|-------------------------|-----------|---------------------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| avatarUrl | string | Avatar (URL) | <input type="checkbox"/> | |
| banned | boolean | Banned | <input type="checkbox"/> | |
| color_\$type | string | | <input type="checkbox"/> | |
| color_background | string | | <input type="checkbox"/> | |
| color_foreground | string | | <input type="checkbox"/> | |
| color_id | string | | <input type="checkbox"/> | |
| email | string | Email | <input type="checkbox"/> | |
| fullName | string | Full Name | <input type="checkbox"/> | |
| guest | boolean | Guest | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| jabberAccountName | string | Jabber Account Name | <input type="checkbox"/> | |
| login | string | Login | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| online | boolean | Online | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|---------|--------------------------|---------------|
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| profiles_\$type | string | | <input type="checkbox"/> | |
| profiles_general_\$type | string | | <input type="checkbox"/> | |
| profiles_general_id | string | | <input type="checkbox"/> | |
| profiles_id | string | | <input type="checkbox"/> | |
| profiles_notifications_\$type | string | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnComment | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnCreate | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnUpdate | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnVote | boolean | | <input type="checkbox"/> | |
| profiles_notifications_duplicateClusterNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_emailNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_id | string | | <input type="checkbox"/> | |
| profiles_notifications_jabberNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_mailboxIntegrationNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_mentionNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_notifyOnOwnChanges | boolean | | <input type="checkbox"/> | |
| profiles_notifications_usePlainTextEmails | boolean | | <input type="checkbox"/> | |
| profiles_timetracking_\$type | string | | <input type="checkbox"/> | |
| profiles_timetracking_id | string | | <input type="checkbox"/> | |
| ringId | string | Ring ID | <input type="checkbox"/> | |
| untagOnResolve | boolean | | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|-----------------------|-----------|-------|--------------------------|---------------|
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |

12.1.13 TagIssuesByTagId

Catalog: YouTrack

Schema: Users

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/users/{id}`

Insert YouTrack API URL: `/users/{id}`

Update YouTrack API URL: `/users/{id}`

Delete YouTrack API URL: `/users/{id}`

Field Selection Method: NotRequired

Base Path: `tags[*].issues[*]`

Select YouTrack API Operation: `get /users/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `TagIssuesByTagId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `TagIssuesByTagId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|-------------------------------|-----------|---------------------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type_2 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| avatarUrl | string | Avatar (URL) | <input type="checkbox"/> | |
| banned | boolean | Banned | <input type="checkbox"/> | |
| color_\$type | string | | <input type="checkbox"/> | |
| color_background | string | | <input type="checkbox"/> | |
| color_foreground | string | | <input type="checkbox"/> | |
| color_id | string | | <input type="checkbox"/> | |
| commentsCount | int32 | Comments Count | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| email | string | Email | <input type="checkbox"/> | |
| fullName | string | Full Name | <input type="checkbox"/> | |
| guest | boolean | Guest | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| jabberAccountName | string | Jabber Account Name | <input type="checkbox"/> | |
| login | string | Login | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| online | boolean | Online | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| profiles_\$type | string | | <input type="checkbox"/> | |
| profiles_general_\$type | string | | <input type="checkbox"/> | |
| profiles_general_id | string | | <input type="checkbox"/> | |
| profiles_id | string | | <input type="checkbox"/> | |
| profiles_notifications_\$type | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|---------------|--------------------------|---------------|
| profiles_notifications_autoWatchOnComment | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnCreate | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnUpdate | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnVote | boolean | | <input type="checkbox"/> | |
| profiles_notifications_duplicateClusterNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_emailNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_id | string | | <input type="checkbox"/> | |
| profiles_notifications_jabberNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_mailboxIntegrationNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_mentionNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_notifyOnOwnChanges | boolean | | <input type="checkbox"/> | |
| profiles_notifications_usePlainTextEmails | boolean | | <input type="checkbox"/> | |
| profiles_timetracking_\$type | string | | <input type="checkbox"/> | |
| profiles_timetracking_id | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| ringId | string | Ring ID | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| untagOnResolve | boolean | | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Markdown | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---------------------|-----------|----------------------|--------------------------|---------------|
| votes | int32 | Votes | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

12.1.14 Tags

Catalog: YouTrack

Schema: Users

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/users`

Insert YouTrack API URL: `/users`

Update YouTrack API URL: `/users`

Delete YouTrack API URL: `/users`

Field Selection Method: `NotRequired`

Base Path: `tags[*]`

Select YouTrack API Operation: `get /users`

Table Function Columns

The columns of the table function `Tags` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|--------------------------------|-----------|---------------------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>avatarUrl</code> | string | Avatar (URL) | <input type="checkbox"/> | |
| <code>banned</code> | boolean | Banned | <input type="checkbox"/> | |
| <code>color_\$type</code> | string | | <input type="checkbox"/> | |
| <code>color_background</code> | string | | <input type="checkbox"/> | |
| <code>color_foreground</code> | string | | <input type="checkbox"/> | |
| <code>color_id</code> | string | | <input type="checkbox"/> | |
| <code>email</code> | string | Email | <input type="checkbox"/> | |
| <code>fullName</code> | string | Full Name | <input type="checkbox"/> | |
| <code>guest</code> | boolean | Guest | <input type="checkbox"/> | |
| <code>id_1</code> | string | | <input type="checkbox"/> | |
| <code>id</code> | string | ID | <input type="checkbox"/> | |
| <code>jabberAccountName</code> | string | Jabber Account Name | <input type="checkbox"/> | |
| <code>login</code> | string | Login | <input type="checkbox"/> | |
| <code>name</code> | string | Name | <input type="checkbox"/> | |
| <code>online</code> | boolean | Online | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|---------|--------------------------|---------------|
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| profiles_\$type | string | | <input type="checkbox"/> | |
| profiles_general_\$type | string | | <input type="checkbox"/> | |
| profiles_general_id | string | | <input type="checkbox"/> | |
| profiles_id | string | | <input type="checkbox"/> | |
| profiles_notifications_\$type | string | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnComment | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnCreate | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnUpdate | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnVote | boolean | | <input type="checkbox"/> | |
| profiles_notifications_duplicateClusterNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_emailNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_id | string | | <input type="checkbox"/> | |
| profiles_notifications_jabberNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_mailboxIntegrationNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_mentionNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_notifyOnOwnChanges | boolean | | <input type="checkbox"/> | |
| profiles_notifications_usePlainTextEmails | boolean | | <input type="checkbox"/> | |
| profiles_timetracking_\$type | string | | <input type="checkbox"/> | |
| profiles_timetracking_id | string | | <input type="checkbox"/> | |
| ringId | string | Ring ID | <input type="checkbox"/> | |
| untagOnResolve | boolean | | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--------------------------|-----------|-------|--------------------------|---------------|
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |

12.1.15 UserById

Catalog: YouTrack

Schema: Users

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/users/{id}`

Insert YouTrack API URL: `/users/{id}`

Update YouTrack API URL: `/users/{id}`

Delete YouTrack API URL: `/users/{id}`

Field Selection Method: NotRequired

Select YouTrack API Operation: `get /users/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `UserById`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `UserById` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|---|-----------|---------------------|--------------------------|---------------|
| \$type | string | | <input type="checkbox"/> | |
| avatarUrl | string | Avatar (URL) | <input type="checkbox"/> | |
| banned | boolean | Banned | <input type="checkbox"/> | |
| email | string | Email | <input type="checkbox"/> | |
| fullName | string | Full Name | <input type="checkbox"/> | |
| guest | boolean | Guest | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| jabberAccountName | string | Jabber Account Name | <input type="checkbox"/> | |
| login | string | Login | <input type="checkbox"/> | |
| online | boolean | Online | <input type="checkbox"/> | |
| profiles_\$type | string | | <input type="checkbox"/> | |
| profiles_general_\$type | string | | <input type="checkbox"/> | |
| profiles_general_id | string | | <input type="checkbox"/> | |
| profiles_id | string | | <input type="checkbox"/> | |
| profiles_notifications_\$type | string | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnComment | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnCreate | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnUpdate | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnVote | boolean | | <input type="checkbox"/> | |
| profiles_notifications_duplicateClusterNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_emailNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_id | string | | <input type="checkbox"/> | |
| profiles_notifications_jabberNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_mailboxIntegrationNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_mentionNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_notifyOnOwnChanges | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|---------|--------------------------|---------------|
| profiles_notifications_usePlainText Emails | boolean | | <input type="checkbox"/> | |
| profiles_timetracking_\$type | string | | <input type="checkbox"/> | |
| profiles_timetracking_id | string | | <input type="checkbox"/> | |
| ringId | string | Ring ID | <input type="checkbox"/> | |

12.1.16 UserGeneralProfilesBySprintId

Catalog: YouTrack

Schema: Users

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/users/{id}/profiles/general`

Insert YouTrack API URL: `/users/{id}/profiles/general`

Update YouTrack API URL: `/users/{id}/profiles/general`

Delete YouTrack API URL: `/users/{id}/profiles/general`

Field Selection Method: NotRequired

Select YouTrack API Operation: `get /users/{id}/profiles/general`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `UserGeneralProfilesBySprintId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `UserGeneralProfilesBySprintId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|------------------------------|-----------|-------|--------------------------|---------------|
| \$type | string | | <input type="checkbox"/> | |
| dateFieldFormat_\$type | string | | <input type="checkbox"/> | |
| dateFieldFormat_datePattern | string | | <input type="checkbox"/> | |
| dateFieldFormat_id | string | | <input type="checkbox"/> | |
| dateFieldFormat_pattern | string | | <input type="checkbox"/> | |
| dateFieldFormat_presentation | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| locale_\$type | string | | <input type="checkbox"/> | |
| locale_community | boolean | | <input type="checkbox"/> | |
| locale_id | string | | <input type="checkbox"/> | |
| locale_language | string | | <input type="checkbox"/> | |
| locale_locale | string | | <input type="checkbox"/> | |
| locale_name | string | | <input type="checkbox"/> | |
| timezone_\$type | string | | <input type="checkbox"/> | |
| timezone_id | string | | <input type="checkbox"/> | |
| timezone_offset | int32 | | <input type="checkbox"/> | |
| timezone_presentation | string | | <input type="checkbox"/> | |

12.1.17 UserIssueAttachmentSavedQueriesByUserId

Catalog: YouTrack

Schema: Users

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/users/{id}/savedQueries`

Insert YouTrack API URL: `/users/{id}/savedQueries`

Update YouTrack API URL: `/users/{id}/savedQueries`

Delete YouTrack API URL: `/users/{id}/savedQueries`

Field Selection Method: `NotRequired`

Base Path: `issues[*].attachments[*]`

Select YouTrack API Operation: `get /users/{id}/savedQueries`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `UserIssueAttachmentSavedQueriesByUserId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `UserIssueAttachmentSavedQueriesByUserId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|------------------------------|-----------|----------------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type_2 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| base64Content | string | Base64 Content | <input type="checkbox"/> | |
| charset | string | Charset | <input type="checkbox"/> | |
| commentsCount | int32 | Comments Count | <input type="checkbox"/> | |
| created_1 | int64 | | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| draft | boolean | Draft | <input type="checkbox"/> | |
| draftOwner_\$type | string | | <input type="checkbox"/> | |
| draftOwner_avatarUrl | string | | <input type="checkbox"/> | |
| draftOwner_banned | boolean | | <input type="checkbox"/> | |
| draftOwner_email | string | | <input type="checkbox"/> | |
| draftOwner_fullName | string | | <input type="checkbox"/> | |
| draftOwner_guest | boolean | | <input type="checkbox"/> | |
| draftOwner_id | string | | <input type="checkbox"/> | |
| draftOwner_jabberAccountName | string | | <input type="checkbox"/> | |
| draftOwner_login | string | | <input type="checkbox"/> | |
| draftOwner_online | boolean | | <input type="checkbox"/> | |
| draftOwner_ringId | string | | <input type="checkbox"/> | |
| extension | string | Extension | <input type="checkbox"/> | |
| externalIssue_\$type | string | | <input type="checkbox"/> | |
| externalIssue_id | string | | <input type="checkbox"/> | |
| externalIssue_key | string | | <input type="checkbox"/> | |
| externalIssue_name | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|-------------------------|-----------|-------------------|--------------------------|---------------|
| externalIssue_url | string | | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| metaData | string | Metadata | <input type="checkbox"/> | |
| mimeType | string | MIME-type | <input type="checkbox"/> | |
| name_1 | string | | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_profiles_\$type | string | | <input type="checkbox"/> | |
| owner_profiles_id | string | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| query | string | Query | <input type="checkbox"/> | |
| removed | boolean | Removed | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|-----------------|--------------------------|---------------|
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| size | int64 | Size | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| thumbnailURL | string | Thumbnail (URL) | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| updateableBy_teamForProject_description | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_shortName | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| updateableBy_teamForProject_template | boolean | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| updated_1 | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|----------------------|--------------------------|---------------|
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| url | string | URL | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Markdown | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| visibleFor_teamForProject_description | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_shortName | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| visibleFor_teamForProject_template | boolean | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

12.1.18 UserIssueAttachmentTagsByUserId

Catalog: YouTrack

Schema: Users

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/users/{id}/tags`

Insert YouTrack API URL: `/users/{id}/tags`

Update YouTrack API URL: `/users/{id}/tags`

Delete YouTrack API URL: `/users/{id}/tags`

Field Selection Method: NotRequired

Base Path: `issues[*].attachments[*]`

Select YouTrack API Operation: `get /users/{id}/tags`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `UserIssueAttachmentTagsByUserId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `UserIssueAttachmentTagsByUserId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|----------------------------|-----------|----------------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type_2</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>base64Content</code> | string | Base64 Content | <input type="checkbox"/> | |
| <code>charset</code> | string | Charset | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|------------------------------|-----------|-------------------|--------------------------|---------------|
| color_\$type | string | | <input type="checkbox"/> | |
| color_background | string | | <input type="checkbox"/> | |
| color_foreground | string | | <input type="checkbox"/> | |
| color_id | string | | <input type="checkbox"/> | |
| commentsCount | int32 | Comments Count | <input type="checkbox"/> | |
| created_1 | int64 | | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| draft | boolean | Draft | <input type="checkbox"/> | |
| draftOwner_\$type | string | | <input type="checkbox"/> | |
| draftOwner_avatarUrl | string | | <input type="checkbox"/> | |
| draftOwner_banned | boolean | | <input type="checkbox"/> | |
| draftOwner_email | string | | <input type="checkbox"/> | |
| draftOwner_fullName | string | | <input type="checkbox"/> | |
| draftOwner_guest | boolean | | <input type="checkbox"/> | |
| draftOwner_id | string | | <input type="checkbox"/> | |
| draftOwner_jabberAccountName | string | | <input type="checkbox"/> | |
| draftOwner_login | string | | <input type="checkbox"/> | |
| draftOwner_online | boolean | | <input type="checkbox"/> | |
| draftOwner_ringId | string | | <input type="checkbox"/> | |
| extension | string | Extension | <input type="checkbox"/> | |
| externalIssue_\$type | string | | <input type="checkbox"/> | |
| externalIssue_id | string | | <input type="checkbox"/> | |
| externalIssue_key | string | | <input type="checkbox"/> | |
| externalIssue_name | string | | <input type="checkbox"/> | |
| externalIssue_url | string | | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| metaData | string | Metadata | <input type="checkbox"/> | |
| mimeType | string | MIME-type | <input type="checkbox"/> | |
| name_1 | string | | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|----------------------------|-----------|-----------------|--------------------------|---------------|
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_profiles_\$type | string | | <input type="checkbox"/> | |
| owner_profiles_id | string | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| removed | boolean | Removed | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| size | int64 | Size | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| thumbnailURL | string | Thumbnail (URL) | <input type="checkbox"/> | |
| untagOnResolve | boolean | | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|----------------|--------------------------|---------------|
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| updateableBy_teamForProject_description | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_shortName | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| updateableBy_teamForProject_template | boolean | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| updated_1 | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| url | string | URL | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Mark Down | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|----------------------|--------------------------|---------------|
| visibleFor_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| visibleFor_teamForProject_description | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_shortName | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| visibleFor_teamForProject_template | boolean | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

12.1.19 UserIssueCommentSavedQueriesByUserId

Catalog: YouTrack

Schema: Users

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/users/{id}/savedQueries`

Insert YouTrack API URL: `/users/{id}/savedQueries`

Update YouTrack API URL: `/users/{id}/savedQueries`

Delete YouTrack API URL: `/users/{id}/savedQueries`

Field Selection Method: NotRequired

Base Path: `issues[*].comments[*]`

Select YouTrack API Operation: `get /users/{id}/savedQueries`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `UserIssueCommentSavedQueriesByUserId`. A value must be provided at all times for

required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `UserIssueCommentSavedQueriesByUserId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|------------------------------|-----------|----------------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type_2 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| commentsCount | int32 | Comments Count | <input type="checkbox"/> | |
| created_1 | int64 | | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| deleted | boolean | Deleted | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| draftOwner_\$type | string | | <input type="checkbox"/> | |
| draftOwner_avatarUrl | string | | <input type="checkbox"/> | |
| draftOwner_banned | boolean | | <input type="checkbox"/> | |
| draftOwner_email | string | | <input type="checkbox"/> | |
| draftOwner_fullName | string | | <input type="checkbox"/> | |
| draftOwner_guest | boolean | | <input type="checkbox"/> | |
| draftOwner_id | string | | <input type="checkbox"/> | |
| draftOwner_jabberAccountName | string | | <input type="checkbox"/> | |
| draftOwner_login | string | | <input type="checkbox"/> | |
| draftOwner_online | boolean | | <input type="checkbox"/> | |
| draftOwner_ringId | string | | <input type="checkbox"/> | |
| externalIssue_\$type | string | | <input type="checkbox"/> | |
| externalIssue_id | string | | <input type="checkbox"/> | |
| externalIssue_key | string | | <input type="checkbox"/> | |
| externalIssue_name | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|----------------------------|-----------|-------------------|--------------------------|---------------|
| externalIssue_url | string | | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_profiles_\$type | string | | <input type="checkbox"/> | |
| owner_profiles_id | string | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| query | string | Query | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|--------------|--------------------------|---------------|
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| text | string | Text | <input type="checkbox"/> | |
| textPreview | string | Text Preview | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| updateableBy_teamForProject_description | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_shortName | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| updateableBy_teamForProject_template | boolean | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| updated_1 | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|----------------------|--------------------------|---------------|
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| usesMarkdown_1 | boolean | | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Mark Down | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| visibleFor_teamForProject_description | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_shortName | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| visibleFor_teamForProject_template | boolean | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

12.1.20 UserIssueCommentTagsByUserId

Catalog: YouTrack

Schema: Users

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/users/{id}/tags`

Insert YouTrack API URL: `/users/{id}/tags`

Update YouTrack API URL: `/users/{id}/tags`

Delete YouTrack API URL: `/users/{id}/tags`

Field Selection Method: `NotRequired`

Base Path: `issues[*].comments[*]`

Select YouTrack API Operation: `get /users/{id}/tags`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `UserIssueCommentTagsByUserId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `UserIssueCommentTagsByUserId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|-------------------------------|-----------|----------------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type_2</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>color_\$type</code> | string | | <input type="checkbox"/> | |
| <code>color_background</code> | string | | <input type="checkbox"/> | |
| <code>color_foreground</code> | string | | <input type="checkbox"/> | |
| <code>color_id</code> | string | | <input type="checkbox"/> | |
| <code>commentsCount</code> | int32 | Comments Count | <input type="checkbox"/> | |
| <code>created_1</code> | int64 | | <input type="checkbox"/> | |
| <code>created</code> | int64 | Created | <input type="checkbox"/> | |
| <code>deleted</code> | boolean | Deleted | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|------------------------------|-----------|-------------------|--------------------------|---------------|
| description | string | Description | <input type="checkbox"/> | |
| draftOwner_\$type | string | | <input type="checkbox"/> | |
| draftOwner_avatarUrl | string | | <input type="checkbox"/> | |
| draftOwner_banned | boolean | | <input type="checkbox"/> | |
| draftOwner_email | string | | <input type="checkbox"/> | |
| draftOwner_fullName | string | | <input type="checkbox"/> | |
| draftOwner_guest | boolean | | <input type="checkbox"/> | |
| draftOwner_id | string | | <input type="checkbox"/> | |
| draftOwner_jabberAccountName | string | | <input type="checkbox"/> | |
| draftOwner_login | string | | <input type="checkbox"/> | |
| draftOwner_online | boolean | | <input type="checkbox"/> | |
| draftOwner_ringId | string | | <input type="checkbox"/> | |
| externalIssue_\$type | string | | <input type="checkbox"/> | |
| externalIssue_id | string | | <input type="checkbox"/> | |
| externalIssue_key | string | | <input type="checkbox"/> | |
| externalIssue_name | string | | <input type="checkbox"/> | |
| externalIssue_url | string | | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_profiles_\$type | string | | <input type="checkbox"/> | |
| owner_profiles_id | string | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|--------------|--------------------------|---------------|
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| text | string | Text | <input type="checkbox"/> | |
| textPreview | string | Text Preview | <input type="checkbox"/> | |
| untagOnResolve | boolean | | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| updateableBy_teamForProject_description | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|----------------|--------------------------|---------------|
| updateableBy_teamForProject_shortName | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| updateableBy_teamForProject_template | boolean | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| updated_1 | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| usesMarkdown_1 | boolean | | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Mark Down | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| visibleFor_teamForProject_description | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_shortName | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| visibleFor_teamForProject_template | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|-----------------------|-----------|----------------------|--------------------------|---------------|
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

12.1.21 UserIssueCustomFieldSavedQueriesByUserId

Catalog: YouTrack

Schema: Users

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/users/{id}/savedQueries`

Insert YouTrack API URL: `/users/{id}/savedQueries`

Update YouTrack API URL: `/users/{id}/savedQueries`

Delete YouTrack API URL: `/users/{id}/savedQueries`

Field Selection Method: NotRequired

Base Path: `issues[*].customFields[*]`

Select YouTrack API Operation: `get /users/{id}/savedQueries`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `UserIssueCustomFieldSavedQueriesByUserId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `UserIssueCustomFieldSavedQueriesByUserId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------------------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type_2</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>commentsCount</code> | int32 | Comments Count | <input type="checkbox"/> | |
| <code>created</code> | int64 | Created | <input type="checkbox"/> | |
| <code>description</code> | string | Description | <input type="checkbox"/> | |
| <code>draftOwner_\$type</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_avatarUrl</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_banned</code> | boolean | | <input type="checkbox"/> | |
| <code>draftOwner_email</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_fullName</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_guest</code> | boolean | | <input type="checkbox"/> | |
| <code>draftOwner_id</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_jabberAccountName</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_login</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_online</code> | boolean | | <input type="checkbox"/> | |
| <code>draftOwner_ringId</code> | string | | <input type="checkbox"/> | |
| <code>externalIssue_\$type</code> | string | | <input type="checkbox"/> | |
| <code>externalIssue_id</code> | string | | <input type="checkbox"/> | |
| <code>externalIssue_key</code> | string | | <input type="checkbox"/> | |
| <code>externalIssue_name</code> | string | | <input type="checkbox"/> | |
| <code>externalIssue_url</code> | string | | <input type="checkbox"/> | |
| <code>id_1</code> | string | | <input type="checkbox"/> | |
| <code>id_2</code> | string | | <input type="checkbox"/> | |
| <code>id</code> | string | ID | <input type="checkbox"/> | |
| <code>idReadable</code> | string | Readable ID | <input type="checkbox"/> | |
| <code>isDraft</code> | boolean | Is Draft | <input type="checkbox"/> | |
| <code>name_1</code> | string | | <input type="checkbox"/> | |
| <code>name</code> | string | Name | <input type="checkbox"/> | |
| <code>numberInProject</code> | int64 | Number in Project | <input type="checkbox"/> | |
| <code>owner_\$type</code> | string | | <input type="checkbox"/> | |
| <code>owner_avatarUrl</code> | string | | <input type="checkbox"/> | |
| <code>owner_banned</code> | boolean | | <input type="checkbox"/> | |
| <code>owner_email</code> | string | | <input type="checkbox"/> | |
| <code>owner_fullName</code> | string | | <input type="checkbox"/> | |
| <code>owner_guest</code> | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|----------------------------|-----------|----------|--------------------------|---------------|
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_profiles_\$type | string | | <input type="checkbox"/> | |
| owner_profiles_id | string | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| query | string | Query | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|----------------|--------------------------|---------------|
| updateableBy_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| updateableBy_teamForProject_description | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_shortName | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| updateableBy_teamForProject_template | boolean | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Mark Down | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| visibleFor_teamForProject_description | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_iconUrl | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|----------------------|--------------------------|---------------|
| visibleFor_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_shortName | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| visibleFor_teamForProject_template | boolean | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

12.1.22 UserIssueCustomFieldTagsByUserId

Catalog: YouTrack

Schema: Users

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/users/{id}/tags`

Insert YouTrack API URL: `/users/{id}/tags`

Update YouTrack API URL: `/users/{id}/tags`

Delete YouTrack API URL: `/users/{id}/tags`

Field Selection Method: NotRequired

Base Path: `issues[*].customFields[*]`

Select YouTrack API Operation: `get /users/{id}/tags`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `UserIssueCustomFieldTagsByUserId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `UserIssueCustomFieldTagsByUserId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|------------------------------|-----------|----------------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type_2 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| color_\$type | string | | <input type="checkbox"/> | |
| color_background | string | | <input type="checkbox"/> | |
| color_foreground | string | | <input type="checkbox"/> | |
| color_id | string | | <input type="checkbox"/> | |
| commentsCount | int32 | Comments Count | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| draftOwner_\$type | string | | <input type="checkbox"/> | |
| draftOwner_avatarUrl | string | | <input type="checkbox"/> | |
| draftOwner_banned | boolean | | <input type="checkbox"/> | |
| draftOwner_email | string | | <input type="checkbox"/> | |
| draftOwner_fullName | string | | <input type="checkbox"/> | |
| draftOwner_guest | boolean | | <input type="checkbox"/> | |
| draftOwner_id | string | | <input type="checkbox"/> | |
| draftOwner_jabberAccountName | string | | <input type="checkbox"/> | |
| draftOwner_login | string | | <input type="checkbox"/> | |
| draftOwner_online | boolean | | <input type="checkbox"/> | |
| draftOwner_ringId | string | | <input type="checkbox"/> | |
| externalIssue_\$type | string | | <input type="checkbox"/> | |
| externalIssue_id | string | | <input type="checkbox"/> | |
| externalIssue_key | string | | <input type="checkbox"/> | |
| externalIssue_name | string | | <input type="checkbox"/> | |
| externalIssue_url | string | | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|----------------------------|-----------|-------------------|--------------------------|---------------|
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| name_1 | string | | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_profiles_\$type | string | | <input type="checkbox"/> | |
| owner_profiles_id | string | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|---------------|--------------------------|---------------|
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| untagOnResolve | boolean | | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| updateableBy_teamForProject_description | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_shortName | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| updateableBy_teamForProject_template | boolean | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Markdown | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|----------------------|--------------------------|---------------|
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| visibleFor_teamForProject_description | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_shortName | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| visibleFor_teamForProject_template | boolean | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

12.1.23 UserIssueLinkSavedQueriesByUserId

Catalog: YouTrack

Schema: Users

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/users/{id}/savedQueries`

Insert YouTrack API URL: `/users/{id}/savedQueries`

Update YouTrack API URL: `/users/{id}/savedQueries`

Delete YouTrack API URL: `/users/{id}/savedQueries`

Field Selection Method: NotRequired

Base Path: `issues[*].links[*]`

Select YouTrack API Operation: `get /users/{id}/savedQueries`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `UserIssueLinkSavedQueriesByUserId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `UserIssueLinkSavedQueriesByUserId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|------------------------------|-----------|----------------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type_2 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| commentsCount | int32 | Comments Count | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| direction | string | Direction | <input type="checkbox"/> | |
| draftOwner_\$type | string | | <input type="checkbox"/> | |
| draftOwner_avatarUrl | string | | <input type="checkbox"/> | |
| draftOwner_banned | boolean | | <input type="checkbox"/> | |
| draftOwner_email | string | | <input type="checkbox"/> | |
| draftOwner_fullName | string | | <input type="checkbox"/> | |
| draftOwner_guest | boolean | | <input type="checkbox"/> | |
| draftOwner_id | string | | <input type="checkbox"/> | |
| draftOwner_jabberAccountName | string | | <input type="checkbox"/> | |
| draftOwner_login | string | | <input type="checkbox"/> | |
| draftOwner_online | boolean | | <input type="checkbox"/> | |
| draftOwner_ringId | string | | <input type="checkbox"/> | |
| externalIssue_\$type | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|-------------------------|-----------|-------------------|--------------------------|---------------|
| externalIssue_id | string | | <input type="checkbox"/> | |
| externalIssue_key | string | | <input type="checkbox"/> | |
| externalIssue_name | string | | <input type="checkbox"/> | |
| externalIssue_url | string | | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_profiles_\$type | string | | <input type="checkbox"/> | |
| owner_profiles_id | string | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| query | string | Query | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|----------|--------------------------|---------------|
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| updateableBy_teamForProject_description | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_shortName | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| updateableBy_teamForProject_template | boolean | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|----------------------|--------------------------|---------------|
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Markdown | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| visibleFor_teamForProject_description | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_shortName | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| visibleFor_teamForProject_template | boolean | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

12.1.24 UserIssueLinkSavedQueryTagsByUserId

Catalog: YouTrack

Schema: Users

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/users/{id}/tags`

Insert YouTrack API URL: `/users/{id}/tags`

Update YouTrack API URL: `/users/{id}/tags`

Delete YouTrack API URL: `/users/{id}/tags`

Field Selection Method: `NotRequired`

Base Path: `issues[*].links[*]`

Select YouTrack API Operation: `get /users/{id}/tags`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `UserIssueLinkSavedQueryTagsByUserId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `UserIssueLinkSavedQueryTagsByUserId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|-----------------------------------|-----------|----------------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type_2</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>color_\$type</code> | string | | <input type="checkbox"/> | |
| <code>color_background</code> | string | | <input type="checkbox"/> | |
| <code>color_foreground</code> | string | | <input type="checkbox"/> | |
| <code>color_id</code> | string | | <input type="checkbox"/> | |
| <code>commentsCount</code> | int32 | Comments Count | <input type="checkbox"/> | |
| <code>created</code> | int64 | Created | <input type="checkbox"/> | |
| <code>description</code> | string | Description | <input type="checkbox"/> | |
| <code>direction</code> | string | Direction | <input type="checkbox"/> | |
| <code>draftOwner_\$type</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_avatarUrl</code> | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|------------------------------|-----------|-------------------|--------------------------|---------------|
| draftOwner_banned | boolean | | <input type="checkbox"/> | |
| draftOwner_email | string | | <input type="checkbox"/> | |
| draftOwner_fullName | string | | <input type="checkbox"/> | |
| draftOwner_guest | boolean | | <input type="checkbox"/> | |
| draftOwner_id | string | | <input type="checkbox"/> | |
| draftOwner_jabberAccountName | string | | <input type="checkbox"/> | |
| draftOwner_login | string | | <input type="checkbox"/> | |
| draftOwner_online | boolean | | <input type="checkbox"/> | |
| draftOwner_ringId | string | | <input type="checkbox"/> | |
| externalIssue_\$type | string | | <input type="checkbox"/> | |
| externalIssue_id | string | | <input type="checkbox"/> | |
| externalIssue_key | string | | <input type="checkbox"/> | |
| externalIssue_name | string | | <input type="checkbox"/> | |
| externalIssue_url | string | | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_profiles_\$type | string | | <input type="checkbox"/> | |
| owner_profiles_id | string | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|----------|--------------------------|---------------|
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| untagOnResolve | boolean | | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| updateableBy_teamForProject_description | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_shortName | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| updateableBy_teamForProject_template | boolean | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|----------------|--------------------------|---------------|
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Mark Down | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| visibleFor_teamForProject_description | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_shortName | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| visibleFor_teamForProject_template | boolean | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---------------------|-----------|----------------------|--------------------------|---------------|
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

12.1.25 UserIssueSavedQueriesByUserId

Catalog: YouTrack

Schema: Users

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/users/{id}/savedQueries`

Insert YouTrack API URL: `/users/{id}/savedQueries`

Update YouTrack API URL: `/users/{id}/savedQueries`

Delete YouTrack API URL: `/users/{id}/savedQueries`

Field Selection Method: NotRequired

Base Path: `issues[*]`

Select YouTrack API Operation: `get /users/{id}/savedQueries`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `UserIssueSavedQueriesByUserId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `UserIssueSavedQueriesByUserId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|----------|-----------|-------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|------------------------------|-----------|-------------------|--------------------------|---------------|
| \$type | string | | <input type="checkbox"/> | |
| commentsCount | int32 | Comments Count | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| draftOwner_\$type | string | | <input type="checkbox"/> | |
| draftOwner_avatarUrl | string | | <input type="checkbox"/> | |
| draftOwner_banned | boolean | | <input type="checkbox"/> | |
| draftOwner_email | string | | <input type="checkbox"/> | |
| draftOwner_fullName | string | | <input type="checkbox"/> | |
| draftOwner_guest | boolean | | <input type="checkbox"/> | |
| draftOwner_id | string | | <input type="checkbox"/> | |
| draftOwner_jabberAccountName | string | | <input type="checkbox"/> | |
| draftOwner_login | string | | <input type="checkbox"/> | |
| draftOwner_online | boolean | | <input type="checkbox"/> | |
| draftOwner_ringId | string | | <input type="checkbox"/> | |
| externalIssue_\$type | string | | <input type="checkbox"/> | |
| externalIssue_id | string | | <input type="checkbox"/> | |
| externalIssue_key | string | | <input type="checkbox"/> | |
| externalIssue_name | string | | <input type="checkbox"/> | |
| externalIssue_url | string | | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_profiles_\$type | string | | <input type="checkbox"/> | |
| owner_profiles_id | string | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|----------|--------------------------|---------------|
| parent_id | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| query | string | Query | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| updateableBy_teamForProject_description | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|----------------|--------------------------|---------------|
| updateableBy_teamForProject_shortName | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| updateableBy_teamForProject_template | boolean | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Mark Down | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| visibleFor_teamForProject_description | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_shortName | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| visibleFor_teamForProject_template | boolean | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---------------------|-----------|----------------------|--------------------------|---------------|
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

12.1.26 UserIssueTagSavedQueriesByUserId

Catalog: YouTrack

Schema: Users

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/users/{id}/savedQueries`

Insert YouTrack API URL: `/users/{id}/savedQueries`

Update YouTrack API URL: `/users/{id}/savedQueries`

Delete YouTrack API URL: `/users/{id}/savedQueries`

Field Selection Method: NotRequired

Base Path: `issues[*].tags[*]`

Select YouTrack API Operation: `get /users/{id}/savedQueries`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `UserIssueTagSavedQueriesByUserId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `UserIssueTagSavedQueriesByUserId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|------------------------------|-----------|-------------------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type_2 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| commentsCount | int32 | Comments Count | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| draftOwner_\$type | string | | <input type="checkbox"/> | |
| draftOwner_avatarUrl | string | | <input type="checkbox"/> | |
| draftOwner_banned | boolean | | <input type="checkbox"/> | |
| draftOwner_email | string | | <input type="checkbox"/> | |
| draftOwner_fullName | string | | <input type="checkbox"/> | |
| draftOwner_guest | boolean | | <input type="checkbox"/> | |
| draftOwner_id | string | | <input type="checkbox"/> | |
| draftOwner_jabberAccountName | string | | <input type="checkbox"/> | |
| draftOwner_login | string | | <input type="checkbox"/> | |
| draftOwner_online | boolean | | <input type="checkbox"/> | |
| draftOwner_ringId | string | | <input type="checkbox"/> | |
| externalIssue_\$type | string | | <input type="checkbox"/> | |
| externalIssue_id | string | | <input type="checkbox"/> | |
| externalIssue_key | string | | <input type="checkbox"/> | |
| externalIssue_name | string | | <input type="checkbox"/> | |
| externalIssue_url | string | | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| name_1 | string | | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| owner_\$type_1 | string | | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|----------------------------|-----------|----------|--------------------------|---------------|
| owner_id_1 | string | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_name | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_profiles_\$type | string | | <input type="checkbox"/> | |
| owner_profiles_id | string | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| owner_untagOnResolve | boolean | | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| query | string | Query | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| untagOnResolve | boolean | | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|----------------|--------------------------|---------------|
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| updateableBy_teamForProject_description | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_shortcodeName | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| updateableBy_teamForProject_template | boolean | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Mark Down | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_archived | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|----------------------|--------------------------|---------------|
| visibleFor_teamForProject_description | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_shortName | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| visibleFor_teamForProject_template | boolean | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

12.1.27 UserIssueTagsByUserId

Catalog: YouTrack

Schema: Users

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/users/{id}/tags`

Insert YouTrack API URL: `/users/{id}/tags`

Update YouTrack API URL: `/users/{id}/tags`

Delete YouTrack API URL: `/users/{id}/tags`

Field Selection Method: NotRequired

Base Path: `issues[*]`

Select YouTrack API Operation: `get /users/{id}/tags`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `UserIssueTagsByUserId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a

pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `UserIssueTagsByUserId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|------------------------------|-----------|----------------|--------------------------|---------------|
| \$type_1 | string | | <input type="checkbox"/> | |
| \$type | string | | <input type="checkbox"/> | |
| color_\$type | string | | <input type="checkbox"/> | |
| color_background | string | | <input type="checkbox"/> | |
| color_foreground | string | | <input type="checkbox"/> | |
| color_id | string | | <input type="checkbox"/> | |
| commentsCount | int32 | Comments Count | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| description | string | Description | <input type="checkbox"/> | |
| draftOwner_\$type | string | | <input type="checkbox"/> | |
| draftOwner_avatarUrl | string | | <input type="checkbox"/> | |
| draftOwner_banned | boolean | | <input type="checkbox"/> | |
| draftOwner_email | string | | <input type="checkbox"/> | |
| draftOwner_fullName | string | | <input type="checkbox"/> | |
| draftOwner_guest | boolean | | <input type="checkbox"/> | |
| draftOwner_id | string | | <input type="checkbox"/> | |
| draftOwner_jabberAccountName | string | | <input type="checkbox"/> | |
| draftOwner_login | string | | <input type="checkbox"/> | |
| draftOwner_online | boolean | | <input type="checkbox"/> | |
| draftOwner_ringId | string | | <input type="checkbox"/> | |
| externalIssue_\$type | string | | <input type="checkbox"/> | |
| externalIssue_id | string | | <input type="checkbox"/> | |
| externalIssue_key | string | | <input type="checkbox"/> | |
| externalIssue_name | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|----------------------------|-----------|-------------------|--------------------------|---------------|
| externalIssue_url | string | | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_profiles_\$type | string | | <input type="checkbox"/> | |
| owner_profiles_id | string | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|---------------|--------------------------|---------------|
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| untagOnResolve | boolean | | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| updateableBy_teamForProject_description | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_shortName | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| updateableBy_teamForProject_template | boolean | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Markdown | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|----------------------|--------------------------|---------------|
| visibility_id | string | | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_archiveId | boolean | | <input type="checkbox"/> | |
| visibleFor_teamForProject_description | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_shortName | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| visibleFor_teamForProject_template | boolean | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

12.1.28 UserIssueTagsByUserId1

Catalog: YouTrack

Schema: Users

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/users/{id}/tags`

Insert YouTrack API URL: `/users/{id}/tags`

Update YouTrack API URL: `/users/{id}/tags`

Delete YouTrack API URL: `/users/{id}/tags`

Field Selection Method: NotRequired

Base Path: `issues[*].tags[*]`

Select YouTrack API Operation: `get /users/{id}/tags`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `UserIssueTagsByUserId1`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `UserIssueTagsByUserId1` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|-----------------------------------|-----------|----------------|--------------------------|---------------|
| <code>\$type_1</code> | string | | <input type="checkbox"/> | |
| <code>\$type_2</code> | string | | <input type="checkbox"/> | |
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>color_\$type</code> | string | | <input type="checkbox"/> | |
| <code>color_background</code> | string | | <input type="checkbox"/> | |
| <code>color_foreground</code> | string | | <input type="checkbox"/> | |
| <code>color_id</code> | string | | <input type="checkbox"/> | |
| <code>commentsCount</code> | int32 | Comments Count | <input type="checkbox"/> | |
| <code>created</code> | int64 | Created | <input type="checkbox"/> | |
| <code>description</code> | string | Description | <input type="checkbox"/> | |
| <code>draftOwner_\$type</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_avatarUrl</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_banned</code> | boolean | | <input type="checkbox"/> | |
| <code>draftOwner_email</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_fullName</code> | string | | <input type="checkbox"/> | |
| <code>draftOwner_guest</code> | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|------------------------------|-----------|-------------------|--------------------------|---------------|
| draftOwner_id | string | | <input type="checkbox"/> | |
| draftOwner_jabberAccountName | string | | <input type="checkbox"/> | |
| draftOwner_login | string | | <input type="checkbox"/> | |
| draftOwner_online | boolean | | <input type="checkbox"/> | |
| draftOwner_ringId | string | | <input type="checkbox"/> | |
| externalIssue_\$type | string | | <input type="checkbox"/> | |
| externalIssue_id | string | | <input type="checkbox"/> | |
| externalIssue_key | string | | <input type="checkbox"/> | |
| externalIssue_name | string | | <input type="checkbox"/> | |
| externalIssue_url | string | | <input type="checkbox"/> | |
| id_1 | string | | <input type="checkbox"/> | |
| id_2 | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| idReadable | string | Readable ID | <input type="checkbox"/> | |
| isDraft | boolean | Is Draft | <input type="checkbox"/> | |
| name_1 | string | | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| numberInProject | int64 | Number in Project | <input type="checkbox"/> | |
| owner_\$type_1 | string | | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id_1 | string | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_name | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_profiles_\$type | string | | <input type="checkbox"/> | |
| owner_profiles_id | string | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| owner_untagOnResolve | boolean | | <input type="checkbox"/> | |
| parent_\$type | string | | <input type="checkbox"/> | |
| parent_direction | string | | <input type="checkbox"/> | |
| parent_id | string | | <input type="checkbox"/> | |
| project_archived | boolean | | <input type="checkbox"/> | |
| project_description | string | | <input type="checkbox"/> | |
| project_fromEmail | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|----------|--------------------------|---------------|
| project_iconUrl | string | | <input type="checkbox"/> | |
| project_replyToEmail | string | | <input type="checkbox"/> | |
| project_shortName | string | | <input type="checkbox"/> | |
| project_startingNumber | int64 | | <input type="checkbox"/> | |
| project_template | boolean | | <input type="checkbox"/> | |
| reporter_\$type | string | | <input type="checkbox"/> | |
| reporter_avatarUrl | string | | <input type="checkbox"/> | |
| reporter_banned | boolean | | <input type="checkbox"/> | |
| reporter_email | string | | <input type="checkbox"/> | |
| reporter_fullName | string | | <input type="checkbox"/> | |
| reporter_guest | boolean | | <input type="checkbox"/> | |
| reporter_id | string | | <input type="checkbox"/> | |
| reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| reporter_login | string | | <input type="checkbox"/> | |
| reporter_online | boolean | | <input type="checkbox"/> | |
| reporter_ringId | string | | <input type="checkbox"/> | |
| resolved | int64 | Resolved | <input type="checkbox"/> | |
| subtasks_\$type | string | | <input type="checkbox"/> | |
| subtasks_direction | string | | <input type="checkbox"/> | |
| subtasks_id | string | | <input type="checkbox"/> | |
| summary | string | Summary | <input type="checkbox"/> | |
| untagOnResolve_1 | boolean | | <input type="checkbox"/> | |
| untagOnResolve | boolean | | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| updateableBy_teamForProject_description | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_shortName | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|---------------|--------------------------|---------------|
| updateableBy_teamForProject_template | boolean | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| updater_\$type | string | | <input type="checkbox"/> | |
| updater_avatarUrl | string | | <input type="checkbox"/> | |
| updater_banned | boolean | | <input type="checkbox"/> | |
| updater_email | string | | <input type="checkbox"/> | |
| updater_fullName | string | | <input type="checkbox"/> | |
| updater_guest | boolean | | <input type="checkbox"/> | |
| updater_id | string | | <input type="checkbox"/> | |
| updater_jabberAccountName | string | | <input type="checkbox"/> | |
| updater_login | string | | <input type="checkbox"/> | |
| updater_online | boolean | | <input type="checkbox"/> | |
| updater_ringId | string | | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Markdown | <input type="checkbox"/> | |
| visibility_\$type | string | | <input type="checkbox"/> | |
| visibility_id | string | | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| visibleFor_teamForProject_description | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_shortName | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| visibleFor_teamForProject_template | boolean | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |
| voters_\$type | string | | <input type="checkbox"/> | |
| voters_hasVote | boolean | | <input type="checkbox"/> | |
| voters_id | string | | <input type="checkbox"/> | |
| votes | int32 | Votes | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---------------------|-----------|----------------------|--------------------------|---------------|
| watchers_\$type | string | | <input type="checkbox"/> | |
| watchers_hasStar | boolean | | <input type="checkbox"/> | |
| watchers_id | string | | <input type="checkbox"/> | |
| wikifiedDescription | string | Wikified Description | <input type="checkbox"/> | |

12.1.29 UserNotificationProfilesBySprintId

Catalog: YouTrack

Schema: Users

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/users/{id}/profiles/notifications`

Insert YouTrack API URL: `/users/{id}/profiles/notifications`

Update YouTrack API URL: `/users/{id}/profiles/notifications`

Delete YouTrack API URL: `/users/{id}/profiles/notifications`

Field Selection Method: NotRequired

Select YouTrack API Operation: `get /users/{id}/profiles/notifications`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `UserNotificationProfilesBySprintId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `UserNotificationProfilesBySprintId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|--|-----------|------------------------------|--------------------------|---------------|
| \$type | string | | <input type="checkbox"/> | |
| autoWatchOnComment | boolean | Auto-watch on Comment | <input type="checkbox"/> | |
| autoWatchOnCreate | boolean | Auto-watch on Create | <input type="checkbox"/> | |
| autoWatchOnUpdate | boolean | Auto-watch on Update | <input type="checkbox"/> | |
| autoWatchOnVote | boolean | Auto-watch on Vote | <input type="checkbox"/> | |
| duplicateClusterNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| emailNotificationsEnabled | boolean | Email Notifications Enabled | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| jabberNotificationsEnabled | boolean | Jabber Notifications Enabled | <input type="checkbox"/> | |
| mailboxIntegrationNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| mentionNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| notifyOnOwnChanges | boolean | Notify on Own Changes | <input type="checkbox"/> | |
| usePlainTextEmails | boolean | Use Plain-text Emails | <input type="checkbox"/> | |

12.1.30 Users: YouTrack Users

Catalog: YouTrack

Schema: Users

Label: Users

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/users`

Insert YouTrack API URL: `/users`

Update YouTrack API URL: `/users`

Delete YouTrack API URL: `/users`

Field Selection Method: `NotRequired`

Select YouTrack API Operation: `get /users`

Table Function Columns

The columns of the table function `Users` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|-----------|-----------|--------------|--------------------------|---------------|
| \$type | string | | <input type="checkbox"/> | |
| avatarUrl | string | Avatar (URL) | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---|-----------|---------------------|--------------------------|---------------|
| banned | boolean | Banned | <input type="checkbox"/> | |
| email | string | Email | <input type="checkbox"/> | |
| fullName | string | Full Name | <input type="checkbox"/> | |
| guest | boolean | Guest | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| jabberAccountName | string | Jabber Account Name | <input type="checkbox"/> | |
| login | string | Login | <input type="checkbox"/> | |
| online | boolean | Online | <input type="checkbox"/> | |
| profiles_\$type | string | | <input type="checkbox"/> | |
| profiles_general_\$type | string | | <input type="checkbox"/> | |
| profiles_general_id | string | | <input type="checkbox"/> | |
| profiles_id | string | | <input type="checkbox"/> | |
| profiles_notifications_\$type | string | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnComment | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnCreate | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnUpdate | boolean | | <input type="checkbox"/> | |
| profiles_notifications_autoWatchOnVote | boolean | | <input type="checkbox"/> | |
| profiles_notifications_duplicateClusterNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_emailNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_id | string | | <input type="checkbox"/> | |
| profiles_notifications_jabberNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_mailboxIntegrationNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_mentionNotificationsEnabled | boolean | | <input type="checkbox"/> | |
| profiles_notifications_notifyOnOwnChanges | boolean | | <input type="checkbox"/> | |
| profiles_notifications_usePlainTextEmails | boolean | | <input type="checkbox"/> | |
| profiles_timetracking_\$type | string | | <input type="checkbox"/> | |
| profiles_timetracking_id | string | | <input type="checkbox"/> | |
| ringId | string | Ring ID | <input type="checkbox"/> | |

12.1.31 UserSavedQueriesByUserId

Catalog: YouTrack

Schema: Users

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/users/{id}/savedQueries`

Insert YouTrack API URL: `/users/{id}/savedQueries`

Update YouTrack API URL: `/users/{id}/savedQueries`

Delete YouTrack API URL: `/users/{id}/savedQueries`

Field Selection Method: `NotRequired`

Select YouTrack API Operation: `get /users/{id}/savedQueries`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `UserSavedQueriesByUserId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `UserSavedQueriesByUserId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|-----------------|-----------|-------|--------------------------|---------------|
| \$type | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| name | string | Name | <input type="checkbox"/> | |
| owner_\$type | string | | <input type="checkbox"/> | |
| owner_avatarUrl | string | | <input type="checkbox"/> | |
| owner_banned | boolean | | <input type="checkbox"/> | |
| owner_email | string | | <input type="checkbox"/> | |
| owner_fullName | string | | <input type="checkbox"/> | |
| owner_guest | boolean | | <input type="checkbox"/> | |
| owner_id | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|-------|--------------------------|---------------|
| owner_jabberAccountName | string | | <input type="checkbox"/> | |
| owner_login | string | | <input type="checkbox"/> | |
| owner_online | boolean | | <input type="checkbox"/> | |
| owner_profiles_\$type | string | | <input type="checkbox"/> | |
| owner_profiles_id | string | | <input type="checkbox"/> | |
| owner_ringId | string | | <input type="checkbox"/> | |
| query | string | Query | <input type="checkbox"/> | |
| updateableBy_\$type | string | | <input type="checkbox"/> | |
| updateableBy_allUsersGroup | boolean | | <input type="checkbox"/> | |
| updateableBy_icon | string | | <input type="checkbox"/> | |
| updateableBy_id | string | | <input type="checkbox"/> | |
| updateableBy_name | string | | <input type="checkbox"/> | |
| updateableBy_ringId | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| updateableBy_teamForProject_description | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_shortName | string | | <input type="checkbox"/> | |
| updateableBy_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| updateableBy_teamForProject_template | boolean | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| visibleFor_teamForProject_description | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|-------|--------------------------|---------------|
| visibleFor_teamForProject_shortName | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| visibleFor_teamForProject_template | boolean | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |

12.1.32 UserTagsByUserId

Catalog: YouTrack

Schema: Users

This is a read-only table function. The YouTrack API may not support changing the data or the Invariantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/users/{id}/tags`

Insert YouTrack API URL: `/users/{id}/tags`

Update YouTrack API URL: `/users/{id}/tags`

Delete YouTrack API URL: `/users/{id}/tags`

Field Selection Method: NotRequired

Select YouTrack API Operation: `get /users/{id}/tags`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `UserTagsByUserId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `UserTagsByUserId` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|---|-----------|-------|--------------------------|---------------|
| <code>\$type</code> | string | | <input type="checkbox"/> | |
| <code>color_\$type</code> | string | | <input type="checkbox"/> | |
| <code>color_background</code> | string | | <input type="checkbox"/> | |
| <code>color_foreground</code> | string | | <input type="checkbox"/> | |
| <code>color_id</code> | string | | <input type="checkbox"/> | |
| <code>id</code> | string | ID | <input type="checkbox"/> | |
| <code>name</code> | string | Name | <input type="checkbox"/> | |
| <code>owner_\$type</code> | string | | <input type="checkbox"/> | |
| <code>owner_avatarUrl</code> | string | | <input type="checkbox"/> | |
| <code>owner_banned</code> | boolean | | <input type="checkbox"/> | |
| <code>owner_email</code> | string | | <input type="checkbox"/> | |
| <code>owner_fullName</code> | string | | <input type="checkbox"/> | |
| <code>owner_guest</code> | boolean | | <input type="checkbox"/> | |
| <code>owner_id</code> | string | | <input type="checkbox"/> | |
| <code>owner_jabberAccountName</code> | string | | <input type="checkbox"/> | |
| <code>owner_login</code> | string | | <input type="checkbox"/> | |
| <code>owner_online</code> | boolean | | <input type="checkbox"/> | |
| <code>owner_profiles_\$type</code> | string | | <input type="checkbox"/> | |
| <code>owner_profiles_id</code> | string | | <input type="checkbox"/> | |
| <code>owner_ringId</code> | string | | <input type="checkbox"/> | |
| <code>untagOnResolve</code> | boolean | | <input type="checkbox"/> | |
| <code>updateableBy_\$type</code> | string | | <input type="checkbox"/> | |
| <code>updateableBy_allUsersGroup</code> | boolean | | <input type="checkbox"/> | |
| <code>updateableBy_icon</code> | string | | <input type="checkbox"/> | |
| <code>updateableBy_id</code> | string | | <input type="checkbox"/> | |
| <code>updateableBy_name</code> | string | | <input type="checkbox"/> | |
| <code>updateableBy_ringId</code> | string | | <input type="checkbox"/> | |
| <code>updateableBy_teamForProject_archived</code> | boolean | | <input type="checkbox"/> | |
| <code>updateableBy_teamForProject_description</code> | string | | <input type="checkbox"/> | |
| <code>updateableBy_teamForProject_fromEmail</code> | string | | <input type="checkbox"/> | |
| <code>updateableBy_teamForProject_iconUrl</code> | string | | <input type="checkbox"/> | |
| <code>updateableBy_teamForProject_replyToEmail</code> | string | | <input type="checkbox"/> | |
| <code>updateableBy_teamForProject_shortcodeName</code> | string | | <input type="checkbox"/> | |
| <code>updateableBy_teamForProject_startingNumber</code> | int64 | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|--|-----------|-------|--------------------------|---------------|
| updateableBy_teamForProject_template | boolean | | <input type="checkbox"/> | |
| updateableBy_usersCount | int64 | | <input type="checkbox"/> | |
| visibleFor_\$type | string | | <input type="checkbox"/> | |
| visibleFor_allUsersGroup | boolean | | <input type="checkbox"/> | |
| visibleFor_icon | string | | <input type="checkbox"/> | |
| visibleFor_id | string | | <input type="checkbox"/> | |
| visibleFor_name | string | | <input type="checkbox"/> | |
| visibleFor_ringId | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_archived | boolean | | <input type="checkbox"/> | |
| visibleFor_teamForProject_description | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_fromEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_iconUrl | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_replyToEmail | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_shortName | string | | <input type="checkbox"/> | |
| visibleFor_teamForProject_startingNumber | int64 | | <input type="checkbox"/> | |
| visibleFor_teamForProject_template | boolean | | <input type="checkbox"/> | |
| visibleFor_usersCount | int64 | | <input type="checkbox"/> | |

12.1.33 WorkItemById

Catalog: YouTrack

Schema: Users

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/workItems/{id}`

Insert YouTrack API URL: `/workItems/{id}`

Update YouTrack API URL: `/workItems/{id}`

Delete YouTrack API URL: `/workItems/{id}`

Field Selection Method: NotRequired

Select YouTrack API Operation: `get /workItems/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `WorkItemById`. A value must be provided at all times for required parameters, but optional

parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with ``select * from table(name1 => value1, name3 => value3)`` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|------|-----------|-------------------------------------|---------------|---------------|
| id | string | <input checked="" type="checkbox"/> | | |

Table Function Columns

The columns of the table function `workItemById` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|---------------------------|-----------|---------|--------------------------|---------------|
| \$type | string | | <input type="checkbox"/> | |
| author_\$type | string | | <input type="checkbox"/> | |
| author_avatarUrl | string | | <input type="checkbox"/> | |
| author_banned | boolean | | <input type="checkbox"/> | |
| author_email | string | | <input type="checkbox"/> | |
| author_fullName | string | | <input type="checkbox"/> | |
| author_guest | boolean | | <input type="checkbox"/> | |
| author_id | string | | <input type="checkbox"/> | |
| author_jabberAccountName | string | | <input type="checkbox"/> | |
| author_login | string | | <input type="checkbox"/> | |
| author_online | boolean | | <input type="checkbox"/> | |
| author_profiles_\$type | string | | <input type="checkbox"/> | |
| author_profiles_id | string | | <input type="checkbox"/> | |
| author_ringId | string | | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| creator_\$type | string | | <input type="checkbox"/> | |
| creator_avatarUrl | string | | <input type="checkbox"/> | |
| creator_banned | boolean | | <input type="checkbox"/> | |
| creator_email | string | | <input type="checkbox"/> | |
| creator_fullName | string | | <input type="checkbox"/> | |
| creator_guest | boolean | | <input type="checkbox"/> | |
| creator_id | string | | <input type="checkbox"/> | |
| creator_jabberAccountName | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---------------------------------|-----------|-------|--------------------------|---------------|
| creator_login | string | | <input type="checkbox"/> | |
| creator_online | boolean | | <input type="checkbox"/> | |
| creator_profiles_\$type | string | | <input type="checkbox"/> | |
| creator_profiles_id | string | | <input type="checkbox"/> | |
| creator_ringId | string | | <input type="checkbox"/> | |
| date | int64 | Date | <input type="checkbox"/> | |
| duration_\$type | string | | <input type="checkbox"/> | |
| duration_id | string | | <input type="checkbox"/> | |
| duration_minutes | int32 | | <input type="checkbox"/> | |
| duration_presentation | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| issue_\$type | string | | <input type="checkbox"/> | |
| issue_commentsCount | int32 | | <input type="checkbox"/> | |
| issue_created | int64 | | <input type="checkbox"/> | |
| issue_description | string | | <input type="checkbox"/> | |
| issue_drafter_\$type | string | | <input type="checkbox"/> | |
| issue_drafter_avatarUrl | string | | <input type="checkbox"/> | |
| issue_drafter_banned | boolean | | <input type="checkbox"/> | |
| issue_drafter_email | string | | <input type="checkbox"/> | |
| issue_drafter_fullName | string | | <input type="checkbox"/> | |
| issue_drafter_guest | boolean | | <input type="checkbox"/> | |
| issue_drafter_id | string | | <input type="checkbox"/> | |
| issue_drafter_jabberAccountName | string | | <input type="checkbox"/> | |
| issue_drafter_login | string | | <input type="checkbox"/> | |
| issue_drafter_online | boolean | | <input type="checkbox"/> | |
| issue_drafter_ringId | string | | <input type="checkbox"/> | |
| issue_externalIssue_\$type | string | | <input type="checkbox"/> | |
| issue_externalIssue_id | string | | <input type="checkbox"/> | |
| issue_externalIssue_key | string | | <input type="checkbox"/> | |
| issue_externalIssue_name | string | | <input type="checkbox"/> | |
| issue_externalIssue_url | string | | <input type="checkbox"/> | |
| issue_id | string | | <input type="checkbox"/> | |
| issue_idReadable | string | | <input type="checkbox"/> | |
| issue_isDraft | boolean | | <input type="checkbox"/> | |
| issue_numberInProject | int64 | | <input type="checkbox"/> | |
| issue_parent_\$type | string | | <input type="checkbox"/> | |
| issue_parent_direction | string | | <input type="checkbox"/> | |
| issue_parent_id | string | | <input type="checkbox"/> | |
| issue_project_archived | boolean | | <input type="checkbox"/> | |
| issue_project_description | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|----------------------------------|-----------|-------|--------------------------|---------------|
| issue_project_fromEmail | string | | <input type="checkbox"/> | |
| issue_project_iconUrl | string | | <input type="checkbox"/> | |
| issue_project_replyToEmail | string | | <input type="checkbox"/> | |
| issue_project_shortName | string | | <input type="checkbox"/> | |
| issue_project_startingNumber | int64 | | <input type="checkbox"/> | |
| issue_project_template | boolean | | <input type="checkbox"/> | |
| issue_reporter_\$type | string | | <input type="checkbox"/> | |
| issue_reporter_avatarUrl | string | | <input type="checkbox"/> | |
| issue_reporter_banned | boolean | | <input type="checkbox"/> | |
| issue_reporter_email | string | | <input type="checkbox"/> | |
| issue_reporter_fullName | string | | <input type="checkbox"/> | |
| issue_reporter_guest | boolean | | <input type="checkbox"/> | |
| issue_reporter_id | string | | <input type="checkbox"/> | |
| issue_reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| issue_reporter_login | string | | <input type="checkbox"/> | |
| issue_reporter_online | boolean | | <input type="checkbox"/> | |
| issue_reporter_ringId | string | | <input type="checkbox"/> | |
| issue_resolved | int64 | | <input type="checkbox"/> | |
| issue_subtasks_\$type | string | | <input type="checkbox"/> | |
| issue_subtasks_direction | string | | <input type="checkbox"/> | |
| issue_subtasks_id | string | | <input type="checkbox"/> | |
| issue_summary | string | | <input type="checkbox"/> | |
| issue_updated | int64 | | <input type="checkbox"/> | |
| issue_updater_\$type | string | | <input type="checkbox"/> | |
| issue_updater_avatarUrl | string | | <input type="checkbox"/> | |
| issue_updater_banned | boolean | | <input type="checkbox"/> | |
| issue_updater_email | string | | <input type="checkbox"/> | |
| issue_updater_fullName | string | | <input type="checkbox"/> | |
| issue_updater_guest | boolean | | <input type="checkbox"/> | |
| issue_updater_id | string | | <input type="checkbox"/> | |
| issue_updater_jabberAccountName | string | | <input type="checkbox"/> | |
| issue_updater_login | string | | <input type="checkbox"/> | |
| issue_updater_online | boolean | | <input type="checkbox"/> | |
| issue_updater_ringId | string | | <input type="checkbox"/> | |
| issue_usesMarkdown | boolean | | <input type="checkbox"/> | |
| issue_visibility_\$type | string | | <input type="checkbox"/> | |
| issue_visibility_id | string | | <input type="checkbox"/> | |
| issue_voters_\$type | string | | <input type="checkbox"/> | |
| issue_voters_hasVote | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---------------------------|-----------|----------------|--------------------------|---------------|
| issue_voters_id | string | | <input type="checkbox"/> | |
| issue_votes | int32 | | <input type="checkbox"/> | |
| issue_watchers_\$type | string | | <input type="checkbox"/> | |
| issue_watchers_hasStar | boolean | | <input type="checkbox"/> | |
| issue_watchers_id | string | | <input type="checkbox"/> | |
| issue_wikifiedDescription | string | | <input type="checkbox"/> | |
| text | string | Text | <input type="checkbox"/> | |
| textPreview | string | Text Preview | <input type="checkbox"/> | |
| type_\$type | string | | <input type="checkbox"/> | |
| type_autoAttached | boolean | | <input type="checkbox"/> | |
| type_id | string | | <input type="checkbox"/> | |
| type_name | string | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Mark Down | <input type="checkbox"/> | |

12.1.34 WorkItems: YouTrack Work Items

Catalog: YouTrack

Schema: Users

Label: Work Items

This is a read-only table function. The YouTrack API may not support changing the data or the Invariant SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/workItems`

Insert YouTrack API URL: `/workItems`

Update YouTrack API URL: `/workItems`

Delete YouTrack API URL: `/workItems`

Field Selection Method: NotRequired

Select YouTrack API Operation: `get /workItems`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `WorkItems`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with ``select * from table(value1, value2, value3)`` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

| Name | Data Type | Required | Default Value | Documentation |
|--------------|-----------|--------------------------|---------------|--|
| author | string | <input type="checkbox"/> | | Parameter to filter work items by their author. Could specify few values of database id or login or Hub id or 'me' for current logged in user |
| createdEnd | int32 | <input type="checkbox"/> | | The end timestamp of the interval for work items created date. |
| createdStart | int32 | <input type="checkbox"/> | | The start timestamp of the interval for work items created date. |
| creator | string | <input type="checkbox"/> | | Parameter to filter work items by their creator. Could specify few values of database id or login or Hub id or 'me' for current logged in user |
| end | int32 | <input type="checkbox"/> | | The end timestamp of the interval for work items date. |
| endDate | datetime | <input type="checkbox"/> | | The end date of the interval for work items date. |
| query | string | <input type="checkbox"/> | | Issues search query. Read more about search syntax here: Search Query Reference |
| start | int32 | <input type="checkbox"/> | | The start timestamp of the interval for work items date. |
| startDate | datetime | <input type="checkbox"/> | | The start date of the interval for work items date. |
| updatedEnd | int32 | <input type="checkbox"/> | | The end timestamp of the interval for work items updated date. |
| updatedStart | int32 | <input type="checkbox"/> | | The start timestamp of the interval for work items updated date. |

Table Function Columns

The columns of the table function `workItems` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|------------------|-----------|-------|--------------------------|---------------|
| \$type | string | | <input type="checkbox"/> | |
| author_\$type | string | | <input type="checkbox"/> | |
| author_avatarUrl | string | | <input type="checkbox"/> | |
| author_banned | boolean | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|----------------------------|-----------|---------|--------------------------|---------------|
| author_email | string | | <input type="checkbox"/> | |
| author_fullName | string | | <input type="checkbox"/> | |
| author_guest | boolean | | <input type="checkbox"/> | |
| author_id | string | | <input type="checkbox"/> | |
| author_jabberAccountName | string | | <input type="checkbox"/> | |
| author_login | string | | <input type="checkbox"/> | |
| author_online | boolean | | <input type="checkbox"/> | |
| author_profiles_\$type | string | | <input type="checkbox"/> | |
| author_profiles_id | string | | <input type="checkbox"/> | |
| author_ringId | string | | <input type="checkbox"/> | |
| created | int64 | Created | <input type="checkbox"/> | |
| creator_\$type | string | | <input type="checkbox"/> | |
| creator_avatarUrl | string | | <input type="checkbox"/> | |
| creator_banned | boolean | | <input type="checkbox"/> | |
| creator_email | string | | <input type="checkbox"/> | |
| creator_fullName | string | | <input type="checkbox"/> | |
| creator_guest | boolean | | <input type="checkbox"/> | |
| creator_id | string | | <input type="checkbox"/> | |
| creator_jabberAccountName | string | | <input type="checkbox"/> | |
| creator_login | string | | <input type="checkbox"/> | |
| creator_online | boolean | | <input type="checkbox"/> | |
| creator_profiles_\$type | string | | <input type="checkbox"/> | |
| creator_profiles_id | string | | <input type="checkbox"/> | |
| creator_ringId | string | | <input type="checkbox"/> | |
| date | int64 | Date | <input type="checkbox"/> | |
| duration_\$type | string | | <input type="checkbox"/> | |
| duration_id | string | | <input type="checkbox"/> | |
| duration_minutes | int32 | | <input type="checkbox"/> | |
| duration_presentation | string | | <input type="checkbox"/> | |
| id | string | ID | <input type="checkbox"/> | |
| issue_\$type | string | | <input type="checkbox"/> | |
| issue_commentsCount | int32 | | <input type="checkbox"/> | |
| issue_created | int64 | | <input type="checkbox"/> | |
| issue_description | string | | <input type="checkbox"/> | |
| issue_draftOwner_\$type | string | | <input type="checkbox"/> | |
| issue_draftOwner_avatarUrl | string | | <input type="checkbox"/> | |
| issue_draftOwner_banned | boolean | | <input type="checkbox"/> | |
| issue_draftOwner_email | string | | <input type="checkbox"/> | |
| issue_draftOwner_fullName | string | | <input type="checkbox"/> | |
| issue_draftOwner_guest | boolean | | <input type="checkbox"/> | |
| issue_draftOwner_id | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|------------------------------------|-----------|-------|--------------------------|---------------|
| issue_draftOwner_jabberAccountName | string | | <input type="checkbox"/> | |
| issue_draftOwner_login | string | | <input type="checkbox"/> | |
| issue_draftOwner_online | boolean | | <input type="checkbox"/> | |
| issue_draftOwner_ringId | string | | <input type="checkbox"/> | |
| issue_externalIssue_\$type | string | | <input type="checkbox"/> | |
| issue_externalIssue_id | string | | <input type="checkbox"/> | |
| issue_externalIssue_key | string | | <input type="checkbox"/> | |
| issue_externalIssue_name | string | | <input type="checkbox"/> | |
| issue_externalIssue_url | string | | <input type="checkbox"/> | |
| issue_id | string | | <input type="checkbox"/> | |
| issue_idReadable | string | | <input type="checkbox"/> | |
| issue_isDraft | boolean | | <input type="checkbox"/> | |
| issue_numberInProject | int64 | | <input type="checkbox"/> | |
| issue_parent_\$type | string | | <input type="checkbox"/> | |
| issue_parent_direction | string | | <input type="checkbox"/> | |
| issue_parent_id | string | | <input type="checkbox"/> | |
| issue_project_archived | boolean | | <input type="checkbox"/> | |
| issue_project_description | string | | <input type="checkbox"/> | |
| issue_project_fromEmail | string | | <input type="checkbox"/> | |
| issue_project_iconUrl | string | | <input type="checkbox"/> | |
| issue_project_replyToEmail | string | | <input type="checkbox"/> | |
| issue_project_shortName | string | | <input type="checkbox"/> | |
| issue_project_startingNumber | int64 | | <input type="checkbox"/> | |
| issue_project_template | boolean | | <input type="checkbox"/> | |
| issue_reporter_\$type | string | | <input type="checkbox"/> | |
| issue_reporter_avatarUrl | string | | <input type="checkbox"/> | |
| issue_reporter_banned | boolean | | <input type="checkbox"/> | |
| issue_reporter_email | string | | <input type="checkbox"/> | |
| issue_reporter_fullName | string | | <input type="checkbox"/> | |
| issue_reporter_guest | boolean | | <input type="checkbox"/> | |
| issue_reporter_id | string | | <input type="checkbox"/> | |
| issue_reporter_jabberAccountName | string | | <input type="checkbox"/> | |
| issue_reporter_login | string | | <input type="checkbox"/> | |
| issue_reporter_online | boolean | | <input type="checkbox"/> | |
| issue_reporter_ringId | string | | <input type="checkbox"/> | |
| issue_resolved | int64 | | <input type="checkbox"/> | |
| issue_subtasks_\$type | string | | <input type="checkbox"/> | |
| issue_subtasks_direction | string | | <input type="checkbox"/> | |
| issue_subtasks_id | string | | <input type="checkbox"/> | |

| Name | Data Type | Label | Required | Documentation |
|---------------------------------|-----------|----------------|--------------------------|---------------|
| issue_summary | string | | <input type="checkbox"/> | |
| issue_updated | int64 | | <input type="checkbox"/> | |
| issue_updater_\$type | string | | <input type="checkbox"/> | |
| issue_updater_avatarUrl | string | | <input type="checkbox"/> | |
| issue_updater_banned | boolean | | <input type="checkbox"/> | |
| issue_updater_email | string | | <input type="checkbox"/> | |
| issue_updater_fullName | string | | <input type="checkbox"/> | |
| issue_updater_guest | boolean | | <input type="checkbox"/> | |
| issue_updater_id | string | | <input type="checkbox"/> | |
| issue_updater_jabberAccountName | string | | <input type="checkbox"/> | |
| issue_updater_login | string | | <input type="checkbox"/> | |
| issue_updater_online | boolean | | <input type="checkbox"/> | |
| issue_updater_ringId | string | | <input type="checkbox"/> | |
| issue_usesMarkdown | boolean | | <input type="checkbox"/> | |
| issue_visibility_\$type | string | | <input type="checkbox"/> | |
| issue_visibility_id | string | | <input type="checkbox"/> | |
| issue_voters_\$type | string | | <input type="checkbox"/> | |
| issue_voters_hasVote | boolean | | <input type="checkbox"/> | |
| issue_voters_id | string | | <input type="checkbox"/> | |
| issue_votes | int32 | | <input type="checkbox"/> | |
| issue_watchers_\$type | string | | <input type="checkbox"/> | |
| issue_watchers_hasStar | boolean | | <input type="checkbox"/> | |
| issue_watchers_id | string | | <input type="checkbox"/> | |
| issue_wikifiedDescription | string | | <input type="checkbox"/> | |
| text | string | Text | <input type="checkbox"/> | |
| textPreview | string | Text Preview | <input type="checkbox"/> | |
| type_\$type | string | | <input type="checkbox"/> | |
| type_autoAttached | boolean | | <input type="checkbox"/> | |
| type_id | string | | <input type="checkbox"/> | |
| type_name | string | | <input type="checkbox"/> | |
| updated | int64 | Updated | <input type="checkbox"/> | |
| usesMarkdown | boolean | Uses Mark Down | <input type="checkbox"/> | |

13 Schema: Views

13.1 Views

13.1.1 IDTypes

Each YouTrack ID consists of an entity ID, a dash as separator and a sequence number. IDTypes maps the entity ID of YouTrack IDs to an entity name.

Catalog: YouTrack

Schema: Views

This is a read-only view. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

View Columns

The columns of the view `IDTypes` are shown below. Each column has an SQL data type.

| Name | Data Type | Label | Required | Documentation |
|-------------|------------|-------------|-------------------------------------|---------------|
| DESCRIPTION | string(80) | Description | <input checked="" type="checkbox"/> | |
| ID | int16 | ID | <input checked="" type="checkbox"/> | |

Index

- \$ -

\$type 15, 17, 18, 20, 22, 23, 24, 26, 30, 34, 38, 41, 45, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 65, 72, 79, 85, 91, 97, 101, 108, 114, 120, 126, 133, 140, 146, 152, 157, 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 262, 264, 266, 268, 273, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 361, 363, 368, 374, 375, 376, 377, 378, 379, 380, 382, 383, 384, 386, 387, 389, 390, 392, 393, 394, 395, 396, 398, 399, 400, 401, 402, 404, 405, 406, 408, 410, 411, 413, 414, 415, 416, 418, 420, 421, 423, 426, 427, 429, 430, 432, 433, 434, 435, 436, 437, 438, 441, 444, 445, 448, 451, 454, 457, 459, 461, 464, 466, 470, 472, 474, 477, 479, 482, 485, 486, 488, 489, 491, 492, 494, 495, 500, 506, 512, 517, 523, 528, 533, 537, 541, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 654, 656, 658, 661, 662, 665, 667, 670, 672, 673, 675, 678, 680, 683, 686, 689, 691, 693, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741, 746, 747, 748, 751, 753, 755, \$type_1 20, 26, 30, 34, 38, 41, 45, 57, 58, 65, 72, 79, 91, 101, 108, 114, 120, 126, 133, 140, 146, 157, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 378, 379, 380, 382, 383, 384, 389, 390, 393, 399, 400, 401, 402, 404, 405, 406, 408, 415, 416, 429, 432, 433, 434, 435, 436, 438, 441, 444, 448, 451, 454, 461, 464, 466, 470, 477, 479, 482, 486, 488, 492, 495, 500, 506, 512, 517, 523, 528, 533, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 658, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741 \$type_2 26, 30, 34, 38, 45, 65, 72, 101, 108, 114, 120, 126, 133, 146, 172, 179, 185, 192, 200, 206, 226, 232, 239, 245, 280, 295, 299, 308, 312, 316, 320, 324, 332, 336, 340, 349, 355, 368, 378, 380, 382, 384, 389, 390, 395, 399, 401, 402, 405, 406, 415, 416, 429, 432, 435, 436, 438, 441, 448, 454, 461, 466, 486, 488, 506, 512, 547, 558, 565, 576, 581, 592, 606, 614, 618, 623, 630, 634, 638, 642, 646, 650, 658, 662, 667, 678, 680, 686, 694, 699, 703, 707, 712, 716, 720, 724, 733, 741 \$type_3 185, 192

activityId 18, 20
 ActivityPages 18
 add-odata-mandatory-filters 2
 Administrator Email 52
 administratorEmail 52
 After Cursor 18, 20
 afterCursor 18, 20
 Aggregation 266
 agile_\$type 91, 97, 101, 108, 114, 120, 126, 133, 140, 146, 157
 agile_colorCoding_\$type 97, 101, 108, 114, 120, 140, 146
 agile_colorCoding_id 97, 101, 108, 114, 120, 140, 146
 agile_columnSettings_\$type 97, 101, 108, 114, 120, 140, 146
 agile_columnSettings_id 97, 101, 108, 114, 120, 140, 146
 agile_currentSprint_\$type 97, 101, 108, 114, 120, 140, 146
 agile_currentSprint_archived 97, 101, 108, 114, 120, 140, 146
 agile_currentSprint_finish 97, 101, 108, 114, 120, 140, 146
 agile_currentSprint_goal 97, 101, 108, 114, 120, 140, 146
 agile_currentSprint_id 97, 101, 108, 114, 120, 140, 146
 agile_currentSprint_isDefault 97, 101, 108, 114, 120, 140, 146
 agile_currentSprint_name 97, 101, 108, 114, 120, 140, 146
 agile_currentSprint_start 97, 101, 108, 114, 120, 140, 146
 agile_currentSprint_unresolvedIssuesCount 97, 101, 108, 114, 120, 140, 146
 agile_estimationField_\$type 97, 101, 108, 114, 120, 140, 146
 agile_estimationField_aliases 97, 101, 108, 114, 120, 140, 146
 agile_estimationField_hasRunningJob 97, 101, 108, 114, 120, 140, 146
 agile_estimationField_id 97, 101, 108, 114, 120, 140, 146
 agile_estimationField_isAutoAttached 97, 101, 108, 114, 120, 140, 146
 agile_estimationField_isDisplayedInIssueList 97, 101, 108, 114, 120, 140, 146
 agile_estimationField_isUpdateable 97, 101, 108, 114, 120, 140, 146
 agile_estimationField_localizedName 97, 101, 108, 114, 120, 140, 146
 agile_estimationField_name 97, 101, 108, 114, 120, 140, 146

- A -

Activities 15
 ActivityById 17

agile_estimationField_ordinal 97, 101, 108, 114, 120, 140, 146
 agile_hideOrphansSwimlane 91, 97, 101, 108, 114, 120, 126, 133, 140, 146, 157
 agile_id 91, 97, 101, 108, 114, 120, 126, 133, 140, 146, 157
 agile_name 91, 97, 101, 108, 114, 120, 126, 133, 140, 146, 157
 agile_originalEstimationField_\$\$type 97, 101, 108, 114, 120, 140, 146
 agile_originalEstimationField_aliases 97, 101, 108, 114, 120, 140, 146
 agile_originalEstimationField_hasRunningJob 97, 101, 108, 114, 120, 140, 146
 agile_originalEstimationField_id 97, 101, 108, 114, 120, 140, 146
 agile_originalEstimationField_isAutoAttached 97, 101, 108, 114, 120, 140, 146
 agile_originalEstimationField_isDisplayedInIssueList 97, 101, 108, 114, 120, 140, 146
 agile_originalEstimationField_isUpdateable 97, 101, 108, 114, 120, 140, 146
 agile_originalEstimationField_localizedName 97, 101, 108, 114, 120, 140, 146
 agile_originalEstimationField_name 97, 101, 108, 114, 120, 140, 146
 agile_originalEstimationField_ordinal 97, 101, 108, 114, 120, 140, 146
 agile_orphansAtTheTop 91, 97, 101, 108, 114, 120, 126, 133, 140, 146, 157
 agile_owner_\$\$type 97, 101, 108, 114, 120, 140, 146
 agile_owner_avatarUrl 97, 101, 108, 114, 120, 140, 146
 agile_owner_banned 97, 101, 108, 114, 120, 140, 146
 agile_owner_email 97, 101, 108, 114, 120, 140, 146
 agile_owner_fullName 97, 101, 108, 114, 120, 140, 146
 agile_owner_guest 97, 101, 108, 114, 120, 140, 146
 agile_owner_id 97, 101, 108, 114, 120, 140, 146
 agile_owner_jabberAccountName 97, 101, 108, 114, 120, 140, 146
 agile_owner_login 97, 101, 108, 114, 120, 140, 146
 agile_owner_online 97, 101, 108, 114, 120, 140, 146
 agile_owner_ringId 97, 101, 108, 114, 120, 140, 146
 agile_sprintsSettings_\$\$type 97, 101, 108, 114, 120, 140, 146
 agile_sprintsSettings_cardOnSeveralSprints 97, 101, 108, 114, 120, 140, 146
 agile_sprintsSettings_disableSprints 97, 101, 108, 114, 120, 140, 146
 agile_sprintsSettings_explicitQuery 97, 101, 108, 114, 120, 140, 146
 agile_sprintsSettings_hideSubtasksOfCards 97, 101, 108, 114, 120, 140, 146
 agile_sprintsSettings_id 97, 101, 108, 114, 120, 140, 146
 agile_sprintsSettings_isExplicit 97, 101, 108, 114, 120, 140, 146
 agile_status_\$\$type 97, 101, 108, 114, 120, 140, 146
 agile_status_hasJobs 97, 101, 108, 114, 120, 140, 146
 agile_status_id 97, 101, 108, 114, 120, 140, 146
 agile_status_valid 97, 101, 108, 114, 120, 140, 146
 agile_swimlaneSettings_\$\$type 97, 101, 108, 114, 120, 140, 146
 agile_swimlaneSettings_enabled 97, 101, 108, 114, 120, 140, 146
 agile_swimlaneSettings_id 97, 101, 108, 114, 120, 140, 146
 agile_updateableBy_\$\$type 97, 101, 108, 114, 120, 140, 146
 agile_updateableBy_allUsersGroup 97, 101, 108, 114, 120, 140, 146
 agile_updateableBy_icon 97, 101, 108, 114, 120, 140, 146
 agile_updateableBy_id 97, 101, 108, 114, 120, 140, 146
 agile_updateableBy_name 97, 101, 108, 114, 120, 140, 146
 agile_updateableBy_ringId 97, 101, 108, 114, 120, 140, 146
 agile_updateableBy_usersCount 97, 101, 108, 114, 120, 140, 146
 agile_updateableByProjectBased 91, 97, 101, 108, 114, 120, 126, 133, 140, 146, 157
 agile_visibleFor_\$\$type 97, 101, 108, 114, 120, 140, 146
 agile_visibleFor_allUsersGroup 97, 101, 108, 114, 120, 140, 146
 agile_visibleFor_icon 97, 101, 108, 114, 120, 140, 146
 agile_visibleFor_id 97, 101, 108, 114, 120, 140, 146
 agile_visibleFor_name 97, 101, 108, 114, 120, 140, 146
 agile_visibleFor_ringId 97, 101, 108, 114, 120, 140, 146
 agile_visibleFor_usersCount 97, 101, 108, 114, 120, 140, 146
 agile_visibleForProjectBased 91, 97, 101, 108, 114, 120, 126, 133, 140, 146, 157
 Aliases 408, 418, 420, 492
 All Users Group 262, 264, 433, 444, 445, 474
 Allocated Memory 53
 allocatedMemory 53
 Allow All Origins 22, 51

| | | | |
|---|---|----------------------------|---|
| Allow Statistics Collection | 52 | Articles | 168 |
| allowAllOrigins | 22, 51 | assembleDate | 387, 389, 390, 392 |
| AllowedOriginRestSettings | 22 | Assembly Date | 387, 389, 390, 392 |
| allowStatisticsCollection | 52 | AttachmentByld | 172, 495 |
| allUsersGroup | 262, 264, 433, 444, 445, 474 | Attachments | 179, 500 |
| analysis-enforce-row-uniqueness | 2 | author | 15, 18, 20, 757 |
| api-access-token | 2 | author_\$type | 15, 17, 20, 172, 179, 239, 245, 251, 256, 268, 280, 285, 495, 500, 506, 512, 517, 523, 753, 757 |
| api-client-id | 2 | author_\$type_1 | 172, 179 |
| api-client-secret | 2 | author_avatarUrl | 15, 17, 20, 172, 179, 239, 245, 251, 256, 268, 280, 285, 495, 500, 506, 512, 517, 523, 753, 757 |
| api-pre-expiry-refresh-sec | 2 | author_avatarUrl_1 | 172, 179 |
| api-redirect-url | 2 | author_banned | 15, 17, 20, 172, 179, 239, 245, 251, 256, 268, 280, 285, 495, 500, 506, 512, 517, 523, 753, 757 |
| api-refresh-token | 2 | author_banned_1 | 172, 179 |
| api-scope | 2 | author_email | 15, 17, 20, 172, 179, 239, 245, 251, 256, 268, 280, 285, 495, 500, 506, 512, 517, 523, 753, 757 |
| api-token-url | 2 | author_email_1 | 172, 179 |
| api-url | 2 | author_fullName | 15, 17, 20, 172, 179, 239, 245, 251, 256, 268, 280, 285, 495, 500, 506, 512, 517, 523, 753, 757 |
| AppearanceSettings | 23 | author_fullName_1 | 172, 179 |
| appearanceSettings_\$type | 24 | author_guest | 15, 17, 20, 172, 179, 239, 245, 251, 256, 268, 280, 285, 495, 500, 506, 512, 517, 523, 753, 757 |
| appearanceSettings_dateFieldFormat_\$type | 24 | author_guest_1 | 172, 179 |
| appearanceSettings_dateFieldFormat_datePattern | 24 | author_id | 15, 17, 20, 172, 179, 239, 245, 251, 256, 268, 280, 285, 495, 500, 506, 512, 517, 523, 753, 757 |
| appearanceSettings_dateFieldFormat_id | 24 | author_id_1 | 172, 179 |
| appearanceSettings_dateFieldFormat_pattern | 24 | author_jabberAccountName | 15, 17, 20, 172, 179, 239, 245, 251, 256, 268, 280, 285, 495, 500, 506, 512, 517, 523, 753, 757 |
| appearanceSettings_dateFieldFormat_presentation | 24 | author_jabberAccountName_1 | 172, 179 |
| appearanceSettings_id | 24 | author_login | 15, 17, 20, 172, 179, 239, 245, 251, 256, 268, 280, 285, 495, 500, 506, 512, 517, 523, 753, 757 |
| appearanceSettings_logo_\$type | 24 | author_login_1 | 172, 179 |
| appearanceSettings_logo_id | 24 | author_online | 15, 17, 20, 172, 179, 239, 245, 251, 256, 268, 280, 285, 495, 500, 506, 512, 517, 523, 753, 757 |
| appearanceSettings_logo_url | 24 | author_online_1 | 172, 179 |
| appearanceSettings_timeZone_\$type | 24 | author_profiles_\$type | 15, 17, 753, 757 |
| appearanceSettings_timeZone_id | 24 | author_profiles_id | 15, 17, 753, 757 |
| appearanceSettings_timeZone_offset | 24 | author_ringld | 15, 17, 20, 172, 179, 239, 245, 251, 256, 268, 280, 285, 495, 500, 506, 512, 517, 523, 753, 757 |
| appearanceSettings_timeZone_presentation | 24 | author_ringld_1 | 172, 179 |
| Archive Format | 377, 378, 379, 380 | autoAttached | 55, 57 |
| Archived | 26, 30, 34, 38, 41, 45, 58, 65, 72, 79, 91, 97, 101, 108, 114, 120, 126, 133, 140, 146, 157, 486, 488, 489, 491 | Auto-attached | 55, 57 |
| archiveFormat | 377, 378, 379, 380 | Auto-watch on Comment | 746 |
| article_\$type | 172, 179 | | |
| article_\$type_1 | 172, 179 | | |
| article_content | 172, 179, 239, 245, 251, 256 | | |
| article_content_1 | 172, 179 | | |
| article_created | 239, 245, 251, 256 | | |
| article_hasChildren | 239, 245, 251, 256 | | |
| article_hasStar | 239, 245, 251, 256 | | |
| article_id | 172, 179 | | |
| article_id_1 | 172, 179 | | |
| article_idReadable | 239, 245, 251, 256 | | |
| article_ordinal | 239, 245, 251, 256 | | |
| article_summary | 172, 179, 239, 245, 251, 256 | | |
| article_summary_1 | 172, 179 | | |
| article_updated | 239, 245, 251, 256 | | |
| ArticleByld | 163 | | |

- Auto-watch on Create 746
 Auto-watch on Update 746
 Auto-watch on Vote 746
 autoWatchOnComment 746
 autoWatchOnCreate 746
 autoWatchOnUpdate 746
 autoWatchOnVote 746
 Available Disk Space 377, 378, 379, 380
 Available Memory 53
 Available Processors 53
 availableDiskSpace 377, 378, 379, 380
 availableMemory 53
 availableProcessors 53
 Avatar (URL) 378, 379, 380, 382, 383, 384, 400, 401, 402, 404, 405, 406, 434, 435, 436, 438, 441, 448, 451, 454, 457, 459, 461, 464, 466, 470, 472, 477, 479, 482, 658, 661, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 691, 747
 avatarUrl 378, 379, 380, 382, 383, 384, 400, 401, 402, 404, 405, 406, 434, 435, 436, 438, 441, 448, 451, 454, 457, 459, 461, 464, 466, 470, 472, 477, 479, 482, 658, 661, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 691, 747
- B -**
- Backup Cancelled 376
 Backup in Progress 376
 backupCancelled 376
 backupError_\$type 376
 backupError_date 376
 backupError_errorMessage 376
 backupError_id 376
 backupInProgress 376
 backupStatus_\$type 377, 378, 379, 380
 backupStatus_backupCancelled 377, 378, 379, 380
 backupStatus_backupError_\$type 377, 378, 379, 380
 backupStatus_backupError_date 377, 378, 379, 380
 backupStatus_backupError_errorMessage 377, 378, 379, 380
 backupStatus_backupError_id 377, 378, 379, 380
 backupStatus_backupInProgress 377, 378, 379, 380
 backupStatus_id 377, 378, 379, 380
 Banned 378, 379, 380, 382, 383, 384, 400, 401, 402, 404, 405, 406, 434, 435, 436, 438, 441, 448, 451, 454, 457, 459, 461, 464, 466, 470, 472, 477, 479, 482, 658, 661, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 691, 747
 Base URL 52
 Base64 Content 26, 101, 172, 179, 185, 192, 239, 245, 268, 280, 295, 299, 495, 500, 506, 512, 606, 626, 694, 699
 base64Content 26, 101, 172, 179, 185, 192, 239, 245, 268, 280, 295, 299, 495, 500, 506, 512, 606, 626, 694, 699
 base64Content_1 172, 179, 185, 192
 baseUrl 52
 Before Cursor 18, 20
 beforeCursor 18, 20
 BLOB Preferred 604
 Blob String Cache Hit Rate 53
 BLOB_PREFERRED 604
 blobStringsCacheHitRate 53
 BOL_RESPONSE_CACHE_MAX_AGE_SEC 604
 buildBundleElementId 387
 bulk-delete-page-size-rows 2
 bulk-insert-page-size-bytes 2
 bulk-insert-page-size-rows 2
 bundle_\$type 387, 389, 390, 392, 395, 396, 398, 399, 411, 413, 415, 416, 427, 429, 430, 432, 486, 488, 489, 491
 bundle_\$type_1 389, 390, 395, 399, 415, 416, 429, 432, 486, 488
 bundle_id 387, 389, 390, 392, 395, 396, 398, 399, 411, 413, 415, 416, 427, 429, 430, 432, 486, 488, 489, 491
 bundle_id_1 389, 390, 395, 399, 415, 416, 429, 432, 486, 488
 bundle_isUpdateable 387, 389, 390, 392, 395, 396, 398, 399, 411, 413, 415, 416, 427, 429, 430, 432, 486, 488, 489, 491
 bundle_isUpdateable_1 389, 390, 395, 399, 415, 416, 429, 432, 486, 488
- C -**
- Cached Results Count in DB Queries Cache 53
 cachedResultsCountInDBQueriesCache 53
 canBeEmpty 408, 421, 423, 492
 categories 15, 18, 20
 category_\$type 15, 17, 20
 category_id 15, 17, 20
 Charset 26, 101, 172, 179, 185, 192, 239, 245, 268, 280, 295, 299, 495, 500, 506, 512, 606, 626, 694, 699
 charset_1 172, 179, 185, 192
 ChildArticleAttachments 185
 ChildArticleAttachmentsById 192
 ChildArticleComments 200
 ChildArticleCommentsById 206
 ChildArticles 213
 ChildArticlesById 219
 ChildChildArticles 226

| | | | |
|---|---|---------------------------------|--|
| ChildChildArticlesById | 232 | columnSettings_field_name | 58, 65, 72, 79, 85, 91, 126, 133, 152, 157 |
| color_\$type | 273, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 361, 363, 368, 387, 389, 390, 392, 395, 396, 398, 399, 411, 413, 415, 416, 427, 429, 430, 432, 448, 454, 466, 470, 479, 482, 486, 488, 489, 491, 547, 587, 592, 599, 658, 662, 670, 683, 686, 689, 699, 707, 716, 724, 737, 741, 751 | columnSettings_field_ordinal | 58, 65, 72, 79, 85, 91, 126, 133, 152, 157 |
| color_\$type_1 | 389, 390, 395, 399, 415, 416, 429, 432, 486, 488 | columnSettings_id | 58, 65, 72, 79, 85, 91, 126, 133, 152, 157 |
| color_background | 273, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 361, 363, 368, 387, 389, 390, 392, 395, 396, 398, 399, 411, 413, 415, 416, 427, 429, 430, 432, 448, 454, 466, 470, 479, 482, 486, 488, 489, 491, 547, 587, 592, 599, 658, 662, 670, 683, 686, 689, 699, 707, 716, 724, 737, 741, 751 | comment_\$type | 172, 179, 268, 495, 500 |
| color_background_1 | 389, 390, 395, 399, 415, 416, 429, 432, 486, 488 | comment_\$type_1 | 172, 179 |
| color_foreground | 273, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 361, 363, 368, 387, 389, 390, 392, 395, 396, 398, 399, 411, 413, 415, 416, 427, 429, 430, 432, 448, 454, 466, 470, 479, 482, 486, 488, 489, 491, 547, 587, 592, 599, 658, 662, 670, 683, 686, 689, 699, 707, 716, 724, 737, 741, 751 | comment_created | 172, 179, 268, 495, 500 |
| color_foreground_1 | 389, 390, 395, 399, 415, 416, 429, 432, 486, 488 | comment_created_1 | 172, 179 |
| color_id | 273, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 361, 363, 368, 387, 389, 390, 392, 395, 396, 398, 399, 411, 413, 415, 416, 427, 429, 430, 432, 448, 454, 466, 470, 479, 482, 486, 488, 489, 491, 547, 587, 592, 599, 658, 662, 670, 683, 686, 689, 699, 707, 716, 724, 737, 741, 751 | comment_deleted | 268, 495, 500 |
| color_id_1 | 389, 390, 395, 399, 415, 416, 429, 432, 486, 488 | comment_id | 172, 179, 268, 495, 500 |
| colorCoding_\$type | 58, 65, 72, 79, 85, 91, 126, 133, 152, 157 | comment_id_1 | 172, 179 |
| colorCoding_id | 58, 65, 72, 79, 85, 91, 126, 133, 152, 157 | comment_text | 172, 179, 268, 495, 500 |
| columnSettings_\$type | 58, 65, 72, 79, 85, 91, 126, 133, 152, 157 | comment_text_1 | 172, 179 |
| columnSettings_field_\$type | 58, 65, 72, 79, 85, 91, 126, 133, 152, 157 | comment_textPreview | 268, 495, 500 |
| columnSettings_field_aliases | 58, 65, 72, 79, 85, 91, 126, 133, 152, 157 | comment_updated | 172, 179, 268, 495, 500 |
| columnSettings_field_hasRunningJob | 58, 65, 72, 79, 85, 91, 126, 133, 152, 157 | comment_updated_1 | 172, 179 |
| columnSettings_field_id | 58, 65, 72, 79, 85, 91, 126, 133, 152, 157 | comment_usesMarkdown | 268, 495, 500 |
| columnSettings_field_isAutoAttached | 58, 65, 72, 79, 85, 91, 126, 133, 152, 157 | CommentAttachments | 239, 506 |
| columnSettings_field_isDisplayedInIssueList | 58, 65, 72, 79, 85, 91, 126, 133, 152, 157 | CommentAttachmentsByIssueId | 245, 512 |
| columnSettings_field_isUpdateable | 58, 65, 72, 79, 85, 91, 126, 133, 152, 157 | Comments | 251, 517 |
| columnSettings_field_localizedName | 58, 65, 72, 79, 85, 91, 126, 133, 152, 157 | Comments Count | 26, 30, 34, 38, 41, 45, 65, 72, 101, 108, 114, 120, 126, 133, 140, 146, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 438, 441, 448, 454, 461, 466, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 658, 662, 667, 678, 680, 686, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741 |
| | | CommentsByIssueId | 256, 523 |
| | | commentsCount | 26, 30, 34, 38, 41, 45, 65, 72, 101, 108, 114, 120, 126, 133, 140, 146, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 438, 441, 448, 454, 461, 466, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 658, 662, 667, 678, 680, 686, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741 |
| | | commentsCount_1 | 349, 355, 368, 547, 558, 565, 576, 581, 592 |
| | | condition_\$type | 408, 423, 492 |
| | | condition_id | 408, 423, 492 |
| | | condition_parent_\$type | 423 |
| | | condition_parent_canBeEmpty | 423 |
| | | condition_parent_emptyFieldText | 423 |
| | | condition_parent_hasRunningJob | 423 |
| | | condition_parent_id | 423 |
| | | condition_parent_isPublic | 423 |
| | | condition_parent_ordinal | 423 |
| | | Content | 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256 |

Content Type 604
 content_1 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 content_2 185, 192, 200, 206, 213, 219, 226, 232
 content_3 185, 192, 200, 206, 213, 219, 226, 232
 content_4 226, 232
 content_5 226, 232
 CONTENT_TYPE 604
 created 26, 30, 34, 38, 41, 45, 65, 72, 101, 108, 114, 120, 126, 133, 140, 146, 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 438, 441, 448, 454, 461, 466, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 658, 662, 667, 678, 680, 686, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741, 753, 757
 created_1 26, 30, 101, 108, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 280, 285, 295, 299, 308, 312, 349, 355, 368, 495, 500, 506, 512, 517, 523, 547, 558, 565, 576, 581, 592, 606, 614, 626, 630, 694, 699, 703, 707
 created_2 172, 179, 185, 192, 200, 206, 226, 232, 239, 245, 280, 506, 512
 created_3 185, 192
 createdBy_\$type 26, 30, 34, 38, 41, 45, 58, 65, 72, 79
 createdBy_\$type_1 45
 createdBy_avatarUrl 26, 30, 34, 38, 41, 45, 58, 65, 72, 79
 createdBy_banned 26, 30, 34, 38, 41, 45, 58, 65, 72, 79
 createdBy_email 26, 30, 34, 38, 41, 45, 58, 65, 72, 79
 createdBy_fullName 26, 30, 34, 38, 41, 45, 58, 65, 72, 79
 createdBy_guest 26, 30, 34, 38, 41, 45, 58, 65, 72, 79
 createdBy_id 26, 30, 34, 38, 41, 45, 58, 65, 72, 79
 createdBy_id_1 45
 createdBy_jabberAccountName 26, 30, 34, 38, 41, 45, 58, 65, 72, 79
 createdBy_login 26, 30, 34, 38, 41, 45, 58, 65, 72, 79
 createdBy_name 45
 createdBy_online 26, 30, 34, 38, 41, 45, 58, 65, 72, 79
 createdBy_profiles_\$type 26, 30, 34, 38, 41, 45
 createdBy_profiles_id 26, 30, 34, 38, 41, 45
 createdBy_ringId 26, 30, 34, 38, 41, 45, 58, 65, 72, 79
 createdBy_untagOnResolve 45
 createdEnd 757
 createdStart 757
 Creation Date 374, 375
 creationDate 374, 375
 creator 757
 creator_\$type 753, 757
 creator_avatarUrl 753, 757
 creator_banned 753, 757
 creator_email 753, 757
 creator_fullName 753, 757
 creator_guest 753, 757
 creator_id 753, 757
 creator_jabberAccountName 753, 757
 creator_login 753, 757
 creator_online 753, 757
 creator_profiles_\$type 753, 757
 creator_profiles_id 753, 757
 creator_ringId 753, 757
 Cron Expression 377, 378, 379, 380
 cronExpression 377, 378, 379, 380
 currentSprint_\$type 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 currentSprint_\$type_1 65, 72, 126, 133
 currentSprint_agile_\$type 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 currentSprint_agile_hideOrphansSwimlane 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 currentSprint_agile_id 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 currentSprint_agile_name 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 currentSprint_agile_orphansAtTheTop 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 currentSprint_agile_updateableByProjectBased 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 currentSprint_agile_visibleForProjectBased 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 currentSprint_archived 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 currentSprint_commentsCount 65, 72, 126, 133
 currentSprint_created 65, 72, 126, 133
 currentSprint_description 65, 72, 126, 133
 currentSprint_finish 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 currentSprint_goal 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 currentSprint_id 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 currentSprint_id_1 65, 72, 126, 133
 currentSprint_idReadable 65, 72, 126, 133
 currentSprint_isDefault 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 currentSprint_isDraft 65, 72, 126, 133

| | | | |
|--|--|--|---|
| currentSprint_name | 58, 65, 72, 79, 85, 91, 126, 133, 152, 157 | CustomFieldIndividualUserSavedQueries | 401 |
| currentSprint_numberInProject | 65, 72, 126, 133 | CustomFieldIndividualUserSavedQueriesByUserBundled | 402 |
| currentSprint_previousSprint_\$type | 58, 65, 72, 79, 85, 91, 126, 133, 152, 157 | CustomFieldIndividualUsersByUserBundled | 404 |
| currentSprint_previousSprint_archived | 58, 65, 72, 79, 85, 91, 126, 133, 152, 157 | CustomFieldIndividualUserTags | 405 |
| currentSprint_previousSprint_finish | 58, 65, 72, 79, 85, 91, 126, 133, 152, 157 | CustomFieldIndividualUserTagsByUserBundled | 406 |
| currentSprint_previousSprint_goal | 58, 65, 72, 79, 85, 91, 126, 133, 152, 157 | CustomFieldInstancesByCustomFieldPrototypeld | 408 |
| currentSprint_previousSprint_id | 58, 65, 72, 79, 85, 91, 126, 133, 152, 157 | CustomFieldOwnedFieldByOwnedFieldBundled | 410 |
| currentSprint_previousSprint_isDefault | 58, 65, 72, 79, 85, 91, 126, 133, 152, 157 | CustomFieldOwnedFieldByOwnedFieldBundledAndElementId | 411 |
| currentSprint_previousSprint_name | 58, 65, 72, 79, 85, 91, 126, 133, 152, 157 | CustomFieldOwnedFieldByValued | 413 |
| currentSprint_previousSprint_start | 58, 65, 72, 79, 85, 91, 126, 133, 152, 157 | CustomFieldOwnedFields | 414 |
| currentSprint_previousSprint_unresolvedIssuesCount | 58, 65, 72, 79, 85, 91, 126, 133, 152, 157 | CustomFieldOwnedFieldValues | 415 |
| currentSprint_resolved | 65, 72, 126, 133 | CustomFieldOwnedFieldValuesByOwnedFieldBundled | 416 |
| currentSprint_start | 58, 65, 72, 79, 85, 91, 126, 133, 152, 157 | customFields | 418, 500, 506, 517, 528, 543, 547, 558, 571, 576, 599 |
| currentSprint_summary | 65, 72, 126, 133 | CustomFieldsByCustomFieldPrototypeld | 420 |
| currentSprint_unresolvedIssuesCount | 58, 65, 72, 79, 85, 91, 126, 133, 152, 157 | CustomFieldsByCustomFieldPrototypeld2 | 421 |
| currentSprint_updated | 65, 72, 126, 133 | CustomFieldsByCustomFieldPrototypeld3 | 423 |
| currentSprint_usesMarkdown | 65, 72, 126, 133 | CustomFieldsByIssued | 533 |
| currentSprint_votes | 65, 72, 126, 133 | CustomFieldStateBundleById | 426 |
| currentSprint_wikifiedDescription | 65, 72, 126, 133 | CustomFieldStateBundles | 427 |
| cursor | 18, 20 | CustomFieldStateBundleValues2ByStateBundled | 427 |
| CustomFieldAggregatedUserSavedQueriesByUserBundled | 382 | CustomFieldStateBundleValuesByStateBundled | 429 |
| CustomFieldAggregatedUsersByUserBundled | 383 | CustomFieldStateByStateBundledAndElementId | 430 |
| CustomFieldAggregatedUserTagsByUserBundled | 384 | CustomFieldStateValues | 432 |
| CustomFieldBuildBundles | 386 | CustomFieldUserBundles | 433 |
| CustomFieldBuildByBuildBundled | 386 | CustomFieldUserBundleUsers | 434 |
| CustomFieldBuildByBuildBundledAndElementId | 387 | CustomFieldUserBundleUserSavedQueries | 435 |
| CustomFieldBuildValues | 389 | CustomFieldUserBundleUserTags | 436 |
| CustomFieldBuildValuesByBuildBundled | 390 | CustomFieldUserByUserBundled | 437 |
| CustomFieldBuildValuesByBuildBundled1 | 392 | CustomFieldUserByUserBundled1 | 438 |
| CustomFieldEnumBundleByEnumFieldBundled | 393 | CustomFieldUserByUserBundled2 | 441 |
| CustomFieldEnumBundles | 394 | CustomFieldUserGroupsByUserBundled | 444 |
| CustomFieldEnumBundleValuesByEnumFieldBundled | 395 | CustomFieldUserGroupsByUserBundled1 | 445 |
| CustomFieldEnumByEnumFieldBundled | 396 | CustomFieldUsers | 448 |
| CustomFieldEnumByEnumFieldBundledAndElementId | 398 | CustomFieldUsersByUserBundled | 448 |
| CustomFieldEnumValues | 399 | CustomFieldUsersByUserBundled1 | 451 |
| CustomFieldIndividualUsers | 400 | CustomFieldUsersByUserBundled2 | 454 |
| | | CustomFieldUsersByUserBundled3 | 457 |
| | | CustomFieldUsersByUserBundled4 | 459 |
| | | CustomFieldUsersByUserBundled5 | 461 |
| | | CustomFieldUsersByUserBundled6 | 464 |
| | | CustomFieldUsersByUserBundled7 | 466 |
| | | CustomFieldUsersByUserBundled8 | 470 |
| | | CustomFieldUsersByUserBundled9 | 472 |
| | | CustomFieldUsersByUserBundledAndGroupld | 474 |

CustomFieldUsersByUserId 477
 CustomFieldUserTagsByUserBundleId 479
 CustomFieldUserTagsByUserBundleId2 482
 CustomFieldVersionByProjectVersionBundleId 488
 CustomFieldVersions 486
 CustomFieldVersionValues 486
 CustomFieldVersionValuesByProjectVersionBundleId 488
 CustomFieldVersionValuesByProjectVersionBundleId2 489
 CustomFieldVersionValuesByProjectVersionBundleId3 491

- D -

Database Background Threads 53
 Database Location 53
 Database Queries Cache Hit Rate 53
 Database Size 53
 databaseBackgroundThreads 53
 DatabaseBackupById 374
 DatabaseBackups 375
 DatabaseBackupSettingBackupStatuses 376
 DatabaseBackupSettings 377
 databaseLocation 53
 databaseQueriesCacheHitRate 53
 databaseSize 53
 Date 753, 757
 DATE_ENDED 604
 DATE_STARTED 604
 dateFieldFormat_\$type 23, 693
 dateFieldFormat_datePattern 23, 693
 dateFieldFormat_id 23, 693
 dateFieldFormat_pattern 23, 693
 dateFieldFormat_presentation 23, 693
 Days a Week 56
 daysAWeek 56
 Deleted 30, 108, 280, 285, 308, 312, 506, 512, 517, 2
 523, 614, 630, 703, 707
 DESCRIPTION 761
 description_1 26, 30, 34, 38, 41, 45, 65, 72, 349, 355, 368, 389, 390, 395, 399, 415, 416, 429, 432, 486, 488, 547, 558, 565, 576, 581, 592
 Directed 266
 Direction 38, 120, 320, 324, 345, 349, 355, 541, 554, 558, 565, 571, 576, 581, 638, 642, 720, 724
 download-error-400-bad-request-max-tries 2
 download-error-400-bad-request-sleep-initial-ms 2
 download-error-400-bad-request-sleep-max-ms 2
 download-error-400-bad-request-sleep-multiplicator 2
 download-error-408-request-timeout-max-tries 2
 download-error-408-request-timeout-sleep-initial-ms 2
 download-error-408-request-timeout-sleep-max-ms 2
 download-error-408-request-timeout-sleep-multiplicator 2
 download-error-422-bad-request-max-tries 2
 download-error-422-bad-request-sleep-initial-ms 2
 download-error-422-bad-request-sleep-max-ms 2
 download-error-422-bad-request-sleep-multiplicator 2
 download-error-429-too-many-requests-max-tries 2
 download-error-429-too-many-requests-sleep-initial-ms 2
 download-error-429-too-many-requests-sleep-max-ms 2
 download-error-429-too-many-requests-sleep-multiplicator 2
 download-error-502-server-unavailable-max-tries 2
 download-error-502-server-unavailable-sleep-initial-ms 2
 download-error-502-server-unavailable-sleep-max-ms 2
 download-error-502-server-unavailable-sleep-multiplicator 2
 download-error-503-server-unavailable-max-tries 2
 download-error-503-server-unavailable-sleep-initial-ms 2
 download-error-503-server-unavailable-sleep-max-ms 2
 download-error-503-server-unavailable-sleep-multiplicator 2
 download-error-504-gateway-timeout-max-tries 2
 download-error-504-gateway-timeout-sleep-initial-ms 2
 download-error-504-gateway-timeout-sleep-max-ms 2
 download-error-504-gateway-timeout-sleep-multiplicator 2
 download-error-590-network-connect-timeout-max-tries 2
 download-error-590-network-connect-timeout-sleep-initial-ms 2
 download-error-590-network-connect-timeout-sleep-max-ms 2
 download-error-590-network-connect-timeout-sleep-multiplicator 2
 download-error-599-network-connect-timeout-max-tries 2
 download-error-599-network-connect-timeout-sleep-initial-ms 2
 download-error-599-network-connect-timeout-sleep-max-ms 2
 download-error-599-network-connect-timeout-sleep-multiplicator 2

| | | | |
|--|---|----------------------|--|
| download-error-argument-exception-max-tries | 2 | draftOwner_\$type | 26, 30, 34, 38, 41, 45, 101, 108, |
| download-error-argument-exception-sleep-initial-ms | 2 | | 114, 120, 140, 146, 268, 275, 280, 285, 290, 295, 299, |
| download-error-argument-exception-sleep-max-ms | 2 | | 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, |
| download-error-argument-exception-sleep-multiplicator | 2 | | 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, |
| download-error-internet-down-max-tries | 2 | | 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, |
| download-error-internet-down-sleep-initial-ms | 2 | | 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, |
| download-error-internet-down-sleep-max-ms | 2 | | 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, 724, |
| download-error-internet-down-sleep-multiplicator | 2 | | 729, 733, 737, 741 |
| download-error-io-exception-max-tries | 2 | draftOwner_avatarUrl | 26, 30, 34, 38, 41, 45, 101, |
| download-error-io-exception-sleep-initial-ms | 2 | | 108, 114, 120, 140, 146, 268, 275, 280, 285, 290, 295, |
| download-error-io-exception-sleep-max-ms | 2 | | 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, |
| download-error-io-exception-sleep-multiplicator | 2 | | 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, |
| download-error-json-exception-max-tries | 2 | | 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, |
| download-error-json-exception-sleep-initial-ms | 2 | | 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, |
| download-error-json-exception-sleep-max-ms | 2 | | 638, 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, |
| download-error-json-exception-sleep-multiplicator | 2 | | 724, 729, 733, 737, 741 |
| download-error-other-exception-max-tries | 2 | draftOwner_banned | 26, 30, 34, 38, 41, 45, 101, |
| download-error-other-exception-sleep-initial-ms | 2 | | 108, 114, 120, 140, 146, 268, 275, 280, 285, 290, 295, |
| download-error-other-exception-sleep-max-ms | 2 | | 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, |
| download-error-other-exception-sleep-multiplicator | 2 | | 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, |
| download-error-socket-exception-max-tries | 2 | | 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, |
| download-error-socket-exception-sleep-initial-ms | 2 | | 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, |
| download-error-socket-exception-sleep-max-ms | 2 | | 638, 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, |
| download-error-socket-exception-sleep-multiplicator | 2 | | 724, 729, 733, 737, 741 |
| download-error-web-exception-max-tries | 2 | draftOwner_email | 26, 30, 34, 38, 41, 45, 101, 108, |
| download-error-web-exception-sleep-initial-ms | 2 | | 114, 120, 140, 146, 268, 275, 280, 285, 290, 295, 299, |
| download-error-web-exception-sleep-max-ms | 2 | | 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, |
| download-error-web-exception-sleep-multiplicator | 2 | | 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, |
| download-error-web-not-implemented-max-tries | 2 | | 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, |
| download-error-web-not-implemented-sleep-initial-ms | 2 | | 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, |
| download-error-web-not-implemented-sleep-max-ms | 2 | | 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, 724, |
| download-error-web-not-implemented-sleep-multiplicator | 2 | | 729, 733, 737, 741 |
| download-error-web-timeout-max-tries | 2 | draftOwner_fullName | 26, 30, 34, 38, 41, 45, 101, |
| download-error-web-timeout-sleep-initial-ms | 2 | | 108, 114, 120, 140, 146, 268, 275, 280, 285, 290, 295, |
| download-error-web-timeout-sleep-max-ms | 2 | | 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, |
| download-error-web-timeout-sleep-multiplicator | 2 | | 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, |
| download-error-web-unauthorized-max-tries | 2 | | 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, |
| download-error-web-unauthorized-sleep-initial-ms | 2 | | 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, |
| download-error-web-unauthorized-sleep-max-ms | 2 | | 638, 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, |
| download-error-web-unauthorized-sleep-multiplicator | 2 | | 724, 729, 733, 737, 741 |
| Draft | 26, 101, 172, 179, 185, 192, 239, 245, 268, | draftOwner_guest | 26, 30, 34, 38, 41, 45, 101, 108, |
| draft_1 | 172, 179, 185, 192 | | 114, 120, 140, 146, 268, 275, 280, 285, 290, 295, 299, |
| | | | 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, |
| | | | 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, |
| | | | 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, |
| | | | 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, |
| | | | 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, 724, |
| | | | 729, 733, 737, 741 |
| | | draftOwner_id | 26, 30, 34, 38, 41, 45, 101, 108, 114, |
| | | | 120, 140, 146, 268, 275, 280, 285, 290, 295, 299, 304, |
| | | | 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, |
| | | | 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, |
| | | | 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, |
| | | | 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, |
| | | | 646, 650, 694, 699, 703, 707, 712, 716, 720, 724, 729, |
| | | | 733, 737, 741 |

draftOwner_jabberAccountName 26, 30, 34, 38, 41,
 45, 101, 108, 114, 120, 140, 146, 268, 275, 280, 285,
 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332,
 336, 340, 345, 349, 355, 363, 368, 495, 500, 506, 512,
 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571,
 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626,
 630, 634, 638, 642, 646, 650, 694, 699, 703, 707, 712,
 716, 720, 724, 729, 733, 737, 741
 draftOwner_login 26, 30, 34, 38, 41, 45, 101, 108,
 114, 120, 140, 146, 268, 275, 280, 285, 290, 295, 299,
 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345,
 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528,
 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587,
 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638,
 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, 724,
 729, 733, 737, 741
 draftOwner_online 26, 30, 34, 38, 41, 45, 101, 108,
 114, 120, 140, 146, 268, 275, 280, 285, 290, 295, 299,
 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345,
 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528,
 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587,
 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638,
 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, 724,
 729, 733, 737, 741
 draftOwner_profiles_\$type 268, 275, 280, 285, 290,
 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523,
 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581,
 587, 592, 599
 draftOwner_profiles_id 268, 275, 280, 285, 290,
 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523,
 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581,
 587, 592, 599
 draftOwner_ringId 26, 30, 34, 38, 41, 45, 101, 108,
 114, 120, 140, 146, 268, 275, 280, 285, 290, 295, 299,
 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345,
 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528,
 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587,
 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638,
 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, 724,
 729, 733, 737, 741
 Driver 1
 DRY_RUN 604
 duplicateClusterNotificationsEnabled 746
 Duration (ms) 604
 duration_\$type 753, 757
 duration_id 753, 757
 duration_minutes 753, 757
 DURATION_MS 604
 duration_presentation 753, 757
 Email 378, 379, 380, 382, 383, 384, 400, 401, 402,
 404, 405, 406, 434, 435, 436, 438, 441, 448, 451, 454,
 457, 459, 461, 464, 466, 470, 472, 477, 479, 482, 658,
 661, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686,
 689, 691, 747
 Email Notifications Enabled 746
 EmailNotificationsEnabled 746
 EmailSettings_\$type 50
 EmailSettings_anonymous 50
 EmailSettings_from 50
 EmailSettings_host 50
 EmailSettings_id 50
 EmailSettings_isEnabled 50
 EmailSettings_login 50
 EmailSettings_mailProtocol 50
 EmailSettings_port 50
 EmailSettings_replyTo 50
 EmailSettings_sslKey_\$type 50
 EmailSettings_sslKey_id 50
 EmailSettings_sslKey_name 50
 Empty Field Text 408, 421, 423, 492
 emptyFieldText 408, 421, 423, 492
 end 15, 18, 20, 757
 End Date 604
 endDate 757
 enumBundleElementId 398
 Error 49
 Error Message Code 604
 Error Message Text 604
 ERROR_MESSAGE_CODE 604
 ERROR_MESSAGE_TEXT 604
 estimationField_\$type 58, 65, 72, 79, 85, 91, 126,
 133, 152, 157
 estimationField_aliases 58, 65, 72, 79, 85, 91, 126,
 133, 152, 157
 estimationField_fieldDefaults_\$type 58, 65, 72, 79,
 85, 91, 126, 133, 152, 157
 estimationField_fieldDefaults_canBeEmpty 58, 65,
 72, 79, 85, 91, 126, 133, 152, 157
 estimationField_fieldDefaults_emptyFieldText 58,
 65, 72, 79, 85, 91, 126, 133, 152, 157
 estimationField_fieldDefaults_id 58, 65, 72, 79, 85,
 91, 126, 133, 152, 157
 estimationField_fieldDefaults_isPublic 58, 65, 72,
 79, 85, 91, 126, 133, 152, 157
 estimationField_fieldType_\$type 58, 65, 72, 79, 85,
 91, 126, 133, 152, 157
 estimationField_fieldType_id 58, 65, 72, 79, 85, 91,
 126, 133, 152, 157

estimationField_hasRunningJob 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 estimationField_id 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 estimationField_isAutoAttached 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 estimationField_isDisplayedInIssueList 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 estimationField_isUpdateable 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 estimationField_localizedName 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 estimationField_name 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 estimationField_ordinal 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 Extension 26, 101, 172, 179, 185, 192, 239, 245, 268, 280, 295, 299, 495, 500, 506, 512, 606, 626, 694, 699
 extension_1 172, 179, 185, 192
 externalArticle_\$type 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 externalArticle_\$type_1 185, 192, 200, 206, 213, 219, 226, 232
 externalArticle_id 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 externalArticle_id_1 185, 192, 200, 206, 213, 219, 226, 232
 externalArticle_key 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 externalArticle_key_1 185, 192, 200, 206, 213, 219, 226, 232
 externalArticle_name 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 externalArticle_name_1 185, 192, 200, 206, 213, 219, 226, 232
 externalArticle_url 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 externalArticle_url_1 185, 192, 200, 206, 213, 219, 226, 232
 externalIssue_\$type 26, 30, 34, 38, 41, 45, 101, 108, 114, 120, 140, 146, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 638, 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, 724, 724, 729, 733, 737, 741
 externalIssue_id 26, 30, 34, 38, 41, 45, 101, 108, 114, 120, 140, 146, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 638, 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, 724, 724, 729, 733, 737, 741
 externalIssue_key 26, 30, 34, 38, 41, 45, 101, 108, 114, 120, 140, 146, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 638, 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, 724, 724, 729, 733, 737, 741
 externalIssue_name 26, 30, 34, 38, 41, 45, 101, 108, 114, 120, 140, 146, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 638, 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, 724, 724, 729, 733, 737, 741
 externalIssue_url 26, 30, 34, 38, 41, 45, 101, 108, 114, 120, 140, 146, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 638, 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, 724, 724, 729, 733, 737, 741
 field_hasRunningJob 408, 423, 492
 field_id 15, 17, 20, 408, 423, 492
 field_isAutoAttached 408, 423, 492
 field_isDisplayedInIssueList 408, 423, 492
 field_isUpdateable 408, 423, 492
 field_localizedName 408, 423, 492
 field_name 15, 17, 20, 408, 423, 492
 field_ordinal 408, 423, 492
 field_aliases 408, 423, 492
 field_defaults_\$type 423
 field_defaults_canBeEmpty 423
 field_defaults_emptyFieldText 423
 field_defaults_id 423
 field_defaults_isPublic 423
 field_type_\$type 423
 field_type_id 423

F -

Fail on Error 604

FAIL_ON_ERROR 604

field_\$type 15, 17, 20, 408, 423, 492

field_aliases 408, 423, 492

field_defaults_\$type 423

field_defaults_canBeEmpty 423

field_defaults_emptyFieldText 423

field_defaults_id 423

field_defaults_isPublic 423

field_type_\$type 423

field_type_id 423

field_hasRunningJob 408, 423, 492

field_id 15, 17, 20, 408, 423, 492

field_isAutoAttached 408, 423, 492

field_isDisplayedInIssueList 408, 423, 492

field_isUpdateable 408, 423, 492

field_localizedName 408, 423, 492

field_name 15, 17, 20, 408, 423, 492

field_ordinal 408, 423, 492

- field_presentation 15, 17, 20
fieldDefaults_\$type 408, 418, 420, 492
fieldDefaults_canBeEmpty 408, 418, 420, 492
fieldDefaults_emptyFieldText 408, 418, 420, 492
fieldDefaults_id 408, 418, 420, 492
fieldDefaults_isPublic 408, 418, 420, 492
fieldDefaults_parent_\$type 408, 418, 420, 492
fieldDefaults_parent_aliases 408, 418, 420, 492
fieldDefaults_parent_hasRunningJob 408, 418, 420, 492
fieldDefaults_parent_id 408, 418, 420, 492
fieldDefaults_parent_isAutoAttached 408, 418, 420, 492
fieldDefaults_parent_isDisplayedInIssueList 408, 418, 420, 492
fieldDefaults_parent_isUpdateable 408, 418, 420, 492
fieldDefaults_parent_localizedName 408, 418, 420, 492
fieldDefaults_parent_name 408, 418, 420, 492
fieldDefaults_parent_ordinal 408, 418, 420, 492
fieldType_\$type 408, 418, 420, 492
fieldType_id 408, 418, 420, 492
Files to Keep 377, 378, 379, 380
filesToKeep 377, 378, 379, 380
Finish 91, 97, 101, 108, 114, 120, 126, 133, 140, 146, 157
First Day of Week 56
firstDayOfWeek 56
force-case-sensitive-identifiers 2
forced-casing-identifiers 2
From Email 26, 30, 34, 38, 41, 45, 58, 65, 72, 79
fromEmail 26, 30, 34, 38, 41, 45, 58, 65, 72, 79
Full Database Size 53
Full Name 378, 379, 380, 382, 383, 384, 400, 401, 402, 404, 405, 406, 434, 435, 436, 438, 441, 448, 451, 454, 457, 459, 461, 464, 466, 470, 472, 477, 479, 482, 483, 484, 485, 486, 488, 489, 491, 492, 658, 661, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 691, 747
fullDatabaseSize 53
fullName 378, 379, 380, 382, 383, 384, 400, 401, 402, 404, 405, 406, 434, 435, 436, 438, 441, 448, 451, 454, 457, 459, 461, 464, 466, 470, 472, 477, 479, 482, 483, 484, 485, 486, 488, 489, 491, 492, 658, 661, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 691, 747
- G -**
- GlobalSettings 24
Goal 91, 97, 101, 108, 114, 120, 126, 133, 140, 146, 157
GroupByIld 262
Groups 264
- Guest 378, 379, 380, 382, 383, 384, 400, 401, 402, 404, 405, 406, 434, 435, 436, 438, 441, 448, 451, 454, 457, 459, 461, 464, 466, 470, 472, 477, 479, 482, 658, 661, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 691, 747
- H -**
- hasAfter 18, 20
Has Before 18, 20
Has Children 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
Has Running Job 387, 389, 390, 392, 395, 396, 398, 399, 408, 411, 413, 415, 416, 418, 420, 423, 427, 429, 430, 432, 486, 488, 489, 491, 492
Has Star 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
hasAfter 18, 20
hasBefore 18, 20
hasChildren 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
hasChildren_1 185, 192, 200, 206, 213, 219, 226, 232
hasChildren_2 226, 232
hasRunningJob 387, 389, 390, 392, 395, 396, 398, 399, 408, 411, 413, 415, 416, 418, 420, 423, 427, 429, 430, 432, 486, 488, 489, 491, 492
hasRunningJob_1 389, 390, 395, 399, 408, 415, 416, 429, 432, 486, 488, 492
hasStar 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
hasStar_1 185, 192, 200, 206, 213, 219, 226, 232
hasStar_2 226, 232
hideOrphansSwimlane 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
HTTP Disk Cache Maximum Age (sec) 604
HTTP Memory Cache Maximum Age (sec) 604
HTTP Method 604
HTTP Status Code 604
HTTP_DISK_CACHE_MAX_AGE_SEC 604
HTTP_DISK_CACHE_SAVE 604
HTTP_DISK_CACHE_USE 604
HTTP_MEMORY_CACHE_MAX_AGE_SEC 604
HTTP_MEMORY_CACHE_SAVE 604
HTTP_MEMORY_CACHE_USE 604
HTTP_METHOD 604
HTTP_STATUS_CODE 604
http-disk-cache-compression-level 2
http-disk-cache-directory 2
http-disk-cache-ignore-write-errors 2
http-disk-cache-max-age-sec 2
http-get-timeout-max-ms 2
http-get-timeout-ms 2

| | | | |
|-------------------------------------|---|---|--|
| http-memory-cache-compression-level | 2 | idReadable | 26, 30, 34, 38, 41, 45, 65, 72, 101, 108, 114, 120, 126, 133, 140, 146, 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 438, 441, 448, 454, 461, 466, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 658, 662, 667, 678, 680, 686, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741 |
| http-memory-cache-max-age-sec | 2 | idReadable_1 | 185, 192, 200, 206, 213, 219, 226, 232, 349, 355, 368, 547, 558, 565, 576, 581, 592 |
| http-post-timeout-max-ms | 2 | idReadable_2 | 226, 232 |
| http-post-timeout-ms | 2 | IDTypes | 761 |
| - - | | ignore-http-400-errors | 2 |
| Icon | 262, 264, 433, 444, 445, 474 | ignore-http-401-errors | 2 |
| Icon (URL) | 26, 30, 34, 38, 41, 45, 58, 65, 72, 79 | ignore-http-402-errors | 2 |
| iconUrl | 26, 30, 34, 38, 41, 45, 58, 65, 72, 79 | ignore-http-403-errors | 2 |
| id | 17, 58, 72, 85, 91, 97, 101, 108, 114, 120, 133, 140, 146, 163, 172, 192, 206, 219, 232, 245, 256, 262, 266, 268, 273, 275, 280, 285, 290, 299, 304, 312, 324, 332, 340, 345, 349, 355, 363, 368, 374, 382, 383, 384, 386, 387, 390, 392, 393, 395, 396, 398, 402, 404, 408, 410, 411, 413, 416, 420, 421, 423, 426, 427, 430, 437, 438, 441, 444, 445, 448, 451, 454, 457, 459, 461, 464, 466, 470, 472, 474, 477, 479, 482, 485, 488, 489, 491, 495, 512, 523, 533, 537, 541, 554, 565, 581, 587, 592, 606, 610, 614, 618, 642, 650, 656, 672, 675, 680, 683, 686, 691, 693, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741, 746, 748, 751, 753 | ignore-http-404-errors | 2 |
| id_1 | 20, 26, 30, 34, 38, 41, 45, 57, 58, 65, 72, 79, 91, 101, 108, 114, 120, 126, 133, 140, 146, 157, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 378, 379, 380, 382, 383, 384, 389, 390, 395, 399, 400, 401, 402, 404, 405, 406, 408, 415, 416, 429, 432, 433, 434, 435, 436, 438, 441, 444, 448, 451, 454, 461, 464, 466, 470, 477, 479, 482, 486, 488, 492, 495, 500, 506, 512, 517, 523, 528, 533, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 628, 630, 634, 638, 642, 646, 650, 658, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741 | ignore-http-405-errors | 2 |
| id_2 | 26, 30, 34, 38, 45, 65, 72, 101, 108, 114, 120, 126, 133, 146, 172, 179, 185, 192, 200, 206, 226, 232, 239, 245, 280, 295, 299, 308, 312, 316, 320, 324, 332, 336, 340, 349, 355, 368, 378, 380, 382, 384, 389, 390, 395, 399, 401, 402, 405, 406, 415, 416, 429, 432, 435, 436, 438, 441, 448, 454, 461, 466, 486, 488, 506, 512, 547, 558, 565, 576, 581, 592, 606, 614, 618, 626, 630, 634, 638, 642, 646, 650, 658, 662, 667, 678, 680, 686, 694, 699, 703, 707, 712, 716, 720, 724, 733, 741 | ignore-http-500-errors | 2 |
| id_3 | 185, 192 | ignore-http-502-errors | 2 |
| | | ignore-http-503-errors | 2 |
| | | ignore-unknown-path-type | 2 |
| | | ignore-values-unknown-path | 2 |
| | | Installation Folder | 53 |
| | | InstallationFolder | 53 |
| | | InstanceCustomFields | 492 |
| | | invalid-json-on-get-max-tries | 2 |
| | | invalid-json-on-get-sleep-initial-ms | 2 |
| | | invalid-json-on-get-sleep-max-ms | 2 |
| | | invalid-json-on-get-sleep-multiplicator | 2 |
| | | invalid-json-on-post-max-tries | 2 |
| | | invalid-json-on-post-sleep-initial-ms | 2 |
| | | invalid-json-on-post-sleep-max-ms | 2 |
| | | invalid-json-on-post-sleep-multiplicator | 2 |
| | | invantive-sql-compress-sparse-arrays | 2 |
| | | invantive-sql-correct-invalid-date | 2 |
| | | invantive-sql-forward-filters-to-data-containers | 2 |
| | | invantive-sql-share-byte-arrays | 2 |
| | | invantive-sql-share-strings | 2 |
| | | invantive-sql-shuffle-fetch-results-data-containers | 2 |
| | | invantive-use-cache | 2 |
| | | Is Application Read-only | 52 |
| | | Is Auto-attached | 408, 418, 420, 492 |
| | | Is Default | 91, 97, 101, 108, 114, 120, 126, 133, 140, 146, 157 |
| | | Is Displayed in Issue List | 408, 418, 420, 492 |

Is Draft 26, 30, 34, 38, 41, 45, 65, 72, 101, 108, 114, 120, 126, 133, 140, 146, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 438, 441, 448, 454, 461, 466, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 658, 662, 667, 678, 680, 686, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741
 Is On 377, 378, 379, 380
 Is Public 408, 421, 423, 492
 Is Resolved 427, 429, 430, 432
 Is RTL 50
 Is Updateable 382, 383, 384, 386, 389, 390, 393, 394, 395, 399, 400, 401, 402, 404, 405, 406, 408, 410, 414, 415, 416, 418, 420, 426, 427, 429, 432, 433, 434, 435, 436, 437, 444, 448, 485, 486, 488, 492
 isApplicationReadOnly 52
 isAutoAttached 408, 418, 420, 492
 isDefault 91, 97, 101, 108, 114, 120, 126, 133, 140, 146, 157
 isDisplayedInIssueList 408, 418, 420, 492
 isDraft 26, 30, 34, 38, 41, 45, 65, 72, 101, 108, 114, 120, 126, 133, 140, 146, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 438, 441, 448, 454, 461, 466, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 658, 662, 667, 678, 680, 686, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741
 isDraft_1 349, 355, 368, 547, 558, 565, 576, 581, 592
 isOn 377, 378, 379, 380
 isPublic 408, 421, 423, 492
 isResolved 427, 429, 430, 432
 isRTL 50
 Issue Tags 45, 361, 547, 658
 issue_\$type 268, 280, 285, 495, 500, 506, 512, 517, 523, 753, 757
 issue_commentsCount 268, 280, 285, 495, 500, 506, 512, 517, 523, 753, 757
 issue_created 268, 280, 285, 495, 500, 506, 512, 517, 523, 753, 757
 issue_description 268, 280, 285, 495, 500, 506, 512, 517, 523, 753, 757
 issue_draftOwner_\$type 753, 757
 issue_draftOwner_avatarUrl 753, 757
 issue_draftOwner_banned 753, 757
 issue_draftOwner_email 753, 757
 issue_draftOwner_fullName 753, 757
 issue_draftOwner_guest 753, 757
 issue_draftOwner_id 753, 757
 issue_draftOwner_jabberAccountName 753, 757
 issue_draftOwner_login 753, 757
 issue_draftOwner_online 753, 757
 issue_draftOwner_ringId 753, 757
 issue_externalIssue_\$type 753, 757
 issue_externalIssue_id 753, 757
 issue_externalIssue_key 753, 757
 issue_externalIssue_name 753, 757
 issue_externalIssue_url 753, 757
 issue_id 268, 280, 285, 495, 500, 506, 512, 517, 523, 753, 757
 issue_idReadable 268, 280, 285, 495, 500, 506, 512, 517, 523, 753, 757
 issue_isDraft 268, 280, 285, 495, 500, 506, 512, 517, 523, 753, 757
 issue_numberInProject 268, 280, 285, 495, 500, 506, 512, 517, 523, 753, 757
 issue_parent_\$type 753, 757
 issue_parent_direction 753, 757
 issue_parent_id 753, 757
 issue_project_archived 753, 757
 issue_project_description 753, 757
 issue_project_fromEmail 753, 757
 issue_project_iconUrl 753, 757
 issue_project_replyToEmail 753, 757
 issue_project_shortName 753, 757
 issue_project_startingNumber 753, 757
 issue_project_template 753, 757
 issue_reporter_\$type 753, 757
 issue_reporter_avatarUrl 753, 757
 issue_reporter_banned 753, 757
 issue_reporter_email 753, 757
 issue_reporter_fullName 753, 757
 issue_reporter_guest 753, 757
 issue_reporter_id 753, 757
 issue_reporter_jabberAccountName 753, 757
 issue_reporter_login 753, 757
 issue_reporter_online 753, 757
 issue_reporter_ringId 753, 757
 issue_resolved 268, 280, 285, 495, 500, 506, 512, 517, 523, 753, 757
 issue_subtasks_\$type 753, 757
 issue_subtasks_direction 753, 757
 issue_subtasks_id 753, 757
 issue_summary 268, 280, 285, 495, 500, 506, 512, 517, 523, 753, 757
 issue_updated 268, 280, 285, 495, 500, 506, 512, 517, 523, 753, 757
 issue_updater_\$type 753, 757
 issue_updater_avatarUrl 753, 757
 issue_updater_banned 753, 757
 issue_updater_email 753, 757
 issue_updater_fullName 753, 757

| | | | |
|--|---|----------------------------------|---|
| issue_updater_guest | 753, 757 | IssueTagIssueLinksById | 324 |
| issue_updater_id | 753, 757 | IssueTagIssues | 328 |
| issue_updater_jabberAccountName | 753, 757 | IssueTagIssuesCustomFieldsById | 332 |
| issue_updater_login | 753, 757 | IssueTagIssuesTags | 336 |
| issue_updater_online | 753, 757 | IssueTagIssueTagsById | 340 |
| issue_updater_ringId | 753, 757 | IssueTagLinkIssuesByTagId | 345 |
| issue_usesMarkdown | 268, 280, 285, 495, 500, 506, 512, 517, 523, 753, 757 | IssueTagLinkIssuesByTagId1 | 349 |
| issue_visibility_\$type | 753, 757 | IssueTagLinkTrimmedIssuesByTagId | 355 |
| issue_visibility_id | 753, 757 | IssueTags | 45, 361, 547, 658 |
| issue_voters_\$type | 753, 757 | IssueTagsBySavedQueryId | 650 |
| issue_voters_hasVote | 753, 757 | isUpdateable | 382, 383, 384, 386, 389, 390, 393, 394, 395, 399, 400, 401, 402, 404, 405, 406, 408, 410, 414, 415, 416, 418, 420, 426, 427, 429, 432, 433, 434, 435, 436, 437, 444, 448, 485, 486, 488, 492 |
| issue_votes | 268, 280, 285, 495, 500, 506, 512, 517, 523, 753, 757 | - J - | |
| issue_watchers_\$type | 753, 757 | Jabber Account Name | 378, 379, 380, 382, 383, 384, 400, 401, 402, 404, 405, 406, 434, 435, 436, 438, 441, 448, 451, 454, 457, 459, 461, 464, 466, 470, 472, 477, 479, 482, 658, 661, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 691, 747 |
| issue_watchers_hasStar | 753, 757 | Jabber Notifications Enabled | 746 |
| issue_watchers_id | 753, 757 | jabberAccountName | 378, 379, 380, 382, 383, 384, 400, 401, 402, 404, 405, 406, 434, 435, 436, 438, 441, 448, 451, 454, 457, 459, 461, 464, 466, 470, 472, 477, 479, 482, 658, 661, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 691, 747 |
| issue_wikifiedDescription | 268, 280, 285, 495, 500, 506, 512, 517, 523, 753, 757 | jabberNotificationsEnabled | 746 |
| IssueAttachments | 26 | jabberSettings_\$type | 50 |
| IssueAttachmentsBySavedQueryId | 606 | jabberSettings_host | 50 |
| IssueById | 537, 610 | jabberSettings_id | 50 |
| IssueComments | 30 | jabberSettings_isEnabled | 50 |
| IssueCommentsBySavedQueryId | 614 | jabberSettings_login | 50 |
| IssueCustomFields | 34 | jabberSettings_port | 50 |
| IssueCustomFieldsBySavedQueryId | 618 | jabberSettings_serviceName | 50 |
| IssueLinks | 38 | join-set-points-per-request | 2 |
| IssueLinksByIssueId | 541 | - L - | |
| IssueLinkTypes | 266 | leader_\$type | 26, 30, 34, 38, 41, 45, 58, 65, 72, 79 |
| IssueLinkTypesById | 266 | leader_\$type_1 | 45 |
| issueQuery | 15, 18, 20 | leader_avatarUrl | 26, 30, 34, 38, 41, 45, 58, 65, 72, 79 |
| Issues | 41, 543, 623 | leader_banned | 26, 30, 34, 38, 41, 45, 58, 65, 72, 79 |
| IssuesAttachments | 626 | leader_email | 26, 30, 34, 38, 41, 45, 58, 65, 72, 79 |
| IssuesComments | 630 | leader_fullName | 26, 30, 34, 38, 41, 45, 58, 65, 72, 79 |
| IssuesCustomFields | 634 | leader_guest | 26, 30, 34, 38, 41, 45, 58, 65, 72, 79 |
| IssuesLinks | 638 | leader_id | 26, 30, 34, 38, 41, 45, 58, 65, 72, 79 |
| IssuesLinksById | 642 | leader_id_1 | 45 |
| IssuesTags | 646 | | |
| IssueTagAttachmentIssuesByTagId | 268 | | |
| IssueTagById | 273 | | |
| IssueTagById2 | 275 | | |
| IssueTagCommentAttachmentIssuesByTagId | 280 | | |
| IssueTagCommentIssuesByTagId | 285 | | |
| IssueTagCustomFieldIssuesByTagId | 290 | | |
| IssueTagIssueAttachments | 295 | | |
| IssueTagIssueAttachmentsById | 299 | | |
| IssueTagIssueById | 304 | | |
| IssueTagIssueComments | 308 | | |
| IssueTagIssueCommentsById | 312 | | |
| IssueTagIssueCustomFields | 316 | | |
| IssueTagIssueLinks | 320 | | |

leader_jabberAccountName 26, 30, 34, 38, 41, 45, 58, 65, 72, 79
 leader_login 26, 30, 34, 38, 41, 45, 58, 65, 72, 79
 leader_name 45
 leader_online 26, 30, 34, 38, 41, 45, 58, 65, 72, 79
 leader_profiles_\$type 26, 30, 34, 38, 41, 45
 leader_profiles_id 26, 30, 34, 38, 41, 45
 leader_ringId 26, 30, 34, 38, 41, 45, 58, 65, 72, 79
 leader_untagOnResolve 45
 License 49
 license_\$type 24
 license_error 24
 license_id 24
 license_license 24
 license_username 24
 Licenses 49
 limit-partition-calls-left 2
 Link 374, 375
 LinkById 554
 LinkIssues 558
 LinkIssuesByIssueld 565
 Links 571
 LinkTrimmedIssues 576
 LinkTrimmedIssuesByIssueld 581
 linkType_\$type 345, 349, 355, 541, 554, 558, 565, 571, 576, 581
 linkType_aggregation 345, 349, 355, 541, 554, 558, 565, 571, 576, 581
 linkType_directed 345, 349, 355, 541, 554, 558, 565, 571, 576, 581
 linkType_id 345, 349, 355, 541, 554, 558, 565, 571, 576, 581
 linkType_localizedName 345, 349, 355, 541, 554, 558, 565, 571, 576, 581
 linkType_localizedSourceToTarget 345, 349, 355, 541, 554, 558, 565, 571, 576, 581
 linkType_localizedTargetToSource 345, 349, 355, 541, 554, 558, 565, 571, 576, 581
 linkType_name 345, 349, 355, 541, 554, 558, 565, 571, 576, 581
 linkType_readOnly 345, 349, 355, 541, 554, 558, 565, 571, 576, 581
 linkType_sourceToTarget 345, 349, 355, 541, 554, 558, 565, 571, 576, 581
 linkType_targetToSource 345, 349, 355, 541, 554, 558, 565, 571, 576, 581
 locale_\$type 50, 693
 locale_community 50, 693
 locale_id 50, 693
 locale_language 50, 693
 locale_locale 50, 693
 locale_name 50, 693
 LocaleSettings 50
 localeSettings_\$type 24
 localeSettings_id 24
 localeSettings_isRTL 24
 localeSettings_locale_\$type 24
 localeSettings_locale_community 24
 localeSettings_locale_id 24
 localeSettings_locale_language 24
 localeSettings_locale_locale 24
 localeSettings_locale_name 24
 Localized Name 266, 395, 396, 398, 399, 408, 418, 420, 427, 429, 430, 432, 492
 Localized Source to Target 266
 Localized Target to Source 266
 localizedName 266, 395, 396, 398, 399, 408, 418, 420, 427, 429, 430, 432, 492
 localizedSourceToTarget 266
 localizedTargetToSource 266
 Location 377, 378, 379, 380
 Login 378, 379, 380, 382, 383, 384, 400, 401, 402, 404, 405, 406, 434, 435, 436, 438, 441, 448, 451, 454, 457, 459, 461, 464, 466, 470, 472, 477, 479, 482, 658, 661, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 691, 747
 log-native-calls-to-disk-max-events 2
 log-native-calls-to-disk-max-seconds 2
 log-native-calls-to-disk-on-error 2
 log-native-calls-to-disk-on-success 2
 log-native-calls-to-trace 2
 logo_\$type 23
 logo_id 23
 logo_url 23
 Logs Location 53
 logsLocation 53

- M -

mailboxIntegrationNotificationsEnabled 746
 Max Export Items 52
 Max Upload File Size 52
 maxExportItems 52
 maximum-discovered-column-count 2
 maximum-length-identifiers 2
 max-odata-filters 2
 maxUploadFileSize 52
 max-url-length-accepted 2
 max-url-length-desired 2
 Me 661
 mentionNotificationsEnabled 746
 Metadata 26, 101, 172, 179, 185, 192, 239, 245, 268, 280, 295, 299, 495, 500, 506, 512, 606, 626, 694, 699
 metaData_1 172, 179, 185, 192

metadata-cache-max-age-sec 2
 mimeType 26, 101, 172, 179, 185, 192, 239, 245, 268, 280, 295, 299, 495, 500, 506, 512, 606, 626, 694, 699
 MIME-type 26, 101, 172, 179, 185, 192, 239, 245, 268, 280, 295, 299, 495, 500, 506, 512, 606, 626, 694, 699
 mimeType_1 172, 179, 185, 192
 Minutes a Day 56
 minutesADay 56
 MyIssueTags 662
 MySavedQueries 665
 MySavedQueryissues 667
 MyTags 670
 notificationSettings_jabberSettings_\$type 24
 notificationSettings_jabberSettings_host 24
 notificationSettings_jabberSettings_id 24
 notificationSettings_jabberSettings_isEnabled 24
 notificationSettings_jabberSettings_login 24
 notificationSettings_jabberSettings_port 24
 notificationSettings_jabberSettings_serviceName 24
 NotifiedUserSavedQuerySettings 378
 NotifiedUserSettings 379
 NotifiedUserTagSettings 380
 Notify on Own Changes 746
 notifyOnOwnChanges 746
 npt 604
 Nullable 408, 421, 423, 492
 Number in Project 26, 30, 34, 38, 41, 45, 65, 72, 101, 108, 114, 120, 126, 133, 140, 146, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 438, 441, 448, 454, 461, 466, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 658, 662, 667, 678, 680, 686, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741

- N -

Name 26, 30, 34, 38, 41, 45, 55, 57, 58, 65, 72, 79, 85, 91, 97, 101, 108, 114, 120, 126, 133, 140, 146, 152, 157, 172, 179, 185, 192, 239, 245, 262, 264, 266, 268, 273, 280, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 361, 363, 368, 374, 375, 378, 380, 382, 384, 387, 389, 390, 392, 395, 396, 398, 399, 401, 402, 405, 406, 408, 411, 413, 415, 416, 418, 420, 427, 429, 430, 432, 433, 435, 436, 438, 441, 444, 446, 448, 451, 454, 461, 464, 466, 470, 474, 477, 479, 482, 486, 488, 489, 491, 492, 495, 500, 506, 512, 528, 533, 536, 340, 345, 349, 355, 363, 368, 438, 441, 448, 454, 547, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 654, 656, 658, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741, 748, 750, 755, 712, 716, 720, 724, 729, 733, 737, 741
 numberInProject 26, 30, 34, 38, 41, 45, 65, 72, 101, 108, 114, 120, 126, 133, 140, 146, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 438, 441, 448, 454, 461, 466, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 658, 662, 667, 678, 680, 686, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741
 name_1 26, 34, 45, 58, 65, 72, 79, 91, 101, 114, 126, 133, 146, 157, 172, 179, 185, 192, 295, 299, 316, 332, 336, 340, 389, 390, 395, 399, 415, 416, 429, 432, 486, 488, 606, 618, 626, 634, 646, 650, 694, 699, 712, 716, 733, 741
 Native Platform Scalar Requests 604
 NATIVEPLATFORMSCALARREQUESTS 604
 Notification Analyzer Threads 53
 notificationAnalyzerThreads 53
 NotificationSettings 50
 notificationSettings_\$type 24
 notificationSettings_emailSettings_\$type 24
 notificationSettings_emailSettings_anonymous 24
 notificationSettings_emailSettings_from 24
 notificationSettings_emailSettings_host 24
 notificationSettings_emailSettings_id 24
 notificationSettings_emailSettings_isEnabled 24
 notificationSettings_emailSettings_login 24
 notificationSettings_emailSettings_mailProtocol 24
 notificationSettings_emailSettings_port 24
 notificationSettings_emailSettings_replyTo 24
 notificationSettings_id 24

- O -

oauth-unauthorized-max-tries 2
 oauth-unauthorized-sleep-initial-ms 2
 oauth-unauthorized-sleep-max-ms 2
 oauth-unauthorized-sleep-multiplicator 2
 Online 378, 379, 380, 382, 383, 384, 400, 401, 402, 404, 405, 406, 434, 435, 436, 438, 441, 448, 451, 454, 457, 459, 461, 464, 466, 470, 472, 477, 479, 482, 658, 661, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 691, 747
 onlineUsers_\$type 53
 onlineUsers_id 53
 onlineUsers_users 53
 Ordinal 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 387, 389, 390, 392, 395, 396, 398, 399, 408, 411, 413, 415, 416, 418, 420, 423, 427, 429, 430, 432, 486, 488, 489, 491, 492

ordinal_1 185, 192, 200, 206, 213, 219, 226, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 676, 677, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 793, 794, 795, 796, 797, 798, 799, 800, 801, 802, 803, 804, 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 839, 840, 841, 842, 843, 844, 845, 846, 847, 848, 849, 850, 851, 852, 853, 854, 855, 856, 857, 858, 859, 860, 861, 862, 863, 864, 865, 866, 867, 868, 869, 870, 871, 872, 873, 874, 875, 876, 877, 878, 879, 880, 881, 882, 883, 884, 885, 886, 887, 888, 889, 890, 891, 892, 893, 894, 895, 896, 897, 898, 899, 900, 901, 902, 903, 904, 905, 906, 907, 908, 909, 910, 911, 912, 913, 914, 915, 916, 917, 918, 919, 920, 921, 922, 923, 924, 925, 926, 927, 928, 929, 930, 931, 932, 933, 934, 935, 936, 937, 938, 939, 940, 941, 942, 943, 944, 945, 946, 947, 948, 949, 950, 951, 952, 953, 954, 955, 956, 957, 958, 959, 960, 961, 962, 963, 964, 965, 966, 967, 968, 969, 970, 971, 972, 973, 974, 975, 976, 977, 978, 979, 980, 981, 982, 983, 984, 985, 986, 987, 988, 989, 990, 991, 992, 993, 994, 995, 996, 997, 998, 999, 1000.

owner_jabberAccountName 58, 65, 72, 79, 85, 91, 126, 133, 152, 157, 273, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 361, 363, 368, 411, 413, 415, 416, 438, 441, 448, 451, 454, 461, 464, 466, 470, 477, 479, 482, 547, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 654, 656, 658, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741, 748, 751

owner_login 58, 65, 72, 79, 85, 91, 126, 133, 152, 157, 273, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 361, 363, 368, 411, 413, 415, 416, 438, 441, 448, 451, 454, 461, 464, 466, 470, 477, 479, 482, 547, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 654, 656, 658, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741, 748, 751

owner_name 336, 340, 646, 650, 733, 741

owner_online 58, 65, 72, 79, 85, 91, 126, 133, 152, 157, 273, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 361, 363, 368, 411, 413, 415, 416, 438, 441, 448, 451, 454, 461, 464, 466, 470, 477, 479, 482, 547, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 654, 656, 658, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741, 748, 751

owner_profiles_\$type 58, 65, 72, 79, 85, 91, 126, 133, 152, 157, 273, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 361, 411, 413, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 654, 656, 658, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741, 748, 751

owner_profiles_id 58, 65, 72, 79, 85, 91, 126, 133, 152, 157, 273, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 361, 411, 413, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 654, 656, 658, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741, 748, 751

owner_ringId 58, 65, 72, 79, 85, 91, 126, 133, 152, 157, 273, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 361, 363, 368, 411, 413, 415, 416, 438, 441, 448, 451, 454, 461, 464, 466, 470, 477, 479, 482, 547, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 654, 656, 658, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741, 748, 751

owner_untagOnResolve 336, 340, 646, 650, 733, 741

parent_\$type 26, 30, 34, 38, 41, 45, 101, 108, 114, 120, 140, 146, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 421, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741

parent_\$type_1 349, 355, 368, 547, 558, 565, 576, 581, 592

parent_aliases 421

parent_commentsCount 349, 355, 368, 547, 558, 565, 576, 581, 592

parent_created 349, 355, 368, 547, 558, 565, 576, 581, 592

parent_description 349, 355, 368, 547, 558, 565, 576, 581, 592

parent_direction 26, 30, 34, 38, 41, 45, 101, 108, 114, 120, 140, 146, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 421, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741

parent_fieldDefaults_\$type 421

parent_fieldDefaults_canBeEmpty 421

parent_fieldDefaults_emptyFieldText 421

parent_fieldDefaults_id 421

parent_fieldDefaults_isPublic 421

parent_fieldType_\$type 421

parent_fieldType_id 421

parent_hasRunningJob 421

parent_id 26, 30, 34, 38, 41, 45, 101, 108, 114, 120, 140, 146, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 421, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741

parent_id_1 349, 355, 368, 547, 558, 565, 576, 581, 592

parent_idReadable 349, 355, 368, 547, 558, 565, 576, 581, 592

parent_isAutoAttached 421

parent_isDisplayedInIssueList 421

parent_isDraft 349, 355, 368, 547, 558, 565, 576, 581, 592

parent_isUpdateable 421

parent_linkType_\$type 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 parent_linkType_aggregation 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 parent_linkType_directed 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 parent_linkType_id 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 parent_linkType_localizedName 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 parent_linkType_localizedSourceToTarget 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 parent_linkType_localizedTargetToSource 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 parent_linkType_name 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 parent_linkType_readOnly 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 parent_linkType_sourceToTarget 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 parent_linkType_targetToSource 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 parent_localizedName 421
 parent_name 421
 parent_numberInProject 349, 355, 368, 547, 558, 565, 576, 581, 592
 parent_ordinal 421
 parent_resolved 349, 355, 368, 547, 558, 565, 576, 581, 592
 parent_summary 349, 355, 368, 547, 558, 565, 576, 581, 592
 parent_updated 349, 355, 368, 547, 558, 565, 576, 581, 592
 parent_usesMarkdown 349, 355, 368, 547, 558, 565, 576, 581, 592
 parent_votes 349, 355, 368, 547, 558, 565, 576, 581, 592
 parent_wikifiedDescription 349, 355, 368, 547, 558, 565, 576, 581, 592
 parentArticle_\$type 185, 192, 200, 206, 226, 232, 239, 245
 parentArticle_base64Content 185, 192, 239, 245
 parentArticle_charset 185, 192, 239, 245
 parentArticle_content 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_content_1 185, 192, 200, 206, 213, 219, 226, 232
 parentArticle_content_2 226, 232
 parentArticle_content_3 226, 232
 parentArticle_created 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_created_1 185, 192, 200, 206, 213, 219, 226, 232, 239, 245
 parentArticle_created_2 185, 192, 200, 206, 226, 232
 parentArticle_draft 185, 192, 239, 245
 parentArticle_extension 185, 192, 239, 245
 parentArticle_externalArticle_\$type 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_externalArticle_id 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_externalArticle_key 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_externalArticle_name 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_externalArticle_url 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_hasChildren 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_hasChildren_1 185, 192, 200, 206, 213, 219, 226, 232
 parentArticle_hasChildren_2 226, 232
 parentArticle_hasStar 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_hasStar_1 185, 192, 200, 206, 213, 219, 226, 232
 parentArticle_hasStar_2 226, 232
 parentArticle_id 185, 192, 200, 206, 226, 232, 239, 245
 parentArticle_idReadable 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256

parentArticle_idReadable_1 185, 192, 200, 206, 213, 219, 226, 232
 parentArticle_idReadable_2 226, 232
 parentArticle_metaData 185, 192, 239, 245
 parentArticle_mimeType 185, 192, 239, 245
 parentArticle_name 185, 192, 239, 245
 parentArticle_ordinal 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_ordinal_1 185, 192, 200, 206, 213, 219, 226, 232
 parentArticle_ordinal_2 226, 232
 parentArticle_parentArticle_content 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_parentArticle_created 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_parentArticle_hasChildren 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_parentArticle_hasStar 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_parentArticle_idReadable 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_parentArticle_ordinal 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_parentArticle_summary 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_parentArticle_updated 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_project_archived 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_project_description 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_project_fromEmail 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_project_iconUrl 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_project_replyToEmail 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_project_shortName 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_project_startingNumber 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_project_template 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_removed 185, 192, 239, 245
 parentArticle_reporter_\$type 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_reporter_avatarUrl 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_reporter_banned 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_reporter_email 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_reporter_fullName 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_reporter_guest 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_reporter_id 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_reporter_jabberAccountName 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_reporter_login 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_reporter_online 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_reporter_ringId 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_size 185, 192, 239, 245
 parentArticle_summary 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_summary_1 185, 192, 200, 206, 213, 219, 226, 232
 parentArticle_summary_2 226, 232
 parentArticle_summary_3 226, 232
 parentArticle_text 200, 206
 parentArticle_updated 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_updated_1 185, 192, 200, 206, 213, 219, 226, 232, 239, 245
 parentArticle_updated_2 185, 192, 200, 206, 226, 232

parentArticle_updatedBy_\$type 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_updatedBy_avatarUrl 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_updatedBy_banned 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_updatedBy_email 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_updatedBy_fullName 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_updatedBy_guest 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_updatedBy_id 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_updatedBy_jabberAccountName 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_updatedBy_login 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_updatedBy_online 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_updatedBy_ringId 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_url 185, 192, 239, 245
 parentArticle_visibility_\$type 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_visibility_id 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 partition-slot-based-rate-limit-length-ms 2
 partition-slot-based-rate-limit-slots 2
 Payload 604
 PAYLOAD_TEXT 604
 Pending Async Jobs 53
 pendingAsyncJobs 53
 periodFormat_\$type 672
 periodFormat_id 672
 pre-request-delay-ms 2
 previousSprint_\$type 91, 97, 101, 108, 114, 120, 126, 133, 140, 146, 157
 previousSprint_agile_\$type 97, 101, 108, 114, 120, 140, 146
 previousSprint_agile_hideOrphansSwimlane 97, 101, 108, 114, 120, 140, 146
 previousSprint_agile_id 97, 101, 108, 114, 120, 140, 146
 previousSprint_agile_name 97, 101, 108, 114, 120, 140, 146
 previousSprint_agile_orphansAtTheTop 97, 101, 108, 114, 120, 140, 146
 previousSprint_agile_updateableByProjectBased 97, 101, 108, 114, 120, 140, 146
 previousSprint_agile_visibleForProjectBased 97, 101, 108, 114, 120, 140, 146
 previousSprint_archived 91, 97, 101, 108, 114, 120, 126, 133, 140, 146, 157
 previousSprint_finish 91, 97, 101, 108, 114, 120, 126, 133, 140, 146, 157
 previousSprint_goal 91, 97, 101, 108, 114, 120, 126, 133, 140, 146, 157
 previousSprint_id 91, 97, 101, 108, 114, 120, 126, 133, 140, 146, 157
 previousSprint_isDefault 91, 97, 101, 108, 114, 120, 126, 133, 140, 146, 157
 previousSprint_name 91, 97, 101, 108, 114, 120, 126, 133, 140, 146, 157
 previousSprint_previousSprint_\$type 97, 101, 108, 114, 120, 140, 146
 previousSprint_previousSprint_archived 97, 101, 108, 114, 120, 140, 146
 previousSprint_previousSprint_finish 97, 101, 108, 114, 120, 140, 146
 previousSprint_previousSprint_goal 97, 101, 108, 114, 120, 140, 146
 previousSprint_previousSprint_id 97, 101, 108, 114, 120, 140, 146
 previousSprint_previousSprint_isDefault 97, 101, 108, 114, 120, 140, 146
 previousSprint_previousSprint_name 97, 101, 108, 114, 120, 140, 146
 previousSprint_previousSprint_start 97, 101, 108, 114, 120, 140, 146
 previousSprint_previousSprint_unresolvedIssuesCount 97, 101, 108, 114, 120, 140, 146
 previousSprint_start 91, 97, 101, 108, 114, 120, 126, 133, 140, 146, 157
 previousSprint_unresolvedIssuesCount 91, 97, 101, 108, 114, 120, 126, 133, 140, 146, 157
 profiles_\$type 378, 379, 380, 382, 383, 384, 400, 401, 402, 404, 405, 406, 434, 435, 436, 438, 441, 448, 451, 454, 457, 459, 461, 464, 466, 470, 472, 477, 479, 482, 658, 661, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 691, 747
 profiles_general_\$type 438, 441, 448, 451, 454, 457, 459, 461, 464, 466, 470, 472, 477, 479, 482, 658, 661, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 691, 747

profiles_general_id 438, 441, 448, 451, 454, 457, profiles_notifications_notifyOnOwnChanges 438, 459, 461, 464, 466, 470, 472, 477, 479, 482, 658, 661, 441, 448, 451, 454, 457, 459, 461, 464, 466, 470, 472, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 441, 448, 451, 454, 457, 459, 461, 662, 665, 667, 670, 673, 675, 691, 747 678, 680, 683, 686, 689, 691, 747

profiles_id 378, 379, 380, 382, 383, 384, 400, 401 profiles_notifications_usePlainTextEmails 438, 441, 402, 404, 405, 406, 434, 435, 436, 438, 441, 448, 454, 448, 451, 454, 457, 459, 461, 464, 466, 470, 472, 477, 454, 457, 459, 461, 464, 466, 470, 472, 477, 479, 482, 658, 661, 662, 665, 667, 670, 673, 675, 678, 658, 661, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 691, 747 680, 683, 686, 689, 691, 747

profiles_notifications_\$type 438, 441, 448, 451, 454, 457, 459, 461, 464, 466, 470, 472, 477, 479, 482, 454, 457, 459, 461, 464, 466, 470, 472, 477, 479, 482, 658, 661, 662, 665, 667, 670, 673, 675, 678, 680, 683, 658, 661, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 691, 747 686, 689, 691, 747

profiles_notifications_autoWatchOnComment 438, 441, 448, 451, 454, 457, 459, 461, 464, 466, 470, 472, 477, 479, 482, 658, 441, 448, 451, 454, 457, 459, 461, 464, 466, 470, 472, 661, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 477, 479, 482, 658, 661, 662, 665, 667, 670, 673, 675, 689, 691, 747 689, 691, 747

ProfileTimeTrackingsByUserId 672

profiles_notifications_autoWatchOnCreate 438, 441, 448, 451, 454, 457, 459, 461, 464, 466, 470, 472, 477, 479, 482, 658, 661, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 691, 747 project_\$type 349, 368, 547, 558, 565, 592

profiles_notifications_autoWatchOnUpdate 438, 441, 448, 451, 454, 457, 459, 461, 464, 466, 470, 472, 477, 479, 482, 658, 661, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 691, 747 project_archived 26, 30, 34, 38, 41, 45, 101, 108, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 408, 423, 429, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 654, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741

profiles_notifications_autoWatchOnVote 438, 441, 448, 451, 454, 457, 459, 461, 464, 466, 470, 472, 477, 479, 482, 658, 661, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 691, 747 project_archived_1 185, 192, 200, 206, 213, 219, 226, 232

profiles_notifications_duplicateClusterNotificationsEnabled 438, 441, 448, 451, 454, 457, 459, 461, 464, 466, 470, 472, 477, 479, 482, 658, 661, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 691, 747 project_commentsCount 349, 368, 547, 558, 565, 592

profiles_notifications_emailNotificationsEnabled 438, 441, 448, 451, 454, 457, 459, 461, 464, 466, 470, 472, 477, 479, 482, 658, 661, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 691, 747 project_created 349, 368, 547, 558, 565, 592

profiles_notifications_id 438, 441, 448, 451, 454, 457, 459, 461, 464, 466, 470, 472, 477, 479, 482, 658, 661, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 691, 747 project_createdBy_\$type 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 423, 429, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599

profiles_notifications_jabberNotificationsEnabled 438, 441, 448, 451, 454, 457, 459, 461, 464, 466, 470, 472, 477, 479, 482, 658, 661, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 691, 747 project_createdBy_avatarUrl 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 423, 429, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599

profiles_notifications_mailboxIntegrationNotificationsEnabled 438, 441, 448, 451, 454, 457, 459, 461, 464, 466, 470, 472, 477, 479, 482, 658, 661, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 691, 747 project_createdBy_banned 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 423, 429, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599

profiles_notifications_mentionNotificationsEnabled 438, 441, 448, 451, 454, 457, 459, 461, 464, 466, 470, 472, 477, 479, 482, 658, 661, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 691, 747 project_createdBy_email 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 423, 429, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599

project_createdBy_fullName 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 423, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 project_createdBy_guest 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 423, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 project_createdBy_id 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 423, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 project_createdBy_jabberAccountName 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 423, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 project_createdBy_login 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 423, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 project_createdBy_online 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 423, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 project_createdBy_ringId 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 423, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 project_description 26, 30, 34, 38, 41, 45, 101, 108, 114, 120, 140, 146, 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 408, 423, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 project_description_1 185, 192, 200, 206, 213, 219, 226, 232, 349, 368, 547, 558, 565, 592
 project_fromEmail 26, 30, 34, 38, 41, 45, 101, 108, 114, 120, 140, 146, 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 408, 423, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 project_fromEmail_1 185, 192, 200, 206, 213, 219, 226, 232
 project_iconUrl 26, 30, 34, 38, 41, 45, 101, 108, 114, 120, 140, 146, 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 408, 423, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 project_id 349, 368, 547, 558, 565, 592
 project_idReadable 349, 368, 547, 558, 565, 592
 project_isDraft 349, 368, 547, 558, 565, 592
 project_leader_\$type 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 423, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 project_leader_avatarUrl 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 423, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 project_leader_banned 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 423, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 project_leader_email 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 423, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 project_leader_fullName 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 423, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599

project_leader_guest 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 423, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 project_leader_id 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 423, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 project_leader_jabberAccountName 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 423, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 project_leader_login 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 423, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 project_leader_online 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 423, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 project_leader_ringId 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 423, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 project_numberInProject 349, 368, 547, 558, 565, 592
 project_replyToEmail 26, 30, 34, 38, 41, 45, 101, 108, 114, 120, 140, 146, 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 408, 423, 492, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 project_replyToEmail_1 185, 192, 200, 206, 213, 219, 226, 232
 project_resolved 349, 368, 547, 558, 565, 592
 project_shortName 26, 30, 34, 38, 41, 45, 101, 108, 114, 120, 140, 146, 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 408, 423, 492, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741
 project_shortName_1 185, 192, 200, 206, 213, 219, 226, 232
 project_startingNumber 26, 30, 34, 38, 41, 45, 101, 108, 114, 120, 140, 146, 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 408, 423, 492, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 project_startingNumber_1 185, 192, 200, 206, 213, 219, 226, 232
 project_summary 349, 368, 547, 558, 565, 592
 project_team_\$type 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 423, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 project_team_allUsersGroup 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 423, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 project_team_icon 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 423, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 project_team_id 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 423, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 project_team_name 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 423, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 project_team_ringId 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 423, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 project_team_usersCount 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 423, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599

- project_template 26, 30, 34, 38, 41, 45, 101, 108, 114, 120, 140, 146, 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 408, 423, 492, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741
 project_template_1 185, 192, 200, 206, 213, 219, 226, 232
 project_updated 349, 368, 547, 558, 565, 592
 project_usesMarkdown 349, 368, 547, 558, 565, 592
 project_votes 349, 368, 547, 558, 565, 592
 project_wikifiedDescription 349, 368, 547, 558, 565, 592
 ProjectActivityPages 20
 ProjectBySprintId 58
 projectCustomField_\$type 290, 528, 533
 projectCustomField_canBeEmpty 290, 528, 533
 projectCustomField_emptyFieldText 290, 528, 533
 projectCustomField_hasRunningJob 290, 528, 533
 projectCustomField_id 290, 528, 533
 projectCustomField_isPublic 290, 528, 533
 projectCustomField_ordinal 290, 528, 533
 ProjectIssues 65
 ProjectIssuesBySprintId 72
 Projects 79
- Q -**
- query 378, 382, 401, 402, 435, 438, 441, 451, 461, 464, 477, 500, 506, 517, 528, 543, 547, 558, 571, 576, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 654, 656, 665, 667, 673, 675, 678, 680, 694, 703, 712, 720, 729, 733, 748, 757
- R -**
- Readable ID 26, 30, 34, 38, 41, 45, 65, 72, 101, 108, 114, 120, 126, 133, 140, 146, 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 438, 441, 448, 454, 461, 466, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 658, 662, 667, 678, 680, 686, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741
 readOnly 266
- Read-only 266
 Release Date 486, 488, 489, 491
 Released 486, 488, 489, 491
 releaseDate 486, 488, 489, 491
 removed 26, 101, 172, 179, 185, 192, 239, 245, 268, 280, 295, 299, 495, 500, 506, 512, 606, 626, 694, 699
 removed_1 172, 179, 185, 192
 Reply-to Email 26, 30, 34, 38, 41, 45, 58, 65, 72, 79
 replyToEmail 26, 30, 34, 38, 41, 45, 58, 65, 72, 79
 Report Calculator Threads 53
 reportCalculatorThreads 53
 reporter_\$type 26, 30, 34, 38, 41, 45, 101, 108, 114, 120, 140, 146, 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741
 reporter_\$type_1 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 reporter_\$type_2 185, 192, 200, 206, 213, 219, 226, 232
 reporter_\$type_3 185, 192, 200, 206, 213, 219, 226, 232
 reporter_avatarUrl 26, 30, 34, 38, 41, 45, 101, 108, 114, 120, 140, 146, 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741
 reporter_avatarUrl_1 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 reporter_avatarUrl_2 185, 192, 200, 206, 213, 219, 226, 232
 reporter_avatarUrl_3 185, 192, 200, 206, 213, 219, 226, 232
 reporter_banned 26, 30, 34, 38, 41, 45, 101, 108, 114, 120, 140, 146, 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741
 reporter_banned_1 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256

| | | | |
|---------------------|--|------------------------------|--|
| reporter_banned_2 | 185, 192, 200, 206, 213, 219, 226, 232 | reporter_id | 26, 30, 34, 38, 41, 45, 101, 108, 114, 120, 140, 146, 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741 |
| reporter_banned_3 | 185, 192, 200, 206, 213, 219, 226, 232 | reporter_id_1 | 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256 |
| reporter_email | 26, 30, 34, 38, 41, 45, 101, 108, 114, 120, 140, 146, 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741 | reporter_id_2 | 185, 192, 200, 206, 213, 219, 226, 232 |
| reporter_email_1 | 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256 | reporter_id_3 | 185, 192, 200, 206, 213, 219, 226, 232 |
| reporter_email_2 | 185, 192, 200, 206, 213, 219, 226, 232 | reporter_jabberAccountName | 26, 30, 34, 38, 41, 45, 101, 108, 114, 120, 140, 146, 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741 |
| reporter_email_3 | 185, 192, 200, 206, 213, 219, 226, 232 | reporter_jabberAccountName_1 | 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256 |
| reporter_fullName | 26, 30, 34, 38, 41, 45, 101, 108, 114, 120, 140, 146, 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741 | reporter_jabberAccountName_2 | 185, 192, 200, 206, 213, 219, 226, 232 |
| reporter_fullName_1 | 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256 | reporter_jabberAccountName_3 | 185, 192, 200, 206, 213, 219, 226, 232 |
| reporter_fullName_2 | 185, 192, 200, 206, 213, 219, 226, 232 | reporter_login | 26, 30, 34, 38, 41, 45, 101, 108, 114, 120, 140, 146, 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741 |
| reporter_fullName_3 | 185, 192, 200, 206, 213, 219, 226, 232 | reporter_login_1 | 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256 |
| reporter_guest | 26, 30, 34, 38, 41, 45, 101, 108, 114, 120, 140, 146, 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741 | reporter_login_2 | 185, 192, 200, 206, 213, 219, 226, 232 |
| reporter_guest_1 | 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256 | reporter_login_3 | 185, 192, 200, 206, 213, 219, 226, 232 |
| reporter_guest_2 | 185, 192, 200, 206, 213, 219, 226, 232 | reporter_online | 26, 30, 34, 38, 41, 45, 101, 108, 114, 120, 140, 146, 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741 |
| reporter_guest_3 | 185, 192, 200, 206, 213, 219, 226, 232 | | |

reporter_online_1 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 reporter_online_2 185, 192, 200, 206, 213, 219, 226, 232
 reporter_online_3 185, 192, 200, 206, 213, 219, 226, 232
 reporter_profiles_\$type 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 reporter_profiles_\$type_1 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 reporter_profiles_id 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 reporter_profiles_id_1 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 reporter_ringId 26, 30, 34, 38, 41, 45, 101, 108, 114, 120, 140, 146, 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741
 reporter_ringId_1 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 reporter_ringId_2 185, 192, 200, 206, 213, 219, 226, 232
 reporter_ringId_3 185, 192, 200, 206, 213, 219, 226, 232
 requested-page-size 2
 Requests per Second 53
 requests-parallel-max 2
 requestsPerSecond 53
 Resolved 26, 30, 34, 38, 41, 45, 65, 72, 101, 108, 114, 120, 126, 133, 140, 146, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 438, 441, 448, 454, 461, 466, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 658, 662, 667, 678, 680, 686, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741
 resolved_1 349, 355, 368, 547, 558, 565, 576, 581, 592
 Response Cache Maximum Age (sec) 604
 RestSettings 51
 restSettings_\$type 24
 restSettings_allowAllOrigins 24
 restSettings_id 24
 Result BLOB 604
 Result Text 604
 RESULT_BLOB 604
 RESULT_DATE_TIME_UTC 604
 RESULT_NUMBER 604
 RESULT_TEXT 604
 Reverse 15, 18, 20
 Ring ID 262, 264, 378, 379, 380, 382, 383, 384, 400, 401, 402, 404, 405, 406, 433, 434, 435, 436, 438, 441, 444, 445, 448, 451, 454, 457, 459, 461, 464, 466, 470, 472, 474, 477, 479, 482, 658, 661, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 691, 747
 ringId 262, 264, 378, 379, 380, 382, 383, 384, 400, 401, 402, 404, 405, 406, 433, 434, 435, 436, 438, 441, 444, 445, 448, 451, 454, 457, 459, 461, 464, 466, 470, 472, 474, 477, 479, 482, 658, 661, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 691, 747
 Run without Actions 604

- S -

Save HTTP Disk Cache 604
 Save HTTP Memory Cache 604
 Saved Queries 654, 673
 SavedQueries 654, 673
 SavedQueryById 656, 675
 SavedQueryIssues 678
 SavedQueryIssuesByUserId 680
 service-url 2
 Short Name 26, 30, 34, 38, 41, 45, 58, 65, 72, 79
 shortName 26, 30, 34, 38, 41, 45, 58, 65, 72, 79
 simulate-http-400-errors 2
 simulate-http-400-errors-percentage 2
 simulate-http-401-errors 2
 simulate-http-401-errors-percentage 2
 simulate-http-403-errors 2
 simulate-http-403-errors-percentage 2
 simulate-http-408-errors 2
 simulate-http-408-errors-percentage 2
 simulate-http-429-errors 2
 simulate-http-429-errors-percentage 2
 simulate-http-500-errors 2
 simulate-http-500-errors-percentage 2
 simulate-http-502-errors 2
 simulate-http-502-errors-percentage 2
 simulate-http-503-errors 2
 simulate-http-503-errors-percentage 2
 simulate-http-protocol-errors 2
 simulate-http-protocol-errors-percentage 2
 simulate-http-timeout-errors 2
 simulate-http-timeout-errors-percentage 2

| | | | |
|---|--|--|--|
| Size | 26, 101, 172, 179, 185, 192, 239, 245, 268, 694, 699 | sprintsSettings_sprintSyncField_\$type | 58, 65, 72, 280, 295, 299, 374, 375, 495, 500, 506, 512, 606, 626, 629, 85, 91, 126, 133, 152, 157 |
| size_1 | 172, 179, 185, 192 | sprintsSettings_sprintSyncField_aliases | 58, 65, 72, 79, 85, 91, 126, 133, 152, 157 |
| slot-based-rate-limit-length-ms | 2 | sprintsSettings_sprintSyncField_hasRunningJob | 58, 65, 72, 79, 85, 91, 126, 133, 152, 157 |
| slot-based-rate-limit-slots | 2 | sprintsSettings_sprintSyncField_id | 58, 65, 72, 79, 85, 91, 126, 133, 152, 157 |
| Source to Target | 266 | sprintsSettings_sprintSyncField_isAutoAttached | 58, 65, 72, 79, 85, 91, 126, 133, 152, 157 |
| sourceToTarget | 266 | sprintsSettings_sprintSyncField_isDisplayedInIssueList | 58, 65, 72, 79, 85, 91, 126, 133, 152, 157 |
| SprintById | 85 | sprintsSettings_sprintSyncField_isUpdateable | 58, 65, 72, 79, 85, 91, 126, 133, 152, 157 |
| SprintById1 | 91 | sprintsSettings_sprintSyncField_localizedName | 58, 65, 72, 79, 85, 91, 126, 133, 152, 157 |
| SprintById2 | 97 | sprintsSettings_sprintSyncField_name | 58, 65, 72, 79, 85, 91, 126, 133, 152, 157 |
| SprintIssueAttachmentsBySprintId | 101 | sprintsSettings_sprintSyncField_ordinal | 58, 65, 72, 79, 85, 91, 126, 133, 152, 157 |
| SprintIssueCommentsBySprintId | 108 | standardize-identifiers | 2 |
| SprintIssueCustomFieldsBySprintId | 114 | standardize-identifiers-casing | 2 |
| SprintIssueLinksBySprintId | 120 | start | 15, 18, 20, 91, 97, 101, 108, 114, 120, 126, 133, 140, 146, 157, 757 |
| SprintIssues | 126 | Start Date | 604 |
| SprintIssuesBySprintId | 133 | Start Time | 53 |
| SprintIssuesBySprintId1 | 140 | startDate | 757 |
| SprintIssueTagsBySprintId | 146 | startedTime | 53 |
| Sprints | 152 | Starting Number | 26, 30, 34, 38, 41, 45, 58, 65, 72, 79 |
| Sprints1 | 157 | startingNumber | 26, 30, 34, 38, 41, 45, 58, 65, 72, 79 |
| sprintsSettings_\$type | 58, 65, 72, 79, 85, 91, 126, 133, 152, 157 | stateBundleElementId | 430 |
| sprintsSettings_cardOnSeveralSprints | 58, 65, 72, 79, 85, 91, 126, 133, 152, 157 | status_\$type | 58, 65, 72, 79, 85, 91, 126, 133, 152, 157 |
| sprintsSettings_defaultSprint_\$type | 58, 65, 72, 79, 85, 91, 126, 133, 152, 157 | status_hasJobs | 58, 65, 72, 79, 85, 91, 126, 133, 152, 157 |
| sprintsSettings_defaultSprint_archived | 58, 65, 72, 79, 85, 91, 126, 133, 152, 157 | status_id | 58, 65, 72, 79, 85, 91, 126, 133, 152, 157 |
| sprintsSettings_defaultSprint_finish | 58, 65, 72, 79, 85, 91, 126, 133, 152, 157 | status_valid | 58, 65, 72, 79, 85, 91, 126, 133, 152, 157 |
| sprintsSettings_defaultSprint_goal | 58, 65, 72, 79, 85, 91, 126, 133, 152, 157 | subtasks_\$type | 26, 30, 34, 38, 41, 45, 101, 108, 114, 120, 140, 146, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741 |
| sprintsSettings_defaultSprint_id | 58, 65, 72, 79, 85, 91, 126, 133, 152, 157 | subtasks_\$type_1 | 349, 355, 368, 547, 558, 565, 576, 581, 592 |
| sprintsSettings_defaultSprint_isDefault | 58, 65, 72, 79, 85, 91, 126, 133, 152, 157 | subtasks_commentsCount | 349, 355, 368, 547, 558, 565, 576, 581, 592 |
| sprintsSettings_defaultSprint_name | 58, 65, 72, 79, 85, 91, 126, 133, 152, 157 | subtasks_created | 349, 355, 368, 547, 558, 565, 576, 581, 592 |
| sprintsSettings_defaultSprint_start | 58, 65, 72, 79, 85, 91, 126, 133, 152, 157 | | |
| sprintsSettings_defaultSprint_unresolvedIssuesCount | 58, 65, 72, 79, 85, 91, 126, 133, 152, 157 | | |
| sprintsSettings_disableSprints | 58, 65, 72, 79, 85, 91, 126, 133, 152, 157 | | |
| sprintsSettings_explicitQuery | 58, 65, 72, 79, 85, 91, 126, 133, 152, 157 | | |
| sprintsSettings_hideSubtasksOfCards | 58, 65, 72, 79, 85, 91, 126, 133, 152, 157 | | |
| sprintsSettings_id | 58, 65, 72, 79, 85, 91, 126, 133, 152, 157 | | |
| sprintsSettings_isExplicit | 58, 65, 72, 79, 85, 91, 126, 133, 152, 157 | | |

subtasks_description 349, 355, 368, 547, 558, 565, 576, 581, 592
 subtasks_direction 26, 30, 34, 38, 41, 45, 101, 108, 114, 120, 140, 146, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 subtasks_linkType_readOnly 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 subtasks_linkType_sourceToTarget 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 subtasks_linkType_targetToSource 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 subtasks_id 26, 30, 34, 38, 41, 45, 101, 108, 114, 120, 140, 146, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 subtasks_numberInProject 349, 355, 368, 547, 558, 565, 576, 581, 592
 subtasks_resolved 349, 355, 368, 547, 558, 565, 576, 581, 592
 subtasks_summary 349, 355, 368, 547, 558, 565, 576, 581, 592
 subtasks_updated 349, 355, 368, 547, 558, 565, 576, 581, 592
 subtasks_idReadable 349, 355, 368, 547, 558, 565, 576, 581, 592
 subtasks_isDraft 349, 355, 368, 547, 558, 565, 576, 581, 592
 subtasks_linkType_\$type 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 subtasks_linkType_aggregation 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 subtasks_linkType_directed 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 subtasks_linkType_id 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 subtasks_linkType_localizedName 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 subtasks_linkType_localizedSourceToTarget 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 subtasks_linkType_localizedTargetToSource 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 subtasks_linkType_name 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 subtasks_wikifiedDescription 349, 355, 368, 547, 558, 565, 576, 581, 592
 Successful 604
 SUCCESSFUL 604
 Summary 26, 30, 34, 38, 41, 45, 65, 72, 101, 108, 114, 120, 126, 133, 140, 146, 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 438, 441, 448, 454, 461, 466, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 658, 662, 667, 678, 680, 686, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741
 summary_1 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 349, 355, 368, 547, 558, 565, 576, 581, 592
 summary_2 185, 192, 200, 206, 213, 219, 226, 232
 summary_3 185, 192, 200, 206, 213, 219, 226, 232
 summary_4 226, 232
 summary_5 226, 232
 swagger-specification-file 2
 swagger-specification-http-disk-cache-max-age-sec 2
 swagger-specification-url 2
 swimlaneSettings_\$type 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 swimlaneSettings_enabled 58, 65, 72, 79, 85, 91, 126, 133, 152, 157

| | | | |
|--|--|--|--|
| swimlaneSettings_id | 58, 65, 72, 79, 85, 91, 126, 133, 152, 157 | teamForProject_createdBy_banned | 262, 264, 445, 474 |
| SystemSettings | 52 | teamForProject_createdBy_email | 262, 264, 445, 474 |
| systemSettings_\$type | 24 | teamForProject_createdBy_fullName | 262, 264, 445, 474 |
| systemSettings_administratorEmail | 24 | teamForProject_createdBy_guest | 262, 264, 445, 474 |
| systemSettings_allowStatisticsCollection | 24 | teamForProject_createdBy_id | 262, 264, 445, 474 |
| systemSettings_baseUrl | 24 | teamForProject_createdBy_jabberAccountName | 262, 264, 445, 474 |
| systemSettings_id | 24 | teamForProject_createdBy_login | 262, 264, 445, 474 |
| systemSettings_isApplicationReadOnly | 24 | teamForProject_createdBy_online | 262, 264, 445, 474 |
| systemSettings_maxExportItems | 24 | teamForProject_createdBy_ringId | 262, 264, 445, 474 |
| systemSettings_maxUploadFileSize | 24 | teamForProject_description | 262, 264, 433, 444, 445, 474 |
| - T - | | | |
| TagById | 587, 683 | teamForProject_fromEmail | 262, 264, 433, 444, 445, 474 |
| TagIssuesByTagId | 363, 592, 686 | teamForProject_iconUrl | 262, 264, 433, 444, 445, 474 |
| TagIssuesByTagId2 | 368 | teamForProject_leader_\$type | 262, 264, 445, 474 |
| Tags | 599, 689 | teamForProject_leader_avatarUrl | 262, 264, 445, 474 |
| Target member | 15, 17, 20 | teamForProject_leader_banned | 262, 264, 445, 474 |
| Target to Source | 266 | teamForProject_leader_email | 262, 264, 445, 474 |
| targetMember | 15, 17, 20 | teamForProject_leader_fullName | 262, 264, 445, 474 |
| targetToSource | 266 | teamForProject_leader_guest | 262, 264, 445, 474 |
| team_\$type | 26, 30, 34, 38, 41, 45, 58, 65, 72, 79 | teamForProject_leader_id | 262, 264, 445, 474 |
| team_allUsersGroup | 26, 30, 34, 38, 41, 45, 58, 65, 72, 79 | teamForProject_leader_jabberAccountName | 262, 264, 445, 474 |
| team_icon | 26, 30, 34, 38, 41, 45, 58, 65, 72, 79 | teamForProject_leader_login | 262, 264, 445, 474 |
| team_id | 26, 30, 34, 38, 41, 45, 58, 65, 72, 79 | teamForProject_leader_online | 262, 264, 445, 474 |
| team_name | 26, 30, 34, 38, 41, 45, 58, 65, 72, 79 | teamForProject_leader_ringId | 262, 264, 445, 474 |
| team_ringId | 26, 30, 34, 38, 41, 45, 58, 65, 72, 79 | teamForProject_replyToEmail | 262, 264, 433, 444, 445, 474 |
| team_teamForProject_archived | 26, 30, 34, 38, 41, 45 | teamForProject_shortName | 262, 264, 433, 444, 445, 474 |
| team_teamForProject_description | 26, 30, 34, 38, 41, 45 | teamForProject_startingNumber | 262, 264, 433, 444, 445, 474 |
| team_teamForProject_fromEmail | 26, 30, 34, 38, 41, 45 | teamForProject_team_\$type | 262, 264, 445, 474 |
| team_teamForProject_iconUrl | 26, 30, 34, 38, 41, 45 | teamForProject_team_allUsersGroup | 262, 264, 445, 474 |
| team_teamForProject_replyToEmail | 26, 30, 34, 38, 41, 45 | teamForProject_team_icon | 262, 264, 445, 474 |
| team_teamForProject_shortName | 26, 30, 34, 38, 41, 45 | teamForProject_team_id | 262, 264, 445, 474 |
| team_teamForProject_startingNumber | 26, 30, 34, 38, 41, 45 | teamForProject_team_name | 262, 264, 445, 474 |
| team_teamForProject_template | 26, 30, 34, 38, 41, 45 | teamForProject_team_ringId | 262, 264, 445, 474 |
| team_usersCount | 26, 30, 34, 38, 41, 45, 58, 65, 72, 79 | teamForProject_team_usersCount | 262, 264, 445, 474 |
| teamForProject_archived | 262, 264, 433, 444, 445, 474 | teamForProject_template | 262, 264, 433, 444, 445, 474 |
| teamForProject_createdBy_\$type | 262, 264, 445, 474 | Telemetry | 53 |
| teamForProject_createdBy_avatarUrl | 262, 264, 445, 474 | Template | 26, 30, 34, 38, 41, 45, 58, 65, 72, 79 |

Text 22, 30, 108, 200, 206, 239, 245, 251, 256, 280, 285, 308, 312, 506, 512, 517, 523, 614, 630, 703, 707, 753, 757
 Text Index Size 53
 Text Preview 30, 108, 280, 285, 308, 312, 506, 512, 517, 523, 614, 630, 703, 707, 753, 757
 textIndexSize 53
 textPreview 30, 108, 280, 285, 308, 312, 506, 512, 517, 523, 614, 630, 703, 707, 753, 757
 Thumbnail (URL) 26, 101, 268, 280, 295, 299, 495, 500, 506, 512, 606, 626, 694, 699
 thumbnailURL 26, 101, 268, 280, 295, 299, 495, 500, 506, 512, 606, 626, 694, 699
 Timeout (sec) 604
 TIMEOUT_SEC 604
 Timestamp 15, 17, 20
 TimeTrackingSettings 54
 TimeTrackingSettingWorkItemTypes 55
 TimeTrackingSettingWorkItemTypesByWorkItemTypeId 55
 TimeTrackingWorkTimeSettings 56
 timezone_\$type 23, 693
 timezone_id 23, 693
 timezone_offset 23, 693
 timezone_presentation 23, 693
 Total Transactions 53
 totalTransactions 53
 Transaction ID 604
 TRANSACTION_ID 604
 Transactions per Second 53
 transactionsPerSecond 53
 type_\$type 753, 757
 type_autoAttached 753, 757
 type_id 753, 757
 type_name 753, 757
 Types 494

- U -

Unresolved Issue Count 91, 97, 101, 108, 114, 126, 133, 140, 146, 157
 unresolvedIssuesCount 91, 97, 101, 108, 114, 126, 133, 140, 146, 157
 untagOnResolve 45, 146, 273, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 361, 363, 368, 380, 384, 405, 406, 436, 448, 454, 466, 470, 479, 482, 547, 587, 592, 599, 646, 650, 658, 662, 670, 683, 689, 699, 707, 716, 724, 733, 737, 741, 751
 untagOnResolve_1 336, 340, 741
 updateableBy_\$type 58, 65, 72, 79, 85, 91, 126, 133, 152, 157, 273, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 361, 363, 368, 438, 441, 448, 451, 454, 461, 464, 466, 470, 477, 479, 482, 547, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 654, 656, 658, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741, 748, 751
 updateableBy_allUsersGroup 58, 65, 72, 79, 85, 91, 126, 133, 152, 157, 273, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 361, 363, 368, 438, 441, 448, 451, 454, 461, 464, 466, 470, 477, 479, 482, 547, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 654, 656, 658, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741, 748, 751
 updateableBy_icon 58, 65, 72, 79, 85, 91, 126, 133, 152, 157, 273, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 361, 363, 368, 438, 441, 448, 451, 454, 461, 464, 466, 470, 477, 479, 482, 547, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 654, 656, 658, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741, 748, 751
 updateableBy_id 58, 65, 72, 79, 85, 91, 126, 133, 152, 157, 273, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 361, 363, 368, 438, 441, 448, 451, 454, 461, 464, 466, 470, 477, 479, 482, 547, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 654, 656, 658, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741, 748, 751
 updateableBy_name 58, 65, 72, 79, 85, 91, 126, 133, 152, 157, 273, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 361, 363, 368, 438, 441, 448, 451, 454, 461, 464, 466, 470, 477, 479, 482, 547, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 654, 656, 658, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741, 748, 751
 updateableBy_ringId 58, 65, 72, 79, 85, 91, 126, 133, 152, 157, 273, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 361, 363, 368, 438, 441, 448, 451, 454, 461, 464, 466, 470, 477, 479, 482, 547, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 654, 656, 658, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741, 748, 751
 updateableBy_teamForProject_archived 58, 65, 72, 79, 85, 91, 126, 133, 152, 157, 273, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 361, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 654, 656, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741, 748, 751

updateableBy_teamForProject_description 58, 65 Updated 26, 30, 34, 38, 41, 45, 65, 72, 101, 108,
 72, 79, 85, 91, 126, 133, 152, 157, 273, 295, 299, 304, 114, 120, 126, 133, 140, 146, 163, 168, 172, 179, 185,
 308, 312, 316, 320, 324, 328, 332, 336, 340, 361, 606, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256,
 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316,
 654, 656, 694, 699, 703, 707, 712, 716, 720, 724, 729, 20, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368,
 733, 737, 741, 748, 751 438, 441, 448, 454, 461, 466, 495, 500, 506, 512, 517,
 updateableBy_teamForProject_fromEmail 58, 65, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576,
 72, 79, 85, 91, 126, 133, 152, 157, 273, 295, 299, 304, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630,
 308, 312, 316, 320, 324, 328, 332, 336, 340, 361, 606, 634, 638, 642, 646, 650, 658, 662, 667, 678, 680, 686,
 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737,
 654, 656, 694, 699, 703, 707, 712, 716, 720, 724, 729, 741, 753, 757
 733, 737, 741, 748, 751 updated_1 26, 30, 101, 108, 172, 179, 185, 192,
 updateableBy_teamForProject_iconUrl 58, 65, 72 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268,
 79, 85, 91, 126, 133, 152, 157, 273, 295, 299, 304, 280, 285, 295, 299, 308, 312, 349, 355, 368, 495, 500,
 308, 312, 316, 320, 324, 328, 332, 336, 340, 361, 606, 512, 517, 523, 547, 558, 565, 576, 581, 592, 606,
 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 14, 626, 630, 694, 699, 703, 707
 654, 656, 694, 699, 703, 707, 712, 716, 720, 724, 729 updated_2 172, 179, 185, 192, 200, 206, 226, 232,
 733, 737, 741, 748, 751 239, 245, 280, 506, 512
 updateableBy_teamForProject_replyToEmail 58, updated_3 185, 192
 65, 72, 79, 85, 91, 126, 133, 152, 157, 273, 295, 299 updatedBy_\$type 163, 168, 172, 179, 185, 192,
 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 361, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646 updatedBy_\$type_1 185, 192, 200, 206, 213, 219,
 650, 654, 656, 694, 699, 703, 707, 712, 716, 720, 724, 226, 232
 729, 733, 737, 741, 748, 751 updatedBy_avatarUrl 163, 168, 172, 179, 185, 192,
 updateableBy_teamForProject_shortName 58, 65 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 72, 79, 85, 91, 126, 133, 152, 157, 273, 295, 299, 304 updatedBy_avatarUrl_1 185, 192, 200, 206, 213,
 308, 312, 316, 320, 324, 328, 332, 336, 340, 361, 606 19, 226, 232
 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650 updatedBy_banned 163, 168, 172, 179, 185, 192,
 654, 656, 694, 699, 703, 707, 712, 716, 720, 724, 729 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 733, 737, 741, 748, 751 updatedBy_banned_1 185, 192, 200, 206, 213, 219,
 updateableBy_teamForProject_startingNumber 58, 226, 232
 65, 72, 79, 85, 91, 126, 133, 152, 157, 273, 295, 299 updatedBy_email 163, 168, 172, 179, 185, 192,
 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 361 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646 updatedBy_email_1 185, 192, 200, 206, 213, 219,
 650, 654, 656, 694, 699, 703, 707, 712, 716, 720, 724, 226, 232
 729, 733, 737, 741, 748, 751 updatedBy_fullName 163, 168, 172, 179, 185, 192,
 updateableBy_teamForProject_template 58, 65, 72 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 79, 85, 91, 126, 133, 152, 157, 273, 295, 299, 304, updatedBy_fullName_1 185, 192, 200, 206, 213,
 308, 312, 316, 320, 324, 328, 332, 336, 340, 361, 606 19, 226, 232
 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650 updatedBy_guest 163, 168, 172, 179, 185, 192,
 654, 656, 694, 699, 703, 707, 712, 716, 720, 724, 729 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 733, 737, 741, 748, 751 updatedBy_guest_1 185, 192, 200, 206, 213, 219,
 updateableBy_usersCount 58, 65, 72, 79, 85, 91, 126, 133, 152, 157, 273, 295, 299, 304, 308, 312, 316, 226, 232
 320, 324, 328, 332, 336, 340, 361, 363, 368, 438, 441 updatedBy_id 163, 168, 172, 179, 185, 192, 200,
 448, 451, 454, 461, 464, 466, 470, 477, 479, 482, 547, 206, 213, 219, 226, 232, 239, 245, 251, 256
 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634 updatedBy_id_1 185, 192, 200, 206, 213, 219, 226,
 638, 642, 646, 650, 654, 656, 658, 662, 665, 667, 672, 232
 673, 675, 678, 680, 683, 686, 689, 694, 699, 703, 707 updatedBy_jabberAccountName 163, 168, 172,
 712, 716, 720, 724, 729, 733, 737, 741, 748, 751 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245,
 updateableByProjectBased 58, 65, 72, 79, 85, 91 1251, 256
 126, 133, 152, 157 updatedBy_jabberAccountName_1 185, 192, 200,
 206, 213, 219, 226, 232
 updatedBy_login 163, 168, 172, 179, 185, 192, 200,
 206, 213, 219, 226, 232, 239, 245, 251, 256

| | | | |
|--|--|---------------------|---|
| URL | 26, 101, 172, 179, 185, 192, 239, 245, 268, 280, 295, 299, 495, 500, 506, 512, 604, 606, 626, 694, 699 | usesMarkdown | 26, 30, 34, 38, 41, 45, 65, 72, 101, 114, 120, 126, 133, 140, 146, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 438, 441, 448, 454, 461, 466, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 658, 662, 667, 678, 680, 686, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741, 753, 757 |
| url_1 | 172, 179, 185, 192 | usesMarkdown_1 | 30, 108, 280, 285, 308, 312, 349, 355, 368, 506, 512, 517, 523, 547, 558, 565, 576, 581, 592, 614, 630, 703, 707 |
| Use HTTP Disk Cache | 604 | | |
| Use HTTP Memory Cache | 604 | | |
| Use Plain-text Emails | 746 | | |
| use-batch-insert | 2 | | |
| Used Memory | 53 | | |
| usedMemory | 53 | | |
| use-http-disk-cache-read | 2 | | |
| use-http-disk-cache-write | 2 | | |
| use-http-memory-cache-read | 2 | | |
| use-http-memory-cache-write | 2 | | |
| usePlainTextEmails | 746 | | |
| User Name | 49 | | |
| UserById | 691 | | |
| UserGeneralProfilesBySprintId | 693 | | |
| userGroupId | 474 | | |
| userId | 461, 464, 466, 470, 472 | | |
| UserIssueAttachmentSavedQueriesByUserId | 694 | | |
| UserIssueAttachmentTagsByUserId | 699 | | |
| UserIssueCommentSavedQueriesByUserId | 703 | | |
| UserIssueCommentTagsByUserId | 707 | | |
| UserIssueCustomFieldSavedQueriesByUserId | 712 | | |
| UserIssueCustomFieldTagsByUserId | 716 | | |
| UserIssueLinkSavedQueriesByUserId | 720 | | |
| UserIssueLinkSavedQueryTagsByUserId | 724 | | |
| UserIssueSavedQueriesByUserId | 729 | | |
| UserIssueTagSavedQueriesByUserId | 733 | | |
| UserIssueTagsByUserId | 737 | | |
| UserIssueTagsByUserId1 | 741 | | |
| username | 49 | | |
| UserNotificationProfilesBySprintId | 746 | | |
| Users | 747 | | |
| Users Count | 262, 264, 433, 444, 445, 474 | | |
| UserSavedQueriesByUserId | 748 | | |
| usersCount | 262, 264, 433, 444, 445, 474 | | |
| UserTagsByUserId | 751 | | |
| Uses Mark Down | 26, 30, 34, 38, 41, 45, 65, 72, 101, 108, 114, 120, 126, 133, 140, 146, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 438, 441, 448, 454, 461, 466, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 658, 662, 667, 678, 680, 686, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741, 753, 757 | visibility_\$type | 26, 30, 34, 38, 41, 45, 101, 108, 114, 120, 140, 146, 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741 |
| | | visibility_\$type_1 | 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 280, 285, 495, 500, 506, 512, 517, 523 |
| | | visibility_\$type_2 | 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256 |
| | | visibility_\$type_3 | 172, 179, 185, 192, 200, 206, 213, 219, 226, 232 |
| | | visibility_id | 26, 30, 34, 38, 41, 45, 101, 108, 114, 120, 140, 146, 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741 |
| | | visibility_id_1 | 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 280, 285, 495, 500, 506, 512, 517, 523 |
| | | visibility_id_2 | 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256 |
| | | visibility_id_3 | 172, 179, 185, 192, 200, 206, 213, 219, 226, 232 |
| | | visibleFor_\$type | 58, 65, 72, 79, 85, 91, 126, 133, 152, 157, 273, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 361, 363, 368, 438, 441, 448, 451, 454, 461, 464, 466, 470, 477, 479, 482, 547, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 654, 656, 658, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741, 748, 751 |

- V -

visibleFor_allUsersGroup 58, 65, 72, 79, 85, 91, 126, 133, 152, 157, 273, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 361, 363, 368, 438, 441, 448, 451, 454, 461, 464, 466, 470, 477, 479, 482, 547, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 654, 656, 658, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741, 748, 751

visibleFor_teamForProject_fromEmail 58, 65, 72, 79, 85, 91, 126, 133, 152, 157, 273, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 361, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 654, 656, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741, 748, 751

visibleFor_teamForProject_iconUrl 58, 65, 72, 79, 85, 91, 126, 133, 152, 157, 273, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 361, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 654, 656, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741, 748, 751

visibleFor_teamForProject_replyToEmail 58, 65, 72, 79, 85, 91, 126, 133, 152, 157, 273, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 361, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 654, 656, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741, 748, 751

visibleFor_id 58, 65, 72, 79, 85, 91, 126, 133, 152, 157, 273, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 361, 363, 368, 438, 441, 448, 451, 454, 461, 464, 466, 470, 477, 479, 482, 547, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 654, 656, 658, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741, 748, 751

visibleFor_teamForProject_shortName 58, 65, 72, 79, 85, 91, 126, 133, 152, 157, 273, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 361, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 654, 656, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741, 748, 751

visibleFor_name 58, 65, 72, 79, 85, 91, 126, 133, 152, 157, 273, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 361, 363, 368, 438, 441, 448, 451, 454, 461, 464, 466, 470, 477, 479, 482, 547, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 654, 656, 658, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741, 748, 751

visibleFor_teamForProject_startingNumber 58, 65, 72, 79, 85, 91, 126, 133, 152, 157, 273, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 361, 454, 461, 464, 466, 470, 477, 479, 482, 547, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 654, 656, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741, 748, 751

visibleFor_teamForProject_template 58, 65, 72, 79, 85, 91, 126, 133, 152, 157, 273, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 361, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 654, 656, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741, 748, 751

visibleFor_ringId 58, 65, 72, 79, 85, 91, 126, 133, 152, 157, 273, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 361, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 654, 656, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741, 748, 751

visibleFor_usersCount 58, 65, 72, 79, 85, 91, 126, 133, 152, 157, 273, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 361, 363, 368, 438, 441, 448, 451, 454, 461, 464, 466, 470, 477, 479, 482, 547, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 654, 656, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741, 748, 751

visibleFor_teamForProject_archived 58, 65, 72, 79, 85, 91, 126, 133, 152, 157, 273, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 361, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 654, 656, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741, 748, 751

visibleForProjectBased 58, 65, 72, 79, 85, 91, 126, 133, 152, 157

visibleFor_teamForProject_description 58, 65, 72, 79, 85, 91, 126, 133, 152, 157, 273, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 361, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 654, 656, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741, 748, 751

voters_\$type 26, 30, 34, 38, 41, 45, 101, 108, 114, 120, 140, 146, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741

voters_hasVote 26, 30, 34, 38, 41, 45, 101, 108, WikifiedDescription 26, 30, 34, 38, 41, 45, 65, 72, 114, 120, 140, 146, 268, 275, 280, 285, 290, 295, 299, 301, 108, 114, 120, 126, 133, 140, 146, 268, 275, 280, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 332, 336, 340, 345, 349, 355, 363, 368, 438, 441, 448, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 54, 461, 466, 495, 500, 506, 512, 517, 523, 528, 533, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 337, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, 724, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 729, 733, 737, 741 646, 650, 658, 662, 667, 678, 680, 686, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741
 voters_id 26, 30, 34, 38, 41, 45, 101, 108, 114, 120, 140, 146, 268, 275, 280, 285, 290, 295, 299, 304, 308, WikifiedDescription 26, 30, 34, 38, 41, 45, 65, 72, 114, 120, 140, 146, 268, 275, 280, 285, 290, 295, 299, 301, 108, 114, 120, 126, 133, 140, 146, 268, 275, 280, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 332, 336, 340, 345, 349, 355, 363, 368, 438, 441, 448, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 646, 54, 461, 466, 495, 500, 506, 512, 517, 523, 528, 533, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 650, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 337, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 737, 741 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 737, 741
 Votes 26, 30, 34, 38, 41, 45, 65, 72, 101, 108, 114, 120, 140, 146, 268, 275, 280, 285, 290, 295, 299, 301, 108, 114, 120, 126, 133, 140, 146, 268, 275, 280, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, WikifiedDescription_1 349, 355, 368, 547, 558, 565, 345, 349, 355, 363, 368, 438, 441, 448, 454, 461, 466, 576, 581, 592
 Work Items 757
 WorkItemByld 753
 WorkItems 757
 workItemTypeld 55
 WorkItemTypeTimeTrackingSettings 57
 workTimeSettings_\$type 54, 57
 workTimeSettings_daysAWeek 54, 57
 workTimeSettings_firstDayOfWeek 54, 57
 workTimeSettings_id 54, 57
 workTimeSettings_minutesADay 54, 57
 votes_1 349, 355, 368, 547, 558, 565, 576, 581, 592

- W -

watchers_\$type 26, 30, 34, 38, 41, 45, 101, 108,
 114, 120, 140, 146, 268, 275, 280, 285, 290, 295, 299,
 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345,
 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528,
 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587,
 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638,
 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, 724,
 729, 733, 737, 741

Y -

YouTrack 1, 15, 17, 18, 20, 22, 23, 24, 26, 30, 34,
 38, 41, 45, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 65,
 72, 79, 85, 91, 97, 101, 108, 114, 120, 126, 133, 140,
 146, 152, 157, 163, 168, 172, 179, 185, 192, 200, 206,
 213, 219, 226, 232, 239, 245, 251, 256, 262, 264, 266,
 268, 273, 275, 280, 285, 290, 295, 299, 304, 308, 312,
 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 361,
 363, 368, 374, 375, 376, 377, 378, 379, 380, 382, 383,
 384, 386, 387, 389, 390, 392, 393, 394, 395, 396, 398,
 399, 400, 401, 402, 404, 405, 406, 408, 410, 411, 413,
 414, 415, 416, 418, 420, 421, 423, 426, 427, 429, 430,
 432, 433, 434, 435, 436, 437, 438, 441, 444, 445, 448,
 451, 454, 457, 459, 461, 464, 466, 470, 472, 474, 477,
 479, 482, 485, 486, 488, 489, 491, 492, 494, 495, 500,
 506, 512, 517, 523, 528, 533, 537, 541, 543, 547, 554,
 558, 565, 571, 576, 581, 587, 592, 599, 604, 606, 610,
 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 654,
 656, 658, 661, 662, 665, 667, 670, 672, 673, 675, 678,
 680, 683, 686, 689, 691, 693, 694, 699, 703, 707, 712,
 716, 720, 724, 729, 733, 737, 741, 746, 747, 748, 751,
 753, 757, 761



invantive the **SQL** company

Invantive B.V.
Biesteweg 11
3849 RD Hierden
the Netherlands

Tel: +31 88 00 26 500
Fax: +31 84 22 58 178
info@invantive.com
invantive.com

IBAN NL25 BUNQ 2098 2586 07
Chamber of Industry and Commerce
13031406
VAT NL812602377B01
RSIN 8122602377
Managing Director: Guido Leenders
Registered office: Roermond