



YouTrack API Data Model

for use with Invantive SQL

Copyright

(C) Copyright 2004-2023 Invantive Software B.V., the Netherlands. All rights reserved.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of the publisher.

Despite all the care taken in the compilation of this text, neither the author nor the publisher can accept liability for any damage, which might result from any error, which might appear in this publication.

This manual is a reference guide intended to clarify usage. If data in the sample images match data in your system, the similarity is coincidental.

Important Safety and Usage Information

Intended Use and Limitations: This software, developed by Invantive, is designed to support a variety of business and information technology data processing functions, such as accounting, financial reporting and sales reporting. It is important to note that this software is not designed, tested, or approved for use in environments where malfunction or failure could lead to life-threatening situations or severe physical or environmental damage. This includes, but is not limited to:

- Nuclear facilities: The software should not be used for operations or functions related to the control, maintenance, or operation of nuclear facilities.
- Defense and Military Applications: This software is not suitable for use in defense-related applications, including but not limited to weaponry control, military strategy planning, or any other aspects of national defense.
- Aviation: The software is not intended for use in the operation, navigation, or communication systems of any aircraft or air traffic control environments.
- Healthcare and Medicine Production: This software should not be utilized for medical device operation, patient data analysis for critical health decisions, pharmaceutical production, or medical research where its failure or malfunction could impact patient health.
- Chemical and Hazardous Material Handling: This software is not intended for the management, control, or operational aspects of chemical plants or hazardous material handling facilities. Any malfunction in software used in these settings could result in dangerous chemical spills, explosions, or environmental disasters.
- Transportation and Traffic Control Systems: The software should not be used for the control, operation, or management of transportation systems, including railway signal controls, subway systems, or traffic light management. Malfunctions in such critical systems could lead to severe accidents and endanger public safety.
- Energy Grid and Utility Control Systems: This software is not designed for the control or operation of energy grid systems, including electrical substations, renewable energy control systems, or water utility control systems. The failure of software in these areas could lead to significant power outages, water supply disruptions, or other public utility failures, potentially endangering communities and causing extensive damage.
- Other High-Risk Environments: Any other critical infrastructure and environments where a failure of the software could result in significant harm to individuals or the environment.

User Responsibility: Users must ensure that they understand the intended use of the software and refrain from deploying it in any setting that falls outside of its designed purpose. It is the responsibility of the user to assess the suitability of the software for their intended application, especially in any scenarios that might pose a risk to life, health, or the environment.

Disclaimer of Liability: Invantive disclaims any responsibility for damage, injury, or legal consequences resulting from the use or misuse of this software in prohibited or unintended applications.

Contents

1	SQL Driver for YouTrack API	1
2	SQL Driver Attributes for YouTrack API	2
3	Schema: Activities	15
3.1	Tables	15
3.1.1	Activities: YouTrack Activities	15
3.1.2	ActivityById	17
3.1.3	ActivityPages	18
3.1.4	ProjectActivityPages	20
4	Schema: Admin	22
4.1	Tables	22
4.1.1	Allow edOriginRestSettings	22
4.1.2	AppearanceSettings	23
4.1.3	GlobalSettings	24
4.1.4	IssueAttachments	26
4.1.5	IssueComments	30
4.1.6	IssueCustomFields	34
4.1.7	IssueLinks	38
4.1.8	Issues	41
4.1.9	IssueTags: YouTrack Issue Tags	45
4.1.10	Licenses	49
4.1.11	LocaleSettings	50
4.1.12	NotificationSettings	50
4.1.13	RestSettings	51
4.1.14	SystemSettings	52
4.1.15	Telemetry	53
4.1.16	TimeTrackingSettings	54
4.1.17	TimeTrackingSettingWorkItemTypes	55
4.1.18	TimeTrackingSettingWorkItemTypesByWorkItemId	55
4.1.19	TimeTrackingWorkTimeSettings	56
4.1.20	WorkItemTypeTimeTrackingSettings	57
5	Schema: Agile	58
5.1	Tables	58
5.1.1	ProjectBySprintId	58
5.1.2	ProjectIssues	65
5.1.3	ProjectIssuesBySprintId	72
5.1.4	Projects	79
5.1.5	SprintById	85
5.1.6	SprintById1	91
5.1.7	SprintById2	97
5.1.8	SprintIssueAttachmentsBySprintId	101
5.1.9	SprintIssueCommentsBySprintId	108
5.1.10	SprintIssueCustomFieldsBySprintId	114
5.1.11	SprintIssueLinksBySprintId	120
5.1.12	SprintIssues	126
5.1.13	SprintIssuesBySprintId	133
5.1.14	SprintIssuesBySprintId1	140
5.1.15	SprintIssueTagsBySprintId	146

5.1.16	Sprints	152
5.1.17	Sprints1	157

6 Schema: Articles 163

6.1	Tables	163
6.1.1	ArticleById	163
6.1.2	Articles: YouTrack Articles	168
6.1.3	AttachmentById	172
6.1.4	Attachments	179
6.1.5	ChildArticleAttachments	185
6.1.6	ChildArticleAttachmentsById	192
6.1.7	ChildArticleComments	200
6.1.8	ChildArticleCommentsById	206
6.1.9	ChildArticles	213
6.1.10	ChildArticlesById	219
6.1.11	ChildChildArticles	226
6.1.12	ChildChildArticlesById	232
6.1.13	CommentAttachments	239
6.1.14	CommentAttachmentsByIssueId	245
6.1.15	Comments	251
6.1.16	CommentsByIssueId	256
6.1.17	GroupById	262
6.1.18	Groups	264
6.1.19	IssueLinkTypes	266
6.1.20	IssueLinkTypesById	266
6.1.21	IssueTagAttachmentIssuesByTagId	268
6.1.22	IssueTagById	273
6.1.23	IssueTagById2	275
6.1.24	IssueTagCommentAttachmentIssuesByTagId	280
6.1.25	IssueTagCommentIssuesByTagId	285
6.1.26	IssueTagCustomFieldIssuesByTagId	290
6.1.27	IssueTagIssueAttachments	295
6.1.28	IssueTagIssueAttachmentsById	299
6.1.29	IssueTagIssueById	304
6.1.30	IssueTagIssueComments	308
6.1.31	IssueTagIssueCommentsById	312
6.1.32	IssueTagIssueCustomFields	316
6.1.33	IssueTagIssueLinks	320
6.1.34	IssueTagIssueLinksById	324
6.1.35	IssueTagIssues	328
6.1.36	IssueTagIssuesCustomFieldsById	332
6.1.37	IssueTagIssuesTags	336
6.1.38	IssueTagIssueTagsById	340
6.1.39	IssueTagLinkIssuesByTagId	345
6.1.40	IssueTagLinkIssuesByTagId1	349
6.1.41	IssueTagLinkTrimmedIssuesByTagId	355
6.1.42	IssueTags: YouTrack Issue Tags	361
6.1.43	TagIssuesByTagId	363
6.1.44	TagIssuesByTagId2	368

7 Schema: Backups 374

7.1	Tables	374
7.1.1	DatabaseBackupById	374
7.1.2	DatabaseBackups	375
7.1.3	DatabaseBackupSettingBackupStatuses	376
7.1.4	DatabaseBackupSettings	377
7.1.5	NotifiedUserSavedQuerySettings	378
7.1.6	NotifiedUserSettings	379

7.1.7	NotifiedUserTagSettings	380
8	Schema: CustomFields	382
8.1	Tables	382
8.1.1	CustomFieldAggregatedUserSavedQueriesByUserBundleId	382
8.1.2	CustomFieldAggregatedUsersByUserBundleId	383
8.1.3	CustomFieldAggregatedUserTagsByUserBundleId	384
8.1.4	CustomFieldBuildBundles	386
8.1.5	CustomFieldBuildByBuildBundleId	386
8.1.6	CustomFieldBuildByBuildBundleIdAndElementId	387
8.1.7	CustomFieldBuildValues	389
8.1.8	CustomFieldBuildValuesByBuildBundleId	390
8.1.9	CustomFieldBuildValuesByBuildBundleId1	392
8.1.10	CustomFieldEnumBundleByEnumFieldBundleId	393
8.1.11	CustomFieldEnumBundles	394
8.1.12	CustomFieldEnumBundleValuesByEnumFieldBundleId	395
8.1.13	CustomFieldEnumByEnumFieldBundleId	396
8.1.14	CustomFieldEnumByEnumFieldBundleIdAndElementId	398
8.1.15	CustomFieldEnumValues	399
8.1.16	CustomFieldIndividualUsers	400
8.1.17	CustomFieldIndividualUserSavedQueries	401
8.1.18	CustomFieldIndividualUserSavedQueriesByUserBundleId	402
8.1.19	CustomFieldIndividualUsersByUserBundleId	404
8.1.20	CustomFieldIndividualUserTags	405
8.1.21	CustomFieldIndividualUserTagsByUserBundleId	406
8.1.22	CustomFieldInstancesByCustomFieldPrototypeld	408
8.1.23	CustomFieldOw nedFieldByOw nedFieldBundleId	410
8.1.24	CustomFieldOw nedFieldByOw nedFieldBundleIdAndElementId	411
8.1.25	CustomFieldOw nedFieldByValueId	413
8.1.26	CustomFieldOw nedFields	414
8.1.27	CustomFieldOw nedFieldValues	415
8.1.28	CustomFieldOw nedFieldValuesByOw nedFieldBundleId	416
8.1.29	CustomFields	418
8.1.30	CustomFieldsByCustomFieldPrototypeld	420
8.1.31	CustomFieldsByCustomFieldPrototypeld2	421
8.1.32	CustomFieldsByCustomFieldPrototypeld3	423
8.1.33	CustomFieldStateBundleById	426
8.1.34	CustomFieldStateBundles	427
8.1.35	CustomFieldStateBundleValues2ByStateBundleId	427
8.1.36	CustomFieldStateBundleValuesByStateBundleId	429
8.1.37	CustomFieldStateByStateBundleIdAndElementId	430
8.1.38	CustomFieldStateValues	432
8.1.39	CustomFieldUserBundles	433
8.1.40	CustomFieldUserBundleUsers	434
8.1.41	CustomFieldUserBundleUserSavedQueries	435
8.1.42	CustomFieldUserBundleUserTags	436
8.1.43	CustomFieldUserByUserBundleId	437
8.1.44	CustomFieldUserByUserBundleId1	438
8.1.45	CustomFieldUserByUserBundleId2	441
8.1.46	CustomFieldUserGroupsByUserBundleId	444
8.1.47	CustomFieldUserGroupsByUserBundleId1	445
8.1.48	CustomFieldUsers	448
8.1.49	CustomFieldUsersByUserBundleId	448
8.1.50	CustomFieldUsersByUserBundleId1	451
8.1.51	CustomFieldUsersByUserBundleId2	454
8.1.52	CustomFieldUsersByUserBundleId3	457
8.1.53	CustomFieldUsersByUserBundleId4	459
8.1.54	CustomFieldUsersByUserBundleId5	461

8.1.55	CustomFieldUsersByUserBundleId6	464
8.1.56	CustomFieldUsersByUserBundleId7	466
8.1.57	CustomFieldUsersByUserBundleId8	470
8.1.58	CustomFieldUsersByUserBundleId9	472
8.1.59	CustomFieldUsersByUserBundleIdAndGroupId	474
8.1.60	CustomFieldUsersByUserId	477
8.1.61	CustomFieldUserTagsByUserBundleId	479
8.1.62	CustomFieldUserTagsByUserBundleId2	482
8.1.63	CustomFieldVersionByProjectVersionBundleId	485
8.1.64	CustomFieldVersions	486
8.1.65	CustomFieldVersionValues	486
8.1.66	CustomFieldVersionValuesByProjectVersionBundleId	488
8.1.67	CustomFieldVersionValuesByProjectVersionBundleId2	489
8.1.68	CustomFieldVersionValuesByProjectVersionBundleId3	491
8.1.69	InstanceCustomFields	492
8.1.70	Types	494

9 Schema: Issues 495

9.1	Tables	495
9.1.1	AttachmentById	495
9.1.2	Attachments	500
9.1.3	CommentAttachments	506
9.1.4	CommentAttachmentsByIssueId	512
9.1.5	Comments	517
9.1.6	CommentsByIssueId	523
9.1.7	CustomFields	528
9.1.8	CustomFieldsByIssueId	533
9.1.9	IssueById	537
9.1.10	IssueLinksByIssueId	541
9.1.11	Issues	543
9.1.12	IssueTags: YouTrack Issue Tags	547
9.1.13	LinkById	554
9.1.14	LinkIssues	558
9.1.15	LinkIssuesByIssueId	565
9.1.16	Links	571
9.1.17	LinkTrimmedIssues	576
9.1.18	LinkTrimmedIssuesByIssueId	581
9.1.19	TagById	587
9.1.20	TagIssuesByTagId	592
9.1.21	Tags	599

10 Schema: Native 604

10.1	Tables	604
10.1.1	NATIVEPLATFORMSCALARREQUESTS: YouTrack Native Platform Scalar Requests	604

11 Schema: SavedQueries 606

11.1	Tables	606
11.1.1	IssueAttachmentsBySavedQueryId	606
11.1.2	IssueById	610
11.1.3	IssueCommentsBySavedQueryId	614
11.1.4	IssueCustomFieldsBySavedQueryId	618
11.1.5	Issues	623
11.1.6	IssuesAttachments	626
11.1.7	IssuesComments	630
11.1.8	IssuesCustomFields	634
11.1.9	IssuesLinks	638
11.1.10	IssuesLinksById	642
11.1.11	IssuesTags	646

11.1.12	IssueTagsBySavedQueryId	650
11.1.13	SavedQueries: YouTrack Saved Queries	654
11.1.14	SavedQueryById	656

12 Schema: Users 658

12.1	Tables	658
12.1.1	IssueTags: YouTrack Issue Tags	658
12.1.2	Me	661
12.1.3	MyIssueTags	662
12.1.4	MySavedQueries	665
12.1.5	MySavedQueriedIssues	667
12.1.6	My Tags	670
12.1.7	ProfileTimeTrackingsByUserId	672
12.1.8	SavedQueries: YouTrack Saved Queries	673
12.1.9	SavedQueryById	675
12.1.10	SavedQueryIssues	678
12.1.11	SavedQueryIssuesByUserId	680
12.1.12	TagById	683
12.1.13	TagIssuesByTagId	686
12.1.14	Tags	689
12.1.15	UserById	691
12.1.16	UserGeneralProfilesBySprintId	693
12.1.17	UserIssueAttachmentSavedQueriesByUserId	694
12.1.18	UserIssueAttachmentTagsByUserId	699
12.1.19	UserIssueCommentSavedQueriesByUserId	703
12.1.20	UserIssueCommentTagsByUserId	707
12.1.21	UserIssueCustomFieldSavedQueriesByUserId	712
12.1.22	UserIssueCustomFieldTagsByUserId	716
12.1.23	UserIssueLinkSavedQueriesByUserId	720
12.1.24	UserIssueLinkSavedQueryTagsByUserId	724
12.1.25	UserIssueSavedQueriesByUserId	729
12.1.26	UserIssueTagSavedQueriesByUserId	733
12.1.27	UserIssueTagsByUserId	737
12.1.28	UserIssueTagsByUserId1	741
12.1.29	UserNotificationProfilesBySprintId	746
12.1.30	Users: YouTrack Users	747
12.1.31	UserSavedQueriesByUserId	748
12.1.32	UserTagsByUserId	751
12.1.33	WorkItemById	753
12.1.34	WorkItems: YouTrack Work Items	757

13 Schema: Views 761

13.1	Views	761
13.1.1	IDTypes	761

Index 763

1 SQL Driver for YouTrack API

Invantive SQL is the fastest, easiest and most reliable way to exchange data with the YouTrack API.

Use the "Search" option in the left menu to search for a specific term such as the table or column description. When you already know the term, please use the "Index" option. When you can't find the information needed, please click on the Chat button at the bottom or place your question in the [user community](#). Other users or Invantive Support will try to help you to our best.

YouTrack by JetBrains provides bug tracking, issue tracking system and project management.

The YouTrack driver covers 233 tables and 21272 columns.

YouTrack API Clients

Invantive SQL is available on many user interfaces ("clients" in traditional server-client paradigm). All Invantive SQL statements can be exchanged with a close to 100% compatibility across all clients and operating systems (Windows, MacOS, Linux, iOS, Android).

The clients include Microsoft Excel, Microsoft Power BI, Microsoft Power Query, Microsoft Word and Microsoft Outlook. Web-based clients include Invantive Cloud, Invantive Bridge Online as OData proxy, Invantive App Online for interactive apps, Online SQL Editor for query execution and Invantive Data Access Point as extended proxy.

The [YouTrack Power BI connector](#) is based on the Invantive SQL driver for YouTrack, completed by a high-performance OData connector which works straight on Power BI without any add-on. The OData protocol is always version 4, independent whether the backing platform uses OData, SOAP or another protocol.

For technical users there are command-line editions of Invantive Data Hub running on iOS, Android, Windows, MacOS and Linux. Invantive Data Hub is also often used for enterprise server applications such as ETL. High-volume replication of data taken from the YouTrack API into traditional databases such as SQL Server (on-premise and Azure), MySQL, PostgreSQL and Oracle is possible using [Invantive Data Replicator](#). Invantive Data Replicator automatically creates and maintains YouTrack datawarehouses, possibly in combination with data from over 70 other (cloud) platforms. Data Replicator supports data volumes up to over 1 TB and over 5.000 companies. The on-premise edition of Invantive Bridge offers an YouTrack ADO.net provider.

Finally, online web apps can be build for YouTrack using App Online of [Invantive Cloud](#).

Monitor API Calls

When a query or DML-statement has been executed on Invantive SQL a developer can evaluate the actual calls made to the YouTrack API using a query on sessionios@DataDictionary. As an alternative, extensive request and response logging can be enabled by setting log-native-calls-to-disk to true. In the %USERPROFILE%\Invantive\NativeLog folder Invantive SQL will create log files per API request and response.

Specifications

The SQL driver for YouTrack does not support partitioning. Define one data container in a database for each company in YouTrack to enable parallel access for data from multiple companies.

An introduction into the concepts of Invantive SQL such as databases, data containers and partitioning can be found in the [Invantive SQL grammar](#).

The configuration can be changed using various attributes during log on and use. A full list of configuration options is listed in the [driver attributes](#).

The catalog name is used to compose the full qualified name of an object like a table or view. The schema name is used to compose the full qualified name of an object like a table or view. On YouTrack the comparison of two texts is case sensitive by default.

Changes and bug fixes on the YouTrack SQL driver can be found in the [release notes](#). Get access to the YouTrack community through the [YouTrack section](#) of the Invantive forums.

Driver code for use in settings.xml: YouTrack

Alias: youtrack

Recommended alias: ytk

More technical documentation as provided by the supplier of the YouTrack API on the native API connection used can be found at <https://www.jetbrains.com/help/youttrack/devportal>.

The format of YouTrack record IDs consists of a value from the view IDTypes, a dash as separator and a numeric value.

Updated: 23-06-2022 19:43 using Invantive SQL version 22.0.248-PROD+3461.

2 SQL Driver Attributes for YouTrack API

The SQL driver for YouTrack has many attributes that can be finetuned to improve handling in scenarios with unreliable network connections to the API server of YouTrack or high-volumes of data. Also, many drivers have driver-specific attributes to finetune actual behaviour or handle data not matching specifications.

The YouTrack driver attributes are assigned a default value which seldom requires change. However, changes can be applied when needed on four levels, which are reflected in the table below by separate checkmarks:

- Connection string: the connection string from the settings*.xml file and applied during log on.
- Set SQL statement: a set SQL-statement to be executed once connection has been established.
- Drivers file: the providers.xml file (obsolete starting release 17.32).
- Log on: value to be specified interactively by user during log on in a user interface.

The connection string for YouTrack can be found in the settings*.xml file used for the database. Settings*.xml files are typically located in the %USERPROFILE%\invantive folder in most deployment scenarios. The reference manuals contain instructions how to relocate the settings*.xml files. Each data container of a database in the connection string can have a connectionString element specifying the name and values of attributes. Both name and value must be properly escaped according to XML-semantics. Actual application of the value is solely done during log on. A new connection must be established to change the value of a driver attribute using a connection string.

The set SQL statement can be executed after log on. The syntax is: set NAME VALUE, or for a distributed database: set NAME@ALIAS VALUE. In some scenarios you may need to enclose the driver attribute name in square brackets to escape it from parsing, for instance

when a reserved SQL keyword is part of the name. The new value takes effect straight after execution of the set-statement. The set-statement can be executed as often as needed during a session.

Driver attributes that can be interactively set to a value are typically presented in the log on window. Depending on the platform and design decisions of the user interface designer, some or all of the available driver attributes can have been made available.

The YouTrack driver can be configured using the following attributes:

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Driver's File	Set from Log On
add-odata-mandatory-filters	Whether to automatically add OData filters deemed necessary by the platform.	OData	False	✓	✓	✓	
analysis-enforce-row-uniqueness	Use for analysis only! Enforce rows to be unique.	Shared	False	✓	✓	✓	
api-access-token	Access Token is a security token for multiple OAuth2 Flows. With an Access Token you can access protected resources. An Access Token must be stored securely since once compromised allows access to your protected resources.	OData		✓		✓	✓
api-client-id	The client ID is a unique identifier of your application. It is generated by registering an application.	OData		✓		✓	✓
api-client-secret	The client secret is to be kept confidential. Such as a password for a logon code, the client secret is the confidential part of an app identified by a client ID. It is needed during the OAuth2 Code Grant Flow together with the refresh token to get access.	OData		✓		✓	✓
api-pre-expiry-refresh-sec	The number of seconds before the token expires to acquire a new token.	OData		✓	✓	✓	
api-redirect-url	The redirect URI is the website a browser session is redirected to after the OAuth2 authentication process has been completed.	OData		✓		✓	✓
api-refresh-token	Refresh Token is a security token for the OAuth2 Code Grant Flow. With a Refresh Token and client secret you can retrieve a renewed access token to access protected resources. A Refresh Token and client secret must be stored securely since once compromised allows access to your protected resources.	OData		✓		✓	✓
api-scope	The scope to request an OAuth token for.	OData		✓		✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Drivers File	Set from Log On
api-token-url	The token URI is the OAuth2 endpoint to exchange tokens.	OData		✓		✓	
api-url	URL to access the API.	OData		✓		✓	
bulk-delete-page-size-rows	Number of rows to delete per batch when bulk deleting	Shared	10000	✓	✓	✓	
bulk-insert-page-size-bytes	Approximate maximum size in bytes of batch when bulk inserting	Shared	10000000	✓	✓	✓	
bulk-insert-page-size-rows	Number of rows to insert per batch when bulk inserting	Shared	250	✓	✓	✓	
dow nload-error-400-bad-request-max-tries	Maximum number of tries when OData server reports bad format during retrieval of data.		3	✓	✓	✓	
dow nload-error-400-bad-request-sleep-initial-ms	Initial sleep in milliseconds between retries when OData server reports that the API server is unavailable during retrieval of data.		500	✓	✓	✓	
dow nload-error-400-bad-request-sleep-max-ms	Maximum sleep in milliseconds between retries when OData server reports that the API server is unavailable during retrieval of data.		5000	✓	✓	✓	
dow nload-error-400-bad-request-sleep-multiplicator	Multiplication factor for sleep between retries OData server reports that the API server is unavailable during retrieval of data.		2	✓	✓	✓	
dow nload-error-408-request-timeout-max-tries	Maximum number of tries when the website reports a HTTP status 408.		10	✓	✓	✓	
dow nload-error-408-request-timeout-sleep-initial-ms	Initial sleep in milliseconds between retries when the website reports a HTTP status 408.		10000	✓	✓	✓	
dow nload-error-408-request-timeout-sleep-max-ms	Maximum sleep in milliseconds between retries when the website reports a HTTP status 408.		300000	✓	✓	✓	
dow nload-error-408-request-timeout-sleep-multiplicator	Multiplication factor for sleep between retries when the website reports a HTTP status 408.		2	✓	✓	✓	
dow nload-error-422-bad-request-max-tries	Maximum number of tries when OData server reports unprocessable entity during retrieval of data.		30	✓	✓	✓	
dow nload-error-422-bad-request-sleep-initial-ms	Initial sleep in milliseconds between retries when OData server reports unprocessable entity during retrieval of data.		10000	✓	✓	✓	
dow nload-error-422-bad-request-sleep-max-ms	Maximum sleep in milliseconds between retries when OData server reports unprocessable entity during retrieval of data.		300000	✓	✓	✓	
dow nload-error-422-bad-request-sleep-multiplicator	Multiplication factor for sleep between retries OData server		2	✓	✓	✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Drivers File	Set from Log On
	reports unprocessable entity during retrieval of data.						
dow nload-error-429-too-many-requests-max-tries	Maximum number of tries when the website reports that too many requests have been made during a timeslot of one minute or one day.		10	✓	✓	✓	
dow nload-error-429-too-many-requests-sleep-initial-ms	Initial sleep in milliseconds between retries when the website reports that too many requests have been made during a timeslot of one minute or one day.		10000	✓	✓	✓	
dow nload-error-429-too-many-requests-sleep-max-ms	Maximum sleep in milliseconds between retries when the website reports that too many requests have been made during a timeslot of one minute or one day.		300000	✓	✓	✓	
dow nload-error-429-too-many-requests-sleep-multiplicator	Multiplication factor for sleep between retries when the website reports that too many requests have been made during a timeslot of one minute or one day.		2	✓	✓	✓	
dow nload-error-502-server-unavailable-max-tries	Maximum number of tries when OData server reports a bad gateway during retrieval of data.		30	✓	✓	✓	
dow nload-error-502-server-unavailable-sleep-initial-ms	Initial sleep in milliseconds between retries when OData server reports a bad gateway during retrieval of data.		10000	✓	✓	✓	
dow nload-error-502-server-unavailable-sleep-max-ms	Maximum sleep in milliseconds between retries when OData server reports that a bad gateway during retrieval of data.		300000	✓	✓	✓	
dow nload-error-502-server-unavailable-sleep-multiplicator	Multiplication factor for sleep between retries OData server reports a bad gateway during retrieval of data.		2	✓	✓	✓	
dow nload-error-503-server-unavailable-max-tries	Maximum number of tries when OData server reports that the API server is unavailable during retrieval of data.		30	✓	✓	✓	
dow nload-error-503-server-unavailable-sleep-initial-ms	Initial sleep in milliseconds between retries when OData server reports that the API server is unavailable during retrieval of data.		10000	✓	✓	✓	
dow nload-error-503-server-unavailable-sleep-max-ms	Maximum sleep in milliseconds between retries when OData server reports that the API server is unavailable during retrieval of data.		300000	✓	✓	✓	
dow nload-error-503-server-	Multiplication factor for sleep between retries OData server		2	✓	✓	✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Drivers File	Set from Log On
unavailable-sleep-multiplicator	reports that the API server is unavailable during retrieval of data.						
dow nload-error-504-gateway-timeout-max-tries	Maximum number of tries when the website reports a gateway timeout.		10	✓	✓	✓	
dow nload-error-504-gateway-timeout-sleep-initial-ms	Initial sleep in milliseconds between retries when the website reports a gateway timeout.		10000	✓	✓	✓	
dow nload-error-504-gateway-timeout-sleep-max-ms	Maximum sleep in milliseconds between retries when the website reports a gateway timeout.		300000	✓	✓	✓	
dow nload-error-504-gateway-timeout-sleep-multiplicator	Multiplication factor for sleep between retries when the website reports a gateway timeout.		2	✓	✓	✓	
dow nload-error-590-network-connect-timeout-max-tries	Maximum number of tries when the website reports a HTTP status 590.		10	✓	✓	✓	
dow nload-error-590-network-connect-timeout-sleep-initial-ms	Initial sleep in milliseconds between retries when the website reports a HTTP status 590.		10000	✓	✓	✓	
dow nload-error-590-network-connect-timeout-sleep-max-ms	Maximum sleep in milliseconds between retries when the website reports a HTTP status 590.		300000	✓	✓	✓	
dow nload-error-590-network-connect-timeout-sleep-multiplicator	Multiplication factor for sleep between retries when the website reports a HTTP status 590.		2	✓	✓	✓	
dow nload-error-599-network-connect-timeout-max-tries	Maximum number of tries when the website reports a HTTP status 599.		10	✓	✓	✓	
dow nload-error-599-network-connect-timeout-sleep-initial-ms	Initial sleep in milliseconds between retries when the website reports a HTTP status 599.		10000	✓	✓	✓	
dow nload-error-599-network-connect-timeout-sleep-max-ms	Maximum sleep in milliseconds between retries when the website reports a HTTP status 599.		300000	✓	✓	✓	
dow nload-error-599-network-connect-timeout-sleep-multiplicator	Multiplication factor for sleep between retries when the website reports a HTTP status 599.		2	✓	✓	✓	
dow nload-error-argument-exception	Maximum number of tries when an argument exception is returned		10	✓	✓	✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Drivers File	Set from Log On
max-tries	w hen dow nloading a blob.						
dow nload-error-argument-exception-sleep-initial-ms	Initial sleep in milliseconds between retries when an argument exception is returned when dow nloading a blob.		10000	✓	✓	✓	
dow nload-error-argument-exception-sleep-max-ms	Maximum sleep in milliseconds between retries when an argument exception is returned when dow nloading a blob.		300000	✓	✓	✓	
dow nload-error-argument-exception-sleep-multiplicator	Multiplication factor for sleep between retries when an argument exception is returned when dow nloading a blob.		2	✓	✓	✓	
dow nload-error-internet-dow n-max-tries	Maximum number of tries when the Internet connection seems down during retrieval of data.		10	✓	✓	✓	
dow nload-error-internet-dow n-sleep-initial-ms	Initial sleep in milliseconds between retries when the Internet connection seems down during retrieval of data.		10000	✓	✓	✓	
dow nload-error-internet-dow n-sleep-max-ms	Maximum sleep in milliseconds between retries when the Internet connection seems down during retrieval of data.		300000	✓	✓	✓	
dow nload-error-internet-dow n-sleep-multiplicator	Multiplication factor for sleep between retries when the Internet connection seems down during retrieval of data.		2	✓	✓	✓	
dow nload-error-io-exception-max-tries	Maximum number of tries when a network I/O connection failure occurs during retrieval of data.		10	✓	✓	✓	
dow nload-error-io-exception-sleep-initial-ms	Initial sleep in milliseconds between retries when a network I/O connection failure occurs during retrieval of data.		10000	✓	✓	✓	
dow nload-error-io-exception-sleep-max-ms	Maximum sleep in milliseconds between retries when a network I/O connection failure occurs during retrieval of data.		300000	✓	✓	✓	
dow nload-error-io-exception-sleep-multiplicator	Multiplication factor for sleep between retries when a network I/O connection failure occurs during retrieval of data.		2	✓	✓	✓	
dow nload-error-json-exception-max-tries	Maximum number of tries when an invalid JSON body is returned.		3	✓	✓	✓	
dow nload-error-json-exception-sleep-initial-ms	Initial sleep in milliseconds between retries when an invalid JSON body is returned.		1000	✓	✓	✓	
dow nload-error-json-exception-sleep-max-ms	Maximum sleep in milliseconds between retries when an invalid JSON body is returned.		10000	✓	✓	✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from SQL-Statement	Set from Drivers File	Set from Log On
dow nload-error-json-exception-sleep-multiplicator	Multiplication factor for sleep between retries when an invalid JSON body is returned.		2	✓	✓	✓	
dow nload-error-other-exception-max-tries	Maximum number of tries when an unqualified error occurs during retrieval of data.		3	✓	✓	✓	
dow nload-error-other-exception-sleep-initial-ms	Initial sleep in milliseconds between retries when an unqualified error occurs during retrieval of data.		10000	✓	✓	✓	
dow nload-error-other-exception-sleep-max-ms	Maximum sleep in milliseconds between retries when an unqualified error occurs during retrieval of data.		300000	✓	✓	✓	
dow nload-error-other-exception-sleep-multiplicator	Multiplication factor for sleep between retries when an unqualified error occurs during retrieval of data.		2	✓	✓	✓	
dow nload-error-socket-exception-max-tries	Maximum number of tries when the network connection is forcibly dropped during retrieval of data.		10	✓	✓	✓	
dow nload-error-socket-exception-sleep-initial-ms	Initial sleep in milliseconds between retries when the network connection is forcibly dropped during retrieval of data.		10000	✓	✓	✓	
dow nload-error-socket-exception-sleep-max-ms	Maximum sleep in milliseconds between retries when the network connection is forcibly dropped during retrieval of data.		300000	✓	✓	✓	
dow nload-error-socket-exception-sleep-multiplicator	Multiplication factor for sleep between retries when the network connection is forcibly dropped during retrieval of data.		2	✓	✓	✓	
dow nload-error-web-exception-max-tries	Maximum number of tries when a web connection failure occurs during retrieval of data.		10	✓	✓	✓	
dow nload-error-web-exception-sleep-initial-ms	Initial sleep in milliseconds between retries when a web connection failure occurs during retrieval of data.		10000	✓	✓	✓	
dow nload-error-web-exception-sleep-max-ms	Maximum sleep in milliseconds between retries when a web connection failure occurs during retrieval of data.		300000	✓	✓	✓	
dow nload-error-web-exception-sleep-multiplicator	Multiplication factor for sleep between retries when a web connection failure occurs during retrieval of data.		2	✓	✓	✓	
dow nload-error-web-not-implemented-max-tries	Maximum number of tries when the connection reports not implemented.		1	✓	✓	✓	
dow nload-error-web-not-	Initial sleep in milliseconds between retries when the connection reports		10000	✓	✓	✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Drivers File	Set from Log On
implemented-sleep-initial-ms	not implemented.						
dow nload-error-w eb-not-implemented-sleep-max-ms	Maximum sleep in milliseconds between retries when the connection reports not implemented.		300000	✓	✓	✓	
dow nload-error-w eb-not-implemented-sleep-multiplicator	Multiplication factor for sleep between retries when the connection reports not implemented.		2	✓	✓	✓	
dow nload-error-w eb-timeout-max-tries	Maximum number of tries when the connection reports a timeout.		10	✓	✓	✓	
dow nload-error-w eb-timeout-sleep-initial-ms	Initial sleep in milliseconds between retries when the connection reports a timeout.		1000	✓	✓	✓	
dow nload-error-w eb-timeout-sleep-max-ms	Maximum sleep in milliseconds between retries when the connection reports a timeout.		30000	✓	✓	✓	
dow nload-error-w eb-timeout-sleep-multiplicator	Multiplication factor for sleep between retries when the connection reports a timeout.		2	✓	✓	✓	
dow nload-error-w eb-unauthorized-max-tries	Maximum number of tries when the connection reports an unauthorized error.		1	✓	✓	✓	
dow nload-error-w eb-unauthorized-sleep-initial-ms	Initial sleep in milliseconds between retries when the connection reports an unauthorized error.		10000	✓	✓	✓	
dow nload-error-w eb-unauthorized-sleep-max-ms	Maximum sleep in milliseconds between retries when the connection reports an unauthorized error.		300000	✓	✓	✓	
dow nload-error-w eb-unauthorized-sleep-multiplicator	Multiplication factor for sleep between retries when the connection reports an unauthorized error.		2	✓	✓	✓	
force-case-sensitive-identifiers	Consider identifiers as case-sensitive independent of the platform capabilities.	Shared	False	✓	✓	✓	
forced-casing-identifiers	Forced casing of identifiers. Choose from Unset, Lower, Upper and Mixed.	Shared		✓	✓	✓	
http-disk-cache-compression-level	Compression level for the HTTP disk cache, ranging from 1 (little) to 9 (intense). Default is 5.	Shared	5	✓	✓	✓	
http-disk-cache-directory	Directory where HTTP cache is stored.	Shared	C:\Users\gle3.WS212\Invantive\Cache\http\gle3\shared	✓	✓	✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Drivers File	Set from Log On
http-disk-cache-ignore-write-errors	Whether to ignore write errors to disk cache.	Shared	False	✓	✓	✓	
http-disk-cache-max-age-sec	Maximum acceptable age in seconds for use of data in the HTTP disk cache.	Shared	2592000	✓	✓	✓	
http-get-timeout-max-ms	HTTP GET maximum timeout on retry (ms).		300000	✓	✓	✓	
http-get-timeout-ms	HTTP GET timeout (ms).		60000	✓	✓	✓	
http-memory-cache-compression-level	Compression level for the HTTP memory cache, ranging from 1 (little) to 9 (intense). Default is 5.	OData	5	✓	✓	✓	
http-memory-cache-max-age-sec	Maximum acceptable age in seconds for use of data in the HTTP memory cache.	OData	14400	✓	✓	✓	
http-post-timeout-max-ms	HTTP POST maximum timeout on retry (ms).		300000	✓	✓	✓	
http-post-timeout-ms	HTTP POST timeout (ms).		300000	✓	✓	✓	
ignore-http-400-errors	Ignore HTTP 400 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
ignore-http-401-errors	Ignore HTTP 401 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
ignore-http-402-errors	Ignore HTTP 402 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
ignore-http-403-errors	Ignore HTTP 403 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
ignore-http-404-errors	Ignore HTTP 404 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
ignore-http-422-errors	Ignore HTTP 422 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
ignore-http-429-errors	Ignore HTTP 429 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
ignore-http-500-errors	Ignore HTTP 500 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
ignore-http-502-errors	Ignore HTTP 502 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
ignore-http-503-errors	Ignore HTTP 503 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Drivers File	Set from Log On
ignore-unknown-path-type	Whether to ignore path types not yet supported. An error will be generated when an unsupported type occurs.		True	✓	✓	✓	✓
ignore-values-unknown-path	Whether to ignore values outside of processed paths. An error will be generated when a value occurs outside a path otherwise.		True	✓	✓	✓	✓
invalid-json-on-get-max-tries	Maximum number of tries when the JSON received on GET is invalid.		10	✓	✓	✓	
invalid-json-on-get-sleep-initial-ms	Initial sleep in milliseconds between retries when the JSON received on GET is invalid.		10000	✓	✓	✓	
invalid-json-on-get-sleep-max-ms	Maximum sleep in milliseconds between retries when the JSON received on GET is invalid.		300000	✓	✓	✓	
invalid-json-on-get-sleep-multiplicator	Multiplication factor for sleep between retries when the JSON received on GET is invalid.		2	✓	✓	✓	
invalid-json-on-post-max-tries	Maximum number of tries when the JSON received on POST is invalid.		1	✓	✓	✓	
invalid-json-on-post-sleep-initial-ms	Initial sleep in milliseconds between retries when the JSON received on POST is invalid.		10000	✓	✓	✓	
invalid-json-on-post-sleep-max-ms	Maximum sleep in milliseconds between retries when the JSON received on POST is invalid.		300000	✓	✓	✓	
invantive-sql-compress-sparse-arrays	Whether to compress sparse arrays in result sets during compression.	SQL Engine V1	True	✓	✓	✓	
invantive-sql-correct-invalid-date	Whether to correct dates considered invalid since they are before 01-01-1753. When nullable, they are removed. Otherwise they are replaced by 01-01-1753.	SQL Engine V1	False	✓	✓	✓	
invantive-sql-forward-filters-to-data-containers	Whether to forward filters to data containers.	SQL Engine V1	True	✓	✓	✓	
invantive-sql-share-byte-arrays	Whether to share the memory used by identical byte arrays in result sets during compression.	SQL Engine V1	True	✓	✓	✓	
invantive-sql-share-strings	Whether to share the memory used by identical strings in result sets during compression.	SQL Engine V1	True	✓	✓	✓	
invantive-sql-shuffle-fetch-	Whether to shuffle results fetched from data containers.	SQL Engine V1	False	✓	✓	✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Drivers File	Set from Log On
results-data-containers							
invantive-use-cache	Whether to cache the results of a query.	SQL Engine V1	True	✓	✓	✓	
join-set-points-per-request	Maximum number of values in a request when executing a join set.	OData	60	✓	✓	✓	
limit-partition-calls-left	Minimum number of remaining API calls on a partition towards a hard limit. When below , an error is raised.	OData	500	✓	✓	✓	
log-native-calls-to-disk-max-events	Maximum number of events to register from last activation.	Shared		✓	✓	✓	
log-native-calls-to-disk-max-seconds	Maximum number of seconds to register from last activation.	Shared		✓	✓	✓	
log-native-calls-to-disk-on-error	Registers native calls to data container backend as disk files when an error occurred.	Shared	False	✓	✓	✓	
log-native-calls-to-disk-on-success	Registers native calls to data container backend as disk files when successful.	Shared	False	✓	✓	✓	
log-native-calls-to-trace	Log native calls to data container backend on the trace.	Shared	False	✓	✓	✓	
maximum-discovered-column-count	Maximum number of discovered columns. An error will be generated when the column exceeds this value.		250	✓	✓	✓	✓
maximum-length-identifiers	Non-default maximum length in characters of identifier names.	Shared		✓	✓	✓	
max-odata-filters	The maximum number of OData filter elements.	OData	100	✓	✓	✓	
max-url-length-accepted	The maximum accepted URL length before raising an error.	Shared	8000	✓	✓	✓	
max-url-length-desired	The maximum desired URL length.	Shared	8000	✓	✓	✓	
metadata-cache-max-age-sec	Maximum acceptable age in seconds for re-use of metadata.	OData		✓	✓	✓	
oauth-unauthorized-max-tries	Maximum number of tries when an OAuth exception occurs.	OData	2	✓	✓	✓	
oauth-unauthorized-sleep-initial-ms	Initial sleep in milliseconds between OAuth reauthentication tries when the OAuth authentication fails.	OData	10000	✓	✓	✓	
oauth-unauthorized-sleep-max-ms	Maximum sleep in milliseconds between OAuth reauthentication tries when the OAuth authentication fails.	OData	1000	✓	✓	✓	
oauth-unauthorized-sleep-multiplicator	Multiplication factor for sleep between OAuth reauthentication tries when the OAuth authentication fails.	OData	2	✓	✓	✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Drivers File	Set from Log On
partition-slot-based-rate-limit-length-ms	Total length in ms across all slots of a partition-based rate limit.	Shared	60000	✓		✓	
partition-slot-based-rate-limit-slots	Number of slots per partition-based rate limit. Null means no slot-based rate limit	Shared		✓		✓	
pre-request-delay-ms	Pre-request delay in milliseconds per request.	Shared	0	✓	✓	✓	
requested-page-size	Preferred number of rows to exchange per round trip; only effective on limited platforms such as AFAS Online	Shared		✓	✓	✓	
requests-parallel-max	Maximum number of parallel data requests from individual partitions on the data container.	Shared	32	✓	✓	✓	
service-url	{res:itgen_cloud_database_yourtrack_service_url_tip}	YouTrack		✓		✓	✓
simulate-http-400-errors	Simulate HTTP 400 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
simulate-http-400-errors-percentage	Percentage of simulated HTTP 400 errors when exchanging results with the OData endpoint.		0	✓	✓	✓	
simulate-http-401-errors	Simulate HTTP 401 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
simulate-http-401-errors-percentage	Percentage of simulated HTTP 401 errors when exchanging results with the OData endpoint.		0	✓	✓	✓	
simulate-http-403-errors	Simulate HTTP 403 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
simulate-http-403-errors-percentage	Percentage of simulated HTTP 403 errors when exchanging results with the OData endpoint.		0	✓	✓	✓	
simulate-http-408-errors	Simulate HTTP 408 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
simulate-http-408-errors-percentage	Percentage of simulated HTTP 408 errors when exchanging results with the OData endpoint.		0	✓	✓	✓	
simulate-http-429-errors	Simulate HTTP 429 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
simulate-http-429-errors-percentage	Percentage of simulated HTTP 429 errors when exchanging results with the OData endpoint.		0	✓	✓	✓	
simulate-http-500-errors	Simulate HTTP 500 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Drivers File	Set from Log On
simulate-http-500-errors-percentage	Percentage of simulated HTTP 500 errors when exchanging results with the OData endpoint.		0	✓	✓	✓	
simulate-http-502-errors	Simulate HTTP 502 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
simulate-http-502-errors-percentage	Percentage of simulated HTTP 502 errors when exchanging results with the OData endpoint.		0	✓	✓	✓	
simulate-http-503-errors	Simulate HTTP 503 errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
simulate-http-503-errors-percentage	Percentage of simulated HTTP 503 errors when exchanging results with the OData endpoint.		0	✓	✓	✓	
simulate-http-protocol-errors	Simulate HTTP protocol errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
simulate-http-protocol-errors-percentage	Percentage of simulated HTTP protocol errors when exchanging results with the OData endpoint.		0	✓	✓	✓	
simulate-http-timeout-errors	Simulate HTTP timeout errors when exchanging results with the OData endpoint.		False	✓	✓	✓	
simulate-http-timeout-errors-percentage	Percentage of simulated HTTP timeout errors when exchanging results with the OData endpoint.		0	✓	✓	✓	
slot-based-rate-limit-length-ms	Total length in ms across all slots of a slot-based rate limit.	Shared	60000	✓		✓	
slot-based-rate-limit-slots	Number of slots of a slot-based rate limit. Null means no slot-based rate limit	Shared		✓		✓	
standardize-identifiers	Rewrite all identifiers to the preferred standards as configured by standardize-identifiers-casing and maximum-length-identifiers.	Shared	True	✓	✓	✓	
standardize-identifiers-casing	Rewrite all identifiers to the recommended standard platform-specific casing when changing a data model on a case-dependent platform.	Shared	True	✓	✓	✓	
swagger-specification-file	The Swagger file path, such as C:\temp\swagger.json.			✓	✓	✓	✓
swagger-specification-http-disk-cache-max-age-sec	Maximum acceptable age in seconds for use of Swagger specification data in the HTTP disk cache.		86400	✓	✓	✓	
swagger-specification-url	The Swagger URL such as https://example.org/rest/swagger.json.			✓	✓	✓	✓

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Drivers File	Set from Log On
use-batch-insert	Whether to use batch insert.	OData	True	✓	✓	✓	
use-http-disk-cache-read	Whether to use HTTP responses from previous queries stored on disk to answer the current query.	Shared	False	✓	✓	✓	
use-http-disk-cache-write	Whether to memorize HTTP responses on disk.	Shared	False	✓	✓	✓	
use-http-memory-cache-read	Whether to use HTTP responses from previous queries stored in memory that can answer the current query.	OData	True	✓	✓	✓	
use-http-memory-cache-write	Whether to memorize HTTP responses from previous queries for use by future queries.	OData	True	✓	✓	✓	

3 Schema: Activities

3.1 Tables

3.1.1 Activities: YouTrack Activities

Catalog: YouTrack

Schema: Activities

Label: Activities

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/activities`

Insert YouTrack API URL: `/activities`

Update YouTrack API URL: `/activities`

Delete YouTrack API URL: `/activities`

Field Selection Method: `NotRequired`

Select YouTrack API Operation: `get /activities`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `Activities`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `'select * from table(value1, value2, value3)'` on a table with four

parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
author	string	<input type="checkbox"/>		Parameter to filter activities by the author. The database id or login, or Hub id, or 'me' for the current logged in user could be specified.
categories	string	<input type="checkbox"/>		
end	string	<input type="checkbox"/>		End timestamp of the time interval the activity timestamp belongs to. If the parameter is not set, it is considered as Long.MAX_VALUE.
issueQuery	string	<input type="checkbox"/>		Issues search query. Read more about search syntax.
reverse	boolean	<input type="checkbox"/>		Indicates whether the order of returning activities is from newest to oldest or the opposite. If "false", then the oldest activity item that matches a selected filter is returned first. If "true", then the newest activity is returned first. By default, "false".
start	string	<input type="checkbox"/>		Start timestamp of the time interval the activity timestamp belongs to. If the parameter is not set, it is considered to be 0.

Table Function Columns

The columns of the table function `Activities` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
author_\$type	string		<input type="checkbox"/>	
author_avatarUrl	string		<input type="checkbox"/>	
author_banned	boolean		<input type="checkbox"/>	
author_email	string		<input type="checkbox"/>	
author.FullName	string		<input type="checkbox"/>	
author_guest	boolean		<input type="checkbox"/>	
author_id	string		<input type="checkbox"/>	
author_jabberAccountName	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
author_login	string		<input type="checkbox"/>	
author_online	boolean		<input type="checkbox"/>	
author_profiles_\$type	string		<input type="checkbox"/>	
author_profiles_id	string		<input type="checkbox"/>	
author_ringId	string		<input type="checkbox"/>	
category_\$type	string		<input type="checkbox"/>	
category_id	string		<input type="checkbox"/>	
field_\$type	string		<input type="checkbox"/>	
field_id	string		<input type="checkbox"/>	
field_name	string		<input type="checkbox"/>	
field_presentation	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
targetMember	string	Target member	<input type="checkbox"/>	
timestamp	int64	Timestamp	<input type="checkbox"/>	

3.1.2 ActivityById

Catalog: YouTrack

Schema: Activities

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /activities/{id}

Insert YouTrack API URL: /activities/{id}

Update YouTrack API URL: /activities/{id}

Delete YouTrack API URL: /activities/{id}

Field Selection Method: NotRequired

Select YouTrack API Operation: get /activities/{id}

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function ActivityById. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the

default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `ActivityById` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
author_\$type	string		<input type="checkbox"/>	
author_avatarUrl	string		<input type="checkbox"/>	
author_banned	boolean		<input type="checkbox"/>	
author_email	string		<input type="checkbox"/>	
author.FullName	string		<input type="checkbox"/>	
author_guest	boolean		<input type="checkbox"/>	
author_id	string		<input type="checkbox"/>	
author_jabberAccountName	string		<input type="checkbox"/>	
author_login	string		<input type="checkbox"/>	
author_online	boolean		<input type="checkbox"/>	
author_profiles_\$type	string		<input type="checkbox"/>	
author_profiles_id	string		<input type="checkbox"/>	
author_ringId	string		<input type="checkbox"/>	
category_\$type	string		<input type="checkbox"/>	
category_id	string		<input type="checkbox"/>	
field_\$type	string		<input type="checkbox"/>	
field_id	string		<input type="checkbox"/>	
field_name	string		<input type="checkbox"/>	
field_presentation	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
targetMember	string	Target member	<input type="checkbox"/>	
timestamp	int64	Timestamp	<input type="checkbox"/>	

3.1.3 ActivityPages

Catalog: YouTrack

Schema: Activities

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: /activitiesPage

Insert YouTrack API URL: /activitiesPage

Update YouTrack API URL: /activitiesPage

Delete YouTrack API URL: /activitiesPage

Field Selection Method: NotRequired

Select YouTrack API Operation: get /activitiesPage

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function ActivityPages. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
activityId	string	<input type="checkbox"/>		ID of the activity that should be included in the page. The activity is allocated to the middle of the page.
author	string	<input type="checkbox"/>		Parameter to filter activities by the author. The database id or login, or Hub id, or 'me' for the current logged in user could be specified.
categories	string	<input type="checkbox"/>		
cursor	string	<input type="checkbox"/>		
end	string	<input type="checkbox"/>		End timestamp of the time interval the activity timestamp belongs to. If the parameter is not set, it is considered as Long.MAX_VALUE.
issueQuery	string	<input type="checkbox"/>		Issues search query. Read more about search syntax.
reverse	boolean	<input type="checkbox"/>		Indicates whether the order of returning activities is from newest to oldest or the opposite. If "false", then the oldest activity item that matches a selected filter is returned first. If

Name	Data Type	Required	Default Value	Documentation
				"true", then the newest activity is returned first. By default, "false".
start	string	<input type="checkbox"/>		Start timestamp of the time interval the activity timestamp belongs to. If the parameter is not set, it is considered to be 0.

Table Function Columns

The columns of the table function `ActivityPages` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
afterCursor	string	After Cursor	<input type="checkbox"/>	
beforeCursor	string	Before Cursor	<input type="checkbox"/>	
hasAfter	boolean	Has After	<input type="checkbox"/>	
hasBefore	boolean	Has Before	<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
reverse	boolean	Reverse	<input type="checkbox"/>	

3.1.4 ProjectActivityPages

Catalog: YouTrack

Schema: Activities

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/activitiesPage`

Insert YouTrack API URL: `/activitiesPage`

Update YouTrack API URL: `/activitiesPage`

Delete YouTrack API URL: `/activitiesPage`

Field Selection Method: `NotRequired`

Base Path: `activities[*]`

Select YouTrack API Operation: `get /activitiesPage`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `ProjectActivityPages`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
activityId	string	<input type="checkbox"/>		ID of the activity that should be included in the page. The activity is allocated to the middle of the page.
author	string	<input type="checkbox"/>		Parameter to filter activities by the author. The database id or login, or Hub id, or 'me' for the current logged in user could be specified.
categories	string	<input type="checkbox"/>		
cursor	string	<input type="checkbox"/>		
end	string	<input type="checkbox"/>		End timestamp of the time interval the activity timestamp belongs to. If the parameter is not set, it is considered as Long.MAX_VALUE.
issueQuery	string	<input type="checkbox"/>		Issues search query. Read more about search syntax.
reverse	boolean	<input type="checkbox"/>		Indicates whether the order of returning activities is from newest to oldest or the opposite. If "false", then the oldest activity item that matches a selected filter is returned first. If "true", then the newest activity is returned first. By default, "false".
start	string	<input type="checkbox"/>		Start timestamp of the time interval the activity timestamp belongs to. If the parameter is not set, it is considered to be 0.

Table Function Columns

The columns of the table function ProjectActivityPages are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
afterCursor	string	After Cursor	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
author_\$type	string		<input type="checkbox"/>	
author_avatarUrl	string		<input type="checkbox"/>	
author_banned	boolean		<input type="checkbox"/>	
author_email	string		<input type="checkbox"/>	
author.FullName	string		<input type="checkbox"/>	
author_guest	boolean		<input type="checkbox"/>	
author_id	string		<input type="checkbox"/>	
author_jabberAccountName	string		<input type="checkbox"/>	
author_login	string		<input type="checkbox"/>	
author_online	boolean		<input type="checkbox"/>	
author_ringId	string		<input type="checkbox"/>	
beforeCursor	string	Before Cursor	<input type="checkbox"/>	
category_\$type	string		<input type="checkbox"/>	
category_id	string		<input type="checkbox"/>	
field_\$type	string		<input type="checkbox"/>	
field_id	string		<input type="checkbox"/>	
field_name	string		<input type="checkbox"/>	
field_presentation	string		<input type="checkbox"/>	
hasAfter	boolean	Has After	<input type="checkbox"/>	
hasBefore	boolean	Has Before	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
reverse	boolean	Reverse	<input type="checkbox"/>	
targetMember	string	Target member	<input type="checkbox"/>	
timestamp	int64	Timestamp	<input type="checkbox"/>	

4 Schema: Admin

4.1 Tables

4.1.1 AllowedOriginRestSettings

Catalog: YouTrack

Schema: Admin

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /admin/globalSettings/restSettings

Insert YouTrack API URL: /admin/globalSettings/restSettings

Update YouTrack API URL: /admin/globalSettings/restSettings

Delete YouTrack API URL: /admin/globalSettings/restSettings

Field Selection Method: NotRequired

Base Path: allowedOrigins [*]

Select YouTrack API Operation: get /admin/globalSettings/restSettings

Table Function Columns

The columns of the table function AllowedOriginRestSettings are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
allowAllOrigins	boolean	Allow All Origins	<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
TEXT	string	Text	<input type="checkbox"/>	

4.1.2 AppearanceSettings

Catalog: YouTrack

Schema: Admin

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /admin/globalSettings/appearanceSettings

Insert YouTrack API URL: /admin/globalSettings/appearanceSettings

Update YouTrack API URL: /admin/globalSettings/appearanceSettings

Delete YouTrack API URL: /admin/globalSettings/appearanceSettings

Field Selection Method: NotRequired

Select YouTrack API Operation:

get /admin/globalSettings/appearanceSettings

Table Function Columns

The columns of the table function AppearanceSettings are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
dateFormat_\$type	string		<input type="checkbox"/>	
dateFormat_datePattern	string		<input type="checkbox"/>	
dateFormat_id	string		<input type="checkbox"/>	
dateFormat_pattern	string		<input type="checkbox"/>	
dateFormat_presentation	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
logo_\$type	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
logo_id	string		<input type="checkbox"/>	
logo_url	string		<input type="checkbox"/>	
timeZone_\$type	string		<input type="checkbox"/>	
timeZone_id	string		<input type="checkbox"/>	
timeZone_offset	int32		<input type="checkbox"/>	
timeZone_presentation	string		<input type="checkbox"/>	

4.1.3 GlobalSettings

Catalog: YouTrack

Schema: Admin

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: /admin/globalSettings

Insert YouTrack API URL: /admin/globalSettings

Update YouTrack API URL: /admin/globalSettings

Delete YouTrack API URL: /admin/globalSettings

Field Selection Method: NotRequired

Select YouTrack API Operation: get /admin/globalSettings

Table Function Columns

The columns of the table function `GlobalSettings` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
appearanceSettings_\$type	string		<input type="checkbox"/>	
appearanceSettings_dateFieldForm_at_\$type	string		<input type="checkbox"/>	
appearanceSettings_dateFieldForm_at_datePattern	string		<input type="checkbox"/>	
appearanceSettings_dateFieldForm_at_id	string		<input type="checkbox"/>	
appearanceSettings_dateFieldForm_at_pattern	string		<input type="checkbox"/>	
appearanceSettings_dateFieldForm_at_presentation	string		<input type="checkbox"/>	
appearanceSettings_id	string		<input type="checkbox"/>	
appearanceSettings_logo_\$type	string		<input type="checkbox"/>	
appearanceSettings_logo_id	string		<input type="checkbox"/>	
appearanceSettings_logo_url	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
appearanceSettings_timeZone_\$type	string		<input type="checkbox"/>	
appearanceSettings_timeZone_id	string		<input type="checkbox"/>	
appearanceSettings_timeZone_offset	int32		<input type="checkbox"/>	
appearanceSettings_timeZone_presentation	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
license_\$type	string		<input type="checkbox"/>	
license_error	string		<input type="checkbox"/>	
license_id	string		<input type="checkbox"/>	
license_license	string		<input type="checkbox"/>	
license_username	string		<input type="checkbox"/>	
localeSettings_\$type	string		<input type="checkbox"/>	
localeSettings_id	string		<input type="checkbox"/>	
localeSettings_isRTL	boolean		<input type="checkbox"/>	
localeSettings_locale_\$type	string		<input type="checkbox"/>	
localeSettings_locale_community	boolean		<input type="checkbox"/>	
localeSettings_locale_id	string		<input type="checkbox"/>	
localeSettings_locale_language	string		<input type="checkbox"/>	
localeSettings_locale_locale	string		<input type="checkbox"/>	
localeSettings_locale_name	string		<input type="checkbox"/>	
notificationSettings_\$type	string		<input type="checkbox"/>	
notificationSettings_emailSettings_\$type	string		<input type="checkbox"/>	
notificationSettings_emailSettings_anonymous	boolean		<input type="checkbox"/>	
notificationSettings_emailSettings_from	string		<input type="checkbox"/>	
notificationSettings_emailSettings_host	string		<input type="checkbox"/>	
notificationSettings_emailSettings_id	string		<input type="checkbox"/>	
notificationSettings_emailSettings_isEnabled	boolean		<input type="checkbox"/>	
notificationSettings_emailSettings_login	string		<input type="checkbox"/>	
notificationSettings_emailSettings_mailProtocol	string		<input type="checkbox"/>	
notificationSettings_emailSettings_port	int32		<input type="checkbox"/>	
notificationSettings_emailSettings_replyTo	string		<input type="checkbox"/>	
notificationSettings_id	string		<input type="checkbox"/>	
notificationSettings_jabberSettings_\$type	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
notificationSettings_jabberSettings_host	string		<input type="checkbox"/>	
notificationSettings_jabberSettings_id	string		<input type="checkbox"/>	
notificationSettings_jabberSettings_isEnabled	boolean		<input type="checkbox"/>	
notificationSettings_jabberSettings_login	string		<input type="checkbox"/>	
notificationSettings_jabberSettings_port	int32		<input type="checkbox"/>	
notificationSettings_jabberSettings_serviceName	string		<input type="checkbox"/>	
restSettings_\$type	string		<input type="checkbox"/>	
restSettings_allowAllOrigins	boolean		<input type="checkbox"/>	
restSettings_id	string		<input type="checkbox"/>	
systemSettings_\$type	string		<input type="checkbox"/>	
systemSettings_administratorEmail	string		<input type="checkbox"/>	
systemSettings_allowStatisticsCollection	boolean		<input type="checkbox"/>	
systemSettings_baseUrl	string		<input type="checkbox"/>	
systemSettings_id	string		<input type="checkbox"/>	
systemSettings_isApplicationReadOnly	boolean		<input type="checkbox"/>	
systemSettings_maxExportItems	int32		<input type="checkbox"/>	
systemSettings_maxUploadFileSize	int64		<input type="checkbox"/>	

4.1.4 IssueAttachments

Catalog: YouTrack

Schema: Admin

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /admin/projects

Insert YouTrack API URL: /admin/projects

Update YouTrack API URL: /admin/projects

Delete YouTrack API URL: /admin/projects

Field Selection Method: NotRequired

Base Path: issues[*].attachments[*]

Select YouTrack API Operation: get /admin/projects

Table Function Columns

The columns of the table function `IssueAttachments` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
archived	boolean	Archived	<input type="checkbox"/>	
base64Content	string	Base64 Content	<input type="checkbox"/>	
charset	string	Charset	<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created_1	int64		<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
createdBy_\$type	string		<input type="checkbox"/>	
createdBy_avatarUrl	string		<input type="checkbox"/>	
createdBy_banned	boolean		<input type="checkbox"/>	
createdBy_email	string		<input type="checkbox"/>	
createdBy_fullName	string		<input type="checkbox"/>	
createdBy_guest	boolean		<input type="checkbox"/>	
createdBy_id	string		<input type="checkbox"/>	
createdBy_jabberAccountName	string		<input type="checkbox"/>	
createdBy_login	string		<input type="checkbox"/>	
createdBy_online	boolean		<input type="checkbox"/>	
createdBy_profiles_\$type	string		<input type="checkbox"/>	
createdBy_profiles_id	string		<input type="checkbox"/>	
createdBy_ringId	string		<input type="checkbox"/>	
description_1	string		<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
draft	boolean	Draft	<input type="checkbox"/>	
draftOwner_\$type	string		<input type="checkbox"/>	
draftOwner_avatarUrl	string		<input type="checkbox"/>	
draftOwner_banned	boolean		<input type="checkbox"/>	
draftOwner_email	string		<input type="checkbox"/>	
draftOwner_fullName	string		<input type="checkbox"/>	
draftOwner_guest	boolean		<input type="checkbox"/>	
draftOwner_id	string		<input type="checkbox"/>	
draftOwner_jabberAccountName	string		<input type="checkbox"/>	
draftOwner_login	string		<input type="checkbox"/>	
draftOwner_online	boolean		<input type="checkbox"/>	
draftOwner_ringId	string		<input type="checkbox"/>	
extension	string	Extension	<input type="checkbox"/>	
externalIssue_\$type	string		<input type="checkbox"/>	
externalIssue_id	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
externallssue_key	string		<input type="checkbox"/>	
externallssue_name	string		<input type="checkbox"/>	
externallssue_url	string		<input type="checkbox"/>	
fromEmail	string	From Email	<input type="checkbox"/>	
iconUrl	string	Icon (URL)	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
leader_\$type	string		<input type="checkbox"/>	
leader_avatarUrl	string		<input type="checkbox"/>	
leader_banned	boolean		<input type="checkbox"/>	
leader_email	string		<input type="checkbox"/>	
leader.FullName	string		<input type="checkbox"/>	
leader_guest	boolean		<input type="checkbox"/>	
leader_id	string		<input type="checkbox"/>	
leader_jabberAccountName	string		<input type="checkbox"/>	
leader_login	string		<input type="checkbox"/>	
leader_online	boolean		<input type="checkbox"/>	
leader_profiles_\$type	string		<input type="checkbox"/>	
leader_profiles_id	string		<input type="checkbox"/>	
leader_ringId	string		<input type="checkbox"/>	
metaData	string	Metadata	<input type="checkbox"/>	
mimeType	string	MIME-type	<input type="checkbox"/>	
name_1	string		<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
removed	boolean	Removed	<input type="checkbox"/>	
replyToEmail	string	Reply-to Email	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter.FullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
shortName	string	Short Name	<input type="checkbox"/>	
size	int64	Size	<input type="checkbox"/>	
startingNumber	int64	Starting Number	<input type="checkbox"/>	
subtasks.\$type	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
team.\$type	string		<input type="checkbox"/>	
team_allUsersGroup	boolean		<input type="checkbox"/>	
team_icon	string		<input type="checkbox"/>	
team_id	string		<input type="checkbox"/>	
team_name	string		<input type="checkbox"/>	
team_ringId	string		<input type="checkbox"/>	
team_teamForProject_archived	boolean		<input type="checkbox"/>	
team_teamForProject_description	string		<input type="checkbox"/>	
team_teamForProject_fromEmail	string		<input type="checkbox"/>	
team_teamForProject_iconUrl	string		<input type="checkbox"/>	
team_teamForProject_replyToEmail	string		<input type="checkbox"/>	
team_teamForProject_shortName	string		<input type="checkbox"/>	
team_teamForProject_startingNumber	int64		<input type="checkbox"/>	
team_teamForProject_template	boolean		<input type="checkbox"/>	
team_usersCount	int64		<input type="checkbox"/>	
template	boolean	Template	<input type="checkbox"/>	
thumbnailURL	string	Thumbnail (URL)	<input type="checkbox"/>	
updated_1	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater.\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater.FullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
url	string	URL	<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

4.1.5 IssueComments

Catalog: YouTrack

Schema: Admin

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/projects`

Insert YouTrack API URL: `/admin/projects`

Update YouTrack API URL: `/admin/projects`

Delete YouTrack API URL: `/admin/projects`

Field Selection Method: `NotRequired`

Base Path: `issues [*] .comments [*]`

Select YouTrack API Operation: `get /admin/projects`

Table Function Columns

The columns of the table function `IssueComments` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
archived	boolean	Archived	<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created_1	int64		<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
createdBy_\$type	string		<input type="checkbox"/>	
createdBy_avatarUrl	string		<input type="checkbox"/>	
createdBy_banned	boolean		<input type="checkbox"/>	
createdBy_email	string		<input type="checkbox"/>	
createdBy_fullName	string		<input type="checkbox"/>	
createdBy_guest	boolean		<input type="checkbox"/>	
createdBy_id	string		<input type="checkbox"/>	
createdBy_jabberAccountName	string		<input type="checkbox"/>	
createdBy_login	string		<input type="checkbox"/>	
createdBy_online	boolean		<input type="checkbox"/>	
createdBy_profiles_\$type	string		<input type="checkbox"/>	
createdBy_profiles_id	string		<input type="checkbox"/>	
createdBy_ringId	string		<input type="checkbox"/>	
deleted	boolean	Deleted	<input type="checkbox"/>	
description_1	string		<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
draftOwner_\$type	string		<input type="checkbox"/>	
draftOwner_avatarUrl	string		<input type="checkbox"/>	
draftOwner_banned	boolean		<input type="checkbox"/>	
draftOwner_email	string		<input type="checkbox"/>	
draftOwner_fullName	string		<input type="checkbox"/>	
draftOwner_guest	boolean		<input type="checkbox"/>	
draftOwner_id	string		<input type="checkbox"/>	
draftOwner_jabberAccountName	string		<input type="checkbox"/>	
draftOwner_login	string		<input type="checkbox"/>	
draftOwner_online	boolean		<input type="checkbox"/>	
draftOwner_ringId	string		<input type="checkbox"/>	
externalIssue_\$type	string		<input type="checkbox"/>	
externalIssue_id	string		<input type="checkbox"/>	
externalIssue_key	string		<input type="checkbox"/>	
externalIssue_name	string		<input type="checkbox"/>	
externalIssue_url	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
fromEmail	string	From Email	<input type="checkbox"/>	
iconUrl	string	Icon (URL)	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
leader_\$type	string		<input type="checkbox"/>	
leader_avatarUrl	string		<input type="checkbox"/>	
leader_banned	boolean		<input type="checkbox"/>	
leader_email	string		<input type="checkbox"/>	
leader.FullName	string		<input type="checkbox"/>	
leader_guest	boolean		<input type="checkbox"/>	
leader_id	string		<input type="checkbox"/>	
leader_jabberAccountName	string		<input type="checkbox"/>	
leader_login	string		<input type="checkbox"/>	
leader_online	boolean		<input type="checkbox"/>	
leader_profiles_\$type	string		<input type="checkbox"/>	
leader_profiles_id	string		<input type="checkbox"/>	
leader_ringId	string		<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
replyToEmail	string	Reply-to Email	<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter.FullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
shortName	string	Short Name	<input type="checkbox"/>	
startingNumber	int64	Starting Number	<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
team_\$type	string		<input type="checkbox"/>	
team_allUsersGroup	boolean		<input type="checkbox"/>	
team_icon	string		<input type="checkbox"/>	
team_id	string		<input type="checkbox"/>	
team_name	string		<input type="checkbox"/>	
team_ringId	string		<input type="checkbox"/>	
team_teamForProject_archived	boolean		<input type="checkbox"/>	
team_teamForProject_description	string		<input type="checkbox"/>	
team_teamForProject_fromEmail	string		<input type="checkbox"/>	
team_teamForProject_iconUrl	string		<input type="checkbox"/>	
team_teamForProject_replyToEmail	string		<input type="checkbox"/>	
team_teamForProject_shortName	string		<input type="checkbox"/>	
team_teamForProject_startingNumber	int64		<input type="checkbox"/>	
team_teamForProject_template	boolean		<input type="checkbox"/>	
team_usersCount	int64		<input type="checkbox"/>	
template	boolean	Template	<input type="checkbox"/>	
text	string	Text	<input type="checkbox"/>	
textPreview	string	Text Preview	<input type="checkbox"/>	
updated_1	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater.FullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updater_online	boolean		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
usesMarkdown_1	boolean		<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

4.1.6 IssueCustomFields

Catalog: YouTrack

Schema: Admin

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/projects`

Insert YouTrack API URL: `/admin/projects`

Update YouTrack API URL: `/admin/projects`

Delete YouTrack API URL: `/admin/projects`

Field Selection Method: `NotRequired`

Base Path: `issues [*] .customFields [*]`

Select YouTrack API Operation: `get /admin/projects`

Table Function Columns

The columns of the table function `IssueCustomFields` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
archived	boolean	Archived	<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
created	int64	Created	<input type="checkbox"/>	
createdBy_\$type	string		<input type="checkbox"/>	
createdBy_avatarUrl	string		<input type="checkbox"/>	
createdBy_banned	boolean		<input type="checkbox"/>	
createdBy_email	string		<input type="checkbox"/>	
createdBy_fullName	string		<input type="checkbox"/>	
createdBy_guest	boolean		<input type="checkbox"/>	
createdBy_id	string		<input type="checkbox"/>	
createdBy_jabberAccountName	string		<input type="checkbox"/>	
createdBy_login	string		<input type="checkbox"/>	
createdBy_online	boolean		<input type="checkbox"/>	
createdBy_profiles_\$type	string		<input type="checkbox"/>	
createdBy_profiles_id	string		<input type="checkbox"/>	
createdBy_ringId	string		<input type="checkbox"/>	
description_1	string		<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
draftOwner_\$type	string		<input type="checkbox"/>	
draftOwner_avatarUrl	string		<input type="checkbox"/>	
draftOwner_banned	boolean		<input type="checkbox"/>	
draftOwner_email	string		<input type="checkbox"/>	
draftOwner_fullName	string		<input type="checkbox"/>	
draftOwner_guest	boolean		<input type="checkbox"/>	
draftOwner_id	string		<input type="checkbox"/>	
draftOwner_jabberAccountName	string		<input type="checkbox"/>	
draftOwner_login	string		<input type="checkbox"/>	
draftOwner_online	boolean		<input type="checkbox"/>	
draftOwner_ringId	string		<input type="checkbox"/>	
externalIssue_\$type	string		<input type="checkbox"/>	
externalIssue_id	string		<input type="checkbox"/>	
externalIssue_key	string		<input type="checkbox"/>	
externalIssue_name	string		<input type="checkbox"/>	
externalIssue_url	string		<input type="checkbox"/>	
fromEmail	string	From Email	<input type="checkbox"/>	
iconUrl	string	Icon (URL)	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
leader_\$type	string		<input type="checkbox"/>	
leader_avatarUrl	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
leader_banned	boolean		<input type="checkbox"/>	
leader_email	string		<input type="checkbox"/>	
leader.FullName	string		<input type="checkbox"/>	
leader_guest	boolean		<input type="checkbox"/>	
leader_id	string		<input type="checkbox"/>	
leader_jabberAccountName	string		<input type="checkbox"/>	
leader_login	string		<input type="checkbox"/>	
leader_online	boolean		<input type="checkbox"/>	
leader_profiles_\$type	string		<input type="checkbox"/>	
leader_profiles_id	string		<input type="checkbox"/>	
leader_ringId	string		<input type="checkbox"/>	
name_1	string		<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
replyToEmail	string	Reply-to Email	<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter.FullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
shortName	string	Short Name	<input type="checkbox"/>	
startingNumber	int64	Starting Number	<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
team_\$type	string		<input type="checkbox"/>	
team_allUsersGroup	boolean		<input type="checkbox"/>	
team_icon	string		<input type="checkbox"/>	
team_id	string		<input type="checkbox"/>	
team_name	string		<input type="checkbox"/>	
team_ringId	string		<input type="checkbox"/>	
team_teamForProject_archived	boolean		<input type="checkbox"/>	
team_teamForProject_description	string		<input type="checkbox"/>	
team_teamForProject_fromEmail	string		<input type="checkbox"/>	
team_teamForProject_iconUrl	string		<input type="checkbox"/>	
team_teamForProject_replyToEmail	string		<input type="checkbox"/>	
team_teamForProject_shortName	string		<input type="checkbox"/>	
team_teamForProject_startingNumber	int64		<input type="checkbox"/>	
team_teamForProject_template	boolean		<input type="checkbox"/>	
team_usersCount	int64		<input type="checkbox"/>	
template	boolean	Template	<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater.FullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

4.1.7 IssueLinks

Catalog: YouTrack

Schema: Admin

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /admin/projects

Insert YouTrack API URL: /admin/projects

Update YouTrack API URL: /admin/projects

Delete YouTrack API URL: /admin/projects

Field Selection Method: NotRequired

Base Path: issues[*].links[*]

Select YouTrack API Operation: get /admin/projects

Table Function Columns

The columns of the table function IssueLinks are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
archived	boolean	Archived	<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
createdBy_\$type	string		<input type="checkbox"/>	
createdBy_avatarUrl	string		<input type="checkbox"/>	
createdBy_banned	boolean		<input type="checkbox"/>	
createdBy_email	string		<input type="checkbox"/>	
createdBy_fullName	string		<input type="checkbox"/>	
createdBy_guest	boolean		<input type="checkbox"/>	
createdBy_id	string		<input type="checkbox"/>	
createdBy_jabberAccountName	string		<input type="checkbox"/>	
createdBy_login	string		<input type="checkbox"/>	
createdBy_online	boolean		<input type="checkbox"/>	
createdBy_profiles_\$type	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
createdBy_profiles_id	string		<input type="checkbox"/>	
createdBy_ringId	string		<input type="checkbox"/>	
description_1	string		<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
direction	string	Direction	<input type="checkbox"/>	
draftOwner_\$type	string		<input type="checkbox"/>	
draftOwner_avatarUrl	string		<input type="checkbox"/>	
draftOwner_banned	boolean		<input type="checkbox"/>	
draftOwner_email	string		<input type="checkbox"/>	
draftOwner.FullName	string		<input type="checkbox"/>	
draftOwner_guest	boolean		<input type="checkbox"/>	
draftOwner_id	string		<input type="checkbox"/>	
draftOwner_jabberAccountName	string		<input type="checkbox"/>	
draftOwner_login	string		<input type="checkbox"/>	
draftOwner_online	boolean		<input type="checkbox"/>	
draftOwner_ringId	string		<input type="checkbox"/>	
externalIssue_\$type	string		<input type="checkbox"/>	
externalIssue_id	string		<input type="checkbox"/>	
externalIssue_key	string		<input type="checkbox"/>	
externalIssue_name	string		<input type="checkbox"/>	
externalIssue_url	string		<input type="checkbox"/>	
fromEmail	string	From Email	<input type="checkbox"/>	
iconUrl	string	Icon (URL)	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
leader_\$type	string		<input type="checkbox"/>	
leader_avatarUrl	string		<input type="checkbox"/>	
leader_banned	boolean		<input type="checkbox"/>	
leader_email	string		<input type="checkbox"/>	
leader.FullName	string		<input type="checkbox"/>	
leader_guest	boolean		<input type="checkbox"/>	
leader_id	string		<input type="checkbox"/>	
leader_jabberAccountName	string		<input type="checkbox"/>	
leader_login	string		<input type="checkbox"/>	
leader_online	boolean		<input type="checkbox"/>	
leader_profiles_\$type	string		<input type="checkbox"/>	
leader_profiles_id	string		<input type="checkbox"/>	
leader_ringId	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
replyToEmail	string	Reply-to Email	<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter.FullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
shortName	string	Short Name	<input type="checkbox"/>	
startingNumber	int64	Starting Number	<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
team_\$type	string		<input type="checkbox"/>	
team_allUsersGroup	boolean		<input type="checkbox"/>	
team_icon	string		<input type="checkbox"/>	
team_id	string		<input type="checkbox"/>	
team_name	string		<input type="checkbox"/>	
team_ringId	string		<input type="checkbox"/>	
team_teamForProject_archived	boolean		<input type="checkbox"/>	
team_teamForProject_description	string		<input type="checkbox"/>	
team_teamForProject_fromEmail	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
team_teamForProject_iconUrl	string		<input type="checkbox"/>	
team_teamForProject_replyToEmail	string		<input type="checkbox"/>	
team_teamForProject_shortName	string		<input type="checkbox"/>	
team_teamForProject_startingNumber	int64		<input type="checkbox"/>	
team_teamForProject_template	boolean		<input type="checkbox"/>	
team_usersCount	int64		<input type="checkbox"/>	
template	boolean	Template	<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater__\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater.FullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility__\$type	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
voters__\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers__\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

4.1.8 Issues

Catalog: YouTrack

Schema: Admin

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /admin/projects

Insert YouTrack API URL: /admin/projects

Update YouTrack API URL: /admin/projects

Delete YouTrack API URL: /admin/projects

Field Selection Method: NotRequired

Base Path: issues [*]

Select YouTrack API Operation: get /admin/projects

Table Function Columns

The columns of the table function `Issues` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
archived	boolean	Archived	<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
createdBy_\$type	string		<input type="checkbox"/>	
createdBy_avatarUrl	string		<input type="checkbox"/>	
createdBy_banned	boolean		<input type="checkbox"/>	
createdBy_email	string		<input type="checkbox"/>	
createdBy_fullName	string		<input type="checkbox"/>	
createdBy_guest	boolean		<input type="checkbox"/>	
createdBy_id	string		<input type="checkbox"/>	
createdBy_jabberAccountName	string		<input type="checkbox"/>	
createdBy_login	string		<input type="checkbox"/>	
createdBy_online	boolean		<input type="checkbox"/>	
createdBy_profiles_\$type	string		<input type="checkbox"/>	
createdBy_profiles_id	string		<input type="checkbox"/>	
createdBy_ringId	string		<input type="checkbox"/>	
description_1	string		<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
draftOwner_\$type	string		<input type="checkbox"/>	
draftOwner_avatarUrl	string		<input type="checkbox"/>	
draftOwner_banned	boolean		<input type="checkbox"/>	
draftOwner_email	string		<input type="checkbox"/>	
draftOwner_fullName	string		<input type="checkbox"/>	
draftOwner_guest	boolean		<input type="checkbox"/>	
draftOwner_id	string		<input type="checkbox"/>	
draftOwner_jabberAccountName	string		<input type="checkbox"/>	
draftOwner_login	string		<input type="checkbox"/>	
draftOwner_online	boolean		<input type="checkbox"/>	
draftOwner_ringId	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
externalIssue_\$type	string		<input type="checkbox"/>	
externalIssue_id	string		<input type="checkbox"/>	
externalIssue_key	string		<input type="checkbox"/>	
externalIssue_name	string		<input type="checkbox"/>	
externalIssue_url	string		<input type="checkbox"/>	
fromEmail	string	From Email	<input type="checkbox"/>	
iconUrl	string	Icon (URL)	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
leader_\$type	string		<input type="checkbox"/>	
leader_avatarUrl	string		<input type="checkbox"/>	
leader_banned	boolean		<input type="checkbox"/>	
leader_email	string		<input type="checkbox"/>	
leader.FullName	string		<input type="checkbox"/>	
leader_guest	boolean		<input type="checkbox"/>	
leader_id	string		<input type="checkbox"/>	
leader_jabberAccountName	string		<input type="checkbox"/>	
leader_login	string		<input type="checkbox"/>	
leader_online	boolean		<input type="checkbox"/>	
leader_profiles_\$type	string		<input type="checkbox"/>	
leader_profiles_id	string		<input type="checkbox"/>	
leader_ringId	string		<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
replyToEmail	string	Reply-to Email	<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
reporter_email	string		<input type="checkbox"/>	
reporter_fullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
shortName	string	Short Name	<input type="checkbox"/>	
startingNumber	int64	Starting Number	<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
team_\$type	string		<input type="checkbox"/>	
team_allUsersGroup	boolean		<input type="checkbox"/>	
team_icon	string		<input type="checkbox"/>	
team_id	string		<input type="checkbox"/>	
team_name	string		<input type="checkbox"/>	
team_ringId	string		<input type="checkbox"/>	
team_teamForProject_archived	boolean		<input type="checkbox"/>	
team_teamForProject_description	string		<input type="checkbox"/>	
team_teamForProject_fromEmail	string		<input type="checkbox"/>	
team_teamForProject_iconUrl	string		<input type="checkbox"/>	
team_teamForProject_replyToEmail	string		<input type="checkbox"/>	
team_teamForProject_shortName	string		<input type="checkbox"/>	
team_teamForProject_startingNumber	int64		<input type="checkbox"/>	
team_teamForProject_template	boolean		<input type="checkbox"/>	
team_usersCount	int64		<input type="checkbox"/>	
template	boolean	Template	<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater_fullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

4.1.9 IssueTags: YouTrack Issue Tags

Catalog: YouTrack

Schema: Admin

Label: Issue Tags

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/projects`

Insert YouTrack API URL: `/admin/projects`

Update YouTrack API URL: `/admin/projects`

Delete YouTrack API URL: `/admin/projects`

Field Selection Method: NotRequired

Base Path: `issues[*].tags[*]`

Select YouTrack API Operation: get `/admin/projects`

Table Function Columns

The columns of the table function `IssueTags` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
archived	boolean	Archived	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
createdBy_\$type_1	string		<input type="checkbox"/>	
createdBy_\$type	string		<input type="checkbox"/>	
createdBy_avatarUrl	string		<input type="checkbox"/>	
createdBy_banned	boolean		<input type="checkbox"/>	
createdBy_email	string		<input type="checkbox"/>	
createdBy_fullName	string		<input type="checkbox"/>	
createdBy_guest	boolean		<input type="checkbox"/>	
createdBy_id_1	string		<input type="checkbox"/>	
createdBy_id	string		<input type="checkbox"/>	
createdBy_jabberAccountName	string		<input type="checkbox"/>	
createdBy_login	string		<input type="checkbox"/>	
createdBy_name	string		<input type="checkbox"/>	
createdBy_online	boolean		<input type="checkbox"/>	
createdBy_profiles_\$type	string		<input type="checkbox"/>	
createdBy_profiles_id	string		<input type="checkbox"/>	
createdBy_ringId	string		<input type="checkbox"/>	
createdBy_untagOnResolve	boolean		<input type="checkbox"/>	
description_1	string		<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
draftOwner_\$type	string		<input type="checkbox"/>	
draftOwner_avatarUrl	string		<input type="checkbox"/>	
draftOwner_banned	boolean		<input type="checkbox"/>	
draftOwner_email	string		<input type="checkbox"/>	
draftOwner_fullName	string		<input type="checkbox"/>	
draftOwner_guest	boolean		<input type="checkbox"/>	
draftOwner_id	string		<input type="checkbox"/>	
draftOwner_jabberAccountName	string		<input type="checkbox"/>	
draftOwner_login	string		<input type="checkbox"/>	
draftOwner_online	boolean		<input type="checkbox"/>	
draftOwner_ringId	string		<input type="checkbox"/>	
externallssue_\$type	string		<input type="checkbox"/>	
externallssue_id	string		<input type="checkbox"/>	
externallssue_key	string		<input type="checkbox"/>	
externallssue_name	string		<input type="checkbox"/>	
externallssue_url	string		<input type="checkbox"/>	
fromEmail	string	From Email	<input type="checkbox"/>	
iconUrl	string	Icon (URL)	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
leader_\$type_1	string		<input type="checkbox"/>	
leader_\$type	string		<input type="checkbox"/>	
leader_avatarUrl	string		<input type="checkbox"/>	
leader_banned	boolean		<input type="checkbox"/>	
leader_email	string		<input type="checkbox"/>	
leader.FullName	string		<input type="checkbox"/>	
leader_guest	boolean		<input type="checkbox"/>	
leader_id_1	string		<input type="checkbox"/>	
leader_id	string		<input type="checkbox"/>	
leader_jabberAccountName	string		<input type="checkbox"/>	
leader_login	string		<input type="checkbox"/>	
leader_name	string		<input type="checkbox"/>	
leader_online	boolean		<input type="checkbox"/>	
leader_profiles_\$type	string		<input type="checkbox"/>	
leader_profiles_id	string		<input type="checkbox"/>	
leader_ringId	string		<input type="checkbox"/>	
leader_untagOnResolve	boolean		<input type="checkbox"/>	
name_1	string		<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
replyToEmail	string	Reply-to Email	<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter.FullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
shortName	string	Short Name	<input type="checkbox"/>	
startingNumber	int64	Starting Number	<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
team_\$type	string		<input type="checkbox"/>	
team_allUsersGroup	boolean		<input type="checkbox"/>	
team_icon	string		<input type="checkbox"/>	
team_id	string		<input type="checkbox"/>	
team_name	string		<input type="checkbox"/>	
team_ringId	string		<input type="checkbox"/>	
team_teamForProject_archived	boolean		<input type="checkbox"/>	
team_teamForProject_description	string		<input type="checkbox"/>	
team_teamForProject_fromEmail	string		<input type="checkbox"/>	
team_teamForProject_iconUrl	string		<input type="checkbox"/>	
team_teamForProject_replyToEmail	string		<input type="checkbox"/>	
team_teamForProject_shortName	string		<input type="checkbox"/>	
team_teamForProject_startingNumber	int64		<input type="checkbox"/>	
team_teamForProject_template	boolean		<input type="checkbox"/>	
team_usersCount	int64		<input type="checkbox"/>	
template	boolean	Template	<input type="checkbox"/>	
untagOnResolve	boolean		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater.FullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updater_ringId	string		<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

4.1.10 Licenses

Catalog: YouTrack

Schema: Admin

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /admin/globalSettings/license

Insert YouTrack API URL: /admin/globalSettings/license

Update YouTrack API URL: /admin/globalSettings/license

Delete YouTrack API URL: /admin/globalSettings/license

Field Selection Method: NotRequired

Select YouTrack API Operation: get /admin/globalSettings/license

Table Function Columns

The columns of the table function Licenses are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
error	string	Error	<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
license	string	License	<input type="checkbox"/>	
username	string	User Name	<input type="checkbox"/>	

4.1.11 LocaleSettings

Catalog: YouTrack

Schema: Admin

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /admin/globalSettings/localeSettings

Insert YouTrack API URL: /admin/globalSettings/localeSettings

Update YouTrack API URL: /admin/globalSettings/localeSettings

Delete YouTrack API URL: /admin/globalSettings/localeSettings

Field Selection Method: NotRequired

Select YouTrack API Operation: get /admin/globalSettings/localeSettings

Table Function Columns

The columns of the table function LocaleSettings are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
isRTL	boolean	Is RTL	<input type="checkbox"/>	
locale_\$type	string		<input type="checkbox"/>	
locale_community	boolean		<input type="checkbox"/>	
locale_id	string		<input type="checkbox"/>	
locale_language	string		<input type="checkbox"/>	
locale_locale	string		<input type="checkbox"/>	
locale_name	string		<input type="checkbox"/>	

4.1.12 NotificationSettings

Catalog: YouTrack

Schema: Admin

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /admin/globalSettings/notificationSettings

Insert YouTrack API URL: /admin/globalSettings/notificationSettings

Update YouTrack API URL: /admin/globalSettings/notificationSettings

Delete YouTrack API URL: /admin/globalSettings/notificationSettings

Field Selection Method: NotRequired

Select YouTrack API Operation:

```
get /admin/globalSettings/notificationSettings
```

Table Function Columns

The columns of the table function `NotificationSettings` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
emailSettings_\$type	string		<input type="checkbox"/>	
emailSettings_anonymous	boolean		<input type="checkbox"/>	
emailSettings_from	string		<input type="checkbox"/>	
emailSettings_host	string		<input type="checkbox"/>	
emailSettings_id	string		<input type="checkbox"/>	
emailSettings_isEnabled	boolean		<input type="checkbox"/>	
emailSettings_login	string		<input type="checkbox"/>	
emailSettings_mailProtocol	string		<input type="checkbox"/>	
emailSettings_port	int32		<input type="checkbox"/>	
emailSettings_replyTo	string		<input type="checkbox"/>	
emailSettings_sslKey_\$type	string		<input type="checkbox"/>	
emailSettings_sslKey_id	string		<input type="checkbox"/>	
emailSettings_sslKey_name	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
jabberSettings_\$type	string		<input type="checkbox"/>	
jabberSettings_host	string		<input type="checkbox"/>	
jabberSettings_id	string		<input type="checkbox"/>	
jabberSettings_isEnabled	boolean		<input type="checkbox"/>	
jabberSettings_login	string		<input type="checkbox"/>	
jabberSettings_port	int32		<input type="checkbox"/>	
jabberSettings_serviceName	string		<input type="checkbox"/>	

4.1.13 RestSettings

Catalog: YouTrack

Schema: Admin

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/globalSettings/restSettings`

Insert YouTrack API URL: `/admin/globalSettings/restSettings`

Update YouTrack API URL: `/admin/globalSettings/restSettings`

Delete YouTrack API URL: `/admin/globalSettings/restSettings`

Field Selection Method: NotRequired

Select YouTrack API Operation: get /admin/globalSettings/restSettings

Table Function Columns

The columns of the table function RestSettings are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
allowAllOrigins	boolean	Allow All Origins	<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	

4.1.14 SystemSettings

Catalog: YouTrack

Schema: Admin

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /admin/globalSettings/systemSettings

Insert YouTrack API URL: /admin/globalSettings/systemSettings

Update YouTrack API URL: /admin/globalSettings/systemSettings

Delete YouTrack API URL: /admin/globalSettings/systemSettings

Field Selection Method: NotRequired

Select YouTrack API Operation: get /admin/globalSettings/systemSettings

Table Function Columns

The columns of the table function SystemSettings are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
administratorEmail	string	Administrator Email	<input type="checkbox"/>	
allowStatisticsCollection	boolean	Allow Statistics Collection	<input type="checkbox"/>	
baseUrl	string	Base URL	<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
isApplicationReadOnly	boolean	Is Application Read-only	<input type="checkbox"/>	
maxExportItems	int32	Max Export Items	<input type="checkbox"/>	
maxUploadFileSize	int64	Max Upload File Size	<input type="checkbox"/>	

4.1.15 Telemetry

Catalog: YouTrack

Schema: Admin

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /admin/telemetry

Insert YouTrack API URL: /admin/telemetry

Update YouTrack API URL: /admin/telemetry

Delete YouTrack API URL: /admin/telemetry

Field Selection Method: NotRequired

Select YouTrack API Operation: get /admin/telemetry

Table Function Columns

The columns of the table function Telemetry are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
allocatedMemory	string	Allocated Memory	<input type="checkbox"/>	
availableMemory	string	Available Memory	<input type="checkbox"/>	
availableProcessors	int32	Available Processors	<input type="checkbox"/>	
blobStringsCacheHitRate	string	Blob String Cache Hit Rate	<input type="checkbox"/>	
cachedResultsCountInDBQueriesCache	int32	Cached Results Count in DB Queries Cache	<input type="checkbox"/>	
databaseBackgroundThreads	int32	Database Background Threads	<input type="checkbox"/>	
databaseLocation	string	Database Location	<input type="checkbox"/>	
databaseQueriesCacheHitRate	string	Database Queries Cache Hit Rate	<input type="checkbox"/>	
databaseSize	string	Database Size	<input type="checkbox"/>	
fullDatabaseSize	string	Full Database Size	<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
installationFolder	string	Installation Folder	<input type="checkbox"/>	
logsLocation	string	Logs Location	<input type="checkbox"/>	
notificationAnalyzerThreads	int32	Notification Analyzer Threads	<input type="checkbox"/>	
onlineUsers_\$type	string		<input type="checkbox"/>	
onlineUsers_id	string		<input type="checkbox"/>	
onlineUsers_users	int32		<input type="checkbox"/>	
pendingAsyncJobs	int32	Pending Async Jobs	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
reportCalculatorThreads	int32	Report Calculator Threads	<input type="checkbox"/>	
requestsPerSecond	string	Requests per Second	<input type="checkbox"/>	
startedTime	int64	Start Time	<input type="checkbox"/>	
textIndexSize	string	Text Index Size	<input type="checkbox"/>	
totalTransactions	int64	Total Transactions	<input type="checkbox"/>	
transactionsPerSecond	string	Transactions per Second	<input type="checkbox"/>	
uptime	string	Uptime	<input type="checkbox"/>	
usedMemory	string	Used Memory	<input type="checkbox"/>	

4.1.16 TimeTrackingSettings

Catalog: YouTrack

Schema: Admin

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /admin/timeTrackingSettings

Insert YouTrack API URL: /admin/timeTrackingSettings

Update YouTrack API URL: /admin/timeTrackingSettings

Delete YouTrack API URL: /admin/timeTrackingSettings

Field Selection Method: NotRequired

Select YouTrack API Operation: get /admin/timeTrackingSettings

Table Function Columns

The columns of the table function TimeTrackingSettings are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
w orkTimeSettings_ \$type	string		<input type="checkbox"/>	
w orkTimeSettings_daysAWeek	int32		<input type="checkbox"/>	
w orkTimeSettings_firstDayOfWeek	int32		<input type="checkbox"/>	
w orkTimeSettings_id	string		<input type="checkbox"/>	
w orkTimeSettings_minutesADay	int32		<input type="checkbox"/>	

4.1.17 TimeTrackingSettingWorkItemTypes

Catalog: YouTrack

Schema: Admin

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /admin/timeTrackingSettings/workItemTypes

Insert YouTrack API URL: /admin/timeTrackingSettings/workItemTypes

Update YouTrack API URL: /admin/timeTrackingSettings/workItemTypes

Delete YouTrack API URL: /admin/timeTrackingSettings/workItemTypes

Field Selection Method: NotRequired

Select YouTrack API Operation:

```
get /admin/timeTrackingSettings/workItemTypes
```

Table Function Columns

The columns of the table function TimeTrackingSettingWorkItemTypes are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
autoAttached	boolean	Auto-attached	<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	

4.1.18 TimeTrackingSettingWorkItemTypesByWorkItemId

Catalog: YouTrack

Schema: Admin

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /admin/timeTrackingSettings/workItemTypes/{workItemId}

Insert YouTrack API URL: /admin/timeTrackingSettings/workItemTypes/{workItemId}

Update YouTrack API URL: /admin/timeTrackingSettings/workItemTypes/{workItemId}

Delete YouTrack API URL: /admin/timeTrackingSettings/workItemTypes/{workItemId}

Field Selection Method: NotRequired

Select YouTrack API Operation:

```
get /admin/timeTrackingSettings/workItemTypes/{workItemTypeId}
```

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `TimeTrackingSettingWorkItemTypesByWorkItemTypeId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
workItemTypeId	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function

`TimeTrackingSettingWorkItemTypesByWorkItemTypeId` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
autoAttached	boolean	Auto-attached	<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	

4.1.19 TimeTrackingWorkTimeSettings

Catalog: YouTrack

Schema: Admin

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/timeTrackingSettings/workTimeSettings`

Insert YouTrack API URL: `/admin/timeTrackingSettings/workTimeSettings`

Update YouTrack API URL: `/admin/timeTrackingSettings/workTimeSettings`

Delete YouTrack API URL: `/admin/timeTrackingSettings/workTimeSettings`

Field Selection Method: NotRequired

Select YouTrack API Operation:

get /admin/timeTrackingSettings/workTimeSettings

Table Function Columns

The columns of the table function TimeTrackingWorkTimeSettings are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
daysAWeek	int32	Days a Week	<input type="checkbox"/>	
firstDayOfWeek	int32	First Day of Week	<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
minutesADay	int32	Minutes a Day	<input type="checkbox"/>	

4.1.20 WorkItemTypeTimeTrackingSettings

Catalog: YouTrack

Schema: Admin

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /admin/timeTrackingSettings

Insert YouTrack API URL: /admin/timeTrackingSettings

Update YouTrack API URL: /admin/timeTrackingSettings

Delete YouTrack API URL: /admin/timeTrackingSettings

Field Selection Method: NotRequired

Base Path: workItemTypes [*]

Select YouTrack API Operation: get /admin/timeTrackingSettings

Table Function Columns

The columns of the table function WorkItemTypeTimeTrackingSettings are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
autoAttached	boolean	Auto-attached	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
workTimeSettings_\$type	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
w orkTimeSettings_daysAWeek	int32		<input type="checkbox"/>	
w orkTimeSettings_firstDayOfWeek	int32		<input type="checkbox"/>	
w orkTimeSettings_id	string		<input type="checkbox"/>	
w orkTimeSettings_minutesADay	int32		<input type="checkbox"/>	

5 Schema: Agile

5.1 Tables

5.1.1 ProjectBySprintId

Catalog: YouTrack

Schema: Agile

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/agiles/{id}`

Insert YouTrack API URL: `/agiles/{id}`

Update YouTrack API URL: `/agiles/{id}`

Delete YouTrack API URL: `/agiles/{id}`

Field Selection Method: NotRequired

Base Path: `projects[*]`

Select YouTrack API Operation: `get /agiles/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `ProjectBySprintId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `ProjectBySprintId` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
archived	boolean	Archived	<input type="checkbox"/>	
colorCoding_\$type	string		<input type="checkbox"/>	
colorCoding_id	string		<input type="checkbox"/>	
columnSettings_\$type	string		<input type="checkbox"/>	
columnSettings_field_\$type	string		<input type="checkbox"/>	
columnSettings_field_aliases	string		<input type="checkbox"/>	
columnSettings_field_hasRunningJob	boolean		<input type="checkbox"/>	
columnSettings_field_id	string		<input type="checkbox"/>	
columnSettings_field_isAutoAttached	boolean		<input type="checkbox"/>	
columnSettings_field_isDisplayedInIssueList	boolean		<input type="checkbox"/>	
columnSettings_field_isUpdateable	boolean		<input type="checkbox"/>	
columnSettings_field_localizedName	string		<input type="checkbox"/>	
columnSettings_field_name	string		<input type="checkbox"/>	
columnSettings_field_ordinal	int32		<input type="checkbox"/>	
columnSettings_id	string		<input type="checkbox"/>	
createdBy_\$type	string		<input type="checkbox"/>	
createdBy_avatarUrl	string		<input type="checkbox"/>	
createdBy_banned	boolean		<input type="checkbox"/>	
createdBy_email	string		<input type="checkbox"/>	
createdBy_fullName	string		<input type="checkbox"/>	
createdBy_guest	boolean		<input type="checkbox"/>	
createdBy_id	string		<input type="checkbox"/>	
createdBy_jabberAccountName	string		<input type="checkbox"/>	
createdBy_login	string		<input type="checkbox"/>	
createdBy_online	boolean		<input type="checkbox"/>	
createdBy_ringId	string		<input type="checkbox"/>	
currentSprint_\$type	string		<input type="checkbox"/>	
currentSprint_agile_\$type	string		<input type="checkbox"/>	
currentSprint_agile_hideOrphansSwimlane	boolean		<input type="checkbox"/>	
currentSprint_agile_id	string		<input type="checkbox"/>	
currentSprint_agile_name	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
currentSprint_agile_orphansAtTheTop	boolean		<input type="checkbox"/>	
currentSprint_agile_updateableByProjectBased	boolean		<input type="checkbox"/>	
currentSprint_agile_visibleForProjectBased	boolean		<input type="checkbox"/>	
currentSprint_archived	boolean		<input type="checkbox"/>	
currentSprint_finish	int64		<input type="checkbox"/>	
currentSprint_goal	string		<input type="checkbox"/>	
currentSprint_id	string		<input type="checkbox"/>	
currentSprint_isDefault	boolean		<input type="checkbox"/>	
currentSprint_name	string		<input type="checkbox"/>	
currentSprint_previousSprint_\$type	string		<input type="checkbox"/>	
currentSprint_previousSprint_archived	boolean		<input type="checkbox"/>	
currentSprint_previousSprint_finish	int64		<input type="checkbox"/>	
currentSprint_previousSprint_goal	string		<input type="checkbox"/>	
currentSprint_previousSprint_id	string		<input type="checkbox"/>	
currentSprint_previousSprint_isDefault	boolean		<input type="checkbox"/>	
currentSprint_previousSprint_name	string		<input type="checkbox"/>	
currentSprint_previousSprint_start	int64		<input type="checkbox"/>	
currentSprint_previousSprint_unresolvedIssuesCount	int32		<input type="checkbox"/>	
currentSprint_start	int64		<input type="checkbox"/>	
currentSprint_unresolvedIssuesCount	int32		<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
estimationField_\$type	string		<input type="checkbox"/>	
estimationField_aliases	string		<input type="checkbox"/>	
estimationField_fieldDefaults_\$type	string		<input type="checkbox"/>	
estimationField_fieldDefaults_canBeEmpty	boolean		<input type="checkbox"/>	
estimationField_fieldDefaults_emptyFieldText	string		<input type="checkbox"/>	
estimationField_fieldDefaults_id	string		<input type="checkbox"/>	
estimationField_fieldDefaults_isPublic	boolean		<input type="checkbox"/>	
estimationField_fieldType_\$type	string		<input type="checkbox"/>	
estimationField_fieldType_id	string		<input type="checkbox"/>	
estimationField_hasRunningJob	boolean		<input type="checkbox"/>	
estimationField_id	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
estimationField_isAutoAttached	boolean		<input type="checkbox"/>	
estimationField_isDisplayedInIssueList	boolean		<input type="checkbox"/>	
estimationField_isUpdateable	boolean		<input type="checkbox"/>	
estimationField_localizedName	string		<input type="checkbox"/>	
estimationField_name	string		<input type="checkbox"/>	
estimationField_ordinal	int32		<input type="checkbox"/>	
fromEmail	string	From Email	<input type="checkbox"/>	
hideOrphansSwimlane	boolean		<input type="checkbox"/>	
iconUrl	string	Icon (URL)	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
leader_\$type	string		<input type="checkbox"/>	
leader_avatarUrl	string		<input type="checkbox"/>	
leader_banned	boolean		<input type="checkbox"/>	
leader_email	string		<input type="checkbox"/>	
leader.FullName	string		<input type="checkbox"/>	
leader_guest	boolean		<input type="checkbox"/>	
leader_id	string		<input type="checkbox"/>	
leader_jabberAccountName	string		<input type="checkbox"/>	
leader_login	string		<input type="checkbox"/>	
leader_online	boolean		<input type="checkbox"/>	
leader_ringId	string		<input type="checkbox"/>	
name_1	string		<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
originalEstimationField_\$type	string		<input type="checkbox"/>	
originalEstimationField_aliases	string		<input type="checkbox"/>	
originalEstimationField_fieldDefaults_\$type	string		<input type="checkbox"/>	
originalEstimationField_fieldDefaults_canBeEmpty	boolean		<input type="checkbox"/>	
originalEstimationField_fieldDefaults_emptyFieldText	string		<input type="checkbox"/>	
originalEstimationField_fieldDefaults_id	string		<input type="checkbox"/>	
originalEstimationField_fieldDefaults_isPublic	boolean		<input type="checkbox"/>	
originalEstimationField_fieldType_\$type	string		<input type="checkbox"/>	
originalEstimationField_fieldType_id	string		<input type="checkbox"/>	
originalEstimationField_hasRunningJob	boolean		<input type="checkbox"/>	
originalEstimationField_id	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
originalEstimationField_isAutoAttached	boolean		<input type="checkbox"/>	
originalEstimationField_isDisplayedInIssueList	boolean		<input type="checkbox"/>	
originalEstimationField_isUpdateable	boolean		<input type="checkbox"/>	
originalEstimationField_localizedName	string		<input type="checkbox"/>	
originalEstimationField_name	string		<input type="checkbox"/>	
originalEstimationField_ordinal	int32		<input type="checkbox"/>	
orphansAtTheTop	boolean		<input type="checkbox"/>	
owner_\$type	string		<input type="checkbox"/>	
owner_avatarUrl	string		<input type="checkbox"/>	
owner_banned	boolean		<input type="checkbox"/>	
owner_email	string		<input type="checkbox"/>	
owner.FullName	string		<input type="checkbox"/>	
owner_guest	boolean		<input type="checkbox"/>	
owner_id	string		<input type="checkbox"/>	
owner_jabberAccountName	string		<input type="checkbox"/>	
owner_login	string		<input type="checkbox"/>	
owner_online	boolean		<input type="checkbox"/>	
owner_profiles_\$type	string		<input type="checkbox"/>	
owner_profiles_id	string		<input type="checkbox"/>	
owner_ringId	string		<input type="checkbox"/>	
replyToEmail	string	Reply-to Email	<input type="checkbox"/>	
shortName	string	Short Name	<input type="checkbox"/>	
sprintsSettings_\$type	string		<input type="checkbox"/>	
sprintsSettings_cardOnSeveralSprints	boolean		<input type="checkbox"/>	
sprintsSettings_defaultSprint_\$type	string		<input type="checkbox"/>	
sprintsSettings_defaultSprint_archived	boolean		<input type="checkbox"/>	
sprintsSettings_defaultSprint_finish	int64		<input type="checkbox"/>	
sprintsSettings_defaultSprint_goal	string		<input type="checkbox"/>	
sprintsSettings_defaultSprint_id	string		<input type="checkbox"/>	
sprintsSettings_defaultSprint_isDefault	boolean		<input type="checkbox"/>	
sprintsSettings_defaultSprint_name	string		<input type="checkbox"/>	
sprintsSettings_defaultSprint_start	int64		<input type="checkbox"/>	
sprintsSettings_defaultSprint_unresolvedIssuesCount	int32		<input type="checkbox"/>	
sprintsSettings_disableSprints	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
sprintsSettings_explicitQuery	string		<input type="checkbox"/>	
sprintsSettings_hideSubtasksOfCards	boolean		<input type="checkbox"/>	
sprintsSettings_id	string		<input type="checkbox"/>	
sprintsSettings_isExplicit	boolean		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_type	string		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_aliases	string		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_hasRunningJob	boolean		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_id	string		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_isAutoAttached	boolean		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_isDisplayedInIssueList	boolean		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_isUpdateable	boolean		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_localizedName	string		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_name	string		<input type="checkbox"/>	
sprintsSettings_sprintSyncField.ordinal	int32		<input type="checkbox"/>	
startingNumber	int64	Starting Number	<input type="checkbox"/>	
status_\$type	string		<input type="checkbox"/>	
status_hasJobs	boolean		<input type="checkbox"/>	
status_id	string		<input type="checkbox"/>	
status_valid	boolean		<input type="checkbox"/>	
swimlaneSettings_\$type	string		<input type="checkbox"/>	
swimlaneSettings_enabled	boolean		<input type="checkbox"/>	
swimlaneSettings_id	string		<input type="checkbox"/>	
team_\$type	string		<input type="checkbox"/>	
team_allUsersGroup	boolean		<input type="checkbox"/>	
team_icon	string		<input type="checkbox"/>	
team_id	string		<input type="checkbox"/>	
team_name	string		<input type="checkbox"/>	
team_ringId	string		<input type="checkbox"/>	
team_usersCount	int64		<input type="checkbox"/>	
template	boolean	Template	<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_teamForProject_arched	boolean		<input type="checkbox"/>	
updateableBy_teamForProject_descrip	string		<input type="checkbox"/>	
updateableBy_teamForProject_fro	string		<input type="checkbox"/>	
updateableBy_teamForProject_icon	string		<input type="checkbox"/>	
updateableBy_teamForProject_repl	string		<input type="checkbox"/>	
updateableBy_teamForProject_sho	string		<input type="checkbox"/>	
updateableBy_teamForProject_star	int64		<input type="checkbox"/>	
updateableBy_teamForProject_tem	boolean		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
updateableByProjectBased	boolean		<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_teamForProject_archive	boolean		<input type="checkbox"/>	
visibleFor_teamForProject_descript	string		<input type="checkbox"/>	
visibleFor_teamForProject_fromEm	string		<input type="checkbox"/>	
visibleFor_teamForProject_iconUrl	string		<input type="checkbox"/>	
visibleFor_teamForProject_replyTo	string		<input type="checkbox"/>	
visibleFor_teamForProject_shortNa	string		<input type="checkbox"/>	
visibleFor_teamForProject_starting	int64		<input type="checkbox"/>	
visibleFor_teamForProject_template	boolean		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	
visibleForProjectBased	boolean		<input type="checkbox"/>	

5.1.2 ProjectIssues

Catalog: YouTrack

Schema: Agile

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /agiles

Insert YouTrack API URL: /agiles

Update YouTrack API URL: /agiles

Delete YouTrack API URL: /agiles

Field Selection Method: NotRequired

Base Path: projects [*] .issues [*]

Select YouTrack API Operation: get /agiles

Table Function Columns

The columns of the table function ProjectIssues are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
archived	boolean	Archived	<input type="checkbox"/>	
colorCoding_\$type	string		<input type="checkbox"/>	
colorCoding_id	string		<input type="checkbox"/>	
columnSettings_\$type	string		<input type="checkbox"/>	
columnSettings_field_\$type	string		<input type="checkbox"/>	
columnSettings_field_aliases	string		<input type="checkbox"/>	
columnSettings_field_hasRunningJob	boolean		<input type="checkbox"/>	
columnSettings_field_id	string		<input type="checkbox"/>	
columnSettings_field_isAutoAttached	boolean		<input type="checkbox"/>	
columnSettings_field_isDisplayedInIssueList	boolean		<input type="checkbox"/>	
columnSettings_field_isUpdateable	boolean		<input type="checkbox"/>	
columnSettings_field_localizedName	string		<input type="checkbox"/>	
columnSettings_field_name	string		<input type="checkbox"/>	
columnSettings_field_ordinal	int32		<input type="checkbox"/>	
columnSettings_id	string		<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
created	int64	Created	<input type="checkbox"/>	
createdBy_\$type	string		<input type="checkbox"/>	
createdBy_avatarUrl	string		<input type="checkbox"/>	
createdBy_banned	boolean		<input type="checkbox"/>	
createdBy_email	string		<input type="checkbox"/>	
createdBy_fullName	string		<input type="checkbox"/>	
createdBy_guest	boolean		<input type="checkbox"/>	
createdBy_id	string		<input type="checkbox"/>	
createdBy_jabberAccountName	string		<input type="checkbox"/>	
createdBy_login	string		<input type="checkbox"/>	
createdBy_online	boolean		<input type="checkbox"/>	
createdBy_ringId	string		<input type="checkbox"/>	
currentSprint_\$type_1	string		<input type="checkbox"/>	
currentSprint_\$type	string		<input type="checkbox"/>	
currentSprint_agile_\$type	string		<input type="checkbox"/>	
currentSprint_agile_hideOrphansSwimlane	boolean		<input type="checkbox"/>	
currentSprint_agile_id	string		<input type="checkbox"/>	
currentSprint_agile_name	string		<input type="checkbox"/>	
currentSprint_agile_orphansAtTheTop	boolean		<input type="checkbox"/>	
currentSprint_agile_updateableByProjectBased	boolean		<input type="checkbox"/>	
currentSprint_agile_visibleForProjectBased	boolean		<input type="checkbox"/>	
currentSprint_archived	boolean		<input type="checkbox"/>	
currentSprint_commentsCount	int32		<input type="checkbox"/>	
currentSprint_created	int64		<input type="checkbox"/>	
currentSprint_description	string		<input type="checkbox"/>	
currentSprint_finish	int64		<input type="checkbox"/>	
currentSprint_goal	string		<input type="checkbox"/>	
currentSprint_id_1	string		<input type="checkbox"/>	
currentSprint_id	string		<input type="checkbox"/>	
currentSprint_idReadable	string		<input type="checkbox"/>	
currentSprint_isDefault	boolean		<input type="checkbox"/>	
currentSprint_isDraft	boolean		<input type="checkbox"/>	
currentSprint_name	string		<input type="checkbox"/>	
currentSprint_numberInProject	int64		<input type="checkbox"/>	
currentSprint_previousSprint_\$type	string		<input type="checkbox"/>	
currentSprint_previousSprint_archived	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
currentSprint_previousSprint_finish	int64		<input type="checkbox"/>	
currentSprint_previousSprint_goal	string		<input type="checkbox"/>	
currentSprint_previousSprint_id	string		<input type="checkbox"/>	
currentSprint_previousSprint_isDefault	boolean		<input type="checkbox"/>	
currentSprint_previousSprint_name	string		<input type="checkbox"/>	
currentSprint_previousSprint_start	int64		<input type="checkbox"/>	
currentSprint_previousSprint_unresolvedIssuesCount	int32		<input type="checkbox"/>	
currentSprint_resolved	int64		<input type="checkbox"/>	
currentSprint_start	int64		<input type="checkbox"/>	
currentSprint_summary	string		<input type="checkbox"/>	
currentSprint_unresolvedIssuesCount	int32		<input type="checkbox"/>	
currentSprint_updated	int64		<input type="checkbox"/>	
currentSprint_usesMarkdown	boolean		<input type="checkbox"/>	
currentSprint_votes	int32		<input type="checkbox"/>	
currentSprint_wikifiedDescription	string		<input type="checkbox"/>	
description_1	string		<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
estimationField_\$type	string		<input type="checkbox"/>	
estimationField_aliases	string		<input type="checkbox"/>	
estimationField_fieldDefaults_\$type	string		<input type="checkbox"/>	
estimationField_fieldDefaults_canBeEmpty	boolean		<input type="checkbox"/>	
estimationField_fieldDefaults_emptyFieldText	string		<input type="checkbox"/>	
estimationField_fieldDefaults_id	string		<input type="checkbox"/>	
estimationField_fieldDefaults_isPublic	boolean		<input type="checkbox"/>	
estimationField_fieldType_\$type	string		<input type="checkbox"/>	
estimationField_fieldType_id	string		<input type="checkbox"/>	
estimationField_hasRunningJob	boolean		<input type="checkbox"/>	
estimationField_id	string		<input type="checkbox"/>	
estimationField_isAutoAttached	boolean		<input type="checkbox"/>	
estimationField_isDisplayedInIssueList	boolean		<input type="checkbox"/>	
estimationField_isUpdateable	boolean		<input type="checkbox"/>	
estimationField_localizedName	string		<input type="checkbox"/>	
estimationField_name	string		<input type="checkbox"/>	
estimationField_ordinal	int32		<input type="checkbox"/>	
fromEmail	string	From Email	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
hideOrphansSwimlane	boolean		<input type="checkbox"/>	
iconUrl	string	Icon (URL)	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
leader_\$type	string		<input type="checkbox"/>	
leader_avatarUrl	string		<input type="checkbox"/>	
leader_banned	boolean		<input type="checkbox"/>	
leader_email	string		<input type="checkbox"/>	
leader.FullName	string		<input type="checkbox"/>	
leader_guest	boolean		<input type="checkbox"/>	
leader_id	string		<input type="checkbox"/>	
leader_jabberAccountName	string		<input type="checkbox"/>	
leader_login	string		<input type="checkbox"/>	
leader_online	boolean		<input type="checkbox"/>	
leader_ringId	string		<input type="checkbox"/>	
name_1	string		<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
originalEstimationField_\$type	string		<input type="checkbox"/>	
originalEstimationField_aliases	string		<input type="checkbox"/>	
originalEstimationField_fieldDefaults_\$type	string		<input type="checkbox"/>	
originalEstimationField_fieldDefaults_canBeEmpty	boolean		<input type="checkbox"/>	
originalEstimationField_fieldDefaults_emptyFieldText	string		<input type="checkbox"/>	
originalEstimationField_fieldDefaults_id	string		<input type="checkbox"/>	
originalEstimationField_fieldDefaults_isPublic	boolean		<input type="checkbox"/>	
originalEstimationField_fieldType_\$type	string		<input type="checkbox"/>	
originalEstimationField_fieldType_id	string		<input type="checkbox"/>	
originalEstimationField_hasRunningJob	boolean		<input type="checkbox"/>	
originalEstimationField_id	string		<input type="checkbox"/>	
originalEstimationField_isAutoAttached	boolean		<input type="checkbox"/>	
originalEstimationField_isDisplayedInIssueList	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
originalEstimationField_isUpdateable	boolean		<input type="checkbox"/>	
originalEstimationField_localizedName	string		<input type="checkbox"/>	
originalEstimationField_name	string		<input type="checkbox"/>	
originalEstimationField_ordinal	int32		<input type="checkbox"/>	
orphansAtTheTop	boolean		<input type="checkbox"/>	
owner_\$type	string		<input type="checkbox"/>	
owner_avatarUrl	string		<input type="checkbox"/>	
owner_banned	boolean		<input type="checkbox"/>	
owner_email	string		<input type="checkbox"/>	
owner.FullName	string		<input type="checkbox"/>	
owner_guest	boolean		<input type="checkbox"/>	
owner_id	string		<input type="checkbox"/>	
owner_jabberAccountName	string		<input type="checkbox"/>	
owner_login	string		<input type="checkbox"/>	
owner_online	boolean		<input type="checkbox"/>	
owner_profiles_\$type	string		<input type="checkbox"/>	
owner_profiles_id	string		<input type="checkbox"/>	
owner_ringId	string		<input type="checkbox"/>	
replyToEmail	string	Reply-to Email	<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
shortName	string	Short Name	<input type="checkbox"/>	
sprintsSettings_\$type	string		<input type="checkbox"/>	
sprintsSettings_cardOnSeveralSprints	boolean		<input type="checkbox"/>	
sprintsSettings_defaultSprint_\$type	string		<input type="checkbox"/>	
sprintsSettings_defaultSprint_archived	boolean		<input type="checkbox"/>	
sprintsSettings_defaultSprint_finish	int64		<input type="checkbox"/>	
sprintsSettings_defaultSprint_goal	string		<input type="checkbox"/>	
sprintsSettings_defaultSprint_id	string		<input type="checkbox"/>	
sprintsSettings_defaultSprint_isDefault	boolean		<input type="checkbox"/>	
sprintsSettings_defaultSprint_name	string		<input type="checkbox"/>	
sprintsSettings_defaultSprint_start	int64		<input type="checkbox"/>	
sprintsSettings_defaultSprint_unresolvedIssuesCount	int32		<input type="checkbox"/>	
sprintsSettings_disableSprints	boolean		<input type="checkbox"/>	
sprintsSettings_explicitQuery	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
sprintsSettings_hideSubtasksOfCards	boolean		<input type="checkbox"/>	
sprintsSettings_id	string		<input type="checkbox"/>	
sprintsSettings_isExplicit	boolean		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_\$type	string		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_aliases	string		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_hasRunningJob	boolean		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_id	string		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_isAutoAttached	boolean		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_isDisplayedInIssueList	boolean		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_isUpdateable	boolean		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_localizedName	string		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_name	string		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_order	int32		<input type="checkbox"/>	
startingNumber	int64	Starting Number	<input type="checkbox"/>	
status_\$type	string		<input type="checkbox"/>	
status_hasJobs	boolean		<input type="checkbox"/>	
status_id	string		<input type="checkbox"/>	
status_valid	boolean		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
swimlaneSettings_\$type	string		<input type="checkbox"/>	
swimlaneSettings_enabled	boolean		<input type="checkbox"/>	
swimlaneSettings_id	string		<input type="checkbox"/>	
team_\$type	string		<input type="checkbox"/>	
team_allUsersGroup	boolean		<input type="checkbox"/>	
team_icon	string		<input type="checkbox"/>	
team_id	string		<input type="checkbox"/>	
team_name	string		<input type="checkbox"/>	
team_ringId	string		<input type="checkbox"/>	
team_usersCount	int64		<input type="checkbox"/>	
template	boolean	Template	<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_teamForProject_arclived	boolean		<input type="checkbox"/>	
updateableBy_teamForProject_descrioption	string		<input type="checkbox"/>	
updateableBy_teamForProject_fromEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_iconUrl	string		<input type="checkbox"/>	
updateableBy_teamForProject_replyToEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_shortName	string		<input type="checkbox"/>	
updateableBy_teamForProject_startingNumber	int64		<input type="checkbox"/>	
updateableBy_teamForProject_template	boolean		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibleFor_type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_teamForProject_archived	boolean		<input type="checkbox"/>	
visibleFor_teamForProject_descrioption	string		<input type="checkbox"/>	
visibleFor_teamForProject_fromEmail	string		<input type="checkbox"/>	
visibleFor_teamForProject_iconUrl	string		<input type="checkbox"/>	
visibleFor_teamForProject_replyToEmail	string		<input type="checkbox"/>	
visibleFor_teamForProject_shortName	string		<input type="checkbox"/>	
visibleFor_teamForProject_startingNumber	int64		<input type="checkbox"/>	
visibleFor_teamForProject_template	boolean		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	
visibleForProjectBased	boolean		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

5.1.3 ProjectIssuesBySprintId

Catalog: YouTrack

Schema: Agile

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/agiles/{id}`

Insert YouTrack API URL: `/agiles/{id}`

Update YouTrack API URL: `/agiles/{id}`

Delete YouTrack API URL: `/agiles/{id}`

Field Selection Method: NotRequired

Base Path: `projects[*].issues[*]`

Select YouTrack API Operation: `get /agiles/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `ProjectIssuesBySprintId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `'select * from table(value1, value2, value3)'` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `'select * from table(name1 => value1, name3 => value3)'` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `ProjectIssuesBySprintId` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
archived	boolean	Archived	<input type="checkbox"/>	
colorCoding_\$type	string		<input type="checkbox"/>	
colorCoding_id	string		<input type="checkbox"/>	
columnSettings_\$type	string		<input type="checkbox"/>	
columnSettings_field_\$type	string		<input type="checkbox"/>	
columnSettings_field_aliases	string		<input type="checkbox"/>	
columnSettings_field_hasRunningJob	boolean		<input type="checkbox"/>	
columnSettings_field_id	string		<input type="checkbox"/>	
columnSettings_field_isAutoAttached	boolean		<input type="checkbox"/>	
columnSettings_field_isDisplayedInIssueList	boolean		<input type="checkbox"/>	
columnSettings_field_isUpdateable	boolean		<input type="checkbox"/>	
columnSettings_field_localizedName	string		<input type="checkbox"/>	
columnSettings_field_name	string		<input type="checkbox"/>	
columnSettings_field_ordinal	int32		<input type="checkbox"/>	
columnSettings_id	string		<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
createdBy_\$type	string		<input type="checkbox"/>	
createdBy_avatarUrl	string		<input type="checkbox"/>	
createdBy_banned	boolean		<input type="checkbox"/>	
createdBy_email	string		<input type="checkbox"/>	
createdBy_fullName	string		<input type="checkbox"/>	
createdBy_guest	boolean		<input type="checkbox"/>	
createdBy_id	string		<input type="checkbox"/>	
createdBy_jabberAccountName	string		<input type="checkbox"/>	
createdBy_login	string		<input type="checkbox"/>	
createdBy_online	boolean		<input type="checkbox"/>	
createdBy_ringId	string		<input type="checkbox"/>	
currentSprint_\$type_1	string		<input type="checkbox"/>	
currentSprint_\$type	string		<input type="checkbox"/>	
currentSprint_agile_\$type	string		<input type="checkbox"/>	
currentSprint_agile_hideOrphansSwimlane	boolean		<input type="checkbox"/>	
currentSprint_agile_id	string		<input type="checkbox"/>	
currentSprint_agile_name	string		<input type="checkbox"/>	
currentSprint_agile_orphansAtTheTop	boolean		<input type="checkbox"/>	
currentSprint_agile_updateableByProjectBased	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
currentSprint_agile_visibleForProjectBased	boolean		<input type="checkbox"/>	
currentSprint_archived	boolean		<input type="checkbox"/>	
currentSprint_commentsCount	int32		<input type="checkbox"/>	
currentSprint_created	int64		<input type="checkbox"/>	
currentSprint_description	string		<input type="checkbox"/>	
currentSprint_finish	int64		<input type="checkbox"/>	
currentSprint_goal	string		<input type="checkbox"/>	
currentSprint_id_1	string		<input type="checkbox"/>	
currentSprint_id	string		<input type="checkbox"/>	
currentSprint_idReadable	string		<input type="checkbox"/>	
currentSprint_isDefault	boolean		<input type="checkbox"/>	
currentSprint_isDraft	boolean		<input type="checkbox"/>	
currentSprint_name	string		<input type="checkbox"/>	
currentSprint_numberInProject	int64		<input type="checkbox"/>	
currentSprint_previousSprint_\$type	string		<input type="checkbox"/>	
currentSprint_previousSprint_archived	boolean		<input type="checkbox"/>	
currentSprint_previousSprint_finish	int64		<input type="checkbox"/>	
currentSprint_previousSprint_goal	string		<input type="checkbox"/>	
currentSprint_previousSprint_id	string		<input type="checkbox"/>	
currentSprint_previousSprint_isDefault	boolean		<input type="checkbox"/>	
currentSprint_previousSprint_name	string		<input type="checkbox"/>	
currentSprint_previousSprint_start	int64		<input type="checkbox"/>	
currentSprint_previousSprint_unresolvedIssuesCount	int32		<input type="checkbox"/>	
currentSprint_resolved	int64		<input type="checkbox"/>	
currentSprint_start	int64		<input type="checkbox"/>	
currentSprint_summary	string		<input type="checkbox"/>	
currentSprint_unresolvedIssuesCount	int32		<input type="checkbox"/>	
currentSprint_updated	int64		<input type="checkbox"/>	
currentSprint_usesMarkdown	boolean		<input type="checkbox"/>	
currentSprint_votes	int32		<input type="checkbox"/>	
currentSprint_wikifiedDescription	string		<input type="checkbox"/>	
description_1	string		<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
estimationField_\$type	string		<input type="checkbox"/>	
estimationField_aliases	string		<input type="checkbox"/>	
estimationField_fieldDefaults_\$type	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
estimationField_fieldDefaults_canBeEmpty	boolean		<input type="checkbox"/>	
estimationField_fieldDefaults_emptyFieldText	string		<input type="checkbox"/>	
estimationField_fieldDefaults_id	string		<input type="checkbox"/>	
estimationField_fieldDefaults_isPublic	boolean		<input type="checkbox"/>	
estimationField_fieldType_\$type	string		<input type="checkbox"/>	
estimationField_fieldType_id	string		<input type="checkbox"/>	
estimationField_hasRunningJob	boolean		<input type="checkbox"/>	
estimationField_id	string		<input type="checkbox"/>	
estimationField_isAutoAttached	boolean		<input type="checkbox"/>	
estimationField_isDisplayedInIssueList	boolean		<input type="checkbox"/>	
estimationField_isUpdateable	boolean		<input type="checkbox"/>	
estimationField_localizedName	string		<input type="checkbox"/>	
estimationField_name	string		<input type="checkbox"/>	
estimationField_ordinal	int32		<input type="checkbox"/>	
fromEmail	string	From Email	<input type="checkbox"/>	
hideOrphansSwimlane	boolean		<input type="checkbox"/>	
iconUrl	string	Icon (URL)	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
leader_\$type	string		<input type="checkbox"/>	
leader_avatarUrl	string		<input type="checkbox"/>	
leader_banned	boolean		<input type="checkbox"/>	
leader_email	string		<input type="checkbox"/>	
leader.FullName	string		<input type="checkbox"/>	
leader_guest	boolean		<input type="checkbox"/>	
leader_id	string		<input type="checkbox"/>	
leader_jabberAccountName	string		<input type="checkbox"/>	
leader_login	string		<input type="checkbox"/>	
leader_online	boolean		<input type="checkbox"/>	
leader_ringId	string		<input type="checkbox"/>	
name_1	string		<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
originalEstimationField_\$type	string		<input type="checkbox"/>	
originalEstimationField_aliases	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
originalEstimationField_fieldDefaults_\$type	string		<input type="checkbox"/>	
originalEstimationField_fieldDefaults_canBeEmpty	boolean		<input type="checkbox"/>	
originalEstimationField_fieldDefaults_emptyFieldText	string		<input type="checkbox"/>	
originalEstimationField_fieldDefaults_id	string		<input type="checkbox"/>	
originalEstimationField_fieldDefaults_isPublic	boolean		<input type="checkbox"/>	
originalEstimationField_fieldType_\$type	string		<input type="checkbox"/>	
originalEstimationField_fieldType_id	string		<input type="checkbox"/>	
originalEstimationField_hasRunningJob	boolean		<input type="checkbox"/>	
originalEstimationField_id	string		<input type="checkbox"/>	
originalEstimationField_isAutoAttached	boolean		<input type="checkbox"/>	
originalEstimationField_isDisplayedInIssueList	boolean		<input type="checkbox"/>	
originalEstimationField_isUpdateable	boolean		<input type="checkbox"/>	
originalEstimationField_localizedName	string		<input type="checkbox"/>	
originalEstimationField_name	string		<input type="checkbox"/>	
originalEstimationField_ordinal	int32		<input type="checkbox"/>	
orphansAtTheTop	boolean		<input type="checkbox"/>	
owner_\$type	string		<input type="checkbox"/>	
owner_avatarUrl	string		<input type="checkbox"/>	
owner_banned	boolean		<input type="checkbox"/>	
owner_email	string		<input type="checkbox"/>	
owner.FullName	string		<input type="checkbox"/>	
owner_guest	boolean		<input type="checkbox"/>	
owner_id	string		<input type="checkbox"/>	
owner_jabberAccountName	string		<input type="checkbox"/>	
owner_login	string		<input type="checkbox"/>	
owner_online	boolean		<input type="checkbox"/>	
owner_profiles_\$type	string		<input type="checkbox"/>	
owner_profiles_id	string		<input type="checkbox"/>	
owner_ringId	string		<input type="checkbox"/>	
replyToEmail	string	Reply-to Email	<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
shortName	string	Short Name	<input type="checkbox"/>	
sprintsSettings_\$type	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
sprintsSettings_cardOnSeveralSprints	boolean		<input type="checkbox"/>	
sprintsSettings_defaultSprint_\$type	string		<input type="checkbox"/>	
sprintsSettings_defaultSprint_archived	boolean		<input type="checkbox"/>	
sprintsSettings_defaultSprint_finis h	int64		<input type="checkbox"/>	
sprintsSettings_defaultSprint_goal	string		<input type="checkbox"/>	
sprintsSettings_defaultSprint_id	string		<input type="checkbox"/>	
sprintsSettings_defaultSprint_isDef ault	boolean		<input type="checkbox"/>	
sprintsSettings_defaultSprint_nam e	string		<input type="checkbox"/>	
sprintsSettings_defaultSprint_start	int64		<input type="checkbox"/>	
sprintsSettings_defaultSprint_unre solvedIssuesCount	int32		<input type="checkbox"/>	
sprintsSettings_disableSprints	boolean		<input type="checkbox"/>	
sprintsSettings_explicitQuery	string		<input type="checkbox"/>	
sprintsSettings_hideSubtasksOfCa rds	boolean		<input type="checkbox"/>	
sprintsSettings_id	string		<input type="checkbox"/>	
sprintsSettings_isExplicit	boolean		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_\$t ype	string		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_ali ases	string		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_ha sRunningJob	boolean		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_id	string		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_is AutoAttached	boolean		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_is DisplayedInIssueList	boolean		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_is Updateable	boolean		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_lo calizedName	string		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_na me	string		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_or dinal	int32		<input type="checkbox"/>	
startingNumber	int64	Starting Number	<input type="checkbox"/>	
status_\$type	string		<input type="checkbox"/>	
status_hasJobs	boolean		<input type="checkbox"/>	
status_id	string		<input type="checkbox"/>	
status_valid	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
summary	string	Summary	<input type="checkbox"/>	
sw_imlaneSettings_\$type	string		<input type="checkbox"/>	
sw_imlaneSettings_enabled	boolean		<input type="checkbox"/>	
sw_imlaneSettings_id	string		<input type="checkbox"/>	
team_\$type	string		<input type="checkbox"/>	
team_allUsersGroup	boolean		<input type="checkbox"/>	
team_icon	string		<input type="checkbox"/>	
team_id	string		<input type="checkbox"/>	
team_name	string		<input type="checkbox"/>	
team_ringId	string		<input type="checkbox"/>	
team_usersCount	int64		<input type="checkbox"/>	
template	boolean	Template	<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_teamForProject_arclived	boolean		<input type="checkbox"/>	
updateableBy_teamForProject_description	string		<input type="checkbox"/>	
updateableBy_teamForProject_fromEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_iconUrl	string		<input type="checkbox"/>	
updateableBy_teamForProject_replayToEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_shortName	string		<input type="checkbox"/>	
updateableBy_teamForProject_startingNumber	int64		<input type="checkbox"/>	
updateableBy_teamForProject_template	boolean		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
updateableByProjectBased	boolean		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
visibleFor_teamForProject_archive d	boolean		<input type="checkbox"/>	
visibleFor_teamForProject_descript ion	string		<input type="checkbox"/>	
visibleFor_teamForProject_fromEm ail	string		<input type="checkbox"/>	
visibleFor_teamForProject_iconUrl	string		<input type="checkbox"/>	
visibleFor_teamForProject_replyTo Email	string		<input type="checkbox"/>	
visibleFor_teamForProject_shortNa me	string		<input type="checkbox"/>	
visibleFor_teamForProject_starting Number	int64		<input type="checkbox"/>	
visibleFor_teamForProject_template	boolean		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	
visibleForProjectBased	boolean		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

5.1.4 Projects

Catalog: YouTrack

Schema: Agile

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: /agiles

Insert YouTrack API URL: /agiles

Update YouTrack API URL: /agiles

Delete YouTrack API URL: /agiles

Field Selection Method: NotRequired

Base Path: projects [*]

Select YouTrack API Operation: get /agiles

Table Function Columns

The columns of the table function `Projects` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
archived	boolean	Archived	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
colorCoding__\$type	string		<input type="checkbox"/>	
colorCoding_id	string		<input type="checkbox"/>	
columnSettings__\$type	string		<input type="checkbox"/>	
columnSettings_field__\$type	string		<input type="checkbox"/>	
columnSettings_field_aliases	string		<input type="checkbox"/>	
columnSettings_field_hasRunningJob	boolean		<input type="checkbox"/>	
columnSettings_field_id	string		<input type="checkbox"/>	
columnSettings_field_isAutoAttached	boolean		<input type="checkbox"/>	
columnSettings_field_isDisplayedInIssueList	boolean		<input type="checkbox"/>	
columnSettings_field_isUpdateable	boolean		<input type="checkbox"/>	
columnSettings_field_localizedName	string		<input type="checkbox"/>	
columnSettings_field_name	string		<input type="checkbox"/>	
columnSettings_field_ordinal	int32		<input type="checkbox"/>	
columnSettings_id	string		<input type="checkbox"/>	
createdBy__\$type	string		<input type="checkbox"/>	
createdBy_avatarUrl	string		<input type="checkbox"/>	
createdBy_banned	boolean		<input type="checkbox"/>	
createdBy_email	string		<input type="checkbox"/>	
createdBy_fullName	string		<input type="checkbox"/>	
createdBy_guest	boolean		<input type="checkbox"/>	
createdBy_id	string		<input type="checkbox"/>	
createdBy_jabberAccountName	string		<input type="checkbox"/>	
createdBy_login	string		<input type="checkbox"/>	
createdBy_online	boolean		<input type="checkbox"/>	
createdBy_ringId	string		<input type="checkbox"/>	
currentSprint__\$type	string		<input type="checkbox"/>	
currentSprint_agile__\$type	string		<input type="checkbox"/>	
currentSprint_agile_hideOrphansSwimlane	boolean		<input type="checkbox"/>	
currentSprint_agile_id	string		<input type="checkbox"/>	
currentSprint_agile_name	string		<input type="checkbox"/>	
currentSprint_agile_orphansAtTheTop	boolean		<input type="checkbox"/>	
currentSprint_agile_updateableByProjectBased	boolean		<input type="checkbox"/>	
currentSprint_agile_visibleForProjectBased	boolean		<input type="checkbox"/>	
currentSprint_archived	boolean		<input type="checkbox"/>	
currentSprint_finish	int64		<input type="checkbox"/>	
currentSprint_goal	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
currentSprint_id	string		<input type="checkbox"/>	
currentSprint_isDefault	boolean		<input type="checkbox"/>	
currentSprint_name	string		<input type="checkbox"/>	
currentSprint_previousSprint_type	string		<input type="checkbox"/>	
currentSprint_previousSprint_archived	boolean		<input type="checkbox"/>	
currentSprint_previousSprint_finish	int64		<input type="checkbox"/>	
currentSprint_previousSprint_goal	string		<input type="checkbox"/>	
currentSprint_previousSprint_id	string		<input type="checkbox"/>	
currentSprint_previousSprint_isDefault	boolean		<input type="checkbox"/>	
currentSprint_previousSprint_name	string		<input type="checkbox"/>	
currentSprint_previousSprint_start	int64		<input type="checkbox"/>	
currentSprint_previousSprint_unresolvedIssuesCount	int32		<input type="checkbox"/>	
currentSprint_start	int64		<input type="checkbox"/>	
currentSprint_unresolvedIssuesCount	int32		<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
estimationField_type	string		<input type="checkbox"/>	
estimationField_aliases	string		<input type="checkbox"/>	
estimationField_fieldDefaults_type	string		<input type="checkbox"/>	
estimationField_fieldDefaults_canBeEmpty	boolean		<input type="checkbox"/>	
estimationField_fieldDefaults_emptyFieldText	string		<input type="checkbox"/>	
estimationField_fieldDefaults_id	string		<input type="checkbox"/>	
estimationField_fieldDefaults_isPublic	boolean		<input type="checkbox"/>	
estimationField_fieldType_type	string		<input type="checkbox"/>	
estimationField_fieldType_id	string		<input type="checkbox"/>	
estimationField_hasRunningJob	boolean		<input type="checkbox"/>	
estimationField_id	string		<input type="checkbox"/>	
estimationField_isAutoAttached	boolean		<input type="checkbox"/>	
estimationField_isDisplayedInIssueList	boolean		<input type="checkbox"/>	
estimationField_isUpdateable	boolean		<input type="checkbox"/>	
estimationField_localizedName	string		<input type="checkbox"/>	
estimationField_name	string		<input type="checkbox"/>	
estimationField_ordinal	int32		<input type="checkbox"/>	
fromEmail	string	From Email	<input type="checkbox"/>	
hideOrphansSwimlane	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
iconUrl	string	Icon (URL)	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
leader_\$type	string		<input type="checkbox"/>	
leader_avatarUrl	string		<input type="checkbox"/>	
leader_banned	boolean		<input type="checkbox"/>	
leader_email	string		<input type="checkbox"/>	
leader.FullName	string		<input type="checkbox"/>	
leader_guest	boolean		<input type="checkbox"/>	
leader_id	string		<input type="checkbox"/>	
leader_jabberAccountName	string		<input type="checkbox"/>	
leader_login	string		<input type="checkbox"/>	
leader_online	boolean		<input type="checkbox"/>	
leader_ringId	string		<input type="checkbox"/>	
name_1	string		<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
originalEstimationField_\$type	string		<input type="checkbox"/>	
originalEstimationField_aliases	string		<input type="checkbox"/>	
originalEstimationField_fieldDefaults_\$type	string		<input type="checkbox"/>	
originalEstimationField_fieldDefaults_canBeEmpty	boolean		<input type="checkbox"/>	
originalEstimationField_fieldDefaults_emptyFieldText	string		<input type="checkbox"/>	
originalEstimationField_fieldDefaults_id	string		<input type="checkbox"/>	
originalEstimationField_fieldDefaults_isPublic	boolean		<input type="checkbox"/>	
originalEstimationField_fieldType_\$type	string		<input type="checkbox"/>	
originalEstimationField_fieldType_id	string		<input type="checkbox"/>	
originalEstimationField_hasRunningJob	boolean		<input type="checkbox"/>	
originalEstimationField_id	string		<input type="checkbox"/>	
originalEstimationField_isAutoAttached	boolean		<input type="checkbox"/>	
originalEstimationField_isDisplayedInIssueList	boolean		<input type="checkbox"/>	
originalEstimationField_isUpdateable	boolean		<input type="checkbox"/>	
originalEstimationField_localizedName	string		<input type="checkbox"/>	
originalEstimationField_name	string		<input type="checkbox"/>	
originalEstimationField_ordinal	int32		<input type="checkbox"/>	
orphansAtTheTop	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
ow_ner_\$type	string		<input type="checkbox"/>	
ow_ner_avatarUrl	string		<input type="checkbox"/>	
ow_ner_banned	boolean		<input type="checkbox"/>	
ow_ner_email	string		<input type="checkbox"/>	
ow_ner_fullName	string		<input type="checkbox"/>	
ow_ner_guest	boolean		<input type="checkbox"/>	
ow_ner_id	string		<input type="checkbox"/>	
ow_ner_jabberAccountName	string		<input type="checkbox"/>	
ow_ner_login	string		<input type="checkbox"/>	
ow_ner_online	boolean		<input type="checkbox"/>	
ow_ner_profiles_\$type	string		<input type="checkbox"/>	
ow_ner_profiles_id	string		<input type="checkbox"/>	
ow_ner_ringId	string		<input type="checkbox"/>	
replyToEmail	string	Reply-to Email	<input type="checkbox"/>	
shortName	string	Short Name	<input type="checkbox"/>	
sprintsSettings_\$type	string		<input type="checkbox"/>	
sprintsSettings_cardOnSeveralSprints	boolean		<input type="checkbox"/>	
sprintsSettings_defaultSprint_\$type	string		<input type="checkbox"/>	
sprintsSettings_defaultSprint_archived	boolean		<input type="checkbox"/>	
sprintsSettings_defaultSprint_finish	int64		<input type="checkbox"/>	
sprintsSettings_defaultSprint_goal	string		<input type="checkbox"/>	
sprintsSettings_defaultSprint_id	string		<input type="checkbox"/>	
sprintsSettings_defaultSprint_isDefault	boolean		<input type="checkbox"/>	
sprintsSettings_defaultSprint_name	string		<input type="checkbox"/>	
sprintsSettings_defaultSprint_start	int64		<input type="checkbox"/>	
sprintsSettings_defaultSprint_unresolvedIssuesCount	int32		<input type="checkbox"/>	
sprintsSettings_disableSprints	boolean		<input type="checkbox"/>	
sprintsSettings_explicitQuery	string		<input type="checkbox"/>	
sprintsSettings_hideSubtasksOfCards	boolean		<input type="checkbox"/>	
sprintsSettings_id	string		<input type="checkbox"/>	
sprintsSettings_isExplicit	boolean		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_\$type	string		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_aliases	string		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_hasRunningJob	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
sprintsSettings_sprintSyncField_id	string		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_isAutoAttached	boolean		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_isDisplayedInIssueList	boolean		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_isUpdateable	boolean		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_localizedName	string		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_name	string		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_order	int32		<input type="checkbox"/>	
startingNumber	int64	Starting Number	<input type="checkbox"/>	
status_\$type	string		<input type="checkbox"/>	
status_hasJobs	boolean		<input type="checkbox"/>	
status_id	string		<input type="checkbox"/>	
status_valid	boolean		<input type="checkbox"/>	
swimlaneSettings_\$type	string		<input type="checkbox"/>	
swimlaneSettings_enabled	boolean		<input type="checkbox"/>	
swimlaneSettings_id	string		<input type="checkbox"/>	
team_\$type	string		<input type="checkbox"/>	
team_allUsersGroup	boolean		<input type="checkbox"/>	
team_icon	string		<input type="checkbox"/>	
team_id	string		<input type="checkbox"/>	
team_name	string		<input type="checkbox"/>	
team_ringId	string		<input type="checkbox"/>	
team_usersCount	int64		<input type="checkbox"/>	
template	boolean	Template	<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_teamForProject_archived	boolean		<input type="checkbox"/>	
updateableBy_teamForProject_description	string		<input type="checkbox"/>	
updateableBy_teamForProject_fromEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_iconUrl	string		<input type="checkbox"/>	
updateableBy_teamForProject_replyToEmail	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updateableBy_teamForProject_shortName	string		<input type="checkbox"/>	
updateableBy_teamForProject_startingNumber	int64		<input type="checkbox"/>	
updateableBy_teamForProject_template	boolean		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
updateableByProjectBased	boolean		<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_teamForProject_archiveId	boolean		<input type="checkbox"/>	
visibleFor_teamForProject_description	string		<input type="checkbox"/>	
visibleFor_teamForProject_fromEmail	string		<input type="checkbox"/>	
visibleFor_teamForProject_iconUrl	string		<input type="checkbox"/>	
visibleFor_teamForProject_replyToEmail	string		<input type="checkbox"/>	
visibleFor_teamForProject_shortName	string		<input type="checkbox"/>	
visibleFor_teamForProject_startingNumber	int64		<input type="checkbox"/>	
visibleFor_teamForProject_template	boolean		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	
visibleForProjectBased	boolean		<input type="checkbox"/>	

5.1.5 SprintById

Catalog: YouTrack

Schema: Agile

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /agiles/{id}

Insert YouTrack API URL: /agiles/{id}

Update YouTrack API URL: /agiles/{id}

Delete YouTrack API URL: /agiles/{id}

Field Selection Method: NotRequired

Select YouTrack API Operation: get /agiles/{id}

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function SprintById. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function SprintById are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
colorCoding_\$type	string		<input type="checkbox"/>	
colorCoding_id	string		<input type="checkbox"/>	
columnSettings_\$type	string		<input type="checkbox"/>	
columnSettings_field_\$type	string		<input type="checkbox"/>	
columnSettings_field_aliases	string		<input type="checkbox"/>	
columnSettings_field_hasRunningJob	boolean		<input type="checkbox"/>	
columnSettings_field_id	string		<input type="checkbox"/>	
columnSettings_field_isAutoAttached	boolean		<input type="checkbox"/>	
columnSettings_field_isDisplayedInIssueList	boolean		<input type="checkbox"/>	
columnSettings_field_isUpdateable	boolean		<input type="checkbox"/>	
columnSettings_field_localizedName	string		<input type="checkbox"/>	
columnSettings_field_name	string		<input type="checkbox"/>	
columnSettings_field_ordinal	int32		<input type="checkbox"/>	
columnSettings_id	string		<input type="checkbox"/>	
currentSprint_\$type	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
currentSprint_agile_\$type	string		<input type="checkbox"/>	
currentSprint_agile_hideOrphansSwimlane	boolean		<input type="checkbox"/>	
currentSprint_agile_id	string		<input type="checkbox"/>	
currentSprint_agile_name	string		<input type="checkbox"/>	
currentSprint_agile_orphansAtTheTop	boolean		<input type="checkbox"/>	
currentSprint_agile_updateableByProjectBased	boolean		<input type="checkbox"/>	
currentSprint_agile_visibleForProjectBased	boolean		<input type="checkbox"/>	
currentSprint_archived	boolean		<input type="checkbox"/>	
currentSprint_finish	int64		<input type="checkbox"/>	
currentSprint_goal	string		<input type="checkbox"/>	
currentSprint_id	string		<input type="checkbox"/>	
currentSprint_isDefault	boolean		<input type="checkbox"/>	
currentSprint_name	string		<input type="checkbox"/>	
currentSprint_previousSprint_\$type	string		<input type="checkbox"/>	
currentSprint_previousSprint_archived	boolean		<input type="checkbox"/>	
currentSprint_previousSprint_finish	int64		<input type="checkbox"/>	
currentSprint_previousSprint_goal	string		<input type="checkbox"/>	
currentSprint_previousSprint_id	string		<input type="checkbox"/>	
currentSprint_previousSprint_isDefault	boolean		<input type="checkbox"/>	
currentSprint_previousSprint_name	string		<input type="checkbox"/>	
currentSprint_previousSprint_start	int64		<input type="checkbox"/>	
currentSprint_previousSprint_unresolvedIssuesCount	int32		<input type="checkbox"/>	
currentSprint_start	int64		<input type="checkbox"/>	
currentSprint_unresolvedIssuesCount	int32		<input type="checkbox"/>	
estimationField_\$type	string		<input type="checkbox"/>	
estimationField_aliases	string		<input type="checkbox"/>	
estimationField_fieldDefaults_\$type	string		<input type="checkbox"/>	
estimationField_fieldDefaults_canBeEmpty	boolean		<input type="checkbox"/>	
estimationField_fieldDefaults_emptyFieldText	string		<input type="checkbox"/>	
estimationField_fieldDefaults_id	string		<input type="checkbox"/>	
estimationField_fieldDefaults_isPublic	boolean		<input type="checkbox"/>	
estimationField_fieldType_\$type	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
estimationField_fieldType_id	string		<input type="checkbox"/>	
estimationField_hasRunningJob	boolean		<input type="checkbox"/>	
estimationField_id	string		<input type="checkbox"/>	
estimationField_isAutoAttached	boolean		<input type="checkbox"/>	
estimationField_isDisplayedInIssueList	boolean		<input type="checkbox"/>	
estimationField_isUpdateable	boolean		<input type="checkbox"/>	
estimationField_localizedName	string		<input type="checkbox"/>	
estimationField_name	string		<input type="checkbox"/>	
estimationField_ordinal	int32		<input type="checkbox"/>	
hideOrphansSwimlane	boolean		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
originalEstimationField_\$type	string		<input type="checkbox"/>	
originalEstimationField_aliases	string		<input type="checkbox"/>	
originalEstimationField_fieldDefaults_\$type	string		<input type="checkbox"/>	
originalEstimationField_fieldDefaults_canBeEmpty	boolean		<input type="checkbox"/>	
originalEstimationField_fieldDefaults_emptyFieldText	string		<input type="checkbox"/>	
originalEstimationField_fieldDefaults_id	string		<input type="checkbox"/>	
originalEstimationField_fieldDefaults_isPublic	boolean		<input type="checkbox"/>	
originalEstimationField_fieldType_\$type	string		<input type="checkbox"/>	
originalEstimationField_fieldType_id	string		<input type="checkbox"/>	
originalEstimationField_hasRunningJob	boolean		<input type="checkbox"/>	
originalEstimationField_id	string		<input type="checkbox"/>	
originalEstimationField_isAutoAttached	boolean		<input type="checkbox"/>	
originalEstimationField_isDisplayedInIssueList	boolean		<input type="checkbox"/>	
originalEstimationField_isUpdateable	boolean		<input type="checkbox"/>	
originalEstimationField_localizedName	string		<input type="checkbox"/>	
originalEstimationField_name	string		<input type="checkbox"/>	
originalEstimationField_ordinal	int32		<input type="checkbox"/>	
orphansAtTheTop	boolean		<input type="checkbox"/>	
owner_\$type	string		<input type="checkbox"/>	
owner_avatarUrl	string		<input type="checkbox"/>	
owner_banned	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
ow_ner_email	string		<input type="checkbox"/>	
ow_ner_fullName	string		<input type="checkbox"/>	
ow_ner_guest	boolean		<input type="checkbox"/>	
ow_ner_id	string		<input type="checkbox"/>	
ow_ner_jabberAccountName	string		<input type="checkbox"/>	
ow_ner_login	string		<input type="checkbox"/>	
ow_ner_online	boolean		<input type="checkbox"/>	
ow_ner_profiles_\$type	string		<input type="checkbox"/>	
ow_ner_profiles_id	string		<input type="checkbox"/>	
ow_ner_ringId	string		<input type="checkbox"/>	
sprintsSettings_\$type	string		<input type="checkbox"/>	
sprintsSettings_cardOnSeveralSprints	boolean		<input type="checkbox"/>	
sprintsSettings_defaultSprint_\$type	string		<input type="checkbox"/>	
sprintsSettings_defaultSprint_archived	boolean		<input type="checkbox"/>	
sprintsSettings_defaultSprint_finish	int64		<input type="checkbox"/>	
sprintsSettings_defaultSprint_goal	string		<input type="checkbox"/>	
sprintsSettings_defaultSprint_id	string		<input type="checkbox"/>	
sprintsSettings_defaultSprint_isDefault	boolean		<input type="checkbox"/>	
sprintsSettings_defaultSprint_name	string		<input type="checkbox"/>	
sprintsSettings_defaultSprint_start	int64		<input type="checkbox"/>	
sprintsSettings_defaultSprint_unresolvedIssuesCount	int32		<input type="checkbox"/>	
sprintsSettings_disableSprints	boolean		<input type="checkbox"/>	
sprintsSettings_explicitQuery	string		<input type="checkbox"/>	
sprintsSettings_hideSubtasksOfCards	boolean		<input type="checkbox"/>	
sprintsSettings_id	string		<input type="checkbox"/>	
sprintsSettings_isExplicit	boolean		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_\$type	string		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_aliases	string		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_hasRunningJob	boolean		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_id	string		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_isAutoAttached	boolean		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_isDisplayedInIssueList	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
sprintsSettings_sprintSyncField_isUpdateable	boolean		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_localizedName	string		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_name	string		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_orderIndex	int32		<input type="checkbox"/>	
status_\$type	string		<input type="checkbox"/>	
status_hasJobs	boolean		<input type="checkbox"/>	
status_id	string		<input type="checkbox"/>	
status_valid	boolean		<input type="checkbox"/>	
swimlaneSettings_\$type	string		<input type="checkbox"/>	
swimlaneSettings_enabled	boolean		<input type="checkbox"/>	
swimlaneSettings_id	string		<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_teamForProject_archived	boolean		<input type="checkbox"/>	
updateableBy_teamForProject_description	string		<input type="checkbox"/>	
updateableBy_teamForProject_fromEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_iconUrl	string		<input type="checkbox"/>	
updateableBy_teamForProject_replyToEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_shortName	string		<input type="checkbox"/>	
updateableBy_teamForProject_startingNumber	int64		<input type="checkbox"/>	
updateableBy_teamForProject_template	boolean		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
updateableByProjectBased	boolean		<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
visibleFor_teamForProject_archive d	boolean		<input type="checkbox"/>	
visibleFor_teamForProject_descript ion	string		<input type="checkbox"/>	
visibleFor_teamForProject_fromEm ail	string		<input type="checkbox"/>	
visibleFor_teamForProject_iconUrl	string		<input type="checkbox"/>	
visibleFor_teamForProject_replyTo Email	string		<input type="checkbox"/>	
visibleFor_teamForProject_shortNa me	string		<input type="checkbox"/>	
visibleFor_teamForProject_starting Number	int64		<input type="checkbox"/>	
visibleFor_teamForProject_template	boolean		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	
visibleForProjectBased	boolean		<input type="checkbox"/>	

5.1.6 SprintById1

Catalog: YouTrack

Schema: Agile

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/agiles/{id}`

Insert YouTrack API URL: `/agiles/{id}`

Update YouTrack API URL: `/agiles/{id}`

Delete YouTrack API URL: `/agiles/{id}`

Field Selection Method: NotRequired

Base Path: `sprints [*]`

Select YouTrack API Operation: `get /agiles/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `SprintById1`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function SprintById1 are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
agile_\$type	string		<input type="checkbox"/>	
agile_hideOrphansSwimlane	boolean		<input type="checkbox"/>	
agile_id	string		<input type="checkbox"/>	
agile_name	string		<input type="checkbox"/>	
agile_orphansAtTheTop	boolean		<input type="checkbox"/>	
agile_updateableByProjectBased	boolean		<input type="checkbox"/>	
agile_visibleForProjectBased	boolean		<input type="checkbox"/>	
archived	boolean	Archived	<input type="checkbox"/>	
colorCoding_\$type	string		<input type="checkbox"/>	
colorCoding_id	string		<input type="checkbox"/>	
columnSettings_\$type	string		<input type="checkbox"/>	
columnSettings_field_\$type	string		<input type="checkbox"/>	
columnSettings_field_aliases	string		<input type="checkbox"/>	
columnSettings_field_hasRunningJob	boolean		<input type="checkbox"/>	
columnSettings_field_id	string		<input type="checkbox"/>	
columnSettings_field_isAutoAttached	boolean		<input type="checkbox"/>	
columnSettings_field_isDisplayedInIssueList	boolean		<input type="checkbox"/>	
columnSettings_field_isUpdateable	boolean		<input type="checkbox"/>	
columnSettings_field_localizedName	string		<input type="checkbox"/>	
columnSettings_field_name	string		<input type="checkbox"/>	
columnSettings_field_ordinal	int32		<input type="checkbox"/>	
columnSettings_id	string		<input type="checkbox"/>	
currentSprint_\$type	string		<input type="checkbox"/>	
currentSprint_agile_\$type	string		<input type="checkbox"/>	
currentSprint_agile_hideOrphansSwimlane	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
currentSprint_agile_id	string		<input type="checkbox"/>	
currentSprint_agile_name	string		<input type="checkbox"/>	
currentSprint_agile_orphansAtTheTop	boolean		<input type="checkbox"/>	
currentSprint_agile_updateableByProjectBased	boolean		<input type="checkbox"/>	
currentSprint_agile_visibleForProjectBased	boolean		<input type="checkbox"/>	
currentSprint_archived	boolean		<input type="checkbox"/>	
currentSprint_finish	int64		<input type="checkbox"/>	
currentSprint_goal	string		<input type="checkbox"/>	
currentSprint_id	string		<input type="checkbox"/>	
currentSprint_isDefault	boolean		<input type="checkbox"/>	
currentSprint_name	string		<input type="checkbox"/>	
currentSprint_previousSprint_type	string		<input type="checkbox"/>	
currentSprint_previousSprint_archived	boolean		<input type="checkbox"/>	
currentSprint_previousSprint_finish	int64		<input type="checkbox"/>	
currentSprint_previousSprint_goal	string		<input type="checkbox"/>	
currentSprint_previousSprint_id	string		<input type="checkbox"/>	
currentSprint_previousSprint_isDefault	boolean		<input type="checkbox"/>	
currentSprint_previousSprint_name	string		<input type="checkbox"/>	
currentSprint_previousSprint_start	int64		<input type="checkbox"/>	
currentSprint_previousSprint_unresolvedIssuesCount	int32		<input type="checkbox"/>	
currentSprint_start	int64		<input type="checkbox"/>	
currentSprint_unresolvedIssuesCount	int32		<input type="checkbox"/>	
estimationField_type	string		<input type="checkbox"/>	
estimationField_aliases	string		<input type="checkbox"/>	
estimationField_fieldDefaults_type	string		<input type="checkbox"/>	
estimationField_fieldDefaults_canBeEmpty	boolean		<input type="checkbox"/>	
estimationField_fieldDefaults_emptyFieldText	string		<input type="checkbox"/>	
estimationField_fieldDefaults_id	string		<input type="checkbox"/>	
estimationField_fieldDefaults_isPublic	boolean		<input type="checkbox"/>	
estimationField_fieldType_type	string		<input type="checkbox"/>	
estimationField_fieldType_id	string		<input type="checkbox"/>	
estimationField_hasRunningJob	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
estimationField_id	string		<input type="checkbox"/>	
estimationField_isAutoAttached	boolean		<input type="checkbox"/>	
estimationField_isDisplayedInIssueList	boolean		<input type="checkbox"/>	
estimationField_isUpdateable	boolean		<input type="checkbox"/>	
estimationField_localizedName	string		<input type="checkbox"/>	
estimationField_name	string		<input type="checkbox"/>	
estimationField_ordinal	int32		<input type="checkbox"/>	
finish	int64	Finish	<input type="checkbox"/>	
goal	string	Goal	<input type="checkbox"/>	
hideOrphansSwimlane	boolean		<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
isDefault	boolean	Is Default	<input type="checkbox"/>	
name_1	string		<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
originalEstimationField_\$type	string		<input type="checkbox"/>	
originalEstimationField_aliases	string		<input type="checkbox"/>	
originalEstimationField_fieldDefaults_\$type	string		<input type="checkbox"/>	
originalEstimationField_fieldDefaults_canBeEmpty	boolean		<input type="checkbox"/>	
originalEstimationField_fieldDefaults_emptyFieldText	string		<input type="checkbox"/>	
originalEstimationField_fieldDefaults_id	string		<input type="checkbox"/>	
originalEstimationField_fieldDefaults_isPublic	boolean		<input type="checkbox"/>	
originalEstimationField_fieldType_\$type	string		<input type="checkbox"/>	
originalEstimationField_fieldType_id	string		<input type="checkbox"/>	
originalEstimationField_hasRunningJob	boolean		<input type="checkbox"/>	
originalEstimationField_id	string		<input type="checkbox"/>	
originalEstimationField_isAutoAttached	boolean		<input type="checkbox"/>	
originalEstimationField_isDisplayedInIssueList	boolean		<input type="checkbox"/>	
originalEstimationField_isUpdateable	boolean		<input type="checkbox"/>	
originalEstimationField_localizedName	string		<input type="checkbox"/>	
originalEstimationField_name	string		<input type="checkbox"/>	
originalEstimationField_ordinal	int32		<input type="checkbox"/>	
orphansAtTheTop	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
ow_ner_\$type	string		<input type="checkbox"/>	
ow_ner_avatarUrl	string		<input type="checkbox"/>	
ow_ner_banned	boolean		<input type="checkbox"/>	
ow_ner_email	string		<input type="checkbox"/>	
ow_ner_fullName	string		<input type="checkbox"/>	
ow_ner_guest	boolean		<input type="checkbox"/>	
ow_ner_id	string		<input type="checkbox"/>	
ow_ner_jabberAccountName	string		<input type="checkbox"/>	
ow_ner_login	string		<input type="checkbox"/>	
ow_ner_online	boolean		<input type="checkbox"/>	
ow_ner_profiles_\$type	string		<input type="checkbox"/>	
ow_ner_profiles_id	string		<input type="checkbox"/>	
ow_ner_ringId	string		<input type="checkbox"/>	
previousSprint_\$type	string		<input type="checkbox"/>	
previousSprint_archived	boolean		<input type="checkbox"/>	
previousSprint_finish	int64		<input type="checkbox"/>	
previousSprint_goal	string		<input type="checkbox"/>	
previousSprint_id	string		<input type="checkbox"/>	
previousSprint_isDefault	boolean		<input type="checkbox"/>	
previousSprint_name	string		<input type="checkbox"/>	
previousSprint_start	int64		<input type="checkbox"/>	
previousSprint_unresolvedIssuesCount	int32		<input type="checkbox"/>	
sprintsSettings_\$type	string		<input type="checkbox"/>	
sprintsSettings_cardOnSeveralSprints	boolean		<input type="checkbox"/>	
sprintsSettings_defaultSprint_\$type	string		<input type="checkbox"/>	
sprintsSettings_defaultSprint_archived	boolean		<input type="checkbox"/>	
sprintsSettings_defaultSprint_finish	int64		<input type="checkbox"/>	
sprintsSettings_defaultSprint_goal	string		<input type="checkbox"/>	
sprintsSettings_defaultSprint_id	string		<input type="checkbox"/>	
sprintsSettings_defaultSprint_isDefault	boolean		<input type="checkbox"/>	
sprintsSettings_defaultSprint_name	string		<input type="checkbox"/>	
sprintsSettings_defaultSprint_start	int64		<input type="checkbox"/>	
sprintsSettings_defaultSprint_unresolvedIssuesCount	int32		<input type="checkbox"/>	
sprintsSettings_disableSprints	boolean		<input type="checkbox"/>	
sprintsSettings_explicitQuery	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
sprintsSettings_hideSubtasksOfCards	boolean		<input type="checkbox"/>	
sprintsSettings_id	string		<input type="checkbox"/>	
sprintsSettings_isExplicit	boolean		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_\$type	string		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_aliases	string		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_hasRunningJob	boolean		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_id	string		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_isAutoAttached	boolean		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_isDisplayedInIssueList	boolean		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_isUpdateable	boolean		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_localizedName	string		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_name	string		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_order	int32		<input type="checkbox"/>	
start	int64	Start	<input type="checkbox"/>	
status_\$type	string		<input type="checkbox"/>	
status_hasJobs	boolean		<input type="checkbox"/>	
status_id	string		<input type="checkbox"/>	
status_valid	boolean		<input type="checkbox"/>	
swimlaneSettings_\$type	string		<input type="checkbox"/>	
swimlaneSettings_enabled	boolean		<input type="checkbox"/>	
swimlaneSettings_id	string		<input type="checkbox"/>	
unresolvedIssuesCount	int32	Unresolved Issue Count	<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_teamForProject_archived	boolean		<input type="checkbox"/>	
updateableBy_teamForProject_description	string		<input type="checkbox"/>	
updateableBy_teamForProject_fromEmail	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updateableBy_teamForProject_iconUrl	string		<input type="checkbox"/>	
updateableBy_teamForProject_replyToEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_shortName	string		<input type="checkbox"/>	
updateableBy_teamForProject_startingNumber	int64		<input type="checkbox"/>	
updateableBy_teamForProject_template	boolean		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
updateableByProjectBased	boolean		<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_teamForProject_archiveId	boolean		<input type="checkbox"/>	
visibleFor_teamForProject_description	string		<input type="checkbox"/>	
visibleFor_teamForProject_fromEmail	string		<input type="checkbox"/>	
visibleFor_teamForProject_iconUrl	string		<input type="checkbox"/>	
visibleFor_teamForProject_replyToEmail	string		<input type="checkbox"/>	
visibleFor_teamForProject_shortName	string		<input type="checkbox"/>	
visibleFor_teamForProject_startingNumber	int64		<input type="checkbox"/>	
visibleFor_teamForProject_template	boolean		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	
visibleForProjectBased	boolean		<input type="checkbox"/>	

5.1.7 SprintById2

Catalog: YouTrack

Schema: Agile

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /agiles/{id}/sprints

Insert YouTrack API URL: /agiles/{id}/sprints

Update YouTrack API URL: /agiles/{id}/sprints

Delete YouTrack API URL: /agiles/{id}/sprints

Field Selection Method: NotRequired

Select YouTrack API Operation: get /agiles/{id}/sprints

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function SprintById2. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function SprintById2 are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
agile_\$type	string		<input type="checkbox"/>	
agile_colorCoding_\$type	string		<input type="checkbox"/>	
agile_colorCoding_id	string		<input type="checkbox"/>	
agile_columnSettings_\$type	string		<input type="checkbox"/>	
agile_columnSettings_id	string		<input type="checkbox"/>	
agile_currentSprint_\$type	string		<input type="checkbox"/>	
agile_currentSprint_archived	boolean		<input type="checkbox"/>	
agile_currentSprint_finish	int64		<input type="checkbox"/>	
agile_currentSprint_goal	string		<input type="checkbox"/>	
agile_currentSprint_id	string		<input type="checkbox"/>	
agile_currentSprint_isDefault	boolean		<input type="checkbox"/>	
agile_currentSprint_name	string		<input type="checkbox"/>	
agile_currentSprint_start	int64		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
agile_currentSprint_unresolvedIssuesCount	int32		<input type="checkbox"/>	
agile_estimationField_\$type	string		<input type="checkbox"/>	
agile_estimationField_aliases	string		<input type="checkbox"/>	
agile_estimationField_hasRunningJob	boolean		<input type="checkbox"/>	
agile_estimationField_id	string		<input type="checkbox"/>	
agile_estimationField_isAutoAttached	boolean		<input type="checkbox"/>	
agile_estimationField_isDisplayedInIssueList	boolean		<input type="checkbox"/>	
agile_estimationField_isUpdateable	boolean		<input type="checkbox"/>	
agile_estimationField_localizedName	string		<input type="checkbox"/>	
agile_estimationField_name	string		<input type="checkbox"/>	
agile_estimationField_ordinal	int32		<input type="checkbox"/>	
agile_hideOrphansSwimlane	boolean		<input type="checkbox"/>	
agile_id	string		<input type="checkbox"/>	
agile_name	string		<input type="checkbox"/>	
agile_originalEstimationField_\$type	string		<input type="checkbox"/>	
agile_originalEstimationField_aliases	string		<input type="checkbox"/>	
agile_originalEstimationField_hasRunningJob	boolean		<input type="checkbox"/>	
agile_originalEstimationField_id	string		<input type="checkbox"/>	
agile_originalEstimationField_isAutoAttached	boolean		<input type="checkbox"/>	
agile_originalEstimationField_isDisplayedInIssueList	boolean		<input type="checkbox"/>	
agile_originalEstimationField_isUpdateable	boolean		<input type="checkbox"/>	
agile_originalEstimationField_localizedName	string		<input type="checkbox"/>	
agile_originalEstimationField_name	string		<input type="checkbox"/>	
agile_originalEstimationField_ordinal	int32		<input type="checkbox"/>	
agile_orphansAtTheTop	boolean		<input type="checkbox"/>	
agile_owner_\$type	string		<input type="checkbox"/>	
agile_owner_avatarUrl	string		<input type="checkbox"/>	
agile_owner_banned	boolean		<input type="checkbox"/>	
agile_owner_email	string		<input type="checkbox"/>	
agile_owner_fullName	string		<input type="checkbox"/>	
agile_owner_guest	boolean		<input type="checkbox"/>	
agile_owner_id	string		<input type="checkbox"/>	
agile_owner_jabberAccountName	string		<input type="checkbox"/>	
agile_owner_login	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
agile_ow_ner_online	boolean		<input type="checkbox"/>	
agile_ow_ner_ringId	string		<input type="checkbox"/>	
agile_sprintsSettings_\$type	string		<input type="checkbox"/>	
agile_sprintsSettings_cardOnSeveralSprints	boolean		<input type="checkbox"/>	
agile_sprintsSettings_disableSprints	boolean		<input type="checkbox"/>	
agile_sprintsSettings_explicitQuery	string		<input type="checkbox"/>	
agile_sprintsSettings_hideSubtasksOfCards	boolean		<input type="checkbox"/>	
agile_sprintsSettings_id	string		<input type="checkbox"/>	
agile_sprintsSettings_isExplicit	boolean		<input type="checkbox"/>	
agile_status_\$type	string		<input type="checkbox"/>	
agile_status_hasJobs	boolean		<input type="checkbox"/>	
agile_status_id	string		<input type="checkbox"/>	
agile_status_valid	boolean		<input type="checkbox"/>	
agile_swimlaneSettings_\$type	string		<input type="checkbox"/>	
agile_swimlaneSettings_enabled	boolean		<input type="checkbox"/>	
agile_swimlaneSettings_id	string		<input type="checkbox"/>	
agile_updateableBy_\$type	string		<input type="checkbox"/>	
agile_updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
agile_updateableBy_icon	string		<input type="checkbox"/>	
agile_updateableBy_id	string		<input type="checkbox"/>	
agile_updateableBy_name	string		<input type="checkbox"/>	
agile_updateableBy_ringId	string		<input type="checkbox"/>	
agile_updateableBy_usersCount	int64		<input type="checkbox"/>	
agile_updateableByProjectBased	boolean		<input type="checkbox"/>	
agile_visibleFor_\$type	string		<input type="checkbox"/>	
agile_visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
agile_visibleFor_icon	string		<input type="checkbox"/>	
agile_visibleFor_id	string		<input type="checkbox"/>	
agile_visibleFor_name	string		<input type="checkbox"/>	
agile_visibleFor_ringId	string		<input type="checkbox"/>	
agile_visibleFor_usersCount	int64		<input type="checkbox"/>	
agile_visibleForProjectBased	boolean		<input type="checkbox"/>	
archived	boolean	Archived	<input type="checkbox"/>	
finish	int64	Finish	<input type="checkbox"/>	
goal	string	Goal	<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
isDefault	boolean	Is Default	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
previousSprint_\$type	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
previousSprint_agile_\$type	string		<input type="checkbox"/>	
previousSprint_agile_hideOrphansSwimlane	boolean		<input type="checkbox"/>	
previousSprint_agile_id	string		<input type="checkbox"/>	
previousSprint_agile_name	string		<input type="checkbox"/>	
previousSprint_agile_orphansAtTheTop	boolean		<input type="checkbox"/>	
previousSprint_agile_updateableByProjectBased	boolean		<input type="checkbox"/>	
previousSprint_agile_visibleForProjectBased	boolean		<input type="checkbox"/>	
previousSprint_archived	boolean		<input type="checkbox"/>	
previousSprint_finish	int64		<input type="checkbox"/>	
previousSprint_goal	string		<input type="checkbox"/>	
previousSprint_id	string		<input type="checkbox"/>	
previousSprint_isDefault	boolean		<input type="checkbox"/>	
previousSprint_name	string		<input type="checkbox"/>	
previousSprint_previousSprint_\$type	string		<input type="checkbox"/>	
previousSprint_previousSprint_archived	boolean		<input type="checkbox"/>	
previousSprint_previousSprint_finish	int64		<input type="checkbox"/>	
previousSprint_previousSprint_goal	string		<input type="checkbox"/>	
previousSprint_previousSprint_id	string		<input type="checkbox"/>	
previousSprint_previousSprint_isDefault	boolean		<input type="checkbox"/>	
previousSprint_previousSprint_name	string		<input type="checkbox"/>	
previousSprint_previousSprint_start	int64		<input type="checkbox"/>	
previousSprint_previousSprint_unresolvedIssuesCount	int32		<input type="checkbox"/>	
previousSprint_start	int64		<input type="checkbox"/>	
previousSprint_unresolvedIssuesCount	int32		<input type="checkbox"/>	
start	int64	Start	<input type="checkbox"/>	
unresolvedIssuesCount	int32	Unresolved Issue Count	<input type="checkbox"/>	

5.1.8 SprintIssueAttachmentsBySprintId

Catalog: YouTrack

Schema: Agile

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /agiles/{id}/sprints

Insert YouTrack API URL: /agiles/{id}/sprints

Update YouTrack API URL: /agiles/{id}/sprints

Delete YouTrack API URL: /agiles/{id}/sprints

Field Selection Method: NotRequired

Base Path: issues[*].attachments[/*]

Select YouTrack API Operation: get /agiles/{id}/sprints

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function SprintIssueAttachmentsBySprintId. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function SprintIssueAttachmentsBySprintId are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
agile_\$type	string		<input type="checkbox"/>	
agile_colorCoding_\$type	string		<input type="checkbox"/>	
agile_colorCoding_id	string		<input type="checkbox"/>	
agile_columnSettings_\$type	string		<input type="checkbox"/>	
agile_columnSettings_id	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
agile_currentSprint_\$type	string		<input type="checkbox"/>	
agile_currentSprint_archived	boolean		<input type="checkbox"/>	
agile_currentSprint_finish	int64		<input type="checkbox"/>	
agile_currentSprint_goal	string		<input type="checkbox"/>	
agile_currentSprint_id	string		<input type="checkbox"/>	
agile_currentSprint_isDefault	boolean		<input type="checkbox"/>	
agile_currentSprint_name	string		<input type="checkbox"/>	
agile_currentSprint_start	int64		<input type="checkbox"/>	
agile_currentSprint_unresolvedIssuesCount	int32		<input type="checkbox"/>	
agile_estimationField_\$type	string		<input type="checkbox"/>	
agile_estimationField_aliases	string		<input type="checkbox"/>	
agile_estimationField_hasRunningJob	boolean		<input type="checkbox"/>	
agile_estimationField_id	string		<input type="checkbox"/>	
agile_estimationField_isAutoAttached	boolean		<input type="checkbox"/>	
agile_estimationField_isDisplayedInIssueList	boolean		<input type="checkbox"/>	
agile_estimationField_isUpdateable	boolean		<input type="checkbox"/>	
agile_estimationField_localizedName	string		<input type="checkbox"/>	
agile_estimationField_name	string		<input type="checkbox"/>	
agile_estimationField_ordinal	int32		<input type="checkbox"/>	
agile_hideOrphansSwimlane	boolean		<input type="checkbox"/>	
agile_id	string		<input type="checkbox"/>	
agile_name	string		<input type="checkbox"/>	
agile_originalEstimationField_\$type	string		<input type="checkbox"/>	
agile_originalEstimationField_aliases	string		<input type="checkbox"/>	
agile_originalEstimationField_hasRunningJob	boolean		<input type="checkbox"/>	
agile_originalEstimationField_id	string		<input type="checkbox"/>	
agile_originalEstimationField_isAutoAttached	boolean		<input type="checkbox"/>	
agile_originalEstimationField_isDisplayedInIssueList	boolean		<input type="checkbox"/>	
agile_originalEstimationField_isUpdatable	boolean		<input type="checkbox"/>	
agile_originalEstimationField_localizedName	string		<input type="checkbox"/>	
agile_originalEstimationField_name	string		<input type="checkbox"/>	
agile_originalEstimationField_ordinal	int32		<input type="checkbox"/>	
agile_orphansAtTheTop	boolean		<input type="checkbox"/>	
agile_overner_\$type	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
agile_ow_ner_avatarUrl	string		<input type="checkbox"/>	
agile_ow_ner_banned	boolean		<input type="checkbox"/>	
agile_ow_ner_email	string		<input type="checkbox"/>	
agile_ow_ner_fullName	string		<input type="checkbox"/>	
agile_ow_ner_guest	boolean		<input type="checkbox"/>	
agile_ow_ner_id	string		<input type="checkbox"/>	
agile_ow_ner_jabberAccountName	string		<input type="checkbox"/>	
agile_ow_ner_login	string		<input type="checkbox"/>	
agile_ow_ner_online	boolean		<input type="checkbox"/>	
agile_ow_ner_ringId	string		<input type="checkbox"/>	
agile_sprintsSettings_\$type	string		<input type="checkbox"/>	
agile_sprintsSettings_cardOnSeve ralSprints	boolean		<input type="checkbox"/>	
agile_sprintsSettings_disableSprint s	boolean		<input type="checkbox"/>	
agile_sprintsSettings_explicitQuery	string		<input type="checkbox"/>	
agile_sprintsSettings_hideSubtask sOfCards	boolean		<input type="checkbox"/>	
agile_sprintsSettings_id	string		<input type="checkbox"/>	
agile_sprintsSettings_isExplicit	boolean		<input type="checkbox"/>	
agile_status_\$type	string		<input type="checkbox"/>	
agile_status_hasJobs	boolean		<input type="checkbox"/>	
agile_status_id	string		<input type="checkbox"/>	
agile_status_valid	boolean		<input type="checkbox"/>	
agile_swimlaneSettings_\$type	string		<input type="checkbox"/>	
agile_swimlaneSettings_enabled	boolean		<input type="checkbox"/>	
agile_swimlaneSettings_id	string		<input type="checkbox"/>	
agile_updateableBy_\$type	string		<input type="checkbox"/>	
agile_updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
agile_updateableBy_icon	string		<input type="checkbox"/>	
agile_updateableBy_id	string		<input type="checkbox"/>	
agile_updateableBy_name	string		<input type="checkbox"/>	
agile_updateableBy_ringId	string		<input type="checkbox"/>	
agile_updateableBy_usersCount	int64		<input type="checkbox"/>	
agile_updateableByProjectBased	boolean		<input type="checkbox"/>	
agile_visibleFor_\$type	string		<input type="checkbox"/>	
agile_visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
agile_visibleFor_icon	string		<input type="checkbox"/>	
agile_visibleFor_id	string		<input type="checkbox"/>	
agile_visibleFor_name	string		<input type="checkbox"/>	
agile_visibleFor_ringId	string		<input type="checkbox"/>	
agile_visibleFor_usersCount	int64		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
agile_visibleForProjectBased	boolean		<input type="checkbox"/>	
archived	boolean	Archived	<input type="checkbox"/>	
base64Content	string	Base64 Content	<input type="checkbox"/>	
charset	string	Charset	<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created_1	int64		<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
draft	boolean	Draft	<input type="checkbox"/>	
draftOwner_\$type	string		<input type="checkbox"/>	
draftOwner_avatarUrl	string		<input type="checkbox"/>	
draftOwner_banned	boolean		<input type="checkbox"/>	
draftOwner_email	string		<input type="checkbox"/>	
draftOwner_fullName	string		<input type="checkbox"/>	
draftOwner_guest	boolean		<input type="checkbox"/>	
draftOwner_id	string		<input type="checkbox"/>	
draftOwner_jabberAccountName	string		<input type="checkbox"/>	
draftOwner_login	string		<input type="checkbox"/>	
draftOwner_online	boolean		<input type="checkbox"/>	
draftOwner_ringId	string		<input type="checkbox"/>	
extension	string	Extension	<input type="checkbox"/>	
externalIssue_\$type	string		<input type="checkbox"/>	
externalIssue_id	string		<input type="checkbox"/>	
externalIssue_key	string		<input type="checkbox"/>	
externalIssue_name	string		<input type="checkbox"/>	
externalIssue_url	string		<input type="checkbox"/>	
finish	int64	Finish	<input type="checkbox"/>	
goal	string	Goal	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDefault	boolean	Is Default	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
metaData	string	Metadata	<input type="checkbox"/>	
contentType	string	MIME-type	<input type="checkbox"/>	
name_1	string		<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
parent_id	string		<input type="checkbox"/>	
previousSprint_\$type	string		<input type="checkbox"/>	
previousSprint_agile_\$type	string		<input type="checkbox"/>	
previousSprint_agile_hideOrphansSwimlane	boolean		<input type="checkbox"/>	
previousSprint_agile_id	string		<input type="checkbox"/>	
previousSprint_agile_name	string		<input type="checkbox"/>	
previousSprint_agile_orphansAtTheTop	boolean		<input type="checkbox"/>	
previousSprint_agile_updateableByProjectBased	boolean		<input type="checkbox"/>	
previousSprint_agile_visibleForProjectBased	boolean		<input type="checkbox"/>	
previousSprint_archived	boolean		<input type="checkbox"/>	
previousSprint_finish	int64		<input type="checkbox"/>	
previousSprint_goal	string		<input type="checkbox"/>	
previousSprint_id	string		<input type="checkbox"/>	
previousSprint_isDefault	boolean		<input type="checkbox"/>	
previousSprint_name	string		<input type="checkbox"/>	
previousSprint_previousSprint_\$type	string		<input type="checkbox"/>	
previousSprint_previousSprint_arched	boolean		<input type="checkbox"/>	
previousSprint_previousSprint_finish	int64		<input type="checkbox"/>	
previousSprint_previousSprint_goal	string		<input type="checkbox"/>	
previousSprint_previousSprint_id	string		<input type="checkbox"/>	
previousSprint_previousSprint_isDefault	boolean		<input type="checkbox"/>	
previousSprint_previousSprint_name	string		<input type="checkbox"/>	
previousSprint_previousSprint_start	int64		<input type="checkbox"/>	
previousSprint_previousSprint_unresolvedIssuesCount	int32		<input type="checkbox"/>	
previousSprint_start	int64		<input type="checkbox"/>	
previousSprint_unresolvedIssuesCount	int32		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
project_startingNumber	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
removed	boolean	Removed	<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter.FullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
size	int64	Size	<input type="checkbox"/>	
start	int64	Start	<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
thumbnailURL	string	Thumbnail (URL)	<input type="checkbox"/>	
unresolvedIssuesCount	int32	Unresolved Issue Count	<input type="checkbox"/>	
updated_1	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater.FullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
url	string	URL	<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

5.1.9 SprintIssueCommentsBySprintId

Catalog: YouTrack

Schema: Agile

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /agiles/{id}/sprints

Insert YouTrack API URL: /agiles/{id}/sprints

Update YouTrack API URL: /agiles/{id}/sprints

Delete YouTrack API URL: /agiles/{id}/sprints

Field Selection Method: NotRequired

Base Path: issues [*] .comments [*]

Select YouTrack API Operation: get /agiles/{id}/sprints

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function SprintIssueCommentsBySprintId. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `SprintIssueCommentsBySprintId` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
agile_\$type	string		<input type="checkbox"/>	
agile_colorCoding_\$type	string		<input type="checkbox"/>	
agile_colorCoding_id	string		<input type="checkbox"/>	
agile_columnSettings_\$type	string		<input type="checkbox"/>	
agile_columnSettings_id	string		<input type="checkbox"/>	
agile_currentSprint_\$type	string		<input type="checkbox"/>	
agile_currentSprint_archived	boolean		<input type="checkbox"/>	
agile_currentSprint_finish	int64		<input type="checkbox"/>	
agile_currentSprint_goal	string		<input type="checkbox"/>	
agile_currentSprint_id	string		<input type="checkbox"/>	
agile_currentSprint_isDefault	boolean		<input type="checkbox"/>	
agile_currentSprint_name	string		<input type="checkbox"/>	
agile_currentSprint_start	int64		<input type="checkbox"/>	
agile_currentSprint_unresolvedIssuesCount	int32		<input type="checkbox"/>	
agile_estimationField_\$type	string		<input type="checkbox"/>	
agile_estimationField_aliases	string		<input type="checkbox"/>	
agile_estimationField_hasRunningJob	boolean		<input type="checkbox"/>	
agile_estimationField_id	string		<input type="checkbox"/>	
agile_estimationField_isAutoAttached	boolean		<input type="checkbox"/>	
agile_estimationField_isDisplayedInIssueList	boolean		<input type="checkbox"/>	
agile_estimationField_isUpdateable	boolean		<input type="checkbox"/>	
agile_estimationField_localizedName	string		<input type="checkbox"/>	
agile_estimationField_name	string		<input type="checkbox"/>	
agile_estimationField_ordinal	int32		<input type="checkbox"/>	
agile_hideOrphansSwimlane	boolean		<input type="checkbox"/>	
agile_id	string		<input type="checkbox"/>	
agile_name	string		<input type="checkbox"/>	
agile_originalEstimationField_\$type	string		<input type="checkbox"/>	
agile_originalEstimationField_aliases	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
agile_originalEstimationField_hasRunningJob	boolean		<input type="checkbox"/>	
agile_originalEstimationField_id	string		<input type="checkbox"/>	
agile_originalEstimationField_isAutoAttached	boolean		<input type="checkbox"/>	
agile_originalEstimationField_isDisplayedInIssueList	boolean		<input type="checkbox"/>	
agile_originalEstimationField_isUpdatable	boolean		<input type="checkbox"/>	
agile_originalEstimationField_localizedName	string		<input type="checkbox"/>	
agile_originalEstimationField_name	string		<input type="checkbox"/>	
agile_originalEstimationField_ordinal	int32		<input type="checkbox"/>	
agile_orphansAtTheTop	boolean		<input type="checkbox"/>	
agile_owner_\$type	string		<input type="checkbox"/>	
agile_owner_avatarUrl	string		<input type="checkbox"/>	
agile_owner_banned	boolean		<input type="checkbox"/>	
agile_owner_email	string		<input type="checkbox"/>	
agile_owner.FullName	string		<input type="checkbox"/>	
agile_owner_guest	boolean		<input type="checkbox"/>	
agile_owner_id	string		<input type="checkbox"/>	
agile_owner_jabberAccountName	string		<input type="checkbox"/>	
agile_owner_login	string		<input type="checkbox"/>	
agile_owner_online	boolean		<input type="checkbox"/>	
agile_owner_ringId	string		<input type="checkbox"/>	
agile_sprintsSettings_\$type	string		<input type="checkbox"/>	
agile_sprintsSettings_cardOnSeveralSprints	boolean		<input type="checkbox"/>	
agile_sprintsSettings_disableSprints	boolean		<input type="checkbox"/>	
agile_sprintsSettings_explicitQuery	string		<input type="checkbox"/>	
agile_sprintsSettings_hideSubtasksOfCards	boolean		<input type="checkbox"/>	
agile_sprintsSettings_id	string		<input type="checkbox"/>	
agile_sprintsSettings_isExplicit	boolean		<input type="checkbox"/>	
agile_status_\$type	string		<input type="checkbox"/>	
agile_status_hasJobs	boolean		<input type="checkbox"/>	
agile_status_id	string		<input type="checkbox"/>	
agile_status_valid	boolean		<input type="checkbox"/>	
agile_swimlaneSettings_\$type	string		<input type="checkbox"/>	
agile_swimlaneSettings_enabled	boolean		<input type="checkbox"/>	
agile_swimlaneSettings_id	string		<input type="checkbox"/>	
agile_updateableBy_\$type	string		<input type="checkbox"/>	
agile_updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
agile_updateableBy_icon	string		<input type="checkbox"/>	
agile_updateableBy_id	string		<input type="checkbox"/>	
agile_updateableBy_name	string		<input type="checkbox"/>	
agile_updateableBy_ringId	string		<input type="checkbox"/>	
agile_updateableBy_usersCount	int64		<input type="checkbox"/>	
agile_updateableByProjectBased	boolean		<input type="checkbox"/>	
agile_visibleFor_\$type	string		<input type="checkbox"/>	
agile_visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
agile_visibleFor_icon	string		<input type="checkbox"/>	
agile_visibleFor_id	string		<input type="checkbox"/>	
agile_visibleFor_name	string		<input type="checkbox"/>	
agile_visibleFor_ringId	string		<input type="checkbox"/>	
agile_visibleFor_usersCount	int64		<input type="checkbox"/>	
agile_visibleForProjectBased	boolean		<input type="checkbox"/>	
archived	boolean	Archived	<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created_1	int64		<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
deleted	boolean	Deleted	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
draftOwner_\$type	string		<input type="checkbox"/>	
draftOwner_avatarUrl	string		<input type="checkbox"/>	
draftOwner_banned	boolean		<input type="checkbox"/>	
draftOwner_email	string		<input type="checkbox"/>	
draftOwner.FullName	string		<input type="checkbox"/>	
draftOwner_guest	boolean		<input type="checkbox"/>	
draftOwner_id	string		<input type="checkbox"/>	
draftOwner_jabberAccountName	string		<input type="checkbox"/>	
draftOwner_login	string		<input type="checkbox"/>	
draftOwner_online	boolean		<input type="checkbox"/>	
draftOwner_ringId	string		<input type="checkbox"/>	
externalIssue_\$type	string		<input type="checkbox"/>	
externalIssue_id	string		<input type="checkbox"/>	
externalIssue_key	string		<input type="checkbox"/>	
externalIssue_name	string		<input type="checkbox"/>	
externalIssue_url	string		<input type="checkbox"/>	
finish	int64	Finish	<input type="checkbox"/>	
goal	string	Goal	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
idReadable	string	Readable ID	<input type="checkbox"/>	
isDefault	boolean	Is Default	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
previousSprint_\$type	string		<input type="checkbox"/>	
previousSprint_agile_\$type	string		<input type="checkbox"/>	
previousSprint_agile_hideOrphansSwimlane	boolean		<input type="checkbox"/>	
previousSprint_agile_id	string		<input type="checkbox"/>	
previousSprint_agile_name	string		<input type="checkbox"/>	
previousSprint_agile_orphansAtTheTop	boolean		<input type="checkbox"/>	
previousSprint_agile_updateableByProjectBased	boolean		<input type="checkbox"/>	
previousSprint_agile_visibleForProjectBased	boolean		<input type="checkbox"/>	
previousSprint_archived	boolean		<input type="checkbox"/>	
previousSprint_finish	int64		<input type="checkbox"/>	
previousSprint_goal	string		<input type="checkbox"/>	
previousSprint_id	string		<input type="checkbox"/>	
previousSprint_isDefault	boolean		<input type="checkbox"/>	
previousSprint_name	string		<input type="checkbox"/>	
previousSprint_previousSprint_\$type	string		<input type="checkbox"/>	
previousSprint_previousSprint_archived	boolean		<input type="checkbox"/>	
previousSprint_previousSprint_finish	int64		<input type="checkbox"/>	
previousSprint_previousSprint_goal	string		<input type="checkbox"/>	
previousSprint_previousSprint_id	string		<input type="checkbox"/>	
previousSprint_previousSprint_isDefault	boolean		<input type="checkbox"/>	
previousSprint_previousSprint_name	string		<input type="checkbox"/>	
previousSprint_previousSprint_start	int64		<input type="checkbox"/>	
previousSprint_previousSprint_unresolvedIssuesCount	int32		<input type="checkbox"/>	
previousSprint_start	int64		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
previousSprint_unresolvedIssuesCount	int32		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter.FullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
start	int64	Start	<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
text	string	Text	<input type="checkbox"/>	
textPreview	string	Text Preview	<input type="checkbox"/>	
unresolvedIssuesCount	int32	Unresolved Issue Count	<input type="checkbox"/>	
updated_1	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater.FullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
usesMarkdown_1	boolean		<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

5.1.10 SprintIssueCustomFieldsBySprintId

Catalog: YouTrack

Schema: Agile

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /agiles/{id}/sprints

Insert YouTrack API URL: /agiles/{id}/sprints

Update YouTrack API URL: /agiles/{id}/sprints

Delete YouTrack API URL: /agiles/{id}/sprints

Field Selection Method: NotRequired

Base Path: issues[*].customFields[*]

Select YouTrack API Operation: get /agiles/{id}/sprints

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function SprintIssueCustomFieldsBySprintId. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four

parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function SprintIssueCustomFieldsBySprintId are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
agile_\$type	string		<input type="checkbox"/>	
agile_colorCoding_\$type	string		<input type="checkbox"/>	
agile_colorCoding_id	string		<input type="checkbox"/>	
agile_columnSettings_\$type	string		<input type="checkbox"/>	
agile_columnSettings_id	string		<input type="checkbox"/>	
agile_currentSprint_\$type	string		<input type="checkbox"/>	
agile_currentSprint_archived	boolean		<input type="checkbox"/>	
agile_currentSprint_finish	int64		<input type="checkbox"/>	
agile_currentSprint_goal	string		<input type="checkbox"/>	
agile_currentSprint_id	string		<input type="checkbox"/>	
agile_currentSprint_isDefault	boolean		<input type="checkbox"/>	
agile_currentSprint_name	string		<input type="checkbox"/>	
agile_currentSprint_start	int64		<input type="checkbox"/>	
agile_currentSprint_unresolvedIssuesCount	int32		<input type="checkbox"/>	
agile_estimationField_\$type	string		<input type="checkbox"/>	
agile_estimationField_aliases	string		<input type="checkbox"/>	
agile_estimationField_hasRunningJob	boolean		<input type="checkbox"/>	
agile_estimationField_id	string		<input type="checkbox"/>	
agile_estimationField_isAutoAttached	boolean		<input type="checkbox"/>	
agile_estimationField_isDisplayedInIssueList	boolean		<input type="checkbox"/>	
agile_estimationField_isUpdateable	boolean		<input type="checkbox"/>	
agile_estimationField_localizedName	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
agile_estimationField_name	string		<input type="checkbox"/>	
agile_estimationField_ordinal	int32		<input type="checkbox"/>	
agile_hideOrphansSwimlane	boolean		<input type="checkbox"/>	
agile_id	string		<input type="checkbox"/>	
agile_name	string		<input type="checkbox"/>	
agile_originalEstimationField_\$type	string		<input type="checkbox"/>	
agile_originalEstimationField_aliases	string		<input type="checkbox"/>	
agile_originalEstimationField_hasRunningJob	boolean		<input type="checkbox"/>	
agile_originalEstimationField_id	string		<input type="checkbox"/>	
agile_originalEstimationField_isAutoAttached	boolean		<input type="checkbox"/>	
agile_originalEstimationField_isDisplayedInIssueList	boolean		<input type="checkbox"/>	
agile_originalEstimationField_isUpdatable	boolean		<input type="checkbox"/>	
agile_originalEstimationField_localizedName	string		<input type="checkbox"/>	
agile_originalEstimationField_name	string		<input type="checkbox"/>	
agile_originalEstimationField_ordinal	int32		<input type="checkbox"/>	
agile_orphansAtTheTop	boolean		<input type="checkbox"/>	
agile_owner_\$type	string		<input type="checkbox"/>	
agile_owner_avatarUrl	string		<input type="checkbox"/>	
agile_owner_banned	boolean		<input type="checkbox"/>	
agile_owner_email	string		<input type="checkbox"/>	
agile_owner_fullName	string		<input type="checkbox"/>	
agile_owner_guest	boolean		<input type="checkbox"/>	
agile_owner_id	string		<input type="checkbox"/>	
agile_owner_jabberAccountName	string		<input type="checkbox"/>	
agile_owner_login	string		<input type="checkbox"/>	
agile_owner_online	boolean		<input type="checkbox"/>	
agile_owner_ringId	string		<input type="checkbox"/>	
agile_sprintsSettings_\$type	string		<input type="checkbox"/>	
agile_sprintsSettings_cardOnSeveralSprints	boolean		<input type="checkbox"/>	
agile_sprintsSettings_disableSprints	boolean		<input type="checkbox"/>	
agile_sprintsSettings_explicitQuery	string		<input type="checkbox"/>	
agile_sprintsSettings_hideSubtasksOfCards	boolean		<input type="checkbox"/>	
agile_sprintsSettings_id	string		<input type="checkbox"/>	
agile_sprintsSettings_isExplicit	boolean		<input type="checkbox"/>	
agile_status_\$type	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
agile_status_hasJobs	boolean		<input type="checkbox"/>	
agile_status_id	string		<input type="checkbox"/>	
agile_status_valid	boolean		<input type="checkbox"/>	
agile_swImLaneSettings_\$type	string		<input type="checkbox"/>	
agile_swImLaneSettings_enabled	boolean		<input type="checkbox"/>	
agile_swImLaneSettings_id	string		<input type="checkbox"/>	
agile_updateableBy_\$type	string		<input type="checkbox"/>	
agile_updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
agile_updateableBy_icon	string		<input type="checkbox"/>	
agile_updateableBy_id	string		<input type="checkbox"/>	
agile_updateableBy_name	string		<input type="checkbox"/>	
agile_updateableBy_ringId	string		<input type="checkbox"/>	
agile_updateableBy_usersCount	int64		<input type="checkbox"/>	
agile_updateableByProjectBased	boolean		<input type="checkbox"/>	
agile_visibleFor_\$type	string		<input type="checkbox"/>	
agile_visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
agile_visibleFor_icon	string		<input type="checkbox"/>	
agile_visibleFor_id	string		<input type="checkbox"/>	
agile_visibleFor_name	string		<input type="checkbox"/>	
agile_visibleFor_ringId	string		<input type="checkbox"/>	
agile_visibleFor_usersCount	int64		<input type="checkbox"/>	
agile_visibleForProjectBased	boolean		<input type="checkbox"/>	
archived	boolean	Archived	<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
draftOwner_\$type	string		<input type="checkbox"/>	
draftOwner_avatarUrl	string		<input type="checkbox"/>	
draftOwner_banned	boolean		<input type="checkbox"/>	
draftOwner_email	string		<input type="checkbox"/>	
draftOwner_fullName	string		<input type="checkbox"/>	
draftOwner_guest	boolean		<input type="checkbox"/>	
draftOwner_id	string		<input type="checkbox"/>	
draftOwner_jabberAccountName	string		<input type="checkbox"/>	
draftOwner_login	string		<input type="checkbox"/>	
draftOwner_online	boolean		<input type="checkbox"/>	
draftOwner_ringId	string		<input type="checkbox"/>	
externalIssue_\$type	string		<input type="checkbox"/>	
externalIssue_id	string		<input type="checkbox"/>	
externalIssue_key	string		<input type="checkbox"/>	
externalIssue_name	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
externallssue_url	string		<input type="checkbox"/>	
finish	int64	Finish	<input type="checkbox"/>	
goal	string	Goal	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDefault	boolean	Is Default	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
name_1	string		<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
previousSprint_\$type	string		<input type="checkbox"/>	
previousSprint_agile_\$type	string		<input type="checkbox"/>	
previousSprint_agile_hideOrphansSwimlane	boolean		<input type="checkbox"/>	
previousSprint_agile_id	string		<input type="checkbox"/>	
previousSprint_agile_name	string		<input type="checkbox"/>	
previousSprint_agile_orphansAtTheTop	boolean		<input type="checkbox"/>	
previousSprint_agile_updateableByProjectBased	boolean		<input type="checkbox"/>	
previousSprint_agile_visibleForProjectBased	boolean		<input type="checkbox"/>	
previousSprint_archived	boolean		<input type="checkbox"/>	
previousSprint_finish	int64		<input type="checkbox"/>	
previousSprint_goal	string		<input type="checkbox"/>	
previousSprint_id	string		<input type="checkbox"/>	
previousSprint_isDefault	boolean		<input type="checkbox"/>	
previousSprint_name	string		<input type="checkbox"/>	
previousSprint_previousSprint_\$type	string		<input type="checkbox"/>	
previousSprint_previousSprint_archived	boolean		<input type="checkbox"/>	
previousSprint_previousSprint_finish	int64		<input type="checkbox"/>	
previousSprint_previousSprint_goal	string		<input type="checkbox"/>	
previousSprint_previousSprint_id	string		<input type="checkbox"/>	
previousSprint_previousSprint_isDefault	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
previousSprint_previousSprint_name	string		<input type="checkbox"/>	
previousSprint_previousSprint_start	int64		<input type="checkbox"/>	
previousSprint_previousSprint_unresolvedIssuesCount	int32		<input type="checkbox"/>	
previousSprint_start	int64		<input type="checkbox"/>	
previousSprint_unresolvedIssuesCount	int32		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter.FullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
start	int64	Start	<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
unresolvedIssuesCount	int32	Unresolved Issue Count	<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater.FullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

5.1.11 SprintIssueLinksBySprintId

Catalog: YouTrack

Schema: Agile

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /agiles/{id}/sprints

Insert YouTrack API URL: /agiles/{id}/sprints

Update YouTrack API URL: /agiles/{id}/sprints

Delete YouTrack API URL: /agiles/{id}/sprints

Field Selection Method: NotRequired

Base Path: issues[*].links[*]

Select YouTrack API Operation: get /agiles/{id}/sprints

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function SprintIssueLinksBySprintId. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four

parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `SprintIssueLinksBySprintId` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
agile_\$type	string		<input type="checkbox"/>	
agile_colorCoding_\$type	string		<input type="checkbox"/>	
agile_colorCoding_id	string		<input type="checkbox"/>	
agile_columnSettings_\$type	string		<input type="checkbox"/>	
agile_columnSettings_id	string		<input type="checkbox"/>	
agile_currentSprint_\$type	string		<input type="checkbox"/>	
agile_currentSprint_archived	boolean		<input type="checkbox"/>	
agile_currentSprint_finish	int64		<input type="checkbox"/>	
agile_currentSprint_goal	string		<input type="checkbox"/>	
agile_currentSprint_id	string		<input type="checkbox"/>	
agile_currentSprint_isDefault	boolean		<input type="checkbox"/>	
agile_currentSprint_name	string		<input type="checkbox"/>	
agile_currentSprint_start	int64		<input type="checkbox"/>	
agile_currentSprint_unresolvedIssuesCount	int32		<input type="checkbox"/>	
agile_estimationField_\$type	string		<input type="checkbox"/>	
agile_estimationField_aliases	string		<input type="checkbox"/>	
agile_estimationField_hasRunningJob	boolean		<input type="checkbox"/>	
agile_estimationField_id	string		<input type="checkbox"/>	
agile_estimationField_isAutoAttached	boolean		<input type="checkbox"/>	
agile_estimationField_isDisplayedInIssueList	boolean		<input type="checkbox"/>	
agile_estimationField_isUpdateable	boolean		<input type="checkbox"/>	
agile_estimationField_localizedName	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
agile_estimationField_name	string		<input type="checkbox"/>	
agile_estimationField_ordinal	int32		<input type="checkbox"/>	
agile_hideOrphansSwimlane	boolean		<input type="checkbox"/>	
agile_id	string		<input type="checkbox"/>	
agile_name	string		<input type="checkbox"/>	
agile_originalEstimationField_\$type	string		<input type="checkbox"/>	
agile_originalEstimationField_aliases	string		<input type="checkbox"/>	
agile_originalEstimationField_hasRunningJob	boolean		<input type="checkbox"/>	
agile_originalEstimationField_id	string		<input type="checkbox"/>	
agile_originalEstimationField_isAutoAttached	boolean		<input type="checkbox"/>	
agile_originalEstimationField_isDisplayedInIssueList	boolean		<input type="checkbox"/>	
agile_originalEstimationField_isUpdatable	boolean		<input type="checkbox"/>	
agile_originalEstimationField_localizedName	string		<input type="checkbox"/>	
agile_originalEstimationField_name	string		<input type="checkbox"/>	
agile_originalEstimationField_ordinal	int32		<input type="checkbox"/>	
agile_orphansAtTheTop	boolean		<input type="checkbox"/>	
agile_owner_\$type	string		<input type="checkbox"/>	
agile_owner_avatarUrl	string		<input type="checkbox"/>	
agile_owner_banned	boolean		<input type="checkbox"/>	
agile_owner_email	string		<input type="checkbox"/>	
agile_owner_fullName	string		<input type="checkbox"/>	
agile_owner_guest	boolean		<input type="checkbox"/>	
agile_owner_id	string		<input type="checkbox"/>	
agile_owner_jabberAccountName	string		<input type="checkbox"/>	
agile_owner_login	string		<input type="checkbox"/>	
agile_owner_online	boolean		<input type="checkbox"/>	
agile_owner_ringId	string		<input type="checkbox"/>	
agile_sprintsSettings_\$type	string		<input type="checkbox"/>	
agile_sprintsSettings_cardOnSeveralSprints	boolean		<input type="checkbox"/>	
agile_sprintsSettings_disableSprints	boolean		<input type="checkbox"/>	
agile_sprintsSettings_explicitQuery	string		<input type="checkbox"/>	
agile_sprintsSettings_hideSubtasksOfCards	boolean		<input type="checkbox"/>	
agile_sprintsSettings_id	string		<input type="checkbox"/>	
agile_sprintsSettings_isExplicit	boolean		<input type="checkbox"/>	
agile_status_\$type	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
agile_status_hasJobs	boolean		<input type="checkbox"/>	
agile_status_id	string		<input type="checkbox"/>	
agile_status_valid	boolean		<input type="checkbox"/>	
agile_swImLaneSettings_\$type	string		<input type="checkbox"/>	
agile_swImLaneSettings_enabled	boolean		<input type="checkbox"/>	
agile_swImLaneSettings_id	string		<input type="checkbox"/>	
agile_updateableBy_\$type	string		<input type="checkbox"/>	
agile_updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
agile_updateableBy_icon	string		<input type="checkbox"/>	
agile_updateableBy_id	string		<input type="checkbox"/>	
agile_updateableBy_name	string		<input type="checkbox"/>	
agile_updateableBy_ringId	string		<input type="checkbox"/>	
agile_updateableBy_usersCount	int64		<input type="checkbox"/>	
agile_updateableByProjectBased	boolean		<input type="checkbox"/>	
agile_visibleFor_\$type	string		<input type="checkbox"/>	
agile_visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
agile_visibleFor_icon	string		<input type="checkbox"/>	
agile_visibleFor_id	string		<input type="checkbox"/>	
agile_visibleFor_name	string		<input type="checkbox"/>	
agile_visibleFor_ringId	string		<input type="checkbox"/>	
agile_visibleFor_usersCount	int64		<input type="checkbox"/>	
agile_visibleForProjectBased	boolean		<input type="checkbox"/>	
archived	boolean	Archived	<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
direction	string	Direction	<input type="checkbox"/>	
draftOwner_\$type	string		<input type="checkbox"/>	
draftOwner_avatarUrl	string		<input type="checkbox"/>	
draftOwner_banned	boolean		<input type="checkbox"/>	
draftOwner_email	string		<input type="checkbox"/>	
draftOwner_fullName	string		<input type="checkbox"/>	
draftOwner_guest	boolean		<input type="checkbox"/>	
draftOwner_id	string		<input type="checkbox"/>	
draftOwner_jabberAccountName	string		<input type="checkbox"/>	
draftOwner_login	string		<input type="checkbox"/>	
draftOwner_online	boolean		<input type="checkbox"/>	
draftOwner_ringId	string		<input type="checkbox"/>	
externalIssue_\$type	string		<input type="checkbox"/>	
externalIssue_id	string		<input type="checkbox"/>	
externalIssue_key	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
externallssue_name	string		<input type="checkbox"/>	
externallssue_url	string		<input type="checkbox"/>	
finish	int64	Finish	<input type="checkbox"/>	
goal	string	Goal	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDefault	boolean	Is Default	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
previousSprint_\$type	string		<input type="checkbox"/>	
previousSprint_agile_\$type	string		<input type="checkbox"/>	
previousSprint_agile_hideOrphansSwimlane	boolean		<input type="checkbox"/>	
previousSprint_agile_id	string		<input type="checkbox"/>	
previousSprint_agile_name	string		<input type="checkbox"/>	
previousSprint_agile_orphansAtTheTop	boolean		<input type="checkbox"/>	
previousSprint_agile_updateableByProjectBased	boolean		<input type="checkbox"/>	
previousSprint_agile_visibleForProjectBased	boolean		<input type="checkbox"/>	
previousSprint_archived	boolean		<input type="checkbox"/>	
previousSprint_finish	int64		<input type="checkbox"/>	
previousSprint_goal	string		<input type="checkbox"/>	
previousSprint_id	string		<input type="checkbox"/>	
previousSprint_isDefault	boolean		<input type="checkbox"/>	
previousSprint_name	string		<input type="checkbox"/>	
previousSprint_previousSprint_\$type	string		<input type="checkbox"/>	
previousSprint_previousSprint_archived	boolean		<input type="checkbox"/>	
previousSprint_previousSprint_finish	int64		<input type="checkbox"/>	
previousSprint_previousSprint_goal	string		<input type="checkbox"/>	
previousSprint_previousSprint_id	string		<input type="checkbox"/>	
previousSprint_previousSprint_isDefault	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
previousSprint_previousSprint_name	string		<input type="checkbox"/>	
previousSprint_previousSprint_start	int64		<input type="checkbox"/>	
previousSprint_previousSprint_unresolvedIssuesCount	int32		<input type="checkbox"/>	
previousSprint_start	int64		<input type="checkbox"/>	
previousSprint_unresolvedIssuesCount	int32		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter.FullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
start	int64	Start	<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
unresolvedIssuesCount	int32	Unresolved Issue Count	<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater.FullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

5.1.12 SprintIssues

Catalog: YouTrack

Schema: Agile

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /agiles

Insert YouTrack API URL: /agiles

Update YouTrack API URL: /agiles

Delete YouTrack API URL: /agiles

Field Selection Method: NotRequired

Base Path: sprints[*].issues[*]

Select YouTrack API Operation: get /agiles

Table Function Columns

The columns of the table function SprintIssues are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
agile_\$type	string		<input type="checkbox"/>	
agile_hideOrphansSwimlane	boolean		<input type="checkbox"/>	
agile_id	string		<input type="checkbox"/>	
agile_name	string		<input type="checkbox"/>	
agile_orphansAtTheTop	boolean		<input type="checkbox"/>	
agile_updateableByProjectBased	boolean		<input type="checkbox"/>	
agile_visibleForProjectBased	boolean		<input type="checkbox"/>	
archived	boolean	Archived	<input type="checkbox"/>	
colorCoding_\$type	string		<input type="checkbox"/>	
colorCoding_id	string		<input type="checkbox"/>	
columnSettings_\$type	string		<input type="checkbox"/>	
columnSettings_field_\$type	string		<input type="checkbox"/>	
columnSettings_field_aliases	string		<input type="checkbox"/>	
columnSettings_field_hasRunningJob	boolean		<input type="checkbox"/>	
columnSettings_field_id	string		<input type="checkbox"/>	
columnSettings_field_isAutoAttached	boolean		<input type="checkbox"/>	
columnSettings_field_isDisplayedInIssueList	boolean		<input type="checkbox"/>	
columnSettings_field_isUpdateable	boolean		<input type="checkbox"/>	
columnSettings_field_localizedName	string		<input type="checkbox"/>	
columnSettings_field_name	string		<input type="checkbox"/>	
columnSettings_field_ordinal	int32		<input type="checkbox"/>	
columnSettings_id	string		<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
currentSprint_\$type_1	string		<input type="checkbox"/>	
currentSprint_\$type	string		<input type="checkbox"/>	
currentSprint_agile_\$type	string		<input type="checkbox"/>	
currentSprint_agile_hideOrphansSwimlane	boolean		<input type="checkbox"/>	
currentSprint_agile_id	string		<input type="checkbox"/>	
currentSprint_agile_name	string		<input type="checkbox"/>	
currentSprint_agile_orphansAtTheTop	boolean		<input type="checkbox"/>	
currentSprint_agile_updateableByProjectBased	boolean		<input type="checkbox"/>	
currentSprint_agile_visibleForProjectBased	boolean		<input type="checkbox"/>	
currentSprint_archived	boolean		<input type="checkbox"/>	
currentSprint_commentsCount	int32		<input type="checkbox"/>	
currentSprint_created	int64		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
currentSprint_description	string		<input type="checkbox"/>	
currentSprint_finish	int64		<input type="checkbox"/>	
currentSprint_goal	string		<input type="checkbox"/>	
currentSprint_id_1	string		<input type="checkbox"/>	
currentSprint_id	string		<input type="checkbox"/>	
currentSprint_idReadable	string		<input type="checkbox"/>	
currentSprint_isDefault	boolean		<input type="checkbox"/>	
currentSprint_isDraft	boolean		<input type="checkbox"/>	
currentSprint_name	string		<input type="checkbox"/>	
currentSprint_numberInProject	int64		<input type="checkbox"/>	
currentSprint_previousSprint_\$type	string		<input type="checkbox"/>	
currentSprint_previousSprint_archived	boolean		<input type="checkbox"/>	
currentSprint_previousSprint_finish	int64		<input type="checkbox"/>	
currentSprint_previousSprint_goal	string		<input type="checkbox"/>	
currentSprint_previousSprint_id	string		<input type="checkbox"/>	
currentSprint_previousSprint_isDefault	boolean		<input type="checkbox"/>	
currentSprint_previousSprint_name	string		<input type="checkbox"/>	
currentSprint_previousSprint_start	int64		<input type="checkbox"/>	
currentSprint_previousSprint_unresolvedIssuesCount	int32		<input type="checkbox"/>	
currentSprint_resolved	int64		<input type="checkbox"/>	
currentSprint_start	int64		<input type="checkbox"/>	
currentSprint_summary	string		<input type="checkbox"/>	
currentSprint_unresolvedIssuesCount	int32		<input type="checkbox"/>	
currentSprint_updated	int64		<input type="checkbox"/>	
currentSprint_usesMarkdown	boolean		<input type="checkbox"/>	
currentSprint_votes	int32		<input type="checkbox"/>	
currentSprint_wikifiedDescription	string		<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
estimationField_\$type	string		<input type="checkbox"/>	
estimationField_aliases	string		<input type="checkbox"/>	
estimationField_fieldDefaults_\$type	string		<input type="checkbox"/>	
estimationField_fieldDefaults_canBeEmpty	boolean		<input type="checkbox"/>	
estimationField_fieldDefaults_emptyFieldText	string		<input type="checkbox"/>	
estimationField_fieldDefaults_id	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
estimationField_fieldDefaults_isPublic	boolean		<input type="checkbox"/>	
estimationField_fieldType_\$type	string		<input type="checkbox"/>	
estimationField_fieldType_id	string		<input type="checkbox"/>	
estimationField_hasRunningJob	boolean		<input type="checkbox"/>	
estimationField_id	string		<input type="checkbox"/>	
estimationField_isAutoAttached	boolean		<input type="checkbox"/>	
estimationField_isDisplayedInIssueList	boolean		<input type="checkbox"/>	
estimationField_isUpdateable	boolean		<input type="checkbox"/>	
estimationField_localizedName	string		<input type="checkbox"/>	
estimationField_name	string		<input type="checkbox"/>	
estimationField_ordinal	int32		<input type="checkbox"/>	
finish	int64	Finish	<input type="checkbox"/>	
goal	string	Goal	<input type="checkbox"/>	
hideOrphansSwimlane	boolean		<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDefault	boolean	Is Default	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
name_1	string		<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
originalEstimationField_\$type	string		<input type="checkbox"/>	
originalEstimationField_aliases	string		<input type="checkbox"/>	
originalEstimationField_fieldDefaults_\$type	string		<input type="checkbox"/>	
originalEstimationField_fieldDefaults_canBeEmpty	boolean		<input type="checkbox"/>	
originalEstimationField_fieldDefaults_emptyFieldText	string		<input type="checkbox"/>	
originalEstimationField_fieldDefaults_id	string		<input type="checkbox"/>	
originalEstimationField_fieldDefaults_isPublic	boolean		<input type="checkbox"/>	
originalEstimationField_fieldType_\$type	string		<input type="checkbox"/>	
originalEstimationField_fieldType_id	string		<input type="checkbox"/>	
originalEstimationField_hasRunningJob	boolean		<input type="checkbox"/>	
originalEstimationField_id	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
originalEstimationField_isAutoAttached	boolean		<input type="checkbox"/>	
originalEstimationField_isDisplayedInIssueList	boolean		<input type="checkbox"/>	
originalEstimationField_isUpdateable	boolean		<input type="checkbox"/>	
originalEstimationField_localizedName	string		<input type="checkbox"/>	
originalEstimationField_name	string		<input type="checkbox"/>	
originalEstimationField_ordinal	int32		<input type="checkbox"/>	
orphansAtTheTop	boolean		<input type="checkbox"/>	
owner_\$type	string		<input type="checkbox"/>	
owner_avatarUrl	string		<input type="checkbox"/>	
owner_banned	boolean		<input type="checkbox"/>	
owner_email	string		<input type="checkbox"/>	
owner.FullName	string		<input type="checkbox"/>	
owner_guest	boolean		<input type="checkbox"/>	
owner_id	string		<input type="checkbox"/>	
owner_jabberAccountName	string		<input type="checkbox"/>	
owner_login	string		<input type="checkbox"/>	
owner_online	boolean		<input type="checkbox"/>	
owner_profiles_\$type	string		<input type="checkbox"/>	
owner_profiles_id	string		<input type="checkbox"/>	
owner_ringId	string		<input type="checkbox"/>	
previousSprint_\$type	string		<input type="checkbox"/>	
previousSprint_archived	boolean		<input type="checkbox"/>	
previousSprint_finish	int64		<input type="checkbox"/>	
previousSprint_goal	string		<input type="checkbox"/>	
previousSprint_id	string		<input type="checkbox"/>	
previousSprint_isDefault	boolean		<input type="checkbox"/>	
previousSprint_name	string		<input type="checkbox"/>	
previousSprint_start	int64		<input type="checkbox"/>	
previousSprint_unresolvedIssuesCount	int32		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
sprintsSettings_\$type	string		<input type="checkbox"/>	
sprintsSettings_cardOnSeveralSprints	boolean		<input type="checkbox"/>	
sprintsSettings_defaultSprint_\$type	string		<input type="checkbox"/>	
sprintsSettings_defaultSprint_archived	boolean		<input type="checkbox"/>	
sprintsSettings_defaultSprint_finish	int64		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
sprintsSettings_defaultSprint_goal	string		<input type="checkbox"/>	
sprintsSettings_defaultSprint_id	string		<input type="checkbox"/>	
sprintsSettings_defaultSprint_isDefault	boolean		<input type="checkbox"/>	
sprintsSettings_defaultSprint_name	string		<input type="checkbox"/>	
sprintsSettings_defaultSprint_start	int64		<input type="checkbox"/>	
sprintsSettings_defaultSprint_unresolvedIssuesCount	int32		<input type="checkbox"/>	
sprintsSettings_disableSprints	boolean		<input type="checkbox"/>	
sprintsSettings_explicitQuery	string		<input type="checkbox"/>	
sprintsSettings_hideSubtasksOfCards	boolean		<input type="checkbox"/>	
sprintsSettings_id	string		<input type="checkbox"/>	
sprintsSettings_isExplicit	boolean		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_\$type	string		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_aliases	string		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_hasRunningJob	boolean		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_id	string		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_isAutoAttached	boolean		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_isDisplayedInIssueList	boolean		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_isUpdateable	boolean		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_localizedName	string		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_name	string		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_order	int32		<input type="checkbox"/>	
start	int64	Start	<input type="checkbox"/>	
status_\$type	string		<input type="checkbox"/>	
status_hasJobs	boolean		<input type="checkbox"/>	
status_id	string		<input type="checkbox"/>	
status_valid	boolean		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
swimlaneSettings_\$type	string		<input type="checkbox"/>	
swimlaneSettings_enabled	boolean		<input type="checkbox"/>	
swimlaneSettings_id	string		<input type="checkbox"/>	
unresolvedIssuesCount	int32	Unresolved Issue Count	<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_teamForProject_archived	boolean		<input type="checkbox"/>	
updateableBy_teamForProject_description	string		<input type="checkbox"/>	
updateableBy_teamForProject_fromEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_iconUrl	string		<input type="checkbox"/>	
updateableBy_teamForProject_replyToEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_shortName	string		<input type="checkbox"/>	
updateableBy_teamForProject_startingNumber	int64		<input type="checkbox"/>	
updateableBy_teamForProject_template	boolean		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
updateableByProjectBased	boolean		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_teamForProject_archiveId	boolean		<input type="checkbox"/>	
visibleFor_teamForProject_description	string		<input type="checkbox"/>	
visibleFor_teamForProject_fromEmail	string		<input type="checkbox"/>	
visibleFor_teamForProject_iconUrl	string		<input type="checkbox"/>	
visibleFor_teamForProject_replyToEmail	string		<input type="checkbox"/>	
visibleFor_teamForProject_shortName	string		<input type="checkbox"/>	
visibleFor_teamForProject_startingNumber	int64		<input type="checkbox"/>	
visibleFor_teamForProject_template	boolean		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
visibleForProjectBased	boolean		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

5.1.13 SprintIssuesBySprintId

Catalog: YouTrack

Schema: Agile

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/agiles/{id}`

Insert YouTrack API URL: `/agiles/{id}`

Update YouTrack API URL: `/agiles/{id}`

Delete YouTrack API URL: `/agiles/{id}`

Field Selection Method: NotRequired

Base Path: `sprints[*].issues[*]`

Select YouTrack API Operation: get `/agiles/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `SprintIssuesBySprintId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `SprintIssuesBySprintId` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
agile_\$type	string		<input type="checkbox"/>	
agile_hideOrphansSwimlane	boolean		<input type="checkbox"/>	
agile_id	string		<input type="checkbox"/>	
agile_name	string		<input type="checkbox"/>	
agile_orphansAtTheTop	boolean		<input type="checkbox"/>	
agile_updateableByProjectBased	boolean		<input type="checkbox"/>	
agile_visibleForProjectBased	boolean		<input type="checkbox"/>	
archived	boolean	Archived	<input type="checkbox"/>	
colorCoding_\$type	string		<input type="checkbox"/>	
colorCoding_id	string		<input type="checkbox"/>	
columnSettings_\$type	string		<input type="checkbox"/>	
columnSettings_field_\$type	string		<input type="checkbox"/>	
columnSettings_field_aliases	string		<input type="checkbox"/>	
columnSettings_field_hasRunningJob	boolean		<input type="checkbox"/>	
columnSettings_field_id	string		<input type="checkbox"/>	
columnSettings_field_isAutoAttached	boolean		<input type="checkbox"/>	
columnSettings_field_isDisplayedInIssueList	boolean		<input type="checkbox"/>	
columnSettings_field_isUpdateable	boolean		<input type="checkbox"/>	
columnSettings_field_localizedName	string		<input type="checkbox"/>	
columnSettings_field_name	string		<input type="checkbox"/>	
columnSettings_field_ordinal	int32		<input type="checkbox"/>	
columnSettings_id	string		<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
currentSprint_\$type_1	string		<input type="checkbox"/>	
currentSprint_\$type	string		<input type="checkbox"/>	
currentSprint_agile_\$type	string		<input type="checkbox"/>	
currentSprint_agile_hideOrphansSwimlane	boolean		<input type="checkbox"/>	
currentSprint_agile_id	string		<input type="checkbox"/>	
currentSprint_agile_name	string		<input type="checkbox"/>	
currentSprint_agile_orphansAtTheTop	boolean		<input type="checkbox"/>	
currentSprint_agile_updateableByProjectBased	boolean		<input type="checkbox"/>	
currentSprint_agile_visibleForProjectBased	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
currentSprint_archived	boolean		<input type="checkbox"/>	
currentSprint_commentsCount	int32		<input type="checkbox"/>	
currentSprint_created	int64		<input type="checkbox"/>	
currentSprint_description	string		<input type="checkbox"/>	
currentSprint_finish	int64		<input type="checkbox"/>	
currentSprint_goal	string		<input type="checkbox"/>	
currentSprint_id_1	string		<input type="checkbox"/>	
currentSprint_id	string		<input type="checkbox"/>	
currentSprint_idReadable	string		<input type="checkbox"/>	
currentSprint_isDefault	boolean		<input type="checkbox"/>	
currentSprint_isDraft	boolean		<input type="checkbox"/>	
currentSprint_name	string		<input type="checkbox"/>	
currentSprint_numberInProject	int64		<input type="checkbox"/>	
currentSprint_previousSprint_\$type	string		<input type="checkbox"/>	
currentSprint_previousSprint_archived	boolean		<input type="checkbox"/>	
currentSprint_previousSprint_finish	int64		<input type="checkbox"/>	
currentSprint_previousSprint_goal	string		<input type="checkbox"/>	
currentSprint_previousSprint_id	string		<input type="checkbox"/>	
currentSprint_previousSprint_isDefault	boolean		<input type="checkbox"/>	
currentSprint_previousSprint_name	string		<input type="checkbox"/>	
currentSprint_previousSprint_start	int64		<input type="checkbox"/>	
currentSprint_previousSprint_unresolvedIssuesCount	int32		<input type="checkbox"/>	
currentSprint_resolved	int64		<input type="checkbox"/>	
currentSprint_start	int64		<input type="checkbox"/>	
currentSprint_summary	string		<input type="checkbox"/>	
currentSprint_unresolvedIssuesCount	int32		<input type="checkbox"/>	
currentSprint_updated	int64		<input type="checkbox"/>	
currentSprint_usesMarkdown	boolean		<input type="checkbox"/>	
currentSprint_votes	int32		<input type="checkbox"/>	
currentSprint_wikifiedDescription	string		<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
estimationField_\$type	string		<input type="checkbox"/>	
estimationField_aliases	string		<input type="checkbox"/>	
estimationField_fieldDefaults_\$type	string		<input type="checkbox"/>	
estimationField_fieldDefaults_canBeEmpty	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
estimationField_fieldDefaults_emptyFieldText	string		<input type="checkbox"/>	
estimationField_fieldDefaults_id	string		<input type="checkbox"/>	
estimationField_fieldDefaults_isPublic	boolean		<input type="checkbox"/>	
estimationField_fieldType_\$type	string		<input type="checkbox"/>	
estimationField_fieldType_id	string		<input type="checkbox"/>	
estimationField_hasRunningJob	boolean		<input type="checkbox"/>	
estimationField_id	string		<input type="checkbox"/>	
estimationField_isAutoAttached	boolean		<input type="checkbox"/>	
estimationField_isDisplayedInIssueList	boolean		<input type="checkbox"/>	
estimationField_isUpdateable	boolean		<input type="checkbox"/>	
estimationField_localizedName	string		<input type="checkbox"/>	
estimationField_name	string		<input type="checkbox"/>	
estimationField_ordinal	int32		<input type="checkbox"/>	
finish	int64	Finish	<input type="checkbox"/>	
goal	string	Goal	<input type="checkbox"/>	
hideOrphansSwimlane	boolean		<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDefault	boolean	Is Default	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
name_1	string		<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
originalEstimationField_\$type	string		<input type="checkbox"/>	
originalEstimationField_aliases	string		<input type="checkbox"/>	
originalEstimationField_fieldDefaults_\$type	string		<input type="checkbox"/>	
originalEstimationField_fieldDefaults_canBeEmpty	boolean		<input type="checkbox"/>	
originalEstimationField_fieldDefaults_emptyFieldText	string		<input type="checkbox"/>	
originalEstimationField_fieldDefaults_id	string		<input type="checkbox"/>	
originalEstimationField_fieldDefaults_isPublic	boolean		<input type="checkbox"/>	
originalEstimationField_fieldType_\$type	string		<input type="checkbox"/>	
originalEstimationField_fieldType_id	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
originalEstimationField_hasRunningJob	boolean		<input type="checkbox"/>	
originalEstimationField_id	string		<input type="checkbox"/>	
originalEstimationField_isAutoAttached	boolean		<input type="checkbox"/>	
originalEstimationField_isDisplayedInIssueList	boolean		<input type="checkbox"/>	
originalEstimationField_isUpdateable	boolean		<input type="checkbox"/>	
originalEstimationField_localizedName	string		<input type="checkbox"/>	
originalEstimationField_name	string		<input type="checkbox"/>	
originalEstimationField_ordinal	int32		<input type="checkbox"/>	
orphansAtTheTop	boolean		<input type="checkbox"/>	
owner_\$type	string		<input type="checkbox"/>	
owner_avatarUrl	string		<input type="checkbox"/>	
owner_banned	boolean		<input type="checkbox"/>	
owner_email	string		<input type="checkbox"/>	
owner.FullName	string		<input type="checkbox"/>	
owner_guest	boolean		<input type="checkbox"/>	
owner_id	string		<input type="checkbox"/>	
owner_jabberAccountName	string		<input type="checkbox"/>	
owner_login	string		<input type="checkbox"/>	
owner_online	boolean		<input type="checkbox"/>	
owner_profiles_\$type	string		<input type="checkbox"/>	
owner_profiles_id	string		<input type="checkbox"/>	
owner_ringId	string		<input type="checkbox"/>	
previousSprint_\$type	string		<input type="checkbox"/>	
previousSprint_archived	boolean		<input type="checkbox"/>	
previousSprint_finish	int64		<input type="checkbox"/>	
previousSprint_goal	string		<input type="checkbox"/>	
previousSprint_id	string		<input type="checkbox"/>	
previousSprint_isDefault	boolean		<input type="checkbox"/>	
previousSprint_name	string		<input type="checkbox"/>	
previousSprint_start	int64		<input type="checkbox"/>	
previousSprint_unresolvedIssuesCount	int32		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
sprintsSettings_\$type	string		<input type="checkbox"/>	
sprintsSettings_cardOnSeveralSprints	boolean		<input type="checkbox"/>	
sprintsSettings_defaultSprint_\$type	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
sprintsSettings_defaultSprint_archived	boolean		<input type="checkbox"/>	
sprintsSettings_defaultSprint_fini	int64		<input type="checkbox"/>	
sprintsSettings_defaultSprint_goal	string		<input type="checkbox"/>	
sprintsSettings_defaultSprint_id	string		<input type="checkbox"/>	
sprintsSettings_defaultSprint_isDef	boolean		<input type="checkbox"/>	
sprintsSettings_defaultSprint_nam	string		<input type="checkbox"/>	
sprintsSettings_defaultSprint_start	int64		<input type="checkbox"/>	
sprintsSettings_defaultSprint_unre	int32		<input type="checkbox"/>	
sprintsSettings_disableSprints	boolean		<input type="checkbox"/>	
sprintsSettings_explicitQuery	string		<input type="checkbox"/>	
sprintsSettings_hideSubtasksOfCa	boolean		<input type="checkbox"/>	
sprintsSettings_id	string		<input type="checkbox"/>	
sprintsSettings_isExplicit	boolean		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_	string		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_ali	string		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_ha	boolean		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_id	string		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_is	boolean		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_is	boolean		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_is	boolean		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_is	boolean		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_is	boolean		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_lo	string		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_na	string		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_or	int32		<input type="checkbox"/>	
start	int64	Start	<input type="checkbox"/>	
status_\$type	string		<input type="checkbox"/>	
status_hasJobs	boolean		<input type="checkbox"/>	
status_id	string		<input type="checkbox"/>	
status_valid	boolean		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
swimlaneSettings_\$type	string		<input type="checkbox"/>	
swimlaneSettings_enabled	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
swImLaneSettings_id	string		<input type="checkbox"/>	
unresolvedIssuesCount	int32	Unresolved Issue Count	<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_teamForProject_archived	boolean		<input type="checkbox"/>	
updateableBy_teamForProject_description	string		<input type="checkbox"/>	
updateableBy_teamForProject_fromEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_iconUrl	string		<input type="checkbox"/>	
updateableBy_teamForProject_replyToEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_shortName	string		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_teamForProject_archived	boolean		<input type="checkbox"/>	
visibleFor_teamForProject_description	string		<input type="checkbox"/>	
visibleFor_teamForProject_fromEmail	string		<input type="checkbox"/>	
visibleFor_teamForProject_iconUrl	string		<input type="checkbox"/>	
visibleFor_teamForProject_replyToEmail	string		<input type="checkbox"/>	
visibleFor_teamForProject_shortName	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
visibleFor_teamForProject_startingNumber	int64		<input type="checkbox"/>	
visibleFor_teamForProject_template	boolean		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	
visibleForProjectBased	boolean		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

5.1.14 SprintIssuesBySprintId1

Catalog: YouTrack

Schema: Agile

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /agiles/{id}/sprints

Insert YouTrack API URL: /agiles/{id}/sprints

Update YouTrack API URL: /agiles/{id}/sprints

Delete YouTrack API URL: /agiles/{id}/sprints

Field Selection Method: NotRequired

Base Path: issues [*]

Select YouTrack API Operation: get /agiles/{id}/sprints

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function SprintIssuesBySprintId1. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `SprintIssuesBySprintId1` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
agile_\$type	string		<input type="checkbox"/>	
agile_colorCoding_\$type	string		<input type="checkbox"/>	
agile_colorCoding_id	string		<input type="checkbox"/>	
agile_columnSettings_\$type	string		<input type="checkbox"/>	
agile_columnSettings_id	string		<input type="checkbox"/>	
agile_currentSprint_\$type	string		<input type="checkbox"/>	
agile_currentSprint_archived	boolean		<input type="checkbox"/>	
agile_currentSprint_finish	int64		<input type="checkbox"/>	
agile_currentSprint_goal	string		<input type="checkbox"/>	
agile_currentSprint_id	string		<input type="checkbox"/>	
agile_currentSprint_isDefault	boolean		<input type="checkbox"/>	
agile_currentSprint_name	string		<input type="checkbox"/>	
agile_currentSprint_start	int64		<input type="checkbox"/>	
agile_currentSprint_unresolvedIssuesCount	int32		<input type="checkbox"/>	
agile_estimationField_\$type	string		<input type="checkbox"/>	
agile_estimationField_aliases	string		<input type="checkbox"/>	
agile_estimationField_hasRunningJob	boolean		<input type="checkbox"/>	
agile_estimationField_id	string		<input type="checkbox"/>	
agile_estimationField_isAutoAttached	boolean		<input type="checkbox"/>	
agile_estimationField_isDisplayedInIssueList	boolean		<input type="checkbox"/>	
agile_estimationField_isUpdateable	boolean		<input type="checkbox"/>	
agile_estimationField_localizedName	string		<input type="checkbox"/>	
agile_estimationField_name	string		<input type="checkbox"/>	
agile_estimationField_ordinal	int32		<input type="checkbox"/>	
agile_hideOrphansSwimlane	boolean		<input type="checkbox"/>	
agile_id	string		<input type="checkbox"/>	
agile_name	string		<input type="checkbox"/>	
agile_originalEstimationField_\$type	string		<input type="checkbox"/>	
agile_originalEstimationField_aliases	string		<input type="checkbox"/>	
agile_originalEstimationField_hasRunningJob	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
agile_originalEstimationField_id	string		<input type="checkbox"/>	
agile_originalEstimationField_isAutoAttached	boolean		<input type="checkbox"/>	
agile_originalEstimationField_isDisplayedInIssueList	boolean		<input type="checkbox"/>	
agile_originalEstimationField_isUpdatable	boolean		<input type="checkbox"/>	
agile_originalEstimationField_localizedName	string		<input type="checkbox"/>	
agile_originalEstimationField_name	string		<input type="checkbox"/>	
agile_originalEstimationField_ordinal	int32		<input type="checkbox"/>	
agile_orphansAtTheTop	boolean		<input type="checkbox"/>	
agile_owner_\$type	string		<input type="checkbox"/>	
agile_owner_avatarUrl	string		<input type="checkbox"/>	
agile_owner_banned	boolean		<input type="checkbox"/>	
agile_owner_email	string		<input type="checkbox"/>	
agile_owner.FullName	string		<input type="checkbox"/>	
agile_owner_guest	boolean		<input type="checkbox"/>	
agile_owner_id	string		<input type="checkbox"/>	
agile_owner_jabberAccountName	string		<input type="checkbox"/>	
agile_owner_login	string		<input type="checkbox"/>	
agile_owner_online	boolean		<input type="checkbox"/>	
agile_owner_ringId	string		<input type="checkbox"/>	
agile_sprintsSettings_\$type	string		<input type="checkbox"/>	
agile_sprintsSettings_cardOnSeveralSprints	boolean		<input type="checkbox"/>	
agile_sprintsSettings_disableSprints	boolean		<input type="checkbox"/>	
agile_sprintsSettings_explicitQuery	string		<input type="checkbox"/>	
agile_sprintsSettings_hideSubtasksOfCards	boolean		<input type="checkbox"/>	
agile_sprintsSettings_id	string		<input type="checkbox"/>	
agile_sprintsSettings_isExplicit	boolean		<input type="checkbox"/>	
agile_status_\$type	string		<input type="checkbox"/>	
agile_status_hasJobs	boolean		<input type="checkbox"/>	
agile_status_id	string		<input type="checkbox"/>	
agile_status_valid	boolean		<input type="checkbox"/>	
agile_swimlaneSettings_\$type	string		<input type="checkbox"/>	
agile_swimlaneSettings_enabled	boolean		<input type="checkbox"/>	
agile_swimlaneSettings_id	string		<input type="checkbox"/>	
agile_updateableBy_\$type	string		<input type="checkbox"/>	
agile_updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
agile_updateableBy_icon	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
agile_updateableBy_id	string		<input type="checkbox"/>	
agile_updateableBy_name	string		<input type="checkbox"/>	
agile_updateableBy_ringId	string		<input type="checkbox"/>	
agile_updateableBy_usersCount	int64		<input type="checkbox"/>	
agile_updateableByProjectBased	boolean		<input type="checkbox"/>	
agile_visibleFor_\$type	string		<input type="checkbox"/>	
agile_visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
agile_visibleFor_icon	string		<input type="checkbox"/>	
agile_visibleFor_id	string		<input type="checkbox"/>	
agile_visibleFor_name	string		<input type="checkbox"/>	
agile_visibleFor_ringId	string		<input type="checkbox"/>	
agile_visibleFor_usersCount	int64		<input type="checkbox"/>	
agile_visibleForProjectBased	boolean		<input type="checkbox"/>	
archived	boolean	Archived	<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
draftOwner_\$type	string		<input type="checkbox"/>	
draftOwner_avatarUrl	string		<input type="checkbox"/>	
draftOwner_banned	boolean		<input type="checkbox"/>	
draftOwner_email	string		<input type="checkbox"/>	
draftOwner.FullName	string		<input type="checkbox"/>	
draftOwner_guest	boolean		<input type="checkbox"/>	
draftOwner_id	string		<input type="checkbox"/>	
draftOwner_jabberAccountName	string		<input type="checkbox"/>	
draftOwner_login	string		<input type="checkbox"/>	
draftOwner_online	boolean		<input type="checkbox"/>	
draftOwner_ringId	string		<input type="checkbox"/>	
externalIssue_\$type	string		<input type="checkbox"/>	
externalIssue_id	string		<input type="checkbox"/>	
externalIssue_key	string		<input type="checkbox"/>	
externalIssue_name	string		<input type="checkbox"/>	
externalIssue_url	string		<input type="checkbox"/>	
finish	int64	Finish	<input type="checkbox"/>	
goal	string	Goal	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDefault	boolean	Is Default	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
numberInProject	int64	Number in Project	<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
previousSprint_\$type	string		<input type="checkbox"/>	
previousSprint_agile_\$type	string		<input type="checkbox"/>	
previousSprint_agile_hideOrphansSwimlane	boolean		<input type="checkbox"/>	
previousSprint_agile_id	string		<input type="checkbox"/>	
previousSprint_agile_name	string		<input type="checkbox"/>	
previousSprint_agile_orphansAtTheTop	boolean		<input type="checkbox"/>	
previousSprint_agile_updateableByProjectBased	boolean		<input type="checkbox"/>	
previousSprint_agile_visibleForProjectBased	boolean		<input type="checkbox"/>	
previousSprint_archived	boolean		<input type="checkbox"/>	
previousSprint_finish	int64		<input type="checkbox"/>	
previousSprint_goal	string		<input type="checkbox"/>	
previousSprint_id	string		<input type="checkbox"/>	
previousSprint_isDefault	boolean		<input type="checkbox"/>	
previousSprint_name	string		<input type="checkbox"/>	
previousSprint_previousSprint_\$type	string		<input type="checkbox"/>	
previousSprint_previousSprint_archived	boolean		<input type="checkbox"/>	
previousSprint_previousSprint_finish	int64		<input type="checkbox"/>	
previousSprint_previousSprint_goal	string		<input type="checkbox"/>	
previousSprint_previousSprint_id	string		<input type="checkbox"/>	
previousSprint_previousSprint_isDefault	boolean		<input type="checkbox"/>	
previousSprint_previousSprint_name	string		<input type="checkbox"/>	
previousSprint_previousSprint_start	int64		<input type="checkbox"/>	
previousSprint_previousSprint_unresolvedIssuesCount	int32		<input type="checkbox"/>	
previousSprint_start	int64		<input type="checkbox"/>	
previousSprint_unresolvedIssuesCount	int32		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
project_iconUrl	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter.FullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
start	int64	Start	<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
unresolvedIssuesCount	int32	Unresolved Issue Count	<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater.FullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
voters_id	string		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

5.1.15 SprintIssueTagsBySprintId

Catalog: YouTrack

Schema: Agile

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /agiles/{id}/sprints

Insert YouTrack API URL: /agiles/{id}/sprints

Update YouTrack API URL: /agiles/{id}/sprints

Delete YouTrack API URL: /agiles/{id}/sprints

Field Selection Method: NotRequired

Base Path: issues[*].tags[*]

Select YouTrack API Operation: get /agiles/{id}/sprints

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function SprintIssueTagsBySprintId. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `SprintIssueTagsBySprintId` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
agile_\$type	string		<input type="checkbox"/>	
agile_colorCoding_\$type	string		<input type="checkbox"/>	
agile_colorCoding_id	string		<input type="checkbox"/>	
agile_columnSettings_\$type	string		<input type="checkbox"/>	
agile_columnSettings_id	string		<input type="checkbox"/>	
agile_currentSprint_\$type	string		<input type="checkbox"/>	
agile_currentSprint_archived	boolean		<input type="checkbox"/>	
agile_currentSprint_finish	int64		<input type="checkbox"/>	
agile_currentSprint_goal	string		<input type="checkbox"/>	
agile_currentSprint_id	string		<input type="checkbox"/>	
agile_currentSprint_isDefault	boolean		<input type="checkbox"/>	
agile_currentSprint_name	string		<input type="checkbox"/>	
agile_currentSprint_start	int64		<input type="checkbox"/>	
agile_currentSprint_unresolvedIssuesCount	int32		<input type="checkbox"/>	
agile_estimationField_\$type	string		<input type="checkbox"/>	
agile_estimationField_aliases	string		<input type="checkbox"/>	
agile_estimationField_hasRunningJob	boolean		<input type="checkbox"/>	
agile_estimationField_id	string		<input type="checkbox"/>	
agile_estimationField_isAutoAttached	boolean		<input type="checkbox"/>	
agile_estimationField_isDisplayedInIssueList	boolean		<input type="checkbox"/>	
agile_estimationField_isUpdateable	boolean		<input type="checkbox"/>	
agile_estimationField_localizedName	string		<input type="checkbox"/>	
agile_estimationField_name	string		<input type="checkbox"/>	
agile_estimationField_ordinal	int32		<input type="checkbox"/>	
agile_hideOrphansSwimlane	boolean		<input type="checkbox"/>	
agile_id	string		<input type="checkbox"/>	
agile_name	string		<input type="checkbox"/>	
agile_originalEstimationField_\$type	string		<input type="checkbox"/>	
agile_originalEstimationField_aliases	string		<input type="checkbox"/>	
agile_originalEstimationField_hasRunningJob	boolean		<input type="checkbox"/>	
agile_originalEstimationField_id	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
agile_originalEstimationField_isAutoAttached	boolean		<input type="checkbox"/>	
agile_originalEstimationField_isDisplayedInIssueList	boolean		<input type="checkbox"/>	
agile_originalEstimationField_isUpdatable	boolean		<input type="checkbox"/>	
agile_originalEstimationField_localizedName	string		<input type="checkbox"/>	
agile_originalEstimationField_name	string		<input type="checkbox"/>	
agile_originalEstimationField_ordinal	int32		<input type="checkbox"/>	
agile_orphansAtTheTop	boolean		<input type="checkbox"/>	
agile_owner_\$type	string		<input type="checkbox"/>	
agile_owner_avatarUrl	string		<input type="checkbox"/>	
agile_owner_banned	boolean		<input type="checkbox"/>	
agile_owner_email	string		<input type="checkbox"/>	
agile_owner.FullName	string		<input type="checkbox"/>	
agile_owner_guest	boolean		<input type="checkbox"/>	
agile_owner_id	string		<input type="checkbox"/>	
agile_owner_jabberAccountName	string		<input type="checkbox"/>	
agile_owner_login	string		<input type="checkbox"/>	
agile_owner_online	boolean		<input type="checkbox"/>	
agile_owner_ringId	string		<input type="checkbox"/>	
agile_sprintsSettings_\$type	string		<input type="checkbox"/>	
agile_sprintsSettings_cardOnSeveralSprints	boolean		<input type="checkbox"/>	
agile_sprintsSettings_disableSprints	boolean		<input type="checkbox"/>	
agile_sprintsSettings_explicitQuery	string		<input type="checkbox"/>	
agile_sprintsSettings_hideSubtasksOfCards	boolean		<input type="checkbox"/>	
agile_sprintsSettings_id	string		<input type="checkbox"/>	
agile_sprintsSettings_isExplicit	boolean		<input type="checkbox"/>	
agile_status_\$type	string		<input type="checkbox"/>	
agile_status_hasJobs	boolean		<input type="checkbox"/>	
agile_status_id	string		<input type="checkbox"/>	
agile_status_valid	boolean		<input type="checkbox"/>	
agile_swimlaneSettings_\$type	string		<input type="checkbox"/>	
agile_swimlaneSettings_enabled	boolean		<input type="checkbox"/>	
agile_swimlaneSettings_id	string		<input type="checkbox"/>	
agile_updateableBy_\$type	string		<input type="checkbox"/>	
agile_updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
agile_updateableBy_icon	string		<input type="checkbox"/>	
agile_updateableBy_id	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
agile_updateableBy_name	string		<input type="checkbox"/>	
agile_updateableBy_ringId	string		<input type="checkbox"/>	
agile_updateableBy_usersCount	int64		<input type="checkbox"/>	
agile_updateableByProjectBased	boolean		<input type="checkbox"/>	
agile_visibleFor_\$type	string		<input type="checkbox"/>	
agile_visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
agile_visibleFor_icon	string		<input type="checkbox"/>	
agile_visibleFor_id	string		<input type="checkbox"/>	
agile_visibleFor_name	string		<input type="checkbox"/>	
agile_visibleFor_ringId	string		<input type="checkbox"/>	
agile_visibleFor_usersCount	int64		<input type="checkbox"/>	
agile_visibleForProjectBased	boolean		<input type="checkbox"/>	
archived	boolean	Archived	<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
draftOwner_\$type	string		<input type="checkbox"/>	
draftOwner_avatarUrl	string		<input type="checkbox"/>	
draftOwner_banned	boolean		<input type="checkbox"/>	
draftOwner_email	string		<input type="checkbox"/>	
draftOwner.FullName	string		<input type="checkbox"/>	
draftOwner_guest	boolean		<input type="checkbox"/>	
draftOwner_id	string		<input type="checkbox"/>	
draftOwner_jabberAccountName	string		<input type="checkbox"/>	
draftOwner_login	string		<input type="checkbox"/>	
draftOwner_online	boolean		<input type="checkbox"/>	
draftOwner_ringId	string		<input type="checkbox"/>	
externalIssue_\$type	string		<input type="checkbox"/>	
externalIssue_id	string		<input type="checkbox"/>	
externalIssue_key	string		<input type="checkbox"/>	
externalIssue_name	string		<input type="checkbox"/>	
externalIssue_url	string		<input type="checkbox"/>	
finish	int64	Finish	<input type="checkbox"/>	
goal	string	Goal	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDefault	boolean	Is Default	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
name_1	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
previousSprint_\$type	string		<input type="checkbox"/>	
previousSprint_agile_\$type	string		<input type="checkbox"/>	
previousSprint_agile_hideOrphansSwimlane	boolean		<input type="checkbox"/>	
previousSprint_agile_id	string		<input type="checkbox"/>	
previousSprint_agile_name	string		<input type="checkbox"/>	
previousSprint_agile_orphansAtTheTop	boolean		<input type="checkbox"/>	
previousSprint_agile_updateableByProjectBased	boolean		<input type="checkbox"/>	
previousSprint_agile_visibleForProjectBased	boolean		<input type="checkbox"/>	
previousSprint_archived	boolean		<input type="checkbox"/>	
previousSprint_finish	int64		<input type="checkbox"/>	
previousSprint_goal	string		<input type="checkbox"/>	
previousSprint_id	string		<input type="checkbox"/>	
previousSprint_isDefault	boolean		<input type="checkbox"/>	
previousSprint_name	string		<input type="checkbox"/>	
previousSprint_previousSprint_\$type	string		<input type="checkbox"/>	
previousSprint_previousSprint_archived	boolean		<input type="checkbox"/>	
previousSprint_previousSprint_finish	int64		<input type="checkbox"/>	
previousSprint_previousSprint_goal	string		<input type="checkbox"/>	
previousSprint_previousSprint_id	string		<input type="checkbox"/>	
previousSprint_previousSprint_isDefault	boolean		<input type="checkbox"/>	
previousSprint_previousSprint_name	string		<input type="checkbox"/>	
previousSprint_previousSprint_start	int64		<input type="checkbox"/>	
previousSprint_previousSprint_unresolvedIssuesCount	int32		<input type="checkbox"/>	
previousSprint_start	int64		<input type="checkbox"/>	
previousSprint_unresolvedIssuesCount	int32		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter.FullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
start	int64	Start	<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
unresolvedIssuesCount	int32	Unresolved Issue Count	<input type="checkbox"/>	
untagOnResolve	boolean		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater.FullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

5.1.16 Sprints

Catalog: YouTrack

Schema: Agile

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /agiles

Insert YouTrack API URL: /agiles

Update YouTrack API URL: /agiles

Delete YouTrack API URL: /agiles

Field Selection Method: NotRequired

Select YouTrack API Operation: get /agiles

Table Function Columns

The columns of the table function Sprints are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
colorCoding_\$type	string		<input type="checkbox"/>	
colorCoding_id	string		<input type="checkbox"/>	
columnSettings_\$type	string		<input type="checkbox"/>	
columnSettings_field_\$type	string		<input type="checkbox"/>	
columnSettings_field_aliases	string		<input type="checkbox"/>	
columnSettings_field_hasRunningJ ob	boolean		<input type="checkbox"/>	
columnSettings_field_id	string		<input type="checkbox"/>	
columnSettings_field_isAutoAttach ed	boolean		<input type="checkbox"/>	
columnSettings_field_isDisplayedInI ssueList	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
columnSettings_field_isUpdateable	boolean		<input type="checkbox"/>	
columnSettings_field_localizedName	string		<input type="checkbox"/>	
columnSettings_field_name	string		<input type="checkbox"/>	
columnSettings_field_ordinal	int32		<input type="checkbox"/>	
columnSettings_id	string		<input type="checkbox"/>	
currentSprint_\$type	string		<input type="checkbox"/>	
currentSprint_agile_\$type	string		<input type="checkbox"/>	
currentSprint_agile_hideOrphansSwimlane	boolean		<input type="checkbox"/>	
currentSprint_agile_id	string		<input type="checkbox"/>	
currentSprint_agile_name	string		<input type="checkbox"/>	
currentSprint_agile_orphansAtTheTop	boolean		<input type="checkbox"/>	
currentSprint_agile_updateableByProjectBased	boolean		<input type="checkbox"/>	
currentSprint_agile_visibleForProjectBased	boolean		<input type="checkbox"/>	
currentSprint_archived	boolean		<input type="checkbox"/>	
currentSprint_finish	int64		<input type="checkbox"/>	
currentSprint_goal	string		<input type="checkbox"/>	
currentSprint_id	string		<input type="checkbox"/>	
currentSprint_isDefault	boolean		<input type="checkbox"/>	
currentSprint_name	string		<input type="checkbox"/>	
currentSprint_previousSprint_\$type	string		<input type="checkbox"/>	
currentSprint_previousSprint_archived	boolean		<input type="checkbox"/>	
currentSprint_previousSprint_finish	int64		<input type="checkbox"/>	
currentSprint_previousSprint_goal	string		<input type="checkbox"/>	
currentSprint_previousSprint_id	string		<input type="checkbox"/>	
currentSprint_previousSprint_isDefault	boolean		<input type="checkbox"/>	
currentSprint_previousSprint_name	string		<input type="checkbox"/>	
currentSprint_previousSprint_start	int64		<input type="checkbox"/>	
currentSprint_previousSprint_unresolvedIssuesCount	int32		<input type="checkbox"/>	
currentSprint_start	int64		<input type="checkbox"/>	
currentSprint_unresolvedIssuesCount	int32		<input type="checkbox"/>	
estimationField_\$type	string		<input type="checkbox"/>	
estimationField_aliases	string		<input type="checkbox"/>	
estimationField_fieldDefaults_\$type	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
estimationField_fieldDefaults_canBeEmpty	boolean		<input type="checkbox"/>	
estimationField_fieldDefaults_emptyFieldText	string		<input type="checkbox"/>	
estimationField_fieldDefaults_id	string		<input type="checkbox"/>	
estimationField_fieldDefaults_isPublic	boolean		<input type="checkbox"/>	
estimationField_fieldType_\$type	string		<input type="checkbox"/>	
estimationField_fieldType_id	string		<input type="checkbox"/>	
estimationField_hasRunningJob	boolean		<input type="checkbox"/>	
estimationField_id	string		<input type="checkbox"/>	
estimationField_isAutoAttached	boolean		<input type="checkbox"/>	
estimationField_isDisplayedInIssueList	boolean		<input type="checkbox"/>	
estimationField_isUpdateable	boolean		<input type="checkbox"/>	
estimationField_localizedName	string		<input type="checkbox"/>	
estimationField_name	string		<input type="checkbox"/>	
estimationField_ordinal	int32		<input type="checkbox"/>	
hideOrphansSwimlane	boolean		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
originalEstimationField_\$type	string		<input type="checkbox"/>	
originalEstimationField_aliases	string		<input type="checkbox"/>	
originalEstimationField_fieldDefaults_\$type	string		<input type="checkbox"/>	
originalEstimationField_fieldDefaults_canBeEmpty	boolean		<input type="checkbox"/>	
originalEstimationField_fieldDefaults_emptyFieldText	string		<input type="checkbox"/>	
originalEstimationField_fieldDefaults_id	string		<input type="checkbox"/>	
originalEstimationField_fieldDefaults_isPublic	boolean		<input type="checkbox"/>	
originalEstimationField_fieldType_\$type	string		<input type="checkbox"/>	
originalEstimationField_fieldType_id	string		<input type="checkbox"/>	
originalEstimationField_hasRunningJob	boolean		<input type="checkbox"/>	
originalEstimationField_id	string		<input type="checkbox"/>	
originalEstimationField_isAutoAttached	boolean		<input type="checkbox"/>	
originalEstimationField_isDisplayedInIssueList	boolean		<input type="checkbox"/>	
originalEstimationField_isUpdateable	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
originalEstimationField_localizedName	string		<input type="checkbox"/>	
originalEstimationField_name	string		<input type="checkbox"/>	
originalEstimationField_ordinal	int32		<input type="checkbox"/>	
orphansAtTheTop	boolean		<input type="checkbox"/>	
owner_\$type	string		<input type="checkbox"/>	
owner_avatarUrl	string		<input type="checkbox"/>	
owner_banned	boolean		<input type="checkbox"/>	
owner_email	string		<input type="checkbox"/>	
owner.FullName	string		<input type="checkbox"/>	
owner_guest	boolean		<input type="checkbox"/>	
owner_id	string		<input type="checkbox"/>	
owner_jabberAccountName	string		<input type="checkbox"/>	
owner_login	string		<input type="checkbox"/>	
owner_online	boolean		<input type="checkbox"/>	
owner_profiles_\$type	string		<input type="checkbox"/>	
owner_profiles_id	string		<input type="checkbox"/>	
owner_ringId	string		<input type="checkbox"/>	
sprintsSettings_\$type	string		<input type="checkbox"/>	
sprintsSettings_cardOnSeveralSprints	boolean		<input type="checkbox"/>	
sprintsSettings_defaultSprint_\$type	string		<input type="checkbox"/>	
sprintsSettings_defaultSprint_archived	boolean		<input type="checkbox"/>	
sprintsSettings_defaultSprint_finish	int64		<input type="checkbox"/>	
sprintsSettings_defaultSprint_goal	string		<input type="checkbox"/>	
sprintsSettings_defaultSprint_id	string		<input type="checkbox"/>	
sprintsSettings_defaultSprint_isDefault	boolean		<input type="checkbox"/>	
sprintsSettings_defaultSprint_name	string		<input type="checkbox"/>	
sprintsSettings_defaultSprint_start	int64		<input type="checkbox"/>	
sprintsSettings_defaultSprint_unresolvedIssuesCount	int32		<input type="checkbox"/>	
sprintsSettings_disableSprints	boolean		<input type="checkbox"/>	
sprintsSettings_explicitQuery	string		<input type="checkbox"/>	
sprintsSettings_hideSubtasksOfCards	boolean		<input type="checkbox"/>	
sprintsSettings_id	string		<input type="checkbox"/>	
sprintsSettings_isExplicit	boolean		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_\$type	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
sprintsSettings_sprintSyncField_aliases	string		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_hasRunningJob	boolean		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_id	string		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_isAutoAttached	boolean		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_isDisplayedInIssueList	boolean		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_isUpdateable	boolean		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_localizedName	string		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_name	string		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_order	int32		<input type="checkbox"/>	
status_\$type	string		<input type="checkbox"/>	
status_hasJobs	boolean		<input type="checkbox"/>	
status_id	string		<input type="checkbox"/>	
status_valid	boolean		<input type="checkbox"/>	
swimlaneSettings_\$type	string		<input type="checkbox"/>	
swimlaneSettings_enabled	boolean		<input type="checkbox"/>	
swimlaneSettings_id	string		<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_teamForProject_archived	boolean		<input type="checkbox"/>	
updateableBy_teamForProject_description	string		<input type="checkbox"/>	
updateableBy_teamForProject_fromEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_iconUrl	string		<input type="checkbox"/>	
updateableBy_teamForProject_replyToEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_shortName	string		<input type="checkbox"/>	
updateableBy_teamForProject_startingNumber	int64		<input type="checkbox"/>	
updateableBy_teamForProject_template	boolean		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updateableByProjectBased	boolean		<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_teamForProject_archive d	boolean		<input type="checkbox"/>	
visibleFor_teamForProject_descript ion	string		<input type="checkbox"/>	
visibleFor_teamForProject_fromEm ail	string		<input type="checkbox"/>	
visibleFor_teamForProject_iconUrl	string		<input type="checkbox"/>	
visibleFor_teamForProject_replyTo Email	string		<input type="checkbox"/>	
visibleFor_teamForProject_shortNa me	string		<input type="checkbox"/>	
visibleFor_teamForProject_starting Number	int64		<input type="checkbox"/>	
visibleFor_teamForProject_template	boolean		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	
visibleForProjectBased	boolean		<input type="checkbox"/>	

5.1.17 Sprints1

Catalog: YouTrack

Schema: Agile

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: /agiles

Insert YouTrack API URL: /agiles

Update YouTrack API URL: /agiles

Delete YouTrack API URL: /agiles

Field Selection Method: NotRequired

Base Path: sprints [*]

Select YouTrack API Operation: get /agiles

Table Function Columns

The columns of the table function `Sprints1` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
agile_\$type	string		<input type="checkbox"/>	
agile_hideOrphansSwimlane	boolean		<input type="checkbox"/>	
agile_id	string		<input type="checkbox"/>	
agile_name	string		<input type="checkbox"/>	
agile_orphansAtTheTop	boolean		<input type="checkbox"/>	
agile_updateableByProjectBased	boolean		<input type="checkbox"/>	
agile_visibleForProjectBased	boolean		<input type="checkbox"/>	
archived	boolean	Archived	<input type="checkbox"/>	
colorCoding_\$type	string		<input type="checkbox"/>	
colorCoding_id	string		<input type="checkbox"/>	
columnSettings_\$type	string		<input type="checkbox"/>	
columnSettings_field_\$type	string		<input type="checkbox"/>	
columnSettings_field_aliases	string		<input type="checkbox"/>	
columnSettings_field_hasRunningJob	boolean		<input type="checkbox"/>	
columnSettings_field_id	string		<input type="checkbox"/>	
columnSettings_field_isAutoAttached	boolean		<input type="checkbox"/>	
columnSettings_field_isDisplayedInIssueList	boolean		<input type="checkbox"/>	
columnSettings_field_isUpdateable	boolean		<input type="checkbox"/>	
columnSettings_field_localizedName	string		<input type="checkbox"/>	
columnSettings_field_name	string		<input type="checkbox"/>	
columnSettings_field_ordinal	int32		<input type="checkbox"/>	
columnSettings_id	string		<input type="checkbox"/>	
currentSprint_\$type	string		<input type="checkbox"/>	
currentSprint_agile_\$type	string		<input type="checkbox"/>	
currentSprint_agile_hideOrphansSwimlane	boolean		<input type="checkbox"/>	
currentSprint_agile_id	string		<input type="checkbox"/>	
currentSprint_agile_name	string		<input type="checkbox"/>	
currentSprint_agile_orphansAtTheTop	boolean		<input type="checkbox"/>	
currentSprint_agile_updateableByProjectBased	boolean		<input type="checkbox"/>	
currentSprint_agile_visibleForProjectBased	boolean		<input type="checkbox"/>	
currentSprint_archived	boolean		<input type="checkbox"/>	
currentSprint_finish	int64		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
currentSprint_goal	string		<input type="checkbox"/>	
currentSprint_id	string		<input type="checkbox"/>	
currentSprint_isDefault	boolean		<input type="checkbox"/>	
currentSprint_name	string		<input type="checkbox"/>	
currentSprint_previousSprint_\$type	string		<input type="checkbox"/>	
currentSprint_previousSprint_archived	boolean		<input type="checkbox"/>	
currentSprint_previousSprint_finished	int64		<input type="checkbox"/>	
currentSprint_previousSprint_goal	string		<input type="checkbox"/>	
currentSprint_previousSprint_id	string		<input type="checkbox"/>	
currentSprint_previousSprint_isDefault	boolean		<input type="checkbox"/>	
currentSprint_previousSprint_name	string		<input type="checkbox"/>	
currentSprint_previousSprint_start	int64		<input type="checkbox"/>	
currentSprint_unresolvedIssuesCount	int32		<input type="checkbox"/>	
currentSprint_start	int64		<input type="checkbox"/>	
currentSprint_unresolvedIssuesCount	int32		<input type="checkbox"/>	
estimationField_\$type	string		<input type="checkbox"/>	
estimationField_aliases	string		<input type="checkbox"/>	
estimationField_fieldDefaults_\$type	string		<input type="checkbox"/>	
estimationField_fieldDefaults_canBeEmpty	boolean		<input type="checkbox"/>	
estimationField_fieldDefaults_emptyFieldText	string		<input type="checkbox"/>	
estimationField_fieldDefaults_id	string		<input type="checkbox"/>	
estimationField_fieldDefaults_isPublic	boolean		<input type="checkbox"/>	
estimationField_fieldType_\$type	string		<input type="checkbox"/>	
estimationField_fieldType_id	string		<input type="checkbox"/>	
estimationField_hasRunningJob	boolean		<input type="checkbox"/>	
estimationField_id	string		<input type="checkbox"/>	
estimationField_isAutoAttached	boolean		<input type="checkbox"/>	
estimationField_isDisplayedInIssueList	boolean		<input type="checkbox"/>	
estimationField_isUpdateable	boolean		<input type="checkbox"/>	
estimationField_localizedName	string		<input type="checkbox"/>	
estimationField_name	string		<input type="checkbox"/>	
estimationField_ordinal	int32		<input type="checkbox"/>	
finish	int64	Finish	<input type="checkbox"/>	
goal	string	Goal	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
hideOrphansSwimlane	boolean		<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
isDefault	boolean	Is Default	<input type="checkbox"/>	
name_1	string		<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
originalEstimationField_\$type	string		<input type="checkbox"/>	
originalEstimationField_aliases	string		<input type="checkbox"/>	
originalEstimationField_fieldDefaults_\$type	string		<input type="checkbox"/>	
originalEstimationField_fieldDefaults_canBeEmpty	boolean		<input type="checkbox"/>	
originalEstimationField_fieldDefaults_emptyFieldText	string		<input type="checkbox"/>	
originalEstimationField_fieldDefaults_id	string		<input type="checkbox"/>	
originalEstimationField_fieldDefaults_isPublic	boolean		<input type="checkbox"/>	
originalEstimationField_fieldType_\$type	string		<input type="checkbox"/>	
originalEstimationField_fieldType_id	string		<input type="checkbox"/>	
originalEstimationField_hasRunningJob	boolean		<input type="checkbox"/>	
originalEstimationField_id	string		<input type="checkbox"/>	
originalEstimationField_isAutoAttached	boolean		<input type="checkbox"/>	
originalEstimationField_isDisplayedInIssueList	boolean		<input type="checkbox"/>	
originalEstimationField_isUpdateable	boolean		<input type="checkbox"/>	
originalEstimationField_localizedName	string		<input type="checkbox"/>	
originalEstimationField_name	string		<input type="checkbox"/>	
originalEstimationField_ordinal	int32		<input type="checkbox"/>	
orphansAtTheTop	boolean		<input type="checkbox"/>	
owner_\$type	string		<input type="checkbox"/>	
owner_avatarUrl	string		<input type="checkbox"/>	
owner_banned	boolean		<input type="checkbox"/>	
owner_email	string		<input type="checkbox"/>	
owner.FullName	string		<input type="checkbox"/>	
owner_guest	boolean		<input type="checkbox"/>	
owner_id	string		<input type="checkbox"/>	
owner_jabberAccountName	string		<input type="checkbox"/>	
owner_login	string		<input type="checkbox"/>	
owner_online	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
ow_ner_profiles_\$type	string		<input type="checkbox"/>	
ow_ner_profiles_id	string		<input type="checkbox"/>	
ow_ner_ringId	string		<input type="checkbox"/>	
previousSprint_\$type	string		<input type="checkbox"/>	
previousSprint_archived	boolean		<input type="checkbox"/>	
previousSprint_finish	int64		<input type="checkbox"/>	
previousSprint_goal	string		<input type="checkbox"/>	
previousSprint_id	string		<input type="checkbox"/>	
previousSprint_isDefault	boolean		<input type="checkbox"/>	
previousSprint_name	string		<input type="checkbox"/>	
previousSprint_start	int64		<input type="checkbox"/>	
previousSprint_unresolvedIssuesCount	int32		<input type="checkbox"/>	
sprintsSettings_\$type	string		<input type="checkbox"/>	
sprintsSettings_cardOnSeveralSprints	boolean		<input type="checkbox"/>	
sprintsSettings_defaultSprint_\$type	string		<input type="checkbox"/>	
sprintsSettings_defaultSprint_archived	boolean		<input type="checkbox"/>	
sprintsSettings_defaultSprint_finish	int64		<input type="checkbox"/>	
sprintsSettings_defaultSprint_goal	string		<input type="checkbox"/>	
sprintsSettings_defaultSprint_id	string		<input type="checkbox"/>	
sprintsSettings_defaultSprint_isDefault	boolean		<input type="checkbox"/>	
sprintsSettings_defaultSprint_name	string		<input type="checkbox"/>	
sprintsSettings_defaultSprint_start	int64		<input type="checkbox"/>	
sprintsSettings_defaultSprint_unresolvedIssuesCount	int32		<input type="checkbox"/>	
sprintsSettings_disableSprints	boolean		<input type="checkbox"/>	
sprintsSettings_explicitQuery	string		<input type="checkbox"/>	
sprintsSettings_hideSubtasksOfCards	boolean		<input type="checkbox"/>	
sprintsSettings_id	string		<input type="checkbox"/>	
sprintsSettings_isExplicit	boolean		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_\$type	string		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_aliases	string		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_hasRunningJob	boolean		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_id	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
sprintsSettings_sprintSyncField_isAutoAttached	boolean		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_isDisplayedInIssueList	boolean		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_isUpdateable	boolean		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_localizedName	string		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_name	string		<input type="checkbox"/>	
sprintsSettings_sprintSyncField_order	int32		<input type="checkbox"/>	
start	int64	Start	<input type="checkbox"/>	
status_\$type	string		<input type="checkbox"/>	
status_hasJobs	boolean		<input type="checkbox"/>	
status_id	string		<input type="checkbox"/>	
status_valid	boolean		<input type="checkbox"/>	
swimlaneSettings_\$type	string		<input type="checkbox"/>	
swimlaneSettings_enabled	boolean		<input type="checkbox"/>	
swimlaneSettings_id	string		<input type="checkbox"/>	
unresolvedIssuesCount	int32	Unresolved Issue Count	<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_teamForProject_archived	boolean		<input type="checkbox"/>	
updateableBy_teamForProject_description	string		<input type="checkbox"/>	
updateableBy_teamForProject_fromEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_iconUrl	string		<input type="checkbox"/>	
updateableBy_teamForProject_replyToEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_shortName	string		<input type="checkbox"/>	
updateableBy_teamForProject_startingNumber	int64		<input type="checkbox"/>	
updateableBy_teamForProject_template	boolean		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
updateableByProjectBased	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_teamForProject_archive d	boolean		<input type="checkbox"/>	
visibleFor_teamForProject_descript ion	string		<input type="checkbox"/>	
visibleFor_teamForProject_fromEm ail	string		<input type="checkbox"/>	
visibleFor_teamForProject_iconUrl	string		<input type="checkbox"/>	
visibleFor_teamForProject_replyTo Email	string		<input type="checkbox"/>	
visibleFor_teamForProject_shortNa me	string		<input type="checkbox"/>	
visibleFor_teamForProject_starting Number	int64		<input type="checkbox"/>	
visibleFor_teamForProject_template	boolean		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	
visibleForProjectBased	boolean		<input type="checkbox"/>	

6 Schema: Articles

6.1 Tables

6.1.1 ArticleById

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /articles/{id}

Insert YouTrack API URL: /articles/{id}

Update YouTrack API URL: /articles/{id}

Delete YouTrack API URL: /articles/{id}

Field Selection Method: NotRequired

Select YouTrack API Operation: get /articles/{id}

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function ArticleById. A value must be provided at all times for required parameters, but optional

parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function ArticleById are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
content_1	string		<input type="checkbox"/>	
content	string	Content	<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
externalArticle_\$type	string		<input type="checkbox"/>	
externalArticle_id	string		<input type="checkbox"/>	
externalArticle_key	string		<input type="checkbox"/>	
externalArticle_name	string		<input type="checkbox"/>	
externalArticle_url	string		<input type="checkbox"/>	
hasChildren	boolean	Has Children	<input type="checkbox"/>	
hasStar	boolean	Has Star	<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
ordinal	int64	Ordinal	<input type="checkbox"/>	
parentArticle_content	string		<input type="checkbox"/>	
parentArticle_created	int64		<input type="checkbox"/>	
parentArticle_externalArticle_\$type	string		<input type="checkbox"/>	
parentArticle_externalArticle_id	string		<input type="checkbox"/>	
parentArticle_externalArticle_key	string		<input type="checkbox"/>	
parentArticle_externalArticle_name	string		<input type="checkbox"/>	
parentArticle_externalArticle_url	string		<input type="checkbox"/>	
parentArticle_hasChildren	boolean		<input type="checkbox"/>	
parentArticle_hasStar	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
parentArticle_idReadable	string		<input type="checkbox"/>	
parentArticle_ordinal	int64		<input type="checkbox"/>	
parentArticle_parentArticle_content	string		<input type="checkbox"/>	
parentArticle_parentArticle_created	int64		<input type="checkbox"/>	
parentArticle_parentArticle_hasChildren	boolean		<input type="checkbox"/>	
parentArticle_parentArticle_hasStar	boolean		<input type="checkbox"/>	
parentArticle_parentArticle_idReadable	string		<input type="checkbox"/>	
parentArticle_parentArticle_ordinal	int64		<input type="checkbox"/>	
parentArticle_parentArticle_summary	string		<input type="checkbox"/>	
parentArticle_parentArticle_updated	int64		<input type="checkbox"/>	
parentArticle_project_archived	boolean		<input type="checkbox"/>	
parentArticle_project_description	string		<input type="checkbox"/>	
parentArticle_project_fromEmail	string		<input type="checkbox"/>	
parentArticle_project_iconUrl	string		<input type="checkbox"/>	
parentArticle_project_replyToEmail	string		<input type="checkbox"/>	
parentArticle_project_shortName	string		<input type="checkbox"/>	
parentArticle_project_startingNumber	int64		<input type="checkbox"/>	
parentArticle_project_template	boolean		<input type="checkbox"/>	
parentArticle_reporter_\$type	string		<input type="checkbox"/>	
parentArticle_reporter_avatarUrl	string		<input type="checkbox"/>	
parentArticle_reporter_banned	boolean		<input type="checkbox"/>	
parentArticle_reporter_email	string		<input type="checkbox"/>	
parentArticle_reporter_fullName	string		<input type="checkbox"/>	
parentArticle_reporter_guest	boolean		<input type="checkbox"/>	
parentArticle_reporter_id	string		<input type="checkbox"/>	
parentArticle_reporter_jabberAccountName	string		<input type="checkbox"/>	
parentArticle_reporter_login	string		<input type="checkbox"/>	
parentArticle_reporter_online	boolean		<input type="checkbox"/>	
parentArticle_reporter_ringId	string		<input type="checkbox"/>	
parentArticle_summary	string		<input type="checkbox"/>	
parentArticle_updated	int64		<input type="checkbox"/>	
parentArticle_updatedBy_\$type	string		<input type="checkbox"/>	
parentArticle_updatedBy_avatarUrl	string		<input type="checkbox"/>	
parentArticle_updatedBy_banned	boolean		<input type="checkbox"/>	
parentArticle_updatedBy_email	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
parentArticle_updatedBy_fullName	string		<input type="checkbox"/>	
parentArticle_updatedBy_guest	boolean		<input type="checkbox"/>	
parentArticle_updatedBy_id	string		<input type="checkbox"/>	
parentArticle_updatedBy_jabberAccountName	string		<input type="checkbox"/>	
parentArticle_updatedBy_login	string		<input type="checkbox"/>	
parentArticle_updatedBy_online	boolean		<input type="checkbox"/>	
parentArticle_updatedBy_ringId	string		<input type="checkbox"/>	
parentArticle_visibility_\$type	string		<input type="checkbox"/>	
parentArticle_visibility_id	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_createdBy_\$type	string		<input type="checkbox"/>	
project_createdBy_avatarUrl	string		<input type="checkbox"/>	
project_createdBy_banned	boolean		<input type="checkbox"/>	
project_createdBy_email	string		<input type="checkbox"/>	
project_createdBy_fullName	string		<input type="checkbox"/>	
project_createdBy_guest	boolean		<input type="checkbox"/>	
project_createdBy_id	string		<input type="checkbox"/>	
project_createdBy_jabberAccountName	string		<input type="checkbox"/>	
project_createdBy_login	string		<input type="checkbox"/>	
project_createdBy_online	boolean		<input type="checkbox"/>	
project_createdBy_ringId	string		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_leader_\$type	string		<input type="checkbox"/>	
project_leader_avatarUrl	string		<input type="checkbox"/>	
project_leader_banned	boolean		<input type="checkbox"/>	
project_leader_email	string		<input type="checkbox"/>	
project_leader_fullName	string		<input type="checkbox"/>	
project_leader_guest	boolean		<input type="checkbox"/>	
project_leader_id	string		<input type="checkbox"/>	
project_leader_jabberAccountName	string		<input type="checkbox"/>	
project_leader_login	string		<input type="checkbox"/>	
project_leader_online	boolean		<input type="checkbox"/>	
project_leader_ringId	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_team_\$type	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
project_team_allUsersGroup	boolean		<input type="checkbox"/>	
project_team_icon	string		<input type="checkbox"/>	
project_team_id	string		<input type="checkbox"/>	
project_team_name	string		<input type="checkbox"/>	
project_team_ringId	string		<input type="checkbox"/>	
project_team_usersCount	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
reporter_\$type_1	string		<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl_1	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned_1	boolean		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email_1	string		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter.FullName_1	string		<input type="checkbox"/>	
reporter.FullName	string		<input type="checkbox"/>	
reporter_guest_1	boolean		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id_1	string		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName_1	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login_1	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online_1	boolean		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_profiles_\$type_1	string		<input type="checkbox"/>	
reporter_profiles_\$type	string		<input type="checkbox"/>	
reporter_profiles_id_1	string		<input type="checkbox"/>	
reporter_profiles_id	string		<input type="checkbox"/>	
reporter_ringId_1	string		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
summary_1	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updatedBy_\$type	string		<input type="checkbox"/>	
updatedBy_avatarUrl	string		<input type="checkbox"/>	
updatedBy_banned	boolean		<input type="checkbox"/>	
updatedBy_email	string		<input type="checkbox"/>	
updatedBy_fullName	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updatedBy_guest	boolean		<input type="checkbox"/>	
updatedBy_id	string		<input type="checkbox"/>	
updatedBy_jabberAccountName	string		<input type="checkbox"/>	
updatedBy_login	string		<input type="checkbox"/>	
updatedBy_online	boolean		<input type="checkbox"/>	
updatedBy_profiles_\$type	string		<input type="checkbox"/>	
updatedBy_profiles_id	string		<input type="checkbox"/>	
updatedBy_ringId	string		<input type="checkbox"/>	
visibility_\$type_1	string		<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id_1	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	

6.1.2 Articles: YouTrack Articles

Catalog: YouTrack

Schema: Articles

Label: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/articles`

Insert YouTrack API URL: `/articles`

Update YouTrack API URL: `/articles`

Delete YouTrack API URL: `/articles`

Field Selection Method: NotRequired

Select YouTrack API Operation: `get /articles`

Table Function Columns

The columns of the table function `Articles` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
content_1	string		<input type="checkbox"/>	
content	string	Content	<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
externalArticle_\$type	string		<input type="checkbox"/>	
externalArticle_id	string		<input type="checkbox"/>	
externalArticle_key	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
externalArticle_name	string		<input type="checkbox"/>	
externalArticle_url	string		<input type="checkbox"/>	
hasChildren	boolean	Has Children	<input type="checkbox"/>	
hasStar	boolean	Has Star	<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
ordinal	int64	Ordinal	<input type="checkbox"/>	
parentArticle_content	string		<input type="checkbox"/>	
parentArticle_created	int64		<input type="checkbox"/>	
parentArticle_externalArticle_\$type	string		<input type="checkbox"/>	
parentArticle_externalArticle_id	string		<input type="checkbox"/>	
parentArticle_externalArticle_key	string		<input type="checkbox"/>	
parentArticle_externalArticle_name	string		<input type="checkbox"/>	
parentArticle_externalArticle_url	string		<input type="checkbox"/>	
parentArticle_hasChildren	boolean		<input type="checkbox"/>	
parentArticle_hasStar	boolean		<input type="checkbox"/>	
parentArticle_idReadable	string		<input type="checkbox"/>	
parentArticle_ordinal	int64		<input type="checkbox"/>	
parentArticle_parentArticle_content	string		<input type="checkbox"/>	
parentArticle_parentArticle_created	int64		<input type="checkbox"/>	
parentArticle_parentArticle_hasChildren	boolean		<input type="checkbox"/>	
parentArticle_parentArticle_hasStar	boolean		<input type="checkbox"/>	
parentArticle_parentArticle_idReadable	string		<input type="checkbox"/>	
parentArticle_parentArticle_ordinal	int64		<input type="checkbox"/>	
parentArticle_parentArticle_summary	string		<input type="checkbox"/>	
parentArticle_parentArticle_updated	int64		<input type="checkbox"/>	
parentArticle_project_archived	boolean		<input type="checkbox"/>	
parentArticle_project_description	string		<input type="checkbox"/>	
parentArticle_project_fromEmail	string		<input type="checkbox"/>	
parentArticle_project_iconUrl	string		<input type="checkbox"/>	
parentArticle_project_replyToEmail	string		<input type="checkbox"/>	
parentArticle_project_shortName	string		<input type="checkbox"/>	
parentArticle_project_startingNumber	int64		<input type="checkbox"/>	
parentArticle_project_template	boolean		<input type="checkbox"/>	
parentArticle_reporter_\$type	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
parentArticle_reporter_avatarUrl	string		<input type="checkbox"/>	
parentArticle_reporter_banned	boolean		<input type="checkbox"/>	
parentArticle_reporter_email	string		<input type="checkbox"/>	
parentArticle_reporter_fullName	string		<input type="checkbox"/>	
parentArticle_reporter_guest	boolean		<input type="checkbox"/>	
parentArticle_reporter_id	string		<input type="checkbox"/>	
parentArticle_reporter_jabberAccountName	string		<input type="checkbox"/>	
parentArticle_reporter_login	string		<input type="checkbox"/>	
parentArticle_reporter_online	boolean		<input type="checkbox"/>	
parentArticle_reporter_ringId	string		<input type="checkbox"/>	
parentArticle_summary	string		<input type="checkbox"/>	
parentArticle_updated	int64		<input type="checkbox"/>	
parentArticle_updatedBy_\$type	string		<input type="checkbox"/>	
parentArticle_updatedBy_avatarUrl	string		<input type="checkbox"/>	
parentArticle_updatedBy_banned	boolean		<input type="checkbox"/>	
parentArticle_updatedBy_email	string		<input type="checkbox"/>	
parentArticle_updatedBy_fullName	string		<input type="checkbox"/>	
parentArticle_updatedBy_guest	boolean		<input type="checkbox"/>	
parentArticle_updatedBy_id	string		<input type="checkbox"/>	
parentArticle_updatedBy_jabberAccountName	string		<input type="checkbox"/>	
parentArticle_updatedBy_login	string		<input type="checkbox"/>	
parentArticle_updatedBy_online	boolean		<input type="checkbox"/>	
parentArticle_updatedBy_ringId	string		<input type="checkbox"/>	
parentArticle_visibility_\$type	string		<input type="checkbox"/>	
parentArticle_visibility_id	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_createdBy_\$type	string		<input type="checkbox"/>	
project_createdBy_avatarUrl	string		<input type="checkbox"/>	
project_createdBy_banned	boolean		<input type="checkbox"/>	
project_createdBy_email	string		<input type="checkbox"/>	
project_createdBy_fullName	string		<input type="checkbox"/>	
project_createdBy_guest	boolean		<input type="checkbox"/>	
project_createdBy_id	string		<input type="checkbox"/>	
project_createdBy_jabberAccountName	string		<input type="checkbox"/>	
project_createdBy_login	string		<input type="checkbox"/>	
project_createdBy_online	boolean		<input type="checkbox"/>	
project_createdBy_ringId	string		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
project_iconUrl	string		<input type="checkbox"/>	
project_leader_\$type	string		<input type="checkbox"/>	
project_leader_avatarUrl	string		<input type="checkbox"/>	
project_leader_banned	boolean		<input type="checkbox"/>	
project_leader_email	string		<input type="checkbox"/>	
project_leader.FullName	string		<input type="checkbox"/>	
project_leader_guest	boolean		<input type="checkbox"/>	
project_leader_id	string		<input type="checkbox"/>	
project_leader_jabberAccountName	string		<input type="checkbox"/>	
project_leader_login	string		<input type="checkbox"/>	
project_leader_online	boolean		<input type="checkbox"/>	
project_leader_ringId	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_team_\$type	string		<input type="checkbox"/>	
project_team_allUsersGroup	boolean		<input type="checkbox"/>	
project_team_icon	string		<input type="checkbox"/>	
project_team_id	string		<input type="checkbox"/>	
project_team_name	string		<input type="checkbox"/>	
project_team_ringId	string		<input type="checkbox"/>	
project_team_usersCount	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
reporter_\$type_1	string		<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl_1	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned_1	boolean		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email_1	string		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter.FullName_1	string		<input type="checkbox"/>	
reporter.FullName	string		<input type="checkbox"/>	
reporter.guest_1	boolean		<input type="checkbox"/>	
reporter.guest	boolean		<input type="checkbox"/>	
reporter.id_1	string		<input type="checkbox"/>	
reporter.id	string		<input type="checkbox"/>	
reporter.jabberAccountName_1	string		<input type="checkbox"/>	
reporter.jabberAccountName	string		<input type="checkbox"/>	
reporter.login_1	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
reporter_login	string		<input type="checkbox"/>	
reporter_online_1	boolean		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_profiles_\$type_1	string		<input type="checkbox"/>	
reporter_profiles_\$type	string		<input type="checkbox"/>	
reporter_profiles_id_1	string		<input type="checkbox"/>	
reporter_profiles_id	string		<input type="checkbox"/>	
reporter_ringId_1	string		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
summary_1	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updatedBy_\$type	string		<input type="checkbox"/>	
updatedBy_avatarUrl	string		<input type="checkbox"/>	
updatedBy_banned	boolean		<input type="checkbox"/>	
updatedBy_email	string		<input type="checkbox"/>	
updatedBy.FullName	string		<input type="checkbox"/>	
updatedBy_guest	boolean		<input type="checkbox"/>	
updatedBy_id	string		<input type="checkbox"/>	
updatedBy_jabberAccountName	string		<input type="checkbox"/>	
updatedBy_login	string		<input type="checkbox"/>	
updatedBy_online	boolean		<input type="checkbox"/>	
updatedBy_profiles_\$type	string		<input type="checkbox"/>	
updatedBy_profiles_id	string		<input type="checkbox"/>	
updatedBy_ringId	string		<input type="checkbox"/>	
visibility_\$type_1	string		<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id_1	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	

6.1.3 AttachmentById

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /articles/{id}

Insert YouTrack API URL: /articles/{id}

Update YouTrack API URL: /articles/{id}

Delete YouTrack API URL: /articles/{id}

Field Selection Method: NotRequired

Base Path: attachments [*]

Select YouTrack API Operation: get /articles/{id}

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function AttachmentById. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function AttachmentById are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
article_\$type_1	string		<input type="checkbox"/>	
article_\$type	string		<input type="checkbox"/>	
article_content_1	string		<input type="checkbox"/>	
article_content	string		<input type="checkbox"/>	
article_id_1	string		<input type="checkbox"/>	
article_id	string		<input type="checkbox"/>	
article_summary_1	string		<input type="checkbox"/>	
article_summary	string		<input type="checkbox"/>	
author_\$type_1	string		<input type="checkbox"/>	
author_\$type	string		<input type="checkbox"/>	
author_avatarUrl_1	string		<input type="checkbox"/>	
author_avatarUrl	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
author_banned_1	boolean		<input type="checkbox"/>	
author_banned	boolean		<input type="checkbox"/>	
author_email_1	string		<input type="checkbox"/>	
author_email	string		<input type="checkbox"/>	
author_fullName_1	string		<input type="checkbox"/>	
author_fullName	string		<input type="checkbox"/>	
author_guest_1	boolean		<input type="checkbox"/>	
author_guest	boolean		<input type="checkbox"/>	
author_id_1	string		<input type="checkbox"/>	
author_id	string		<input type="checkbox"/>	
author_jabberAccountName_1	string		<input type="checkbox"/>	
author_jabberAccountName	string		<input type="checkbox"/>	
author_login_1	string		<input type="checkbox"/>	
author_login	string		<input type="checkbox"/>	
author_online_1	boolean		<input type="checkbox"/>	
author_online	boolean		<input type="checkbox"/>	
author_ringId_1	string		<input type="checkbox"/>	
author_ringId	string		<input type="checkbox"/>	
base64Content_1	string		<input type="checkbox"/>	
base64Content	string	Base64 Content	<input type="checkbox"/>	
charset_1	string		<input type="checkbox"/>	
charset	string	Charset	<input type="checkbox"/>	
comment_\$type_1	string		<input type="checkbox"/>	
comment_\$type	string		<input type="checkbox"/>	
comment_created_1	int64		<input type="checkbox"/>	
comment_created	int64		<input type="checkbox"/>	
comment_id_1	string		<input type="checkbox"/>	
comment_id	string		<input type="checkbox"/>	
comment_text_1	string		<input type="checkbox"/>	
comment_text	string		<input type="checkbox"/>	
comment_updated_1	int64		<input type="checkbox"/>	
comment_updated	int64		<input type="checkbox"/>	
content_1	string		<input type="checkbox"/>	
content	string	Content	<input type="checkbox"/>	
created_1	int64		<input type="checkbox"/>	
created_2	int64		<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
draft_1	boolean		<input type="checkbox"/>	
draft	boolean	Draft	<input type="checkbox"/>	
extension_1	string		<input type="checkbox"/>	
extension	string	Extension	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
externalArticle_\$type	string		<input type="checkbox"/>	
externalArticle_id	string		<input type="checkbox"/>	
externalArticle_key	string		<input type="checkbox"/>	
externalArticle_name	string		<input type="checkbox"/>	
externalArticle_url	string		<input type="checkbox"/>	
hasChildren	boolean	Has Children	<input type="checkbox"/>	
hasStar	boolean	Has Star	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
metaData_1	string		<input type="checkbox"/>	
metaData	string	Metadata	<input type="checkbox"/>	
mimeType_1	string		<input type="checkbox"/>	
mimeType	string	MIME-type	<input type="checkbox"/>	
name_1	string		<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
ordinal	int64	Ordinal	<input type="checkbox"/>	
parentArticle_content	string		<input type="checkbox"/>	
parentArticle_created	int64		<input type="checkbox"/>	
parentArticle_externalArticle_\$type	string		<input type="checkbox"/>	
parentArticle_externalArticle_id	string		<input type="checkbox"/>	
parentArticle_externalArticle_key	string		<input type="checkbox"/>	
parentArticle_externalArticle_name	string		<input type="checkbox"/>	
parentArticle_externalArticle_url	string		<input type="checkbox"/>	
parentArticle_hasChildren	boolean		<input type="checkbox"/>	
parentArticle_hasStar	boolean		<input type="checkbox"/>	
parentArticle_idReadable	string		<input type="checkbox"/>	
parentArticle_ordinal	int64		<input type="checkbox"/>	
parentArticle_parentArticle_content	string		<input type="checkbox"/>	
parentArticle_parentArticle_created	int64		<input type="checkbox"/>	
parentArticle_parentArticle_hasChildren	boolean		<input type="checkbox"/>	
parentArticle_parentArticle_hasStar	boolean		<input type="checkbox"/>	
parentArticle_parentArticle_idReadable	string		<input type="checkbox"/>	
parentArticle_parentArticle_ordinal	int64		<input type="checkbox"/>	
parentArticle_parentArticle_summary	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
parentArticle_parentArticle_update_d	int64		<input type="checkbox"/>	
parentArticle_project_archived	boolean		<input type="checkbox"/>	
parentArticle_project_description	string		<input type="checkbox"/>	
parentArticle_project_fromEmail	string		<input type="checkbox"/>	
parentArticle_project_iconUrl	string		<input type="checkbox"/>	
parentArticle_project_replyToEmail	string		<input type="checkbox"/>	
parentArticle_project_shortName	string		<input type="checkbox"/>	
parentArticle_project_startingNumber	int64		<input type="checkbox"/>	
parentArticle_project_template	boolean		<input type="checkbox"/>	
parentArticle_reporter_\$type	string		<input type="checkbox"/>	
parentArticle_reporter_avatarUrl	string		<input type="checkbox"/>	
parentArticle_reporter_banned	boolean		<input type="checkbox"/>	
parentArticle_reporter_email	string		<input type="checkbox"/>	
parentArticle_reporter_fullName	string		<input type="checkbox"/>	
parentArticle_reporter_guest	boolean		<input type="checkbox"/>	
parentArticle_reporter_id	string		<input type="checkbox"/>	
parentArticle_reporter_jabberAccountName	string		<input type="checkbox"/>	
parentArticle_reporter_login	string		<input type="checkbox"/>	
parentArticle_reporter_online	boolean		<input type="checkbox"/>	
parentArticle_reporter_ringId	string		<input type="checkbox"/>	
parentArticle_summary	string		<input type="checkbox"/>	
parentArticle_updated	int64		<input type="checkbox"/>	
parentArticle_updatedBy_\$type	string		<input type="checkbox"/>	
parentArticle_updatedBy_avatarUrl	string		<input type="checkbox"/>	
parentArticle_updatedBy_banned	boolean		<input type="checkbox"/>	
parentArticle_updatedBy_email	string		<input type="checkbox"/>	
parentArticle_updatedBy_fullName	string		<input type="checkbox"/>	
parentArticle_updatedBy_guest	boolean		<input type="checkbox"/>	
parentArticle_updatedBy_id	string		<input type="checkbox"/>	
parentArticle_updatedBy_jabberAccountName	string		<input type="checkbox"/>	
parentArticle_updatedBy_login	string		<input type="checkbox"/>	
parentArticle_updatedBy_online	boolean		<input type="checkbox"/>	
parentArticle_updatedBy_ringId	string		<input type="checkbox"/>	
parentArticle_visibility_\$type	string		<input type="checkbox"/>	
parentArticle_visibility_id	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_createdBy_\$type	string		<input type="checkbox"/>	
project_createdBy_avatarUrl	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
project_createdBy_banned	boolean		<input type="checkbox"/>	
project_createdBy_email	string		<input type="checkbox"/>	
project_createdBy_fullName	string		<input type="checkbox"/>	
project_createdBy_guest	boolean		<input type="checkbox"/>	
project_createdBy_id	string		<input type="checkbox"/>	
project_createdBy_jabberAccountName	string		<input type="checkbox"/>	
project_createdBy_login	string		<input type="checkbox"/>	
project_createdBy_online	boolean		<input type="checkbox"/>	
project_createdBy_ringId	string		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_leader_\$type	string		<input type="checkbox"/>	
project_leader_avatarUrl	string		<input type="checkbox"/>	
project_leader_banned	boolean		<input type="checkbox"/>	
project_leader_email	string		<input type="checkbox"/>	
project_leader_fullName	string		<input type="checkbox"/>	
project_leader_guest	boolean		<input type="checkbox"/>	
project_leader_id	string		<input type="checkbox"/>	
project_leader_jabberAccountName	string		<input type="checkbox"/>	
project_leader_login	string		<input type="checkbox"/>	
project_leader_online	boolean		<input type="checkbox"/>	
project_leader_ringId	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_team_\$type	string		<input type="checkbox"/>	
project_team_allUsersGroup	boolean		<input type="checkbox"/>	
project_team_icon	string		<input type="checkbox"/>	
project_team_id	string		<input type="checkbox"/>	
project_team_name	string		<input type="checkbox"/>	
project_team_ringId	string		<input type="checkbox"/>	
project_team_usersCount	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
removed_1	boolean		<input type="checkbox"/>	
removed	boolean	Removed	<input type="checkbox"/>	
reporter_\$type_1	string		<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl_1	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned_1	boolean		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email_1	string		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter.FullName_1	string		<input type="checkbox"/>	
reporter.FullName	string		<input type="checkbox"/>	
reporter_guest_1	boolean		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id_1	string		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName_1	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login_1	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online_1	boolean		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_profiles_\$type_1	string		<input type="checkbox"/>	
reporter_profiles_\$type	string		<input type="checkbox"/>	
reporter_profiles_id_1	string		<input type="checkbox"/>	
reporter_profiles_id	string		<input type="checkbox"/>	
reporter_ringId_1	string		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
size_1	int64		<input type="checkbox"/>	
size	int64	Size	<input type="checkbox"/>	
summary_1	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
updated_1	int64		<input type="checkbox"/>	
updated_2	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updatedBy_\$type	string		<input type="checkbox"/>	
updatedBy_avatarUrl	string		<input type="checkbox"/>	
updatedBy_banned	boolean		<input type="checkbox"/>	
updatedBy_email	string		<input type="checkbox"/>	
updatedBy_fullName	string		<input type="checkbox"/>	
updatedBy_guest	boolean		<input type="checkbox"/>	
updatedBy_id	string		<input type="checkbox"/>	
updatedBy_jabberAccountName	string		<input type="checkbox"/>	
updatedBy_login	string		<input type="checkbox"/>	
updatedBy_online	boolean		<input type="checkbox"/>	
updatedBy_profiles_\$type	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updatedBy_profiles_id	string		<input type="checkbox"/>	
updatedBy_ringId	string		<input type="checkbox"/>	
url_1	string		<input type="checkbox"/>	
url	string	URL	<input type="checkbox"/>	
visibility_\$type_1	string		<input type="checkbox"/>	
visibility_\$type_2	string		<input type="checkbox"/>	
visibility_\$type_3	string		<input type="checkbox"/>	
visibility_type	string		<input type="checkbox"/>	
visibility_id_1	string		<input type="checkbox"/>	
visibility_id_2	string		<input type="checkbox"/>	
visibility_id_3	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	

6.1.4 Attachments

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /articles

Insert YouTrack API URL: /articles

Update YouTrack API URL: /articles

Delete YouTrack API URL: /articles

Field Selection Method: NotRequired

Base Path: attachments [*]

Select YouTrack API Operation: get /articles

Table Function Columns

The columns of the table function `Attachments` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
article_\$type_1	string		<input type="checkbox"/>	
article_\$type	string		<input type="checkbox"/>	
article_content_1	string		<input type="checkbox"/>	
article_content	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
article_id_1	string		<input type="checkbox"/>	
article_id	string		<input type="checkbox"/>	
article_summary_1	string		<input type="checkbox"/>	
article_summary	string		<input type="checkbox"/>	
author_\$type_1	string		<input type="checkbox"/>	
author_\$type	string		<input type="checkbox"/>	
author_avatarUrl_1	string		<input type="checkbox"/>	
author_avatarUrl	string		<input type="checkbox"/>	
author_banned_1	boolean		<input type="checkbox"/>	
author_banned	boolean		<input type="checkbox"/>	
author_email_1	string		<input type="checkbox"/>	
author_email	string		<input type="checkbox"/>	
author.FullName_1	string		<input type="checkbox"/>	
author.FullName	string		<input type="checkbox"/>	
author_guest_1	boolean		<input type="checkbox"/>	
author_guest	boolean		<input type="checkbox"/>	
author_id_1	string		<input type="checkbox"/>	
author_id	string		<input type="checkbox"/>	
author_jabberAccountName_1	string		<input type="checkbox"/>	
author_jabberAccountName	string		<input type="checkbox"/>	
author_login_1	string		<input type="checkbox"/>	
author_login	string		<input type="checkbox"/>	
author_online_1	boolean		<input type="checkbox"/>	
author_online	boolean		<input type="checkbox"/>	
author_ringId_1	string		<input type="checkbox"/>	
author_ringId	string		<input type="checkbox"/>	
base64Content_1	string		<input type="checkbox"/>	
base64Content	string	Base64 Content	<input type="checkbox"/>	
charset_1	string		<input type="checkbox"/>	
charset	string	Charset	<input type="checkbox"/>	
comment_\$type_1	string		<input type="checkbox"/>	
comment_\$type	string		<input type="checkbox"/>	
comment_created_1	int64		<input type="checkbox"/>	
comment_created	int64		<input type="checkbox"/>	
comment_id_1	string		<input type="checkbox"/>	
comment_id	string		<input type="checkbox"/>	
comment_text_1	string		<input type="checkbox"/>	
comment_text	string		<input type="checkbox"/>	
comment_updated_1	int64		<input type="checkbox"/>	
comment_updated	int64		<input type="checkbox"/>	
content_1	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
content	string	Content	<input type="checkbox"/>	
created_1	int64		<input type="checkbox"/>	
created_2	int64		<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
draft_1	boolean		<input type="checkbox"/>	
draft	boolean	Draft	<input type="checkbox"/>	
extension_1	string		<input type="checkbox"/>	
extension	string	Extension	<input type="checkbox"/>	
externalArticle_\$type	string		<input type="checkbox"/>	
externalArticle_id	string		<input type="checkbox"/>	
externalArticle_key	string		<input type="checkbox"/>	
externalArticle_name	string		<input type="checkbox"/>	
externalArticle_url	string		<input type="checkbox"/>	
hasChildren	boolean	Has Children	<input type="checkbox"/>	
hasStar	boolean	Has Star	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
metaData_1	string		<input type="checkbox"/>	
metaData	string	Metadata	<input type="checkbox"/>	
mimeType_1	string		<input type="checkbox"/>	
contentType	string	MIME-type	<input type="checkbox"/>	
name_1	string		<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
ordinal	int64	Ordinal	<input type="checkbox"/>	
parentArticle_content	string		<input type="checkbox"/>	
parentArticle_created	int64		<input type="checkbox"/>	
parentArticle_externalArticle_\$type	string		<input type="checkbox"/>	
parentArticle_externalArticle_id	string		<input type="checkbox"/>	
parentArticle_externalArticle_key	string		<input type="checkbox"/>	
parentArticle_externalArticle_name	string		<input type="checkbox"/>	
parentArticle_externalArticle_url	string		<input type="checkbox"/>	
parentArticle_hasChildren	boolean		<input type="checkbox"/>	
parentArticle_hasStar	boolean		<input type="checkbox"/>	
parentArticle_idReadable	string		<input type="checkbox"/>	
parentArticle_ordinal	int64		<input type="checkbox"/>	
parentArticle_parentArticle_content	string		<input type="checkbox"/>	
parentArticle_parentArticle_created	int64		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
parentArticle_parentArticle_hasChildren	boolean		<input type="checkbox"/>	
parentArticle_parentArticle_hasStar	boolean		<input type="checkbox"/>	
parentArticle_parentArticle_idReadable	string		<input type="checkbox"/>	
parentArticle_parentArticle_ordinal	int64		<input type="checkbox"/>	
parentArticle_parentArticle_summary	string		<input type="checkbox"/>	
parentArticle_parentArticle_updated	int64		<input type="checkbox"/>	
parentArticle_project_archived	boolean		<input type="checkbox"/>	
parentArticle_project_description	string		<input type="checkbox"/>	
parentArticle_project_fromEmail	string		<input type="checkbox"/>	
parentArticle_project_iconUrl	string		<input type="checkbox"/>	
parentArticle_project_replyToEmail	string		<input type="checkbox"/>	
parentArticle_project_shortName	string		<input type="checkbox"/>	
parentArticle_project_startingNumber	int64		<input type="checkbox"/>	
parentArticle_project_template	boolean		<input type="checkbox"/>	
parentArticle_reporter_\$type	string		<input type="checkbox"/>	
parentArticle_reporter_avatarUrl	string		<input type="checkbox"/>	
parentArticle_reporter_banned	boolean		<input type="checkbox"/>	
parentArticle_reporter_email	string		<input type="checkbox"/>	
parentArticle_reporter_fullName	string		<input type="checkbox"/>	
parentArticle_reporter_guest	boolean		<input type="checkbox"/>	
parentArticle_reporter_id	string		<input type="checkbox"/>	
parentArticle_reporter_jabberAccountName	string		<input type="checkbox"/>	
parentArticle_reporter_login	string		<input type="checkbox"/>	
parentArticle_reporter_online	boolean		<input type="checkbox"/>	
parentArticle_reporter_ringId	string		<input type="checkbox"/>	
parentArticle_summary	string		<input type="checkbox"/>	
parentArticle_updated	int64		<input type="checkbox"/>	
parentArticle_updatedBy_\$type	string		<input type="checkbox"/>	
parentArticle_updatedBy_avatarUrl	string		<input type="checkbox"/>	
parentArticle_updatedBy_banned	boolean		<input type="checkbox"/>	
parentArticle_updatedBy_email	string		<input type="checkbox"/>	
parentArticle_updatedBy_fullName	string		<input type="checkbox"/>	
parentArticle_updatedBy_guest	boolean		<input type="checkbox"/>	
parentArticle_updatedBy_id	string		<input type="checkbox"/>	
parentArticle_updatedBy_jabberAccountName	string		<input type="checkbox"/>	
parentArticle_updatedBy_login	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
parentArticle_updatedBy_online	boolean		<input type="checkbox"/>	
parentArticle_updatedBy_ringId	string		<input type="checkbox"/>	
parentArticle_visibility_\$type	string		<input type="checkbox"/>	
parentArticle_visibility_id	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_createdBy_\$type	string		<input type="checkbox"/>	
project_createdBy_avatarUrl	string		<input type="checkbox"/>	
project_createdBy_banned	boolean		<input type="checkbox"/>	
project_createdBy_email	string		<input type="checkbox"/>	
project_createdBy.FullName	string		<input type="checkbox"/>	
project_createdBy_guest	boolean		<input type="checkbox"/>	
project_createdBy_id	string		<input type="checkbox"/>	
project_createdBy_jabberAccountName	string		<input type="checkbox"/>	
project_createdBy_login	string		<input type="checkbox"/>	
project_createdBy_online	boolean		<input type="checkbox"/>	
project_createdBy_ringId	string		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_leader_\$type	string		<input type="checkbox"/>	
project_leader_avatarUrl	string		<input type="checkbox"/>	
project_leader_banned	boolean		<input type="checkbox"/>	
project_leader_email	string		<input type="checkbox"/>	
project_leader.FullName	string		<input type="checkbox"/>	
project_leader_guest	boolean		<input type="checkbox"/>	
project_leader_id	string		<input type="checkbox"/>	
project_leader_jabberAccountName	string		<input type="checkbox"/>	
project_leader_login	string		<input type="checkbox"/>	
project_leader_online	boolean		<input type="checkbox"/>	
project_leader_ringId	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_team_\$type	string		<input type="checkbox"/>	
project_team_allUsersGroup	boolean		<input type="checkbox"/>	
project_team_icon	string		<input type="checkbox"/>	
project_team_id	string		<input type="checkbox"/>	
project_team_name	string		<input type="checkbox"/>	
project_team_ringId	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
project_team_usersCount	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
removed_1	boolean		<input type="checkbox"/>	
removed	boolean	Removed	<input type="checkbox"/>	
reporter_\$type_1	string		<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl_1	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned_1	boolean		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email_1	string		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter_fullName_1	string		<input type="checkbox"/>	
reporter_fullName	string		<input type="checkbox"/>	
reporter_guest_1	boolean		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id_1	string		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName_1	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login_1	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online_1	boolean		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_profiles_\$type_1	string		<input type="checkbox"/>	
reporter_profiles_\$type	string		<input type="checkbox"/>	
reporter_profiles_id_1	string		<input type="checkbox"/>	
reporter_profiles_id	string		<input type="checkbox"/>	
reporter_ringId_1	string		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
size_1	int64		<input type="checkbox"/>	
size	int64	Size	<input type="checkbox"/>	
summary_1	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
updated_1	int64		<input type="checkbox"/>	
updated_2	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updatedBy_\$type	string		<input type="checkbox"/>	
updatedBy_avatarUrl	string		<input type="checkbox"/>	
updatedBy_banned	boolean		<input type="checkbox"/>	
updatedBy_email	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updatedBy_fullName	string		<input type="checkbox"/>	
updatedBy_guest	boolean		<input type="checkbox"/>	
updatedBy_id	string		<input type="checkbox"/>	
updatedBy_jabberAccountName	string		<input type="checkbox"/>	
updatedBy_login	string		<input type="checkbox"/>	
updatedBy_online	boolean		<input type="checkbox"/>	
updatedBy_profiles_\$type	string		<input type="checkbox"/>	
updatedBy_profiles_id	string		<input type="checkbox"/>	
updatedBy_ringId	string		<input type="checkbox"/>	
url_1	string		<input type="checkbox"/>	
url	string	URL	<input type="checkbox"/>	
visibility_\$type_1	string		<input type="checkbox"/>	
visibility_\$type_2	string		<input type="checkbox"/>	
visibility_\$type_3	string		<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id_1	string		<input type="checkbox"/>	
visibility_id_2	string		<input type="checkbox"/>	
visibility_id_3	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	

6.1.5 ChildArticleAttachments

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/articles`

Insert YouTrack API URL: `/articles`

Update YouTrack API URL: `/articles`

Delete YouTrack API URL: `/articles`

Field Selection Method: `NotRequired`

Base Path: `childArticles [*] .attachments [*]`

Select YouTrack API Operation: `get /articles`

Table Function Columns

The columns of the table function `ChildArticleAttachments` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type_3	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
base64Content_1	string		<input type="checkbox"/>	
base64Content	string	Base64 Content	<input type="checkbox"/>	
charset_1	string		<input type="checkbox"/>	
charset	string	Charset	<input type="checkbox"/>	
content_1	string		<input type="checkbox"/>	
content_2	string		<input type="checkbox"/>	
content_3	string		<input type="checkbox"/>	
content	string	Content	<input type="checkbox"/>	
created_1	int64		<input type="checkbox"/>	
created_2	int64		<input type="checkbox"/>	
created_3	int64		<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
draft_1	boolean		<input type="checkbox"/>	
draft	boolean	Draft	<input type="checkbox"/>	
extension_1	string		<input type="checkbox"/>	
extension	string	Extension	<input type="checkbox"/>	
externalArticle_\$type_1	string		<input type="checkbox"/>	
externalArticle_\$type	string		<input type="checkbox"/>	
externalArticle_id_1	string		<input type="checkbox"/>	
externalArticle_id	string		<input type="checkbox"/>	
externalArticle_key_1	string		<input type="checkbox"/>	
externalArticle_key	string		<input type="checkbox"/>	
externalArticle_name_1	string		<input type="checkbox"/>	
externalArticle_name	string		<input type="checkbox"/>	
externalArticle_url_1	string		<input type="checkbox"/>	
externalArticle_url	string		<input type="checkbox"/>	
hasChildren_1	boolean		<input type="checkbox"/>	
hasChildren	boolean	Has Children	<input type="checkbox"/>	
hasStar_1	boolean		<input type="checkbox"/>	
hasStar	boolean	Has Star	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id_3	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable_1	string		<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
metaData_1	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
metaData	string	Metadata	<input type="checkbox"/>	
mimeType_1	string		<input type="checkbox"/>	
contentType	string	MIME-type	<input type="checkbox"/>	
name_1	string		<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
ordinal_1	int64		<input type="checkbox"/>	
ordinal	int64	Ordinal	<input type="checkbox"/>	
parentArticle_\$type	string		<input type="checkbox"/>	
parentArticle_base64Content	string		<input type="checkbox"/>	
parentArticle_charset	string		<input type="checkbox"/>	
parentArticle_content_1	string		<input type="checkbox"/>	
parentArticle_content	string		<input type="checkbox"/>	
parentArticle_created_1	int64		<input type="checkbox"/>	
parentArticle_created_2	int64		<input type="checkbox"/>	
parentArticle_created	int64		<input type="checkbox"/>	
parentArticle_draft	boolean		<input type="checkbox"/>	
parentArticle_extension	string		<input type="checkbox"/>	
parentArticle_externalArticle_\$type	string		<input type="checkbox"/>	
parentArticle_externalArticle_id	string		<input type="checkbox"/>	
parentArticle_externalArticle_key	string		<input type="checkbox"/>	
parentArticle_externalArticle_name	string		<input type="checkbox"/>	
parentArticle_externalArticle_url	string		<input type="checkbox"/>	
parentArticle_hasChildren_1	boolean		<input type="checkbox"/>	
parentArticle_hasChildren	boolean		<input type="checkbox"/>	
parentArticle_hasStar_1	boolean		<input type="checkbox"/>	
parentArticle_hasStar	boolean		<input type="checkbox"/>	
parentArticle_id	string		<input type="checkbox"/>	
parentArticle_idReadable_1	string		<input type="checkbox"/>	
parentArticle_idReadable	string		<input type="checkbox"/>	
parentArticle_metaData	string		<input type="checkbox"/>	
parentArticle_mimeType	string		<input type="checkbox"/>	
parentArticle_name	string		<input type="checkbox"/>	
parentArticle_ordinal_1	int64		<input type="checkbox"/>	
parentArticle_ordinal	int64		<input type="checkbox"/>	
parentArticle_parentArticle_content	string		<input type="checkbox"/>	
parentArticle_parentArticle_created	int64		<input type="checkbox"/>	
parentArticle_parentArticle_hasChildren	boolean		<input type="checkbox"/>	
parentArticle_parentArticle_hasStar	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
parentArticle_parentArticle_idReadable	string		<input type="checkbox"/>	
parentArticle_parentArticle_ordinal	int64		<input type="checkbox"/>	
parentArticle_parentArticle_summary	string		<input type="checkbox"/>	
parentArticle_parentArticle_updated	int64		<input type="checkbox"/>	
parentArticle_project_archived	boolean		<input type="checkbox"/>	
parentArticle_project_description	string		<input type="checkbox"/>	
parentArticle_project_fromEmail	string		<input type="checkbox"/>	
parentArticle_project_iconUrl	string		<input type="checkbox"/>	
parentArticle_project_replyToEmail	string		<input type="checkbox"/>	
parentArticle_project_shortName	string		<input type="checkbox"/>	
parentArticle_project_startingNumber	int64		<input type="checkbox"/>	
parentArticle_project_template	boolean		<input type="checkbox"/>	
parentArticle_removed	boolean		<input type="checkbox"/>	
parentArticle_reporter_\$type	string		<input type="checkbox"/>	
parentArticle_reporter_avatarUrl	string		<input type="checkbox"/>	
parentArticle_reporter_banned	boolean		<input type="checkbox"/>	
parentArticle_reporter_email	string		<input type="checkbox"/>	
parentArticle_reporter_fullName	string		<input type="checkbox"/>	
parentArticle_reporter_guest	boolean		<input type="checkbox"/>	
parentArticle_reporter_id	string		<input type="checkbox"/>	
parentArticle_reporter_jabberAccountName	string		<input type="checkbox"/>	
parentArticle_reporter_login	string		<input type="checkbox"/>	
parentArticle_reporter_online	boolean		<input type="checkbox"/>	
parentArticle_reporter_ringId	string		<input type="checkbox"/>	
parentArticle_size	int64		<input type="checkbox"/>	
parentArticle_summary_1	string		<input type="checkbox"/>	
parentArticle_summary	string		<input type="checkbox"/>	
parentArticle_updated_1	int64		<input type="checkbox"/>	
parentArticle_updated_2	int64		<input type="checkbox"/>	
parentArticle_updated	int64		<input type="checkbox"/>	
parentArticle_updatedBy_\$type	string		<input type="checkbox"/>	
parentArticle_updatedBy_avatarUrl	string		<input type="checkbox"/>	
parentArticle_updatedBy_banned	boolean		<input type="checkbox"/>	
parentArticle_updatedBy_email	string		<input type="checkbox"/>	
parentArticle_updatedBy_fullName	string		<input type="checkbox"/>	
parentArticle_updatedBy_guest	boolean		<input type="checkbox"/>	
parentArticle_updatedBy_id	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
parentArticle_updatedBy_jabberAccountName	string		<input type="checkbox"/>	
parentArticle_updatedBy_login	string		<input type="checkbox"/>	
parentArticle_updatedBy_online	boolean		<input type="checkbox"/>	
parentArticle_updatedBy_ringId	string		<input type="checkbox"/>	
parentArticle_url	string		<input type="checkbox"/>	
parentArticle_visibility_\$type	string		<input type="checkbox"/>	
parentArticle_visibility_id	string		<input type="checkbox"/>	
project_archived_1	boolean		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_createdBy_\$type	string		<input type="checkbox"/>	
project_createdBy_avatarUrl	string		<input type="checkbox"/>	
project_createdBy_banned	boolean		<input type="checkbox"/>	
project_createdBy_email	string		<input type="checkbox"/>	
project_createdBy.FullName	string		<input type="checkbox"/>	
project_createdBy_guest	boolean		<input type="checkbox"/>	
project_createdBy_id	string		<input type="checkbox"/>	
project_createdBy_jabberAccountName	string		<input type="checkbox"/>	
project_createdBy_login	string		<input type="checkbox"/>	
project_createdBy_online	boolean		<input type="checkbox"/>	
project_createdBy_ringId	string		<input type="checkbox"/>	
project_description_1	string		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail_1	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl_1	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_leader_\$type	string		<input type="checkbox"/>	
project_leader_avatarUrl	string		<input type="checkbox"/>	
project_leader_banned	boolean		<input type="checkbox"/>	
project_leader_email	string		<input type="checkbox"/>	
project_leader.FullName	string		<input type="checkbox"/>	
project_leader_guest	boolean		<input type="checkbox"/>	
project_leader_id	string		<input type="checkbox"/>	
project_leader_jabberAccountName	string		<input type="checkbox"/>	
project_leader_login	string		<input type="checkbox"/>	
project_leader_online	boolean		<input type="checkbox"/>	
project_leader_ringId	string		<input type="checkbox"/>	
project_replyToEmail_1	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
project_shortName_1	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber_1	int64		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_team_\$type	string		<input type="checkbox"/>	
project_team_allUsersGroup	boolean		<input type="checkbox"/>	
project_team_icon	string		<input type="checkbox"/>	
project_team_id	string		<input type="checkbox"/>	
project_team_name	string		<input type="checkbox"/>	
project_team_ringId	string		<input type="checkbox"/>	
project_team_usersCount	int64		<input type="checkbox"/>	
project_template_1	boolean		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
removed_1	boolean		<input type="checkbox"/>	
removed	boolean	Removed	<input type="checkbox"/>	
reporter_\$type_1	string		<input type="checkbox"/>	
reporter_\$type_2	string		<input type="checkbox"/>	
reporter_\$type_3	string		<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl_1	string		<input type="checkbox"/>	
reporter_avatarUrl_2	string		<input type="checkbox"/>	
reporter_avatarUrl_3	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned_1	boolean		<input type="checkbox"/>	
reporter_banned_2	boolean		<input type="checkbox"/>	
reporter_banned_3	boolean		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email_1	string		<input type="checkbox"/>	
reporter_email_2	string		<input type="checkbox"/>	
reporter_email_3	string		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter_fullName_1	string		<input type="checkbox"/>	
reporter_fullName_2	string		<input type="checkbox"/>	
reporter_fullName_3	string		<input type="checkbox"/>	
reporter_fullName	string		<input type="checkbox"/>	
reporter_guest_1	boolean		<input type="checkbox"/>	
reporter_guest_2	boolean		<input type="checkbox"/>	
reporter_guest_3	boolean		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id_1	string		<input type="checkbox"/>	
reporter_id_2	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
reporter_id_3	string		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName_1	string		<input type="checkbox"/>	
reporter_jabberAccountName_2	string		<input type="checkbox"/>	
reporter_jabberAccountName_3	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login_1	string		<input type="checkbox"/>	
reporter_login_2	string		<input type="checkbox"/>	
reporter_login_3	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online_1	boolean		<input type="checkbox"/>	
reporter_online_2	boolean		<input type="checkbox"/>	
reporter_online_3	boolean		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_profiles_\$type_1	string		<input type="checkbox"/>	
reporter_profiles_\$type	string		<input type="checkbox"/>	
reporter_profiles_id_1	string		<input type="checkbox"/>	
reporter_profiles_id	string		<input type="checkbox"/>	
reporter_ringId_1	string		<input type="checkbox"/>	
reporter_ringId_2	string		<input type="checkbox"/>	
reporter_ringId_3	string		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
size_1	int64		<input type="checkbox"/>	
size	int64	Size	<input type="checkbox"/>	
summary_1	string		<input type="checkbox"/>	
summary_2	string		<input type="checkbox"/>	
summary_3	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
updated_1	int64		<input type="checkbox"/>	
updated_2	int64		<input type="checkbox"/>	
updated_3	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updatedBy_\$type_1	string		<input type="checkbox"/>	
updatedBy_\$type	string		<input type="checkbox"/>	
updatedBy_avatarUrl_1	string		<input type="checkbox"/>	
updatedBy_avatarUrl	string		<input type="checkbox"/>	
updatedBy_banned_1	boolean		<input type="checkbox"/>	
updatedBy_banned	boolean		<input type="checkbox"/>	
updatedBy_email_1	string		<input type="checkbox"/>	
updatedBy_email	string		<input type="checkbox"/>	
updatedBy_fullName_1	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updatedBy_fullName	string		<input type="checkbox"/>	
updatedBy_guest_1	boolean		<input type="checkbox"/>	
updatedBy_guest	boolean		<input type="checkbox"/>	
updatedBy_id_1	string		<input type="checkbox"/>	
updatedBy_id	string		<input type="checkbox"/>	
updatedBy_jabberAccountName_1	string		<input type="checkbox"/>	
updatedBy_jabberAccountName	string		<input type="checkbox"/>	
updatedBy_login_1	string		<input type="checkbox"/>	
updatedBy_login	string		<input type="checkbox"/>	
updatedBy_online_1	boolean		<input type="checkbox"/>	
updatedBy_online	boolean		<input type="checkbox"/>	
updatedBy_profiles_\$type	string		<input type="checkbox"/>	
updatedBy_profiles_id	string		<input type="checkbox"/>	
updatedBy_ringId_1	string		<input type="checkbox"/>	
updatedBy_ringId	string		<input type="checkbox"/>	
url_1	string		<input type="checkbox"/>	
url	string	URL	<input type="checkbox"/>	
visibility_\$type_1	string		<input type="checkbox"/>	
visibility_\$type_2	string		<input type="checkbox"/>	
visibility_\$type_3	string		<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id_1	string		<input type="checkbox"/>	
visibility_id_2	string		<input type="checkbox"/>	
visibility_id_3	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	

6.1.6 ChildArticleAttachmentsById

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /articles/{id}

Insert YouTrack API URL: /articles/{id}

Update YouTrack API URL: /articles/{id}

Delete YouTrack API URL: /articles/{id}

Field Selection Method: NotRequired

Base Path: childArticles[*].attachments[*]

Select YouTrack API Operation: get /articles/{id}

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function ChildArticleAttachmentsById. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function ChildArticleAttachmentsById are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type_3	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
base64Content_1	string		<input type="checkbox"/>	
base64Content	string	Base64 Content	<input type="checkbox"/>	
charset_1	string		<input type="checkbox"/>	
charset	string	Charset	<input type="checkbox"/>	
content_1	string		<input type="checkbox"/>	
content_2	string		<input type="checkbox"/>	
content_3	string		<input type="checkbox"/>	
content	string	Content	<input type="checkbox"/>	
created_1	int64		<input type="checkbox"/>	
created_2	int64		<input type="checkbox"/>	
created_3	int64		<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
draft_1	boolean		<input type="checkbox"/>	
draft	boolean	Draft	<input type="checkbox"/>	
extension_1	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
extension	string	Extension	<input type="checkbox"/>	
externalArticle_\$type_1	string		<input type="checkbox"/>	
externalArticle_\$type	string		<input type="checkbox"/>	
externalArticle_id_1	string		<input type="checkbox"/>	
externalArticle_id	string		<input type="checkbox"/>	
externalArticle_key_1	string		<input type="checkbox"/>	
externalArticle_key	string		<input type="checkbox"/>	
externalArticle_name_1	string		<input type="checkbox"/>	
externalArticle_name	string		<input type="checkbox"/>	
externalArticle_url_1	string		<input type="checkbox"/>	
externalArticle_url	string		<input type="checkbox"/>	
hasChildren_1	boolean		<input type="checkbox"/>	
hasChildren	boolean	Has Children	<input type="checkbox"/>	
hasStar_1	boolean		<input type="checkbox"/>	
hasStar	boolean	Has Star	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id_3	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable_1	string		<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
metaData_1	string		<input type="checkbox"/>	
metaData	string	Metadata	<input type="checkbox"/>	
mimeType_1	string		<input type="checkbox"/>	
mimeType	string	MIME-type	<input type="checkbox"/>	
name_1	string		<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
ordinal_1	int64		<input type="checkbox"/>	
ordinal	int64	Ordinal	<input type="checkbox"/>	
parentArticle_\$type	string		<input type="checkbox"/>	
parentArticle_base64Content	string		<input type="checkbox"/>	
parentArticle_charset	string		<input type="checkbox"/>	
parentArticle_content_1	string		<input type="checkbox"/>	
parentArticle_content	string		<input type="checkbox"/>	
parentArticle_created_1	int64		<input type="checkbox"/>	
parentArticle_created_2	int64		<input type="checkbox"/>	
parentArticle_created	int64		<input type="checkbox"/>	
parentArticle_draft	boolean		<input type="checkbox"/>	
parentArticle_extension	string		<input type="checkbox"/>	
parentArticle_externalArticle_\$type	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
parentArticle_externalArticle_id	string		<input type="checkbox"/>	
parentArticle_externalArticle_key	string		<input type="checkbox"/>	
parentArticle_externalArticle_name	string		<input type="checkbox"/>	
parentArticle_externalArticle_url	string		<input type="checkbox"/>	
parentArticle_hasChildren_1	boolean		<input type="checkbox"/>	
parentArticle_hasChildren	boolean		<input type="checkbox"/>	
parentArticle_hasStar_1	boolean		<input type="checkbox"/>	
parentArticle_hasStar	boolean		<input type="checkbox"/>	
parentArticle_id	string		<input type="checkbox"/>	
parentArticle_idReadable_1	string		<input type="checkbox"/>	
parentArticle_idReadable	string		<input type="checkbox"/>	
parentArticle_metaData	string		<input type="checkbox"/>	
parentArticle_mimeType	string		<input type="checkbox"/>	
parentArticle_name	string		<input type="checkbox"/>	
parentArticle_ordinal_1	int64		<input type="checkbox"/>	
parentArticle_ordinal	int64		<input type="checkbox"/>	
parentArticle_parentArticle_content	string		<input type="checkbox"/>	
parentArticle_parentArticle_created	int64		<input type="checkbox"/>	
parentArticle_parentArticle_hasChildren	boolean		<input type="checkbox"/>	
parentArticle_parentArticle_hasStar	boolean		<input type="checkbox"/>	
parentArticle_parentArticle_idReadable	string		<input type="checkbox"/>	
parentArticle_parentArticle_ordinal	int64		<input type="checkbox"/>	
parentArticle_parentArticle_summary	string		<input type="checkbox"/>	
parentArticle_parentArticle_updated	int64		<input type="checkbox"/>	
parentArticle_project_archived	boolean		<input type="checkbox"/>	
parentArticle_project_description	string		<input type="checkbox"/>	
parentArticle_project_fromEmail	string		<input type="checkbox"/>	
parentArticle_project_iconUrl	string		<input type="checkbox"/>	
parentArticle_project_replyToEmail	string		<input type="checkbox"/>	
parentArticle_project_shortName	string		<input type="checkbox"/>	
parentArticle_project_startingNumber	int64		<input type="checkbox"/>	
parentArticle_project_template	boolean		<input type="checkbox"/>	
parentArticle_removed	boolean		<input type="checkbox"/>	
parentArticle_reporter_\$type	string		<input type="checkbox"/>	
parentArticle_reporter_avatarUrl	string		<input type="checkbox"/>	
parentArticle_reporter_banned	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
parentArticle_reporter_email	string		<input type="checkbox"/>	
parentArticle_reporter_fullName	string		<input type="checkbox"/>	
parentArticle_reporter_guest	boolean		<input type="checkbox"/>	
parentArticle_reporter_id	string		<input type="checkbox"/>	
parentArticle_reporter_jabberAccountName	string		<input type="checkbox"/>	
parentArticle_reporter_login	string		<input type="checkbox"/>	
parentArticle_reporter_online	boolean		<input type="checkbox"/>	
parentArticle_reporter_ringId	string		<input type="checkbox"/>	
parentArticle_size	int64		<input type="checkbox"/>	
parentArticle_summary_1	string		<input type="checkbox"/>	
parentArticle_summary	string		<input type="checkbox"/>	
parentArticle_updated_1	int64		<input type="checkbox"/>	
parentArticle_updated_2	int64		<input type="checkbox"/>	
parentArticle_updated	int64		<input type="checkbox"/>	
parentArticle_updatedBy_\$type	string		<input type="checkbox"/>	
parentArticle_updatedBy_avatarUrl	string		<input type="checkbox"/>	
parentArticle_updatedBy_banned	boolean		<input type="checkbox"/>	
parentArticle_updatedBy_email	string		<input type="checkbox"/>	
parentArticle_updatedBy_fullName	string		<input type="checkbox"/>	
parentArticle_updatedBy_guest	boolean		<input type="checkbox"/>	
parentArticle_updatedBy_id	string		<input type="checkbox"/>	
parentArticle_updatedBy_jabberAccountName	string		<input type="checkbox"/>	
parentArticle_updatedBy_login	string		<input type="checkbox"/>	
parentArticle_updatedBy_online	boolean		<input type="checkbox"/>	
parentArticle_updatedBy_ringId	string		<input type="checkbox"/>	
parentArticle_url	string		<input type="checkbox"/>	
parentArticle_visibility_\$type	string		<input type="checkbox"/>	
parentArticle_visibility_id	string		<input type="checkbox"/>	
project_archived_1	boolean		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_createdBy_\$type	string		<input type="checkbox"/>	
project_createdBy_avatarUrl	string		<input type="checkbox"/>	
project_createdBy_banned	boolean		<input type="checkbox"/>	
project_createdBy_email	string		<input type="checkbox"/>	
project_createdBy_fullName	string		<input type="checkbox"/>	
project_createdBy_guest	boolean		<input type="checkbox"/>	
project_createdBy_id	string		<input type="checkbox"/>	
project_createdBy_jabberAccountName	string		<input type="checkbox"/>	
project_createdBy_login	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
project_createdBy_online	boolean		<input type="checkbox"/>	
project_createdBy_ringId	string		<input type="checkbox"/>	
project_description_1	string		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail_1	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl_1	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_leader_\$type	string		<input type="checkbox"/>	
project_leader_avatarUrl	string		<input type="checkbox"/>	
project_leader_banned	boolean		<input type="checkbox"/>	
project_leader_email	string		<input type="checkbox"/>	
project_leader.FullName	string		<input type="checkbox"/>	
project_leader_guest	boolean		<input type="checkbox"/>	
project_leader_id	string		<input type="checkbox"/>	
project_leader_jabberAccountName	string		<input type="checkbox"/>	
project_leader_login	string		<input type="checkbox"/>	
project_leader_online	boolean		<input type="checkbox"/>	
project_leader_ringId	string		<input type="checkbox"/>	
project_replyToEmail_1	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName_1	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber_1	int64		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_team_\$type	string		<input type="checkbox"/>	
project_team_allUsersGroup	boolean		<input type="checkbox"/>	
project_team_icon	string		<input type="checkbox"/>	
project_team_id	string		<input type="checkbox"/>	
project_team_name	string		<input type="checkbox"/>	
project_team_ringId	string		<input type="checkbox"/>	
project_team_usersCount	int64		<input type="checkbox"/>	
project_template_1	boolean		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
removed_1	boolean		<input type="checkbox"/>	
removed	boolean	Removed	<input type="checkbox"/>	
reporter_\$type_1	string		<input type="checkbox"/>	
reporter_\$type_2	string		<input type="checkbox"/>	
reporter_\$type_3	string		<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
reporter_avatarUrl_1	string		<input type="checkbox"/>	
reporter_avatarUrl_2	string		<input type="checkbox"/>	
reporter_avatarUrl_3	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned_1	boolean		<input type="checkbox"/>	
reporter_banned_2	boolean		<input type="checkbox"/>	
reporter_banned_3	boolean		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email_1	string		<input type="checkbox"/>	
reporter_email_2	string		<input type="checkbox"/>	
reporter_email_3	string		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter.FullName_1	string		<input type="checkbox"/>	
reporter.FullName_2	string		<input type="checkbox"/>	
reporter.FullName_3	string		<input type="checkbox"/>	
reporter.FullName	string		<input type="checkbox"/>	
reporter_guest_1	boolean		<input type="checkbox"/>	
reporter_guest_2	boolean		<input type="checkbox"/>	
reporter_guest_3	boolean		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id_1	string		<input type="checkbox"/>	
reporter_id_2	string		<input type="checkbox"/>	
reporter_id_3	string		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName_1	string		<input type="checkbox"/>	
reporter_jabberAccountName_2	string		<input type="checkbox"/>	
reporter_jabberAccountName_3	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login_1	string		<input type="checkbox"/>	
reporter_login_2	string		<input type="checkbox"/>	
reporter_login_3	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online_1	boolean		<input type="checkbox"/>	
reporter_online_2	boolean		<input type="checkbox"/>	
reporter_online_3	boolean		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_profiles_\$type_1	string		<input type="checkbox"/>	
reporter_profiles_\$type	string		<input type="checkbox"/>	
reporter_profiles_id_1	string		<input type="checkbox"/>	
reporter_profiles_id	string		<input type="checkbox"/>	
reporter_ringId_1	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
reporter_ringId_2	string		<input type="checkbox"/>	
reporter_ringId_3	string		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
size_1	int64		<input type="checkbox"/>	
size	int64	Size	<input type="checkbox"/>	
summary_1	string		<input type="checkbox"/>	
summary_2	string		<input type="checkbox"/>	
summary_3	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
updated_1	int64		<input type="checkbox"/>	
updated_2	int64		<input type="checkbox"/>	
updated_3	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updatedBy_\$type_1	string		<input type="checkbox"/>	
updatedBy_\$type	string		<input type="checkbox"/>	
updatedBy_avatarUrl_1	string		<input type="checkbox"/>	
updatedBy_avatarUrl	string		<input type="checkbox"/>	
updatedBy_banned_1	boolean		<input type="checkbox"/>	
updatedBy_banned	boolean		<input type="checkbox"/>	
updatedBy_email_1	string		<input type="checkbox"/>	
updatedBy_email	string		<input type="checkbox"/>	
updatedBy.FullName_1	string		<input type="checkbox"/>	
updatedBy.FullName	string		<input type="checkbox"/>	
updatedBy_guest_1	boolean		<input type="checkbox"/>	
updatedBy_guest	boolean		<input type="checkbox"/>	
updatedBy_id_1	string		<input type="checkbox"/>	
updatedBy_id	string		<input type="checkbox"/>	
updatedBy_jabberAccountName_1	string		<input type="checkbox"/>	
updatedBy_jabberAccountName	string		<input type="checkbox"/>	
updatedBy_login_1	string		<input type="checkbox"/>	
updatedBy_login	string		<input type="checkbox"/>	
updatedBy_online_1	boolean		<input type="checkbox"/>	
updatedBy_online	boolean		<input type="checkbox"/>	
updatedBy_profiles_\$type	string		<input type="checkbox"/>	
updatedBy_profiles_id	string		<input type="checkbox"/>	
updatedBy_ringId_1	string		<input type="checkbox"/>	
updatedBy_ringId	string		<input type="checkbox"/>	
url_1	string		<input type="checkbox"/>	
url	string	URL	<input type="checkbox"/>	
visibility_\$type_1	string		<input type="checkbox"/>	
visibility_\$type_2	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
visibility_\$type_3	string		<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id_1	string		<input type="checkbox"/>	
visibility_id_2	string		<input type="checkbox"/>	
visibility_id_3	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	

6.1.7 ChildArticleComments

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: /articles

Insert YouTrack API URL: /articles

Update YouTrack API URL: /articles

Delete YouTrack API URL: /articles

Field Selection Method: NotRequired

Base Path: childArticles[*].comments[*]

Select YouTrack API Operation: get /articles

Table Function Columns

The columns of the table function `ChildArticleComments` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
content_1	string		<input type="checkbox"/>	
content_2	string		<input type="checkbox"/>	
content_3	string		<input type="checkbox"/>	
content	string	Content	<input type="checkbox"/>	
created_1	int64		<input type="checkbox"/>	
created_2	int64		<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
externalArticle_\$type_1	string		<input type="checkbox"/>	
externalArticle_\$type	string		<input type="checkbox"/>	
externalArticle_id_1	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
externalArticle_id	string		<input type="checkbox"/>	
externalArticle_key_1	string		<input type="checkbox"/>	
externalArticle_key	string		<input type="checkbox"/>	
externalArticle_name_1	string		<input type="checkbox"/>	
externalArticle_name	string		<input type="checkbox"/>	
externalArticle_url_1	string		<input type="checkbox"/>	
externalArticle_url	string		<input type="checkbox"/>	
hasChildren_1	boolean		<input type="checkbox"/>	
hasChildren	boolean	Has Children	<input type="checkbox"/>	
hasStar_1	boolean		<input type="checkbox"/>	
hasStar	boolean	Has Star	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable_1	string		<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
ordinal_1	int64		<input type="checkbox"/>	
ordinal	int64	Ordinal	<input type="checkbox"/>	
parentArticle_\$type	string		<input type="checkbox"/>	
parentArticle_content_1	string		<input type="checkbox"/>	
parentArticle_content	string		<input type="checkbox"/>	
parentArticle_created_1	int64		<input type="checkbox"/>	
parentArticle_created_2	int64		<input type="checkbox"/>	
parentArticle_created	int64		<input type="checkbox"/>	
parentArticle_externalArticle_\$type	string		<input type="checkbox"/>	
parentArticle_externalArticle_id	string		<input type="checkbox"/>	
parentArticle_externalArticle_key	string		<input type="checkbox"/>	
parentArticle_externalArticle_name	string		<input type="checkbox"/>	
parentArticle_externalArticle_url	string		<input type="checkbox"/>	
parentArticle_hasChildren_1	boolean		<input type="checkbox"/>	
parentArticle_hasChildren	boolean		<input type="checkbox"/>	
parentArticle_hasStar_1	boolean		<input type="checkbox"/>	
parentArticle_hasStar	boolean		<input type="checkbox"/>	
parentArticle_id	string		<input type="checkbox"/>	
parentArticle_idReadable_1	string		<input type="checkbox"/>	
parentArticle_idReadable	string		<input type="checkbox"/>	
parentArticle_ordinal_1	int64		<input type="checkbox"/>	
parentArticle_ordinal	int64		<input type="checkbox"/>	
parentArticle_parentArticle_content	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
parentArticle_parentArticle_created	int64		<input type="checkbox"/>	
parentArticle_parentArticle_hasChildren	boolean		<input type="checkbox"/>	
parentArticle_parentArticle_hasStar	boolean		<input type="checkbox"/>	
parentArticle_parentArticle_idReadable	string		<input type="checkbox"/>	
parentArticle_parentArticle_ordinal	int64		<input type="checkbox"/>	
parentArticle_parentArticle_summary	string		<input type="checkbox"/>	
parentArticle_parentArticle_updated	int64		<input type="checkbox"/>	
parentArticle_project_archived	boolean		<input type="checkbox"/>	
parentArticle_project_description	string		<input type="checkbox"/>	
parentArticle_project_fromEmail	string		<input type="checkbox"/>	
parentArticle_project_iconUrl	string		<input type="checkbox"/>	
parentArticle_project_replyToEmail	string		<input type="checkbox"/>	
parentArticle_project_shortName	string		<input type="checkbox"/>	
parentArticle_project_startingNumber	int64		<input type="checkbox"/>	
parentArticle_project_template	boolean		<input type="checkbox"/>	
parentArticle_reporter_\$type	string		<input type="checkbox"/>	
parentArticle_reporter_avatarUrl	string		<input type="checkbox"/>	
parentArticle_reporter_banned	boolean		<input type="checkbox"/>	
parentArticle_reporter_email	string		<input type="checkbox"/>	
parentArticle_reporter_fullName	string		<input type="checkbox"/>	
parentArticle_reporter_guest	boolean		<input type="checkbox"/>	
parentArticle_reporter_id	string		<input type="checkbox"/>	
parentArticle_reporter_jabberAccountName	string		<input type="checkbox"/>	
parentArticle_reporter_login	string		<input type="checkbox"/>	
parentArticle_reporter_online	boolean		<input type="checkbox"/>	
parentArticle_reporter_ringId	string		<input type="checkbox"/>	
parentArticle_summary_1	string		<input type="checkbox"/>	
parentArticle_summary	string		<input type="checkbox"/>	
parentArticle_text	string		<input type="checkbox"/>	
parentArticle_updated_1	int64		<input type="checkbox"/>	
parentArticle_updated_2	int64		<input type="checkbox"/>	
parentArticle_updated	int64		<input type="checkbox"/>	
parentArticle_updatedBy_\$type	string		<input type="checkbox"/>	
parentArticle_updatedBy_avatarUrl	string		<input type="checkbox"/>	
parentArticle_updatedBy_banned	boolean		<input type="checkbox"/>	
parentArticle_updatedBy_email	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
parentArticle_updatedBy_fullName	string		<input type="checkbox"/>	
parentArticle_updatedBy_guest	boolean		<input type="checkbox"/>	
parentArticle_updatedBy_id	string		<input type="checkbox"/>	
parentArticle_updatedBy_jabberAccountName	string		<input type="checkbox"/>	
parentArticle_updatedBy_login	string		<input type="checkbox"/>	
parentArticle_updatedBy_online	boolean		<input type="checkbox"/>	
parentArticle_updatedBy_ringId	string		<input type="checkbox"/>	
parentArticle_visibility_\$type	string		<input type="checkbox"/>	
parentArticle_visibility_id	string		<input type="checkbox"/>	
project_archived_1	boolean		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_createdBy_\$type	string		<input type="checkbox"/>	
project_createdBy_avatarUrl	string		<input type="checkbox"/>	
project_createdBy_banned	boolean		<input type="checkbox"/>	
project_createdBy_email	string		<input type="checkbox"/>	
project_createdBy_fullName	string		<input type="checkbox"/>	
project_createdBy_guest	boolean		<input type="checkbox"/>	
project_createdBy_id	string		<input type="checkbox"/>	
project_createdBy_jabberAccountName	string		<input type="checkbox"/>	
project_createdBy_login	string		<input type="checkbox"/>	
project_createdBy_online	boolean		<input type="checkbox"/>	
project_createdBy_ringId	string		<input type="checkbox"/>	
project_description_1	string		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail_1	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl_1	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_leader_\$type	string		<input type="checkbox"/>	
project_leader_avatarUrl	string		<input type="checkbox"/>	
project_leader_banned	boolean		<input type="checkbox"/>	
project_leader_email	string		<input type="checkbox"/>	
project_leader_fullName	string		<input type="checkbox"/>	
project_leader_guest	boolean		<input type="checkbox"/>	
project_leader_id	string		<input type="checkbox"/>	
project_leader_jabberAccountName	string		<input type="checkbox"/>	
project_leader_login	string		<input type="checkbox"/>	
project_leader_online	boolean		<input type="checkbox"/>	
project_leader_ringId	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
project_replyToEmail_1	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName_1	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber_1	int64		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_team_\$type	string		<input type="checkbox"/>	
project_team_allUsersGroup	boolean		<input type="checkbox"/>	
project_team_icon	string		<input type="checkbox"/>	
project_team_id	string		<input type="checkbox"/>	
project_team_name	string		<input type="checkbox"/>	
project_team_ringId	string		<input type="checkbox"/>	
project_team_usersCount	int64		<input type="checkbox"/>	
project_template_1	boolean		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
reporter_\$type_1	string		<input type="checkbox"/>	
reporter_\$type_2	string		<input type="checkbox"/>	
reporter_\$type_3	string		<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl_1	string		<input type="checkbox"/>	
reporter_avatarUrl_2	string		<input type="checkbox"/>	
reporter_avatarUrl_3	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned_1	boolean		<input type="checkbox"/>	
reporter_banned_2	boolean		<input type="checkbox"/>	
reporter_banned_3	boolean		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email_1	string		<input type="checkbox"/>	
reporter_email_2	string		<input type="checkbox"/>	
reporter_email_3	string		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter.FullName_1	string		<input type="checkbox"/>	
reporter.FullName_2	string		<input type="checkbox"/>	
reporter.FullName_3	string		<input type="checkbox"/>	
reporter.FullName	string		<input type="checkbox"/>	
reporter_guest_1	boolean		<input type="checkbox"/>	
reporter_guest_2	boolean		<input type="checkbox"/>	
reporter_guest_3	boolean		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id_1	string		<input type="checkbox"/>	
reporter_id_2	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
reporter_id_3	string		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName_1	string		<input type="checkbox"/>	
reporter_jabberAccountName_2	string		<input type="checkbox"/>	
reporter_jabberAccountName_3	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login_1	string		<input type="checkbox"/>	
reporter_login_2	string		<input type="checkbox"/>	
reporter_login_3	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online_1	boolean		<input type="checkbox"/>	
reporter_online_2	boolean		<input type="checkbox"/>	
reporter_online_3	boolean		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_profiles_\$type_1	string		<input type="checkbox"/>	
reporter_profiles_\$type	string		<input type="checkbox"/>	
reporter_profiles_id_1	string		<input type="checkbox"/>	
reporter_profiles_id	string		<input type="checkbox"/>	
reporter_ringId_1	string		<input type="checkbox"/>	
reporter_ringId_2	string		<input type="checkbox"/>	
reporter_ringId_3	string		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
summary_1	string		<input type="checkbox"/>	
summary_2	string		<input type="checkbox"/>	
summary_3	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
text	string	Text	<input type="checkbox"/>	
updated_1	int64		<input type="checkbox"/>	
updated_2	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updatedBy_\$type_1	string		<input type="checkbox"/>	
updatedBy_\$type	string		<input type="checkbox"/>	
updatedBy_avatarUrl_1	string		<input type="checkbox"/>	
updatedBy_avatarUrl	string		<input type="checkbox"/>	
updatedBy_banned_1	boolean		<input type="checkbox"/>	
updatedBy_banned	boolean		<input type="checkbox"/>	
updatedBy_email_1	string		<input type="checkbox"/>	
updatedBy_email	string		<input type="checkbox"/>	
updatedBy_fullName_1	string		<input type="checkbox"/>	
updatedBy_fullName	string		<input type="checkbox"/>	
updatedBy_guest_1	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updatedBy_guest	boolean		<input type="checkbox"/>	
updatedBy_id_1	string		<input type="checkbox"/>	
updatedBy_id	string		<input type="checkbox"/>	
updatedBy_jabberAccountName_1	string		<input type="checkbox"/>	
updatedBy_jabberAccountName	string		<input type="checkbox"/>	
updatedBy_login_1	string		<input type="checkbox"/>	
updatedBy_login	string		<input type="checkbox"/>	
updatedBy_online_1	boolean		<input type="checkbox"/>	
updatedBy_online	boolean		<input type="checkbox"/>	
updatedBy_profiles_\$type	string		<input type="checkbox"/>	
updatedBy_profiles_id	string		<input type="checkbox"/>	
updatedBy_ringId_1	string		<input type="checkbox"/>	
updatedBy_ringId	string		<input type="checkbox"/>	
visibility_\$type_1	string		<input type="checkbox"/>	
visibility_\$type_2	string		<input type="checkbox"/>	
visibility_\$type_3	string		<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id_1	string		<input type="checkbox"/>	
visibility_id_2	string		<input type="checkbox"/>	
visibility_id_3	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	

6.1.8 ChildArticleCommentsById

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/articles/{id}`

Insert YouTrack API URL: `/articles/{id}`

Update YouTrack API URL: `/articles/{id}`

Delete YouTrack API URL: `/articles/{id}`

Field Selection Method: NotRequired

Base Path: `childArticles[*].comments[*]`

Select YouTrack API Operation: get `/articles/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `ChildArticleCommentsById`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `ChildArticleCommentsById` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
content_1	string		<input type="checkbox"/>	
content_2	string		<input type="checkbox"/>	
content_3	string		<input type="checkbox"/>	
content	string	Content	<input type="checkbox"/>	
created_1	int64		<input type="checkbox"/>	
created_2	int64		<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
externalArticle_\$type_1	string		<input type="checkbox"/>	
externalArticle_\$type	string		<input type="checkbox"/>	
externalArticle_id_1	string		<input type="checkbox"/>	
externalArticle_id	string		<input type="checkbox"/>	
externalArticle_key_1	string		<input type="checkbox"/>	
externalArticle_key	string		<input type="checkbox"/>	
externalArticle_name_1	string		<input type="checkbox"/>	
externalArticle_name	string		<input type="checkbox"/>	
externalArticle_url_1	string		<input type="checkbox"/>	
externalArticle_url	string		<input type="checkbox"/>	
hasChildren_1	boolean		<input type="checkbox"/>	
hasChildren	boolean	Has Children	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
hasStar_1	boolean		<input type="checkbox"/>	
hasStar	boolean	Has Star	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable_1	string		<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
ordinal_1	int64		<input type="checkbox"/>	
ordinal	int64	Ordinal	<input type="checkbox"/>	
parentArticle_\$type	string		<input type="checkbox"/>	
parentArticle_content_1	string		<input type="checkbox"/>	
parentArticle_content	string		<input type="checkbox"/>	
parentArticle_created_1	int64		<input type="checkbox"/>	
parentArticle_created_2	int64		<input type="checkbox"/>	
parentArticle_created	int64		<input type="checkbox"/>	
parentArticle_externalArticle_\$type	string		<input type="checkbox"/>	
parentArticle_externalArticle_id	string		<input type="checkbox"/>	
parentArticle_externalArticle_key	string		<input type="checkbox"/>	
parentArticle_externalArticle_name	string		<input type="checkbox"/>	
parentArticle_externalArticle_url	string		<input type="checkbox"/>	
parentArticle_hasChildren_1	boolean		<input type="checkbox"/>	
parentArticle_hasChildren	boolean		<input type="checkbox"/>	
parentArticle_hasStar_1	boolean		<input type="checkbox"/>	
parentArticle_hasStar	boolean		<input type="checkbox"/>	
parentArticle_id	string		<input type="checkbox"/>	
parentArticle_idReadable_1	string		<input type="checkbox"/>	
parentArticle_idReadable	string		<input type="checkbox"/>	
parentArticle_ordinal_1	int64		<input type="checkbox"/>	
parentArticle_ordinal	int64		<input type="checkbox"/>	
parentArticle_parentArticle_content	string		<input type="checkbox"/>	
parentArticle_parentArticle_create	int64		<input type="checkbox"/>	
parentArticle_parentArticle_hasChildren	boolean		<input type="checkbox"/>	
parentArticle_parentArticle_hasStar	boolean		<input type="checkbox"/>	
parentArticle_parentArticle_idReadable	string		<input type="checkbox"/>	
parentArticle_parentArticle_ordinal	int64		<input type="checkbox"/>	
parentArticle_parentArticle_summary	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
parentArticle_parentArticle_updateId	int64		<input type="checkbox"/>	
parentArticle_project_archived	boolean		<input type="checkbox"/>	
parentArticle_project_description	string		<input type="checkbox"/>	
parentArticle_project_fromEmail	string		<input type="checkbox"/>	
parentArticle_project_iconUrl	string		<input type="checkbox"/>	
parentArticle_project_replyToEmail	string		<input type="checkbox"/>	
parentArticle_project_shortName	string		<input type="checkbox"/>	
parentArticle_project_startingNumber	int64		<input type="checkbox"/>	
parentArticle_project_template	boolean		<input type="checkbox"/>	
parentArticle_reporter_\$type	string		<input type="checkbox"/>	
parentArticle_reporter_avatarUrl	string		<input type="checkbox"/>	
parentArticle_reporter_banned	boolean		<input type="checkbox"/>	
parentArticle_reporter_email	string		<input type="checkbox"/>	
parentArticle_reporter_fullName	string		<input type="checkbox"/>	
parentArticle_reporter_guest	boolean		<input type="checkbox"/>	
parentArticle_reporter_id	string		<input type="checkbox"/>	
parentArticle_reporter_jabberAccountName	string		<input type="checkbox"/>	
parentArticle_reporter_login	string		<input type="checkbox"/>	
parentArticle_reporter_online	boolean		<input type="checkbox"/>	
parentArticle_reporter_ringId	string		<input type="checkbox"/>	
parentArticle_summary_1	string		<input type="checkbox"/>	
parentArticle_summary	string		<input type="checkbox"/>	
parentArticle_text	string		<input type="checkbox"/>	
parentArticle_updated_1	int64		<input type="checkbox"/>	
parentArticle_updated_2	int64		<input type="checkbox"/>	
parentArticle_updated	int64		<input type="checkbox"/>	
parentArticle_updatedBy_\$type	string		<input type="checkbox"/>	
parentArticle_updatedBy_avatarUrl	string		<input type="checkbox"/>	
parentArticle_updatedBy_banned	boolean		<input type="checkbox"/>	
parentArticle_updatedBy_email	string		<input type="checkbox"/>	
parentArticle_updatedBy_fullName	string		<input type="checkbox"/>	
parentArticle_updatedBy_guest	boolean		<input type="checkbox"/>	
parentArticle_updatedBy_id	string		<input type="checkbox"/>	
parentArticle_updatedBy_jabberAccountName	string		<input type="checkbox"/>	
parentArticle_updatedBy_login	string		<input type="checkbox"/>	
parentArticle_updatedBy_online	boolean		<input type="checkbox"/>	
parentArticle_updatedBy_ringId	string		<input type="checkbox"/>	
parentArticle_visibility_\$type	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
parentArticle_visibility_id	string		<input type="checkbox"/>	
project_archived_1	boolean		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_createdBy_\$type	string		<input type="checkbox"/>	
project_createdBy_avatarUrl	string		<input type="checkbox"/>	
project_createdBy_banned	boolean		<input type="checkbox"/>	
project_createdBy_email	string		<input type="checkbox"/>	
project_createdBy.FullName	string		<input type="checkbox"/>	
project_createdBy_guest	boolean		<input type="checkbox"/>	
project_createdBy_id	string		<input type="checkbox"/>	
project_createdBy_jabberAccountName	string		<input type="checkbox"/>	
project_createdBy_login	string		<input type="checkbox"/>	
project_createdBy_online	boolean		<input type="checkbox"/>	
project_createdBy_ringId	string		<input type="checkbox"/>	
project_description_1	string		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail_1	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl_1	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_leader_\$type	string		<input type="checkbox"/>	
project_leader_avatarUrl	string		<input type="checkbox"/>	
project_leader_banned	boolean		<input type="checkbox"/>	
project_leader_email	string		<input type="checkbox"/>	
project_leader.FullName	string		<input type="checkbox"/>	
project_leader_guest	boolean		<input type="checkbox"/>	
project_leader_id	string		<input type="checkbox"/>	
project_leader.jabberAccountName	string		<input type="checkbox"/>	
project_leader_login	string		<input type="checkbox"/>	
project_leader_online	boolean		<input type="checkbox"/>	
project_leader_ringId	string		<input type="checkbox"/>	
project_replyToEmail_1	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName_1	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber_1	int64		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_team_\$type	string		<input type="checkbox"/>	
project_team.allUsersGroup	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
project_team_icon	string		<input type="checkbox"/>	
project_team_id	string		<input type="checkbox"/>	
project_team_name	string		<input type="checkbox"/>	
project_team_ringId	string		<input type="checkbox"/>	
project_team_usersCount	int64		<input type="checkbox"/>	
project_template_1	boolean		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
reporter_\$type_1	string		<input type="checkbox"/>	
reporter_\$type_2	string		<input type="checkbox"/>	
reporter_\$type_3	string		<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl_1	string		<input type="checkbox"/>	
reporter_avatarUrl_2	string		<input type="checkbox"/>	
reporter_avatarUrl_3	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned_1	boolean		<input type="checkbox"/>	
reporter_banned_2	boolean		<input type="checkbox"/>	
reporter_banned_3	boolean		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email_1	string		<input type="checkbox"/>	
reporter_email_2	string		<input type="checkbox"/>	
reporter_email_3	string		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter.FullName_1	string		<input type="checkbox"/>	
reporter.FullName_2	string		<input type="checkbox"/>	
reporter.FullName_3	string		<input type="checkbox"/>	
reporter.FullName	string		<input type="checkbox"/>	
reporter_guest_1	boolean		<input type="checkbox"/>	
reporter_guest_2	boolean		<input type="checkbox"/>	
reporter_guest_3	boolean		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id_1	string		<input type="checkbox"/>	
reporter_id_2	string		<input type="checkbox"/>	
reporter_id_3	string		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName_1	string		<input type="checkbox"/>	
reporter_jabberAccountName_2	string		<input type="checkbox"/>	
reporter_jabberAccountName_3	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login_1	string		<input type="checkbox"/>	
reporter_login_2	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
reporter_login_3	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online_1	boolean		<input type="checkbox"/>	
reporter_online_2	boolean		<input type="checkbox"/>	
reporter_online_3	boolean		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_profiles_\$type_1	string		<input type="checkbox"/>	
reporter_profiles_\$type	string		<input type="checkbox"/>	
reporter_profiles_id_1	string		<input type="checkbox"/>	
reporter_profiles_id	string		<input type="checkbox"/>	
reporter_ringId_1	string		<input type="checkbox"/>	
reporter_ringId_2	string		<input type="checkbox"/>	
reporter_ringId_3	string		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
summary_1	string		<input type="checkbox"/>	
summary_2	string		<input type="checkbox"/>	
summary_3	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
text	string	Text	<input type="checkbox"/>	
updated_1	int64		<input type="checkbox"/>	
updated_2	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updatedBy_\$type_1	string		<input type="checkbox"/>	
updatedBy_\$type	string		<input type="checkbox"/>	
updatedBy_avatarUrl_1	string		<input type="checkbox"/>	
updatedBy_avatarUrl	string		<input type="checkbox"/>	
updatedBy_banned_1	boolean		<input type="checkbox"/>	
updatedBy_banned	boolean		<input type="checkbox"/>	
updatedBy_email_1	string		<input type="checkbox"/>	
updatedBy_email	string		<input type="checkbox"/>	
updatedBy_fullName_1	string		<input type="checkbox"/>	
updatedBy_fullName	string		<input type="checkbox"/>	
updatedBy_guest_1	boolean		<input type="checkbox"/>	
updatedBy_guest	boolean		<input type="checkbox"/>	
updatedBy_id_1	string		<input type="checkbox"/>	
updatedBy_id	string		<input type="checkbox"/>	
updatedBy_jabberAccountName_1	string		<input type="checkbox"/>	
updatedBy_jabberAccountName	string		<input type="checkbox"/>	
updatedBy_login_1	string		<input type="checkbox"/>	
updatedBy_login	string		<input type="checkbox"/>	
updatedBy_online_1	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updatedBy_online	boolean		<input type="checkbox"/>	
updatedBy_profiles_\$type	string		<input type="checkbox"/>	
updatedBy_profiles_id	string		<input type="checkbox"/>	
updatedBy_ringId_1	string		<input type="checkbox"/>	
updatedBy_ringId	string		<input type="checkbox"/>	
visibility_\$type_1	string		<input type="checkbox"/>	
visibility_\$type_2	string		<input type="checkbox"/>	
visibility_\$type_3	string		<input type="checkbox"/>	
visibility_type	string		<input type="checkbox"/>	
visibility_id_1	string		<input type="checkbox"/>	
visibility_id_2	string		<input type="checkbox"/>	
visibility_id_3	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	

6.1.9 ChildArticles

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /articles

Insert YouTrack API URL: /articles

Update YouTrack API URL: /articles

Delete YouTrack API URL: /articles

Field Selection Method: NotRequired

Base Path: childArticles [*]

Select YouTrack API Operation: get /articles

Table Function Columns

The columns of the table function ChildArticles are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
content_1	string		<input type="checkbox"/>	
content_2	string		<input type="checkbox"/>	
content_3	string		<input type="checkbox"/>	
content	string	Content	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
created_1	int64		<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
externalArticle_\$type_1	string		<input type="checkbox"/>	
externalArticle_\$type	string		<input type="checkbox"/>	
externalArticle_id_1	string		<input type="checkbox"/>	
externalArticle_id	string		<input type="checkbox"/>	
externalArticle_key_1	string		<input type="checkbox"/>	
externalArticle_key	string		<input type="checkbox"/>	
externalArticle_name_1	string		<input type="checkbox"/>	
externalArticle_name	string		<input type="checkbox"/>	
externalArticle_url_1	string		<input type="checkbox"/>	
externalArticle_url	string		<input type="checkbox"/>	
hasChildren_1	boolean		<input type="checkbox"/>	
hasChildren	boolean	Has Children	<input type="checkbox"/>	
hasStar_1	boolean		<input type="checkbox"/>	
hasStar	boolean	Has Star	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable_1	string		<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
ordinal_1	int64		<input type="checkbox"/>	
ordinal	int64	Ordinal	<input type="checkbox"/>	
parentArticle_content_1	string		<input type="checkbox"/>	
parentArticle_content	string		<input type="checkbox"/>	
parentArticle_created_1	int64		<input type="checkbox"/>	
parentArticle_created	int64		<input type="checkbox"/>	
parentArticle_externalArticle_\$type	string		<input type="checkbox"/>	
parentArticle_externalArticle_id	string		<input type="checkbox"/>	
parentArticle_externalArticle_key	string		<input type="checkbox"/>	
parentArticle_externalArticle_name	string		<input type="checkbox"/>	
parentArticle_externalArticle_url	string		<input type="checkbox"/>	
parentArticle_hasChildren_1	boolean		<input type="checkbox"/>	
parentArticle_hasChildren	boolean		<input type="checkbox"/>	
parentArticle_hasStar_1	boolean		<input type="checkbox"/>	
parentArticle_hasStar	boolean		<input type="checkbox"/>	
parentArticle_idReadable_1	string		<input type="checkbox"/>	
parentArticle_idReadable	string		<input type="checkbox"/>	
parentArticle_ordinal_1	int64		<input type="checkbox"/>	
parentArticle_ordinal	int64		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
parentArticle_parentArticle_content	string		<input type="checkbox"/>	
parentArticle_parentArticle_created	int64		<input type="checkbox"/>	
parentArticle_parentArticle_hasChildren	boolean		<input type="checkbox"/>	
parentArticle_parentArticle_hasStar	boolean		<input type="checkbox"/>	
parentArticle_parentArticle_idReadable	string		<input type="checkbox"/>	
parentArticle_parentArticle_ordinal	int64		<input type="checkbox"/>	
parentArticle_parentArticle_summary	string		<input type="checkbox"/>	
parentArticle_parentArticle_updated	int64		<input type="checkbox"/>	
parentArticle_project_archived	boolean		<input type="checkbox"/>	
parentArticle_project_description	string		<input type="checkbox"/>	
parentArticle_project_fromEmail	string		<input type="checkbox"/>	
parentArticle_project_iconUrl	string		<input type="checkbox"/>	
parentArticle_project_replyToEmail	string		<input type="checkbox"/>	
parentArticle_project_shortName	string		<input type="checkbox"/>	
parentArticle_project_startingNumber	int64		<input type="checkbox"/>	
parentArticle_project_template	boolean		<input type="checkbox"/>	
parentArticle_reporter_\$type	string		<input type="checkbox"/>	
parentArticle_reporter_avatarUrl	string		<input type="checkbox"/>	
parentArticle_reporter_banned	boolean		<input type="checkbox"/>	
parentArticle_reporter_email	string		<input type="checkbox"/>	
parentArticle_reporter.FullName	string		<input type="checkbox"/>	
parentArticle_reporter_guest	boolean		<input type="checkbox"/>	
parentArticle_reporter_id	string		<input type="checkbox"/>	
parentArticle_reporter_jabberAccountName	string		<input type="checkbox"/>	
parentArticle_reporter_login	string		<input type="checkbox"/>	
parentArticle_reporter_online	boolean		<input type="checkbox"/>	
parentArticle_reporter_ringId	string		<input type="checkbox"/>	
parentArticle_summary_1	string		<input type="checkbox"/>	
parentArticle_summary	string		<input type="checkbox"/>	
parentArticle_updated_1	int64		<input type="checkbox"/>	
parentArticle_updated	int64		<input type="checkbox"/>	
parentArticle_updatedBy_\$type	string		<input type="checkbox"/>	
parentArticle_updatedBy_avatarUrl	string		<input type="checkbox"/>	
parentArticle_updatedBy_banned	boolean		<input type="checkbox"/>	
parentArticle_updatedBy_email	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
parentArticle_updatedBy_fullName	string		<input type="checkbox"/>	
parentArticle_updatedBy_guest	boolean		<input type="checkbox"/>	
parentArticle_updatedBy_id	string		<input type="checkbox"/>	
parentArticle_updatedBy_jabberAccountName	string		<input type="checkbox"/>	
parentArticle_updatedBy_login	string		<input type="checkbox"/>	
parentArticle_updatedBy_online	boolean		<input type="checkbox"/>	
parentArticle_updatedBy_ringId	string		<input type="checkbox"/>	
parentArticle_visibility_\$type	string		<input type="checkbox"/>	
parentArticle_visibility_id	string		<input type="checkbox"/>	
project_archived_1	boolean		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_createdBy_\$type	string		<input type="checkbox"/>	
project_createdBy_avatarUrl	string		<input type="checkbox"/>	
project_createdBy_banned	boolean		<input type="checkbox"/>	
project_createdBy_email	string		<input type="checkbox"/>	
project_createdBy_fullName	string		<input type="checkbox"/>	
project_createdBy_guest	boolean		<input type="checkbox"/>	
project_createdBy_id	string		<input type="checkbox"/>	
project_createdBy_jabberAccountName	string		<input type="checkbox"/>	
project_createdBy_login	string		<input type="checkbox"/>	
project_createdBy_online	boolean		<input type="checkbox"/>	
project_createdBy_ringId	string		<input type="checkbox"/>	
project_description_1	string		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail_1	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl_1	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_leader_\$type	string		<input type="checkbox"/>	
project_leader_avatarUrl	string		<input type="checkbox"/>	
project_leader_banned	boolean		<input type="checkbox"/>	
project_leader_email	string		<input type="checkbox"/>	
project_leader_fullName	string		<input type="checkbox"/>	
project_leader_guest	boolean		<input type="checkbox"/>	
project_leader_id	string		<input type="checkbox"/>	
project_leader_jabberAccountName	string		<input type="checkbox"/>	
project_leader_login	string		<input type="checkbox"/>	
project_leader_online	boolean		<input type="checkbox"/>	
project_leader_ringId	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
project_replyToEmail_1	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName_1	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber_1	int64		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_team_\$type	string		<input type="checkbox"/>	
project_team_allUsersGroup	boolean		<input type="checkbox"/>	
project_team_icon	string		<input type="checkbox"/>	
project_team_id	string		<input type="checkbox"/>	
project_team_name	string		<input type="checkbox"/>	
project_team_ringId	string		<input type="checkbox"/>	
project_team_usersCount	int64		<input type="checkbox"/>	
project_template_1	boolean		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
reporter_\$type_1	string		<input type="checkbox"/>	
reporter_\$type_2	string		<input type="checkbox"/>	
reporter_\$type_3	string		<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl_1	string		<input type="checkbox"/>	
reporter_avatarUrl_2	string		<input type="checkbox"/>	
reporter_avatarUrl_3	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned_1	boolean		<input type="checkbox"/>	
reporter_banned_2	boolean		<input type="checkbox"/>	
reporter_banned_3	boolean		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email_1	string		<input type="checkbox"/>	
reporter_email_2	string		<input type="checkbox"/>	
reporter_email_3	string		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter.FullName_1	string		<input type="checkbox"/>	
reporter.FullName_2	string		<input type="checkbox"/>	
reporter.FullName_3	string		<input type="checkbox"/>	
reporter.FullName	string		<input type="checkbox"/>	
reporter_guest_1	boolean		<input type="checkbox"/>	
reporter_guest_2	boolean		<input type="checkbox"/>	
reporter_guest_3	boolean		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id_1	string		<input type="checkbox"/>	
reporter_id_2	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
reporter_id_3	string		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName_1	string		<input type="checkbox"/>	
reporter_jabberAccountName_2	string		<input type="checkbox"/>	
reporter_jabberAccountName_3	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login_1	string		<input type="checkbox"/>	
reporter_login_2	string		<input type="checkbox"/>	
reporter_login_3	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online_1	boolean		<input type="checkbox"/>	
reporter_online_2	boolean		<input type="checkbox"/>	
reporter_online_3	boolean		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_profiles_\$type_1	string		<input type="checkbox"/>	
reporter_profiles_\$type	string		<input type="checkbox"/>	
reporter_profiles_id_1	string		<input type="checkbox"/>	
reporter_profiles_id	string		<input type="checkbox"/>	
reporter_ringId_1	string		<input type="checkbox"/>	
reporter_ringId_2	string		<input type="checkbox"/>	
reporter_ringId_3	string		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
summary_1	string		<input type="checkbox"/>	
summary_2	string		<input type="checkbox"/>	
summary_3	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
updated_1	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updatedBy_\$type_1	string		<input type="checkbox"/>	
updatedBy_\$type	string		<input type="checkbox"/>	
updatedBy_avatarUrl_1	string		<input type="checkbox"/>	
updatedBy_avatarUrl	string		<input type="checkbox"/>	
updatedBy_banned_1	boolean		<input type="checkbox"/>	
updatedBy_banned	boolean		<input type="checkbox"/>	
updatedBy_email_1	string		<input type="checkbox"/>	
updatedBy_email	string		<input type="checkbox"/>	
updatedBy_fullName_1	string		<input type="checkbox"/>	
updatedBy_fullName	string		<input type="checkbox"/>	
updatedBy_guest_1	boolean		<input type="checkbox"/>	
updatedBy_guest	boolean		<input type="checkbox"/>	
updatedBy_id_1	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updatedBy_id	string		<input type="checkbox"/>	
updatedBy_jabberAccountName_1	string		<input type="checkbox"/>	
updatedBy_jabberAccountName	string		<input type="checkbox"/>	
updatedBy_login_1	string		<input type="checkbox"/>	
updatedBy_login	string		<input type="checkbox"/>	
updatedBy_online_1	boolean		<input type="checkbox"/>	
updatedBy_online	boolean		<input type="checkbox"/>	
updatedBy_profiles_\$type	string		<input type="checkbox"/>	
updatedBy_profiles_id	string		<input type="checkbox"/>	
updatedBy_ringId_1	string		<input type="checkbox"/>	
updatedBy_ringId	string		<input type="checkbox"/>	
visibility_\$type_1	string		<input type="checkbox"/>	
visibility_\$type_2	string		<input type="checkbox"/>	
visibility_\$type_3	string		<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id_1	string		<input type="checkbox"/>	
visibility_id_2	string		<input type="checkbox"/>	
visibility_id_3	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	

6.1.10 ChildArticlesById

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/articles/{id}`

Insert YouTrack API URL: `/articles/{id}`

Update YouTrack API URL: `/articles/{id}`

Delete YouTrack API URL: `/articles/{id}`

Field Selection Method: NotRequired

Base Path: `childArticles[*]`

Select YouTrack API Operation: get `/articles/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `ChildArticlesById`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-

defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `ChildArticlesById` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
content_1	string		<input type="checkbox"/>	
content_2	string		<input type="checkbox"/>	
content_3	string		<input type="checkbox"/>	
content	string	Content	<input type="checkbox"/>	
created_1	int64		<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
externalArticle_\$type_1	string		<input type="checkbox"/>	
externalArticle_\$type	string		<input type="checkbox"/>	
externalArticle_id_1	string		<input type="checkbox"/>	
externalArticle_id	string		<input type="checkbox"/>	
externalArticle_key_1	string		<input type="checkbox"/>	
externalArticle_key	string		<input type="checkbox"/>	
externalArticle_name_1	string		<input type="checkbox"/>	
externalArticle_name	string		<input type="checkbox"/>	
externalArticle_url_1	string		<input type="checkbox"/>	
externalArticle_url	string		<input type="checkbox"/>	
hasChildren_1	boolean		<input type="checkbox"/>	
hasChildren	boolean	Has Children	<input type="checkbox"/>	
hasStar_1	boolean		<input type="checkbox"/>	
hasStar	boolean	Has Star	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
idReadable_1	string		<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
ordinal_1	int64		<input type="checkbox"/>	
ordinal	int64	Ordinal	<input type="checkbox"/>	
parentArticle_content_1	string		<input type="checkbox"/>	
parentArticle_content	string		<input type="checkbox"/>	
parentArticle_created_1	int64		<input type="checkbox"/>	
parentArticle_created	int64		<input type="checkbox"/>	
parentArticle_externalArticle_\$type	string		<input type="checkbox"/>	
parentArticle_externalArticle_id	string		<input type="checkbox"/>	
parentArticle_externalArticle_key	string		<input type="checkbox"/>	
parentArticle_externalArticle_name	string		<input type="checkbox"/>	
parentArticle_externalArticle_url	string		<input type="checkbox"/>	
parentArticle_hasChildren_1	boolean		<input type="checkbox"/>	
parentArticle_hasChildren	boolean		<input type="checkbox"/>	
parentArticle_hasStar_1	boolean		<input type="checkbox"/>	
parentArticle_hasStar	boolean		<input type="checkbox"/>	
parentArticle_idReadable_1	string		<input type="checkbox"/>	
parentArticle_idReadable	string		<input type="checkbox"/>	
parentArticle_ordinal_1	int64		<input type="checkbox"/>	
parentArticle_ordinal	int64		<input type="checkbox"/>	
parentArticle_parentArticle_content	string		<input type="checkbox"/>	
parentArticle_parentArticle_create	int64		<input type="checkbox"/>	
parentArticle_parentArticle_hasChildren	boolean		<input type="checkbox"/>	
parentArticle_parentArticle_hasStar	boolean		<input type="checkbox"/>	
parentArticle_parentArticle_idReadable	string		<input type="checkbox"/>	
parentArticle_parentArticle_ordinal	int64		<input type="checkbox"/>	
parentArticle_parentArticle_summary	string		<input type="checkbox"/>	
parentArticle_parentArticle_update	int64		<input type="checkbox"/>	
parentArticle_project_archived	boolean		<input type="checkbox"/>	
parentArticle_project_description	string		<input type="checkbox"/>	
parentArticle_project_fromEmail	string		<input type="checkbox"/>	
parentArticle_project_iconUrl	string		<input type="checkbox"/>	
parentArticle_project_replyToEmail	string		<input type="checkbox"/>	
parentArticle_project_shortName	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
parentArticle_project_startingNumber	int64		<input type="checkbox"/>	
parentArticle_project_template	boolean		<input type="checkbox"/>	
parentArticle_reporter_\$type	string		<input type="checkbox"/>	
parentArticle_reporter_avatarUrl	string		<input type="checkbox"/>	
parentArticle_reporter_banned	boolean		<input type="checkbox"/>	
parentArticle_reporter_email	string		<input type="checkbox"/>	
parentArticle_reporter.FullName	string		<input type="checkbox"/>	
parentArticle_reporter_guest	boolean		<input type="checkbox"/>	
parentArticle_reporter_id	string		<input type="checkbox"/>	
parentArticle_reporter_jabberAccountName	string		<input type="checkbox"/>	
parentArticle_reporter_login	string		<input type="checkbox"/>	
parentArticle_reporter_online	boolean		<input type="checkbox"/>	
parentArticle_reporter_ringId	string		<input type="checkbox"/>	
parentArticle_summary_1	string		<input type="checkbox"/>	
parentArticle_summary	string		<input type="checkbox"/>	
parentArticle_updated_1	int64		<input type="checkbox"/>	
parentArticle_updated	int64		<input type="checkbox"/>	
parentArticle_updatedBy_\$type	string		<input type="checkbox"/>	
parentArticle_updatedBy_avatarUrl	string		<input type="checkbox"/>	
parentArticle_updatedBy_banned	boolean		<input type="checkbox"/>	
parentArticle_updatedBy_email	string		<input type="checkbox"/>	
parentArticle_updatedBy_fullName	string		<input type="checkbox"/>	
parentArticle_updatedBy_guest	boolean		<input type="checkbox"/>	
parentArticle_updatedBy_id	string		<input type="checkbox"/>	
parentArticle_updatedBy_jabberAccountName	string		<input type="checkbox"/>	
parentArticle_updatedBy_login	string		<input type="checkbox"/>	
parentArticle_updatedBy_online	boolean		<input type="checkbox"/>	
parentArticle_updatedBy_ringId	string		<input type="checkbox"/>	
parentArticle_visibility_\$type	string		<input type="checkbox"/>	
parentArticle_visibility_id	string		<input type="checkbox"/>	
project_archived_1	boolean		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_createdBy_\$type	string		<input type="checkbox"/>	
project_createdBy_avatarUrl	string		<input type="checkbox"/>	
project_createdBy_banned	boolean		<input type="checkbox"/>	
project_createdBy_email	string		<input type="checkbox"/>	
project_createdBy_fullName	string		<input type="checkbox"/>	
project_createdBy_guest	boolean		<input type="checkbox"/>	
project_createdBy_id	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
project_createdBy_jabberAccountName	string		<input type="checkbox"/>	
project_createdBy_login	string		<input type="checkbox"/>	
project_createdBy_online	boolean		<input type="checkbox"/>	
project_createdBy_ringId	string		<input type="checkbox"/>	
project_description_1	string		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail_1	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl_1	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_leader_\$type	string		<input type="checkbox"/>	
project_leader_avatarUrl	string		<input type="checkbox"/>	
project_leader_banned	boolean		<input type="checkbox"/>	
project_leader_email	string		<input type="checkbox"/>	
project_leader.FullName	string		<input type="checkbox"/>	
project_leader_guest	boolean		<input type="checkbox"/>	
project_leader_id	string		<input type="checkbox"/>	
project_leader_jabberAccountName	string		<input type="checkbox"/>	
project_leader_login	string		<input type="checkbox"/>	
project_leader_online	boolean		<input type="checkbox"/>	
project_leader_ringId	string		<input type="checkbox"/>	
project_replyToEmail_1	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName_1	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber_1	int64		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_team_\$type	string		<input type="checkbox"/>	
project_team_allUsersGroup	boolean		<input type="checkbox"/>	
project_team_icon	string		<input type="checkbox"/>	
project_team_id	string		<input type="checkbox"/>	
project_team_name	string		<input type="checkbox"/>	
project_team_ringId	string		<input type="checkbox"/>	
project_team_usersCount	int64		<input type="checkbox"/>	
project_template_1	boolean		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
reporter_\$type_1	string		<input type="checkbox"/>	
reporter_\$type_2	string		<input type="checkbox"/>	
reporter_\$type_3	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl_1	string		<input type="checkbox"/>	
reporter_avatarUrl_2	string		<input type="checkbox"/>	
reporter_avatarUrl_3	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned_1	boolean		<input type="checkbox"/>	
reporter_banned_2	boolean		<input type="checkbox"/>	
reporter_banned_3	boolean		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email_1	string		<input type="checkbox"/>	
reporter_email_2	string		<input type="checkbox"/>	
reporter_email_3	string		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter.FullName_1	string		<input type="checkbox"/>	
reporter.FullName_2	string		<input type="checkbox"/>	
reporter.FullName_3	string		<input type="checkbox"/>	
reporter.FullName	string		<input type="checkbox"/>	
reporter_guest_1	boolean		<input type="checkbox"/>	
reporter_guest_2	boolean		<input type="checkbox"/>	
reporter_guest_3	boolean		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id_1	string		<input type="checkbox"/>	
reporter_id_2	string		<input type="checkbox"/>	
reporter_id_3	string		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName_1	string		<input type="checkbox"/>	
reporter_jabberAccountName_2	string		<input type="checkbox"/>	
reporter_jabberAccountName_3	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login_1	string		<input type="checkbox"/>	
reporter_login_2	string		<input type="checkbox"/>	
reporter_login_3	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online_1	boolean		<input type="checkbox"/>	
reporter_online_2	boolean		<input type="checkbox"/>	
reporter_online_3	boolean		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_profiles_\$type_1	string		<input type="checkbox"/>	
reporter_profiles_\$type	string		<input type="checkbox"/>	
reporter_profiles_id_1	string		<input type="checkbox"/>	
reporter_profiles_id	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
reporter_ringId_1	string		<input type="checkbox"/>	
reporter_ringId_2	string		<input type="checkbox"/>	
reporter_ringId_3	string		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
summary_1	string		<input type="checkbox"/>	
summary_2	string		<input type="checkbox"/>	
summary_3	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
updated_1	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updatedBy_\$type_1	string		<input type="checkbox"/>	
updatedBy_\$type	string		<input type="checkbox"/>	
updatedBy_avatarUrl_1	string		<input type="checkbox"/>	
updatedBy_avatarUrl	string		<input type="checkbox"/>	
updatedBy_banned_1	boolean		<input type="checkbox"/>	
updatedBy_banned	boolean		<input type="checkbox"/>	
updatedBy_email_1	string		<input type="checkbox"/>	
updatedBy_email	string		<input type="checkbox"/>	
updatedBy_fullName_1	string		<input type="checkbox"/>	
updatedBy_fullName	string		<input type="checkbox"/>	
updatedBy_guest_1	boolean		<input type="checkbox"/>	
updatedBy_guest	boolean		<input type="checkbox"/>	
updatedBy_id_1	string		<input type="checkbox"/>	
updatedBy_id	string		<input type="checkbox"/>	
updatedBy_jabberAccountName_1	string		<input type="checkbox"/>	
updatedBy_jabberAccountName	string		<input type="checkbox"/>	
updatedBy_login_1	string		<input type="checkbox"/>	
updatedBy_login	string		<input type="checkbox"/>	
updatedBy_online_1	boolean		<input type="checkbox"/>	
updatedBy_online	boolean		<input type="checkbox"/>	
updatedBy_profiles_\$type	string		<input type="checkbox"/>	
updatedBy_profiles_id	string		<input type="checkbox"/>	
updatedBy_ringId_1	string		<input type="checkbox"/>	
updatedBy_ringId	string		<input type="checkbox"/>	
visibility_\$type_1	string		<input type="checkbox"/>	
visibility_\$type_2	string		<input type="checkbox"/>	
visibility_\$type_3	string		<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id_1	string		<input type="checkbox"/>	
visibility_id_2	string		<input type="checkbox"/>	
visibility_id_3	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
visibility_id	string		<input type="checkbox"/>	

6.1.11 ChildChildArticles

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /articles

Insert YouTrack API URL: /articles

Update YouTrack API URL: /articles

Delete YouTrack API URL: /articles

Field Selection Method: NotRequired

Base Path: childArticles [*].childArticles [*]

Select YouTrack API Operation: get /articles

Table Function Columns

The columns of the table function ChildChildArticles are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
content_1	string		<input type="checkbox"/>	
content_2	string		<input type="checkbox"/>	
content_3	string		<input type="checkbox"/>	
content_4	string		<input type="checkbox"/>	
content_5	string		<input type="checkbox"/>	
content	string	Content	<input type="checkbox"/>	
created_1	int64		<input type="checkbox"/>	
created_2	int64		<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
externalArticle_\$type_1	string		<input type="checkbox"/>	
externalArticle_\$type	string		<input type="checkbox"/>	
externalArticle_id_1	string		<input type="checkbox"/>	
externalArticle_id	string		<input type="checkbox"/>	
externalArticle_key_1	string		<input type="checkbox"/>	
externalArticle_key	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
externalArticle_name_1	string		<input type="checkbox"/>	
externalArticle_name	string		<input type="checkbox"/>	
externalArticle_url_1	string		<input type="checkbox"/>	
externalArticle_url	string		<input type="checkbox"/>	
hasChildren_1	boolean		<input type="checkbox"/>	
hasChildren_2	boolean		<input type="checkbox"/>	
hasChildren	boolean	Has Children	<input type="checkbox"/>	
hasStar_1	boolean		<input type="checkbox"/>	
hasStar_2	boolean		<input type="checkbox"/>	
hasStar	boolean	Has Star	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable_1	string		<input type="checkbox"/>	
idReadable_2	string		<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
ordinal_1	int64		<input type="checkbox"/>	
ordinal_2	int64		<input type="checkbox"/>	
ordinal	int64	Ordinal	<input type="checkbox"/>	
parentArticle_\$type	string		<input type="checkbox"/>	
parentArticle_content_1	string		<input type="checkbox"/>	
parentArticle_content_2	string		<input type="checkbox"/>	
parentArticle_content_3	string		<input type="checkbox"/>	
parentArticle_content	string		<input type="checkbox"/>	
parentArticle_created_1	int64		<input type="checkbox"/>	
parentArticle_created_2	int64		<input type="checkbox"/>	
parentArticle_created	int64		<input type="checkbox"/>	
parentArticle_externalArticle_\$type	string		<input type="checkbox"/>	
parentArticle_externalArticle_id	string		<input type="checkbox"/>	
parentArticle_externalArticle_key	string		<input type="checkbox"/>	
parentArticle_externalArticle_name	string		<input type="checkbox"/>	
parentArticle_externalArticle_url	string		<input type="checkbox"/>	
parentArticle_hasChildren_1	boolean		<input type="checkbox"/>	
parentArticle_hasChildren_2	boolean		<input type="checkbox"/>	
parentArticle_hasChildren	boolean		<input type="checkbox"/>	
parentArticle_hasStar_1	boolean		<input type="checkbox"/>	
parentArticle_hasStar_2	boolean		<input type="checkbox"/>	
parentArticle_hasStar	boolean		<input type="checkbox"/>	
parentArticle_id	string		<input type="checkbox"/>	
parentArticle_idReadable_1	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
parentArticle_idReadable_2	string		<input type="checkbox"/>	
parentArticle_idReadable	string		<input type="checkbox"/>	
parentArticle_ordinal_1	int64		<input type="checkbox"/>	
parentArticle_ordinal_2	int64		<input type="checkbox"/>	
parentArticle_ordinal	int64		<input type="checkbox"/>	
parentArticle_parentArticle_content	string		<input type="checkbox"/>	
parentArticle_parentArticle_createId	int64		<input type="checkbox"/>	
parentArticle_parentArticle_hasChildren	boolean		<input type="checkbox"/>	
parentArticle_parentArticle_hasStar	boolean		<input type="checkbox"/>	
parentArticle_parentArticle_idReadable	string		<input type="checkbox"/>	
parentArticle_parentArticle_ordinal	int64		<input type="checkbox"/>	
parentArticle_parentArticle_summary	string		<input type="checkbox"/>	
parentArticle_parentArticle_updateId	int64		<input type="checkbox"/>	
parentArticle_project_archived	boolean		<input type="checkbox"/>	
parentArticle_project_description	string		<input type="checkbox"/>	
parentArticle_project_fromEmail	string		<input type="checkbox"/>	
parentArticle_project_iconUrl	string		<input type="checkbox"/>	
parentArticle_project_replyToEmail	string		<input type="checkbox"/>	
parentArticle_project_shortName	string		<input type="checkbox"/>	
parentArticle_project_startingNumber	int64		<input type="checkbox"/>	
parentArticle_project_template	boolean		<input type="checkbox"/>	
parentArticle_reporter_\$type	string		<input type="checkbox"/>	
parentArticle_reporter_avatarUrl	string		<input type="checkbox"/>	
parentArticle_reporter_banned	boolean		<input type="checkbox"/>	
parentArticle_reporter_email	string		<input type="checkbox"/>	
parentArticle_reporter_fullName	string		<input type="checkbox"/>	
parentArticle_reporter_guest	boolean		<input type="checkbox"/>	
parentArticle_reporter_id	string		<input type="checkbox"/>	
parentArticle_reporter_jabberAccountName	string		<input type="checkbox"/>	
parentArticle_reporter_login	string		<input type="checkbox"/>	
parentArticle_reporter_online	boolean		<input type="checkbox"/>	
parentArticle_reporter_ringId	string		<input type="checkbox"/>	
parentArticle_summary_1	string		<input type="checkbox"/>	
parentArticle_summary_2	string		<input type="checkbox"/>	
parentArticle_summary_3	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
parentArticle_summary	string		<input type="checkbox"/>	
parentArticle_updated_1	int64		<input type="checkbox"/>	
parentArticle_updated_2	int64		<input type="checkbox"/>	
parentArticle_updated	int64		<input type="checkbox"/>	
parentArticle_updatedBy_\$type	string		<input type="checkbox"/>	
parentArticle_updatedBy_avatarUrl	string		<input type="checkbox"/>	
parentArticle_updatedBy_banned	boolean		<input type="checkbox"/>	
parentArticle_updatedBy_email	string		<input type="checkbox"/>	
parentArticle_updatedBy_fullName	string		<input type="checkbox"/>	
parentArticle_updatedBy_guest	boolean		<input type="checkbox"/>	
parentArticle_updatedBy_id	string		<input type="checkbox"/>	
parentArticle_updatedBy_jabberAccountName	string		<input type="checkbox"/>	
parentArticle_updatedBy_login	string		<input type="checkbox"/>	
parentArticle_updatedBy_online	boolean		<input type="checkbox"/>	
parentArticle_updatedBy_ringId	string		<input type="checkbox"/>	
parentArticle_visibility_\$type	string		<input type="checkbox"/>	
parentArticle_visibility_id	string		<input type="checkbox"/>	
project_archived_1	boolean		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_createdBy_\$type	string		<input type="checkbox"/>	
project_createdBy_avatarUrl	string		<input type="checkbox"/>	
project_createdBy_banned	boolean		<input type="checkbox"/>	
project_createdBy_email	string		<input type="checkbox"/>	
project_createdBy_fullName	string		<input type="checkbox"/>	
project_createdBy_guest	boolean		<input type="checkbox"/>	
project_createdBy_id	string		<input type="checkbox"/>	
project_createdBy_jabberAccountName	string		<input type="checkbox"/>	
project_createdBy_login	string		<input type="checkbox"/>	
project_createdBy_online	boolean		<input type="checkbox"/>	
project_createdBy_ringId	string		<input type="checkbox"/>	
project_description_1	string		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail_1	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl_1	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_leader_\$type	string		<input type="checkbox"/>	
project_leader_avatarUrl	string		<input type="checkbox"/>	
project_leader_banned	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
project_leader_email	string		<input type="checkbox"/>	
project_leader_fullName	string		<input type="checkbox"/>	
project_leader_guest	boolean		<input type="checkbox"/>	
project_leader_id	string		<input type="checkbox"/>	
project_leader_jabberAccountName	string		<input type="checkbox"/>	
project_leader_login	string		<input type="checkbox"/>	
project_leader_online	boolean		<input type="checkbox"/>	
project_leader_ringId	string		<input type="checkbox"/>	
project_replyToEmail_1	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName_1	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber_1	int64		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_team_\$type	string		<input type="checkbox"/>	
project_team_allUsersGroup	boolean		<input type="checkbox"/>	
project_team_icon	string		<input type="checkbox"/>	
project_team_id	string		<input type="checkbox"/>	
project_team_name	string		<input type="checkbox"/>	
project_team_ringId	string		<input type="checkbox"/>	
project_team_usersCount	int64		<input type="checkbox"/>	
project_template_1	boolean		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
reporter_\$type_1	string		<input type="checkbox"/>	
reporter_\$type_2	string		<input type="checkbox"/>	
reporter_\$type_3	string		<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl_1	string		<input type="checkbox"/>	
reporter_avatarUrl_2	string		<input type="checkbox"/>	
reporter_avatarUrl_3	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned_1	boolean		<input type="checkbox"/>	
reporter_banned_2	boolean		<input type="checkbox"/>	
reporter_banned_3	boolean		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email_1	string		<input type="checkbox"/>	
reporter_email_2	string		<input type="checkbox"/>	
reporter_email_3	string		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter_fullName_1	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
reporter.FullName_2	string		<input type="checkbox"/>	
reporter.FullName_3	string		<input type="checkbox"/>	
reporter.FullName	string		<input type="checkbox"/>	
reporter.guest_1	boolean		<input type="checkbox"/>	
reporter.guest_2	boolean		<input type="checkbox"/>	
reporter.guest_3	boolean		<input type="checkbox"/>	
reporter.guest	boolean		<input type="checkbox"/>	
reporter.id_1	string		<input type="checkbox"/>	
reporter.id_2	string		<input type="checkbox"/>	
reporter.id_3	string		<input type="checkbox"/>	
reporter.id	string		<input type="checkbox"/>	
reporter.jabberAccountName_1	string		<input type="checkbox"/>	
reporter.jabberAccountName_2	string		<input type="checkbox"/>	
reporter.jabberAccountName_3	string		<input type="checkbox"/>	
reporter.jabberAccountName	string		<input type="checkbox"/>	
reporter.login_1	string		<input type="checkbox"/>	
reporter.login_2	string		<input type="checkbox"/>	
reporter.login_3	string		<input type="checkbox"/>	
reporter.login	string		<input type="checkbox"/>	
reporter.online_1	boolean		<input type="checkbox"/>	
reporter.online_2	boolean		<input type="checkbox"/>	
reporter.online_3	boolean		<input type="checkbox"/>	
reporter.online	boolean		<input type="checkbox"/>	
reporter.profiles.\$type_1	string		<input type="checkbox"/>	
reporter.profiles.\$type	string		<input type="checkbox"/>	
reporter.profiles.id_1	string		<input type="checkbox"/>	
reporter.profiles.id	string		<input type="checkbox"/>	
reporter.ringId_1	string		<input type="checkbox"/>	
reporter.ringId_2	string		<input type="checkbox"/>	
reporter.ringId_3	string		<input type="checkbox"/>	
reporter.ringId	string		<input type="checkbox"/>	
summary_1	string		<input type="checkbox"/>	
summary_2	string		<input type="checkbox"/>	
summary_3	string		<input type="checkbox"/>	
summary_4	string		<input type="checkbox"/>	
summary_5	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
updated_1	int64		<input type="checkbox"/>	
updated_2	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updatedBy.\$type_1	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updatedBy_\$type	string		<input type="checkbox"/>	
updatedBy_avatarUrl_1	string		<input type="checkbox"/>	
updatedBy_avatarUrl	string		<input type="checkbox"/>	
updatedBy_banned_1	boolean		<input type="checkbox"/>	
updatedBy_banned	boolean		<input type="checkbox"/>	
updatedBy_email_1	string		<input type="checkbox"/>	
updatedBy_email	string		<input type="checkbox"/>	
updatedBy_fullName_1	string		<input type="checkbox"/>	
updatedBy_fullName	string		<input type="checkbox"/>	
updatedBy_guest_1	boolean		<input type="checkbox"/>	
updatedBy_guest	boolean		<input type="checkbox"/>	
updatedBy_id_1	string		<input type="checkbox"/>	
updatedBy_id	string		<input type="checkbox"/>	
updatedBy_jabberAccountName_1	string		<input type="checkbox"/>	
updatedBy_jabberAccountName	string		<input type="checkbox"/>	
updatedBy_login_1	string		<input type="checkbox"/>	
updatedBy_login	string		<input type="checkbox"/>	
updatedBy_online_1	boolean		<input type="checkbox"/>	
updatedBy_online	boolean		<input type="checkbox"/>	
updatedBy_profiles_\$type	string		<input type="checkbox"/>	
updatedBy_profiles_id	string		<input type="checkbox"/>	
updatedBy_ringId_1	string		<input type="checkbox"/>	
updatedBy_ringId	string		<input type="checkbox"/>	
visibility_\$type_1	string		<input type="checkbox"/>	
visibility_\$type_2	string		<input type="checkbox"/>	
visibility_\$type_3	string		<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id_1	string		<input type="checkbox"/>	
visibility_id_2	string		<input type="checkbox"/>	
visibility_id_3	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	

6.1.12 ChildChildArticlesById

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/articles/{id}`

Insert YouTrack API URL: /articles/{id}

Update YouTrack API URL: /articles/{id}

Delete YouTrack API URL: /articles/{id}

Field Selection Method: NotRequired

Base Path: childArticles[*].childArticles[*]

Select YouTrack API Operation: get /articles/{id}

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function ChildChildArticlesById. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function ChildChildArticlesById are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
content_1	string		<input type="checkbox"/>	
content_2	string		<input type="checkbox"/>	
content_3	string		<input type="checkbox"/>	
content_4	string		<input type="checkbox"/>	
content_5	string		<input type="checkbox"/>	
content	string	Content	<input type="checkbox"/>	
created_1	int64		<input type="checkbox"/>	
created_2	int64		<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
externalArticle_\$type_1	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
externalArticle_\$type	string		<input type="checkbox"/>	
externalArticle_id_1	string		<input type="checkbox"/>	
externalArticle_id	string		<input type="checkbox"/>	
externalArticle_key_1	string		<input type="checkbox"/>	
externalArticle_key	string		<input type="checkbox"/>	
externalArticle_name_1	string		<input type="checkbox"/>	
externalArticle_name	string		<input type="checkbox"/>	
externalArticle_url_1	string		<input type="checkbox"/>	
externalArticle_url	string		<input type="checkbox"/>	
hasChildren_1	boolean		<input type="checkbox"/>	
hasChildren_2	boolean		<input type="checkbox"/>	
hasChildren	boolean	Has Children	<input type="checkbox"/>	
hasStar_1	boolean		<input type="checkbox"/>	
hasStar_2	boolean		<input type="checkbox"/>	
hasStar	boolean	Has Star	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable_1	string		<input type="checkbox"/>	
idReadable_2	string		<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
ordinal_1	int64		<input type="checkbox"/>	
ordinal_2	int64		<input type="checkbox"/>	
ordinal	int64	Ordinal	<input type="checkbox"/>	
parentArticle_\$type	string		<input type="checkbox"/>	
parentArticle_content_1	string		<input type="checkbox"/>	
parentArticle_content_2	string		<input type="checkbox"/>	
parentArticle_content_3	string		<input type="checkbox"/>	
parentArticle_content	string		<input type="checkbox"/>	
parentArticle_created_1	int64		<input type="checkbox"/>	
parentArticle_created_2	int64		<input type="checkbox"/>	
parentArticle_created	int64		<input type="checkbox"/>	
parentArticle_externalArticle_\$type	string		<input type="checkbox"/>	
parentArticle_externalArticle_id	string		<input type="checkbox"/>	
parentArticle_externalArticle_key	string		<input type="checkbox"/>	
parentArticle_externalArticle_name	string		<input type="checkbox"/>	
parentArticle_externalArticle_url	string		<input type="checkbox"/>	
parentArticle_hasChildren_1	boolean		<input type="checkbox"/>	
parentArticle_hasChildren_2	boolean		<input type="checkbox"/>	
parentArticle_hasChildren	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
parentArticle_hasStar_1	boolean		<input type="checkbox"/>	
parentArticle_hasStar_2	boolean		<input type="checkbox"/>	
parentArticle_hasStar	boolean		<input type="checkbox"/>	
parentArticle_id	string		<input type="checkbox"/>	
parentArticle_idReadable_1	string		<input type="checkbox"/>	
parentArticle_idReadable_2	string		<input type="checkbox"/>	
parentArticle_idReadable	string		<input type="checkbox"/>	
parentArticle_ordinal_1	int64		<input type="checkbox"/>	
parentArticle_ordinal_2	int64		<input type="checkbox"/>	
parentArticle_ordinal	int64		<input type="checkbox"/>	
parentArticle_parentArticle_content	string		<input type="checkbox"/>	
parentArticle_parentArticle_created	int64		<input type="checkbox"/>	
parentArticle_parentArticle_hasChildren	boolean		<input type="checkbox"/>	
parentArticle_parentArticle_hasStar	boolean		<input type="checkbox"/>	
parentArticle_parentArticle_idReadable	string		<input type="checkbox"/>	
parentArticle_parentArticle_ordinal	int64		<input type="checkbox"/>	
parentArticle_parentArticle_summary	string		<input type="checkbox"/>	
parentArticle_parentArticle_updated	int64		<input type="checkbox"/>	
parentArticle_project_archived	boolean		<input type="checkbox"/>	
parentArticle_project_description	string		<input type="checkbox"/>	
parentArticle_project_fromEmail	string		<input type="checkbox"/>	
parentArticle_project_iconUrl	string		<input type="checkbox"/>	
parentArticle_project_replyToEmail	string		<input type="checkbox"/>	
parentArticle_project_shortName	string		<input type="checkbox"/>	
parentArticle_project_startingNumber	int64		<input type="checkbox"/>	
parentArticle_project_template	boolean		<input type="checkbox"/>	
parentArticle_reporter_\$type	string		<input type="checkbox"/>	
parentArticle_reporter_avatarUrl	string		<input type="checkbox"/>	
parentArticle_reporter_banned	boolean		<input type="checkbox"/>	
parentArticle_reporter_email	string		<input type="checkbox"/>	
parentArticle_reporter_fullName	string		<input type="checkbox"/>	
parentArticle_reporter_guest	boolean		<input type="checkbox"/>	
parentArticle_reporter_id	string		<input type="checkbox"/>	
parentArticle_reporter_jabberAccountName	string		<input type="checkbox"/>	
parentArticle_reporter_login	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
parentArticle_reporter_online	boolean		<input type="checkbox"/>	
parentArticle_reporter_ringId	string		<input type="checkbox"/>	
parentArticle_summary_1	string		<input type="checkbox"/>	
parentArticle_summary_2	string		<input type="checkbox"/>	
parentArticle_summary_3	string		<input type="checkbox"/>	
parentArticle_summary	string		<input type="checkbox"/>	
parentArticle_updated_1	int64		<input type="checkbox"/>	
parentArticle_updated_2	int64		<input type="checkbox"/>	
parentArticle_updated	int64		<input type="checkbox"/>	
parentArticle_updatedBy_\$type	string		<input type="checkbox"/>	
parentArticle_updatedBy_avatarUrl	string		<input type="checkbox"/>	
parentArticle_updatedBy_banned	boolean		<input type="checkbox"/>	
parentArticle_updatedBy_email	string		<input type="checkbox"/>	
parentArticle_updatedBy.FullName	string		<input type="checkbox"/>	
parentArticle_updatedBy_guest	boolean		<input type="checkbox"/>	
parentArticle_updatedBy_id	string		<input type="checkbox"/>	
parentArticle_updatedBy_jabberAccountName	string		<input type="checkbox"/>	
parentArticle_updatedBy_login	string		<input type="checkbox"/>	
parentArticle_updatedBy_online	boolean		<input type="checkbox"/>	
parentArticle_updatedBy_ringId	string		<input type="checkbox"/>	
parentArticle_visibility_\$type	string		<input type="checkbox"/>	
parentArticle_visibility_id	string		<input type="checkbox"/>	
project_archived_1	boolean		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_createdBy_\$type	string		<input type="checkbox"/>	
project_createdBy_avatarUrl	string		<input type="checkbox"/>	
project_createdBy_banned	boolean		<input type="checkbox"/>	
project_createdBy_email	string		<input type="checkbox"/>	
project_createdBy.FullName	string		<input type="checkbox"/>	
project_createdBy_guest	boolean		<input type="checkbox"/>	
project_createdBy_id	string		<input type="checkbox"/>	
project_createdBy_jabberAccountName	string		<input type="checkbox"/>	
project_createdBy_login	string		<input type="checkbox"/>	
project_createdBy_online	boolean		<input type="checkbox"/>	
project_createdBy_ringId	string		<input type="checkbox"/>	
project_description_1	string		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail_1	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
project_iconUrl_1	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_leader_\$type	string		<input type="checkbox"/>	
project_leader_avatarUrl	string		<input type="checkbox"/>	
project_leader_banned	boolean		<input type="checkbox"/>	
project_leader_email	string		<input type="checkbox"/>	
project_leader.FullName	string		<input type="checkbox"/>	
project_leader_guest	boolean		<input type="checkbox"/>	
project_leader_id	string		<input type="checkbox"/>	
project_leader_jabberAccountName	string		<input type="checkbox"/>	
project_leader_login	string		<input type="checkbox"/>	
project_leader_online	boolean		<input type="checkbox"/>	
project_leader_ringId	string		<input type="checkbox"/>	
project_replyToEmail_1	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName_1	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber_1	int64		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_team_\$type	string		<input type="checkbox"/>	
project_team_allUsersGroup	boolean		<input type="checkbox"/>	
project_team_icon	string		<input type="checkbox"/>	
project_team_id	string		<input type="checkbox"/>	
project_team_name	string		<input type="checkbox"/>	
project_team_ringId	string		<input type="checkbox"/>	
project_team_usersCount	int64		<input type="checkbox"/>	
project_template_1	boolean		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
reporter_\$type_1	string		<input type="checkbox"/>	
reporter_\$type_2	string		<input type="checkbox"/>	
reporter_\$type_3	string		<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl_1	string		<input type="checkbox"/>	
reporter_avatarUrl_2	string		<input type="checkbox"/>	
reporter_avatarUrl_3	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned_1	boolean		<input type="checkbox"/>	
reporter_banned_2	boolean		<input type="checkbox"/>	
reporter_banned_3	boolean		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
reporter_email_1	string		<input type="checkbox"/>	
reporter_email_2	string		<input type="checkbox"/>	
reporter_email_3	string		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter.FullName_1	string		<input type="checkbox"/>	
reporter.FullName_2	string		<input type="checkbox"/>	
reporter.FullName_3	string		<input type="checkbox"/>	
reporter.FullName	string		<input type="checkbox"/>	
reporter_guest_1	boolean		<input type="checkbox"/>	
reporter_guest_2	boolean		<input type="checkbox"/>	
reporter_guest_3	boolean		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id_1	string		<input type="checkbox"/>	
reporter_id_2	string		<input type="checkbox"/>	
reporter_id_3	string		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName_1	string		<input type="checkbox"/>	
reporter_jabberAccountName_2	string		<input type="checkbox"/>	
reporter_jabberAccountName_3	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login_1	string		<input type="checkbox"/>	
reporter_login_2	string		<input type="checkbox"/>	
reporter_login_3	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online_1	boolean		<input type="checkbox"/>	
reporter_online_2	boolean		<input type="checkbox"/>	
reporter_online_3	boolean		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_profiles_\$type_1	string		<input type="checkbox"/>	
reporter_profiles_\$type	string		<input type="checkbox"/>	
reporter_profiles_id_1	string		<input type="checkbox"/>	
reporter_profiles_id	string		<input type="checkbox"/>	
reporter_ringId_1	string		<input type="checkbox"/>	
reporter_ringId_2	string		<input type="checkbox"/>	
reporter_ringId_3	string		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
summary_1	string		<input type="checkbox"/>	
summary_2	string		<input type="checkbox"/>	
summary_3	string		<input type="checkbox"/>	
summary_4	string		<input type="checkbox"/>	
summary_5	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
summary	string	Summary	<input type="checkbox"/>	
updated_1	int64		<input type="checkbox"/>	
updated_2	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updatedBy_\$type_1	string		<input type="checkbox"/>	
updatedBy_\$type	string		<input type="checkbox"/>	
updatedBy_avatarUrl_1	string		<input type="checkbox"/>	
updatedBy_avatarUrl	string		<input type="checkbox"/>	
updatedBy_banned_1	boolean		<input type="checkbox"/>	
updatedBy_banned	boolean		<input type="checkbox"/>	
updatedBy_email_1	string		<input type="checkbox"/>	
updatedBy_email	string		<input type="checkbox"/>	
updatedBy_fullName_1	string		<input type="checkbox"/>	
updatedBy_fullName	string		<input type="checkbox"/>	
updatedBy_guest_1	boolean		<input type="checkbox"/>	
updatedBy_guest	boolean		<input type="checkbox"/>	
updatedBy_id_1	string		<input type="checkbox"/>	
updatedBy_id	string		<input type="checkbox"/>	
updatedBy_jabberAccountName_1	string		<input type="checkbox"/>	
updatedBy_jabberAccountName	string		<input type="checkbox"/>	
updatedBy_login_1	string		<input type="checkbox"/>	
updatedBy_login	string		<input type="checkbox"/>	
updatedBy_online_1	boolean		<input type="checkbox"/>	
updatedBy_online	boolean		<input type="checkbox"/>	
updatedBy_profiles_\$type	string		<input type="checkbox"/>	
updatedBy_profiles_id	string		<input type="checkbox"/>	
updatedBy_ringId_1	string		<input type="checkbox"/>	
updatedBy_ringId	string		<input type="checkbox"/>	
visibility_\$type_1	string		<input type="checkbox"/>	
visibility_\$type_2	string		<input type="checkbox"/>	
visibility_\$type_3	string		<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id_1	string		<input type="checkbox"/>	
visibility_id_2	string		<input type="checkbox"/>	
visibility_id_3	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	

6.1.13 CommentAttachments

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: /articles

Insert YouTrack API URL: /articles

Update YouTrack API URL: /articles

Delete YouTrack API URL: /articles

Field Selection Method: NotRequired

Base Path: comments [*] .attachments [*]

Select YouTrack API Operation: get /articles

Table Function Columns

The columns of the table function `CommentAttachments` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
article_content	string		<input type="checkbox"/>	
article_created	int64		<input type="checkbox"/>	
article_hasChildren	boolean		<input type="checkbox"/>	
article_hasStar	boolean		<input type="checkbox"/>	
article_idReadable	string		<input type="checkbox"/>	
article_ordinal	int64		<input type="checkbox"/>	
article_summary	string		<input type="checkbox"/>	
article_updated	int64		<input type="checkbox"/>	
author_\$type	string		<input type="checkbox"/>	
author_avatarUrl	string		<input type="checkbox"/>	
author_banned	boolean		<input type="checkbox"/>	
author_email	string		<input type="checkbox"/>	
author.FullName	string		<input type="checkbox"/>	
author_guest	boolean		<input type="checkbox"/>	
author_id	string		<input type="checkbox"/>	
author_jabberAccountName	string		<input type="checkbox"/>	
author_login	string		<input type="checkbox"/>	
author_online	boolean		<input type="checkbox"/>	
author_ringId	string		<input type="checkbox"/>	
base64Content	string	Base64 Content	<input type="checkbox"/>	
charset	string	Charset	<input type="checkbox"/>	
content_1	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
content	string	Content	<input type="checkbox"/>	
created_1	int64		<input type="checkbox"/>	
created_2	int64		<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
draft	boolean	Draft	<input type="checkbox"/>	
extension	string	Extension	<input type="checkbox"/>	
externalArticle_\$type	string		<input type="checkbox"/>	
externalArticle_id	string		<input type="checkbox"/>	
externalArticle_key	string		<input type="checkbox"/>	
externalArticle_name	string		<input type="checkbox"/>	
externalArticle_url	string		<input type="checkbox"/>	
hasChildren	boolean	Has Children	<input type="checkbox"/>	
hasStar	boolean	Has Star	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
metaData	string	Metadata	<input type="checkbox"/>	
mimeType	string	MIME-type	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
ordinal	int64	Ordinal	<input type="checkbox"/>	
parentArticle_\$type	string		<input type="checkbox"/>	
parentArticle_base64Content	string		<input type="checkbox"/>	
parentArticle_charset	string		<input type="checkbox"/>	
parentArticle_content	string		<input type="checkbox"/>	
parentArticle_created_1	int64		<input type="checkbox"/>	
parentArticle_created	int64		<input type="checkbox"/>	
parentArticle_draft	boolean		<input type="checkbox"/>	
parentArticle_extension	string		<input type="checkbox"/>	
parentArticle_externalArticle_\$type	string		<input type="checkbox"/>	
parentArticle_externalArticle_id	string		<input type="checkbox"/>	
parentArticle_externalArticle_key	string		<input type="checkbox"/>	
parentArticle_externalArticle_name	string		<input type="checkbox"/>	
parentArticle_externalArticle_url	string		<input type="checkbox"/>	
parentArticle_hasChildren	boolean		<input type="checkbox"/>	
parentArticle_hasStar	boolean		<input type="checkbox"/>	
parentArticle_id	string		<input type="checkbox"/>	
parentArticle_idReadable	string		<input type="checkbox"/>	
parentArticle_metaData	string		<input type="checkbox"/>	
parentArticle_mimeType	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
parentArticle_name	string		<input type="checkbox"/>	
parentArticle_ordinal	int64		<input type="checkbox"/>	
parentArticle_parentArticle_content	string		<input type="checkbox"/>	
parentArticle_parentArticle_created	int64		<input type="checkbox"/>	
parentArticle_parentArticle_hasChildren	boolean		<input type="checkbox"/>	
parentArticle_parentArticle_hasStar	boolean		<input type="checkbox"/>	
parentArticle_parentArticle_idReadable	string		<input type="checkbox"/>	
parentArticle_parentArticle_ordinal	int64		<input type="checkbox"/>	
parentArticle_parentArticle_summary	string		<input type="checkbox"/>	
parentArticle_parentArticle_updated	int64		<input type="checkbox"/>	
parentArticle_project_archived	boolean		<input type="checkbox"/>	
parentArticle_project_description	string		<input type="checkbox"/>	
parentArticle_project_fromEmail	string		<input type="checkbox"/>	
parentArticle_project_iconUrl	string		<input type="checkbox"/>	
parentArticle_project_replyToEmail	string		<input type="checkbox"/>	
parentArticle_project_shortName	string		<input type="checkbox"/>	
parentArticle_project_startingNumber	int64		<input type="checkbox"/>	
parentArticle_project_template	boolean		<input type="checkbox"/>	
parentArticle_removed	boolean		<input type="checkbox"/>	
parentArticle_reporter_\$type	string		<input type="checkbox"/>	
parentArticle_reporter_avatarUrl	string		<input type="checkbox"/>	
parentArticle_reporter_banned	boolean		<input type="checkbox"/>	
parentArticle_reporter_email	string		<input type="checkbox"/>	
parentArticle_reporter_fullName	string		<input type="checkbox"/>	
parentArticle_reporter_guest	boolean		<input type="checkbox"/>	
parentArticle_reporter_id	string		<input type="checkbox"/>	
parentArticle_reporter_jabberAccountName	string		<input type="checkbox"/>	
parentArticle_reporter_login	string		<input type="checkbox"/>	
parentArticle_reporter_online	boolean		<input type="checkbox"/>	
parentArticle_reporter_ringId	string		<input type="checkbox"/>	
parentArticle_size	int64		<input type="checkbox"/>	
parentArticle_summary	string		<input type="checkbox"/>	
parentArticle_updated_1	int64		<input type="checkbox"/>	
parentArticle_updated	int64		<input type="checkbox"/>	
parentArticle_updatedBy_\$type	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
parentArticle_updatedBy_avatarUrl	string		<input type="checkbox"/>	
parentArticle_updatedBy_banned	boolean		<input type="checkbox"/>	
parentArticle_updatedBy_email	string		<input type="checkbox"/>	
parentArticle_updatedBy_fullName	string		<input type="checkbox"/>	
parentArticle_updatedBy_guest	boolean		<input type="checkbox"/>	
parentArticle_updatedBy_id	string		<input type="checkbox"/>	
parentArticle_updatedBy_jabberAccountName	string		<input type="checkbox"/>	
parentArticle_updatedBy_login	string		<input type="checkbox"/>	
parentArticle_updatedBy_online	boolean		<input type="checkbox"/>	
parentArticle_updatedBy_ringId	string		<input type="checkbox"/>	
parentArticle_url	string		<input type="checkbox"/>	
parentArticle_visibility_\$type	string		<input type="checkbox"/>	
parentArticle_visibility_id	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_createdBy_\$type	string		<input type="checkbox"/>	
project_createdBy_avatarUrl	string		<input type="checkbox"/>	
project_createdBy_banned	boolean		<input type="checkbox"/>	
project_createdBy_email	string		<input type="checkbox"/>	
project_createdBy_fullName	string		<input type="checkbox"/>	
project_createdBy_guest	boolean		<input type="checkbox"/>	
project_createdBy_id	string		<input type="checkbox"/>	
project_createdBy_jabberAccountName	string		<input type="checkbox"/>	
project_createdBy_login	string		<input type="checkbox"/>	
project_createdBy_online	boolean		<input type="checkbox"/>	
project_createdBy_ringId	string		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_leader_\$type	string		<input type="checkbox"/>	
project_leader_avatarUrl	string		<input type="checkbox"/>	
project_leader_banned	boolean		<input type="checkbox"/>	
project_leader_email	string		<input type="checkbox"/>	
project_leader_fullName	string		<input type="checkbox"/>	
project_leader_guest	boolean		<input type="checkbox"/>	
project_leader_id	string		<input type="checkbox"/>	
project_leader_jabberAccountName	string		<input type="checkbox"/>	
project_leader_login	string		<input type="checkbox"/>	
project_leader_online	boolean		<input type="checkbox"/>	
project_leader_ringId	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_team_\$type	string		<input type="checkbox"/>	
project_team_allUsersGroup	boolean		<input type="checkbox"/>	
project_team_icon	string		<input type="checkbox"/>	
project_team_id	string		<input type="checkbox"/>	
project_team_name	string		<input type="checkbox"/>	
project_team_ringId	string		<input type="checkbox"/>	
project_team_usersCount	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
removed	boolean	Removed	<input type="checkbox"/>	
reporter_\$type_1	string		<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl_1	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned_1	boolean		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email_1	string		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter_fullName_1	string		<input type="checkbox"/>	
reporter_fullName	string		<input type="checkbox"/>	
reporter_guest_1	boolean		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id_1	string		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName_1	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login_1	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online_1	boolean		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_profiles_\$type_1	string		<input type="checkbox"/>	
reporter_profiles_\$type	string		<input type="checkbox"/>	
reporter_profiles_id_1	string		<input type="checkbox"/>	
reporter_profiles_id	string		<input type="checkbox"/>	
reporter_ringId_1	string		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
size	int64	Size	<input type="checkbox"/>	
summary_1	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
text	string	Text	<input type="checkbox"/>	
updated_1	int64		<input type="checkbox"/>	
updated_2	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updatedBy_\$type	string		<input type="checkbox"/>	
updatedBy_avatarUrl	string		<input type="checkbox"/>	
updatedBy_banned	boolean		<input type="checkbox"/>	
updatedBy_email	string		<input type="checkbox"/>	
updatedBy_fullName	string		<input type="checkbox"/>	
updatedBy_guest	boolean		<input type="checkbox"/>	
updatedBy_id	string		<input type="checkbox"/>	
updatedBy_jabberAccountName	string		<input type="checkbox"/>	
updatedBy_login	string		<input type="checkbox"/>	
updatedBy_online	boolean		<input type="checkbox"/>	
updatedBy_profiles_\$type	string		<input type="checkbox"/>	
updatedBy_profiles_id	string		<input type="checkbox"/>	
updatedBy_ringId	string		<input type="checkbox"/>	
url	string	URL	<input type="checkbox"/>	
visibility_\$type_1	string		<input type="checkbox"/>	
visibility_\$type_2	string		<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id_1	string		<input type="checkbox"/>	
visibility_id_2	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	

6.1.14 CommentAttachmentsByIssueId

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /articles/{id}

Insert YouTrack API URL: /articles/{id}

Update YouTrack API URL: /articles/{id}

Delete YouTrack API URL: /articles/{id}

Field Selection Method: NotRequired

Base Path: comments[*].attachments[*]

Select YouTrack API Operation: get /articles/{id}

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CommentAttachmentsByIssueId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `CommentAttachmentsByIssueId` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
article_content	string		<input type="checkbox"/>	
article_created	int64		<input type="checkbox"/>	
article_hasChildren	boolean		<input type="checkbox"/>	
article_hasStar	boolean		<input type="checkbox"/>	
article_idReadable	string		<input type="checkbox"/>	
article_ordinal	int64		<input type="checkbox"/>	
article_summary	string		<input type="checkbox"/>	
article_updated	int64		<input type="checkbox"/>	
author_\$type	string		<input type="checkbox"/>	
author_avatarUrl	string		<input type="checkbox"/>	
author_banned	boolean		<input type="checkbox"/>	
author_email	string		<input type="checkbox"/>	
author_fullName	string		<input type="checkbox"/>	
author_guest	boolean		<input type="checkbox"/>	
author_id	string		<input type="checkbox"/>	
author_jabberAccountName	string		<input type="checkbox"/>	
author_login	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
author_online	boolean		<input type="checkbox"/>	
author_ringId	string		<input type="checkbox"/>	
base64Content	string	Base64 Content	<input type="checkbox"/>	
charset	string	Charset	<input type="checkbox"/>	
content_1	string		<input type="checkbox"/>	
content	string	Content	<input type="checkbox"/>	
created_1	int64		<input type="checkbox"/>	
created_2	int64		<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
draft	boolean	Draft	<input type="checkbox"/>	
extension	string	Extension	<input type="checkbox"/>	
externalArticle_\$type	string		<input type="checkbox"/>	
externalArticle_id	string		<input type="checkbox"/>	
externalArticle_key	string		<input type="checkbox"/>	
externalArticle_name	string		<input type="checkbox"/>	
externalArticle_url	string		<input type="checkbox"/>	
hasChildren	boolean	Has Children	<input type="checkbox"/>	
hasStar	boolean	Has Star	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
metaData	string	Metadata	<input type="checkbox"/>	
mimeType	string	MIME-type	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
ordinal	int64	Ordinal	<input type="checkbox"/>	
parentArticle_\$type	string		<input type="checkbox"/>	
parentArticle_base64Content	string		<input type="checkbox"/>	
parentArticle_charset	string		<input type="checkbox"/>	
parentArticle_content	string		<input type="checkbox"/>	
parentArticle_created_1	int64		<input type="checkbox"/>	
parentArticle_created	int64		<input type="checkbox"/>	
parentArticle_draft	boolean		<input type="checkbox"/>	
parentArticle_extension	string		<input type="checkbox"/>	
parentArticle_externalArticle_\$type	string		<input type="checkbox"/>	
parentArticle_externalArticle_id	string		<input type="checkbox"/>	
parentArticle_externalArticle_key	string		<input type="checkbox"/>	
parentArticle_externalArticle_name	string		<input type="checkbox"/>	
parentArticle_externalArticle_url	string		<input type="checkbox"/>	
parentArticle_hasChildren	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
parentArticle_hasStar	boolean		<input type="checkbox"/>	
parentArticle_id	string		<input type="checkbox"/>	
parentArticle_idReadable	string		<input type="checkbox"/>	
parentArticle_metaData	string		<input type="checkbox"/>	
parentArticle_mimeType	string		<input type="checkbox"/>	
parentArticle_name	string		<input type="checkbox"/>	
parentArticle_ordinal	int64		<input type="checkbox"/>	
parentArticle_parentArticle_content	string		<input type="checkbox"/>	
parentArticle_parentArticle_createId	int64		<input type="checkbox"/>	
parentArticle_parentArticle_hasChildren	boolean		<input type="checkbox"/>	
parentArticle_parentArticle_hasStar	boolean		<input type="checkbox"/>	
parentArticle_parentArticle_idReadable	string		<input type="checkbox"/>	
parentArticle_parentArticle_ordinal	int64		<input type="checkbox"/>	
parentArticle_parentArticle_summary	string		<input type="checkbox"/>	
parentArticle_parentArticle_updateId	int64		<input type="checkbox"/>	
parentArticle_project_archived	boolean		<input type="checkbox"/>	
parentArticle_project_description	string		<input type="checkbox"/>	
parentArticle_project_fromEmail	string		<input type="checkbox"/>	
parentArticle_project_iconUrl	string		<input type="checkbox"/>	
parentArticle_project_replyToEmail	string		<input type="checkbox"/>	
parentArticle_project_shortName	string		<input type="checkbox"/>	
parentArticle_project_startingNumber	int64		<input type="checkbox"/>	
parentArticle_project_template	boolean		<input type="checkbox"/>	
parentArticle_removed	boolean		<input type="checkbox"/>	
parentArticle_reporter_\$type	string		<input type="checkbox"/>	
parentArticle_reporter_avatarUrl	string		<input type="checkbox"/>	
parentArticle_reporter_banned	boolean		<input type="checkbox"/>	
parentArticle_reporter_email	string		<input type="checkbox"/>	
parentArticle_reporter_fullName	string		<input type="checkbox"/>	
parentArticle_reporter_guest	boolean		<input type="checkbox"/>	
parentArticle_reporter_id	string		<input type="checkbox"/>	
parentArticle_reporter_jabberAccountName	string		<input type="checkbox"/>	
parentArticle_reporter_login	string		<input type="checkbox"/>	
parentArticle_reporter_online	boolean		<input type="checkbox"/>	
parentArticle_reporter_ringId	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
parentArticle_size	int64		<input type="checkbox"/>	
parentArticle_summary	string		<input type="checkbox"/>	
parentArticle_updated_1	int64		<input type="checkbox"/>	
parentArticle_updated	int64		<input type="checkbox"/>	
parentArticle_updatedBy_\$type	string		<input type="checkbox"/>	
parentArticle_updatedBy_avatarUrl	string		<input type="checkbox"/>	
parentArticle_updatedBy_banned	boolean		<input type="checkbox"/>	
parentArticle_updatedBy_email	string		<input type="checkbox"/>	
parentArticle_updatedBy_fullName	string		<input type="checkbox"/>	
parentArticle_updatedBy_guest	boolean		<input type="checkbox"/>	
parentArticle_updatedBy_id	string		<input type="checkbox"/>	
parentArticle_updatedBy_jabberAccountName	string		<input type="checkbox"/>	
parentArticle_updatedBy_login	string		<input type="checkbox"/>	
parentArticle_updatedBy_online	boolean		<input type="checkbox"/>	
parentArticle_updatedBy_ringId	string		<input type="checkbox"/>	
parentArticle_url	string		<input type="checkbox"/>	
parentArticle_visibility_\$type	string		<input type="checkbox"/>	
parentArticle_visibility_id	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_createdBy_\$type	string		<input type="checkbox"/>	
project_createdBy_avatarUrl	string		<input type="checkbox"/>	
project_createdBy_banned	boolean		<input type="checkbox"/>	
project_createdBy_email	string		<input type="checkbox"/>	
project_createdBy_fullName	string		<input type="checkbox"/>	
project_createdBy_guest	boolean		<input type="checkbox"/>	
project_createdBy_id	string		<input type="checkbox"/>	
project_createdBy_jabberAccountName	string		<input type="checkbox"/>	
project_createdBy_login	string		<input type="checkbox"/>	
project_createdBy_online	boolean		<input type="checkbox"/>	
project_createdBy_ringId	string		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_leader_\$type	string		<input type="checkbox"/>	
project_leader_avatarUrl	string		<input type="checkbox"/>	
project_leader_banned	boolean		<input type="checkbox"/>	
project_leader_email	string		<input type="checkbox"/>	
project_leader_fullName	string		<input type="checkbox"/>	
project_leader_guest	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
project_leader_id	string		<input type="checkbox"/>	
project_leader_jabberAccountName	string		<input type="checkbox"/>	
project_leader_login	string		<input type="checkbox"/>	
project_leader_online	boolean		<input type="checkbox"/>	
project_leader_ringId	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_team_\$type	string		<input type="checkbox"/>	
project_team_allUsersGroup	boolean		<input type="checkbox"/>	
project_team_icon	string		<input type="checkbox"/>	
project_team_id	string		<input type="checkbox"/>	
project_team_name	string		<input type="checkbox"/>	
project_team_ringId	string		<input type="checkbox"/>	
project_team_usersCount	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
removed	boolean	Removed	<input type="checkbox"/>	
reporter_\$type_1	string		<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl_1	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned_1	boolean		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email_1	string		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter_fullName_1	string		<input type="checkbox"/>	
reporter_fullName	string		<input type="checkbox"/>	
reporter_guest_1	boolean		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id_1	string		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName_1	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login_1	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online_1	boolean		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_profiles_\$type_1	string		<input type="checkbox"/>	
reporter_profiles_\$type	string		<input type="checkbox"/>	
reporter_profiles_id_1	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
reporter_profiles_id	string		<input type="checkbox"/>	
reporter_ringId_1	string		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
size	int64	Size	<input type="checkbox"/>	
summary_1	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
text	string	Text	<input type="checkbox"/>	
updated_1	int64		<input type="checkbox"/>	
updated_2	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updatedBy_\$type	string		<input type="checkbox"/>	
updatedBy_avatarUrl	string		<input type="checkbox"/>	
updatedBy_banned	boolean		<input type="checkbox"/>	
updatedBy_email	string		<input type="checkbox"/>	
updatedBy_fullName	string		<input type="checkbox"/>	
updatedBy_guest	boolean		<input type="checkbox"/>	
updatedBy_id	string		<input type="checkbox"/>	
updatedBy_jabberAccountName	string		<input type="checkbox"/>	
updatedBy_login	string		<input type="checkbox"/>	
updatedBy_online	boolean		<input type="checkbox"/>	
updatedBy_profiles_\$type	string		<input type="checkbox"/>	
updatedBy_profiles_id	string		<input type="checkbox"/>	
updatedBy_ringId	string		<input type="checkbox"/>	
url	string	URL	<input type="checkbox"/>	
visibility_\$type_1	string		<input type="checkbox"/>	
visibility_\$type_2	string		<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id_1	string		<input type="checkbox"/>	
visibility_id_2	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	

6.1.15 Comments

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /articles

Insert YouTrack API URL: /articles

Update YouTrack API URL: /articles

Delete YouTrack API URL: /articles

Field Selection Method: NotRequired

Base Path: comments [*]

Select YouTrack API Operation: get /articles

Table Function Columns

The columns of the table function Comments are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
article_content	string		<input type="checkbox"/>	
article_created	int64		<input type="checkbox"/>	
article_hasChildren	boolean		<input type="checkbox"/>	
article_hasStar	boolean		<input type="checkbox"/>	
article_idReadable	string		<input type="checkbox"/>	
article_ordinal	int64		<input type="checkbox"/>	
article_summary	string		<input type="checkbox"/>	
article_updated	int64		<input type="checkbox"/>	
author_\$type	string		<input type="checkbox"/>	
author_avatarUrl	string		<input type="checkbox"/>	
author_banned	boolean		<input type="checkbox"/>	
author_email	string		<input type="checkbox"/>	
author.FullName	string		<input type="checkbox"/>	
author_guest	boolean		<input type="checkbox"/>	
author_id	string		<input type="checkbox"/>	
author_jabberAccountName	string		<input type="checkbox"/>	
author_login	string		<input type="checkbox"/>	
author_online	boolean		<input type="checkbox"/>	
author_ringId	string		<input type="checkbox"/>	
content_1	string		<input type="checkbox"/>	
content	string	Content	<input type="checkbox"/>	
created_1	int64		<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
externalArticle_\$type	string		<input type="checkbox"/>	
externalArticle_id	string		<input type="checkbox"/>	
externalArticle_key	string		<input type="checkbox"/>	
externalArticle_name	string		<input type="checkbox"/>	
externalArticle_url	string		<input type="checkbox"/>	
hasChildren	boolean	Has Children	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
hasStar	boolean	Has Star	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
ordinal	int64	Ordinal	<input type="checkbox"/>	
parentArticle_content	string		<input type="checkbox"/>	
parentArticle_created	int64		<input type="checkbox"/>	
parentArticle_externalArticle_\$type	string		<input type="checkbox"/>	
parentArticle_externalArticle_id	string		<input type="checkbox"/>	
parentArticle_externalArticle_key	string		<input type="checkbox"/>	
parentArticle_externalArticle_name	string		<input type="checkbox"/>	
parentArticle_externalArticle_url	string		<input type="checkbox"/>	
parentArticle_hasChildren	boolean		<input type="checkbox"/>	
parentArticle_hasStar	boolean		<input type="checkbox"/>	
parentArticle_idReadable	string		<input type="checkbox"/>	
parentArticle_ordinal	int64		<input type="checkbox"/>	
parentArticle_parentArticle_content	string		<input type="checkbox"/>	
parentArticle_parentArticle_created	int64		<input type="checkbox"/>	
parentArticle_parentArticle_hasChildren	boolean		<input type="checkbox"/>	
parentArticle_parentArticle_hasStar	boolean		<input type="checkbox"/>	
parentArticle_parentArticle_idReadable	string		<input type="checkbox"/>	
parentArticle_parentArticle_ordinal	int64		<input type="checkbox"/>	
parentArticle_parentArticle_summary	string		<input type="checkbox"/>	
parentArticle_parentArticle_updated	int64		<input type="checkbox"/>	
parentArticle_project_archived	boolean		<input type="checkbox"/>	
parentArticle_project_description	string		<input type="checkbox"/>	
parentArticle_project_fromEmail	string		<input type="checkbox"/>	
parentArticle_project_iconUrl	string		<input type="checkbox"/>	
parentArticle_project_replyToEmail	string		<input type="checkbox"/>	
parentArticle_project_shortName	string		<input type="checkbox"/>	
parentArticle_project_startingNumber	int64		<input type="checkbox"/>	
parentArticle_project_template	boolean		<input type="checkbox"/>	
parentArticle_reporter_\$type	string		<input type="checkbox"/>	
parentArticle_reporter_avatarUrl	string		<input type="checkbox"/>	
parentArticle_reporter_banned	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
parentArticle_reporter_email	string		<input type="checkbox"/>	
parentArticle_reporter_fullName	string		<input type="checkbox"/>	
parentArticle_reporter_guest	boolean		<input type="checkbox"/>	
parentArticle_reporter_id	string		<input type="checkbox"/>	
parentArticle_reporter_jabberAccountName	string		<input type="checkbox"/>	
parentArticle_reporter_login	string		<input type="checkbox"/>	
parentArticle_reporter_online	boolean		<input type="checkbox"/>	
parentArticle_reporter_ringId	string		<input type="checkbox"/>	
parentArticle_summary	string		<input type="checkbox"/>	
parentArticle_updated	int64		<input type="checkbox"/>	
parentArticle_updatedBy_\$type	string		<input type="checkbox"/>	
parentArticle_updatedBy_avatarUrl	string		<input type="checkbox"/>	
parentArticle_updatedBy_banned	boolean		<input type="checkbox"/>	
parentArticle_updatedBy_email	string		<input type="checkbox"/>	
parentArticle_updatedBy_fullName	string		<input type="checkbox"/>	
parentArticle_updatedBy_guest	boolean		<input type="checkbox"/>	
parentArticle_updatedBy_id	string		<input type="checkbox"/>	
parentArticle_updatedBy_jabberAccountName	string		<input type="checkbox"/>	
parentArticle_updatedBy_login	string		<input type="checkbox"/>	
parentArticle_updatedBy_online	boolean		<input type="checkbox"/>	
parentArticle_updatedBy_ringId	string		<input type="checkbox"/>	
parentArticle_visibility_\$type	string		<input type="checkbox"/>	
parentArticle_visibility_id	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_createdBy_\$type	string		<input type="checkbox"/>	
project_createdBy_avatarUrl	string		<input type="checkbox"/>	
project_createdBy_banned	boolean		<input type="checkbox"/>	
project_createdBy_email	string		<input type="checkbox"/>	
project_createdBy_fullName	string		<input type="checkbox"/>	
project_createdBy_guest	boolean		<input type="checkbox"/>	
project_createdBy_id	string		<input type="checkbox"/>	
project_createdBy_jabberAccountName	string		<input type="checkbox"/>	
project_createdBy_login	string		<input type="checkbox"/>	
project_createdBy_online	boolean		<input type="checkbox"/>	
project_createdBy_ringId	string		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_leader_\$type	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
project_leader_avatarUrl	string		<input type="checkbox"/>	
project_leader_banned	boolean		<input type="checkbox"/>	
project_leader_email	string		<input type="checkbox"/>	
project_leader.FullName	string		<input type="checkbox"/>	
project_leader_guest	boolean		<input type="checkbox"/>	
project_leader_id	string		<input type="checkbox"/>	
project_leader_jabberAccountName	string		<input type="checkbox"/>	
project_leader_login	string		<input type="checkbox"/>	
project_leader_online	boolean		<input type="checkbox"/>	
project_leader_ringId	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_team_\$type	string		<input type="checkbox"/>	
project_team_allUsersGroup	boolean		<input type="checkbox"/>	
project_team_icon	string		<input type="checkbox"/>	
project_team_id	string		<input type="checkbox"/>	
project_team_name	string		<input type="checkbox"/>	
project_team_ringId	string		<input type="checkbox"/>	
project_team_usersCount	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
reporter_\$type_1	string		<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl_1	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned_1	boolean		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email_1	string		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter.FullName_1	string		<input type="checkbox"/>	
reporter.FullName	string		<input type="checkbox"/>	
reporter_guest_1	boolean		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id_1	string		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName_1	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login_1	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online_1	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
reporter_online	boolean		<input type="checkbox"/>	
reporter_profiles_\$type_1	string		<input type="checkbox"/>	
reporter_profiles_\$type	string		<input type="checkbox"/>	
reporter_profiles_id_1	string		<input type="checkbox"/>	
reporter_profiles_id	string		<input type="checkbox"/>	
reporter_ringId_1	string		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
summary_1	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
text	string	Text	<input type="checkbox"/>	
updated_1	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updatedBy_\$type	string		<input type="checkbox"/>	
updatedBy_avatarUrl	string		<input type="checkbox"/>	
updatedBy_banned	boolean		<input type="checkbox"/>	
updatedBy_email	string		<input type="checkbox"/>	
updatedBy.FullName	string		<input type="checkbox"/>	
updatedBy_guest	boolean		<input type="checkbox"/>	
updatedBy_id	string		<input type="checkbox"/>	
updatedBy_jabberAccountName	string		<input type="checkbox"/>	
updatedBy_login	string		<input type="checkbox"/>	
updatedBy_online	boolean		<input type="checkbox"/>	
updatedBy_profiles_\$type	string		<input type="checkbox"/>	
updatedBy_profiles_id	string		<input type="checkbox"/>	
updatedBy_ringId	string		<input type="checkbox"/>	
visibility_\$type_1	string		<input type="checkbox"/>	
visibility_\$type_2	string		<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id_1	string		<input type="checkbox"/>	
visibility_id_2	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	

6.1.16 CommentsByIssueId

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/articles/{id}`

Insert YouTrack API URL: /articles/{id}

Update YouTrack API URL: /articles/{id}

Delete YouTrack API URL: /articles/{id}

Field Selection Method: NotRequired

Base Path: comments [*]

Select YouTrack API Operation: get /articles/{id}

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function CommentsByIssueId. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function CommentsByIssueId are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
article_content	string		<input type="checkbox"/>	
article_created	int64		<input type="checkbox"/>	
article_hasChildren	boolean		<input type="checkbox"/>	
article_hasStar	boolean		<input type="checkbox"/>	
article_idReadable	string		<input type="checkbox"/>	
article_ordinal	int64		<input type="checkbox"/>	
article_summary	string		<input type="checkbox"/>	
article_updated	int64		<input type="checkbox"/>	
author_\$type	string		<input type="checkbox"/>	
author_avatarUrl	string		<input type="checkbox"/>	
author_banned	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
author_email	string		<input type="checkbox"/>	
author_fullName	string		<input type="checkbox"/>	
author_guest	boolean		<input type="checkbox"/>	
author_id	string		<input type="checkbox"/>	
author_jabberAccountName	string		<input type="checkbox"/>	
author_login	string		<input type="checkbox"/>	
author_online	boolean		<input type="checkbox"/>	
author_ringId	string		<input type="checkbox"/>	
content_1	string		<input type="checkbox"/>	
content	string	Content	<input type="checkbox"/>	
created_1	int64		<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
externalArticle_\$type	string		<input type="checkbox"/>	
externalArticle_id	string		<input type="checkbox"/>	
externalArticle_key	string		<input type="checkbox"/>	
externalArticle_name	string		<input type="checkbox"/>	
externalArticle_url	string		<input type="checkbox"/>	
hasChildren	boolean	Has Children	<input type="checkbox"/>	
hasStar	boolean	Has Star	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
ordinal	int64	Ordinal	<input type="checkbox"/>	
parentArticle_content	string		<input type="checkbox"/>	
parentArticle_created	int64		<input type="checkbox"/>	
parentArticle_externalArticle_\$type	string		<input type="checkbox"/>	
parentArticle_externalArticle_id	string		<input type="checkbox"/>	
parentArticle_externalArticle_key	string		<input type="checkbox"/>	
parentArticle_externalArticle_name	string		<input type="checkbox"/>	
parentArticle_externalArticle_url	string		<input type="checkbox"/>	
parentArticle_hasChildren	boolean		<input type="checkbox"/>	
parentArticle_hasStar	boolean		<input type="checkbox"/>	
parentArticle_idReadable	string		<input type="checkbox"/>	
parentArticle_ordinal	int64		<input type="checkbox"/>	
parentArticle_parentArticle_content	string		<input type="checkbox"/>	
parentArticle_parentArticle_created	int64		<input type="checkbox"/>	
parentArticle_parentArticle_hasChildren	boolean		<input type="checkbox"/>	
parentArticle_parentArticle_hasStar	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
parentArticle_parentArticle_idReadable	string		<input type="checkbox"/>	
parentArticle_parentArticle_ordinal	int64		<input type="checkbox"/>	
parentArticle_parentArticle_summary	string		<input type="checkbox"/>	
parentArticle_parentArticle_updated	int64		<input type="checkbox"/>	
parentArticle_project_archived	boolean		<input type="checkbox"/>	
parentArticle_project_description	string		<input type="checkbox"/>	
parentArticle_project_fromEmail	string		<input type="checkbox"/>	
parentArticle_project_iconUrl	string		<input type="checkbox"/>	
parentArticle_project_replyToEmail	string		<input type="checkbox"/>	
parentArticle_project_shortName	string		<input type="checkbox"/>	
parentArticle_project_startingNumber	int64		<input type="checkbox"/>	
parentArticle_project_template	boolean		<input type="checkbox"/>	
parentArticle_reporter_\$type	string		<input type="checkbox"/>	
parentArticle_reporter_avatarUrl	string		<input type="checkbox"/>	
parentArticle_reporter_banned	boolean		<input type="checkbox"/>	
parentArticle_reporter_email	string		<input type="checkbox"/>	
parentArticle_reporter_fullName	string		<input type="checkbox"/>	
parentArticle_reporter_guest	boolean		<input type="checkbox"/>	
parentArticle_reporter_id	string		<input type="checkbox"/>	
parentArticle_reporter_jabberAccountName	string		<input type="checkbox"/>	
parentArticle_reporter_login	string		<input type="checkbox"/>	
parentArticle_reporter_online	boolean		<input type="checkbox"/>	
parentArticle_reporter_ringId	string		<input type="checkbox"/>	
parentArticle_summary	string		<input type="checkbox"/>	
parentArticle_updated	int64		<input type="checkbox"/>	
parentArticle_updatedBy_\$type	string		<input type="checkbox"/>	
parentArticle_updatedBy_avatarUrl	string		<input type="checkbox"/>	
parentArticle_updatedBy_banned	boolean		<input type="checkbox"/>	
parentArticle_updatedBy_email	string		<input type="checkbox"/>	
parentArticle_updatedBy_fullName	string		<input type="checkbox"/>	
parentArticle_updatedBy_guest	boolean		<input type="checkbox"/>	
parentArticle_updatedBy_id	string		<input type="checkbox"/>	
parentArticle_updatedBy_jabberAccountName	string		<input type="checkbox"/>	
parentArticle_updatedBy_login	string		<input type="checkbox"/>	
parentArticle_updatedBy_online	boolean		<input type="checkbox"/>	
parentArticle_updatedBy_ringId	string		<input type="checkbox"/>	
parentArticle_visibility_\$type	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
parentArticle_visibility_id	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_createdBy_\$type	string		<input type="checkbox"/>	
project_createdBy_avatarUrl	string		<input type="checkbox"/>	
project_createdBy_banned	boolean		<input type="checkbox"/>	
project_createdBy_email	string		<input type="checkbox"/>	
project_createdBy.FullName	string		<input type="checkbox"/>	
project_createdBy_guest	boolean		<input type="checkbox"/>	
project_createdBy_id	string		<input type="checkbox"/>	
project_createdBy_jabberAccountName	string		<input type="checkbox"/>	
project_createdBy_login	string		<input type="checkbox"/>	
project_createdBy_online	boolean		<input type="checkbox"/>	
project_createdBy_ringId	string		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_leader_\$type	string		<input type="checkbox"/>	
project_leader_avatarUrl	string		<input type="checkbox"/>	
project_leader_banned	boolean		<input type="checkbox"/>	
project_leader_email	string		<input type="checkbox"/>	
project_leader.FullName	string		<input type="checkbox"/>	
project_leader_guest	boolean		<input type="checkbox"/>	
project_leader_id	string		<input type="checkbox"/>	
project_leader_jabberAccountName	string		<input type="checkbox"/>	
project_leader_login	string		<input type="checkbox"/>	
project_leader_online	boolean		<input type="checkbox"/>	
project_leader_ringId	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_team_\$type	string		<input type="checkbox"/>	
project_team_allUsersGroup	boolean		<input type="checkbox"/>	
project_team_icon	string		<input type="checkbox"/>	
project_team_id	string		<input type="checkbox"/>	
project_team_name	string		<input type="checkbox"/>	
project_team_ringId	string		<input type="checkbox"/>	
project_team_usersCount	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
reporter_\$type_1	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl_1	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned_1	boolean		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email_1	string		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter.FullName_1	string		<input type="checkbox"/>	
reporter.FullName	string		<input type="checkbox"/>	
reporter_guest_1	boolean		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id_1	string		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName_1	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login_1	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online_1	boolean		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_profiles_\$type_1	string		<input type="checkbox"/>	
reporter_profiles_\$type	string		<input type="checkbox"/>	
reporter_profiles_id_1	string		<input type="checkbox"/>	
reporter_profiles_id	string		<input type="checkbox"/>	
reporter_ringId_1	string		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
summary_1	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
text	string	Text	<input type="checkbox"/>	
updated_1	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updatedBy_\$type	string		<input type="checkbox"/>	
updatedBy_avatarUrl	string		<input type="checkbox"/>	
updatedBy_banned	boolean		<input type="checkbox"/>	
updatedBy_email	string		<input type="checkbox"/>	
updatedBy_fullName	string		<input type="checkbox"/>	
updatedBy_guest	boolean		<input type="checkbox"/>	
updatedBy_id	string		<input type="checkbox"/>	
updatedBy_jabberAccountName	string		<input type="checkbox"/>	
updatedBy_login	string		<input type="checkbox"/>	
updatedBy_online	boolean		<input type="checkbox"/>	
updatedBy_profiles_\$type	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updatedBy_profiles_id	string		<input type="checkbox"/>	
updatedBy_ringId	string		<input type="checkbox"/>	
visibility_\$type_1	string		<input type="checkbox"/>	
visibility_\$type_2	string		<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id_1	string		<input type="checkbox"/>	
visibility_id_2	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	

6.1.17 GroupById

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /groups/{id}

Insert YouTrack API URL: /groups/{id}

Update YouTrack API URL: /groups/{id}

Delete YouTrack API URL: /groups/{id}

Field Selection Method: NotRequired

Select YouTrack API Operation: get /groups/{id}

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function GroupById. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `GroupById` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
allUsersGroup	boolean	All Users Group	<input type="checkbox"/>	
icon	string	Icon	<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
ringId	string	Ring ID	<input type="checkbox"/>	
teamForProject_archived	boolean		<input type="checkbox"/>	
teamForProject_createdBy_\$type	string		<input type="checkbox"/>	
teamForProject_createdBy_avatarUrl	string		<input type="checkbox"/>	
teamForProject_createdBy_banned	boolean		<input type="checkbox"/>	
teamForProject_createdBy_email	string		<input type="checkbox"/>	
teamForProject_createdBy_fullName	string		<input type="checkbox"/>	
teamForProject_createdBy_guest	boolean		<input type="checkbox"/>	
teamForProject_createdBy_id	string		<input type="checkbox"/>	
teamForProject_createdBy_jabberAccountName	string		<input type="checkbox"/>	
teamForProject_createdBy_login	string		<input type="checkbox"/>	
teamForProject_createdBy_online	boolean		<input type="checkbox"/>	
teamForProject_createdBy_ringId	string		<input type="checkbox"/>	
teamForProject_description	string		<input type="checkbox"/>	
teamForProject_fromEmail	string		<input type="checkbox"/>	
teamForProject_iconUrl	string		<input type="checkbox"/>	
teamForProject_leader_\$type	string		<input type="checkbox"/>	
teamForProject_leader_avatarUrl	string		<input type="checkbox"/>	
teamForProject_leader_banned	boolean		<input type="checkbox"/>	
teamForProject_leader_email	string		<input type="checkbox"/>	
teamForProject_leader_fullName	string		<input type="checkbox"/>	
teamForProject_leader_guest	boolean		<input type="checkbox"/>	
teamForProject_leader_id	string		<input type="checkbox"/>	
teamForProject_leader_jabberAccountName	string		<input type="checkbox"/>	
teamForProject_leader_login	string		<input type="checkbox"/>	
teamForProject_leader_online	boolean		<input type="checkbox"/>	
teamForProject_leader_ringId	string		<input type="checkbox"/>	
teamForProject_replyToEmail	string		<input type="checkbox"/>	
teamForProject_shortName	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
teamForProject_startingNumber	int64		<input type="checkbox"/>	
teamForProject_team_\$type	string		<input type="checkbox"/>	
teamForProject_team_allUsersGroup	boolean		<input type="checkbox"/>	
teamForProject_team_icon	string		<input type="checkbox"/>	
teamForProject_team_id	string		<input type="checkbox"/>	
teamForProject_team_name	string		<input type="checkbox"/>	
teamForProject_team_ringId	string		<input type="checkbox"/>	
teamForProject_team_usersCount	int64		<input type="checkbox"/>	
teamForProject_template	boolean		<input type="checkbox"/>	
usersCount	int64	Users Count	<input type="checkbox"/>	

6.1.18 Groups

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/groups`

Insert YouTrack API URL: `/groups`

Update YouTrack API URL: `/groups`

Delete YouTrack API URL: `/groups`

Field Selection Method: NotRequired

Select YouTrack API Operation: get `/groups`

Table Function Columns

The columns of the table function `Groups` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
allUsersGroup	boolean	All Users Group	<input type="checkbox"/>	
icon	string	Icon	<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
ringId	string	Ring ID	<input type="checkbox"/>	
teamForProject_archived	boolean		<input type="checkbox"/>	
teamForProject_createdBy_\$type	string		<input type="checkbox"/>	
teamForProject_createdBy_avatarUrl	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
teamForProject_createdBy_banned	boolean		<input type="checkbox"/>	
teamForProject_createdBy_email	string		<input type="checkbox"/>	
teamForProject_createdBy_fullName	string		<input type="checkbox"/>	
teamForProject_createdBy_guest	boolean		<input type="checkbox"/>	
teamForProject_createdBy_id	string		<input type="checkbox"/>	
teamForProject_createdBy_jabberAccountName	string		<input type="checkbox"/>	
teamForProject_createdBy_login	string		<input type="checkbox"/>	
teamForProject_createdBy_online	boolean		<input type="checkbox"/>	
teamForProject_createdBy_ringId	string		<input type="checkbox"/>	
teamForProject_description	string		<input type="checkbox"/>	
teamForProject_fromEmail	string		<input type="checkbox"/>	
teamForProject_iconUrl	string		<input type="checkbox"/>	
teamForProject_leader_\$type	string		<input type="checkbox"/>	
teamForProject_leader_avatarUrl	string		<input type="checkbox"/>	
teamForProject_leader_banned	boolean		<input type="checkbox"/>	
teamForProject_leader_email	string		<input type="checkbox"/>	
teamForProject_leader.FullName	string		<input type="checkbox"/>	
teamForProject_leader_guest	boolean		<input type="checkbox"/>	
teamForProject_leader_id	string		<input type="checkbox"/>	
teamForProject_leader_jabberAccountName	string		<input type="checkbox"/>	
teamForProject_leader_login	string		<input type="checkbox"/>	
teamForProject_leader_online	boolean		<input type="checkbox"/>	
teamForProject_leader_ringId	string		<input type="checkbox"/>	
teamForProject_replyToEmail	string		<input type="checkbox"/>	
teamForProject_shortName	string		<input type="checkbox"/>	
teamForProject_startingNumber	int64		<input type="checkbox"/>	
teamForProject_team_\$type	string		<input type="checkbox"/>	
teamForProject_team_allUsersGroup	boolean		<input type="checkbox"/>	
teamForProject_team_icon	string		<input type="checkbox"/>	
teamForProject_team_id	string		<input type="checkbox"/>	
teamForProject_team_name	string		<input type="checkbox"/>	
teamForProject_team_ringId	string		<input type="checkbox"/>	
teamForProject_team_usersCount	int64		<input type="checkbox"/>	
teamForProject_template	boolean		<input type="checkbox"/>	
usersCount	int64	Users Count	<input type="checkbox"/>	

6.1.19 IssueLinkTypes

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /issueLinkTypes

Insert YouTrack API URL: /issueLinkTypes

Update YouTrack API URL: /issueLinkTypes

Delete YouTrack API URL: /issueLinkTypes

Field Selection Method: NotRequired

Select YouTrack API Operation: get /issueLinkTypes

Table Function Columns

The columns of the table function IssueLinkTypes are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
aggregation	boolean	Aggregation	<input type="checkbox"/>	
directed	boolean	Directed	<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
localizedName	string	Localized Name	<input type="checkbox"/>	
localizedSourceToTarget	string	Localized Source to Target	<input type="checkbox"/>	
localizedTargetToSource	string	Localized Target to Source	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
readOnly	boolean	Read-only	<input type="checkbox"/>	
sourceToTarget	string	Source to Target	<input type="checkbox"/>	
targetToSource	string	Target to Source	<input type="checkbox"/>	

6.1.20 IssueLinkTypesById

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /issueLinkTypes/{id}

Insert YouTrack API URL: /issueLinkTypes/{id}

Update YouTrack API URL: /issueLinkTypes/{id}

Delete YouTrack API URL: /issueLinkTypes/{id}

Field Selection Method: NotRequired

Select YouTrack API Operation: get /issueLinkTypes/{id}

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function IssueLinkTypesById. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function IssueLinkTypesById are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
aggregation	boolean	Aggregation	<input type="checkbox"/>	
directed	boolean	Directed	<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
localizedName	string	Localized Name	<input type="checkbox"/>	
localizedSourceToTarget	string	Localized Source to Target	<input type="checkbox"/>	
localizedTargetToSource	string	Localized Target to Source	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
readOnly	boolean	Read-only	<input type="checkbox"/>	
sourceToTarget	string	Source to Target	<input type="checkbox"/>	
targetToSource	string	Target to Source	<input type="checkbox"/>	

6.1.21 IssueTagAttachmentIssuesByTagId

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /issueTags/{id}/issues

Insert YouTrack API URL: /issueTags/{id}/issues

Update YouTrack API URL: /issueTags/{id}/issues

Delete YouTrack API URL: /issueTags/{id}/issues

Field Selection Method: NotRequired

Base Path: attachments [*]

Select YouTrack API Operation: get /issueTags/{id}/issues

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function IssueTagAttachmentIssuesByTagId. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function IssueTagAttachmentIssuesByTagId are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
author_\$type	string		<input type="checkbox"/>	
author_avatarUrl	string		<input type="checkbox"/>	
author_banned	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
author_email	string		<input type="checkbox"/>	
author_fullName	string		<input type="checkbox"/>	
author_guest	boolean		<input type="checkbox"/>	
author_id	string		<input type="checkbox"/>	
author_jabberAccountName	string		<input type="checkbox"/>	
author_login	string		<input type="checkbox"/>	
author_online	boolean		<input type="checkbox"/>	
author_ringId	string		<input type="checkbox"/>	
base64Content	string	Base64 Content	<input type="checkbox"/>	
charset	string	Charset	<input type="checkbox"/>	
comment_\$type	string		<input type="checkbox"/>	
comment_created	int64		<input type="checkbox"/>	
comment_deleted	boolean		<input type="checkbox"/>	
comment_id	string		<input type="checkbox"/>	
comment_text	string		<input type="checkbox"/>	
comment_textPreview	string		<input type="checkbox"/>	
comment_updated	int64		<input type="checkbox"/>	
comment_usesMarkdown	boolean		<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created_1	int64		<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
draft	boolean	Draft	<input type="checkbox"/>	
draftOwner_\$type	string		<input type="checkbox"/>	
draftOwner_avatarUrl	string		<input type="checkbox"/>	
draftOwner_banned	boolean		<input type="checkbox"/>	
draftOwner_email	string		<input type="checkbox"/>	
draftOwner_fullName	string		<input type="checkbox"/>	
draftOwner_guest	boolean		<input type="checkbox"/>	
draftOwner_id	string		<input type="checkbox"/>	
draftOwner_jabberAccountName	string		<input type="checkbox"/>	
draftOwner_login	string		<input type="checkbox"/>	
draftOwner_online	boolean		<input type="checkbox"/>	
draftOwner_profiles_\$type	string		<input type="checkbox"/>	
draftOwner_profiles_id	string		<input type="checkbox"/>	
draftOwner_ringId	string		<input type="checkbox"/>	
extension	string	Extension	<input type="checkbox"/>	
externalIssue_\$type	string		<input type="checkbox"/>	
externalIssue_id	string		<input type="checkbox"/>	
externalIssue_key	string		<input type="checkbox"/>	
externalIssue_name	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
externallIssue_url	string		<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
issue_\$type	string		<input type="checkbox"/>	
issue_commentsCount	int32		<input type="checkbox"/>	
issue_created	int64		<input type="checkbox"/>	
issue_description	string		<input type="checkbox"/>	
issue_id	string		<input type="checkbox"/>	
issue_idReadable	string		<input type="checkbox"/>	
issue_isDraft	boolean		<input type="checkbox"/>	
issue_numberInProject	int64		<input type="checkbox"/>	
issue_resolved	int64		<input type="checkbox"/>	
issue_summary	string		<input type="checkbox"/>	
issue_updated	int64		<input type="checkbox"/>	
issue_usesMarkdown	boolean		<input type="checkbox"/>	
issue_votes	int32		<input type="checkbox"/>	
issue_wikifiedDescription	string		<input type="checkbox"/>	
metaData	string	Metadata	<input type="checkbox"/>	
mime_type	string	MIME-type	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
parent_linkType_\$type	string		<input type="checkbox"/>	
parent_linkType_aggregation	boolean		<input type="checkbox"/>	
parent_linkType_directed	boolean		<input type="checkbox"/>	
parent_linkType_id	string		<input type="checkbox"/>	
parent_linkType_localizedName	string		<input type="checkbox"/>	
parent_linkType_localizedSourceToTarget	string		<input type="checkbox"/>	
parent_linkType_localizedTargetToSource	string		<input type="checkbox"/>	
parent_linkType_name	string		<input type="checkbox"/>	
parent_linkType_readOnly	boolean		<input type="checkbox"/>	
parent_linkType_sourceToTarget	string		<input type="checkbox"/>	
parent_linkType_targetToSource	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_createdBy_\$type	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
project_createdBy_avatarUrl	string		<input type="checkbox"/>	
project_createdBy_banned	boolean		<input type="checkbox"/>	
project_createdBy_email	string		<input type="checkbox"/>	
project_createdBy_fullName	string		<input type="checkbox"/>	
project_createdBy_guest	boolean		<input type="checkbox"/>	
project_createdBy_id	string		<input type="checkbox"/>	
project_createdBy_jabberAccountName	string		<input type="checkbox"/>	
project_createdBy_login	string		<input type="checkbox"/>	
project_createdBy_online	boolean		<input type="checkbox"/>	
project_createdBy_ringId	string		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_leader_\$type	string		<input type="checkbox"/>	
project_leader_avatarUrl	string		<input type="checkbox"/>	
project_leader_banned	boolean		<input type="checkbox"/>	
project_leader_email	string		<input type="checkbox"/>	
project_leader_fullName	string		<input type="checkbox"/>	
project_leader_guest	boolean		<input type="checkbox"/>	
project_leader_id	string		<input type="checkbox"/>	
project_leader_jabberAccountName	string		<input type="checkbox"/>	
project_leader_login	string		<input type="checkbox"/>	
project_leader_online	boolean		<input type="checkbox"/>	
project_leader_ringId	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_team_\$type	string		<input type="checkbox"/>	
project_team_allUsersGroup	boolean		<input type="checkbox"/>	
project_team_icon	string		<input type="checkbox"/>	
project_team_id	string		<input type="checkbox"/>	
project_team_name	string		<input type="checkbox"/>	
project_team_ringId	string		<input type="checkbox"/>	
project_team_usersCount	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
removed	boolean	Removed	<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
reporter_email	string		<input type="checkbox"/>	
reporter_fullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_profiles_\$type	string		<input type="checkbox"/>	
reporter_profiles_id	string		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
size	int64	Size	<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
subtasks_linkType_\$type	string		<input type="checkbox"/>	
subtasks_linkType_aggregation	boolean		<input type="checkbox"/>	
subtasks_linkType_directed	boolean		<input type="checkbox"/>	
subtasks_linkType_id	string		<input type="checkbox"/>	
subtasks_linkType_localizedName	string		<input type="checkbox"/>	
subtasks_linkType_localizedSourceToTarget	string		<input type="checkbox"/>	
subtasks_linkType_localizedTargetToSource	string		<input type="checkbox"/>	
subtasks_linkType_name	string		<input type="checkbox"/>	
subtasks_linkType_readOnly	boolean		<input type="checkbox"/>	
subtasks_linkType_sourceToTarget	string		<input type="checkbox"/>	
subtasks_linkType_targetToSource	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
thumbnailURL	string	Thumbnail (URL)	<input type="checkbox"/>	
updated_1	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater_fullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updater_online	boolean		<input type="checkbox"/>	
updater_profiles_\$type	string		<input type="checkbox"/>	
updater_profiles_id	string		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
url	string	URL	<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type_1	string		<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id_1	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

6.1.22 IssueTagById

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/issueTags/{id}`

Insert YouTrack API URL: `/issueTags/{id}`

Update YouTrack API URL: `/issueTags/{id}`

Delete YouTrack API URL: `/issueTags/{id}`

Field Selection Method: NotRequired

Select YouTrack API Operation: `get /issueTags/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `IssueTagById`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `IssueTagById` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
color_\$type	string		<input type="checkbox"/>	
color_background	string		<input type="checkbox"/>	
color_foreground	string		<input type="checkbox"/>	
color_id	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
ow_ner_\$type	string		<input type="checkbox"/>	
ow_ner_avatarUrl	string		<input type="checkbox"/>	
ow_ner_banned	boolean		<input type="checkbox"/>	
ow_ner_email	string		<input type="checkbox"/>	
ow_ner_fullName	string		<input type="checkbox"/>	
ow_ner_guest	boolean		<input type="checkbox"/>	
ow_ner_id	string		<input type="checkbox"/>	
ow_ner_jabberAccountName	string		<input type="checkbox"/>	
ow_ner_login	string		<input type="checkbox"/>	
ow_ner_online	boolean		<input type="checkbox"/>	
ow_ner_profiles_\$type	string		<input type="checkbox"/>	
ow_ner_profiles_id	string		<input type="checkbox"/>	
ow_ner_ringId	string		<input type="checkbox"/>	
untagOnResolve	boolean		<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_teamForProject_archived	boolean		<input type="checkbox"/>	
updateableBy_teamForProject_description	string		<input type="checkbox"/>	
updateableBy_teamForProject_fromEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_iconUrl	string		<input type="checkbox"/>	
updateableBy_teamForProject_replyToEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_shortName	string		<input type="checkbox"/>	
updateableBy_teamForProject_startingNumber	int64		<input type="checkbox"/>	
updateableBy_teamForProject_template	boolean		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_teamForProject_archiveId	boolean		<input type="checkbox"/>	
visibleFor_teamForProject_descripion	string		<input type="checkbox"/>	
visibleFor_teamForProject_fromEmail	string		<input type="checkbox"/>	
visibleFor_teamForProject_iconUrl	string		<input type="checkbox"/>	
visibleFor_teamForProject_replyToEmail	string		<input type="checkbox"/>	
visibleFor_teamForProject_shortName	string		<input type="checkbox"/>	
visibleFor_teamForProject_startingNumber	int64		<input type="checkbox"/>	
visibleFor_teamForProject_template	boolean		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	

6.1.23 IssueTagById2

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/issueTags/{id}/issues`

Insert YouTrack API URL: `/issueTags/{id}/issues`

Update YouTrack API URL: `/issueTags/{id}/issues`

Delete YouTrack API URL: `/issueTags/{id}/issues`

Field Selection Method: `NotRequired`

Select YouTrack API Operation: `get /issueTags/{id}/issues`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `IssueTagById2`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `IssueTagById2` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
draftOwner_\$type	string		<input type="checkbox"/>	
draftOwner_avatarUrl	string		<input type="checkbox"/>	
draftOwner_banned	boolean		<input type="checkbox"/>	
draftOwner_email	string		<input type="checkbox"/>	
draftOwner_fullName	string		<input type="checkbox"/>	
draftOwner_guest	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
draftOw_ner_id	string		<input type="checkbox"/>	
draftOw_ner_jabberAccountName	string		<input type="checkbox"/>	
draftOw_ner_login	string		<input type="checkbox"/>	
draftOw_ner_online	boolean		<input type="checkbox"/>	
draftOw_ner_profiles_\$type	string		<input type="checkbox"/>	
draftOw_ner_profiles_id	string		<input type="checkbox"/>	
draftOw_ner_ringId	string		<input type="checkbox"/>	
externallssue_\$type	string		<input type="checkbox"/>	
externallssue_id	string		<input type="checkbox"/>	
externallssue_key	string		<input type="checkbox"/>	
externallssue_name	string		<input type="checkbox"/>	
externallssue_url	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
parent_linkType_\$type	string		<input type="checkbox"/>	
parent_linkType_aggregation	boolean		<input type="checkbox"/>	
parent_linkType_directed	boolean		<input type="checkbox"/>	
parent_linkType_id	string		<input type="checkbox"/>	
parent_linkType_localizedName	string		<input type="checkbox"/>	
parent_linkType_localizedSourceToTarget	string		<input type="checkbox"/>	
parent_linkType_localizedTargetToSource	string		<input type="checkbox"/>	
parent_linkType_name	string		<input type="checkbox"/>	
parent_linkType_readOnly	boolean		<input type="checkbox"/>	
parent_linkType_sourceToTarget	string		<input type="checkbox"/>	
parent_linkType_targetToSource	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_createdBy_\$type	string		<input type="checkbox"/>	
project_createdBy_avatarUrl	string		<input type="checkbox"/>	
project_createdBy_banned	boolean		<input type="checkbox"/>	
project_createdBy_email	string		<input type="checkbox"/>	
project_createdBy_fullName	string		<input type="checkbox"/>	
project_createdBy_guest	boolean		<input type="checkbox"/>	
project_createdBy_id	string		<input type="checkbox"/>	
project_createdBy_jabberAccountName	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
project_createdBy_login	string		<input type="checkbox"/>	
project_createdBy_online	boolean		<input type="checkbox"/>	
project_createdBy_ringId	string		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_leader_\$type	string		<input type="checkbox"/>	
project_leader_avatarUrl	string		<input type="checkbox"/>	
project_leader_banned	boolean		<input type="checkbox"/>	
project_leader_email	string		<input type="checkbox"/>	
project_leader.FullName	string		<input type="checkbox"/>	
project_leader_guest	boolean		<input type="checkbox"/>	
project_leader_id	string		<input type="checkbox"/>	
project_leader_jabberAccountName	string		<input type="checkbox"/>	
project_leader_login	string		<input type="checkbox"/>	
project_leader_online	boolean		<input type="checkbox"/>	
project_leader_ringId	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_team_\$type	string		<input type="checkbox"/>	
project_team_allUsersGroup	boolean		<input type="checkbox"/>	
project_team_icon	string		<input type="checkbox"/>	
project_team_id	string		<input type="checkbox"/>	
project_team_name	string		<input type="checkbox"/>	
project_team_ringId	string		<input type="checkbox"/>	
project_team_usersCount	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter.FullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_profiles_\$type	string		<input type="checkbox"/>	
reporter_profiles_id	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
reporter_ringId	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
subtasks_linkType_\$type	string		<input type="checkbox"/>	
subtasks_linkType_aggregation	boolean		<input type="checkbox"/>	
subtasks_linkType_directed	boolean		<input type="checkbox"/>	
subtasks_linkType_id	string		<input type="checkbox"/>	
subtasks_linkType_localizedName	string		<input type="checkbox"/>	
subtasks_linkType_localizedSourceToTarget	string		<input type="checkbox"/>	
subtasks_linkType_localizedTargetToSource	string		<input type="checkbox"/>	
subtasks_linkType_name	string		<input type="checkbox"/>	
subtasks_linkType_readOnly	boolean		<input type="checkbox"/>	
subtasks_linkType_sourceToTarget	string		<input type="checkbox"/>	
subtasks_linkType_targetToSource	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater.FullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_profiles_\$type	string		<input type="checkbox"/>	
updater_profiles_id	string		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

6.1.24 IssueTagCommentAttachmentIssuesByTagId

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/issueTags/{id}/issues`

Insert YouTrack API URL: `/issueTags/{id}/issues`

Update YouTrack API URL: `/issueTags/{id}/issues`

Delete YouTrack API URL: `/issueTags/{id}/issues`

Field Selection Method: NotRequired

Base Path: `comments[*].attachments[*]`

Select YouTrack API Operation: `get /issueTags/{id}/issues`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `IssueTagCommentAttachmentIssuesByTagId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `IssueTagCommentAttachmentIssuesByTagId` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
author_\$type	string		<input type="checkbox"/>	
author_avatarUrl	string		<input type="checkbox"/>	
author_banned	boolean		<input type="checkbox"/>	
author_email	string		<input type="checkbox"/>	
author.FullName	string		<input type="checkbox"/>	
author_guest	boolean		<input type="checkbox"/>	
author_id	string		<input type="checkbox"/>	
author_jabberAccountName	string		<input type="checkbox"/>	
author_login	string		<input type="checkbox"/>	
author_online	boolean		<input type="checkbox"/>	
author_ringId	string		<input type="checkbox"/>	
base64Content	string	Base64 Content	<input type="checkbox"/>	
charset	string	Charset	<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created_1	int64		<input type="checkbox"/>	
created_2	int64		<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
deleted	boolean	Deleted	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
draft	boolean	Draft	<input type="checkbox"/>	
draftOwner_\$type	string		<input type="checkbox"/>	
draftOwner_avatarUrl	string		<input type="checkbox"/>	
draftOwner_banned	boolean		<input type="checkbox"/>	
draftOwner_email	string		<input type="checkbox"/>	
draftOwner.FullName	string		<input type="checkbox"/>	
draftOwner_guest	boolean		<input type="checkbox"/>	
draftOwner_id	string		<input type="checkbox"/>	
draftOwner_jabberAccountName	string		<input type="checkbox"/>	
draftOwner_login	string		<input type="checkbox"/>	
draftOwner_online	boolean		<input type="checkbox"/>	
draftOwner_profiles_\$type	string		<input type="checkbox"/>	
draftOwner_profiles_id	string		<input type="checkbox"/>	
draftOwner_ringId	string		<input type="checkbox"/>	
extension	string	Extension	<input type="checkbox"/>	
externalIssue_\$type	string		<input type="checkbox"/>	
externalIssue_id	string		<input type="checkbox"/>	
externalIssue_key	string		<input type="checkbox"/>	
externalIssue_name	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
externallIssue_url	string		<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
issue_\$type	string		<input type="checkbox"/>	
issue_commentsCount	int32		<input type="checkbox"/>	
issue_created	int64		<input type="checkbox"/>	
issue_description	string		<input type="checkbox"/>	
issue_id	string		<input type="checkbox"/>	
issue_idReadable	string		<input type="checkbox"/>	
issue_isDraft	boolean		<input type="checkbox"/>	
issue_numberInProject	int64		<input type="checkbox"/>	
issue_resolved	int64		<input type="checkbox"/>	
issue_summary	string		<input type="checkbox"/>	
issue_updated	int64		<input type="checkbox"/>	
issue_usesMarkdown	boolean		<input type="checkbox"/>	
issue_votes	int32		<input type="checkbox"/>	
issue_wikifiedDescription	string		<input type="checkbox"/>	
metaData	string	Metadata	<input type="checkbox"/>	
mime_type	string	MIME-type	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
parent_linkType_\$type	string		<input type="checkbox"/>	
parent_linkType_aggregation	boolean		<input type="checkbox"/>	
parent_linkType_directed	boolean		<input type="checkbox"/>	
parent_linkType_id	string		<input type="checkbox"/>	
parent_linkType_localizedName	string		<input type="checkbox"/>	
parent_linkType_localizedSourceToTarget	string		<input type="checkbox"/>	
parent_linkType_localizedTargetToSource	string		<input type="checkbox"/>	
parent_linkType_name	string		<input type="checkbox"/>	
parent_linkType_readOnly	boolean		<input type="checkbox"/>	
parent_linkType_sourceToTarget	string		<input type="checkbox"/>	
parent_linkType_targetToSource	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
project_createdBy_\$type	string		<input type="checkbox"/>	
project_createdBy_avatarUrl	string		<input type="checkbox"/>	
project_createdBy_banned	boolean		<input type="checkbox"/>	
project_createdBy_email	string		<input type="checkbox"/>	
project_createdBy.FullName	string		<input type="checkbox"/>	
project_createdBy_guest	boolean		<input type="checkbox"/>	
project_createdBy_id	string		<input type="checkbox"/>	
project_createdBy_jabberAccountName	string		<input type="checkbox"/>	
project_createdBy_login	string		<input type="checkbox"/>	
project_createdBy_online	boolean		<input type="checkbox"/>	
project_createdBy_ringId	string		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_leader_\$type	string		<input type="checkbox"/>	
project_leader_avatarUrl	string		<input type="checkbox"/>	
project_leader_banned	boolean		<input type="checkbox"/>	
project_leader_email	string		<input type="checkbox"/>	
project_leader.FullName	string		<input type="checkbox"/>	
project_leader_guest	boolean		<input type="checkbox"/>	
project_leader_id	string		<input type="checkbox"/>	
project_leader_jabberAccountName	string		<input type="checkbox"/>	
project_leader_login	string		<input type="checkbox"/>	
project_leader_online	boolean		<input type="checkbox"/>	
project_leader_ringId	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_team_\$type	string		<input type="checkbox"/>	
project_team_allUsersGroup	boolean		<input type="checkbox"/>	
project_team_icon	string		<input type="checkbox"/>	
project_team_id	string		<input type="checkbox"/>	
project_team_name	string		<input type="checkbox"/>	
project_team_ringId	string		<input type="checkbox"/>	
project_team_usersCount	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
removed	boolean	Removed	<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter.FullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_profiles_\$type	string		<input type="checkbox"/>	
reporter_profiles_id	string		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
size	int64	Size	<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
subtasks_linkType_\$type	string		<input type="checkbox"/>	
subtasks_linkType_aggregation	boolean		<input type="checkbox"/>	
subtasks_linkType_directed	boolean		<input type="checkbox"/>	
subtasks_linkType_id	string		<input type="checkbox"/>	
subtasks_linkType_localizedName	string		<input type="checkbox"/>	
subtasks_linkType_localizedSourceToTarget	string		<input type="checkbox"/>	
subtasks_linkType_localizedTargetToSource	string		<input type="checkbox"/>	
subtasks_linkType_name	string		<input type="checkbox"/>	
subtasks_linkType_readOnly	boolean		<input type="checkbox"/>	
subtasks_linkType_sourceToTarget	string		<input type="checkbox"/>	
subtasks_linkType_targetToSource	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
text	string	Text	<input type="checkbox"/>	
textPreview	string	Text Preview	<input type="checkbox"/>	
thumbnailURL	string	Thumbnail (URL)	<input type="checkbox"/>	
updated_1	int64		<input type="checkbox"/>	
updated_2	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater.FullName	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_profiles_\$type	string		<input type="checkbox"/>	
updater_profiles_id	string		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
url	string	URL	<input type="checkbox"/>	
usesMarkdown_1	boolean		<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type_1	string		<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id_1	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

6.1.25 IssueTagCommentIssuesByTagId

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /issueTags/{id}/issues

Insert YouTrack API URL: /issueTags/{id}/issues

Update YouTrack API URL: /issueTags/{id}/issues

Delete YouTrack API URL: /issueTags/{id}/issues

Field Selection Method: NotRequired

Base Path: comments [*]

Select YouTrack API Operation: get /issueTags/{id}/issues

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `IssueTagCommentIssuesByTagId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `IssueTagCommentIssuesByTagId` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
author_\$type	string		<input type="checkbox"/>	
author_avatarUrl	string		<input type="checkbox"/>	
author_banned	boolean		<input type="checkbox"/>	
author_email	string		<input type="checkbox"/>	
author.FullName	string		<input type="checkbox"/>	
author_guest	boolean		<input type="checkbox"/>	
author_id	string		<input type="checkbox"/>	
author_jabberAccountName	string		<input type="checkbox"/>	
author_login	string		<input type="checkbox"/>	
author_online	boolean		<input type="checkbox"/>	
author_ringId	string		<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created_1	int64		<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
deleted	boolean	Deleted	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
draftOwner_\$type	string		<input type="checkbox"/>	
draftOwner_avatarUrl	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
draftOwner_banned	boolean		<input type="checkbox"/>	
draftOwner_email	string		<input type="checkbox"/>	
draftOwner_fullName	string		<input type="checkbox"/>	
draftOwner_guest	boolean		<input type="checkbox"/>	
draftOwner_id	string		<input type="checkbox"/>	
draftOwner_jabberAccountName	string		<input type="checkbox"/>	
draftOwner_login	string		<input type="checkbox"/>	
draftOwner_online	boolean		<input type="checkbox"/>	
draftOwner_profiles_\$type	string		<input type="checkbox"/>	
draftOwner_profiles_id	string		<input type="checkbox"/>	
draftOwner_ringId	string		<input type="checkbox"/>	
externalIssue_\$type	string		<input type="checkbox"/>	
externalIssue_id	string		<input type="checkbox"/>	
externalIssue_key	string		<input type="checkbox"/>	
externalIssue_name	string		<input type="checkbox"/>	
externalIssue_url	string		<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
issue_\$type	string		<input type="checkbox"/>	
issue_commentsCount	int32		<input type="checkbox"/>	
issue_created	int64		<input type="checkbox"/>	
issue_description	string		<input type="checkbox"/>	
issue_id	string		<input type="checkbox"/>	
issue_idReadable	string		<input type="checkbox"/>	
issue_isDraft	boolean		<input type="checkbox"/>	
issue_numberInProject	int64		<input type="checkbox"/>	
issue_resolved	int64		<input type="checkbox"/>	
issue_summary	string		<input type="checkbox"/>	
issue_updated	int64		<input type="checkbox"/>	
issue_usesMarkdown	boolean		<input type="checkbox"/>	
issue_votes	int32		<input type="checkbox"/>	
issue_wikitifiedDescription	string		<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
parent_linkType_\$type	string		<input type="checkbox"/>	
parent_linkType_aggregation	boolean		<input type="checkbox"/>	
parent_linkType_directed	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
parent_linkType_id	string		<input type="checkbox"/>	
parent_linkType_localizedName	string		<input type="checkbox"/>	
parent_linkType_localizedSourceToTarget	string		<input type="checkbox"/>	
parent_linkType_localizedTargetToSource	string		<input type="checkbox"/>	
parent_linkType_name	string		<input type="checkbox"/>	
parent_linkType_readOnly	boolean		<input type="checkbox"/>	
parent_linkType_sourceToTarget	string		<input type="checkbox"/>	
parent_linkType_targetToSource	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_createdBy_\$type	string		<input type="checkbox"/>	
project_createdBy_avatarUrl	string		<input type="checkbox"/>	
project_createdBy_banned	boolean		<input type="checkbox"/>	
project_createdBy_email	string		<input type="checkbox"/>	
project_createdBy.FullName	string		<input type="checkbox"/>	
project_createdBy_guest	boolean		<input type="checkbox"/>	
project_createdBy_id	string		<input type="checkbox"/>	
project_createdBy_jabberAccountName	string		<input type="checkbox"/>	
project_createdBy_login	string		<input type="checkbox"/>	
project_createdBy_online	boolean		<input type="checkbox"/>	
project_createdBy_ringId	string		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_leader_\$type	string		<input type="checkbox"/>	
project_leader_avatarUrl	string		<input type="checkbox"/>	
project_leader_banned	boolean		<input type="checkbox"/>	
project_leader_email	string		<input type="checkbox"/>	
project_leader.FullName	string		<input type="checkbox"/>	
project_leader_guest	boolean		<input type="checkbox"/>	
project_leader_id	string		<input type="checkbox"/>	
project_leader_jabberAccountName	string		<input type="checkbox"/>	
project_leader_login	string		<input type="checkbox"/>	
project_leader_online	boolean		<input type="checkbox"/>	
project_leader_ringId	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_team_\$type	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
project_team_allUsersGroup	boolean		<input type="checkbox"/>	
project_team_icon	string		<input type="checkbox"/>	
project_team_id	string		<input type="checkbox"/>	
project_team_name	string		<input type="checkbox"/>	
project_team_ringId	string		<input type="checkbox"/>	
project_team_usersCount	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter.FullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_profiles_\$type	string		<input type="checkbox"/>	
reporter_profiles_id	string		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
subtasks_linkType_\$type	string		<input type="checkbox"/>	
subtasks_linkType_aggregation	boolean		<input type="checkbox"/>	
subtasks_linkType_directed	boolean		<input type="checkbox"/>	
subtasks_linkType_id	string		<input type="checkbox"/>	
subtasks_linkType_localizedName	string		<input type="checkbox"/>	
subtasks_linkType_localizedSourceToTarget	string		<input type="checkbox"/>	
subtasks_linkType_localizedTargetToSource	string		<input type="checkbox"/>	
subtasks_linkType_name	string		<input type="checkbox"/>	
subtasks_linkType_readOnly	boolean		<input type="checkbox"/>	
subtasks_linkType_sourceToTarget	string		<input type="checkbox"/>	
subtasks_linkType_targetToSource	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
text	string	Text	<input type="checkbox"/>	
textPreview	string	Text Preview	<input type="checkbox"/>	
updated_1	int64		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater.FullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_profiles_\$type	string		<input type="checkbox"/>	
updater_profiles_id	string		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
usesMarkdown_1	boolean		<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type_1	string		<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id_1	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

6.1.26 IssueTagCustomFieldIssuesByTagId

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: /issueTags/{id}/issues

Insert YouTrack API URL: /issueTags/{id}/issues

Update YouTrack API URL: /issueTags/{id}/issues

Delete YouTrack API URL: /issueTags/{id}/issues

Field Selection Method: NotRequired

Base Path: customFields [*]

Select YouTrack API Operation: get /issueTags/{id}/issues

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `IssueTagCustomFieldIssuesByTagId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `IssueTagCustomFieldIssuesByTagId` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
draftOwner_\$type	string		<input type="checkbox"/>	
draftOwner_avatarUrl	string		<input type="checkbox"/>	
draftOwner_banned	boolean		<input type="checkbox"/>	
draftOwner_email	string		<input type="checkbox"/>	
draftOwner_fullName	string		<input type="checkbox"/>	
draftOwner_guest	boolean		<input type="checkbox"/>	
draftOwner_id	string		<input type="checkbox"/>	
draftOwner_jabberAccountName	string		<input type="checkbox"/>	
draftOwner_login	string		<input type="checkbox"/>	
draftOwner_online	boolean		<input type="checkbox"/>	
draftOwner_profiles_\$type	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
draftOwner_profiles_id	string		<input type="checkbox"/>	
draftOwner_ringId	string		<input type="checkbox"/>	
externalIssue_\$type	string		<input type="checkbox"/>	
externalIssue_id	string		<input type="checkbox"/>	
externalIssue_key	string		<input type="checkbox"/>	
externalIssue_name	string		<input type="checkbox"/>	
externalIssue_url	string		<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
parent_linkType_\$type	string		<input type="checkbox"/>	
parent_linkType_aggregation	boolean		<input type="checkbox"/>	
parent_linkType_directed	boolean		<input type="checkbox"/>	
parent_linkType_id	string		<input type="checkbox"/>	
parent_linkType_localizedName	string		<input type="checkbox"/>	
parent_linkType_localizedSourceToTarget	string		<input type="checkbox"/>	
parent_linkType_localizedTargetToSource	string		<input type="checkbox"/>	
parent_linkType_name	string		<input type="checkbox"/>	
parent_linkType_readOnly	boolean		<input type="checkbox"/>	
parent_linkType_sourceToTarget	string		<input type="checkbox"/>	
parent_linkType_targetToSource	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_createdBy_\$type	string		<input type="checkbox"/>	
project_createdBy_avatarUrl	string		<input type="checkbox"/>	
project_createdBy_banned	boolean		<input type="checkbox"/>	
project_createdBy_email	string		<input type="checkbox"/>	
project_createdBy_fullName	string		<input type="checkbox"/>	
project_createdBy_guest	boolean		<input type="checkbox"/>	
project_createdBy_id	string		<input type="checkbox"/>	
project_createdBy_jabberAccountName	string		<input type="checkbox"/>	
project_createdBy_login	string		<input type="checkbox"/>	
project_createdBy_online	boolean		<input type="checkbox"/>	
project_createdBy_ringId	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_leader_\$type	string		<input type="checkbox"/>	
project_leader_avatarUrl	string		<input type="checkbox"/>	
project_leader_banned	boolean		<input type="checkbox"/>	
project_leader_email	string		<input type="checkbox"/>	
project_leader.FullName	string		<input type="checkbox"/>	
project_leader_guest	boolean		<input type="checkbox"/>	
project_leader_id	string		<input type="checkbox"/>	
project_leader_jabberAccountName	string		<input type="checkbox"/>	
project_leader_login	string		<input type="checkbox"/>	
project_leader_online	boolean		<input type="checkbox"/>	
project_leader_ringId	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_team_\$type	string		<input type="checkbox"/>	
project_team_allUsersGroup	boolean		<input type="checkbox"/>	
project_team_icon	string		<input type="checkbox"/>	
project_team_id	string		<input type="checkbox"/>	
project_team_name	string		<input type="checkbox"/>	
project_team_ringId	string		<input type="checkbox"/>	
project_team_usersCount	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
projectCustomField_\$type	string		<input type="checkbox"/>	
projectCustomField_canBeEmpty	boolean		<input type="checkbox"/>	
projectCustomField_emptyFieldText	string		<input type="checkbox"/>	
projectCustomField_hasRunningJob	boolean		<input type="checkbox"/>	
projectCustomField_id	string		<input type="checkbox"/>	
projectCustomField_isPublic	boolean		<input type="checkbox"/>	
projectCustomField_ordinal	int32		<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter.FullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_profiles_\$type	string		<input type="checkbox"/>	
reporter_profiles_id	string		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
subtasks_linkType_\$type	string		<input type="checkbox"/>	
subtasks_linkType_aggregation	boolean		<input type="checkbox"/>	
subtasks_linkType_directed	boolean		<input type="checkbox"/>	
subtasks_linkType_id	string		<input type="checkbox"/>	
subtasks_linkType_localizedName	string		<input type="checkbox"/>	
subtasks_linkType_localizedSourceToTarget	string		<input type="checkbox"/>	
subtasks_linkType_localizedTargetToSource	string		<input type="checkbox"/>	
subtasks_linkType_name	string		<input type="checkbox"/>	
subtasks_linkType_readOnly	boolean		<input type="checkbox"/>	
subtasks_linkType_sourceToTarget	string		<input type="checkbox"/>	
subtasks_linkType_targetToSource	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater.FullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_profiles_\$type	string		<input type="checkbox"/>	
updater_profiles_id	string		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

6.1.27 IssueTagIssueAttachments

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /issueTags

Insert YouTrack API URL: /issueTags

Update YouTrack API URL: /issueTags

Delete YouTrack API URL: /issueTags

Field Selection Method: NotRequired

Base Path: issues [*].attachments [*]

Select YouTrack API Operation: get /issueTags

Table Function Columns

The columns of the table function IssueTagIssueAttachments are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
base64Content	string	Base64 Content	<input type="checkbox"/>	
charset	string	Charset	<input type="checkbox"/>	
color_\$type	string		<input type="checkbox"/>	
color_background	string		<input type="checkbox"/>	
color_foreground	string		<input type="checkbox"/>	
color_id	string		<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created_1	int64		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
created	int64	Created	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
draft	boolean	Draft	<input type="checkbox"/>	
draftOwner_\$type	string		<input type="checkbox"/>	
draftOwner_avatarUrl	string		<input type="checkbox"/>	
draftOwner_banned	boolean		<input type="checkbox"/>	
draftOwner_email	string		<input type="checkbox"/>	
draftOwner.FullName	string		<input type="checkbox"/>	
draftOwner_guest	boolean		<input type="checkbox"/>	
draftOwner_id	string		<input type="checkbox"/>	
draftOwner_jabberAccountName	string		<input type="checkbox"/>	
draftOwner_login	string		<input type="checkbox"/>	
draftOwner_online	boolean		<input type="checkbox"/>	
draftOwner_ringId	string		<input type="checkbox"/>	
extension	string	Extension	<input type="checkbox"/>	
externalIssue_\$type	string		<input type="checkbox"/>	
externalIssue_id	string		<input type="checkbox"/>	
externalIssue_key	string		<input type="checkbox"/>	
externalIssue_name	string		<input type="checkbox"/>	
externalIssue_url	string		<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
metaData	string	Metadata	<input type="checkbox"/>	
mimeType	string	MIME-type	<input type="checkbox"/>	
name_1	string		<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
owner_\$type	string		<input type="checkbox"/>	
owner_avatarUrl	string		<input type="checkbox"/>	
owner_banned	boolean		<input type="checkbox"/>	
owner_email	string		<input type="checkbox"/>	
owner.FullName	string		<input type="checkbox"/>	
owner_guest	boolean		<input type="checkbox"/>	
owner_id	string		<input type="checkbox"/>	
owner_jabberAccountName	string		<input type="checkbox"/>	
owner_login	string		<input type="checkbox"/>	
owner_online	boolean		<input type="checkbox"/>	
owner_profiles_\$type	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
ow_ner_profiles_id	string		<input type="checkbox"/>	
ow_ner_ringId	string		<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
removed	boolean	Removed	<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter_fullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
size	int64	Size	<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
thumbnailURL	string	Thumbnail (URL)	<input type="checkbox"/>	
untagOnResolve	boolean		<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_teamForProject_arc hived	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updateableBy_teamForProject_des cription	string		<input type="checkbox"/>	
updateableBy_teamForProject_fro mEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_icon Url	string		<input type="checkbox"/>	
updateableBy_teamForProject_repl yToEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_sho rtName	string		<input type="checkbox"/>	
updateableBy_teamForProject_star tingNumber	int64		<input type="checkbox"/>	
updateableBy_teamForProject_tem plate	boolean		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
updated_1	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater.FullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
url	string	URL	<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_teamForProject_archive d	boolean		<input type="checkbox"/>	
visibleFor_teamForProject_descript ion	string		<input type="checkbox"/>	
visibleFor_teamForProject_fromEm ail	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
visibleFor_teamForProject_iconUrl	string		<input type="checkbox"/>	
visibleFor_teamForProject_replyToEmail	string		<input type="checkbox"/>	
visibleFor_teamForProject_shortName	string		<input type="checkbox"/>	
visibleFor_teamForProject_startingNumber	int64		<input type="checkbox"/>	
visibleFor_teamForProject_template	boolean		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

6.1.28 IssueTagIssueAttachmentsById

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /issueTags/{id}

Insert YouTrack API URL: /issueTags/{id}

Update YouTrack API URL: /issueTags/{id}

Delete YouTrack API URL: /issueTags/{id}

Field Selection Method: NotRequired

Base Path: issues[*].attachments[*)

Select YouTrack API Operation: get /issueTags/{id}

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function IssueTagIssueAttachmentsById. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four

parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `IssueTagIssueAttachmentsById` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
base64Content	string	Base64 Content	<input type="checkbox"/>	
charset	string	Charset	<input type="checkbox"/>	
color_\$type	string		<input type="checkbox"/>	
color_background	string		<input type="checkbox"/>	
color_foreground	string		<input type="checkbox"/>	
color_id	string		<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created_1	int64		<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
draft	boolean	Draft	<input type="checkbox"/>	
draftOwner_\$type	string		<input type="checkbox"/>	
draftOwner_avatarUrl	string		<input type="checkbox"/>	
draftOwner_banned	boolean		<input type="checkbox"/>	
draftOwner_email	string		<input type="checkbox"/>	
draftOwner_fullName	string		<input type="checkbox"/>	
draftOwner_guest	boolean		<input type="checkbox"/>	
draftOwner_id	string		<input type="checkbox"/>	
draftOwner_jabberAccountName	string		<input type="checkbox"/>	
draftOwner_login	string		<input type="checkbox"/>	
draftOwner_online	boolean		<input type="checkbox"/>	
draftOwner_ringId	string		<input type="checkbox"/>	
extension	string	Extension	<input type="checkbox"/>	
externalIssue_\$type	string		<input type="checkbox"/>	
externalIssue_id	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
externallssue_key	string		<input type="checkbox"/>	
externallssue_name	string		<input type="checkbox"/>	
externallssue_url	string		<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
metaData	string	Metadata	<input type="checkbox"/>	
mimeType	string	MIME-type	<input type="checkbox"/>	
name_1	string		<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
ow_ner_\$type	string		<input type="checkbox"/>	
ow_ner_avatarUrl	string		<input type="checkbox"/>	
ow_ner_banned	boolean		<input type="checkbox"/>	
ow_ner_email	string		<input type="checkbox"/>	
ow_ner.FullName	string		<input type="checkbox"/>	
ow_ner_guest	boolean		<input type="checkbox"/>	
ow_ner_id	string		<input type="checkbox"/>	
ow_ner_jabberAccountName	string		<input type="checkbox"/>	
ow_ner_login	string		<input type="checkbox"/>	
ow_ner_online	boolean		<input type="checkbox"/>	
ow_ner_profiles_\$type	string		<input type="checkbox"/>	
ow_ner_profiles_id	string		<input type="checkbox"/>	
ow_ner_ringId	string		<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
removed	boolean	Removed	<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
reporter_email	string		<input type="checkbox"/>	
reporter_fullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
size	int64	Size	<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
thumbnailURL	string	Thumbnail (URL)	<input type="checkbox"/>	
untagOnResolve	boolean		<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_teamForProject_arced	boolean		<input type="checkbox"/>	
updateableBy_teamForProject_description	string		<input type="checkbox"/>	
updateableBy_teamForProject_fromEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_iconUrl	string		<input type="checkbox"/>	
updateableBy_teamForProject_replayToEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_shortName	string		<input type="checkbox"/>	
updateableBy_teamForProject_startingNumber	int64		<input type="checkbox"/>	
updateableBy_teamForProject_template	boolean		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
updated_1	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updater_email	string		<input type="checkbox"/>	
updater_fullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
url	string	URL	<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_teamForProject_archive	boolean		<input type="checkbox"/>	
visibleFor_teamForProject_description	string		<input type="checkbox"/>	
visibleFor_teamForProject_fromEmail	string		<input type="checkbox"/>	
visibleFor_teamForProject_iconUrl	string		<input type="checkbox"/>	
visibleFor_teamForProject_replyToEmail	string		<input type="checkbox"/>	
visibleFor_teamForProject_shortName	string		<input type="checkbox"/>	
visibleFor_teamForProject_startingNumber	int64		<input type="checkbox"/>	
visibleFor_teamForProject_template	boolean		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

6.1.29 IssueTagIssueById

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /issueTags/{id}

Insert YouTrack API URL: /issueTags/{id}

Update YouTrack API URL: /issueTags/{id}

Delete YouTrack API URL: /issueTags/{id}

Field Selection Method: NotRequired

Base Path: issues [*]

Select YouTrack API Operation: get /issueTags/{id}

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function IssueTagIssueById. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function IssueTagIssueById are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
color_\$type	string		<input type="checkbox"/>	
color_background	string		<input type="checkbox"/>	
color_foreground	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
color_id	string		<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
draftOwner_\$type	string		<input type="checkbox"/>	
draftOwner_avatarUrl	string		<input type="checkbox"/>	
draftOwner_banned	boolean		<input type="checkbox"/>	
draftOwner_email	string		<input type="checkbox"/>	
draftOwner.FullName	string		<input type="checkbox"/>	
draftOwner_guest	boolean		<input type="checkbox"/>	
draftOwner_id	string		<input type="checkbox"/>	
draftOwner.jabberAccountName	string		<input type="checkbox"/>	
draftOwner_login	string		<input type="checkbox"/>	
draftOwner.online	boolean		<input type="checkbox"/>	
draftOwner_ringId	string		<input type="checkbox"/>	
externalIssue_\$type	string		<input type="checkbox"/>	
externalIssue_id	string		<input type="checkbox"/>	
externalIssue_key	string		<input type="checkbox"/>	
externalIssue_name	string		<input type="checkbox"/>	
externalIssue_url	string		<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
owner_\$type	string		<input type="checkbox"/>	
owner_avatarUrl	string		<input type="checkbox"/>	
owner_banned	boolean		<input type="checkbox"/>	
owner_email	string		<input type="checkbox"/>	
owner.FullName	string		<input type="checkbox"/>	
owner_guest	boolean		<input type="checkbox"/>	
owner_id	string		<input type="checkbox"/>	
owner.jabberAccountName	string		<input type="checkbox"/>	
owner_login	string		<input type="checkbox"/>	
owner.online	boolean		<input type="checkbox"/>	
owner_profiles_\$type	string		<input type="checkbox"/>	
owner_profiles_id	string		<input type="checkbox"/>	
owner_ringId	string		<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
parent_id	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter_fullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
untagOnResolve	boolean		<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_teamForProject_arched	boolean		<input type="checkbox"/>	
updateableBy_teamForProject_des	string		<input type="checkbox"/>	
updateableBy_teamForProject_fro	string		<input type="checkbox"/>	
updateableBy_teamForProject_i	string		<input type="checkbox"/>	
updateableBy_teamForProject_repl	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updateableBy_teamForProject_shortName	string		<input type="checkbox"/>	
updateableBy_teamForProject_startingNumber	int64		<input type="checkbox"/>	
updateableBy_teamForProject_template	boolean		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater.FullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_teamForProject_archiveId	boolean		<input type="checkbox"/>	
visibleFor_teamForProject_description	string		<input type="checkbox"/>	
visibleFor_teamForProject_fromEmail	string		<input type="checkbox"/>	
visibleFor_teamForProject_iconUrl	string		<input type="checkbox"/>	
visibleFor_teamForProject_replyToEmail	string		<input type="checkbox"/>	
visibleFor_teamForProject_shortName	string		<input type="checkbox"/>	
visibleFor_teamForProject_startingNumber	int64		<input type="checkbox"/>	
visibleFor_teamForProject_template	boolean		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

6.1.30 IssueTagIssueComments

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/issueTags`

Insert YouTrack API URL: `/issueTags`

Update YouTrack API URL: `/issueTags`

Delete YouTrack API URL: `/issueTags`

Field Selection Method: `NotRequired`

Base Path: `issues [*] .comments [*]`

Select YouTrack API Operation: `get /issueTags`

Table Function Columns

The columns of the table function `IssueTagIssueComments` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
color_\$type	string		<input type="checkbox"/>	
color_background	string		<input type="checkbox"/>	
color_foreground	string		<input type="checkbox"/>	
color_id	string		<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created_1	int64		<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
deleted	boolean	Deleted	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
draftOw_ner_\$type	string		<input type="checkbox"/>	
draftOw_ner_avatarUrl	string		<input type="checkbox"/>	
draftOw_ner_banned	boolean		<input type="checkbox"/>	
draftOw_ner_email	string		<input type="checkbox"/>	
draftOw_ner_fullName	string		<input type="checkbox"/>	
draftOw_ner_guest	boolean		<input type="checkbox"/>	
draftOw_ner_id	string		<input type="checkbox"/>	
draftOw_ner_jabberAccountName	string		<input type="checkbox"/>	
draftOw_ner_login	string		<input type="checkbox"/>	
draftOw_ner_online	boolean		<input type="checkbox"/>	
draftOw_ner_ringId	string		<input type="checkbox"/>	
externallssue_\$type	string		<input type="checkbox"/>	
externallssue_id	string		<input type="checkbox"/>	
externallssue_key	string		<input type="checkbox"/>	
externallssue_name	string		<input type="checkbox"/>	
externallssue_url	string		<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
ow_ner_\$type	string		<input type="checkbox"/>	
ow_ner_avatarUrl	string		<input type="checkbox"/>	
ow_ner_banned	boolean		<input type="checkbox"/>	
ow_ner_email	string		<input type="checkbox"/>	
ow_ner_fullName	string		<input type="checkbox"/>	
ow_ner_guest	boolean		<input type="checkbox"/>	
ow_ner_id	string		<input type="checkbox"/>	
ow_ner_jabberAccountName	string		<input type="checkbox"/>	
ow_ner_login	string		<input type="checkbox"/>	
ow_ner_online	boolean		<input type="checkbox"/>	
ow_ner_profiles_\$type	string		<input type="checkbox"/>	
ow_ner_profiles_id	string		<input type="checkbox"/>	
ow_ner_ringId	string		<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter.FullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
text	string	Text	<input type="checkbox"/>	
textPreview	string	Text Preview	<input type="checkbox"/>	
untagOnResolve	boolean		<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_teamForProject_arched	boolean		<input type="checkbox"/>	
updateableBy_teamForProject_descrip	string		<input type="checkbox"/>	
updateableBy_teamForProject_fromEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_iconUrl	string		<input type="checkbox"/>	
updateableBy_teamForProject_replyToEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_shortName	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updateableBy_teamForProject_startingNumber	int64		<input type="checkbox"/>	
updateableBy_teamForProject_template	boolean		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
updated_1	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater.FullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
usesMarkdown_1	boolean		<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_teamForProject_archive	boolean		<input type="checkbox"/>	
visibleFor_teamForProject_descript	string		<input type="checkbox"/>	
visibleFor_teamForProject_fromEm	string		<input type="checkbox"/>	
visibleFor_teamForProject_iconUrl	string		<input type="checkbox"/>	
visibleFor_teamForProject_replyTo	string		<input type="checkbox"/>	
visibleFor_teamForProject_shortNa	string		<input type="checkbox"/>	
visibleFor_teamForProject_starting	int64		<input type="checkbox"/>	
visibleFor_teamForProject_template	boolean		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

6.1.31 IssueTagIssueCommentsById

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/issueTags/{id}`

Insert YouTrack API URL: `/issueTags/{id}`

Update YouTrack API URL: `/issueTags/{id}`

Delete YouTrack API URL: `/issueTags/{id}`

Field Selection Method: NotRequired

Base Path: `issues[*].comments[*]`

Select YouTrack API Operation: get `/issueTags/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `IssueTagIssueCommentsById`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `IssueTagIssueCommentsById` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
color_\$type	string		<input type="checkbox"/>	
color_background	string		<input type="checkbox"/>	
color_foreground	string		<input type="checkbox"/>	
color_id	string		<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created_1	int64		<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
deleted	boolean	Deleted	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
draftOwner_\$type	string		<input type="checkbox"/>	
draftOwner_avatarUrl	string		<input type="checkbox"/>	
draftOwner_banned	boolean		<input type="checkbox"/>	
draftOwner_email	string		<input type="checkbox"/>	
draftOwner.FullName	string		<input type="checkbox"/>	
draftOwner_guest	boolean		<input type="checkbox"/>	
draftOwner_id	string		<input type="checkbox"/>	
draftOwner_jabberAccountName	string		<input type="checkbox"/>	
draftOwner_login	string		<input type="checkbox"/>	
draftOwner_online	boolean		<input type="checkbox"/>	
draftOwner_ringId	string		<input type="checkbox"/>	
externalIssue_\$type	string		<input type="checkbox"/>	
externalIssue_id	string		<input type="checkbox"/>	
externalIssue_key	string		<input type="checkbox"/>	
externalIssue_name	string		<input type="checkbox"/>	
externalIssue_url	string		<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
owner_\$type	string		<input type="checkbox"/>	
owner_avatarUrl	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
ow_ner_banned	boolean		<input type="checkbox"/>	
ow_ner_email	string		<input type="checkbox"/>	
ow_ner_fullName	string		<input type="checkbox"/>	
ow_ner_guest	boolean		<input type="checkbox"/>	
ow_ner_id	string		<input type="checkbox"/>	
ow_ner_jabberAccountName	string		<input type="checkbox"/>	
ow_ner_login	string		<input type="checkbox"/>	
ow_ner_online	boolean		<input type="checkbox"/>	
ow_ner_profiles_\$type	string		<input type="checkbox"/>	
ow_ner_profiles_id	string		<input type="checkbox"/>	
ow_ner_ringId	string		<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter_fullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
text	string	Text	<input type="checkbox"/>	
textPreview	string	Text Preview	<input type="checkbox"/>	
untagOnResolve	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_teamForProject_arclived	boolean		<input type="checkbox"/>	
updateableBy_teamForProject_description	string		<input type="checkbox"/>	
updateableBy_teamForProject_fromEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_iconUrl	string		<input type="checkbox"/>	
updateableBy_teamForProject_replyToEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_shortName	string		<input type="checkbox"/>	
updateableBy_teamForProject_startingNumber	int64		<input type="checkbox"/>	
updateableBy_teamForProject_template	boolean		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
updated_1	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater.FullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
usesMarkdown_1	boolean		<input type="checkbox"/>	
usesMarkdown_n	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_teamForProject_archiveId	boolean		<input type="checkbox"/>	
visibleFor_teamForProject_description	string		<input type="checkbox"/>	
visibleFor_teamForProject_fromEmail	string		<input type="checkbox"/>	
visibleFor_teamForProject_iconUrl	string		<input type="checkbox"/>	
visibleFor_teamForProject_replyToEmail	string		<input type="checkbox"/>	
visibleFor_teamForProject_shortName	string		<input type="checkbox"/>	
visibleFor_teamForProject_startingNumber	int64		<input type="checkbox"/>	
visibleFor_teamForProject_template	boolean		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

6.1.32 IssueTagIssueCustomFields

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/issueTags`

Insert YouTrack API URL: `/issueTags`

Update YouTrack API URL: `/issueTags`

Delete YouTrack API URL: `/issueTags`

Field Selection Method: `NotRequired`

Base Path: `issues [*] .customFields [*]`

Select YouTrack API Operation: `get /issueTags`

Table Function Columns

The columns of the table function `IssueTagIssueCustomFields` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
color_\$type	string		<input type="checkbox"/>	
color_background	string		<input type="checkbox"/>	
color_foreground	string		<input type="checkbox"/>	
color_id	string		<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
draftOwner_\$type	string		<input type="checkbox"/>	
draftOwner_avatarUrl	string		<input type="checkbox"/>	
draftOwner_banned	boolean		<input type="checkbox"/>	
draftOwner_email	string		<input type="checkbox"/>	
draftOwner.FullName	string		<input type="checkbox"/>	
draftOwner_guest	boolean		<input type="checkbox"/>	
draftOwner_id	string		<input type="checkbox"/>	
draftOwner_jabberAccountName	string		<input type="checkbox"/>	
draftOwner_login	string		<input type="checkbox"/>	
draftOwner_online	boolean		<input type="checkbox"/>	
draftOwner_ringId	string		<input type="checkbox"/>	
externalIssue_\$type	string		<input type="checkbox"/>	
externalIssue_id	string		<input type="checkbox"/>	
externalIssue_key	string		<input type="checkbox"/>	
externalIssue_name	string		<input type="checkbox"/>	
externalIssue_url	string		<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
name_1	string		<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
owner_\$type	string		<input type="checkbox"/>	
owner_avatarUrl	string		<input type="checkbox"/>	
owner_banned	boolean		<input type="checkbox"/>	
owner_email	string		<input type="checkbox"/>	
owner.FullName	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
ow_ner_guest	boolean		<input type="checkbox"/>	
ow_ner_id	string		<input type="checkbox"/>	
ow_ner_jabberAccountName	string		<input type="checkbox"/>	
ow_ner_login	string		<input type="checkbox"/>	
ow_ner_online	boolean		<input type="checkbox"/>	
ow_ner_profiles_\$type	string		<input type="checkbox"/>	
ow_ner_profiles_id	string		<input type="checkbox"/>	
ow_ner_ringId	string		<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter_fullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
untagOnResolve	boolean		<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_teamForProject_archived	boolean		<input type="checkbox"/>	
updateableBy_teamForProject_description	string		<input type="checkbox"/>	
updateableBy_teamForProject_fromEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_iconUrl	string		<input type="checkbox"/>	
updateableBy_teamForProject_replyToEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_shortName	string		<input type="checkbox"/>	
updateableBy_teamForProject_startingNumber	int64		<input type="checkbox"/>	
updateableBy_teamForProject_template	boolean		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater.FullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_teamForProject_archive	boolean		<input type="checkbox"/>	
visibleFor_teamForProject_description	string		<input type="checkbox"/>	
visibleFor_teamForProject_fromEmail	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
visibleFor_teamForProject_iconUrl	string		<input type="checkbox"/>	
visibleFor_teamForProject_replyToEmail	string		<input type="checkbox"/>	
visibleFor_teamForProject_shortName	string		<input type="checkbox"/>	
visibleFor_teamForProject_startingNumber	int64		<input type="checkbox"/>	
visibleFor_teamForProject_template	boolean		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

6.1.33 IssueTagIssueLinks

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /issueTags

Insert YouTrack API URL: /issueTags

Update YouTrack API URL: /issueTags

Delete YouTrack API URL: /issueTags

Field Selection Method: NotRequired

Base Path: issues[*].links[*]

Select YouTrack API Operation: get /issueTags

Table Function Columns

The columns of the table function IssueTagIssueLinks are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
color_\$type	string		<input type="checkbox"/>	
color_background	string		<input type="checkbox"/>	
color_foreground	string		<input type="checkbox"/>	
color_id	string		<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
direction	string	Direction	<input type="checkbox"/>	
draftOwner_\$type	string		<input type="checkbox"/>	
draftOwner_avatarUrl	string		<input type="checkbox"/>	
draftOwner_banned	boolean		<input type="checkbox"/>	
draftOwner_email	string		<input type="checkbox"/>	
draftOwner.FullName	string		<input type="checkbox"/>	
draftOwner.guest	boolean		<input type="checkbox"/>	
draftOwner.id	string		<input type="checkbox"/>	
draftOwner.jabberAccountName	string		<input type="checkbox"/>	
draftOwner.login	string		<input type="checkbox"/>	
draftOwner.online	boolean		<input type="checkbox"/>	
draftOwner.ringId	string		<input type="checkbox"/>	
externalIssue.\$type	string		<input type="checkbox"/>	
externalIssue.id	string		<input type="checkbox"/>	
externalIssue.key	string		<input type="checkbox"/>	
externalIssue.name	string		<input type="checkbox"/>	
externalIssue.url	string		<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
owner.\$type	string		<input type="checkbox"/>	
owner.avatarUrl	string		<input type="checkbox"/>	
owner.banned	boolean		<input type="checkbox"/>	
owner.email	string		<input type="checkbox"/>	
owner.FullName	string		<input type="checkbox"/>	
owner.guest	boolean		<input type="checkbox"/>	
owner.id	string		<input type="checkbox"/>	
owner.jabberAccountName	string		<input type="checkbox"/>	
owner.login	string		<input type="checkbox"/>	
owner.online	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
ow_ner_profiles_\$type	string		<input type="checkbox"/>	
ow_ner_profiles_id	string		<input type="checkbox"/>	
ow_ner_ringId	string		<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter_fullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
untagOnResolve	boolean		<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_teamForProject_arched	boolean		<input type="checkbox"/>	
updateableBy_teamForProject_des	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updateableBy_teamForProject_fromEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_iconUrl	string		<input type="checkbox"/>	
updateableBy_teamForProject_replyToEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_shortName	string		<input type="checkbox"/>	
updateableBy_teamForProject_startingNumber	int64		<input type="checkbox"/>	
updateableBy_teamForProject_template	boolean		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater.FullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_teamForProject_archive	boolean		<input type="checkbox"/>	
visibleFor_teamForProject_description	string		<input type="checkbox"/>	
visibleFor_teamForProject_fromEmail	string		<input type="checkbox"/>	
visibleFor_teamForProject_iconUrl	string		<input type="checkbox"/>	
visibleFor_teamForProject_replyToEmail	string		<input type="checkbox"/>	
visibleFor_teamForProject_shortName	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
visibleFor_teamForProject_startingNumber	int64		<input type="checkbox"/>	
visibleFor_teamForProject_template	boolean		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

6.1.34 IssueTagIssueLinksById

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/issueTags/{id}`

Insert YouTrack API URL: `/issueTags/{id}`

Update YouTrack API URL: `/issueTags/{id}`

Delete YouTrack API URL: `/issueTags/{id}`

Field Selection Method: NotRequired

Base Path: `issues[*].links[*]`

Select YouTrack API Operation: get `/issueTags/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `IssueTagIssueLinksById`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `'select * from table(value1, value2, value3)'` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `'select * from table(name1 => value1, name3 => value3)'` on the same table will use the

default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `IssueTagIssueLinksById` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
color_\$type	string		<input type="checkbox"/>	
color_background	string		<input type="checkbox"/>	
color_foreground	string		<input type="checkbox"/>	
color_id	string		<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
direction	string	Direction	<input type="checkbox"/>	
draftOwner_\$type	string		<input type="checkbox"/>	
draftOwner_avatarUrl	string		<input type="checkbox"/>	
draftOwner_banned	boolean		<input type="checkbox"/>	
draftOwner_email	string		<input type="checkbox"/>	
draftOwner_fullName	string		<input type="checkbox"/>	
draftOwner_guest	boolean		<input type="checkbox"/>	
draftOwner_id	string		<input type="checkbox"/>	
draftOwner_jabberAccountName	string		<input type="checkbox"/>	
draftOwner_login	string		<input type="checkbox"/>	
draftOwner_online	boolean		<input type="checkbox"/>	
draftOwner_ringId	string		<input type="checkbox"/>	
externalIssue_\$type	string		<input type="checkbox"/>	
externalIssue_id	string		<input type="checkbox"/>	
externalIssue_key	string		<input type="checkbox"/>	
externalIssue_name	string		<input type="checkbox"/>	
externalIssue_url	string		<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
isDraft	boolean	Is Draft	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
owner_\$type	string		<input type="checkbox"/>	
owner_avatarUrl	string		<input type="checkbox"/>	
owner_banned	boolean		<input type="checkbox"/>	
owner_email	string		<input type="checkbox"/>	
owner.FullName	string		<input type="checkbox"/>	
owner_guest	boolean		<input type="checkbox"/>	
owner_id	string		<input type="checkbox"/>	
owner_jabberAccountName	string		<input type="checkbox"/>	
owner_login	string		<input type="checkbox"/>	
owner_online	boolean		<input type="checkbox"/>	
owner_profiles_\$type	string		<input type="checkbox"/>	
owner_profiles_id	string		<input type="checkbox"/>	
owner_ringId	string		<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter.FullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
subtasks_id	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
untagOnResolve	boolean		<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_teamForProject_arclived	boolean		<input type="checkbox"/>	
updateableBy_teamForProject_description	string		<input type="checkbox"/>	
updateableBy_teamForProject_fromEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_iconUrl	string		<input type="checkbox"/>	
updateableBy_teamForProject_replyToEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_shortName	string		<input type="checkbox"/>	
updateableBy_teamForProject_startingNumber	int64		<input type="checkbox"/>	
updateableBy_teamForProject_template	boolean		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater.FullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_teamForProject_archiveId	boolean		<input type="checkbox"/>	
visibleFor_teamForProject_description	string		<input type="checkbox"/>	
visibleFor_teamForProject_fromEmail	string		<input type="checkbox"/>	
visibleFor_teamForProject_iconUrl	string		<input type="checkbox"/>	
visibleFor_teamForProject_replyToEmail	string		<input type="checkbox"/>	
visibleFor_teamForProject_shortName	string		<input type="checkbox"/>	
visibleFor_teamForProject_startingNumber	int64		<input type="checkbox"/>	
visibleFor_teamForProject_template	boolean		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

6.1.35 IssueTagIssues

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /issueTags

Insert YouTrack API URL: /issueTags

Update YouTrack API URL: /issueTags

Delete YouTrack API URL: /issueTags

Field Selection Method: NotRequired

Base Path: issues [*]

Select YouTrack API Operation: get /issueTags

Table Function Columns

The columns of the table function `IssueTagIssues` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
color_\$type	string		<input type="checkbox"/>	
color_background	string		<input type="checkbox"/>	
color_foreground	string		<input type="checkbox"/>	
color_id	string		<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
draftOwner_\$type	string		<input type="checkbox"/>	
draftOwner_avatarUrl	string		<input type="checkbox"/>	
draftOwner_banned	boolean		<input type="checkbox"/>	
draftOwner_email	string		<input type="checkbox"/>	
draftOwner.FullName	string		<input type="checkbox"/>	
draftOwner_guest	boolean		<input type="checkbox"/>	
draftOwner_id	string		<input type="checkbox"/>	
draftOwner_jabberAccountName	string		<input type="checkbox"/>	
draftOwner_login	string		<input type="checkbox"/>	
draftOwner_online	boolean		<input type="checkbox"/>	
draftOwner_ringId	string		<input type="checkbox"/>	
externalIssue_\$type	string		<input type="checkbox"/>	
externalIssue_id	string		<input type="checkbox"/>	
externalIssue_key	string		<input type="checkbox"/>	
externalIssue_name	string		<input type="checkbox"/>	
externalIssue_url	string		<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
owner_\$type	string		<input type="checkbox"/>	
owner_avatarUrl	string		<input type="checkbox"/>	
owner_banned	boolean		<input type="checkbox"/>	
owner_email	string		<input type="checkbox"/>	
owner.FullName	string		<input type="checkbox"/>	
owner_guest	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
ow_ner_id	string		<input type="checkbox"/>	
ow_ner_jabberAccountName	string		<input type="checkbox"/>	
ow_ner_login	string		<input type="checkbox"/>	
ow_ner_online	boolean		<input type="checkbox"/>	
ow_ner_profiles_\$type	string		<input type="checkbox"/>	
ow_ner_profiles_id	string		<input type="checkbox"/>	
ow_ner_ringId	string		<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter_fullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
untagOnResolve	boolean		<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updateableBy_teamForProject_arched	boolean		<input type="checkbox"/>	
updateableBy_teamForProject_descripion	string		<input type="checkbox"/>	
updateableBy_teamForProject_fromEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_iconUrl	string		<input type="checkbox"/>	
updateableBy_teamForProject_replayToEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_shortName	string		<input type="checkbox"/>	
updateableBy_teamForProject_startingNumber	int64		<input type="checkbox"/>	
updateableBy_teamForProject_template	boolean		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater.FullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_teamForProject_archived	boolean		<input type="checkbox"/>	
visibleFor_teamForProject_descripton	string		<input type="checkbox"/>	
visibleFor_teamForProject_fromEmail	string		<input type="checkbox"/>	
visibleFor_teamForProject_iconUrl	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
visibleFor_teamForProject_replyToEmail	string		<input type="checkbox"/>	
visibleFor_teamForProject_shortName	string		<input type="checkbox"/>	
visibleFor_teamForProject_startingNumber	int64		<input type="checkbox"/>	
visibleFor_teamForProject_template	boolean		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

6.1.36 IssueTagIssuesCustomFieldsById

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /issueTags/{id}

Insert YouTrack API URL: /issueTags/{id}

Update YouTrack API URL: /issueTags/{id}

Delete YouTrack API URL: /issueTags/{id}

Field Selection Method: NotRequired

Base Path: issues[*].customFields[*]

Select YouTrack API Operation: get /issueTags/{id}

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function IssueTagIssuesCustomFieldsById. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `IssueTagIssuesCustomFieldsById` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
color_\$type	string		<input type="checkbox"/>	
color_background	string		<input type="checkbox"/>	
color_foreground	string		<input type="checkbox"/>	
color_id	string		<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
draftOwner_\$type	string		<input type="checkbox"/>	
draftOwner_avatarUrl	string		<input type="checkbox"/>	
draftOwner_banned	boolean		<input type="checkbox"/>	
draftOwner_email	string		<input type="checkbox"/>	
draftOwner_fullName	string		<input type="checkbox"/>	
draftOwner_guest	boolean		<input type="checkbox"/>	
draftOwner_id	string		<input type="checkbox"/>	
draftOwner_jabberAccountName	string		<input type="checkbox"/>	
draftOwner_login	string		<input type="checkbox"/>	
draftOwner_online	boolean		<input type="checkbox"/>	
draftOwner_ringId	string		<input type="checkbox"/>	
externalIssue_\$type	string		<input type="checkbox"/>	
externalIssue_id	string		<input type="checkbox"/>	
externalIssue_key	string		<input type="checkbox"/>	
externalIssue_name	string		<input type="checkbox"/>	
externalIssue_url	string		<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
isDraft	boolean	Is Draft	<input type="checkbox"/>	
name_1	string		<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
owner_\$type	string		<input type="checkbox"/>	
owner_avatarUrl	string		<input type="checkbox"/>	
owner_banned	boolean		<input type="checkbox"/>	
owner_email	string		<input type="checkbox"/>	
owner.FullName	string		<input type="checkbox"/>	
owner_guest	boolean		<input type="checkbox"/>	
owner_id	string		<input type="checkbox"/>	
owner_jabberAccountName	string		<input type="checkbox"/>	
owner_login	string		<input type="checkbox"/>	
owner_online	boolean		<input type="checkbox"/>	
owner_profiles_\$type	string		<input type="checkbox"/>	
owner_profiles_id	string		<input type="checkbox"/>	
owner_ringId	string		<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter.FullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
untagOnResolve	boolean		<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_teamForProject_arched	boolean		<input type="checkbox"/>	
updateableBy_teamForProject_description	string		<input type="checkbox"/>	
updateableBy_teamForProject_fromEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_iconUrl	string		<input type="checkbox"/>	
updateableBy_teamForProject_replyToEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_shortName	string		<input type="checkbox"/>	
updateableBy_teamForProject_startingNumber	int64		<input type="checkbox"/>	
updateableBy_teamForProject_template	boolean		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater.FullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_teamForProject_archiveId	boolean		<input type="checkbox"/>	
visibleFor_teamForProject_description	string		<input type="checkbox"/>	
visibleFor_teamForProject_fromEmail	string		<input type="checkbox"/>	
visibleFor_teamForProject_iconUrl	string		<input type="checkbox"/>	
visibleFor_teamForProject_replyToEmail	string		<input type="checkbox"/>	
visibleFor_teamForProject_shortName	string		<input type="checkbox"/>	
visibleFor_teamForProject_startingNumber	int64		<input type="checkbox"/>	
visibleFor_teamForProject_template	boolean		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

6.1.37 IssueTagIssuesTags

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /issueTags

Insert YouTrack API URL: /issueTags

Update YouTrack API URL: /issueTags

Delete YouTrack API URL: /issueTags

Field Selection Method: NotRequired

Base Path: issues [*] .tags [*]

Select YouTrack API Operation: get /issueTags

Table Function Columns

The columns of the table function `IssueTagIssuesTags` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
color_\$type	string		<input type="checkbox"/>	
color_background	string		<input type="checkbox"/>	
color_foreground	string		<input type="checkbox"/>	
color_id	string		<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
draftOwner_\$type	string		<input type="checkbox"/>	
draftOwner_avatarUrl	string		<input type="checkbox"/>	
draftOwner_banned	boolean		<input type="checkbox"/>	
draftOwner_email	string		<input type="checkbox"/>	
draftOwner.FullName	string		<input type="checkbox"/>	
draftOwner_guest	boolean		<input type="checkbox"/>	
draftOwner_id	string		<input type="checkbox"/>	
draftOwner_jabberAccountName	string		<input type="checkbox"/>	
draftOwner_login	string		<input type="checkbox"/>	
draftOwner_online	boolean		<input type="checkbox"/>	
draftOwner_ringId	string		<input type="checkbox"/>	
externalIssue_\$type	string		<input type="checkbox"/>	
externalIssue_id	string		<input type="checkbox"/>	
externalIssue_key	string		<input type="checkbox"/>	
externalIssue_name	string		<input type="checkbox"/>	
externalIssue_url	string		<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
name_1	string		<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
owner_\$type_1	string		<input type="checkbox"/>	
owner_\$type	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
ow_ner_avatarUrl	string		<input type="checkbox"/>	
ow_ner_banned	boolean		<input type="checkbox"/>	
ow_ner_email	string		<input type="checkbox"/>	
ow_ner_fullName	string		<input type="checkbox"/>	
ow_ner_guest	boolean		<input type="checkbox"/>	
ow_ner_id_1	string		<input type="checkbox"/>	
ow_ner_id	string		<input type="checkbox"/>	
ow_ner_jabberAccountName	string		<input type="checkbox"/>	
ow_ner_login	string		<input type="checkbox"/>	
ow_ner_name	string		<input type="checkbox"/>	
ow_ner_online	boolean		<input type="checkbox"/>	
ow_ner_profiles_\$type	string		<input type="checkbox"/>	
ow_ner_profiles_id	string		<input type="checkbox"/>	
ow_ner_ringId	string		<input type="checkbox"/>	
ow_ner_untagOnResolve	boolean		<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter_fullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
summary	string	Summary	<input type="checkbox"/>	
untagOnResolve_1	boolean		<input type="checkbox"/>	
untagOnResolve	boolean		<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_teamForProject_arclived	boolean		<input type="checkbox"/>	
updateableBy_teamForProject_description	string		<input type="checkbox"/>	
updateableBy_teamForProject_fromEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_iconUrl	string		<input type="checkbox"/>	
updateableBy_teamForProject_replaceToEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_shortName	string		<input type="checkbox"/>	
updateableBy_teamForProject_startingNumber	int64		<input type="checkbox"/>	
updateableBy_teamForProject_template	boolean		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater.FullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_teamForProject_archiveId	boolean		<input type="checkbox"/>	
visibleFor_teamForProject_description	string		<input type="checkbox"/>	
visibleFor_teamForProject_fromEmail	string		<input type="checkbox"/>	
visibleFor_teamForProject_iconUrl	string		<input type="checkbox"/>	
visibleFor_teamForProject_replyToEmail	string		<input type="checkbox"/>	
visibleFor_teamForProject_shortName	string		<input type="checkbox"/>	
visibleFor_teamForProject_startingNumber	int64		<input type="checkbox"/>	
visibleFor_teamForProject_template	boolean		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

6.1.38 IssueTagIssueTagsById

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /issueTags/{id}

Insert YouTrack API URL: /issueTags/{id}

Update YouTrack API URL: /issueTags/{id}

Delete YouTrack API URL: /issueTags/{id}

Field Selection Method: NotRequired

Base Path: issues[*].tags[*]

Select YouTrack API Operation: get /issueTags/{id}

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `IssueTagIssueTagsById`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `IssueTagIssueTagsById` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
color_\$type	string		<input type="checkbox"/>	
color_background	string		<input type="checkbox"/>	
color_foreground	string		<input type="checkbox"/>	
color_id	string		<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
draftOwner_\$type	string		<input type="checkbox"/>	
draftOwner_avatarUrl	string		<input type="checkbox"/>	
draftOwner_banned	boolean		<input type="checkbox"/>	
draftOwner_email	string		<input type="checkbox"/>	
draftOwner_fullName	string		<input type="checkbox"/>	
draftOwner_guest	boolean		<input type="checkbox"/>	
draftOwner_id	string		<input type="checkbox"/>	
draftOwner_jabberAccountName	string		<input type="checkbox"/>	
draftOwner_login	string		<input type="checkbox"/>	
draftOwner_online	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
draftOw_ner_ringId	string		<input type="checkbox"/>	
externalIssue_\$type	string		<input type="checkbox"/>	
externalIssue_id	string		<input type="checkbox"/>	
externalIssue_key	string		<input type="checkbox"/>	
externalIssue_name	string		<input type="checkbox"/>	
externalIssue_url	string		<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
name_1	string		<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
ow_ner_\$type_1	string		<input type="checkbox"/>	
ow_ner_\$type	string		<input type="checkbox"/>	
ow_ner_avatarUrl	string		<input type="checkbox"/>	
ow_ner_banned	boolean		<input type="checkbox"/>	
ow_ner_email	string		<input type="checkbox"/>	
ow_ner.FullName	string		<input type="checkbox"/>	
ow_ner_guest	boolean		<input type="checkbox"/>	
ow_ner_id_1	string		<input type="checkbox"/>	
ow_ner_id	string		<input type="checkbox"/>	
ow_ner_jabberAccountName	string		<input type="checkbox"/>	
ow_ner_login	string		<input type="checkbox"/>	
ow_ner_name	string		<input type="checkbox"/>	
ow_ner_online	boolean		<input type="checkbox"/>	
ow_ner_profiles_\$type	string		<input type="checkbox"/>	
ow_ner_profiles_id	string		<input type="checkbox"/>	
ow_ner_ringId	string		<input type="checkbox"/>	
ow_ner_untagOnResolve	boolean		<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
project_template	boolean		<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter.FullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
untagOnResolve_1	boolean		<input type="checkbox"/>	
untagOnResolve	boolean		<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_teamForProject_arc hived	boolean		<input type="checkbox"/>	
updateableBy_teamForProject_des cription	string		<input type="checkbox"/>	
updateableBy_teamForProject_fro mEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_icon Url	string		<input type="checkbox"/>	
updateableBy_teamForProject_repl yToEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_sho rtName	string		<input type="checkbox"/>	
updateableBy_teamForProject_star tingNumber	int64		<input type="checkbox"/>	
updateableBy_teamForProject_tem plate	boolean		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater_fullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_teamForProject_archiveId	boolean		<input type="checkbox"/>	
visibleFor_teamForProject_description	string		<input type="checkbox"/>	
visibleFor_teamForProject_fromEmail	string		<input type="checkbox"/>	
visibleFor_teamForProject_iconUrl	string		<input type="checkbox"/>	
visibleFor_teamForProject_replyToEmail	string		<input type="checkbox"/>	
visibleFor_teamForProject_shortName	string		<input type="checkbox"/>	
visibleFor_teamForProject_startingNumber	int64		<input type="checkbox"/>	
visibleFor_teamForProject_template	boolean		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

6.1.39 IssueTagLinkIssuesByTagId

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /issueTags/{id}/issues

Insert YouTrack API URL: /issueTags/{id}/issues

Update YouTrack API URL: /issueTags/{id}/issues

Delete YouTrack API URL: /issueTags/{id}/issues

Field Selection Method: NotRequired

Base Path: links [*]

Select YouTrack API Operation: get /issueTags/{id}/issues

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function IssueTagLinkIssuesByTagId. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function IssueTagLinkIssuesByTagId are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
direction	string	Direction	<input type="checkbox"/>	
draftOw ner_\$type	string		<input type="checkbox"/>	
draftOw ner_avatarUrl	string		<input type="checkbox"/>	
draftOw ner_banned	boolean		<input type="checkbox"/>	
draftOw ner_email	string		<input type="checkbox"/>	
draftOw ner_fullName	string		<input type="checkbox"/>	
draftOw ner_guest	boolean		<input type="checkbox"/>	
draftOw ner_id	string		<input type="checkbox"/>	
draftOw ner_jabberAccountName	string		<input type="checkbox"/>	
draftOw ner_login	string		<input type="checkbox"/>	
draftOw ner_online	boolean		<input type="checkbox"/>	
draftOw ner_profiles_\$type	string		<input type="checkbox"/>	
draftOw ner_profiles_id	string		<input type="checkbox"/>	
draftOw ner_ringId	string		<input type="checkbox"/>	
externallssue_\$type	string		<input type="checkbox"/>	
externallssue_id	string		<input type="checkbox"/>	
externallssue_key	string		<input type="checkbox"/>	
externallssue_name	string		<input type="checkbox"/>	
externallssue_url	string		<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
linkType_\$type	string		<input type="checkbox"/>	
linkType_aggregation	boolean		<input type="checkbox"/>	
linkType_directed	boolean		<input type="checkbox"/>	
linkType_id	string		<input type="checkbox"/>	
linkType_localizedName	string		<input type="checkbox"/>	
linkType_localizedSourceToTarget	string		<input type="checkbox"/>	
linkType_localizedTargetToSource	string		<input type="checkbox"/>	
linkType_name	string		<input type="checkbox"/>	
linkType_readOnly	boolean		<input type="checkbox"/>	
linkType_sourceToTarget	string		<input type="checkbox"/>	
linkType_targetToSource	string		<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
parent_linkType_\$type	string		<input type="checkbox"/>	
parent_linkType_aggregation	boolean		<input type="checkbox"/>	
parent_linkType_directed	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
parent_linkType_id	string		<input type="checkbox"/>	
parent_linkType_localizedName	string		<input type="checkbox"/>	
parent_linkType_localizedSourceToTarget	string		<input type="checkbox"/>	
parent_linkType_localizedTargetToSource	string		<input type="checkbox"/>	
parent_linkType_name	string		<input type="checkbox"/>	
parent_linkType_readOnly	boolean		<input type="checkbox"/>	
parent_linkType_sourceToTarget	string		<input type="checkbox"/>	
parent_linkType_targetToSource	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_createdBy_\$type	string		<input type="checkbox"/>	
project_createdBy_avatarUrl	string		<input type="checkbox"/>	
project_createdBy_banned	boolean		<input type="checkbox"/>	
project_createdBy_email	string		<input type="checkbox"/>	
project_createdBy.FullName	string		<input type="checkbox"/>	
project_createdBy_guest	boolean		<input type="checkbox"/>	
project_createdBy_id	string		<input type="checkbox"/>	
project_createdBy_jabberAccountName	string		<input type="checkbox"/>	
project_createdBy_login	string		<input type="checkbox"/>	
project_createdBy_online	boolean		<input type="checkbox"/>	
project_createdBy_ringId	string		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_leader_\$type	string		<input type="checkbox"/>	
project_leader_avatarUrl	string		<input type="checkbox"/>	
project_leader_banned	boolean		<input type="checkbox"/>	
project_leader_email	string		<input type="checkbox"/>	
project_leader.FullName	string		<input type="checkbox"/>	
project_leader_guest	boolean		<input type="checkbox"/>	
project_leader_id	string		<input type="checkbox"/>	
project_leader_jabberAccountName	string		<input type="checkbox"/>	
project_leader_login	string		<input type="checkbox"/>	
project_leader_online	boolean		<input type="checkbox"/>	
project_leader_ringId	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_team_\$type	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
project_team_allUsersGroup	boolean		<input type="checkbox"/>	
project_team_icon	string		<input type="checkbox"/>	
project_team_id	string		<input type="checkbox"/>	
project_team_name	string		<input type="checkbox"/>	
project_team_ringId	string		<input type="checkbox"/>	
project_team_usersCount	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter_fullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_profiles_\$type	string		<input type="checkbox"/>	
reporter_profiles_id	string		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
subtasks_linkType_\$type	string		<input type="checkbox"/>	
subtasks_linkType_aggregation	boolean		<input type="checkbox"/>	
subtasks_linkType_directed	boolean		<input type="checkbox"/>	
subtasks_linkType_id	string		<input type="checkbox"/>	
subtasks_linkType_localizedName	string		<input type="checkbox"/>	
subtasks_linkType_localizedSourceToTarget	string		<input type="checkbox"/>	
subtasks_linkType_localizedTargetToSource	string		<input type="checkbox"/>	
subtasks_linkType_name	string		<input type="checkbox"/>	
subtasks_linkType_readOnly	boolean		<input type="checkbox"/>	
subtasks_linkType_sourceToTarget	string		<input type="checkbox"/>	
subtasks_linkType_targetToSource	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater_fullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_profiles_\$type	string		<input type="checkbox"/>	
updater_profiles_id	string		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

6.1.40 IssueTagLinkIssuesByTagId1

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /issueTags/{id}/issues

Insert YouTrack API URL: /issueTags/{id}/issues

Update YouTrack API URL: /issueTags/{id}/issues

Delete YouTrack API URL: /issueTags/{id}/issues

Field Selection Method: NotRequired

Base Path: links[*].issues[*]

Select YouTrack API Operation: get /issueTags/{id}/issues

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `IssueTagLinkIssuesByTagId1`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `IssueTagLinkIssuesByTagId1` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
commentsCount_1	int32		<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created_1	int64		<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
description_1	string		<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
direction	string	Direction	<input type="checkbox"/>	
draftOwner_\$type	string		<input type="checkbox"/>	
draftOwner_avatarUrl	string		<input type="checkbox"/>	
draftOwner_banned	boolean		<input type="checkbox"/>	
draftOwner_email	string		<input type="checkbox"/>	
draftOwner_fullName	string		<input type="checkbox"/>	
draftOwner_guest	boolean		<input type="checkbox"/>	
draftOwner_id	string		<input type="checkbox"/>	
draftOwner_jabberAccountName	string		<input type="checkbox"/>	
draftOwner_login	string		<input type="checkbox"/>	
draftOwner_online	boolean		<input type="checkbox"/>	
draftOwner_profiles_\$type	string		<input type="checkbox"/>	
draftOwner_profiles_id	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
draftOwner_ringId	string		<input type="checkbox"/>	
externalIssue_\$type	string		<input type="checkbox"/>	
externalIssue_id	string		<input type="checkbox"/>	
externalIssue_key	string		<input type="checkbox"/>	
externalIssue_name	string		<input type="checkbox"/>	
externalIssue_url	string		<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable_1	string		<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft_1	boolean		<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
linkType_\$type	string		<input type="checkbox"/>	
linkType_aggregation	boolean		<input type="checkbox"/>	
linkType_directed	boolean		<input type="checkbox"/>	
linkType_id	string		<input type="checkbox"/>	
linkType_localizedName	string		<input type="checkbox"/>	
linkType_localizedSourceToTarget	string		<input type="checkbox"/>	
linkType_localizedTargetToSource	string		<input type="checkbox"/>	
linkType_name	string		<input type="checkbox"/>	
linkType_readOnly	boolean		<input type="checkbox"/>	
linkType_sourceToTarget	string		<input type="checkbox"/>	
linkType_targetToSource	string		<input type="checkbox"/>	
numberInProject_1	int64		<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
parent_\$type_1	string		<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_commentsCount	int32		<input type="checkbox"/>	
parent_created	int64		<input type="checkbox"/>	
parent_description	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id_1	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
parent_idReadable	string		<input type="checkbox"/>	
parent_isDraft	boolean		<input type="checkbox"/>	
parent_linkType_\$type	string		<input type="checkbox"/>	
parent_linkType_aggregation	boolean		<input type="checkbox"/>	
parent_linkType_directed	boolean		<input type="checkbox"/>	
parent_linkType_id	string		<input type="checkbox"/>	
parent_linkType_localizedName	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
parent_linkType_localizedSourceToTarget	string		<input type="checkbox"/>	
parent_linkType_localizedTargetToSource	string		<input type="checkbox"/>	
parent_linkType_name	string		<input type="checkbox"/>	
parent_linkType_readOnly	boolean		<input type="checkbox"/>	
parent_linkType_sourceToTarget	string		<input type="checkbox"/>	
parent_linkType_targetToSource	string		<input type="checkbox"/>	
parent_numberInProject	int64		<input type="checkbox"/>	
parent_resolved	int64		<input type="checkbox"/>	
parent_summary	string		<input type="checkbox"/>	
parent_updated	int64		<input type="checkbox"/>	
parent_usesMarkdown	boolean		<input type="checkbox"/>	
parent_votes	int32		<input type="checkbox"/>	
parent_wikifiedDescription	string		<input type="checkbox"/>	
project_\$type	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_commentsCount	int32		<input type="checkbox"/>	
project_created	int64		<input type="checkbox"/>	
project_createdBy_\$type	string		<input type="checkbox"/>	
project_createdBy_avatarUrl	string		<input type="checkbox"/>	
project_createdBy_banned	boolean		<input type="checkbox"/>	
project_createdBy_email	string		<input type="checkbox"/>	
project_createdBy.FullName	string		<input type="checkbox"/>	
project_createdBy_guest	boolean		<input type="checkbox"/>	
project_createdBy_id	string		<input type="checkbox"/>	
project_createdBy_jabberAccountName	string		<input type="checkbox"/>	
project_createdBy_login	string		<input type="checkbox"/>	
project_createdBy_online	boolean		<input type="checkbox"/>	
project_createdBy_ringId	string		<input type="checkbox"/>	
project_description_1	string		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_id	string		<input type="checkbox"/>	
project_idReadable	string		<input type="checkbox"/>	
project_isDraft	boolean		<input type="checkbox"/>	
project_leader_\$type	string		<input type="checkbox"/>	
project_leader_avatarUrl	string		<input type="checkbox"/>	
project_leader_banned	boolean		<input type="checkbox"/>	
project_leader_email	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
project_leader_fullName	string		<input type="checkbox"/>	
project_leader_guest	boolean		<input type="checkbox"/>	
project_leader_id	string		<input type="checkbox"/>	
project_leader_jabberAccountName	string		<input type="checkbox"/>	
project_leader_login	string		<input type="checkbox"/>	
project_leader_online	boolean		<input type="checkbox"/>	
project_leader_ringId	string		<input type="checkbox"/>	
project_numberInProject	int64		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_resolved	int64		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_summary	string		<input type="checkbox"/>	
project_team_\$type	string		<input type="checkbox"/>	
project_team_allUsersGroup	boolean		<input type="checkbox"/>	
project_team_icon	string		<input type="checkbox"/>	
project_team_id	string		<input type="checkbox"/>	
project_team_name	string		<input type="checkbox"/>	
project_team_ringId	string		<input type="checkbox"/>	
project_team_usersCount	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
project_updated	int64		<input type="checkbox"/>	
project_usesMarkdown	boolean		<input type="checkbox"/>	
project_votes	int32		<input type="checkbox"/>	
project_wikifiedDescription	string		<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter_fullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_profiles_\$type	string		<input type="checkbox"/>	
reporter_profiles_id	string		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved_1	int64		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
subtasks_\$type_1	string		<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_commentsCount	int32		<input type="checkbox"/>	
subtasks_created	int64		<input type="checkbox"/>	
subtasks_description	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id_1	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
subtasks_idReadable	string		<input type="checkbox"/>	
subtasks_isDraft	boolean		<input type="checkbox"/>	
subtasks_linkType_\$type	string		<input type="checkbox"/>	
subtasks_linkType_aggregation	boolean		<input type="checkbox"/>	
subtasks_linkType_directed	boolean		<input type="checkbox"/>	
subtasks_linkType_id	string		<input type="checkbox"/>	
subtasks_linkType_localizedName	string		<input type="checkbox"/>	
subtasks_linkType_localizedSourceToTarget	string		<input type="checkbox"/>	
subtasks_linkType_localizedTargetToSource	string		<input type="checkbox"/>	
subtasks_linkType_name	string		<input type="checkbox"/>	
subtasks_linkType_readOnly	boolean		<input type="checkbox"/>	
subtasks_linkType_sourceToTarget	string		<input type="checkbox"/>	
subtasks_linkType_targetToSource	string		<input type="checkbox"/>	
subtasks_numberInProject	int64		<input type="checkbox"/>	
subtasks_resolved	int64		<input type="checkbox"/>	
subtasks_summary	string		<input type="checkbox"/>	
subtasks_updated	int64		<input type="checkbox"/>	
subtasks_usesMarkdown	boolean		<input type="checkbox"/>	
subtasks_votes	int32		<input type="checkbox"/>	
subtasks_wikifiedDescription	string		<input type="checkbox"/>	
summary_1	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
updated_1	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater.FullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_profiles_\$type	string		<input type="checkbox"/>	
updater_profiles_id	string		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
usesMarkdown_1	boolean		<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes_1	int32		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription_1	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

6.1.41 IssueTagLinkTrimmedIssuesByTagId

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /issueTags/{id}/issues

Insert YouTrack API URL: /issueTags/{id}/issues

Update YouTrack API URL: /issueTags/{id}/issues

Delete YouTrack API URL: /issueTags/{id}/issues

Field Selection Method: NotRequired

Base Path: links[*].trimmedIssues[*]

Select YouTrack API Operation: get /issueTags/{id}/issues

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function IssueTagLinkTrimmedIssuesByTagId. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the

execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `IssueTagLinkTrimmedIssuesByTagId` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
commentsCount_1	int32		<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created_1	int64		<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
description_1	string		<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
direction	string	Direction	<input type="checkbox"/>	
draftOwner_\$type	string		<input type="checkbox"/>	
draftOwner_avatarUrl	string		<input type="checkbox"/>	
draftOwner_banned	boolean		<input type="checkbox"/>	
draftOwner_email	string		<input type="checkbox"/>	
draftOwner.FullName	string		<input type="checkbox"/>	
draftOwner_guest	boolean		<input type="checkbox"/>	
draftOwner_id	string		<input type="checkbox"/>	
draftOwner_jabberAccountName	string		<input type="checkbox"/>	
draftOwner_login	string		<input type="checkbox"/>	
draftOwner_online	boolean		<input type="checkbox"/>	
draftOwner_profiles_\$type	string		<input type="checkbox"/>	
draftOwner_profiles_id	string		<input type="checkbox"/>	
draftOwner_ringId	string		<input type="checkbox"/>	
externalIssue_\$type	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
externalIssue_id	string		<input type="checkbox"/>	
externalIssue_key	string		<input type="checkbox"/>	
externalIssue_name	string		<input type="checkbox"/>	
externalIssue_url	string		<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable_1	string		<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft_1	boolean		<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
linkType_\$type	string		<input type="checkbox"/>	
linkType_aggregation	boolean		<input type="checkbox"/>	
linkType_directed	boolean		<input type="checkbox"/>	
linkType_id	string		<input type="checkbox"/>	
linkType_localizedName	string		<input type="checkbox"/>	
linkType_localizedSourceToTarget	string		<input type="checkbox"/>	
linkType_localizedTargetToSource	string		<input type="checkbox"/>	
linkType_name	string		<input type="checkbox"/>	
linkType_readOnly	boolean		<input type="checkbox"/>	
linkType_sourceToTarget	string		<input type="checkbox"/>	
linkType_targetToSource	string		<input type="checkbox"/>	
numberInProject_1	int64		<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
parent_\$type_1	string		<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_commentsCount	int32		<input type="checkbox"/>	
parent_created	int64		<input type="checkbox"/>	
parent_description	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id_1	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
parent_idReadable	string		<input type="checkbox"/>	
parent_isDraft	boolean		<input type="checkbox"/>	
parent_linkType_\$type	string		<input type="checkbox"/>	
parent_linkType_aggregation	boolean		<input type="checkbox"/>	
parent_linkType_directed	boolean		<input type="checkbox"/>	
parent_linkType_id	string		<input type="checkbox"/>	
parent_linkType_localizedName	string		<input type="checkbox"/>	
parent_linkType_localizedSourceToTarget	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
parent_linkType_localizedTargetToSource	string		<input type="checkbox"/>	
parent_linkType_name	string		<input type="checkbox"/>	
parent_linkType_readOnly	boolean		<input type="checkbox"/>	
parent_linkType_sourceToTarget	string		<input type="checkbox"/>	
parent_linkType_targetToSource	string		<input type="checkbox"/>	
parent_numberInProject	int64		<input type="checkbox"/>	
parent_resolved	int64		<input type="checkbox"/>	
parent_summary	string		<input type="checkbox"/>	
parent_updated	int64		<input type="checkbox"/>	
parent_usesMarkdown	boolean		<input type="checkbox"/>	
parent_votes	int32		<input type="checkbox"/>	
parent_wikifiedDescription	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_createdBy_\$type	string		<input type="checkbox"/>	
project_createdBy_avatarUrl	string		<input type="checkbox"/>	
project_createdBy_banned	boolean		<input type="checkbox"/>	
project_createdBy_email	string		<input type="checkbox"/>	
project_createdBy.FullName	string		<input type="checkbox"/>	
project_createdBy_guest	boolean		<input type="checkbox"/>	
project_createdBy_id	string		<input type="checkbox"/>	
project_createdBy_jabberAccountName	string		<input type="checkbox"/>	
project_createdBy_login	string		<input type="checkbox"/>	
project_createdBy_online	boolean		<input type="checkbox"/>	
project_createdBy_ringId	string		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_leader_\$type	string		<input type="checkbox"/>	
project_leader_avatarUrl	string		<input type="checkbox"/>	
project_leader_banned	boolean		<input type="checkbox"/>	
project_leader_email	string		<input type="checkbox"/>	
project_leader.FullName	string		<input type="checkbox"/>	
project_leader_guest	boolean		<input type="checkbox"/>	
project_leader_id	string		<input type="checkbox"/>	
project_leader_jabberAccountName	string		<input type="checkbox"/>	
project_leader_login	string		<input type="checkbox"/>	
project_leader_online	boolean		<input type="checkbox"/>	
project_leader_ringId	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_team_\$type	string		<input type="checkbox"/>	
project_team_allUsersGroup	boolean		<input type="checkbox"/>	
project_team_icon	string		<input type="checkbox"/>	
project_team_id	string		<input type="checkbox"/>	
project_team_name	string		<input type="checkbox"/>	
project_team_ringId	string		<input type="checkbox"/>	
project_team_usersCount	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter.FullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_profiles_\$type	string		<input type="checkbox"/>	
reporter_profiles_id	string		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved_1	int64		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
subtasks_\$type_1	string		<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_commentsCount	int32		<input type="checkbox"/>	
subtasks_created	int64		<input type="checkbox"/>	
subtasks_description	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id_1	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
subtasks_idReadable	string		<input type="checkbox"/>	
subtasks_isDraft	boolean		<input type="checkbox"/>	
subtasks_linkType_\$type	string		<input type="checkbox"/>	
subtasks_linkType_aggregation	boolean		<input type="checkbox"/>	
subtasks_linkType_directed	boolean		<input type="checkbox"/>	
subtasks_linkType_id	string		<input type="checkbox"/>	
subtasks_linkType_localizedName	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
subtasks_linkType_localizedSourceToTarget	string		<input type="checkbox"/>	
subtasks_linkType_localizedTargetToSource	string		<input type="checkbox"/>	
subtasks_linkType_name	string		<input type="checkbox"/>	
subtasks_linkType_readOnly	boolean		<input type="checkbox"/>	
subtasks_linkType_sourceToTarget	string		<input type="checkbox"/>	
subtasks_linkType_targetToSource	string		<input type="checkbox"/>	
subtasks_numberInProject	int64		<input type="checkbox"/>	
subtasks_resolved	int64		<input type="checkbox"/>	
subtasks_summary	string		<input type="checkbox"/>	
subtasks_updated	int64		<input type="checkbox"/>	
subtasks_usesMarkdown	boolean		<input type="checkbox"/>	
subtasks_votes	int32		<input type="checkbox"/>	
subtasks_wikifiedDescription	string		<input type="checkbox"/>	
summary_1	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
updated_1	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater.FullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_profiles_\$type	string		<input type="checkbox"/>	
updater_profiles_id	string		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
usesMarkdown_1	boolean		<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes_1	int32		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription_1	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

6.1.42 IssueTags: YouTrack Issue Tags

Catalog: YouTrack

Schema: Articles

Label: Issue Tags

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: /issueTags

Insert YouTrack API URL: /issueTags

Update YouTrack API URL: /issueTags

Delete YouTrack API URL: /issueTags

Field Selection Method: NotRequired

Select YouTrack API Operation: get /issueTags

Table Function Columns

The columns of the table function `IssueTags` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
color_\$type	string		<input type="checkbox"/>	
color_background	string		<input type="checkbox"/>	
color_foreground	string		<input type="checkbox"/>	
color_id	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
owner_\$type	string		<input type="checkbox"/>	
owner_avatarUrl	string		<input type="checkbox"/>	
owner_banned	boolean		<input type="checkbox"/>	
owner_email	string		<input type="checkbox"/>	
owner_fullName	string		<input type="checkbox"/>	
owner_guest	boolean		<input type="checkbox"/>	
owner_id	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
ow_ner_jabberAccountName	string		<input type="checkbox"/>	
ow_ner_login	string		<input type="checkbox"/>	
ow_ner_online	boolean		<input type="checkbox"/>	
ow_ner_profiles_\$type	string		<input type="checkbox"/>	
ow_ner_profiles_id	string		<input type="checkbox"/>	
ow_ner_ringId	string		<input type="checkbox"/>	
untagOnResolve	boolean		<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_teamForProject_arc hived	boolean		<input type="checkbox"/>	
updateableBy_teamForProject_des cription	string		<input type="checkbox"/>	
updateableBy_teamForProject_fro mEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_icon Url	string		<input type="checkbox"/>	
updateableBy_teamForProject_repl yToEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_sho rtName	string		<input type="checkbox"/>	
updateableBy_teamForProject_star tingNumber	int64		<input type="checkbox"/>	
updateableBy_teamForProject_tem plate	boolean		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_teamForProject_archive d	boolean		<input type="checkbox"/>	
visibleFor_teamForProject_descript ion	string		<input type="checkbox"/>	
visibleFor_teamForProject_fromEm ail	string		<input type="checkbox"/>	
visibleFor_teamForProject_iconUrl	string		<input type="checkbox"/>	
visibleFor_teamForProject_replyTo Email	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
visibleFor_teamForProject_shortName	string		<input type="checkbox"/>	
visibleFor_teamForProject_startingNumber	int64		<input type="checkbox"/>	
visibleFor_teamForProject_template	boolean		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	

6.1.43 TagIssuesByTagId

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/issueTags/{id}/issues`

Insert YouTrack API URL: `/issueTags/{id}/issues`

Update YouTrack API URL: `/issueTags/{id}/issues`

Delete YouTrack API URL: `/issueTags/{id}/issues`

Field Selection Method: NotRequired

Base Path: `tags [*]`

Select YouTrack API Operation: get `/issueTags/{id}/issues`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `TagIssuesByTagId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function TagIssuesByTagId are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
color_\$type	string		<input type="checkbox"/>	
color_background	string		<input type="checkbox"/>	
color_foreground	string		<input type="checkbox"/>	
color_id	string		<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
draftOwner_\$type	string		<input type="checkbox"/>	
draftOwner_avatarUrl	string		<input type="checkbox"/>	
draftOwner_banned	boolean		<input type="checkbox"/>	
draftOwner_email	string		<input type="checkbox"/>	
draftOwner.FullName	string		<input type="checkbox"/>	
draftOwner_guest	boolean		<input type="checkbox"/>	
draftOwner_id	string		<input type="checkbox"/>	
draftOwner_jabberAccountName	string		<input type="checkbox"/>	
draftOwner_login	string		<input type="checkbox"/>	
draftOwner_online	boolean		<input type="checkbox"/>	
draftOwner_profiles_\$type	string		<input type="checkbox"/>	
draftOwner_profiles_id	string		<input type="checkbox"/>	
draftOwner_ringId	string		<input type="checkbox"/>	
externalIssue_\$type	string		<input type="checkbox"/>	
externalIssue_id	string		<input type="checkbox"/>	
externalIssue_key	string		<input type="checkbox"/>	
externalIssue_name	string		<input type="checkbox"/>	
externalIssue_url	string		<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
owner_\$type	string		<input type="checkbox"/>	
owner_avatarUrl	string		<input type="checkbox"/>	
owner_banned	boolean		<input type="checkbox"/>	
owner_email	string		<input type="checkbox"/>	
owner.FullName	string		<input type="checkbox"/>	
owner_guest	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
ow_ner_id	string		<input type="checkbox"/>	
ow_ner_jabberAccountName	string		<input type="checkbox"/>	
ow_ner_login	string		<input type="checkbox"/>	
ow_ner_online	boolean		<input type="checkbox"/>	
ow_ner_ringId	string		<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
parent_linkType_\$type	string		<input type="checkbox"/>	
parent_linkType_aggregation	boolean		<input type="checkbox"/>	
parent_linkType_directed	boolean		<input type="checkbox"/>	
parent_linkType_id	string		<input type="checkbox"/>	
parent_linkType_localizedName	string		<input type="checkbox"/>	
parent_linkType_localizedSourceToTarget	string		<input type="checkbox"/>	
parent_linkType_localizedTargetToSource	string		<input type="checkbox"/>	
parent_linkType_name	string		<input type="checkbox"/>	
parent_linkType_readOnly	boolean		<input type="checkbox"/>	
parent_linkType_sourceToTarget	string		<input type="checkbox"/>	
parent_linkType_targetToSource	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_createdBy_\$type	string		<input type="checkbox"/>	
project_createdBy_avatarUrl	string		<input type="checkbox"/>	
project_createdBy_banned	boolean		<input type="checkbox"/>	
project_createdBy_email	string		<input type="checkbox"/>	
project_createdBy_fullName	string		<input type="checkbox"/>	
project_createdBy_guest	boolean		<input type="checkbox"/>	
project_createdBy_id	string		<input type="checkbox"/>	
project_createdBy_jabberAccountName	string		<input type="checkbox"/>	
project_createdBy_login	string		<input type="checkbox"/>	
project_createdBy_online	boolean		<input type="checkbox"/>	
project_createdBy_ringId	string		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_leader_\$type	string		<input type="checkbox"/>	
project_leader_avatarUrl	string		<input type="checkbox"/>	
project_leader_banned	boolean		<input type="checkbox"/>	
project_leader_email	string		<input type="checkbox"/>	
project_leader_fullName	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
project_leader_guest	boolean		<input type="checkbox"/>	
project_leader_id	string		<input type="checkbox"/>	
project_leader_jabberAccountName	string		<input type="checkbox"/>	
project_leader_login	string		<input type="checkbox"/>	
project_leader_online	boolean		<input type="checkbox"/>	
project_leader_ringId	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_team_\$type	string		<input type="checkbox"/>	
project_team_allUsersGroup	boolean		<input type="checkbox"/>	
project_team_icon	string		<input type="checkbox"/>	
project_team_id	string		<input type="checkbox"/>	
project_team_name	string		<input type="checkbox"/>	
project_team_ringId	string		<input type="checkbox"/>	
project_team_usersCount	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter_fullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_profiles_\$type	string		<input type="checkbox"/>	
reporter_profiles_id	string		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
subtasks_linkType_\$type	string		<input type="checkbox"/>	
subtasks_linkType_aggregation	boolean		<input type="checkbox"/>	
subtasks_linkType_directed	boolean		<input type="checkbox"/>	
subtasks_linkType_id	string		<input type="checkbox"/>	
subtasks_linkType_localizedName	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
subtasks_linkType_localizedSourceToTarget	string		<input type="checkbox"/>	
subtasks_linkType_localizedTargetToSource	string		<input type="checkbox"/>	
subtasks_linkType_name	string		<input type="checkbox"/>	
subtasks_linkType_readOnly	boolean		<input type="checkbox"/>	
subtasks_linkType_sourceToTarget	string		<input type="checkbox"/>	
subtasks_linkType_targetToSource	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
untagOnResolve	boolean		<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater.FullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_profiles_\$type	string		<input type="checkbox"/>	
updater_profiles_id	string		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

6.1.44 TagIssuesByTagId2

Catalog: YouTrack

Schema: Articles

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /issueTags/{id}/issues

Insert YouTrack API URL: /issueTags/{id}/issues

Update YouTrack API URL: /issueTags/{id}/issues

Delete YouTrack API URL: /issueTags/{id}/issues

Field Selection Method: NotRequired

Base Path: tags [*].issues [*]

Select YouTrack API Operation: get /issueTags/{id}/issues

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function TagIssuesByTagId2. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `TagIssuesByTagId2` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
color_\$type	string		<input type="checkbox"/>	
color_background	string		<input type="checkbox"/>	
color_foreground	string		<input type="checkbox"/>	
color_id	string		<input type="checkbox"/>	
commentsCount_1	int32		<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created_1	int64		<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
description_1	string		<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
draftOwner_\$type	string		<input type="checkbox"/>	
draftOwner_avatarUrl	string		<input type="checkbox"/>	
draftOwner_banned	boolean		<input type="checkbox"/>	
draftOwner_email	string		<input type="checkbox"/>	
draftOwner_fullName	string		<input type="checkbox"/>	
draftOwner_guest	boolean		<input type="checkbox"/>	
draftOwner_id	string		<input type="checkbox"/>	
draftOwner_jabberAccountName	string		<input type="checkbox"/>	
draftOwner_login	string		<input type="checkbox"/>	
draftOwner_online	boolean		<input type="checkbox"/>	
draftOwner_profiles_\$type	string		<input type="checkbox"/>	
draftOwner_profiles_id	string		<input type="checkbox"/>	
draftOwner_ringId	string		<input type="checkbox"/>	
externalIssue_\$type	string		<input type="checkbox"/>	
externalIssue_id	string		<input type="checkbox"/>	
externalIssue_key	string		<input type="checkbox"/>	
externalIssue_name	string		<input type="checkbox"/>	
externalIssue_url	string		<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable_1	string		<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
isDraft_1	boolean		<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject_1	int64		<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
ow_ner__\$type	string		<input type="checkbox"/>	
ow_ner_avatarUrl	string		<input type="checkbox"/>	
ow_ner_banned	boolean		<input type="checkbox"/>	
ow_ner_email	string		<input type="checkbox"/>	
ow_ner_fullName	string		<input type="checkbox"/>	
ow_ner_guest	boolean		<input type="checkbox"/>	
ow_ner_id	string		<input type="checkbox"/>	
ow_ner_jabberAccountName	string		<input type="checkbox"/>	
ow_ner_login	string		<input type="checkbox"/>	
ow_ner_online	boolean		<input type="checkbox"/>	
ow_ner_ringId	string		<input type="checkbox"/>	
parent__\$type_1	string		<input type="checkbox"/>	
parent__\$type	string		<input type="checkbox"/>	
parent_commentsCount	int32		<input type="checkbox"/>	
parent_created	int64		<input type="checkbox"/>	
parent_description	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id_1	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
parent_idReadable	string		<input type="checkbox"/>	
parent_isDraft	boolean		<input type="checkbox"/>	
parent_linkType__\$type	string		<input type="checkbox"/>	
parent_linkType_aggregation	boolean		<input type="checkbox"/>	
parent_linkType_directed	boolean		<input type="checkbox"/>	
parent_linkType_id	string		<input type="checkbox"/>	
parent_linkType_localizedName	string		<input type="checkbox"/>	
parent_linkType_localizedSourceToTarget	string		<input type="checkbox"/>	
parent_linkType_localizedTargetToSource	string		<input type="checkbox"/>	
parent_linkType_name	string		<input type="checkbox"/>	
parent_linkType_readOnly	boolean		<input type="checkbox"/>	
parent_linkType_sourceToTarget	string		<input type="checkbox"/>	
parent_linkType_targetToSource	string		<input type="checkbox"/>	
parent_numberInProject	int64		<input type="checkbox"/>	
parent_resolved	int64		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
parent_summary	string		<input type="checkbox"/>	
parent_updated	int64		<input type="checkbox"/>	
parent_usesMarkdown	boolean		<input type="checkbox"/>	
parent_votes	int32		<input type="checkbox"/>	
parent_wikitifiedDescription	string		<input type="checkbox"/>	
project_\$type	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_commentsCount	int32		<input type="checkbox"/>	
project_created	int64		<input type="checkbox"/>	
project_createdBy_\$type	string		<input type="checkbox"/>	
project_createdBy_avatarUrl	string		<input type="checkbox"/>	
project_createdBy_banned	boolean		<input type="checkbox"/>	
project_createdBy_email	string		<input type="checkbox"/>	
project_createdBy.FullName	string		<input type="checkbox"/>	
project_createdBy_guest	boolean		<input type="checkbox"/>	
project_createdBy_id	string		<input type="checkbox"/>	
project_createdBy_jabberAccountName	string		<input type="checkbox"/>	
project_createdBy_login	string		<input type="checkbox"/>	
project_createdBy_online	boolean		<input type="checkbox"/>	
project_createdBy_ringId	string		<input type="checkbox"/>	
project_description_1	string		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_id	string		<input type="checkbox"/>	
project_idReadable	string		<input type="checkbox"/>	
project_isDraft	boolean		<input type="checkbox"/>	
project_leader_\$type	string		<input type="checkbox"/>	
project_leader_avatarUrl	string		<input type="checkbox"/>	
project_leader_banned	boolean		<input type="checkbox"/>	
project_leader_email	string		<input type="checkbox"/>	
project_leader.FullName	string		<input type="checkbox"/>	
project_leader_guest	boolean		<input type="checkbox"/>	
project_leader_id	string		<input type="checkbox"/>	
project_leader_jabberAccountName	string		<input type="checkbox"/>	
project_leader_login	string		<input type="checkbox"/>	
project_leader_online	boolean		<input type="checkbox"/>	
project_leader_ringId	string		<input type="checkbox"/>	
project_numberInProject	int64		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
project_replyToEmail	string		<input type="checkbox"/>	
project_resolved	int64		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_summary	string		<input type="checkbox"/>	
project_team_\$type	string		<input type="checkbox"/>	
project_team_allUsersGroup	boolean		<input type="checkbox"/>	
project_team_icon	string		<input type="checkbox"/>	
project_team_id	string		<input type="checkbox"/>	
project_team_name	string		<input type="checkbox"/>	
project_team_ringId	string		<input type="checkbox"/>	
project_team_usersCount	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
project_updated	int64		<input type="checkbox"/>	
project_usesMarkdown	boolean		<input type="checkbox"/>	
project_votes	int32		<input type="checkbox"/>	
project_wikifiedDescription	string		<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter.FullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_profiles_\$type	string		<input type="checkbox"/>	
reporter_profiles_id	string		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved_1	int64		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
subtasks_\$type_1	string		<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_commentsCount	int32		<input type="checkbox"/>	
subtasks_created	int64		<input type="checkbox"/>	
subtasks_description	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id_1	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
subtasks_idReadable	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
subtasks_isDraft	boolean		<input type="checkbox"/>	
subtasks_linkType_\$type	string		<input type="checkbox"/>	
subtasks_linkType_aggregation	boolean		<input type="checkbox"/>	
subtasks_linkType_directed	boolean		<input type="checkbox"/>	
subtasks_linkType_id	string		<input type="checkbox"/>	
subtasks_linkType_localizedName	string		<input type="checkbox"/>	
subtasks_linkType_localizedSourceToTarget	string		<input type="checkbox"/>	
subtasks_linkType_localizedTargetToSource	string		<input type="checkbox"/>	
subtasks_linkType_name	string		<input type="checkbox"/>	
subtasks_linkType_readOnly	boolean		<input type="checkbox"/>	
subtasks_linkType_sourceToTarget	string		<input type="checkbox"/>	
subtasks_linkType_targetToSource	string		<input type="checkbox"/>	
subtasks_numberInProject	int64		<input type="checkbox"/>	
subtasks_resolved	int64		<input type="checkbox"/>	
subtasks_summary	string		<input type="checkbox"/>	
subtasks_updated	int64		<input type="checkbox"/>	
subtasks_usesMarkdown	boolean		<input type="checkbox"/>	
subtasks_votes	int32		<input type="checkbox"/>	
subtasks_wikitifiedDescription	string		<input type="checkbox"/>	
summary_1	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
untagOnResolve	boolean		<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
updated_1	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater.FullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_profiles_\$type	string		<input type="checkbox"/>	
updater_profiles_id	string		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
usesMarkdown_1	boolean		<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes_1	int32		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription_1	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

7 Schema: Backups

7.1 Tables

7.1.1 DatabaseBackupById

Catalog: YouTrack

Schema: Backups

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/databaseBackup/backups/{id}`

Insert YouTrack API URL: `/admin/databaseBackup/backups/{id}`

Update YouTrack API URL: `/admin/databaseBackup/backups/{id}`

Delete YouTrack API URL: `/admin/databaseBackup/backups/{id}`

Field Selection Method: NotRequired

Select YouTrack API Operation: get /admin/databaseBackup/backups/{id}

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function DatabaseBackupById. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function DatabaseBackupById are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
creationDate	int64	Creation Date	<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
link	string	Link	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
size	int64	Size	<input type="checkbox"/>	

7.1.2 DatabaseBackups

Catalog: YouTrack

Schema: Backups

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /admin/databaseBackup/backups

Insert YouTrack API URL: /admin/databaseBackup/backups

Update YouTrack API URL: /admin/databaseBackup/backups

Delete YouTrack API URL: /admin/databaseBackup/backups

Field Selection Method: NotRequired

Select YouTrack API Operation: get /admin/databaseBackup/backups

Table Function Columns

The columns of the table function DatabaseBackups are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
creationDate	int64	Creation Date	<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
link	string	Link	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
size	int64	Size	<input type="checkbox"/>	

7.1.3 DatabaseBackupSettingBackupStatuses

Catalog: YouTrack

Schema: Backups

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /admin/databaseBackup/settings/backupStatus

Insert YouTrack API URL: /admin/databaseBackup/settings/backupStatus

Update YouTrack API URL: /admin/databaseBackup/settings/backupStatus

Delete YouTrack API URL: /admin/databaseBackup/settings/backupStatus

Field Selection Method: NotRequired

Select YouTrack API Operation:

get /admin/databaseBackup/settings/backupStatus

Table Function Columns

The columns of the table function DatabaseBackupSettingBackupStatuses are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
backupCancelled	boolean	Backup Cancelled	<input type="checkbox"/>	
backupError_\$type	string		<input type="checkbox"/>	
backupError_date	int64		<input type="checkbox"/>	
backupError_errorMessage	string		<input type="checkbox"/>	
backupError_id	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
backupInProgress	boolean	Backup in Progress	<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	

7.1.4 DatabaseBackupSettings

Catalog: YouTrack

Schema: Backups

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /admin/databaseBackup/settings

Insert YouTrack API URL: /admin/databaseBackup/settings

Update YouTrack API URL: /admin/databaseBackup/settings

Delete YouTrack API URL: /admin/databaseBackup/settings

Field Selection Method: NotRequired

Select YouTrack API Operation: get /admin/databaseBackup/settings

Table Function Columns

The columns of the table function DatabaseBackupSettings are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
archiveFormat	string	Archive Format	<input type="checkbox"/>	
availableDiskSpace	int64	Available Disk Space	<input type="checkbox"/>	
backupStatus_\$type	string		<input type="checkbox"/>	
backupStatus_backupCancelled	boolean		<input type="checkbox"/>	
backupStatus_backupError_\$type	string		<input type="checkbox"/>	
backupStatus_backupError_date	int64		<input type="checkbox"/>	
backupStatus_backupError_errorMessage	string		<input type="checkbox"/>	
backupStatus_backupError_id	string		<input type="checkbox"/>	
backupStatus_backupInProgress	boolean		<input type="checkbox"/>	
backupStatus_id	string		<input type="checkbox"/>	
cronExpression	string	Cron Expression	<input type="checkbox"/>	
filesToKeep	int32	Files to Keep	<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
isOn	boolean	Is On	<input type="checkbox"/>	
location	string	Location	<input type="checkbox"/>	

7.1.5 NotifiedUserSavedQuerySettings

Catalog: YouTrack

Schema: Backups

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /admin/databaseBackup/settings

Insert YouTrack API URL: /admin/databaseBackup/settings

Update YouTrack API URL: /admin/databaseBackup/settings

Delete YouTrack API URL: /admin/databaseBackup/settings

Field Selection Method: NotRequired

Base Path: notifiedUsers [*] .savedQueries [*]

Select YouTrack API Operation: get /admin/databaseBackup/settings

Table Function Columns

The columns of the table function `NotifiedUserSavedQuerySettings` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
archiveFormat	string	Archive Format	<input type="checkbox"/>	
availableDiskSpace	int64	Available Disk Space	<input type="checkbox"/>	
avatarUrl	string	Avatar (URL)	<input type="checkbox"/>	
backupStatus_\$type	string		<input type="checkbox"/>	
backupStatus_backupCancelled	boolean		<input type="checkbox"/>	
backupStatus_backupError_\$type	string		<input type="checkbox"/>	
backupStatus_backupError_date	int64		<input type="checkbox"/>	
backupStatus_backupError_errorMessage	string		<input type="checkbox"/>	
backupStatus_backupError_id	string		<input type="checkbox"/>	
backupStatus_backupInProgress	boolean		<input type="checkbox"/>	
backupStatus_id	string		<input type="checkbox"/>	
banned	boolean	Banned	<input type="checkbox"/>	
cronExpression	string	Cron Expression	<input type="checkbox"/>	
email	string	Email	<input type="checkbox"/>	
filesToKeep	int32	Files to Keep	<input type="checkbox"/>	
fullName	string	Full Name	<input type="checkbox"/>	
guest	boolean	Guest	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
isOn	boolean	Is On	<input type="checkbox"/>	
jabberAccountName	string	Jabber Account Name	<input type="checkbox"/>	
location	string	Location	<input type="checkbox"/>	
login	string	Login	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
online	boolean	Online	<input type="checkbox"/>	
profiles_\$type	string		<input type="checkbox"/>	
profiles_id	string		<input type="checkbox"/>	
query	string	Query	<input type="checkbox"/>	
ringId	string	Ring ID	<input type="checkbox"/>	

7.1.6 NotifiedUserSettings

Catalog: YouTrack

Schema: Backups

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /admin/databaseBackup/settings

Insert YouTrack API URL: /admin/databaseBackup/settings

Update YouTrack API URL: /admin/databaseBackup/settings

Delete YouTrack API URL: /admin/databaseBackup/settings

Field Selection Method: NotRequired

Base Path: notifiedUsers [*]

Select YouTrack API Operation: get /admin/databaseBackup/settings

Table Function Columns

The columns of the table function NotifiedUserSettings are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
archiveFormat	string	Archive Format	<input type="checkbox"/>	
availableDiskSpace	int64	Available Disk Space	<input type="checkbox"/>	
avatarUrl	string	Avatar (URL)	<input type="checkbox"/>	
backupStatus_\$type	string		<input type="checkbox"/>	
backupStatus_backupCancelled	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
backupStatus_backupError_\$type	string		<input type="checkbox"/>	
backupStatus_backupError_date	int64		<input type="checkbox"/>	
backupStatus_backupError_errorMessage	string		<input type="checkbox"/>	
backupStatus_backupError_id	string		<input type="checkbox"/>	
backupStatus_backupInProgress	boolean		<input type="checkbox"/>	
backupStatus_id	string		<input type="checkbox"/>	
banned	boolean	Banned	<input type="checkbox"/>	
cronExpression	string	Cron Expression	<input type="checkbox"/>	
email	string	Email	<input type="checkbox"/>	
filesToKeep	int32	Files to Keep	<input type="checkbox"/>	
fullName	string	Full Name	<input type="checkbox"/>	
guest	boolean	Guest	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
isOn	boolean	Is On	<input type="checkbox"/>	
jabberAccountName	string	Jabber Account Name	<input type="checkbox"/>	
location	string	Location	<input type="checkbox"/>	
login	string	Login	<input type="checkbox"/>	
online	boolean	Online	<input type="checkbox"/>	
profiles_\$type	string		<input type="checkbox"/>	
profiles_id	string		<input type="checkbox"/>	
ringId	string	Ring ID	<input type="checkbox"/>	

7.1.7 NotifiedUserTagSettings

Catalog: YouTrack

Schema: Backups

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/databaseBackup/settings`

Insert YouTrack API URL: `/admin/databaseBackup/settings`

Update YouTrack API URL: `/admin/databaseBackup/settings`

Delete YouTrack API URL: `/admin/databaseBackup/settings`

Field Selection Method: `NotRequired`

Base Path: `notifiedUsers[*].tags[*]`

Select YouTrack API Operation: `get /admin/databaseBackup/settings`

Table Function Columns

The columns of the table function `NotifiedUserTagSettings` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
archiveFormat	string	Archive Format	<input type="checkbox"/>	
availableDiskSpace	int64	Available Disk Space	<input type="checkbox"/>	
avatarUrl	string	Avatar (URL)	<input type="checkbox"/>	
backupStatus_\$type	string		<input type="checkbox"/>	
backupStatus_backupCancelled	boolean		<input type="checkbox"/>	
backupStatus_backupError_\$type	string		<input type="checkbox"/>	
backupStatus_backupError_date	int64		<input type="checkbox"/>	
backupStatus_backupError_errorMessage	string		<input type="checkbox"/>	
backupStatus_backupError_id	string		<input type="checkbox"/>	
backupStatus_backupInProgress	boolean		<input type="checkbox"/>	
backupStatus_id	string		<input type="checkbox"/>	
banned	boolean	Banned	<input type="checkbox"/>	
cronExpression	string	Cron Expression	<input type="checkbox"/>	
email	string	Email	<input type="checkbox"/>	
filesToKeep	int32	Files to Keep	<input type="checkbox"/>	
fullName	string	Full Name	<input type="checkbox"/>	
guest	boolean	Guest	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
isOn	boolean	Is On	<input type="checkbox"/>	
jabberAccountName	string	Jabber Account Name	<input type="checkbox"/>	
location	string	Location	<input type="checkbox"/>	
login	string	Login	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
online	boolean	Online	<input type="checkbox"/>	
profiles_\$type	string		<input type="checkbox"/>	
profiles_id	string		<input type="checkbox"/>	
ringId	string	Ring ID	<input type="checkbox"/>	
untagOnResolve	boolean		<input type="checkbox"/>	

8 Schema: CustomFields

8.1 Tables

8.1.1 CustomFieldAggregatedUserSavedQueriesByUserBundleId

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /admin/customFieldSettings/bundles/user/{id}

Insert YouTrack API URL: /admin/customFieldSettings/bundles/user/{id}

Update YouTrack API URL: /admin/customFieldSettings/bundles/user/{id}

Delete YouTrack API URL: /admin/customFieldSettings/bundles/user/{id}

Field Selection Method: NotRequired

Base Path: aggregatedUsers[*].savedQueries[*]

Select YouTrack API Operation:

```
get /admin/customFieldSettings/bundles/user/{id}
```

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function CustomFieldAggregatedUserSavedQueriesByUserBundleId. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function

CustomFieldAggregatedUserSavedQueriesByUserBundleId are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
avatarUrl	string	Avatar (URL)	<input type="checkbox"/>	
banned	boolean	Banned	<input type="checkbox"/>	
email	string	Email	<input type="checkbox"/>	
fullName	string	Full Name	<input type="checkbox"/>	
guest	boolean	Guest	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
isUpdateable	boolean	Is Updateable	<input type="checkbox"/>	
jabberAccountName	string	Jabber Account Name	<input type="checkbox"/>	
login	string	Login	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
online	boolean	Online	<input type="checkbox"/>	
profiles_\$type	string		<input type="checkbox"/>	
profiles_id	string		<input type="checkbox"/>	
query	string	Query	<input type="checkbox"/>	
ringId	string	Ring ID	<input type="checkbox"/>	

8.1.2 CustomFieldAggregatedUsersByUserBundleId

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}`

Field Selection Method: `NotRequired`

Base Path: `aggregatedUsers [*]`

Select YouTrack API Operation:

```
get /admin/customFieldSettings/bundles/user/{id}
```

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldAggregatedUsersByUserBundleId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the

execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `CustomFieldAggregatedUsersByUserBundleId` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
avatarUrl	string	Avatar (URL)	<input type="checkbox"/>	
banned	boolean	Banned	<input type="checkbox"/>	
email	string	Email	<input type="checkbox"/>	
fullName	string	Full Name	<input type="checkbox"/>	
guest	boolean	Guest	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
isUpdateable	boolean	Is Updateable	<input type="checkbox"/>	
jabberAccountName	string	Jabber Account Name	<input type="checkbox"/>	
login	string	Login	<input type="checkbox"/>	
online	boolean	Online	<input type="checkbox"/>	
profiles_\$type	string		<input type="checkbox"/>	
profiles_id	string		<input type="checkbox"/>	
ringId	string	Ring ID	<input type="checkbox"/>	

8.1.3 CustomFieldAggregatedUserTagsByUserBundleId

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: /admin/customFieldSettings/bundles/user/{id}

Insert YouTrack API URL: /admin/customFieldSettings/bundles/user/{id}

Update YouTrack API URL: /admin/customFieldSettings/bundles/user/{id}

Delete YouTrack API URL: /admin/customFieldSettings/bundles/user/{id}

Field Selection Method: NotRequired

Base Path: aggregatedUsers[*].tags[*]

Select YouTrack API Operation:

```
get /admin/customFieldSettings/bundles/user/{id}
```

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldAggregatedUserTagsByUserBundleId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function

`CustomFieldAggregatedUserTagsByUserBundleId` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
avatarUrl	string	Avatar (URL)	<input type="checkbox"/>	
banned	boolean	Banned	<input type="checkbox"/>	
email	string	Email	<input type="checkbox"/>	
fullName	string	Full Name	<input type="checkbox"/>	
guest	boolean	Guest	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
id	string	ID	<input type="checkbox"/>	
isUpdateable	boolean	Is Updateable	<input type="checkbox"/>	
jabberAccountName	string	Jabber Account Name	<input type="checkbox"/>	
login	string	Login	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
online	boolean	Online	<input type="checkbox"/>	
profiles_\$type	string		<input type="checkbox"/>	
profiles_id	string		<input type="checkbox"/>	
ringId	string	Ring ID	<input type="checkbox"/>	
untagOnResolve	boolean		<input type="checkbox"/>	

8.1.4 CustomFieldBuildBundles

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/build`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/build`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/build`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/build`

Field Selection Method: NotRequired

Select YouTrack API Operation:

`get /admin/customFieldSettings/bundles/build`

Table Function Columns

The columns of the table function `CustomFieldBuildBundles` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
isUpdateable	boolean	Is Updateable	<input type="checkbox"/>	

8.1.5 CustomFieldBuildByBuildBundleId

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/build/{id}`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/build/{id}`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/build/{id}`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/build/{id}`

Field Selection Method: `NotRequired`

Select YouTrack API Operation:

```
get /admin/customFieldSettings/bundles/build/{id}
```

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldBuildByBuildBundleId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `'select * from table(value1, value2, value3)'` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `'select * from table(name1 => value1, name3 => value3)'` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
<code>id</code>	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `CustomFieldBuildByBuildBundleId` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
<code>\$type</code>	string		<input type="checkbox"/>	
<code>id</code>	string	ID	<input type="checkbox"/>	
<code>isUpdateable</code>	boolean	Is Updateable	<input type="checkbox"/>	

8.1.6 CustomFieldBuildByBuildBundleIdAndElementId

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/build/{id}/values/{buildBundleElementId}`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/build/{id}/values/{buildBundleElementId}`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/build/{id}/values/{buildBundleElementId}`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/build/{id}/values/{buildBundleElementId}`

Field Selection Method: `NotRequired`

Select YouTrack API Operation:

```
get /admin/customFieldSettings/bundles/build/{id}/values/
{buildBundleElementId}
```

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldBuildByBuildBundleIdAndElementId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `'select * from table(value1, value2, value3)'` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `'select * from table(name1 => value1, name3 => value3)'` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
<code>buildBundleElementId</code>	string	<input checked="" type="checkbox"/>		
<code>id</code>	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function

`CustomFieldBuildByBuildBundleIdAndElementId` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
<code>\$type</code>	string		<input type="checkbox"/>	
<code>assembleDate</code>	int64	Assembly Date	<input type="checkbox"/>	
<code>bundle_\$type</code>	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
bundle_id	string		<input type="checkbox"/>	
bundle_isUpdateable	boolean		<input type="checkbox"/>	
color_\$type	string		<input type="checkbox"/>	
color_background	string		<input type="checkbox"/>	
color_foreground	string		<input type="checkbox"/>	
color_id	string		<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
hasRunningJob	boolean	Has Running Job	<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
ordinal	int32	Ordinal	<input type="checkbox"/>	

8.1.7 CustomFieldBuildValues

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/build`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/build`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/build`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/build`

Field Selection Method: NotRequired

Base Path: `values [*]`

Select YouTrack API Operation:

```
get /admin/customFieldSettings/bundles/build
```

Table Function Columns

The columns of the table function `CustomFieldBuildValues` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
assembleDate	int64	Assembly Date	<input type="checkbox"/>	
bundle_\$type_1	string		<input type="checkbox"/>	
bundle_\$type	string		<input type="checkbox"/>	
bundle_id_1	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
bundle_id	string		<input type="checkbox"/>	
bundle_isUpdateable_1	boolean		<input type="checkbox"/>	
bundle_isUpdateable	boolean		<input type="checkbox"/>	
color_\$type_1	string		<input type="checkbox"/>	
color_\$type	string		<input type="checkbox"/>	
color_background_1	string		<input type="checkbox"/>	
color_background	string		<input type="checkbox"/>	
color_foreground_1	string		<input type="checkbox"/>	
color_foreground	string		<input type="checkbox"/>	
color_id_1	string		<input type="checkbox"/>	
color_id	string		<input type="checkbox"/>	
description_1	string		<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
hasRunningJob_1	boolean		<input type="checkbox"/>	
hasRunningJob	boolean	Has Running Job	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
isUpdateable	boolean	Is Updateable	<input type="checkbox"/>	
name_1	string		<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
ordinal_1	int32		<input type="checkbox"/>	
ordinal	int32	Ordinal	<input type="checkbox"/>	

8.1.8 CustomFieldBuildValuesByBuildBundleId

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /admin/customFieldSettings/bundles/build/{id}

Insert YouTrack API URL: /admin/customFieldSettings/bundles/build/{id}

Update YouTrack API URL: /admin/customFieldSettings/bundles/build/{id}

Delete YouTrack API URL: /admin/customFieldSettings/bundles/build/{id}

Field Selection Method: NotRequired

Base Path: values [*]

Select YouTrack API Operation:

```
get /admin/customFieldSettings/bundles/build/{id}
```

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldBuildValuesByBuildBundleId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `CustomFieldBuildValuesByBuildBundleId` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
assembleDate	int64	Assembly Date	<input type="checkbox"/>	
bundle_\$type_1	string		<input type="checkbox"/>	
bundle_\$type	string		<input type="checkbox"/>	
bundle_id_1	string		<input type="checkbox"/>	
bundle_id	string		<input type="checkbox"/>	
bundle_isUpdateable_1	boolean		<input type="checkbox"/>	
bundle_isUpdateable	boolean		<input type="checkbox"/>	
color_\$type_1	string		<input type="checkbox"/>	
color_\$type	string		<input type="checkbox"/>	
color_background_1	string		<input type="checkbox"/>	
color_background	string		<input type="checkbox"/>	
color_foreground_1	string		<input type="checkbox"/>	
color_foreground	string		<input type="checkbox"/>	
color_id_1	string		<input type="checkbox"/>	
color_id	string		<input type="checkbox"/>	
description_1	string		<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
hasRunningJob_1	boolean		<input type="checkbox"/>	
hasRunningJob	boolean	Has Running Job	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
isUpdateable	boolean	Is Updateable	<input type="checkbox"/>	
name_1	string		<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
ordinal_1	int32		<input type="checkbox"/>	
ordinal	int32	Ordinal	<input type="checkbox"/>	

8.1.9 CustomFieldBuildValuesByBuildBundleId1

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/build/{id}/values`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/build/{id}/values`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/build/{id}/values`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/build/{id}/values`

Field Selection Method: NotRequired

Select YouTrack API Operation:

```
get /admin/customFieldSettings/bundles/build/{id}/values
```

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldBuildValuesByBuildBundleId1`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the

default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `CustomFieldBuildValuesByBuildBundleId1` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
assembleDate	int64	Assembly Date	<input type="checkbox"/>	
bundle_\$type	string		<input type="checkbox"/>	
bundle_id	string		<input type="checkbox"/>	
bundle_isUpdateable	boolean		<input type="checkbox"/>	
color_\$type	string		<input type="checkbox"/>	
color_background	string		<input type="checkbox"/>	
color_foreground	string		<input type="checkbox"/>	
color_id	string		<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
hasRunningJob	boolean	Has Running Job	<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
ordinal	int32	Ordinal	<input type="checkbox"/>	

8.1.10 CustomFieldEnumBundleByEnumFieldBundleId

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/enum/{id}`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/enum/{id}`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/enum/{id}`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/enum/{id}`

Field Selection Method: NotRequired

Select YouTrack API Operation:

```
get /admin/customFieldSettings/bundles/enum/{id}
```

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldEnumBundleByEnumFieldBundleId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `CustomFieldEnumBundleByEnumFieldBundleId` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
isUpdateable	boolean	Is Updateable	<input type="checkbox"/>	

8.1.11 CustomFieldEnumBundles

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/enum`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/enum`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/enum`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/enum`

Field Selection Method: `NotRequired`

Select YouTrack API Operation: `get /admin/customFieldSettings/bundles/enum`

Table Function Columns

The columns of the table function `CustomFieldEnumBundles` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
isUpdateable	boolean	Is Updateable	<input type="checkbox"/>	

8.1.12 CustomFieldEnumBundleValuesByEnumFieldBundleId

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/enum/{id}`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/enum/{id}`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/enum/{id}`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/enum/{id}`

Field Selection Method: NotRequired

Base Path: `values [*]`

Select YouTrack API Operation:

```
get /admin/customFieldSettings/bundles/enum/{id}
```

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldEnumBundleValuesByEnumFieldBundleId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function

`CustomFieldEnumBundleValuesByEnumFieldBundleId` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
bundle_\$type_1	string		<input type="checkbox"/>	
bundle_\$type	string		<input type="checkbox"/>	
bundle_id_1	string		<input type="checkbox"/>	
bundle_id	string		<input type="checkbox"/>	
bundle_isUpdateable_1	boolean		<input type="checkbox"/>	
bundle_isUpdateable	boolean		<input type="checkbox"/>	
color_\$type_1	string		<input type="checkbox"/>	
color_\$type	string		<input type="checkbox"/>	
color_background_1	string		<input type="checkbox"/>	
color_background	string		<input type="checkbox"/>	
color_foreground_1	string		<input type="checkbox"/>	
color_foreground	string		<input type="checkbox"/>	
color_id_1	string		<input type="checkbox"/>	
color_id	string		<input type="checkbox"/>	
description_1	string		<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
hasRunningJob_1	boolean		<input type="checkbox"/>	
hasRunningJob	boolean	Has Running Job	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
isUpdateable	boolean	Is Updateable	<input type="checkbox"/>	
localizedName	string	Localized Name	<input type="checkbox"/>	
name_1	string		<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
ordinal_1	int32		<input type="checkbox"/>	
ordinal	int32	Ordinal	<input type="checkbox"/>	

8.1.13 `CustomFieldEnumByEnumFieldBundleId`

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: /admin/customFieldSettings/bundles/enum/{id}/values

Insert YouTrack API URL: /admin/customFieldSettings/bundles/enum/{id}/values

Update YouTrack API URL: /admin/customFieldSettings/bundles/enum/{id}/values

Delete YouTrack API URL: /admin/customFieldSettings/bundles/enum/{id}/values

Field Selection Method: NotRequired

Select YouTrack API Operation:

```
get /admin/customFieldSettings/bundles/enum/{id}/values
```

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldEnumByEnumFieldBundleId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `CustomFieldEnumByEnumFieldBundleId` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
bundle_\$type	string		<input type="checkbox"/>	
bundle_id	string		<input type="checkbox"/>	
bundle_isUpdateable	boolean		<input type="checkbox"/>	
color_\$type	string		<input type="checkbox"/>	
color_background	string		<input type="checkbox"/>	
color_foreground	string		<input type="checkbox"/>	
color_id	string		<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
hasRunningJob	boolean	Has Running Job	<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
localizedName	string	Localized Name	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
ordinal	int32	Ordinal	<input type="checkbox"/>	

8.1.14 CustomFieldEnumByEnumFieldBundleIdAndElementId

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/enum/{id}/values/{enumBundleElementId}`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/enum/{id}/values/{enumBundleElementId}`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/enum/{id}/values/{enumBundleElementId}`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/enum/{id}/values/{enumBundleElementId}`

Field Selection Method: NotRequired

Select YouTrack API Operation:

```
get /admin/customFieldSettings/bundles/enum/{id}/values/
{enumBundleElementId}
```

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldEnumByEnumFieldBundleIdAndElementId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `'select * from table(value1, value2, value3)'` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `'select * from table(name1 => value1, name3 => value3)'` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
enumBundleElementId	string	<input checked="" type="checkbox"/>		

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function

`CustomFieldEnumByEnumFieldBundleIdAndElementId` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
bundle_\$type	string		<input type="checkbox"/>	
bundle_id	string		<input type="checkbox"/>	
bundle_isUpdateable	boolean		<input type="checkbox"/>	
color_\$type	string		<input type="checkbox"/>	
color_background	string		<input type="checkbox"/>	
color_foreground	string		<input type="checkbox"/>	
color_id	string		<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
hasRunningJob	boolean	Has Running Job	<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
localizedName	string	Localized Name	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
ordinal	int32	Ordinal	<input type="checkbox"/>	

8.1.15 CustomFieldEnumValues

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/enum`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/enum`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/enum`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/enum`

Field Selection Method: NotRequired

Base Path: `values [*]`

Select YouTrack API Operation: get `/admin/customFieldSettings/bundles/enum`

Table Function Columns

The columns of the table function `CustomFieldEnumValues` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
bundle_\$type_1	string		<input type="checkbox"/>	
bundle_\$type	string		<input type="checkbox"/>	
bundle_id_1	string		<input type="checkbox"/>	
bundle_id	string		<input type="checkbox"/>	
bundle_isUpdateable_1	boolean		<input type="checkbox"/>	
bundle_isUpdateable	boolean		<input type="checkbox"/>	
color_\$type_1	string		<input type="checkbox"/>	
color_\$type	string		<input type="checkbox"/>	
color_background_1	string		<input type="checkbox"/>	
color_background	string		<input type="checkbox"/>	
color_foreground_1	string		<input type="checkbox"/>	
color_foreground	string		<input type="checkbox"/>	
color_id_1	string		<input type="checkbox"/>	
color_id	string		<input type="checkbox"/>	
description_1	string		<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
hasRunningJob_1	boolean		<input type="checkbox"/>	
hasRunningJob	boolean	Has Running Job	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
isUpdateable	boolean	Is Updateable	<input type="checkbox"/>	
localizedName	string	Localized Name	<input type="checkbox"/>	
name_1	string		<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
ordinal_1	int32		<input type="checkbox"/>	
ordinal	int32	Ordinal	<input type="checkbox"/>	

8.1.16 CustomFieldIndividualUsers

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: /admin/customFieldSettings/bundles/user

Insert YouTrack API URL: /admin/customFieldSettings/bundles/user

Update YouTrack API URL: /admin/customFieldSettings/bundles/user

Delete YouTrack API URL: /admin/customFieldSettings/bundles/user

Field Selection Method: NotRequired

Base Path: individuals [*]

Select YouTrack API Operation: get /admin/customFieldSettings/bundles/user

Table Function Columns

The columns of the table function `CustomFieldIndividualUsers` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
avatarUrl	string	Avatar (URL)	<input type="checkbox"/>	
banned	boolean	Banned	<input type="checkbox"/>	
email	string	Email	<input type="checkbox"/>	
fullName	string	Full Name	<input type="checkbox"/>	
guest	boolean	Guest	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
isUpdateable	boolean	Is Updateable	<input type="checkbox"/>	
jabberAccountName	string	Jabber Account Name	<input type="checkbox"/>	
login	string	Login	<input type="checkbox"/>	
online	boolean	Online	<input type="checkbox"/>	
profiles_\$type	string		<input type="checkbox"/>	
profiles_id	string		<input type="checkbox"/>	
ringId	string	Ring ID	<input type="checkbox"/>	

8.1.17 CustomFieldIndividualUserSavedQueries

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: /admin/customFieldSettings/bundles/user

Insert YouTrack API URL: /admin/customFieldSettings/bundles/user

Update YouTrack API URL: /admin/customFieldSettings/bundles/user

Delete YouTrack API URL: /admin/customFieldSettings/bundles/user

Field Selection Method: NotRequired

Base Path: individuals[*].savedQueries[*]

Select YouTrack API Operation: get /admin/customFieldSettings/bundles/user

Table Function Columns

The columns of the table function `CustomFieldIndividualUserSavedQueries` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
avatarUrl	string	Avatar (URL)	<input type="checkbox"/>	
banned	boolean	Banned	<input type="checkbox"/>	
email	string	Email	<input type="checkbox"/>	
fullName	string	Full Name	<input type="checkbox"/>	
guest	boolean	Guest	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
isUpdateable	boolean	Is Updateable	<input type="checkbox"/>	
jabberAccountName	string	Jabber Account Name	<input type="checkbox"/>	
login	string	Login	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
online	boolean	Online	<input type="checkbox"/>	
profiles_\$type	string		<input type="checkbox"/>	
profiles_id	string		<input type="checkbox"/>	
query	string	Query	<input type="checkbox"/>	
ringId	string	Ring ID	<input type="checkbox"/>	

8.1.18 CustomFieldIndividualUserSavedQueriesByUserBundleId

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: /admin/customFieldSettings/bundles/user/{id}

Insert YouTrack API URL: /admin/customFieldSettings/bundles/user/{id}

Update YouTrack API URL: /admin/customFieldSettings/bundles/user/{id}

Delete YouTrack API URL: /admin/customFieldSettings/bundles/user/{id}

Field Selection Method: NotRequired

Base Path: individuals[*].savedQueries[*]

Select YouTrack API Operation:

get /admin/customFieldSettings/bundles/user/{id}

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function CustomFieldIndividualUserSavedQueriesByUserBundleId. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function

CustomFieldIndividualUserSavedQueriesByUserBundleId are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
avatarUrl	string	Avatar (URL)	<input type="checkbox"/>	
banned	boolean	Banned	<input type="checkbox"/>	
email	string	Email	<input type="checkbox"/>	
fullName	string	Full Name	<input type="checkbox"/>	
guest	boolean	Guest	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
isUpdateable	boolean	Is Updateable	<input type="checkbox"/>	
jabberAccountName	string	Jabber Account Name	<input type="checkbox"/>	
login	string	Login	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
name	string	Name	<input type="checkbox"/>	
online	boolean	Online	<input type="checkbox"/>	
profiles_\$type	string		<input type="checkbox"/>	
profiles_id	string		<input type="checkbox"/>	
query	string	Query	<input type="checkbox"/>	
ringId	string	Ring ID	<input type="checkbox"/>	

8.1.19 CustomFieldIndividualUsersByUserBundleId

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}`

Field Selection Method: NotRequired

Base Path: `individuals[*]`

Select YouTrack API Operation:

```
get /admin/customFieldSettings/bundles/user/{id}
```

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldIndividualUsersByUserBundleId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `'select * from table(value1, value2, value3)'` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `'select * from table(name1 => value1, name3 => value3)'` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `CustomFieldIndividualUsersByUserBundleId` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
avatarUrl	string	Avatar (URL)	<input type="checkbox"/>	
banned	boolean	Banned	<input type="checkbox"/>	
email	string	Email	<input type="checkbox"/>	
fullName	string	Full Name	<input type="checkbox"/>	
guest	boolean	Guest	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
isUpdateable	boolean	Is Updateable	<input type="checkbox"/>	
jabberAccountName	string	Jabber Account Name	<input type="checkbox"/>	
login	string	Login	<input type="checkbox"/>	
online	boolean	Online	<input type="checkbox"/>	
profiles_\$type	string		<input type="checkbox"/>	
profiles_id	string		<input type="checkbox"/>	
ringId	string	Ring ID	<input type="checkbox"/>	

8.1.20 CustomFieldIndividualUserTags

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/user`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/user`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/user`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/user`

Field Selection Method: NotRequired

Base Path: `individuals[*].tags[*]`

Select YouTrack API Operation: get `/admin/customFieldSettings/bundles/user`

Table Function Columns

The columns of the table function `CustomFieldIndividualUserTags` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
avatarUrl	string	Avatar (URL)	<input type="checkbox"/>	
banned	boolean	Banned	<input type="checkbox"/>	
email	string	Email	<input type="checkbox"/>	
fullName	string	Full Name	<input type="checkbox"/>	
guest	boolean	Guest	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
isUpdateable	boolean	Is Updateable	<input type="checkbox"/>	
jabberAccountName	string	Jabber Account Name	<input type="checkbox"/>	
login	string	Login	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
online	boolean	Online	<input type="checkbox"/>	
profiles_\$type	string		<input type="checkbox"/>	
profiles_id	string		<input type="checkbox"/>	
ringId	string	Ring ID	<input type="checkbox"/>	
untagOnResolve	boolean		<input type="checkbox"/>	

8.1.21 CustomFieldIndividualUserTagsByUserBundleId

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /admin/customFieldSettings/bundles/user/{id}

Insert YouTrack API URL: /admin/customFieldSettings/bundles/user/{id}

Update YouTrack API URL: /admin/customFieldSettings/bundles/user/{id}

Delete YouTrack API URL: /admin/customFieldSettings/bundles/user/{id}

Field Selection Method: NotRequired

Base Path: individuals[*].tags[*]

Select YouTrack API Operation:

```
get /admin/customFieldSettings/bundles/user/{id}
```

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function CustomFieldIndividualUserTagsByUserBundleId. A value must be provided at all times for

required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function

CustomFieldIndividualUserTagsByUserId are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
avatarUrl	string	Avatar (URL)	<input type="checkbox"/>	
banned	boolean	Banned	<input type="checkbox"/>	
email	string	Email	<input type="checkbox"/>	
fullName	string	Full Name	<input type="checkbox"/>	
guest	boolean	Guest	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
isUpdateable	boolean	Is Updateable	<input type="checkbox"/>	
jabberAccountName	string	Jabber Account Name	<input type="checkbox"/>	
login	string	Login	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
online	boolean	Online	<input type="checkbox"/>	
profiles_\$type	string		<input type="checkbox"/>	
profiles_id	string		<input type="checkbox"/>	
ringId	string	Ring ID	<input type="checkbox"/>	
untagOnResolve	boolean		<input type="checkbox"/>	

8.1.22 CustomFieldInstancesByCustomFieldPrototypeId

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /admin/customFieldSettings/customFields/{id}

Insert YouTrack API URL: /admin/customFieldSettings/customFields/{id}

Update YouTrack API URL: /admin/customFieldSettings/customFields/{id}

Delete YouTrack API URL: /admin/customFieldSettings/customFields/{id}

Field Selection Method: NotRequired

Base Path: instances [*]

Select YouTrack API Operation:

get /admin/customFieldSettings/customFields/{id}

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function CustomFieldInstancesByCustomFieldPrototypeId. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function

CustomFieldInstancesByCustomFieldPrototypeId are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
aliases	string	Aliases	<input type="checkbox"/>	
canBeEmpty	boolean	Nullable	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
condition_\$type	string		<input type="checkbox"/>	
condition_id	string		<input type="checkbox"/>	
emptyFieldText	string	Empty Field Text	<input type="checkbox"/>	
field_\$type	string		<input type="checkbox"/>	
field_aliases	string		<input type="checkbox"/>	
field_hasRunningJob	boolean		<input type="checkbox"/>	
field_id	string		<input type="checkbox"/>	
field_isAutoAttached	boolean		<input type="checkbox"/>	
field_isDisplayedInIssueList	boolean		<input type="checkbox"/>	
field_isUpdateable	boolean		<input type="checkbox"/>	
field_localizedName	string		<input type="checkbox"/>	
field_name	string		<input type="checkbox"/>	
field_ordinal	int32		<input type="checkbox"/>	
fieldDefaults_\$type	string		<input type="checkbox"/>	
fieldDefaults_canBeEmpty	boolean		<input type="checkbox"/>	
fieldDefaults_emptyFieldText	string		<input type="checkbox"/>	
fieldDefaults_id	string		<input type="checkbox"/>	
fieldDefaults_isPublic	boolean		<input type="checkbox"/>	
fieldDefaults_parent_\$type	string		<input type="checkbox"/>	
fieldDefaults_parent_aliases	string		<input type="checkbox"/>	
fieldDefaults_parent_hasRunningJob	boolean		<input type="checkbox"/>	
fieldDefaults_parent_id	string		<input type="checkbox"/>	
fieldDefaults_parent_isAutoAttached	boolean		<input type="checkbox"/>	
fieldDefaults_parent_isDisplayedInIssueList	boolean		<input type="checkbox"/>	
fieldDefaults_parent_isUpdateable	boolean		<input type="checkbox"/>	
fieldDefaults_parent_localizedName	string		<input type="checkbox"/>	
fieldDefaults_parent_name	string		<input type="checkbox"/>	
fieldDefaults_parent_ordinal	int32		<input type="checkbox"/>	
fieldType_\$type	string		<input type="checkbox"/>	
fieldType_id	string		<input type="checkbox"/>	
hasRunningJob_1	boolean		<input type="checkbox"/>	
hasRunningJob	boolean	Has Running Job	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
isAutoAttached	boolean	Is Auto-attached	<input type="checkbox"/>	
isDisplayedInIssueList	boolean	Is Displayed in Issue List	<input type="checkbox"/>	
isPublic	boolean	Is Public	<input type="checkbox"/>	
isUpdateable	boolean	Is Updateable	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
localizedName	string	Localized Name	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
ordinal_1	int32		<input type="checkbox"/>	
ordinal	int32	Ordinal	<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	

8.1.23 CustomFieldOwnedFieldByOwnedFieldBundleId

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /admin/customFieldSettings/bundles/ownedField/{id}

Insert YouTrack API URL: /admin/customFieldSettings/bundles/ownedField/{id}

Update YouTrack API URL: /admin/customFieldSettings/bundles/ownedField/{id}

Delete YouTrack API URL: /admin/customFieldSettings/bundles/ownedField/{id}

Field Selection Method: NotRequired

Select YouTrack API Operation:

```
get /admin/customFieldSettings/bundles/ownedField/{id}
```

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function CustomFieldOwnedFieldByOwnedFieldBundleId. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `CustomFieldOwnedFieldByOwnedFieldBundleId` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
isUpdateable	boolean	Is Updateable	<input type="checkbox"/>	

8.1.24 CustomFieldOwnedFieldByOwnedFieldBundleIdAndElementId

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/ownedField/{id}/values/{ownedBundleElementId}`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/ownedField/{id}/values/{ownedBundleElementId}`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/ownedField/{id}/values/{ownedBundleElementId}`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/ownedField/{id}/values/{ownedBundleElementId}`

Field Selection Method: NotRequired

Select YouTrack API Operation:

```
get /admin/customFieldSettings/bundles/ownedField/{id}/values/{ownedBundleElementId}
```

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldOwnedFieldByOwnedFieldBundleIdAndElementId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		
ow_nedBundleElementId	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function

`CustomFieldOwnedFieldByOwnedFieldBundleIdAndElementId` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
bundle_\$type	string		<input type="checkbox"/>	
bundle_id	string		<input type="checkbox"/>	
bundle_isUpdateable	boolean		<input type="checkbox"/>	
color_\$type	string		<input type="checkbox"/>	
color_background	string		<input type="checkbox"/>	
color_foreground	string		<input type="checkbox"/>	
color_id	string		<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
hasRunningJob	boolean	Has Running Job	<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
ordinal	int32	Ordinal	<input type="checkbox"/>	
ow_ner_\$type	string		<input type="checkbox"/>	
ow_ner_avatarUrl	string		<input type="checkbox"/>	
ow_ner_banned	boolean		<input type="checkbox"/>	
ow_ner_email	string		<input type="checkbox"/>	
ow_ner_fullName	string		<input type="checkbox"/>	
ow_ner_guest	boolean		<input type="checkbox"/>	
ow_ner_id	string		<input type="checkbox"/>	
ow_ner_jabberAccountName	string		<input type="checkbox"/>	
ow_ner_login	string		<input type="checkbox"/>	
ow_ner_online	boolean		<input type="checkbox"/>	
ow_ner_profiles_\$type	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
ow_ner_profiles_id	string		<input type="checkbox"/>	
ow_ner_ringId	string		<input type="checkbox"/>	

8.1.25 CustomFieldOwnedFieldByValueId

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /admin/customFieldSettings/bundles/ownedField/{id}/values

Insert YouTrack API URL: /admin/customFieldSettings/bundles/ownedField/{id}/values

Update YouTrack API URL: /admin/customFieldSettings/bundles/ownedField/{id}/values

Delete YouTrack API URL: /admin/customFieldSettings/bundles/ownedField/{id}/values

Field Selection Method: NotRequired

Select YouTrack API Operation:

get /admin/customFieldSettings/bundles/ownedField/{id}/values

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function CustomFieldOwnedFieldByValueId. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `CustomFieldOwnedFieldById` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
bundle_\$type	string		<input type="checkbox"/>	
bundle_id	string		<input type="checkbox"/>	
bundle_isUpdateable	boolean		<input type="checkbox"/>	
color_\$type	string		<input type="checkbox"/>	
color_background	string		<input type="checkbox"/>	
color_foreground	string		<input type="checkbox"/>	
color_id	string		<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
hasRunningJob	boolean	Has Running Job	<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
ordinal	int32	Ordinal	<input type="checkbox"/>	
owner_\$type	string		<input type="checkbox"/>	
owner_avatarUrl	string		<input type="checkbox"/>	
owner_banned	boolean		<input type="checkbox"/>	
owner_email	string		<input type="checkbox"/>	
owner.FullName	string		<input type="checkbox"/>	
owner_guest	boolean		<input type="checkbox"/>	
owner_id	string		<input type="checkbox"/>	
owner_jabberAccountName	string		<input type="checkbox"/>	
owner_login	string		<input type="checkbox"/>	
owner_online	boolean		<input type="checkbox"/>	
owner_profiles_\$type	string		<input type="checkbox"/>	
owner_profiles_id	string		<input type="checkbox"/>	
owner_ringId	string		<input type="checkbox"/>	

8.1.26 CustomFieldOwnedFields

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: /admin/customFieldSettings/bundles/ownedField

Insert YouTrack API URL: /admin/customFieldSettings/bundles/ownedField

Update YouTrack API URL: /admin/customFieldSettings/bundles/ownedField

Delete YouTrack API URL: /admin/customFieldSettings/bundles/ownedField

Field Selection Method: NotRequired

Select YouTrack API Operation:

```
get /admin/customFieldSettings/bundles/ownedField
```

Table Function Columns

The columns of the table function `CustomFieldOwnedFields` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
isUpdateable	boolean	Is Updateable	<input type="checkbox"/>	

8.1.27 CustomFieldOwnedFieldValues

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/ownedField`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/ownedField`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/ownedField`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/ownedField`

Field Selection Method: NotRequired

Base Path: `values[*]`

Select YouTrack API Operation:

```
get /admin/customFieldSettings/bundles/ownedField
```

Table Function Columns

The columns of the table function `CustomFieldOwnedFieldValues` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
bundle_\$type_1	string		<input type="checkbox"/>	
bundle_\$type	string		<input type="checkbox"/>	
bundle_id_1	string		<input type="checkbox"/>	
bundle_id	string		<input type="checkbox"/>	
bundle_isUpdateable_1	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
bundle_isUpdateable	boolean		<input type="checkbox"/>	
color_\$type_1	string		<input type="checkbox"/>	
color_\$type	string		<input type="checkbox"/>	
color_background_1	string		<input type="checkbox"/>	
color_background	string		<input type="checkbox"/>	
color_foreground_1	string		<input type="checkbox"/>	
color_foreground	string		<input type="checkbox"/>	
color_id_1	string		<input type="checkbox"/>	
color_id	string		<input type="checkbox"/>	
description_1	string		<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
hasRunningJob_1	boolean		<input type="checkbox"/>	
hasRunningJob	boolean	Has Running Job	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
isUpdateable	boolean	Is Updateable	<input type="checkbox"/>	
name_1	string		<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
ordinal_1	int32		<input type="checkbox"/>	
ordinal	int32	Ordinal	<input type="checkbox"/>	
ow_ner_\$type	string		<input type="checkbox"/>	
ow_ner_avatarUrl	string		<input type="checkbox"/>	
ow_ner_banned	boolean		<input type="checkbox"/>	
ow_ner_email	string		<input type="checkbox"/>	
ow_ner_fullName	string		<input type="checkbox"/>	
ow_ner_guest	boolean		<input type="checkbox"/>	
ow_ner_id	string		<input type="checkbox"/>	
ow_ner_jabberAccountName	string		<input type="checkbox"/>	
ow_ner_login	string		<input type="checkbox"/>	
ow_ner_online	boolean		<input type="checkbox"/>	
ow_ner_ringId	string		<input type="checkbox"/>	

8.1.28 CustomFieldOwnedFieldValuesByOwnedFieldBundleId

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: /admin/customFieldSettings/bundles/ownedField/{id}

Insert YouTrack API URL: /admin/customFieldSettings/bundles/ownedField/{id}

Update YouTrack API URL: /admin/customFieldSettings/bundles/ownedField/{id}

Delete YouTrack API URL: /admin/customFieldSettings/bundles/ownedField/{id}

Field Selection Method: NotRequired

Base Path: values [*]

Select YouTrack API Operation:

```
get /admin/customFieldSettings/bundles/ownedField/{id}
```

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function CustomFieldOwnedFieldValuesByOwnedFieldBundleId. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function

CustomFieldOwnedFieldValuesByOwnedFieldBundleId are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
bundle_\$type_1	string		<input type="checkbox"/>	
bundle_\$type	string		<input type="checkbox"/>	
bundle_id_1	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
bundle_id	string		<input type="checkbox"/>	
bundle_isUpdateable_1	boolean		<input type="checkbox"/>	
bundle_isUpdateable	boolean		<input type="checkbox"/>	
color_\$type_1	string		<input type="checkbox"/>	
color_\$type	string		<input type="checkbox"/>	
color_background_1	string		<input type="checkbox"/>	
color_background	string		<input type="checkbox"/>	
color_foreground_1	string		<input type="checkbox"/>	
color_foreground	string		<input type="checkbox"/>	
color_id_1	string		<input type="checkbox"/>	
color_id	string		<input type="checkbox"/>	
description_1	string		<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
hasRunningJob_1	boolean		<input type="checkbox"/>	
hasRunningJob	boolean	Has Running Job	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
isUpdateable	boolean	Is Updateable	<input type="checkbox"/>	
name_1	string		<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
ordinal_1	int32		<input type="checkbox"/>	
ordinal	int32	Ordinal	<input type="checkbox"/>	
ow_ner_\$type	string		<input type="checkbox"/>	
ow_ner_avatarUrl	string		<input type="checkbox"/>	
ow_ner_banned	boolean		<input type="checkbox"/>	
ow_ner_email	string		<input type="checkbox"/>	
ow_ner_fullName	string		<input type="checkbox"/>	
ow_ner_guest	boolean		<input type="checkbox"/>	
ow_ner_id	string		<input type="checkbox"/>	
ow_ner_jabberAccountName	string		<input type="checkbox"/>	
ow_ner_login	string		<input type="checkbox"/>	
ow_ner_online	boolean		<input type="checkbox"/>	
ow_ner_ringId	string		<input type="checkbox"/>	

8.1.29 CustomFields

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: /admin/customFieldSettings/customFields

Insert YouTrack API URL: /admin/customFieldSettings/customFields

Update YouTrack API URL: /admin/customFieldSettings/customFields

Delete YouTrack API URL: /admin/customFieldSettings/customFields

Field Selection Method: NotRequired

Select YouTrack API Operation: get /admin/customFieldSettings/customFields

Table Function Columns

The columns of the table function `CustomFields` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
aliases	string	Aliases	<input type="checkbox"/>	
fieldDefaults_\$type	string		<input type="checkbox"/>	
fieldDefaults_canBeEmpty	boolean		<input type="checkbox"/>	
fieldDefaults_emptyFieldText	string		<input type="checkbox"/>	
fieldDefaults_id	string		<input type="checkbox"/>	
fieldDefaults_isPublic	boolean		<input type="checkbox"/>	
fieldDefaults_parent_\$type	string		<input type="checkbox"/>	
fieldDefaults_parent_aliases	string		<input type="checkbox"/>	
fieldDefaults_parent_hasRunningJob	boolean		<input type="checkbox"/>	
fieldDefaults_parent_id	string		<input type="checkbox"/>	
fieldDefaults_parent_isAutoAttached	boolean		<input type="checkbox"/>	
fieldDefaults_parent_isDisplayedInIssueList	boolean		<input type="checkbox"/>	
fieldDefaults_parent_isUpdateable	boolean		<input type="checkbox"/>	
fieldDefaults_parent_localizedName	string		<input type="checkbox"/>	
fieldDefaults_parent_name	string		<input type="checkbox"/>	
fieldDefaults_parent_ordinal	int32		<input type="checkbox"/>	
fieldType_\$type	string		<input type="checkbox"/>	
fieldType_id	string		<input type="checkbox"/>	
hasRunningJob	boolean	Has Running Job	<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
isAutoAttached	boolean	Is Auto-attached	<input type="checkbox"/>	
isDisplayedInIssueList	boolean	Is Displayed in Issue List	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
isUpdateable	boolean	Is Updateable	<input type="checkbox"/>	
localizedName	string	Localized Name	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
ordinal	int32	Ordinal	<input type="checkbox"/>	

8.1.30 CustomFieldsByCustomFieldPrototypeld

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/customFields/{id}`

Insert YouTrack API URL: `/admin/customFieldSettings/customFields/{id}`

Update YouTrack API URL: `/admin/customFieldSettings/customFields/{id}`

Delete YouTrack API URL: `/admin/customFieldSettings/customFields/{id}`

Field Selection Method: NotRequired

Select YouTrack API Operation:

```
get /admin/customFieldSettings/customFields/{id}
```

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldsByCustomFieldPrototypeld`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `'select * from table(value1, value2, value3)'` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `'select * from table(name1 => value1, name3 => value3)'` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `CustomFieldsByCustomFieldPrototypeld` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
aliases	string	Aliases	<input type="checkbox"/>	
fieldDefaults_\$type	string		<input type="checkbox"/>	
fieldDefaults_canBeEmpty	boolean		<input type="checkbox"/>	
fieldDefaults_emptyFieldText	string		<input type="checkbox"/>	
fieldDefaults_id	string		<input type="checkbox"/>	
fieldDefaults_isPublic	boolean		<input type="checkbox"/>	
fieldDefaults_parent_\$type	string		<input type="checkbox"/>	
fieldDefaults_parent_aliases	string		<input type="checkbox"/>	
fieldDefaults_parent_hasRunningJob	boolean		<input type="checkbox"/>	
fieldDefaults_parent_id	string		<input type="checkbox"/>	
fieldDefaults_parent_isAutoAttached	boolean		<input type="checkbox"/>	
fieldDefaults_parent_isDisplayedInIssueList	boolean		<input type="checkbox"/>	
fieldDefaults_parent_isUpdateable	boolean		<input type="checkbox"/>	
fieldDefaults_parent_localizedName	string		<input type="checkbox"/>	
fieldDefaults_parent_name	string		<input type="checkbox"/>	
fieldDefaults_parent_ordinal	int32		<input type="checkbox"/>	
fieldType_\$type	string		<input type="checkbox"/>	
fieldType_id	string		<input type="checkbox"/>	
hasRunningJob	boolean	Has Running Job	<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
isAutoAttached	boolean	Is Auto-attached	<input type="checkbox"/>	
isDisplayedInIssueList	boolean	Is Displayed in Issue List	<input type="checkbox"/>	
isUpdateable	boolean	Is Updateable	<input type="checkbox"/>	
localizedName	string	Localized Name	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
ordinal	int32	Ordinal	<input type="checkbox"/>	

8.1.31 CustomFieldsByCustomFieldPrototypeId2

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /admin/customFieldSettings/customFields/{id}/fieldDefaults

Insert YouTrack API URL: /admin/customFieldSettings/customFields/{id}/fieldDefaults

Update YouTrack API URL: /admin/customFieldSettings/customFields/{id}/fieldDefaults

Delete YouTrack API URL: /admin/customFieldSettings/customFields/{id}/fieldDefaults

Field Selection Method: NotRequired

Select YouTrack API Operation:

```
get /admin/customFieldSettings/customFields/{id}/fieldDefaults
```

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function CustomFieldsByCustomFieldPrototypeld2. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function CustomFieldsByCustomFieldPrototypeld2 are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
canBeEmpty	boolean	Nullable	<input type="checkbox"/>	
emptyFieldText	string	Empty Field Text	<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
isPublic	boolean	Is Public	<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_aliases	string		<input type="checkbox"/>	
parent_fieldDefaults_\$type	string		<input type="checkbox"/>	
parent_fieldDefaults_canBeEmpty	boolean		<input type="checkbox"/>	
parent_fieldDefaults_emptyFieldText	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
parent_fieldDefaults_id	string		<input type="checkbox"/>	
parent_fieldDefaults_isPublic	boolean		<input type="checkbox"/>	
parent_fieldType_\$type	string		<input type="checkbox"/>	
parent_fieldType_id	string		<input type="checkbox"/>	
parent_hasRunningJob	boolean		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
parent_isAutoAttached	boolean		<input type="checkbox"/>	
parent_isDisplayedInIssueList	boolean		<input type="checkbox"/>	
parent_isUpdateable	boolean		<input type="checkbox"/>	
parent_localizedName	string		<input type="checkbox"/>	
parent_name	string		<input type="checkbox"/>	
parent_ordinal	int32		<input type="checkbox"/>	

8.1.32 CustomFieldsByCustomFieldPrototypel3

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /admin/customFieldSettings/customFields/{id}/instances

Insert YouTrack API URL: /admin/customFieldSettings/customFields/{id}/instances

Update YouTrack API URL: /admin/customFieldSettings/customFields/{id}/instances

Delete YouTrack API URL: /admin/customFieldSettings/customFields/{id}/instances

Field Selection Method: NotRequired

Select YouTrack API Operation:

```
get /admin/customFieldSettings/customFields/{id}/instances
```

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function CustomFieldsByCustomFieldPrototypel3. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `CustomFieldsByCustomFieldPrototypeId3` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
canBeEmpty	boolean	Nullable	<input type="checkbox"/>	
condition_\$type	string		<input type="checkbox"/>	
condition_id	string		<input type="checkbox"/>	
condition_parent_\$type	string		<input type="checkbox"/>	
condition_parent_canBeEmpty	boolean		<input type="checkbox"/>	
condition_parent_emptyFieldText	string		<input type="checkbox"/>	
condition_parent_hasRunningJob	boolean		<input type="checkbox"/>	
condition_parent_id	string		<input type="checkbox"/>	
condition_parent_isPublic	boolean		<input type="checkbox"/>	
condition_parent_ordinal	int32		<input type="checkbox"/>	
emptyFieldText	string	Empty Field Text	<input type="checkbox"/>	
field_\$type	string		<input type="checkbox"/>	
field_aliases	string		<input type="checkbox"/>	
field_fieldDefaults_\$type	string		<input type="checkbox"/>	
field_fieldDefaults_canBeEmpty	boolean		<input type="checkbox"/>	
field_fieldDefaults_emptyFieldText	string		<input type="checkbox"/>	
field_fieldDefaults_id	string		<input type="checkbox"/>	
field_fieldDefaults_isPublic	boolean		<input type="checkbox"/>	
field_fieldType_\$type	string		<input type="checkbox"/>	
field_fieldType_id	string		<input type="checkbox"/>	
field_hasRunningJob	boolean		<input type="checkbox"/>	
field_id	string		<input type="checkbox"/>	
field_isAutoAttached	boolean		<input type="checkbox"/>	
field_isDisplayedInIssueList	boolean		<input type="checkbox"/>	
field_isUpdateable	boolean		<input type="checkbox"/>	
field_localizedName	string		<input type="checkbox"/>	
field_name	string		<input type="checkbox"/>	
field_ordinal	int32		<input type="checkbox"/>	
hasRunningJob	boolean	Has Running Job	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
id	string	ID	<input type="checkbox"/>	
isPublic	boolean	Is Public	<input type="checkbox"/>	
ordinal	int32	Ordinal	<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_createdBy_\$type	string		<input type="checkbox"/>	
project_createdBy_avatarUrl	string		<input type="checkbox"/>	
project_createdBy_banned	boolean		<input type="checkbox"/>	
project_createdBy_email	string		<input type="checkbox"/>	
project_createdBy_fullName	string		<input type="checkbox"/>	
project_createdBy_guest	boolean		<input type="checkbox"/>	
project_createdBy_id	string		<input type="checkbox"/>	
project_createdBy_jabberAccountName	string		<input type="checkbox"/>	
project_createdBy_login	string		<input type="checkbox"/>	
project_createdBy_online	boolean		<input type="checkbox"/>	
project_createdBy_ringId	string		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_leader_\$type	string		<input type="checkbox"/>	
project_leader_avatarUrl	string		<input type="checkbox"/>	
project_leader_banned	boolean		<input type="checkbox"/>	
project_leader_email	string		<input type="checkbox"/>	
project_leader_fullName	string		<input type="checkbox"/>	
project_leader_guest	boolean		<input type="checkbox"/>	
project_leader_id	string		<input type="checkbox"/>	
project_leader_jabberAccountName	string		<input type="checkbox"/>	
project_leader_login	string		<input type="checkbox"/>	
project_leader_online	boolean		<input type="checkbox"/>	
project_leader_ringId	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_team_\$type	string		<input type="checkbox"/>	
project_team_allUsersGroup	boolean		<input type="checkbox"/>	
project_team_icon	string		<input type="checkbox"/>	
project_team_id	string		<input type="checkbox"/>	
project_team_name	string		<input type="checkbox"/>	
project_team_ringId	string		<input type="checkbox"/>	
project_team_usersCount	int64		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
project_template	boolean		<input type="checkbox"/>	

8.1.33 CustomFieldStateBundleById

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /admin/customFieldSettings/bundles/state/{id}

Insert YouTrack API URL: /admin/customFieldSettings/bundles/state/{id}

Update YouTrack API URL: /admin/customFieldSettings/bundles/state/{id}

Delete YouTrack API URL: /admin/customFieldSettings/bundles/state/{id}

Field Selection Method: NotRequired

Select YouTrack API Operation:

```
get /admin/customFieldSettings/bundles/state/{id}
```

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function CustomFieldStateBundleById. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function CustomFieldStateBundleById are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
isUpdateable	boolean	Is Updateable	<input type="checkbox"/>	

8.1.34 CustomFieldStateBundles

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /admin/customFieldSettings/bundles/state

Insert YouTrack API URL: /admin/customFieldSettings/bundles/state

Update YouTrack API URL: /admin/customFieldSettings/bundles/state

Delete YouTrack API URL: /admin/customFieldSettings/bundles/state

Field Selection Method: NotRequired

Select YouTrack API Operation:

get /admin/customFieldSettings/bundles/state

Table Function Columns

The columns of the table function CustomFieldStateBundles are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
isUpdateable	boolean	Is Updateable	<input type="checkbox"/>	

8.1.35 CustomFieldStateBundleValues2ByStateBundleId

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /admin/customFieldSettings/bundles/state/{id}/values

Insert YouTrack API URL: /admin/customFieldSettings/bundles/state/{id}/values

Update YouTrack API URL: /admin/customFieldSettings/bundles/state/{id}/values

Delete YouTrack API URL: /admin/customFieldSettings/bundles/state/{id}/values

Field Selection Method: NotRequired

Select YouTrack API Operation:

```
get /admin/customFieldSettings/bundles/state/{id}/values
```

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function CustomFieldStateBundleValues2ByStateBundleId. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function

CustomFieldStateBundleValues2ByStateBundleId are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
bundle_\$type	string		<input type="checkbox"/>	
bundle_id	string		<input type="checkbox"/>	
bundle_isUpdateable	boolean		<input type="checkbox"/>	
color_\$type	string		<input type="checkbox"/>	
color_background	string		<input type="checkbox"/>	
color_foreground	string		<input type="checkbox"/>	
color_id	string		<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
hasRunningJob	boolean	Has Running Job	<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
isResolved	boolean	Is Resolved	<input type="checkbox"/>	
localizedName	string	Localized Name	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
ordinal	int32	Ordinal	<input type="checkbox"/>	

8.1.36 CustomFieldStateBundleValuesByStateBundleId

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /admin/customFieldSettings/bundles/state/{id}

Insert YouTrack API URL: /admin/customFieldSettings/bundles/state/{id}

Update YouTrack API URL: /admin/customFieldSettings/bundles/state/{id}

Delete YouTrack API URL: /admin/customFieldSettings/bundles/state/{id}

Field Selection Method: NotRequired

Base Path: values [*]

Select YouTrack API Operation:

```
get /admin/customFieldSettings/bundles/state/{id}
```

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function CustomFieldStateBundleValuesByStateBundleId. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function

CustomFieldStateBundleValuesByStateBundleId are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
bundle_\$type_1	string		<input type="checkbox"/>	
bundle_\$type	string		<input type="checkbox"/>	
bundle_id_1	string		<input type="checkbox"/>	
bundle_id	string		<input type="checkbox"/>	
bundle_isUpdateable_1	boolean		<input type="checkbox"/>	
bundle_isUpdateable	boolean		<input type="checkbox"/>	
color_\$type_1	string		<input type="checkbox"/>	
color_\$type	string		<input type="checkbox"/>	
color_background_1	string		<input type="checkbox"/>	
color_background	string		<input type="checkbox"/>	
color_foreground_1	string		<input type="checkbox"/>	
color_foreground	string		<input type="checkbox"/>	
color_id_1	string		<input type="checkbox"/>	
color_id	string		<input type="checkbox"/>	
description_1	string		<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
hasRunningJob_1	boolean		<input type="checkbox"/>	
hasRunningJob	boolean	Has Running Job	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
isResolved	boolean	Is Resolved	<input type="checkbox"/>	
isUpdateable	boolean	Is Updateable	<input type="checkbox"/>	
localizedName	string	Localized Name	<input type="checkbox"/>	
name_1	string		<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
ordinal_1	int32		<input type="checkbox"/>	
ordinal	int32	Ordinal	<input type="checkbox"/>	

8.1.37 CustomFieldStateByStateBundleIdAndElementId

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: /admin/customFieldSettings/bundles/state/{id}/values/{stateBundleElementId}

Insert YouTrack API URL: /admin/customFieldSettings/bundles/state/{id}/values/{stateBundleElementId}

Update YouTrack API URL: /admin/customFieldSettings/bundles/state/{id}/values/{stateBundleElementId}

Delete YouTrack API URL: /admin/customFieldSettings/bundles/state/{id}/values/{stateBundleElementId}

Field Selection Method: NotRequired

Select YouTrack API Operation:

```
get /admin/customFieldSettings/bundles/state/{id}/values/{stateBundleElementId}
```

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldStateByStateBundleIdAndElementId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		
stateBundleElementId	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function

`CustomFieldStateByStateBundleIdAndElementId` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
bundle_\$type	string		<input type="checkbox"/>	
bundle_id	string		<input type="checkbox"/>	
bundle_isUpdateable	boolean		<input type="checkbox"/>	
color_\$type	string		<input type="checkbox"/>	
color_background	string		<input type="checkbox"/>	
color_foreground	string		<input type="checkbox"/>	
color_id	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
description	string	Description	<input type="checkbox"/>	
hasRunningJob	boolean	Has Running Job	<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
isResolved	boolean	Is Resolved	<input type="checkbox"/>	
localizedName	string	Localized Name	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
ordinal	int32	Ordinal	<input type="checkbox"/>	

8.1.38 CustomFieldStateValues

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /admin/customFieldSettings/bundles/state

Insert YouTrack API URL: /admin/customFieldSettings/bundles/state

Update YouTrack API URL: /admin/customFieldSettings/bundles/state

Delete YouTrack API URL: /admin/customFieldSettings/bundles/state

Field Selection Method: NotRequired

Base Path: values [*]

Select YouTrack API Operation:

get /admin/customFieldSettings/bundles/state

Table Function Columns

The columns of the table function CustomFieldStateValues are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
bundle_\$type_1	string		<input type="checkbox"/>	
bundle_\$type	string		<input type="checkbox"/>	
bundle_id_1	string		<input type="checkbox"/>	
bundle_id	string		<input type="checkbox"/>	
bundle_isUpdateable_1	boolean		<input type="checkbox"/>	
bundle_isUpdateable	boolean		<input type="checkbox"/>	
color_\$type_1	string		<input type="checkbox"/>	
color_\$type	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
color_background_1	string		<input type="checkbox"/>	
color_background	string		<input type="checkbox"/>	
color_foreground_1	string		<input type="checkbox"/>	
color_foreground	string		<input type="checkbox"/>	
color_id_1	string		<input type="checkbox"/>	
color_id	string		<input type="checkbox"/>	
description_1	string		<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
hasRunningJob_1	boolean		<input type="checkbox"/>	
hasRunningJob	boolean	Has Running Job	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
isResolved	boolean	Is Resolved	<input type="checkbox"/>	
isUpdateable	boolean	Is Updateable	<input type="checkbox"/>	
localizedName	string	Localized Name	<input type="checkbox"/>	
name_1	string		<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
ordinal_1	int32		<input type="checkbox"/>	
ordinal	int32	Ordinal	<input type="checkbox"/>	

8.1.39 CustomFieldUserBundles

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /admin/customFieldSettings/bundles/user

Insert YouTrack API URL: /admin/customFieldSettings/bundles/user

Update YouTrack API URL: /admin/customFieldSettings/bundles/user

Delete YouTrack API URL: /admin/customFieldSettings/bundles/user

Field Selection Method: NotRequired

Base Path: groups [*]

Select YouTrack API Operation: get /admin/customFieldSettings/bundles/user

Table Function Columns

The columns of the table function CustomFieldUserBundles are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
allUsersGroup	boolean	All Users Group	<input type="checkbox"/>	
icon	string	Icon	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
isUpdateable	boolean	Is Updateable	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
ringId	string	Ring ID	<input type="checkbox"/>	
teamForProject_archived	boolean		<input type="checkbox"/>	
teamForProject_description	string		<input type="checkbox"/>	
teamForProject_fromEmail	string		<input type="checkbox"/>	
teamForProject_iconUrl	string		<input type="checkbox"/>	
teamForProject_replyToEmail	string		<input type="checkbox"/>	
teamForProject_shortName	string		<input type="checkbox"/>	
teamForProject_startingNumber	int64		<input type="checkbox"/>	
teamForProject_template	boolean		<input type="checkbox"/>	
usersCount	int64	Users Count	<input type="checkbox"/>	

8.1.40 CustomFieldUserBundleUsers

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/user`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/user`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/user`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/user`

Field Selection Method: NotRequired

Base Path: `aggregatedUsers [*]`

Select YouTrack API Operation: `get /admin/customFieldSettings/bundles/user`

Table Function Columns

The columns of the table function `CustomFieldUserBundleUsers` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
avatarUrl	string	Avatar (URL)	<input type="checkbox"/>	
banned	boolean	Banned	<input type="checkbox"/>	
email	string	Email	<input type="checkbox"/>	
fullName	string	Full Name	<input type="checkbox"/>	
guest	boolean	Guest	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
isUpdateable	boolean	Is Updateable	<input type="checkbox"/>	
jabberAccountName	string	Jabber Account Name	<input type="checkbox"/>	
login	string	Login	<input type="checkbox"/>	
online	boolean	Online	<input type="checkbox"/>	
profiles_\$type	string		<input type="checkbox"/>	
profiles_id	string		<input type="checkbox"/>	
ringId	string	Ring ID	<input type="checkbox"/>	

8.1.41 CustomFieldUserBundleUserSavedQueries

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /admin/customFieldSettings/bundles/user

Insert YouTrack API URL: /admin/customFieldSettings/bundles/user

Update YouTrack API URL: /admin/customFieldSettings/bundles/user

Delete YouTrack API URL: /admin/customFieldSettings/bundles/user

Field Selection Method: NotRequired

Base Path: aggregatedUsers[*].savedQueries[*]

Select YouTrack API Operation: get /admin/customFieldSettings/bundles/user

Table Function Columns

The columns of the table function CustomFieldUserBundleUserSavedQueries are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
avatarUrl	string	Avatar (URL)	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
banned	boolean	Banned	<input type="checkbox"/>	
email	string	Email	<input type="checkbox"/>	
fullName	string	Full Name	<input type="checkbox"/>	
guest	boolean	Guest	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
isUpdateable	boolean	Is Updateable	<input type="checkbox"/>	
jabberAccountName	string	Jabber Account Name	<input type="checkbox"/>	
login	string	Login	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
online	boolean	Online	<input type="checkbox"/>	
profiles_\$type	string		<input type="checkbox"/>	
profiles_id	string		<input type="checkbox"/>	
query	string	Query	<input type="checkbox"/>	
ringId	string	Ring ID	<input type="checkbox"/>	

8.1.42 CustomFieldUserBundleUserTags

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /admin/customFieldSettings/bundles/user

Insert YouTrack API URL: /admin/customFieldSettings/bundles/user

Update YouTrack API URL: /admin/customFieldSettings/bundles/user

Delete YouTrack API URL: /admin/customFieldSettings/bundles/user

Field Selection Method: NotRequired

Base Path: aggregatedUsers[*].tags[*]

Select YouTrack API Operation: get /admin/customFieldSettings/bundles/user

Table Function Columns

The columns of the table function CustomFieldUserBundleUserTags are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
avatarUrl	string	Avatar (URL)	<input type="checkbox"/>	
banned	boolean	Banned	<input type="checkbox"/>	
email	string	Email	<input type="checkbox"/>	
fullName	string	Full Name	<input type="checkbox"/>	
guest	boolean	Guest	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
isUpdateable	boolean	Is Updateable	<input type="checkbox"/>	
jabberAccountName	string	Jabber Account Name	<input type="checkbox"/>	
login	string	Login	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
online	boolean	Online	<input type="checkbox"/>	
profiles_\$type	string		<input type="checkbox"/>	
profiles_id	string		<input type="checkbox"/>	
ringId	string	Ring ID	<input type="checkbox"/>	
untagOnResolve	boolean		<input type="checkbox"/>	

8.1.43 CustomFieldUserByUserId

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /admin/customFieldSettings/bundles/user/{id}

Insert YouTrack API URL: /admin/customFieldSettings/bundles/user/{id}

Update YouTrack API URL: /admin/customFieldSettings/bundles/user/{id}

Delete YouTrack API URL: /admin/customFieldSettings/bundles/user/{id}

Field Selection Method: NotRequired

Select YouTrack API Operation:

```
get /admin/customFieldSettings/bundles/user/{id}
```

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function CustomFieldUserByUserId. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four

parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `CustomFieldUserByUserBundleId` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
isUpdateable	boolean	Is Updateable	<input type="checkbox"/>	

8.1.44 CustomFieldUserByUserBundleId1

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/aggregatedUsers`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/aggregatedUsers`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/aggregatedUsers`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/aggregatedUsers`

Field Selection Method: NotRequired

Base Path: `savedQueries[*].issues[*]`

Select YouTrack API Operation:

```
get /admin/customFieldSettings/bundles/user/{id}/aggregatedUsers
```

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldUserByUserBundleId1`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the

execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `CustomFieldUserByUserBundleId1` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
avatarUrl	string	Avatar (URL)	<input type="checkbox"/>	
banned	boolean	Banned	<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
email	string	Email	<input type="checkbox"/>	
fullName	string	Full Name	<input type="checkbox"/>	
guest	boolean	Guest	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
jabberAccountName	string	Jabber Account Name	<input type="checkbox"/>	
login	string	Login	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
online	boolean	Online	<input type="checkbox"/>	
owner_type	string		<input type="checkbox"/>	
owner_avatarUrl	string		<input type="checkbox"/>	
owner_banned	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
ow_ner_email	string		<input type="checkbox"/>	
ow_ner_fullName	string		<input type="checkbox"/>	
ow_ner_guest	boolean		<input type="checkbox"/>	
ow_ner_id	string		<input type="checkbox"/>	
ow_ner_jabberAccountName	string		<input type="checkbox"/>	
ow_ner_login	string		<input type="checkbox"/>	
ow_ner_online	boolean		<input type="checkbox"/>	
ow_ner_ringId	string		<input type="checkbox"/>	
profiles_\$type	string		<input type="checkbox"/>	
profiles_general_\$type	string		<input type="checkbox"/>	
profiles_general_id	string		<input type="checkbox"/>	
profiles_id	string		<input type="checkbox"/>	
profiles_notifications_\$type	string		<input type="checkbox"/>	
profiles_notifications_autoWatchOnComment	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnCreate	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnUpdate	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnVote	boolean		<input type="checkbox"/>	
profiles_notifications_duplicateClusterNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_emailNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_id	string		<input type="checkbox"/>	
profiles_notifications_jabberNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_mailboxIntegrationNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_mentionNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_notifyOnOwnChanges	boolean		<input type="checkbox"/>	
profiles_notifications_usePlainTextEmails	boolean		<input type="checkbox"/>	
profiles_timetracking_\$type	string		<input type="checkbox"/>	
profiles_timetracking_id	string		<input type="checkbox"/>	
query	string	Query	<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
ringId	string	Ring ID	<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

8.1.45 CustomFieldUserByUserBundleId2

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals`

Field Selection Method: NotRequired

Base Path: `savedQueries[*].issues[*]`

Select YouTrack API Operation:

```
get /admin/customFieldSettings/bundles/user/{id}/individuals
```

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldUserByUserBundleId2`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the

execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `CustomFieldUserByUserBundleId2` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
avatarUrl	string	Avatar (URL)	<input type="checkbox"/>	
banned	boolean	Banned	<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
email	string	Email	<input type="checkbox"/>	
fullName	string	Full Name	<input type="checkbox"/>	
guest	boolean	Guest	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
jabberAccountName	string	Jabber Account Name	<input type="checkbox"/>	
login	string	Login	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
online	boolean	Online	<input type="checkbox"/>	
owner_type	string		<input type="checkbox"/>	
owner_avatarUrl	string		<input type="checkbox"/>	
owner_banned	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
ow_ner_email	string		<input type="checkbox"/>	
ow_ner_fullName	string		<input type="checkbox"/>	
ow_ner_guest	boolean		<input type="checkbox"/>	
ow_ner_id	string		<input type="checkbox"/>	
ow_ner_jabberAccountName	string		<input type="checkbox"/>	
ow_ner_login	string		<input type="checkbox"/>	
ow_ner_online	boolean		<input type="checkbox"/>	
ow_ner_ringId	string		<input type="checkbox"/>	
profiles_\$type	string		<input type="checkbox"/>	
profiles_general_\$type	string		<input type="checkbox"/>	
profiles_general_id	string		<input type="checkbox"/>	
profiles_id	string		<input type="checkbox"/>	
profiles_notifications_\$type	string		<input type="checkbox"/>	
profiles_notifications_autoWatchOnComment	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnCreate	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnUpdate	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnVote	boolean		<input type="checkbox"/>	
profiles_notifications_duplicateClusterNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_emailNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_id	string		<input type="checkbox"/>	
profiles_notifications_jabberNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_mailboxIntegrationNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_mentionNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_notifyOnOwnChanges	boolean		<input type="checkbox"/>	
profiles_notifications_usePlainTextEmails	boolean		<input type="checkbox"/>	
profiles_timetracking_\$type	string		<input type="checkbox"/>	
profiles_timetracking_id	string		<input type="checkbox"/>	
query	string	Query	<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
ringId	string	Ring ID	<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibleFor_type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

8.1.46 CustomFieldUserGroupsByUserBundleId

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}`

Field Selection Method: NotRequired

Base Path: `groups [*]`

Select YouTrack API Operation:

```
get /admin/customFieldSettings/bundles/user/{id}
```

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldUserGroupsByUserBundleId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `'select * from table(value1, value2, value3)'` on a table with four

parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `CustomFieldUserGroupsByUserBundleId` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
allUsersGroup	boolean	All Users Group	<input type="checkbox"/>	
icon	string	Icon	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
isUpdateable	boolean	Is Updateable	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
ringId	string	Ring ID	<input type="checkbox"/>	
teamForProject_archived	boolean		<input type="checkbox"/>	
teamForProject_description	string		<input type="checkbox"/>	
teamForProject_fromEmail	string		<input type="checkbox"/>	
teamForProject_iconUrl	string		<input type="checkbox"/>	
teamForProject_replyToEmail	string		<input type="checkbox"/>	
teamForProject_shortName	string		<input type="checkbox"/>	
teamForProject_startingNumber	int64		<input type="checkbox"/>	
teamForProject_template	boolean		<input type="checkbox"/>	
usersCount	int64	Users Count	<input type="checkbox"/>	

8.1.47 CustomFieldUserGroupsByUserBundleId1

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: /admin/customFieldSettings/bundles/user/{id}/groups

Insert YouTrack API URL: /admin/customFieldSettings/bundles/user/{id}/groups

Update YouTrack API URL: /admin/customFieldSettings/bundles/user/{id}/groups

Delete YouTrack API URL: /admin/customFieldSettings/bundles/user/{id}/groups

Field Selection Method: NotRequired

Select YouTrack API Operation:

```
get /admin/customFieldSettings/bundles/user/{id}/groups
```

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldUserGroupsByUserBundleId1`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `CustomFieldUserGroupsByUserBundleId1` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
allUsersGroup	boolean	All Users Group	<input type="checkbox"/>	
icon	string	Icon	<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
ringId	string	Ring ID	<input type="checkbox"/>	
teamForProject_archived	boolean		<input type="checkbox"/>	
teamForProject_createdBy_\$type	string		<input type="checkbox"/>	
teamForProject_createdBy_avatarUrl	string		<input type="checkbox"/>	
teamForProject_createdBy_banned	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
teamForProject_createdBy_email	string		<input type="checkbox"/>	
teamForProject_createdBy_fullName	string		<input type="checkbox"/>	
teamForProject_createdBy_guest	boolean		<input type="checkbox"/>	
teamForProject_createdBy_id	string		<input type="checkbox"/>	
teamForProject_createdBy_jabberAccountName	string		<input type="checkbox"/>	
teamForProject_createdBy_login	string		<input type="checkbox"/>	
teamForProject_createdBy_online	boolean		<input type="checkbox"/>	
teamForProject_createdBy_ringId	string		<input type="checkbox"/>	
teamForProject_description	string		<input type="checkbox"/>	
teamForProject_fromEmail	string		<input type="checkbox"/>	
teamForProject_iconUrl	string		<input type="checkbox"/>	
teamForProject_leader_\$type	string		<input type="checkbox"/>	
teamForProject_leader_avatarUrl	string		<input type="checkbox"/>	
teamForProject_leader_banned	boolean		<input type="checkbox"/>	
teamForProject_leader_email	string		<input type="checkbox"/>	
teamForProject_leader_fullName	string		<input type="checkbox"/>	
teamForProject_leader_guest	boolean		<input type="checkbox"/>	
teamForProject_leader_id	string		<input type="checkbox"/>	
teamForProject_leader_jabberAccountName	string		<input type="checkbox"/>	
teamForProject_leader_login	string		<input type="checkbox"/>	
teamForProject_leader_online	boolean		<input type="checkbox"/>	
teamForProject_leader_ringId	string		<input type="checkbox"/>	
teamForProject_replyToEmail	string		<input type="checkbox"/>	
teamForProject_shortName	string		<input type="checkbox"/>	
teamForProject_startingNumber	int64		<input type="checkbox"/>	
teamForProject_team_\$type	string		<input type="checkbox"/>	
teamForProject_team_allUsersGroup	boolean		<input type="checkbox"/>	
teamForProject_team_icon	string		<input type="checkbox"/>	
teamForProject_team_id	string		<input type="checkbox"/>	
teamForProject_team_name	string		<input type="checkbox"/>	
teamForProject_team_ringId	string		<input type="checkbox"/>	
teamForProject_team_usersCount	int64		<input type="checkbox"/>	
teamForProject_template	boolean		<input type="checkbox"/>	
usersCount	int64	Users Count	<input type="checkbox"/>	

8.1.48 CustomFieldUsers

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /admin/customFieldSettings/bundles/user

Insert YouTrack API URL: /admin/customFieldSettings/bundles/user

Update YouTrack API URL: /admin/customFieldSettings/bundles/user

Delete YouTrack API URL: /admin/customFieldSettings/bundles/user

Field Selection Method: NotRequired

Select YouTrack API Operation: get /admin/customFieldSettings/bundles/user

Table Function Columns

The columns of the table function CustomFieldUsers are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
isUpdateable	boolean	Is Updateable	<input type="checkbox"/>	

8.1.49 CustomFieldUsersByUserBundleId

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /admin/customFieldSettings/bundles/user/{id}/aggregatedUsers

Insert YouTrack API URL: /admin/customFieldSettings/bundles/user/{id}/aggregatedUsers

Update YouTrack API URL: /admin/customFieldSettings/bundles/user/{id}/aggregatedUsers

Delete YouTrack API URL: /admin/customFieldSettings/bundles/user/{id}/aggregatedUsers

Field Selection Method: NotRequired

Base Path: tags[*].issues[*]

Select YouTrack API Operation:

get /admin/customFieldSettings/bundles/user/{id}/aggregatedUsers

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldUsersByUserBundleId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `CustomFieldUsersByUserBundleId` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
avatarUrl	string	Avatar (URL)	<input type="checkbox"/>	
banned	boolean	Banned	<input type="checkbox"/>	
color_\$type	string		<input type="checkbox"/>	
color_background	string		<input type="checkbox"/>	
color_foreground	string		<input type="checkbox"/>	
color_id	string		<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
email	string	Email	<input type="checkbox"/>	
fullName	string	Full Name	<input type="checkbox"/>	
guest	boolean	Guest	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
jabberAccountName	string	Jabber Account Name	<input type="checkbox"/>	
login	string	Login	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
online	boolean	Online	<input type="checkbox"/>	
ow_ner_\$type	string		<input type="checkbox"/>	
ow_ner_avatarUrl	string		<input type="checkbox"/>	
ow_ner_banned	boolean		<input type="checkbox"/>	
ow_ner_email	string		<input type="checkbox"/>	
ow_ner_fullName	string		<input type="checkbox"/>	
ow_ner_guest	boolean		<input type="checkbox"/>	
ow_ner_id	string		<input type="checkbox"/>	
ow_ner_jabberAccountName	string		<input type="checkbox"/>	
ow_ner_login	string		<input type="checkbox"/>	
ow_ner_online	boolean		<input type="checkbox"/>	
ow_ner_ringId	string		<input type="checkbox"/>	
profiles_\$type	string		<input type="checkbox"/>	
profiles_general_\$type	string		<input type="checkbox"/>	
profiles_general_id	string		<input type="checkbox"/>	
profiles_id	string		<input type="checkbox"/>	
profiles_notifications_\$type	string		<input type="checkbox"/>	
profiles_notifications_autoWatchOnComment	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnCreate	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnUpdate	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnVote	boolean		<input type="checkbox"/>	
profiles_notifications_duplicateClusterNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_emailNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_id	string		<input type="checkbox"/>	
profiles_notifications_jabberNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_mailboxIntegrationNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_mentionNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_notifyOnOwnChanges	boolean		<input type="checkbox"/>	
profiles_notifications_usePlainTextEmails	boolean		<input type="checkbox"/>	
profiles_timetracking_\$type	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
profiles_timetracking_id	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
ringId	string	Ring ID	<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
untagOnResolve	boolean		<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

8.1.50 CustomFieldUsersByUserBundleId1

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /admin/customFieldSettings/bundles/user/{id}/aggregatedUsers

Insert YouTrack API URL: /admin/customFieldSettings/bundles/user/{id}/aggregatedUsers

Update YouTrack API URL: /admin/customFieldSettings/bundles/user/{id}/aggregatedUsers

Delete YouTrack API URL: /admin/customFieldSettings/bundles/user/{id}/aggregatedUsers

Field Selection Method: NotRequired

Base Path: savedQueries [*]

Select YouTrack API Operation:

get /admin/customFieldSettings/bundles/user/{id}/aggregatedUsers

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldUsersByUserBundleId1`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `CustomFieldUsersByUserBundleId1` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
avatarUrl	string	Avatar (URL)	<input type="checkbox"/>	
banned	boolean	Banned	<input type="checkbox"/>	
email	string	Email	<input type="checkbox"/>	
fullName	string	Full Name	<input type="checkbox"/>	
guest	boolean	Guest	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
jabberAccountName	string	Jabber Account Name	<input type="checkbox"/>	
login	string	Login	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
online	boolean	Online	<input type="checkbox"/>	
owner_\$type	string		<input type="checkbox"/>	
owner_avatarUrl	string		<input type="checkbox"/>	
owner_banned	boolean		<input type="checkbox"/>	
owner_email	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
ow_ner_fullName	string		<input type="checkbox"/>	
ow_ner_guest	boolean		<input type="checkbox"/>	
ow_ner_id	string		<input type="checkbox"/>	
ow_ner_jabberAccountName	string		<input type="checkbox"/>	
ow_ner_login	string		<input type="checkbox"/>	
ow_ner_online	boolean		<input type="checkbox"/>	
ow_ner_ringId	string		<input type="checkbox"/>	
profiles_\$type	string		<input type="checkbox"/>	
profiles_general_\$type	string		<input type="checkbox"/>	
profiles_general_id	string		<input type="checkbox"/>	
profiles_id	string		<input type="checkbox"/>	
profiles_notifications_\$type	string		<input type="checkbox"/>	
profiles_notifications_autoWatchOnComment	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnCreate	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnUpdate	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnVote	boolean		<input type="checkbox"/>	
profiles_notifications_duplicateClusterNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_emailNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_id	string		<input type="checkbox"/>	
profiles_notifications_jabberNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_mailboxIntegrationNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_mentionNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_notifyOnOwnChanges	boolean		<input type="checkbox"/>	
profiles_notifications_usePlainTextEmails	boolean		<input type="checkbox"/>	
profiles_timetracking_\$type	string		<input type="checkbox"/>	
profiles_timetracking_id	string		<input type="checkbox"/>	
query	string	Query	<input type="checkbox"/>	
ringId	string	Ring ID	<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updateableBy_usersCount	int64		<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	

8.1.51 CustomFieldUsersByUserBundleId2

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /admin/customFieldSettings/bundles/user/{id}/individuals

Insert YouTrack API URL: /admin/customFieldSettings/bundles/user/{id}/individuals

Update YouTrack API URL: /admin/customFieldSettings/bundles/user/{id}/individuals

Delete YouTrack API URL: /admin/customFieldSettings/bundles/user/{id}/individuals

Field Selection Method: NotRequired

Base Path: tags[*].issues[*]

Select YouTrack API Operation:

```
get /admin/customFieldSettings/bundles/user/{id}/individuals
```

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function CustomFieldUsersByUserBundleId2. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the

default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `CustomFieldUsersByUserBundleId2` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
avatarUrl	string	Avatar (URL)	<input type="checkbox"/>	
banned	boolean	Banned	<input type="checkbox"/>	
color_\$type	string		<input type="checkbox"/>	
color_background	string		<input type="checkbox"/>	
color_foreground	string		<input type="checkbox"/>	
color_id	string		<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
email	string	Email	<input type="checkbox"/>	
fullName	string	Full Name	<input type="checkbox"/>	
guest	boolean	Guest	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
jabberAccountName	string	Jabber Account Name	<input type="checkbox"/>	
login	string	Login	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
online	boolean	Online	<input type="checkbox"/>	
owner_\$type	string		<input type="checkbox"/>	
owner_avatarUrl	string		<input type="checkbox"/>	
owner_banned	boolean		<input type="checkbox"/>	
owner_email	string		<input type="checkbox"/>	
owner_fullName	string		<input type="checkbox"/>	
owner_guest	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
ow_ner_id	string		<input type="checkbox"/>	
ow_ner_jabberAccountName	string		<input type="checkbox"/>	
ow_ner_login	string		<input type="checkbox"/>	
ow_ner_online	boolean		<input type="checkbox"/>	
ow_ner_ringId	string		<input type="checkbox"/>	
profiles_\$type	string		<input type="checkbox"/>	
profiles_general_\$type	string		<input type="checkbox"/>	
profiles_general_id	string		<input type="checkbox"/>	
profiles_id	string		<input type="checkbox"/>	
profiles_notifications_\$type	string		<input type="checkbox"/>	
profiles_notifications_autoWatchOnComment	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnCreate	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnUpdate	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnVote	boolean		<input type="checkbox"/>	
profiles_notifications_duplicateClusterNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_emailNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_id	string		<input type="checkbox"/>	
profiles_notifications_jabberNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_mailboxIntegrationNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_mentionNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_notifyOnOwnChanges	boolean		<input type="checkbox"/>	
profiles_notifications_usePlainTextEmails	boolean		<input type="checkbox"/>	
profiles_timetracking_\$type	string		<input type="checkbox"/>	
profiles_timetracking_id	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
ringId	string	Ring ID	<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
untagOnResolve	boolean		<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updateableBy_usersCount	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

8.1.52 CustomFieldUsersByUserBundleId3

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /admin/customFieldSettings/bundles/user/{id}/aggregatedUsers

Insert YouTrack API URL: /admin/customFieldSettings/bundles/user/{id}/aggregatedUsers

Update YouTrack API URL: /admin/customFieldSettings/bundles/user/{id}/aggregatedUsers

Delete YouTrack API URL: /admin/customFieldSettings/bundles/user/{id}/aggregatedUsers

Field Selection Method: NotRequired

Select YouTrack API Operation:

```
get /admin/customFieldSettings/bundles/user/{id}/aggregatedUsers
```

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function CustomFieldUsersByUserBundleId3. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `CustomFieldUsersByUserBundleId3` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
avatarUrl	string	Avatar (URL)	<input type="checkbox"/>	
banned	boolean	Banned	<input type="checkbox"/>	
email	string	Email	<input type="checkbox"/>	
fullName	string	Full Name	<input type="checkbox"/>	
guest	boolean	Guest	<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
jabberAccountName	string	Jabber Account Name	<input type="checkbox"/>	
login	string	Login	<input type="checkbox"/>	
online	boolean	Online	<input type="checkbox"/>	
profiles_\$type	string		<input type="checkbox"/>	
profiles_general_\$type	string		<input type="checkbox"/>	
profiles_general_id	string		<input type="checkbox"/>	
profiles_id	string		<input type="checkbox"/>	
profiles_notifications_\$type	string		<input type="checkbox"/>	
profiles_notifications_autoWatchOnComment	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnCreate	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnUpdate	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnVote	boolean		<input type="checkbox"/>	
profiles_notifications_duplicateClusterNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_emailNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_id	string		<input type="checkbox"/>	
profiles_notifications_jabberNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_mailboxIntegrationNotificationsEnabled	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
profiles_notifications_mentionNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_notifyOnOwnChanges	boolean		<input type="checkbox"/>	
profiles_notifications_usePlainTextEmails	boolean		<input type="checkbox"/>	
profiles_timetracking_\$type	string		<input type="checkbox"/>	
profiles_timetracking_id	string		<input type="checkbox"/>	
ringId	string	Ring ID	<input type="checkbox"/>	

8.1.53 CustomFieldUsersByUserBundleId4

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals`

Field Selection Method: NotRequired

Select YouTrack API Operation:

```
get /admin/customFieldSettings/bundles/user/{id}/individuals
```

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldUsersByUserBundleId4`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `'select * from table(value1, value2, value3)'` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `'select * from table(name1 => value1, name3 => value3)'` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `CustomFieldUsersByUserBundleId4` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
avatarUrl	string	Avatar (URL)	<input type="checkbox"/>	
banned	boolean	Banned	<input type="checkbox"/>	
email	string	Email	<input type="checkbox"/>	
fullName	string	Full Name	<input type="checkbox"/>	
guest	boolean	Guest	<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
jabberAccountName	string	Jabber Account Name	<input type="checkbox"/>	
login	string	Login	<input type="checkbox"/>	
online	boolean	Online	<input type="checkbox"/>	
profiles_\$type	string		<input type="checkbox"/>	
profiles_general_\$type	string		<input type="checkbox"/>	
profiles_general_id	string		<input type="checkbox"/>	
profiles_id	string		<input type="checkbox"/>	
profiles_notifications_\$type	string		<input type="checkbox"/>	
profiles_notifications_autoWatchOnComment	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnCreate	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnUpdate	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnVote	boolean		<input type="checkbox"/>	
profiles_notifications_duplicateClusterNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_emailNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_id	string		<input type="checkbox"/>	
profiles_notifications_jabberNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_mailboxIntegrationNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_mentionNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_notifyOnOwnChanges	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
profiles_notifications_usePlainTextEmails	boolean		<input type="checkbox"/>	
profiles_timetracking_\$type	string		<input type="checkbox"/>	
profiles_timetracking_id	string		<input type="checkbox"/>	
ringId	string	Ring ID	<input type="checkbox"/>	

8.1.54 CustomFieldUsersByUserBundleId5

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals/{userId}`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals/{userId}`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals/{userId}`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals/{userId}`

Field Selection Method: NotRequired

Base Path: `savedQueries[*].issues[*]`

Select YouTrack API Operation:

```
get /admin/customFieldSettings/bundles/user/{id}/individuals/{userId}
```

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldUsersByUserBundleId5`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `'select * from table(value1, value2, value3)'` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `'select * from table(name1 => value1, name3 => value3)'` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		
userId	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `CustomFieldUsersByUserBundleId5` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
avatarUrl	string	Avatar (URL)	<input type="checkbox"/>	
banned	boolean	Banned	<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
email	string	Email	<input type="checkbox"/>	
fullName	string	Full Name	<input type="checkbox"/>	
guest	boolean	Guest	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
jabberAccountName	string	Jabber Account Name	<input type="checkbox"/>	
login	string	Login	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
online	boolean	Online	<input type="checkbox"/>	
ow ner_\$type	string		<input type="checkbox"/>	
ow ner_avatarUrl	string		<input type="checkbox"/>	
ow ner_banned	boolean		<input type="checkbox"/>	
ow ner_email	string		<input type="checkbox"/>	
ow ner_fullName	string		<input type="checkbox"/>	
ow ner_guest	boolean		<input type="checkbox"/>	
ow ner_id	string		<input type="checkbox"/>	
ow ner_jabberAccountName	string		<input type="checkbox"/>	
ow ner_login	string		<input type="checkbox"/>	
ow ner_online	boolean		<input type="checkbox"/>	
ow ner_ringId	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
profiles__\$type	string		<input type="checkbox"/>	
profiles_general__\$type	string		<input type="checkbox"/>	
profiles_general_id	string		<input type="checkbox"/>	
profiles_id	string		<input type="checkbox"/>	
profiles_notifications__\$type	string		<input type="checkbox"/>	
profiles_notifications_autoWatchOnComment	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnCreate	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnUpdate	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnVote	boolean		<input type="checkbox"/>	
profiles_notifications_duplicateClusterNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_emailNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_id	string		<input type="checkbox"/>	
profiles_notifications_jabberNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_mailboxIntegrationNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_mentionNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_notifyOnOwnChanges	boolean		<input type="checkbox"/>	
profiles_notifications_usePlainTextEmails	boolean		<input type="checkbox"/>	
profiles_timetracking__\$type	string		<input type="checkbox"/>	
profiles_timetracking_id	string		<input type="checkbox"/>	
query	string	Query	<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
ringId	string	Ring ID	<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
updateableBy__\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibleFor__\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

8.1.55 CustomFieldUsersByUserBundleId6

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals/{userId}`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals/{userId}`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals/{userId}`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals/{userId}`

Field Selection Method: NotRequired

Base Path: `savedQueries[*]`

Select YouTrack API Operation:

```
get /admin/customFieldSettings/bundles/user/{id}/individuals/{userId}
```

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldUsersByUserBundleId6`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the

default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		
userId	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `CustomFieldUsersByUserBundleId6` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
avatarUrl	string	Avatar (URL)	<input type="checkbox"/>	
banned	boolean	Banned	<input type="checkbox"/>	
email	string	Email	<input type="checkbox"/>	
fullName	string	Full Name	<input type="checkbox"/>	
guest	boolean	Guest	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
jabberAccountName	string	Jabber Account Name	<input type="checkbox"/>	
login	string	Login	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
online	boolean	Online	<input type="checkbox"/>	
ow ner_\$type	string		<input type="checkbox"/>	
ow ner_avatarUrl	string		<input type="checkbox"/>	
ow ner_banned	boolean		<input type="checkbox"/>	
ow ner_email	string		<input type="checkbox"/>	
ow ner_fullName	string		<input type="checkbox"/>	
ow ner_guest	boolean		<input type="checkbox"/>	
ow ner_id	string		<input type="checkbox"/>	
ow ner_jabberAccountName	string		<input type="checkbox"/>	
ow ner_login	string		<input type="checkbox"/>	
ow ner_online	boolean		<input type="checkbox"/>	
ow ner_ringId	string		<input type="checkbox"/>	
profiles_\$type	string		<input type="checkbox"/>	
profiles_general_\$type	string		<input type="checkbox"/>	
profiles_general_id	string		<input type="checkbox"/>	
profiles_id	string		<input type="checkbox"/>	
profiles_notifications_\$type	string		<input type="checkbox"/>	
profiles_notifications_autoWatchOnComment	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
profiles_notifications_autoWatchOnCreate	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnUpdate	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnVote	boolean		<input type="checkbox"/>	
profiles_notifications_duplicateClusterNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_emailNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_id	string		<input type="checkbox"/>	
profiles_notifications_jabberNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_mailboxIntegrationNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_mentionNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_notifyOnOwnChanges	boolean		<input type="checkbox"/>	
profiles_notifications_usePlainTextEmails	boolean		<input type="checkbox"/>	
profiles_timetracking_\$type	string		<input type="checkbox"/>	
profiles_timetracking_id	string		<input type="checkbox"/>	
query	string	Query	<input type="checkbox"/>	
ringId	string	Ring ID	<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	

8.1.56 CustomFieldUsersByUserBundleId7

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals/{userId}`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals/{userId}`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals/{userId}`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals/{userId}`

Field Selection Method: `NotRequired`

Base Path: `tags [*].issues [*]`

Select YouTrack API Operation:

```
get /admin/customFieldSettings/bundles/user/{id}/individuals/{userId}
```

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldUsersByUserBundleId7`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `'select * from table(value1, value2, value3)'` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `'select * from table(name1 => value1, name3 => value3)'` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
<code>id</code>	string	<input checked="" type="checkbox"/>		
<code>userId</code>	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `CustomFieldUsersByUserBundleId7` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
<code>\$type_1</code>	string		<input type="checkbox"/>	
<code>\$type_2</code>	string		<input type="checkbox"/>	
<code>\$type</code>	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
avatarUrl	string	Avatar (URL)	<input type="checkbox"/>	
banned	boolean	Banned	<input type="checkbox"/>	
color_\$type	string		<input type="checkbox"/>	
color_background	string		<input type="checkbox"/>	
color_foreground	string		<input type="checkbox"/>	
color_id	string		<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
email	string	Email	<input type="checkbox"/>	
fullName	string	Full Name	<input type="checkbox"/>	
guest	boolean	Guest	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
jabberAccountName	string	Jabber Account Name	<input type="checkbox"/>	
login	string	Login	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
online	boolean	Online	<input type="checkbox"/>	
ow ner_\$type	string		<input type="checkbox"/>	
ow ner_avatarUrl	string		<input type="checkbox"/>	
ow ner_banned	boolean		<input type="checkbox"/>	
ow ner_email	string		<input type="checkbox"/>	
ow ner_fullName	string		<input type="checkbox"/>	
ow ner_guest	boolean		<input type="checkbox"/>	
ow ner_id	string		<input type="checkbox"/>	
ow ner_jabberAccountName	string		<input type="checkbox"/>	
ow ner_login	string		<input type="checkbox"/>	
ow ner_online	boolean		<input type="checkbox"/>	
ow ner_ringId	string		<input type="checkbox"/>	
profiles_\$type	string		<input type="checkbox"/>	
profiles_general_\$type	string		<input type="checkbox"/>	
profiles_general_id	string		<input type="checkbox"/>	
profiles_id	string		<input type="checkbox"/>	
profiles_notifications_\$type	string		<input type="checkbox"/>	
profiles_notifications_autoWatchOnComment	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
profiles_notifications_autoWatchOnCreate	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnUpdate	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnVote	boolean		<input type="checkbox"/>	
profiles_notifications_duplicateClusterNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_emailNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_id	string		<input type="checkbox"/>	
profiles_notifications_jabberNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_mailboxIntegrationNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_mentionNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_notifyOnOwnChanges	boolean		<input type="checkbox"/>	
profiles_notifications_usePlainTextEmails	boolean		<input type="checkbox"/>	
profiles_timetracking_\$type	string		<input type="checkbox"/>	
profiles_timetracking_id	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
ringId	string	Ring ID	<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
untagOnResolve	boolean		<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

8.1.57 CustomFieldUsersByUserBundleId8

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /admin/customFieldSettings/bundles/user/{id}/individuals/{userId}

Insert YouTrack API URL: /admin/customFieldSettings/bundles/user/{id}/individuals/{userId}

Update YouTrack API URL: /admin/customFieldSettings/bundles/user/{id}/individuals/{userId}

Delete YouTrack API URL: /admin/customFieldSettings/bundles/user/{id}/individuals/{userId}

Field Selection Method: NotRequired

Base Path: tags [*]

Select YouTrack API Operation:

```
get /admin/customFieldSettings/bundles/user/{id}/individuals/{userId}
```

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function CustomFieldUsersByUserBundleId8. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		
userId	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `CustomFieldUsersByUserBundleId8` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
avatarUrl	string	Avatar (URL)	<input type="checkbox"/>	
banned	boolean	Banned	<input type="checkbox"/>	
color_\$type	string		<input type="checkbox"/>	
color_background	string		<input type="checkbox"/>	
color_foreground	string		<input type="checkbox"/>	
color_id	string		<input type="checkbox"/>	
email	string	Email	<input type="checkbox"/>	
fullName	string	Full Name	<input type="checkbox"/>	
guest	boolean	Guest	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
jabberAccountName	string	Jabber Account Name	<input type="checkbox"/>	
login	string	Login	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
online	boolean	Online	<input type="checkbox"/>	
owner_\$type	string		<input type="checkbox"/>	
owner_avatarUrl	string		<input type="checkbox"/>	
owner_banned	boolean		<input type="checkbox"/>	
owner_email	string		<input type="checkbox"/>	
owner_fullName	string		<input type="checkbox"/>	
owner_guest	boolean		<input type="checkbox"/>	
owner_id	string		<input type="checkbox"/>	
owner_jabberAccountName	string		<input type="checkbox"/>	
owner_login	string		<input type="checkbox"/>	
owner_online	boolean		<input type="checkbox"/>	
owner_ringId	string		<input type="checkbox"/>	
profiles_\$type	string		<input type="checkbox"/>	
profiles_general_\$type	string		<input type="checkbox"/>	
profiles_general_id	string		<input type="checkbox"/>	
profiles_id	string		<input type="checkbox"/>	
profiles_notifications_\$type	string		<input type="checkbox"/>	
profiles_notifications_autoWatchOnComment	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnCreate	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
profiles_notifications_autoWatchOnUpdate	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnVote	boolean		<input type="checkbox"/>	
profiles_notifications_duplicateClusterNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_emailNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_id	string		<input type="checkbox"/>	
profiles_notifications_jabberNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_mailboxIntegrationNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_mentionNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_notifyOnOwnChanges	boolean		<input type="checkbox"/>	
profiles_notifications_usePlainTextEmails	boolean		<input type="checkbox"/>	
profiles_timetracking_\$type	string		<input type="checkbox"/>	
profiles_timetracking_id	string		<input type="checkbox"/>	
ringId	string	Ring ID	<input type="checkbox"/>	
untagOnResolve	boolean		<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	

8.1.58 CustomFieldUsersByUserBundleId9

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals/{userId}`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals/{userId}`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals/{userId}`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals/{userId}`

Field Selection Method: NotRequired

Select YouTrack API Operation:

```
get /admin/customFieldSettings/bundles/user/{id}/individuals/{userId}
```

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldUsersByUserBundleId9`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `'select * from table(value1, value2, value3)'` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `'select * from table(name1 => value1, name3 => value3)'` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		
userId	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `CustomFieldUsersByUserBundleId9` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
avatarUrl	string	Avatar (URL)	<input type="checkbox"/>	
banned	boolean	Banned	<input type="checkbox"/>	
email	string	Email	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
fullName	string	Full Name	<input type="checkbox"/>	
guest	boolean	Guest	<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
jabberAccountName	string	Jabber Account Name	<input type="checkbox"/>	
login	string	Login	<input type="checkbox"/>	
online	boolean	Online	<input type="checkbox"/>	
profiles_\$type	string		<input type="checkbox"/>	
profiles_general_\$type	string		<input type="checkbox"/>	
profiles_general_id	string		<input type="checkbox"/>	
profiles_id	string		<input type="checkbox"/>	
profiles_notifications_\$type	string		<input type="checkbox"/>	
profiles_notifications_autoWatchOnComment	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnCreate	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnUpdate	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnVote	boolean		<input type="checkbox"/>	
profiles_notifications_duplicateClusterNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_emailNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_id	string		<input type="checkbox"/>	
profiles_notifications_jabberNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_mailboxIntegrationNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_mentionNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_notifyOnOwnChanges	boolean		<input type="checkbox"/>	
profiles_notifications_usePlainTextEmails	boolean		<input type="checkbox"/>	
profiles_timetracking_\$type	string		<input type="checkbox"/>	
profiles_timetracking_id	string		<input type="checkbox"/>	
ringId	string	Ring ID	<input type="checkbox"/>	

8.1.59 CustomFieldUsersByUserBundleIdAndGroupId

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: /admin/customFieldSettings/bundles/user/{id}/groups/{userGroupId}

Insert YouTrack API URL: /admin/customFieldSettings/bundles/user/{id}/groups/{userGroupId}

Update YouTrack API URL: /admin/customFieldSettings/bundles/user/{id}/groups/{userGroupId}

Delete YouTrack API URL: /admin/customFieldSettings/bundles/user/{id}/groups/{userGroupId}

Field Selection Method: NotRequired

Select YouTrack API Operation:

```
get /admin/customFieldSettings/bundles/user/{id}/groups/{userGroupId}
```

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldUsersByUserBundleIdAndGroupId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		
userGroupId	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `CustomFieldUsersByUserBundleIdAndGroupId` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
allUsersGroup	boolean	All Users Group	<input type="checkbox"/>	
icon	string	Icon	<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
ringId	string	Ring ID	<input type="checkbox"/>	
teamForProject_archived	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
teamForProject_createdBy_\$type	string		<input type="checkbox"/>	
teamForProject_createdBy_avatarUrl	string		<input type="checkbox"/>	
teamForProject_createdBy_banned	boolean		<input type="checkbox"/>	
teamForProject_createdBy_email	string		<input type="checkbox"/>	
teamForProject_createdBy_fullName	string		<input type="checkbox"/>	
teamForProject_createdBy_guest	boolean		<input type="checkbox"/>	
teamForProject_createdBy_id	string		<input type="checkbox"/>	
teamForProject_createdBy_jabberAccountName	string		<input type="checkbox"/>	
teamForProject_createdBy_login	string		<input type="checkbox"/>	
teamForProject_createdBy_online	boolean		<input type="checkbox"/>	
teamForProject_createdBy_ringId	string		<input type="checkbox"/>	
teamForProject_description	string		<input type="checkbox"/>	
teamForProject_fromEmail	string		<input type="checkbox"/>	
teamForProject_iconUrl	string		<input type="checkbox"/>	
teamForProject_leader_\$type	string		<input type="checkbox"/>	
teamForProject_leader_avatarUrl	string		<input type="checkbox"/>	
teamForProject_leader_banned	boolean		<input type="checkbox"/>	
teamForProject_leader_email	string		<input type="checkbox"/>	
teamForProject_leader.FullName	string		<input type="checkbox"/>	
teamForProject_leader_guest	boolean		<input type="checkbox"/>	
teamForProject_leader_id	string		<input type="checkbox"/>	
teamForProject_leader_jabberAccountName	string		<input type="checkbox"/>	
teamForProject_leader_login	string		<input type="checkbox"/>	
teamForProject_leader_online	boolean		<input type="checkbox"/>	
teamForProject_leader_ringId	string		<input type="checkbox"/>	
teamForProject_replyToEmail	string		<input type="checkbox"/>	
teamForProject_shortName	string		<input type="checkbox"/>	
teamForProject_startingNumber	int64		<input type="checkbox"/>	
teamForProject_team_\$type	string		<input type="checkbox"/>	
teamForProject_team_allUsersGroup	boolean		<input type="checkbox"/>	
teamForProject_team_icon	string		<input type="checkbox"/>	
teamForProject_team_id	string		<input type="checkbox"/>	
teamForProject_team_name	string		<input type="checkbox"/>	
teamForProject_team_ringId	string		<input type="checkbox"/>	
teamForProject_team_usersCount	int64		<input type="checkbox"/>	
teamForProject_template	boolean		<input type="checkbox"/>	
usersCount	int64	Users Count	<input type="checkbox"/>	

8.1.60 CustomFieldUsersByUserId

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals`

Field Selection Method: NotRequired

Base Path: `savedQueries [*]`

Select YouTrack API Operation:

```
get /admin/customFieldSettings/bundles/user/{id}/individuals
```

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldUsersByUserId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
<code>id</code>	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `CustomFieldUsersByUserId` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
avatarUrl	string	Avatar (URL)	<input type="checkbox"/>	
banned	boolean	Banned	<input type="checkbox"/>	
email	string	Email	<input type="checkbox"/>	
fullName	string	Full Name	<input type="checkbox"/>	
guest	boolean	Guest	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
jabberAccountName	string	Jabber Account Name	<input type="checkbox"/>	
login	string	Login	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
online	boolean	Online	<input type="checkbox"/>	
ow ner_\$type	string		<input type="checkbox"/>	
ow ner_avatarUrl	string		<input type="checkbox"/>	
ow ner_banned	boolean		<input type="checkbox"/>	
ow ner_email	string		<input type="checkbox"/>	
ow ner_fullName	string		<input type="checkbox"/>	
ow ner_guest	boolean		<input type="checkbox"/>	
ow ner_id	string		<input type="checkbox"/>	
ow ner_jabberAccountName	string		<input type="checkbox"/>	
ow ner_login	string		<input type="checkbox"/>	
ow ner_online	boolean		<input type="checkbox"/>	
ow ner_ringId	string		<input type="checkbox"/>	
profiles_\$type	string		<input type="checkbox"/>	
profiles_general_\$type	string		<input type="checkbox"/>	
profiles_general_id	string		<input type="checkbox"/>	
profiles_id	string		<input type="checkbox"/>	
profiles_notifications_\$type	string		<input type="checkbox"/>	
profiles_notifications_autoWatchOnComment	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnCreate	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnUpdate	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnVote	boolean		<input type="checkbox"/>	
profiles_notifications_duplicateClusterNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_emailNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_id	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
profiles_notifications_jabberNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_mailboxIntegrationNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_mentionNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_notifyOnOwnChanges	boolean		<input type="checkbox"/>	
profiles_notifications_usePlainTextEmails	boolean		<input type="checkbox"/>	
profiles_timetracking_\$type	string		<input type="checkbox"/>	
profiles_timetracking_id	string		<input type="checkbox"/>	
query	string	Query	<input type="checkbox"/>	
ringId	string	Ring ID	<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	

8.1.61 CustomFieldUserTagsByUserBundleId

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /admin/customFieldSettings/bundles/user/{id}/aggregatedUsers

Insert YouTrack API URL: /admin/customFieldSettings/bundles/user/{id}/aggregatedUsers

Update YouTrack API URL: /admin/customFieldSettings/bundles/user/{id}/aggregatedUsers

Delete YouTrack API URL: /admin/customFieldSettings/bundles/user/{id}/aggregatedUsers

Field Selection Method: NotRequired

Base Path: tags [*]

Select YouTrack API Operation:

```
get /admin/customFieldSettings/bundles/user/{id}/aggregatedUsers
```

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldUserTagsByUserBundleId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `CustomFieldUserTagsByUserBundleId` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
avatarUrl	string	Avatar (URL)	<input type="checkbox"/>	
banned	boolean	Banned	<input type="checkbox"/>	
color_\$type	string		<input type="checkbox"/>	
color_background	string		<input type="checkbox"/>	
color_foreground	string		<input type="checkbox"/>	
color_id	string		<input type="checkbox"/>	
email	string	Email	<input type="checkbox"/>	
fullName	string	Full Name	<input type="checkbox"/>	
guest	boolean	Guest	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
jabberAccountName	string	Jabber Account Name	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
login	string	Login	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
online	boolean	Online	<input type="checkbox"/>	
owner_\$type	string		<input type="checkbox"/>	
owner_avatarUrl	string		<input type="checkbox"/>	
owner_banned	boolean		<input type="checkbox"/>	
owner_email	string		<input type="checkbox"/>	
owner.FullName	string		<input type="checkbox"/>	
owner_guest	boolean		<input type="checkbox"/>	
owner_id	string		<input type="checkbox"/>	
owner_jabberAccountName	string		<input type="checkbox"/>	
owner_login	string		<input type="checkbox"/>	
owner_online	boolean		<input type="checkbox"/>	
owner_ringId	string		<input type="checkbox"/>	
profiles_\$type	string		<input type="checkbox"/>	
profiles_general_\$type	string		<input type="checkbox"/>	
profiles_general_id	string		<input type="checkbox"/>	
profiles_id	string		<input type="checkbox"/>	
profiles_notifications_\$type	string		<input type="checkbox"/>	
profiles_notifications_autoWatchOnComment	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnCreate	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnUpdate	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnVote	boolean		<input type="checkbox"/>	
profiles_notifications_duplicateClusterNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_emailNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_id	string		<input type="checkbox"/>	
profiles_notifications_jabberNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_mailboxIntegrationNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_mentionNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_notifyOnOwnChanges	boolean		<input type="checkbox"/>	
profiles_notifications_usePlainTextEmails	boolean		<input type="checkbox"/>	
profiles_timetracking_\$type	string		<input type="checkbox"/>	
profiles_timetracking_id	string		<input type="checkbox"/>	
ringId	string	Ring ID	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
untagOnResolve	boolean		<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	

8.1.62 CustomFieldUserTagsByUserBundleId2

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/user/{id}/individuals`

Field Selection Method: NotRequired

Base Path: `tags [*]`

Select YouTrack API Operation:

```
get /admin/customFieldSettings/bundles/user/{id}/individuals
```

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldUserTagsByUserBundleId2`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the

execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `CustomFieldUserTagsByUserBundleId2` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
avatarUrl	string	Avatar (URL)	<input type="checkbox"/>	
banned	boolean	Banned	<input type="checkbox"/>	
color_\$type	string		<input type="checkbox"/>	
color_background	string		<input type="checkbox"/>	
color_foreground	string		<input type="checkbox"/>	
color_id	string		<input type="checkbox"/>	
email	string	Email	<input type="checkbox"/>	
fullName	string	Full Name	<input type="checkbox"/>	
guest	boolean	Guest	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
jabberAccountName	string	Jabber Account Name	<input type="checkbox"/>	
login	string	Login	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
online	boolean	Online	<input type="checkbox"/>	
owner_\$type	string		<input type="checkbox"/>	
owner_avatarUrl	string		<input type="checkbox"/>	
owner_banned	boolean		<input type="checkbox"/>	
owner_email	string		<input type="checkbox"/>	
owner_fullName	string		<input type="checkbox"/>	
owner_guest	boolean		<input type="checkbox"/>	
owner_id	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
ow_ner_jabberAccountName	string		<input type="checkbox"/>	
ow_ner_login	string		<input type="checkbox"/>	
ow_ner_online	boolean		<input type="checkbox"/>	
ow_ner_ringId	string		<input type="checkbox"/>	
profiles__\$type	string		<input type="checkbox"/>	
profiles_general__\$type	string		<input type="checkbox"/>	
profiles_general_id	string		<input type="checkbox"/>	
profiles_id	string		<input type="checkbox"/>	
profiles_notifications__\$type	string		<input type="checkbox"/>	
profiles_notifications_autoWatchOnComment	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnCreate	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnUpdate	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnVote	boolean		<input type="checkbox"/>	
profiles_notifications_duplicateClusterNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_emailNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_id	string		<input type="checkbox"/>	
profiles_notifications_jabberNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_mailboxIntegrationNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_mentionNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_notifyOnOwnChanges	boolean		<input type="checkbox"/>	
profiles_notifications_usePlainTextEmails	boolean		<input type="checkbox"/>	
profiles_timetracking__\$type	string		<input type="checkbox"/>	
profiles_timetracking_id	string		<input type="checkbox"/>	
ringId	string	Ring ID	<input type="checkbox"/>	
untagOnResolve	boolean		<input type="checkbox"/>	
updateableBy__\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
visibleFor__\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	

8.1.63 CustomFieldVersionByProjectVersionBundleId

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/version/{id}`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/version/{id}`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/version/{id}`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/version/{id}`

Field Selection Method: NotRequired

Select YouTrack API Operation:

```
get /admin/customFieldSettings/bundles/version/{id}
```

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldVersionByProjectVersionBundleId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `CustomFieldVersionByProjectVersionBundleId` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
isUpdateable	boolean	Is Updateable	<input type="checkbox"/>	

8.1.64 CustomFieldVersions

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/version`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/version`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/version`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/version`

Field Selection Method: `NotRequired`

Select YouTrack API Operation:

```
get /admin/customFieldSettings/bundles/version
```

Table Function Columns

The columns of the table function `CustomFieldVersions` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
isUpdateable	boolean	Is Updateable	<input type="checkbox"/>	

8.1.65 CustomFieldVersionValues

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/version`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/version`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/version`

Delete YouTrack API URL: /admin/customFieldSettings/bundles/version

Field Selection Method: NotRequired

Base Path: values [*]

Select YouTrack API Operation:

get /admin/customFieldSettings/bundles/version

Table Function Columns

The columns of the table function `CustomFieldVersionValues` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
archived	boolean	Archived	<input type="checkbox"/>	
bundle_\$type_1	string		<input type="checkbox"/>	
bundle_\$type	string		<input type="checkbox"/>	
bundle_id_1	string		<input type="checkbox"/>	
bundle_id	string		<input type="checkbox"/>	
bundle_isUpdateable_1	boolean		<input type="checkbox"/>	
bundle_isUpdateable	boolean		<input type="checkbox"/>	
color_\$type_1	string		<input type="checkbox"/>	
color_\$type	string		<input type="checkbox"/>	
color_background_1	string		<input type="checkbox"/>	
color_background	string		<input type="checkbox"/>	
color_foreground_1	string		<input type="checkbox"/>	
color_foreground	string		<input type="checkbox"/>	
color_id_1	string		<input type="checkbox"/>	
color_id	string		<input type="checkbox"/>	
description_1	string		<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
hasRunningJob_1	boolean		<input type="checkbox"/>	
hasRunningJob	boolean	Has Running Job	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
isUpdateable	boolean	Is Updateable	<input type="checkbox"/>	
name_1	string		<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
ordinal_1	int32		<input type="checkbox"/>	
ordinal	int32	Ordinal	<input type="checkbox"/>	
released	boolean	Released	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
releaseDate	int64	Release Date	<input type="checkbox"/>	

8.1.66 CustomFieldVersionValuesByProjectVersionBundleId

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/bundles/version/{id}`

Insert YouTrack API URL: `/admin/customFieldSettings/bundles/version/{id}`

Update YouTrack API URL: `/admin/customFieldSettings/bundles/version/{id}`

Delete YouTrack API URL: `/admin/customFieldSettings/bundles/version/{id}`

Field Selection Method: NotRequired

Base Path: `values [*]`

Select YouTrack API Operation:

```
get /admin/customFieldSettings/bundles/version/{id}
```

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldVersionValuesByProjectVersionBundleId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `'select * from table(value1, value2, value3)'` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `'select * from table(name1 => value1, name3 => value3)'` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function

`CustomFieldVersionValuesByProjectVersionBundleId` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
archived	boolean	Archived	<input type="checkbox"/>	
bundle_\$type_1	string		<input type="checkbox"/>	
bundle_\$type	string		<input type="checkbox"/>	
bundle_id_1	string		<input type="checkbox"/>	
bundle_id	string		<input type="checkbox"/>	
bundle_isUpdateable_1	boolean		<input type="checkbox"/>	
bundle_isUpdateable	boolean		<input type="checkbox"/>	
color_\$type_1	string		<input type="checkbox"/>	
color_\$type	string		<input type="checkbox"/>	
color_background_1	string		<input type="checkbox"/>	
color_background	string		<input type="checkbox"/>	
color_foreground_1	string		<input type="checkbox"/>	
color_foreground	string		<input type="checkbox"/>	
color_id_1	string		<input type="checkbox"/>	
color_id	string		<input type="checkbox"/>	
description_1	string		<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
hasRunningJob_1	boolean		<input type="checkbox"/>	
hasRunningJob	boolean	Has Running Job	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
isUpdateable	boolean	Is Updateable	<input type="checkbox"/>	
name_1	string		<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
ordinal_1	int32		<input type="checkbox"/>	
ordinal	int32	Ordinal	<input type="checkbox"/>	
released	boolean	Released	<input type="checkbox"/>	
releaseDate	int64	Release Date	<input type="checkbox"/>	

8.1.67 CustomFieldVersionValuesByProjectVersionBundleId2

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /admin/customFieldSettings/bundles/version/{id}/values

Insert YouTrack API URL: /admin/customFieldSettings/bundles/version/{id}/values

Update YouTrack API URL: /admin/customFieldSettings/bundles/version/{id}/values

Delete YouTrack API URL: /admin/customFieldSettings/bundles/version/{id}/values

Field Selection Method: NotRequired

Select YouTrack API Operation:

```
get /admin/customFieldSettings/bundles/version/{id}/values
```

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFieldVersionValuesByProjectVersionBundleId2`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function

`CustomFieldVersionValuesByProjectVersionBundleId2` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
archived	boolean	Archived	<input type="checkbox"/>	
bundle_\$type	string		<input type="checkbox"/>	
bundle_id	string		<input type="checkbox"/>	
bundle_isUpdateable	boolean		<input type="checkbox"/>	
color_\$type	string		<input type="checkbox"/>	
color_background	string		<input type="checkbox"/>	
color_foreground	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
color_id	string		<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
hasRunningJob	boolean	Has Running Job	<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
ordinal	int32	Ordinal	<input type="checkbox"/>	
released	boolean	Released	<input type="checkbox"/>	
releaseDate	int64	Release Date	<input type="checkbox"/>	

8.1.68 CustomFieldVersionValuesByProjectVersionBundleId3

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /admin/customFieldSettings/bundles/version/{id}/values/{versionBundleElementId}

Insert YouTrack API URL: /admin/customFieldSettings/bundles/version/{id}/values/{versionBundleElementId}

Update YouTrack API URL: /admin/customFieldSettings/bundles/version/{id}/values/{versionBundleElementId}

Delete YouTrack API URL: /admin/customFieldSettings/bundles/version/{id}/values/{versionBundleElementId}

Field Selection Method: NotRequired

Select YouTrack API Operation:

```
get /admin/customFieldSettings/bundles/version/{id}/values/{versionBundleElementId}
```

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function CustomFieldVersionValuesByProjectVersionBundleId3. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		
versionBundleElementId	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function

CustomFieldVersionValuesByProjectVersionBundleId3 are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
archived	boolean	Archived	<input type="checkbox"/>	
bundle_\$type	string		<input type="checkbox"/>	
bundle_id	string		<input type="checkbox"/>	
bundle_isUpdateable	boolean		<input type="checkbox"/>	
color_\$type	string		<input type="checkbox"/>	
color_background	string		<input type="checkbox"/>	
color_foreground	string		<input type="checkbox"/>	
color_id	string		<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
hasRunningJob	boolean	Has Running Job	<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
ordinal	int32	Ordinal	<input type="checkbox"/>	
released	boolean	Released	<input type="checkbox"/>	
releaseDate	int64	Release Date	<input type="checkbox"/>	

8.1.69 InstanceCustomFields

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /admin/customFieldSettings/customFields

Insert YouTrack API URL: /admin/customFieldSettings/customFields

Update YouTrack API URL: /admin/customFieldSettings/customFields

Delete YouTrack API URL: /admin/customFieldSettings/customFields

Field Selection Method: NotRequired

Base Path: instances [*]

Select YouTrack API Operation: get /admin/customFieldSettings/customFields

Table Function Columns

The columns of the table function `InstanceCustomFields` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
aliases	string	Aliases	<input type="checkbox"/>	
canBeEmpty	boolean	Nullable	<input type="checkbox"/>	
condition_\$type	string		<input type="checkbox"/>	
condition_id	string		<input type="checkbox"/>	
emptyFieldText	string	Empty Field Text	<input type="checkbox"/>	
field_\$type	string		<input type="checkbox"/>	
field_aliases	string		<input type="checkbox"/>	
field_hasRunningJob	boolean		<input type="checkbox"/>	
field_id	string		<input type="checkbox"/>	
field_isAutoAttached	boolean		<input type="checkbox"/>	
field_isDisplayedInIssueList	boolean		<input type="checkbox"/>	
field_isUpdateable	boolean		<input type="checkbox"/>	
field_localizedName	string		<input type="checkbox"/>	
field_name	string		<input type="checkbox"/>	
field_ordinal	int32		<input type="checkbox"/>	
fieldDefaults_\$type	string		<input type="checkbox"/>	
fieldDefaults_canBeEmpty	boolean		<input type="checkbox"/>	
fieldDefaults_emptyFieldText	string		<input type="checkbox"/>	
fieldDefaults_id	string		<input type="checkbox"/>	
fieldDefaults_isPublic	boolean		<input type="checkbox"/>	
fieldDefaults_parent_\$type	string		<input type="checkbox"/>	
fieldDefaults_parent_aliases	string		<input type="checkbox"/>	
fieldDefaults_parent_hasRunningJob	boolean		<input type="checkbox"/>	
fieldDefaults_parent_id	string		<input type="checkbox"/>	
fieldDefaults_parent_isAutoAttached	boolean		<input type="checkbox"/>	
fieldDefaults_parent_isDisplayedInIssueList	boolean		<input type="checkbox"/>	
fieldDefaults_parent_isUpdateable	boolean		<input type="checkbox"/>	
fieldDefaults_parent_localizedName	string		<input type="checkbox"/>	
fieldDefaults_parent_name	string		<input type="checkbox"/>	
fieldDefaults_parent_ordinal	int32		<input type="checkbox"/>	
fieldType_\$type	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
fieldType_id	string		<input type="checkbox"/>	
hasRunningJob_1	boolean		<input type="checkbox"/>	
hasRunningJob	boolean	Has Running Job	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
isAutoAttached	boolean	Is Auto-attached	<input type="checkbox"/>	
isDisplayedInIssueList	boolean	Is Displayed in Issue List	<input type="checkbox"/>	
isPublic	boolean	Is Public	<input type="checkbox"/>	
isUpdateable	boolean	Is Updateable	<input type="checkbox"/>	
localizedName	string	Localized Name	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
ordinal_1	int32		<input type="checkbox"/>	
ordinal	int32	Ordinal	<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	

8.1.70 Types

Catalog: YouTrack

Schema: CustomFields

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/admin/customFieldSettings/types`

Insert YouTrack API URL: `/admin/customFieldSettings/types`

Update YouTrack API URL: `/admin/customFieldSettings/types`

Delete YouTrack API URL: `/admin/customFieldSettings/types`

Field Selection Method: NotRequired

Select YouTrack API Operation: get `/admin/customFieldSettings/types`

Table Function Columns

The columns of the table function `Types` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	

9 Schema: Issues

9.1 Tables

9.1.1 AttachmentById

Catalog: YouTrack

Schema: Issues

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /issues/{id}

Insert YouTrack API URL: /issues/{id}

Update YouTrack API URL: /issues/{id}

Delete YouTrack API URL: /issues/{id}

Field Selection Method: NotRequired

Base Path: attachments [*]

Select YouTrack API Operation: get /issues/{id}

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function AttachmentById. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function AttachmentById are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
author_\$type	string		<input type="checkbox"/>	
author_avatarUrl	string		<input type="checkbox"/>	
author_banned	boolean		<input type="checkbox"/>	
author_email	string		<input type="checkbox"/>	
author.FullName	string		<input type="checkbox"/>	
author_guest	boolean		<input type="checkbox"/>	
author_id	string		<input type="checkbox"/>	
author_jabberAccountName	string		<input type="checkbox"/>	
author_login	string		<input type="checkbox"/>	
author_online	boolean		<input type="checkbox"/>	
author_ringId	string		<input type="checkbox"/>	
base64Content	string	Base64 Content	<input type="checkbox"/>	
charset	string	Charset	<input type="checkbox"/>	
comment_\$type	string		<input type="checkbox"/>	
comment_created	int64		<input type="checkbox"/>	
comment_deleted	boolean		<input type="checkbox"/>	
comment_id	string		<input type="checkbox"/>	
comment_text	string		<input type="checkbox"/>	
comment_textPreview	string		<input type="checkbox"/>	
comment_updated	int64		<input type="checkbox"/>	
comment_usesMarkdown	boolean		<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created_1	int64		<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
draft	boolean	Draft	<input type="checkbox"/>	
draftOwner_\$type	string		<input type="checkbox"/>	
draftOwner_avatarUrl	string		<input type="checkbox"/>	
draftOwner_banned	boolean		<input type="checkbox"/>	
draftOwner_email	string		<input type="checkbox"/>	
draftOwner.FullName	string		<input type="checkbox"/>	
draftOwner_guest	boolean		<input type="checkbox"/>	
draftOwner_id	string		<input type="checkbox"/>	
draftOwner_jabberAccountName	string		<input type="checkbox"/>	
draftOwner_login	string		<input type="checkbox"/>	
draftOwner_online	boolean		<input type="checkbox"/>	
draftOwner_profiles_\$type	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
draftOwner_profiles_id	string		<input type="checkbox"/>	
draftOwner_ringId	string		<input type="checkbox"/>	
extension	string	Extension	<input type="checkbox"/>	
externalIssue_\$type	string		<input type="checkbox"/>	
externalIssue_id	string		<input type="checkbox"/>	
externalIssue_key	string		<input type="checkbox"/>	
externalIssue_name	string		<input type="checkbox"/>	
externalIssue_url	string		<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
issue_\$type	string		<input type="checkbox"/>	
issue_commentsCount	int32		<input type="checkbox"/>	
issue_created	int64		<input type="checkbox"/>	
issue_description	string		<input type="checkbox"/>	
issue_id	string		<input type="checkbox"/>	
issue_idReadable	string		<input type="checkbox"/>	
issue_isDraft	boolean		<input type="checkbox"/>	
issue_numberInProject	int64		<input type="checkbox"/>	
issue_resolved	int64		<input type="checkbox"/>	
issue_summary	string		<input type="checkbox"/>	
issue_updated	int64		<input type="checkbox"/>	
issue_usesMarkdown	boolean		<input type="checkbox"/>	
issue_votes	int32		<input type="checkbox"/>	
issue_wikifiedDescription	string		<input type="checkbox"/>	
metaData	string	Metadata	<input type="checkbox"/>	
mimeType	string	MIME-type	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
parent_linkType_\$type	string		<input type="checkbox"/>	
parent_linkType_aggregation	boolean		<input type="checkbox"/>	
parent_linkType_directed	boolean		<input type="checkbox"/>	
parent_linkType_id	string		<input type="checkbox"/>	
parent_linkType_localizedName	string		<input type="checkbox"/>	
parent_linkType_localizedSourceToTarget	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
parent_linkType_localizedTargetToSource	string		<input type="checkbox"/>	
parent_linkType_name	string		<input type="checkbox"/>	
parent_linkType_readOnly	boolean		<input type="checkbox"/>	
parent_linkType_sourceToTarget	string		<input type="checkbox"/>	
parent_linkType_targetToSource	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_createdBy_\$type	string		<input type="checkbox"/>	
project_createdBy_avatarUrl	string		<input type="checkbox"/>	
project_createdBy_banned	boolean		<input type="checkbox"/>	
project_createdBy_email	string		<input type="checkbox"/>	
project_createdBy.FullName	string		<input type="checkbox"/>	
project_createdBy_guest	boolean		<input type="checkbox"/>	
project_createdBy_id	string		<input type="checkbox"/>	
project_createdBy_jabberAccountName	string		<input type="checkbox"/>	
project_createdBy_login	string		<input type="checkbox"/>	
project_createdBy_online	boolean		<input type="checkbox"/>	
project_createdBy_ringId	string		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_leader_\$type	string		<input type="checkbox"/>	
project_leader_avatarUrl	string		<input type="checkbox"/>	
project_leader_banned	boolean		<input type="checkbox"/>	
project_leader_email	string		<input type="checkbox"/>	
project_leader.FullName	string		<input type="checkbox"/>	
project_leader_guest	boolean		<input type="checkbox"/>	
project_leader_id	string		<input type="checkbox"/>	
project_leader_jabberAccountName	string		<input type="checkbox"/>	
project_leader_login	string		<input type="checkbox"/>	
project_leader_online	boolean		<input type="checkbox"/>	
project_leader_ringId	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_team_\$type	string		<input type="checkbox"/>	
project_team_allUsersGroup	boolean		<input type="checkbox"/>	
project_team_icon	string		<input type="checkbox"/>	
project_team_id	string		<input type="checkbox"/>	
project_team_name	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
project_team_ringId	string		<input type="checkbox"/>	
project_team_usersCount	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
removed	boolean	Removed	<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter.FullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_profiles_\$type	string		<input type="checkbox"/>	
reporter_profiles_id	string		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
size	int64	Size	<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
subtasks_linkType_\$type	string		<input type="checkbox"/>	
subtasks_linkType_aggregation	boolean		<input type="checkbox"/>	
subtasks_linkType_directed	boolean		<input type="checkbox"/>	
subtasks_linkType_id	string		<input type="checkbox"/>	
subtasks_linkType_localizedName	string		<input type="checkbox"/>	
subtasks_linkType_localizedSourceToTarget	string		<input type="checkbox"/>	
subtasks_linkType_localizedTargetToSource	string		<input type="checkbox"/>	
subtasks_linkType_name	string		<input type="checkbox"/>	
subtasks_linkType_readOnly	boolean		<input type="checkbox"/>	
subtasks_linkType_sourceToTarget	string		<input type="checkbox"/>	
subtasks_linkType_targetToSource	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
thumbnailURL	string	Thumbnail (URL)	<input type="checkbox"/>	
updated_1	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater.FullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_profiles__\$type	string		<input type="checkbox"/>	
updater_profiles_id	string		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
url	string	URL	<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility__\$type_1	string		<input type="checkbox"/>	
visibility__\$type	string		<input type="checkbox"/>	
visibility_id_1	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
voters__\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers__\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

9.1.2 Attachments

Catalog: YouTrack

Schema: Issues

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /issues

Insert YouTrack API URL: /issues

Update YouTrack API URL: /issues

Delete YouTrack API URL: /issues

Field Selection Method: NotRequired

Base Path: attachments [*]

Select YouTrack API Operation: get /issues

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function Attachments. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
customFields	string	<input type="checkbox"/>		<p>The name of the custom field to show in the response. When you use this parameter and request the custom field data in the request URL, the response only shows the requested custom fields instead of all of them.</p><p>To show more than one custom field, use this parameter several times.</p><p>See Sample 2 for reference.</p>
query	string	<input type="checkbox"/>		Issues search query. Read more about search syntax here: Search Query Reference

Table Function Columns

The columns of the table function Attachments are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
author_\$type	string		<input type="checkbox"/>	
author_avatarUrl	string		<input type="checkbox"/>	
author_banned	boolean		<input type="checkbox"/>	
author_email	string		<input type="checkbox"/>	
author_fullName	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
author_guest	boolean		<input type="checkbox"/>	
author_id	string		<input type="checkbox"/>	
author_jabberAccountName	string		<input type="checkbox"/>	
author_login	string		<input type="checkbox"/>	
author_online	boolean		<input type="checkbox"/>	
author_ringId	string		<input type="checkbox"/>	
base64Content	string	Base64 Content	<input type="checkbox"/>	
charset	string	Charset	<input type="checkbox"/>	
comment_\$type	string		<input type="checkbox"/>	
comment_created	int64		<input type="checkbox"/>	
comment_deleted	boolean		<input type="checkbox"/>	
comment_id	string		<input type="checkbox"/>	
comment_text	string		<input type="checkbox"/>	
comment_textPreview	string		<input type="checkbox"/>	
comment_updated	int64		<input type="checkbox"/>	
comment_usesMarkdown	boolean		<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created_1	int64		<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
draft	boolean	Draft	<input type="checkbox"/>	
draftOwner_\$type	string		<input type="checkbox"/>	
draftOwner_avatarUrl	string		<input type="checkbox"/>	
draftOwner_banned	boolean		<input type="checkbox"/>	
draftOwner_email	string		<input type="checkbox"/>	
draftOwner.FullName	string		<input type="checkbox"/>	
draftOwner_guest	boolean		<input type="checkbox"/>	
draftOwner_id	string		<input type="checkbox"/>	
draftOwner_jabberAccountName	string		<input type="checkbox"/>	
draftOwner_login	string		<input type="checkbox"/>	
draftOwner_online	boolean		<input type="checkbox"/>	
draftOwner_profiles_\$type	string		<input type="checkbox"/>	
draftOwner_profiles_id	string		<input type="checkbox"/>	
draftOwner_ringId	string		<input type="checkbox"/>	
extension	string	Extension	<input type="checkbox"/>	
externalIssue_\$type	string		<input type="checkbox"/>	
externalIssue_id	string		<input type="checkbox"/>	
externalIssue_key	string		<input type="checkbox"/>	
externalIssue_name	string		<input type="checkbox"/>	
externalIssue_url	string		<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
issue_\$type	string		<input type="checkbox"/>	
issue_commentsCount	int32		<input type="checkbox"/>	
issue_created	int64		<input type="checkbox"/>	
issue_description	string		<input type="checkbox"/>	
issue_id	string		<input type="checkbox"/>	
issue_idReadable	string		<input type="checkbox"/>	
issue_isDraft	boolean		<input type="checkbox"/>	
issue_numberInProject	int64		<input type="checkbox"/>	
issue_resolved	int64		<input type="checkbox"/>	
issue_summary	string		<input type="checkbox"/>	
issue_updated	int64		<input type="checkbox"/>	
issue_usesMarkdown	boolean		<input type="checkbox"/>	
issue_votes	int32		<input type="checkbox"/>	
issue_wikifiedDescription	string		<input type="checkbox"/>	
metaData	string	Metadata	<input type="checkbox"/>	
contentType	string	MIME-type	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
parent_linkType_\$type	string		<input type="checkbox"/>	
parent_linkType_aggregation	boolean		<input type="checkbox"/>	
parent_linkType_directed	boolean		<input type="checkbox"/>	
parent_linkType_id	string		<input type="checkbox"/>	
parent_linkType_localizedName	string		<input type="checkbox"/>	
parent_linkType_localizedSourceToTarget	string		<input type="checkbox"/>	
parent_linkType_localizedTargetToSource	string		<input type="checkbox"/>	
parent_linkType_name	string		<input type="checkbox"/>	
parent_linkType_readOnly	boolean		<input type="checkbox"/>	
parent_linkType_sourceToTarget	string		<input type="checkbox"/>	
parent_linkType_targetToSource	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_createdBy_\$type	string		<input type="checkbox"/>	
project_createdBy_avatarUrl	string		<input type="checkbox"/>	
project_createdBy_banned	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
project_createdBy_email	string		<input type="checkbox"/>	
project_createdBy_fullName	string		<input type="checkbox"/>	
project_createdBy_guest	boolean		<input type="checkbox"/>	
project_createdBy_id	string		<input type="checkbox"/>	
project_createdBy_jabberAccountName	string		<input type="checkbox"/>	
project_createdBy_login	string		<input type="checkbox"/>	
project_createdBy_online	boolean		<input type="checkbox"/>	
project_createdBy_ringId	string		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_leader_\$type	string		<input type="checkbox"/>	
project_leader_avatarUrl	string		<input type="checkbox"/>	
project_leader_banned	boolean		<input type="checkbox"/>	
project_leader_email	string		<input type="checkbox"/>	
project_leader_fullName	string		<input type="checkbox"/>	
project_leader_guest	boolean		<input type="checkbox"/>	
project_leader_id	string		<input type="checkbox"/>	
project_leader_jabberAccountName	string		<input type="checkbox"/>	
project_leader_login	string		<input type="checkbox"/>	
project_leader_online	boolean		<input type="checkbox"/>	
project_leader_ringId	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_team_\$type	string		<input type="checkbox"/>	
project_team_allUsersGroup	boolean		<input type="checkbox"/>	
project_team_icon	string		<input type="checkbox"/>	
project_team_id	string		<input type="checkbox"/>	
project_team_name	string		<input type="checkbox"/>	
project_team_ringId	string		<input type="checkbox"/>	
project_team_usersCount	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
removed	boolean	Removed	<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter_fullName	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_profiles_\$type	string		<input type="checkbox"/>	
reporter_profiles_id	string		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
size	int64	Size	<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
subtasks_linkType_\$type	string		<input type="checkbox"/>	
subtasks_linkType_aggregation	boolean		<input type="checkbox"/>	
subtasks_linkType_directed	boolean		<input type="checkbox"/>	
subtasks_linkType_id	string		<input type="checkbox"/>	
subtasks_linkType_localizedName	string		<input type="checkbox"/>	
subtasks_linkType_localizedSourceToTarget	string		<input type="checkbox"/>	
subtasks_linkType_localizedTargetToSource	string		<input type="checkbox"/>	
subtasks_linkType_name	string		<input type="checkbox"/>	
subtasks_linkType_readOnly	boolean		<input type="checkbox"/>	
subtasks_linkType_sourceToTarget	string		<input type="checkbox"/>	
subtasks_linkType_targetToSource	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
thumbnailURL	string	Thumbnail (URL)	<input type="checkbox"/>	
updated_1	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater.FullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_profiles_\$type	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updater_profiles_id	string		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
url	string	URL	<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type_1	string		<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id_1	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

9.1.3 CommentAttachments

Catalog: YouTrack

Schema: Issues

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /issues

Insert YouTrack API URL: /issues

Update YouTrack API URL: /issues

Delete YouTrack API URL: /issues

Field Selection Method: NotRequired

Base Path: comments [*] .attachments [*]

Select YouTrack API Operation: get /issues

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function CommentAttachments. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four

parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
customFields	string	<input type="checkbox"/>		<p>The name of the custom field to show in the response. When you use this parameter and request the custom field data in the request URL, the response only shows the requested custom fields instead of all of them.</p><p>To show more than one custom field, use this parameter several times.</p><p>See Sample 2 for reference.</p>
query	string	<input type="checkbox"/>		Issues search query. Read more about search syntax here: Search Query Reference

Table Function Columns

The columns of the table function `CommentAttachments` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
author_\$type	string		<input type="checkbox"/>	
author_avatarUrl	string		<input type="checkbox"/>	
author_banned	boolean		<input type="checkbox"/>	
author_email	string		<input type="checkbox"/>	
author_fullName	string		<input type="checkbox"/>	
author_guest	boolean		<input type="checkbox"/>	
author_id	string		<input type="checkbox"/>	
author_jabberAccountName	string		<input type="checkbox"/>	
author_login	string		<input type="checkbox"/>	
author_online	boolean		<input type="checkbox"/>	
author_ringId	string		<input type="checkbox"/>	
base64Content	string	Base64 Content	<input type="checkbox"/>	
charset	string	Charset	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created_1	int64		<input type="checkbox"/>	
created_2	int64		<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
deleted	boolean	Deleted	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
draft	boolean	Draft	<input type="checkbox"/>	
draftOwner_\$type	string		<input type="checkbox"/>	
draftOwner_avatarUrl	string		<input type="checkbox"/>	
draftOwner_banned	boolean		<input type="checkbox"/>	
draftOwner_email	string		<input type="checkbox"/>	
draftOwner.FullName	string		<input type="checkbox"/>	
draftOwner_guest	boolean		<input type="checkbox"/>	
draftOwner_id	string		<input type="checkbox"/>	
draftOwner_jabberAccountName	string		<input type="checkbox"/>	
draftOwner_login	string		<input type="checkbox"/>	
draftOwner_online	boolean		<input type="checkbox"/>	
draftOwner_profiles_\$type	string		<input type="checkbox"/>	
draftOwner_profiles_id	string		<input type="checkbox"/>	
draftOwner_ringId	string		<input type="checkbox"/>	
extension	string	Extension	<input type="checkbox"/>	
externalIssue_\$type	string		<input type="checkbox"/>	
externalIssue_id	string		<input type="checkbox"/>	
externalIssue_key	string		<input type="checkbox"/>	
externalIssue_name	string		<input type="checkbox"/>	
externalIssue_url	string		<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
issue_\$type	string		<input type="checkbox"/>	
issue_commentsCount	int32		<input type="checkbox"/>	
issue_created	int64		<input type="checkbox"/>	
issue_description	string		<input type="checkbox"/>	
issue_id	string		<input type="checkbox"/>	
issue_idReadable	string		<input type="checkbox"/>	
issue_isDraft	boolean		<input type="checkbox"/>	
issue_numberInProject	int64		<input type="checkbox"/>	
issue_resolved	int64		<input type="checkbox"/>	
issue_summary	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
issue_updated	int64		<input type="checkbox"/>	
issue_usesMarkdown	boolean		<input type="checkbox"/>	
issue_votes	int32		<input type="checkbox"/>	
issue_wikitifiedDescription	string		<input type="checkbox"/>	
metaData	string	Metadata	<input type="checkbox"/>	
contentType	string	MIME-type	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
parent_linkType_\$type	string		<input type="checkbox"/>	
parent_linkType_aggregation	boolean		<input type="checkbox"/>	
parent_linkType_directed	boolean		<input type="checkbox"/>	
parent_linkType_id	string		<input type="checkbox"/>	
parent_linkType_localizedName	string		<input type="checkbox"/>	
parent_linkType_localizedSourceToTarget	string		<input type="checkbox"/>	
parent_linkType_localizedTargetToSource	string		<input type="checkbox"/>	
parent_linkType_name	string		<input type="checkbox"/>	
parent_linkType_readOnly	boolean		<input type="checkbox"/>	
parent_linkType_sourceToTarget	string		<input type="checkbox"/>	
parent_linkType_targetToSource	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_createdBy_\$type	string		<input type="checkbox"/>	
project_createdBy_avatarUrl	string		<input type="checkbox"/>	
project_createdBy_banned	boolean		<input type="checkbox"/>	
project_createdBy_email	string		<input type="checkbox"/>	
project_createdBy_fullName	string		<input type="checkbox"/>	
project_createdBy_guest	boolean		<input type="checkbox"/>	
project_createdBy_id	string		<input type="checkbox"/>	
project_createdBy_jabberAccountName	string		<input type="checkbox"/>	
project_createdBy_login	string		<input type="checkbox"/>	
project_createdBy_online	boolean		<input type="checkbox"/>	
project_createdBy_ringId	string		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_leader_\$type	string		<input type="checkbox"/>	
project_leader_avatarUrl	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
project_leader_banned	boolean		<input type="checkbox"/>	
project_leader_email	string		<input type="checkbox"/>	
project_leader.FullName	string		<input type="checkbox"/>	
project_leader_guest	boolean		<input type="checkbox"/>	
project_leader_id	string		<input type="checkbox"/>	
project_leader_jabberAccountName	string		<input type="checkbox"/>	
project_leader_login	string		<input type="checkbox"/>	
project_leader_online	boolean		<input type="checkbox"/>	
project_leader_ringId	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_team_\$type	string		<input type="checkbox"/>	
project_team_allUsersGroup	boolean		<input type="checkbox"/>	
project_team_icon	string		<input type="checkbox"/>	
project_team_id	string		<input type="checkbox"/>	
project_team_name	string		<input type="checkbox"/>	
project_team_ringId	string		<input type="checkbox"/>	
project_team_usersCount	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
removed	boolean	Removed	<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter_fullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_profiles_\$type	string		<input type="checkbox"/>	
reporter_profiles_id	string		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
size	int64	Size	<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
subtasks_linkType_\$type	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
subtasks_linkType_aggregation	boolean		<input type="checkbox"/>	
subtasks_linkType_directed	boolean		<input type="checkbox"/>	
subtasks_linkType_id	string		<input type="checkbox"/>	
subtasks_linkType_localizedName	string		<input type="checkbox"/>	
subtasks_linkType_localizedSourceToTarget	string		<input type="checkbox"/>	
subtasks_linkType_localizedTargetToSource	string		<input type="checkbox"/>	
subtasks_linkType_name	string		<input type="checkbox"/>	
subtasks_linkType_readOnly	boolean		<input type="checkbox"/>	
subtasks_linkType_sourceToTarget	string		<input type="checkbox"/>	
subtasks_linkType_targetToSource	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
text	string	Text	<input type="checkbox"/>	
textPreview	string	Text Preview	<input type="checkbox"/>	
thumbnailURL	string	Thumbnail (URL)	<input type="checkbox"/>	
updated_1	int64		<input type="checkbox"/>	
updated_2	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater.FullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_profiles_\$type	string		<input type="checkbox"/>	
updater_profiles_id	string		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
url	string	URL	<input type="checkbox"/>	
usesMarkdown_1	boolean		<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type_1	string		<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id_1	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
voters_id	string		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

9.1.4 CommentAttachmentsByIssueId

Catalog: YouTrack

Schema: Issues

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/issues/{id}`

Insert YouTrack API URL: `/issues/{id}`

Update YouTrack API URL: `/issues/{id}`

Delete YouTrack API URL: `/issues/{id}`

Field Selection Method: NotRequired

Base Path: `comments[*].attachments[*]`

Select YouTrack API Operation: get `/issues/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CommentAttachmentsByIssueId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `CommentAttachmentsByIssueId` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
author_\$type	string		<input type="checkbox"/>	
author_avatarUrl	string		<input type="checkbox"/>	
author_banned	boolean		<input type="checkbox"/>	
author_email	string		<input type="checkbox"/>	
author_fullName	string		<input type="checkbox"/>	
author_guest	boolean		<input type="checkbox"/>	
author_id	string		<input type="checkbox"/>	
author_jabberAccountName	string		<input type="checkbox"/>	
author_login	string		<input type="checkbox"/>	
author_online	boolean		<input type="checkbox"/>	
author_ringId	string		<input type="checkbox"/>	
base64Content	string	Base64 Content	<input type="checkbox"/>	
charset	string	Charset	<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created_1	int64		<input type="checkbox"/>	
created_2	int64		<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
deleted	boolean	Deleted	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
draft	boolean	Draft	<input type="checkbox"/>	
draftOwner_\$type	string		<input type="checkbox"/>	
draftOwner_avatarUrl	string		<input type="checkbox"/>	
draftOwner_banned	boolean		<input type="checkbox"/>	
draftOwner_email	string		<input type="checkbox"/>	
draftOwner_fullName	string		<input type="checkbox"/>	
draftOwner_guest	boolean		<input type="checkbox"/>	
draftOwner_id	string		<input type="checkbox"/>	
draftOwner_jabberAccountName	string		<input type="checkbox"/>	
draftOwner_login	string		<input type="checkbox"/>	
draftOwner_online	boolean		<input type="checkbox"/>	
draftOwner_profiles_\$type	string		<input type="checkbox"/>	
draftOwner_profiles_id	string		<input type="checkbox"/>	
draftOwner_ringId	string		<input type="checkbox"/>	
extension	string	Extension	<input type="checkbox"/>	
externalIssue_\$type	string		<input type="checkbox"/>	
externalIssue_id	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
externallssue_key	string		<input type="checkbox"/>	
externallssue_name	string		<input type="checkbox"/>	
externallssue_url	string		<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
issue_\$type	string		<input type="checkbox"/>	
issue_commentsCount	int32		<input type="checkbox"/>	
issue_created	int64		<input type="checkbox"/>	
issue_description	string		<input type="checkbox"/>	
issue_id	string		<input type="checkbox"/>	
issue_idReadable	string		<input type="checkbox"/>	
issue_isDraft	boolean		<input type="checkbox"/>	
issue_numberInProject	int64		<input type="checkbox"/>	
issue_resolved	int64		<input type="checkbox"/>	
issue_summary	string		<input type="checkbox"/>	
issue_updated	int64		<input type="checkbox"/>	
issue_usesMarkdow n	boolean		<input type="checkbox"/>	
issue_votes	int32		<input type="checkbox"/>	
issue_w ikifiedDescription	string		<input type="checkbox"/>	
metaData	string	Metadata	<input type="checkbox"/>	
mimeType	string	MIME-type	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
parent_linkType_\$type	string		<input type="checkbox"/>	
parent_linkType_aggregation	boolean		<input type="checkbox"/>	
parent_linkType_directed	boolean		<input type="checkbox"/>	
parent_linkType_id	string		<input type="checkbox"/>	
parent_linkType_localizedName	string		<input type="checkbox"/>	
parent_linkType_localizedSourceT oTarget	string		<input type="checkbox"/>	
parent_linkType_localizedTargetTo Source	string		<input type="checkbox"/>	
parent_linkType_name	string		<input type="checkbox"/>	
parent_linkType_readOnly	boolean		<input type="checkbox"/>	
parent_linkType_sourceToTarget	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
parent_linkType_targetToSource	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_createdBy_\$type	string		<input type="checkbox"/>	
project_createdBy_avatarUrl	string		<input type="checkbox"/>	
project_createdBy_banned	boolean		<input type="checkbox"/>	
project_createdBy_email	string		<input type="checkbox"/>	
project_createdBy.FullName	string		<input type="checkbox"/>	
project_createdBy_guest	boolean		<input type="checkbox"/>	
project_createdBy_id	string		<input type="checkbox"/>	
project_createdBy_jabberAccountName	string		<input type="checkbox"/>	
project_createdBy_login	string		<input type="checkbox"/>	
project_createdBy_online	boolean		<input type="checkbox"/>	
project_createdBy_ringId	string		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_leader_\$type	string		<input type="checkbox"/>	
project_leader_avatarUrl	string		<input type="checkbox"/>	
project_leader_banned	boolean		<input type="checkbox"/>	
project_leader_email	string		<input type="checkbox"/>	
project_leader.FullName	string		<input type="checkbox"/>	
project_leader_guest	boolean		<input type="checkbox"/>	
project_leader_id	string		<input type="checkbox"/>	
project_leader_jabberAccountName	string		<input type="checkbox"/>	
project_leader_login	string		<input type="checkbox"/>	
project_leader_online	boolean		<input type="checkbox"/>	
project_leader_ringId	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_team_\$type	string		<input type="checkbox"/>	
project_team_allUsersGroup	boolean		<input type="checkbox"/>	
project_team_icon	string		<input type="checkbox"/>	
project_team_id	string		<input type="checkbox"/>	
project_team_name	string		<input type="checkbox"/>	
project_team_ringId	string		<input type="checkbox"/>	
project_team_usersCount	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
removed	boolean	Removed	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter.FullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_profiles_\$type	string		<input type="checkbox"/>	
reporter_profiles_id	string		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
size	int64	Size	<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
subtasks_linkType_\$type	string		<input type="checkbox"/>	
subtasks_linkType_aggregation	boolean		<input type="checkbox"/>	
subtasks_linkType_directed	boolean		<input type="checkbox"/>	
subtasks_linkType_id	string		<input type="checkbox"/>	
subtasks_linkType_localizedName	string		<input type="checkbox"/>	
subtasks_linkType_localizedSourceToTarget	string		<input type="checkbox"/>	
subtasks_linkType_localizedTargetToSource	string		<input type="checkbox"/>	
subtasks_linkType_name	string		<input type="checkbox"/>	
subtasks_linkType_readOnly	boolean		<input type="checkbox"/>	
subtasks_linkType_sourceToTarget	string		<input type="checkbox"/>	
subtasks_linkType_targetToSource	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
text	string	Text	<input type="checkbox"/>	
textPreview	string	Text Preview	<input type="checkbox"/>	
thumbnailURL	string	Thumbnail (URL)	<input type="checkbox"/>	
updated_1	int64		<input type="checkbox"/>	
updated_2	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updater_email	string		<input type="checkbox"/>	
updater.FullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_profiles_\$type	string		<input type="checkbox"/>	
updater_profiles_id	string		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
url	string	URL	<input type="checkbox"/>	
usesMarkdown_1	boolean		<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type_1	string		<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id_1	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

9.1.5 Comments

Catalog: YouTrack

Schema: Issues

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /issues

Insert YouTrack API URL: /issues

Update YouTrack API URL: /issues

Delete YouTrack API URL: /issues

Field Selection Method: NotRequired

Base Path: comments [*]

Select YouTrack API Operation: get /issues

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function Comments. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
customFields	string	<input type="checkbox"/>		<p>The name of the custom field to show in the response. When you use this parameter and request the custom field data in the request URL, the response only shows the requested custom fields instead of all of them.</p><p>To show more than one custom field, use this parameter several times.</p><p>See Sample 2 for reference.</p>
query	string	<input type="checkbox"/>		Issues search query. Read more about search syntax here: Search Query Reference

Table Function Columns

The columns of the table function Comments are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
author_\$type	string		<input type="checkbox"/>	
author_avatarUrl	string		<input type="checkbox"/>	
author_banned	boolean		<input type="checkbox"/>	
author_email	string		<input type="checkbox"/>	
author_fullName	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
author_guest	boolean		<input type="checkbox"/>	
author_id	string		<input type="checkbox"/>	
author_jabberAccountName	string		<input type="checkbox"/>	
author_login	string		<input type="checkbox"/>	
author_online	boolean		<input type="checkbox"/>	
author_ringId	string		<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created_1	int64		<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
deleted	boolean	Deleted	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
draftOwner_\$type	string		<input type="checkbox"/>	
draftOwner_avatarUrl	string		<input type="checkbox"/>	
draftOwner_banned	boolean		<input type="checkbox"/>	
draftOwner_email	string		<input type="checkbox"/>	
draftOwner.FullName	string		<input type="checkbox"/>	
draftOwner_guest	boolean		<input type="checkbox"/>	
draftOwner_id	string		<input type="checkbox"/>	
draftOwner_jabberAccountName	string		<input type="checkbox"/>	
draftOwner_login	string		<input type="checkbox"/>	
draftOwner_online	boolean		<input type="checkbox"/>	
draftOwner_profiles_\$type	string		<input type="checkbox"/>	
draftOwner_profiles_id	string		<input type="checkbox"/>	
draftOwner_ringId	string		<input type="checkbox"/>	
externalIssue_\$type	string		<input type="checkbox"/>	
externalIssue_id	string		<input type="checkbox"/>	
externalIssue_key	string		<input type="checkbox"/>	
externalIssue_name	string		<input type="checkbox"/>	
externalIssue_url	string		<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
issue_\$type	string		<input type="checkbox"/>	
issue_commentsCount	int32		<input type="checkbox"/>	
issue_created	int64		<input type="checkbox"/>	
issue_description	string		<input type="checkbox"/>	
issue_id	string		<input type="checkbox"/>	
issue_idReadable	string		<input type="checkbox"/>	
issue_isDraft	boolean		<input type="checkbox"/>	
issue_numberInProject	int64		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
issue_resolved	int64		<input type="checkbox"/>	
issue_summary	string		<input type="checkbox"/>	
issue_updated	int64		<input type="checkbox"/>	
issue_usesMarkdown	boolean		<input type="checkbox"/>	
issue_votes	int32		<input type="checkbox"/>	
issue_wikitifiedDescription	string		<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
parent_linkType_\$type	string		<input type="checkbox"/>	
parent_linkType_aggregation	boolean		<input type="checkbox"/>	
parent_linkType_directed	boolean		<input type="checkbox"/>	
parent_linkType_id	string		<input type="checkbox"/>	
parent_linkType_localizedName	string		<input type="checkbox"/>	
parent_linkType_localizedSourceToTarget	string		<input type="checkbox"/>	
parent_linkType_localizedTargetToSource	string		<input type="checkbox"/>	
parent_linkType_name	string		<input type="checkbox"/>	
parent_linkType_readOnly	boolean		<input type="checkbox"/>	
parent_linkType_sourceToTarget	string		<input type="checkbox"/>	
parent_linkType_targetToSource	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_createdBy_\$type	string		<input type="checkbox"/>	
project_createdBy_avatarUrl	string		<input type="checkbox"/>	
project_createdBy_banned	boolean		<input type="checkbox"/>	
project_createdBy_email	string		<input type="checkbox"/>	
project_createdBy_fullName	string		<input type="checkbox"/>	
project_createdBy_guest	boolean		<input type="checkbox"/>	
project_createdBy_id	string		<input type="checkbox"/>	
project_createdBy_jabberAccountName	string		<input type="checkbox"/>	
project_createdBy_login	string		<input type="checkbox"/>	
project_createdBy_online	boolean		<input type="checkbox"/>	
project_createdBy_ringId	string		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_leader_\$type	string		<input type="checkbox"/>	
project_leader_avatarUrl	string		<input type="checkbox"/>	
project_leader_banned	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
project_leader_email	string		<input type="checkbox"/>	
project_leader.FullName	string		<input type="checkbox"/>	
project_leader_guest	boolean		<input type="checkbox"/>	
project_leader_id	string		<input type="checkbox"/>	
project_leader_jabberAccountName	string		<input type="checkbox"/>	
project_leader_login	string		<input type="checkbox"/>	
project_leader_online	boolean		<input type="checkbox"/>	
project_leader_ringId	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_team_\$type	string		<input type="checkbox"/>	
project_team_allUsersGroup	boolean		<input type="checkbox"/>	
project_team_icon	string		<input type="checkbox"/>	
project_team_id	string		<input type="checkbox"/>	
project_team_name	string		<input type="checkbox"/>	
project_team_ringId	string		<input type="checkbox"/>	
project_team_usersCount	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter.FullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_profiles_\$type	string		<input type="checkbox"/>	
reporter_profiles_id	string		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
subtasks_linkType_\$type	string		<input type="checkbox"/>	
subtasks_linkType_aggregation	boolean		<input type="checkbox"/>	
subtasks_linkType_directed	boolean		<input type="checkbox"/>	
subtasks_linkType_id	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
subtasks_linkType_localizedName	string		<input type="checkbox"/>	
subtasks_linkType_localizedSourceToTarget	string		<input type="checkbox"/>	
subtasks_linkType_localizedTargetToSource	string		<input type="checkbox"/>	
subtasks_linkType_name	string		<input type="checkbox"/>	
subtasks_linkType_readOnly	boolean		<input type="checkbox"/>	
subtasks_linkType_sourceToTarget	string		<input type="checkbox"/>	
subtasks_linkType_targetToSource	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
text	string	Text	<input type="checkbox"/>	
textPreview	string	Text Preview	<input type="checkbox"/>	
updated_1	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater.FullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_profiles_\$type	string		<input type="checkbox"/>	
updater_profiles_id	string		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
usesMarkdown_1	boolean		<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type_1	string		<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id_1	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

9.1.6 CommentsByIssueId

Catalog: YouTrack

Schema: Issues

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/issues/{id}`

Insert YouTrack API URL: `/issues/{id}`

Update YouTrack API URL: `/issues/{id}`

Delete YouTrack API URL: `/issues/{id}`

Field Selection Method: NotRequired

Base Path: `comments[*]`

Select YouTrack API Operation: `get /issues/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CommentsByIssueId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `'select * from table(value1, value2, value3)'` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `'select * from table(name1 => value1, name3 => value3)'` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
<code>id</code>	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `CommentsByIssueId` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
<code>\$type_1</code>	string		<input type="checkbox"/>	
<code>\$type</code>	string		<input type="checkbox"/>	
<code>author_\$type</code>	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
author_avatarUrl	string		<input type="checkbox"/>	
author_banned	boolean		<input type="checkbox"/>	
author_email	string		<input type="checkbox"/>	
author.FullName	string		<input type="checkbox"/>	
author_guest	boolean		<input type="checkbox"/>	
author_id	string		<input type="checkbox"/>	
author_jabberAccountName	string		<input type="checkbox"/>	
author_login	string		<input type="checkbox"/>	
author_online	boolean		<input type="checkbox"/>	
author_ringId	string		<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created_1	int64		<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
deleted	boolean	Deleted	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
draftOwner_\$type	string		<input type="checkbox"/>	
draftOwner_avatarUrl	string		<input type="checkbox"/>	
draftOwner_banned	boolean		<input type="checkbox"/>	
draftOwner_email	string		<input type="checkbox"/>	
draftOwner.FullName	string		<input type="checkbox"/>	
draftOwner_guest	boolean		<input type="checkbox"/>	
draftOwner_id	string		<input type="checkbox"/>	
draftOwner_jabberAccountName	string		<input type="checkbox"/>	
draftOwner_login	string		<input type="checkbox"/>	
draftOwner_online	boolean		<input type="checkbox"/>	
draftOwner_profiles_\$type	string		<input type="checkbox"/>	
draftOwner_profiles_id	string		<input type="checkbox"/>	
draftOwner_ringId	string		<input type="checkbox"/>	
externalIssue_\$type	string		<input type="checkbox"/>	
externalIssue_id	string		<input type="checkbox"/>	
externalIssue_key	string		<input type="checkbox"/>	
externalIssue_name	string		<input type="checkbox"/>	
externalIssue_url	string		<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
issue_\$type	string		<input type="checkbox"/>	
issue_commentsCount	int32		<input type="checkbox"/>	
issue_created	int64		<input type="checkbox"/>	
issue_description	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
issue_id	string		<input type="checkbox"/>	
issue_idReadable	string		<input type="checkbox"/>	
issue_isDraft	boolean		<input type="checkbox"/>	
issue_numberInProject	int64		<input type="checkbox"/>	
issue_resolved	int64		<input type="checkbox"/>	
issue_summary	string		<input type="checkbox"/>	
issue_updated	int64		<input type="checkbox"/>	
issue_usesMarkdown	boolean		<input type="checkbox"/>	
issue_votes	int32		<input type="checkbox"/>	
issue_wikifiedDescription	string		<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
parent_linkType_\$type	string		<input type="checkbox"/>	
parent_linkType_aggregation	boolean		<input type="checkbox"/>	
parent_linkType_directed	boolean		<input type="checkbox"/>	
parent_linkType_id	string		<input type="checkbox"/>	
parent_linkType_localizedName	string		<input type="checkbox"/>	
parent_linkType_localizedSourceToTarget	string		<input type="checkbox"/>	
parent_linkType_localizedTargetToSource	string		<input type="checkbox"/>	
parent_linkType_name	string		<input type="checkbox"/>	
parent_linkType_readOnly	boolean		<input type="checkbox"/>	
parent_linkType_sourceToTarget	string		<input type="checkbox"/>	
parent_linkType_targetToSource	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_createdBy_\$type	string		<input type="checkbox"/>	
project_createdBy_avatarUrl	string		<input type="checkbox"/>	
project_createdBy_banned	boolean		<input type="checkbox"/>	
project_createdBy_email	string		<input type="checkbox"/>	
project_createdBy_fullName	string		<input type="checkbox"/>	
project_createdBy_guest	boolean		<input type="checkbox"/>	
project_createdBy_id	string		<input type="checkbox"/>	
project_createdBy_jabberAccountName	string		<input type="checkbox"/>	
project_createdBy_login	string		<input type="checkbox"/>	
project_createdBy_online	boolean		<input type="checkbox"/>	
project_createdBy_ringId	string		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
project_iconUrl	string		<input type="checkbox"/>	
project_leader_\$type	string		<input type="checkbox"/>	
project_leader_avatarUrl	string		<input type="checkbox"/>	
project_leader_banned	boolean		<input type="checkbox"/>	
project_leader_email	string		<input type="checkbox"/>	
project_leader.FullName	string		<input type="checkbox"/>	
project_leader_guest	boolean		<input type="checkbox"/>	
project_leader_id	string		<input type="checkbox"/>	
project_leader_jabberAccountName	string		<input type="checkbox"/>	
project_leader_login	string		<input type="checkbox"/>	
project_leader_online	boolean		<input type="checkbox"/>	
project_leader_ringId	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_team_\$type	string		<input type="checkbox"/>	
project_team_allUsersGroup	boolean		<input type="checkbox"/>	
project_team_icon	string		<input type="checkbox"/>	
project_team_id	string		<input type="checkbox"/>	
project_team_name	string		<input type="checkbox"/>	
project_team_ringId	string		<input type="checkbox"/>	
project_team_usersCount	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter.FullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_profiles_\$type	string		<input type="checkbox"/>	
reporter_profiles_id	string		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
subtasks_linkType_\$type	string		<input type="checkbox"/>	
subtasks_linkType_aggregation	boolean		<input type="checkbox"/>	
subtasks_linkType_directed	boolean		<input type="checkbox"/>	
subtasks_linkType_id	string		<input type="checkbox"/>	
subtasks_linkType_localizedName	string		<input type="checkbox"/>	
subtasks_linkType_localizedSourceToTarget	string		<input type="checkbox"/>	
subtasks_linkType_localizedTargetToSource	string		<input type="checkbox"/>	
subtasks_linkType_name	string		<input type="checkbox"/>	
subtasks_linkType_readOnly	boolean		<input type="checkbox"/>	
subtasks_linkType_sourceToTarget	string		<input type="checkbox"/>	
subtasks_linkType_targetToSource	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
text	string	Text	<input type="checkbox"/>	
textPreview	string	Text Preview	<input type="checkbox"/>	
updated_1	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater.FullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_profiles_\$type	string		<input type="checkbox"/>	
updater_profiles_id	string		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
usesMarkdown_1	boolean		<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type_1	string		<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id_1	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

9.1.7 CustomFields

Catalog: YouTrack

Schema: Issues

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/issues`

Insert YouTrack API URL: `/issues`

Update YouTrack API URL: `/issues`

Delete YouTrack API URL: `/issues`

Field Selection Method: NotRequired

Base Path: `customFields [*]`

Select YouTrack API Operation: get `/issues`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `CustomFields`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `'select * from table(value1, value2, value3)'` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `'select * from table(name1 => value1, name3 => value3)'` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
customFields	string	<input type="checkbox"/>		<p><p>The name of the custom field to show in the response. When you use this parameter and request the custom field data in the request URL, the response only shows the requested custom fields instead of all of them.</p><p>To show more than</p>

Name	Data Type	Required	Default Value	Documentation
				one custom field, use this parameter several times.</p><p>See Sample 2 for reference.</p>
query	string	<input type="checkbox"/>		Issues search query. Read more about search syntax here: Search Query Reference

Table Function Columns

The columns of the table function `CustomFields` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
draftOwner_\$type	string		<input type="checkbox"/>	
draftOwner_avatarUrl	string		<input type="checkbox"/>	
draftOwner_banned	boolean		<input type="checkbox"/>	
draftOwner_email	string		<input type="checkbox"/>	
draftOwner.FullName	string		<input type="checkbox"/>	
draftOwner_guest	boolean		<input type="checkbox"/>	
draftOwner_id	string		<input type="checkbox"/>	
draftOwner_jabberAccountName	string		<input type="checkbox"/>	
draftOwner_login	string		<input type="checkbox"/>	
draftOwner_online	boolean		<input type="checkbox"/>	
draftOwner_profiles_\$type	string		<input type="checkbox"/>	
draftOwner_profiles_id	string		<input type="checkbox"/>	
draftOwner_ringId	string		<input type="checkbox"/>	
externalIssue_\$type	string		<input type="checkbox"/>	
externalIssue_id	string		<input type="checkbox"/>	
externalIssue_key	string		<input type="checkbox"/>	
externalIssue_name	string		<input type="checkbox"/>	
externalIssue_url	string		<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
parent_linkType_\$type	string		<input type="checkbox"/>	
parent_linkType_aggregation	boolean		<input type="checkbox"/>	
parent_linkType_directed	boolean		<input type="checkbox"/>	
parent_linkType_id	string		<input type="checkbox"/>	
parent_linkType_localizedName	string		<input type="checkbox"/>	
parent_linkType_localizedSourceToTarget	string		<input type="checkbox"/>	
parent_linkType_localizedTargetToSource	string		<input type="checkbox"/>	
parent_linkType_name	string		<input type="checkbox"/>	
parent_linkType_readOnly	boolean		<input type="checkbox"/>	
parent_linkType_sourceToTarget	string		<input type="checkbox"/>	
parent_linkType_targetToSource	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_createdBy_\$type	string		<input type="checkbox"/>	
project_createdBy_avatarUrl	string		<input type="checkbox"/>	
project_createdBy_banned	boolean		<input type="checkbox"/>	
project_createdBy_email	string		<input type="checkbox"/>	
project_createdBy.FullName	string		<input type="checkbox"/>	
project_createdBy_guest	boolean		<input type="checkbox"/>	
project_createdBy_id	string		<input type="checkbox"/>	
project_createdBy_jabberAccountName	string		<input type="checkbox"/>	
project_createdBy_login	string		<input type="checkbox"/>	
project_createdBy_online	boolean		<input type="checkbox"/>	
project_createdBy_ringId	string		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_leader_\$type	string		<input type="checkbox"/>	
project_leader_avatarUrl	string		<input type="checkbox"/>	
project_leader_banned	boolean		<input type="checkbox"/>	
project_leader_email	string		<input type="checkbox"/>	
project_leader.FullName	string		<input type="checkbox"/>	
project_leader_guest	boolean		<input type="checkbox"/>	
project_leader_id	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
project_leader_jabberAccountName	string		<input type="checkbox"/>	
project_leader_login	string		<input type="checkbox"/>	
project_leader_online	boolean		<input type="checkbox"/>	
project_leader_ringId	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_team_\$type	string		<input type="checkbox"/>	
project_team_allUsersGroup	boolean		<input type="checkbox"/>	
project_team_icon	string		<input type="checkbox"/>	
project_team_id	string		<input type="checkbox"/>	
project_team_name	string		<input type="checkbox"/>	
project_team_ringId	string		<input type="checkbox"/>	
project_team_usersCount	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
projectCustomField_\$type	string		<input type="checkbox"/>	
projectCustomField_canBeEmpty	boolean		<input type="checkbox"/>	
projectCustomField_emptyFieldText	string		<input type="checkbox"/>	
projectCustomField_hasRunningJob	boolean		<input type="checkbox"/>	
projectCustomField_id	string		<input type="checkbox"/>	
projectCustomField_isPublic	boolean		<input type="checkbox"/>	
projectCustomField_ordinal	int32		<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter.FullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_profiles_\$type	string		<input type="checkbox"/>	
reporter_profiles_id	string		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
subtasks_linkType_\$type	string		<input type="checkbox"/>	
subtasks_linkType_aggregation	boolean		<input type="checkbox"/>	
subtasks_linkType_directed	boolean		<input type="checkbox"/>	
subtasks_linkType_id	string		<input type="checkbox"/>	
subtasks_linkType_localizedName	string		<input type="checkbox"/>	
subtasks_linkType_localizedSourceToTarget	string		<input type="checkbox"/>	
subtasks_linkType_localizedTargetToSource	string		<input type="checkbox"/>	
subtasks_linkType_name	string		<input type="checkbox"/>	
subtasks_linkType_readOnly	boolean		<input type="checkbox"/>	
subtasks_linkType_sourceToTarget	string		<input type="checkbox"/>	
subtasks_linkType_targetToSource	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater.FullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_profiles_\$type	string		<input type="checkbox"/>	
updater_profiles_id	string		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

9.1.8 CustomFieldsByIssueId

Catalog: YouTrack

Schema: Issues

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /issues/{id}

Insert YouTrack API URL: /issues/{id}

Update YouTrack API URL: /issues/{id}

Delete YouTrack API URL: /issues/{id}

Field Selection Method: NotRequired

Base Path: customFields [*]

Select YouTrack API Operation: get /issues/{id}

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function CustomFieldsByIssueId. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function CustomFieldsByIssueId are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
draftOw ner_\$type	string		<input type="checkbox"/>	
draftOw ner_avatarUrl	string		<input type="checkbox"/>	
draftOw ner_banned	boolean		<input type="checkbox"/>	
draftOw ner_email	string		<input type="checkbox"/>	
draftOw ner_fullName	string		<input type="checkbox"/>	
draftOw ner_guest	boolean		<input type="checkbox"/>	
draftOw ner_id	string		<input type="checkbox"/>	
draftOw ner_jabberAccountName	string		<input type="checkbox"/>	
draftOw ner_login	string		<input type="checkbox"/>	
draftOw ner_online	boolean		<input type="checkbox"/>	
draftOw ner_profiles_\$type	string		<input type="checkbox"/>	
draftOw ner_profiles_id	string		<input type="checkbox"/>	
draftOw ner_ringId	string		<input type="checkbox"/>	
externallssue_\$type	string		<input type="checkbox"/>	
externallssue_id	string		<input type="checkbox"/>	
externallssue_key	string		<input type="checkbox"/>	
externallssue_name	string		<input type="checkbox"/>	
externallssue_url	string		<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
parent_linkType_\$type	string		<input type="checkbox"/>	
parent_linkType_aggregation	boolean		<input type="checkbox"/>	
parent_linkType_directed	boolean		<input type="checkbox"/>	
parent_linkType_id	string		<input type="checkbox"/>	
parent_linkType_localizedName	string		<input type="checkbox"/>	
parent_linkType_localizedSourceToTarget	string		<input type="checkbox"/>	
parent_linkType_localizedTargetToSource	string		<input type="checkbox"/>	
parent_linkType_name	string		<input type="checkbox"/>	
parent_linkType_readOnly	boolean		<input type="checkbox"/>	
parent_linkType_sourceToTarget	string		<input type="checkbox"/>	
parent_linkType_targetToSource	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
project_createdBy_\$type	string		<input type="checkbox"/>	
project_createdBy_avatarUrl	string		<input type="checkbox"/>	
project_createdBy_banned	boolean		<input type="checkbox"/>	
project_createdBy_email	string		<input type="checkbox"/>	
project_createdBy.FullName	string		<input type="checkbox"/>	
project_createdBy_guest	boolean		<input type="checkbox"/>	
project_createdBy_id	string		<input type="checkbox"/>	
project_createdBy_jabberAccountName	string		<input type="checkbox"/>	
project_createdBy_login	string		<input type="checkbox"/>	
project_createdBy_online	boolean		<input type="checkbox"/>	
project_createdBy_ringId	string		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_leader_\$type	string		<input type="checkbox"/>	
project_leader_avatarUrl	string		<input type="checkbox"/>	
project_leader_banned	boolean		<input type="checkbox"/>	
project_leader_email	string		<input type="checkbox"/>	
project_leader.FullName	string		<input type="checkbox"/>	
project_leader_guest	boolean		<input type="checkbox"/>	
project_leader_id	string		<input type="checkbox"/>	
project_leader_jabberAccountName	string		<input type="checkbox"/>	
project_leader_login	string		<input type="checkbox"/>	
project_leader_online	boolean		<input type="checkbox"/>	
project_leader_ringId	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_team_\$type	string		<input type="checkbox"/>	
project_team_allUsersGroup	boolean		<input type="checkbox"/>	
project_team_icon	string		<input type="checkbox"/>	
project_team_id	string		<input type="checkbox"/>	
project_team_name	string		<input type="checkbox"/>	
project_team_ringId	string		<input type="checkbox"/>	
project_team_usersCount	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
projectCustomField_\$type	string		<input type="checkbox"/>	
projectCustomField_canBeEmpty	boolean		<input type="checkbox"/>	
projectCustomField_emptyFieldText	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
projectCustomField_hasRunningJob	boolean		<input type="checkbox"/>	
projectCustomField_id	string		<input type="checkbox"/>	
projectCustomField_isPublic	boolean		<input type="checkbox"/>	
projectCustomField_ordinal	int32		<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter.FullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_profiles_\$type	string		<input type="checkbox"/>	
reporter_profiles_id	string		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
subtasks_linkType_\$type	string		<input type="checkbox"/>	
subtasks_linkType_aggregation	boolean		<input type="checkbox"/>	
subtasks_linkType_directed	boolean		<input type="checkbox"/>	
subtasks_linkType_id	string		<input type="checkbox"/>	
subtasks_linkType_localizedName	string		<input type="checkbox"/>	
subtasks_linkType_localizedSourceToTarget	string		<input type="checkbox"/>	
subtasks_linkType_localizedTargetToSource	string		<input type="checkbox"/>	
subtasks_linkType_name	string		<input type="checkbox"/>	
subtasks_linkType_readOnly	boolean		<input type="checkbox"/>	
subtasks_linkType_sourceToTarget	string		<input type="checkbox"/>	
subtasks_linkType_targetToSource	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updater_fullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_profiles_\$type	string		<input type="checkbox"/>	
updater_profiles_id	string		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

9.1.9 IssueById

Catalog: YouTrack

Schema: Issues

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /issues/{id}

Insert YouTrack API URL: /issues/{id}

Update YouTrack API URL: /issues/{id}

Delete YouTrack API URL: /issues/{id}

Field Selection Method: NotRequired

Select YouTrack API Operation: get /issues/{id}

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function IssueById. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-

defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `IssueById` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
draftOwner_\$type	string		<input type="checkbox"/>	
draftOwner_avatarUrl	string		<input type="checkbox"/>	
draftOwner_banned	boolean		<input type="checkbox"/>	
draftOwner_email	string		<input type="checkbox"/>	
draftOwner_fullName	string		<input type="checkbox"/>	
draftOwner_guest	boolean		<input type="checkbox"/>	
draftOwner_id	string		<input type="checkbox"/>	
draftOwner_jabberAccountName	string		<input type="checkbox"/>	
draftOwner_login	string		<input type="checkbox"/>	
draftOwner_online	boolean		<input type="checkbox"/>	
draftOwner_profiles_\$type	string		<input type="checkbox"/>	
draftOwner_profiles_id	string		<input type="checkbox"/>	
draftOwner_ringId	string		<input type="checkbox"/>	
externalIssue_\$type	string		<input type="checkbox"/>	
externalIssue_id	string		<input type="checkbox"/>	
externalIssue_key	string		<input type="checkbox"/>	
externalIssue_name	string		<input type="checkbox"/>	
externalIssue_url	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
isDraft	boolean	Is Draft	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
parent_linkType_\$type	string		<input type="checkbox"/>	
parent_linkType_aggregation	boolean		<input type="checkbox"/>	
parent_linkType_directed	boolean		<input type="checkbox"/>	
parent_linkType_id	string		<input type="checkbox"/>	
parent_linkType_localizedName	string		<input type="checkbox"/>	
parent_linkType_localizedSourceToTarget	string		<input type="checkbox"/>	
parent_linkType_localizedTargetToSource	string		<input type="checkbox"/>	
parent_linkType_name	string		<input type="checkbox"/>	
parent_linkType_readOnly	boolean		<input type="checkbox"/>	
parent_linkType_sourceToTarget	string		<input type="checkbox"/>	
parent_linkType_targetToSource	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_createdBy_\$type	string		<input type="checkbox"/>	
project_createdBy_avatarUrl	string		<input type="checkbox"/>	
project_createdBy_banned	boolean		<input type="checkbox"/>	
project_createdBy_email	string		<input type="checkbox"/>	
project_createdBy.FullName	string		<input type="checkbox"/>	
project_createdBy_guest	boolean		<input type="checkbox"/>	
project_createdBy_id	string		<input type="checkbox"/>	
project_createdBy_jabberAccountName	string		<input type="checkbox"/>	
project_createdBy_login	string		<input type="checkbox"/>	
project_createdBy_online	boolean		<input type="checkbox"/>	
project_createdBy_ringId	string		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_leader_\$type	string		<input type="checkbox"/>	
project_leader_avatarUrl	string		<input type="checkbox"/>	
project_leader_banned	boolean		<input type="checkbox"/>	
project_leader_email	string		<input type="checkbox"/>	
project_leader.FullName	string		<input type="checkbox"/>	
project_leader_guest	boolean		<input type="checkbox"/>	
project_leader_id	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
project_leader_jabberAccountName	string		<input type="checkbox"/>	
project_leader_login	string		<input type="checkbox"/>	
project_leader_online	boolean		<input type="checkbox"/>	
project_leader_ringId	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_team_\$type	string		<input type="checkbox"/>	
project_team_allUsersGroup	boolean		<input type="checkbox"/>	
project_team_icon	string		<input type="checkbox"/>	
project_team_id	string		<input type="checkbox"/>	
project_team_name	string		<input type="checkbox"/>	
project_team_ringId	string		<input type="checkbox"/>	
project_team_usersCount	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter.FullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_profiles_\$type	string		<input type="checkbox"/>	
reporter_profiles_id	string		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
subtasks_linkType_\$type	string		<input type="checkbox"/>	
subtasks_linkType_aggregation	boolean		<input type="checkbox"/>	
subtasks_linkType_directed	boolean		<input type="checkbox"/>	
subtasks_linkType_id	string		<input type="checkbox"/>	
subtasks_linkType_localizedName	string		<input type="checkbox"/>	
subtasks_linkType_localizedSourceToTarget	string		<input type="checkbox"/>	
subtasks_linkType_localizedTargetToSource	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
subtasks_linkType_name	string		<input type="checkbox"/>	
subtasks_linkType_readOnly	boolean		<input type="checkbox"/>	
subtasks_linkType_sourceToTarget	string		<input type="checkbox"/>	
subtasks_linkType_targetToSource	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater.FullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_profiles_\$type	string		<input type="checkbox"/>	
updater_profiles_id	string		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

9.1.10 IssueLinksByIssueId

Catalog: YouTrack

Schema: Issues

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /issues/{id}/links

Insert YouTrack API URL: /issues/{id}/links

Update YouTrack API URL: /issues/{id}/links

Delete YouTrack API URL: /issues/{id}/links

Field Selection Method: NotRequired

Select YouTrack API Operation: get /issues/{id}/links

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `IssueLinksByIssueId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `IssueLinksByIssueId` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
direction	string	Direction	<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
linkType_\$type	string		<input type="checkbox"/>	
linkType_aggregation	boolean		<input type="checkbox"/>	
linkType_directed	boolean		<input type="checkbox"/>	
linkType_id	string		<input type="checkbox"/>	
linkType_localizedName	string		<input type="checkbox"/>	
linkType_localizedSourceToTarget	string		<input type="checkbox"/>	
linkType_localizedTargetToSource	string		<input type="checkbox"/>	
linkType_name	string		<input type="checkbox"/>	
linkType_readOnly	boolean		<input type="checkbox"/>	
linkType_sourceToTarget	string		<input type="checkbox"/>	
linkType_targetToSource	string		<input type="checkbox"/>	

9.1.11 Issues

Catalog: YouTrack

Schema: Issues

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /issues

Insert YouTrack API URL: /issues

Update YouTrack API URL: /issues

Delete YouTrack API URL: /issues

Field Selection Method: NotRequired

Select YouTrack API Operation: get /issues

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function Issues. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
customFields	string	<input type="checkbox"/>		<p>The name of the custom field to show in the response. When you use this parameter and request the custom field data in the request URL, the response only shows the requested custom fields instead of all of them.</p><p>To show more than one custom field, use this parameter several times.</p><p>See Sample 2 for reference.</p>
query	string	<input type="checkbox"/>		Issues search query. Read more about search syntax here: Search Query Reference

Table Function Columns

The columns of the table function `Issues` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
draftOwner_\$type	string		<input type="checkbox"/>	
draftOwner_avatarUrl	string		<input type="checkbox"/>	
draftOwner_banned	boolean		<input type="checkbox"/>	
draftOwner_email	string		<input type="checkbox"/>	
draftOwner.FullName	string		<input type="checkbox"/>	
draftOwner_guest	boolean		<input type="checkbox"/>	
draftOwner_id	string		<input type="checkbox"/>	
draftOwner_jabberAccountName	string		<input type="checkbox"/>	
draftOwner_login	string		<input type="checkbox"/>	
draftOwner_online	boolean		<input type="checkbox"/>	
draftOwner_profiles_\$type	string		<input type="checkbox"/>	
draftOwner_profiles_id	string		<input type="checkbox"/>	
draftOwner_ringId	string		<input type="checkbox"/>	
externalIssue_\$type	string		<input type="checkbox"/>	
externalIssue_id	string		<input type="checkbox"/>	
externalIssue_key	string		<input type="checkbox"/>	
externalIssue_name	string		<input type="checkbox"/>	
externalIssue_url	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
parent_linkType_\$type	string		<input type="checkbox"/>	
parent_linkType_aggregation	boolean		<input type="checkbox"/>	
parent_linkType_directed	boolean		<input type="checkbox"/>	
parent_linkType_id	string		<input type="checkbox"/>	
parent_linkType_localizedName	string		<input type="checkbox"/>	
parent_linkType_localizedSourceToTarget	string		<input type="checkbox"/>	
parent_linkType_localizedTargetToSource	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
parent_linkType_name	string		<input type="checkbox"/>	
parent_linkType_readOnly	boolean		<input type="checkbox"/>	
parent_linkType_sourceToTarget	string		<input type="checkbox"/>	
parent_linkType_targetToSource	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_createdBy_\$type	string		<input type="checkbox"/>	
project_createdBy_avatarUrl	string		<input type="checkbox"/>	
project_createdBy_banned	boolean		<input type="checkbox"/>	
project_createdBy_email	string		<input type="checkbox"/>	
project_createdBy.FullName	string		<input type="checkbox"/>	
project_createdBy_guest	boolean		<input type="checkbox"/>	
project_createdBy_id	string		<input type="checkbox"/>	
project_createdBy_jabberAccountName	string		<input type="checkbox"/>	
project_createdBy_login	string		<input type="checkbox"/>	
project_createdBy_online	boolean		<input type="checkbox"/>	
project_createdBy_ringId	string		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_leader_\$type	string		<input type="checkbox"/>	
project_leader_avatarUrl	string		<input type="checkbox"/>	
project_leader_banned	boolean		<input type="checkbox"/>	
project_leader_email	string		<input type="checkbox"/>	
project_leader.FullName	string		<input type="checkbox"/>	
project_leader_guest	boolean		<input type="checkbox"/>	
project_leader_id	string		<input type="checkbox"/>	
project_leader_jabberAccountName	string		<input type="checkbox"/>	
project_leader_login	string		<input type="checkbox"/>	
project_leader_online	boolean		<input type="checkbox"/>	
project_leader_ringId	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_team_\$type	string		<input type="checkbox"/>	
project_team_allUsersGroup	boolean		<input type="checkbox"/>	
project_team_icon	string		<input type="checkbox"/>	
project_team_id	string		<input type="checkbox"/>	
project_team_name	string		<input type="checkbox"/>	
project_team_ringId	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
project_team_usersCount	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter.FullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_profiles_\$type	string		<input type="checkbox"/>	
reporter_profiles_id	string		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
subtasks_linkType_\$type	string		<input type="checkbox"/>	
subtasks_linkType_aggregation	boolean		<input type="checkbox"/>	
subtasks_linkType_directed	boolean		<input type="checkbox"/>	
subtasks_linkType_id	string		<input type="checkbox"/>	
subtasks_linkType_localizedName	string		<input type="checkbox"/>	
subtasks_linkType_localizedSourceToTarget	string		<input type="checkbox"/>	
subtasks_linkType_localizedTargetToSource	string		<input type="checkbox"/>	
subtasks_linkType_name	string		<input type="checkbox"/>	
subtasks_linkType_readOnly	boolean		<input type="checkbox"/>	
subtasks_linkType_sourceToTarget	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater.FullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_profiles_\$type	string		<input type="checkbox"/>	
updater_profiles_id	string		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

9.1.12 IssueTags: YouTrack Issue Tags

Catalog: YouTrack

Schema: Issues

Label: Issue Tags

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /issues

Insert YouTrack API URL: /issues

Update YouTrack API URL: /issues

Delete YouTrack API URL: /issues

Field Selection Method: NotRequired

Base Path: tags [*].issues [*]

Select YouTrack API Operation: get /issues

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function IssueTags. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
customFields	string	<input type="checkbox"/>		<p>The name of the custom field to show in the response. When you use this parameter and request the custom field data in the request URL, the response only shows the requested custom fields instead of all of them.</p><p>To show more than one custom field, use this parameter several times.</p><p>See Sample 2 for reference.</p>
query	string	<input type="checkbox"/>		Issues search query. Read more about search syntax here: Search Query Reference

Table Function Columns

The columns of the table function `IssueTags` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
color_\$type	string		<input type="checkbox"/>	
color_background	string		<input type="checkbox"/>	
color_foreground	string		<input type="checkbox"/>	
color_id	string		<input type="checkbox"/>	
commentsCount_1	int32		<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created_1	int64		<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
description_1	string		<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
draftOwner_\$type	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
draftOw_ner_avatarUrl	string		<input type="checkbox"/>	
draftOw_ner_banned	boolean		<input type="checkbox"/>	
draftOw_ner_email	string		<input type="checkbox"/>	
draftOw_ner_fullName	string		<input type="checkbox"/>	
draftOw_ner_guest	boolean		<input type="checkbox"/>	
draftOw_ner_id	string		<input type="checkbox"/>	
draftOw_ner_jabberAccountName	string		<input type="checkbox"/>	
draftOw_ner_login	string		<input type="checkbox"/>	
draftOw_ner_online	boolean		<input type="checkbox"/>	
draftOw_ner_profiles_\$type	string		<input type="checkbox"/>	
draftOw_ner_profiles_id	string		<input type="checkbox"/>	
draftOw_ner_ringId	string		<input type="checkbox"/>	
externallssue_\$type	string		<input type="checkbox"/>	
externallssue_id	string		<input type="checkbox"/>	
externallssue_key	string		<input type="checkbox"/>	
externallssue_name	string		<input type="checkbox"/>	
externallssue_url	string		<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable_1	string		<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft_1	boolean		<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject_1	int64		<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
ow_ner_\$type	string		<input type="checkbox"/>	
ow_ner_avatarUrl	string		<input type="checkbox"/>	
ow_ner_banned	boolean		<input type="checkbox"/>	
ow_ner_email	string		<input type="checkbox"/>	
ow_ner_fullName	string		<input type="checkbox"/>	
ow_ner_guest	boolean		<input type="checkbox"/>	
ow_ner_id	string		<input type="checkbox"/>	
ow_ner_jabberAccountName	string		<input type="checkbox"/>	
ow_ner_login	string		<input type="checkbox"/>	
ow_ner_online	boolean		<input type="checkbox"/>	
ow_ner_ringId	string		<input type="checkbox"/>	
parent_\$type_1	string		<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_commentsCount	int32		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
parent_created	int64		<input type="checkbox"/>	
parent_description	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id_1	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
parent_idReadable	string		<input type="checkbox"/>	
parent_isDraft	boolean		<input type="checkbox"/>	
parent_linkType_\$type	string		<input type="checkbox"/>	
parent_linkType_aggregation	boolean		<input type="checkbox"/>	
parent_linkType_directed	boolean		<input type="checkbox"/>	
parent_linkType_id	string		<input type="checkbox"/>	
parent_linkType_localizedName	string		<input type="checkbox"/>	
parent_linkType_localizedSourceToTarget	string		<input type="checkbox"/>	
parent_linkType_localizedTargetToSource	string		<input type="checkbox"/>	
parent_linkType_name	string		<input type="checkbox"/>	
parent_linkType_readOnly	boolean		<input type="checkbox"/>	
parent_linkType_sourceToTarget	string		<input type="checkbox"/>	
parent_linkType_targetToSource	string		<input type="checkbox"/>	
parent_numberInProject	int64		<input type="checkbox"/>	
parent_resolved	int64		<input type="checkbox"/>	
parent_summary	string		<input type="checkbox"/>	
parent_updated	int64		<input type="checkbox"/>	
parent_usesMarkdown	boolean		<input type="checkbox"/>	
parent_votes	int32		<input type="checkbox"/>	
parent_wikifiedDescription	string		<input type="checkbox"/>	
project_\$type	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_commentsCount	int32		<input type="checkbox"/>	
project_created	int64		<input type="checkbox"/>	
project_createdBy_\$type	string		<input type="checkbox"/>	
project_createdBy_avatarUrl	string		<input type="checkbox"/>	
project_createdBy_banned	boolean		<input type="checkbox"/>	
project_createdBy_email	string		<input type="checkbox"/>	
project_createdBy_fullName	string		<input type="checkbox"/>	
project_createdBy_guest	boolean		<input type="checkbox"/>	
project_createdBy_id	string		<input type="checkbox"/>	
project_createdBy_jabberAccountName	string		<input type="checkbox"/>	
project_createdBy_login	string		<input type="checkbox"/>	
project_createdBy_online	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
project_createdBy_ringId	string		<input type="checkbox"/>	
project_description_1	string		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_id	string		<input type="checkbox"/>	
project_idReadable	string		<input type="checkbox"/>	
project_isDraft	boolean		<input type="checkbox"/>	
project_leader_\$type	string		<input type="checkbox"/>	
project_leader_avatarUrl	string		<input type="checkbox"/>	
project_leader_banned	boolean		<input type="checkbox"/>	
project_leader_email	string		<input type="checkbox"/>	
project_leader.FullName	string		<input type="checkbox"/>	
project_leader_guest	boolean		<input type="checkbox"/>	
project_leader_id	string		<input type="checkbox"/>	
project_leader_jabberAccountName	string		<input type="checkbox"/>	
project_leader_login	string		<input type="checkbox"/>	
project_leader_online	boolean		<input type="checkbox"/>	
project_leader_ringId	string		<input type="checkbox"/>	
project_numberInProject	int64		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_resolved	int64		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_summary	string		<input type="checkbox"/>	
project_team_\$type	string		<input type="checkbox"/>	
project_team_allUsersGroup	boolean		<input type="checkbox"/>	
project_team_icon	string		<input type="checkbox"/>	
project_team_id	string		<input type="checkbox"/>	
project_team_name	string		<input type="checkbox"/>	
project_team_ringId	string		<input type="checkbox"/>	
project_team_usersCount	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
project_updated	int64		<input type="checkbox"/>	
project_usesMarkdown	boolean		<input type="checkbox"/>	
project_votes	int32		<input type="checkbox"/>	
project_wikifiedDescription	string		<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
reporter_email	string		<input type="checkbox"/>	
reporter_fullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_profiles_\$type	string		<input type="checkbox"/>	
reporter_profiles_id	string		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved_1	int64		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
subtasks_\$type_1	string		<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_commentsCount	int32		<input type="checkbox"/>	
subtasks_created	int64		<input type="checkbox"/>	
subtasks_description	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id_1	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
subtasks_idReadable	string		<input type="checkbox"/>	
subtasks_isDraft	boolean		<input type="checkbox"/>	
subtasks_linkType_\$type	string		<input type="checkbox"/>	
subtasks_linkType_aggregation	boolean		<input type="checkbox"/>	
subtasks_linkType_directed	boolean		<input type="checkbox"/>	
subtasks_linkType_id	string		<input type="checkbox"/>	
subtasks_linkType_localizedName	string		<input type="checkbox"/>	
subtasks_linkType_localizedSourceToTarget	string		<input type="checkbox"/>	
subtasks_linkType_localizedTargetToSource	string		<input type="checkbox"/>	
subtasks_linkType_name	string		<input type="checkbox"/>	
subtasks_linkType_readOnly	boolean		<input type="checkbox"/>	
subtasks_linkType_sourceToTarget	string		<input type="checkbox"/>	
subtasks_linkType_targetToSource	string		<input type="checkbox"/>	
subtasks_numberInProject	int64		<input type="checkbox"/>	
subtasks_resolved	int64		<input type="checkbox"/>	
subtasks_summary	string		<input type="checkbox"/>	
subtasks_updated	int64		<input type="checkbox"/>	
subtasks_usesMarkdown	boolean		<input type="checkbox"/>	
subtasks_votes	int32		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
subtasks_qualifiedDescription	string		<input type="checkbox"/>	
summary_1	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
untagOnResolve	boolean		<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
updated_1	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater.FullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_profiles_\$type	string		<input type="checkbox"/>	
updater_profiles_id	string		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
usesMarkdown_1	boolean		<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes_1	int32		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription_1	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

9.1.13 LinkById

Catalog: YouTrack

Schema: Issues

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/issues/{id}`

Insert YouTrack API URL: `/issues/{id}`

Update YouTrack API URL: `/issues/{id}`

Delete YouTrack API URL: `/issues/{id}`

Field Selection Method: NotRequired

Base Path: `links[*]`

Select YouTrack API Operation: get `/issues/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `LinkById`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `LinkById` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
direction	string	Direction	<input type="checkbox"/>	
draftOwner_\$type	string		<input type="checkbox"/>	
draftOwner_avatarUrl	string		<input type="checkbox"/>	
draftOwner_banned	boolean		<input type="checkbox"/>	
draftOwner_email	string		<input type="checkbox"/>	
draftOwner.FullName	string		<input type="checkbox"/>	
draftOwner_guest	boolean		<input type="checkbox"/>	
draftOwner_id	string		<input type="checkbox"/>	
draftOwner_jabberAccountName	string		<input type="checkbox"/>	
draftOwner_login	string		<input type="checkbox"/>	
draftOwner_online	boolean		<input type="checkbox"/>	
draftOwner_profiles_\$type	string		<input type="checkbox"/>	
draftOwner_profiles_id	string		<input type="checkbox"/>	
draftOwner_ringId	string		<input type="checkbox"/>	
externalIssue_\$type	string		<input type="checkbox"/>	
externalIssue_id	string		<input type="checkbox"/>	
externalIssue_key	string		<input type="checkbox"/>	
externalIssue_name	string		<input type="checkbox"/>	
externalIssue_url	string		<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
linkType_\$type	string		<input type="checkbox"/>	
linkType_aggregation	boolean		<input type="checkbox"/>	
linkType_directed	boolean		<input type="checkbox"/>	
linkType_id	string		<input type="checkbox"/>	
linkType_localizedName	string		<input type="checkbox"/>	
linkType_localizedSourceToTarget	string		<input type="checkbox"/>	
linkType_localizedTargetToSource	string		<input type="checkbox"/>	
linkType_name	string		<input type="checkbox"/>	
linkType_readOnly	boolean		<input type="checkbox"/>	
linkType_sourceToTarget	string		<input type="checkbox"/>	
linkType_targetToSource	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
numberInProject	int64	Number in Project	<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
parent_linkType_\$type	string		<input type="checkbox"/>	
parent_linkType_aggregation	boolean		<input type="checkbox"/>	
parent_linkType_directed	boolean		<input type="checkbox"/>	
parent_linkType_id	string		<input type="checkbox"/>	
parent_linkType_localizedName	string		<input type="checkbox"/>	
parent_linkType_localizedSourceToTarget	string		<input type="checkbox"/>	
parent_linkType_localizedTargetToSource	string		<input type="checkbox"/>	
parent_linkType_name	string		<input type="checkbox"/>	
parent_linkType_readOnly	boolean		<input type="checkbox"/>	
parent_linkType_sourceToTarget	string		<input type="checkbox"/>	
parent_linkType_targetToSource	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_createdBy_\$type	string		<input type="checkbox"/>	
project_createdBy_avatarUrl	string		<input type="checkbox"/>	
project_createdBy_banned	boolean		<input type="checkbox"/>	
project_createdBy_email	string		<input type="checkbox"/>	
project_createdBy.FullName	string		<input type="checkbox"/>	
project_createdBy_guest	boolean		<input type="checkbox"/>	
project_createdBy_id	string		<input type="checkbox"/>	
project_createdBy_jabberAccountName	string		<input type="checkbox"/>	
project_createdBy_login	string		<input type="checkbox"/>	
project_createdBy_online	boolean		<input type="checkbox"/>	
project_createdBy_ringId	string		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_leader_\$type	string		<input type="checkbox"/>	
project_leader_avatarUrl	string		<input type="checkbox"/>	
project_leader_banned	boolean		<input type="checkbox"/>	
project_leader_email	string		<input type="checkbox"/>	
project_leader.FullName	string		<input type="checkbox"/>	
project_leader_guest	boolean		<input type="checkbox"/>	
project_leader_id	string		<input type="checkbox"/>	
project_leader_jabberAccountName	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
project_leader_login	string		<input type="checkbox"/>	
project_leader_online	boolean		<input type="checkbox"/>	
project_leader_ringId	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_team_\$type	string		<input type="checkbox"/>	
project_team_allUsersGroup	boolean		<input type="checkbox"/>	
project_team_icon	string		<input type="checkbox"/>	
project_team_id	string		<input type="checkbox"/>	
project_team_name	string		<input type="checkbox"/>	
project_team_ringId	string		<input type="checkbox"/>	
project_team_usersCount	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter.FullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_profiles_\$type	string		<input type="checkbox"/>	
reporter_profiles_id	string		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
subtasks_linkType_\$type	string		<input type="checkbox"/>	
subtasks_linkType_aggregation	boolean		<input type="checkbox"/>	
subtasks_linkType_directed	boolean		<input type="checkbox"/>	
subtasks_linkType_id	string		<input type="checkbox"/>	
subtasks_linkType_localizedName	string		<input type="checkbox"/>	
subtasks_linkType_localizedSourceToTarget	string		<input type="checkbox"/>	
subtasks_linkType_localizedTargetToSource	string		<input type="checkbox"/>	
subtasks_linkType_name	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
subtasks_linkType_readOnly	boolean		<input type="checkbox"/>	
subtasks_linkType_sourceToTarget	string		<input type="checkbox"/>	
subtasks_linkType_targetToSource	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater.FullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_profiles_\$type	string		<input type="checkbox"/>	
updater_profiles_id	string		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

9.1.14 LinkIssues

Catalog: YouTrack

Schema: Issues

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /issues

Insert YouTrack API URL: /issues

Update YouTrack API URL: /issues

Delete YouTrack API URL: /issues

Field Selection Method: NotRequired

Base Path: links [*].issues [*]

Select YouTrack API Operation: get /issues

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function LinkIssues. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
customFields	string	<input type="checkbox"/>		<p>The name of the custom field to show in the response. When you use this parameter and request the custom field data in the request URL, the response only shows the requested custom fields instead of all of them.</p><p>To show more than one custom field, use this parameter several times.</p><p>See Sample 2 for reference.</p>
query	string	<input type="checkbox"/>		Issues search query. Read more about search syntax here: Search Query Reference

Table Function Columns

The columns of the table function LinkIssues are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
commentsCount_1	int32		<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created_1	int64		<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
description_1	string		<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
direction	string	Direction	<input type="checkbox"/>	
draftOw ner_\$type	string		<input type="checkbox"/>	
draftOw ner_avatarUrl	string		<input type="checkbox"/>	
draftOw ner_banned	boolean		<input type="checkbox"/>	
draftOw ner_email	string		<input type="checkbox"/>	
draftOw ner.FullName	string		<input type="checkbox"/>	
draftOw ner_guest	boolean		<input type="checkbox"/>	
draftOw ner_id	string		<input type="checkbox"/>	
draftOw ner_jabberAccountName	string		<input type="checkbox"/>	
draftOw ner_login	string		<input type="checkbox"/>	
draftOw ner_online	boolean		<input type="checkbox"/>	
draftOw ner_profiles_\$type	string		<input type="checkbox"/>	
draftOw ner_profiles_id	string		<input type="checkbox"/>	
draftOw ner_ringId	string		<input type="checkbox"/>	
externallssue_\$type	string		<input type="checkbox"/>	
externallssue_id	string		<input type="checkbox"/>	
externallssue_key	string		<input type="checkbox"/>	
externallssue_name	string		<input type="checkbox"/>	
externallssue_url	string		<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable_1	string		<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft_1	boolean		<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
linkType_\$type	string		<input type="checkbox"/>	
linkType_aggregation	boolean		<input type="checkbox"/>	
linkType_directed	boolean		<input type="checkbox"/>	
linkType_id	string		<input type="checkbox"/>	
linkType_localizedName	string		<input type="checkbox"/>	
linkType_localizedSourceToTarget	string		<input type="checkbox"/>	
linkType_localizedTargetToSource	string		<input type="checkbox"/>	
linkType_name	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
linkType_readOnly	boolean		<input type="checkbox"/>	
linkType_sourceToTarget	string		<input type="checkbox"/>	
linkType_targetToSource	string		<input type="checkbox"/>	
numberInProject_1	int64		<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
parent_\$type_1	string		<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_commentsCount	int32		<input type="checkbox"/>	
parent_created	int64		<input type="checkbox"/>	
parent_description	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id_1	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
parent_idReadable	string		<input type="checkbox"/>	
parent_isDraft	boolean		<input type="checkbox"/>	
parent_linkType_\$type	string		<input type="checkbox"/>	
parent_linkType_aggregation	boolean		<input type="checkbox"/>	
parent_linkType_directed	boolean		<input type="checkbox"/>	
parent_linkType_id	string		<input type="checkbox"/>	
parent_linkType_localizedName	string		<input type="checkbox"/>	
parent_linkType_localizedSourceToTarget	string		<input type="checkbox"/>	
parent_linkType_localizedTargetToSource	string		<input type="checkbox"/>	
parent_linkType_name	string		<input type="checkbox"/>	
parent_linkType_readOnly	boolean		<input type="checkbox"/>	
parent_linkType_sourceToTarget	string		<input type="checkbox"/>	
parent_linkType_targetToSource	string		<input type="checkbox"/>	
parent_numberInProject	int64		<input type="checkbox"/>	
parent_resolved	int64		<input type="checkbox"/>	
parent_summary	string		<input type="checkbox"/>	
parent_updated	int64		<input type="checkbox"/>	
parent_usesMarkdown	boolean		<input type="checkbox"/>	
parent_votes	int32		<input type="checkbox"/>	
parent_wikifiedDescription	string		<input type="checkbox"/>	
project_\$type	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_commentsCount	int32		<input type="checkbox"/>	
project_created	int64		<input type="checkbox"/>	
project_createdBy_\$type	string		<input type="checkbox"/>	
project_createdBy_avatarUrl	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
project_createdBy_banned	boolean		<input type="checkbox"/>	
project_createdBy_email	string		<input type="checkbox"/>	
project_createdBy_fullName	string		<input type="checkbox"/>	
project_createdBy_guest	boolean		<input type="checkbox"/>	
project_createdBy_id	string		<input type="checkbox"/>	
project_createdBy_jabberAccountName	string		<input type="checkbox"/>	
project_createdBy_login	string		<input type="checkbox"/>	
project_createdBy_online	boolean		<input type="checkbox"/>	
project_createdBy_ringId	string		<input type="checkbox"/>	
project_description_1	string		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_id	string		<input type="checkbox"/>	
project_idReadable	string		<input type="checkbox"/>	
project_isDraft	boolean		<input type="checkbox"/>	
project_leader_\$type	string		<input type="checkbox"/>	
project_leader_avatarUrl	string		<input type="checkbox"/>	
project_leader_banned	boolean		<input type="checkbox"/>	
project_leader_email	string		<input type="checkbox"/>	
project_leader_fullName	string		<input type="checkbox"/>	
project_leader_guest	boolean		<input type="checkbox"/>	
project_leader_id	string		<input type="checkbox"/>	
project_leader_jabberAccountName	string		<input type="checkbox"/>	
project_leader_login	string		<input type="checkbox"/>	
project_leader_online	boolean		<input type="checkbox"/>	
project_leader_ringId	string		<input type="checkbox"/>	
project_numberInProject	int64		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_resolved	int64		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_summary	string		<input type="checkbox"/>	
project_team_\$type	string		<input type="checkbox"/>	
project_team_allUsersGroup	boolean		<input type="checkbox"/>	
project_team_icon	string		<input type="checkbox"/>	
project_team_id	string		<input type="checkbox"/>	
project_team_name	string		<input type="checkbox"/>	
project_team_ringId	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
project_team_usersCount	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
project_updated	int64		<input type="checkbox"/>	
project_usesMarkdown	boolean		<input type="checkbox"/>	
project_votes	int32		<input type="checkbox"/>	
project_wikifiedDescription	string		<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter.FullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_profiles_\$type	string		<input type="checkbox"/>	
reporter_profiles_id	string		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved_1	int64		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
subtasks_\$type_1	string		<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_commentsCount	int32		<input type="checkbox"/>	
subtasks_created	int64		<input type="checkbox"/>	
subtasks_description	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id_1	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
subtasks_idReadable	string		<input type="checkbox"/>	
subtasks_isDraft	boolean		<input type="checkbox"/>	
subtasks_linkType_\$type	string		<input type="checkbox"/>	
subtasks_linkType_aggregation	boolean		<input type="checkbox"/>	
subtasks_linkType_directed	boolean		<input type="checkbox"/>	
subtasks_linkType_id	string		<input type="checkbox"/>	
subtasks_linkType_localizedName	string		<input type="checkbox"/>	
subtasks_linkType_localizedSourceToTarget	string		<input type="checkbox"/>	
subtasks_linkType_localizedTargetToSource	string		<input type="checkbox"/>	
subtasks_linkType_name	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
subtasks_linkType_readOnly	boolean		<input type="checkbox"/>	
subtasks_linkType_sourceToTarget	string		<input type="checkbox"/>	
subtasks_linkType_targetToSource	string		<input type="checkbox"/>	
subtasks_numberInProject	int64		<input type="checkbox"/>	
subtasks_resolved	int64		<input type="checkbox"/>	
subtasks_summary	string		<input type="checkbox"/>	
subtasks_updated	int64		<input type="checkbox"/>	
subtasks_usesMarkdown	boolean		<input type="checkbox"/>	
subtasks_votes	int32		<input type="checkbox"/>	
subtasks_wikifiedDescription	string		<input type="checkbox"/>	
summary_1	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
updated_1	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater.FullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_profiles_\$type	string		<input type="checkbox"/>	
updater_profiles_id	string		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
usesMarkdown_1	boolean		<input type="checkbox"/>	
usesMarkdown_n	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes_1	int32		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription_1	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

9.1.15 LinkIssuesByIssueId

Catalog: YouTrack

Schema: Issues

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /issues/{id}

Insert YouTrack API URL: /issues/{id}

Update YouTrack API URL: /issues/{id}

Delete YouTrack API URL: /issues/{id}

Field Selection Method: NotRequired

Base Path: links [*].issues [*]

Select YouTrack API Operation: get /issues/{id}

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function LinkIssuesByIssueId. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function LinkIssuesByIssueId are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
commentsCount_1	int32		<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created_1	int64		<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
description_1	string		<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
direction	string	Direction	<input type="checkbox"/>	
draftOw ner_\$type	string		<input type="checkbox"/>	
draftOw ner_avatarUrl	string		<input type="checkbox"/>	
draftOw ner_banned	boolean		<input type="checkbox"/>	
draftOw ner_email	string		<input type="checkbox"/>	
draftOw ner_fullName	string		<input type="checkbox"/>	
draftOw ner_guest	boolean		<input type="checkbox"/>	
draftOw ner_id	string		<input type="checkbox"/>	
draftOw ner_jabberAccountName	string		<input type="checkbox"/>	
draftOw ner_login	string		<input type="checkbox"/>	
draftOw ner_online	boolean		<input type="checkbox"/>	
draftOw ner_profiles_\$type	string		<input type="checkbox"/>	
draftOw ner_profiles_id	string		<input type="checkbox"/>	
draftOw ner_ringId	string		<input type="checkbox"/>	
externallssue_\$type	string		<input type="checkbox"/>	
externallssue_id	string		<input type="checkbox"/>	
externallssue_key	string		<input type="checkbox"/>	
externallssue_name	string		<input type="checkbox"/>	
externallssue_url	string		<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable_1	string		<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft_1	boolean		<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
linkType_\$type	string		<input type="checkbox"/>	
linkType_aggregation	boolean		<input type="checkbox"/>	
linkType_directed	boolean		<input type="checkbox"/>	
linkType_id	string		<input type="checkbox"/>	
linkType_localizedName	string		<input type="checkbox"/>	
linkType_localizedSourceToTarget	string		<input type="checkbox"/>	
linkType_localizedTargetToSource	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
linkType_name	string		<input type="checkbox"/>	
linkType_readOnly	boolean		<input type="checkbox"/>	
linkType_sourceToTarget	string		<input type="checkbox"/>	
linkType_targetToSource	string		<input type="checkbox"/>	
numberInProject_1	int64		<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
parent_\$type_1	string		<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_commentsCount	int32		<input type="checkbox"/>	
parent_created	int64		<input type="checkbox"/>	
parent_description	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id_1	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
parent_idReadable	string		<input type="checkbox"/>	
parent_isDraft	boolean		<input type="checkbox"/>	
parent_linkType_\$type	string		<input type="checkbox"/>	
parent_linkType_aggregation	boolean		<input type="checkbox"/>	
parent_linkType_directed	boolean		<input type="checkbox"/>	
parent_linkType_id	string		<input type="checkbox"/>	
parent_linkType_localizedName	string		<input type="checkbox"/>	
parent_linkType_localizedSourceToTarget	string		<input type="checkbox"/>	
parent_linkType_localizedTargetToSource	string		<input type="checkbox"/>	
parent_linkType_name	string		<input type="checkbox"/>	
parent_linkType_readOnly	boolean		<input type="checkbox"/>	
parent_linkType_sourceToTarget	string		<input type="checkbox"/>	
parent_linkType_targetToSource	string		<input type="checkbox"/>	
parent_numberInProject	int64		<input type="checkbox"/>	
parent_resolved	int64		<input type="checkbox"/>	
parent_summary	string		<input type="checkbox"/>	
parent_updated	int64		<input type="checkbox"/>	
parent_usesMarkdown	boolean		<input type="checkbox"/>	
parent_votes	int32		<input type="checkbox"/>	
parent_wikifiedDescription	string		<input type="checkbox"/>	
project_\$type	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_commentsCount	int32		<input type="checkbox"/>	
project_created	int64		<input type="checkbox"/>	
project_createdBy_\$type	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
project_createdBy_avatarUrl	string		<input type="checkbox"/>	
project_createdBy_banned	boolean		<input type="checkbox"/>	
project_createdBy_email	string		<input type="checkbox"/>	
project_createdBy_fullName	string		<input type="checkbox"/>	
project_createdBy_guest	boolean		<input type="checkbox"/>	
project_createdBy_id	string		<input type="checkbox"/>	
project_createdBy_jabberAccountName	string		<input type="checkbox"/>	
project_createdBy_login	string		<input type="checkbox"/>	
project_createdBy_online	boolean		<input type="checkbox"/>	
project_createdBy_ringId	string		<input type="checkbox"/>	
project_description_1	string		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_id	string		<input type="checkbox"/>	
project_idReadable	string		<input type="checkbox"/>	
project_isDraft	boolean		<input type="checkbox"/>	
project_leader_\$type	string		<input type="checkbox"/>	
project_leader_avatarUrl	string		<input type="checkbox"/>	
project_leader_banned	boolean		<input type="checkbox"/>	
project_leader_email	string		<input type="checkbox"/>	
project_leader_fullName	string		<input type="checkbox"/>	
project_leader_guest	boolean		<input type="checkbox"/>	
project_leader_id	string		<input type="checkbox"/>	
project_leader_jabberAccountName	string		<input type="checkbox"/>	
project_leader_login	string		<input type="checkbox"/>	
project_leader_online	boolean		<input type="checkbox"/>	
project_leader_ringId	string		<input type="checkbox"/>	
project_numberInProject	int64		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_resolved	int64		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_summary	string		<input type="checkbox"/>	
project_team_\$type	string		<input type="checkbox"/>	
project_team_allUsersGroup	boolean		<input type="checkbox"/>	
project_team_icon	string		<input type="checkbox"/>	
project_team_id	string		<input type="checkbox"/>	
project_team_name	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
project_team_ringId	string		<input type="checkbox"/>	
project_team_usersCount	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
project_updated	int64		<input type="checkbox"/>	
project_usesMarkdown	boolean		<input type="checkbox"/>	
project_votes	int32		<input type="checkbox"/>	
project_wikitifiedDescription	string		<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter.FullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_profiles_\$type	string		<input type="checkbox"/>	
reporter_profiles_id	string		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved_1	int64		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
subtasks_\$type_1	string		<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_commentsCount	int32		<input type="checkbox"/>	
subtasks_created	int64		<input type="checkbox"/>	
subtasks_description	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id_1	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
subtasks_idReadable	string		<input type="checkbox"/>	
subtasks_isDraft	boolean		<input type="checkbox"/>	
subtasks_linkType_\$type	string		<input type="checkbox"/>	
subtasks_linkType_aggregation	boolean		<input type="checkbox"/>	
subtasks_linkType_directed	boolean		<input type="checkbox"/>	
subtasks_linkType_id	string		<input type="checkbox"/>	
subtasks_linkType_localizedName	string		<input type="checkbox"/>	
subtasks_linkType_localizedSourceToTarget	string		<input type="checkbox"/>	
subtasks_linkType_localizedTargetToSource	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
subtasks_linkType_name	string		<input type="checkbox"/>	
subtasks_linkType_readOnly	boolean		<input type="checkbox"/>	
subtasks_linkType_sourceToTarget	string		<input type="checkbox"/>	
subtasks_linkType_targetToSource	string		<input type="checkbox"/>	
subtasks_numberInProject	int64		<input type="checkbox"/>	
subtasks_resolved	int64		<input type="checkbox"/>	
subtasks_summary	string		<input type="checkbox"/>	
subtasks_updated	int64		<input type="checkbox"/>	
subtasks_usesMarkdown	boolean		<input type="checkbox"/>	
subtasks_votes	int32		<input type="checkbox"/>	
subtasks_wikitifiedDescription	string		<input type="checkbox"/>	
summary_1	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
updated_1	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater.FullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_profiles_\$type	string		<input type="checkbox"/>	
updater_profiles_id	string		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
usesMarkdown_1	boolean		<input type="checkbox"/>	
usesMarkdown_n	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes_1	int32		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
wikifiedDescription_1	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

9.1.16 Links

Catalog: YouTrack

Schema: Issues

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /issues

Insert YouTrack API URL: /issues

Update YouTrack API URL: /issues

Delete YouTrack API URL: /issues

Field Selection Method: NotRequired

Base Path: links [*]

Select YouTrack API Operation: get /issues

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function Links. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
customFields	string	<input type="checkbox"/>		<p><p>The name of the custom field to show in the response. When you use this parameter and request the custom field data in the request URL, the response only shows the requested custom fields instead of all of them.</p><p>To show more than one custom field, use this parameter several times.</p></p>

Name	Data Type	Required	Default Value	Documentation
				times.</p><p>See Sample 2 for reference.</p>
query	string	<input type="checkbox"/>		Issues search query. Read more about search syntax here: Search Query Reference

Table Function Columns

The columns of the table function `Links` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
direction	string	Direction	<input type="checkbox"/>	
draftOwner_\$type	string		<input type="checkbox"/>	
draftOwner_avatarUrl	string		<input type="checkbox"/>	
draftOwner_banned	boolean		<input type="checkbox"/>	
draftOwner_email	string		<input type="checkbox"/>	
draftOwner.FullName	string		<input type="checkbox"/>	
draftOwner_guest	boolean		<input type="checkbox"/>	
draftOwner_id	string		<input type="checkbox"/>	
draftOwner_jabberAccountName	string		<input type="checkbox"/>	
draftOwner_login	string		<input type="checkbox"/>	
draftOwner_online	boolean		<input type="checkbox"/>	
draftOwner_profiles_\$type	string		<input type="checkbox"/>	
draftOwner_profiles_id	string		<input type="checkbox"/>	
draftOwner_ringId	string		<input type="checkbox"/>	
externalIssue_\$type	string		<input type="checkbox"/>	
externalIssue_id	string		<input type="checkbox"/>	
externalIssue_key	string		<input type="checkbox"/>	
externalIssue_name	string		<input type="checkbox"/>	
externalIssue_url	string		<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
linkType_\$type	string		<input type="checkbox"/>	
linkType_aggregation	boolean		<input type="checkbox"/>	
linkType_directed	boolean		<input type="checkbox"/>	
linkType_id	string		<input type="checkbox"/>	
linkType_localizedName	string		<input type="checkbox"/>	
linkType_localizedSourceToTarget	string		<input type="checkbox"/>	
linkType_localizedTargetToSource	string		<input type="checkbox"/>	
linkType_name	string		<input type="checkbox"/>	
linkType_READONLY	boolean		<input type="checkbox"/>	
linkType_sourceToTarget	string		<input type="checkbox"/>	
linkType_targetToSource	string		<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
parent_linkType_\$type	string		<input type="checkbox"/>	
parent_linkType_aggregation	boolean		<input type="checkbox"/>	
parent_linkType_directed	boolean		<input type="checkbox"/>	
parent_linkType_id	string		<input type="checkbox"/>	
parent_linkType_localizedName	string		<input type="checkbox"/>	
parent_linkType_localizedSourceToTarget	string		<input type="checkbox"/>	
parent_linkType_localizedTargetToSource	string		<input type="checkbox"/>	
parent_linkType_name	string		<input type="checkbox"/>	
parent_linkType_READONLY	boolean		<input type="checkbox"/>	
parent_linkType_sourceToTarget	string		<input type="checkbox"/>	
parent_linkType_targetToSource	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_createdBy_\$type	string		<input type="checkbox"/>	
project_createdBy_avatarUrl	string		<input type="checkbox"/>	
project_createdBy_banned	boolean		<input type="checkbox"/>	
project_createdBy_email	string		<input type="checkbox"/>	
project_createdBy_fullName	string		<input type="checkbox"/>	
project_createdBy_guest	boolean		<input type="checkbox"/>	
project_createdBy_id	string		<input type="checkbox"/>	
project_createdBy_jabberAccountName	string		<input type="checkbox"/>	
project_createdBy_login	string		<input type="checkbox"/>	
project_createdBy_online	boolean		<input type="checkbox"/>	
project_createdBy_ringId	string		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_leader_\$type	string		<input type="checkbox"/>	
project_leader_avatarUrl	string		<input type="checkbox"/>	
project_leader_banned	boolean		<input type="checkbox"/>	
project_leader_email	string		<input type="checkbox"/>	
project_leader.FullName	string		<input type="checkbox"/>	
project_leader_guest	boolean		<input type="checkbox"/>	
project_leader_id	string		<input type="checkbox"/>	
project_leader_jabberAccountName	string		<input type="checkbox"/>	
project_leader_login	string		<input type="checkbox"/>	
project_leader_online	boolean		<input type="checkbox"/>	
project_leader_ringId	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_team_\$type	string		<input type="checkbox"/>	
project_team_allUsersGroup	boolean		<input type="checkbox"/>	
project_team_icon	string		<input type="checkbox"/>	
project_team_id	string		<input type="checkbox"/>	
project_team_name	string		<input type="checkbox"/>	
project_team_ringId	string		<input type="checkbox"/>	
project_team_usersCount	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter.FullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_profiles_\$type	string		<input type="checkbox"/>	
reporter_profiles_id	string		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
subtasks_id	string		<input type="checkbox"/>	
subtasks_linkType_\$type	string		<input type="checkbox"/>	
subtasks_linkType_aggregation	boolean		<input type="checkbox"/>	
subtasks_linkType_directed	boolean		<input type="checkbox"/>	
subtasks_linkType_id	string		<input type="checkbox"/>	
subtasks_linkType_localizedName	string		<input type="checkbox"/>	
subtasks_linkType_localizedSourceToTarget	string		<input type="checkbox"/>	
subtasks_linkType_localizedTargetToSource	string		<input type="checkbox"/>	
subtasks_linkType_name	string		<input type="checkbox"/>	
subtasks_linkType_readOnly	boolean		<input type="checkbox"/>	
subtasks_linkType_sourceToTarget	string		<input type="checkbox"/>	
subtasks_linkType_targetToSource	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater.FullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_profiles_\$type	string		<input type="checkbox"/>	
updater_profiles_id	string		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

9.1.17 LinkTrimmedIssues

Catalog: YouTrack

Schema: Issues

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /issues

Insert YouTrack API URL: /issues

Update YouTrack API URL: /issues

Delete YouTrack API URL: /issues

Field Selection Method: NotRequired

Base Path: links [*].trimmedIssues [*]

Select YouTrack API Operation: get /issues

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function LinkTrimmedIssues. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
customFields	string	<input type="checkbox"/>		<p><p>The name of the custom field to show in the response. When you use this parameter and request the custom field data in the request URL, the response only shows the requested custom fields instead of all of them.</p><p>To show more than one custom field, use this parameter several times.</p><p>See Sample 2 for reference.</p></p>
query	string	<input type="checkbox"/>		<p>Issues search query. Read more about search syntax here: Search Query Reference</p>

Table Function Columns

The columns of the table function `LinkTrimmedIssues` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
commentsCount_1	int32		<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created_1	int64		<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
description_1	string		<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
direction	string	Direction	<input type="checkbox"/>	
draftOwner_\$type	string		<input type="checkbox"/>	
draftOwner_avatarUrl	string		<input type="checkbox"/>	
draftOwner_banned	boolean		<input type="checkbox"/>	
draftOwner_email	string		<input type="checkbox"/>	
draftOwner.FullName	string		<input type="checkbox"/>	
draftOwner_guest	boolean		<input type="checkbox"/>	
draftOwner_id	string		<input type="checkbox"/>	
draftOwner_jabberAccountName	string		<input type="checkbox"/>	
draftOwner_login	string		<input type="checkbox"/>	
draftOwner_online	boolean		<input type="checkbox"/>	
draftOwner_profiles_\$type	string		<input type="checkbox"/>	
draftOwner_profiles_id	string		<input type="checkbox"/>	
draftOwner_ringId	string		<input type="checkbox"/>	
externalIssue_\$type	string		<input type="checkbox"/>	
externalIssue_id	string		<input type="checkbox"/>	
externalIssue_key	string		<input type="checkbox"/>	
externalIssue_name	string		<input type="checkbox"/>	
externalIssue_url	string		<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable_1	string		<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft_1	boolean		<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
linkType_\$type	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
linkType_aggregation	boolean		<input type="checkbox"/>	
linkType_directed	boolean		<input type="checkbox"/>	
linkType_id	string		<input type="checkbox"/>	
linkType_localizedName	string		<input type="checkbox"/>	
linkType_localizedSourceToTarget	string		<input type="checkbox"/>	
linkType_localizedTargetToSource	string		<input type="checkbox"/>	
linkType_name	string		<input type="checkbox"/>	
linkType_READONLY	boolean		<input type="checkbox"/>	
linkType_sourceToTarget	string		<input type="checkbox"/>	
linkType_targetToSource	string		<input type="checkbox"/>	
numberInProject_1	int64		<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
parent_\$type_1	string		<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_commentsCount	int32		<input type="checkbox"/>	
parent_created	int64		<input type="checkbox"/>	
parent_description	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id_1	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
parent_idReadable	string		<input type="checkbox"/>	
parent_isDraft	boolean		<input type="checkbox"/>	
parent_linkType_\$type	string		<input type="checkbox"/>	
parent_linkType_aggregation	boolean		<input type="checkbox"/>	
parent_linkType_directed	boolean		<input type="checkbox"/>	
parent_linkType_id	string		<input type="checkbox"/>	
parent_linkType_localizedName	string		<input type="checkbox"/>	
parent_linkType_localizedSourceToTarget	string		<input type="checkbox"/>	
parent_linkType_localizedTargetToSource	string		<input type="checkbox"/>	
parent_linkType_name	string		<input type="checkbox"/>	
parent_linkType_READONLY	boolean		<input type="checkbox"/>	
parent_linkType_sourceToTarget	string		<input type="checkbox"/>	
parent_linkType_targetToSource	string		<input type="checkbox"/>	
parent_numberInProject	int64		<input type="checkbox"/>	
parent_resolved	int64		<input type="checkbox"/>	
parent_summary	string		<input type="checkbox"/>	
parent_updated	int64		<input type="checkbox"/>	
parent_usesMarkdown	boolean		<input type="checkbox"/>	
parent_votes	int32		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
parent_w_ikifiedDescription	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_createdBy_\$type	string		<input type="checkbox"/>	
project_createdBy_avatarUrl	string		<input type="checkbox"/>	
project_createdBy_banned	boolean		<input type="checkbox"/>	
project_createdBy_email	string		<input type="checkbox"/>	
project_createdBy.FullName	string		<input type="checkbox"/>	
project_createdBy_guest	boolean		<input type="checkbox"/>	
project_createdBy_id	string		<input type="checkbox"/>	
project_createdBy_jabberAccountName	string		<input type="checkbox"/>	
project_createdBy_login	string		<input type="checkbox"/>	
project_createdBy_online	boolean		<input type="checkbox"/>	
project_createdBy_ringId	string		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_leader_\$type	string		<input type="checkbox"/>	
project_leader_avatarUrl	string		<input type="checkbox"/>	
project_leader_banned	boolean		<input type="checkbox"/>	
project_leader_email	string		<input type="checkbox"/>	
project_leader.FullName	string		<input type="checkbox"/>	
project_leader_guest	boolean		<input type="checkbox"/>	
project_leader_id	string		<input type="checkbox"/>	
project_leader_jabberAccountName	string		<input type="checkbox"/>	
project_leader_login	string		<input type="checkbox"/>	
project_leader_online	boolean		<input type="checkbox"/>	
project_leader_ringId	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_team_\$type	string		<input type="checkbox"/>	
project_team_allUsersGroup	boolean		<input type="checkbox"/>	
project_team_icon	string		<input type="checkbox"/>	
project_team_id	string		<input type="checkbox"/>	
project_team_name	string		<input type="checkbox"/>	
project_team_ringId	string		<input type="checkbox"/>	
project_team_usersCount	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter_fullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_profiles_\$type	string		<input type="checkbox"/>	
reporter_profiles_id	string		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved_1	int64		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
subtasks_\$type_1	string		<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_commentsCount	int32		<input type="checkbox"/>	
subtasks_created	int64		<input type="checkbox"/>	
subtasks_description	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id_1	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
subtasks_idReadable	string		<input type="checkbox"/>	
subtasks_isDraft	boolean		<input type="checkbox"/>	
subtasks_linkType_\$type	string		<input type="checkbox"/>	
subtasks_linkType_aggregation	boolean		<input type="checkbox"/>	
subtasks_linkType_directed	boolean		<input type="checkbox"/>	
subtasks_linkType_id	string		<input type="checkbox"/>	
subtasks_linkType_localizedName	string		<input type="checkbox"/>	
subtasks_linkType_localizedSourceToTarget	string		<input type="checkbox"/>	
subtasks_linkType_localizedTargetToSource	string		<input type="checkbox"/>	
subtasks_linkType_name	string		<input type="checkbox"/>	
subtasks_linkType_readOnly	boolean		<input type="checkbox"/>	
subtasks_linkType_sourceToTarget	string		<input type="checkbox"/>	
subtasks_linkType_targetToSource	string		<input type="checkbox"/>	
subtasks_numberInProject	int64		<input type="checkbox"/>	
subtasks_resolved	int64		<input type="checkbox"/>	
subtasks_summary	string		<input type="checkbox"/>	
subtasks_updated	int64		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
subtasks_usesMarkdown	boolean		<input type="checkbox"/>	
subtasks_votes	int32		<input type="checkbox"/>	
subtasks_wikifiedDescription	string		<input type="checkbox"/>	
summary_1	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
updated_1	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater.FullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_profiles_\$type	string		<input type="checkbox"/>	
updater_profiles_id	string		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
usesMarkdown_1	boolean		<input type="checkbox"/>	
usesMarkdown_n	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes_1	int32		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription_1	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

9.1.18 LinkTrimmedIssuesByIssueId

Catalog: YouTrack

Schema: Issues

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/issues/{id}`

Insert YouTrack API URL: `/issues/{id}`

Update YouTrack API URL: `/issues/{id}`

Delete YouTrack API URL: `/issues/{id}`

Field Selection Method: NotRequired

Base Path: `links[*].trimmedIssues[*]`

Select YouTrack API Operation: get `/issues/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `LinkTrimmedIssuesByIssueId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `LinkTrimmedIssuesByIssueId` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
commentsCount_1	int32		<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created_1	int64		<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
description_1	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
description	string	Description	<input type="checkbox"/>	
direction	string	Direction	<input type="checkbox"/>	
draftOwner_\$type	string		<input type="checkbox"/>	
draftOwner_avatarUrl	string		<input type="checkbox"/>	
draftOwner_banned	boolean		<input type="checkbox"/>	
draftOwner_email	string		<input type="checkbox"/>	
draftOwner.FullName	string		<input type="checkbox"/>	
draftOwner_guest	boolean		<input type="checkbox"/>	
draftOwner_id	string		<input type="checkbox"/>	
draftOwner_jabberAccountName	string		<input type="checkbox"/>	
draftOwner_login	string		<input type="checkbox"/>	
draftOwner_online	boolean		<input type="checkbox"/>	
draftOwner_profiles_\$type	string		<input type="checkbox"/>	
draftOwner_profiles_id	string		<input type="checkbox"/>	
draftOwner_ringId	string		<input type="checkbox"/>	
externalIssue_\$type	string		<input type="checkbox"/>	
externalIssue_id	string		<input type="checkbox"/>	
externalIssue_key	string		<input type="checkbox"/>	
externalIssue_name	string		<input type="checkbox"/>	
externalIssue_url	string		<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable_1	string		<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft_1	boolean		<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
linkType_\$type	string		<input type="checkbox"/>	
linkType_aggregation	boolean		<input type="checkbox"/>	
linkType_directed	boolean		<input type="checkbox"/>	
linkType_id	string		<input type="checkbox"/>	
linkType_localizedName	string		<input type="checkbox"/>	
linkType_localizedSourceToTarget	string		<input type="checkbox"/>	
linkType_localizedTargetToSource	string		<input type="checkbox"/>	
linkType_name	string		<input type="checkbox"/>	
linkType_readOnly	boolean		<input type="checkbox"/>	
linkType_sourceToTarget	string		<input type="checkbox"/>	
linkType_targetToSource	string		<input type="checkbox"/>	
numberInProject_1	int64		<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
parent_\$type_1	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
parent_\$type	string		<input type="checkbox"/>	
parent_commentsCount	int32		<input type="checkbox"/>	
parent_created	int64		<input type="checkbox"/>	
parent_description	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id_1	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
parent_idReadable	string		<input type="checkbox"/>	
parent_isDraft	boolean		<input type="checkbox"/>	
parent_linkType_\$type	string		<input type="checkbox"/>	
parent_linkType_aggregation	boolean		<input type="checkbox"/>	
parent_linkType_directed	boolean		<input type="checkbox"/>	
parent_linkType_id	string		<input type="checkbox"/>	
parent_linkType_localizedName	string		<input type="checkbox"/>	
parent_linkType_localizedSourceToTarget	string		<input type="checkbox"/>	
parent_linkType_localizedTargetToSource	string		<input type="checkbox"/>	
parent_linkType_name	string		<input type="checkbox"/>	
parent_linkType_readOnly	boolean		<input type="checkbox"/>	
parent_linkType_sourceToTarget	string		<input type="checkbox"/>	
parent_linkType_targetToSource	string		<input type="checkbox"/>	
parent_numberInProject	int64		<input type="checkbox"/>	
parent_resolved	int64		<input type="checkbox"/>	
parent_summary	string		<input type="checkbox"/>	
parent_updated	int64		<input type="checkbox"/>	
parent_usesMarkdown	boolean		<input type="checkbox"/>	
parent_votes	int32		<input type="checkbox"/>	
parent_wikifiedDescription	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_createdBy_\$type	string		<input type="checkbox"/>	
project_createdBy_avatarUrl	string		<input type="checkbox"/>	
project_createdBy_banned	boolean		<input type="checkbox"/>	
project_createdBy_email	string		<input type="checkbox"/>	
project_createdBy.FullName	string		<input type="checkbox"/>	
project_createdBy_guest	boolean		<input type="checkbox"/>	
project_createdBy_id	string		<input type="checkbox"/>	
project_createdBy_jabberAccountName	string		<input type="checkbox"/>	
project_createdBy_login	string		<input type="checkbox"/>	
project_createdBy_online	boolean		<input type="checkbox"/>	
project_createdBy_ringId	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_leader_\$type	string		<input type="checkbox"/>	
project_leader_avatarUrl	string		<input type="checkbox"/>	
project_leader_banned	boolean		<input type="checkbox"/>	
project_leader_email	string		<input type="checkbox"/>	
project_leader.FullName	string		<input type="checkbox"/>	
project_leader_guest	boolean		<input type="checkbox"/>	
project_leader_id	string		<input type="checkbox"/>	
project_leader_jabberAccountName	string		<input type="checkbox"/>	
project_leader_login	string		<input type="checkbox"/>	
project_leader_online	boolean		<input type="checkbox"/>	
project_leader_ringId	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_team_\$type	string		<input type="checkbox"/>	
project_team_allUsersGroup	boolean		<input type="checkbox"/>	
project_team_icon	string		<input type="checkbox"/>	
project_team_id	string		<input type="checkbox"/>	
project_team_name	string		<input type="checkbox"/>	
project_team_ringId	string		<input type="checkbox"/>	
project_team_usersCount	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter.FullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_profiles_\$type	string		<input type="checkbox"/>	
reporter_profiles_id	string		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved_1	int64		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
subtasks_\$type_1	string		<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_commentsCount	int32		<input type="checkbox"/>	
subtasks_created	int64		<input type="checkbox"/>	
subtasks_description	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id_1	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
subtasks_idReadable	string		<input type="checkbox"/>	
subtasks_isDraft	boolean		<input type="checkbox"/>	
subtasks_linkType_\$type	string		<input type="checkbox"/>	
subtasks_linkType_aggregation	boolean		<input type="checkbox"/>	
subtasks_linkType_directed	boolean		<input type="checkbox"/>	
subtasks_linkType_id	string		<input type="checkbox"/>	
subtasks_linkType_localizedName	string		<input type="checkbox"/>	
subtasks_linkType_localizedSourceToTarget	string		<input type="checkbox"/>	
subtasks_linkType_localizedTargetToSource	string		<input type="checkbox"/>	
subtasks_linkType_name	string		<input type="checkbox"/>	
subtasks_linkType_readOnly	boolean		<input type="checkbox"/>	
subtasks_linkType_sourceToTarget	string		<input type="checkbox"/>	
subtasks_linkType_targetToSource	string		<input type="checkbox"/>	
subtasks_numberInProject	int64		<input type="checkbox"/>	
subtasks_resolved	int64		<input type="checkbox"/>	
subtasks_summary	string		<input type="checkbox"/>	
subtasks_updated	int64		<input type="checkbox"/>	
subtasks_usesMarkdown	boolean		<input type="checkbox"/>	
subtasks_votes	int32		<input type="checkbox"/>	
subtasks_wikifiedDescription	string		<input type="checkbox"/>	
summary_1	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
updated_1	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater.FullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_profiles_\$type	string		<input type="checkbox"/>	
updater_profiles_id	string		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
usesMarkdown_1	boolean		<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes_1	int32		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription_1	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

9.1.19 TagById

Catalog: YouTrack

Schema: Issues

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /issues/{id}

Insert YouTrack API URL: /issues/{id}

Update YouTrack API URL: /issues/{id}

Delete YouTrack API URL: /issues/{id}

Field Selection Method: NotRequired

Base Path: tags[*]

Select YouTrack API Operation: get /issues/{id}

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function TagById. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour.

Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function TagById are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
color_\$type	string		<input type="checkbox"/>	
color_background	string		<input type="checkbox"/>	
color_foreground	string		<input type="checkbox"/>	
color_id	string		<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
draftOwner_\$type	string		<input type="checkbox"/>	
draftOwner_avatarUrl	string		<input type="checkbox"/>	
draftOwner_banned	boolean		<input type="checkbox"/>	
draftOwner_email	string		<input type="checkbox"/>	
draftOwner_fullName	string		<input type="checkbox"/>	
draftOwner_guest	boolean		<input type="checkbox"/>	
draftOwner_id	string		<input type="checkbox"/>	
draftOwner_jabberAccountName	string		<input type="checkbox"/>	
draftOwner_login	string		<input type="checkbox"/>	
draftOwner_online	boolean		<input type="checkbox"/>	
draftOwner_profiles_\$type	string		<input type="checkbox"/>	
draftOwner_profiles_id	string		<input type="checkbox"/>	
draftOwner_ringId	string		<input type="checkbox"/>	
externalIssue_\$type	string		<input type="checkbox"/>	
externalIssue_id	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
externallssue_key	string		<input type="checkbox"/>	
externallssue_name	string		<input type="checkbox"/>	
externallssue_url	string		<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
ow_ner_\$type	string		<input type="checkbox"/>	
ow_ner_avatarUrl	string		<input type="checkbox"/>	
ow_ner_banned	boolean		<input type="checkbox"/>	
ow_ner_email	string		<input type="checkbox"/>	
ow_ner.FullName	string		<input type="checkbox"/>	
ow_ner_guest	boolean		<input type="checkbox"/>	
ow_ner_id	string		<input type="checkbox"/>	
ow_ner_jabberAccountName	string		<input type="checkbox"/>	
ow_ner_login	string		<input type="checkbox"/>	
ow_ner_online	boolean		<input type="checkbox"/>	
ow_ner_ringId	string		<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
parent_linkType_\$type	string		<input type="checkbox"/>	
parent_linkType_aggregation	boolean		<input type="checkbox"/>	
parent_linkType_directed	boolean		<input type="checkbox"/>	
parent_linkType_id	string		<input type="checkbox"/>	
parent_linkType_localizedName	string		<input type="checkbox"/>	
parent_linkType_localizedSourceToTarget	string		<input type="checkbox"/>	
parent_linkType_localizedTargetToSource	string		<input type="checkbox"/>	
parent_linkType_name	string		<input type="checkbox"/>	
parent_linkType_readOnly	boolean		<input type="checkbox"/>	
parent_linkType_sourceToTarget	string		<input type="checkbox"/>	
parent_linkType_targetToSource	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_createdBy_\$type	string		<input type="checkbox"/>	
project_createdBy_avatarUrl	string		<input type="checkbox"/>	
project_createdBy_banned	boolean		<input type="checkbox"/>	
project_createdBy_email	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
project_createdBy_fullName	string		<input type="checkbox"/>	
project_createdBy_guest	boolean		<input type="checkbox"/>	
project_createdBy_id	string		<input type="checkbox"/>	
project_createdBy_jabberAccountName	string		<input type="checkbox"/>	
project_createdBy_login	string		<input type="checkbox"/>	
project_createdBy_online	boolean		<input type="checkbox"/>	
project_createdBy_ringId	string		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_leader_\$type	string		<input type="checkbox"/>	
project_leader_avatarUrl	string		<input type="checkbox"/>	
project_leader_banned	boolean		<input type="checkbox"/>	
project_leader_email	string		<input type="checkbox"/>	
project_leader.FullName	string		<input type="checkbox"/>	
project_leader_guest	boolean		<input type="checkbox"/>	
project_leader_id	string		<input type="checkbox"/>	
project_leader_jabberAccountName	string		<input type="checkbox"/>	
project_leader_login	string		<input type="checkbox"/>	
project_leader_online	boolean		<input type="checkbox"/>	
project_leader_ringId	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_team_\$type	string		<input type="checkbox"/>	
project_team_allUsersGroup	boolean		<input type="checkbox"/>	
project_team_icon	string		<input type="checkbox"/>	
project_team_id	string		<input type="checkbox"/>	
project_team_name	string		<input type="checkbox"/>	
project_team_ringId	string		<input type="checkbox"/>	
project_team_usersCount	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter_fullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_profiles_\$type	string		<input type="checkbox"/>	
reporter_profiles_id	string		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
subtasks_linkType_\$type	string		<input type="checkbox"/>	
subtasks_linkType_aggregation	boolean		<input type="checkbox"/>	
subtasks_linkType_directed	boolean		<input type="checkbox"/>	
subtasks_linkType_id	string		<input type="checkbox"/>	
subtasks_linkType_localizedName	string		<input type="checkbox"/>	
subtasks_linkType_localizedSourceToTarget	string		<input type="checkbox"/>	
subtasks_linkType_localizedTargetToSource	string		<input type="checkbox"/>	
subtasks_linkType_name	string		<input type="checkbox"/>	
subtasks_linkType_readOnly	boolean		<input type="checkbox"/>	
subtasks_linkType_sourceToTarget	string		<input type="checkbox"/>	
subtasks_linkType_targetToSource	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
untagOnResolve	boolean		<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater_fullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_profiles_\$type	string		<input type="checkbox"/>	
updater_profiles_id	string		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

9.1.20 TagIssuesById

Catalog: YouTrack

Schema: Issues

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /issues/{id}

Insert YouTrack API URL: /issues/{id}

Update YouTrack API URL: /issues/{id}

Delete YouTrack API URL: /issues/{id}

Field Selection Method: NotRequired

Base Path: tags[*].issues[*]

Select YouTrack API Operation: get /issues/{id}

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function TagIssuesByTagId. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function TagIssuesByTagId are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
color_\$type	string		<input type="checkbox"/>	
color_background	string		<input type="checkbox"/>	
color_foreground	string		<input type="checkbox"/>	
color_id	string		<input type="checkbox"/>	
commentsCount_1	int32		<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created_1	int64		<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
description_1	string		<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
draftOwner_\$type	string		<input type="checkbox"/>	
draftOwner_avatarUrl	string		<input type="checkbox"/>	
draftOwner_banned	boolean		<input type="checkbox"/>	
draftOwner_email	string		<input type="checkbox"/>	
draftOwner.FullName	string		<input type="checkbox"/>	
draftOwner_guest	boolean		<input type="checkbox"/>	
draftOwner_id	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
draftOw_ner_jabberAccountName	string		<input type="checkbox"/>	
draftOw_ner_login	string		<input type="checkbox"/>	
draftOw_ner_online	boolean		<input type="checkbox"/>	
draftOw_ner_profiles_\$type	string		<input type="checkbox"/>	
draftOw_ner_profiles_id	string		<input type="checkbox"/>	
draftOw_ner_ringId	string		<input type="checkbox"/>	
externallssue_\$type	string		<input type="checkbox"/>	
externallssue_id	string		<input type="checkbox"/>	
externallssue_key	string		<input type="checkbox"/>	
externallssue_name	string		<input type="checkbox"/>	
externallssue_url	string		<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable_1	string		<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft_1	boolean		<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject_1	int64		<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
ow_ner_\$type	string		<input type="checkbox"/>	
ow_ner_avatarUrl	string		<input type="checkbox"/>	
ow_ner_banned	boolean		<input type="checkbox"/>	
ow_ner_email	string		<input type="checkbox"/>	
ow_ner_fullName	string		<input type="checkbox"/>	
ow_ner_guest	boolean		<input type="checkbox"/>	
ow_ner_id	string		<input type="checkbox"/>	
ow_ner_jabberAccountName	string		<input type="checkbox"/>	
ow_ner_login	string		<input type="checkbox"/>	
ow_ner_online	boolean		<input type="checkbox"/>	
ow_ner_ringId	string		<input type="checkbox"/>	
parent_\$type_1	string		<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_commentsCount	int32		<input type="checkbox"/>	
parent_created	int64		<input type="checkbox"/>	
parent_description	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id_1	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
parent_idReadable	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
parent_isDraft	boolean		<input type="checkbox"/>	
parent_linkType_\$type	string		<input type="checkbox"/>	
parent_linkType_aggregation	boolean		<input type="checkbox"/>	
parent_linkType_directed	boolean		<input type="checkbox"/>	
parent_linkType_id	string		<input type="checkbox"/>	
parent_linkType_localizedName	string		<input type="checkbox"/>	
parent_linkType_localizedSourceToTarget	string		<input type="checkbox"/>	
parent_linkType_localizedTargetToSource	string		<input type="checkbox"/>	
parent_linkType_name	string		<input type="checkbox"/>	
parent_linkType_readOnly	boolean		<input type="checkbox"/>	
parent_linkType_sourceToTarget	string		<input type="checkbox"/>	
parent_linkType_targetToSource	string		<input type="checkbox"/>	
parent_numberInProject	int64		<input type="checkbox"/>	
parent_resolved	int64		<input type="checkbox"/>	
parent_summary	string		<input type="checkbox"/>	
parent_updated	int64		<input type="checkbox"/>	
parent_usesMarkdown	boolean		<input type="checkbox"/>	
parent_votes	int32		<input type="checkbox"/>	
parent_wikifiedDescription	string		<input type="checkbox"/>	
project_\$type	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_commentsCount	int32		<input type="checkbox"/>	
project_created	int64		<input type="checkbox"/>	
project_createdBy_\$type	string		<input type="checkbox"/>	
project_createdBy_avatarUrl	string		<input type="checkbox"/>	
project_createdBy_banned	boolean		<input type="checkbox"/>	
project_createdBy_email	string		<input type="checkbox"/>	
project_createdBy.FullName	string		<input type="checkbox"/>	
project_createdBy_guest	boolean		<input type="checkbox"/>	
project_createdBy_id	string		<input type="checkbox"/>	
project_createdBy_jabberAccountName	string		<input type="checkbox"/>	
project_createdBy_login	string		<input type="checkbox"/>	
project_createdBy_online	boolean		<input type="checkbox"/>	
project_createdBy_ringId	string		<input type="checkbox"/>	
project_description_1	string		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_id	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
project_idReadable	string		<input type="checkbox"/>	
project_isDraft	boolean		<input type="checkbox"/>	
project_leader__\$type	string		<input type="checkbox"/>	
project_leader_avatarUrl	string		<input type="checkbox"/>	
project_leader_banned	boolean		<input type="checkbox"/>	
project_leader_email	string		<input type="checkbox"/>	
project_leader.FullName	string		<input type="checkbox"/>	
project_leader_guest	boolean		<input type="checkbox"/>	
project_leader_id	string		<input type="checkbox"/>	
project_leader_jabberAccountName	string		<input type="checkbox"/>	
project_leader_login	string		<input type="checkbox"/>	
project_leader_online	boolean		<input type="checkbox"/>	
project_leader_ringId	string		<input type="checkbox"/>	
project_numberInProject	int64		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_resolved	int64		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_summary	string		<input type="checkbox"/>	
project_team__\$type	string		<input type="checkbox"/>	
project_team_allUsersGroup	boolean		<input type="checkbox"/>	
project_team_icon	string		<input type="checkbox"/>	
project_team_id	string		<input type="checkbox"/>	
project_team_name	string		<input type="checkbox"/>	
project_team_ringId	string		<input type="checkbox"/>	
project_team_usersCount	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
project_updated	int64		<input type="checkbox"/>	
project_usesMarkdown	boolean		<input type="checkbox"/>	
project_votes	int32		<input type="checkbox"/>	
project_wikifiedDescription	string		<input type="checkbox"/>	
reporter__\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter.FullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
reporter_online	boolean		<input type="checkbox"/>	
reporter_profiles_\$type	string		<input type="checkbox"/>	
reporter_profiles_id	string		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved_1	int64		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
subtasks_\$type_1	string		<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_commentsCount	int32		<input type="checkbox"/>	
subtasks_created	int64		<input type="checkbox"/>	
subtasks_description	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id_1	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
subtasks_idReadable	string		<input type="checkbox"/>	
subtasks_isDraft	boolean		<input type="checkbox"/>	
subtasks_linkType_\$type	string		<input type="checkbox"/>	
subtasks_linkType_aggregation	boolean		<input type="checkbox"/>	
subtasks_linkType_directed	boolean		<input type="checkbox"/>	
subtasks_linkType_id	string		<input type="checkbox"/>	
subtasks_linkType_localizedName	string		<input type="checkbox"/>	
subtasks_linkType_localizedSourceToTarget	string		<input type="checkbox"/>	
subtasks_linkType_localizedTargetToSource	string		<input type="checkbox"/>	
subtasks_linkType_name	string		<input type="checkbox"/>	
subtasks_linkType_readOnly	boolean		<input type="checkbox"/>	
subtasks_linkType_sourceToTarget	string		<input type="checkbox"/>	
subtasks_linkType_targetToSource	string		<input type="checkbox"/>	
subtasks_numberInProject	int64		<input type="checkbox"/>	
subtasks_resolved	int64		<input type="checkbox"/>	
subtasks_summary	string		<input type="checkbox"/>	
subtasks_updated	int64		<input type="checkbox"/>	
subtasks_usesMarkdown	boolean		<input type="checkbox"/>	
subtasks_votes	int32		<input type="checkbox"/>	
subtasks_wikitifiedDescription	string		<input type="checkbox"/>	
summary_1	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
untagOnResolve	boolean		<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
updated_1	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater.FullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_profiles_\$type	string		<input type="checkbox"/>	
updater_profiles_id	string		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
usesMarkdown_1	boolean		<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes_1	int32		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription_1	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

9.1.21 Tags

Catalog: YouTrack

Schema: Issues

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: /issues

Insert YouTrack API URL: /issues

Update YouTrack API URL: /issues

Delete YouTrack API URL: /issues

Field Selection Method: NotRequired

Base Path: tags [*]

Select YouTrack API Operation: get /issues

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function Tags. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
customFields	string	<input type="checkbox"/>		<p>The name of the custom field to show in the response. When you use this parameter and request the custom field data in the request URL, the response only shows the requested custom fields instead of all of them.</p><p>To show more than one custom field, use this parameter several times.</p><p>See Sample 2 for reference.</p>
query	string	<input type="checkbox"/>		Issues search query. Read more about search syntax here: <a href="https://www.jetbrains.com/help/youtrack/incloud/?Search-"

Name	Data Type	Required	Default Value	Documentation
				and-Command-Attributes">Search Query Reference

Table Function Columns

The columns of the table function Tags are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
color_\$type	string		<input type="checkbox"/>	
color_background	string		<input type="checkbox"/>	
color_foreground	string		<input type="checkbox"/>	
color_id	string		<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
draftOwner_\$type	string		<input type="checkbox"/>	
draftOwner_avatarUrl	string		<input type="checkbox"/>	
draftOwner_banned	boolean		<input type="checkbox"/>	
draftOwner_email	string		<input type="checkbox"/>	
draftOwner.FullName	string		<input type="checkbox"/>	
draftOwner_guest	boolean		<input type="checkbox"/>	
draftOwner_id	string		<input type="checkbox"/>	
draftOwner_jabberAccountName	string		<input type="checkbox"/>	
draftOwner_login	string		<input type="checkbox"/>	
draftOwner_online	boolean		<input type="checkbox"/>	
draftOwner_profiles_\$type	string		<input type="checkbox"/>	
draftOwner_profiles_id	string		<input type="checkbox"/>	
draftOwner_ringId	string		<input type="checkbox"/>	
externalIssue_\$type	string		<input type="checkbox"/>	
externalIssue_id	string		<input type="checkbox"/>	
externalIssue_key	string		<input type="checkbox"/>	
externalIssue_name	string		<input type="checkbox"/>	
externalIssue_url	string		<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
numberInProject	int64	Number in Project	<input type="checkbox"/>	
owner_\$type	string		<input type="checkbox"/>	
owner_avatarUrl	string		<input type="checkbox"/>	
owner_banned	boolean		<input type="checkbox"/>	
owner_email	string		<input type="checkbox"/>	
owner.FullName	string		<input type="checkbox"/>	
owner.guest	boolean		<input type="checkbox"/>	
owner.id	string		<input type="checkbox"/>	
owner.jabberAccountName	string		<input type="checkbox"/>	
owner.login	string		<input type="checkbox"/>	
owner.online	boolean		<input type="checkbox"/>	
owner.ringId	string		<input type="checkbox"/>	
parent.\$type	string		<input type="checkbox"/>	
parent.direction	string		<input type="checkbox"/>	
parent.id	string		<input type="checkbox"/>	
parent.linkType.\$type	string		<input type="checkbox"/>	
parent.linkType.aggregation	boolean		<input type="checkbox"/>	
parent.linkType.directed	boolean		<input type="checkbox"/>	
parent.linkType.id	string		<input type="checkbox"/>	
parent.linkType.localizedName	string		<input type="checkbox"/>	
parent.linkType.localizedSourceToTarget	string		<input type="checkbox"/>	
parent.linkType.localizedTargetToSource	string		<input type="checkbox"/>	
parent.linkType.name	string		<input type="checkbox"/>	
parent.linkType.readOnly	boolean		<input type="checkbox"/>	
parent.linkType.sourceToTarget	string		<input type="checkbox"/>	
parent.linkType.targetToSource	string		<input type="checkbox"/>	
project.archived	boolean		<input type="checkbox"/>	
project.createdBy.\$type	string		<input type="checkbox"/>	
project.createdBy.avatarUrl	string		<input type="checkbox"/>	
project.createdBy.banned	boolean		<input type="checkbox"/>	
project.createdBy.email	string		<input type="checkbox"/>	
project.createdBy.fullName	string		<input type="checkbox"/>	
project.createdBy.guest	boolean		<input type="checkbox"/>	
project.createdBy.id	string		<input type="checkbox"/>	
project.createdBy.jabberAccountName	string		<input type="checkbox"/>	
project.createdBy.login	string		<input type="checkbox"/>	
project.createdBy.online	boolean		<input type="checkbox"/>	
project.createdBy.ringId	string		<input type="checkbox"/>	
project.description	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_leader_\$type	string		<input type="checkbox"/>	
project_leader_avatarUrl	string		<input type="checkbox"/>	
project_leader_banned	boolean		<input type="checkbox"/>	
project_leader_email	string		<input type="checkbox"/>	
project_leader.FullName	string		<input type="checkbox"/>	
project_leader_guest	boolean		<input type="checkbox"/>	
project_leader_id	string		<input type="checkbox"/>	
project_leader_jabberAccountName	string		<input type="checkbox"/>	
project_leader_login	string		<input type="checkbox"/>	
project_leader_online	boolean		<input type="checkbox"/>	
project_leader_ringId	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_team_\$type	string		<input type="checkbox"/>	
project_team_allUsersGroup	boolean		<input type="checkbox"/>	
project_team_icon	string		<input type="checkbox"/>	
project_team_id	string		<input type="checkbox"/>	
project_team_name	string		<input type="checkbox"/>	
project_team_ringId	string		<input type="checkbox"/>	
project_team_usersCount	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter.FullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_profiles_\$type	string		<input type="checkbox"/>	
reporter_profiles_id	string		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
subtasks_id	string		<input type="checkbox"/>	
subtasks_linkType_\$type	string		<input type="checkbox"/>	
subtasks_linkType_aggregation	boolean		<input type="checkbox"/>	
subtasks_linkType_directed	boolean		<input type="checkbox"/>	
subtasks_linkType_id	string		<input type="checkbox"/>	
subtasks_linkType_localizedName	string		<input type="checkbox"/>	
subtasks_linkType_localizedSourceToTarget	string		<input type="checkbox"/>	
subtasks_linkType_localizedTargetToSource	string		<input type="checkbox"/>	
subtasks_linkType_name	string		<input type="checkbox"/>	
subtasks_linkType_readOnly	boolean		<input type="checkbox"/>	
subtasks_linkType_sourceToTarget	string		<input type="checkbox"/>	
subtasks_linkType_targetToSource	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
untagOnResolve	boolean		<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater_fullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_profiles_\$type	string		<input type="checkbox"/>	
updater_profiles_id	string		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

10 Schema: Native

10.1 Tables

10.1.1 NATIVEPLATFORMSCALARREQUESTS: YouTrack Native Platform Scalar Requests

Direct access to native API.

Catalog: YouTrack

Schema: Native

Alias: npt

Label: Native Platform Scalar Requests

Documentation:

The NativePlatformScalarRequests table provides direct access to the native API protocol over an established connection to the YouTrack API server. It will contain a new row for every row inserted with a native API request in PAYLOAD_TEXT with the results of unaltered forwarding of the payload to the YouTrack API server.

Retrieve: true

Insert: true

Update: false

Delete: false

View Columns

The columns of the view NATIVEPLATFORMSCALARREQUESTS are shown below. Each column has an SQL data type. A new non-null value must be provided for every required column at all times during insert.

Name	Data Type	Label	Required	Documentation
BLOB_PREFERRED	boolean	BLOB Preferred	<input checked="" type="checkbox"/>	Indicator whether a BLOB result is preferred over text.
BOL_RESPONSE_CACHE_MAX_AGE_SEC	int32	Response Cache Maximum Age (sec)	<input type="checkbox"/>	Maximum age in seconds of Bridge Online response cache entries to be used.
CONTENT_TYPE	string(240)	Content Type	<input type="checkbox"/>	
DATE_ENDED	datetime	End Date	<input checked="" type="checkbox"/>	
DATE_STARTED	datetime	Start Date	<input checked="" type="checkbox"/>	
DRY_RUN	boolean	Run without Actions	<input checked="" type="checkbox"/>	
DURATION_MS	int32	Duration (ms)	<input checked="" type="checkbox"/>	
ERROR_MESSAGE_CODE	string(30)	Error Message Code	<input type="checkbox"/>	
ERROR_MESSAGE_TEXT	string(32000)	Error Message Text	<input type="checkbox"/>	
FAIL_ON_ERROR	boolean	Fail on Error	<input checked="" type="checkbox"/>	Whether to raise an exception when processing the native request triggered an error from the provider.
HTTP_DISK_CACHE_MAX_AGE_SEC	int32	HTTP Disk Cache Maximum Age (sec)	<input type="checkbox"/>	Maximum age in seconds of HTTP disk cache entries to be used.
HTTP_DISK_CACHE_SAVE	boolean	Save HTTP Disk Cache	<input type="checkbox"/>	Whether results can be stored in HTTP disk cache.
HTTP_DISK_CACHE_USE	boolean	Use HTTP Disk Cache	<input type="checkbox"/>	Whether results can be fetched from HTTP disk cache.
HTTP_MEMORY_CACHE_MAX_AGE_SEC	int32	HTTP Memory Cache Maximum Age (sec)	<input type="checkbox"/>	Maximum age in seconds of HTTP memory cache entries to be used.
HTTP_MEMORY_CACHE_SAVE	boolean	Save HTTP Memory Cache	<input type="checkbox"/>	Whether results can be stored in HTTP memory cache.
HTTP_MEMORY_CACHE_USE	boolean	Use HTTP Memory Cache	<input type="checkbox"/>	Whether results can be fetched from HTTP memory cache.
HTTP_METHOD	string(30)	HTTP Method	<input type="checkbox"/>	
HTTP_STATUS_CODE	int16	HTTP Status Code	<input type="checkbox"/>	
ORIG_SYSTEM_GROUP	string(4000)	Original System Group	<input type="checkbox"/>	
ORIG_SYSTEM_REFERENCE	string(4000)	Original System Reference	<input type="checkbox"/>	
PAYOUT_TEXT	string	Payout	<input type="checkbox"/>	
RESULT_BLOB	byte[]	Result BLOB	<input type="checkbox"/>	
RESULT_DATE_TIME_UTC	datetime		<input type="checkbox"/>	
RESULT_NUMBER	decimal		<input type="checkbox"/>	
RESULT_TEXT	string	Result Text	<input type="checkbox"/>	
SUCCESSFUL	boolean	Successful	<input checked="" type="checkbox"/>	
TIMEOUT_SEC	int32	Timeout (sec)	<input type="checkbox"/>	Timeout in seconds.
TRANSACTION_ID	int32	Transaction ID	<input checked="" type="checkbox"/>	Incrementing ID of the transaction.
URL	string(4000)	URL	<input type="checkbox"/>	

11 Schema: SavedQueries

11.1 Tables

11.1.1 IssueAttachmentsBySavedQueryId

Catalog: YouTrack

Schema: SavedQueries

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /savedQueries/{id}

Insert YouTrack API URL: /savedQueries/{id}

Update YouTrack API URL: /savedQueries/{id}

Delete YouTrack API URL: /savedQueries/{id}

Field Selection Method: NotRequired

Base Path: issues[*].attachments[*]

Select YouTrack API Operation: get /savedQueries/{id}

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function IssueAttachmentsBySavedQueryId. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function IssueAttachmentsBySavedQueryId are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
base64Content	string	Base64 Content	<input type="checkbox"/>	
charset	string	Charset	<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created_1	int64		<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
draft	boolean	Draft	<input type="checkbox"/>	
draftOw ner_\$type	string		<input type="checkbox"/>	
draftOw ner_avatarUrl	string		<input type="checkbox"/>	
draftOw ner_banned	boolean		<input type="checkbox"/>	
draftOw ner_email	string		<input type="checkbox"/>	
draftOw ner_fullName	string		<input type="checkbox"/>	
draftOw ner_guest	boolean		<input type="checkbox"/>	
draftOw ner_id	string		<input type="checkbox"/>	
draftOw ner_jabberAccountName	string		<input type="checkbox"/>	
draftOw ner_login	string		<input type="checkbox"/>	
draftOw ner_online	boolean		<input type="checkbox"/>	
draftOw ner_ringId	string		<input type="checkbox"/>	
extension	string	Extension	<input type="checkbox"/>	
externallssue_\$type	string		<input type="checkbox"/>	
externallssue_id	string		<input type="checkbox"/>	
externallssue_key	string		<input type="checkbox"/>	
externallssue_name	string		<input type="checkbox"/>	
externallssue_url	string		<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
metaData	string	Metadata	<input type="checkbox"/>	
mimeType	string	MIME-type	<input type="checkbox"/>	
name_1	string		<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
ow ner_\$type	string		<input type="checkbox"/>	
ow ner_avatarUrl	string		<input type="checkbox"/>	
ow ner_banned	boolean		<input type="checkbox"/>	
ow ner_email	string		<input type="checkbox"/>	
ow ner_fullName	string		<input type="checkbox"/>	
ow ner_guest	boolean		<input type="checkbox"/>	
ow ner_id	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
ow_ner_jabberAccountName	string		<input type="checkbox"/>	
ow_ner_login	string		<input type="checkbox"/>	
ow_ner_online	boolean		<input type="checkbox"/>	
ow_ner_profiles_\$type	string		<input type="checkbox"/>	
ow_ner_profiles_id	string		<input type="checkbox"/>	
ow_ner_ringId	string		<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
query	string	Query	<input type="checkbox"/>	
removed	boolean	Removed	<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter.FullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
size	int64	Size	<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
thumbnailURL	string	Thumbnail (URL)	<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_teamForProject_arched	boolean		<input type="checkbox"/>	
updateableBy_teamForProject_des cription	string		<input type="checkbox"/>	
updateableBy_teamForProject_fro mEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_icon Url	string		<input type="checkbox"/>	
updateableBy_teamForProject_repl yToEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_sho rtName	string		<input type="checkbox"/>	
updateableBy_teamForProject_star tingNumber	int64		<input type="checkbox"/>	
updateableBy_teamForProject_tem plate	boolean		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
updated_1	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater.FullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
url	string	URL	<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_teamForProject_archive d	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
visibleFor_teamForProject_descript ion	string		<input type="checkbox"/>	
visibleFor_teamForProject_fromEm ail	string		<input type="checkbox"/>	
visibleFor_teamForProject_iconUrl	string		<input type="checkbox"/>	
visibleFor_teamForProject_replyTo Email	string		<input type="checkbox"/>	
visibleFor_teamForProject_shortNa me	string		<input type="checkbox"/>	
visibleFor_teamForProject_starting Number	int64		<input type="checkbox"/>	
visibleFor_teamForProject_template	boolean		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

11.1.2 IssueById

Catalog: YouTrack

Schema: SavedQueries

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /savedQueries/{id}

Insert YouTrack API URL: /savedQueries/{id}

Update YouTrack API URL: /savedQueries/{id}

Delete YouTrack API URL: /savedQueries/{id}

Field Selection Method: NotRequired

Base Path: issues [*]

Select YouTrack API Operation: get /savedQueries/{id}

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function IssueById. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-

defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `IssueById` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
draftOwner_\$type	string		<input type="checkbox"/>	
draftOwner_avatarUrl	string		<input type="checkbox"/>	
draftOwner_banned	boolean		<input type="checkbox"/>	
draftOwner_email	string		<input type="checkbox"/>	
draftOwner_fullName	string		<input type="checkbox"/>	
draftOwner_guest	boolean		<input type="checkbox"/>	
draftOwner_id	string		<input type="checkbox"/>	
draftOwner_jabberAccountName	string		<input type="checkbox"/>	
draftOwner_login	string		<input type="checkbox"/>	
draftOwner_online	boolean		<input type="checkbox"/>	
draftOwner_ringId	string		<input type="checkbox"/>	
externalIssue_\$type	string		<input type="checkbox"/>	
externalIssue_id	string		<input type="checkbox"/>	
externalIssue_key	string		<input type="checkbox"/>	
externalIssue_name	string		<input type="checkbox"/>	
externalIssue_url	string		<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
isDraft	boolean	Is Draft	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
owner_\$type	string		<input type="checkbox"/>	
owner_avatarUrl	string		<input type="checkbox"/>	
owner_banned	boolean		<input type="checkbox"/>	
owner_email	string		<input type="checkbox"/>	
owner.FullName	string		<input type="checkbox"/>	
owner.guest	boolean		<input type="checkbox"/>	
owner.id	string		<input type="checkbox"/>	
owner.jabberAccountName	string		<input type="checkbox"/>	
owner.login	string		<input type="checkbox"/>	
owner.online	boolean		<input type="checkbox"/>	
owner.profiles.\$type	string		<input type="checkbox"/>	
owner.profiles.id	string		<input type="checkbox"/>	
owner.ringId	string		<input type="checkbox"/>	
parent.\$type	string		<input type="checkbox"/>	
parent.direction	string		<input type="checkbox"/>	
parent.id	string		<input type="checkbox"/>	
project.archived	boolean		<input type="checkbox"/>	
project.description	string		<input type="checkbox"/>	
project.fromEmail	string		<input type="checkbox"/>	
project.iconUrl	string		<input type="checkbox"/>	
project.replyToEmail	string		<input type="checkbox"/>	
project.shortName	string		<input type="checkbox"/>	
project.startingNumber	int64		<input type="checkbox"/>	
project.template	boolean		<input type="checkbox"/>	
query	string	Query	<input type="checkbox"/>	
reporter.\$type	string		<input type="checkbox"/>	
reporter.avatarUrl	string		<input type="checkbox"/>	
reporter.banned	boolean		<input type="checkbox"/>	
reporter.email	string		<input type="checkbox"/>	
reporter.FullName	string		<input type="checkbox"/>	
reporter.guest	boolean		<input type="checkbox"/>	
reporter.id	string		<input type="checkbox"/>	
reporter.jabberAccountName	string		<input type="checkbox"/>	
reporter.login	string		<input type="checkbox"/>	
reporter.online	boolean		<input type="checkbox"/>	
reporter.ringId	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
subtasks.\$type	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_teamForProject_arclived	boolean		<input type="checkbox"/>	
updateableBy_teamForProject_description	string		<input type="checkbox"/>	
updateableBy_teamForProject_fromEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_iconUrl	string		<input type="checkbox"/>	
updateableBy_teamForProject_replyToEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_shortName	string		<input type="checkbox"/>	
updateableBy_teamForProject_startingNumber	int64		<input type="checkbox"/>	
updateableBy_teamForProject_template	boolean		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater.FullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_teamForProject_archiveId	boolean		<input type="checkbox"/>	
visibleFor_teamForProject_description	string		<input type="checkbox"/>	
visibleFor_teamForProject_fromEmail	string		<input type="checkbox"/>	
visibleFor_teamForProject_iconUrl	string		<input type="checkbox"/>	
visibleFor_teamForProject_replyToEmail	string		<input type="checkbox"/>	
visibleFor_teamForProject_shortName	string		<input type="checkbox"/>	
visibleFor_teamForProject_startingNumber	int64		<input type="checkbox"/>	
visibleFor_teamForProject_template	boolean		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

11.1.3 IssueCommentsBySavedQueryId

Catalog: YouTrack

Schema: SavedQueries

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /savedQueries/{id}

Insert YouTrack API URL: /savedQueries/{id}

Update YouTrack API URL: /savedQueries/{id}

Delete YouTrack API URL: /savedQueries/{id}

Field Selection Method: NotRequired

Base Path: issues[*].comments[*]

Select YouTrack API Operation: get /savedQueries/{id}

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `IssueCommentsBySavedQueryId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `IssueCommentsBySavedQueryId` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created_1	int64		<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
deleted	boolean	Deleted	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
draftOwner_\$type	string		<input type="checkbox"/>	
draftOwner_avatarUrl	string		<input type="checkbox"/>	
draftOwner_banned	boolean		<input type="checkbox"/>	
draftOwner_email	string		<input type="checkbox"/>	
draftOwner_fullName	string		<input type="checkbox"/>	
draftOwner_guest	boolean		<input type="checkbox"/>	
draftOwner_id	string		<input type="checkbox"/>	
draftOwner_jabberAccountName	string		<input type="checkbox"/>	
draftOwner_login	string		<input type="checkbox"/>	
draftOwner_online	boolean		<input type="checkbox"/>	
draftOwner_ringId	string		<input type="checkbox"/>	
externalIssue_\$type	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
externallssue_id	string		<input type="checkbox"/>	
externallssue_key	string		<input type="checkbox"/>	
externallssue_name	string		<input type="checkbox"/>	
externallssue_url	string		<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
ow_ner_\$type	string		<input type="checkbox"/>	
ow_ner_avatarUrl	string		<input type="checkbox"/>	
ow_ner_banned	boolean		<input type="checkbox"/>	
ow_ner_email	string		<input type="checkbox"/>	
ow_ner.FullName	string		<input type="checkbox"/>	
ow_ner_guest	boolean		<input type="checkbox"/>	
ow_ner_id	string		<input type="checkbox"/>	
ow_ner_jabberAccountName	string		<input type="checkbox"/>	
ow_ner_login	string		<input type="checkbox"/>	
ow_ner_online	boolean		<input type="checkbox"/>	
ow_ner_profiles_\$type	string		<input type="checkbox"/>	
ow_ner_profiles_id	string		<input type="checkbox"/>	
ow_ner_ringId	string		<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
query	string	Query	<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter_fullName	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
text	string	Text	<input type="checkbox"/>	
textPreview	string	Text Preview	<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_teamForProject_arc hived	boolean		<input type="checkbox"/>	
updateableBy_teamForProject_des cription	string		<input type="checkbox"/>	
updateableBy_teamForProject_fro mEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_icon Url	string		<input type="checkbox"/>	
updateableBy_teamForProject_repl yToEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_sho rtName	string		<input type="checkbox"/>	
updateableBy_teamForProject_star tingNumber	int64		<input type="checkbox"/>	
updateableBy_teamForProject_tem plate	boolean		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
updated_1	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater.FullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
usesMarkdown_1	boolean		<input type="checkbox"/>	
usesMarkdown_n	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_teamForProject_archive d	boolean		<input type="checkbox"/>	
visibleFor_teamForProject_descript ion	string		<input type="checkbox"/>	
visibleFor_teamForProject_fromEm ail	string		<input type="checkbox"/>	
visibleFor_teamForProject_iconUrl	string		<input type="checkbox"/>	
visibleFor_teamForProject_replyTo Email	string		<input type="checkbox"/>	
visibleFor_teamForProject_shortNa me	string		<input type="checkbox"/>	
visibleFor_teamForProject_starting Number	int64		<input type="checkbox"/>	
visibleFor_teamForProject_template	boolean		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

11.1.4 IssueCustomFieldsBySavedQueryId

Catalog: YouTrack

Schema: SavedQueries

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/savedQueries/{id}`

Insert YouTrack API URL: `/savedQueries/{id}`

Update YouTrack API URL: `/savedQueries/{id}`

Delete YouTrack API URL: `/savedQueries/{id}`

Field Selection Method: `NotRequired`

Base Path: `issues[*].customFields[*]`

Select YouTrack API Operation: `get /savedQueries/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `IssueCustomFieldsBySavedQueryId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
<code>id</code>	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `IssueCustomFieldsBySavedQueryId` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
<code>\$type_1</code>	string		<input type="checkbox"/>	
<code>\$type_2</code>	string		<input type="checkbox"/>	
<code>\$type</code>	string		<input type="checkbox"/>	
<code>commentsCount</code>	int32	Comments Count	<input type="checkbox"/>	
<code>created</code>	int64	Created	<input type="checkbox"/>	
<code>description</code>	string	Description	<input type="checkbox"/>	
<code>draftOwner_\$type</code>	string		<input type="checkbox"/>	
<code>draftOwner_avatarUrl</code>	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
draftOw ner_banned	boolean		<input type="checkbox"/>	
draftOw ner_email	string		<input type="checkbox"/>	
draftOw ner_fullName	string		<input type="checkbox"/>	
draftOw ner_guest	boolean		<input type="checkbox"/>	
draftOw ner_id	string		<input type="checkbox"/>	
draftOw ner_jabberAccountName	string		<input type="checkbox"/>	
draftOw ner_login	string		<input type="checkbox"/>	
draftOw ner_online	boolean		<input type="checkbox"/>	
draftOw ner_ringId	string		<input type="checkbox"/>	
externallssue_\$type	string		<input type="checkbox"/>	
externallssue_id	string		<input type="checkbox"/>	
externallssue_key	string		<input type="checkbox"/>	
externallssue_name	string		<input type="checkbox"/>	
externallssue_url	string		<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
name_1	string		<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
ow ner_\$type	string		<input type="checkbox"/>	
ow ner_avatarUrl	string		<input type="checkbox"/>	
ow ner_banned	boolean		<input type="checkbox"/>	
ow ner_email	string		<input type="checkbox"/>	
ow ner_fullName	string		<input type="checkbox"/>	
ow ner_guest	boolean		<input type="checkbox"/>	
ow ner_id	string		<input type="checkbox"/>	
ow ner_jabberAccountName	string		<input type="checkbox"/>	
ow ner_login	string		<input type="checkbox"/>	
ow ner_online	boolean		<input type="checkbox"/>	
ow ner_profiles_\$type	string		<input type="checkbox"/>	
ow ner_profiles_id	string		<input type="checkbox"/>	
ow ner_ringId	string		<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
project_iconUrl	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
query	string	Query	<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter.FullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_teamForProject_arched	boolean		<input type="checkbox"/>	
updateableBy_teamForProject_description	string		<input type="checkbox"/>	
updateableBy_teamForProject_fromEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_iconUrl	string		<input type="checkbox"/>	
updateableBy_teamForProject_replyToEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_shortName	string		<input type="checkbox"/>	
updateableBy_teamForProject_startingNumber	int64		<input type="checkbox"/>	
updateableBy_teamForProject_template	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updateableBy_usersCount	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater.FullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_teamForProject_archive	boolean		<input type="checkbox"/>	
visibleFor_teamForProject_descript	string		<input type="checkbox"/>	
visibleFor_teamForProject_fromEm	string		<input type="checkbox"/>	
visibleFor_teamForProject_iconUrl	string		<input type="checkbox"/>	
visibleFor_teamForProject_replyTo	string		<input type="checkbox"/>	
visibleFor_teamForProject_shortNa	string		<input type="checkbox"/>	
visibleFor_teamForProject_starting	int64		<input type="checkbox"/>	
visibleFor_teamForProject_template	boolean		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

11.1.5 Issues

Catalog: YouTrack

Schema: SavedQueries

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /savedQueries

Insert YouTrack API URL: /savedQueries

Update YouTrack API URL: /savedQueries

Delete YouTrack API URL: /savedQueries

Field Selection Method: NotRequired

Base Path: issues [*]

Select YouTrack API Operation: get /savedQueries

Table Function Columns

The columns of the table function `Issues` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
draftOwner_\$type	string		<input type="checkbox"/>	
draftOwner_avatarUrl	string		<input type="checkbox"/>	
draftOwner_banned	boolean		<input type="checkbox"/>	
draftOwner_email	string		<input type="checkbox"/>	
draftOwner_fullName	string		<input type="checkbox"/>	
draftOwner_guest	boolean		<input type="checkbox"/>	
draftOwner_id	string		<input type="checkbox"/>	
draftOwner_jabberAccountName	string		<input type="checkbox"/>	
draftOwner_login	string		<input type="checkbox"/>	
draftOwner_online	boolean		<input type="checkbox"/>	
draftOwner_ringId	string		<input type="checkbox"/>	
externalIssue_\$type	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
externalIssue_id	string		<input type="checkbox"/>	
externalIssue_key	string		<input type="checkbox"/>	
externalIssue_name	string		<input type="checkbox"/>	
externalIssue_url	string		<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
owner_\$type	string		<input type="checkbox"/>	
owner_avatarUrl	string		<input type="checkbox"/>	
owner_banned	boolean		<input type="checkbox"/>	
owner_email	string		<input type="checkbox"/>	
owner.FullName	string		<input type="checkbox"/>	
owner_guest	boolean		<input type="checkbox"/>	
owner_id	string		<input type="checkbox"/>	
owner_jabberAccountName	string		<input type="checkbox"/>	
owner_login	string		<input type="checkbox"/>	
owner_online	boolean		<input type="checkbox"/>	
owner_profiles_\$type	string		<input type="checkbox"/>	
owner_profiles_id	string		<input type="checkbox"/>	
owner_ringId	string		<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
query	string	Query	<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter.FullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_teamForProject_arched	boolean		<input type="checkbox"/>	
updateableBy_teamForProject_description	string		<input type="checkbox"/>	
updateableBy_teamForProject_fromEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_iconUrl	string		<input type="checkbox"/>	
updateableBy_teamForProject_replyToEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_shortName	string		<input type="checkbox"/>	
updateableBy_teamForProject_startingNumber	int64		<input type="checkbox"/>	
updateableBy_teamForProject_template	boolean		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater.FullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updater_ringId	string		<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_teamForProject_archiveId	boolean		<input type="checkbox"/>	
visibleFor_teamForProject_description	string		<input type="checkbox"/>	
visibleFor_teamForProject_fromEmail	string		<input type="checkbox"/>	
visibleFor_teamForProject_iconUrl	string		<input type="checkbox"/>	
visibleFor_teamForProject_replyToEmail	string		<input type="checkbox"/>	
visibleFor_teamForProject_shortName	string		<input type="checkbox"/>	
visibleFor_teamForProject_startingNumber	int64		<input type="checkbox"/>	
visibleFor_teamForProject_template	boolean		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

11.1.6 IssuesAttachments

Catalog: YouTrack

Schema: SavedQueries

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: /savedQueries

Insert YouTrack API URL: /savedQueries

Update YouTrack API URL: /savedQueries

Delete YouTrack API URL: /savedQueries

Field Selection Method: NotRequired

Base Path: issues [*].attachments [*]

Select YouTrack API Operation: get /savedQueries

Table Function Columns

The columns of the table function `IssuesAttachments` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
base64Content	string	Base64 Content	<input type="checkbox"/>	
charset	string	Charset	<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created_1	int64		<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
draft	boolean	Draft	<input type="checkbox"/>	
draftOwner_\$type	string		<input type="checkbox"/>	
draftOwner_avatarUrl	string		<input type="checkbox"/>	
draftOwner_banned	boolean		<input type="checkbox"/>	
draftOwner_email	string		<input type="checkbox"/>	
draftOwner.FullName	string		<input type="checkbox"/>	
draftOwner_guest	boolean		<input type="checkbox"/>	
draftOwner_id	string		<input type="checkbox"/>	
draftOwner_jabberAccountName	string		<input type="checkbox"/>	
draftOwner_login	string		<input type="checkbox"/>	
draftOwner_online	boolean		<input type="checkbox"/>	
draftOwner_ringId	string		<input type="checkbox"/>	
extension	string	Extension	<input type="checkbox"/>	
externalIssue_\$type	string		<input type="checkbox"/>	
externalIssue_id	string		<input type="checkbox"/>	
externalIssue_key	string		<input type="checkbox"/>	
externalIssue_name	string		<input type="checkbox"/>	
externalIssue_url	string		<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
isDraft	boolean	Is Draft	<input type="checkbox"/>	
metaData	string	Metadata	<input type="checkbox"/>	
mimeType	string	MIME-type	<input type="checkbox"/>	
name_1	string		<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
ow_ner_\$type	string		<input type="checkbox"/>	
ow_ner_avatarUrl	string		<input type="checkbox"/>	
ow_ner_banned	boolean		<input type="checkbox"/>	
ow_ner_email	string		<input type="checkbox"/>	
ow_ner.FullName	string		<input type="checkbox"/>	
ow_ner_guest	boolean		<input type="checkbox"/>	
ow_ner_id	string		<input type="checkbox"/>	
ow_ner_jabberAccountName	string		<input type="checkbox"/>	
ow_ner_login	string		<input type="checkbox"/>	
ow_ner_online	boolean		<input type="checkbox"/>	
ow_ner_profiles_\$type	string		<input type="checkbox"/>	
ow_ner_profiles_id	string		<input type="checkbox"/>	
ow_ner_ringId	string		<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
query	string	Query	<input type="checkbox"/>	
removed	boolean	Removed	<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter.FullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
reporter_online	boolean		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
size	int64	Size	<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
thumbnailURL	string	Thumbnail (URL)	<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_teamForProject_arched	boolean		<input type="checkbox"/>	
updateableBy_teamForProject_descrip	string		<input type="checkbox"/>	
updateableBy_teamForProject_fromEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_iconUrl	string		<input type="checkbox"/>	
updateableBy_teamForProject_replyToEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_shortName	string		<input type="checkbox"/>	
updateableBy_teamForProject_startingNumber	int64		<input type="checkbox"/>	
updateableBy_teamForProject_template	boolean		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
updated_1	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater_fullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
update_ringId	string		<input type="checkbox"/>	
url	string	URL	<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_teamForProject_archive	boolean		<input type="checkbox"/>	
visibleFor_teamForProject_description	string		<input type="checkbox"/>	
visibleFor_teamForProject_fromEmail	string		<input type="checkbox"/>	
visibleFor_teamForProject_iconUrl	string		<input type="checkbox"/>	
visibleFor_teamForProject_replyToEmail	string		<input type="checkbox"/>	
visibleFor_teamForProject_shortName	string		<input type="checkbox"/>	
visibleFor_teamForProject_startingNumber	int64		<input type="checkbox"/>	
visibleFor_teamForProject_template	boolean		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

11.1.7 IssuesComments

Catalog: YouTrack

Schema: SavedQueries

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: /savedQueries

Insert YouTrack API URL: /savedQueries

Update YouTrack API URL: /savedQueries

Delete YouTrack API URL: /savedQueries

Field Selection Method: NotRequired

Base Path: issues [*].comments [*]

Select YouTrack API Operation: get /savedQueries

Table Function Columns

The columns of the table function `IssuesComments` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created_1	int64		<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
deleted	boolean	Deleted	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
draftOwner_\$type	string		<input type="checkbox"/>	
draftOwner_avatarUrl	string		<input type="checkbox"/>	
draftOwner_banned	boolean		<input type="checkbox"/>	
draftOwner_email	string		<input type="checkbox"/>	
draftOwner_fullName	string		<input type="checkbox"/>	
draftOwner_guest	boolean		<input type="checkbox"/>	
draftOwner_id	string		<input type="checkbox"/>	
draftOwner_jabberAccountName	string		<input type="checkbox"/>	
draftOwner_login	string		<input type="checkbox"/>	
draftOwner_online	boolean		<input type="checkbox"/>	
draftOwner_ringId	string		<input type="checkbox"/>	
externalIssue_\$type	string		<input type="checkbox"/>	
externalIssue_id	string		<input type="checkbox"/>	
externalIssue_key	string		<input type="checkbox"/>	
externalIssue_name	string		<input type="checkbox"/>	
externalIssue_url	string		<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
ow_ner_\$type	string		<input type="checkbox"/>	
ow_ner_avatarUrl	string		<input type="checkbox"/>	
ow_ner_banned	boolean		<input type="checkbox"/>	
ow_ner_email	string		<input type="checkbox"/>	
ow_ner.FullName	string		<input type="checkbox"/>	
ow_ner_guest	boolean		<input type="checkbox"/>	
ow_ner_id	string		<input type="checkbox"/>	
ow_ner_jabberAccountName	string		<input type="checkbox"/>	
ow_ner_login	string		<input type="checkbox"/>	
ow_ner_online	boolean		<input type="checkbox"/>	
ow_ner_profiles_\$type	string		<input type="checkbox"/>	
ow_ner_profiles_id	string		<input type="checkbox"/>	
ow_ner_ringId	string		<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
query	string	Query	<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter_fullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
subtasks_id	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
text	string	Text	<input type="checkbox"/>	
textPreview	string	Text Preview	<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_teamForProject_arclived	boolean		<input type="checkbox"/>	
updateableBy_teamForProject_description	string		<input type="checkbox"/>	
updateableBy_teamForProject_fromEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_iconUrl	string		<input type="checkbox"/>	
updateableBy_teamForProject_replyToEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_shortName	string		<input type="checkbox"/>	
updateableBy_teamForProject_startingNumber	int64		<input type="checkbox"/>	
updateableBy_teamForProject_template	boolean		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
updated_1	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater.FullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
usesMarkdown_1	boolean		<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_teamForProject_archive	boolean		<input type="checkbox"/>	
visibleFor_teamForProject_descript	string		<input type="checkbox"/>	
visibleFor_teamForProject_fromEm	string		<input type="checkbox"/>	
visibleFor_teamForProject_iconUrl	string		<input type="checkbox"/>	
visibleFor_teamForProject_replyTo	string		<input type="checkbox"/>	
visibleFor_teamForProject_shortNa	string		<input type="checkbox"/>	
visibleFor_teamForProject_starting	int64		<input type="checkbox"/>	
visibleFor_teamForProject_startingNumber				
visibleFor_teamForProject_template	boolean		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

11.1.8 IssuesCustomFields

Catalog: YouTrack

Schema: SavedQueries

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /savedQueries

Insert YouTrack API URL: /savedQueries

Update YouTrack API URL: /savedQueries

Delete YouTrack API URL: /savedQueries

Field Selection Method: NotRequired

Base Path: issues [*].customFields [*]

Select YouTrack API Operation: get /savedQueries

Table Function Columns

The columns of the table function `IssuesCustomFields` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
draftOwner_\$type	string		<input type="checkbox"/>	
draftOwner_avatarUrl	string		<input type="checkbox"/>	
draftOwner_banned	boolean		<input type="checkbox"/>	
draftOwner_email	string		<input type="checkbox"/>	
draftOwner.FullName	string		<input type="checkbox"/>	
draftOwner_guest	boolean		<input type="checkbox"/>	
draftOwner_id	string		<input type="checkbox"/>	
draftOwner_jabberAccountName	string		<input type="checkbox"/>	
draftOwner_login	string		<input type="checkbox"/>	
draftOwner_online	boolean		<input type="checkbox"/>	
draftOwner_ringId	string		<input type="checkbox"/>	
externalIssue_\$type	string		<input type="checkbox"/>	
externalIssue_id	string		<input type="checkbox"/>	
externalIssue_key	string		<input type="checkbox"/>	
externalIssue_name	string		<input type="checkbox"/>	
externalIssue_url	string		<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
name_1	string		<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
owner_\$type	string		<input type="checkbox"/>	
owner_avatarUrl	string		<input type="checkbox"/>	
owner_banned	boolean		<input type="checkbox"/>	
owner_email	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
ow_ner_fullName	string		<input type="checkbox"/>	
ow_ner_guest	boolean		<input type="checkbox"/>	
ow_ner_id	string		<input type="checkbox"/>	
ow_ner_jabberAccountName	string		<input type="checkbox"/>	
ow_ner_login	string		<input type="checkbox"/>	
ow_ner_online	boolean		<input type="checkbox"/>	
ow_ner_profiles_\$type	string		<input type="checkbox"/>	
ow_ner_profiles_id	string		<input type="checkbox"/>	
ow_ner_ringId	string		<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
query	string	Query	<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter_fullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_teamForProject_arched	boolean		<input type="checkbox"/>	
updateableBy_teamForProject_descrip	string		<input type="checkbox"/>	
updateableBy_teamForProject_fro	string		<input type="checkbox"/>	
updateableBy_teamForProject_icon	string		<input type="checkbox"/>	
updateableBy_teamForProject_repl	string		<input type="checkbox"/>	
updateableBy_teamForProject_sho	string		<input type="checkbox"/>	
updateableBy_teamForProject_star	int64		<input type="checkbox"/>	
updateableBy_teamForProject_tem	boolean		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater_fullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_teamForProject_archiv	boolean		<input type="checkbox"/>	
visibleFor_teamForProject_descri	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
visibleFor_teamForProject_fromEmail	string		<input type="checkbox"/>	
visibleFor_teamForProject_iconUrl	string		<input type="checkbox"/>	
visibleFor_teamForProject_replyToEmail	string		<input type="checkbox"/>	
visibleFor_teamForProject_shortName	string		<input type="checkbox"/>	
visibleFor_teamForProject_startingNumber	int64		<input type="checkbox"/>	
visibleFor_teamForProject_template	boolean		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

11.1.9 IssuesLinks

Catalog: YouTrack

Schema: SavedQueries

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /savedQueries

Insert YouTrack API URL: /savedQueries

Update YouTrack API URL: /savedQueries

Delete YouTrack API URL: /savedQueries

Field Selection Method: NotRequired

Base Path: issues [*].links [*]

Select YouTrack API Operation: get /savedQueries

Table Function Columns

The columns of the table function IssuesLinks are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
direction	string	Direction	<input type="checkbox"/>	
draftOwner_\$type	string		<input type="checkbox"/>	
draftOwner_avatarUrl	string		<input type="checkbox"/>	
draftOwner_banned	boolean		<input type="checkbox"/>	
draftOwner_email	string		<input type="checkbox"/>	
draftOwner.FullName	string		<input type="checkbox"/>	
draftOwner_guest	boolean		<input type="checkbox"/>	
draftOwner_id	string		<input type="checkbox"/>	
draftOwner_jabberAccountName	string		<input type="checkbox"/>	
draftOwner_login	string		<input type="checkbox"/>	
draftOwner_online	boolean		<input type="checkbox"/>	
draftOwner_ringId	string		<input type="checkbox"/>	
externalIssue_\$type	string		<input type="checkbox"/>	
externalIssue_id	string		<input type="checkbox"/>	
externalIssue_key	string		<input type="checkbox"/>	
externalIssue_name	string		<input type="checkbox"/>	
externalIssue_url	string		<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
owner_\$type	string		<input type="checkbox"/>	
owner_avatarUrl	string		<input type="checkbox"/>	
owner_banned	boolean		<input type="checkbox"/>	
owner_email	string		<input type="checkbox"/>	
owner.FullName	string		<input type="checkbox"/>	
owner_guest	boolean		<input type="checkbox"/>	
owner_id	string		<input type="checkbox"/>	
owner_jabberAccountName	string		<input type="checkbox"/>	
owner_login	string		<input type="checkbox"/>	
owner_online	boolean		<input type="checkbox"/>	
owner_profiles_\$type	string		<input type="checkbox"/>	
owner_profiles_id	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
owner_ringId	string		<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
query	string	Query	<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter.FullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_teamForProject_arced	boolean		<input type="checkbox"/>	
updateableBy_teamForProject_descripion	string		<input type="checkbox"/>	
updateableBy_teamForProject_fromEmail	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updateableBy_teamForProject_iconUrl	string		<input type="checkbox"/>	
updateableBy_teamForProject_replyToEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_shortName	string		<input type="checkbox"/>	
updateableBy_teamForProject_startingNumber	int64		<input type="checkbox"/>	
updateableBy_teamForProject_template	boolean		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater.FullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_teamForProject_archived	boolean		<input type="checkbox"/>	
visibleFor_teamForProject_description	string		<input type="checkbox"/>	
visibleFor_teamForProject_fromEmail	string		<input type="checkbox"/>	
visibleFor_teamForProject_iconUrl	string		<input type="checkbox"/>	
visibleFor_teamForProject_replyToEmail	string		<input type="checkbox"/>	
visibleFor_teamForProject_shortName	string		<input type="checkbox"/>	
visibleFor_teamForProject_startingNumber	int64		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
visibleFor_teamForProject_template	boolean		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

11.1.10 IssuesLinksById

Catalog: YouTrack

Schema: SavedQueries

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/savedQueries/{id}`

Insert YouTrack API URL: `/savedQueries/{id}`

Update YouTrack API URL: `/savedQueries/{id}`

Delete YouTrack API URL: `/savedQueries/{id}`

Field Selection Method: NotRequired

Base Path: `issues[*].links[*]`

Select YouTrack API Operation: get `/savedQueries/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `IssuesLinksById`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `IssuesLinksById` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
direction	string	Direction	<input type="checkbox"/>	
draftOwner_\$type	string		<input type="checkbox"/>	
draftOwner_avatarUrl	string		<input type="checkbox"/>	
draftOwner_banned	boolean		<input type="checkbox"/>	
draftOwner_email	string		<input type="checkbox"/>	
draftOwner.FullName	string		<input type="checkbox"/>	
draftOwner_guest	boolean		<input type="checkbox"/>	
draftOwner_id	string		<input type="checkbox"/>	
draftOwner_jabberAccountName	string		<input type="checkbox"/>	
draftOwner_login	string		<input type="checkbox"/>	
draftOwner_online	boolean		<input type="checkbox"/>	
draftOwner_ringId	string		<input type="checkbox"/>	
externalIssue_\$type	string		<input type="checkbox"/>	
externalIssue_id	string		<input type="checkbox"/>	
externalIssue_key	string		<input type="checkbox"/>	
externalIssue_name	string		<input type="checkbox"/>	
externalIssue_url	string		<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
owner_\$type	string		<input type="checkbox"/>	
owner_avatarUrl	string		<input type="checkbox"/>	
owner_banned	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
ow_ner_email	string		<input type="checkbox"/>	
ow_ner_fullName	string		<input type="checkbox"/>	
ow_ner_guest	boolean		<input type="checkbox"/>	
ow_ner_id	string		<input type="checkbox"/>	
ow_ner_jabberAccountName	string		<input type="checkbox"/>	
ow_ner_login	string		<input type="checkbox"/>	
ow_ner_online	boolean		<input type="checkbox"/>	
ow_ner_profiles_\$type	string		<input type="checkbox"/>	
ow_ner_profiles_id	string		<input type="checkbox"/>	
ow_ner_ringId	string		<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
query	string	Query	<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter_fullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_teamForProject_archived	boolean		<input type="checkbox"/>	
updateableBy_teamForProject_description	string		<input type="checkbox"/>	
updateableBy_teamForProject_fromEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_iconUrl	string		<input type="checkbox"/>	
updateableBy_teamForProject_replyToEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_shortName	string		<input type="checkbox"/>	
updateableBy_teamForProject_startingNumber	int64		<input type="checkbox"/>	
updateableBy_teamForProject_template	boolean		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater.FullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_teamForProject_archive	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
visibleFor_teamForProject_descript ion	string		<input type="checkbox"/>	
visibleFor_teamForProject_fromEm ail	string		<input type="checkbox"/>	
visibleFor_teamForProject_iconUrl	string		<input type="checkbox"/>	
visibleFor_teamForProject_replyTo Email	string		<input type="checkbox"/>	
visibleFor_teamForProject_shortNa me	string		<input type="checkbox"/>	
visibleFor_teamForProject_starting Number	int64		<input type="checkbox"/>	
visibleFor_teamForProject_template	boolean		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

11.1.11 IssuesTags

Catalog: YouTrack

Schema: SavedQueries

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /savedQueries

Insert YouTrack API URL: /savedQueries

Update YouTrack API URL: /savedQueries

Delete YouTrack API URL: /savedQueries

Field Selection Method: NotRequired

Base Path: issues[*].tags[*]

Select YouTrack API Operation: get /savedQueries

Table Function Columns

The columns of the table function IssuesTags are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
draftOwner_\$type	string		<input type="checkbox"/>	
draftOwner_avatarUrl	string		<input type="checkbox"/>	
draftOwner_banned	boolean		<input type="checkbox"/>	
draftOwner_email	string		<input type="checkbox"/>	
draftOwner.FullName	string		<input type="checkbox"/>	
draftOwner_guest	boolean		<input type="checkbox"/>	
draftOwner_id	string		<input type="checkbox"/>	
draftOwner_jabberAccountName	string		<input type="checkbox"/>	
draftOwner_login	string		<input type="checkbox"/>	
draftOwner_online	boolean		<input type="checkbox"/>	
draftOwner_ringId	string		<input type="checkbox"/>	
externalIssue_\$type	string		<input type="checkbox"/>	
externalIssue_id	string		<input type="checkbox"/>	
externalIssue_key	string		<input type="checkbox"/>	
externalIssue_name	string		<input type="checkbox"/>	
externalIssue_url	string		<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
name_1	string		<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
owner_\$type_1	string		<input type="checkbox"/>	
owner_\$type	string		<input type="checkbox"/>	
owner_avatarUrl	string		<input type="checkbox"/>	
owner_banned	boolean		<input type="checkbox"/>	
owner_email	string		<input type="checkbox"/>	
owner.FullName	string		<input type="checkbox"/>	
owner_guest	boolean		<input type="checkbox"/>	
owner_id_1	string		<input type="checkbox"/>	
owner_id	string		<input type="checkbox"/>	
owner_jabberAccountName	string		<input type="checkbox"/>	
owner_login	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
ow_ner_name	string		<input type="checkbox"/>	
ow_ner_online	boolean		<input type="checkbox"/>	
ow_ner_profiles_\$type	string		<input type="checkbox"/>	
ow_ner_profiles_id	string		<input type="checkbox"/>	
ow_ner_ringId	string		<input type="checkbox"/>	
ow_ner_untagOnResolve	boolean		<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
query	string	Query	<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter_fullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
untagOnResolve	boolean		<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updateableBy_teamForProject_arched	boolean		<input type="checkbox"/>	
updateableBy_teamForProject_descripion	string		<input type="checkbox"/>	
updateableBy_teamForProject_fromEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_iconUrl	string		<input type="checkbox"/>	
updateableBy_teamForProject_replayToEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_shortName	string		<input type="checkbox"/>	
updateableBy_teamForProject_startingNumber	int64		<input type="checkbox"/>	
updateableBy_teamForProject_template	boolean		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater.FullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_teamForProject_archived	boolean		<input type="checkbox"/>	
visibleFor_teamForProject_descripton	string		<input type="checkbox"/>	
visibleFor_teamForProject_fromEmail	string		<input type="checkbox"/>	
visibleFor_teamForProject_iconUrl	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
visibleFor_teamForProject_replyToEmail	string		<input type="checkbox"/>	
visibleFor_teamForProject_shortName	string		<input type="checkbox"/>	
visibleFor_teamForProject_startingNumber	int64		<input type="checkbox"/>	
visibleFor_teamForProject_template	boolean		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

11.1.12 IssueTagsBySavedQueryId

Catalog: YouTrack

Schema: SavedQueries

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /savedQueries/{id}

Insert YouTrack API URL: /savedQueries/{id}

Update YouTrack API URL: /savedQueries/{id}

Delete YouTrack API URL: /savedQueries/{id}

Field Selection Method: NotRequired

Base Path: issues[*].tags[*]

Select YouTrack API Operation: get /savedQueries/{id}

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function IssueTagsBySavedQueryId. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `IssueTagsBySavedQueryId` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
draftOwner_\$type	string		<input type="checkbox"/>	
draftOwner_avatarUrl	string		<input type="checkbox"/>	
draftOwner_banned	boolean		<input type="checkbox"/>	
draftOwner_email	string		<input type="checkbox"/>	
draftOwner.FullName	string		<input type="checkbox"/>	
draftOwner_guest	boolean		<input type="checkbox"/>	
draftOwner_id	string		<input type="checkbox"/>	
draftOwner_jabberAccountName	string		<input type="checkbox"/>	
draftOwner_login	string		<input type="checkbox"/>	
draftOwner_online	boolean		<input type="checkbox"/>	
draftOwner_ringId	string		<input type="checkbox"/>	
externalIssue_\$type	string		<input type="checkbox"/>	
externalIssue_id	string		<input type="checkbox"/>	
externalIssue_key	string		<input type="checkbox"/>	
externalIssue_name	string		<input type="checkbox"/>	
externalIssue_url	string		<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
name_1	string		<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
ow_ner__\$type_1	string		<input type="checkbox"/>	
ow_ner__\$type	string		<input type="checkbox"/>	
ow_ner_avatarUrl	string		<input type="checkbox"/>	
ow_ner_banned	boolean		<input type="checkbox"/>	
ow_ner_email	string		<input type="checkbox"/>	
ow_ner.FullName	string		<input type="checkbox"/>	
ow_ner_guest	boolean		<input type="checkbox"/>	
ow_ner_id_1	string		<input type="checkbox"/>	
ow_ner_id	string		<input type="checkbox"/>	
ow_ner_jabberAccountName	string		<input type="checkbox"/>	
ow_ner_login	string		<input type="checkbox"/>	
ow_ner_name	string		<input type="checkbox"/>	
ow_ner_online	boolean		<input type="checkbox"/>	
ow_ner_profiles__\$type	string		<input type="checkbox"/>	
ow_ner_profiles_id	string		<input type="checkbox"/>	
ow_ner_ringId	string		<input type="checkbox"/>	
ow_ner_untagOnResolve	boolean		<input type="checkbox"/>	
parent__\$type	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
query	string	Query	<input type="checkbox"/>	
reporter__\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter.FullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
untagOnResolve	boolean		<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_teamForProject_arc hived	boolean		<input type="checkbox"/>	
updateableBy_teamForProject_des cription	string		<input type="checkbox"/>	
updateableBy_teamForProject_fro mEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_icon Url	string		<input type="checkbox"/>	
updateableBy_teamForProject_repl yToEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_sho rtName	string		<input type="checkbox"/>	
updateableBy_teamForProject_star tingNumber	int64		<input type="checkbox"/>	
updateableBy_teamForProject_tem plate	boolean		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater_fullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_teamForProject_archiveId	boolean		<input type="checkbox"/>	
visibleFor_teamForProject_description	string		<input type="checkbox"/>	
visibleFor_teamForProject_fromEmail	string		<input type="checkbox"/>	
visibleFor_teamForProject_iconUrl	string		<input type="checkbox"/>	
visibleFor_teamForProject_replyToEmail	string		<input type="checkbox"/>	
visibleFor_teamForProject_shortName	string		<input type="checkbox"/>	
visibleFor_teamForProject_startingNumber	int64		<input type="checkbox"/>	
visibleFor_teamForProject_template	boolean		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

11.1.13 SavedQueries: YouTrack Saved Queries

Catalog: YouTrack

Schema: SavedQueries

Label: Saved Queries

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /savedQueries

Insert YouTrack API URL: /savedQueries

Update YouTrack API URL: /savedQueries

Delete YouTrack API URL: /savedQueries

Field Selection Method: NotRequired

Select YouTrack API Operation: get /savedQueries

Table Function Columns

The columns of the table function `SavedQueries` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
owner_\$type	string		<input type="checkbox"/>	
owner_avatarUrl	string		<input type="checkbox"/>	
owner_banned	boolean		<input type="checkbox"/>	
owner_email	string		<input type="checkbox"/>	
owner.FullName	string		<input type="checkbox"/>	
owner.guest	boolean		<input type="checkbox"/>	
owner.id	string		<input type="checkbox"/>	
owner.jabberAccountName	string		<input type="checkbox"/>	
owner.login	string		<input type="checkbox"/>	
owner.online	boolean		<input type="checkbox"/>	
owner.profiles.\$type	string		<input type="checkbox"/>	
owner.profiles.id	string		<input type="checkbox"/>	
owner.ringId	string		<input type="checkbox"/>	
query	string	Query	<input type="checkbox"/>	
updateableBy.\$type	string		<input type="checkbox"/>	
updateableBy.allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy.icon	string		<input type="checkbox"/>	
updateableBy.id	string		<input type="checkbox"/>	
updateableBy.name	string		<input type="checkbox"/>	
updateableBy.ringId	string		<input type="checkbox"/>	
updateableBy.teamForProject.archived	boolean		<input type="checkbox"/>	
updateableBy.teamForProject.description	string		<input type="checkbox"/>	
updateableBy.teamForProject.fromEmail	string		<input type="checkbox"/>	
updateableBy.teamForProject.iconUrl	string		<input type="checkbox"/>	
updateableBy.teamForProject.replyToEmail	string		<input type="checkbox"/>	
updateableBy.teamForProject.shortName	string		<input type="checkbox"/>	
updateableBy.teamForProject.startingNumber	int64		<input type="checkbox"/>	
updateableBy.teamForProject.template	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updateableBy_usersCount	int64		<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_teamForProject_archiveId	boolean		<input type="checkbox"/>	
visibleFor_teamForProject_desription	string		<input type="checkbox"/>	
visibleFor_teamForProject_fromEmail	string		<input type="checkbox"/>	
visibleFor_teamForProject_iconUrl	string		<input type="checkbox"/>	
visibleFor_teamForProject_replyToEmail	string		<input type="checkbox"/>	
visibleFor_teamForProject_shortName	string		<input type="checkbox"/>	
visibleFor_teamForProject_startingNumber	int64		<input type="checkbox"/>	
visibleFor_teamForProject_template	boolean		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	

11.1.14 SavedQueryById

Catalog: YouTrack

Schema: SavedQueries

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /savedQueries/{id}

Insert YouTrack API URL: /savedQueries/{id}

Update YouTrack API URL: /savedQueries/{id}

Delete YouTrack API URL: /savedQueries/{id}

Field Selection Method: NotRequired

Select YouTrack API Operation: get /savedQueries/{id}

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function SavedQueryById. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-

defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `SavedQueryById` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
owner_\$type	string		<input type="checkbox"/>	
owner_avatarUrl	string		<input type="checkbox"/>	
owner_banned	boolean		<input type="checkbox"/>	
owner_email	string		<input type="checkbox"/>	
owner.FullName	string		<input type="checkbox"/>	
owner_guest	boolean		<input type="checkbox"/>	
owner_id	string		<input type="checkbox"/>	
owner_jabberAccountName	string		<input type="checkbox"/>	
owner_login	string		<input type="checkbox"/>	
owner_online	boolean		<input type="checkbox"/>	
owner_profiles_\$type	string		<input type="checkbox"/>	
owner_profiles_id	string		<input type="checkbox"/>	
owner_ringId	string		<input type="checkbox"/>	
query	string	Query	<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_teamForProject_arcHived	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updateableBy_teamForProject_des cription	string		<input type="checkbox"/>	
updateableBy_teamForProject_fro mEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_icon Url	string		<input type="checkbox"/>	
updateableBy_teamForProject_repl yToEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_sho rtName	string		<input type="checkbox"/>	
updateableBy_teamForProject_star tingNumber	int64		<input type="checkbox"/>	
updateableBy_teamForProject_tem plate	boolean		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_teamForProject_archive d	boolean		<input type="checkbox"/>	
visibleFor_teamForProject_descript ion	string		<input type="checkbox"/>	
visibleFor_teamForProject_fromEm ail	string		<input type="checkbox"/>	
visibleFor_teamForProject_iconUrl	string		<input type="checkbox"/>	
visibleFor_teamForProject_replyTo Email	string		<input type="checkbox"/>	
visibleFor_teamForProject_shortNa me	string		<input type="checkbox"/>	
visibleFor_teamForProject_starting Number	int64		<input type="checkbox"/>	
visibleFor_teamForProject_template	boolean		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	

12 Schema: Users

12.1 Tables

12.1.1 IssueTags: YouTrack Issue Tags

Catalog: YouTrack

Schema: Users

Label: Issue Tags

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: /users

Insert YouTrack API URL: /users

Update YouTrack API URL: /users

Delete YouTrack API URL: /users

Field Selection Method: NotRequired

Base Path: tags [*].issues [*]

Select YouTrack API Operation: get /users

Table Function Columns

The columns of the table function `IssueTags` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
avatarUrl	string	Avatar (URL)	<input type="checkbox"/>	
banned	boolean	Banned	<input type="checkbox"/>	
color_\$type	string		<input type="checkbox"/>	
color_background	string		<input type="checkbox"/>	
color_foreground	string		<input type="checkbox"/>	
color_id	string		<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
email	string	Email	<input type="checkbox"/>	
fullName	string	Full Name	<input type="checkbox"/>	
guest	boolean	Guest	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
jabberAccountName	string	Jabber Account Name	<input type="checkbox"/>	
login	string	Login	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
online	boolean	Online	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
ow_ner_\$type	string		<input type="checkbox"/>	
ow_ner_avatarUrl	string		<input type="checkbox"/>	
ow_ner_banned	boolean		<input type="checkbox"/>	
ow_ner_email	string		<input type="checkbox"/>	
ow_ner_fullName	string		<input type="checkbox"/>	
ow_ner_guest	boolean		<input type="checkbox"/>	
ow_ner_id	string		<input type="checkbox"/>	
ow_ner_jabberAccountName	string		<input type="checkbox"/>	
ow_ner_login	string		<input type="checkbox"/>	
ow_ner_online	boolean		<input type="checkbox"/>	
ow_ner_ringId	string		<input type="checkbox"/>	
profiles_\$type	string		<input type="checkbox"/>	
profiles_general_\$type	string		<input type="checkbox"/>	
profiles_general_id	string		<input type="checkbox"/>	
profiles_id	string		<input type="checkbox"/>	
profiles_notifications_\$type	string		<input type="checkbox"/>	
profiles_notifications_autoWatchOnComment	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnCreate	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnUpdate	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnVote	boolean		<input type="checkbox"/>	
profiles_notifications_duplicateClusterNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_emailNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_id	string		<input type="checkbox"/>	
profiles_notifications_jabberNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_mailboxIntegrationNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_mentionNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_notifyOnOwnChanges	boolean		<input type="checkbox"/>	
profiles_notifications_usePlainTextEmails	boolean		<input type="checkbox"/>	
profiles_timetracking_\$type	string		<input type="checkbox"/>	
profiles_timetracking_id	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
ringId	string	Ring ID	<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
untagOnResolve	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

12.1.2 Me

Catalog: YouTrack

Schema: Users

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/users/me`

Insert YouTrack API URL: `/users/me`

Update YouTrack API URL: `/users/me`

Delete YouTrack API URL: `/users/me`

Field Selection Method: NotRequired

Select YouTrack API Operation: `get /users/me`

Table Function Columns

The columns of the table function `Me` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
avatarUrl	string	Avatar (URL)	<input type="checkbox"/>	
banned	boolean	Banned	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
email	string	Email	<input type="checkbox"/>	
fullName	string	Full Name	<input type="checkbox"/>	
guest	boolean	Guest	<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
jabberAccountName	string	Jabber Account Name	<input type="checkbox"/>	
login	string	Login	<input type="checkbox"/>	
online	boolean	Online	<input type="checkbox"/>	
profiles_\$type	string		<input type="checkbox"/>	
profiles_general_\$type	string		<input type="checkbox"/>	
profiles_general_id	string		<input type="checkbox"/>	
profiles_id	string		<input type="checkbox"/>	
profiles_notifications_\$type	string		<input type="checkbox"/>	
profiles_notifications_autoWatchOnComment	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnCreate	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnUpdate	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnVote	boolean		<input type="checkbox"/>	
profiles_notifications_duplicateClusterNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_emailNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_id	string		<input type="checkbox"/>	
profiles_notifications_jabberNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_mailboxIntegrationNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_mentionNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_notifyOnOwnChanges	boolean		<input type="checkbox"/>	
profiles_notifications_usePlainTextEmails	boolean		<input type="checkbox"/>	
profiles_timetracking_\$type	string		<input type="checkbox"/>	
profiles_timetracking_id	string		<input type="checkbox"/>	
ringId	string	Ring ID	<input type="checkbox"/>	

12.1.3 MyIssueTags

Catalog: YouTrack

Schema: Users

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/users/me`

Insert YouTrack API URL: `/users/me`

Update YouTrack API URL: `/users/me`

Delete YouTrack API URL: `/users/me`

Field Selection Method: `NotRequired`

Base Path: `tags [*] .issues [*]`

Select YouTrack API Operation: `get /users/me`

Table Function Columns

The columns of the table function `MyIssueTags` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
avatarUrl	string	Avatar (URL)	<input type="checkbox"/>	
banned	boolean	Banned	<input type="checkbox"/>	
color_\$type	string		<input type="checkbox"/>	
color_background	string		<input type="checkbox"/>	
color_foreground	string		<input type="checkbox"/>	
color_id	string		<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
email	string	Email	<input type="checkbox"/>	
fullName	string	Full Name	<input type="checkbox"/>	
guest	boolean	Guest	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
jabberAccountName	string	Jabber Account Name	<input type="checkbox"/>	
login	string	Login	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
online	boolean	Online	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
ow_ner_\$type	string		<input type="checkbox"/>	
ow_ner_avatarUrl	string		<input type="checkbox"/>	
ow_ner_banned	boolean		<input type="checkbox"/>	
ow_ner_email	string		<input type="checkbox"/>	
ow_ner_fullName	string		<input type="checkbox"/>	
ow_ner_guest	boolean		<input type="checkbox"/>	
ow_ner_id	string		<input type="checkbox"/>	
ow_ner_jabberAccountName	string		<input type="checkbox"/>	
ow_ner_login	string		<input type="checkbox"/>	
ow_ner_online	boolean		<input type="checkbox"/>	
ow_ner_ringId	string		<input type="checkbox"/>	
profiles_\$type	string		<input type="checkbox"/>	
profiles_general_\$type	string		<input type="checkbox"/>	
profiles_general_id	string		<input type="checkbox"/>	
profiles_id	string		<input type="checkbox"/>	
profiles_notifications_\$type	string		<input type="checkbox"/>	
profiles_notifications_autoWatchOnComment	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnCreate	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnUpdate	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnVote	boolean		<input type="checkbox"/>	
profiles_notifications_duplicateClusterNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_emailNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_id	string		<input type="checkbox"/>	
profiles_notifications_jabberNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_mailboxIntegrationNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_mentionNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_notifyOnOwnChanges	boolean		<input type="checkbox"/>	
profiles_notifications_usePlainTextEmails	boolean		<input type="checkbox"/>	
profiles_timetracking_\$type	string		<input type="checkbox"/>	
profiles_timetracking_id	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
ringId	string	Ring ID	<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
untagOnResolve	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

12.1.4 MySavedQueries

Catalog: YouTrack

Schema: Users

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/users/me`

Insert YouTrack API URL: `/users/me`

Update YouTrack API URL: `/users/me`

Delete YouTrack API URL: `/users/me`

Field Selection Method: NotRequired

Base Path: `savedQueries [*]`

Select YouTrack API Operation: get `/users/me`

Table Function Columns

The columns of the table function `MySavedQueries` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
avatarUrl	string	Avatar (URL)	<input type="checkbox"/>	
banned	boolean	Banned	<input type="checkbox"/>	
email	string	Email	<input type="checkbox"/>	
fullName	string	Full Name	<input type="checkbox"/>	
guest	boolean	Guest	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
jabberAccountName	string	Jabber Account Name	<input type="checkbox"/>	
login	string	Login	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
online	boolean	Online	<input type="checkbox"/>	
ow ner_\$type	string		<input type="checkbox"/>	
ow ner_avatarUrl	string		<input type="checkbox"/>	
ow ner_banned	boolean		<input type="checkbox"/>	
ow ner_email	string		<input type="checkbox"/>	
ow ner_fullName	string		<input type="checkbox"/>	
ow ner_guest	boolean		<input type="checkbox"/>	
ow ner_id	string		<input type="checkbox"/>	
ow ner_jabberAccountName	string		<input type="checkbox"/>	
ow ner_login	string		<input type="checkbox"/>	
ow ner_online	boolean		<input type="checkbox"/>	
ow ner_ringId	string		<input type="checkbox"/>	
profiles_\$type	string		<input type="checkbox"/>	
profiles_general_\$type	string		<input type="checkbox"/>	
profiles_general_id	string		<input type="checkbox"/>	
profiles_id	string		<input type="checkbox"/>	
profiles_notifications_\$type	string		<input type="checkbox"/>	
profiles_notifications_autoWatchOnComment	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnCreate	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnUpdate	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnVote	boolean		<input type="checkbox"/>	
profiles_notifications_duplicateClusterNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_emailNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_id	string		<input type="checkbox"/>	
profiles_notifications_jabberNotificationsEnabled	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
profiles_notifications_mailboxIntegrationNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_mentionNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_notifyOnOwnChanges	boolean		<input type="checkbox"/>	
profiles_notifications_usePlainTextEmails	boolean		<input type="checkbox"/>	
profiles_timetracking_\$type	string		<input type="checkbox"/>	
profiles_timetracking_id	string		<input type="checkbox"/>	
query	string	Query	<input type="checkbox"/>	
ringId	string	Ring ID	<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	

12.1.5 MySavedQueryesssues

Catalog: YouTrack

Schema: Users

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /users/me

Insert YouTrack API URL: /users/me

Update YouTrack API URL: /users/me

Delete YouTrack API URL: /users/me

Field Selection Method: NotRequired

Base Path: savedQueries [*].issues [*]

Select YouTrack API Operation: get /users/me

Table Function Columns

The columns of the table function `MySavedQueryesssues` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
avatarUrl	string	Avatar (URL)	<input type="checkbox"/>	
banned	boolean	Banned	<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
email	string	Email	<input type="checkbox"/>	
fullName	string	Full Name	<input type="checkbox"/>	
guest	boolean	Guest	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
jabberAccountName	string	Jabber Account Name	<input type="checkbox"/>	
login	string	Login	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
online	boolean	Online	<input type="checkbox"/>	
ow ner_\$type	string		<input type="checkbox"/>	
ow ner_avatarUrl	string		<input type="checkbox"/>	
ow ner_banned	boolean		<input type="checkbox"/>	
ow ner_email	string		<input type="checkbox"/>	
ow ner_fullName	string		<input type="checkbox"/>	
ow ner_guest	boolean		<input type="checkbox"/>	
ow ner_id	string		<input type="checkbox"/>	
ow ner_jabberAccountName	string		<input type="checkbox"/>	
ow ner_login	string		<input type="checkbox"/>	
ow ner_online	boolean		<input type="checkbox"/>	
ow ner_ringId	string		<input type="checkbox"/>	
profiles_\$type	string		<input type="checkbox"/>	
profiles_general_\$type	string		<input type="checkbox"/>	
profiles_general_id	string		<input type="checkbox"/>	
profiles_id	string		<input type="checkbox"/>	
profiles_notifications_\$type	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
profiles_notifications_autoWatchOnComment	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnCreate	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnUpdate	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnVote	boolean		<input type="checkbox"/>	
profiles_notifications_duplicateClusterNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_emailNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_id	string		<input type="checkbox"/>	
profiles_notifications_jabberNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_mailboxIntegrationNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_mentionNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_notifyOnOwnChanges	boolean		<input type="checkbox"/>	
profiles_notifications_usePlainTextEmails	boolean		<input type="checkbox"/>	
profiles_timetracking_\$type	string		<input type="checkbox"/>	
profiles_timetracking_id	string		<input type="checkbox"/>	
query	string	Query	<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
ringId	string	Ring ID	<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
votes	int32	Votes	<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

12.1.6 MyTags

Catalog: YouTrack

Schema: Users

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /users/me

Insert YouTrack API URL: /users/me

Update YouTrack API URL: /users/me

Delete YouTrack API URL: /users/me

Field Selection Method: NotRequired

Base Path: tags [*]

Select YouTrack API Operation: get /users/me

Table Function Columns

The columns of the table function MyTags are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
avatarUrl	string	Avatar (URL)	<input type="checkbox"/>	
banned	boolean	Banned	<input type="checkbox"/>	
color_\$type	string		<input type="checkbox"/>	
color_background	string		<input type="checkbox"/>	
color_foreground	string		<input type="checkbox"/>	
color_id	string		<input type="checkbox"/>	
email	string	Email	<input type="checkbox"/>	
fullName	string	Full Name	<input type="checkbox"/>	
guest	boolean	Guest	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
jabberAccountName	string	Jabber Account Name	<input type="checkbox"/>	
login	string	Login	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
online	boolean	Online	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
ow_ner_\$type	string		<input type="checkbox"/>	
ow_ner_avatarUrl	string		<input type="checkbox"/>	
ow_ner_banned	boolean		<input type="checkbox"/>	
ow_ner_email	string		<input type="checkbox"/>	
ow_ner_fullName	string		<input type="checkbox"/>	
ow_ner_guest	boolean		<input type="checkbox"/>	
ow_ner_id	string		<input type="checkbox"/>	
ow_ner_jabberAccountName	string		<input type="checkbox"/>	
ow_ner_login	string		<input type="checkbox"/>	
ow_ner_online	boolean		<input type="checkbox"/>	
ow_ner_ringId	string		<input type="checkbox"/>	
profiles_\$type	string		<input type="checkbox"/>	
profiles_general_\$type	string		<input type="checkbox"/>	
profiles_general_id	string		<input type="checkbox"/>	
profiles_id	string		<input type="checkbox"/>	
profiles_notifications_\$type	string		<input type="checkbox"/>	
profiles_notifications_autoWatchOnComment	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnCreate	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnUpdate	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnVote	boolean		<input type="checkbox"/>	
profiles_notifications_duplicateClusterNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_emailNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_id	string		<input type="checkbox"/>	
profiles_notifications_jabberNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_mailboxIntegrationNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_mentionNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_notifyOnOwnChanges	boolean		<input type="checkbox"/>	
profiles_notifications_usePlainTextEmails	boolean		<input type="checkbox"/>	
profiles_timetracking_\$type	string		<input type="checkbox"/>	
profiles_timetracking_id	string		<input type="checkbox"/>	
ringId	string	Ring ID	<input type="checkbox"/>	
untagOnResolve	boolean		<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	

12.1.7 ProfileTimeTrackingsByUserId

Catalog: YouTrack

Schema: Users

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /users/{id}/profiles/timetracking

Insert YouTrack API URL: /users/{id}/profiles/timetracking

Update YouTrack API URL: /users/{id}/profiles/timetracking

Delete YouTrack API URL: /users/{id}/profiles/timetracking

Field Selection Method: NotRequired

Select YouTrack API Operation: get /users/{id}/profiles/timetracking

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function ProfileTimeTrackingsByUserId. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `ProfileTimeTrackingsByUserId` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
periodFormat_\$type	string		<input type="checkbox"/>	
periodFormat_id	string		<input type="checkbox"/>	

12.1.8 SavedQueries: YouTrack Saved Queries

Catalog: YouTrack

Schema: Users

Label: Saved Queries

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/users`

Insert YouTrack API URL: `/users`

Update YouTrack API URL: `/users`

Delete YouTrack API URL: `/users`

Field Selection Method: NotRequired

Base Path: `savedQueries [*]`

Select YouTrack API Operation: `get /users`

Table Function Columns

The columns of the table function `SavedQueries` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
avatarUrl	string	Avatar (URL)	<input type="checkbox"/>	
banned	boolean	Banned	<input type="checkbox"/>	
email	string	Email	<input type="checkbox"/>	
fullName	string	Full Name	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
guest	boolean	Guest	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
jabberAccountName	string	Jabber Account Name	<input type="checkbox"/>	
login	string	Login	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
online	boolean	Online	<input type="checkbox"/>	
owner_\$type	string		<input type="checkbox"/>	
owner_avatarUrl	string		<input type="checkbox"/>	
owner_banned	boolean		<input type="checkbox"/>	
owner_email	string		<input type="checkbox"/>	
owner.FullName	string		<input type="checkbox"/>	
owner.guest	boolean		<input type="checkbox"/>	
owner_id	string		<input type="checkbox"/>	
owner.jabberAccountName	string		<input type="checkbox"/>	
owner.login	string		<input type="checkbox"/>	
owner.online	boolean		<input type="checkbox"/>	
owner.ringId	string		<input type="checkbox"/>	
profiles_\$type	string		<input type="checkbox"/>	
profiles_general_\$type	string		<input type="checkbox"/>	
profiles_general_id	string		<input type="checkbox"/>	
profiles_id	string		<input type="checkbox"/>	
profiles_notifications_\$type	string		<input type="checkbox"/>	
profiles_notifications_autoWatchOnComment	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnCreate	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnUpdate	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnVote	boolean		<input type="checkbox"/>	
profiles_notifications_duplicateClusterNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_emailNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_id	string		<input type="checkbox"/>	
profiles_notifications_jabberNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_mailboxIntegrationNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_mentionNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_notifyOnOwnChanges	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
profiles_notifications_usePlainTextEmails	boolean		<input type="checkbox"/>	
profiles_timetracking_\$type	string		<input type="checkbox"/>	
profiles_timetracking_id	string		<input type="checkbox"/>	
query	string	Query	<input type="checkbox"/>	
ringId	string	Ring ID	<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	

12.1.9 SavedQueryById

Catalog: YouTrack

Schema: Users

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/users/{id}`

Insert YouTrack API URL: `/users/{id}`

Update YouTrack API URL: `/users/{id}`

Delete YouTrack API URL: `/users/{id}`

Field Selection Method: NotRequired

Base Path: `savedQueries [*]`

Select YouTrack API Operation: `get /users/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `SavedQueryById`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-

defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `SavedQueryById` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
avatarUrl	string	Avatar (URL)	<input type="checkbox"/>	
banned	boolean	Banned	<input type="checkbox"/>	
email	string	Email	<input type="checkbox"/>	
fullName	string	Full Name	<input type="checkbox"/>	
guest	boolean	Guest	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
jabberAccountName	string	Jabber Account Name	<input type="checkbox"/>	
login	string	Login	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
online	boolean	Online	<input type="checkbox"/>	
ow ner_\$type	string		<input type="checkbox"/>	
ow ner_avatarUrl	string		<input type="checkbox"/>	
ow ner_banned	boolean		<input type="checkbox"/>	
ow ner_email	string		<input type="checkbox"/>	
ow ner_fullName	string		<input type="checkbox"/>	
ow ner_guest	boolean		<input type="checkbox"/>	
ow ner_id	string		<input type="checkbox"/>	
ow ner_jabberAccountName	string		<input type="checkbox"/>	
ow ner_login	string		<input type="checkbox"/>	
ow ner_online	boolean		<input type="checkbox"/>	
ow ner_ringId	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
profiles__\$type	string		<input type="checkbox"/>	
profiles_general__\$type	string		<input type="checkbox"/>	
profiles_general_id	string		<input type="checkbox"/>	
profiles_id	string		<input type="checkbox"/>	
profiles_notifications__\$type	string		<input type="checkbox"/>	
profiles_notifications_autoWatchOnComment	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnCreate	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnUpdate	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnVote	boolean		<input type="checkbox"/>	
profiles_notifications_duplicateClusterNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_emailNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_id	string		<input type="checkbox"/>	
profiles_notifications_jabberNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_mailboxIntegrationNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_mentionNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_notifyOnOwnChanges	boolean		<input type="checkbox"/>	
profiles_notifications_usePlainTextEmails	boolean		<input type="checkbox"/>	
profiles_timetracking__\$type	string		<input type="checkbox"/>	
profiles_timetracking_id	string		<input type="checkbox"/>	
query	string	Query	<input type="checkbox"/>	
ringId	string	Ring ID	<input type="checkbox"/>	
updateableBy__\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
visibleFor__\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
visibleFor_usersCount	int64		<input type="checkbox"/>	

12.1.10 SavedQueryIssues

Catalog: YouTrack

Schema: Users

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /users

Insert YouTrack API URL: /users

Update YouTrack API URL: /users

Delete YouTrack API URL: /users

Field Selection Method: NotRequired

Base Path: savedQueries [*].issues [*]

Select YouTrack API Operation: get /users

Table Function Columns

The columns of the table function SavedQueryIssues are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
avatarUrl	string	Avatar (URL)	<input type="checkbox"/>	
banned	boolean	Banned	<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
email	string	Email	<input type="checkbox"/>	
fullName	string	Full Name	<input type="checkbox"/>	
guest	boolean	Guest	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
jabberAccountName	string	Jabber Account Name	<input type="checkbox"/>	
login	string	Login	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
online	boolean	Online	<input type="checkbox"/>	
owner_\$type	string		<input type="checkbox"/>	
owner_avatarUrl	string		<input type="checkbox"/>	
owner_banned	boolean		<input type="checkbox"/>	
owner_email	string		<input type="checkbox"/>	
owner.FullName	string		<input type="checkbox"/>	
owner.guest	boolean		<input type="checkbox"/>	
owner.id	string		<input type="checkbox"/>	
owner.jabberAccountName	string		<input type="checkbox"/>	
owner.login	string		<input type="checkbox"/>	
owner.online	boolean		<input type="checkbox"/>	
owner.ringId	string		<input type="checkbox"/>	
profiles_\$type	string		<input type="checkbox"/>	
profiles_general_\$type	string		<input type="checkbox"/>	
profiles_general_id	string		<input type="checkbox"/>	
profiles_id	string		<input type="checkbox"/>	
profiles_notifications_\$type	string		<input type="checkbox"/>	
profiles_notifications_autoWatchOnComment	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnCreate	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnUpdate	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnVote	boolean		<input type="checkbox"/>	
profiles_notifications_duplicateClusterNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_emailNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_id	string		<input type="checkbox"/>	
profiles_notifications_jabberNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_mailboxIntegrationNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_mentionNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_notifyOnOwnChanges	boolean		<input type="checkbox"/>	
profiles_notifications_usePlainTextEmails	boolean		<input type="checkbox"/>	
profiles_timetracking_\$type	string		<input type="checkbox"/>	
profiles_timetracking_id	string		<input type="checkbox"/>	
query	string	Query	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
resolved	int64	Resolved	<input type="checkbox"/>	
ringId	string	Ring ID	<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

12.1.11 SavedQueryIssuesByUserId

Catalog: YouTrack

Schema: Users

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/users/{id}`

Insert YouTrack API URL: `/users/{id}`

Update YouTrack API URL: `/users/{id}`

Delete YouTrack API URL: `/users/{id}`

Field Selection Method: NotRequired

Base Path: `savedQueries[*].issues[*]`

Select YouTrack API Operation: `get /users/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `SavedQueryIssuesByUserId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `SavedQueryIssuesByUserId` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
avatarUrl	string	Avatar (URL)	<input type="checkbox"/>	
banned	boolean	Banned	<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
email	string	Email	<input type="checkbox"/>	
fullName	string	Full Name	<input type="checkbox"/>	
guest	boolean	Guest	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
jabberAccountName	string	Jabber Account Name	<input type="checkbox"/>	
login	string	Login	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
online	boolean	Online	<input type="checkbox"/>	
owner_\$type	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
ow_ner_avatarUrl	string		<input type="checkbox"/>	
ow_ner_banned	boolean		<input type="checkbox"/>	
ow_ner_email	string		<input type="checkbox"/>	
ow_ner_fullName	string		<input type="checkbox"/>	
ow_ner_guest	boolean		<input type="checkbox"/>	
ow_ner_id	string		<input type="checkbox"/>	
ow_ner_jabberAccountName	string		<input type="checkbox"/>	
ow_ner_login	string		<input type="checkbox"/>	
ow_ner_online	boolean		<input type="checkbox"/>	
ow_ner_ringId	string		<input type="checkbox"/>	
profiles_\$type	string		<input type="checkbox"/>	
profiles_general_\$type	string		<input type="checkbox"/>	
profiles_general_id	string		<input type="checkbox"/>	
profiles_id	string		<input type="checkbox"/>	
profiles_notifications_\$type	string		<input type="checkbox"/>	
profiles_notifications_autoWatchOnComment	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnCreate	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnUpdate	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnVote	boolean		<input type="checkbox"/>	
profiles_notifications_duplicateClusterNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_emailNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_id	string		<input type="checkbox"/>	
profiles_notifications_jabberNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_mailboxIntegrationNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_mentionNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_notifyOnOwnChanges	boolean		<input type="checkbox"/>	
profiles_notifications_usePlainTextEmails	boolean		<input type="checkbox"/>	
profiles_timetracking_\$type	string		<input type="checkbox"/>	
profiles_timetracking_id	string		<input type="checkbox"/>	
query	string	Query	<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
ringId	string	Ring ID	<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

12.1.12 TagById

Catalog: YouTrack

Schema: Users

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /users/{id}

Insert YouTrack API URL: /users/{id}

Update YouTrack API URL: /users/{id}

Delete YouTrack API URL: /users/{id}

Field Selection Method: NotRequired

Base Path: tags [*]

Select YouTrack API Operation: get /users/{id}

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function TagById. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function TagById are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
avatarUrl	string	Avatar (URL)	<input type="checkbox"/>	
banned	boolean	Banned	<input type="checkbox"/>	
color_\$type	string		<input type="checkbox"/>	
color_background	string		<input type="checkbox"/>	
color_foreground	string		<input type="checkbox"/>	
color_id	string		<input type="checkbox"/>	
email	string	Email	<input type="checkbox"/>	
fullName	string	Full Name	<input type="checkbox"/>	
guest	boolean	Guest	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
jabberAccountName	string	Jabber Account Name	<input type="checkbox"/>	
login	string	Login	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
online	boolean	Online	<input type="checkbox"/>	
owner_\$type	string		<input type="checkbox"/>	
owner_avatarUrl	string		<input type="checkbox"/>	
owner_banned	boolean		<input type="checkbox"/>	
owner_email	string		<input type="checkbox"/>	
owner_fullName	string		<input type="checkbox"/>	
owner_guest	boolean		<input type="checkbox"/>	
owner_id	string		<input type="checkbox"/>	
owner_jabberAccountName	string		<input type="checkbox"/>	
owner_login	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
ow_ner_online	boolean		<input type="checkbox"/>	
ow_ner_ringId	string		<input type="checkbox"/>	
profiles_\$type	string		<input type="checkbox"/>	
profiles_general_\$type	string		<input type="checkbox"/>	
profiles_general_id	string		<input type="checkbox"/>	
profiles_id	string		<input type="checkbox"/>	
profiles_notifications_\$type	string		<input type="checkbox"/>	
profiles_notifications_autoWatchOnComment	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnCreate	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnUpdate	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnVote	boolean		<input type="checkbox"/>	
profiles_notifications_duplicateClusterNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_emailNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_id	string		<input type="checkbox"/>	
profiles_notifications_jabberNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_mailboxIntegrationNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_mentionNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_notifyOnOwnChanges	boolean		<input type="checkbox"/>	
profiles_notifications_usePlainTextEmails	boolean		<input type="checkbox"/>	
profiles_timetracking_\$type	string		<input type="checkbox"/>	
profiles_timetracking_id	string		<input type="checkbox"/>	
ringId	string	Ring ID	<input type="checkbox"/>	
untagOnResolve	boolean		<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	

12.1.13 TagIssuesByTagId

Catalog: YouTrack

Schema: Users

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/users/{id}`

Insert YouTrack API URL: `/users/{id}`

Update YouTrack API URL: `/users/{id}`

Delete YouTrack API URL: `/users/{id}`

Field Selection Method: NotRequired

Base Path: `tags[*].issues[*]`

Select YouTrack API Operation: `get /users/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `TagIssuesByTagId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `TagIssuesByTagId` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
avatarUrl	string	Avatar (URL)	<input type="checkbox"/>	
banned	boolean	Banned	<input type="checkbox"/>	
color_\$type	string		<input type="checkbox"/>	
color_background	string		<input type="checkbox"/>	
color_foreground	string		<input type="checkbox"/>	
color_id	string		<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
email	string	Email	<input type="checkbox"/>	
fullName	string	Full Name	<input type="checkbox"/>	
guest	boolean	Guest	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
jabberAccountName	string	Jabber Account Name	<input type="checkbox"/>	
login	string	Login	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
online	boolean	Online	<input type="checkbox"/>	
ow ner_\$type	string		<input type="checkbox"/>	
ow ner_avatarUrl	string		<input type="checkbox"/>	
ow ner_banned	boolean		<input type="checkbox"/>	
ow ner_email	string		<input type="checkbox"/>	
ow ner_fullName	string		<input type="checkbox"/>	
ow ner_guest	boolean		<input type="checkbox"/>	
ow ner_id	string		<input type="checkbox"/>	
ow ner_jabberAccountName	string		<input type="checkbox"/>	
ow ner_login	string		<input type="checkbox"/>	
ow ner_online	boolean		<input type="checkbox"/>	
ow ner_ringId	string		<input type="checkbox"/>	
profiles_\$type	string		<input type="checkbox"/>	
profiles_general_\$type	string		<input type="checkbox"/>	
profiles_general_id	string		<input type="checkbox"/>	
profiles_id	string		<input type="checkbox"/>	
profiles_notifications_\$type	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
profiles_notifications_autoWatchOnComment	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnCreate	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnUpdate	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnVote	boolean		<input type="checkbox"/>	
profiles_notifications_duplicateClusterNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_emailNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_id	string		<input type="checkbox"/>	
profiles_notifications_jabberNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_mailboxIntegrationNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_mentionNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_notifyOnOwnChanges	boolean		<input type="checkbox"/>	
profiles_notifications_usePlainTextEmails	boolean		<input type="checkbox"/>	
profiles_timetracking_\$type	string		<input type="checkbox"/>	
profiles_timetracking_id	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
ringId	string	Ring ID	<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
untagOnResolve	boolean		<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
votes	int32	Votes	<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

12.1.14 Tags

Catalog: YouTrack

Schema: Users

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /users

Insert YouTrack API URL: /users

Update YouTrack API URL: /users

Delete YouTrack API URL: /users

Field Selection Method: NotRequired

Base Path: tags [*]

Select YouTrack API Operation: get /users

Table Function Columns

The columns of the table function Tags are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
avatarUrl	string	Avatar (URL)	<input type="checkbox"/>	
banned	boolean	Banned	<input type="checkbox"/>	
color_\$type	string		<input type="checkbox"/>	
color_background	string		<input type="checkbox"/>	
color_foreground	string		<input type="checkbox"/>	
color_id	string		<input type="checkbox"/>	
email	string	Email	<input type="checkbox"/>	
fullName	string	Full Name	<input type="checkbox"/>	
guest	boolean	Guest	<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
jabberAccountName	string	Jabber Account Name	<input type="checkbox"/>	
login	string	Login	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
online	boolean	Online	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
ow_ner_\$type	string		<input type="checkbox"/>	
ow_ner_avatarUrl	string		<input type="checkbox"/>	
ow_ner_banned	boolean		<input type="checkbox"/>	
ow_ner_email	string		<input type="checkbox"/>	
ow_ner_fullName	string		<input type="checkbox"/>	
ow_ner_guest	boolean		<input type="checkbox"/>	
ow_ner_id	string		<input type="checkbox"/>	
ow_ner_jabberAccountName	string		<input type="checkbox"/>	
ow_ner_login	string		<input type="checkbox"/>	
ow_ner_online	boolean		<input type="checkbox"/>	
ow_ner_ringId	string		<input type="checkbox"/>	
profiles_\$type	string		<input type="checkbox"/>	
profiles_general_\$type	string		<input type="checkbox"/>	
profiles_general_id	string		<input type="checkbox"/>	
profiles_id	string		<input type="checkbox"/>	
profiles_notifications_\$type	string		<input type="checkbox"/>	
profiles_notifications_autoWatchOnComment	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnCreate	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnUpdate	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnVote	boolean		<input type="checkbox"/>	
profiles_notifications_duplicateClusterNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_emailNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_id	string		<input type="checkbox"/>	
profiles_notifications_jabberNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_mailboxIntegrationNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_mentionNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_notifyOnOwnChanges	boolean		<input type="checkbox"/>	
profiles_notifications_usePlainTextEmails	boolean		<input type="checkbox"/>	
profiles_timetracking_\$type	string		<input type="checkbox"/>	
profiles_timetracking_id	string		<input type="checkbox"/>	
ringId	string	Ring ID	<input type="checkbox"/>	
untagOnResolve	boolean		<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	

12.1.15 UserById

Catalog: YouTrack

Schema: Users

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /users/{id}

Insert YouTrack API URL: /users/{id}

Update YouTrack API URL: /users/{id}

Delete YouTrack API URL: /users/{id}

Field Selection Method: NotRequired

Select YouTrack API Operation: get /users/{id}

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function UserById. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `UserById` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
avatarUrl	string	Avatar (URL)	<input type="checkbox"/>	
banned	boolean	Banned	<input type="checkbox"/>	
email	string	Email	<input type="checkbox"/>	
fullName	string	Full Name	<input type="checkbox"/>	
guest	boolean	Guest	<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
jabberAccountName	string	Jabber Account Name	<input type="checkbox"/>	
login	string	Login	<input type="checkbox"/>	
online	boolean	Online	<input type="checkbox"/>	
profiles_\$type	string		<input type="checkbox"/>	
profiles_general_\$type	string		<input type="checkbox"/>	
profiles_general_id	string		<input type="checkbox"/>	
profiles_id	string		<input type="checkbox"/>	
profiles_notifications_\$type	string		<input type="checkbox"/>	
profiles_notifications_autoWatchOnComment	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnCreate	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnUpdate	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnVote	boolean		<input type="checkbox"/>	
profiles_notifications_duplicateClusterNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_emailNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_id	string		<input type="checkbox"/>	
profiles_notifications_jabberNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_mailboxIntegrationNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_mentionNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_notifyOnOwnChanges	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
profiles_notifications_usePlainTextEmails	boolean		<input type="checkbox"/>	
profiles_timetracking_\$type	string		<input type="checkbox"/>	
profiles_timetracking_id	string		<input type="checkbox"/>	
ringId	string	Ring ID	<input type="checkbox"/>	

12.1.16 UserGeneralProfilesBySprintId

Catalog: YouTrack

Schema: Users

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /users/{id}/profiles/general

Insert YouTrack API URL: /users/{id}/profiles/general

Update YouTrack API URL: /users/{id}/profiles/general

Delete YouTrack API URL: /users/{id}/profiles/general

Field Selection Method: NotRequired

Select YouTrack API Operation: get /users/{id}/profiles/general

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function UserGeneralProfilesBySprintId. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function UserGeneralProfilesBySprintId are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
dateFormat_\$type	string		<input type="checkbox"/>	
dateFormat_datePattern	string		<input type="checkbox"/>	
dateFormat_id	string		<input type="checkbox"/>	
dateFormat_pattern	string		<input type="checkbox"/>	
dateFormat_presentation	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
locale_\$type	string		<input type="checkbox"/>	
locale_community	boolean		<input type="checkbox"/>	
locale_id	string		<input type="checkbox"/>	
locale_language	string		<input type="checkbox"/>	
locale_locale	string		<input type="checkbox"/>	
locale_name	string		<input type="checkbox"/>	
timezone_\$type	string		<input type="checkbox"/>	
timezone_id	string		<input type="checkbox"/>	
timezone_offset	int32		<input type="checkbox"/>	
timezone_presentation	string		<input type="checkbox"/>	

12.1.17 UserIssueAttachmentSavedQueriesByUserId

Catalog: YouTrack

Schema: Users

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /users/{id}/savedQueries

Insert YouTrack API URL: /users/{id}/savedQueries

Update YouTrack API URL: /users/{id}/savedQueries

Delete YouTrack API URL: /users/{id}/savedQueries

Field Selection Method: NotRequired

Base Path: issues[*].attachments[*]

Select YouTrack API Operation: get /users/{id}/savedQueries

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function UserIssueAttachmentSavedQueriesByUserId. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `UserIssueAttachmentSavedQueriesByUserId` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
base64Content	string	Base64 Content	<input type="checkbox"/>	
charset	string	Charset	<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created_1	int64		<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
draft	boolean	Draft	<input type="checkbox"/>	
draftOwner_\$type	string		<input type="checkbox"/>	
draftOwner_avatarUrl	string		<input type="checkbox"/>	
draftOwner_banned	boolean		<input type="checkbox"/>	
draftOwner_email	string		<input type="checkbox"/>	
draftOwner_fullName	string		<input type="checkbox"/>	
draftOwner_guest	boolean		<input type="checkbox"/>	
draftOwner_id	string		<input type="checkbox"/>	
draftOwner_jabberAccountName	string		<input type="checkbox"/>	
draftOwner_login	string		<input type="checkbox"/>	
draftOwner_online	boolean		<input type="checkbox"/>	
draftOwner_ringId	string		<input type="checkbox"/>	
extension	string	Extension	<input type="checkbox"/>	
externalIssue_\$type	string		<input type="checkbox"/>	
externalIssue_id	string		<input type="checkbox"/>	
externalIssue_key	string		<input type="checkbox"/>	
externalIssue_name	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
externallssue_url	string		<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
metaData	string	Metadata	<input type="checkbox"/>	
mimeType	string	MIME-type	<input type="checkbox"/>	
name_1	string		<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
ow_ner_\$type	string		<input type="checkbox"/>	
ow_ner_avatarUrl	string		<input type="checkbox"/>	
ow_ner_banned	boolean		<input type="checkbox"/>	
ow_ner_email	string		<input type="checkbox"/>	
ow_ner.FullName	string		<input type="checkbox"/>	
ow_ner_guest	boolean		<input type="checkbox"/>	
ow_ner_id	string		<input type="checkbox"/>	
ow_ner_jabberAccountName	string		<input type="checkbox"/>	
ow_ner_login	string		<input type="checkbox"/>	
ow_ner_online	boolean		<input type="checkbox"/>	
ow_ner_profiles_\$type	string		<input type="checkbox"/>	
ow_ner_profiles_id	string		<input type="checkbox"/>	
ow_ner_ringId	string		<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
query	string	Query	<input type="checkbox"/>	
removed	boolean	Removed	<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
reporter_fullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
size	int64	Size	<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
thumbnailURL	string	Thumbnail (URL)	<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_teamForProject_arclived	boolean		<input type="checkbox"/>	
updateableBy_teamForProject_description	string		<input type="checkbox"/>	
updateableBy_teamForProject_fromEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_iconUrl	string		<input type="checkbox"/>	
updateableBy_teamForProject_replyToEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_shortName	string		<input type="checkbox"/>	
updateableBy_teamForProject_startingNumber	int64		<input type="checkbox"/>	
updateableBy_teamForProject_template	boolean		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
updated_1	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater_fullName	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
url	string	URL	<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_teamForProject_archive	boolean		<input type="checkbox"/>	
visibleFor_teamForProject_descript	string		<input type="checkbox"/>	
visibleFor_teamForProject_fromEm	string		<input type="checkbox"/>	
visibleFor_teamForProject_iconUrl	string		<input type="checkbox"/>	
visibleFor_teamForProject_replyTo	string		<input type="checkbox"/>	
visibleFor_teamForProject_shortNa	string		<input type="checkbox"/>	
visibleFor_teamForProject_starting	int64		<input type="checkbox"/>	
visibleFor_teamForProject_template	boolean		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

12.1.18 UserIssueAttachmentTagsByUserId

Catalog: YouTrack

Schema: Users

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/users/{id}/tags`Insert YouTrack API URL: `/users/{id}/tags`Update YouTrack API URL: `/users/{id}/tags`Delete YouTrack API URL: `/users/{id}/tags`

Field Selection Method: NotRequired

Base Path: `issues[*].attachments[*]`Select YouTrack API Operation: get `/users/{id}/tags`**Parameters of Table Function**

The following parameters can be used to control the behaviour of the table function `UserIssueAttachmentTagsByUserId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `UserIssueAttachmentTagsByUserId` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
base64Content	string	Base64 Content	<input type="checkbox"/>	
charset	string	Charset	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
color_\$type	string		<input type="checkbox"/>	
color_background	string		<input type="checkbox"/>	
color_foreground	string		<input type="checkbox"/>	
color_id	string		<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created_1	int64		<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
draft	boolean	Draft	<input type="checkbox"/>	
draftOw ner_\$type	string		<input type="checkbox"/>	
draftOw ner_avatarUrl	string		<input type="checkbox"/>	
draftOw ner_banned	boolean		<input type="checkbox"/>	
draftOw ner_email	string		<input type="checkbox"/>	
draftOw ner_fullName	string		<input type="checkbox"/>	
draftOw ner_guest	boolean		<input type="checkbox"/>	
draftOw ner_id	string		<input type="checkbox"/>	
draftOw ner_jabberAccountName	string		<input type="checkbox"/>	
draftOw ner_login	string		<input type="checkbox"/>	
draftOw ner_online	boolean		<input type="checkbox"/>	
draftOw ner_ringId	string		<input type="checkbox"/>	
extension	string	Extension	<input type="checkbox"/>	
externallssue_\$type	string		<input type="checkbox"/>	
externallssue_id	string		<input type="checkbox"/>	
externallssue_key	string		<input type="checkbox"/>	
externallssue_name	string		<input type="checkbox"/>	
externallssue_url	string		<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
metaData	string	Metadata	<input type="checkbox"/>	
mimeType	string	MIME-type	<input type="checkbox"/>	
name_1	string		<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
ow ner_\$type	string		<input type="checkbox"/>	
ow ner_avatarUrl	string		<input type="checkbox"/>	
ow ner_banned	boolean		<input type="checkbox"/>	
ow ner_email	string		<input type="checkbox"/>	
ow ner_fullName	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
ow_ner_guest	boolean		<input type="checkbox"/>	
ow_ner_id	string		<input type="checkbox"/>	
ow_ner_jabberAccountName	string		<input type="checkbox"/>	
ow_ner_login	string		<input type="checkbox"/>	
ow_ner_online	boolean		<input type="checkbox"/>	
ow_ner_profiles_\$type	string		<input type="checkbox"/>	
ow_ner_profiles_id	string		<input type="checkbox"/>	
ow_ner_ringId	string		<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
removed	boolean	Removed	<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter_fullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
size	int64	Size	<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
thumbnailURL	string	Thumbnail (URL)	<input type="checkbox"/>	
untagOnResolve	boolean		<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_teamForProject_arched	boolean		<input type="checkbox"/>	
updateableBy_teamForProject_description	string		<input type="checkbox"/>	
updateableBy_teamForProject_fromEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_iconUrl	string		<input type="checkbox"/>	
updateableBy_teamForProject_replyToEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_shortName	string		<input type="checkbox"/>	
updateableBy_teamForProject_startingNumber	int64		<input type="checkbox"/>	
updateableBy_teamForProject_template	boolean		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
updated_1	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater_fullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
url	string	URL	<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
visibleFor_teamForProject_archive d	boolean		<input type="checkbox"/>	
visibleFor_teamForProject_descript ion	string		<input type="checkbox"/>	
visibleFor_teamForProject_fromEm ail	string		<input type="checkbox"/>	
visibleFor_teamForProject_iconUrl	string		<input type="checkbox"/>	
visibleFor_teamForProject_replyTo Email	string		<input type="checkbox"/>	
visibleFor_teamForProject_shortNa me	string		<input type="checkbox"/>	
visibleFor_teamForProject_starting Number	int64		<input type="checkbox"/>	
visibleFor_teamForProject_template	boolean		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

12.1.19 UserIssueCommentSavedQueriesByUserId

Catalog: YouTrack

Schema: Users

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/users/{id}/savedQueries`

Insert YouTrack API URL: `/users/{id}/savedQueries`

Update YouTrack API URL: `/users/{id}/savedQueries`

Delete YouTrack API URL: `/users/{id}/savedQueries`

Field Selection Method: NotRequired

Base Path: `issues[*].comments[*]`

Select YouTrack API Operation: `get /users/{id}/savedQueries`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `UserIssueCommentSavedQueriesByUserId`. A value must be provided at all times for

required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `UserIssueCommentSavedQueriesByUserId` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created_1	int64		<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
deleted	boolean	Deleted	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
draftOwner_\$type	string		<input type="checkbox"/>	
draftOwner_avatarUrl	string		<input type="checkbox"/>	
draftOwner_banned	boolean		<input type="checkbox"/>	
draftOwner_email	string		<input type="checkbox"/>	
draftOwner_fullName	string		<input type="checkbox"/>	
draftOwner_guest	boolean		<input type="checkbox"/>	
draftOwner_id	string		<input type="checkbox"/>	
draftOwner_jabberAccountName	string		<input type="checkbox"/>	
draftOwner_login	string		<input type="checkbox"/>	
draftOwner_online	boolean		<input type="checkbox"/>	
draftOwner_ringId	string		<input type="checkbox"/>	
externalIssue_\$type	string		<input type="checkbox"/>	
externalIssue_id	string		<input type="checkbox"/>	
externalIssue_key	string		<input type="checkbox"/>	
externalIssue_name	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
externallssue_url	string		<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
owner_\$type	string		<input type="checkbox"/>	
owner_avatarUrl	string		<input type="checkbox"/>	
owner_banned	boolean		<input type="checkbox"/>	
owner_email	string		<input type="checkbox"/>	
owner.FullName	string		<input type="checkbox"/>	
owner_guest	boolean		<input type="checkbox"/>	
owner_id	string		<input type="checkbox"/>	
owner_jabberAccountName	string		<input type="checkbox"/>	
owner_login	string		<input type="checkbox"/>	
owner_online	boolean		<input type="checkbox"/>	
owner_profiles_\$type	string		<input type="checkbox"/>	
owner_profiles_id	string		<input type="checkbox"/>	
owner_ringId	string		<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
query	string	Query	<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter.FullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
text	string	Text	<input type="checkbox"/>	
textPreview	string	Text Preview	<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_teamForProject_arched	boolean		<input type="checkbox"/>	
updateableBy_teamForProject_description	string		<input type="checkbox"/>	
updateableBy_teamForProject_fromEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_iconUrl	string		<input type="checkbox"/>	
updateableBy_teamForProject_replyToEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_shortName	string		<input type="checkbox"/>	
updateableBy_teamForProject_startingNumber	int64		<input type="checkbox"/>	
updateableBy_teamForProject_template	boolean		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
updated_1	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater_fullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updater_online	boolean		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
usesMarkdown_1	boolean		<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_teamForProject_archive	boolean		<input type="checkbox"/>	
visibleFor_teamForProject_description	string		<input type="checkbox"/>	
visibleFor_teamForProject_fromEmail	string		<input type="checkbox"/>	
visibleFor_teamForProject_iconUrl	string		<input type="checkbox"/>	
visibleFor_teamForProject_replyToEmail	string		<input type="checkbox"/>	
visibleFor_teamForProject_shortName	string		<input type="checkbox"/>	
visibleFor_teamForProject_startingNumber	int64		<input type="checkbox"/>	
visibleFor_teamForProject_template	boolean		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

12.1.20 UserIssueCommentTagsByUserId

Catalog: YouTrack

Schema: Users

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: /users/{id}/tags

Insert YouTrack API URL: /users/{id}/tags

Update YouTrack API URL: /users/{id}/tags

Delete YouTrack API URL: /users/{id}/tags

Field Selection Method: NotRequired

Base Path: issues[*].comments[*]

Select YouTrack API Operation: get /users/{id}/tags

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function UserIssueCommentTagsByUserId. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function UserIssueCommentTagsByUserId are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
color_\$type	string		<input type="checkbox"/>	
color_background	string		<input type="checkbox"/>	
color_foreground	string		<input type="checkbox"/>	
color_id	string		<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created_1	int64		<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
deleted	boolean	Deleted	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
description	string	Description	<input type="checkbox"/>	
draftOwner_\$type	string		<input type="checkbox"/>	
draftOwner_avatarUrl	string		<input type="checkbox"/>	
draftOwner_banned	boolean		<input type="checkbox"/>	
draftOwner_email	string		<input type="checkbox"/>	
draftOwner.FullName	string		<input type="checkbox"/>	
draftOwner_guest	boolean		<input type="checkbox"/>	
draftOwner_id	string		<input type="checkbox"/>	
draftOwner.jabberAccountName	string		<input type="checkbox"/>	
draftOwner_login	string		<input type="checkbox"/>	
draftOwner_online	boolean		<input type="checkbox"/>	
draftOwner_ringId	string		<input type="checkbox"/>	
externalIssue_\$type	string		<input type="checkbox"/>	
externalIssue_id	string		<input type="checkbox"/>	
externalIssue_key	string		<input type="checkbox"/>	
externalIssue_name	string		<input type="checkbox"/>	
externalIssue_url	string		<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
owner_\$type	string		<input type="checkbox"/>	
owner_avatarUrl	string		<input type="checkbox"/>	
owner_banned	boolean		<input type="checkbox"/>	
owner_email	string		<input type="checkbox"/>	
owner.FullName	string		<input type="checkbox"/>	
owner_guest	boolean		<input type="checkbox"/>	
owner_id	string		<input type="checkbox"/>	
owner.jabberAccountName	string		<input type="checkbox"/>	
owner_login	string		<input type="checkbox"/>	
owner_online	boolean		<input type="checkbox"/>	
owner_profiles_\$type	string		<input type="checkbox"/>	
owner_profiles_id	string		<input type="checkbox"/>	
owner_ringId	string		<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter_fullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
text	string	Text	<input type="checkbox"/>	
textPreview	string	Text Preview	<input type="checkbox"/>	
untagOnResolve	boolean		<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_teamForProject_arclived	boolean		<input type="checkbox"/>	
updateableBy_teamForProject_description	string		<input type="checkbox"/>	
updateableBy_teamForProject_fromEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_iconUrl	string		<input type="checkbox"/>	
updateableBy_teamForProject_replyToEmail	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updateableBy_teamForProject_shortName	string		<input type="checkbox"/>	
updateableBy_teamForProject_startingNumber	int64		<input type="checkbox"/>	
updateableBy_teamForProject_template	boolean		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
updated_1	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater.FullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
usesMarkdown_1	boolean		<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_teamForProject_archiveId	boolean		<input type="checkbox"/>	
visibleFor_teamForProject_description	string		<input type="checkbox"/>	
visibleFor_teamForProject_fromEmail	string		<input type="checkbox"/>	
visibleFor_teamForProject_iconUrl	string		<input type="checkbox"/>	
visibleFor_teamForProject_replyToEmail	string		<input type="checkbox"/>	
visibleFor_teamForProject_shortName	string		<input type="checkbox"/>	
visibleFor_teamForProject_startingNumber	int64		<input type="checkbox"/>	
visibleFor_teamForProject_template	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
visibleFor_usersCount	int64		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

12.1.21 UserIssueCustomFieldSavedQueriesByUserId

Catalog: YouTrack

Schema: Users

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /users/{id}/savedQueries

Insert YouTrack API URL: /users/{id}/savedQueries

Update YouTrack API URL: /users/{id}/savedQueries

Delete YouTrack API URL: /users/{id}/savedQueries

Field Selection Method: NotRequired

Base Path: issues[*].customFields[*]

Select YouTrack API Operation: get /users/{id}/savedQueries

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function UserIssueCustomFieldSavedQueriesByUserId. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `UserIssueCustomFieldSavedQueriesByUserId` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
draftOwner_\$type	string		<input type="checkbox"/>	
draftOwner_avatarUrl	string		<input type="checkbox"/>	
draftOwner_banned	boolean		<input type="checkbox"/>	
draftOwner_email	string		<input type="checkbox"/>	
draftOwner.FullName	string		<input type="checkbox"/>	
draftOwner_guest	boolean		<input type="checkbox"/>	
draftOwner_id	string		<input type="checkbox"/>	
draftOwner_jabberAccountName	string		<input type="checkbox"/>	
draftOwner_login	string		<input type="checkbox"/>	
draftOwner_online	boolean		<input type="checkbox"/>	
draftOwner_ringId	string		<input type="checkbox"/>	
externalIssue_\$type	string		<input type="checkbox"/>	
externalIssue_id	string		<input type="checkbox"/>	
externalIssue_key	string		<input type="checkbox"/>	
externalIssue_name	string		<input type="checkbox"/>	
externalIssue_url	string		<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
name_1	string		<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
owner_\$type	string		<input type="checkbox"/>	
owner_avatarUrl	string		<input type="checkbox"/>	
owner_banned	boolean		<input type="checkbox"/>	
owner_email	string		<input type="checkbox"/>	
owner.FullName	string		<input type="checkbox"/>	
owner_guest	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
ow_ner_id	string		<input type="checkbox"/>	
ow_ner_jabberAccountName	string		<input type="checkbox"/>	
ow_ner_login	string		<input type="checkbox"/>	
ow_ner_online	boolean		<input type="checkbox"/>	
ow_ner_profiles_\$type	string		<input type="checkbox"/>	
ow_ner_profiles_id	string		<input type="checkbox"/>	
ow_ner_ringId	string		<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
query	string	Query	<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter.FullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updateableBy_teamForProject_arched	boolean		<input type="checkbox"/>	
updateableBy_teamForProject_descripion	string		<input type="checkbox"/>	
updateableBy_teamForProject_fromEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_iconUrl	string		<input type="checkbox"/>	
updateableBy_teamForProject_replayToEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_shortName	string		<input type="checkbox"/>	
updateableBy_teamForProject_startingNumber	int64		<input type="checkbox"/>	
updateableBy_teamForProject_template	boolean		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater.FullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_teamForProject_archived	boolean		<input type="checkbox"/>	
visibleFor_teamForProject_descripton	string		<input type="checkbox"/>	
visibleFor_teamForProject_fromEmail	string		<input type="checkbox"/>	
visibleFor_teamForProject_iconUrl	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
visibleFor_teamForProject_replyToEmail	string		<input type="checkbox"/>	
visibleFor_teamForProject_shortName	string		<input type="checkbox"/>	
visibleFor_teamForProject_startingNumber	int64		<input type="checkbox"/>	
visibleFor_teamForProject_template	boolean		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

12.1.22 UserIssueCustomFieldTagsByUserId

Catalog: YouTrack

Schema: Users

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /users/{id}/tags

Insert YouTrack API URL: /users/{id}/tags

Update YouTrack API URL: /users/{id}/tags

Delete YouTrack API URL: /users/{id}/tags

Field Selection Method: NotRequired

Base Path: issues[*].customFields[*]

Select YouTrack API Operation: get /users/{id}/tags

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function UserIssueCustomFieldTagsByUserId. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `UserIssueCustomFieldTagsByUserId` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
color_\$type	string		<input type="checkbox"/>	
color_background	string		<input type="checkbox"/>	
color_foreground	string		<input type="checkbox"/>	
color_id	string		<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
draftOwner_\$type	string		<input type="checkbox"/>	
draftOwner_avatarUrl	string		<input type="checkbox"/>	
draftOwner_banned	boolean		<input type="checkbox"/>	
draftOwner_email	string		<input type="checkbox"/>	
draftOwner_fullName	string		<input type="checkbox"/>	
draftOwner_guest	boolean		<input type="checkbox"/>	
draftOwner_id	string		<input type="checkbox"/>	
draftOwner_jabberAccountName	string		<input type="checkbox"/>	
draftOwner_login	string		<input type="checkbox"/>	
draftOwner_online	boolean		<input type="checkbox"/>	
draftOwner_ringId	string		<input type="checkbox"/>	
externalIssue_\$type	string		<input type="checkbox"/>	
externalIssue_id	string		<input type="checkbox"/>	
externalIssue_key	string		<input type="checkbox"/>	
externalIssue_name	string		<input type="checkbox"/>	
externalIssue_url	string		<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
isDraft	boolean	Is Draft	<input type="checkbox"/>	
name_1	string		<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
owner_\$type	string		<input type="checkbox"/>	
owner_avatarUrl	string		<input type="checkbox"/>	
owner_banned	boolean		<input type="checkbox"/>	
owner_email	string		<input type="checkbox"/>	
owner.FullName	string		<input type="checkbox"/>	
owner_guest	boolean		<input type="checkbox"/>	
owner_id	string		<input type="checkbox"/>	
owner_jabberAccountName	string		<input type="checkbox"/>	
owner_login	string		<input type="checkbox"/>	
owner_online	boolean		<input type="checkbox"/>	
owner_profiles_\$type	string		<input type="checkbox"/>	
owner_profiles_id	string		<input type="checkbox"/>	
owner_ringId	string		<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter.FullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
untagOnResolve	boolean		<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_teamForProject_arched	boolean		<input type="checkbox"/>	
updateableBy_teamForProject_description	string		<input type="checkbox"/>	
updateableBy_teamForProject_fromEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_iconUrl	string		<input type="checkbox"/>	
updateableBy_teamForProject_replyToEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_shortName	string		<input type="checkbox"/>	
updateableBy_teamForProject_startingNumber	int64		<input type="checkbox"/>	
updateableBy_teamForProject_template	boolean		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater.FullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_teamForProject_archiveId	boolean		<input type="checkbox"/>	
visibleFor_teamForProject_description	string		<input type="checkbox"/>	
visibleFor_teamForProject_fromEmail	string		<input type="checkbox"/>	
visibleFor_teamForProject_iconUrl	string		<input type="checkbox"/>	
visibleFor_teamForProject_replyToEmail	string		<input type="checkbox"/>	
visibleFor_teamForProject_shortName	string		<input type="checkbox"/>	
visibleFor_teamForProject_startingNumber	int64		<input type="checkbox"/>	
visibleFor_teamForProject_template	boolean		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

12.1.23 UserIssueLinkSavedQueriesByUserId

Catalog: YouTrack

Schema: Users

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /users/{id}/savedQueries

Insert YouTrack API URL: /users/{id}/savedQueries

Update YouTrack API URL: /users/{id}/savedQueries

Delete YouTrack API URL: /users/{id}/savedQueries

Field Selection Method: NotRequired

Base Path: issues[*].links[*]

Select YouTrack API Operation: get /users/{id}/savedQueries

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `UserIssueLinkSavedQueriesByUserId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `UserIssueLinkSavedQueriesByUserId` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
direction	string	Direction	<input type="checkbox"/>	
draftOwner_\$type	string		<input type="checkbox"/>	
draftOwner_avatarUrl	string		<input type="checkbox"/>	
draftOwner_banned	boolean		<input type="checkbox"/>	
draftOwner_email	string		<input type="checkbox"/>	
draftOwner_fullName	string		<input type="checkbox"/>	
draftOwner_guest	boolean		<input type="checkbox"/>	
draftOwner_id	string		<input type="checkbox"/>	
draftOwner_jabberAccountName	string		<input type="checkbox"/>	
draftOwner_login	string		<input type="checkbox"/>	
draftOwner_online	boolean		<input type="checkbox"/>	
draftOwner_ringId	string		<input type="checkbox"/>	
externalIssue_\$type	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
externallssue_id	string		<input type="checkbox"/>	
externallssue_key	string		<input type="checkbox"/>	
externallssue_name	string		<input type="checkbox"/>	
externallssue_url	string		<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
ow_ner_\$type	string		<input type="checkbox"/>	
ow_ner_avatarUrl	string		<input type="checkbox"/>	
ow_ner_banned	boolean		<input type="checkbox"/>	
ow_ner_email	string		<input type="checkbox"/>	
ow_ner.FullName	string		<input type="checkbox"/>	
ow_ner_guest	boolean		<input type="checkbox"/>	
ow_ner_id	string		<input type="checkbox"/>	
ow_ner_jabberAccountName	string		<input type="checkbox"/>	
ow_ner_login	string		<input type="checkbox"/>	
ow_ner_online	boolean		<input type="checkbox"/>	
ow_ner_profiles_\$type	string		<input type="checkbox"/>	
ow_ner_profiles_id	string		<input type="checkbox"/>	
ow_ner_ringId	string		<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
query	string	Query	<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter_fullName	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_teamForProject_arclived	boolean		<input type="checkbox"/>	
updateableBy_teamForProject_description	string		<input type="checkbox"/>	
updateableBy_teamForProject_fromEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_iconUrl	string		<input type="checkbox"/>	
updateableBy_teamForProject_replyToEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_shortName	string		<input type="checkbox"/>	
updateableBy_teamForProject_startingNumber	int64		<input type="checkbox"/>	
updateableBy_teamForProject_template	boolean		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater.FullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updater_online	boolean		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_teamForProject_archive	boolean		<input type="checkbox"/>	
visibleFor_teamForProject_description	string		<input type="checkbox"/>	
visibleFor_teamForProject_fromEmail	string		<input type="checkbox"/>	
visibleFor_teamForProject_iconUrl	string		<input type="checkbox"/>	
visibleFor_teamForProject_replyToEmail	string		<input type="checkbox"/>	
visibleFor_teamForProject_shortName	string		<input type="checkbox"/>	
visibleFor_teamForProject_startingNumber	int64		<input type="checkbox"/>	
visibleFor_teamForProject_template	boolean		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

12.1.24 UserIssueLinkSavedQueryTagsByUserId

Catalog: YouTrack

Schema: Users

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: /users/{id}/tags

Insert YouTrack API URL: /users/{id}/tags

Update YouTrack API URL: /users/{id}/tags

Delete YouTrack API URL: /users/{id}/tags

Field Selection Method: NotRequired

Base Path: issues[*].links[*]

Select YouTrack API Operation: get /users/{id}/tags

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function UserIssueLinkSavedQueryTagsByUserId. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function UserIssueLinkSavedQueryTagsByUserId are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
color_\$type	string		<input type="checkbox"/>	
color_background	string		<input type="checkbox"/>	
color_foreground	string		<input type="checkbox"/>	
color_id	string		<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
direction	string	Direction	<input type="checkbox"/>	
draftOwner_\$type	string		<input type="checkbox"/>	
draftOwner_avatarUrl	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
draftOw_ner_banned	boolean		<input type="checkbox"/>	
draftOw_ner_email	string		<input type="checkbox"/>	
draftOw_ner_fullName	string		<input type="checkbox"/>	
draftOw_ner_guest	boolean		<input type="checkbox"/>	
draftOw_ner_id	string		<input type="checkbox"/>	
draftOw_ner_jabberAccountName	string		<input type="checkbox"/>	
draftOw_ner_login	string		<input type="checkbox"/>	
draftOw_ner_online	boolean		<input type="checkbox"/>	
draftOw_ner_ringId	string		<input type="checkbox"/>	
externallssue_\$type	string		<input type="checkbox"/>	
externallssue_id	string		<input type="checkbox"/>	
externallssue_key	string		<input type="checkbox"/>	
externallssue_name	string		<input type="checkbox"/>	
externallssue_url	string		<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
ow_ner_\$type	string		<input type="checkbox"/>	
ow_ner_avatarUrl	string		<input type="checkbox"/>	
ow_ner_banned	boolean		<input type="checkbox"/>	
ow_ner_email	string		<input type="checkbox"/>	
ow_ner_fullName	string		<input type="checkbox"/>	
ow_ner_guest	boolean		<input type="checkbox"/>	
ow_ner_id	string		<input type="checkbox"/>	
ow_ner_jabberAccountName	string		<input type="checkbox"/>	
ow_ner_login	string		<input type="checkbox"/>	
ow_ner_online	boolean		<input type="checkbox"/>	
ow_ner_profiles_\$type	string		<input type="checkbox"/>	
ow_ner_profiles_id	string		<input type="checkbox"/>	
ow_ner_ringId	string		<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter.FullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
untagOnResolve	boolean		<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_teamForProject_arched	boolean		<input type="checkbox"/>	
updateableBy_teamForProject_description	string		<input type="checkbox"/>	
updateableBy_teamForProject_fromEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_iconUrl	string		<input type="checkbox"/>	
updateableBy_teamForProject_replyToEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_shortName	string		<input type="checkbox"/>	
updateableBy_teamForProject_startingNumber	int64		<input type="checkbox"/>	
updateableBy_template	boolean		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater.FullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_teamForProject_archiveId	boolean		<input type="checkbox"/>	
visibleFor_teamForProject_description	string		<input type="checkbox"/>	
visibleFor_teamForProject_fromEmail	string		<input type="checkbox"/>	
visibleFor_teamForProject_iconUrl	string		<input type="checkbox"/>	
visibleFor_teamForProject_replyToEmail	string		<input type="checkbox"/>	
visibleFor_teamForProject_shortName	string		<input type="checkbox"/>	
visibleFor_teamForProject_startingNumber	int64		<input type="checkbox"/>	
visibleFor_teamForProject_template	boolean		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

12.1.25 UserIssueSavedQueriesByUserId

Catalog: YouTrack

Schema: Users

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /users/{id}/savedQueries

Insert YouTrack API URL: /users/{id}/savedQueries

Update YouTrack API URL: /users/{id}/savedQueries

Delete YouTrack API URL: /users/{id}/savedQueries

Field Selection Method: NotRequired

Base Path: issues [*]

Select YouTrack API Operation: get /users/{id}/savedQueries

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function UserIssueSavedQueriesByUserId. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function UserIssueSavedQueriesByUserId are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
draftOwner_\$type	string		<input type="checkbox"/>	
draftOwner_avatarUrl	string		<input type="checkbox"/>	
draftOwner_banned	boolean		<input type="checkbox"/>	
draftOwner_email	string		<input type="checkbox"/>	
draftOwner.FullName	string		<input type="checkbox"/>	
draftOwner_guest	boolean		<input type="checkbox"/>	
draftOwner_id	string		<input type="checkbox"/>	
draftOwner.jabberAccountName	string		<input type="checkbox"/>	
draftOwner_login	string		<input type="checkbox"/>	
draftOwner_online	boolean		<input type="checkbox"/>	
draftOwner_ringId	string		<input type="checkbox"/>	
externalIssue_\$type	string		<input type="checkbox"/>	
externalIssue_id	string		<input type="checkbox"/>	
externalIssue_key	string		<input type="checkbox"/>	
externalIssue_name	string		<input type="checkbox"/>	
externalIssue_url	string		<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
owner_\$type	string		<input type="checkbox"/>	
owner_avatarUrl	string		<input type="checkbox"/>	
owner_banned	boolean		<input type="checkbox"/>	
owner_email	string		<input type="checkbox"/>	
owner.FullName	string		<input type="checkbox"/>	
owner_guest	boolean		<input type="checkbox"/>	
owner_id	string		<input type="checkbox"/>	
owner.jabberAccountName	string		<input type="checkbox"/>	
owner_login	string		<input type="checkbox"/>	
owner_online	boolean		<input type="checkbox"/>	
owner_profiles_\$type	string		<input type="checkbox"/>	
owner_profiles_id	string		<input type="checkbox"/>	
owner_ringId	string		<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
parent_id	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
query	string	Query	<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter.FullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_teamForProject_arched	boolean		<input type="checkbox"/>	
updateableBy_teamForProject_des	string		<input type="checkbox"/>	
updateableBy_teamForProject_fro	string		<input type="checkbox"/>	
updateableBy_teamForProject_ic	string		<input type="checkbox"/>	
updateableBy_teamForProject_repl	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updateableBy_teamForProject_shortName	string		<input type="checkbox"/>	
updateableBy_teamForProject_startingNumber	int64		<input type="checkbox"/>	
updateableBy_teamForProject_template	boolean		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater.FullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_teamForProject_archiveId	boolean		<input type="checkbox"/>	
visibleFor_teamForProject_description	string		<input type="checkbox"/>	
visibleFor_teamForProject_fromEmail	string		<input type="checkbox"/>	
visibleFor_teamForProject_iconUrl	string		<input type="checkbox"/>	
visibleFor_teamForProject_replyToEmail	string		<input type="checkbox"/>	
visibleFor_teamForProject_shortName	string		<input type="checkbox"/>	
visibleFor_teamForProject_startingNumber	int64		<input type="checkbox"/>	
visibleFor_teamForProject_template	boolean		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

12.1.26 UserIssueTagSavedQueriesByUserId

Catalog: YouTrack

Schema: Users

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /users/{id}/savedQueries

Insert YouTrack API URL: /users/{id}/savedQueries

Update YouTrack API URL: /users/{id}/savedQueries

Delete YouTrack API URL: /users/{id}/savedQueries

Field Selection Method: NotRequired

Base Path: issues[*].tags[*]

Select YouTrack API Operation: get /users/{id}/savedQueries

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function UserIssueTagSavedQueriesByUserId. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `UserIssueTagSavedQueriesByUserId` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
draftOw ner_\$type	string		<input type="checkbox"/>	
draftOw ner_avatarUrl	string		<input type="checkbox"/>	
draftOw ner_banned	boolean		<input type="checkbox"/>	
draftOw ner_email	string		<input type="checkbox"/>	
draftOw ner_fullName	string		<input type="checkbox"/>	
draftOw ner_guest	boolean		<input type="checkbox"/>	
draftOw ner_id	string		<input type="checkbox"/>	
draftOw ner_jabberAccountName	string		<input type="checkbox"/>	
draftOw ner_login	string		<input type="checkbox"/>	
draftOw ner_online	boolean		<input type="checkbox"/>	
draftOw ner_ringId	string		<input type="checkbox"/>	
externallssue_\$type	string		<input type="checkbox"/>	
externallssue_id	string		<input type="checkbox"/>	
externallssue_key	string		<input type="checkbox"/>	
externallssue_name	string		<input type="checkbox"/>	
externallssue_url	string		<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
name_1	string		<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
ow ner_\$type_1	string		<input type="checkbox"/>	
ow ner_\$type	string		<input type="checkbox"/>	
ow ner_avatarUrl	string		<input type="checkbox"/>	
ow ner_banned	boolean		<input type="checkbox"/>	
ow ner_email	string		<input type="checkbox"/>	
ow ner_fullName	string		<input type="checkbox"/>	
ow ner_guest	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
ow_ner_id_1	string		<input type="checkbox"/>	
ow_ner_id	string		<input type="checkbox"/>	
ow_ner_jabberAccountName	string		<input type="checkbox"/>	
ow_ner_login	string		<input type="checkbox"/>	
ow_ner_name	string		<input type="checkbox"/>	
ow_ner_online	boolean		<input type="checkbox"/>	
ow_ner_profiles_\$type	string		<input type="checkbox"/>	
ow_ner_profiles_id	string		<input type="checkbox"/>	
ow_ner_ringId	string		<input type="checkbox"/>	
ow_ner_untagOnResolve	boolean		<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
query	string	Query	<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter_fullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
untagOnResolve	boolean		<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_teamForProject_archived	boolean		<input type="checkbox"/>	
updateableBy_teamForProject_description	string		<input type="checkbox"/>	
updateableBy_teamForProject_fromEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_iconUrl	string		<input type="checkbox"/>	
updateableBy_teamForProject_replyToEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_shortName	string		<input type="checkbox"/>	
updateableBy_teamForProject_startingNumber	int64		<input type="checkbox"/>	
updateableBy_teamForProject_template	boolean		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater.FullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_teamForProject_archiveId	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
visibleFor_teamForProject_descript ion	string		<input type="checkbox"/>	
visibleFor_teamForProject_fromEm ail	string		<input type="checkbox"/>	
visibleFor_teamForProject_iconUrl	string		<input type="checkbox"/>	
visibleFor_teamForProject_replyTo Email	string		<input type="checkbox"/>	
visibleFor_teamForProject_shortNa me	string		<input type="checkbox"/>	
visibleFor_teamForProject_starting Number	int64		<input type="checkbox"/>	
visibleFor_teamForProject_template	boolean		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

12.1.27 UserIssueTagsByUserId

Catalog: YouTrack

Schema: Users

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /users/{id}/tags

Insert YouTrack API URL: /users/{id}/tags

Update YouTrack API URL: /users/{id}/tags

Delete YouTrack API URL: /users/{id}/tags

Field Selection Method: NotRequired

Base Path: issues [*]

Select YouTrack API Operation: get /users/{id}/tags

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function UserIssueTagsByUserId. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a

pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `UserIssueTagsByUserId` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
color_\$type	string		<input type="checkbox"/>	
color_background	string		<input type="checkbox"/>	
color_foreground	string		<input type="checkbox"/>	
color_id	string		<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
draftOwner_\$type	string		<input type="checkbox"/>	
draftOwner_avatarUrl	string		<input type="checkbox"/>	
draftOwner_banned	boolean		<input type="checkbox"/>	
draftOwner_email	string		<input type="checkbox"/>	
draftOwner_fullName	string		<input type="checkbox"/>	
draftOwner_guest	boolean		<input type="checkbox"/>	
draftOwner_id	string		<input type="checkbox"/>	
draftOwner_jabberAccountName	string		<input type="checkbox"/>	
draftOwner_login	string		<input type="checkbox"/>	
draftOwner_online	boolean		<input type="checkbox"/>	
draftOwner_ringId	string		<input type="checkbox"/>	
externallssue_\$type	string		<input type="checkbox"/>	
externallssue_id	string		<input type="checkbox"/>	
externallssue_key	string		<input type="checkbox"/>	
externallssue_name	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
externallssue_url	string		<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
ow_ner_\$type	string		<input type="checkbox"/>	
ow_ner_avatarUrl	string		<input type="checkbox"/>	
ow_ner_banned	boolean		<input type="checkbox"/>	
ow_ner_email	string		<input type="checkbox"/>	
ow_ner.FullName	string		<input type="checkbox"/>	
ow_ner_guest	boolean		<input type="checkbox"/>	
ow_ner_id	string		<input type="checkbox"/>	
ow_ner_jabberAccountName	string		<input type="checkbox"/>	
ow_ner_login	string		<input type="checkbox"/>	
ow_ner_online	boolean		<input type="checkbox"/>	
ow_ner_profiles_\$type	string		<input type="checkbox"/>	
ow_ner_profiles_id	string		<input type="checkbox"/>	
ow_ner_ringId	string		<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	
project_iconUrl	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter.FullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
reporter_ringId	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
untagOnResolve	boolean		<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_teamForProject_arclived	boolean		<input type="checkbox"/>	
updateableBy_teamForProject_des cription	string		<input type="checkbox"/>	
updateableBy_teamForProject_fro mEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_icon Url	string		<input type="checkbox"/>	
updateableBy_teamForProject_repl yToEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_sho rtName	string		<input type="checkbox"/>	
updateableBy_teamForProject_star tingNumber	int64		<input type="checkbox"/>	
updateableBy_teamForProject_tem plate	boolean		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater_fullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
visibility_id	string		<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_teamForProject_archiveId	boolean		<input type="checkbox"/>	
visibleFor_teamForProject_description	string		<input type="checkbox"/>	
visibleFor_teamForProject_fromEmail	string		<input type="checkbox"/>	
visibleFor_teamForProject_iconUrl	string		<input type="checkbox"/>	
visibleFor_teamForProject_replyToEmail	string		<input type="checkbox"/>	
visibleFor_teamForProject_shortName	string		<input type="checkbox"/>	
visibleFor_teamForProject_startingNumber	int64		<input type="checkbox"/>	
visibleFor_teamForProject_template	boolean		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

12.1.28 UserIssueTagsByUserId1

Catalog: YouTrack

Schema: Users

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

Select YouTrack API URL: /users/{id}/tags

Insert YouTrack API URL: /users/{id}/tags

Update YouTrack API URL: /users/{id}/tags

Delete YouTrack API URL: /users/{id}/tags

Field Selection Method: NotRequired

Base Path: issues [*].tags [*]

Select YouTrack API Operation: get /users/{id}/tags

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function UserIssueTagsByUserId1. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function UserIssueTagsByUserId1 are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type_1	string		<input type="checkbox"/>	
\$type_2	string		<input type="checkbox"/>	
\$type	string		<input type="checkbox"/>	
color_\$type	string		<input type="checkbox"/>	
color_background	string		<input type="checkbox"/>	
color_foreground	string		<input type="checkbox"/>	
color_id	string		<input type="checkbox"/>	
commentsCount	int32	Comments Count	<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
description	string	Description	<input type="checkbox"/>	
draftOwner_\$type	string		<input type="checkbox"/>	
draftOwner_avatarUrl	string		<input type="checkbox"/>	
draftOwner_banned	boolean		<input type="checkbox"/>	
draftOwner_email	string		<input type="checkbox"/>	
draftOwner_fullName	string		<input type="checkbox"/>	
draftOwner_guest	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
draftOw_ner_id	string		<input type="checkbox"/>	
draftOw_ner_jabberAccountName	string		<input type="checkbox"/>	
draftOw_ner_login	string		<input type="checkbox"/>	
draftOw_ner_online	boolean		<input type="checkbox"/>	
draftOw_ner_ringId	string		<input type="checkbox"/>	
externallssue_\$type	string		<input type="checkbox"/>	
externallssue_id	string		<input type="checkbox"/>	
externallssue_key	string		<input type="checkbox"/>	
externallssue_name	string		<input type="checkbox"/>	
externallssue_url	string		<input type="checkbox"/>	
id_1	string		<input type="checkbox"/>	
id_2	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
idReadable	string	Readable ID	<input type="checkbox"/>	
isDraft	boolean	Is Draft	<input type="checkbox"/>	
name_1	string		<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
numberInProject	int64	Number in Project	<input type="checkbox"/>	
ow_ner_\$type_1	string		<input type="checkbox"/>	
ow_ner_\$type	string		<input type="checkbox"/>	
ow_ner_avatarUrl	string		<input type="checkbox"/>	
ow_ner_banned	boolean		<input type="checkbox"/>	
ow_ner_email	string		<input type="checkbox"/>	
ow_ner.FullName	string		<input type="checkbox"/>	
ow_ner_guest	boolean		<input type="checkbox"/>	
ow_ner_id_1	string		<input type="checkbox"/>	
ow_ner_id	string		<input type="checkbox"/>	
ow_ner_jabberAccountName	string		<input type="checkbox"/>	
ow_ner_login	string		<input type="checkbox"/>	
ow_ner_name	string		<input type="checkbox"/>	
ow_ner_online	boolean		<input type="checkbox"/>	
ow_ner_profiles_\$type	string		<input type="checkbox"/>	
ow_ner_profiles_id	string		<input type="checkbox"/>	
ow_ner_ringId	string		<input type="checkbox"/>	
ow_ner_untagOnResolve	boolean		<input type="checkbox"/>	
parent_\$type	string		<input type="checkbox"/>	
parent_direction	string		<input type="checkbox"/>	
parent_id	string		<input type="checkbox"/>	
project_archived	boolean		<input type="checkbox"/>	
project_description	string		<input type="checkbox"/>	
project_fromEmail	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
project_iconUrl	string		<input type="checkbox"/>	
project_replyToEmail	string		<input type="checkbox"/>	
project_shortName	string		<input type="checkbox"/>	
project_startingNumber	int64		<input type="checkbox"/>	
project_template	boolean		<input type="checkbox"/>	
reporter_\$type	string		<input type="checkbox"/>	
reporter_avatarUrl	string		<input type="checkbox"/>	
reporter_banned	boolean		<input type="checkbox"/>	
reporter_email	string		<input type="checkbox"/>	
reporter.FullName	string		<input type="checkbox"/>	
reporter_guest	boolean		<input type="checkbox"/>	
reporter_id	string		<input type="checkbox"/>	
reporter_jabberAccountName	string		<input type="checkbox"/>	
reporter_login	string		<input type="checkbox"/>	
reporter_online	boolean		<input type="checkbox"/>	
reporter_ringId	string		<input type="checkbox"/>	
resolved	int64	Resolved	<input type="checkbox"/>	
subtasks_\$type	string		<input type="checkbox"/>	
subtasks_direction	string		<input type="checkbox"/>	
subtasks_id	string		<input type="checkbox"/>	
summary	string	Summary	<input type="checkbox"/>	
untagOnResolve_1	boolean		<input type="checkbox"/>	
untagOnResolve	boolean		<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_teamForProject_arched	boolean		<input type="checkbox"/>	
updateableBy_teamForProject_description	string		<input type="checkbox"/>	
updateableBy_teamForProject_fromEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_iconUrl	string		<input type="checkbox"/>	
updateableBy_teamForProject_replyToEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_shortName	string		<input type="checkbox"/>	
updateableBy_teamForProject_startingNumber	int64		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updateableBy_teamForProject_template	boolean		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
updater_\$type	string		<input type="checkbox"/>	
updater_avatarUrl	string		<input type="checkbox"/>	
updater_banned	boolean		<input type="checkbox"/>	
updater_email	string		<input type="checkbox"/>	
updater.FullName	string		<input type="checkbox"/>	
updater_guest	boolean		<input type="checkbox"/>	
updater_id	string		<input type="checkbox"/>	
updater_jabberAccountName	string		<input type="checkbox"/>	
updater_login	string		<input type="checkbox"/>	
updater_online	boolean		<input type="checkbox"/>	
updater_ringId	string		<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	
visibility_\$type	string		<input type="checkbox"/>	
visibility_id	string		<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_teamForProject_archiveId	boolean		<input type="checkbox"/>	
visibleFor_teamForProject_description	string		<input type="checkbox"/>	
visibleFor_teamForProject_fromEmail	string		<input type="checkbox"/>	
visibleFor_teamForProject_iconUrl	string		<input type="checkbox"/>	
visibleFor_teamForProject_replyToEmail	string		<input type="checkbox"/>	
visibleFor_teamForProject_shortName	string		<input type="checkbox"/>	
visibleFor_teamForProject_startingNumber	int64		<input type="checkbox"/>	
visibleFor_teamForProject_template	boolean		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	
voters_\$type	string		<input type="checkbox"/>	
voters_hasVote	boolean		<input type="checkbox"/>	
voters_id	string		<input type="checkbox"/>	
votes	int32	Votes	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
watchers_\$type	string		<input type="checkbox"/>	
watchers_hasStar	boolean		<input type="checkbox"/>	
watchers_id	string		<input type="checkbox"/>	
wikifiedDescription	string	Wikified Description	<input type="checkbox"/>	

12.1.29 UserNotificationProfilesBySprintId

Catalog: YouTrack

Schema: Users

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/users/{id}/profiles/notifications`

Insert YouTrack API URL: `/users/{id}/profiles/notifications`

Update YouTrack API URL: `/users/{id}/profiles/notifications`

Delete YouTrack API URL: `/users/{id}/profiles/notifications`

Field Selection Method: NotRequired

Select YouTrack API Operation: get `/users/{id}/profiles/notifications`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `UserNotificationProfilesBySprintId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `UserNotificationProfilesBySprintId` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
autoWatchOnComment	boolean	Auto-watch on Comment	<input type="checkbox"/>	
autoWatchOnCreate	boolean	Auto-watch on Create	<input type="checkbox"/>	
autoWatchOnUpdate	boolean	Auto-watch on Update	<input type="checkbox"/>	
autoWatchOnVote	boolean	Auto-watch on Vote	<input type="checkbox"/>	
duplicateClusterNotificationsEnabled	boolean		<input type="checkbox"/>	
emailNotificationsEnabled	boolean	Email Notifications Enabled	<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
jabberNotificationsEnabled	boolean	Jabber Notifications Enabled	<input type="checkbox"/>	
mailboxIntegrationNotificationsEnabled	boolean		<input type="checkbox"/>	
mentionNotificationsEnabled	boolean		<input type="checkbox"/>	
notifyOnOwnChanges	boolean	Notify on Own Changes	<input type="checkbox"/>	
usePlainTextEmails	boolean	Use Plain-text Emails	<input type="checkbox"/>	

12.1.30 Users: YouTrack Users

Catalog: YouTrack

Schema: Users

Label: Users

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/users`

Insert YouTrack API URL: `/users`

Update YouTrack API URL: `/users`

Delete YouTrack API URL: `/users`

Field Selection Method: NotRequired

Select YouTrack API Operation: `get /users`

Table Function Columns

The columns of the table function `Users` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
avatarUrl	string	Avatar (URL)	<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
banned	boolean	Banned	<input type="checkbox"/>	
email	string	Email	<input type="checkbox"/>	
fullName	string	Full Name	<input type="checkbox"/>	
guest	boolean	Guest	<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
jabberAccountName	string	Jabber Account Name	<input type="checkbox"/>	
login	string	Login	<input type="checkbox"/>	
online	boolean	Online	<input type="checkbox"/>	
profiles_\$type	string		<input type="checkbox"/>	
profiles_general_\$type	string		<input type="checkbox"/>	
profiles_general_id	string		<input type="checkbox"/>	
profiles_id	string		<input type="checkbox"/>	
profiles_notifications_\$type	string		<input type="checkbox"/>	
profiles_notifications_autoWatchOnComment	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnCreate	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnUpdate	boolean		<input type="checkbox"/>	
profiles_notifications_autoWatchOnVote	boolean		<input type="checkbox"/>	
profiles_notifications_duplicateClusterNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_emailNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_id	string		<input type="checkbox"/>	
profiles_notifications_jabberNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_mailboxIntegrationNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_mentionNotificationsEnabled	boolean		<input type="checkbox"/>	
profiles_notifications_notifyOnOwnChanges	boolean		<input type="checkbox"/>	
profiles_notifications_usePlainTextEmails	boolean		<input type="checkbox"/>	
profiles_timetracking_\$type	string		<input type="checkbox"/>	
profiles_timetracking_id	string		<input type="checkbox"/>	
ringId	string	Ring ID	<input type="checkbox"/>	

12.1.31 UserSavedQueriesByUserId

Catalog: YouTrack

Schema: Users

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/users/{id}/savedQueries`

Insert YouTrack API URL: `/users/{id}/savedQueries`

Update YouTrack API URL: `/users/{id}/savedQueries`

Delete YouTrack API URL: `/users/{id}/savedQueries`

Field Selection Method: `NotRequired`

Select YouTrack API Operation: `get /users/{id}/savedQueries`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `UserSavedQueriesByUserId`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `UserSavedQueriesByUserId` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
owner_type	string		<input type="checkbox"/>	
owner_avatarUrl	string		<input type="checkbox"/>	
owner_banned	boolean		<input type="checkbox"/>	
owner_email	string		<input type="checkbox"/>	
owner_fullName	string		<input type="checkbox"/>	
owner_guest	boolean		<input type="checkbox"/>	
owner_id	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
ow_ner_jabberAccountName	string		<input type="checkbox"/>	
ow_ner_login	string		<input type="checkbox"/>	
ow_ner_online	boolean		<input type="checkbox"/>	
ow_ner_profiles_\$type	string		<input type="checkbox"/>	
ow_ner_profiles_id	string		<input type="checkbox"/>	
ow_ner_ringId	string		<input type="checkbox"/>	
query	string	Query	<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_teamForProject_arc hived	boolean		<input type="checkbox"/>	
updateableBy_teamForProject_des cription	string		<input type="checkbox"/>	
updateableBy_teamForProject_fro mEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_icon Url	string		<input type="checkbox"/>	
updateableBy_teamForProject_repl yToEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_sho rtName	string		<input type="checkbox"/>	
updateableBy_teamForProject_star tingNumber	int64		<input type="checkbox"/>	
updateableBy_teamForProject_tem plate	boolean		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_teamForProject_archive d	boolean		<input type="checkbox"/>	
visibleFor_teamForProject_descript ion	string		<input type="checkbox"/>	
visibleFor_teamForProject_fromEm ail	string		<input type="checkbox"/>	
visibleFor_teamForProject_iconUrl	string		<input type="checkbox"/>	
visibleFor_teamForProject_replyTo Email	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
visibleFor_teamForProject_shortName	string		<input type="checkbox"/>	
visibleFor_teamForProject_startingNumber	int64		<input type="checkbox"/>	
visibleFor_teamForProject_template	boolean		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	

12.1.32 UserTagsById

Catalog: YouTrack

Schema: Users

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/users/{id}/tags`

Insert YouTrack API URL: `/users/{id}/tags`

Update YouTrack API URL: `/users/{id}/tags`

Delete YouTrack API URL: `/users/{id}/tags`

Field Selection Method: NotRequired

Select YouTrack API Operation: get `/users/{id}/tags`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `UserTagsById`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `UserTagsByUserId` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
color_\$type	string		<input type="checkbox"/>	
color_background	string		<input type="checkbox"/>	
color_foreground	string		<input type="checkbox"/>	
color_id	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
name	string	Name	<input type="checkbox"/>	
ow ner_\$type	string		<input type="checkbox"/>	
ow ner_avatarUrl	string		<input type="checkbox"/>	
ow ner_banned	boolean		<input type="checkbox"/>	
ow ner_email	string		<input type="checkbox"/>	
ow ner_fullName	string		<input type="checkbox"/>	
ow ner_guest	boolean		<input type="checkbox"/>	
ow ner_id	string		<input type="checkbox"/>	
ow ner_jabberAccountName	string		<input type="checkbox"/>	
ow ner_login	string		<input type="checkbox"/>	
ow ner_online	boolean		<input type="checkbox"/>	
ow ner_profiles_\$type	string		<input type="checkbox"/>	
ow ner_profiles_id	string		<input type="checkbox"/>	
ow ner_ringId	string		<input type="checkbox"/>	
untagOnResolve	boolean		<input type="checkbox"/>	
updateableBy_\$type	string		<input type="checkbox"/>	
updateableBy_allUsersGroup	boolean		<input type="checkbox"/>	
updateableBy_icon	string		<input type="checkbox"/>	
updateableBy_id	string		<input type="checkbox"/>	
updateableBy_name	string		<input type="checkbox"/>	
updateableBy_ringId	string		<input type="checkbox"/>	
updateableBy_teamForProject_arc hived	boolean		<input type="checkbox"/>	
updateableBy_teamForProject_des cription	string		<input type="checkbox"/>	
updateableBy_teamForProject_fro mEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_icon Url	string		<input type="checkbox"/>	
updateableBy_teamForProject_repl yToEmail	string		<input type="checkbox"/>	
updateableBy_teamForProject_sho rtName	string		<input type="checkbox"/>	
updateableBy_teamForProject_star tingNumber	int64		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
updateableBy_teamForProject_template	boolean		<input type="checkbox"/>	
updateableBy_usersCount	int64		<input type="checkbox"/>	
visibleFor_\$type	string		<input type="checkbox"/>	
visibleFor_allUsersGroup	boolean		<input type="checkbox"/>	
visibleFor_icon	string		<input type="checkbox"/>	
visibleFor_id	string		<input type="checkbox"/>	
visibleFor_name	string		<input type="checkbox"/>	
visibleFor_ringId	string		<input type="checkbox"/>	
visibleFor_teamForProject_archiveId	boolean		<input type="checkbox"/>	
visibleFor_teamForProject_description	string		<input type="checkbox"/>	
visibleFor_teamForProject_fromEmail	string		<input type="checkbox"/>	
visibleFor_teamForProject_iconUrl	string		<input type="checkbox"/>	
visibleFor_teamForProject_replyToEmail	string		<input type="checkbox"/>	
visibleFor_teamForProject_shortName	string		<input type="checkbox"/>	
visibleFor_teamForProject_startingNumber	int64		<input type="checkbox"/>	
visibleFor_teamForProject_template	boolean		<input type="checkbox"/>	
visibleFor_usersCount	int64		<input type="checkbox"/>	

12.1.33 WorkItemById

Catalog: YouTrack

Schema: Users

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/workItems/{id}`

Insert YouTrack API URL: `/workItems/{id}`

Update YouTrack API URL: `/workItems/{id}`

Delete YouTrack API URL: `/workItems/{id}`

Field Selection Method: NotRequired

Select YouTrack API Operation: `get /workItems/{id}`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `WorkItemById`. A value must be provided at all times for required parameters, but optional

parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `select * from table(value1, value2, value3)` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
id	string	<input checked="" type="checkbox"/>		

Table Function Columns

The columns of the table function `WorkItemById` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
author_\$type	string		<input type="checkbox"/>	
author_avatarUrl	string		<input type="checkbox"/>	
author_banned	boolean		<input type="checkbox"/>	
author_email	string		<input type="checkbox"/>	
author.FullName	string		<input type="checkbox"/>	
author_guest	boolean		<input type="checkbox"/>	
author_id	string		<input type="checkbox"/>	
author_jabberAccountName	string		<input type="checkbox"/>	
author_login	string		<input type="checkbox"/>	
author_online	boolean		<input type="checkbox"/>	
author_profiles_\$type	string		<input type="checkbox"/>	
author_profiles_id	string		<input type="checkbox"/>	
author_ringId	string		<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
creator_\$type	string		<input type="checkbox"/>	
creator_avatarUrl	string		<input type="checkbox"/>	
creator_banned	boolean		<input type="checkbox"/>	
creator_email	string		<input type="checkbox"/>	
creator.FullName	string		<input type="checkbox"/>	
creator_guest	boolean		<input type="checkbox"/>	
creator_id	string		<input type="checkbox"/>	
creator_jabberAccountName	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
creator_login	string		<input type="checkbox"/>	
creator_online	boolean		<input type="checkbox"/>	
creator_profiles_\$type	string		<input type="checkbox"/>	
creator_profiles_id	string		<input type="checkbox"/>	
creator_ringId	string		<input type="checkbox"/>	
date	int64	Date	<input type="checkbox"/>	
duration_\$type	string		<input type="checkbox"/>	
duration_id	string		<input type="checkbox"/>	
duration_minutes	int32		<input type="checkbox"/>	
duration_presentation	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
issue_\$type	string		<input type="checkbox"/>	
issue_commentsCount	int32		<input type="checkbox"/>	
issue_created	int64		<input type="checkbox"/>	
issue_description	string		<input type="checkbox"/>	
issue_draftOwner_\$type	string		<input type="checkbox"/>	
issue_draftOwner_avatarUrl	string		<input type="checkbox"/>	
issue_draftOwner_banned	boolean		<input type="checkbox"/>	
issue_draftOwner_email	string		<input type="checkbox"/>	
issue_draftOwner_fullName	string		<input type="checkbox"/>	
issue_draftOwner_guest	boolean		<input type="checkbox"/>	
issue_draftOwner_id	string		<input type="checkbox"/>	
issue_draftOwner_jabberAccountName	string		<input type="checkbox"/>	
issue_draftOwner_login	string		<input type="checkbox"/>	
issue_draftOwner_online	boolean		<input type="checkbox"/>	
issue_draftOwner_ringId	string		<input type="checkbox"/>	
issue_externalIssue_\$type	string		<input type="checkbox"/>	
issue_externalIssue_id	string		<input type="checkbox"/>	
issue_externalIssue_key	string		<input type="checkbox"/>	
issue_externalIssue_name	string		<input type="checkbox"/>	
issue_externalIssue_url	string		<input type="checkbox"/>	
issue_id	string		<input type="checkbox"/>	
issue_idReadable	string		<input type="checkbox"/>	
issue_isDraft	boolean		<input type="checkbox"/>	
issue_numberInProject	int64		<input type="checkbox"/>	
issue_parent_\$type	string		<input type="checkbox"/>	
issue_parent_direction	string		<input type="checkbox"/>	
issue_parent_id	string		<input type="checkbox"/>	
issue_project_archived	boolean		<input type="checkbox"/>	
issue_project_description	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
issue_project_fromEmail	string		<input type="checkbox"/>	
issue_project_iconUrl	string		<input type="checkbox"/>	
issue_project_replyToEmail	string		<input type="checkbox"/>	
issue_project_shortName	string		<input type="checkbox"/>	
issue_project_startingNumber	int64		<input type="checkbox"/>	
issue_project_template	boolean		<input type="checkbox"/>	
issue_reporter_\$type	string		<input type="checkbox"/>	
issue_reporter_avatarUrl	string		<input type="checkbox"/>	
issue_reporter_banned	boolean		<input type="checkbox"/>	
issue_reporter_email	string		<input type="checkbox"/>	
issue_reporter.FullName	string		<input type="checkbox"/>	
issue_reporter_guest	boolean		<input type="checkbox"/>	
issue_reporter_id	string		<input type="checkbox"/>	
issue_reporter_jabberAccountName	string		<input type="checkbox"/>	
issue_reporter_login	string		<input type="checkbox"/>	
issue_reporter_online	boolean		<input type="checkbox"/>	
issue_reporter_ringId	string		<input type="checkbox"/>	
issue_resolved	int64		<input type="checkbox"/>	
issue_subtasks_\$type	string		<input type="checkbox"/>	
issue_subtasks_direction	string		<input type="checkbox"/>	
issue_subtasks_id	string		<input type="checkbox"/>	
issue_summary	string		<input type="checkbox"/>	
issue_updated	int64		<input type="checkbox"/>	
issue_updater_\$type	string		<input type="checkbox"/>	
issue_updater_avatarUrl	string		<input type="checkbox"/>	
issue_updater_banned	boolean		<input type="checkbox"/>	
issue_updater_email	string		<input type="checkbox"/>	
issue_updater.FullName	string		<input type="checkbox"/>	
issue_updater_guest	boolean		<input type="checkbox"/>	
issue_updater_id	string		<input type="checkbox"/>	
issue_updater_jabberAccountName	string		<input type="checkbox"/>	
issue_updater_login	string		<input type="checkbox"/>	
issue_updater_online	boolean		<input type="checkbox"/>	
issue_updater_ringId	string		<input type="checkbox"/>	
issue_usesMarkdown	boolean		<input type="checkbox"/>	
issue_visibility_\$type	string		<input type="checkbox"/>	
issue_visibility_id	string		<input type="checkbox"/>	
issue_voters_\$type	string		<input type="checkbox"/>	
issue_voters_hasVote	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
issue_voters_id	string		<input type="checkbox"/>	
issue_votes	int32		<input type="checkbox"/>	
issue_watchers_\$type	string		<input type="checkbox"/>	
issue_watchers_hasStar	boolean		<input type="checkbox"/>	
issue_watchers_id	string		<input type="checkbox"/>	
issue_wikifiedDescription	string		<input type="checkbox"/>	
text	string	Text	<input type="checkbox"/>	
textPreview	string	Text Preview	<input type="checkbox"/>	
type_\$type	string		<input type="checkbox"/>	
type_autoAttached	boolean		<input type="checkbox"/>	
type_id	string		<input type="checkbox"/>	
type_name	string		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	

12.1.34 WorkItems: YouTrack Work Items

Catalog: YouTrack

Schema: Users

Label: Work Items

This is a read-only table function. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table `NativePlatformScalarRequests` to upload data to the YouTrack API.

Select YouTrack API URL: `/workItems`

Insert YouTrack API URL: `/workItems`

Update YouTrack API URL: `/workItems`

Delete YouTrack API URL: `/workItems`

Field Selection Method: `NotRequired`

Select YouTrack API Operation: `get /workItems`

Parameters of Table Function

The following parameters can be used to control the behaviour of the table function `WorkItems`. A value must be provided at all times for required parameters, but optional parameters in general do not need to have a value and the execution will default to a pre-defined behaviour. Values can be specified by position and by name. In both cases, all parameters not specified will be treated using their default values.

Value specification by position is done by listing all values from the first to the last needed value. For example with `'select * from table(value1, value2, value3)'` on a table with four parameters will use the default value for the fourth parameter and the specified values for the first three.

Value specification by name is done by listing all values that require a value. For example with `select * from table(name1 => value1, name3 => value3)` on the same table will use the default values for the second and fourth parameters and the specified values for the first and third.

Name	Data Type	Required	Default Value	Documentation
author	string	<input type="checkbox"/>		Parameter to filter work items by their author. Could specify few values of database id or login or Hub id or 'me' for current logged in user
createdEnd	int32	<input type="checkbox"/>		The end timestamp of the interval for work items created date.
createdStart	int32	<input type="checkbox"/>		The start timestamp of the interval for work items created date.
creator	string	<input type="checkbox"/>		Parameter to filter work items by their creator. Could specify few values of database id or login or Hub id or 'me' for current logged in user
end	int32	<input type="checkbox"/>		The end timestamp of the interval for work items date.
endDate	datetime	<input type="checkbox"/>		The end date of the interval for work items date.
query	string	<input type="checkbox"/>		Issues search query. Read more about search syntax here: Search Query Reference
start	int32	<input type="checkbox"/>		The start timestamp of the interval for work items date.
startDate	datetime	<input type="checkbox"/>		The start date of the interval for work items date.
updatedEnd	int32	<input type="checkbox"/>		The end timestamp of the interval for work items updated date.
updatedStart	int32	<input type="checkbox"/>		The start timestamp of the interval for work items updated date.

Table Function Columns

The columns of the table function `WorkItems` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
\$type	string		<input type="checkbox"/>	
author_\$type	string		<input type="checkbox"/>	
author_avatarUrl	string		<input type="checkbox"/>	
author_banned	boolean		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
author_email	string		<input type="checkbox"/>	
author_fullName	string		<input type="checkbox"/>	
author_guest	boolean		<input type="checkbox"/>	
author_id	string		<input type="checkbox"/>	
author_jabberAccountName	string		<input type="checkbox"/>	
author_login	string		<input type="checkbox"/>	
author_online	boolean		<input type="checkbox"/>	
author_profiles_\$type	string		<input type="checkbox"/>	
author_profiles_id	string		<input type="checkbox"/>	
author_ringId	string		<input type="checkbox"/>	
created	int64	Created	<input type="checkbox"/>	
creator_\$type	string		<input type="checkbox"/>	
creator_avatarUrl	string		<input type="checkbox"/>	
creator_banned	boolean		<input type="checkbox"/>	
creator_email	string		<input type="checkbox"/>	
creator_fullName	string		<input type="checkbox"/>	
creator_guest	boolean		<input type="checkbox"/>	
creator_id	string		<input type="checkbox"/>	
creator_jabberAccountName	string		<input type="checkbox"/>	
creator_login	string		<input type="checkbox"/>	
creator_online	boolean		<input type="checkbox"/>	
creator_profiles_\$type	string		<input type="checkbox"/>	
creator_profiles_id	string		<input type="checkbox"/>	
creator_ringId	string		<input type="checkbox"/>	
date	int64	Date	<input type="checkbox"/>	
duration_\$type	string		<input type="checkbox"/>	
duration_id	string		<input type="checkbox"/>	
duration_minutes	int32		<input type="checkbox"/>	
duration_presentation	string		<input type="checkbox"/>	
id	string	ID	<input type="checkbox"/>	
issue_\$type	string		<input type="checkbox"/>	
issue_commentsCount	int32		<input type="checkbox"/>	
issue_created	int64		<input type="checkbox"/>	
issue_description	string		<input type="checkbox"/>	
issue_draftOwner_\$type	string		<input type="checkbox"/>	
issue_draftOwner_avatarUrl	string		<input type="checkbox"/>	
issue_draftOwner_banned	boolean		<input type="checkbox"/>	
issue_draftOwner_email	string		<input type="checkbox"/>	
issue_draftOwner_fullName	string		<input type="checkbox"/>	
issue_draftOwner_guest	boolean		<input type="checkbox"/>	
issue_draftOwner_id	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
issue_draftOwner_jabberAccountName	string		<input type="checkbox"/>	
issue_draftOwner_login	string		<input type="checkbox"/>	
issue_draftOwner_online	boolean		<input type="checkbox"/>	
issue_draftOwner_ringId	string		<input type="checkbox"/>	
issue_externalIssue_\$type	string		<input type="checkbox"/>	
issue_externalIssue_id	string		<input type="checkbox"/>	
issue_externalIssue_key	string		<input type="checkbox"/>	
issue_externalIssue_name	string		<input type="checkbox"/>	
issue_externalIssue_url	string		<input type="checkbox"/>	
issue_id	string		<input type="checkbox"/>	
issue_idReadable	string		<input type="checkbox"/>	
issue_isDraft	boolean		<input type="checkbox"/>	
issue_numberInProject	int64		<input type="checkbox"/>	
issue_parent_\$type	string		<input type="checkbox"/>	
issue_parent_direction	string		<input type="checkbox"/>	
issue_parent_id	string		<input type="checkbox"/>	
issue_project_archived	boolean		<input type="checkbox"/>	
issue_project_description	string		<input type="checkbox"/>	
issue_project_fromEmail	string		<input type="checkbox"/>	
issue_project_iconUrl	string		<input type="checkbox"/>	
issue_project_replyToEmail	string		<input type="checkbox"/>	
issue_project_shortName	string		<input type="checkbox"/>	
issue_project_startingNumber	int64		<input type="checkbox"/>	
issue_project_template	boolean		<input type="checkbox"/>	
issue_reporter_\$type	string		<input type="checkbox"/>	
issue_reporter_avatarUrl	string		<input type="checkbox"/>	
issue_reporter_banned	boolean		<input type="checkbox"/>	
issue_reporter_email	string		<input type="checkbox"/>	
issue_reporter.FullName	string		<input type="checkbox"/>	
issue_reporter_guest	boolean		<input type="checkbox"/>	
issue_reporter_id	string		<input type="checkbox"/>	
issue_reporter_jabberAccountName	string		<input type="checkbox"/>	
issue_reporter_login	string		<input type="checkbox"/>	
issue_reporter_online	boolean		<input type="checkbox"/>	
issue_reporter_ringId	string		<input type="checkbox"/>	
issue_resolved	int64		<input type="checkbox"/>	
issue_subtasks_\$type	string		<input type="checkbox"/>	
issue_subtasks_direction	string		<input type="checkbox"/>	
issue_subtasks_id	string		<input type="checkbox"/>	

Name	Data Type	Label	Required	Documentation
issue_summary	string		<input type="checkbox"/>	
issue_updated	int64		<input type="checkbox"/>	
issue_updater_\$type	string		<input type="checkbox"/>	
issue_updater_avatarUrl	string		<input type="checkbox"/>	
issue_updater_banned	boolean		<input type="checkbox"/>	
issue_updater_email	string		<input type="checkbox"/>	
issue_updater.FullName	string		<input type="checkbox"/>	
issue_updater_guest	boolean		<input type="checkbox"/>	
issue_updater_id	string		<input type="checkbox"/>	
issue_updater_jabberAccountName	string		<input type="checkbox"/>	
issue_updater_login	string		<input type="checkbox"/>	
issue_updater_online	boolean		<input type="checkbox"/>	
issue_updater_ringId	string		<input type="checkbox"/>	
issue_usesMarkdown	boolean		<input type="checkbox"/>	
issue_visibility_\$type	string		<input type="checkbox"/>	
issue_visibility_id	string		<input type="checkbox"/>	
issue_voters_\$type	string		<input type="checkbox"/>	
issue_voters_hasVote	boolean		<input type="checkbox"/>	
issue_voters_id	string		<input type="checkbox"/>	
issue_votes	int32		<input type="checkbox"/>	
issue_watchers_\$type	string		<input type="checkbox"/>	
issue_watchers_hasStar	boolean		<input type="checkbox"/>	
issue_watchers_id	string		<input type="checkbox"/>	
issue_wikifiedDescription	string		<input type="checkbox"/>	
text	string	Text	<input type="checkbox"/>	
textPreview	string	Text Preview	<input type="checkbox"/>	
type_\$type	string		<input type="checkbox"/>	
type_autoAttached	boolean		<input type="checkbox"/>	
type_id	string		<input type="checkbox"/>	
type_name	string		<input type="checkbox"/>	
updated	int64	Updated	<input type="checkbox"/>	
usesMarkdown	boolean	Uses Markdown	<input type="checkbox"/>	

13 Schema: Views

13.1 Views

13.1.1 IDTypes

Each YouTrack ID consists of an entity ID, a dash as separator and a sequence number. IDTypes maps the entity ID of YouTrack IDs to an entity name.

Catalog: YouTrack

Schema: Views

This is a read-only view. The YouTrack API may not support changing the data or the Invantive SQL driver for YouTrack does not cover it. In the latter case, please use the table NativePlatformScalarRequests to upload data to the YouTrack API.

View Columns

The columns of the view `IDTypes` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
DESCRIPTION	string(80)	Description	<input checked="" type="checkbox"/>	
ID	int16	ID	<input checked="" type="checkbox"/>	

Index

- \$ -

\$type 15, 17, 18, 20, 22, 23, 24, 26, 30, 34, 38, 41, 45, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 65, 72, 79, 85, 91, 97, 101, 108, 114, 120, 126, 133, 140, 146, 150, 157, 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 262, 264, 266, 268, 273, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 361, 363, 368, 374, 375, 376, 377, 378, 379, 380, 382, 383, 384, 386, 387, 389, 390, 392, 393, 394, 395, 396, 398, 399, 400, 401, 402, 404, 405, 406, 408, 410, 411, 413, 414, 415, 416, 418, 420, 421, 423, 426, 427, 429, 430, 432, 433, 434, 435, 436, 437, 438, 441, 444, 445, 448, 451, 454, 457, 459, 461, 464, 466, 470, 472, 474, 477, 479, 512, 517, 523, 528, 533, 537, 541, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 654, 656, 658, 661, 662, 665, 667, 670, 672, 673, 675, 678, 680, 683, 686, 689, 691, 693, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741, 746, 747, 748, 751, 753, 757, \$type_1 20, 26, 30, 34, 38, 41, 45, 57, 58, 65, 72, 79, 91, 101, 108, 114, 120, 126, 133, 140, 146, 157, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 374, 375, 376, 377, 378, 379, 380, 382, 383, 384, 386, 387, 389, 390, 392, 393, 394, 395, 396, 398, 399, 400, 401, 402, 404, 405, 406, 408, 410, 411, 413, 414, 415, 416, 418, 420, 421, 423, 426, 427, 429, 430, 432, 433, 434, 435, 436, 437, 438, 441, 444, 445, 448, 451, 454, 457, 459, 461, 464, 466, 470, 472, 474, 477, 479, 512, 517, 523, 528, 533, 537, 541, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 654, 656, 658, 661, 662, 665, 667, 670, 672, 673, 675, 678, 680, 683, 686, 689, 691, 693, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741, 746, 747, 748, 751, 753, 757, \$type_1 20, 26, 30, 34, 38, 41, 45, 57, 58, 65, 72, 79, 91, 101, 108, 114, 120, 126, 133, 140, 146, 157, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 374, 375, 376, 377, 378, 379, 380, 382, 383, 384, 386, 387, 389, 390, 392, 393, 394, 395, 396, 398, 399, 400, 401, 402, 404, 405, 406, 408, 410, 411, 413, 414, 415, 416, 418, 420, 421, 423, 426, 427, 429, 430, 432, 433, 434, 435, 436, 437, 438, 441, 444, 445, 448, 451, 454, 457, 459, 461, 464, 466, 470, 472, 474, 477, 479, 512, 517, 523, 528, 533, 537, 541, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 654, 656, 658, 661, 662, 665, 667, 670, 672, 673, 675, 678, 680, 683, 686, 689, 691, 693, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741, 746, 747, 748, 751, 753, 757, \$type_2 26, 30, 34, 38, 45, 65, 72, 101, 108, 114, 120, 140, 146, 120, 126, 133, 146, 172, 179, 185, 192, 200, 206, 226, 232, 239, 245, 280, 295, 299, 308, 312, 316, 320, 324, 332, 336, 340, 349, 355, 368, 378, 380, 382, 384, 386, 390, 395, 399, 401, 402, 405, 406, 415, 416, 429, 432, 435, 436, 438, 441, 444, 448, 451, 454, 461, 466, 470, 477, 479, 482, 486, 488, 492, 495, 500, 506, 512, 517, 523, 528, 533, 537, 541, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 654, 656, 658, 661, 662, 665, 667, 670, 672, 673, 675, 678, 680, 683, 686, 689, 691, 693, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741, 746, 747, 748, 751, 753, 757, \$type_3 185, 192, activityId 18, 20, ActivityPages 18, add-odata-mandatory-filters 2, Administrator Email 52, administratorEmail 52, After Cursor 18, 20, afterCursor 18, 20, Aggregation 266, agile_\$type 91, 97, 101, 108, 114, 120, 126, 133, 140, 146, 157, agile_colorCoding_\$type 97, 101, 108, 114, 120, 140, 146, agile_colorCoding_id 97, 101, 108, 114, 120, 140, 146, agile_columnSettings_\$type 97, 101, 108, 114, 120, 140, 146, agile_columnSettings_id 97, 101, 108, 114, 120, 140, 146, agile_currentSprint_archived 97, 101, 108, 114, 120, 140, 146, agile_currentSprint_finish 97, 101, 108, 114, 120, 140, 146, agile_currentSprint_goal 97, 101, 108, 114, 120, 140, 146, agile_currentSprint_id 97, 101, 108, 114, 120, 140, 146, agile_currentSprint_isDefault 97, 101, 108, 114, 120, 140, 146, agile_currentSprint_name 97, 101, 108, 114, 120, 140, 146, agile_currentSprint_start 97, 101, 108, 114, 120, 140, 146, agile_currentSprint_unresolvedIssuesCount 97, 101, 108, 114, 120, 140, 146, agile_estimationField_\$type 97, 101, 108, 114, 120, 140, 146, agile_estimationField_aliases 97, 101, 108, 114, 120, 140, 146, agile_estimationField_hasRunningJob 97, 101, 108, 114, 120, 140, 146, agile_estimationField_id 97, 101, 108, 114, 120, 140, 146, agile_estimationField_isAutoAttached 97, 101, 108, 114, 120, 140, 146, agile_estimationField_isDisplayedInIssueList 97, 101, 108, 114, 120, 140, 146, agile_estimationField_isUpdateable 97, 101, 108, 114, 120, 140, 146, agile_estimationField_localizedName 97, 101, 108, 114, 120, 140, 146, agile_estimationField_name 97, 101, 108, 114, 120, 140, 146

- A -

Activities 15
ActivityByld 17

agile_estimationField_ordinal 97, 101, 108, 114, agile_sprintsSettings_hideSubtasksOfCards 97, 101, 108, 114, 120, 140, 146
120, 140, 146
agile_hideOrphansSwimlane 91, 97, 101, 108, 114, 120, 126, 133, 140, 146, 157 agile_sprintsSettings_id 97, 101, 108, 114, 120, 140, 146
120, 126, 133, 140, 146, 157
agile_id 91, 97, 101, 108, 114, 120, 126, 133, 140 agile_sprintsSettings_isExplicit 97, 101, 108, 114, 120, 140, 146, 157
146
agile_name 91, 97, 101, 108, 114, 120, 126, 133, agile_status_\$type 97, 101, 108, 114, 120, 140, 146, 157
146
agile_originalEstimationField_\$type 97, 101, 108, agile_status_hasJobs 97, 101, 108, 114, 120, 140, 146, 157
114, 120, 140, 146
agile_originalEstimationField_aliases 97, 101, 108 agile_status_id 97, 101, 108, 114, 120, 140, 146, 157
114, 120, 140, 146
agile_originalEstimationField_hasRunningJob 97, 101, 108, 114, 120, 140, 146 agile_swimlaneSettings_\$type 97, 101, 108, 114, 120, 140, 146, 157
114, 120, 140, 146
agile_originalEstimationField_id 97, 101, 108, 114 agile_swimlaneSettings_enabled 97, 101, 108, 114, 120, 140, 146, 157
114, 120, 140, 146
agile_originalEstimationField_isAutoAttached 97, 101, 108, 114 agile_swimlaneSettings_id 97, 101, 108, 114, 120, 140, 146, 157
101, 108, 114, 120, 140, 146
140, 146
agile_originalEstimationField_isDisplayedInIssueList 97, 101, 108, 114, 120, 140, 146 agile_updateableBy_\$type 97, 101, 108, 114, 120, 140, 146, 157
114, 120, 140, 146
agile_originalEstimationField_localizedName 97, 101, 108, 114, 120, 140, 146 agile_updateableBy_allUsersGroup 97, 101, 108, 114, 120, 140, 146, 157
114, 120, 140, 146
agile_originalEstimationField_name 97, 101, 108, 114, 120, 140, 146 agile_updateableBy_id 97, 101, 108, 114, 120, 140, 146, 157
114, 120, 140, 146
agile_originalEstimationField_ordinal 97, 101, 108, 114, 120, 140, 146 agile_updateableBy_name 97, 101, 108, 114, 120, 140, 146, 157
114, 120, 140, 146
agile_orphansAtTheTop 91, 97, 101, 108, 114, 120, 126, 133, 140, 146, 157 agile_updateableBy_ringId 97, 101, 108, 114, 120, 140, 146, 157
114, 120, 140, 146
agile_owner_\$type 97, 101, 108, 114, 120, 140, 146 agile_updateableBy_usersCount 97, 101, 108, 114, 120, 140, 146, 157
114, 120, 140, 146
agile_owner_avatarUrl 97, 101, 108, 114, 120, 140, 146 agile_updateableByProjectBased 91, 97, 101, 108, 114, 120, 140, 146, 157
114, 120, 140, 146
agile_owner_banned 97, 101, 108, 114, 120, 140, 146, 157 agile_visibleFor_\$type 97, 101, 108, 114, 120, 140, 146, 157
114, 120, 140, 146
agile_owner_email 97, 101, 108, 114, 120, 140, 146 agile_visibleFor_allUsersGroup 97, 101, 108, 114, 120, 140, 146, 157
114, 120, 140, 146
agile_owner_fullName 97, 101, 108, 114, 120, 140, 146 agile_visibleFor_id 97, 101, 108, 114, 120, 140, 146, 157
114, 120, 140, 146
agile_owner_guest 97, 101, 108, 114, 120, 140, 146 agile_visibleFor_icon 97, 101, 108, 114, 120, 140, 146, 157
114, 120, 140, 146
agile_owner_id 97, 101, 108, 114, 120, 140, 146 agile_visibleFor_id 97, 101, 108, 114, 120, 140, 146, 157
114, 120, 140, 146
agile_owner_jabberAccountName 97, 101, 108, 114, 120, 140, 146 agile_visibleFor_name 97, 101, 108, 114, 120, 140, 146, 157
114, 120, 140, 146
agile_owner_login 97, 101, 108, 114, 120, 140, 146 agile_visibleFor_ringId 97, 101, 108, 114, 120, 140, 146, 157
114, 120, 140, 146
agile_owner_online 97, 101, 108, 114, 120, 140, 146 agile_visibleFor_ringId 97, 101, 108, 114, 120, 140, 146, 157
114, 120, 140, 146
agile_owner_ringId 97, 101, 108, 114, 120, 140, 146 agile_visibleFor_usersCount 97, 101, 108, 114, 120, 140, 146, 157
114, 120, 140, 146
agile_sprintsSettings_\$type 97, 101, 108, 114, 120, 140, 146 agile_visibleForProjectBased 91, 97, 101, 108, 114, 120, 140, 146, 157
114, 120, 140, 146
agile_sprintsSettings_cardOnSeveralSprints 97, 101, 108, 114, 120, 140, 146 Aliases 408, 418, 420, 492
101, 108, 114, 120, 140, 146
agile_sprintsSettings_disableSprints 97, 101, 108, 114, 120, 140, 146 All Users Group 262, 264, 433, 444, 445, 474
114, 120, 140, 146
Allocated Memory 53
agile_sprintsSettings_explicitQuery 97, 101, 108, 114, 120, 140, 146 allocatedMemory 53
114, 120, 140, 146
Allow All Origins 22, 51

Allow Statistics Collection 52
allowAllOrigins 22, 51
AllowedOriginRestSettings 22
allowStatisticsCollection 52
allUsersGroup 262, 264, 433, 444, 445, 474
analysis-enforce-row-uniqueness 2
api-access-token 2
api-client-id 2
api-client-secret 2
api-pre-expiry-refresh-sec 2
api-redirect-url 2
api-refresh-token 2
api-scope 2
api-token-url 2
api-url 2
AppearanceSettings 23
appearanceSettings_\$type 24
appearanceSettings_dateFieldFormat_\$type 24
appearanceSettings_dateFieldFormat_datePattern 24
appearanceSettings_dateFieldFormat_id 24
appearanceSettings_dateFieldFormat_pattern 24
appearanceSettings_dateFieldFormat_presentation 24
appearanceSettings_id 24
appearanceSettings_logo_\$type 24
appearanceSettings_logo_id 24
appearanceSettings_logo_url 24
appearanceSettings_timeZone_\$type 24
appearanceSettings_timeZone_id 24
appearanceSettings_timeZone_offset 24
appearanceSettings_timeZone_presentation 24
Archive Format 377, 378, 379, 380
Archived 26, 30, 34, 38, 41, 45, 58, 65, 72, 79, 91, 97, 101, 108, 114, 120, 126, 133, 140, 146, 157, 486, 488, 489, 491
archiveFormat 377, 378, 379, 380
article_\$type 172, 179
article_\$type_1 172, 179
article_content 172, 179, 239, 245, 251, 256
article_content_1 172, 179
article_created 239, 245, 251, 256
article_hasChildren 239, 245, 251, 256
article_hasStar 239, 245, 251, 256
article_id 172, 179
article_id_1 172, 179
article_idReadable 239, 245, 251, 256
article_ordinal 239, 245, 251, 256
article_summary 172, 179, 239, 245, 251, 256
article_summary_1 172, 179
article_updated 239, 245, 251, 256
ArticleByld 163
Articles 168
assembleDate 387, 389, 390, 392
Assembly Date 387, 389, 390, 392
AttachmentByld 172, 495
Attachments 179, 500
author 15, 18, 20, 757
author_\$type 15, 17, 20, 172, 179, 239, 245, 251, 256, 268, 280, 285, 495, 500, 506, 512, 517, 523, 753, 757
author_\$type_1 172, 179
author_avatarUrl 15, 17, 20, 172, 179, 239, 245, 251, 256, 268, 280, 285, 495, 500, 506, 512, 517, 523, 753, 757
author_avatarUrl_1 172, 179
author_banned 15, 17, 20, 172, 179, 239, 245, 251, 256, 268, 280, 285, 495, 500, 506, 512, 517, 523, 753, 757
author_banned_1 172, 179
author_email 15, 17, 20, 172, 179, 239, 245, 251, 256, 268, 280, 285, 495, 500, 506, 512, 517, 523, 753, 757
author_email_1 172, 179
author_fullName 15, 17, 20, 172, 179, 239, 245, 251, 256, 268, 280, 285, 495, 500, 506, 512, 517, 523, 753, 757
author_fullName_1 172, 179
author_guest 15, 17, 20, 172, 179, 239, 245, 251, 256, 268, 280, 285, 495, 500, 506, 512, 517, 523, 753, 757
author_guest_1 172, 179
author_id 15, 17, 20, 172, 179, 239, 245, 251, 256, 268, 280, 285, 495, 500, 506, 512, 517, 523, 753, 757
author_id_1 172, 179
author_jabberAccountName 15, 17, 20, 172, 179, 239, 245, 251, 256, 268, 280, 285, 495, 500, 506, 512, 517, 523, 753, 757
author_jabberAccountName_1 172, 179
author_login 15, 17, 20, 172, 179, 239, 245, 251, 256, 268, 280, 285, 495, 500, 506, 512, 517, 523, 753, 757
author_login_1 172, 179
author_online 15, 17, 20, 172, 179, 239, 245, 251, 256, 268, 280, 285, 495, 500, 506, 512, 517, 523, 753, 757
author_online_1 172, 179
author_profiles_\$type 15, 17, 753, 757
author_profiles_id 15, 17, 753, 757
author_ringId 15, 17, 20, 172, 179, 239, 245, 251, 256, 268, 280, 285, 495, 500, 506, 512, 517, 523, 753, 757
author_ringId_1 172, 179
autoAttached 55, 57
Auto-attached 55, 57
Auto-watch on Comment 746

Auto-watch on Create 746
 Auto-watch on Update 746
 Auto-watch on Vote 746
 autoWatchOnComment 746
 autoWatchOnCreate 746
 autoWatchOnUpdate 746
 autoWatchOnVote 746
 Available Disk Space 377, 378, 379, 380
 Available Memory 53
 Available Processors 53
 availableDiskSpace 377, 378, 379, 380
 availableMemory 53
 availableProcessors 53
 Avatar (URL) 378, 379, 380, 382, 383, 384, 400, 401, 402, 404, 405, 406, 434, 435, 436, 438, 441, 448, 451, 454, 457, 459, 461, 464, 466, 470, 472, 477, 479, 482, 658, 661, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 691, 747
 avatarUrl 378, 379, 380, 382, 383, 384, 400, 401, 402, 404, 405, 406, 434, 435, 436, 438, 441, 448, 451, 454, 457, 459, 461, 464, 466, 470, 472, 477, 479, 482, 658, 661, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 691, 747
 Base64 Content 26, 101, 172, 179, 185, 192, 239, 245, 268, 280, 295, 299, 495, 500, 506, 512, 606, 626, 694, 699
 base64Content 26, 101, 172, 179, 185, 192, 239, 245, 268, 280, 295, 299, 495, 500, 506, 512, 606, 626, 694, 699
 base64Content_1 172, 179, 185, 192
 baseUrl 52
 Before Cursor 18, 20
 beforeCursor 18, 20
 BLOB Preferred 604
 Blob String Cache Hit Rate 53
 BLOB_PREFERRED 604
 blobStringsCacheHitRate 53
 BOL_RESPONSE_CACHE_MAX_AGE_SEC 604
 buildBundleElementId 387
 bulk-delete-page-size-rows 2
 bulk-insert-page-size-bytes 2
 bulk-insert-page-size-rows 2
 bundle_\$type 387, 389, 390, 392, 395, 396, 398, 401, 402, 404, 405, 406, 434, 435, 436, 438, 441, 448, 451, 454, 457, 459, 461, 464, 466, 470, 472, 477, 479, 482, 658, 661, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 691
 bundle_\$type_1 389, 390, 395, 399, 415, 416, 429, 432, 486, 488
 bundle_id 387, 389, 390, 392, 395, 396, 398, 399, 411, 413, 415, 416, 427, 429, 430, 432, 486, 488, 489, 491
 bundle_id_1 389, 390, 395, 399, 415, 416, 429, 432, 486, 488
 bundle_isUpdateable 387, 389, 390, 392, 395, 396, 398, 399, 411, 413, 415, 416, 427, 429, 430, 432, 486, 488, 489, 491
 bundle_isUpdateable_1 389, 390, 395, 399, 415, 416, 429, 432, 486, 488
 backupCancelled 376
 backupInProgress 376
 backupStatus_\$type 377, 378, 379, 380
 backupStatus_backupCancelled 377, 378, 379, 380
 backupStatus_backupError_\$type 377, 378, 379, 380
 backupStatus_backupError_date 377, 378, 379, 380
 backupStatus_backupError.errorMessage 377, 378, 379, 380
 backupStatus_backupError_id 377, 378, 379, 380
 backupStatus_backupInProgress 377, 378, 379, 380
 backupStatus_id 377, 378, 379, 380
 Banned 378, 379, 380, 382, 383, 384, 400, 401, 402, 404, 405, 406, 434, 435, 436, 438, 441, 448, 451, 454, 457, 459, 461, 464, 466, 470, 472, 477, 479, 482, 658, 661, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 691, 747
 Base URL 52

- B -

Backup Cancelled 376
 Backup in Progress 376
 backupCancelled 376
 backupError_\$type 376
 backupError_date 376
 backupError.errorMessage 376
 backupError_id 376
 backupInProgress 376
 backupStatus_\$type 377, 378, 379, 380
 backupStatus_backupCancelled 377, 378, 379, 380
 backupStatus_backupError_\$type 377, 378, 379, 380
 backupStatus_backupError_date 377, 378, 379, 380
 backupStatus_backupError.errorMessage 377, 378, 379, 380
 backupStatus_backupError_id 377, 378, 379, 380
 backupStatus_backupInProgress 377, 378, 379, 380
 backupStatus_id 377, 378, 379, 380
 Banned 378, 379, 380, 382, 383, 384, 400, 401, 402, 404, 405, 406, 434, 435, 436, 438, 441, 448, 451, 454, 457, 459, 461, 464, 466, 470, 472, 477, 479, 482, 658, 661, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 691, 747
 Base URL 52

- C -

Cached Results Count in DB Queries Cache 53
 cachedResultsCountInDBQueriesCache 53
 canBeEmpty 408, 421, 423, 492
 categories 15, 18, 20
 category_\$type 15, 17, 20
 category_id 15, 17, 20
 Charset 26, 101, 172, 179, 185, 192, 239, 245, 268, 280, 295, 299, 495, 500, 506, 512, 606, 626, 694, 699
 charset_1 172, 179, 185, 192
 ChildArticleAttachments 185
 ChildArticleAttachmentsById 192
 ChildArticleComments 200
 ChildArticleCommentsById 206
 ChildArticles 213
 ChildArticlesById 219
 ChildChildArticles 226

ChildChildArticlesById 232
 color_\$type 273, 295, 299, 304, 308, 312, 316, 320, 326, 133, 152, 157
 324, 328, 332, 336, 340, 361, 363, 368, 387, 389, 390, 391, 392, 395, 396, 398, 399, 411, 413, 415, 416, 427, 429, 430, 432, 448, 454, 466, 470, 479, 482, 486, 488, 489, 490, 491, 547, 587, 592, 599, 658, 662, 670, 683, 686, 689, 690, 691, 692, 157
 699, 707, 716, 724, 737, 741, 751
 color_\$type_1 389, 390, 395, 399, 415, 416, 429, 430, 432, 448, 486, 488
 color_background 273, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 361, 363, 368, 387, 389, 390, 392, 395, 396, 398, 399, 411, 413, 415, 416, 427, 429, 430, 432, 448, 454, 466, 470, 479, 482, 486, 488, 489, 491, 547, 587, 592, 599, 658, 662, 670, 683, 686, 688, 689, 690, 691, 692, 157
 686, 689, 699, 707, 716, 724, 737, 741, 751
 color_background_1 389, 390, 395, 399, 415, 416, 429, 432, 448, 486, 488
 color_foreground 273, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 361, 363, 368, 387, 389, 390, 392, 395, 396, 398, 399, 411, 413, 415, 416, 427, 429, 430, 432, 448, 454, 466, 470, 479, 482, 486, 488, 489, 491, 547, 587, 592, 599, 658, 662, 670, 683, 686, 688, 689, 690, 691, 692, 157
 689, 699, 707, 716, 724, 737, 741, 751
 color_foreground_1 389, 390, 395, 399, 415, 416, 429, 432, 448, 486, 488
 color_id 273, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 361, 363, 368, 387, 389, 390, 392, 395, 396, 398, 399, 411, 413, 415, 416, 427, 429, 430, 432, 448, 454, 466, 470, 479, 482, 486, 488, 489, 491, 547, 587, 592, 599, 658, 662, 670, 683, 686, 688, 689, 690, 691, 692, 157
 699, 707, 716, 724, 737, 741, 751
 color_id_1 389, 390, 395, 399, 415, 416, 429, 432, 448, 486, 488
 colorCoding_\$type 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 colorCoding_id 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 columnSettings_\$type 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 columnSettings_field_\$type 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 columnSettings_field_aliases 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 columnSettings_field_hasRunningJob 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 columnSettings_field_id 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 columnSettings_field_isAutoAttached 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 columnSettings_field_isDisplayedInIssueList 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 columnSettings_field_isUpdateable 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 columnSettings_field_localizedName 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 columnSettings_field_name 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 columnSettings_field ordinal 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 columnSettings_id 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 comment_\$type 172, 179, 268, 495, 500
 comment_\$type_1 172, 179
 comment_created 172, 179, 268, 495, 500
 comment_created_1 172, 179
 comment_deleted 268, 495, 500
 comment_id 172, 179, 268, 495, 500
 comment_id_1 172, 179
 comment_text 172, 179, 268, 495, 500
 comment_text_1 172, 179
 comment_textPreview 268, 495, 500
 comment_updated 172, 179, 268, 495, 500
 comment_updated_1 172, 179
 comment_usesMarkdown 268, 495, 500
 commentAttachments 239, 506
 CommentAttachmentsByIssueId 245, 512
 Comments 251, 517
 Comments Count 26, 30, 34, 38, 41, 45, 65, 72, 101, 108, 114, 120, 126, 133, 140, 146, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 438, 441, 448, 454, 461, 466, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 658, 662, 667, 678, 680, 686, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741
 commentsCount 256, 523
 commentsCount_1 26, 30, 34, 38, 41, 45, 65, 72, 101, 108, 114, 120, 126, 133, 140, 146, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 438, 441, 448, 454, 461, 466, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 658, 662, 667, 678, 680, 686, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741
 commentsCount_1 349, 355, 368, 547, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 658, 662, 667, 678, 680, 686, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741
 condition_\$type 408, 423, 492
 condition_id 408, 423, 492
 condition_parent_\$type 423
 condition_parent_canBeEmpty 423
 condition_parent_emptyFieldText 423
 condition_parent_hasRunningJob 423
 condition_parent_id 423
 condition_parent_isPublic 423
 condition_parent_ordinal 423
 Content 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256

Content Type 604
 content_1 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 content_2 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 content_3 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 content_4 226, 232
 content_5 226, 232
 CONTENT_TYPE 604
 created 26, 30, 34, 38, 41, 45, 65, 72, 101, 108, 114, 120, 126, 133, 140, 146, 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 438, 441, 448, 454, 461, 466, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 658, 662, 667, 678, 680, 686, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741, 753, 757
 createdEnd 757
 createdStart 757
 Creation Date 374, 375
 creationDate 374, 375
 creator 757
 creator_\$type 753, 757
 creator_avatarUrl 753, 757
 creator_banned 753, 757
 creator_email 753, 757
 creator.FullName 753, 757
 creator_guest 753, 757
 creator_id 753, 757
 creator_jabberAccountName 753, 757
 creator_login 753, 757
 creator_online 753, 757
 creator_profiles_\$type 753, 757
 creator_profiles_id 753, 757
 creator_ringId 753, 757
 Cron Expression 377, 378, 379, 380
 cronExpression 377, 378, 379, 380
 currentSprint_\$type 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 currentSprint_\$type_1 65, 72, 126, 133
 currentSprint_agile_\$type 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 currentSprint_agile_hideOrphansSwimlane 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 currentSprint_agile_id 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 currentSprint_agile_name 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 currentSprint_agile_orphansAtTheTop 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 currentSprint_agile_updateableByProjectBased 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 currentSprint_agile_visibleForProjectBased 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 currentSprint_archived 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 currentSprint_commentsCount 65, 72, 126, 133
 currentSprint_created 65, 72, 126, 133
 currentSprint_description 65, 72, 126, 133
 currentSprint_finish 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 currentSprint_goal 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 currentSprint_id 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 currentSprint_id1 65, 72, 126, 133
 currentSprint_idReadable 65, 72, 126, 133
 currentSprint_isDefault 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 currentSprint_isDraft 65, 72, 126, 133

currentSprint_name	58, 65, 72, 79, 85, 91, 126, 133, 152, 157	CustomFieldIndividualUserSavedQueries	401
		CustomFieldIndividualUserSavedQueriesByUserBundl	
currentSprint_numberInProject	65, 72, 126, 133	eld	402
currentSprint_previousSprint_\$type	58, 65, 72, 79	CustomFieldIndividualUsersByUserBundleId	404
85, 91, 126, 133, 152, 157		CustomFieldIndividualUserTags	405
currentSprint_previousSprint_archived	58, 65, 72, 79, 85, 91, 126, 133, 152, 157	CustomFieldIndividualUserTagsByUserBundleId	406
		CustomFieldInstancesByCustomFieldPrototypeld	
currentSprint_previousSprint_finish	58, 65, 72, 79	408	
85, 91, 126, 133, 152, 157		CustomFieldOwnedFieldByOwnedFieldBundleId	
currentSprint_previousSprint_goal	58, 65, 72, 79, 91, 126, 133, 152, 157	CustomFieldOwnedFieldByOwnedFieldBundleIdAndEl	
		ementId	411
currentSprint_previousSprint_id	58, 65, 72, 79, 91, 126, 133, 152, 157	CustomFieldOwnedFieldByValueId	413
		CustomFieldOwnedFields	414
currentSprint_previousSprint_isDefault	58, 65, 72, 79, 91, 126, 133, 152, 157	CustomFieldOwnedFieldValues	415
		CustomFieldOwnedFieldValuesByOwnedFieldBundleId	
currentSprint_previousSprint_name	58, 65, 72, 79, 91, 126, 133, 152, 157	416	
		customFields	418, 500, 506, 517, 528, 543, 547, 558, 571, 576, 599
currentSprint_previousSprint_start	58, 65, 72, 79, 91, 126, 133, 152, 157	CustomFieldsByCustomFieldPrototypeld	420
		CustomFieldsByCustomFieldPrototypeld2	421
currentSprint_previousSprint_unresolvedIssuesCount	58, 65, 72, 79, 85, 91, 126, 133, 152, 157	CustomFieldsByCustomFieldPrototypeld3	423
		CustomFieldsByIssueId	533
currentSprint_resolved	65, 72, 126, 133	CustomFieldStateBundleById	426
currentSprint_start	58, 65, 72, 79, 85, 91, 126, 133, 152, 157	CustomFieldStateBundles	427
		CustomFieldStateBundleValues2ByStateBundleId	427
currentSprint_summary	65, 72, 126, 133	CustomFieldStateBundleValuesByStateBundleId	429
currentSprint_unresolvedIssuesCount	58, 65, 72, 79, 85, 91, 126, 133, 152, 157	CustomFieldStateByStateBundleIdAndElementId	
		430	
currentSprint_updated	65, 72, 126, 133	CustomFieldStateValues	432
currentSprint_usesMarkdown	65, 72, 126, 133	CustomFieldUserBundles	433
currentSprint_votes	65, 72, 126, 133	CustomFieldUserBundleUsers	434
currentSprint_wikifiedDescription	65, 72, 126, 133	CustomFieldUserBundleUserSavedQueries	435
cursor	18, 20	CustomFieldUserBundleUserTags	436
CustomFieldAggregatedUserSavedQueriesByUserBun	382	CustomFieldUserByUserBundleId	437
dleId		CustomFieldUserByUserBundleId1	438
CustomFieldAggregatedUsersByUserBundleId	383	CustomFieldUserByUserBundleId2	441
CustomFieldAggregatedUserTagsByUserBundleId	384	CustomFieldUserGroupsByUserBundleId	444
CustomFieldBuildBundles	386	CustomFieldUserGroupsByUserBundleId1	445
CustomFieldBuildByBuildBundleId	386	CustomFieldUsers	448
CustomFieldBuildByBuildBundleIdAndElementId	387	CustomFieldUsersByUserBundleId	448
CustomFieldBuildValues	389	CustomFieldUsersByUserBundleId1	451
CustomFieldBuildValuesByBuildBundleId	390	CustomFieldUsersByUserBundleId2	454
CustomFieldBuildValuesByBuildBundleId1	392	CustomFieldUsersByUserBundleId3	457
CustomFieldEnumBundleByEnumFieldBundleId	393	CustomFieldUsersByUserBundleId4	459
CustomFieldEnumBundles	394	CustomFieldUsersByUserBundleId5	461
CustomFieldEnumBundleValuesByEnumFieldBundleId	395	CustomFieldUsersByUserBundleId6	464
CustomFieldEnumByEnumFieldBundleId	396	CustomFieldUsersByUserBundleId7	466
CustomFieldEnumByEnumFieldBundleIdAndElementId	398	CustomFieldUsersByUserBundleId8	470
CustomFieldEnumValues	399	CustomFieldUsersByUserBundleId9	472
CustomFieldIndividualUsers	400	CustomFieldUsersByUserBundleIdAndGroupId	474

CustomFieldUsersByUserId	477	download-error-408-request-timeout-sleep-initial-ms
CustomFieldUserTagsByUserBundleId	479	2
CustomFieldUserTagsByUserBundleId2	482	download-error-408-request-timeout-sleep-max-ms
CustomFieldVersionByProjectVersionBundleId	483	download-error-408-request-timeout-sleep-multiplicator
CustomFieldVersions	486	2
CustomFieldVersionValues	486	download-error-422-bad-request-max-tries 2
CustomFieldVersionValuesByProjectVersionBundleId	488	download-error-422-bad-request-sleep-initial-ms 2
CustomFieldVersionValuesByProjectVersionBundleId2	489	download-error-422-bad-request-sleep-max-ms 2
CustomFieldVersionValuesByProjectVersionBundleId3	491	download-error-422-bad-request-sleep-multiplicator 2
CustomFieldVersionValuesByProjectVersionBundleId4	491	download-error-429-too-many-requests-max-tries 2
CustomFieldVersionValuesByProjectVersionBundleId5	491	download-error-429-too-many-requests-sleep-initial-ms 2
CustomFieldVersionValuesByProjectVersionBundleId6	491	download-error-429-too-many-requests-sleep-max-ms 2
CustomFieldVersionValuesByProjectVersionBundleId7	491	download-error-429-too-many-requests-sleep-multiplicator 2
Database Background Threads	53	download-error-502-server-unavailable-max-tries 2
Database Location	53	download-error-502-server-unavailable-sleep-initial-ms 2
Database Queries Cache Hit Rate	53	download-error-502-server-unavailable-sleep-max-ms 2
Database Size	53	download-error-502-server-unavailable-sleep-multiplicator 2
databaseBackgroundThreads	53	download-error-503-server-unavailable-max-tries 2
DatabaseBackupById	374	download-error-503-server-unavailable-sleep-initial-ms 2
DatabaseBackups	375	download-error-503-server-unavailable-sleep-max-ms 2
DatabaseBackupSettingBackupStatuses	376	download-error-503-server-unavailable-sleep-multiplicator 2
DatabaseBackupSettings	377	download-error-504-gateway-timeout-max-tries 2
databaseLocation	53	download-error-504-gateway-timeout-sleep-initial-ms 2
databaseQueriesCacheHitRate	53	download-error-504-gateway-timeout-sleep-max-ms 2
databaseSize	53	download-error-504-gateway-timeout-sleep-multiplicator 2
Date	753, 757	download-error-504-gateway-timeout-sleep-initial-ms 2
DATE_ENDED	604	download-error-504-gateway-timeout-sleep-max-ms 2
DATE_STARTED	604	download-error-504-gateway-timeout-sleep-multiplicator 2
dateFieldFormat_\$type	23, 693	download-error-504-gateway-timeout-sleep-initial-ms 2
dateFieldFormat_datePattern	23, 693	download-error-504-gateway-timeout-sleep-max-ms 2
dateFieldFormat_id	23, 693	download-error-504-gateway-timeout-sleep-multiplicator 2
dateFieldFormat_pattern	23, 693	download-error-504-gateway-timeout-sleep-initial-ms 2
dateFieldFormat_presentation	23, 693	download-error-504-gateway-timeout-sleep-max-ms 2
Days a Week	56	download-error-504-gateway-timeout-sleep-multiplicator 2
daysAWeek	56	download-error-590-network-connect-timeout-max-tries 2
Deleted	30, 108, 280, 285, 308, 312, 506, 512, 517, 523, 614, 630, 703, 707	download-error-590-network-connect-timeout-sleep-initial-ms 2
DESCRIPTION	761	download-error-590-network-connect-timeout-sleep-max-ms 2
description_1	26, 30, 34, 38, 41, 45, 65, 72, 349, 355, 368, 389, 390, 395, 399, 415, 416, 429, 432, 486	download-error-590-network-connect-timeout-sleep-multiplicator 2
Directed	266	download-error-590-network-connect-timeout-sleep-initial-ms 2
Direction	38, 120, 320, 324, 345, 349, 355, 541, 554, 558, 565, 571, 576, 581, 638, 642, 720, 724	download-error-599-network-connect-timeout-max-tries 2
download-error-400-bad-request-max-tries	2	download-error-599-network-connect-timeout-sleep-initial-ms 2
download-error-400-bad-request-sleep-initial-ms	2	download-error-599-network-connect-timeout-sleep-max-ms 2
download-error-400-bad-request-sleep-max-ms	2	download-error-599-network-connect-timeout-sleep-multiplicator 2
download-error-400-bad-request-sleep-multiplicator	2	download-error-599-network-connect-timeout-sleep-initial-ms 2
download-error-408-request-timeout-max-tries	2	download-error-599-network-connect-timeout-sleep-max-ms 2

download-error-argument-exception-max-tries 2
 download-error-argument-exception-sleep-initial-ms 2
 download-error-argument-exception-sleep-max-ms
 download-error-argument-exception-sleep-multiplicator 2
 download-error-internet-down-max-tries 2
 download-error-internet-down-sleep-initial-ms 2
 download-error-internet-down-sleep-max-ms 2
 download-error-internet-down-sleep-multiplicator
 download-error-io-exception-max-tries 2
 download-error-io-exception-sleep-initial-ms 2
 download-error-io-exception-sleep-max-ms 2
 download-error-io-exception-sleep-multiplicator
 download-error-json-exception-max-tries 2
 download-error-json-exception-sleep-initial-ms 2
 download-error-json-exception-sleep-max-ms 2
 download-error-json-exception-sleep-multiplicator
 download-error-other-exception-max-tries 2
 download-error-other-exception-sleep-initial-ms 2
 download-error-other-exception-sleep-max-ms 2
 download-error-other-exception-sleep-multiplicator
 download-error-socket-exception-max-tries 2
 download-error-socket-exception-sleep-initial-ms
 download-error-socket-exception-sleep-max-ms 2
 download-error-socket-exception-sleep-multiplicator 2
 download-error-web-exception-max-tries 2
 download-error-web-exception-sleep-initial-ms 2
 download-error-web-exception-sleep-max-ms 2
 download-error-web-exception-sleep-multiplicator
 download-error-web-not-implemented-max-tries 2
 download-error-web-not-implemented-sleep-initial-ms 2
 download-error-web-not-implemented-sleep-max-ms 2
 download-error-web-not-implemented-sleep-multiplicator
 or 2
 download-error-web-timeout-max-tries 2
 download-error-web-timeout-sleep-initial-ms 2
 download-error-web-timeout-sleep-max-ms 2
 download-error-web-timeout-sleep-multiplicator
 download-error-web-unauthorized-max-tries 2
 download-error-web-unauthorized-sleep-initial-ms
 download-error-web-unauthorized-sleep-max-ms 2
 download-error-web-unauthorized-sleep-multiplicator
 Draft 26, 101, 172, 179, 185, 192, 239, 245, 268, 280, 295, 299, 495, 500, 506, 512, 606, 626, 694, 699
 draft_1 172, 179, 185, 192

draftOwner_\$type 26, 30, 34, 38, 41, 45, 101, 108, 114, 120, 140, 146, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741

draftOwner_avatarUrl 26, 30, 34, 38, 41, 45, 101, 108, 114, 120, 140, 146, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741

draftOwner_banned 26, 30, 34, 38, 41, 45, 101, 108, 114, 120, 140, 146, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741

draftOwner_email 26, 30, 34, 38, 41, 45, 101, 108, 114, 120, 140, 146, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741

draftOwner_fullName 26, 30, 34, 38, 41, 45, 101, 108, 114, 120, 140, 146, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741

draftOwner_guest 26, 30, 34, 38, 41, 45, 101, 108, 114, 120, 140, 146, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741

draftOwner_id 26, 30, 34, 38, 41, 45, 101, 108, 114, 120, 140, 146, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741

draftOwner_jabberAccountName 26, 30, 34, 38, 41,
 45, 101, 108, 114, 120, 140, 146, 268, 275, 280, 285,
 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332,
 336, 340, 345, 349, 355, 363, 368, 495, 500, 506, 512,
 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 694, 699, 703, 707, 712, 715, 717, 718, 719, 720, 724, 729, 733, 737, 741
 draftOwner_login 26, 30, 34, 38, 41, 45, 101, 108, 114, 120, 140, 146, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741
 draftOwner_online 26, 30, 34, 38, 41, 45, 101, 108, 114, 120, 140, 146, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741
 draftOwner_profiles_\$type 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 draftOwner_profiles_id 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 draftOwner_ringId 26, 30, 34, 38, 41, 45, 101, 108, 114, 120, 140, 146, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 Duration (ms) 604
 duration_\$type 753, 757
 duration_id 753, 757
 duration_minutes 753, 757
 DURATION_MS 604
 duration_presentation 753, 757
 , E -
 Email 378, 379, 380, 382, 383, 384, 400, 401, 402, 404, 405, 406, 434, 435, 436, 438, 441, 448, 451, 454, 457, 459, 461, 464, 466, 470, 472, 477, 479, 482, 658, 661, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 691, 747
 Email Notifications Enabled 746
 EmailNotificationsEnabled 746
 emailSettings_\$type 50
 emailSettings_anonymous 50
 emailSettings_from 50
 emailSettings_host 50
 emailSettings_id 50
 emailSettings_isEnabled 50
 emailSettings_login 50
 emailSettings_mailProtocol 50
 emailSettings_port 50
 emailSettings_replyTo 50
 emailSettings_sslKey_\$type 50
 emailSettings_sslKey_id 50
 emailSettings_sslKey_name 50
 Empty Field Text 408, 421, 423, 492
 emptyFieldText 408, 421, 423, 492
 end 15, 18, 20, 757
 End Date 604
 endDate 757
 enumBundleElementId 398
 estimationField_\$type 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 estimationField_aliases 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 estimationField_fieldDefaults_\$type 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 estimationField_fieldDefaults_canBeEmpty 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 estimationField_fieldDefaults_emptyFieldText 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 estimationField_fieldDefaults_id 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 estimationField_fieldDefaults_isPublic 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 estimationField_fieldType_\$type 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 estimationField_fieldType_id 58, 65, 72, 79, 85, 91, 126, 133, 152, 157

estimationField_hasRunningJob 58, 65, 72, 79, 85
 estimationField_id 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 estimationField_isAutoAttached 58, 65, 72, 79, 85
 estimationField_isDisplayedInIssueList 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 estimationField_isUpdateable 58, 65, 72, 79, 85
 estimationField_localizedName 58, 65, 72, 79, 85
 estimationField_name 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 estimationField_ordinal 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 Extension 26, 101, 172, 179, 185, 192, 239, 245, 268, 280, 295, 299, 495, 500, 506, 512, 606, 626, 694, 699
 extension_1 172, 179, 185, 192
 externalArticle_\$type 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 externalArticle_\$type_1 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 externalArticle_name 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 externalArticle_name_1 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 externalArticle_url 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 externalArticle_url_1 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 externalIssue_\$type 26, 30, 34, 38, 41, 45, 101, 108, 114, 120, 140, 146, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741
 externalIssue_id 26, 30, 34, 38, 41, 45, 101, 108, 114, 120, 140, 146, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741
 externalIssue_key 26, 30, 34, 38, 41, 45, 101, 108, 114, 120, 140, 146, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741
 externalIssue_name 26, 30, 34, 38, 41, 45, 101, 108, 114, 120, 140, 146, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741
 externalIssue_url 26, 30, 34, 38, 41, 45, 101, 108, 114, 120, 140, 146, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741
 F - Fail on Error 604
 FAIL_ON_ERROR 604
 field_\$type 15, 17, 20, 408, 423, 492
 field_aliases 408, 423, 492
 field_fieldDefaults_\$type 423
 field_fieldDefaults_canBeEmpty 423
 field_fieldDefaults_emptyFieldText 423
 field_fieldDefaults_id 423
 field_fieldDefaults_isPublic 423
 field_fieldType_\$type 423
 field_fieldType_id 423
 field_hasRunningJob 408, 423, 492
 field_id 15, 17, 20, 408, 423, 492
 field_isAutoAttached 408, 423, 492
 field_isDisplayedInIssueList 408, 423, 492
 field_isUpdateable 408, 423, 492
 field_localizedName 408, 423, 492
 field_name 15, 17, 20, 408, 423, 492
 field_ordinal 408, 423, 492

field_presentation 15, 17, 20
fieldDefaults\$type 408, 418, 420, 492
fieldDefaults\$canBeEmpty 408, 418, 420, 492
fieldDefaults\$emptyFieldText 408, 418, 420, 492
fieldDefaults\$id 408, 418, 420, 492
fieldDefaults\$isOpen 408, 418, 420, 492
fieldDefaults\$parent\$type 408, 418, 420, 492
fieldDefaults\$parent\$aliases 408, 418, 420, 492
fieldDefaults\$parent\$hasRunningJob 408, 418, 420, 492
fieldDefaults\$parent\$id 408, 418, 420, 492
fieldDefaults\$parent\$isAutoAttached 408, 418, 420, 492
fieldDefaults\$parent\$isCheckedInIssueList 408, 418, 420, 492
fieldDefaults\$parent\$updateable 408, 418, 420, 492
fieldDefaults\$parent\$localizedNames 408, 418, 420, 492
fieldType\$type 408, 418, 420, 492
fieldType\$id 408, 418, 420, 492
Files to Keep 377, 378, 379, 380
filesToKeep 377, 378, 379, 380
Finish 91, 97, 101, 108, 114, 120, 126, 133, 140, 146, 157
First Day of Week 56
firstDayOfWeek 56
force-case-sensitive-identifiers 2
forced-casing-identifiers 2
From Email 26, 30, 34, 38, 41, 45, 58, 65, 72, 79
fromEmail 26, 30, 34, 38, 41, 45, 58, 65, 72, 79
Full Database Size 53
Full Name 378, 379, 380, 382, 383, 384, 400, 401, 402, 404, 405, 406, 434, 435, 436, 438, 441, 448, 451, 454, 457, 459, 461, 464, 466, 470, 472, 477, 479, 482, 483, 486, 488, 489, 491, 492
Guest 378, 379, 380, 382, 383, 384, 400, 401, 402, 404, 405, 406, 434, 435, 436, 438, 441, 448, 451, 454, 457, 459, 461, 464, 466, 470, 472, 477, 479, 482, 483, 486, 488, 489, 491, 492
Has After 18, 20
Has Before 18, 20
Has Children 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
Has Running Job 387, 389, 390, 392, 395, 396, 398, 408, 411, 413, 415, 416, 418, 420, 423, 427, 429, 430, 432, 486, 488, 489, 491, 492
Has Star 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
hasAfter 18, 20
hasBefore 18, 20
hasChildren 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
hasChildren_1 185, 192, 200, 206, 213, 219, 226, 232
hasChildren_2 226, 232
hasRunningJob 387, 389, 390, 392, 395, 396, 398, 399, 408, 411, 413, 415, 416, 418, 420, 423, 427, 429, 430, 432, 486, 488, 489, 491, 492
hasRunningJob_1 389, 390, 395, 399, 408, 415, 416, 429, 432, 486, 488, 492
hasStar 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
hasStar_1 185, 192, 200, 206, 213, 219, 226, 232
hasStar_2 226, 232
hideOrphansSwimlane 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
HTTP Disk Cache Maximum Age (sec) 604
HTTP Memory Cache Maximum Age (sec) 604
HTTP Method 604
HTTP Status Code 604
HTTP_DISK_CACHE_MAX_AGE_SEC 604
HTTP_DISK_CACHE_SAVE 604
HTTP_DISK_CACHE_USE 604
HTTP_MEMORY_CACHE_MAX_AGE_SEC 604
HTTP_MEMORY_CACHE_SAVE 604
HTTP_MEMORY_CACHE_USE 604

- G -

GlobalSettings	24	http-disk-cache-directory	2
Goal	91, 97, 101, 108, 114, 120, 126, 133, 140, 146, 157	http-disk-cache-ignore-write-errors	2
GroupById	262	http-disk-cache-max-age-sec	2
Groups	264	http-get-timeout-max-ms	2
		http-get-timeout-ms	2

http-memory-cache-compression-level 2
 http-memory-cache-max-age-sec 2
 http-post-timeout-max-ms 2
 http-post-timeout-ms 2

 - | -

 Icon 262, 264, 433, 444, 445, 474
 Icon (URL) 26, 30, 34, 38, 41, 45, 58, 65, 72, 79
 iconUrl 26, 30, 34, 38, 41, 45, 58, 65, 72, 79
 id 17, 58, 72, 85, 91, 97, 101, 108, 114, 120, 133, 140, 146, 163, 172, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 438, 441, 448, 454, 461, 466, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 658, 662, 667, 678, 680, 686, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741
 idReadable 26, 30, 34, 38, 41, 45, 58, 65, 72, 79
 idReadable_1 185, 192, 200, 206, 213, 219, 226, 232, 349, 355, 368, 547, 558, 565, 576, 581, 592
 idReadable_2 226, 232
 IDTypes 761
 ignore-http-400-errors 2
 ignore-http-401-errors 2
 ignore-http-402-errors 2
 ignore-http-403-errors 2
 ignore-http-404-errors 2
 ignore-http-422-errors 2
 ignore-http-429-errors 2
 ignore-http-500-errors 2
 ignore-http-502-errors 2
 ignore-http-503-errors 2
 ignore-known-path-type 2
 ignore-values-unknown-path 2
 Installation Folder 53
 InstallationFolder 53
 instanceCustomFields 492
 invalid-json-on-get-max-tries 2
 invalid-json-on-get-sleep-initial-ms 2
 invalid-json-on-get-sleep-max-ms 2
 invalid-json-on-get-sleep-multiplicator 2
 invalid-json-on-post-max-tries 2
 invalid-json-on-post-sleep-initial-ms 2
 invalid-json-on-post-sleep-max-ms 2
 invalid-json-on-post-sleep-multiplicator 2
 invantive-sql-compress-sparse-arrays 2
 invantive-sql-correct-invalid-date 2
 invantive-sql-forward-filters-to-data-containers 2
 invantive-sql-share-byte-arrays 2
 invantive-sql-share-strings 2
 invantive-sql-shuffle-fetch-results-data-containers 2
 invantive-use-cache 2
 Is Application Read-only 52
 Is Auto-attached 408, 418, 420, 492
 Is Default 91, 97, 101, 108, 114, 120, 126, 133, 140, 146, 157
 Is Displayed in Issue List 408, 418, 420, 492

Is Draft 26, 30, 34, 38, 41, 45, 65, 72, 101, 108, issue_draftOwner_login 753, 757
 114, 120, 126, 133, 140, 146, 268, 275, 280, 285, 290, issue_draftOwner_online 753, 757
 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, issue_draftOwner_ringId 753, 757
 340, 345, 349, 355, 363, 368, 438, 441, 448, 454, 461, issue_externalIssue_\$type 753, 757
 466, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, issue_externalIssue_id 753, 757
 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, issue_externalIssue_key 753, 757
 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, issue_externalIssue_name 753, 757
 658, 662, 667, 678, 680, 686, 694, 699, 703, 707, 712, issue_externalIssue_url 753, 757
 716, 720, 724, 729, 733, 737, 741 issue_id 268, 280, 285, 495, 500, 506, 512, 517,
 Is On 377, 378, 379, 380 523, 753, 757
 Is Public 408, 421, 423, 492 issue_idReadable 268, 280, 285, 495, 500, 506,
 Is Resolved 427, 429, 430, 432 512, 517, 523, 753, 757
 Is RTL 50 issue_isDraft 268, 280, 285, 495, 500, 506, 512,
 Is Updateable 382, 383, 384, 386, 389, 390, 393, 517, 523, 753, 757
 394, 395, 399, 400, 401, 402, 404, 405, 406, 408, 410, issue_numberInProject 268, 280, 285, 495, 500,
 414, 415, 416, 418, 420, 426, 427, 429, 432, 433, 434, 506, 512, 517, 523, 753, 757
 435, 436, 437, 444, 448, 485, 486, 488, 492 issue_parent_\$type 753, 757
 isApplicationReadOnly 52 issue_parent_direction 753, 757
 isAutoAttached 408, 418, 420, 492 issue_parent_id 753, 757
 isDefault 91, 97, 101, 108, 114, 120, 126, 133, 140, issue_project_archived 753, 757
 146, 157 issue_project_description 753, 757
 isDisplayedInIssueList 408, 418, 420, 492 issue_project_fromEmail 753, 757
 isDraft 26, 30, 34, 38, 41, 45, 65, 72, 101, 108, 114, issue_project_iconUrl 753, 757
 120, 126, 133, 140, 146, 268, 275, 280, 285, 290, 295, issue_project_replyToEmail 753, 757
 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, issue_project_shortName 753, 757
 345, 349, 355, 363, 368, 438, 441, 448, 454, 461, 466, issue_project_startingNumber 753, 757
 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, issue_project_template 753, 757
 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, issue_reporter_\$type 753, 757
 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 658, issue_reporter_avatarUrl 753, 757
 662, 667, 678, 680, 686, 694, 699, 703, 707, 712, 716, issue_reporter_email 753, 757
 720, 724, 729, 733, 737, 741 issue_reporter_fullName 753, 757
 isDraft_1 349, 355, 368, 547, 558, 565, 576, 581, issue_reporter_guest 753, 757
 592 issue_reporter_id 753, 757
 isOn 377, 378, 379, 380 issue_reporter_jabberAccountName 753, 757
 isPublic 408, 421, 423, 492 issue_reporter_login 753, 757
 isResolved 427, 429, 430, 432 issue_reporter_online 753, 757
 isRTL 50 issue_reporter_ringId 753, 757
 Issue Tags 45, 361, 547, 658 issue_resolved 268, 280, 285, 495, 500, 506, 512,
 issue_\$type 268, 280, 285, 495, 500, 506, 512, 517, 523, 753, 757 issue_subtasks_\$type 753, 757
 517, 523, 753, 757 issue_subtasks_direction 753, 757
 issue_created 268, 280, 285, 495, 500, 506, 512, issue_subtasks_id 753, 757
 517, 523, 753, 757 issue_summary 268, 280, 285, 495, 500, 506, 512,
 issue_description 268, 280, 285, 495, 500, 506, 512, 517, 523, 753, 757 issue_updated 268, 280, 285, 495, 500, 506, 512,
 517, 523, 753, 757 issue_updater_\$type 753, 757
 issue_draftOwner_\$type 753, 757 issue_updater_avatarUrl 753, 757
 issue_draftOwner_avatarUrl 753, 757 issue_updater_banned 753, 757
 issue_draftOwner_banned 753, 757 issue_updater_email 753, 757
 issue_draftOwner_email 753, 757 issue_updater_fullName 753, 757
 issue_draftOwner_guest 753, 757
 issue_draftOwner_id 753, 757
 issue_draftOwner_jabberAccountName 753, 757

issue_updater_guest	753, 757	IssueTagIssueLinksById	324
issue_updater_id	753, 757	IssueTagIssues	328
issue_updater_jabberAccountName	753, 757	IssueTagIssuesCustomFieldsById	332
issue_updater_login	753, 757	IssueTagIssuesTags	336
issue_updater_online	753, 757	IssueTagIssueTagsById	340
issue_updater_ringId	753, 757	IssueTagLinkIssuesByTagId	345
issue_usesMarkdown	268, 280, 285, 495, 500, 506	IssueTagLinkIssuesByTagId1	349
512, 517, 523, 753, 757		IssueTagLinkTrimmedIssuesByTagId	355
issue_visibility_\$type	753, 757	IssueTags	45, 361, 547, 658
issue_visibility_id	753, 757	IssueTagsBySavedQueryId	650
issue_voters_\$type	753, 757	isUpdateable	382, 383, 384, 386, 389, 390, 393, 394, 395, 399, 400, 401, 402, 404, 405, 406, 408, 410, 414, 415, 416, 418, 420, 426, 427, 429, 432, 433, 434, 435, 436, 437, 444, 448, 485, 486, 488, 492
issue_voters_hasVote	753, 757	523, 753, 757	
issue_voters_id	753, 757	issue_votes	268, 280, 285, 495, 500, 506, 512, 517, 523, 753, 757
issue_watchers_\$type	753, 757	IssueAttachments	26
issue_watchers_hasStar	753, 757	IssueAttachmentsBySavedQueryId	606
issue_watchers_id	753, 757	IssueById	537, 610
issue_wikifiedDescription	268, 280, 285, 495, 500, 506, 512, 517, 523, 753, 757	IssueComments	30
IssueAttachments	26	IssueCommentsBySavedQueryId	614
IssueAttachmentsBySavedQueryId	606	IssueCustomFields	34
IssueById	537, 610	IssueCustomFieldsBySavedQueryId	618
IssueComments	30	IssueLinks	38
IssueCommentsBySavedQueryId	614	IssueLinksByIdIssueId	541
IssueCustomFields	34	IssueLinkTypes	266
IssueCustomFieldsBySavedQueryId	618	IssueLinkTypesById	266
IssueLinks	38	issueQuery	15, 18, 20
IssueLinksById	642	Issues	41, 543, 623
Issues	41, 543, 623	IssuesAttachments	626
IssuesAttachments	626	IssuesComments	630
IssuesComments	630	IssuesCustomFields	634
IssuesCustomFields	634	IssuesLinks	638
IssuesLinks	638	IssuesLinksById	642
IssuesTags	646	IssuesTags	646
IssueTagAttachmentIssuesByTagId	268	IssueTagAttachmentIssuesByTagId	273
IssueTagById	273	IssueTagById2	275
IssueTagCommentAttachmentIssuesByTagId	285	IssueTagCommentAttachmentIssuesByTagId	285
IssueTagCustomFieldIssuesByTagId	290	IssueTagCustomFieldIssuesByTagId	290
IssueTagIssueAttachments	295	IssueTagIssueAttachmentsById	299
IssueTagIssueAttachmentsById	299	IssueTagIssueById	304
IssueTagIssueComments	308	IssueTagIssueCommentsById	312
IssueTagIssueCommentsById	312	IssueTagIssueCustomFields	316
IssueTagIssueLinks	320	IssueTagIssueLinks	320

- J -

Jabber Account Name	378, 379, 380, 382, 383, 384, 400, 401, 402, 404, 405, 406, 434, 435, 436, 438, 441, 448, 451, 454, 457, 459, 461, 464, 466, 470, 472, 477, 479, 482, 658, 661, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 691, 747
Jabber Notifications Enabled	746
jabberAccountName	378, 379, 380, 382, 383, 384, 400, 401, 402, 404, 405, 406, 434, 435, 436, 438, 441, 448, 451, 454, 457, 459, 461, 464, 466, 470, 472, 477, 479, 482, 658, 661, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 691, 747
jabberNotificationsEnabled	746
jabberSettings_\$type	50
jabberSettings_host	50
jabberSettings_id	50
jabberSettings_isEnabled	50
jabberSettings_login	50
jabberSettings_port	50
jabberSettings_serviceName	50
join-set-points-per-request	2

- L -

leader_\$type	26, 30, 34, 38, 41, 45, 58, 65, 72, 79
leader_\$type_1	45
leader_avatarUrl	26, 30, 34, 38, 41, 45, 58, 65, 72, 79
leader_banned	26, 30, 34, 38, 41, 45, 58, 65, 72, 79
leader_email	26, 30, 34, 38, 41, 45, 58, 65, 72, 79
leader_fullName	26, 30, 34, 38, 41, 45, 58, 65, 72, 79
leader_guest	26, 30, 34, 38, 41, 45, 58, 65, 72, 79
leader_id	26, 30, 34, 38, 41, 45, 58, 65, 72, 79
leader_id_1	45

leader_jabberAccountName 26, 30, 34, 38, 41, 45
 localeSettings_\$type 24
 58, 65, 72, 79
 localeSettings_id 24
 leader_login 26, 30, 34, 38, 41, 45, 58, 65, 72, 79
 localeSettings_isRTL 24
 leader_name 45
 localeSettings_locale_\$type 24
 leader_online 26, 30, 34, 38, 41, 45, 58, 65, 72, 79
 localeSettings_locale_community 24
 leader_profiles_\$type 26, 30, 34, 38, 41, 45
 localeSettings_locale_id 24
 leader_profiles_id 26, 30, 34, 38, 41, 45
 localeSettings_locale_language 24
 leader_ringId 26, 30, 34, 38, 41, 45, 58, 65, 72, 79
 localeSettings_locale_locale 24
 leader_untagOnResolve 45
 localeSettings_locale_name 24
 License 49
 Localized Name 266, 395, 396, 398, 399, 408, 418,
 license_\$type 24 420, 427, 429, 430, 432, 492
 license_error 24
 Localized Source to Target 266
 license_id 24
 Localized Target to Source 266
 license_license 24
 localizedName 266, 395, 396, 398, 399, 408, 418,
 license_username 24 420, 427, 429, 430, 432, 492
 Licenses 49
 localizedSourceToTarget 266
 limit-partition-calls-left 2
 localizedTargetToSource 266
 Link 374, 375
 Location 377, 378, 379, 380
 LinkByld 554
 Login 378, 379, 380, 382, 383, 384, 400, 401, 402,
 LinkIssues 558 404, 405, 406, 434, 435, 436, 438, 441, 448, 451, 454,
 LinkIssuesBylssueld 565 457, 459, 461, 464, 466, 470, 472, 477, 479, 482, 658,
 Links 571 661, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686,
 LinkTrimmedIssues 576 689, 691, 747
 LinkTrimmedIssuesBylssueld 581
 log-native-calls-to-disk-max-events 2
 linkType_\$type 345, 349, 355, 541, 554, 558, 565
 log-native-calls-to-disk-max-seconds 2
 571, 576, 581
 log-native-calls-to-disk-on-error 2
 linkType_aggregation 345, 349, 355, 541, 554, 558
 log-native-calls-to-disk-on-success 2
 565, 571, 576, 581
 log-native-calls-to-trace 2
 linkType_directed 345, 349, 355, 541, 554, 558
 logo_\$type 23
 565, 571, 576, 581
 logo_id 23
 linkType_id 345, 349, 355, 541, 554, 558, 565, 571
 logo_url 23
 576, 581
 Logs Location 53
 linkType_localizedName 345, 349, 355, 541, 554, 558
 logsLocation 53
 558, 565, 571, 576, 581
 linkType_localizedSourceToTarget 345, 349, 355,
 541, 554, 558, 565, 571, 576, 581
 - M -
 linkType_localizedTargetToSource 345, 349, 355,
 541, 554, 558, 565, 571, 576, 581
 mailboxIntegrationNotificationsEnabled 746
 linkType_name 345, 349, 355, 541, 554, 558, 565
 Max Export Items 52
 571, 576, 581
 Max Upload File Size 52
 linkType_readOnly 345, 349, 355, 541, 554, 558
 maxExportItems 52
 565, 571, 576, 581
 maximum-discovered-column-count 2
 linkType_sourceToTarget 345, 349, 355, 541, 554
 maximum-length-identifiers 2
 558, 565, 571, 576, 581
 max-odata-filters 2
 linkType_targetToSource 345, 349, 355, 541, 554
 maxUploadFileSize 52
 558, 565, 571, 576, 581
 max-url-length-accepted 2
 locale_\$type 50, 693
 max-url-length-desired 2
 locale_community 50, 693
 Me 661
 locale_id 50, 693
 mentionNotificationsEnabled 746
 locale_language 50, 693
 Metadata 26, 101, 172, 179, 185, 192, 239, 245,
 locale_locale 50, 693
 268, 280, 295, 299, 495, 500, 506, 512, 606, 626, 694,
 locale_name 50, 693
 699
 LocaleSettings 50
 metaData_1 172, 179, 185, 192

metadata-cache-max-age-sec 2
 mimeType 26, 101, 172, 179, 185, 192, 239, 245, notificationSettings_jabberSettings_host 24
 268, 280, 295, 299, 495, 500, 506, 512, 606, 626, 694, notificationSettings_jabberSettings_id 24
 699, notificationSettings_jabberSettings_isEnabled 24
 MIIME-type 26, 101, 172, 179, 185, 192, 239, 245, notificationSettings_jabberSettings_login 24
 268, 280, 295, 299, 495, 500, 506, 512, 606, 626, 694, notificationSettings_jabberSettings_port 24
 699, notificationSettings_jabberSettings_serviceName 24
 mimeType_1 172, 179, 185, 192
 Minutes a Day 56
 minutesADay 56
 MyIssueTags 662
 MySavedQueries 665
 MySavedQuerries 667
 MyTags 670

- N -

Name 26, 30, 34, 38, 41, 45, 55, 57, 58, 65, 72, 73, 732, 336, 340, 345, 349, 355, 363, 368, 438, 441, 448, 85, 91, 97, 101, 108, 114, 120, 126, 133, 140, 146, 454, 461, 466, 495, 500, 506, 512, 517, 523, 528, 533, 152, 157, 172, 179, 185, 192, 239, 245, 262, 264, 266, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 268, 273, 280, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 361, 363, 368, 374, 375, 378, 646, 650, 658, 662, 667, 678, 680, 686, 694, 699, 703, 380, 382, 384, 387, 389, 390, 392, 395, 396, 398, 399, 707, 712, 716, 720, 724, 729, 733, 737, 741, 401, 402, 405, 406, 408, 411, 413, 415, 416, 418, 420, 421, 422, 427, 429, 430, 432, 433, 435, 436, 438, 441, 444, 448, 451, 454, 461, 464, 466, 470, 474, 477, 479, 482, 488, 489, 491, 492, 495, 500, 506, 512, 528, 538, 539, 540, 545, 547, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 658, 662, 667, 678, 680, 686, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741, name_1 26, 34, 45, 58, 65, 72, 79, 91, 101, 114, 712, 716, 720, 724, 729, 733, 737, 741, 126, 133, 146, 157, 172, 179, 185, 192, 295, 299, 316, 332, 336, 340, 389, 390, 395, 399, 415, 416, 429, 432, 486, 488, 606, 618, 626, 634, 646, 650, 694, 699, 712, 716, 733, 741

Native Platform Scalar Requests 604
NATIVEPLATFORMSCALARREQUESTS 604
 Notification Analyzer Threads 53
 notificationAnalyzerThreads 53
 NotificationSettings 50
 notificationSettings_\$type 24
 notificationSettings_emailSettings_\$type 24
 notificationSettings_emailSettings_anonymous 24
 notificationSettings_emailSettings_from 24
 notificationSettings_emailSettings_host 24
 notificationSettings_emailSettings_id 24
 notificationSettings_emailSettings_isEnabled 24
 notificationSettings_emailSettings_login 24
 notificationSettings_emailSettings_mailProtocol 24
 notificationSettings_emailSettings_port 24
 notificationSettings_emailSettings_replyTo 24
 notificationSettings_id 24

notificationSettings_jabberSettings_\$type 24
 notificationSettings_jabberSettings_host 24
 notificationSettings_jabberSettings_id 24
 notificationSettings_jabberSettings_isEnabled 24
 notificationSettings_jabberSettings_login 24
 notificationSettings_jabberSettings_port 24
 notificationSettings_jabberSettings_serviceName 24
 NotifiedUserSavedQuerySettings 378
 NotifiedUserSettings 379
 NotifiedUserTagSettings 380
 Notify on Own Changes 746
 notifyOnOwnChanges 746
 npt 604
 Nullable 408, 421, 423, 492
 Number in Project 26, 30, 34, 38, 41, 45, 65, 72, 101, 108, 114, 120, 126, 133, 140, 146, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 438, 441, 448, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 658, 662, 667, 678, 680, 686, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741
 numberInProject 26, 30, 34, 38, 41, 45, 65, 72, 101, 108, 114, 120, 126, 133, 140, 146, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 438, 441, 448, 454, 457, 461, 466, 470, 472, 477, 479, 482, 488, 489, 491, 492, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 658, 662, 667, 678, 680, 686, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741
 numberInProject_1 349, 355, 368, 547, 558, 565, 576, 581, 592

- O -

oauth-unauthorized-max-tries 2
 oauth-unauthorized-sleep-initial-ms 2
 oauth-unauthorized-sleep-max-ms 2
 oauth-unauthorized-sleep-multiplicator 2
 Online 378, 379, 380, 382, 383, 384, 400, 401, 402, 404, 405, 406, 434, 435, 436, 438, 441, 448, 451, 454, 457, 459, 461, 464, 466, 470, 472, 477, 479, 482, 658, 661, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 691, 747
 onlineUsers_\$type 53
 onlineUsers_id 53
 onlineUsers_users 53
 Ordinal 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 387, 389, 390, 392, 395, 396, 398, 399, 408, 411, 413, 415, 416, 418, 420, 423, 427, 429, 430, 432, 486, 488, 489, 491, 492

ordinal_1 185, 192, 200, 206, 213, 219, 226, 232, owner_avatarUrl 58, 65, 72, 79, 85, 91, 126, 133, 389, 390, 395, 399, 408, 415, 416, 429, 432, 486, 488, 52, 157, 273, 295, 299, 304, 308, 312, 316, 320, 324, 492
 ordinal_2 226, 232
 ORIG_SYSTEM_GROUP 604
 ORIG_SYSTEM_REFERENCE 604
 Original System Group 604
 Original System Reference 604
 originalEstimationField_\$type 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 originalEstimationField_aliases 58, 65, 72, 79, 85, 828, 332, 336, 340, 361, 363, 368, 411, 413, 415, 416, 438, 441, 448, 451, 454, 461, 464, 466, 470, 477, 479, 482, 547, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 654, 656, 658, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741, 748, 751
 originalEstimationField_fieldDefaults_\$type 58, 65, 65, 482, 547, 587, 592, 599, 606, 610, 614, 618, 623, 626, 72, 79, 85, 91, 126, 133, 152, 157
 originalEstimationField_fieldDefaults_canBeEmpty 667, 670, 673, 675, 678, 680, 683, 686, 689, 694, 699, 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 originalEstimationField_fieldDefaults_emptyFieldText 51
 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 originalEstimationField_fieldDefaults_id 58, 65, 72, 157, 273, 295, 299, 304, 308, 312, 316, 320, 324, 328, 79, 85, 91, 126, 133, 152, 157
 originalEstimationField_fieldDefaults_isPublic 58, 441, 448, 451, 454, 461, 464, 466, 470, 477, 479, 482, 65, 72, 79, 85, 91, 126, 133, 152, 157
 originalEstimationField_fieldType_\$type 58, 65, 72, 634, 638, 642, 646, 650, 654, 656, 658, 662, 665, 667, 79, 85, 91, 126, 133, 152, 157
 originalEstimationField_fieldType_id 58, 65, 72, 79, 707, 712, 716, 720, 724, 729, 733, 737, 741, 748, 751
 85, 91, 126, 133, 152, 157
 originalEstimationField_hasRunningJob 58, 65, 72, 157, 273, 295, 299, 304, 308, 312, 316, 320, 324, 328, 79, 85, 91, 126, 133, 152, 157
 originalEstimationField_id 58, 65, 72, 79, 85, 91, 438, 441, 448, 451, 454, 461, 464, 466, 470, 477, 479, 482, 126, 133, 152, 157
 originalEstimationField_isAutoAttached 58, 65, 72, 667, 670, 673, 675, 678, 680, 683, 686, 689, 694, 699, 79, 85, 91, 126, 133, 152, 157
 originalEstimationField_isDisplayedInIssueList 58, 751
 65, 72, 79, 85, 91, 126, 133, 152, 157
 originalEstimationField_isUpdateable 58, 65, 72, 157, 273, 295, 299, 304, 308, 312, 316, 320, 324, 328, 79, 85, 91, 126, 133, 152, 157
 originalEstimationField_localizedName 58, 65, 72, 441, 448, 451, 454, 461, 464, 466, 470, 477, 479, 482, 79, 85, 91, 126, 133, 152, 157
 originalEstimationField_name 58, 65, 72, 79, 85, 634, 638, 642, 646, 650, 654, 656, 658, 662, 665, 667, 91, 126, 133, 152, 157
 originalEstimationField_ordinal 58, 65, 72, 79, 85, 707, 712, 716, 720, 724, 729, 733, 737, 741, 748, 751
 91, 126, 133, 152, 157
 orphansAtTheTop 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 ownedBundleElementId 411
 owner_\$type 58, 65, 72, 79, 85, 91, 126, 133, 152, 157, 273, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 361, 363, 368, 411, 413, 415, 416, 418, 438, 441, 448, 451, 454, 461, 464, 466, 470, 477, 479, 482, 547, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 654, 656, 658, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741, 748, 751
 634, 638, 642, 646, 650, 654, 656, 658, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741, 748, 751
 owner_\$type_1 336, 340, 646, 650, 733, 741

owner_jabberAccountName 58, 65, 72, 79, 85, 91, 126, 133, 152, 157, 273, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 361, 363, 368, 411, 413, 415, 416, 438, 441, 448, 451, 454, 461, 464, 466, 470, 477, 479, 482, 547, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 654, 656, 658, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741, 748, 751
 owner_login 58, 65, 72, 79, 85, 91, 126, 133, 152, 157, 273, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 361, 363, 368, 411, 413, 415, 416, 438, 441, 448, 451, 454, 461, 464, 466, 470, 477, 479, 482, 547, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 654, 656, 658, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741, 748, 751
 owner_name 336, 340, 646, 650, 733, 741
 owner_online 58, 65, 72, 79, 85, 91, 126, 133, 152, 157, 273, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 361, 363, 368, 411, 413, 415, 416, 438, 441, 448, 451, 454, 461, 464, 466, 470, 477, 479, 482, 547, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 654, 656, 658, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741, 748, 751
 owner_profiles_\$type 58, 65, 72, 79, 85, 91, 126, 133, 152, 157, 273, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 361, 411, 413, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 654, 656, 658, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741, 748, 751
 owner_profiles_id 58, 65, 72, 79, 85, 91, 126, 133, 152, 157, 273, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 361, 411, 413, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 654, 656, 658, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741, 748, 751
 owner_ringId 58, 65, 72, 79, 85, 91, 126, 133, 152, 157, 273, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 361, 363, 368, 411, 413, 415, 416, 438, 441, 448, 451, 454, 461, 464, 466, 470, 477, 479, 482, 547, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 654, 656, 658, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741, 748, 751
 owner_untagOnResolve 336, 340, 646, 650, 733, 741
 P -
 parent_\$type 26, 30, 34, 38, 41, 45, 101, 108, 114, 120, 140, 146, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 421, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 654, 656, 658, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741, 748, 751
 parent_alias 421
 parent_commentsCount 349, 355, 368, 547, 558, 565, 576, 581, 592
 parent_created 349, 355, 368, 547, 558, 565, 576, 581, 592
 parent_description 349, 355, 368, 547, 558, 565, 576, 581, 592
 parent_direction 26, 30, 34, 38, 41, 45, 101, 108, 120, 140, 146, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 421, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 654, 656, 658, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741, 748, 751
 parent_fieldDefaults_\$type 421
 parent_fieldDefaults_canBeEmpty 421
 parent_fieldDefaults_emptyFieldText 421
 parent_fieldDefaults_id 421
 parent_fieldDefaults_isPublic 421
 parentFieldType_\$type 421
 parentFieldType_id 421
 parent_hasRunningJob 421
 parent_id 26, 30, 34, 38, 41, 45, 101, 108, 114, 120, 140, 146, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 421, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 654, 656, 658, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741, 748, 751
 parent_idReadable 349, 355, 368, 547, 558, 565, 576, 581, 592
 parent_isAutoAttached 421
 parent_isDisplayedInIssueList 421
 parent_isDraft 349, 355, 368, 547, 558, 565, 576, 581, 592
 parent_isUpdateable 421

parentArticle_idReadable_1 185, 192, 200, 206, 213, 219, 226, 232
 parentArticle_idReadable_2 226, 232
 parentArticle_metaData 185, 192, 239, 245
 parentArticle_mimeType 185, 192, 239, 245
 parentArticle_name 185, 192, 239, 245
 parentArticle_ordinal 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_ordinal_1 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_ordinal_2 226, 232
 parentArticle_parentArticle_content 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_parentArticle_created 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_parentArticle_hasChildren 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_parentArticle_hasStar 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_parentArticle_idReadable 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_parentArticle_ordinal 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_project_archived 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_project_description 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_project_fromEmail 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_project_iconUrl 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_project_replyToEmail 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_project_shortName 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_project_startingNumber 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_project_template 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_removed 185, 192, 239, 245
 parentArticle_reporter_\$type 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_reporter_avatarUrl 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_reporter_banned 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_reporter_email 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_reporter_fullName 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_reporter_guest 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_reporter_id 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_reporter_jabberAccountName 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_reporter_login 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_reporter_online 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_reporter_ringId 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_size 185, 192, 239, 245
 parentArticle_summary 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_summary_1 185, 192, 200, 206, 213, 219, 226, 232
 parentArticle_summary_2 226, 232
 parentArticle_summary_3 226, 232
 parentArticle_text 200, 206
 parentArticle_updated 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_updated_1 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 parentArticle_updated_2 185, 192, 200, 206, 226, 232

parentArticle_updatedBy_\$type 163, 168, 172, 179
 parentArticle_updatedBy_avatarUrl 163, 168, 172, 140, 146
 parentArticle_updatedBy_banned 163, 168, 172, 251
 parentArticle_updatedBy_email 163, 168, 172, 179
 parentArticle_updatedBy_fullName 163, 168, 172, 179
 parentArticle_updatedBy_guest 163, 168, 172, 179
 parentArticle_updatedBy_id 163, 168, 172, 179
 parentArticle_updatedBy_jabberAccountName 163, 168, 172, 179
 parentArticle_updatedBy_login 163, 168, 172, 179
 parentArticle_updatedBy_online 163, 168, 172, 179
 parentArticle_updatedBy_ringId 163, 168, 172, 179
 parentArticle_url 185, 192, 239, 245
 parentArticle_visibility_\$type 163, 168, 172, 179
 parentArticle_visibility_id 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 partition-slot-based-rate-limit-length-ms 2
 partition-slot-based-rate-limit-slots 2
 Payload 604
 PAYLOAD_TEXT 604
 Pending Async Jobs 53
 pendingAsyncJobs 53
 periodFormat_\$type 672
 periodFormat_id 672
 pre-request-delay-ms 2
 previousSprint_\$type 91, 97, 101, 108, 114, 120, 126, 133, 140, 146, 157
 previousSprint_agile_\$type 97, 101, 108, 114, 120, 140, 146
 previousSprint_agile_hideOrphansSwimlane 97, 101, 108, 114, 120, 140, 146
 previousSprint_agile_id 97, 101, 108, 114, 120, 140, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 previousSprint_agile_name 97, 101, 108, 114, 120, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 previousSprint_agile_updateableByProjectBased 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 previousSprint_agile_visibleForProjectBased 97, 101, 108, 114, 120, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 previousSprint_archived 91, 97, 101, 108, 114, 120, 126, 133, 140, 146, 157
 previousSprint_finish 91, 97, 101, 108, 114, 120, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 previousSprint_goal 91, 97, 101, 108, 114, 120, 126, 133, 140, 146, 157
 previousSprint_id 91, 97, 101, 108, 114, 120, 126, 133, 140, 146, 157
 previousSprint_name 91, 97, 101, 108, 114, 120, 126, 133, 140, 146, 157
 previousSprint_previousSprint_\$type 97, 101, 108, 114, 120, 140, 146
 previousSprint_previousSprint_archived 97, 101, 108, 108, 114, 120, 140, 146
 previousSprint_previousSprint_finish 97, 101, 108, 114, 120, 140, 146
 previousSprint_previousSprint_goal 97, 101, 108, 114, 120, 140, 146
 previousSprint_previousSprint_id 97, 101, 108, 114, 120, 140, 146
 previousSprint_previousSprint_name 97, 101, 108, 114, 120, 140, 146
 previousSprint_previousSprint_start 97, 101, 108, 114, 120, 140, 146
 previousSprint_previousSprint_unresolvedIssuesCount 97, 101, 108, 114, 120, 140, 146
 previousSprint_start 91, 97, 101, 108, 114, 120, 126, 133, 140, 146, 157
 previousSprint_unresolvedIssuesCount 91, 97, 101, 108, 114, 120, 126, 133, 140, 146, 157
 profiles_\$type 378, 379, 380, 382, 383, 384, 400, 401, 402, 404, 405, 406, 434, 435, 436, 438, 441, 448, 451, 454, 457, 459, 461, 464, 466, 470, 472, 477, 479, 482, 658, 661, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 691, 747
 profiles_general_\$type 438, 441, 448, 451, 454, 457, 459, 461, 464, 466, 470, 472, 477, 479, 482, 658, 661, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 691, 747

project_createdBy_fullName 163, 168, 172, 179, project_fromEmail 26, 30, 34, 38, 41, 45, 101, 108, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 114, 120, 140, 146, 163, 168, 172, 179, 185, 192, 200, 256, 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275, 423, 495, 500, 506, 512, 517, 523, 528, 533, 537, 542, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599 328, 332, 336, 340, 345, 349, 355, 363, 368, 408, 423, project_createdBy_guest 163, 168, 172, 179, 185, 492, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 428, 10, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 549, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 554, 558, 565, 571, 576, 581, 587, 592, 599 741
 project_createdBy_id 163, 168, 172, 179, 185, 190 project_fromEmail_1 185, 192, 200, 206, 213, 219, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275, 232
 275, 280, 285, 290, 345, 349, 355, 363, 368, 423, 495 project_iconUrl 26, 30, 34, 38, 41, 45, 101, 108, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 558, 565, 571, 576, 581, 587, 592, 599 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275, project_createdBy_jabberAccountName 163, 168, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 408, 423, 245, 251, 256, 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 423, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 599
 project_createdBy_login 163, 168, 172, 179, 185, 741
 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256 project_iconUrl_1 185, 192, 200, 206, 213, 219, 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 423, 226, 232
 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547 project_id 349, 368, 547, 558, 565, 592
 554, 558, 565, 571, 576, 581, 587, 592, 599 project_idReadable 349, 368, 547, 558, 565, 592
 project_createdBy_online 163, 168, 172, 179, 185 project_isDraft 349, 368, 547, 558, 565, 592
 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256 project_leader_\$type 163, 168, 172, 179, 185, 192, 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 423, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 project_createdBy_ringId 163, 168, 172, 179, 185, 558, 565, 571, 576, 581, 587, 592, 599 project_leader_avatarUrl 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 423, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 project_description 26, 30, 34, 38, 41, 45, 101, 108, 654, 558, 565, 571, 576, 581, 587, 592, 599 project_leader_banned 163, 168, 172, 179, 185, 192, 206, 213, 219, 226, 232, 239, 245, 251, 256, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 275, 280, 285, 290, 345, 349, 355, 363, 368, 423, 328, 332, 336, 340, 345, 349, 355, 363, 368, 408, 423, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 492, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 547, 554, 558, 565, 571, 576, 581, 587, 592, 599 606 project_leader_email 163, 168, 172, 179, 185, 192, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741 project_leader_fullName 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 423, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 project_description_1 185, 192, 200, 206, 213, 219, 226, 232, 349, 368, 547, 558, 565, 592

project_template 26, 30, 34, 38, 41, 45, 101, 108, Read-only 266
 114, 120, 140, 146, 163, 168, 172, 179, 185, 192, 200
 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275
 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324
 328, 332, 336, 340, 345, 349, 355, 363, 368, 408, 423
 492, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543
 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606
 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650
 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741
 project_template_1 185, 192, 200, 206, 213, 219, 226, 232
 project_updated 349, 368, 547, 558, 565, 592
 project_usesMarkdown 349, 368, 547, 558, 565, 592
 project_votes 349, 368, 547, 558, 565, 592
 project_wikifiedDescription 349, 368, 547, 558, 565, 592
 ProjectActivityPages 20
 ProjectBySprintId 58
 projectCustomField_\$type 290, 528, 533
 projectCustomField_canBeEmpty 290, 528, 533
 projectCustomField_emptyFieldText 290, 528, 533
 projectCustomField_hasRunningJob 290, 528, 533
 projectCustomField_id 290, 528, 533
 projectCustomField_isPublic 290, 528, 533
 projectCustomField_ordinal 290, 528, 533
 ProjectIssues 65
 ProjectIssuesBySprintId 72
 Projects 79

- Q -

query 378, 382, 401, 402, 435, 438, 441, 451, 461, 464, 477, 500, 506, 517, 528, 543, 547, 558, 571, 576, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 654, 656, 665, 667, 673, 675, 678, 680, 694, 703, 712, 720, 729, 733, 748, 757

- R -

Readable ID 26, 30, 34, 38, 41, 45, 65, 72, 101, 108, 114, 120, 126, 133, 140, 146, 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 654, 665, 667, 673, 675, 678, 680, 694, 703, 712, 716, 720, 724, 729, 733, 737, 741, 746, 751, 756, 761, 766, 771, 776, 781, 786, 791, 796, 801, 806, 811, 816, 821, 826, 831, 836, 841, 846, 851, 856, 861, 866, 871, 876, 881, 886, 891, 896, 901, 906, 911, 916, 921, 926, 931, 936, 941, 946, 951, 956, 961, 966, 971, 976, 981, 986, 991, 996, 1001, 1006, 1011, 1016, 1021, 1026, 1031, 1036, 1041, 1046, 1051, 1056, 1061, 1066, 1071, 1076, 1081, 1086, 1091, 1096, 1101, 1106, 1111, 1116, 1121, 1126, 1131, 1136, 1141, 1146, 1151, 1156, 1161, 1166, 1171, 1176, 1181, 1186, 1191, 1196, 1201, 1206, 1211, 1216, 1221, 1226, 1231, 1236, 1241, 1246, 1251, 1256, 1261, 1266, 1271, 1276, 1281, 1286, 1291, 1296, 1301, 1306, 1311, 1316, 1321, 1326, 1331, 1336, 1341, 1346, 1351, 1356, 1361, 1366, 1371, 1376, 1381, 1386, 1391, 1396, 1401, 1406, 1411, 1416, 1421, 1426, 1431, 1436, 1441, 1446, 1451, 1456, 1461, 1466, 1471, 1476, 1481, 1486, 1491, 1496, 1501, 1506, 1511, 1516, 1521, 1526, 1531, 1536, 1541, 1546, 1551, 1556, 1561, 1566, 1571, 1576, 1581, 1586, 1591, 1596, 1601, 1606, 1611, 1616, 1621, 1626, 1631, 1636, 1641, 1646, 1651, 1656, 1661, 1666, 1671, 1676, 1681, 1686, 1691, 1696, 1701, 1706, 1711, 1716, 1721, 1726, 1731, 1736, 1741, 1746, 1751, 1756, 1761, 1766, 1771, 1776, 1781, 1786, 1791, 1796, 1801, 1806, 1811, 1816, 1821, 1826, 1831, 1836, 1841, 1846, 1851, 1856, 1861, 1866, 1871, 1876, 1881, 1886, 1891, 1896, 1901, 1906, 1911, 1916, 1921, 1926, 1931, 1936, 1941, 1946, 1951, 1956, 1961, 1966, 1971, 1976, 1981, 1986, 1991, 1996, 2001, 2006, 2011, 2016, 2021, 2026, 2031, 2036, 2041, 2046, 2051, 2056, 2061, 2066, 2071, 2076, 2081, 2086, 2091, 2096, 2101, 2106, 2111, 2116, 2121, 2126, 2131, 2136, 2141, 2146, 2151, 2156, 2161, 2166, 2171, 2176, 2181, 2186, 2191, 2196, 2201, 2206, 2211, 2216, 2221, 2226, 2231, 2236, 2241, 2246, 2251, 2256, 2261, 2266, 2271, 2276, 2281, 2286, 2291, 2296, 2301, 2306, 2311, 2316, 2321, 2326, 2331, 2336, 2341, 2346, 2351, 2356, 2361, 2366, 2371, 2376, 2381, 2386, 2391, 2396, 2401, 2406, 2411, 2416, 2421, 2426, 2431, 2436, 2441, 2446, 2451, 2456, 2461, 2466, 2471, 2476, 2481, 2486, 2491, 2496, 2501, 2506, 2511, 2516, 2521, 2526, 2531, 2536, 2541, 2546, 2551, 2556, 2561, 2566, 2571, 2576, 2581, 2586, 2591, 2596, 2601, 2606, 2611, 2616, 2621, 2626, 2631, 2636, 2641, 2646, 2651, 2656, 2661, 2666, 2671, 2676, 2681, 2686, 2691, 2696, 2701, 2706, 2711, 2716, 2721, 2726, 2731, 2736, 2741, 2746, 2751, 2756, 2761, 2766, 2771, 2776, 2781, 2786, 2791, 2796, 2801, 2806, 2811, 2816, 2821, 2826, 2831, 2836, 2841, 2846, 2851, 2856, 2861, 2866, 2871, 2876, 2881, 2886, 2891, 2896, 2901, 2906, 2911, 2916, 2921, 2926, 2931, 2936, 2941, 2946, 2951, 2956, 2961, 2966, 2971, 2976, 2981, 2986, 2991, 2996, 3001, 3006, 3011, 3016, 3021, 3026, 3031, 3036, 3041, 3046, 3051, 3056, 3061, 3066, 3071, 3076, 3081, 3086, 3091, 3096, 3101, 3106, 3111, 3116, 3121, 3126, 3131, 3136, 3141, 3146, 3151, 3156, 3161, 3166, 3171, 3176, 3181, 3186, 3191, 3196, 3201, 3206, 3211, 3216, 3221, 3226, 3231, 3236, 3241, 3246, 3251, 3256, 3261, 3266, 3271, 3276, 3281, 3286, 3291, 3296, 3301, 3306, 3311, 3316, 3321, 3326, 3331, 3336, 3341, 3346, 3351, 3356, 3361, 3366, 3371, 3376, 3381, 3386, 3391, 3396, 3401, 3406, 3411, 3416, 3421, 3426, 3431, 3436, 3441, 3446, 3451, 3456, 3461, 3466, 3471, 3476, 3481, 3486, 3491, 3496, 3501, 3506, 3511, 3516, 3521, 3526, 3531, 3536, 3541, 3546, 3551, 3556, 3561, 3566, 3571, 3576, 3581, 3586, 3591, 3596, 3601, 3606, 3611, 3616, 3621, 3626, 3631, 3636, 3641, 3646, 3651, 3656, 3661, 3666, 3671, 3676, 3681, 3686, 3691, 3696, 3701, 3706, 3711, 3716, 3721, 3726, 3731, 3736, 3741, 3746, 3751, 3756, 3761, 3766, 3771, 3776, 3781, 3786, 3791, 3796, 3801, 3806, 3811, 3816, 3821, 3826, 3831, 3836, 3841, 3846, 3851, 3856, 3861, 3866, 3871, 3876, 3881, 3886, 3891, 3896, 3901, 3906, 3911, 3916, 3921, 3926, 3931, 3936, 3941, 3946, 3951, 3956, 3961, 3966, 3971, 3976, 3981, 3986, 3991, 3996, 4001, 4006, 4011, 4016, 4021, 4026, 4031, 4036, 4041, 4046, 4051, 4056, 4061, 4066, 4071, 4076, 4081, 4086, 4091, 4096, 4101, 4106, 4111, 4116, 4121, 4126, 4131, 4136, 4141, 4146, 4151, 4156, 4161, 4166, 4171, 4176, 4181, 4186, 4191, 4196, 4201, 4206, 4211, 4216, 4221, 4226, 4231, 4236, 4241, 4246, 4251, 4256, 4261, 4266, 4271, 4276, 4281, 4286, 4291, 4296, 4301, 4306, 4311, 4316, 4321, 4326, 4331, 4336, 4341, 4346, 4351, 4356, 4361, 4366, 4371, 4376, 4381, 4386, 4391, 4396, 4401, 4406, 4411, 4416, 4421, 4426, 4431, 4436, 4441, 4446, 4451, 4456, 4461, 4466, 4471, 4476, 4481, 4486, 4491, 4496, 4501, 4506, 4511, 4516, 4521, 4526, 4531, 4536, 4541, 4546, 4551, 4556, 4561, 4566, 4571, 4576, 4581, 4586, 4591, 4596, 4601, 4606, 4611, 4616, 4621, 4626, 4631, 4636, 4641, 4646, 4651, 4656, 4661, 4666, 4671, 4676, 4681, 4686, 4691, 4696, 4701, 4706, 4711, 4716, 4721, 4726, 4731, 4736, 4741, 4746, 4751, 4756, 4761, 4766, 4771, 4776, 4781, 4786, 4791, 4796, 4801, 4806, 4811, 4816, 4821, 4826, 4831, 4836, 4841, 4846, 4851, 4856, 4861, 4866, 4871, 4876, 4881, 4886, 4891, 4896, 4901, 4906, 4911, 4916, 4921, 4926, 4931, 4936, 4941, 4946, 4951, 4956, 4961, 4966, 4971, 4976, 4981, 4986, 4991, 4996, 5001, 5006, 5011, 5016, 5021, 5026, 5031, 5036, 5041, 5046, 5051, 5056, 5061, 5066, 5071, 5076, 5081, 5086, 5091, 5096, 5101, 5106, 5111, 5116, 5121, 5126, 5131, 5136, 5141, 5146, 5151, 5156, 5161, 5166, 5171, 5176, 5181, 5186, 5191, 5196, 5201, 5206, 5211, 5216, 5221, 5226, 5231, 5236, 5241, 5246, 5251, 5256, 5261, 5266, 5271, 5276, 5281, 5286, 5291, 5296, 5301, 5306, 5311, 5316, 5321, 5326, 5331, 5336, 5341, 5346, 5351, 5356, 5361, 5366, 5371, 5376, 5381, 5386, 5391, 5396, 5401, 5406, 5411, 5416, 5421, 5426, 5431, 5436, 5441, 5446, 5451, 5456, 5461, 5466, 5471, 5476, 5481, 5486, 5491, 5496, 5501, 5506, 5511, 5516, 5521, 5526, 5531, 5536, 5541, 5546, 5551, 5556, 5561, 5566, 5571, 5576, 5581, 5586, 5591, 5596, 5601, 5606, 5611, 5616, 5621, 5626, 5631, 5636, 5641, 5646, 5651, 5656, 5661, 5666, 5671, 5676, 5681, 5686, 5691, 5696, 5701, 5706, 5711, 5716, 5721, 5726, 5731, 5736, 5741, 5746, 5751, 5756, 5761, 5766, 5771, 5776, 5781, 5786, 5791, 5796, 5801, 5806, 5811, 5816, 5821, 5826, 5831, 5836, 5841, 5846, 5851, 5856, 5861, 5866, 5871, 5876, 5881, 5886, 5891, 5896, 5901, 5906, 5911, 5916, 5921, 5926, 5931, 5936, 5941, 5946, 5951, 5956, 5961, 5966, 5971, 5976, 5981, 5986, 5991, 5996, 6001, 6006, 6011, 6016, 6021, 6026, 6031, 6036, 6041, 6046, 6051, 6056, 6061, 6066, 6071, 6076, 6081, 6086, 6091, 6096, 6101, 6106, 6111, 6116, 6121, 6126, 6131, 6136, 6141, 6146, 6151, 6156, 6161, 6166, 6171, 6176, 6181, 6186, 6191, 6196, 6201, 6206, 6211, 6216, 6221, 6226, 6231, 6236, 6241, 6246, 6251, 6256, 6261, 6266, 6271, 6276, 6281, 6286, 6291, 6296, 6301, 6306, 6311, 6316, 6321, 6326, 6331, 6336, 6341, 6346, 6351, 6356, 6361, 6366, 6371, 6376, 6381, 6386, 6391, 6396, 6401, 6406, 6411, 6416, 6421, 6426, 6431, 6436, 6441, 6446, 6451, 6456, 6461, 6466, 6471, 6476, 6481, 6486, 6491, 6496, 6501, 6506, 6511, 6516, 6521, 6526, 6531, 6536, 6541, 6546, 6551, 6556, 6561, 6566, 6571, 6576, 6581, 6586, 6591, 6596, 6601, 6606, 6611, 6616, 6621, 6626, 6631, 6636, 6641, 6646, 6651, 6656, 6661, 6666, 6671, 6676, 6681, 6686, 6691, 6696, 6701, 6706, 6711, 6716, 6721, 6726, 6731, 6736, 6741, 6746, 6751, 6756, 6761, 6766, 6771, 6776, 6781, 6786, 6791, 6796, 6801, 6806, 6811, 6816, 6821, 6826, 6831, 6836, 6841, 6846, 6851, 6856, 6861, 6866, 6871, 6876, 6881, 6886, 6891, 6896, 6901, 6906, 6911, 6916, 6921, 6926, 6931, 6936, 6941, 6946, 6951, 6956, 6961, 6966, 6971, 6976, 6981, 6986, 6991, 6996, 7001, 7006, 7011, 7016, 7021, 7026, 7031, 7036, 7041, 7046, 7051, 7056, 7061, 7066, 7071, 7076, 7081, 7086, 7091, 7096, 7101, 7106, 7111, 7116, 7121, 7126, 7131, 7136, 7141, 7146, 7151, 7156, 7161, 7166, 7171, 7176, 7181, 7186, 7191, 7196, 7201, 7206, 7211, 7216, 7221, 7226, 7231, 7236, 7241, 7246, 7251, 7256, 7261, 7266, 7271, 7276, 7281, 7286, 7291, 7296, 7301, 7306, 7311, 7316, 7321, 7326, 7331, 7336, 7341, 7346, 7351, 7356, 7361, 7366, 7371, 7376, 7381, 7386, 7391, 7396, 7401, 7406, 7411, 7416, 7421, 7426, 7431, 7436, 7441, 7446, 7451, 7456, 7461, 7466, 7471, 7476, 7481, 7486, 7491, 7496, 7501, 7506, 7511, 7516, 7521, 7526, 7531, 7536, 7541, 7546, 7551, 7556, 7561, 7566, 7571, 7576, 7581, 7586, 7591, 7596, 7601, 7606, 7611, 7616, 7621, 7626, 7631, 7636, 7641, 7646, 7651, 7656, 7661, 7666, 7671, 7676, 7681, 7686, 7691, 7696, 7701, 7706, 7711, 7716, 7721, 7726, 7731, 7736, 7741, 7746, 7751, 7756, 7761, 7766, 7771, 7776, 7781, 7786, 7791, 7796, 7801, 7806, 7811, 7816, 7821, 7826, 7831, 7836, 7841, 7846, 7851, 7856, 7861, 7866, 7871, 7876, 7881, 7886, 7891, 7896, 7901, 7906, 7911, 7916, 7921, 7926, 7931, 7936, 7941, 7946, 7951, 7956, 7961, 7966, 7971, 7976, 7981, 7986, 7991, 7996, 8001, 8006, 8011, 8016, 8021, 8026, 8031, 8036, 8041, 8046, 8051, 8056, 8061, 8066, 8071, 8076, 8081, 8086, 8091, 8096, 8101, 8106, 8111, 8116, 8121, 8126, 8131, 8136, 8141, 8146, 8151, 8156, 8161, 8166, 8171, 8176, 8181, 8186, 8191, 8196, 8201, 8206, 8211, 8216, 8221, 8226, 8231, 8236, 8241, 8246, 8251, 8256, 8261, 8266, 8271, 8276, 8281, 8286, 8291, 8296, 8301, 8306, 8311, 8316, 8321, 8326, 8331, 8336, 8341, 8346, 8351, 8356, 8361, 8366, 8371, 8376, 8381, 8386, 8391, 8396, 8401, 8406, 8411, 8416, 8421, 8426, 8431, 8436, 8441, 8446, 8451, 8456, 8461, 8466, 8471, 8476, 8481, 8486, 8491, 8496, 8501, 8506, 8511, 8516, 8521, 8526, 8531, 8536, 8541, 8546, 85

reporter_online_1 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 reporter_online_2 185, 192, 200, 206, 213, 219, 226, 232
 reporter_online_3 185, 192, 200, 206, 213, 219, 226, 232
 reporter_profiles_\$type 163, 168, 172, 179, 185, 192, 200, 213, 219, 226, 232, 239, 245, 251, 256
 reporter_profiles_id 163, 168, 172, 179, 185, 192, 200, 213, 219, 226, 232, 239, 245, 251, 256
 reporter_profiles_id_1 163, 168, 172, 179, 185, 192, 200, 213, 219, 226, 232, 239, 245, 251, 256
 reporter_ringId 26, 30, 34, 38, 41, 45, 101, 108, 114, 120, 140, 146, 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 reporter_ringId_1 163, 168, 172, 179, 185, 192, 200, 213, 219, 226, 232, 239, 245, 251, 256
 reporter_ringId_2 185, 192, 200, 206, 213, 219, 226
 reporter_ringId_3 185, 192, 200, 206, 213, 219, 226
 requested-page-size 2
 Requests per Second 53
 requests-parallel-max 2
 requestsPerSecond 53
 Resolved 26, 30, 34, 38, 41, 45, 65, 72, 101, 108, 114, 120, 126, 133, 140, 146, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 438, 441, 448, 454, 461, 466, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741
 resolved_1 349, 355, 368, 547, 558, 565, 576, 581
 Response Cache Maximum Age (sec) 604
 RestSettings 51
 restSettings_\$type 24
 restSettings_allowAllOrigins 24
 restSettings_id 24
 Result BLOB 604
 Result Text 604
 RESULT_BLOB 604
 RESULT_DATE_TIME_UTC 604
 RESULT_NUMBER 604
 RESULT_TEXT 604
 Reverse 15, 18, 20
 Ring ID 262, 264, 378, 379, 380, 382, 383, 384, 400, 401, 402, 404, 405, 406, 433, 434, 435, 436, 438, 441, 444, 445, 448, 451, 454, 457, 459, 461, 464, 466, 470, 472, 474, 477, 479, 482, 658, 661, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 691, 747
 reporter_profiles_id_1 163, 168, 172, 179, 185, 192, 200, 213, 219, 226, 232, 239, 245, 251, 256
 reporter_profiles_id_2 26, 30, 34, 38, 41, 45, 101, 108, 114, 120, 140, 146, 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 reporter_profiles_id_3 185, 192, 200, 206, 213, 219, 226
 reporter_ringId 26, 30, 34, 38, 41, 45, 58, 65, 72, 79
 reporter_ringId_1 26, 30, 34, 38, 41, 45, 58, 65, 72, 79
 reporter_ringId_2 26, 30, 34, 38, 41, 45, 58, 65, 72, 79
 reporter_ringId_3 26, 30, 34, 38, 41, 45, 58, 65, 72, 79
 - S -
 Save HTTP Disk Cache 604
 Save HTTP Memory Cache 604
 Saved Queries 654, 673
 SavedQueries 654, 673
 SavedQueryById 656, 675
 SavedQueryIssues 678
 SavedQueryIssuesByUserId 680
 service-url 2
 short Name 26, 30, 34, 38, 41, 45, 58, 65, 72, 79
 shortName 26, 30, 34, 38, 41, 45, 58, 65, 72, 79
 simulate-http-400-errors 2
 simulate-http-400-errors-percentage 2
 simulate-http-401-errors 2
 simulate-http-401-errors-percentage 2
 simulate-http-403-errors 2
 simulate-http-403-errors-percentage 2
 simulate-http-408-errors 2
 simulate-http-408-errors-percentage 2
 simulate-http-429-errors 2
 simulate-http-429-errors-percentage 2
 simulate-http-500-errors 2
 simulate-http-500-errors-percentage 2
 simulate-http-502-errors 2
 simulate-http-502-errors-percentage 2
 simulate-http-503-errors 2
 simulate-http-503-errors-percentage 2
 simulate-http-protocol-errors 2
 simulate-http-protocol-errors-percentage 2
 simulate-http-timeout-errors 2
 simulate-http-timeout-errors-percentage 2

Size 26, 101, 172, 179, 185, 192, 239, 245, 268, sprintsSettings_sprintSyncField_\$type 58, 65, 72, 280, 295, 299, 374, 375, 495, 500, 506, 512, 606, 629, 85, 91, 126, 133, 152, 157
 694, 699
 size_1 172, 179, 185, 192
 slot-based-rate-limit-length-ms 2
 slot-based-rate-limit-slots 2
 Source to Target 266
 sourceToTarget 266
 SprintById 85
 SprintById1 91
 SprintById2 97
 SprintIssueAttachmentsBySprintId 101
 SprintIssueCommentsBySprintId 108
 SprintIssueCustomFieldsBySprintId 114
 SprintIssueLinksBySprintId 120
 SprintIssues 126
 SprintIssuesBySprintId 133
 SprintIssuesBySprintId1 140
 SprintIssueTagsBySprintId 146
 Sprints 152
 Sprints1 157
 sprintsSettings_\$type 58, 65, 72, 79, 85, 91, 126, start 15, 18, 20, 91, 97, 101, 108, 114, 120, 126, 133, 152, 157
 sprintsSettings_cardOnSeveralSprints 58, 65, 72, Start Date 604
 79, 85, 91, 126, 133, 152, 157
 Start Time 53
 sprintsSettings_defaultSprint_\$type 58, 65, 72, 79, startDate 757
 85, 91, 126, 133, 152, 157
 startedTime 53
 sprintsSettings_defaultSprint_archived 58, 65, 72, Starting Number 26, 30, 34, 38, 41, 45, 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 sprintsSettings_defaultSprint_finish 58, 65, 72, 79, startingNumber 26, 30, 34, 38, 41, 45, 58, 65, 72, 79
 85, 91, 126, 133, 152, 157
 sprintsSettings_defaultSprint_goal 58, 65, 72, 79, stateBundleElementId 430
 85, 91, 126, 133, 152, 157
 sprintsSettings_defaultSprint_id 58, 65, 72, 79, status_\$type 58, 65, 72, 79, 85, 91, 126, 133, 152, 91, 126, 133, 152, 157
 157
 status_hasJobs 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 sprintsSettings_defaultSprint_isDefault 58, 65, 72, 79, status_id 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 79, 85, 91, 126, 133, 152, 157
 status_valid 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 sprintsSettings_defaultSprint_start 58, 65, 72, 79, subtasks_\$type 26, 30, 34, 38, 41, 45, 101, 108, 85, 91, 126, 133, 152, 157
 114, 120, 140, 146, 268, 275, 280, 285, 290, 295, 299, sprintsSettings_defaultSprint_unresolvedIssuesCount 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 58, 65, 72, 79, 85, 91, 126, 133, 152, 157
 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, sprintsSettings_disableSprints 58, 65, 72, 79, 85, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 91, 126, 133, 152, 157
 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, sprintsSettings_explicitQuery 58, 65, 72, 79, 85, 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, 724, 91, 126, 133, 152, 157
 729, 733, 737, 741
 sprintsSettings_hideSubtasksOfCards 58, 65, 72, subtasks_\$type_1 349, 355, 368, 547, 558, 565, 79, 85, 91, 126, 133, 152, 157
 576, 581, 592
 sprintsSettings_id 58, 65, 72, 79, 85, 91, 126, 133, subtasks_commentsCount 349, 355, 368, 547, 558, 565, 152, 157
 558, 565, 576, 581, 592
 sprintsSettings_isExplicit 58, 65, 72, 79, 85, 91, subtasks_created 349, 355, 368, 547, 558, 565, 126, 133, 152, 157
 576, 581, 592

subtasks_description 349, 355, 368, 547, 558, 565
 576, 581, 592
 subtasks_direction 26, 30, 34, 38, 41, 45, 101, 108, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 114, 120, 140, 146, 268, 275, 280, 285, 290, 295, 299, 304, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 606, 610, 614, 618, 623, 626, 630, 634, 637, 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741
 subtasks_id 26, 30, 34, 38, 41, 45, 101, 108, 114517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 120, 140, 146, 268, 275, 280, 285, 290, 295, 299, 304, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592
 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741
 subtasks_id_1 349, 355, 368, 547, 558, 565, 576
 subtasks_idReadable 349, 355, 368, 547, 558, 565
 subtasks_isDraft 349, 355, 368, 547, 558, 565, 576
 subtasks_linkType_\$type 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 592, 599
 subtasks_linkType_aggregation 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 subtasks_linkType_directed 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 subtasks_linkType_id 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 subtasks_linkType_localizedName 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 subtasks_linkType_localizedSourceToTarget 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 subtasks_linkType_name 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 subtasks_linkType_readOnly 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 subtasks_linkType_sourceToTarget 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 subtasks_linkType_targetToSource 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 subtasks_numberInProject 349, 355, 368, 547, 558, 565, 571, 576, 581, 592
 subtasks_resolved 349, 355, 368, 547, 558, 565, 599
 subtasks_summary 349, 355, 368, 547, 558, 565, 571, 581, 592
 subtasks_updated 349, 355, 368, 547, 558, 565, 576, 581, 592
 subtasks_usesMarkdown 349, 355, 368, 547, 558, 565, 576, 581, 592
 subtasks_votes 349, 355, 368, 547, 558, 565, 576, 581, 592
 Succesful 604
 SUCCESSFUL 604
 Summary 26, 30, 34, 38, 41, 45, 65, 72, 101, 108, 114, 120, 126, 133, 140, 146, 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275, 280, 285, 290, 295, 299, 304, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 376, 383, 391, 401, 411, 418, 428, 438, 441, 448, 454, 461, 466, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 summary_1 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 349, 355, 368, 376, 383, 391, 401, 411, 418, 428, 438, 441, 448, 454, 461, 466, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599
 summary_2 185, 192, 200, 206, 213, 219, 226, 232
 summary_3 185, 192, 200, 206, 213, 219, 226, 232
 summary_4 226, 232
 summary_5 226, 232
 swagger-specification-file 2
 swagger-specification-http-disk-cache-max-age-sec 2
 swimlaneSettings_\$type 58, 65, 72, 79, 85, 91
 swimlaneSettings_enabled 58, 65, 72, 79, 85, 91

swimlaneSettings_id 58, 65, 72, 79, 85, 91, 126, teamForProject_createdBy_banned 262, 264, 445, 133, 152, 157
 SystemSettings 52
 systemSettings_\$type 24
 systemSettings_administratorEmail 24
 systemSettings_allowStatisticsCollection 24
 systemSettingsBaseUrl 24
 systemSettings_id 24
 systemSettings_isApplicationReadOnly 24
 systemSettings_maxExportItems 24
 systemSettings_maxUploadFileSize 24

- T -

TagById 587, 683
 TagIssuesByTagId 363, 592, 686
 TagIssuesByTagId2 368
 Tags 599, 689
 Target member 15, 17, 20
 Target to Source 266
 targetMember 15, 17, 20
 targetToSource 266
 team_\$type 26, 30, 34, 38, 41, 45, 58, 65, 72, 79
 team_allUsersGroup 26, 30, 34, 38, 41, 45, 58, 65, 72, 79
 team_icon 26, 30, 34, 38, 41, 45, 58, 65, 72, 79
 team_id 26, 30, 34, 38, 41, 45, 58, 65, 72, 79
 team_name 26, 30, 34, 38, 41, 45, 58, 65, 72, 79
 team_ringId 26, 30, 34, 38, 41, 45, 58, 65, 72, 79
 team_teamForProject_archived 26, 30, 34, 38, 41, 45
 team_teamForProject_description 26, 30, 34, 38, 41, 45
 team_teamForProject_fromEmail 26, 30, 34, 38, 41, 45
 team_teamForProject_iconUrl 26, 30, 34, 38, 41, 45
 team_teamForProject_replyToEmail 26, 30, 34, 38, 41, 45
 team_teamForProject_shortName 26, 30, 34, 38, 41, 45
 team_teamForProject_startingNumber 26, 30, 34, 38, 41, 45
 team_teamForProject_template 26, 30, 34, 38, 41, 45
 team_usersCount 26, 30, 34, 38, 41, 45, 58, 65, 72, 79
 teamForProject_archived 262, 264, 433, 444, 445, 446, 447, 448
 teamForProject_createdBy_\$type 262, 264, 445, 446, 447
 teamForProject_createdBy_avatarUrl 262, 264, 445, 446, 447
 teamForProject_createdBy_banned 262, 264, 445, 446, 447
 teamForProject_createdBy_email 262, 264, 445, 446, 447
 teamForProject_createdBy_fullName 262, 264, 445, 446, 447
 teamForProject_createdBy_guest 262, 264, 445, 446, 447
 teamForProject_createdBy_id 262, 264, 445, 446, 447
 teamForProject_createdBy_jabberAccountName 262, 264, 445, 446, 447
 teamForProject_createdBy_login 262, 264, 445, 446, 447
 teamForProject_createdBy_online 262, 264, 445, 446, 447
 teamForProject_createdBy_ringId 262, 264, 445, 446, 447
 teamForProject_description 262, 264, 433, 444, 445, 446, 447
 teamForProject_fromEmail 262, 264, 433, 444, 445, 446, 447
 teamForProject_iconUrl 262, 264, 433, 444, 445, 446, 447
 teamForProject_leader_\$type 262, 264, 445, 446, 447
 teamForProject_leader_avatarUrl 262, 264, 445, 446, 447
 teamForProject_leader_banned 262, 264, 445, 446, 447
 teamForProject_leader_email 262, 264, 445, 446, 447
 teamForProject_leader.FullName 262, 264, 445, 446, 447
 teamForProject_leader_guest 262, 264, 445, 446, 447
 teamForProject_leader_id 262, 264, 445, 446, 447
 teamForProject_leader_jabberAccountName 262, 264, 445, 446, 447
 teamForProject_leader_login 262, 264, 445, 446, 447
 teamForProject_leader_online 262, 264, 445, 446, 447
 teamForProject_leader_ringId 262, 264, 445, 446, 447
 teamForProject_replyToEmail 262, 264, 433, 444, 445, 446, 447
 teamForProject_shortName 262, 264, 433, 444, 445, 446, 447
 teamForProject_startingNumber 262, 264, 433, 444, 445, 446, 447
 teamForProject_team_\$type 262, 264, 445, 446, 447
 teamForProject_team_allUsersGroup 262, 264, 445, 446, 447
 teamForProject_team_id 262, 264, 445, 446, 447
 teamForProject_team_name 262, 264, 445, 446, 447
 teamForProject_team_ringId 262, 264, 445, 446, 447
 teamForProject_team_usersCount 262, 264, 445, 446, 447
 teamForProject_template 262, 264, 433, 444, 445, 446, 447
 Telemetry 53
 Template 26, 30, 34, 38, 41, 45, 58, 65, 72, 79

Text 22, 30, 108, 200, 206, 239, 245, 251, 256, updateableBy_\$type 58, 65, 72, 79, 85, 91, 126, 280, 285, 308, 312, 506, 512, 517, 523, 614, 630, 703, 152, 157, 273, 295, 299, 304, 308, 312, 316, 320, 707, 753, 757
Text Index Size 53
Text Preview 30, 108, 280, 285, 308, 312, 506, 512, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 517, 523, 614, 630, 703, 707, 753, 757
textIndexSize 53
textPreview 30, 108, 280, 285, 308, 312, 506, 512, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 517, 523, 614, 630, 703, 707, 753, 757
Thumbnail (URL) 26, 101, 268, 280, 295, 299, 495, 642, 646, 650, 654, 656, 658, 662, 665, 667, 670, 673, 500, 506, 512, 606, 626, 694, 699
thumbnailURL 26, 101, 268, 280, 295, 299, 495, 675, 678, 680, 683, 686, 689, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741, 748, 751
Timeout (sec) 604
TIMEOUT_SEC 604
Timestamp 15, 17, 20
TimeTrackingSettings 54
TimeTrackingSettingWorkItemTypes 55
TimeTrackingSettingWorkItemTypesByWorkItemType d 55
TimeTrackingWorkTimeSettings 56
timezone_\$type 23, 693
timezone_id 23, 693
timezone_offset 23, 693
timezone_presentation 23, 693
Total Transactions 53
totalTransactions 53
Transaction ID 604
TRANSACTION_ID 604
Transactions per Second 53
transactionsPerSecond 53
type_\$type 753, 757
type_autoAttached 753, 757
type_id 753, 757
type_name 753, 757
Types 494

- U -

Unresolved Issue Count 91, 97, 101, 108, 114, 120, 126, 133, 140, 146, 157
unresolvedIssuesCount 91, 97, 101, 108, 114, 120, 126, 133, 140, 146, 157
untagOnResolve 45, 146, 273, 295, 299, 304, 308, 316, 320, 324, 328, 332, 336, 340, 361, 363, 368, 380, 384, 405, 406, 436, 448, 454, 466, 470, 479, 482, 489, 492, 499, 500, 506, 512, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 547, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 654, 656, 658, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741, 748, 751
untagOnResolve_1 336, 340, 741
updateableBy_\$type 58, 65, 72, 79, 85, 91, 126, 133, 152, 157, 273, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 361, 363, 368, 438, 441, 448, 451, 454, 461, 464, 466, 470, 477, 479, 482, 547, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 654, 656, 658, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741, 748, 751
updateableBy_allUsersGroup 58, 65, 72, 79, 85, 91, 126, 133, 152, 157, 273, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 361, 363, 368, 438, 441, 448, 451, 454, 461, 464, 466, 470, 477, 479, 482, 547, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 654, 656, 658, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741, 748, 751
updateableBy_icon 58, 65, 72, 79, 85, 91, 126, 133, 152, 157, 273, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 361, 363, 368, 438, 441, 448, 451, 454, 461, 464, 466, 470, 477, 479, 482, 547, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 654, 656, 658, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741, 748, 751
updateableBy_id 58, 65, 72, 79, 85, 91, 126, 133, 152, 157, 273, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 361, 363, 368, 438, 441, 448, 451, 454, 461, 464, 466, 470, 477, 479, 482, 547, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 654, 656, 658, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741, 748, 751
updateableBy_name 58, 65, 72, 79, 85, 91, 126, 133, 152, 157, 273, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 361, 363, 368, 438, 441, 448, 451, 454, 461, 464, 466, 470, 477, 479, 482, 547, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 654, 656, 658, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741, 748, 751
updateableBy_ringId 58, 65, 72, 79, 85, 91, 126, 133, 152, 157, 273, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 361, 363, 368, 438, 441, 448, 451, 454, 461, 464, 466, 470, 477, 479, 482, 547, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 654, 656, 658, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741, 748, 751
updateableBy_teamForProject_archived 58, 65, 72, 79, 85, 91, 126, 133, 152, 157, 273, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 361, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 654, 656, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741, 748, 751

- U -

Unresolved Issue Count 91, 97, 101, 108, 114, 120, 324, 328, 332, 338, 340, 351, 353, 358, 438, 441, 448, 126, 133, 140, 146, 157 451, 454, 461, 464, 466, 470, 477, 479, 482, 547, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, unresolvedIssuesCount 91, 97, 101, 108, 114, 120, 642, 646, 650, 654, 656, 658, 662, 665, 667, 670, 673, 126, 133, 140, 146, 157 675, 678, 680, 683, 686, 689, 694, 699, 703, 707, 712, untagOnResolve 45, 146, 273, 295, 299, 304, 308, 716, 720, 724, 729, 733, 737, 741, 748, 751 312, 316, 320, 324, 328, 332, 336, 340, 361, 363, 368, updateableBy_teamForProject_archived 58, 65, 72, 380, 384, 405, 406, 436, 448, 454, 466, 470, 479, 482, 85, 91, 126, 133, 152, 157, 273, 295, 299, 304, 547, 587, 592, 599, 646, 650, 658, 662, 670, 683, 688, 308, 312, 316, 320, 324, 328, 332, 336, 340, 361, 606, 689, 699, 707, 716, 724, 733, 737, 741, 751 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, untagOnResolve_1 336, 340, 741 654, 656, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741, 748, 751

updateableBy_teamForProject_description 58, 65
 Updated 26, 30, 34, 38, 41, 45, 65, 72, 101, 108, 72, 79, 85, 91, 126, 133, 152, 157, 273, 295, 299, 304, 414, 120, 126, 133, 140, 146, 163, 168, 172, 179, 185, 308, 312, 316, 320, 324, 328, 332, 336, 340, 361, 60892, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 6568, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 654, 656, 694, 699, 703, 707, 712, 716, 720, 724, 729, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 733, 737, 741, 748, 751 438, 441, 448, 454, 461, 466, 495, 500, 506, 512, 517,
 updateableBy_teamForProject_fromEmail 58, 65, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 72, 79, 85, 91, 126, 133, 152, 157, 273, 295, 299, 304, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 308, 312, 316, 320, 324, 328, 332, 336, 340, 361, 6084, 638, 642, 646, 650, 658, 662, 667, 678, 680, 686, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 654, 656, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741, 748, 751 updated_1 26, 30, 101, 108, 172, 179, 185, 192,
 updateableBy_teamForProject_iconUrl 58, 65, 72200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 79, 85, 91, 126, 133, 152, 157, 273, 295, 299, 304, 280, 285, 295, 299, 308, 312, 349, 355, 368, 495, 500, 308, 312, 316, 320, 324, 328, 332, 336, 340, 361, 606, 512, 517, 523, 547, 558, 565, 576, 581, 592, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 626, 630, 694, 699, 703, 707 654, 656, 694, 699, 703, 707, 712, 716, 720, 724, 729 updated_2 172, 179, 185, 192, 200, 206, 226, 232, 733, 737, 741, 748, 751 239, 245, 280, 506, 512
 updateableBy_teamForProject_replyToEmail 58, updated_3 185, 192 65, 72, 79, 85, 91, 126, 133, 152, 157, 273, 295, 299 updatedBy_\$type 163, 168, 172, 179, 185, 192, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 361, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 626, 630, 694, 699, 703, 707 updatedBy_\$type_1 185, 192, 200, 206, 213, 219, 650, 654, 656, 694, 699, 703, 707, 712, 716, 720, 724, 729 updatedBy_avatarUrl 163, 168, 172, 179, 185, 192, updateableBy_teamForProject_shortName 58, 65200, 206, 213, 219, 226, 232, 239, 245, 251, 256 72, 79, 85, 91, 126, 133, 152, 157, 273, 295, 299, 304 updatedBy_avatarUrl_1 185, 192, 200, 206, 213, 308, 312, 316, 320, 324, 328, 332, 336, 340, 361, 606, 219, 226, 232 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 626, 630, 694, 699, 703, 707, 712, 716, 720, 724, 729 updatedBy_banned 163, 168, 172, 179, 185, 192, 654, 656, 694, 699, 703, 707, 712, 716, 720, 724, 729 200, 206, 213, 219, 226, 232, 239, 245, 251, 256 733, 737, 741, 748, 751 updatedBy_banned_1 185, 192, 200, 206, 213, 219, updateableBy_teamForProject_startingNumber 58, 65226, 232 65, 72, 79, 85, 91, 126, 133, 152, 157, 273, 295, 299 updatedBy_email 163, 168, 172, 179, 185, 192, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 361, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 626, 630, 694, 699, 703, 707, 712, 716, 720, 724, 729 updatedBy_email_1 185, 192, 200, 206, 213, 219, 729, 733, 737, 741, 748, 751 226, 232
 updateableBy_teamForProject_template 58, 65, 72200, 206, 213, 219, 226, 232, 239, 245, 251, 256 79, 85, 91, 126, 133, 152, 157, 273, 295, 299, 304, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256 308, 312, 316, 320, 324, 328, 332, 336, 340, 361, 606, 219, 226, 232 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 626, 630, 694, 699, 703, 707, 712, 716, 720, 724, 729 updatedBy_guest 163, 168, 172, 179, 185, 192, 733, 737, 741, 748, 751 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
 updateableBy_usersCount 58, 65, 72, 79, 85, 91, updatedBy_guest_1 185, 192, 200, 206, 213, 219, 126, 133, 152, 157, 273, 295, 299, 304, 308, 312, 316, 226, 232 320, 324, 328, 332, 336, 340, 361, 363, 368, 438, 441, updatedBy_id 163, 168, 172, 179, 185, 192, 200, 448, 451, 454, 461, 464, 466, 470, 477, 479, 482, 54206, 213, 219, 226, 232, 239, 245, 251, 256 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 655, 667, 67282, 638, 642, 646, 650, 654, 656, 658, 662, 665, 667, 67282, 673, 675, 678, 680, 683, 686, 688, 689, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741, 748, 751 updatedBy_jabberAccountName 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256 updateableByProjectBased 58, 65, 72, 79, 85, 91251, 256 126, 133, 152, 157 updatedBy_jabberAccountName_1 185, 192, 200, 206, 213, 219, 226, 232 updatedBy_login 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256

updatedBy_login_1 185, 192, 200, 206, 213, 219, updated_guest 26, 30, 34, 38, 41, 45, 101, 108, 114, 120, 140, 146, 268, 275, 280, 285, 290, 295, 299, 226, 232
 updatedBy_online 163, 168, 172, 179, 185, 192, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, updatedBy_online_1 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, 724, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256 729, 733, 737, 741
 updatedBy_profiles_\$type 163, 168, 172, 179, 185, updated_id 26, 30, 34, 38, 41, 45, 101, 108, 114, 120, 140, 146, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, updatedBy_ringId 163, 168, 172, 179, 185, 192, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, updatedBy_ringId_1 185, 192, 200, 206, 213, 219, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 226, 232 646, 650, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741
 updatedEnd 757
 updatedStart 757
 updated_jabberAccountName 26, 30, 34, 38, 41, 45, updated_login 26, 30, 34, 38, 41, 45, 101, 108, 114, 120, 140, 146, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741
 updated_avatarUrl 26, 30, 34, 38, 41, 45, 101, 108, 114, 120, 140, 146, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741
 updated_banned 26, 30, 34, 38, 41, 45, 101, 108, 114, 120, 140, 146, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741
 updated_online 26, 30, 34, 38, 41, 45, 101, 108, 114, 120, 140, 146, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741
 updated_profiles_\$type 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741
 updated_profiles_id 268, 275, 280, 285, 290, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741
 updated_ringId 26, 30, 34, 38, 41, 45, 101, 108, 114, 120, 140, 146, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741
 Uptime 53

URL 26, 101, 172, 179, 185, 192, 239, 245, 268, usesMarkdown 26, 30, 34, 38, 41, 45, 65, 72, 101, 280, 295, 299, 495, 500, 506, 512, 604, 606, 626, 694, 698, 114, 120, 126, 133, 140, 146, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 438, 441, 448, 454, 461, 466, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 658, 662, 667, 678, 680, 686, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741, 753, 757
url_1 172, 179, 185, 192
Use HTTP Disk Cache 604
Use HTTP Memory Cache 604
Use Plain-text Emails 746
use-batch-insert 2
Used Memory 53
usedMemory 53
use-http-disk-cache-read 2
use-http-disk-cache-write 2
use-http-memory-cache-read 2
use-http-memory-cache-write 2
usePlainTextEmails 746
User Name 49
UserById 691
UserGeneralProfilesBySprintId 693
userGroupId 474
userId 461, 464, 466, 470, 472
UserIssueAttachmentSavedQueriesByUserId 694
UserIssueAttachmentTagsByUserId 699
UserIssueCommentSavedQueriesByUserId 703
UserIssueCommentTagsByUserId 707
UserIssueCustomFieldSavedQueriesByUserId 712
UserIssueCustomFieldTagsByUserId 716
UserIssueLinkSavedQueriesByUserId 720
UserIssueLinkSavedQueryTagsByUserId 724
UserIssueSavedQueriesByUserId 729
UserIssueTagSavedQueriesByUserId 733
UserIssueTagsByUserId 737
UserIssueTagsByUserId1 741
username 49
UserNotificationProfilesBySprintId 746
Users 747
Users Count 262, 264, 433, 444, 445, 474
UserSavedQueriesByUserId 748
usersCount 262, 264, 433, 444, 445, 474
UserTagsByUserId 751
Uses Mark Down 26, 30, 34, 38, 41, 45, 65, 72, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 280, 101, 108, 114, 120, 126, 133, 140, 146, 268, 275, 285, 495, 500, 506, 512, 517, 523
285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 658, 662, 667, 678, 680, 686, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741, 753, 757
757
visibleFor_\$type 58, 65, 72, 79, 85, 91, 126, 133, 152, 157, 273, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 361, 363, 368, 438, 441, 448, 451, 454, 461, 464, 466, 470, 477, 479, 482, 547, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 654, 656, 658, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741, 748, 751

- V -

versionBundleElementId 491
visibility_\$type 26, 30, 34, 38, 41, 45, 101, 108, 114, 120, 140, 146, 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 658, 662, 667, 678, 680, 686, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741
visibility_\$type_1 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 280, 285, 495, 500, 506, 512, 517, 523
visibility_\$type_2 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256
visibility_\$type_3 172, 179, 185, 192, 200, 206, 213, 219, 226, 232
visibility_id 26, 30, 34, 38, 41, 45, 101, 108, 114, 120, 140, 146, 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 658, 662, 667, 678, 680, 686, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741
visibility_id_1 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 658, 662, 667, 678, 680, 686, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741
visibility_id_2 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 658, 662, 667, 678, 680, 686, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741
visibility_id_3 172, 179, 185, 192, 200, 206, 213, 219, 226, 232
visibleFor_\$type 58, 65, 72, 79, 85, 91, 126, 133, 152, 157, 273, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 361, 363, 368, 438, 441, 448, 451, 454, 461, 464, 466, 470, 477, 479, 482, 547, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 654, 656, 658, 662, 665, 667, 670, 673, 675, 678, 680, 683, 686, 689, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741, 748, 751

voters_hasVote 26, 30, 34, 38, 41, 45, 101, 108, Wikified Description 26, 30, 34, 38, 41, 45, 65, 72, 114, 120, 140, 146, 268, 275, 280, 285, 290, 295, 299, 301, 108, 114, 120, 126, 133, 140, 146, 268, 275, 280, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, 729, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 729, 733, 737, 741
 voters_id 26, 30, 34, 38, 41, 45, 101, 108, 114, 120, 140, 146, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 729, 733, 737, 741
 Wikified Description 26, 30, 34, 38, 41, 45, 65, 72, 114, 120, 126, 133, 140, 146, 268, 275, 280, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 438, 441, 448, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 729, 733, 737, 741
 Work Items 757
 WorkItemById 753
 WorkItems 757
 workItemTypeId 55
 WorkItemTypeTimeTrackingSettings 57
 workTimeSettings_type 54, 57
 workTimeSettings_daysAWeek 54, 57
 workTimeSettings_firstDayOfWeek 54, 57
 workTimeSettings_id 54, 57
 workTimeSettings_minutesADay 54, 57

votes_1 349, 355, 368, 547, 558, 565, 576, 581, 592
 votes_1 349, 355, 368, 547, 558, 565, 576, 581, 592

- W -

watchers\$type 26, 30, 34, 38, 41, 45, 101, 108, 114, 120, 140, 146, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, 729, 733, 737, 741
 watchers_hasStar 26, 30, 34, 38, 41, 45, 101, 108, 114, 120, 140, 146, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, 729, 733, 737, 741
 watchers_id 26, 30, 34, 38, 41, 45, 101, 108, 114, 120, 140, 146, 268, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 363, 368, 495, 500, 506, 512, 517, 523, 528, 533, 537, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 606, 610, 614, 618, 623, 626, 630, 634, 638, 642, 646, 650, 694, 699, 703, 707, 712, 716, 720, 729, 733, 737, 741
 YouTrack 1, 15, 17, 18, 20, 22, 23, 24, 26, 30, 34, 38, 41, 45, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 65, 72, 79, 85, 91, 97, 101, 108, 114, 120, 126, 133, 140, 146, 152, 157, 163, 168, 172, 179, 185, 192, 200, 206, 213, 219, 226, 232, 239, 245, 251, 256, 262, 264, 266, 273, 275, 280, 285, 290, 295, 299, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 345, 349, 355, 361, 363, 368, 374, 375, 376, 377, 378, 379, 380, 382, 383, 386, 387, 389, 390, 392, 393, 394, 395, 396, 398, 399, 400, 401, 402, 404, 405, 406, 408, 410, 411, 413, 414, 415, 416, 418, 420, 421, 423, 426, 427, 429, 430, 432, 433, 434, 435, 436, 437, 438, 441, 444, 445, 448, 451, 454, 457, 459, 461, 464, 466, 470, 472, 474, 477, 482, 485, 486, 488, 489, 491, 492, 494, 495, 500, 506, 512, 517, 523, 528, 533, 537, 541, 543, 547, 554, 558, 565, 571, 576, 581, 587, 592, 599, 604, 606, 610, 618, 623, 626, 630, 634, 638, 642, 646, 650, 654, 656, 658, 661, 662, 665, 667, 670, 672, 673, 675, 678, 680, 683, 686, 689, 691, 693, 694, 699, 703, 707, 712, 716, 720, 724, 729, 733, 737, 741, 746, 747, 748, 751, 753, 757, 761

- Y -



Invantive B.V.
Biesteweg 11
3849 RD Hierden
the Netherlands

Tel: +31 88 00 26 500
Fax: +31 84 22 58 178
info@invantive.com
invantive.com

IBAN NL25 BUNQ 2098 2586 07
Chamber of Industry and Commerce
13031406

VAT NL812602377B01
RSIN 8122602377

Managing Director: Guido Leenders
Registered office: Roermond